

NOTICES

DEPARTMENT OF BANKING AND SECURITIES

Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending May 26, 2020.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file comments in writing with the Department of Banking and Securities, Bank Supervision or Credit Union and Trust Supervision (as applicable), 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, for banks (717) 783-8240 and for credit unions and trust companies (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

BANKING INSTITUTIONS

Holding Company Acquisitions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
05-01-2020	Fidelity D & D Bancorp, Inc. Dunmore Lackawanna County Application for approval to acquire 100% of MNB Corporation, Bangor, and thereby indirectly acquire 100% of Merchants Bank of Bangor, Bangor.	Effective

Consolidations, Mergers and Absorptions

05-01-2020	William Penn Bank Levittown Bucks County Merger of Fidelity Savings and Loan Association of Bucks County, Bristol, with and into William Penn Bank. All branch offices of Fidelity Savings and Loan Association of Bucks County will become branch offices of William Penn Bank including the former main office of Fidelity Savings and Loan Association of Bucks County located at: 237 Radcliffe Street Bristol Bucks County	Effective
05-01-2020	William Penn Bank Levittown Bucks County Merger of Washington Savings Bank, Philadelphia, with and into William Penn Bank. All branch offices of Washington Savings Bank will become branch offices of William Penn Bank including the former main office of Washington Savings Bank located at: 2900 Comly Road Philadelphia Philadelphia County	Effective
05-01-2020	The Fidelity Deposit and Discount Bank Dunmore Lackawanna County Merger of Merchants Bank of Bangor, Bangor, with and into The Fidelity Deposit and Discount Bank. All branch offices of Merchants Bank of Bangor will become branch offices of The Fidelity Deposit and Discount Bank including the former main office of Merchants Bank of Bangor located at: 25 Broadway Bangor Northampton County	Effective

**Branch Applications
De Novo Branches**

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
05-19-2020	Republic First Bank Philadelphia Philadelphia County	1090 Third Avenue New York New York County, NY	Withdrawn

Articles of Amendment

<i>Date</i>	<i>Name and Location of Institution</i>	<i>Action</i>
05-26-2020	The Pennsylvania Trust Company Radnor Delaware County	Effective

Amendment to Article 1 of the institution's Articles of Incorporation provides for a change in corporate title from "The Pennsylvania Trust Company" to "Fiduciary Trust Company International of Pennsylvania."

Articles of Amendment provide for the institution's Articles of Incorporation to be amended and restated in their entirety.

CREDIT UNIONS

No activity.

The Department's web site at www.dobs.pa.gov includes public notices for more recently filed applications.

RICHARD VAGUE,
Acting Secretary

[Pa.B. Doc. No. 20-738. Filed for public inspection June 5, 2020, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications concern, but are not limited to, discharges regarding industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFO). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Waste; Discharge into Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 Individual Permits and Individual Stormwater Construction Permits in Sections IV and VI, the Department, based upon preliminary reviews, has made tentative determinations of proposed effluent limitations and other terms and conditions for the permit applications. In accordance with 25 Pa. Code § 92a.32(d), the proposed

discharge of stormwater associated with construction activities will be managed in accordance with the requirements of 25 Pa. Code Chapter 102. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the United States Environmental Protection Agency (EPA) Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on NPDES applications are invited to submit statements to the contact office noted before the application within 30-days from the date of this public notice. Persons wishing to comment on WQM permit applications are invited to submit statements to the office noted before the application within 15-days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for public hearings on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications.

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Email: RA-EPNPDES_NERO@pa.gov.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0064271A-1 (Sewage)	Timothy and Melissa Gaiser SRSTP 4926 Main Road West Emmaus, PA 18049	Lehigh County Upper Milford Township	Leibert Creek (HQ-CWF, MF) (2-C)	Yes

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, Email: RA-EPNPDES_SCRO@pa.gov.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0054852 (IW)	Western Berks Landfill Acquisitions Co., LLC 455 Poplar Neck Road Birdsboro, PA 19508	Berks County/ Cumru Township	3C—Schuylkill River	Y
PA0247502 (Sewage)	Kauffman Res 312 Steelstown Road Newville, PA 17241-9699	Cumberland County North Newton Township	Unnamed Tributary to Conodoguin Creek (WWF, MF) (7-B)	Yes
PA0020508 (Sew)	McConnellsburg Wastewater Treatment Plant 20789 Great Cove Road McConnellsburg, PA 17233	Fulton County/ Ayr Township	Big Cove Creek/13B	Yes

Northcentral Regional Office: Clean Water Program Manager, 208 W Third Street, Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.3636, Email: RA-EPNPDES_NCRO@pa.gov.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0042722 (Sewage)	Dushore Sewer Authority STP P.O. Box 248 Dushore Municipal Auth Dushore, PA 18614—248	Sullivan County Dushore Borough	Little Loyalsock Creek (EV (existing use)) (10-B)	Yes
PA0113883 (Sewage)	Keystone MHP 35 Calais Road Randolph, NJ 07869	Lycoming County Lewis Township	Lycoming Creek (EV (existing use)) (10-A)	Yes
PA0209724 (Sewage)	Lake Glory Campgrounds 391 Knoebels Boulevard P.O. Box 317 Elysburg, PA 17824-7127	Columbia County Cleveland Township	Roaring Creek (TSF) (5-E)	Yes

Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Email: RA-EPNPDES_SWRO@pa.gov.

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed #)	EPA Waived Y/N?
PA0028258 (Sewage)	Ohiopyle Borough WWTP SR 381 Ohiopyle, PA 15470	Fayette County Ohiopyle Borough	Meadow Run (HQ-CWF) (19-E)	Yes
PA0095737 (Industrial)	Alliance Tubular Holdings, LLC 305 Cannelton Road Darlington, PA 16115	Beaver County Darlington Township	Unnamed Tributary of North Fork Little Beaver Creek (HQ-CWF) (20-B)	Yes
PA0033405 (Sewage)	Sewickley Pines Manor STP 720 Fayette Street Suite 500 Conshohocken, PA 19428-1686	Westmoreland County Sewickley Township	UNT of Sewickley Creek (WWF) (19-D)	Yes

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Non-Waived Permit Applications.

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401, Email: RA-EPNPDES_SERO@pa.gov.

PA0058840, Sewage, SIC Code 4952, **Hilltown Township Water & Sewer Authority Bucks County**, 316 Highland Park Road, Sellersville, PA 18960-0365. Facility Name: Berry Brow WWTP. This existing facility is located in Hilltown Township, **Bucks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Reading Creek (WWF, MF), is located in State Water Plan watershed 2-F and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .049875 MGD—Limits.

Parameters	Mass Units (lbs/day)		Daily Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	6.0 Inst Min	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅) Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	4.17	6.25	XXX	10	15	20
Total Suspended Solids Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml) Oct 1 - Apr 30	XXX	XXX	XXX	50 Geo Mean	XXX	1,000.0
May 1 - Sep 30	XXX	XXX	XXX	50.0 Geo Mean	XXX	1,000.0
Ultraviolet light transmittance (%)	XXX	XXX	Report	XXX	XXX	XXX
Nitrate-Nitrite as N	4.17	XXX	XXX	10	XXX	20
Total Nitrogen Ammonia-Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Nov 1 - Apr 30	1.25	XXX	XXX	3.0	XXX	6
May 1 - Oct 31	0.63	XXX	XXX	1.5	XXX	3
Total Phosphorus	0.2	XXX	XXX	0.5	XXX	1

Sludge use and disposal description and location(s): Sludge is hauled off to PWTa for treatment and disposal.

In addition, the permit contains the following major special conditions:

- No stormwater into sewage
- Designation of responsible operator
- Operation and maintenance plan

- Proper sludge disposal
- UV disinfection system

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Email: RA-EPNPDES_NERO@pa.gov.

PA0276324, Pesticides, SIC Code 4941, **PA American Water Co.**, 2699 Stafford Avenue, Scranton, PA 18505-3608.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge associated with the application of pesticides in Spring Brook Township, **Lackawanna County**.

The receiving stream(s), Unnamed Stream, is (are) located in State Water Plan watershed(s) 5-A and is (are) classified for, aquatic life, water supply and recreation. Applicators are required to follow product labeling instructions of pesticides, which may include provisions to reduce application doses and notify public water suppliers in the event applications are conducted near public water supply intakes. The discharges associated with the pesticide applications are not expected to affect public water supplies.

PA DEP has made a tentative determination to issue the NPDES permit subject to the terms and conditions of the permit. An anti-degradation analysis has been completed to document that pesticide application activities in High Quality (HQ) or Exceptional Value (EV) waters will be conducted in a manner that minimizes adverse environmental effects. The proposed permit contains conditions that require implementation of Pest Management Measures, Recordkeeping and Annual Reporting Requirements, Corrective Action Documentation and Reporting, and a Pesticides Discharge Management Plan.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472. You may submit written comments on the application and draft permit within 30 days to the previously listed address. After the 30-day comment period, PA DEP will make a final determination on the issuance of the permit.

The EPA waiver is in effect.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, Email: RA-EPNPDES_SCRO@pa.gov.

PA0084328, Sewage, SIC Code 3297, **Magnesita Refractories Co.**, 425 S Salem Church Road, York, PA 17408-5955. Facility Name: Magnesita Refractories York Quarry. This existing facility is located in West Manchester Township, **York County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SFTF sewage.

The receiving stream(s), Honey Run (TSF) and Unnamed Tributary of Codorus Creek (WWF, MF), is located in State Water Plan watershed 7-H and 7-F and is classified for Migratory Fishes, Warm Water Fishes, and Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .002 MGD—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly	Minimum	Average Monthly	Maximum	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	1.0	XXX	2.5
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (CFU/100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000

Sludge use and disposal description and location(s): Offsite location.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0080586, Industrial, SIC Code 3448, **Morton Bldg Inc.**, 3370 York Road, Gettysburg, PA 17325-8258. Facility Name: Morton Bldg Manufacturing. This existing facility is located in Straban Township, **Adams County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Unnamed Tributary to Swift Run (WWF), is located in State Water Plan watershed 7-F and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .003 MGD—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.2	XXX	0.60
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25.0	XXX	50.0
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60.0
Fecal Coliform (No./100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 2,000	XXX	10,000
Ammonia-Nitrogen						
May 1 - Oct 31	XXX	XXX	XXX	5.0	XXX	10.0
Nov 1 - Apr 30	XXX	XXX	XXX	15.0	XXX	30.0
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0248029, Sewage, SIC Code 4952, **Hustontown Joint Sewer Authority Fulton County**, P.O. Box 606, Hustontown, PA 17229-0606. Facility Name: Hustontown STP. This existing facility is located in Dublin Township, **Fulton County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Lamberson Branch (HQ-CWF), is located in State Water Plan watershed 12-C and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.028 MGD—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.02	XXX	0.06
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	2.3	3.5	XXX	10	15	20
Total Suspended Solids	2.3	Wkly Avg 3.5	XXX	10	15	20
Biochemical Oxygen Demand (BOD ₅)						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000
Ammonia-Nitrogen						
May 1 - Oct 31	0.3	XXX	XXX	1.4	XXX	2.8
Nov 1 - Apr 30	0.9	XXX	XXX	4.2	XXX	8.4

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Outfall 001.

<i>Parameters</i>	<i>Mass (lbs)</i>		<i>Minimum</i>	<i>Concentration (mg/l)</i>	
	<i>Monthly</i>	<i>Annual</i>		<i>Monthly Average</i>	<i>Maximum</i>
Ammonia—N	Report	Report	XXX	Report	XXX
Kjeldahl—N	Report	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX
Total Nitrogen	Report	Report	XXX	Report	XXX
Total Phosphorus	Report	Report	XXX	Report	XXX
Net Total Nitrogen	XXX	682	XXX	XXX	XXX
Net Total Phosphorus	XXX	85	XXX	XXX	XXX

This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Trading of Nutrients and Sediment Reduction Credits Policy and Guidelines (Document # 392-0900-001, December 30, 2006). The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0031992, Sewage, SIC Code 8412, **PA DCNR State Parks Bureau**, 15795 Greenwood Road, Huntingdon, PA 16652-5831. Facility Name: Greenwood Furnace State Park. This existing facility is located in Jackson Township, **Huntingdon County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), East Branch Standing Stone Creek (HQ-CWF), is located in State Water Plan watershed 11-B and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.015 MGD—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)						
Oct 1 - Apr 30	XXX	XXX	6.0	XXX	XXX	9.0
May 1 - Sep 30	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen						
Oct 1 - Apr 30	XXX	XXX	5.0	XXX	XXX	XXX
May 1 - Sep 30	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)						
Oct 1 - Apr 30	XXX	XXX	XXX	0.5	XXX	1.6
May 1 - Sep 30	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25.0	XXX	50.0
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60.0
Fecal Coliform (No./100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 2,000	XXX	10,000
Ammonia-Nitrogen	XXX	XXX	XXX	Geo Mean Report	XXX	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	Avg Qrtly Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Avg Qrtly Report	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Avg Qrtly Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Avg Qrtly Report	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, Email: RA-EPNPDES_SCRO@pa.gov.

PA0267082, Sewage, SIC Code 4952, **West Cocalico Township Authority Lancaster County**, 156B West Main Street, Reinholds, PA 17569-0095. Facility Name: West Cocalico Township Authority WWTP. This proposed facility is located in West Cocalico Township, **Lancaster County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated sewage.

The receiving stream(s), Little Cocalico Creek (TSF, MF), is located in State Water Plan watershed 7-J and is classified for Migratory Fishes and Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .31 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.28	XXX	0.91
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	64	103	XXX	25	40	50
Biochemical Oxygen Demand (BOD ₅)						
Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids	77	116	XXX	30	45	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ammonia-Nitrogen						
Nov 1 - Apr 30	27	XXX	XXX	10.5	XXX	21
May 1 - Oct 31	9.0	XXX	XXX	3.5	XXX	7.0
Total Phosphorus	Report	XXX	XXX	Report	XXX	XXX
Copper, Total	XXX	XXX	XXX	Report	Report Daily Max	XXX
Lead, Total	XXX	XXX	XXX	Report	Report Daily Max	XXX

<i>Parameters</i>	<i>Mass Units (lbs)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Monthly Average</i>	<i>Weekly Average</i>	
Ammonia-Nitrogen	Report	Report	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Report	Report	XXX	Report	XXX	XXX
Total Phosphorus	Report	Report	XXX	Report	XXX	XXX
Net Total Nitrogen	XXX	Report	XXX	XXX	XXX	XXX
Net Total Phosphorus	XXX	Report	XXX	XXX	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .31 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.28	XXX	0.91

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	64	103	XXX	25	40	50
Biochemical Oxygen Demand (BOD ₅) Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids Fecal Coliform (No./100 ml)	77	116	XXX	30	45	60
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ammonia-Nitrogen Nov 1 - Apr 30	27	XXX	XXX	10.5	XXX	21
May 1 - Oct 31	9.0	XXX	XXX	3.5	XXX	7.0
Total Phosphorus Copper, Total	Report XXX	XXX XXX	XXX XXX	Report Report	XXX Report Daily Max	XXX XXX
Lead, Total	XXX	XXX	XXX	Report	Report Daily Max	XXX
<i>Parameters</i>	<i>Mass Units (lbs)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Monthly Average</i>	<i>Maximum</i>	
Ammonia-Nitrogen	Report	Report	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Report	Report	XXX	Report	XXX	XXX
Total Phosphorus	Report	Report	XXX	Report	XXX	XXX
Net Total Nitrogen	XXX	7,306	XXX	XXX	XXX	XXX
Net Total Phosphorus	XXX	974	XXX	XXX	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Email: RA-EPNPDES_SWRO@pa.gov.

PA0255670, Sewage, SIC Code 8800, **Barbara A Smucker**, 3401 Mason Dixon Highway, Garrett, PA 15542-8506. Facility Name: Smucker Properties SFTF. This proposed facility is located in Summit Township, **Somerset County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SFTF sewage.

The receiving stream(s), Unnamed Tributary to Casselman River (CWF), is located in State Water Plan watershed 19-F and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0007 MGD—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	Inst Min XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200 Geo Mean	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law (35 P.S. §§ 691.1—691.1001).

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401, 484.250.5900.

WQM Permit No. WQG02232005, Sewage, **Concord Township**, 43 Thornton Road, Glen Mills, PA 19342.

This proposed facility is located in Concord Township, **Delaware County**.

Description of Action/Activity: Construction and operation of a low-pressure sewer system.

WQM Permit No. WQG02462006, Sewage, **Hatfield Township Municipal Authority**, 3200 Advance Lane, Colmar, PA 18915-9766.

This proposed facility is located in Hatfield Township, **Montgomery County**.

Description of Action/Activity: Construction and operation of a sewage force main.

WQM Permit No. 1520403, Sewage, **Oxford Area Sewer Authority**, 14 South Third Street, P.O. Box 379, Oxford, PA 19363.

This proposed facility is located in East Nottingham Township, **Chester County**.

Description of Action/Activity: Construction and operation of a low-pressure sewer force main.

WQM Permit No. 1520402, Sewage, **Oxford Area Sewer Authority**, 14 South Third Street, P.O. Box 379, Oxford, PA 19363.

This proposed facility is located in Oxford Borough, **Chester County**.

Description of Action/Activity: Increasing pumping capacity by 41,168 to accommodate additional flows from proposed 162 lots.

WQM Permit No. 2320402, Sewage, **Delcora**, P.O. Box 999, Chester, PA 19016-0999.

This proposed facility is located in Ridley Township, **Delaware County**.

Description of Action/Activity: Construction of approximately 4,000 linear feet of 36" sewer force main from CCPS to Route 291.

WQM Permit No. 1596403, Sewage, Amendment, **Aqua Pennsylvania Wastewater Inc.**, 762 W. Lancaster Avenue, Bryn Mawr, PA 19010-3402.

This proposed facility is located in Thornbury Township, **Chester County**.

Description of Action/Activity: Installing a new fine screen, replacing the existing sand filter with a cloth disc filter, replacing the chlorine disinfection system with a ultraviolet disinfection, install chemical addition equipment for magnesium hydroxide and carbon addition.

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

WQM Permit No. 4819402, Sewage, SIC Code 4952, **Lehigh Township Municipal Authority Northampton County**, 1069 Municipal Road, Walnutport, PA 18088-9718.

This proposed facility is located in Lehigh Township, **Northampton County**.

Description of Proposed Action/Activity: Installation of a new Pump Station and Sewer Extension Line for a future Lehigh Valley Resort & Spa. The new Influent Pump Station will discharge to the existing Pennsville Wastewater Treatment Plant under NPDES Permit No. PA0063231.

WQM Permit No. 5420401, Sewage, **Schuylkill County Municipal Authority**, 221 S Centre Street, Pottsville, PA 17901-3506.

This proposed facility is located in Mahanoy Township, **Schuylkill County**.

Description of Proposed Action/Activity: A Permit for the construction of a new 0.49 MGD Sewage Only Treatment Plant to service a 540-acre Industrial Park that will be comprised of multiple proposed warehouses. The sewage effluent will discharge under NPDES Permit PA0276189. The site will be called the SCMA-Mahanoy WWTP and no industrial waste is anticipated.

WQM Permit No. 4508404 A-1, Sewage, **Pocono Township Monroe County**, 112 Township Drive, Tannersville, PA 18372.

This existing facility is located in Pocono Township, **Monroe County**.

Description of Proposed Action/Activity: Modification of Pump Station No. 5 (Pocono and Hamilton Townships Sewage System) to include two supplemental "jockey" pumps to handle low flows efficiently.

WQM Permit No. WQG02482001, Sewage, **Northampton Borough**, 1401 Laubach Avenue, Northampton, PA 18067-1677.

This proposed facility is located in Northampton Borough, **Northampton County**.

Description of Proposed Action/Activity: Construction of a low-pressure sewage system for the Willow Brook Phase II residential development that will discharge into the Northampton Borough gravity public sewer system.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

WQM Permit No. 0106404, Amendment No. 1, Sewerage, **PA American Water Company**, 852 Wesley Drive, Mechanicsburg, PA 17055-4436,

This proposed facility is located in Franklin Township, **Adams County**.

Description of Proposed Action/Activity: Seeking permit approval for improvements to the existing Franklin Wastewater Treatment Plant by replacing the existing chlorine disinfection with UV disinfection system.

Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

WQM Permit No. 5620401, Sewage, **Barbara A. Smucker**, 3401 Mason Dixon Highway, Garrett, PA 15542-8506.

This proposed facility is located in Summit Township, **Somerset County**.

Description of Proposed Action/Activity: construction and operation of a single residence sewage treatment plant.

IV. NPDES Individual Permit Applications for Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4s).

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401, Email: RA-EPNPDES_SERO@pa.gov.

PAI130509, MS4, **Easttown Township Chester County**, 566 Beaumont Road, Devon, PA 19333-1722. The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Easttown Township, **Chester County**. The receiving stream(s), Unnamed Tributary of Crum Creek (HQ-CWF, MF), Unnamed Tributary of Darby Creek (CWF, MF), Julip Run (CWF, MF), Unnamed Tributary to Crum Creek (HQ-CWF, MF), Unnamed Tributary to Darby Creek (CWF, MF), and Darby Creek (CWF, MF), is located in State Water Plan watershed 3-G and is classified for Cold Water Fishes, Migratory Fishes, High Quality—Cold Water, and Migratory Fish, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

The applicant has submitted the following plan(s) with the application to reduce pollutant loads to impaired waters:

- A Pollutant Reduction Plan (PRP)

The Department has made a tentative determination to issue the NPDES permit. Written comments on the application and draft permit will be accepted for 30 days following publication of this notice. The period for comment may be extended at the discretion of DEP for one additional 15-day period. You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA waiver is in effect for small MS4s and is not in effect for large MS4s.

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Email: RA-EPNPDES_NERO@pa.gov.

PAI132281, MS4, **Carbondale Township**, P.O. Box 234, Childs, PA 18407. The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Carbondale Township, **Lackawanna County**. The receiving streams, Meredith Creek (CWF, MF), Lackawanna River (HQ-CWF, MF), and Racket Brook (CWF, MF), is located in State Water Plan watershed 5-A and is classified for Cold Water Fishes, Migratory Fishes, High Quality—Cold Water, and Migratory Fish, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

The applicant has submitted the following plan(s) with the application to reduce pollutant loads to impaired waters:

- A Pollutant Reduction Plan (PRP)

The Department has made a tentative determination to issue the NPDES permit. Written comments on the application and draft permit will be accepted for 30 days following publication of this notice. The period for comment may be extended at the discretion of DEP for one additional 15-day period. You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA waiver is in effect for small MS4s and is not in effect for large MS4s.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

PAI133517, MS4, **Carlisle Borough Cumberland County**, 53 W South Street, Carlisle, PA 17013-3458. The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Carlisle Borough, **Cumberland County**. The receiving stream(s), Letort Spring Run (HQ-CWF (existing use)), is located in State Water Plan watershed 7-B and is classified for, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

The applicant has submitted the following plan(s) with the application to reduce pollutant loads to impaired waters:

- A Pollutant Reduction Plan (PRP)

The Department has made a tentative determination to issue the NPDES permit. Written comments on the application and draft permit will be accepted for 30 days following publication of this notice. The period for comment may be extended at the discretion of DEP for one additional 15-day period. You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA waiver is in effect for small MS4s and is not in effect for large MS4s.

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities.

Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160. Email: ra-epww-sero@pa.gov.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD230042	Industrial Highway, LLC c/o Novaya Foxfield Industrial, LLC 265 Franklin Street # 1001 Boston, MA 02110	Delaware	Eddystone Borough	Delaware River WWF-MF

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

Lehigh County Conservation District, 4184 Dorney Park Road, Suite 105, Allentown, PA 18401, 610-391-9583.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD390153	Elk Investments, LLC 515 S. Third St. Hamburg, PA 19526	Lehigh	Lower Macungie Township and Upper Macungie Township	UNT to Cedar Creek (HQ-CWF, MF)

Monroe County Conservation District, 8050 Running Valley Road, Stroudsburg, PA 18347, 570-629-3060.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD450109	Stroudsburg Pocono Airpark, LLC P.O. Box 407 Stroudsburg, PA 18360	Monroe	Smithfield Township	UNT to Sambo Creek (CWF, MF), EV Wetlands
PAD450110	Spirit of Shiftwater, Inc. 117 Pipher Lane Stroudsburg, PA 18360	Monroe	Pocono Twp	Appenzel Creek, (HQ-CWF, MF)

Northampton County Conservation District, 14 Gracedale Ave, Greystone Building, Nazareth, PA 18064-9211, 610-829-6276.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD480125	Valley Industrial Properties LLC 21 E Tenth St. Northampton, PA 18067-1718	Northampton	East Bangor Boro	Martins Creek (CWF, MF)
	Core Construction & Remediation Inc. 21 E Tenth St. Northampton, PA 18067-1718			

Southwest Region: Dana Drake, Waterways and Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD020030	United States Steel Corporation 13th Street and Braddock Avenue Braddock, PA 15104	Allegheny County	Braddock Borough North Braddock Borough	Monongahela River (WWF)
PAD020031	Pennsylvania Department of Transportation Engineering District 11 45 Thoms Run Road Bridgeville, PA 15017	Allegheny County	City of Pittsburgh Sharpsburg Borough O'Hara Township Borough of Aspinwall Fox Chapel Borough	Guyasuta Run (HQ-WWF); Squaw Run (HQ-WWF); and UNT to Allegheny River (WWF)

STATE CONSERVATION COMMISSION
PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS
FOR NPDES PERMITS FOR CAFOs

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed (National Pollutant Discharge Elimination System) NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling (717) 787-8821.

Persons wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30-days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Persons with a disability who require an auxiliary aid, service, including TDD users or other accommodations to seek additional information should contact the SCC through the Pennsylvania AT&T Relay Service at (800) 654-5984.

ACT 38
NUTRIENT MANAGEMENT PLANS
CAFO PUBLIC NOTICE SPREADSHEET—APPLICATIONS

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal/ New</i>
Ben Moyer 20 Dead End Road Annville, PA 17003	Lebanon	55	269.09	Broiler	NA	Renewal
Inguran, LLC dba ST Genetics 1141 State Road Lincoln University, PA 19352	Chester	180 total, 85.4 for nutrient application	1,588.89	Dairy	HQ; CWF	Renewal
BDS Farms, LLC— Lamar E. Troup 282 Troup Rd. Beaver Springs, PA 17812	Snyder	512.9	534.05	Swine, Poultry, Beef, Horse	HQ	Renewal
Eric Good 4840 Biesecker Rd. Thomasville, PA 17315	York	144.3	436.16	Poultry, Beef	NA	New

PUBLIC WATER SUPPLY PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for PWS permits to construct or substantially modify public water systems.

Persons wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 2220501, Public Water Supply.
 Applicant **Alvord Polk, Inc.**
 Municipality Millersburg Borough
 County **Dauphin**
 Responsible Official Ryan Boyer
 Building Manager
 159 Dam Hill Road
 Millersburg, PA 17061
 Type of Facility Public Water Supply
 Consulting Engineer Sean Sweeney, P.E.
 Barton & Loguidice
 3901 Hartzdale Drive
 Camp Hill, PA 17011
 Application Received: February 11, 2020
 Description of Action Installation of a GWR 4-log
 disinfection system.

Permit No. 0120504 MA, Minor Amendment, Public Water Supply.
 Applicant **CCD Rock Creek, LLC**
 Municipality Straban Township
 County **Adams**
 Responsible Official Robert H. Karen
 General Manager
 70 Presidential Circle
 Suite 2, Box 7
 Gettysburg, PA 17325
 Type of Facility Public Water Supply
 Consulting Engineer Joseph M. McDowell, P.E.
 Martin & Martin, Inc.
 37 S Main Street
 Suite A
 Chambersburg, PA 17201
 Application Received: April 15, 2020
 Description of Action Installation of a 500,000-gallon
 Spheroid elevated finished water
 storage tank.

Permit No. 0120505, Public Water Supply.
 Applicant **C&D Bar and Grill**
 Municipality Berwick Township
 County **Adams**
 Responsible Official Charlie Kalathas
 Owner
 6465 York Road
 New Oxford, PA 17350
 Type of Facility Public Water Supply
 Consulting Engineer Michael J. Mehaffey, P.E.
 Gannett Fleming, Inc.
 P.O. Box 67100
 Harrisburg, PA 17106-7100
 Application Received: April 29, 2020

Description of Action Installation of Well No. 2 and
 modifications to the existing
 treatment system.
Permit No. 3620513, Public Water Supply.
 Applicant **Weaverland Valley Authority**
 Municipality Terre Hill Borough
 County **Lancaster**
 Responsible Official Kenneth R. Witmer
 Chairman
 4610 Division Highway
 East Earl, PA 17519
 Type of Facility Public Water Supply
 Consulting Engineer Mark L. Homan, P.E.
 Becker Engineering LLC
 525 Greenfield Road
 Ste 201
 Lancaster, PA 17601
 Application Received: April 29, 2020
 Description of Action Installation of an orthophosphate
 for corrosion control and the
 discontinuation of soda ash for
 pH adjustment.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION**UNDER ACT 2, 1995
PREAMBLE 1****Acknowledgment of Notices of Intent to Remediate Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).**

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent (NOI) to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the background standard, Statewide health standard, the site-specific standard, or who intend to remediate a site as a special industrial area, must file a (NOI) to Remediate with the Department. A NOI to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. A person who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the Act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under Sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a

summary of the NOI to Remediate is published in a newspaper of general circulation in the area of the site. For the following identified site(s), proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30-days of the following specified date. During this comment period the municipality may request that the following identified person, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of the site.

For further information concerning the content of a NOI to Remediate, please contact the Environmental Cleanup Program Manager in the Department of Environmental Protection Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department of Environmental Protection has received the following Notice(s) of Intent to Remediate:

Southeast Region: Environmental Cleanup & Brownfields Program Manager, 2 East Main Street, Norristown, PA 19401.

Keva Flats, 1 Keva Drive, West Whiteland Township, **Chester County**. Carl Bones, PE, Marathon Engineering and Environmental Services, Inc., 3 Killdeer Court, S-302, Swedesboro, NJ 08085 on behalf of Neal Fisher, Keva Flats LP, 707 Eagleview Boulevard, Exton, PA 19341 submitted a Notice of Intent to Remediate. Soil was found to be contaminated with the release of No. 2 heating oil. The proposed future use of the property will be residential. The proposed cleanup standard for the site is the Statewide Health Standard. The Notice of Intent to Remediate was published in the *Daily Local News* on April 20, 2020.

Dublin Town Center, North Main Street and Elphanth Road, Dublin Borough, **Bucks County**. Rocco Mercuri, Gilmore & Associates, Inc., 65 East Britain, PA 18901 on behalf of Robert Loughery, Dublin Town Center I, LP, 1128 Slotter Road, Perkasio, PA 18944 submitted a Notice of Intent to Remediate. The constituent of concern in impacted soils is arsenic. The proposed future use of the property will be residential. The proposed cleanup standard for the site is the Statewide Health Standard. The Notice of Intent to Remediate was published in the *Daily Local News* on May 21, 2020.

Greyhound Lines, 700-735 North Delaware Avenue, City of Philadelphia, **Philadelphia County**. Angelo Fatiga, Pennoni Associates, Inc., 1900 Market Street, Philadelphia, PA 19103 on behalf of Sean McGovern, Fairmount Street Partners, L.P., 359 Springfield Avenue, 2nd Floor, Summit, NJ 97901 submitted a Notice of Intent to Remediate. Soil and groundwater were contaminated with the release of VOCs and SVOCs. The future use of the property is intended to be residential. The proposed cleanup standard for the site is the Statewide Health Standard. The Notice of Intent to Remediate was published in the *Philadelphia Metro* on April 27, 2020.

Existing Keystone Auto & Tire Center/Jeffery's Auto World LLC, 1538 and 1546 Easton Road, Abington Township, **Montgomery County**. Jeffrey T. Bauer, P.G., Whitestone Associates, Inc., 1600 Manor Drive, Suite 220,

Chalfont, PA 18904 on behalf of Michael F. Russo, Jr., JSF Management, LLC, 86 Summit Avenue, Suite 201, Summit, NJ 07901 submitted a Notice of Intent to Remediate. Soil at the site was found to be contaminated with VOCs including 1,2,4-trimethylbenzene, tetrachloroethene, trichloroethene, and methyl tertiary butyl ether. The proposed future use of the property will be commercial. The proposed cleanup standard for the site is the Statewide Health Standard. The Notice of Intent to Remediate was published in the *Times Chronicle* on April 19, 2020.

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Proposed Stadium Row Development and Philhaven Behavioral Health, 812 and 816 North Prince Street, Lancaster, PA 17603, Lancaster City, **Lancaster County**. ECS Mid-Atlantic, LLC, 52-6 Grumbacher Road, York, PA 17406, on behalf of Second Strong and Detweiler, LLC, 812 North Prince Street, Lancaster, PA 17603, and Stadium Row, LLC, 816 North Prince Street, Lancaster, PA 17603 submitted a Notice of Intent to Remediate site soil contaminated with No. 2 fuel oil. The site will be remediated to the Site-Specific Standard. The 812 North Prince Street portion the site will remain to be used as Philhaven Behavioral Health, and the 816 North Prince Street portion will be developed as residential apartments. The Notice of Intent to Remediate was published in the *LNP* on April 30, 2020.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701.

Nippenose Tavern, 6391 Route 654, South Williamsport, Bastress Township, **Lycoming County**. Environmental Maintenance Company, 1420 Mermaid Lane, Glenside, PA 19038, on behalf of Hiller's Fuel Oil, Inc., 1323 Cemetery Street, Jersey Shore, PA 17740, has submitted a Notice of Intent to Remediate concerning site soil contaminated with heating oil. A summary of this Notice of Intent to Remediate was published in the *Sun-Gazette* on March 18, 2020.

Davidson Brothers Trucking Cleanup Project, State Route 287N, Morris, Pine Township, **Tioga County**. ARM Group, LLC, 2548 Park Center Blvd, State College, PA 16801, on behalf of Clean Energy Exploration and Production, LLC, 2620 Egypt Road, Norristown, PA 19403, has submitted a Notice of Intent to Remediate concerning site soil contaminated with diesel fuel, motor oil and antifreeze. A summary of this Notice of Intent to Remediate was published in *The Daily Item* on April 16, 2020.

Whispering Pines IV Well Pad, 245 Sullivan Road, Delmar Township, **Tioga County**. ARM Group, LLC, 2548 Park Center Blvd, State College, PA 16801, on behalf of Clean Energy Exploration and Production, LLC, 2620 Egypt Road, Norristown, PA 19403, has submitted a Notice of Intent to Remediate concerning site soil contaminated with inorganics. A summary of this Notice of Intent to Remediate was published in the *Wellsboro Gazette* on February 13, 2020.

Southwest Region: Environmental Cleanup & Brownfield Development Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Dwayne O. Kemp Residence, Cecil Township, **Washington County**. Moody and Associates, Inc., 11548 Cotton Road, Meadville, PA 16335 on behalf of Adams Petroleum Products, Inc., 2060 Big Sewickley Creek Road, Sewickley, PA 15143 has submitted a Notice of Intent to

Remediate. The NIR states that Site soils have been found to be contaminated with # 2 fuel oil following a spill. The proposed remedial measures include the removal of contaminated soil at the Site with additional remedial measures if necessary. The planned future use of the Site is residential. The NIR was published in the *Pittsburgh Post-Gazette* on May 07, 2020.

DETERMINATION FOR APPLICABILITY FOR MUNICIPAL WASTE GENERAL PERMITS

Application(s) for Determination of Applicability for General Permit Received Under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Municipal Waste Regulations for a General Permit to Operate Municipal Waste Processing Facilities and/or the Beneficial Use of Municipal Waste.

Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17105-8472.

General Permit Application No. WMGM051/WMGM051SE001. NAWC Environmental, LLC (NAWC), 864 Eagle Blvd, Warminster, Bucks County. This application is for a modification to the base general permit WMGM051, and an application for a determination of applicability under the modified base general permit (WMGM051SE001). WMGM051 authorizes the temporary storage and gravity separation of residential septage in aboveground tanks and tank trucks for ultimate discharge to permitted wastewater treatment plants authorized to land apply septage or sewage sludge under 25 Pa. Code Chapter 271, Subchapter J, or facilities approved under a PAG-09 to process and beneficially use residential septage by land application. The proposed modifications to the base general permit are to increase the daily processing capacity and to add restaurant grease trap waste as an authorized waste material. The application for modification and for a determination of applicability was determined to be administratively complete on April 10, 2020.

Chris Solloway, General Permits/Beneficial Use Section, Division of Municipal and Residual Waste, Bureau of Waste Management, P.O. Box 69170, Harrisburg, PA 17106-9170. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984. Comments may also be submitted via e-mail at ra-epbenuseall@pa.gov. When submitting comment via e-mail, place "Comments on WMGM051/WMGM051SE001" in the subject line. Faxed comments will not be accepted. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application. For more information, contact the Division of Municipal and Residual Waste at 717-787-7381.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department has developed an "integrated" plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its

application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities. Copies of the application, the Department's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate Department Regional Office. Appointments for scheduling a review must be made by calling the appropriate Department Regional Office. The address and phone number of the Regional Office is listed before the application notices.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the Department's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

A person wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if the Department, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when the Department determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate Department Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the Regional Office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, (570) 327-3648.

17-00071B: Continental Carbonic Products, Inc. (3985 East Harrison Avenue, Decatur, IL 62526) has applied for a plan approval from PA DEP to modify their CO₂ Recovery Plant in Clearfield Borough, **Clearfield County**. The modification includes an increase in productions including from Source ID P101. There will also be an increase in dry ice production within the facility for the project. The project proposes also to install a second recuperative thermal oxidizer (RTO) on P101, as well as additional ancillary source operations including a new pressurized ammonia refrigerant vessel (Tanks 002) and evaporative condensers. The potential to emit for the modified CO₂ Recovery Plant on a facility wide basis following project startup were determined to be equal to approximately the quantities, as follows: 4.8 TPY nitrogen oxides (NO_x, expressed as NO₂), 3.6 TPY carbon monoxide (CO), 2.1 TPY volatile organic compounds (VOC), 1.9 TPY PM_{2.5}, 0.7 TPY hazardous air pollutants (HAP)/acetaldehyde, 0.0016 TPY carbonyl sulfide, 17,738 TPY carbon dioxide (CO₂), and 0.68 TPY ammonia emissions. The new sources are subject to the Best Available Technology (BAT) requirements of 25 Pa. Code §§ 127.1 and 127.12. Based on the information provided to the Department, the proposed construction and operation of the modified P101 as well as the other additional source operations within this facility (Source IDs P102/P103) satisfy the applicable Best Available Technology requirements of 25 Pa. Code §§ 127.1 and 127.12 as well as all other applicable air quality regulatory requirements. [25 Pa. Code Article III, Chapters 121—145]. The plan approval requirements are including emissions and other restrictions as well as the appropriate testing, monitoring, recordkeeping, reporting, work practice and other conditions to verify compliance with all applicable air quality regulatory requirements. Accordingly, based on the findings for the plan approval application submittal (17-00071B), the Department proposes to issue a plan approval for the modified CO₂ Recovery Plant pursuant to 25 Pa. Code § 127.12. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's North Central Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-3636.

47-00001H: Montour LLC (P.O. Box 128, Washingtonville, PA 17884) for the construction of a 17-mile natural gas pipeline, three Sigma Thermal HDFX natural gas-fired fuel gas heaters each rated at 17.6 MMBtu/hr of heat input, and ancillary equipment at their Montour Steam Electric Station located in Derry Township, **Montour County**.

The Department of Environmental Protection's (Department) review of the information submitted by Montour LLC indicates that the air contamination sources to be constructed will comply with all regulatory requirements pertaining to air contamination sources and the emission of air contaminants including New Source Performance Standards, National Emission Standards for Hazardous Air Pollutants, and the best available technology requirement (BAT) of 25 Pa. Code §§ 127.1 and 127.12. Based on this finding, the Department proposes to issue a plan approval for the proposed construction. The following is a summary of the conditions that the Department proposes

to place in the plan approval to ensure compliance with all applicable air quality regulatory requirements:

(1) Pursuant to the New Source Review requirements of 25 Pa. Code § 127.203a, the permittee shall not permit the combined total emissions increase of volatile organic compounds (VOC) into the atmosphere from the utility boilers, auxiliary boiler 11A, fuel gas heaters, and the natural gas pipeline to be greater than 39.3 tons in any 12 consecutive month period.

(2) The permittee shall comply with the applicable monitoring, recordkeeping, and reporting requirements pertaining to the utility boilers, auxiliary boiler 11A, fuel gas heaters, and the natural gas pipeline as specified in 25 Pa. Code § 127.203a(a)(5)(iii)(B).

(3) The natural gas used to operate the utility boilers, auxiliary boiler 11A, and fuel gas heaters shall meet pipeline quality natural gas specifications, if available to the facility. In circumstances where pipeline quality natural gas is not available, the permittee shall utilize gas that meets the definition of "natural gas" as the term is defined in 40 CFR 72.2.

(4) The emissions from the operation of each individual fuel gas heater shall not exceed 9 ppmv at 3% O₂, 0.18 lb/hr, and 0.77 ton/year of NO_x; 20 ppmv at 3% O₂, 0.26 lb/hr, and 1.16 ton/year of CO; and 20 ppmv at 3% O₂, 0.14 lb/hr, and 0.62 ton/year of VOCs.

(5) The total emissions of VOCs from the natural gas pipeline and ancillary equipment shall not exceed 1.36 ton/year.

(6) The permittee shall not utilize any continuous bleed natural gas-driven pneumatic controllers in the natural gas pipeline or ancillary equipment.

(7) The permittee shall conduct a monthly auditory, visual, and olfactory (AVO) inspection of the gas metering & regulating yard associated with the natural gas pipeline. The permittee shall conduct an AVO inspection of the gas conditioning yard as part of the inspection of the around the periphery of the Montour SES required by TVOP 47-00001.

(8) No later than 60 days after initial startup, and semiannually thereafter, the permittee shall conduct a Leak Detection and Repair program for each aboveground piping component upstream of the gas conditioning yard pressure reduction valve which is under the control of the permittee and that has the potential to emit fugitive emissions of natural gas.

(9) The permittee shall obtain and maintain records of the current, valid purchase contract, tariff sheet, or transportation contract from the natural gas supplier that certify the specifications of natural gas supplied to the facility. The permittee shall create and maintain records of the emissions on a monthly basis to ensure that the emissions from all new and modified sources do not exceed the continuous 12-month rolling limitations.

(10) An annual VOC emissions report for the sources constructed or modified under the plan approval for a given calendar year is due within 60 days after the end of each calendar year and shall be submitted to the Department. The monthly combined VOC emissions including the calculation methodology, as well as the cumulative 12-month rolling total shall be included in the annual VOC emissions report.

(11) All records generated to verify compliance with the conditions of the plan approval shall be kept for minimum of five (5) years and shall be available upon request by the Department.

(12) No later than 120 days from the date of any of the fuel gas heaters, the permittee shall submit a source testing protocol for EPA reference method testing for at least one of the heaters to determine site-specific emission rates and verify compliance with the applicable emissions limitations. Within 90 days of receipt of an approved testing protocol from BAQ Source Testing, the permittee shall conduct the approved testing programs while the source is operating at routine maximum operating conditions, or under other conditions as approved by the Department.

(13) The fuel gas heaters are subject to the requirements of 40 CFR Part 63 Subpart DDDDD. The permittee shall comply with all applicable requirements of 40 CFR 63.7480—63.7575 for the fuel gas heaters.

The facility is a major (Title V) facility. If the Department determines that the sources are constructed and operated in compliance with the plan approval conditions and the specification of the application for Plan Approval 47-00001H, the requirements established in the plan approval will be incorporated into Title V Operating Permit 47-00001 pursuant to the administrative amendment provisions of 25 Pa. Code § 127.450.

All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-0550.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief, (814) 332-6940.

32-00206C: Rosebud Mining Company (301 Market St., Kittanning, PA 16201). Notice is hereby given in accordance with 25 Pa. Code §§ 127.44—127.46 and 127.424 that the Department of Environmental Protection (Department) intends to issue Air Quality Plan Approval PA-32-00206C to Rosebud Mining Company authorizing the modification of Air Quality Plan Approval PA-32-00206B to allow the increase in the maximum Raw/ROM coal processed from 1,100,000 tons per consecutive 12-month period to 3,000,000 tons per consecutive 12-month period, the shipping of 2,250,000 tons of clean coal per consecutive 12-month period by rail, the shipping 750,000 tons per consecutive 12-month basis of coal refuse (coarse refuse, rock, and filter cake) by truck, and the occasional shipment of clean coal by truck at their facility known as the Clymer Tipple Coal Preparation Plant located in Cherryhill Township, **Indiana County**.

The facility consists of a number of sources that include: stockpiles, conveyors, screen, transfer points, wet coal preparation plant, raw feed, clean coal, coarse, rock, and filter cake refuse storage, load-in and load-out for truck, and load-out for rail. Outside ROM Coal from other sites will be trucked into this location for processing. Coal and coal refuse will be separated in this plant. Plan Approval PA-32-00206C supersedes PA-32-00206 B.

Potential to emit from the facility is estimated to be 136.4 tons of particulate matter (PM), 51.8 tons of particulate matter less than 10 microns (PM₁₀), and 5.2 tons of particulate matter less than 2.5 microns (PM_{2.5}), and 0.3 ton of volatile organic compounds (VOC). Best available technology (BAT) for the control of emissions from the wet coal preparation, stockpiling, load-in, load-out, and material handling operations at this facility has

been determined to be the use of active and passive controls. The active and passive controls include: throughput and operation limitations, enclosures, chutes, water sprays, wet suppression, material handling work practices, good housekeeping, and coal moisture content. These measures are consistent with BAT determinations at other facilities and with the BAT control measures described in GP-12-Fugitive Dust Sources and Diesel Fired Internal Combustion (IC) Engines at Coal and Coal Refuse Preparation Plants as BAT for Class A facilities. Sources of VOC emissions (Wet Prep plant flocculant and diesel fuel) are few and emissions are expected to be very low and with little to no HAP emissions due to the low vapor pressure of diesel fuel and the flocculant composition.

The authorization is subject to State regulations including 25 Pa. Code §§ 123.1, 123.2, 123.31 and 123.41. Federal New Source Performance Standards (NSPS) including 40 CFR Part 60 Subpart Y for Coal Preparation and Processing Plants. The Plan Approval has been conditioned to ensure compliance with all applicable rules. This includes testing, work practice, monitoring, recordkeeping, and reporting conditions. Once compliance with the Plan Approval is demonstrated, the applicant will subsequently apply for a State Only Operating Permit in accordance with 25 Pa. Code Subchapter F.

Copies of the application, the Department's analysis, and other documents used in the evaluation are available for public inspection between the hours of 8 a.m. and 4 p.m. weekdays at the following shown address. To make an appointment, contact Records Management at 814-332-6340.

Anyone wishing to provide the Department with additional information they believe should be considered may submit the information to the following shown address. Comments must be received by the Department within 30 days of the last day of publication. Written comments should include the name, address, and telephone number of the person submitting comments, identification of the proposed Plan Approval; No. PA-32-00206C and a concise statement regarding the relevancy of the information or any objections to issuance of the Plan Approval.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted on the comments received during the public comment period. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in a local newspaper of general circulation or the *Pennsylvania Bulletin* or by telephone, where the Department determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Eric Gustafson, Regional Air Quality Manager, Department of Environmental Protection, Northwest Regional Office, 230 Chestnut St., Meadville, PA 16335, 814-332-6940.

32-00387C: Rosebud Mining Company (301 Market St., Kittanning, PA 16201). Notice is hereby given in accordance with 25 Pa. Code §§ 127.44—127.46 and 127.424 that the Department of Environmental Protection (Department) intends to issue Air Quality Plan Approval PA-32-00387C to Rosebud Mining Company to authorize the installation and temporary operation of a 450 tph wet coal preparation plant at their Crooked Creek Coal Preparation Plant located in Washington Township, **Indiana County**.

The facility will consist of a number of sources that include: stockpiles, conveyors, screens, a crusher, transfer

points, magnetite storage, wet coal preparation plant, raw feed, clean coal, coarse and filter cake refuse storage, load-in and load-out truck, and load-out for rail. The facility will process (clean) a maximum of 4,000,000 tons per consecutive 12-month period of run of mine (ROM) coal for truck and rail shipment and to accept an additional 1,500,000 tons per consecutive 12-month period of clean coal on site from other Rosebud sites for rail and truck shipment. The Raw/ROM Coal is received on site by truck from other Rosebud sites and by overland conveyance from the Crooked Creek Mine. The Raw/ROM coal throughput at the facility will be limited to 4,000,000 tons per consecutive 12-month period and clean and refuse load-out are limited to 5,500,000 tons per consecutive 12-month period. A 30" conveyor system is proposed to stockpile No. 3 coarse refuse on site at a refuse disposal area instead of trucking coarse refuse to a disposal facility in the future. Plan Approval PA-32-00387C supersedes PA-32-00387B which authorized construction and operation a 350 tph wet coal preparation plant to process 2,500,000 tons of raw coal per consecutive 12-month period.

Potential to emit from the facility is estimated to be 168.0 tons of particulate matter (PM), 54.1 tons of particulate matter less than 10 microns (PM₁₀), and 5.4 tons of particulate matter less than 2.5 microns (PM_{2.5}), 4.2 tons of nitrogen oxides (NO_x), 1.4 ton of carbon monoxide (CO), 0.3 ton of volatile organic compounds (VOC). Best available technology (BAT) for the control of emissions from the wet coal preparation, stockpiling, load-in, load-out, and material handling operations at this facility has been determined to be the use of active and passive controls. The active and passive controls include: throughput and operation limitations, enclosures, chutes, water sprays, wet suppression, material handling work practices, good housekeeping, and coal moisture content. These measures are consistent with BAT determinations at other facilities and with the BAT control measures described in GP-12, Fugitive Dust Sources and Diesel Fired Internal Combustion (IC) Engines at Coal and Coal Refuse Preparation Plants, as BAT for Class A facilities. Sources of VOC emissions (Wet Prep plant flocculant, diesel fuel, and combustion emissions) are few and emissions are expected to be very low and with little to no HAP emissions due to the low vapor pressure of diesel fuel and the flocculant composition. The emergency engine described in the application is for the mining operations. It is included in this plan approval for permitting and emissions purposes but will not be used for the coal preparation plant operations.

The authorization is subject to State regulations including 25 Pa. Code § 123.1, 123.2, 123.31 and 123.41. Federal New Source Performance Standards (NSPS) including 40 CFR Part 60 Subpart Y for Coal Preparation and Processing Plants, 40 CFR Part 60 Subpart IIII for Stationary Compression Ignition Internal Combustion Engines, and Federal National Emission Standards for Hazardous Air Pollutants (NESHAPS) including 40 CFR Part 63 Subpart ZZZZ for Stationary Reciprocating Internal Combustion Engines. The Plan Approval has been conditioned to ensure compliance with all applicable rules. This includes testing, work practice, monitoring, recordkeeping, and reporting conditions. Once compliance with the Plan Approval is demonstrated, the applicant will subsequently apply for a State Only Operating Permit in accordance with 25 Pa. Code Subchapter F.

Copies of the application, the Department's analysis, and other documents used in the evaluation are available for public inspection between the hours of 8 a.m. and

4 p.m. weekdays at the following shown address. To make an appointment, contact Records Management at 814-332-6340.

Anyone wishing to provide the Department with additional information they believe should be considered may submit the information to the following shown address. Comments must be received by the Department within 30 days of the last day of publication. Written comments should include the name, address, and telephone number of the person submitting comments, identification of the proposed Plan Approval; No. PA-32-00387C and a concise statement regarding the relevancy of the information or any objections to issuance of the Plan Approval.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted on the comments received during the public comment period. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in a local newspaper of general circulation or the *Pennsylvania Bulletin* or by telephone, where the Department determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Eric Gustafson, Regional Air Quality Manager, Department of Environmental Protection, Northwest Regional Office, 230 Chestnut St., Meadville, PA 16335, 814-332-6940.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, (717) 705-4862, Thomas Bianca, New Source Review Chief, (717) 705-4863, or William Weaver, Regional Air Quality Manager, (717) 705-4702.

05-05027: Corle Building Systems, Inc.—Bedford County Plant (404 Sarah Furnace Road, Imler, PA 16655) to issue a Title V Operating Permit renewal for the prefabricated metal building manufacturer located in King Township, **Bedford County**. The actual emissions from the facility reported in 2019 year were 45.38 tons of VOC. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 25 Pa. Code §§ 129.52, 129.52d and 129.63.

Intent to Issue Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief, (484) 250-5920.

09-00031: Eureka Stone Quarry, Inc. (P.O. Box 249, Chalfont, PA 18914) for renewal of the State Only Operating Permit for a facility comprising a stone crushing operation and two asphalt plants located in Wrightstown Township, **Bucks County**. The renewal includes minor changes in standard conditions in accordance with Department of Environmental Protection (DEP) guidelines. The facility is limited to emissions of 24.9

tons/year NO_x and VOC on a 12-month rolling basis. The renewed Operating Permit does not authorize any increase in air emissions of regulated pollutants above previously approved levels. The renewed permit includes monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable local, State, and Federal air quality requirements.

09-00156: Oldcastle Lawn and Garden, Inc. (500 East Pumping Station Road, Quakertown, PA 18951) for operation of six diesel engines and wood processing equipment located in Richland Township, **Bucks County**. This action is a renewal of a non-Title V (State-only) Operating Permit. The facility is a synthetic minor for NO_x and PM emissions. The renewal will include monitoring, recordkeeping, reporting, and work practice standards designed to keep the facility operating within all applicable air quality requirements.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Norman Frederick, Facility Permitting Chief, (570) 826-2409.

39-00037: Nestle Purina Petcare Co/Petcare Plant (2050 Pope Road, Allentown, PA 18104-9308). The Department intends to issue a renewal State-Only (Synthetic Minor) Permit for the manufacture of Dog and Cat Food facility located in South Whitehall Township, **Lehigh County**. The primary sources consist of boilers (2). The sources are considered minor emission sources of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), total suspended particulate (TSP), and volatile organic compounds (VOC) emissions. The proposed operating permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, (717) 705-4862, Thomas Bianca, New Source Review Chief, (717) 705-4863, or William Weaver, Regional Air Quality Manager, (717) 705-4702.

67-03166: C&S Wholesale Grocers, Inc. (4875 North Susquehanna Trail, York, PA 17406) to issue a State Only Operating Permit for the emergency and demand response generators at the food distribution facility in Conewago Township, **York County**. Potential emissions from the facility are estimated to be 2.07 tpy CO, 52.56 tpy NO_x, 1.20 tpy SO_x, 0.67 tpy PM, 1.26 tpy VOC, and 0.04 tpy HAPs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 25 Pa. Code §§ 123.13 and 123.21, as well as Federal requirements of 40 CFR 63 Subpart ZZZZ, and 40 CFR 60 Subparts IIII and JJJJ.

21-03054A: Hollinger Funeral Home & Cremation, Inc. (501 North Baltimore Avenue, Mount Holly Springs, PA 17065) for the operation of a human crematory and pet crematory located in Mount Holly Springs Borough and South Middletown Township respectively in **Cumberland County**. The human crematory is a Matthews Environmental IE43-Power-Pak II and the pet crematory is a Matthews Environmental IE43-Power-Pak Jr.; both units are multiple-chamber crematories. The combined emissions from both proposed crematories will not exceed

the following limits: 2.78 tpy CO, 3.34 tpy NO_x, 2.42 tpy PM₁₀, 1.08 tpy SO_x, and less than 1 tpy of VOC and HAPs. The Department of Environmental Protection's (DEP's) review of the information submitted by the company indicates that the air contamination sources will comply with all regulatory requirements, including monitoring, recordkeeping, and reporting requirements, and pertaining to air contamination sources and the emission of air contaminants including the best available technology requirement (BAT) of 25 Pa. Code §§ 127.1 and 127.12. Based on this finding, DEP proposes to issue a plan approval for the proposed crematories. The units currently operate under General Permit 14. If DEP determines the sources are constructed and operated in compliance with the plan approval, the applicant will subsequently apply for a State-Only Operating Permit in accordance with 25 Pa. Code Subchapter F.

06-05106: SFS Intec, Inc. (P.O. Box 6326, Wyomissing, PA 19610-0326) to issue a State-Only Operating Permit for their fastener manufacturing and coating facility in Wyomissing Borough, **Berks County**. Actual emissions from the facility in 2018 were estimated at 0.8 ton of CO, 1.0 ton of NO_x, 0.1 ton of PM₁₀, and 15.0 tons of VOC. The Operating Permit will include emission limits and work practice standards along with monitoring and recordkeeping requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 25 Pa. Code §§ 123.13, 123.21, 129.52d and 129.63.

21-03133: Penn State Health—Hampden Medical Center (2200 Good Hope Road, Enola, PA 17033) to issue a State Only Operating Permit for the new hospital in Hampden Township, **Cumberland County**. The potential emissions from the facility are estimated at 3.13 tpy PM₁₀, 2.81 tpy PM_{2.5}, 9.20 tpy SO_x, 26.85 tpy NO_x, 15.18 tpy CO, 0.99 tpy VOC, and 0.35 tpy total HAPs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 25 Pa. Code §§ 123.11—123.22 as well as requirements of 40 CFR 60 Subpart IIII—NSPS for Stationary Compression Ignition Internal Combustion Engines.

36-03138: OpSec Security, Inc. (1857 Colonial Village Lane, Lancaster, PA 17605) to issue a State Only Operating Permit for the security printing facility located in East Lampeter Township, **Lancaster County**. The facility reported actual 2019 VOC emissions were less than one ton. OpSec Security, Inc. has a potential to emit 42 tons per year of VOCs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR 63 Subpart ZZZZ and 25 Pa. Code §§ 129.52b and 129.63.

67-03180: Treehouse Private Brands (680 West Chestnut Street, Hanover, PA 17331) to issue an initial State Only Operating Permit for the pretzel manufacturing facility located in Hanover Borough, **York County**. The annual potential-to-emit (PTE) for the facility are estimated at 29.8 tons NO_x; 25.0 tons CO; 2.3 tons PM₁₀; 2.3 tons PM_{2.5}; 1.6 ton VOC; 0.2-ton SO_x; 0.5 ton hexane; and 0.5 ton total HAPs. The Operating Permit will include emission limits and work practice standards along

with testing, monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR Part 60, Subpart JJJJ—Standards of Performance for Stationary Spark Ignition Internal Combustion Engines.

06-05152: Titus Power LLC (296 Poplar Neck Road, Birdsboro, PA 19508) to issue a State Only Operating Permit for the Titus Electric Generating Station located in Cumru Township, **Berks County**. The potential emissions from the facility are estimated at 99.20 tpy of NO_x, 12.61 tpy of SO_x, 22.93 tpy of CO, 2.35 tpy of particulate matter and 0.67 tpy of VOC. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR 63 Subpart ZZZZ.

36-05140H: Valley Proteins, Inc. (693 Wide Hollow Road, East Earl, PA 17519) for the construction of a new 33.5 MMBtu/hr boiler for the Terre Hill rendering plant located in East Earl Township, **Lancaster County**. DEP's review of the information submitted by the applicant indicates that the air contamination source as constructed or modified will comply with all regulatory requirements including the best available technology requirement (BAT) of 25 Pa. Code §§ 127.1 and 127.12. The expected yearly emissions from the new boiler will be about 14.4 tons of NO_x, 12.1 tons of CO, 1.1 ton of PM₁₀, and 0.8 ton of VOCs. The plan approval will include emission limits, work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions from 40 CFR Part 60, Subpart Dc. As part of this notification the facility has elected to take facility wide emission limits in order to operate as a State-Only Synthetic Minor facility.

Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Thomas Joseph, Facilities Permitting Chief, 412.442.4336.

11-00418: TMS International, LLC (1155 Business Center Drive, Horsham, PA 19044-3454) for the operation of a slag processing facility located in East Taylor Township, **Cambria County**. TMS International, LLC operates a slag processing plant that includes two crushers, seven screens, and various transfer points as well as stockpiles and the use of in-plant roadways. Emissions are controlled through the use of water cannons and partially enclosed transfer points. The potential emissions are estimated at: 23.5 TPY PM; 9.4 TPY PM₁₀; 1.28 TPY PM_{2.5}; and less than 0.10 TPY total HAP and less than 0.10 TPY for any single HAP. This facility is subject to the applicable requirements of 25 Pa. Code Chapters 121—145. The proposed State-Only Operating Permit includes emission restrictions, testing, monitoring, recordkeeping, reporting, and work practice standards requirements for the site.

Those who wish to provide the Department with additional written information that they believe should be considered prior to the issuance of the State-Only Operating Permit may submit the information to Tom Joseph, Facilities Permit Chief, Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Written comments must contain the name, address and telephone number of the

person submitting the comments, identification of the proposed Operating Permit (11-00418) and concise statements regarding the relevancy of the information or objections to issuance of the Operating Permit.

A public hearing may be held, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient. Written comments or requests for a public hearing should be directed to Tom Joseph, Facilities Permit Chief, at the previously listed address.

All comments must be received prior to the close of business 30 days after the date of this publication.

The application, DEP's Review Memorandum, and the proposed permit are available for public review during normal business hours at DEP's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. A file review can be scheduled through the DEP's website at <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx>.

26-00413: Texas Eastern Transmission, L.P. (5400 Westheimer Ct, Houston, TX 77056-5353). In accordance with 25 Pa. Code §§ 127.424, 127.425 and 127.521, the Department is providing notice that it intends to issue a renewal Synthetic Minor Operating Permit for operation of the Uniontown Compressor Station located in North Union Township, **Fayette County**.

The facility operates two (2) natural gas-fired turbines, two (2) stationary reciprocating internal combustion engines driving emergency electric generators, area fugitive VOC emissions, two (2) pipeline liquid storage tanks, and gas release events. Insignificant emission sources include several small natural gas-fired heaters, separator vessels ranging in size from 33 to 470 gallons, three (3) small miscellaneous storage tanks, a truck loading area, and a remote reservoir parts washer.

Potential emissions for the facility have been calculated as follows: 47.63 tons per year of carbon monoxide (CO), 86.44 tons per year of nitrogen oxides (NO_x), 5.77 tons per year of particulate matter less than 10-microns (PM₁₀), 5.77 tons per year of particulate matter less than 2.5-microns (PM_{2.5}), 12.08 tons per year of sulfur oxides (SO₂), 44.99 tons per year of volatile organic compounds (VOC), 0.39 ton per year of benzene, 0.71 ton per year of formaldehyde, 0.85 ton per year of hexane, 3.28 tons per year of Hazardous Air Pollutants (HAP), and 131,854 tons per year of greenhouse gases (GHGs).

The facility is subject to the applicable requirements of 25 Pa. Code Article III, Chapters 121—145. The proposed operating permit includes emission limitations, monitoring, work practice standards, reporting, and recordkeeping requirements for the facility.

The application, DEP's Review Memorandum, and the proposed permit are available for public review during normal business hours at DEP's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. A file review can be scheduled through the DEP's website at <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx>.

Any person may submit comments, a request for the Department to hold a public hearing, or a protest to the proposed operating permit or a condition thereof by submitting the information to Nick Waryanka, P.E., Air

Quality Engineer, at the Southwest Regional Office. A 30-day comment period from the date of publication of this notice will exist for the submission of comments. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit (specify Operating Permit 26-00413) and concise statements regarding the relevancy of the information in the proposed permit or objections to issuance of the permit.

A public hearing may be held in accordance with 25 Pa. Code § 127.429, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. If a public hearing is held, all persons who have properly filed a protest under 25 Pa. Code § 127.426 may appear and give testimony. The applicant, the protestant, and other participants will be notified of the decision to hold a hearing (and the time, place and purpose of such hearing) by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient.

11-00279: Forest Lawn Memorial Association, Inc./Forest Lawn Memorial Park (1530 Frankstown Road, Johnstown, PA 15902-1509). In accordance with 25 Pa. Code §§ 127.424, 127.425, and 127.521, the Department is providing notice that they intend to issue a natural minor State Only Operating Permit for the operation of a human crematory located in Conemaugh Township, **Cambria County**. Forest Lawn operates one propane-fired All Crematory Model 1701 crematory incinerator with a 716,000 Btu/hr primary chamber and a 1,500,000 Btu/hr secondary chamber. This facility has the potential to emit 1.533 tpy PM, 2.19 tpy CO, 0.55 tpy SO_x, 0.66 tpy NO_x, and 0.66 tpy VOC. The facility is limited to 0.1 gr/dscf particulate matter corrected to 12% CO₂ and 500 ppmv sulfur oxides. The proposed operating permit includes conditions relating to applicable emission restrictions, testing, monitoring, recordkeeping, reporting, and work practice standards requirements.

Those who wish to provide the Department with additional written information that they believe should be considered prior to the issuance of the State-Only Operating Permit may submit the information to Tom Joseph, Facilities Permit Chief, Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Operating Permit (11-00279) and concise statements regarding the relevancy of the information or objections to issuance of the Operating Permit.

A public hearing may be held, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient. Written comments or requests for a public hearing should be directed to Tom Joseph, Facilities Permit Chief, at the previously listed address.

All comments must be received prior to the close of business 30 days after the date of this publication.

The application, DEP's Review Memorandum, and the proposed permit are available for public review during normal business hours at DEP's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. A file

review can be scheduled through the DEP's website at <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx>.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Matthew Williams, Facilities Permitting Chief, (814) 332-6940.

10-00265: Iron Mountain Information Management, LLC Boyers Facility (1137 Branchton Road, Boyers, PA 16020). The Department intends to issue a State Only Operating Permit renewal for the operation of 22 emergency generators located in Cherry Township, **Butler County**. The subject facility consists of 22 diesel emergency generators (ranging from 158—3,353 hp). The facility has the potential to emit 94.38 tpy NO_x, 44.21 tpy CO, 10.45 tpy VOC, 0.78 tpy SO_x, 2.998 tpy PM, 0.05 tpy HAPs, and 6.387.41 tpy CO₂. The facility is a natural minor and is subject to State Regulations and Federal Regulations (40 CFR Part 60 Subpart IIII and Part 63 ZZZZ). The permit includes additional operation requirements, monitoring requirements, and recordkeeping requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

24-00145: Amphenol Thermometrics, Inc. (967 Windfall Rd., St. Marys, PA 15857-3333). The Department is providing notice that they intend to issue a renewal State Only Synthetic Minor Operating Permit for the electronic component manufacturing facility located in the City of Saint Marys, **Elk County**. The facility's primary emission sources include various VOC-emitting sources (such as solder lines, solvent usage, and measuring fluids), mixers, dryers, a transmission fluid bath, miscellaneous natural gas usage, and an emergency generator. The potential emissions, after permit limitations, of the major pollutants from the facility are as follows: 0.59 TPY (tons per year) NO_x, 6.15 TPY CO, 49.0 TPY VOC, 24.9 TPY total HAPs (hazardous air pollutants), 13.58 TPY PM₁₀, 13.54 TPY PM_{2.5}, and 0.00 TPY SO_x. The facility is a synthetic minor and has taken voluntary emission limits of VOC (49.0 TPY), combined HAPs (24.9 TPY) and a single speciated HAP (9.9 TPY) so as to not exceed major source thresholds. The engine is subject to 40 CFR 60 Subpart JJJJ, Standards of Performance for Stationary Spark Ignition Internal Combustion Engines. The renewal permit will contain emission restrictions, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

27-00033: National Forest Products (427 NFP Drive, Marienville, PA 16237). The Department intends to renew the State Only Operating Permit for the cabinet manufacturing facility located in Jenks Township, **Forest County**. The primary sources at the facility are 2 paint booths and wood staining activities. The facility is a Natural Minor. Potential emissions are 21.6 tpy VOC, 4.74 tpy for single highest HAP; and 8.48 tpy for all HAPs combined; and less than 1 tpy for CO, PM, SO_x, and NO_x. The renewal permit contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

43-00286: RW Sidley, Inc., Concrete Plant (3401 New Castle Rd., West Middlesex, PA 16159). The Department intends to issue the renewal of the State-Only Operating Permit of a concrete batch plant located in Shenango Township, **Mercer County**. Air contamination sources identified in the operating permit are the four (4)

emission points of the concrete batch plant and a hot water plant. Based on its potential emissions, the facility is Natural Minor. In this renewal, the hot water plant is incorporated as a permitted source. To demonstrate compliance with applicable emission limits, monitoring requirements are added for two (2) emission points of the concrete batch plant.

61-00193: National Fuel Gas Supply Corporation (6363 Main Street, Williamsville, NY 14221). The Department intends to renew a State Only Operating Permit for the Henderson Compressor Station located in Mineral Township, **Venango County**. The facility is a Natural Minor. Potential Emissions are as follows: 72.05 tpy CO; 67.04 tpy NO_x; 4.40 tpy Particulate Matter; 0.08 tpy SO_x; 44.04 tpy VOC; 8.17 tpy all combined HAPs; 25,998 tpy CO_{2e}; and 4.56 tpy Formaldehyde. The primary sources at the facility include various heaters and reboilers with a combined total heat input rating of 4.095 million Btu/hr, two 1,350 hp compressor engines, a 75 hp air compressor engine, a 402 hp emergency generator, and a TEG dehydrator. The renewal permit contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

Philadelphia: Air Management Services, 321 University Avenue, Philadelphia, PA 19104-4543, Contact: Edward Wiener, Chief of Source Registration at 215-685-9426.

The City of Philadelphia, Air Management Services (AMS) intends to issue a Minor State Only Operating Permit for the following facility:

OP19-0000036: Belmont Water Treatment Plant (4300 West Ford Rd., Philadelphia, PA 19131) for the operation of a water treatment plant in the City of Philadelphia, **Philadelphia County**. The facility's air emissions sources include three (3) 6.495 MMBtu/hr firing No. 2 fuel oil, one (1) 600 kW diesel-fired Emergency Generator, and one (1) 100 kW diesel-fired Emergency Generator.

The operating permit will be issued under 25 Pa. Code, Philadelphia Code Title 3 and Air Management Regulation XIII. Permit copies and other supporting information are available for public inspection at AMS, 321 University Avenue, Philadelphia, PA 19104. For further information, contact Edward Wiener at (215) 685-9426.

Persons wishing to file protest, comments, or request a public hearing on the previously listed operating permit must submit the protest, comments or request for public hearing within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating permit or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a local newspaper at least thirty days before the hearing.

OP19-0000033: Baxter Water Treatment Plant (9001 State Rd., Philadelphia, PA 19136) for the operation of a water treatment plant in the City of Philadelphia, **Philadelphia County**. The facility's air emissions sources include four (4) 6.0 MMBtu/hr firing No. 2 fuel oil, four (4) boilers each less than 4 MMBtu/hr firing natural gas, two (2) hot water heaters, and one (1) 1,115 kW diesel-fired Emergency Generator.

The operating permit will be issued under 25 Pa. Code, Philadelphia Code Title 3 and Air Management Regulation XIII. Permit copies and other supporting information

are available for public inspection at AMS, 321 University Avenue, Philadelphia, PA 19104. For further information, contact Edward Wiener at (215) 685-9426.

Persons wishing to file protest, comments, or request a public hearing on the previously listed operating permit must submit the protest, comments or request for public hearing within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating permit or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a local newspaper at least thirty days before the hearing.

The City of Philadelphia, Air Management Services (AMS) intends to issue a renewal for a Natural Minor Operating Permit for the following facility:

OP19-000012: Jefferson Center FKA Aramark Tower (1101 Market Street, Philadelphia, PA 19107) for the operation of air emission sources in a commercial building leasing facility in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources are one (1) emergency generator firing No. 2 oil rated 700 kW and three (3) boilers, of which one (1) firing natural gas and not connected to any fuel oil tank rated 1.674 MMBtu/hr and two (2) firing natural gas primarily and No. 2 oil during periods of natural gas curtailment or for periodic testing, maintenance, or operator training each rated 9.959 MMBtu/hr.

The changes made as part of the renewal includes the following:

- In Section A, updated the facility name and added the permit contact's email.
- In Table A1, updated the Facility Inventory List based on AMS inspection from February 13, 2019 and information provided by the facility.
- Updated the process flow diagram for consistency with Table A1.
- In Section D: Source Specific Requirements
 - o Updated Condition D.2.(a)(4) to update the definition of emergencies and modify the allowable hours for testing, engine tuning, maintenance checks, and readiness testing of each emergency generator to 100 hours per calendar year.
 - o Updated the ozone season requirement in Condition D.2.(a)(5) to add the requirement to record AQI forecast based on updated websites.
 - o Updated Section D.2.(b) to remove the tune-up requirement for the Boiler B-1 since the boiler operates on natural gas only and is not connected to any fuel oil tank.
 - o Specified that compliance with the PM emission limit of 25 Pa. Code § 123.13(c)(1)(i) shall be based only on Method 5.
 - o Updated the monitoring and recordkeeping requirements.

The operating permit will be issued under 25 Pa. Code, Philadelphia Code Title 3 and Air Management Regulation XIII. Permit copies and other supporting information are available for public inspection at AMS, 321 University Avenue, Philadelphia, PA 19104. For further information, contact Edward Wiener at (215) 685-9426.

Persons wishing to file protest, comments, or request a public hearing on the previously listed operating permit must submit the protest, comments or request for public hearing within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating permit or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a local newspaper at least thirty days before the hearing.

COAL & NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection. A copy of the application is available for inspection at the District Mining Office indicated above each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable,

on a mining permit application may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the address of the District Mining Office indicated above each application within 30-days of this publication, or within 30-days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences).

Written comments or objections related to a mining permit application should contain the name, address and telephone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

Requests for an informal conference, or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 (relating to public hearing-informal conferences) or § 86.34 (relating to informal conferences), must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Where a National Pollutant Discharge Elimination System (NPDES) number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. A separate notice will be provided after the draft NPDES permit is prepared.

Coal Applications Received

Effluent Limits—The following range of effluent limits will apply to NPDES permits issued in conjunction with the associated coal mining activity permit and, in some cases, noncoal mining permits:

Table 1

Parameter	30-Day Average	Daily Maximum	Instantaneous Maximum
Iron (total)	1.5 to 3.0 mg/l	3.0 to 6.0 mg/l	3.5 to 7.0 mg/l
Manganese (total)	1.0 to 2.0 mg/l	2.0 to 4.0 mg/l	2.5 to 5.0 mg/l
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Aluminum (Total)	0.75 to 2.0 mg/l	1.5 to 4.0 mg/l	2.0 to 5.0 mg/l
pH ¹		greater than 6.0; less than 9.0	

¹ The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; and mined areas backfilled and revegetated; and drainage (resulting from a precipitation event of less than or equal to a 1-year 24-hour event) from coal refuse disposal piles.

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191, (Contact: Cayleigh Boniger).

16140109 and NPDES No. PA0259594. K & A Mining (119 Atwell Lane, Kennerdell, PA 16374). Renewal of an existing bituminous surface mine and associated NPDES permit in Washington Township, **Clarion County** affecting 70.0 acres. Receiving streams: Unnamed tributaries to East Sandy Creek, classified for the following uses: CWF. There are no potable surface water supply intakes within 10 miles downstream. Application received: May 11, 2020.

Moshannon District Mining Office, 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200, (Contact: Janet Turner).

41940101 and NPDES PA0219843. Fisher Mining Company, Inc., 40 Choate Circle, Montoursville, PA 17754, modification to the NPDES to change the outfalls on a bituminous coal surface mine located in McHenry and Pine Townships, **Lycoming County** affecting 640.0 acres. Receiving stream(s): Buckeye Run to Otter Run, and Right Fork of Otter Run to Otter Run classified for the following use(s): CWF, MF. Application received: May 14, 2020.

Noncoal Applications Received

Effluent Limits—The following effluent limits will apply to NPDES permits issued in conjunction with a noncoal mining permit:

Table 2

<i>Parameter</i>	<i>30-day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity exceeding acidity*			
pH*		greater than 6.0; less than 9.0	

* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

New Stanton District Office: P.O. Box 133, New Stanton, PA 15672, 724-925-5500, (Contact: Tracy Norbert).

SMP 3374SM58 and NPDES PA0591688. Coolspring Mining, Inc., P.O. Box 1328, Uniontown, PA 15401. Renewal application continued mining of an existing large noncoal surface mine, located in North Union Township, **Fayette County**, affecting 148.6 acres. Receiving streams: unnamed tributaries to Coolspring Run and Coolspring Run, classified for the following use: WWF. There is no potable water supply with 10 miles downstream from the point of discharge. Renewal application received: April 30, 2020.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118, (Contact: Theresa Reilly-Flannery).

Permit No. 64142501C and NPDES Permit No. PA0225509. Robert A. Coleman (P.O. Box 3, Susquehanna, PA 18847), renewal of an NPDES permit for discharge of treated mine drainage from a quarry operation in Scott Township, **Wayne County** affecting 9.6 acres. Receiving stream: unnamed tributary to Balls Creek, classified for the following uses: HQ—cold water and migratory fishes. Application received: May 14, 2020.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	

Alkalinity greater than acidity*

*The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The limits for noncoal mining activities as provided in 25 Pa. Code Chapter 77 are pH 6 to 9 and other parameters the Department may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters in this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 563-2112-115, Developing National Pollutant Discharge Elimination System (NPDES) Permits for Mining Activities. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit within 30-days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30-days of this public notice and contain the name, address, telephone number and the interest of the party filing the request and state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES permit application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. When a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

Coal NPDES Draft Permits

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200, (Contact: Janet Turner).

NPDES No. PA0243221 (Mining Permit No. 17020103), River Hill Coal Co., Inc., P.O. Box 141, Kylertown, PA 16847, revision of an NPDES permit for bituminous surface coal mining in Chest and Ferguson Townships, **Clearfield County**, affecting 560.7 acres. Receiving stream(s): Wilson Run and McMasters Run, classified for the following use(s): CWF. These receiving streams are included in the Chest Creek Watershed TMDL. Application received: January 29, 2020.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The following outfalls discharge to McMasters Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>	<i>Type</i>
001 (TF1)	Y	TFO
002 (TF2)	Y	TFO
003 (TF3)	Y	TFO
004 (TF4)	Y	TFO
006 (SPA)	Y	SWO
007 (SPB)	Y	SWO
009 (SPD)	Y	SWO
012 (SPG)	Y	SWO
017 (SPL)	N	SWO
019 (SPN)	Y	SWO
020 (SPA-Temp)	Y	SWO

The following outfalls discharge to Wilson Run (or Unnamed Tributary to Wilson Run*):

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>	<i>Type</i>
005 (TF5)	Y	TFO
014 (SPI)	Y	SWO
015 (SPJ)	Y	SWO
016 (SPK)	Y	SWO
018 (SPM)	N	SWO*

New Stanton District Office: P.O. Box 133, New Stanton, PA 15672, 724-925-5500, (Contact: Tracy Norbert).

NPDES No. PA0278220 (Mining Permit No. 26990301), Iron Mountain US, LLC (1 Pilarsky Way, Aliquippa, PA 15001). Permit renewal and revision for a large non-coal mine located in Dunbar Township and Vanderbilt Borough, **Fayette County**. Receiving streams: Dickerson Run and Unnamed Tributaries to Dickerson Run classified for the following use(s): WWF. Application received: July 11, 2019.

The following stormwater outfalls discharge to UNT to Dickerson Run and Unnamed Tributaries to Dickerson Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>	<i>Type</i>
001	N	SW
002	N	SW
003	N	SW
004	N	SW
005	N	SW
006	N	SW

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Outfalls: SPI Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/l)	3.0	6.0	7.0
Manganese (mg/l)	2.0	4.0	5.0
Aluminum (mg/l)	2.0	4.0	5.0
Total Suspended Solids (mg/l)	35	70	90
Total Antimony (mg/l)			Report
Total Arsenic (mg/l)			Report
Total Mercury (mg/l)			Report
Total Thallium (mg/l)			Report
Total Zinc (mg/l)			Report
Free Available Cyanide (mg/l)			Report
Total Phenols (mg/l)			Report

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.

Alkalinity must exceed acidity at all times.

Noncoal NPDES Draft Permits

Knox District Mining Office: White Memorial Building, P.O. Box 669, Knox, PA 16232-0669, (814) 797.1191, (Contact: Cayleigh Boniger).

NPDES No. PA0242632 (Permit No. 37050302). Allegheny Mineral Corporation (P.O. Box 1022, Kittanning, PA 16201) renewal of an NPDES permit for a large industrial mineral surface mine in Slippery Rock Township, **Lawrence County**, affecting 100.0 acres. Receiving streams: Unnamed tributaries to Slippery Rock Creek, classified for the following uses: CWF. TMDL: None. Application received: March 5, 2020.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for noncoal mining activities.

The following outfall discharges to unnamed tributary No. 4 to Slippery Rock Creek:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
004	N

The proposed effluent limits for the previously listed outfall are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Alkalinity greater than acidity ¹				7.0
Iron (mg/l)				3.6
Manganese (mg/l)				90.0
Total Suspended Solids (mg/l)				5.0
Phenols (µg/l)				

¹ The parameter is applicable at all times.

The following outfall discharges to unnamed tributary No. 4 to Slippery Rock Creek:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
001	N

The proposed effluent limits for the previously listed outfall are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Alkalinity greater than acidity ¹				7.0
Iron (mg/l)				3.6
Manganese (mg/l)				90.0
Total Suspended Solids (mg/l)				5.0
Phenols (µg/l)				

¹ The parameter is applicable at all times.

The following outfall discharges to unnamed tributary No. 2 to Slippery Rock Creek:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
005	N

The proposed effluent limits for the previously listed outfall are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Alkalinity greater than acidity ¹				
Iron (mg/l)				7.0
Manganese (mg/l)				5.0
Total Suspended Solids (mg/l)				90.0
Phenols (µg/l)				5.0

¹ The parameter is applicable at all times.

The following outfalls discharge to unnamed tributary No. 2 to Slippery Rock Creek and unnamed tributary No. 10 to Slippery Rock Creek:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
002	N
003	N

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Alkalinity greater than acidity ¹				
Iron (mg/l)				7.0
Manganese (mg/l)				5.0
Total Suspended Solids (mg/l)				90.0
Phenols (µg/l)				5.0

¹ The parameter is applicable at all times.

The following outfall discharges to unnamed tributary No. 9 to Slippery Rock Creek:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
006	N

The proposed effluent limits for the previously listed outfall are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Alkalinity greater than acidity ¹				
Iron (mg/l)				7.0
Manganese (mg/l)				5.0
Total Suspended Solids (mg/l)				90.0
Phenols (µg/l)				5.0

¹ The parameter is applicable at all times.

NPDES No. PA0241547 (Permit No. 37990302). Cemex Construction Materials Atlantic, LLC (2001 Portland Park, Wampum, PA 16157) renewal of an NPDES permit for a large industrial mineral surface mine in Shenango and Wayne Townships, **Lawrence County**, affecting 866.5 acres. Receiving streams: Unnamed tributary to Beaver River and unnamed tributary to Snake Run, classified for the following uses: WWF. TMDL: None. Application received: January 22, 2020.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for noncoal mining activities.

The following outfalls discharge to Unnamed tributary to Beaver River and unnamed tributary to Snake Run:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
010	N
011	N

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Alkalinity greater than acidity ¹				
Iron (mg/l)		3.0	6.0	7.0

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Manganese (mg/l)		2.0	4.0	5.0
Total Suspended Solids (mg/l)		35.0	70.0	90.0

¹ The parameter is applicable at all times.

The following outfalls discharge to Unnamed tributary to Beaver River and unnamed tributary to Snake Run:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
001	N
002	N
003	N
004	N
005	N
006	N
007	N
008	N
009	N

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Alkalinity greater than acidity ¹				
Iron (mg/l)		3.0	6.0	7.0
Manganese (mg/l)		2.0	4.0	5.0
Total Suspended Solids (mg/l)		35.0	70.0	90.0

¹ The parameter is applicable at all times.

New Stanton District Office: P.O. Box 133, New Stanton, PA 15672, 724-925-5500, (Contact: Tracy Norbert).

NPDES No. PA0278386 (Mining Permit No. 63130401), Boord, Benchek & Associates, Inc., 345 Southpointe Blvd., Suite 202, Canonsburg, PA 15317, NPDES permit at a surface noncoal mine in Smith Township, **Washington County**, affecting 42.2 acres. Receiving stream(s): UNTs to Raccoon Creek, classified for the following use(s): WWF. The receiving streams are subject to the Raccoon Creek Total Maximum Daily Load. The first downstream potable water supply intake from the point of discharge is Nova Chemicals Beaver Valley Plant (PWS 5040300) on the Ohio River. The Department has made a tentative determination to impose effluent limitations, within the ranges specified. Application received: June 20, 2019.

The following stormwater outfall discharges to UNT 2 to Raccoon Creek:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>	<i>Type</i>
012	N	Stormwater Outfall

The proposed effluent limits for the previously listed outfall for all weather conditions are as follows:

<i>(All Weather Conditions) Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Iron (mg/l)	1.5	3.0	3.7
Total Manganese (mg/l)	1.0	2.0	2.5
Total Aluminum (mg/l)	0.75	0.75	0.75
Total Suspended Solids (mg/l)	35.0	70.0	90.0
Total Mercury (ug/l)		Monitor	
Sulfate (mg/l)		Monitor	
Specific Conductance (umhos/cm) or Total Dissolved Solids (mg/l)		Monitor	

pH between 6.0 and 9.0 Standard Units; Alkalinity > Acidity; Measure flow and temperature

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341), requires the State to certify that the involved projects will not violate the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), as well as relevant State requirements. Persons objecting to

approval of a request for certification under Section 401 or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit, or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30-days of the date of this notice, as well as any questions to the office noted above the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed, and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between the hours of 8:00 AM and 4:00 PM on each working day at the office noted above the application.

If you are a person with a disability and wish to attend the hearing and you require an auxiliary aid, service or other accommodation to participate in the proceedings, please contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Applications Received Under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification Under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484.250.5160. E-mail: ra-epww-sero@pa.gov.

Permit No. E2301220-021, Columbia Gas Transmission, LLC, 1700 MacCorkle Avenue SE, Charleston, WV 25314, Chadds Ford Township, **Delaware County**, ACOE Philadelphia District.

To restore, rehabilitate, and maintain an approximately 110-foot long meander bend of Harvey Run (WWF/MF) migrated into a 12-inch diameter natural gas pipeline associated with the safeguard of the exposed pipeline. The improvements will include bank stabilization, engineered riffle, and rock revetment to prevent future erosion.

The site is located about 750-feet northwest of Creek and Rocky Hill Roads (Wilmington North, PA, USGS Quadrangle Latitude: 39.869536; Longitude: -75.590726) in Chadds Ford Township, Delaware County.

Permit No. E2301220-025, Eastern University, 1300 Eagle Road, St. Davids, PA 19087, Radnor Township, **Delaware County**, ACOE Philadelphia District.

To construct and maintain the following activities along the 100-year floodway of a UNT to Gulf Creek and Gulf Creek (WWF) associated with the proposed internal loop road bridge replacement project throughout the University campus.

1. To construct a new 26 feet long by 34 feet wide and 9 feet high Con-Span bridge across Gulf Creek.

2. To construct a new 32 feet long by 12 feet wide by 7.5 feet high box culvert along UNT to Gulf Creek as a permanent access to the previously listed proposed bridge replacement.

The site is located near the southwest corner of Eagle and King of Prussia Roads, (Norristown, PA USGS map, Lat: 40.050556; Long; -75.37278) in Radnor Township, Delaware County.

Permit No. E2301220-024, City of Chester, 29 East 5th Street, Chester, PA 19013, City of Chester, **Delaware County**, ACOE Philadelphia District.

The City of Chester is proposing to daylight a 275 linear foot, 66-inch by 84-inch elliptical CMP stream

enclosure carrying a UNT to Delaware River (WWF-MF, Watercourse A) for the Veterans Memorial Park Stormwater Wetland Basin Project. In its place, the City of Chester will construct and maintain a 4-acre stormwater wetland basin by removing fill and grading within the existing park and constructing an outlet structure discharging to an existing stream enclosure within AMTRACK right-of-way. This activity will result in 275 linear feet (1,925 square feet, 0.044 acre) of permanent watercourse impact, 556 square feet (0.013 acre) of permanent wetland impact to a wetland area (PEM, Wetland B), and 1,964 square feet (0.045 acre) of temporary wetland impact to a wetland area (PEM, Wetland A).

This project is located in Veterans Memorial Park on 7th Street in Chester City, Delaware County (USGS PA Marcus Hook Quadrangle—Latitude 39.836710 N, Longitude 75.389625 W).

Permit No. E5101220-022, Children's Hospital of Philadelphia (CHOP), 3501 Civic Center Boulevard, CTRB12405-4, Philadelphia, PA 19104, City of Philadelphia, **Philadelphia County**, ACOE Philadelphia District.

CHOP is proposing to enhance an existing 4-foot by 4-foot box culvert outfall with the construction and maintenance of a 7-foot by 4-foot outfall discharging to the Schuylkill River (WWF-MF) in association with the sewer reroute and outfall upgrades for the future CHOP expansion project. This activity includes construction and maintenance for the culvert outfall and wingwalls resulting in 100 square feet (0.002 acre) of permanent floodway impact.

This project is bound by the I-76 ramp to the north and east, the Schuylkill River to the South, and a PECO building to the west in Philadelphia (USGS PA Philadelphia Quadrangle—Latitude 39.948486 N, Longitude 75.196749 W).

Permit No. E0901120-026, Pennsylvania Department of Transportation, Engineering District 6-0, 7000 Geerdes Boulevard, King of Prussia, PA 19406, Tincum Township, **Bucks County**, ACOE Philadelphia District.

The Pennsylvania Department of Transportation (PennDOT District 6-0) is proposing to remove an existing three-span, 62.8-foot-long, concrete encased steel I-beam, concrete deck slab bridge with stone masonry abutment and piers. In its place, construct and maintain a two-span, prestressed concrete spread box beam bridge with equal spans measuring 40 feet each over Tincum Creek (EV). These activities are associated with the Headquarters Road over Tincum Creek Replacement Project and includes the construction and maintenance of the following water obstruction and encroachment activities:

1. To remove an existing three-span bridge, construct and maintain a proposed two-span bridge, perform channel work and grading, placement of riprap, removal of multiple existing piers, and the construction of a new proposed pier resulting in 77.5 linear feet (3,302 square feet, 0.076 acre) of permanent watercourse impact and 1,569 square feet (0.036 acre) of permanent floodway impact. Floodway and floodplain activities also include roadway construction, abutment and wingwall construction on opposite sides of watercourse, existing abutment removal, channel work, and grading resulting in 2,654 square feet (0.061 acre) of additional permanent floodway impact and 100-year floodplain impact.

2. To construct and maintain a diversion dike system and temporary causeway to facilitate the removal of the existing piers, removal of existing bridge, and construc-

tion of proposed bridge will result in a total of 74 linear feet (2,271 square feet, 0.052 acre) of temporary watercourse impact and 3,138 square feet (0.072 acre) of temporary floodway impact.

The entire project area is located within the Ridge Valley Rural Historic District and Tinicum Creek is classified by the Nation Park Service (NPS) as a Federal scenic river within the Lower Delaware Wild and Scenic River. This project is located near the intersection of Sheep Hole Road and Headquarters Road in Tinicum Township, Bucks County (USGS PA Bedminster Quadrangle—Latitude 40.470826 N, Longitude 75.136567 W).

Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

E480220-021. Valley Industrial Properties, LLC, 2 E. 10th Street, Northampton, PA 18067, in East Bangor Borough, **Northampton County**, U.S. Army Corps of Engineers, Philadelphia District.

To construct and maintain the following water obstructions and encroachments associated with the Capital Quarry Restoration Project:

1) To fill and maintain an existing, abandoned, 10.77 acres water-filled lacustrine slate quarry pit having permanent pool depths ranging from 60-ft to 150-ft for the purpose of eliminating a safety hazard and preparing the site for potential future development.

2) To fill a 2-ft wide, 83-ft long, intermittent UNT to Martins Creek (CWF, MF) for the purpose of site grading associated with Phase # 1 of the project.

3) To fill 0.006-acre of PEM wetlands for the purpose of site grading associated with Phase # 3 of the project.

4) To fill a 1-ft wide, 73-ft long, intermittent UNT to Martins Creek (CWF, MF) for the purpose of site grading associated with Phase # 3 of the project.

The project is located on the north side of West Central Avenue (S.R. 512), approximately 0.4-mile northwest of the intersection of West Central Avenue (S.R. 512) and North Broad Street (S.R. 1035), (Bangor and Stroudsburg, PA Quadrangle Latitude: 40° 52' 52"; Longitude: 75° 11' 31") in East Bangor Borough, Northampton County.

E390220-022. Griffin Industrial Realty, Inc., 204 West Newberry Road, Bloomfield, CT 06002, in South Whitehall Township, **Lehigh County**, U.S. Army Corps of Engineers, Philadelphia District.

To construct and maintain the following water obstructions and encroachments associated with the Chapmans Road Flex Warehouse Facility project.

1. To permanently impact 0.15 acre of isolated PEM wetland (W02) for the construction of a parking lot.

2. To permanently impact 0.27 acre of EV wetland (W01) for the widening of an existing roadway, construction of a driveway access crossing and extension of two existing stormwater outfall structures.

3. To construct and maintain a roadway crossing of a UNT to Jordan Creek (HQ-CWF, MF) and adjacent EV wetlands consisting of 45-foot long, 36-inch diameter, RCP pipe depressed 6-inches below the existing streambed elevation with headwalls and rip rap apron.

4. To construct and maintain three outfall structures to a UNT to Jordan Creek (HQ-CWF, MF). The first outfall (EW31) consists of an 18-inch RCP pipe with a concrete headwall and rip rap apron. The second outfall (EW34)

consists of a 24-inch RCP pipe with a concrete headwall and rip rap apron. The third outfall (EW40) consists of a 15-inch HDPE pipe with a headwall and rip rap apron.

5. To construct and maintain two 30-inch RCP stormwater pipes crossing a UNT to Jordan Creek (HQ-CWF, MF) and adjacent wetlands.

The project is located at 4741 Chapmans Road.

E390220-021. Allentown Economic Development Corporation, 905 Harrison Street, Allentown, PA 18103, in Allentown City, **Lehigh County**, U.S. Army Corps of Engineers, Philadelphia District.

To construct and maintain the following water obstructions and encroachments associated with the Allentown Metalworks Redevelopment Project:

1. An outfall structure in the floodway of Little Lehigh Creek (HQ-CWF, MF) consisting of 164 linear feet of 18-inch HDPE pipe with a concrete headwall.

2. An outfall structure in the floodway of Little Lehigh Creek (HQ-CWF, MF) consisting of 48 linear feet of 24-inch RCP pipe with a concrete headwall.

The project is located on the left of South 10th Street approximately 0.1 mile after the intersection of South 10th Street and Harrison Street (Allentown East, PA Quadrangle Latitude: 40° 35' 41", Longitude: 75° 28' 41") in the City of Allentown, Lehigh County.

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

E5003220-021. Howe Township, 22 Cherry Road, Liverpool, PA 17045 in Howe Township, **Perry County**, U.S. Army Corps of Engineers Baltimore District.

The applicant proposes to maintain a 45 linear foot long 42.0-inch HDPE culvert carrying an unnamed tributary to Howe Run (WWF, MF) under Mountain Road for the purpose of use and maintenance of the township roadway (Latitude: 40.5077; Longitude: -77.0897). The culvert was replaced under emergency permit EP-50-19-101.

Southwest Region: Dana Drake, Waterways and Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E6505220-022. PA Game Commission, 2001 Elmerton Avenue, Harrisburg, PA 17110; Saint Clair Township, **Westmoreland County**, Pittsburgh ACOE District.

The applicant proposes to:

Remove an existing ford crossing and construct, operate, and maintain a replacement 14 LF wide by 35 LF long single span bridge over Poplar Run (HQ-CWF).

Permanent project impacts are 14 linear feet to the watercourse and 0.016 acre to the floodway.

The project site is located at 700 Sugar Run Road, New Florence, PA 15944 (Rachelwood, PA USGS topographic quadrangle; N: 40°, 22', 17"; W: 79°, 01', 59"; Sub-basin 18D; USACE Pittsburgh District), in Saint Clair Township, Westmoreland County.

Eastern Region: Oil and Gas Management Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

Permit No. E5829220-024, Williams Field Services Company, LLC, 30351 Route 6, Wysox, PA 18854, Natural Gas Pipelines. Bridgewater and Dimock Townships, **Susquehanna County**; ACOE, Baltimore Office.

To construct, operate, and maintain:

1) an 8-inch diameter permanent natural gas pipeline and temporary timber mat crossing impacting 36,520 sq. ft. (0.84 acre) of a Palustrine Emergent Wetland (PEM) (Montrose East/West, PA Quadrangle; Latitude: 41° 46' 46", Longitude: -75° 52' 37");

2) an 8-inch diameter permanent natural gas pipeline and temporary timber mat crossing impacting 8,163 sq. ft. (0.19 acre) of a Palustrine Emergent Wetland (PEM) (Montrose East/West, PA Quadrangle; Latitude: 41° 46' 50", Longitude: -75° 52' 29");

3) an 8-inch diameter permanent natural gas pipeline and temporary timber mat crossing impacting 8,060 sq. ft. (0.19 acre) of a Palustrine Emergent Wetland (PEM) (Montrose East/West, PA Quadrangle; Latitude: 41° 46' 54", Longitude: -75° 52' 25");

4) an 8-inch diameter permanent natural gas pipeline and temporary timber mat crossing impacting 1,886 sq. ft. (0.04 acre) of a Palustrine Emergent Wetland (PEM) (Montrose East/West, PA Quadrangle; Latitude: 41° 46' 56", Longitude: -75° 52' 22").

The project consists of installing 3,050 lineal feet of 8-inch natural gas pipeline in Bridgewater and Dimock Townships, Susquehanna County. The project will result in 54,629 square feet (1.25 acre) of impacts to a Palustrine Emergent Wetland (PEM) for the purpose of providing safe and reliable transportation of Marcellus Shale natural gas for distribution.

E0829220-023: Chief Oil and Gas, LLC, 1720 Sycamore Road, Montoursville, PA 17754, Leroy Township, **Bradford County**, ACOE Baltimore District.

To construct, operate and maintain:

1. a permanent access road impacting 371 square feet of a Palustrine Emergent Wetland (Shunk, PA Quadrangle Latitude: 41.62444°, Longitude: -76.71333°);

2. a permanent access road impacting 114 square feet of a Palustrine Emergent Wetland (Shunk, PA Quadrangle Latitude: 41.62444°, Longitude: -76.71250°);

3. a permanent access road impacting 320 square feet of a Palustrine Emergent Wetland (Shunk, PA Quadrangle Latitude: 41.62444°, Longitude: -76.71167°);

4. a permanent access road impacting 68 square feet of a Palustrine Emergent Wetland (Shunk, PA Quadrangle Latitude: 41.62417°, Longitude: -76.71083°);

5. a permanent access road impacting 256 square feet of a Palustrine Emergent Wetland and 70 square feet of a Palustrine Scrub-Shrub Wetland (Shunk, PA Quadrangle Latitude: 41.6222°, Longitude: -76.71000°);

6. a 36" SLCPP culvert impacting 64 linear feet of an unnamed tributary to Wolf Run (EV, MF) (Shunk, PA Quadrangle Latitude: 41.62056°, Longitude: -76.71083°);

7. a 24" SLCPP culvert impacting 63 linear feet of an unnamed tributary to Wolf Run (EV, MF) (Shunk, PA Quadrangle Latitude: 41.62000°, Longitude: -76.71083°);

8. a 60" SLCPP culvert impacting 59 linear feet of Wolf Run (EV, MF), impacting 1,863 square feet of an adjacent Palustrine Forested Wetland (EV) and impacting 1,580 square feet of an adjacent Palustrine Emergent Wetland (EV) (Shunk, PA Quadrangle Latitude: 41.61944°, Longitude: -76.71056°);

9. a permanent access road impacting 54 square feet of a Palustrine Emergent Wetland and 37 square feet of a

Palustrine Open Water Wetland (Shunk, PA Quadrangle Latitude: 41.61833°, Longitude: -76.70889°);

10. a permanent access road impacting 1,190 square feet of a Palustrine Emergent Wetland (EV), 2,479 square feet of a Palustrine Scrub-Shrub Wetland (EV) and 4,468 square feet of a Palustrine Forested Wetland (EV) (Shunk, PA Quadrangle Latitude: 41.61750°, Longitude: -76.70611°);

11. a permanent access road impacting 194 square feet of a Palustrine Emergent Wetland (Shunk, PA Quadrangle Latitude: 41.61722°, Longitude: -76.70528°);

12. a 30" SLCPP culvert impacting 74 linear feet of an unnamed tributary to Thomas Run (EV, MF) (Shunk, PA Quadrangle Latitude: 41.61694°, Longitude: -76.70361°);

13. a 24" SLCPP culvert impacting 55 linear feet of an unnamed tributary to Thomas Run (EV, MF), impacting 48 square feet of an adjacent Palustrine Forested Wetland (EV) and impacting 736 square feet of an adjacent Palustrine Emergent Wetland (EV) (Shunk, PA Quadrangle Latitude: 41.61694°, Longitude: -76.70306°);

14. a 42" x 120" precast concrete box culvert impacting 102 linear feet of Thomas Run (EV) (Shunk, PA Quadrangle Latitude: 41.61694°, Longitude: -76.70139°)

15. a permanent access road impacting 11 square feet of a Palustrine Scrub-Shrub Wetland (Shunk, PA Quadrangle Latitude: 41.61694°, Longitude: -76.70111°);

16. a permanent access road impacting 203 square feet of a Palustrine Emergent Wetland (Shunk, PA Quadrangle Latitude: 41.61667°, Longitude: -76.70028°);

17. a permanent access road impacting 54 square feet of floodway of an unnamed tributary to Thomas Run (EV, MF) (Shunk, PA Quadrangle Latitude: 41.61722°, Longitude: -76.70056°);

18. a permanent access road impacting 1,035 square feet of a Palustrine Emergent Wetland (Shunk, PA Quadrangle Latitude: 41.61694°, Longitude: -76.69972°);

19. a permanent access road impacting 1,087 square feet of a Palustrine Emergent Wetland (Shunk, PA Quadrangle Latitude: 41.61611°, Longitude: -76.69861°);

20. a 24" SLCPP culvert impacting 61 linear feet of an unnamed tributary to Thomas Run (EV, MF) (Shunk, PA Quadrangle Latitude: 41.61583°, Longitude: -76.69417°);

21. a 30" SLCPP culvert impacting 71 linear feet of an unnamed tributary to Thomas Run (EV, MF) (Shunk, PA Quadrangle Latitude: 41.61500°, Longitude: -76.69222°);

The project will result in 549 linear feet of stream impacts, 69,959 square feet (1.61 acre) of floodway impacts, 7,241 square feet (0.17 acre) of permanent PEM wetland impacts, 542 square feet (0.01 acre) of permanent PSS wetland impacts, 1,948 square feet (0.05 acre) of permanent conversion PSS wetland impacts, 1,207 square feet (0.12 acre) of permanent PFO wetland impacts, 5,172 square feet (0.03 acre) permanent PFO wetland impacts, all for the purpose of installing a natural gas well pad and permanent access road for Marcellus Shale development in Tuscarora Township, Bradford County.

ENVIRONMENTAL ASSESSMENTS

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

EA3603220-023. Manheim Township, 1840 Municipal Drive, Lancaster, PA 17601, in Manheim Township, **Lancaster County**, U.S. Army Corps of Engineers Baltimore District.

To construct and maintain a stream restoration project along 2,194 feet of an unnamed tributary to Bachman Run (TSF, MF) including 1.) 3,423 feet of bank grading (left and right bank); and 2.) the installation of three R-3 rip rap grade control structures, all for the purposes of stabilizing the streambanks, reducing sediment loading to the stream. The project is located near the intersection of Snyder Road and Bluestone Drive (Latitude: 40.1181°N; Longitude: 76.3337°W) in Manheim Township, Lancaster County. No wetlands will be impacted by this project.

Central Office: Bureau of Waterways Engineering and Wetlands, Rachel Carson State Office Building, Floor 2, 400 Market Street, Harrisburg, PA 17101, telephone number: 717-787-3411.

The following Major Amendment to Encroachment No. E22-653 and request for Water Quality Certification is proposed.

E22-653. Hawthorne SPE, LLC, 3605 Vartan Way, Suite 301, Harrisburg, PA 17110, USACOE Baltimore

District. To construct a 12' x 4' arch culvert across Black Run (WWF) that will provide vehicular access to the Susquehanna Union Green land development project. The crossing will convey traffic between the proposed residential development south of Black Run and a combination of residential and commercial/retail development north of Black Run. The impacts of the proposed culvert include 347 square feet of permanent impacts to Black Run and 976 square feet of permanent impacts to the floodway of Black Run. The applicant also proposes to construct a timber pile supported pedestrian bridge across Black Run that will provide walking access between both north and south sides of the land development project. The pedestrian bridge will have 55 square feet of permanent impacts to Black Run and 216 square feet of permanent impacts on the floodway of Black Run. The project is located upstream of North Progress Avenue in Susquehanna Township, Dauphin County (USGS Quadrangle: Harrisburg East, PA: Latitude: 40° 19' 33"; Longitude: 76° 51' 19").

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and NOIs for coverage under General Permits. This notice of final action is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Wastes; Discharges to Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

Sections I—VI contain actions regarding industrial, animal or sewage wastes discharges, discharges to groundwater, and discharges associated with MS4, stormwater associated with construction activities and CAFOs. Section VII contains notices for parties who have submitted NOIs for Coverage under General NPDES Permits. The approval for coverage under these General NPDES Permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions in each General Permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions in the respective permit. The permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions.

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401. Phone: 484.250.5970.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed)</i>	<i>EPA Waived Y/N?</i>
PA0057401 (Sewage)	Pennbow LLC 6801 Easton Road Pipersville, PA 18974-9717	Bucks County Bedminster Township	Unnamed Tributary to Cabin Run (CWF) 2-D	Yes
PA0056758 (Sewage)	Tradesville Sewer System & STP 1275 Almshouse Road Warrington, PA 18976	Bucks County Warrington Township	Mill Creek (TSF, MF) (2-F)	Yes
PA0245038 (Storm Water)	GMA Garnet Corporation— Fairless Hills Recycling Facility 1780 Hughes Landing Suite 725 Woodlands, TX 77380-1684	Bucks County Falls Township	Delaware River (WWF, MF) (2-E)	Yes
PA0056561 (Storm Water)	Romansville Shop 1845 W Strasburg Road Coatesville, PA 19320-4814	Chester County West Bradford Township	Broad Run (EV, MF) and Unnamed Tributary to West Branch Brandywine Creek (WWF, MF) (3-H)	Yes

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, Email: RA-EPNPDES_SCRO@pa.gov.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N</i>
PA0246441 CAFO Issued	Willow Brook Farm 10049 Ferguson Valley Road Lewistown, PA 17044-8601	Mifflin County Granville Township	Unnamed Tributary to Strodes Run (HQ-CWF, MF) and Unnamed Tributary to Strodes Run (HQ-CWF) Watershed(s) 12-A	Yes
PA0080900 Sew Issued	Berrysburg STP P.O. Box 183 Berrysburg, PA 17005-0183	Dauphin County Berrysburg Borough	Unnamed Tributary of Wiconisco Creek (WWF) Watershed(s) 6-C	Yes
PA0007765 IW Issued	Harley Davidson Motorcycle Co. 1425 Eden Rd York, PA 17402-1907	York County Springettsbury Township	Unnamed Tributary to Codorus Creek (WWF) and Unnamed Tributary to Codorus Creek (WWF, MF) in Watershed(s) 7-H	Yes
PA0032557 Sew Issued	Logan Township Greenwood STP 100 Chief Logan Circle Altoona, PA 16602-4337	Blair County Logan Township	Little Juniata River (TSF, MF) in Watershed(s) 11-A	Yes

Northcentral Regional Office: Clean Water Program Manager, 208 W Third Street, Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.3636, Email: RA-EPNPDES_NCRO@pa.gov.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0022187 (Sewage)	Beavertown Municipal Authority Sewer System 419 Old Orchard Drive Beavertown, PA 17813	Snyder County Beavertown Borough	Luphers Run (CWF, MF) (6-A)	Yes
PA0228885 (Sewage)	Burnside Borough Sewage System P.O. Box 208 Burnside, PA 15721	Clearfield County Burnside Borough	West Branch Susquehanna River (WWF, MF) (8-B)	Yes
PA0228699 (Sewage)	J. Finch SFTF 125 Grove Road Prosperity, PA 15329-2027	Cameron County Portage Township	Cowley Run (EV) (8-A)	Yes

Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Email: RA-EPNPDES_SWRO@pa.gov.

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed #)	EPA Waived Y/N
PA0033294 (Sewage)	Franklin Manor STP 70 Security Drive Washington, PA 15301	Washington County South Franklin Township	Unnamed Tributary to Chartiers Creek (WWF) (20-F)	Yes
PA0095150 (Sewage)	Elizabeth Estates MHP STP Sea Breeze Drive Bunola, PA 15020	Allegheny County Forward Township	Monongahela River (WWF) (19-C)	Yes
PA0096164 (Sewage)	Living Treasures II STP P.O. Box 346 Donegal, PA 15628	Westmoreland County Donegal Township	Indian Creek (HQ-CWF) (19-E)	Yes

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, Email: RA-EPNPDES_NWRO@pa.gov.

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed #)	EPA Waived Y/N
PA0210102 (Sewage)	Brett C Gassner SRSTP 300 Gilkey Road West Middlesex, PA 16159-3308	Mercer County Shenango Township	Unnamed Tributary to Shenango River (WWF) (20-A)	Yes
PA0273015 (Sewage)	Rebecca Collingwood SRSTP 51 W Methodist Road Greenville, PA 16125-9712	Mercer County Hempfield Township	Unnamed Tributary to Shenango River (WWF) (20-A)	Yes
PA0273040 (Sewage)	Rebecca J Davis SFTF 353 McDowell Road Greenville, PA 16125	Mercer County Delaware Township	Shenango River (WWF) (20-A)	Yes

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions.

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

NPDES Permit PA0051951, Sewage, SIC Code 4952, **Messenger Heather**, 51 Grays Lane, Elverson, PA 19520-9715. Facility Name: Messenger SRSTP. This existing facility is located in Warwick Township, **Chester County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to French Creek (EV, MF), is located in State Water Plan watershed 3-D and is classified for Exceptional Value Waters and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	Report	XXX	XXX
BOD ₅	XXX	XXX	XXX	10	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10	XXX	20
Fecal Coliform (CFU/100 ml)	XXX	XXX	XXX	200	XXX	XXX
				Geo Mean		

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Email: RA-EPNPDES_NERO@pa.gov.

NPDES Permit No. PA0276316, Storm Water, SIC Code 5093, **JFR Salvage, LLC**, 6500 Sullivan Trail, Wind Gap, PA 18091.

This proposed facility is located in Stroud Township, **Monroe County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated stormwater.

Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Email: RA-EPNPDES_SWRO@pa.gov.

NPDES Permit No. PA0255653, Sewage, SIC Code 8800, **Gary Mumper**, 1108 Dutch Hollow Road, Jeannette, PA 15644.

This proposed facility is located in Penn Township, **Westmoreland County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated sewage.

NPDES Permit No. PA0026841, Sewage, SIC Code 4952, **Oakmont Borough Allegheny County**, 767 5th Street, Oakmont, PA 15139-1524.

This existing facility is located in Oakmont Borough, **Allegheny County**.

Description of Existing Action/Activity: Issuance of an NPDES Permit for an existing discharge of treated sewage.

III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law.

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Email: RA-EPNPDES_NERO@pa.gov.

WQM Permit No. 4819402, Sewage, SIC Code 4952, **Lehigh Township Municipal Authority Northampton County**, 1069 Municipal Road, Walnutport, PA 18088-9718.

This proposed facility is located in Lehigh Township, **Northampton County**.

Description of Proposed Action/Activity: Installation of a new Pump Station and Sewer Extension Line for a future Lehigh Valley Resort & Spa. The new Inflow Pump Station will discharge to the existing Pennsville Wastewater Treatment Plant under NPDES Permit No. PA0063231.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, Email: RA-EPNPDES_SCRO@pa.gov.

WQM Permit No. 0692402, Sewerage, SIC Code 4952, **Exeter Township WWTP Birdsboro PA American Water**, 852 Wesley Drive, Mechanicsburg, PA 17055.

This proposed facility is located in Exeter Township, **Berks County**.

Description of Proposed Action/Activity:

This permit amendment approves the construction/modification/operation of industrial wastewater facilities as follows:

—installation of dechlorination equipment using sodium bisulfite, including two metering pumps.

—storage enclosure of chemicals and feed pumps, with spill containment.

WQM Permit No. WQG0222002, Sewerage, SIC Code 4952, **Harrisburg STP-Arsenal Boulevard Sewer Improvements**, Capital Region Water, 212 Locust Street, Suite 500, Harrisburg, PA 17101-1510.

This proposed facility is located in Harrisburg City, **Dauphin County**.

Description of Proposed Action/Activity: This General Permit approves the construction and operation of 1 Sewer Extension.

Northcentral Regional Office: Regional Clean Water Program Manager, 208 W Third Street, Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.3636.

WQM Permit No. 6006401 A-3, Sewage, SIC Code 4952, **Mifflinburg Borough, Union County**, 120 N 3rd Street, Mifflinburg, PA 17844-1134.

This existing facility is located in Mifflinburg Borough, **Union County**.

Description of Proposed Action/Activity: Replacement of two existing screw presses with a new screw press.

WQM Permit No. 1708401 A-2, Sewage, SIC Code 4952, **Woodland Bigler Area Authority**, P.O. Box 27, Woodland, PA 16881-0027.

This existing facility is located in Bradford Township, **Clearfield County**.

Description of Proposed Action/Activity: Installation of a custom fabricated tablet dechlorinator.

Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Email: RA-EPNPDES_SWRO@pa.gov.

WQM Permit No. 6520400, Sewage, SIC Code 8800, **Gary Mumper**, 1108 Dutch Hollow Road, Jeannette, PA 15644.

This proposed facility is located in Penn Township, **Westmoreland County**.

Description of Proposed Action/Activity: The applicant proposed to construct a 400 GPD single residence sewage treatment plant to serve an existing three-bedroom residential dwelling. The treated effluent discharges to Bushy Run (TSF).

VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions.

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD450104 Authorization/ Issuance	Shawnee Development, Inc. 6277 Sea Harbor Drive Orlando, FL 32821	Monroe	Smithfield Township	Shawnee Creek (HQ-CWF, MF)
PAD450054 Authorization/ Issuance	DJ Holdings II, LLC 186 Murphy Run Stroudsburg, PA 18360	Monroe	Hamilton Township	McMichael Creek (HQ-CWF, MF)

Southcentral Region: Waterways & Wetlands Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD500009 Issued	Lester & Edna Garman 1330 Clouser Hollow Road New Bloomfield, PA 17068	Perry	Centre Township	UNT Trout Run (CWF, MF) EV Wetlands

VII. Approvals to Use NPDES and/or Other General Permits.

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types.

PAG-01	General Permit for Discharges for Stormwater Discharges Associated with Small Construction Activities.
PAG-02	General Permit for Discharges of Stormwater Associated with Construction Activities
PAG-03	General Permit for Discharges of Stormwater from Industrial Activities
PAG-04	General Permit for Discharges from Small Flow Treatment Facilities
PAG-05	General Permit for Discharges from Petroleum Product Contaminated Groundwater Remediation Systems
PAG-06	General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems (CSO)
PAG-07	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-08	General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-08 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-08 General Permit Coverage
PAG-09	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest, or a Land Reclamation Site
PAG-09 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-09 General Permit Coverage
PAG-10	General Permit for Discharges from Hydrostatic Testing of Tanks and Pipelines
PAG-11	General Permit for Discharges from Aquatic Animal Production Facilities
PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)
PAG-14	(To Be Announced)
PAG-15	General Permit for Discharges from the Application of Pesticides

General Permit Type—PAG-02

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone Number</i>
PAC350089 Authorization/ Issuance	H & K Group, Inc. 2052 Lucon Road Skipack, PA 19474-0196	Lackawanna	Benton Township	UNT South Branch Tunkhannock Creek (CWF, MF)	Lackawanna County Conservation District 1038 Montdale Road Scott Township, PA 18447 570-382-3086

Southcentral Region: Waterways and Wetlands Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone Number</i>
PAC010134 Issued	Lobar Properties, LLC 4 Barlo Circle Dillsburg, PA 17019	Adams	Straban Township	UNT Rock Creek (WWF)	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325-3404 717.334.0636
PAC010139 Issued	Gettysburg Nature Alliance 297 Steinwehr Avenue Gettysburg, PA 17325	Adams	Freedom Township	UNT Marsh Creek (CWF)	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325-3404 717.334.0636
PAC060250 Issued	Forino Company 555 Mountain Home Road Sinking Spring, PA 19608	Berks	Ontelaunee Township	Schuylkill River (WWF)	Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 610.372.4657
PAC060245 Issued	Grande Land, LP 2213 Quarry Drive Reading, PA 19609-1167	Berks	South Heidelberg Township	Manor Creek (TSF) Schuylkill River (WWF)	Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 610.372.4657
PAC060257 Issued	Schneider Electric USA, Inc. 70 Mechanic Street C41-32 Foxboro, MA 02035	Berks	Ontelaunee Township	Schuylkill River (WWF)	Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 610.372.4657

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone Number</i>
PAC060273 Issued	M&G Realty, Inc. 2100 North George Street York, PA 17404	Berks	Hamburg Borough	Schuylkill River (WWF)	Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 610.372.4657
PAC060249 Issued	Conrad Weiser Area School District 44 Big Spring Road Robesonia, PA 19551	Berks	Heidelberg Township	Furnace Creek (CWF)	Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 610.372.4657
PAC220230 Renewal Issued	DSG Development Group P.O. Box 42 Hershey, PA 17033	Dauphin	Derry Township	Swatara Creek (WWF, MF)	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100
PAC220206 Issued	Lower Swatara Municipal Authority 1499 Spring Garden Drive Middletown, PA 17057	Dauphin	Lower Swatara Township	UNT Susquehanna River (WWF, MF)	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100
PAC220224 Issued	KN Tecport, LLC 52 Blueberry Lane Grove City, PA 16127-4674	Dauphin	Swatara Township	UNT Spring Creek (CWF)	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100
PAC220106 Major Amendment Issued	Milton Hershey School P.O. Box 830 Hershey, PA 17033-0830	Dauphin	Derry Township	Spring Creek (WWF)	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100
PAC220205 Issued	Steven Murphy 487 North Mill Road Harrisburg, PA 17112	Dauphin	East Hanover Township	UNT Manada Creek (WWF)	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100
PAC220218 Issued	DHK, D&H, Lot, LLC 6259 Reynolds Mill Road Seven Valleys, PA 17360-8844	Dauphin	Lower Swatara Township	UNT Susquehanna River (WWF, MF)	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone Number</i>
PAC310016 Issued	Noelle Cron 21976 Tannery Road Shade Gap, PA 17255	Huntingdon	Dublin Township	UNT Shade Creek (TSF)	Huntingdon County Conservation District 10605 Raystown Road Suite A Huntingdon, PA 16652-9603 814.627.1627

Southwest Region: Dana Drake, Waterways and Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222, 412-442-4000.

<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Facility Location and Municipality</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Phone Number</i>
PAC650217	EFR II, LLC P.O. Box 472 Latrobe, PA 15650	Unity Township	UNT to Ninemile Run (WWF)	Westmoreland Conservation District J. Roy Houston Conservation Center 218 Donohoe Road Greensburg, PA 15601 724-837-5271

Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Facility Location: Municipality & County</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
PAC250099	Wattsburg Area School District 10782 Wattsburg Road Erie, PA 16509	Greene Township Erie County	UNT to East Branch LeBoeuf Creek TSF	Erie County Conservation District 1927 Wager Road Erie, PA 16509 814-825-6403
PAC100179	Seneca Valley School District 124 Seneca School Road Harmony, PA 16037	Cranberry Township Butler County	UNT to Brush Creek WWF, UNT to Likens Run WWF	Department of Environmental Protection NWRO 230 Chestnut Street Meadville, PA 16335 814-332-6984

General Permit Type—PAG-03

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401, Phone: 484.250.5970.

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Facility Location: Municipality & County</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
PAG030106	Amazon.com Services LLC P O Box 80842 Attn: Amazon Com Na Environmental Dept Seattle, WA 98108-0842	Towamencin Township Montgomery County	Unnamed Tributary to Skippack Creek (TSF, MF)—3-E	DEP Southeast Regional Office Clean Water Program 2 E Main Street Norristown, PA 19401 484.250.5970

Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Email: RA-EPNPDES_SWRO@pa.gov.

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Facility Location: Municipality & County</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
PAG063226 A-1	Wheeling & Lake Erie Railway Co. 100 E First Street Brewster, OH 44613-0000	Green Tree Borough Allegheny County	Unnamed Tributary to Chartiers Creek (WWF)—20-F	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive Pittsburgh, PA 15222-4745 412.442.4000

STATE CONSERVATION COMMISSION
NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES
PERMITS FOR CAFOs

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

NUTRIENT MANAGEMENT PLAN
CAFO PUBLIC NOTICE SPREADSHEET—ACTIONS

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>AEU's</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Huston Hollow Farm 2994 S. Madden Rd Hustontown, PA 17229	Fulton	323	3,277.35	Swine	HQ	Approved
Sullivan Farm 372 Hemlock Hill Rd Covington, PA 16817	Tioga	170.5	3,036.6	Swine	NA	Approved
Leslie Burkholder Poultry Farm Pondview Farm 52 Burkholder Lane Fredericksburg, PA 17026	Lebanon	118	272.22	Poultry Steer Hogs	NA	Approved

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*

unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, 570-826-2511.

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

Permit No. 3390073-E2, Public Water Supply.

Applicant **Lehigh County Authority**
P.O. Box 3348
Allentown, PA 18106-3348

Township and County Upper Milford Township
Lehigh County

Responsible Official Liesel M. Gross
Lehigh County Authority
1053 Spruce Street
P.O. Box 3348
Allentown, PA 18106-3348

Type of Facility Public Water Supply

Consulting Engineer Edward Hoyle, P.E.
Lehigh County Authority
1053 Spruce Street
Allentown, PA 18106

Operation Permit Issued April 11, 2020

Permit No. 5420502MA, Public Water Supply.

Applicant **Jackson Perry**
d/b/a/ Eagle Springs, Inc.
1703 Panther Valley Road
Pine Grove, PA 17693

Borough or Township Wayne Township

County **Schuylkill**

Type of Facility Finished Bulk Water Hauling Facility

Consulting Engineer Mr. Edward Davis, PE
Miller Bros. Construction, Inc.
950 East Main Street
Schuylkill Haven, PA 17972

Permit to Construct Issued May 13, 2020

Permit No. 2400054, Operations Permit, Public Water Supply.

Applicant **Borough of Freeland Municipal Authority**
711 Birkbeck Street
P.O. Box C
Freeland, PA 18224

Borough or Township Freeland Borough

County **Luzerne**

Type of Facility PWS

Consulting Engineer Samantha Albert, P.E.
Borton Lawson
613 Baltimore Dr.
Suite 300
Wilkes-Barre, PA 18702

Permit to Operate Issued April 9, 2020

Permit No. 4020511MA, Public Water Supply.

Applicant **The Pennsylvania State University**
(PSU WB Tank Rehabilitation Project)
209 Water Treatment Plant
University Park, PA 16802-1118

Borough or Township Lehman Township

County **Luzerne**

Type of Facility PWS

Consulting Engineer James K. Baird, PE
The Pennsylvania State University
209 Water Treatment Plant
University Park, PA 16802-1118

Permit to Construct Issued March 27, 2020

Permit No. 3480055, Operations Permit, Public Water Supply.

Applicant **Pennsylvania American Water Company**
852 Wesley Dr.
Mechanicsburg, PA 17055

Borough or Township Hamilton Township

County **Monroe**

Type of Facility PWS

Consulting Engineer Mr. Scott Thomas, PE
852 Wesley Dr.
Mechanicsburg, PA 17055

Permit to Operate Issued May 3, 2020

Permit No. 5220510MA, Public Water Supply.

Applicant **Pennsylvania American Water Company**
852 Wesley Dr.
Mechanicsburg, PA 17055

Borough or Township Lehman Township

County **Pike**

Type of Facility PWS

Consulting Engineer Michael P. Goodwin, P.E.
Milnes Engineering Inc.
12 Frear Hill Rd.
Tunkhannock, PA 18657

Permit to Construct Issued May 1, 2020

Permit No. 3540037, Operations Permit, Public Water Supply.

Applicant **Pine Grove Borough**
1 Snyder Avenue
Pine Grove, PA 17963

Borough or Township Pine Grove Borough

County **Schuylkill**

Type of Facility PWS

Consulting Engineer Mr. David Kavitski PE
SR Project Manager
BCM Engineers
705 Ingham St
Freeland, PA 18224

Permit to Operate Issued	April 21, 2020	Responsible Official	Craig Conrad, Public Works Director 110 West Arch Street Suite 104 Fleetwood, PA 19522
Permit No. 3480038, Operations Permit, Public Water Supply.		Type of Facility	Replacement of existing 4" and 6" transite distribution waterline (located along sections of West Main St., East Pine Street, West Arch St., West Washington St., West Race St., Green St., South Franklin St., and West Cedar St.) with 6" ductile iron pipe.
Applicant	Pennsylvania American Water Company 852 Wesley Dr. Mechanicsburg, PA 17055	Consulting Engineer	Bradley D. Smith, P.E. ARRO Consulting, Inc. 50 Berkshire Court Wyomissing, PA 19610
Borough or Township	Plainfield Township Upper Mt. Bethel Township	Permit to Construct Issued	April 30, 2020
County	Northampton	Permit No. 3620503, Public Water Supply.	
Type of Facility	PWS	Applicant	Upper Leacock Township Municipal Authority
Consulting Engineer	Richard Dudek, PE Pennsylvania American Water Co. 852 Wesley Dr. Mechanicsburg, PA 17055	Municipality	Upper Leacock Township
Permit to Operate Issued	April 10, 2020	County	Lancaster
Permit No. 4019507MA, Public Water Supply.		Responsible Official	John F. Leen IV Public Works Director 36 Hillcrest Avenue P.O. Box 325 Leola, PA 17540-0325
Applicant	Hazleton City Authority 400 E. Arthur Gardner Parkway Hazleton, PA 18201	Type of Facility	Removal of existing nitrate treatment equipment at the Newport Road treatment plant.
Borough or Township	City of Hazleton & Hazle Township and Luasanne Township	Consulting Engineer	Dennis Hammaker, P.E. RETTEW Associates, Inc. 3020 Columbia Avenue Lancaster, PA 17603
County	Luzerne and Carbon	Permit to Construct Issued	May 5, 2020
Type of Facility	PWS	Permit No. 0519506, Public Water Supply.	
Consulting Engineer	Mr. John Synoski, PE Hazleton City Authority 400 E. Arthur Gardner Parkway Hazleton, PA 18201	Applicant	Bedford Township Municipal Authority
Permit to Construct Issued	May 7, 2020	Municipality	Bedford Township
Permit No. 4520501, Public Water Supply.		County	Bedford
Applicant	J.A. Reinhardt Company P.O. Box 202 Mountainhome, PA 18342	Responsible Official	Eric Zembower Chairman P.O. Box 371 Bedford, PA 15522
Borough or Township	Barrett Township	Type of Facility	Construction of a new 0.503 MG glass-fused finished water storage tank, installation of a trihalomethane removal aeration system within the new tank, replacement of existing distribution waterlines, and installation of new distribution waterlines.
County	Monroe	Consulting Engineer	Timothy A. Cooper, P.E. Stiffler McGraw & Associates Inc. 19 N Juniata Street Hollidaysburg, PA 16648
Type of Facility	PWS		
Consulting Engineer	Russell Scott, P.E. RKR Hess, A Division of UTRS, Inc. 112 N. Courtland St. East Stroudsburg, PA 18301		
Permit to Construct Issued	March 31, 2020		
<i>Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.</i>			
Permit No. 0620504 MA, Minor Amendment, Public Water Supply.			
Applicant	Borough of Fleetwood		
Municipality	Fleetwood Borough		
County	Berks		

Permit to Construct Issued May 6, 2020

Permit No. 0519507, Public Water Supply.

Applicant **Hyndman Borough**
Municipality Hyndman Borough
County **Bedford**
Responsible Official Todd Rizer, Council President
3945 Center Street
Suite 2
Hundman, PA 15545

Type of Facility Filter media replacement, automatic shutdown valve, and relocation of turbidimeter sampling point and pH adjustment location.

Consulting Engineer Andrew H. Johnson, P.E.
Gwin, Dobson & Foreman, Inc.
3121 Fairway Drive
Altoona, PA 16602-4475

Permit to Construct Issued May 12, 2020

Permit No. 3620505, Public Water Supply.

Applicant **Manheim Area Water and Sewer Authority**
Municipality Manheim Borough
County **Lancaster**
Responsible Official Terry Shaffer
Authority Manager
18 East High Street
Manheim, PA 17545

Type of Facility Installation of variable frequency drives at the existing Charlotte St. Booster Pumping Station.

Consulting Engineer Daniel Connolly, P.E.
Spotts, Stevens & McCoy
1047 North Park Road
Reading, PA 19610

Permit to Construct Issued May 5, 2020

Permit No. 2120502 MA, Minor Amendment, Public Water Supply.

Applicant **Southampton Manor Mobile Home Park**
Municipality Southampton Township
County **Cumberland**
Responsible Official William Hooke
322 South Hanover Street
Carlisle, PA 17013

Type of Facility This permit approves installation of an online free chlorine residual analyzer and an emergency generator with automatic transfer switch.

Consulting Engineer Max E. Stoner, P.E.
Glance Associates, Inc.
3705 Trindle Rd
Camp Hill, PA 17011

Permit to Construct Issued May 7, 2020

Permit No. 0720502 E, Public Water Supply.

Applicant **Borough of Tyrone**
Municipality Snyder Township
County **Blair**
Responsible Official John Cornell
Manager
1100 Logan Avenue
Tryone, PA 16686

Type of Facility Emergency permit for the replacement of media in filter No. 1 at the existing treatment plant.

Consulting Engineer Not Listed

Permit to Construct Issued April 29, 2020

Permit No. 0619515, Public Water Supply.

Applicant **Birdsboro Municipal Authority**
Municipality Birdsboro Borough
County **Berks**
Responsible Official Anthony Tucci
Authority Chairman
202 East Main Street
P.O. Box 340
Birdsboro, PA 19508

Type of Facility This construction/operation permit is being issued to conduct a limited duration full scale pilot study in order to test two different coagulants. The purpose of the project is to address DBP issues.

Consulting Engineer Darryl A. Jenkins, P.E.
SSM Group
1047 N Park Rd
Reading, PA 19610

Permit to Construct Issued May 13, 2020

Permit No. 2219507 MA, Minor Amendment, Public Water Supply.

Applicant **Gratz Borough Water Revenue Fund**
Municipality Gratz Borough
County **Dauphin**
Responsible Official Larry R. Shade
Water System Superintendent
P.O. Box 444
Gratz, PA 17030

Type of Facility Modifications to the spring boxes of the Cold & Bowers Springs for flow monitoring and control.

Consulting Engineer N Peter Fleszar, P.E.
Glance Associates, Inc.
3705 Trindle Road
Camp Hill, PA 17011

Permit to Construct Issued April 28, 2020

Operation Permit No. 2220503 E issued to: **Pennsylvania American Water (PWS ID No. 7220036)**, Steelton Borough, **Dauphin County** on May 15, 2020 for facilities at Steelton Borough Water System approved under Construction Permit No. 2220503 E.

Operation Permit No. 3619524 issued to: **Columbia Water Company (PWS ID No. 7360123)**, Columbia Borough, **Lancaster County** on May 4, 2020 for facilities approved under Construction Permit No. 3619524.

Operation Permit No. 3119509 MA issued to: **Pure Events LP (PWS ID No. 4310821)**, Lincoln Township, **Huntingdon County** on May 15, 2020 for facilities at Lake Raystown Resorts approved under Construction Permit No. 3119509 MA.

Northcentral Region: Safe Drinking Water Program Manager, 208 West Third Street, Williamsport, PA 17701.

Permit No. 4920502, Construction Major. Public Water Supply.

Applicant	Pennsylvania-American Water Company 852 Wesley Drive Mechanicsburg, PA 17055
Borough or Township	Lewis Township
County	Northumberland County
Type of Facility	Public Water Supply— Construction
Consulting Engineer	Ewoud Hulstein, P.E. Pennsylvania-American Water Company 852 Wesley Drive Mechanicsburg, PA 17055
Permit Issued	May 19, 2020

Operations Permit issued to: **Aqua Pennsylvania, Inc.**, 665 South Dock Street, Sharon, PA 161446 **PWSID No. 6170048**, Sandy Township, **Clearfield County** on May 19, 2020 for the operation of facilities approved under construction permit # 1718507MA. This permit authorizes modifications to the Bimini Pressure Zone, including the installation of 2 check valves and 2 pressure-reducing valves to effectively divide the Bimini Pressure Zone into 3 smaller areas.

SEWAGE FACILITIES ACT PLAN APPROVAL

Plan Approvals Granted Under the Pennsylvania Sewage Facilities Act, Act of January 24, 1966, P.L. 1535, as amended, 35 P.S. § 750.5.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Huntington Township	750 Trolley Road P.O. Box 247 York Springs, PA 17372	Adams

Plan Description: Approval of a revision to the official plan of Huntington Township, Adams County. The project is known as Jennifer & John Smith. The plan provides for a Small Flow Treatment Facility (SFTF) proposal to replace a malfunctioning on-lot sewage disposal system serving an existing single-family residential dwelling on 2.7 acres with total estimated sewage flows of 400 gpd. There will be a proposed discharge to a piped drainage way tributary to an unnamed watercourse flowing to the

Bermudian Creek. The proposed development is located at 6611 Old Harrisburg Road in Huntington Township, Adams County. The Department's review of the plan revision has not identified any significant impacts resulting from this proposal. The DEP Code Number for this planning module is A3-01920-194-3s and the APS Id is 1010688. Any permits must be obtained in the name of property owner.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Washington Township	14 Creek Road East Berlin, PA 17316	York

Plan Description: Approval of a revision to the official plan of Washington Township, York County. The project is known as Seth D. & Tracey G. Long. The plan provides for a Small Flow Treatment Facility (SFTF) proposal to replace a malfunctioning on-lot sewage disposal system serving an existing single-family residential dwelling on 1.99 acre with total estimated sewage flows of 400 gpd. There will be a proposed dry stream discharge tributary to the North Branch of the Bermudian Creek. The proposed development is located at 301 Mine Bank Road in Washington Township, York County. The Department's review of the plan revision has not identified any significant impacts resulting from this proposal. The DEP Code Number for this planning module is A3-67961-197-3s and the APS Id is 1011790. Any permits must be obtained in the name of the property owner.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION UNDER ACT 2, 1995 PREAMBLE 2

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department Regional Office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southeast Region: Environmental Cleanup & Brownfields Program Manager, 2 East Main Street, Norristown, PA 19401.

JB Venture 2, L.P. Property, 3715-3747 Main Street, City of Philadelphia, **Philadelphia County**. Jonathan Perse, GEI Consultants, Inc., 100 Campbell Boulevard, Suite 103, Exton, PA 19341 on behalf of Alon Barzilay, Urban Conversions, LLC, 1028 North 3rd Street, Philadelphia, PA 19123 submitted a Cleanup Plan/Final Report concerning remediation of site soil contaminated with benzo(a)pyrene and benzo(b)fluoranthene. The report is intended to document remediation of the site to meet the Site-Specific Standard.

Kelly Residence, 516 Spencer Lane, Warminster Township, **Bucks County**. Gregory Buzan, SSG-BARCO, Inc., 122 Walters Avenue, Ewing, NJ 08638 on behalf of Thomas Kelly, 516 Spencer Lane, Warminster, PA 18974 submitted a Final Report concerning remediation of site soil contaminated with No. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

J. Lauffer Pad 1, 2663 State Route 2001, Springville, PA 18844, Springville Township, **Susquehanna County**. Resource Environmental Management, 50 Maple Street, Montrose, PA 18801, on behalf of Cabot Oil & Gas Corporation, 2000 Park Lane, Suite 300, Pittsburgh, PA 15275, submitted a Final Report concerning remediation of soil contaminated by a release of brine from a separator vessel. The report is intended to document remediation of the site to meet Statewide Health Standards.

Skinner Property, 1724 Brandywine Road, Allentown, PA 18104, South Whitehall Township, **Lehigh County**. Element Environmental Solutions, P.O. Box 921, 61 Willow Street, Adamstown, PA 19501, on behalf of Eric Laudenslager, 1724 Brandywine Road, Allentown, PA 18104, submitted a Final Report concerning remediation of soil contaminated by a release of heating oil from an underground storage tank. The report is intended to document remediation of the site to meet Statewide Health Standards.

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Birdsboro Power LLC, 1 Armorcast Road, Birdsboro, PA 19508, Borough of Birdsboro, **Berks County**. AMO Environmental Decisions, Inc., 4327 Point Pleasant Pike, Danboro, PA 18916, on behalf of Kiewit Power Constructors Company, 9401 Renner Boulevard, Lenexa, KS 66219, and Power Plant Management Services, LLC, 1 Armorcast Road, Birdsboro, PA 19508, submitted a Final Report concerning remediation of site soil contaminated with polychlorinated biphenyls (PCBs). The Final

Report is intended to document remediation of the site to meet the Residential Statewide Health Standard.

Former Martinsburg RV, 114 West Penn Street, Martinsburg Borough, **Blair County**. Stiffler McGraw, 1731 North Juniata Street, Hollidaysburg, PA 16648, on behalf of Martinsburg Borough, 110 South Walnut Street, Martinsburg, PA 16662, and ZFD Realty Group, LLC, 174 Hoover Drive, Martinsburg, PA 16662 submitted a Remedial Investigation Report concerning remediation of site soil and groundwater contaminated with gasoline and waste oil. The Report is intended to document remediation of the site to meet the Site-Specific Standard.

23 Surrey Lane, Mechanicsburg, PA 17050, Silver Spring Township, **Cumberland County**. Crawford Environmental Services, Inc., 20 Cardinal Drive, Birdsboro, PA 19508, on behalf of Leading Edge Investigations, P.O. Box 3488, Suwanee, GA, 30024, and Michael and Melissa Brion, 23 Surrey Lane, Mechanicsburg, PA 17050 submitted Final Report concerning remediation of site soil contaminated with Jet-A Fuel. The Final Report is intended to document remediation of the site to meet the Residential Statewide Health Standard.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701, Telephone number: 570-327-3636.

Travel Centers of America, 6 Buckhorn Road, Bloomsburg, Hemlock Township, **Columbia County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857, on behalf of Travel Centers of America, Bloomsburg # 0212, 24601 Center Ridge Road, Westlake, OH 44145, has submitted a Final Report concerning remediation of site soil contaminated with diesel fuel. The report is intended to document remediation of the site to meet the Residential Statewide Health Standard.

Former LaFarge Road Marking Facility, 373 Village Road, Pennsdale, Muncy Township, **Lycoming County**. Environmental Planning Specialists, Inc., 400 Northridge Road, Suite 400, Sandy Springs, GA 30350, on behalf of LaFarge Road Marking, Inc., 67 Jaime Court, Morris Plains, NJ 07950, has submitted a Final Report concerning site soil and groundwater contaminated with chlorinated solvents and petroleum constituents. The Final Report is intended to document remediation of the site to meet the Site-Specific Standard.

Gables Transport, Inc. Project, U.S. Route 15 at MM 144 N, Lewis Township, **Lycoming County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857, on behalf of Gables Transport, Inc., 13399 NW 113 Ave Road, Medley, FL 33178, has submitted a Final Report concerning remediation of site soil contaminated with diesel fuel. The report is intended to document remediation of the site to meet the Non-Residential Statewide Health Standard.

Inflection Energy (PA) LLC TLC Well Site, 367 Yeagle Road, Eldred Township, **Lycoming County**. GeoServices, Ltd., 1525 Cedar Cliff Drive, Camp Hill, PA 17011, on behalf of Inflection Energy (PA) LLC, 101 W Third St., FL 5, Williamsport, PA 17701 has submitted a Final Report concerning remediation of site soil contaminated with brine. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Nippenose Tavern, 6391 Route 654, South Williamsport, Bastress Township, **Lycoming County**. Environmental Maintenance Company, 1420 Mermaid Lane, Glenside, PA 19038, on behalf of Hiller's Fuel Oil, Inc., 1323 Cemetery Street, Jersey Shore, PA 17740, has

submitted a Final Report concerning site soil contaminated with heating oil. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Davidson Brothers Trucking Cleanup Project, State Route 287N, Morris, Pine Township, **Tioga County**. ARM Group, LLC, 2548 Park Center Blvd, State College, PA 16801, on behalf of Clean Energy Exploration and Production, LLC, 2620 Egypt Road, Norristown, PA 19403, has submitted a Final Report concerning site soil contaminated with diesel fuel, motor oil and antifreeze. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Ingalls 710 Well Pad, 11759 Route 414, Ogdensburg, Liberty Township, **Tioga County**. Civil & Environmental Consultants, Inc., 333 Baldwin Road, Pittsburgh, PA 15205, on behalf of Rockdale Marcellus, LLC, 4600 J Barry Court, Suite 120, Canonsburg, PA 15317, has submitted a Final Report concerning remediation of site soil contaminated with produced water. The report is intended to document remediation of the site to meet the Residential Background and Statewide Health Standards.

Whispering Pines 1V Well Pad, 245 Sullivan Road, Delmar Township, **Tioga County**. ARM Group, LLC, 2548 Park Center Blvd, State College, PA 16801, on behalf of Clean Energy Exploration and Production, LLC, 2620 Egypt Road, Norristown, PA 19403, has submitted a Final Report concerning site soil contaminated with inorganics. The report is intended to document remediation of the site to meet the Background and Statewide Health Standards.

Northwest Region: Environmental Cleanup & Brownfields Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

General Electric Company Appliance Building 99, 2125 East 12th Street, Lawrence Park Township, **Erie County**. Arcadis U.S., Inc., 50 Fountain Plaza, Buffalo, NY 14202, on behalf of General Electric Company, 3726 North Wayne Avenue, Chicago, IL 60613, submitted a combined Risk Assessment/Remedial Investigation/Final Report concerning the remediation of site soil and site groundwater contaminated with Aroclor 1016, Aroclor 1221, Aroclor 1232, Aroclor 1242, Aroclor 1248, Aroclor 1254, Aroclor 1260, 1,1,1-Trichloroethane, 1,1,2,2-Tetrachloroethane, 1,1,2-trichloro-1,2,2-trifluoroethane, 1,1,2-Trichloroethane, 1,1-Dichloroethane, 1,1-Dichloroethene, 1,2,4-Trichlorobenzene, 1,2-Dibromo-3-chloropropane, 1,2-Dibromoethane, 1,2-Dichlorobenzene, 1,2-Dichloroethane, 1,2-Dichloropropane, 1,3-Dichlorobenzene, 1,4-Dichlorobenzene, 2-Butanone (MEK), 4-Methyl-2-Pentanone, Acetone, Bromodichloromethane, Bromoform, Bromomethane, Carbon Disulfide, Carbon Tetrachloride, CFC-11, CFC-12, Chlorobenzene, Chlorodibromomethane, Chloroethane, Chloroform, Chloromethane, cis-1,2-Dichloroethene, cis-1,3-Dichloropropene, Cyclohexane, Dichloromethane, Isopropylbenzene, Methyl Acetate, Methyl N-Butyl Ketone (2-Hexanone), Methylcyclohexane, Styrene (Monomer), Tetrachloroethene, trans-1,2-Dichloroethene, trans-1,3-Dichloropropene, Trichloroethene, Vinyl chloride, Benzene, Toluene, Ethylbenzene, Total Xylenes, Methyl-tert-butylether, 1,1-Biphenyl, 2,2-Oxybis(1-Chloropropane), 2,4,5-Trichlorophenol, 2,4,6-Trichlorophenol, 2,4-Dichlorophenol, 2,4-Dimethylphenol, 2,4-Dinitrophenol, 2,4-Dinitrotoluene, 2,6-Dinitrotoluene, 2-Chloronaphthalene, 2-Chlorophenol, 2-Methyl-4,6-dinitrophenol, 2-Methylnaphthalene, 2-Methylphenol, 2-Nitroaniline, 2-Nitrophenol, 3,3-Dichlorobenzidine, 3-Methylphenol, 4-Methylphenol, 3-Nitroaniline, 4-Bromophenyl phenyl

ether, 4-Chloro-3-Methylphenol, 4-Chlorophenyl phenyl ether, 4-Nitroaniline, 4-Nitrophenol, Acenaphthene, Acenaphthylene, Acetophenone, Anthracene, Atrazine, Benzaldehyde, Benzo(a)anthracene, Benzo(a)pyrene, Benzo(b)fluoranthene, Benzo(g,h,i)perylene, Benzo(k)fluoranthene, bis(2-Chloroethoxy)methane, bis(2-Chloroethyl)ether, bis(2-Ethylhexyl)phthalate, Butyl benzyl phthalate, Caprolactam, Carbazole, Chrysene, Dibenz(a,h)anthracene, Dibenzofuran, Diethyl phthalate, Dimethyl phthalate, Di-n-butyl phthalate, Di-n-octyl phthalate, Fluoranthene, Fluorene, Hexachloro-1,3-butadiene, Hexachlorobenzene, Hexachlorocyclopentadiene, Hexachloroethane, Indeno(1,2,3-cd)pyrene, Isophorone, Naphthalene, Nitrobenzene, n-Nitrosodipropylamine, N-nitrosodiphenylamine, p-Chloroaniline, Pentachlorophenol, Phenanthrene, Phenol, Pyrene, Arsenic, Barium, Cadmium, Chromium, Lead, Mercury, Selenium, and Silver. The report is intended to document remediation of the site to meet the Site-Specific Standard.

212 New Castle Road, 212 New Castle Road, Butler Township, **Butler County**. Civil & Environmental Consultants, Inc., 333 Baldwin Road, Pittsburgh, PA 15205, on behalf of Garber Family Limited Partnership, 308 West Swissvale, Pittsburgh, PA 15218, submitted a combined Remedial Investigation/Risk Assessment/Cleanup Plan Report concerning the remediation of site soil contaminated with benzene, 1,4-dichlorobenzene, 1,2,4-trimethylbenzene and site groundwater contaminated with benzene, 1,2-dichloroethane, ethylbenzene, isopropylbenzene, naphthalene, 1,2,4-trimethylbenzene, 1,3,5-trimethylbenzene, m&p-xylene, o-xylene, benzo[a]pyrene, and benzo[b]fluoranthene. The report is intended to document remediation of the site to meet the Site-Specific Standard.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the

presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department Regional Office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401.

Hatfield Auto Action, 2280 Bethlehem Pike, Hatfield Township, **Montgomery County**. Scott Bisbort, Ransom Consultants, LLC, 2127 Hamilton Avenue, Hamilton, NJ 08619 on behalf of Louis Stern, Hatfield Auto Auction Realty, LP, 608 Route 303, Blauvelt, NY 10913 submitted a Final Report concerning the remediation of site soil contaminated with benzene, toluene, ethyl benzene, cumene, methyl tert-butyl ether, naphthalene, 1,2,4-trimethyl benzene and 1,3,5-trimethyl benzene. The Final Report demonstrated attainment of the Statewide health standard and was approved by the Department on April 19, 2020.

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Palisoc Property, 1119 Foster Avenue, White Haven, PA 18661, Foster Township, **Luzerne County**. Geological & Environmental Associates, 430 West Mountain Road, Plymouth, PA 18651, on behalf of Roger Palisoc, P.O. Box 76, White Haven, PA 18661, submitted a Final Report concerning remediation of soil contaminated by a release of heating oil. The report documented remediation of the site to meet Statewide Health Standards and was approved by DEP on May 18, 2020.

M. Diaz Pad 2, 134 Tyler Lake Road, New Milford, PA 18834, Harford Township, **Susquehanna County**. Resource Environmental Management, 50 Maple Street, Montrose, PA 18801, on behalf of Cabot Oil & Gas Corporation, 2000 Park Lane, Suite 300, Pittsburgh, PA 15275, submitted a Final Report concerning remediation of soil contaminated by calcium chloride that was released to the soil when a sharp rock punctured the tire of a roller. The report documented remediation of the site to meet Background Standards and was approved by DEP on May 19, 2020.

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Former Knarr Residence, 2472 Wilson Street, Reading, PA 19605, Bern Township, **Berks County**. Crawford

Environmental Services, 20 Cardinal Street, Birdsboro, PA 19508, on behalf of June Lerch, 940 Franklin Street, Wyomissing, PA 19610, and Nolan and Samantha Katkowski, 2472 Wilson Street, Reading, PA 19605, submitted a Final Report concerning remediation of site soil contaminated with No. 2 fuel oil. The Final Report did not demonstrate attainment of the Residential Statewide Health Standard and was disapproved by the Department on May 7, 2020.

Former Cumberland Valley Motors Property, 6714-6726 Carlisle Pike, Mechanicsburg, PA 17050, Silver Spring Township, **Cumberland County**. Liberty Environmental, 505 Penn Street, Reading, PA 19601, on behalf of JLLH Associates, Ltd., 4437 East Street Road, Trevoise, PA 19053, submitted a Final Report concerning remediation of site soil and groundwater contaminated from petroleum releases. The Final Report did not demonstrate attainment of the Residential Statewide Health Standard and was disapproved by the Department on May 8, 2020.

Zimmerman Diesel Spill Parcel # 4-8-88 (Area 1), and Parcel # 4-8-12 (Area 2), 190 East Industrial Drive, Mifflintown, PA 17059, Fermanagh Township, **Juniata County**. Taylor GeoServices, Inc., 38 Bishop Hollow Road, Newtown Square, PA 19073, on behalf of Zimmerman Truck Lines, LLC, 190 East Industrial Drive, Mifflintown, PA 17059, Juniata Business and Industry, 287 East Industrial Drive, Mifflintown, PA 17059, Leidy Partners, LP, P.O. Box 186, Mifflintown, PA 17059, and Lewis Environmental, 144 Reno Street, New Cumberland, PA 17070 submitted a Final Report concerning remediation of site soil contaminated with diesel fuel. The Final Report demonstrated attainment of the Residential Statewide Health Standard and was approved by the Department on May 19, 2020.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701, Telephone number: 570-327-3636.

Peter's Sandblasting Release, 280 W. Brown Street, Lock Haven, Castanea Township, **Clinton County**. McKee Environmental, Inc., 86 Quartz Drive, Bellefonte, PA 16823 on behalf of Peter's Sandblasting, 280 W. Brown Street, Lock Haven, PA 17745, has submitted a Final Report concerning remediation of site soil contaminated with heating oil. The report demonstrated attainment of the Residential Statewide Health Standard and was approved by the Department on April 9, 2020.

Lycoming Creek Road Northbound, Lewis Township, **Lycoming County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17754, on behalf of Class 1 Transport, 5833 US Highway 522 South, McVeytown, PA 17051, has submitted a Final Report concerning remediation of site soil contaminated with mineral oil. The report demonstrated attainment of the Non-Residential Statewide Health Standard and was approved by the Department on May 1, 2020.

DAS Carrier, Inc. Project, Interstate 80 at MM 221 E, Liberty Township, **Montour County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857 on behalf of DAS Carrier, Inc., 1210 Hillsmith Dr., Cincinnati, OH 45215, has submitted a Final Report concerning remediation of site soil contaminated with diesel fuel, motor oil and antifreeze. The report demonstrated attainment of the Statewide Health Standard for soil and was approved by the Department on May 8, 2020.

GMP Transportation, Inc. Cleanup, Interstate 80 MM 202.5 W, New Columbia, White Deer Township, **Union County**. Northridge Group, Inc., P.O. Box 231,

Northumberland, PA 17857, on behalf of GMP Transportation, Inc., 4340 Bonning Avenue, Warren, MI 48091, has submitted a Final Report concerning remediation of site soil contaminated with diesel fuel and motor oil. The report demonstrated attainment of the Non-Residential Statewide Health Standard and was approved by the Department on April 28, 2020.

NV Transport Inc. Cleanup, Interstate 80 at MM 202.5 W, New Columbia, White Deer Township, **Union County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857 on behalf of NV Transport, Inc., 2021 NW Sundial Road, Troutdale, OR 97060, has submitted a Final Report concerning site soil contaminated with diesel fuel, motor oil and antifreeze. The report demonstrated attainment of the Non-residential Statewide Health Standard and was approved by the Department on April 15, 2020.

DDA Logistics Cleanup, Interstate 80 at MM 202.5 W, New Columbia, White Deer Township, **Union County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857 on behalf of DDA Logistics, Inc., 11 Navigator Road, Londonderry, NH 03053, has submitted a Final Report concerning site soil contaminated with motor oil and antifreeze. The report demonstrated attainment of Non-residential Statewide Health Standard and was approved by the Department on May 13, 2020.

Northwest Region: Environmental Cleanup & Brownfields Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Sundie Property Fuel Oil Spill, 2366 River Hill Road, Washington Township, **Armstrong County**. EnviroTrac, Ltd., 176 Thorn Hill Road, Warrendale, PA 15806, on behalf of Daniel and Kimberly Sundie, 151 Mountain Laurel Drive, Butler, PA 16002, submitted a Final Report concerning the remediation of site soil contaminated with Benzene, Toluene, Ethylbenzene, Cumene, Methyl tert-butyl ether, Naphthalene, 1,2,4-Trimethylbenzene, and 1,3,5-Trimethylbenzene. The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department on May 14, 2020.

Valu Plaza, 1501-1507, 1511, 1513, 1523 West 38th Street and 3820 Washington Avenue, City of Erie, **Erie County**. Environmental Remediation & Recovery, Inc., 4250 Route 6N, Edinboro, PA 16412, on behalf of Park Plaza Partnership, 2540 Village Common Drive, Erie, PA 16506, submitted a Remedial Investigation Report/Cleanup Plan/Risk Assessment Report concerning the remediation of site soil contaminated with Tetrachloroethene, Trichloroethene, cis-1, 2-Dichloroethene, Benzene, Toluene, Acetone, 2-Butanone and site groundwater contaminated with Tetrachloroethene, Trichloroethene, cis-1, 2-Dichloroethene, trans-1, 2-Dichloroethene, Vinyl Chloride, Methylene Chloride, 1, 2-Dichloroethane, Bromodichloromethane, Chloroform, Methylcyclohexane, and Acetone. The Report was approved by the Department on May 15, 2020.

HAZARDOUS WASTE TRANSPORTER LICENSE

Hazardous Waste Transporter License, actions taken under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003) and regulations to transport hazardous waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P.O. Box 69170, Harrisburg, PA 17106-9170.

Renewal Applications Received

EAP Industries, Inc., P.O. Box 275, Atlasburg, PA 15004. License No. PA-AH 0660. Effective May 18, 2020.

R.E.D. Technologies, LLC, 10 Northwood Drive, Bloomfield, CT 06002. License No. PA-AH 0772. Effective May 18, 2020.

Transporter Licenses Reissued

EAP Industries, Inc., P.O. Box 275, Atlasburg, PA 15004. License No. PA-AH 0660. Effective May 18, 2020.

R.E.D. Technologies, LLC, 10 Northwood Drive, Bloomfield, CT 06002. License No. PA-AH 0772. Effective May 18, 2020.

New Applications Received

Broadview Waste Solutions, Inc., 7609 Energy Parkway, Baltimore, MD 21226. License No. PA-AH 0900. Effective May 13, 2020.

New Transporter Licenses Issued

Broadview Waste Solutions, Inc., 7609 Energy Parkway, Baltimore, MD 21226. License No. PA-AH 0900. Effective May 13, 2020.

Transporter Licenses Expired

Bestrans, Inc., 19 Davidson Lane, New Castle, DE 19720. License No. PA-AH 0766. Effective May 18, 2020.

REGULATED MEDICAL AND CHEMOTHERAPEUTIC WASTE TRANSPORTER LICENSES

Actions on applications for Regulated Medical and Chemotherapeutic Waste Transporter License received under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003) and Act 93 of June 28, 1988 (P.L. 525, No. 93) and regulations to transport regulated medical and chemotherapeutic waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P.O. Box 69170, Harrisburg, PA 17106-9170.

Transporter License Voluntarily Terminated

FECC, Inc., 3652 Old Winter Garden Rd, Orlando, FL 32805. License No. PA-HC 0278. Effective May 20, 2020.

DETERMINATION OF APPLICABILITY FOR MUNICIPAL WASTE GENERAL PERMITS

Determination of Applicability for General Permit Approval Under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Municipal Waste Regulations for a General Permit to Operate Municipal Waste Processing Facilities and/or the Beneficial Use of Municipal Waste.

Northeast Region: Regional Solid Waste Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

General Permit No. WGM055-NE004. Aria Energy East, LLC, 46280 Dylan Drive, Suite 200, Novi, MI 48377. A General Permit Determination of Applicability for the processing and beneficial use of landfill gas as an alternative fuel source at Bethlehem Landfill located in Lower Saucon Township, **Northampton County**. The determination of applicability was approved by the Regional Office on May 19, 2020. Persons interested in reviewing the general permit may contact Roger Bellas,

Environmental Program Manager, Waste Management Program, Northeast Regional Office, 2 Public Square, Wilkes-Barre, PA 18701-1915 at 570-826-2511. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984.

**OPERATE WASTE PROCESSING OR DISPOSAL
AREA OR SITE**

Permit(s) Renewed Under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 301333, Waste Recovery Solutions, LLC, 343 King Street, Myerstown, PA 17067, **Lebanon County**. The permit for Waste Recovery Solutions, LLC, Solid Waste Permit No. 301333, was renewed on May 18, 2020, and is extended until May 23, 2030.

Permit No. 101100, Waste Management Disposal Services of Pennsylvania, Inc., 9446 Letzburg Road, Greencastle, PA 17225, **Franklin County**. The permit for the Mountain View Reclamation landfill, Solid Waste Permit No. 101100, was renewed on May 18, 2020, and is extended until August 1, 2030.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2531.

GP9-66-013: Robert Johnson Flagstone, Inc. (3658 Old Stage Coach Road, Wyalusing PA 18853) on May 18, 2020 for the construction and operation of diesel fired internal combustion engines at the facility located in Windham Township, **Wyoming County**.

GP3-66-013: Robert Johnson Flagstone, Inc. (3658 Old Stage Coach Road, Wyalusing PA 18853) on May 18, 2020, for the construction and operation of a portable stone crushing plant at the facility located in Windham Township, **Wyoming County**.

GP1-39-003: Hosp Ctl Svc Coop Inc. (HCSC Laundry) (2139 28th Street SW, Allentown, PA 18103) on May 18, 2020, for the operation of natural gas fired boiler at facility located in Allentown City, **Lehigh County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

GP14-21-03134: Penn Valley Crematory (51 N. Enola Drive, Enola, PA 17025-2516) on May 21, 2020, for a new human crematory unit at the facility located in East Pennsboro Township, **Cumberland County**.

GP3-67-05098N: Kinsley Construction, Inc. (P.O. Box 2886, York, PA 17405) on May 15, 2020, for portable nonmetallic mineral processing equipment under GP3 at the Penroc Quarry located in West Manchester Township, **York County**.

GP11-67-05098N: Kinsley Construction, Inc. (P.O. Box 2886, York, PA 17405) on May 15, 2020, for 10 diesel or No. 2 oil-fired internal combustion engines under GP11, to power portable nonmetallic mineral processing equipment, at the Penroc Quarry located in West Manchester Township, **York County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, (570) 327-3648.

GPA9-49-327G: Herndon Reload Co. (386 Pennsylvania Avenue, Herndon, PA 17830) on May 15, 2020, for the authorization to construct and temporarily operate a 250 bhp Caterpillar model 3208 serial number 5YF01495 (to be identified as Source P111) pursuant to the General Plan Approval and/or General Operating Permit for Diesel or No. 2 fuel-fired Internal Combustion Engines (BAQ-GPA/GP-9) at the Herndon Reload facility located in the Borough of Herndon, **Northumberland County**.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920.

09-0174G: Liberty Coating Co LLC (21 Steel Rd S., Morrisville, PA 19067-3614) on May 21, 2020 for the installation of an interior abrasive blasting and exterior abrasive blasting operations with dust collector on each blasting operation in Falls Township, **Bucks County**.

46-0037AD: Global Advanced Metals USA Inc. (P.O. Box 1608, County Line Road, Boyertown, PA 9512-6608) on May 22, 2020 for modification of the operational options for their acid water wash located at their facility in Douglas Township, **Montgomery County**.

46-0267B: Flexential Corp Data (101 Troutman Road, Collegeville, PA 1946-2972) on May 19, 2020 for the reactivation of Source ID 102, EGEN A-2 at their facility in Upper Providence Township, **Montgomery County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

67-05083F: Calpine Mid-Merit LLC (500 Delaware Avenue, Suite 600, Wilmington, DE 19801) on May 22, 2020, for the upgrade of the Block 2 Electricity Generation Project's nominally rated power output capacity from 760 MW to 830 MW at the York Energy Center in Peach Bottom Township, **York County**. The plan approval was extended.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, (570) 327-3648.

17-00072A: Beardsley Funeral Home and Crematory, Inc. (113 N Third St, Clearfield, PA 16830) was issued an extension of the temporary plan approval authorization to operate the human cremation unit, located at their facility in Clearfield Borough, **Clearfield County**. The plan approval has been extended for an additional 180 days to December 26, 2020 from June 29, 2020, to allow for additional time to incorporate the plan approval into the operating permit for the facility.

47-00014D: United States Gypsum Company (86 PPL Road, Danville, PA 17821) was issued an extension of the temporary plan approval authorization to operate the board kiln dryer, located at their facility in Derry Township, **Montour County**. The plan approval has been extended for an additional 180 days to December 15, 2020 from June 18, 2020, to allow for additional time to incorporate the plan approval into the operating permit for the facility.

Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Edward Orris, New Source Review Chief, 412.442.4168.

30-00089D: Dominion Transmission, Inc. (5000 Dominion Boulevard, 2NW, Glen Allen, VA 23060-3308) for extension effective May 28, 2020, to extend the period of construction and temporary operation of two natural gas-fired compressor turbines controlled by an oxidation catalyst, microturbine generators, boiler, one produced fluids storage tank, 2,500 gallons capacity; one lube oil tank, 1,000 gallons capacity; and piping components in natural gas service authorized under PA-30-00089D, until November 28, 2020, at the Crayne Compressor Station located in Franklin Township, **Greene County**.

26-00588B: Laurel Mountain Midstream Operating, LLC (Park Place Corporate Center 2, 2000 Commerce Drive, Pittsburgh, PA 15275) extension effective May 28, 2020, to extend the period of installation and continued temporary operation of three (3) compressor engines, two (2) gas-fired turbines, one (1) emergency generator, two (2) dehydrators, two (2) reboilers, one (1) glycol processing unit, and five (5) produced water storage tanks authorized under plan approval PA-26-00588B, until November 28, 2020, at Shamrock Compressor Station located in German Township, **Fayette County**.

26-00575A: Green Ridge Cemeteries, Inc. (2901 Memorial Blvd., Connellsville, PA 15425) plan approval extension effective on May 28, 2020, with expiration date of November 28, 2020, to extend the period of temporary operation of the crematory at the referenced facility in Bullsken Township, **Fayette County**.

30-00072I: Consol Pennsylvania Coal Company, LLC (1000 Consol Energy Drive, Canonsburg, PA 15317) plan approval extension effective on May 28, 2020, with expiration date of November 28, 2020, to extend the period of temporary operation for sources and controls associated with the Enlow Fork Overland Conveyor located in Richhill Township, **Greene County** and East Finley Township, **Washington County**.

30-00072H: Consol Pennsylvania Coal Company, LLC (1000 Consol Energy Drive, Canonsburg, PA 15317) plan approval extension effective on May 28, 2020, with expiration date of November 28, 2020, to extend the

period of temporary operation for sources and controls associated with the Bailey Prep Plant expansion located in Richhill Township, **Greene County**.

30-00195: Equitrans, LP (2200 Energy Drive, Canonsburg, PA 15317) plan approval extension effective on May 28, 2020, with expiration date of November 28, 2020, to extend the period of temporary operation for sources and controls at the Jefferson Compressor Station located in Jefferson Township, **Greene County**.

63-00936F: MarkWest Liberty Midstream & Resources, LLC (1515 Arapahoe Street, Tower 1, Suite 1600, Denver, CO 80202-2137) on May 26, 2020, to extend the period of temporary operation of the Houston Gas Plant located in Chartiers Township, **Washington County**. The new expiration date is November 28, 2020.

Title V Operating Permits Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

09-00124: Edgewater Generation Holdings LLC (aka Fairless Energy, LLC) (50 Energy Drive, Fairless Hills, PA 19030) on May 21, 2020 for renewal of a Title V Operating Permit for the operation of four (4) combined-cycle natural gas combustion turbines in Falls Township, **Bucks County**.

23-00014: Kimberly-Clark of PA (Front and Avenue of the States, Chester, PA 19013) on May 21, 2020 for the renewal of a Title V Operating Permit for a tissue manufacturing facility located in Chester City, **Delaware County**.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

09-00246: AH Cornell & Sons (2362 York Road, Jamison, PA 18929) on May 18, 2020 for the initial issuance of a State Only Operating Permit for the operation of a portable non-metallic processing plant and supporting engines located in Warwick Township, **Bucks County**.

09-00191: Bucks County Water & Sewer Authority—Green Street Sewage Treatment Plant (360 Green Street, Doylestown, PA 18901) on May 20, 2020 for the renewal of a State Only Operating Permit for the operation of a wastewater treatment plant in Doylestown Borough, **Bucks County**.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Norman Frederick, Facility Permitting Chief—Telephone: 570-826-2409.

39-00079: Bridesburg Foundry Co./Whitehall (P.O. Box 269, Whitehall, PA 18052-0269). On May 21, 2020, the Department issued a renewal State-Only (Natural Minor) Permit for the copper rolling, drawing, extruding, and alloying facility in Whitehall Township, **Lehigh**

County. The sources consist of tilt, push up, and lift swing furnaces, slag stations, cut off saws, grinders, blast cleaners, silos, and sand reclamation. The control devices consist of baghouses. The sources are considered minor emission sources of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), total suspended particulate (TSP), and volatile organic compounds (VOC) emissions. The operating permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

21-05021: Mechanicsburg Terminals Corp. (P.O. Box 2621, Harrisburg, PA 17105-2621) on May 20, 2020, for the Mechanicsburg North petroleum distribution terminal in Silver Spring Township, **Cumberland County**. The State-only permit was renewed.

07-03040: Wenger Feeds, LLC (P.O. Box 26, Rheems, PA 17575) on May 15, 2020, for the livestock feed mill in Martinsburg Borough, **Blair County**. The State-only permit was renewed.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

49-00019: Sunoco Partners Marketing & Terminals L.P. (1314 Point Township Drive, Northumberland, PA 17857) on May 8, 2020, for continued operation of their Northumberland Terminal facility located in Point Township, **Northumberland County**. The facility's main sources include a seven (7) storage tanks and two loading racks. The State Only operating permit contains requirements including monitoring, recordkeeping, and reporting conditions to ensure compliance with applicable Federal and State regulations.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Matthew Williams, Facilities Permitting Chief—Telephone: 814-332-6940.

10-00310: Air Products & Chemicals Inc. (357 Mar-ian Ave, Tamaqua, PA 18252), on May 20, 2020, the Department issued the renewal of the State Only Operating Permit for the facility located in Butler Township, **Butler County**. The facility is a Natural Minor. The primary sources at the facility include a hydrogen reformer, hydrogen purification, process water deaeration, a parts washer, and a diesel fired emergency fire pump engine. The engine is certified to meet the requirements of 40 CFR 60 Subpart IIII—Standards of Performance for Stationary Compression Ignition Internal Combustion Engines. The engine manufacturer has certified that the engine conforms to the emission warranty of 40 CFR Part 89. Potential NO_x, VOC, CO, and PM emissions from the facility are 13.6 TPY, 5.1 TPY, 19.9 TPY, and 0.5 TPY, respectively. The renewal permit contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

20-00266: Electro-Tech, Inc. (100 W. Poplar Street, Meadville, PA 16335). On May 20, 2020, the Department

renewed a State Only Operating Permit for the facility located in the City of Meadville, **Crawford County**. The facility is a Natural Minor. The primary sources at the facility include 3 Chrome electroplating tanks, a Nickel electroplating tank, a parts washer, and natural gas combustion for a waste water evaporator and building heat. The potential emissions from the facility are below the Title V thresholds. The facility is subject to 40 CFR Part 63 Subpart N, National Emission Standards for Chromium Emissions from Hard and Decorative Electroplating and Chromium Anodizing Tanks. The Nickel tank is also subject to 40 CFR Part 63 Subpart WWWW, National Emission Standards for Hazardous Air Pollutants: Area Source Standards for Plating and Polishing Operations. The renewal permit contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

37-00280: Three Rivers Aggregates, LLC (225 North Shore Drive, Pittsburgh, PA 15212). On May 21, 2020, the Department renewed a State Only Operating Permit for the McCandless Plant located in Plain Grove Township, **Lawrence County**. The primary sources at the facility are a sand and gravel processing plant and a parts washer. The facility is a Natural Minor. The only pollutant emitted is particulate matter and emissions are as follows: 5.92 tpy PM₁₀. The plant is subject to 40 CFR Part 60 Subpart OOO, the Standards of Performance for Nonmetallic Mineral Processing Plants. It is also subject to the conditions of the previously issued general plan approval, GP-3. The permit contains emission restrictions, recordkeeping, and work practice requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001–4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, New Source Review Chief—Telephone: 484-250-5920.

23-00047: Evonik Corporation (1200 W. Front Street, Chester, PA 19013) on May 21, 2020 an amendment incorporates the conditions from Plan Approval 23-0047I were copied into the State Only Operating Permit. Administrative Amendment of State Only Operating Permit issued under the Air Pollution Control Act (35 P.S. §§ 4001–4015) and 25 Pa. Code § 127.450 located in Chester Township, **Delaware County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Matthew Williams, Facilities Permitting Chief—Telephone: 814-332-6940.

33-00002: Owens Brockway Glass Container Plant 19 (3831 Route 219, Brockport, PA 15823-3811). The Department on May 20, 2020 issued an administrative amendment of the Title V Operating Permit for the facility located in Snyder Township, **Jefferson County**. The amendment incorporates the change of owner information.

33-00033: Owens Brockway Glass Container Plant 18 (3831 Route 219, Brockport, PA 15823-3811). The Department on May 20, 2020 issued an administrative

amendment of the Title V Operating Permit for the facility located in Brockway Borough, **Jefferson County**. The amendment incorporates the change of owner information.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to such applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

Coal Permit Issued

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191, (Contact: Cayleigh Boniger).

61040102. Bedrock Mines, LP (111 Freeport Road, Pittsburgh, PA 15215) renewal of an existing bituminous surface mine in Irwin Township, **Venango County** affecting 58.0 acres. This renewal is issued for reclamation only. Receiving streams: Two unnamed tributaries to Scrubgrass Creek. Application received: December 19, 2019. Permit issued: May 4, 2020.

Moshannon District Mining Office, 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200, (Contact: Janet Turner).

17050101. Glenn O. Hawbaker, Inc. (1952 Waddle Road, State College, PA 16803) permit renewal for reclamation only of a bituminous surface and auger mine located in Penn and Pike Townships, **Clearfield County** affecting 267.9 acres. Receiving stream(s): Kratzer Run, Bilger Run and Anderson Creek classified for the following use(s): CWF and MF. There are no potable water supply intakes within 10 miles downstream. Application received: April 6, 2020. Permit issued: May 21, 2020.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118, (Contact: Theresa Reilly-Flannery).

Permit No. 40120101R. Northampton Fuel Supply Co., Inc. (1 Horwith Drive, Northampton, PA 18067), renewal of an existing anthracite surface mine, coal refuse reprocessing and refuse disposal operation in Foster and Hazle Townships and Jeddo Borough, **Luzerne County** affecting 1,013.0 acres. Receiving stream: unnamed tributary to Susquehanna River. Application received: June 17, 2019. Renewal issued: May 19, 2020.

Permit No. PAM112006R. Northampton Fuel Supply Co., Inc. (1 Horwith Drive, Northampton, PA 18067), renewal coverage under the General NPDES Permit for Stormwater Discharges Associated with Mining Activities (BMP GP-104) on Surface Mining Permit No. 40120101 in

Foster and Hazle Townships and Jeddo Borough, **Luzerne County**, receiving stream: unnamed tributary to Susquehanna River. Application received: June 17, 2019. Renewal issued: May 19, 2020.

Permit No. GP12-40120101R. Northampton Fuel Supply Co., Inc. (1 Horwith Drive, Northampton, PA 18067), renewal of general operating permit to operate a coal preparation plant on Surface Mining Permit No. 401200101 in Foster and Hazle Townships and Jeddo Borough, **Luzerne County**. Application received: June 17, 2019. Permit renewed: May 19, 2020.

Permit No. 40850201R7. Atlantic Carbon Group, Inc. (P.O. Box 39, Hazleton, PA 18201), renewal of an existing anthracite coal refuse reprocessing and preparation plant operation in Hazle Township, **Luzerne County** affecting 180.67 acres. Receiving stream: Catawissa Creek. Application received: December 4, 2019. Renewal issued: May 19, 2020.

Permit No. PAM111105R2. Atlantic Carbon Group, Inc. (P.O. Box 39, Hazleton, PA 18201), renew coverage under the General NPDES Permit for Stormwater Discharges Associated with Mining Activities (BMP GP-104) on Surface Mining Permit No. 40850201 in Hazle Township, **Luzerne County**, receiving stream: Catawissa Creek. Application received: December 4, 2019. Renewal issued: May 19, 2020.

Permit No. 40140201R. Mineral Reclamation, LLC (20625 Prego Place, Venice, FL 34293), renewal for reclamation activities only of an existing anthracite coal refuse reprocessing operation in Hanover Township, **Luzerne County** affecting 13.98 acres. Receiving stream: Nanticoke Creek. Application received: February 5, 2020. Renewal issued: May 19, 2020.

Permit No. PAM114015R. Mineral Reclamation, LLC (20625 Prego Place, Venice, FL 34293), renew coverage under the General NPDES Permit for Stormwater Discharges Associated with Mining Activities (BMP GP-104) on Surface Mining Permit No. 40140201 in Hanover Township, **Luzerne County**, receiving stream: Nanticoke Creek. Application received: February 5, 2020. Renewal issued: May 19, 2020.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Blasting Permits Issued

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2522, 570.621.3118, (Contact: Theresa Flannery).

Permit No. 36204112. J Roy's, Inc. (P.O. Box 125, Bowmansville, PA 17507), construction blasting at 573 Pinkerton Road in East Donegal Township, **Lancaster County** with an expiration date of May 12, 2021. Permit issued: May 15, 2020.

Permit No. 38204105. Keystone Blasting Service (15 Hopeland Road, Lititz, PA 17543), construction blasting for Towns of Mayapple Phase 11 and 111 in South Annville Township, **Lebanon County** with an expiration date of May 30, 2021.

Permit issued: May 15, 2020.

Permit No. 36204113. M3 Explo, LLC (P.O. Box 528, Brownsville, PA 15417), construction blasting for Zimmerman Basement in Earl Township, **Lancaster County** with an expiration date of May 14, 2021. Permit issued: May 18, 2020.

Permit No. 64204001. Northeast Blasting (403 Middle Creek Road, Honesdale, PA 18431), construction blasting for Joe Bunnell shale bank reclamation in Texas Township, **Wayne County** with an expiration date of May 6, 2021. Permit issued: May 21, 2020.

Permit No. 64204002. Northeast Blasting (403 Middle Creek Road, Honesdale, PA 18431), construction blasting for Roger McKinney shale bank in Texas Township, **Wayne County** with an expiration date of May 3, 2021. Permit issued: May 21, 2020.

Permit No. 64204003. Northeast Blasting (403 Middle Creek Road, Honesdale, PA 18431), construction blasting for Donovan house foundation in Cherry Ridge Township, **Wayne County** with an expiration date of May 6, 2021. Permit issued: May 21, 2020.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), and that the construction will not violate applicable Federal and State Water Quality Standards.

Any person aggrieved by these actions may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. Section 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the Board within 30-days. You do not need a lawyer to file an appeal with the Board.

Important legal rights are at stake, however, so you should show this notice to a lawyer at once. If you cannot afford a lawyer, you may qualify for free pro bono representation. Call the Secretary to the Board (717) 787-3483 for more information.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.

Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484.250.5160. E-mail: ra-epww-sero@pa.gov.

Permit No. EA4601220-001/WL4620301, Borough of Lansdale, 1 Vine Street, Lansdale, PA 19446, Borough of Lansdale and Upper Gwynedd Township, **Montgomery County**, ACOE Philadelphia District.

To restore 1,320 linear feet of stream bank for a portion of an unnamed tributary to Towamencin Creek (TSF-MF) in Whites Road Park and includes the following activities:

- Removal of floodplain fill and grading to enhance floodplain capacity and improve stream stability.
- Construction of a J-Hook rock vane.
- Removal of gabion basket walls at multiple locations and in its place, construct a boulder wall at multiple locations including a portion of the area adjacent to the existing amphitheatre area. This activity includes the placement of boulders along stream banks upstream of concrete bridges for the protection of bridge abutments.
- Removal of gabion basket wall and to regrade embankment adjacent to existing amphitheatre area.
- Placement of coir log at toe of regraded stream banks.
- Landscaping which includes the planting of live stakes, plugs, and broadcasting of seed.

This project is located within the 100-year floodplain and includes other enhancements to the park for a future recreational area and grading for winter sledding and is located at 400 Whites Road in Lansdale Borough, Montgomery County (USGS PA Lansdale Quadrangle—Latitude 40.236722 N, Longitude 75.295026 W). Permit issued May 20, 2020.

Permit EA4601220-021, Borough of Hatboro, 414 South York Road, Hatboro, PA 19040, Hatboro Borough, **Montgomery County**, ACOE Philadelphia District.

To restore and maintain approximately 733 linear feet of stream restoration including sediment removal, slope protection, and streambank stabilization along the Pennypack Creek (TSF) associated with the Eaton Memorial Park Streambank Restoration & Stabilization Project.

The site is located approximately 700 feet southwest of the intersection of Moreland Avenue and Broad Street (Hatboro, PA USGS Quadrangle Latitude 40.178756; Longitude -75.112309). Permit issued May 20, 2020.

Permit No. E1501220-021, Columbia Gas Transmission, LLC, 1700 MacCorkle Avenue SE, Charleston, WV 25314, Uwchlan, East Brandywine, and Caln Townships, **Chester County**, ACOE Philadelphia District.

To perform the following water obstruction and encroachment activities associated with the Lines 1278, 1278 Loop, 1896 Catholic Protection 2020 Project at two separate locations which are Brandywine Creek/Shelmire

Road and Williams Station, using the combination of horizontal directional drilling (HDD) and open cut trench within existing right-of-way.

Brandywine Creek/Shelmire Road location includes a waived activity:

1. To perform HDD of linear anode within East Branch Brandywine Creek (HQ-TSF, MF, S13) resulting in 67 linear feet (401 square feet, 0.009 acre) of temporary watercourse impact due to workspace, HDD of linear anode, and operation and maintenance activities.

2. To perform HDD of linear anode under Shamona Creek (HQ-TSF, MF, S14) resulting in 61 linear feet (1,198 square feet, 0.028 acre) of temporary watercourse impact, 61 linear feet (61 square feet, 0.001 acre) of permanent watercourse impact, 986 square feet (0.023 acre) of temporary floodway impact, and 28 square feet (0.001 acre) of permanent floodway impact due to workspace, HDD and O&M activities. This activity also includes a temporary bridge stream crossing.

3. To perform HDD of linear anode under a wetland area (PEM, W11) resulting in 3,374 square feet (0.077 acre) of temporary wetland impact and 70 square feet (0.002 acre) of permanent wetland impact due to workspace, timber matting, and O&M activities.

4. To perform HDD of linear anode within the floodway of East Branch Brandywine Creek (WWF, MF, S11) resulting in 4,816 square feet (0.111 acre) of permanent floodway impact due to workspace and O&M activities.

5. To perform HDD of linear anode under a wetland area (PEM, W13) resulting in 946 square feet (0.023 acre) of temporary wetland impact and 63 square feet (0.001 acre) of permanent wetland impact due to workspace, timber matting, and O&M activities.

6. To perform HDD of linear anode under a wetland area (PEM, W10) resulting in 17,607 square feet (0.404 acre) of temporary wetland impact and 315 square feet (0.007 acre) of permanent wetland impact due to workspace, timber matting, and O&M activities.

7. To perform construction activities within the floodway of an unnamed tributary of East Brandywine Creek (WWF-MF, S12) resulting in 2,044 square feet (0.0469 acre) of temporary floodway impact due to workspace of linear anode and is considered a waived activity.

This portion of the project starts at the Struble-Uwchlan Trail Head, follows the Struble Trail south and terminates at the trail and Dowlin Forge Road intersect and is located in East Brandywine and Uwchlan Townships, Chester County (USGS PA Downingtown and Wagontown Quadrangle—Latitude: 40.039524 N, Longitude: 75.706907 W).

Williams Station location includes waived activities:

8. To perform cut trench within an unnamed tributary to Beaver Creek (CWF, MF, S5, S6, S7, S8, S9, and S10) at six (6) different locations resulting in a total of 21 linear feet (701 square feet, 0.016 acre) of temporary watercourse impact, 20 linear feet (21 square feet, 0.001 acre) of permanent watercourse impact, 27,924 square feet (0.641 acre) of temporary floodway impact and 962 square feet (0.022 acre) of permanent floodway impact due to workspace and O&M activities and are considered waived activities.

9. To perform open cut trench to facilitate installation of linear anode within a wetland area (PEM, W3) resulting in 9,298 square feet (0.213 acre) of temporary wetland

impact and 240 square feet (0.006 acre) of permanent wetland impact due to workspace and O&M activities.

This portion of the project starts near Blakley Road, follows pipeline right-of-way south and terminates near Open Hearth Lane in East Brandywine and Caln Townships, Chester County (USGS PA Downingtown and Wagontown Quadrangle—Latitude: 40.020857 N, Longitude: 75.717538 W). Permit issued May 20, 2020.

Permit No. E4601220-022, Whitemarsh Valley Country Club, 815 Thomas Road, Lafayette Hill, PA 19444, Whitemarsh Township, **Montgomery County**, ACOE Philadelphia District.

To perform the following listed water obstruction and encroachment activities associated with the Cartpath Bridge Replacement. The proposed project consists of the replacement of two cartpath/footbridges crossing Wisahickon Creek (TSF, MF) and permanent stream and floodway impact. There are no impacts in wetlands.

The site is approximately at 815 Thomas Road (Germanstown, PA, Latitude: 40° 5' 35"; Longitude: -77° 13' 58") in Whitemarsh Township, Montgomery County. Permit issued May 25, 2020.

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

E3502220-001. Lackawanna County, 1280 Mid Valley Drive, Jessup, PA 18434, Benton Township, **Lackawanna County**, Army Corps of Engineers Baltimore District.

To remove the existing structure and to construct and maintain a 38.5-foot long, 15.5-foot span single cell precast concrete box culvert crossing of an Unnamed Tributary to the South Branch Tunkhannock Creek (CWF, MF) having a 6.0-foot underclearance, concrete fish baffles, riprap aprons, and precast concrete wingwalls. In addition, minor regrading for the upstream and downstream embankments will occur, a scoured area on the upstream end of the culvert and embankment will be filled in which will promote a better flow alignment and R-4 and R-6 riprap embankment protection will be placed in various areas on the upstream and downstream embankments. The project will permanent impact approximately 0.03 acre of PEM wetland. The project is located approximately 0.5 mile north on Hack Road (T-544) from the intersection with Wallsville Road (T-438) (Dalton, PA Quadrangle Latitude: 41° 35' 22"; Longitude: -75° 41' 9") in Benton Township, Lackawanna County.

Southwest Region: Dana Drake, Waterways and Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E02052-1816, MVP Properties Co., LLC, 321 Harris Road, New Kensington, PA 15068, **Allegheny County**; Pittsburgh ACOE District.

Has been given consent to:

Permanently place and maintain fill in 0.05-acre of PEM wetlands. For the purpose of constructing two commercial buildings (28,500 square-foot and 6,000 square-foot) including utilities, associated roadways, stormwater, parking and other necessary infrastructure. No mitigation is required as impact to wetlands are de minimus.

The project is located south of and along Coxcomb Hill Road approximately 500 feet west of the intersection of Repp Road and Coxcomb Hill Road (New Kensington West, PA, USGS Topographic Quadrangle; Latitude N: 40°

31' 43", Longitude W: -79° 46' 53", Sub-basin 18A, Army Corps of Engineers Pittsburgh District), in Plum Borough, Allegheny County.

E02052-1818, Allegheny County Sanitary Authority, 3300 Preble Avenue, Pittsburgh, PA 15233, City of Pittsburgh, **Allegheny County**; Pittsburgh ACOE District.

Has been given consent to:

1. Construct and maintain a 1,154 linear foot river wall within the Ohio River (WWF).
2. Relocate and construct four outfalls (Outfall 001, Outfall 002, CSO 026, and SW-2) within the Ohio River (WWF).
3. Remove 13 existing mooring cells within the Ohio River (WWF).
4. Place and maintain 0.66 acre of rip-rap within the Ohio River (WWF), along the aforementioned river wall, for scour protection, which includes 0.29 acre of mitigation rip-rap along the Ohio River.
5. Place and maintain fill in 0.61 acre of floodplain.

For the purpose of creating a usable footprint to expand Alcosan's existing Woods Run Wastewater Treatment Plant as part of a Consent Decree with the U.S. Environmental Protection Agency, Department of Environmental Protection, and Allegheny County Health Department, to eliminate sanitary sewer overflows and reduce combined sewer overflow events. As part of this project, 1,154 feet and 0.66 acre of permanent impact and approximately 93 linear feet of temporary impact to the Ohio River will take place. 0.61 acre of permanent floodplain impact will occur.

The project site is located on Preble Avenue, approximately 0.4 mile from Beaver Avenue (Pittsburgh West, PA USGS topographic quadrangle; N: 40°, 28', 34"; W: -80°, 02', 38"; Sub-basin 20G; USACE Pittsburgh District), in the City of Pittsburgh, Allegheny County.

E6505220-001, Unity Township, 154 Beatty County Road, Latrobe, PA 15650, Unity Township, **Westmoreland County**; ACOE Pittsburgh District.

Has been given consent to:

Remove a floodplain obstruction within a FEMA defined floodway of Loyalhanna Creek (WWF) in accordance with 25 Pa. Code Chapter 106. The project site is located at 122 Newmeyer Lane, Latrobe, PA 15650, (Derry, PA USGS topographic quadrangle; N: 40° 17' 25.1808", W: -79° 22' 3.580"; Sub-basin 18C; USACE Pittsburgh District), in Unity Township, Westmoreland County.

Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.

E3306120-023, PADOT, Engineering District 10-0, 2550 Oakland Ave., Indiana, PA 15701. SR 0028, Section 554, in Rose Township, **Jefferson County**, ACOE Pittsburgh District (Brookville, PA Quadrangle N: 41°, 08', 46"; W: 79°, 06', 46").

To backfill and abandon the existing structure in place and to construct and maintain a 131.75-foot long concrete box culvert having a 12.0-foot wide by 10.0-foot high waterway opening approximately 20 feet east of the existing culvert with realignment of 95 feet of channel at the outlet on SR 0028, Section 554 over Clement Run (CWF) (Brookville, PA Quadrangle N: 41°, 08', 46"; W: 79°, 06', 46") in Rose Township, Jefferson County. Project includes installation of a temporary two-lane

roadway immediately upstream of the structure to maintain traffic during construction.

E3306220-022, Brockway Recreation Revitalization Group, 1308 Main St., Brockway, PA 15824. Taylor Memorial Park, in Brockway, **Jefferson County**, ACOE Pittsburgh District (Carman, PA Quadrangle N: 41°, 15', 4"; W: -78°, 47', 38").

To perform grading and construction impacting approximately 12.3 acres of the mapped FEMA 100-year flood plain of Little Toby Creek outside of the existing levee system that includes upgrading and relocating the existing athletic fields, recreational facilities, necessary utilities, and stormwater facilities within Brockway Borough's 22.5 acres Taylor Memorial Park site along 7th Avenue (Carman, PA Quadrangle N: 41°, 15', 4"; W: -78°, 47', 38") in Brockway Borough, Jefferson County.

E1006220-003, Butler County Planning Commission, 124 West Diamond St., P.O. Box 1208, Butler, PA 16003. Hemphill Bridge T-570 over Gold Scheitter Creek, in Clinton, **Butler County**, ACOE Pittsburgh District (Curtisville, PA Quadrangle N: 40°, 40', 59.60"; W: 79°, 47', 27.4").

To conduct the following activities associated with the reconstruction of approximately 660 feet of T-570 Goldscheitter Road approximately 0.75 mile north from its intersection with Lardintown Road (Curtisville, PA Quadrangle N: 40°, 40', 59.60"; W: 79°, 47', 27.4") in Clinton Township, Butler County:

1. To remove the remaining portions of the existing bridge and to install and maintain a new single-span aluminum box culvert with a 25-foot, 5-inch span and a 6-foot, 10-inch high clear waterway opening on a 60° skew in a UNT to Lardintown Run (Goldscheitter Creek).

2. To remove the existing 30-inch RCP culvert and install and maintain an aluminum box culvert with a 9-foot, 2-inch span and 3-foot, 3-inch high waterway opening on a 51° 41' 28" skew in a branch of the UNT Lardintown Run approximately 300 feet north of the first structure.

E1006220-001, Seneca Valley School District, 124 Seneca School Road, Harmony, PA 16037. Seneca Valley School District K-4/5-6, in Cranberry Township, **Butler County**, ACOE Pittsburgh District (Mars, PA Quadrangle N: 40°, 44', 28"; W: -80°, 06', 16").

To impact a total of 297 feet of two tributaries to Brush Creek and one tributary to Liken Run having contributory drainage areas less than 100 acres and to fill 0.16 acre of PEM wetlands for construction of an elementary school and associated infrastructure on a 153-acre parcel north of Ehrman Road east of I-79 (Mars, PA Quadrangle N: 40°, 44', 28"; W: -80°, 06', 16") in Cranberry Township, Butler County. Mitigation for project impact is through purchase of 0.16 wetland credit and 234 stream credit from First Pennsylvania Resources, LLC, Enlow Fork Mitigation Bank (MB990563-001).

E4306120-001, PA DOT District 1-0, 255 Elm St., Oil City, PA 16301. SR 2007 SEG 0080, in Findley Township, **Mercer County**, ACOE Pittsburgh District (Grove City and Mercer, PA Quadrangle N: 41°, 12', 26.34"; W: -80°, 7', 29.68").

To remove the existing structure and to install and maintain an 18.0-ft x 5.5-ft precast, reinforced concrete box culvert carrying SR 2007 over Mill Creek approximately 0.8 mile north of Interstate 80 (Grove City and Mercer, PA Quadrangles N: 41°, 12', 26.34"; W: -80°, 7', 29.68") in Findley Township, Mercer County. The project

will result in a permanent impact of 0.22 acre of PEM/PSS wetland and a temporary impact of 0.08 acre of PEM/PSS wetland. The project includes a debit of 0.045 acre of PEM wetland and 0.174 acre of PSS wetland from PennDOT's Polk Wetland Mitigation Bank.

Eastern Region: Oil and Gas Management Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

E6629-030: Williams Field Services Company, LLC, 310 State Route 29, Tunkhannock, PA 18657, Tunkhannock Township, **Wyoming County**, ACOE Baltimore District.

To construct, operate and maintain the Billings Mill Brook—Slump Stabilization Project, which consists of the repair and reconstruction of a slope failure impacting a natural gas pipeline, with the following impacts:

1. 272.0 linear feet of Billings Mill Brook (CWF, MF) for the installation of permanent stream stabilization measures (Tunkhannock, PA Quadrangle, Latitude: N 41° 33' 38.28", Longitude: W 75° 54' 47.77"); and

2. 185.0 linear feet of a UNT to Billings Mill Brook (CWF, MF) for the installation of permanent stream stabilization measures (Tunkhannock, PA Quadrangle, Latitude: N 41° 33' 38.49", Longitude: W 75° 54' 48.22").

The project will result in 457.0 linear feet of permanent stream impacts for the purpose of repairing and reconstructing of a slope failure impacting a natural gas pipeline for Marcellus Shale development. This permit is a follow-up action to Emergency Permit EP-6629-19-001, which was issued on August 13, 2019 for the reconstruction work.

E5929-094: SWEPI LP, 150 N. Dairy Ashford, E1296-E, Houston, TX 77079, Deerfield Township, **Tioga County**, ACOE Baltimore District.

To construct, operate, and maintain a stream bank restoration, stabilization and protection project impacting 720 linear feet of the Cowanesque River (CWF) (Knoxville, PA Quadrangle 41° 57' 15" N, 77° 25' 00" W). The application is a follow-up to an emergency permit that was issued. The project will result in 664 linear feet of permanent stream impacts and 460 linear feet of temporary stream impacts all for the purpose of installing the stream bank restoration, stabilization and protection along the Cowanesque River in Deerfield Township, Tioga County.

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This

paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Eastern Region: Oil and Gas Management Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

ESCGP-3 # ESG295819035-00

Applicant Name SWN Production Company, LLC

Contact Person Nicki Atkinson

Address 917 State Route 92 North

City, State, Zip Tunkhannock, PA 18657

County Susquehanna

Township(s) New Milford

Receiving Stream(s) and Classification(s) UNT to Nine

Partners Creek and Partners Creek (CWF-MF)

ESCGP-3 # ESG295920005-00

Applicant Name SWEPI LP

Contact Person Jason Shoemaker

Address 150 North Dairy Ashford, BLDG E 12th Floor

City, State, Zip Houston, TX 77079

County Tioga

Township(s) Middlebury

Receiving Stream(s) and Classification(s) UNT to Crooked

Creek (WWF, MF), Crooked Creek (WWF, MF)

Secondary: Crooked Creek (WWF, MF), Tioga River

(WWF, MF)

ESCGP-3 # ESG295820010-00

Applicant Name Williams Field Services Co, LLC

Contact Person Jayme Stotka

Address 2000 Commerce Drive

City, State, Zip Pittsburgh, PA 15274

County Susquehanna

Township(s) Dimock and Bridgewater

Receiving Stream(s) and Classification(s) Meshoppen

Creek (CWF-MF)

Secondary: Susquehanna River (WWF-MF)

ESCGP-3 # ESG294120009-00

Applicant Name ARD Operating, LLC

Contact Person Jennifer McCarthy

Address 33 West Third Street, Ste 300

City, State, Zip Williamsport, PA 17701

County Lycoming

Township(s) Gamble

Receiving Stream(s) and Classification(s) UNTs East

Branch Murray Run (HQ, EV), UNT West Branch

Murray Run (HQ, EV), West Branch Murray Run (HQ,

EV)

Secondary: Murray Run (HQ, EV), Murray Run (HQ,

EV), Murray Run (HQ, EV)

ESCGP-3 # ESG295820005-00

Applicant Name Cabot Oil and Gas Corporation

Contact Person Kenneth Marcum

Address 2000 Park Lane, Ste 300

City, State, Zip Pittsburgh, PA 15275-1121

County Susquehanna

Township(s) Gibson

Receiving Stream(s) and Classification(s) UNT to Butler

Creek (CWF);

Secondary: Butler Creek (CWF)

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 2

The following plans and reports were submitted under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245 Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning plans or reports, please contact the Environmental Cleanup Program Manager in the DEP Regional Office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the DEP through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southeast Regional Office: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5960.

Contact: Richard Staron, Professional Geologist Manager.

Marcus Hook Ind Complex, 23-14224, 100 Green St., Marcus Hook Borough, **Delaware County**. Stantec Consulting Service Inc., 1060 Andrew Drive, Suite 140, West Chester, PA 19380, on behalf of Evergreen Resources Management Operations, 2 Righter Parkway, Suite 120, Wilmington, DE 19803 submitted a Remedial Action Completion Report concerning remediation of soil contaminated with crude oil. The report is intended to document remediation of the site to meet nonresidential Statewide health standards.

Souderton Fuels 67425, 46-23960, 303 Harleysville Pike, Franconia Township, **Montgomery County**. Antea USA, Inc., 535 Route 38, Suite 203, Cherry Hill, NJ 08002, on behalf of Getty Properties Corp., Two Jericho Plaza, Suite 110, Wing C, Jericho, NY 11753 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded and lead gasoline. The report is intended to document remediation of the site to meet residential Statewide health standards.

Lukoil 69253, 09-41456, 802 Bath St., Bristol Borough, **Bucks County**. Envirotrac Ltd., 3070 Bristol Pike, Building 1, Suite 221, Bensalem, PA 19020, on behalf of Lukoil North America LLC, 302 Harper Drive, Suite 303, Moorestown, NJ 08057, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline and diesel fuel. The report is intended to document remediation of the site to meet a combination of residential and nonresidential Statewide health and site-specific standards.

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Howe Convenient Market, Storage Tank ID # 64-09036, Route 191, Lake Ariel, PA 18436, Lake Township, **Wayne County**, LaBella, 1000 Dunham Drive, Suite B, Dunmore, PA 18512, on behalf of John T. Howe, Inc., P.O. Box 125, Lake Ariel, PA 18436, submitted a revised Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum. The report is intended to document remediation of the site to meet a combination of Site Specific and Statewide Health Standards.

Dorrance Sunoco, Storage Tank ID # 40-20336, 80 Springtown Road, Mountain Top, PA 18707, Dorrance Township, **Luzerne County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Liberty Truck Center, Inc., 2277 Scranton Carbondale Highway, Scranton, PA 18508, has submitted a combined Site Characterization Report and Remedial Action Plan concerning remediation of soil contaminated with petroleum. The report is intended to document remediation of the site to meet Statewide Health Standards.

Friendly Food Mart III, Storage Tank ID # 39-13934, 906 3rd Street, Whitehall, PA 18052, Whitehall Township, **Lehigh County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of M&B Sons Property LLC, 906 3rd Street, Whitehall, PA 18052, has submitted a combined Site Characterization Report and Remedial Action Completion Report concerning remediation of soil contaminated with gasoline. The report is intended to document remediation of the site to meet Statewide Health Standards.

Sunrise Mart, Storage Tank ID # 39-06734, 1510 West Tilghman Street, Allentown, PA 18102, Allentown City, **Lehigh County**. Geo-Environmental Consulting & Remediation, 371 Hoes Lane, Suite 200, Piscataway, NJ 08854, on behalf of, Greyhound Investment Group LLC, 1 Bustleton Pike, Feasterville, PA 29053, has submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with gasoline. The report is intended to document remediation of the site to meet Statewide Health Standards.

Southcentral Regional Office: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110, 717-705-4705.

Contact: Gregory Bowman, Environmental Group Manager.

Former Getty Station # 67641, Storage Tank Facility ID # 21-26058, 101 Front Street, Boiling Springs, PA 17007, South Middleton Township, **Cumberland County**. Aetna USA, Inc., 535 Route 38, Suite 203, Cherry Hill, NJ 08002 on behalf of Getty Properties Corporation, Two Jericho Plaza, Suite 110, Wing C, Jericho, NY 11753 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum constituents. The plan

is intended to document remediation of the site to meet the Statewide Health Standard and the Site-Specific Standard.

Southwest Region: Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

SuperValu, Primary Facility ID # 65-11809, 400 Paintersville Rd., New Stanton, PA 15672, Hempfield Township, **Westmoreland County**. Cribbs & Associates Inc., P.O. Box 44, Delmont, PA 15626, on behalf of SuperValu, 400 Paintersville Rd., New Stanton, PA 15672, submitted a combined Site Characterization Report and Remedial Action Plan concerning the remediation of soil and groundwater contaminated with petroleum products. The report is intended to document remediation of the site to meet the Statewide health standard.

Mt. Lebanon Auto Service, Primary Facility ID # 02-80722, 301 Cochran Rd., Mt. Lebanon, PA 15229, Mt. Lebanon Township, **Allegheny County**. Flynn Environmental Inc., 5640 Whipple Ave., N.W., North Canton, OH 44720, on behalf of James Malacki, Mt. Lebanon Auto Service, 301 Cochran Rd., Mt. Lebanon, PA 15228, submitted a combined Site Characterization Report and Remedial Action Plan concerning the remediation of soil and groundwater contaminated with petroleum products. The report is intended to document remediation of the site to meet the Statewide health standard.

Northwest Region: Environmental Cleanup Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

7 Eleven 40249, Storage Tank Facility ID # 03-24180, 222 Butler Street, Kittanning Borough, **Armstrong County**. Groundwater and Environmental Services, Inc., 301 Commerce Park Drive, Cranberry Township, PA 16066, on behalf of Evergreen Resources Group, LLC, 2 Righter Parkway, Suite 120, Wilmington, DE 19803, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with benzene, ethylbenzene, toluene, xylenes, MTBE, cumene, naphthalene, 1,2,4-trimethylbenzene and 1,3,5-trimethylbenzene. The plan is intended to document the remedial actions for meeting the Statewide Health Standard.

Sheetz 114, Storage Tank Facility ID # 03-83804, 100 Walnut Street, Kittanning Borough, **Armstrong County**. EnviroTrac, Ltd., 176 Thorn Hill Road, Warrendale, PA 15086, on behalf of Sheetz, Inc., 5700 6th Avenue, Altoona, PA 16602, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with benzene, ethylbenzene, toluene, xylenes, MTBE, cumene, naphthalene, 1,2,4-trimethylbenzene and 1,3,5-trimethylbenzene. The plan is intended to document the remedial actions for meeting the Background Standard.

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 3

The DEP has taken action on the following plans and reports under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101–6021.2104).

Provisions of 25 Pa. Code Chapter 245 Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports.

A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

The DEP may approve or disapprove plans and reports submitted. This notice provides the DEP's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, please contact the Environmental Cleanup Program Manager in the DEP Regional Office under which the notice of the plan or report appears. If information concerning a report is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the DEP through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The DEP has received the following plans and reports:

Southeast Regional Office: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5960.

Contact: Richard Staron, Professional Geologist Manager.

7 Eleven 24569, 51-24574, 4701 Mascher Ave., **City of Philadelphia**. AECOM, 625 West Ridge Pike, Suite E-100, Conshohocken, PA 19428, on behalf of 7-Eleven, Inc., P.O. Box 711, Dallas, TX 75221-0711 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline and waste oil. The Remedial Action Plan was acceptable to meet nonresidential Statewide health standards and was approved by the DEP on May 26, 2020.

Lukoil 69714, 46-41438, 913 Bethlehem Pike, Montgomery Township, **Montgomery County**. Envirotrac Ltd., 3070 Bristol Pike, Building 1, Suite 221, Bensalem, PA 19020, on behalf of Lukoil North America LLC, 302 Harper Drive, Suite 303, Moorestown, NJ 08057, submitted a Site Characterization Report 310(b) concerning remediation of soil contaminated with unleaded gasoline. The report demonstrated attainment of nonresidential Statewide health standards and was approved by the DEP on May 26, 2020.

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Choice Cigarettes 94318, Storage Tank ID # 40-13191, 544 State Route 93, Conyngham, PA 18249, Sugarloaf Township, **Luzerne County**. United Environmental Services, P.O. Box 701, Schuylkill Haven, PA 17972, on behalf of Rijini LLC, 4584 Willow Lane, Nazareth, PA 18064, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contami-

nated with gasoline. The Remedial Action Completion Report demonstrated attainment of a combination of Site-Specific and Background Standards and was approved by DEP on May 18, 2020.

Southwest Region: Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Soisson's Service Station, Primary Facility ID # 26-24448, 305 W. Crawford Ave., Connellsville, PA 15425, Connellsville City, **Fayette County**. Insite Group, Inc., 611 S. Irwin Avenue, Sharon, PA 16146, on behalf of Thomas R. Soisson, 311 Falls Ave., Connellsville, PA 15425, submitted a Remedial Action Completion Report concerning the remediation of soil and groundwater contaminated with petroleum products. The report was acceptable to meet the Statewide health standards and was approved on May 12, 2020.

Northwest Region: Environmental Cleanup Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

McEwen Oil, Storage Tank Facility ID # 43-00119, 357 North Perry Highway, Coolspring Township, **Mercer County**. AECOM, Foster Plaza 6, Suite 400, 681 Andersen Drive, Pittsburgh, PA 15220 on behalf of Russell McEwen, 357 North Perry Highway, Mercer, PA 16137 and the PA Department of Environmental Protection, 230 Chestnut Street, Meadville, PA 16335, submitted a Remedial Action Plan/Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with benzene, ethylbenzene, toluene, xylenes, naphthalene, methyl tertiary butyl ether, isopropylbenzene, 1,2,4- and 1,3,5- trimethylbenzenes, 1,2-dibromoethane, 1,2-dichloroethane and lead. The Remedial Action Plan was acceptable to meet the Site-Specific Standard and was approved by DEP on May 12, 2020. The Remedial Action Completion Report demonstrated attainment of the Site-Specific Standard and was approved by DEP on May 12, 2020.

Anderson Coach & Travel (OD Anderson), Storage Tank Facility ID # 43-17957, 153 Conneaut Lake Road, Greenville, PA 16125, Sugar Grove Township, **Mercer County**. InSite Group, Inc., 611 S. Irvine Avenue, Sharon, PA 16146 on behalf OD Anderson, 153 Conneaut Lake Road, Greenville, PA 16125 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with diesel fuel constituents benzene, ethylbenzene, toluene, isopropylbenzene (cumene), naphthalene, methyl tertiary butyl ether (MTBE), 1,2,4-trimethylbenzene, and 1,3,5- trimethylbenzene. The Remedial Action Completion Report demonstrated attainment of the Statewide Health Standard and was approved by DEP on May 13, 2020.

Sheetz 202, Storage Tank Facility ID # 43-91428, 2381 South Hermitage Road, City of Hermitage, **Mercer County**. EnviroTrac, Ltd., 176 Thorn Hill Road, Warrendale, PA 15086, on behalf of Sheetz, Inc., 5700 6th Avenue, Altoona, PA 16602 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with benzene, ethylbenzene, toluene, xylenes, isopropyl benzene, naphthalene, methyl tertiary butyl ether (MTBE), 1,2,4 trimethylbenzene, and 1,3,5 trimethylbenzene. The Remedial Action Plan was acceptable to meet the Statewide Health Standard and was approved by DEP on May 19, 2020.

[Pa.B. Doc. No. 20-739. Filed for public inspection June 5, 2020, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Air Quality Technical Advisory Committee Meeting Cancellation and Virtual Meeting

The Air Quality Technical Advisory Committee (Committee) meeting scheduled for Thursday, June 11, 2020, is cancelled. The next Committee meeting is scheduled for Thursday, August 13, 2020, beginning at 9:15 a.m. and will be held as a virtual meeting.

Individuals who wish to join the meeting may do so remotely. Information will be provided on the Committee's webpage. Individuals interested in providing public comments during the next scheduled meeting must sign up prior to the start of the meeting by contacting Amanda Rodriguez at amarodrigu@pa.gov or (717) 787-9702.

Information on how to join the meeting, as well as agenda and meeting materials, will be available on the Committee's webpage, found through the Public Participation tab on the Department of Environmental Protection's (Department) web site at www.dep.pa.gov (select "Public Participation," then "Advisory Committees," then "Air Quality Technical Advisory Committees," then "Air Quality Technical Advisory Committee").

Individuals are encouraged to visit the Committee's webpage to confirm meeting date, time and location prior to each meeting. Questions concerning the August 13, 2020, meeting can be directed to Kirit Dalal at kdalal@pa.gov or (717) 772-3436.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Kirit Dalal at (717) 772-3436 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 20-740. Filed for public inspection June 5, 2020, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Cleanup Standards Scientific Advisory Board Rescheduled Meeting

The Cleanup Standards Scientific Advisory Board (Board) meeting scheduled for Thursday, June 18, 2020, has been rescheduled to Thursday, July 30, 2020. In accordance with Governor Tom Wolf's emergency disaster declaration and based on advice from the Department of Health regarding the mitigation of the spread of the novel coronavirus (COVID-19), the July 30, 2020, meeting will be held as a virtual meeting and will begin at 9:30 a.m. Individuals who wish to join the meeting may do so remotely.

Information on how to join the meeting, as well as agenda and meeting materials, will be available on the Board's webpage, found through the Public Participation tab on the Department of Environmental Protection's (Department) web site at www.dep.pa.gov (select "Public Participation," then "Advisory Committees," then

“Cleanup and Brownfields Advisory Committees,” then “Cleanup Standards Scientific Advisory Board,” then “Agendas and Handouts”).

Individuals are encouraged to visit the Board’s webpage to confirm meeting date, time and location prior to each meeting. Persons with questions concerning the July 30, 2020, meeting can be directed to Mike Maddigan at mmaddigan@pa.gov or (717) 772-3609.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact the Department at (717) 772-3609 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 20-741. Filed for public inspection June 5, 2020, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Climate Change Advisory Committee Virtual Meeting

In accordance with Governor Tom Wolf’s emergency disaster declaration and based on advice from the Department of Health regarding the mitigation of the spread of the novel coronavirus (COVID-19), the Climate Change Advisory Committee (Committee) meeting scheduled for Tuesday, June 30, 2020, will be held as a virtual meeting and will begin at 10 a.m. Individuals who wish to join the meeting may do so remotely. Information will be provided on the Committee’s webpage. Individuals interested in providing public comments during the meeting must sign up prior to the start of the meeting by contacting Lindsay Byron at lbyron@pa.gov or (717) 772-8951.

Information on how to join the meeting, as well as agenda and meeting materials, will be available on the Committee’s webpage, found through the Public Participation tab on the Department of Environmental Protection’s (Department) web site at www.dep.pa.gov (select “Public Participation,” then “Advisory Committees,” then “Climate Change Advisory Committee”).

Individuals are encouraged to visit the Committee’s webpage to confirm meeting date, time and location prior to each meeting. Questions concerning the June 30, 2020, meeting can be directed to Lindsay Byron at lbyron@pa.gov or (717) 772-8951.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact the Department at (717) 772-8951 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 20-742. Filed for public inspection June 5, 2020, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Coastal Zone Advisory Committee Meeting Cancellation

The Coastal Zone Advisory Committee (Committee) meeting scheduled for Wednesday, June 24, 2020, is cancelled. The next Committee meeting is not yet scheduled but is being planned for January 2021. When the meeting is scheduled, it will be published in a future issue of the *Pennsylvania Bulletin* and will also be posted on the Committee’s webpage.

The Committee’s webpage can be found through the Public Participation tab on the Department of Environmental Protection’s (Department) web site at www.dep.pa.gov (select “Public Participation,” then “Advisory Committees,” then “Water Advisory Committees,” then “Coastal Zone Advisory Committee”).

Individuals are encouraged to visit the Committee’s webpage to confirm meeting date, time and location prior to each meeting. Questions can be directed to Stacey Box at sbox@pa.gov or (717) 772-5622.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 20-743. Filed for public inspection June 5, 2020, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Mining and Reclamation Advisory Board Field Trip Cancellation and Virtual Meeting

In accordance with Governor Tom Wolf’s emergency disaster declaration and based on advice from the Department of Health regarding the mitigation of the spread of the novel coronavirus (COVID-19), the Mining and Reclamation Advisory Board’s (Board) meeting/field trip, previously scheduled for July 22-23, 2020, has been cancelled.

Instead, the Board has scheduled a virtual meeting for Thursday, July 16, 2020, beginning at 10 a.m. Individuals who wish to join the meeting may do so remotely. Information will be provided on the Board’s webpage. Individuals interested in providing public comments during the meeting must sign up prior to the start of the meeting by contacting Daniel E. Snowden at dsnowden@pa.gov or (717) 783-8846.

Information on how to join the meeting, as well as agenda and meeting materials, will be available on the Board’s webpage, found through the Public Participation tab on the Department of Environmental Protection’s (Department) web site at www.dep.pa.gov (select “Public Participation,” then “Advisory Committees,” then “Mining Advisory Committees,” then “Mining and Reclamation Advisory Board,” then “2020”).

Individuals are encouraged to visit the Board’s webpage to confirm meeting date, time and location prior to each

meeting. Questions concerning the July 16, 2020, meeting can be directed to Daniel E. Snowden at dsnowden@pa.gov or (717) 783-8846.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Daniel E. Snowden at (717) 783-8846 or through the Pennsylvania AT&T Relay Service at (800) 654-5984

(TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 20-744. Filed for public inspection June 5, 2020, 9:00 a.m.]

DEPARTMENT OF HEALTH

Ambulatory Surgical Facilities; Requests for Exceptions

The following ambulatory surgical facilities (ASF) have filed requests for exceptions under 28 Pa. Code § 51.33 (relating to requests for exceptions) with the Department of Health (Department), which has authority to license ASFs under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b). The following requests for exceptions relate to regulations governing ASF licensure in 28 Pa. Code Chapters 51 and 551—571 (relating to general information; and ambulatory surgical facilities).

<i>Facility Name</i>	<i>Regulation and relating to</i>
Advanced Center for Surgery, LLC	28 Pa. Code § 551.21(d)(1)—(3) (relating to criteria for ambulatory surgery)
Greater Pittsburgh Surgery, LLC	28 Pa. Code § 551.21(d)(1) and (3)
Hospital of the University of Pennsylvania, The	28 Pa. Code § 567.53(1) (relating to sterilization control)
Lehigh Valley Vascular Institute, LLC	28 Pa. Code § 569.35(7) (relating to general safety precautions)
Muve-West Chester Ambulatory Surgical Center, LLC	28 Pa. Code § 569.35(7)
North Pointe Surgery Center—Lebanon	28 Pa. Code § 551.21(d)(1)
Ophthalmology Surgical Center, Inc.	28 Pa. Code § 553.31(a) (relating to administrative responsibilities)
Penn Medicine at Radnor	28 Pa. Code § 553.1 (relating to principle)
	28 Pa. Code § 553.31(a) and (b)
	28 Pa. Code § 555.1 (relating to principle)
	28 Pa. Code § 555.2 (relating to medical staff membership)
	28 Pa. Code § 555.4(a)—(c) (relating to clinical activities and duties of physician assistants and certified registered nurse practitioners)
	28 Pa. Code § 563.1 (relating to principle)
	28 Pa. Code § 563.2(a) and (b) (relating to organization and staffing)
	28 Pa. Code § 567.53(1)
RMA of Philadelphia Surgical Center, LLC	28 Pa. Code § 553.31(a)
Surgery Center at Penn Medicine University City	28 Pa. Code § 567.53(1)
TMA Vascular Access Center	28 Pa. Code § 569.35(7)
Village Surgicenter, LP	28 Pa. Code § 551.21(d)(1)—(3)

The following ASF has filed a request for exception under 28 Pa. Code § 153.1 (relating to minimum standards). Requests for exceptions under this section relate to *Guidelines for Design and Construction of Hospitals and of Outpatient Facilities*, as published by the Field Guidelines Institute (FGI). The following list includes the citation to the section of the FGI *Guidelines* for which the hospital is seeking an exception and the year of publication.

<i>Facility Name</i>	<i>Guidelines Section and Relating to</i>	<i>Yr¹</i>
Chop Bucks Specialty Care and Ambulatory Surgery Center	2.1-3.2.3.2(2)(c)(i) (relating to clearances)	18-O

¹ 2018 Year FGI Regulations were split into 2 books; *Hospitals*, and *Outpatient Facilities* as indicated by “-O.”

These previously listed requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov. Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed address. Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, or for speech and/or hearing-impaired persons, call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

RACHEL L. LEVINE, MD,
Secretary

[Pa.B. Doc. No. 20-745. Filed for public inspection June 5, 2020, 9:00 a.m.]

DEPARTMENT OF HEALTH

Hospitals; Requests for Exceptions

The following hospitals have filed requests for exceptions under 28 Pa. Code § 51.33 (relating to requests for exceptions) with the Department of Health (Department), which has authority to license hospitals under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b). The following requests for exceptions relate to regulations governing hospital licensure in 28 Pa. Code Chapters 51 and 101—158 (relating to general information; and general and special hospitals).

<i>Facility Name</i>	<i>Regulation and relating to</i>
Allegheny General Hospital	28 Pa. Code § 51.23 (relating to positron emission tomography)
Edgewood Surgical Hospital	28 Pa. Code § 109.2(b) (relating to director of nursing services)
Geisinger Medical Center	28 Pa. Code § 115.31(b) (relating to patient medical records)
Geisinger Saint Luke's Hospital	28 Pa. Code § 123.25(2) (relating to regulations for control of anesthetic explosion hazards)
Heritage Valley Kennedy	28 Pa. Code § 103.1 (relating to principle)
	28 Pa. Code § 103.31 (relating to the chief executive officer)
	28 Pa. Code § 107.26(b)(1), (3)—(8) (relating to additional committees)
Kindred Hospital—Philadelphia	28 Pa. Code § 107.61 (relating to written orders)
Lancaster General Hospital, The	28 Pa. Code § 101.31(9)(iii) and (iv) (relating to hospital requirements)
Saint Vincent Hospital	28 Pa. Code § 51.23
Temple University Hospital, Inc.	28 Pa. Code § 107.62(a) and (b) (relating to oral orders)
UPMC Bedford	28 Pa. Code § 149.3 (relating to facilities)
UPMC Jameson	28 Pa. Code § 149.3
UPMC McKeesport	28 Pa. Code § 149.3
UPMC Presbyterian Shadyside	28 Pa. Code § 107.2 (relating to medical staff membership)

The following hospitals have filed requests for exceptions under 28 Pa. Code § 153.1 (relating to minimum standards). Requests for exceptions under this section relate to minimum standards that hospitals must comply with under the *Guidelines for Design and Construction of Hospitals and Outpatient Facilities—2014 Edition*, or *Guidelines for Design and Construction of Hospitals—2018 Edition*, *Guidelines for Design and Construction of Outpatient Facilities—2018 Edition*. The following list includes the citation to the section under the *Guidelines* that the hospital is seeking an exception.

<i>Facility Name</i>	<i>FGI Guidelines Section and relating to</i>	<i>Yr¹</i>
Chester County Hospital, The	2.2-3.1.4.3(3)(b)—(e) (relating to secure holding room)	14
Crozer-Chester Medical Center	2.1-7.2.2.3(2)(a)(i) (relating to doors and door hardware)	14
	2.6-2.2.2.2(2)(a) (relating to space requirements)	14
	2.6-2.2.2.6(2) (relating to patient toilet room)	14
Delaware County Memorial Hospital	2.5-2.2.2.6(5)(b) (relating to patient toilet room)	18
	2.5-2.2.2.7 (relating to patient bathing facilities)	18
	2.5-2.2.4.2(1) and (2) (relating to airborne infection isolation room)	18
	2.5-2.2.4.3 (relating to seclusion room)	18
	2.5-2.2.8.17 (relating to conference room)	18
	2.5-2.2.10.2(2)(b)(ii) (relating to social spaces)	18
	2.5-7.2.2.3(5)(a) (relating to doors and door hardware)	18
	2.5-7.2.2.5 (relating to windows)	18

<i>Facility Name</i>	<i>FGI Guidelines Section and relating to</i>	<i>Yr¹</i>
	2.5-7.2.2.6 (relating to patient toilet room/bathing facility hardware and accessories)	18
	2.5-7.2.2.7 (relating to fire sprinklers and other protrusions)	18
	2.5-7.2.3.3(1)(a) and (b) (relating to ceilings)	18
	2.5-8.3.4.2(1) (relating to lighting for specific locations in the psychiatric hospital)	18
	2.5-8.3.6.1(2) (relating to receptacles in patient bedrooms)	18
	2.5-8.4.2 (relating to plumbing fixtures)	18
Geisinger Jersey Shore Hospital	2.1-3.2.2.1 (relating to space requirements)	18
Geisinger—Lewistown Hospital	2.1-2.2.5.1(1) (relating to location)	18
	2.1-3.4.2.6(1) (relating to other design requirements)	18
Geisinger Medical Center	2.2-2.2.2.7(2)(c)(i) (relating to patient bathing facilities)	18
Heritage Valley Kennedy	2.1-3.4.2.2(2)(c) (relating to space requirements)	18
	2.1-7.2.3.3(3)(a)—(c) (relating to ceilings)	18-O
	2.5-2.2.2.6(1) (relating to patient toilet room)	18
Penn Highlands Dubois	1.2-6.4.2.2 (relating to design response for accommodations for patients of size)	18-O
	1.2-6.4.2.2 (relating to patients of size)	18-O
	2.1-2.7.1.1 (relating to clearances)	18-O
	2.1-2.10.2.1 (relating to design elements for patients of size)	18-O
	2.1-2.10.2.1 (relating to door openings)	18-O
	2.1-2.10.2.2 (relating to design elements for patients of size)	18-O
	2.1-2.10.2.2 (relating to door openings)	18-O
	2.1-3.2.1.2(2)(a)(i) and (ii) and (b)(ii) (relating to single-patient examination/observation room)	18-O
	2.1-3.8.12.2(1) and (2) (relating to soiled workroom)	18-O
	2.1-3.10.2.1 (relating to patient toilet room(s))	18-O
	2.1-6.2.4.1 (relating to public toilet room)	18-O
	2.1-6.4.1 (relating to support areas for staff)	18-O
	2.1-8.3.6.2 (relating to receptacles in patient care areas)	18-O
	2.1-8.4.4 (relating to medical gas and vacuum system)	18-O
	2.2-2.5.2.5 (relating to handwashing station)	18-O
	2.2-2.5.2.7(2)(c)(i) and (ii) (relating to patient bathing facilities)	18-O
	2.2-2.5.8.13 (relating to equipment supply and storage)	18-O
	2.2-3.4.1.3(1)(d) (relating to imaging services)	18-O
	2.6-2 (relating to accommodations for care of patients of size)	18-O
Penn Highlands Huntingdon	1.2-6.4.2.2 (relating to patients of size)	18-O
	2.1-3.5.8.12(2)(a) and (b)	18-O
	2.1-3.8.12.3(1) and (2) (relating to soiled holding room)	18-O
	2.1-3.10.2.1 (relating to patient toilet room(s))	18-O
	2.1-3.10.2.2 (relating to patient toilet room(s))	18-O
Saint Luke's Hospital—Upper Bucks Campus	2.2-2.2.8.3 (relating to place for meditation and prayer)	14
UPMC Jameson	2.2-3.4.2.2(2)(a) (relating to space requirements)	18
UPMC Presbyterian Shadyside	2.1-7.2.2.2(1) (relating to ceiling height)	18
	2.1-7.2.2.5 (relating to windows in patient rooms)	18
	2.1-8.5.2.3(2) and (3)(b) (relating to technology distribution room (TDR))	18
	2.2-2.6.2.2(1) (relating to space requirements)	18
	2.2-2.6.2.2(2) (relating to clearances)	18

<i>Facility Name</i>	<i>FGI Guidelines Section and relating to</i>	<i>Yr¹</i>
	2.2-2.6.6.11(2) (relating to equipment and supply storage)	18
	2.2-2.6.7 (relating to staff accommodations)	18
	2.2-2.6.8.1(2) (relating to family and visitor lounge)	18
Warren General Hospital	2.1-3.5.2.2(2)(a) (relating to space requirements)	18-O
Washington Hospital, The	2.1-3.5.5 (relating to magnetic resonance imaging room (MRI) facilities)	18-O

¹ 2018 Year FGI Regulations for Outpatient Facilities are indicated by “-O.”

The previously listed requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov. Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed address. Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or for speech and/or hearing impaired persons, call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

RACHEL L. LEVINE, MD,
Secretary

[Pa.B. Doc. No. 20-746. Filed for public inspection June 5, 2020, 9:00 a.m.]

DEPARTMENT OF HEALTH

Long-Term Care Nursing Facilities; Requests for Exception

The following long-term care nursing facilities are seeking exceptions to 28 Pa. Code § 201.22(e) and (j) (relating to prevention, control and surveillance of tuberculosis (TB)):

Hampton House
1548 Sans Souci Parkway
Wilkes-Barre, PA 18706
FAC ID # 080302

ManorCare Health Services—Pottsville
Pulaski and Leader Drive
Pottsville, PA 17901
FAC ID # 383802

The following long-term care nursing facilities are seeking exceptions to 28 Pa. Code § 201.22(j):

The Gardens at Camp Hill
46 Erford Road
Camp Hill, PA 17011
FAC ID # 030502

Orchard Manor, Inc.
20 Orchard Drive
Grove City, PA 16127
FAC ID # 410802

These requests are on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed address.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing-impaired persons, call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

RACHEL L. LEVINE, MD,
Secretary

[Pa.B. Doc. No. 20-747. Filed for public inspection June 5, 2020, 9:00 a.m.]

DEPARTMENT OF HEALTH

Newborn Hearing Screening Program Monthly Hearing Screening Report

The Infant Hearing Education, Assessment, Reporting and Referral (IHEARR) Act (11 P.S. §§ 876-1—876-9) requires hospitals, birth centers and midwives (submitters) to report the number of newborns and infants screened for hearing loss and the results of the screening to the Newborn Hearing Screening Program (Program), overseen by the Department of Health, Division of Newborn Screening and Genetics. Effective July 1, 2020, submitters without access to the Program’s web-based case management system (iCMS) will no longer be required to submit an additional aggregate monthly hearing screening report. All submitters with access to iCMS are required to continue to report individual level hearing screening results for all hearing screenings completed (inpatient or outpatient screens) for all newborns birthed

by the submitter through iCMS. All submitters without access to iCMS are required to continue to report individual hearing screening results for all hearing screenings completed (inpatient or outpatient screens) for all newborns birthed by the submitter on the Hearing Screening Reporting Form, to be faxed to the Program at (717) 705-9386. For additional information, contact Candance Sanderson, Public Health Program Administrator, Division of Newborn Screening and Genetics, at (717) 783-8143. Speech and/or hearing-impaired persons use V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

RACHEL L. LEVINE, MD,
Secretary

[Pa.B. Doc. No. 20-748. Filed for public inspection June 5, 2020, 9:00 a.m.]

INSURANCE DEPARTMENT

Application and Request for a Certificate of Authority to Provide a Continuing Care Retirement Community by Mountain View SNF Operations, LLC

Mountain View SNF Operations, LLC has applied for a Certificate of Authority to operate a Continuing Care Retirement Community at Trevorton Independent Living in Coal Township, PA. The initial filing was received on May 18, 2020, and was made under the Continuing-Care Provider Registration and Disclosure Act (40 P.S. §§ 3201—3225).

Persons wishing to comment on the grounds of public or private interest to the issuance of a Certificate of Authority are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address and telephone number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient details to inform the Department of the exact basis of the statement. Written statements should be directed to Karen M. Feather, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557, kfeather@pa.gov.

JESSICA K. ALTMAN,
Insurance Commissioner

[Pa.B. Doc. No. 20-749. Filed for public inspection June 5, 2020, 9:00 a.m.]

PENNSYLVANIA INFRASTRUCTURE INVESTMENT AUTHORITY DEPARTMENT OF ENVIRONMENTAL PROTECTION

Clean Water and Drinking Water State Revolving Fund Programs; Federal Fiscal Year 2020 Intended Use Plans; Public Meeting

The Pennsylvania Infrastructure Investment Authority (PENNVEST) and the Department of Environmental Protection (Department) have prepared the Federal Fiscal Year (FY) 2020 Intended Use Plans (IUP). These IUPs include a list of drinking water, wastewater treatment, nonpoint source and pollution abatement projects to be considered for a design and engineering or construction loan or grant from funds the Commonwealth expects to receive from the United States Environmental Protection Agency (EPA) through the Drinking Water State Revolving Fund (DWSRF) and Clean Water State Revolving Fund (CWSRF) programs for FY 2020.

The projects to be considered for a loan or grant from the DWSRF and CWSRF programs must meet the Federal requirements for funding in accordance with the Federal Safe Drinking Water Act (42 U.S.C.A. §§ 300f—300j-27) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1388). Accordingly, the projects included in the IUPs are expected to meet the requirements applicable to the use of the DWSRF and CWSRF loan or grant funds. Projects listed in the FY 2020 IUPs are on the Commonwealth's Project Priority Lists (PPL) and are expected to proceed with design and engineering or construction within the next 2 years. A project must appear on a PENNVEST-approved IUP before it can receive a loan or grant from the State Revolving Fund programs. A project's readiness to proceed and the reasonable availability of alternative funds also have a bearing on project selection for the IUPs. Consequently, the rank ordered list of projects on the PPLs does not solely dictate the order in which projects will be chosen for inclusion in an IUP.

The DWSRF will be capitalized with an approximated maximum of \$33.9 million in Federal funds and \$6.8 million of State funds. Approximately \$9.1 million of these funds will be set aside for technical assistance to small systems, operator training and certification, and source water assessment and protection, as authorized under the Federal Safe Drinking Water Act. The DWSRF IUP also includes a narrative work plan that describes how these set-aside funds will be used. PENNVEST is also allocating \$1.4 million for administrative purposes. Finally, an additional \$6.8 million must be set-aside for additional subsidization to disadvantaged communities. The FY 2020 DWSRF grant does not have a requirement to set aside funding for green infrastructure projects. However, the Commonwealth will continue to promote green infrastructure projects that meet the EPA criteria for green infrastructure and can fall into one or more of four categories: (1) water efficiency; (2) energy efficiency; (3) environmentally innovative; and (4) green stormwater infrastructure.

The CWSRF will be capitalized with an approximated maximum of \$62.9 million of Federal funds and approximately \$12.6 million of State funds. One million dollars will be set aside for the Onlot Sewage Disposal Program. Finally, an approximated maximum of \$25.2 million may be set aside for additional subsidization to disadvantaged communities and approximately \$6.3 million must be set aside for green infrastructure projects that meet the EPA criteria for green infrastructure and can fall into one or more of four categories: (1) water efficiency; (2) energy efficiency; (3) environmentally innovative; and (4) green stormwater infrastructure.

The CWSRF will be capitalized with an approximated maximum of \$62.9 million of Federal funds and approximately \$12.6 million of State funds. One million dollars will be set aside for the Onlot Sewage Disposal Program. Finally, an approximated maximum of \$25.2 million may be set aside for additional subsidization to disadvantaged communities and approximately \$6.3 million must be set aside for green infrastructure projects that meet the EPA criteria for green infrastructure and can fall into one or more of four categories: (1) water efficiency; (2) energy efficiency; (3) environmentally innovative; and (4) green stormwater infrastructure.

A copy of the IUPs, ranking frameworks, the PPLs and the DWSRF set-aside work plan may be obtained by contacting Jay Patel, Division of Municipal Facilities, at (717) 787-5017 or through the Department's web site at www.dep.pa.gov/Business/Water/CleanWater/Infrastructure/Finance. The link to these documents is on the right-hand side of the page under "State Revolving Fund Intended Use Plan."

Interested persons may submit comments on the narrative portion of the IUPs, the PPLs and the DWSRF set-aside work plan to the Department through Monday, July 6, 2020. Comments, including comments submitted by e-mail, must include the commentator's name and address. Commentators are encouraged to submit comments using the Department's online eComment tool at www.ahs.dep.pa.gov/eComment or by e-mail to ecomment@pa.gov. Written comments can be mailed to the Policy Office, Department of Environmental Protection, Rachel Carson State Office Building, P.O. Box 2063, Harrisburg, PA 17105-2063. Use "Clean Water and Drinking Water State Revolving Funds" as the subject line in written communication.

Department of Environmental Protection
Bureau of Clean Water
Division of Municipal Facilities
P.O. Box 8774
11th Floor, Rachel Carson State Office Building
400 Market Street
Harrisburg, PA 17101-8774
(717) 787-5017

PENNVEST
333 Market Street, 18th Floor
Harrisburg, PA 17101-2210
(717) 783-6589
(877) 787-8137

PATRICK McDONNELL,
Secretary
Department of Environmental Protection
Vice Chairperson
Pennsylvania Infrastructure Investment Authority

BRION JOHNSON,
Executive Director
Pennsylvania Infrastructure Investment Authority
[Pa.B. Doc. No. 20-750. Filed for public inspection June 5, 2020, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a

common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Protests may only be filed if there is evidence that the applicant lacks fitness. Protests based on endangering or impairing operations of an existing carrier will not be honored. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy served on the applicant by June 22, 2020. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8:00 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

Applications of the following for approval to *begin operating as common carriers for transportation of persons as described under each application.*

A-2020-3019791. Bridge City Non Emergency Transportation, LLC (1708 Beryl Drive, Pittsburgh, Allegheny County, PA 15227) in paratransit service, from points in the Counties of Allegheny, Beaver and Butler, to points in Pennsylvania, and return.

A-2020-3019898. Keystone Valley Transportation, LLC (7 Pethick Street, Wilkes-Barre, Luzerne County, PA 18702) for the right to begin to transport, as a common carrier, by motor vehicles, persons in paratransit service, between points in the Counties of Lackawanna, Luzerne and Wyoming.

Application of the following for approval of the *beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of household goods as described under the application.*

A-2020-3019650. Movers & Co., LLC (2517 Valley Drive, Lancaster, Lancaster County, PA 17603) for the right to begin to transport, as a common carrier, by motor vehicle, household goods in use, between points in Pennsylvania.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 20-751. Filed for public inspection June 5, 2020, 9:00 a.m.]