

NOTICES

AUTOMOBILE THEFT PREVENTION AUTHORITY

Meeting Notice

A public meeting of the Automobile Theft Prevention Authority will be held on June 24, 1996, at 10 a.m. in the offices of the Insurance Department located in Strawberry Square, Harrisburg. The meeting will be held in Conference Room #1 on the 13th Floor.

Any interested member of the public is invited to attend. Seating may be limited, and advance notice of attendance is requested. Please contact Michelle Staton of the Authority at (717) 975-9074 to request seating.

RONALD L. PRICE,
Chairperson

[Pa.B. Doc. No. 96-965. Filed for public inspection June 14, 1996, 9:00 a.m.]

DEPARTMENT OF AGRICULTURE

Pseudorabies Advisory Committee

The Secretary of the Department of Agriculture, under amendment of 7 Pa. Code, Chapter 10, Pseudorabies Disease, effective May 11, 1996, is establishing an Advisory Committee to provide consultation regarding pseudorabies eradication.

It will be the responsibility of the Advisory Committee to do the following:

(1) Inform and educate all segments of the Commonwealth's swine industry regarding pseudorabies eradication activities;

(2) Review the Eradication Program and make recommendations to the Department and to USDA-APHIS officials;

(3) Consult with the Department, as appropriate, on the subjects of Eradication Program budgeting, regulations, the use of vaccine and the Commonwealth's progress through the various stages of the Eradication Program;

(4) Maintain a liaison with other states and the National Pseudorabies Eradication Program through the National Pork Producers Council, the United States Animal Health Association, the Livestock Conservation Institute and USDA-APHIS; and

(5) Perform the duties of a "State Pseudorabies Committee," as that term is defined in the Eradication Program.

Notice is hereby given that nominations of representatives of the Commonwealth's swine industry for appointment to this Advisory Committee are solicited and will be accepted until July 1, 1996. At least six, but no more than eight, industry representatives will be appointed for a term of 2 years.

Nominations for the (Pseudorabies) Advisory Committee shall be made by writing to Max A. Van Buskirk, Jr., Director, Bureau of Animal Industry, 2301 North Cameron Street, Harrisburg, PA 17110-9408.

CHARLES C. BROSIUS,
Secretary

[Pa.B. Doc. No. 96-966. Filed for public inspection June 14, 1996, 9:00 a.m.]

DEPARTMENT OF BANKING

Action on Applications

The Department of Banking of the Commonwealth of Pennsylvania, under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending June 4, 1996.

BANKING INSTITUTIONS

Charter Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
5-30-96	Suburban Community Bank Chalfont Bucks County	195 Butler Avenue Chalfont Bucks County	Approved

Conversions

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
5-31-96	Integra Bank Pittsburgh Allegheny County	Pittsburgh	Effective

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
	<i>To:</i> National City Bank, Pennsylvania Pittsburgh Allegheny County		
	Represents conversion from a State-chartered banking institution to a National banking association.		

Branch Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
7-14-95	Elderton State Bank Elderton Armstrong County	121 N. McKean St. Kittanning Armstrong County	Opened
5-13-96	Standard Bank, PaSB Murrysville Westmoreland County	Davis Supermarket Eastgate Plaza 730 East Pittsburgh St. Greensburg Westmoreland County	Opened
5-28-96	The York Bank and Trust Company York York County	Weis Market 800 South 12th St. Lebanon Lebanon County	Opened
5-29-96	Mid-State Bank and Trust Company Altoona Blair County	West College Ave. and Whitehall Rd. State College Ferguson Township Centre County	Approved
5-29-96	Northwest Savings Bank Warren Warren County	151 Pittsburgh Road Butler Butler County	Filed
5-30-96	The Dime Bank Honesdale Wayne County	Route 507 Greentown Pike County	Filed
5-31-96	Keystone Savings Bank Bethlehem Northampton County	Laneco Store 4933 Route 873 Schnecksville Lehigh County	Opened
6-4-96	The Drovers & Mechanics Bank York York County	Northeast Intersection of Kreuz Creek Rd. and E. Market St. (Route 462) Hellam Township York County	Filed

Branch Relocations

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
5-20-96	C & G Savings Bank Altoona Blair County	<i>To:</i> 433 Railroad Ave. Patton Cambria County (Formerly noted as 410 Patton Plaza.) <i>From:</i> 447 Magee Avenue Patton Cambria County	Effective

Branch Discontinuances

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
6-3-96	The Drovers & Mechanics Bank York York County	2 East Main Street Windsor York County	Filed

SAVINGS ASSOCIATIONS

Branch Applications

<i>Date</i>	<i>Name of Association</i>	<i>Location</i>	<i>Action</i>
5-29-96	East Stroudsburg Savings Association Stroudsburg Monroe County	U. S. Highway 209 and Edward F. Smith Boulevard Bushkill Middle Smithfield Twp. Monroe County	Approved

CREDIT UNIONS

Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name of Credit Union</i>	<i>Location</i>	<i>Action</i>
6-1-96	Nationwide Federal Credit Union, Columbus, OH, and Nationwide Pennsylvania Employees Credit Union, Harrisburg, PA surviving institution—Nationwide Federal Credit Union, Columbus, OH	Columbus, OH	Effective

RICHARD C. RISHEL,
Secretary

[Pa.B. Doc. No. 96-967. Filed for public inspection June 14, 1996, 9:00 a.m.]

Maximum Lawful Rate of Interest for Residential Mortgages for the Month of July 1996

The Department of Banking of the Commonwealth of Pennsylvania, under the authority contained in section 301 of the act of January 30, 1974 (P. L. 13, No. 6) (41 P. S. § 301), hereby determines that the maximum lawful rate of interest for residential mortgages for the month of July is 9 1/2%.

The interest rate limitations under the State's usury statute were preempted to a great extent by Federal law, the Depository Institutions Deregulation and Monetary Control Act of 1980 (Pub. L. 96-221). Further preemption was instituted with the signing of Pub. L. 96-399, which overrode State interest rate limitations on any individual who finances the sale or exchange of residential real property which such individual owns and which such individual occupies or has occupied as a principal residence.

Each month the Department of Banking is required by State law to compute and announce the ceiling rate on residential mortgages in Pennsylvania. This maximum rate is determined by adding 2.50 percentage points to the yield rate on long-term government bonds as published by the Federal Reserve Board and/or the U. S. Treasury. The latest yield rate on long-term government securities is 7.08 to which was added 2.50 percentage points for a total of 9.58 that by law is rounded off to the nearest quarter at 9 1/2%.

RICHARD C. RISHEL,
Secretary

[Pa.B. Doc. No. 96-968. Filed for public inspection June 14, 1996, 9:00 a.m.]

DEPARTMENT OF COMMUNITY AFFAIRS

Weatherization Assistance Program; Public Hearing

The Department of Community Affairs hereby publishes notice of a public hearing to be held at 10 a.m. on June 26, 1996, in Room 321 of the Forum Building, Commonwealth Avenue and Walnut Streets, Harrisburg, PA 17120. The purpose of this hearing is to receive comments on the Weatherization Assistance Program's proposed State Plan, to be submitted to the Department of Energy for program year 1996-97.

A copy of this plan may be obtained by contacting the Department of Community Affairs, Bureau of Human Resources, Room 362 Forum Building, Harrisburg, PA 17120. The phone number is (717) 783-2576. A copy may also be obtained at the following Department of Community Affairs' Regional Offices:

Harrisburg Regional Office
402 Finance Building
Harrisburg, PA 17120
(717) 787-7347

Philadelphia Regional Office
908 State Office Building
Broad and Spring Streets
Philadelphia, PA 19130
(215) 560-2256

Pittsburgh Regional Office
412 State Office Building
300 Liberty Avenue
Pittsburgh, PA 15222
(412) 565-5002

Scranton Regional Office
201 Samters Building
101 Penn Avenue
Scranton, PA 18503-2025
(717) 963-4571

Erie Regional Office
Third Floor, Rothrock Building
121 West Tenth Street
Erie, PA 16501
(814) 871-4241

Written comments may be submitted to Dennis Darling, Director, Bureau of Human Resources, Room 358, Forum Building, Harrisburg, PA 17120, until 5 p.m. on June 26, 1996.

Persons with a disability who wish to attend this hearing and require auxiliary aid, service or other accommodations to participate in the proceedings should contact Dennis Darling at (717) 787-1984, to discuss how the Department of Community Affairs may best accommodate their needs. Alternative formats of the document, (for example, large print or cassette tape) can be made available to the public upon request.

DAVID E. BLACK,
Acting Secretary

[Pa.B. Doc. No. 96-969. Filed for public inspection June 24, 1996, 9:00 a.m.]

DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES

State Parks Natural Areas

The following areas are proposed to be added to the State Parks Natural Areas listing under 17 Pa. Code § 17.5 (relating to natural area designation procedure).

Questions or comments on the proposed additions should be forwarded to Roger Fickes, Director, Bureau of State Parks, P. O. Box 8551, Harrisburg, PA 17105-8551. Comments must be received within 30 days following publication of this notice.

State Parks Natural Areas Proposed Additions

<i>Name</i>	<i>Acreage</i>	<i>Park</i>	<i>Location</i>	<i>Feature</i>
Swamp Forest	246	Cook Forest	Clarion and Forest Counties, Cooksburg Quad, off PA Route 66 and No. Pine Grove	Perched water table gives rise to palustrine wetland of old growth eastern hemlock and white pine at the headwaters of Brown's Run.
Mud Run	1,335	Hickory Run	Carbon County, Hickory Run Quad, north of PA Route 903	Remote mountain stream lined with rhododendron and eastern hemlock, buffered by mature hardwood forest. Stream contains a viable native trout population.
Mud Swamp	152	Hickory Run	Carbon County, Hickory Run Quad, south of PA Route 903	Remote emergent wetland containing rare plant species of concern.
Hemlock Trail	5.8	Laurel Hill	Somerset County, Bakersville Quad, off Buck Run Road	Scenic area of old growth eastern hemlock. Includes a picturesque portion of Laurel Hill Creek which contains a viable native trout population.
Neshaminy Tidal Marsh	70	Neshaminy	Bucks County, Beverly PA-NJ Quad, off State Road, Bensalem	Freshwater intertidal marsh along the shores of the Delaware River and Neshaminy Creek containing many rare plants.
Black Jack Swamp	725	Pymatuning	Crawford County, Leon, OH-PA and Linesville Quad, off Phelps Road	Palustrine, scrub-shrub, and emergent wetlands adjacent to Pymatuning Lake. Provides habitat for plant and animal species of concern.
Clark Island	161	Pymatuning	Crawford County, Linesville Quad, northernmost portion of Pymatuning Lake	Mature forest of hardwood and white pine containing an inland, lake-fed pond. Provides habitat for plant species of concern.

Name	Acreage	Park	Location	Feature
Fall Brook	34	Salt Spring	Susquehanna County, Franklin Forks, PA-NY Quad, off PA Route 29	Area contains many old growth hemlocks and includes a steep gorge with picturesque stream and series of waterfalls.

JOHN C. OLIVER,
Secretary

[Pa.B. Doc. No. 96-970. Filed for public inspection June 14, 1996, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

The following parties have applied for an NPDES permit to discharge controlled wastewaters into the surface waters of this Commonwealth. Unless otherwise indicated on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection proposes to issue a permit to discharge, subject to certain effluent limitations and special conditions. These proposed determinations are tentative.

Where indicated, the EPA, Region III, Regional Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.6E.

Persons wishing to comment on the proposed permit are invited to submit a statement to the Field Office indicated as the office responsible, within 30 days from the date of this public notice. Comments received within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Field Office of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the Field Office considers the public response significant.

Following the 30-day comment period, the Water Management Program Managers will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, proposed effluent limitations and special conditions, comments received and other information are on file and may be inspected and arrangements made for copying at the Field Office indicated above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceeding should contact the Secretary to the Board at (717) 787-3483. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at 1 (800) 654-5984.

Applications for National Pollutant Discharge Elimination System (NPDES) permit to discharge to State waters.

Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.

PA 0004936. Industrial waste, SIC: 3264 and 3269, **Vesuvius McDanel**, 510 Ninth Avenue, P. O. Box 560, Beaver Falls, PA 15010.

This application is for renewal of an NPDES permit to discharge treated process water and untreated stormwater from Vesuvius McDanel Refractory Company in the City of Beaver Falls, **Beaver County**.

The following effluent limitations are proposed for discharge to the receiving waters Walnut Bottom Run classified as warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply (PWS) considered during the evaluation is Beaver Falls Municipal Authority, Eastvale Plant, located at Beaver Falls, 0.189 mile below the discharge point.

Outfall 001: existing discharge, design flow of 0.003 mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow	monitor and report				
Total Suspended Solids			30		60
pH	6.0—9.0				

Outfall 003: stormwater runoff discharge to Walnut Bottom Run.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>

The discharge via this outfall shall consist of uncontaminated stormwater runoff only.

The EPA waiver is in effect.

PA 0022004. Industrial waste, SIC: 2819, **Akzo Nobel Chemicals, Inc.**, Route 481, R. D. 2, Box 12, Monongahela, PA 15063.

This application is for renewal of an NPDES permit to discharge treated process water cooling water, and untreated stormwater from its Monongahela Plant in Carroll Township, **Washington County**.

The following effluent limitations are proposed for discharge to the receiving waters of Pigeon Creek classified as warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply (PWS) considered during the evaluation is West Penn Water Company, located at Elrama, 8.3 miles below the discharge point.

Outfall 101: existing discharge, design flow of 0.027 mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow	monitor and report				
Total Suspended Solids	10	20	30		60
Oil and Grease		3.34			10
Carbon Disulfide	0.33	0.66	1.0		2.0
pH	6.0—9.0				

Outfall 001: existing discharge to Pigeon Creek.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>

Discharges from this outfall shall consist of uncontaminated stormwater runoff and sources monitored at Internal Monitoring Point 101.

Outfall 002: existing discharge to Pigeon Creek.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>

Discharges from this outfall shall consist of uncontaminated stormwater runoff.

The EPA waiver is in effect.

PA 0204153. Industrial waste, SIC: 4911, **Air Products and Chemicals, Inc.**, 7201 Hamilton Boulevard, Allentown, PA 18195-1501.

This application is for renewal of an NPDES permit to discharge treated process water, untreated stormwater and raw water (pump recycle water) from Cambria CoGen Company in Cambria Township, **Cambria County**.

The following effluent limitations are proposed for discharge to the receiving waters of Little Conemaugh River classified as cold water fishery with existing and/or potential uses for aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply (PWS) considered during the evaluation is Saltsburg Municipal Water Works, located 57.0 miles below the discharge point.

Internal Monitoring Point 101: existing discharge, design flow of 0.248 mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (mgd)	monitor and report				
Total Suspended Solids			30	100	
Oil and Grease			15	20	30
Chromium			0.2	0.2	
Zinc			1.0	1.0	
Temperature					110
Free Available Chlorine			0.2		0.5

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Total Residual Chlorine			0.5		1.25
pH	6.0—9.0				

Outfall 001: existing discharge (0.248 mgd) to Little Conemaugh River.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
The discharge via this outfall shall only consist of sources limited at Internal Monitoring Point 101.					

Outfall 002: existing discharge to north branch of Little Conemaugh River.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
The discharge shall only consist of raw water (pump recycle water) from Wilmore Dam.					

Outfall 003: existing stormwater discharge to north branch of Little Conemaugh River.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
The discharge shall consist of uncontaminated stormwater runoff only.					

The EPA waiver is in effect.

PA 0030082. Sewage, **Brownsville General Hospital**, 125 Simpson Road, Brownsville, PA 15417.

This application is for renewal of an NPDES permit to discharge treated sewage from the Brownsville General Hospital Sewage Treatment Plant in Redstone Township, **Fayette County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Dunlap Creek, which are classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Pennsylvania American Water Company.

Outfall 001: existing discharge, design flow of 0.045 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	10			20
Suspended Solids	25			50
Ammonia Nitrogen				
(5-1 to 10-31)	1.5			3.0
(11-1 to 4-30)	4.5			9.0
Fecal Coliforms				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine				
1st month—36th month	monitor and report			
37th month—expiration	1.4			3.3
Dissolved Oxygen	not less than 5.0 mg/l			
pH	6.0—9.0			

The EPA waiver is in effect.

PA 0092045. Sewage, **Stanton Enterprises, Inc.**, 127 West Byers Avenue, New Stanton, PA 15672.

This application is for renewal of an NPDES permit to discharge treated sewage from the Stanton Enterprises Sewage Treatment Plant in Dunbar Township, **Fayette County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as an unnamed tributary of Gist Run, which are classified as a trout stocked fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the North Fayette County Municipal Authority.

Outfall 001: existing discharge, design flow of .010 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	10			20
Suspended Solids	10			20
Ammonia Nitrogen				
(5-1 to 10-31)	3.0			6.0
(11-1 to 4-30)	9.0			18.0
Fecal Coliforms				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine				
1st month—36th month	monitor and report			
37th month—expiration	1.4			3.3
Dissolved Oxygen	not less than 3.0 mg/l			
pH	6.0—9.0			

The EPA waiver is in effect.

PA 0095702. Sewage, **Rosewood Farm Manor**, R. D. 1, Prosperity, PA 15329.

This application is for renewal of an NPDES permit to discharge treated sewage from the Rosewood Farm Sewage Treatment Plant in South Franklin Township, **Washington County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Tenmile Creek, which are classified as a trout stocked fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Marianna Municipal Water Works.

Outfall 001: existing discharge, design flow of 0.02 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	25			50
Suspended Solids	30			60
Ammonia Nitrogen				
(5-1 to 10-31)	3			6
(11-1 to 4-30)	9			18
Fecal Coliforms				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	3,500/100 ml as a geometric mean			
Total Residual Chlorine				
1st month—36th month	monitor and report			
37th month—expiration	0.5			1.2
Dissolved Oxygen	not less than 5.0 mg/l			
pH	6.0—9.0			

The EPA waiver is in effect.

PA 0096164. Sewage, **Jeffrey Smith**, 264 East Beaver Street, Sewickley, PA 15143.

This application is for renewal of an NPDES permit to discharge treated sewage from Little Village STP in Donegal Township, **Westmoreland County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Indian Creek, which are classified as a high quality cold water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Westmoreland Municipal Water Authority.

Outfall 001: existing discharge, design flow of .014 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	10			20
Suspended Solids	25			50
Ammonia Nitrogen				
(5-1 to 10-31)	3.0			6.0
(11-1 to 4-30)	9.0			18.0

Parameter	Concentration (mg/l)			
	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
Total Residual Chlorine	monitor and report			
1st month—36th month	1.4			3.3
37th month—expiration date				
Fecal Coliforms	200/100 ml as a geometric mean			
(5-1 to 9-30)	20,000/100 ml as a geometric mean			
(10-1 to 4-30)	not less than 5.0 mg/l			
Dissolved Oxygen	6.0—9.0			
pH				

The EPA waiver is in effect.

Southcentral Regional Office: Regional Water Management Program Manager, One Ararat Boulevard, Harrisburg, PA 17110, telephone (717) 657-4590.

PA 0110191. Industrial waste, SIC: 2015, **Empire Kosher Poultry, Inc.**, R. D. 1, P. O. Box 165, Mifflintown, PA 17059-0165.

This application is for renewal of an NPDES permit for an existing discharge of treated industrial waste to the Juniata River, in Wayne Township, **Mifflin County**.

The receiving stream is classified for warm water fishes, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was Dauphin Consolidated Water Company located just north of Fort Hunter near Harrisburg. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.304 mgd are:

Parameter	Average Monthly (mg/l)	Maximum Daily (mg/l)	Instantaneous Maximum (mg/l)
pH (s.u.)	from 6.0—9.0 inclusive		
Dissolved Oxygen	minimum of 5.0 mg/l at all times		
Total Residual Chlorine	1.5		2.5
Total Suspended Solids	25	50	75
CBOD ₅	20	40	50
NH ₃ -N			
(5-1 to 10-31)	15		37.5
(11-1 to 4-30)	monitor and report		monitor and report
Fecal Coliforms			
(5-1 to 9-30)	200		
(10-1 to 4-30)	100,000		
Oil and Grease	15		30

The EPA waiver is in effect.

PA 0087386. Industrial waste, SIC: 5541, **Worley and Obetz, Inc.**, 85 White Oak Road, Manheim, PA 17545.

This application is for issuance of an NPDES permit for a new discharge of treated industrial waste to Chickies Creek, in Penn Township, **Lancaster County**.

The receiving stream is classified for warm water fishery, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was the Columbia Water Company located in Columbia Borough, Lancaster County. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.144 mgd are:

Parameter	Average Monthly (mg/l)	Maximum Daily (mg/l)	Instantaneous Maximum (mg/l)
Total BTEX	0.1	0.2	0.25
Benzene	0.01	0.02	0.025
MTBE	11.0	22.0	27.5
Oil and Grease	15.0		30.0
Toluene	monitor and report		
Ethylbenzene	monitor and report		
Xylene	monitor and report		
pH	from 6.0—9.0 inclusive		

The EPA waiver is in effect.

PA 0084395. Industrial waste, SIC: 4941, **Department of Corrections**, P. O. Box 200, Camp Hill, PA 17001-0200.

This application is for issuance of an NPDES permit for an existing discharge of treated industrial waste to Cedar Run, in Lower Allen Township, **Cumberland County**.

The receiving stream is classified for cold water fishes, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was Pennsylvania American Water Company located in Fairview Township, York County. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of .020 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
pH	from 6.0—9.0 inclusive		
Total Suspended Solids	30	60	75
Total Aluminum	4	8	10
Total Iron	2	4	5
Total Manganese	1	2	2.5
Total Residual Chlorine	report	report	

Stormwater requirements are in effect for Outfall 002.

The EPA waiver is in effect.

PA 0086916. Industrial waste, SIC: 7538, **Wolfe's Auto Service**, 3063 Lebanon Road, Manheim, PA 17545.

This application is for issuance of an NPDES permit for a new discharge of treated industrial waste to a dry swale of Shearer's Creek, in Rapho Township, **Lancaster County**.

The receiving stream is classified for high quality cold water fishery, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was the Columbia Water Company located in Columbia Borough, Lancaster County. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.014 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total BTEX	0.1	0.2	0.25
Benzene	0.001	0.002	0.0025
Toluene	monitor and report		
Ethylbenzene	monitor and report		
Xylene	monitor and report		
pH	6.0—9.0		

The EPA waiver is in effect.

PA 0087408. Sewage, SIC: 7011, **Midway Lodgings, Incorporated** (Comfort Inn), P. O. Box 6, Bethel, PA 19507.

This application is for issuance of an NPDES permit for a new discharge of treated sewage to an unnamed tributary of Little Swatara Creek, in Bethel Township, **Berks County**.

The receiving stream is classified for cold water fishery, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was Pennsylvania American Water Company located in South Hanover Township, Dauphin County on the Swatara Creek. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.024 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	15			30
Suspended Solids	30			60
NH ₃ -N				
(5-1 to 10-31)	3.0			6.0
(11-1 to 4-30)	9.0			18.0
Total Residual Chlorine	<0.1			<0.2
Dissolved Oxygen	minimum of 6.0 at all times			
pH	from 6.0 to 9.0 inclusive			
Fecal Coliforms				
(5-1 to 9-30)	200/100 ml as a geometric average			
(10-1 to 4-30)	3,000/100 ml as a geometric average			

The EPA waiver is in effect.

Northwest Regional Office: Regional Manager, Water Management, 230 Chestnut Street, Meadville, PA 16335, telephone (814) 332-6942.

PA 0034941. Sewage, **West Mead Industrial Park Crawford County Development Corporation**, R. D. 2, Dunham Road, Meadville, PA 16335.

This application is for a renewal and transfer of a Part I NPDES permit to discharge treated sewage to the unnamed tributary to French Creek in West Mead Township, **Crawford County**. This is an existing discharge.

The receiving water is classified for the following uses: warm water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Franklin General Authority on French Creek located at Franklin, approximately 24 miles below point of discharge.

The proposed effluent limits for Outfall No. 001 (after the chlorine contact tank) based on a design flow of .0102 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	50
Total Suspended Solids	30	60
Fecal Coliforms (5-1 to 9-30)	200/100 ml as a geometric average	
(10-1 to 4-30)	2,000/100 ml as a geometric average	
Total Residual Chlorine	.5	1.2
pH	6.0—9.0 at all times	

The EPA waiver is in effect.

PA 0222054. Sewage, **New Life Baptist Church**, Route 208, New Wilmington, PA 16142.

This application is for a new Part I NPDES permit to discharge treated sewage to an unnamed tributary to Little Neshannock Creek in Wilmington Township, **Mercer County**. This is a new discharge.

The receiving water is classified for the following uses: trout stocking, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Beaver River and is used by the Municipal Authority of the Township of North Sewickley which is 31.95 miles below the discharge at Beaver River mile 7.56.

The proposed discharge limits for Outfall No. 001 based on a design flow of 0.001500 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	10	20
Total Suspended Solids	20	40
Fecal Coliforms (5-1 to 9-30)	200/100 ml as a geometric average	
(10-1 to 4-30)	2,000/100 ml as a geometric average	
Total Residual Chlorine	1.5	
pH	6.0—9.0 at all times	

The EPA waiver is in effect.

PA 0003247. Industrial waste, SIC: 3241. **EMAI Corporation, Essroc Materials, Inc.** (Bessemer), 6969 Center Road, Lowell, OH 44436.

This application is for a renewal of an NPDES permit to discharge noncontact cooling water and stormwater runoff to Hickory Run in Bessemer Borough, **Lawrence County**. This is an existing discharge.

The receiving water is classified for the following uses: trout stocking fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Beaver River and is used by the Authority of North Sewickley Township located in North Sewickley Township 20.7 miles below this facility.

The proposed discharge limits, based on a design flow of * mgd are:

- Outfall No. 001 (*0.255 mgd)
- Outfall No. 002 (*0.0432 mgd)
- Outfall No. 003 (*0.0288 mgd)
- Outfall No. 104 (*0.0432 mgd)
- Outfall No. 204 (*0.0216 mgd)
- Outfall No. 005 (*0.4104 mgd)
- Outfall No. 006 (*0.3024 mgd)

Outfall No. 108 (*0.0216 mgd)

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow (mgd)	monitor and report	monitor and report	monitor and report
Total Suspended Solids			5
Temperature (Net)			3.0°C
Discharge Temperature	monitor and report		
Inlet Temperature	monitor and report		
pH	6.0—9.0 at all times		

The proposed discharge limits for Outfall No. 308 based on a design flow of N/A mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow (mgd)	monitor and report		
Total Suspended Solids			50
pH	6.0—9.0 at all times		

The EPA waiver is in effect.

PA 0002143. Industrial waste, SIC: 2621 and 2611. **Willamette Industries, Inc.**, 3800 First Interstate Tower, Portland, OR 97201.

This application is for renewal of an NPDES permit to discharge treated industrial waste and Group 1 stormwater to the Clarion River and Riley Run in Johnsonburg, **Elk County**. This is an existing discharge.

The receiving water is classified for the following uses: cold water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Clarion River and Western PA Water Company located at Clarion, approximately 61 miles below point of discharge.

The proposed discharge limits for Outfall No. 001 (Interim) based on a design flow of 1.24 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	monitor and report		
BOD ₅	25	50	63
Total Suspended Solids	60	120	150
pH	6.0—9.0 at all times		

The proposed discharge limits for Outfall No. 001 (Final) based on a design flow of 1.24 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	monitor and report		
BOD ₅	25	50	63
Total Suspended Solids	30	60	75
pH	6.0—9.0 at all times		

The proposed discharge limits for Outfall No. 002 (Interim) based on a design flow of 14 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	monitor and report		
BOD ₅	31	63	78
Total Suspended Solids	51	128	128
2,3,7,8-TCDD	0.00000000012	0.00000000024	0.00000000030
Sulfide	1.0	2.0	2.5
Chloroform	0.072	0.144	0.18
Temperature (MBTU/day) (2)	monitoring only		
pH	6.0—9.0 at all times		

The proposed discharge limits for Outfall No. 002 (Final) based on a design flow of 14 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	monitor and report		
BOD ₅	31	63	78
Total Suspended Solids	51	128	128
2,3,7,8-TCDD	0.00000000012	0.00000000024	0.00000000030
Sulfide	1.0	2.0	2.5
Chloroform	0.072	0.144	0.18

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Temperature (MBTU/day) (2)	Daily Avg.		
January	2,147		
February	1,621		
March	2,444		
April 1-15	5,763		
April 16-30	3,006		
May 1-15	3,118		
May 16-31	5,636		
June 1-15	4,675		
June 16-30	6,540		
July	5,362		
Aug 1-15	4,612		
Aug 16-31	5,799		
Sept 1-15	3,568		
Sept 16-31	4,118		
Oct 1-15	1,997		
Oct 16-31	2,232		
Nov 1-15	2,000		
Nov 16-30	686		
Dec	2,216		
pH	6.0—9.0 at all times		

The proposed discharge limits for Outfall No. 102 based on a design flow of N/A mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow			monitor and report
BOD ₅			monitor and report
COD			monitor and report
Oil and Grease			monitor and report
Total Suspended Solids			monitor and report
Color			monitor and report
pH			monitor and report

The proposed discharge limits for Outfall No. 004 based on a design flow of N/A mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow			monitor and report
BOD ₅			monitor and report
COD			monitor and report
Oil and Grease			monitor and report
Total Suspended Solids			monitor and report
Color			monitor and report
pH			monitor and report

The EPA waiver is not in effect.

Southeast Regional Office: Regional Manager, Water Management, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, telephone (610) 832-6130.

PA 0033880. Sewage, **Boyertown Area School District**, 911 Montgomery Avenue, Boyertown, PA 19512.

This application is for renewal of an NPDES permit to discharge treated sewage from New Hanover-Upper Frederick, Elementary School in New Hanover Township, **Montgomery County**. This is an existing discharge to unnamed tributary to Swamp Creek.

The receiving stream is classified for warm water fish, trout stocking, potable water supply, industrial water supply, livestock water supply, wildlife water supply, irrigation, boating, fishing, water contact sports, high and esthetics.

The proposed effluent limits for Outfall 001, based on an average flow of 10,000 gpd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅		
(5-1 to 10-31)	10	20
(11-1 to 4-30)	20	40
Suspended Solids	10	20
Ammonia (as N)		
(5-1 to 10-31)	3	6
(11-1 to 4-30)	9	18

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Phosphorus (as P) (4-1 to 10-31)	2	4
Total Residual Chlorine	0.5	1.2
Fecal Coliforms	200 colonies/100 ml as a geometric average	
Dissolved Oxygen	minimum of 3.0 mg/l at all times	
pH	within limits of 6.0—9.0 standard units at all times	

Other Conditions:

Conditions for future permit modification.

Effective disinfection.

The EPA waiver is in effect.

Northcentral Region: Environmental Program Manager, Water Management, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448, telephone (717) 327-3666.

PA 0046159. SIC: 4952. **Municipal Sewer Authority of Houtzdale Borough**, P. O. Box 277, Houtzdale, PA 16651.

This proposed action is for renewal of an NPDES permit for an existing discharge of treated sewage to Beaver Run in Woodward Township, **Clearfield County**.

The receiving stream is classified for the following uses: cold water fishery, aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply (PWS) considered during the evaluation is Pennsylvania American Water Company located at Milton, approximately 172 river miles downstream.

The proposed effluent limits for Outfall 001 based on a design flow of 0.3 mgd are:

<i>Discharge Parameter</i>	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Instantaneous Maximum</i>
CBOD ₅			
(5-1 to 10-31)	20	30	50
(11-1 to 4-30)	25	40	60
Suspended Solids	30	45	60
Ammonia Nitrogen			
(5-1 to 10-31)	10	15	20
(11-1 to 4-30)	monitor	monitor	monitor
Fecal Coliforms			
(5-1 to 9-30)	200/100 ml as a geometric average		
(10-1 to 4-30)	2,000/100 ml as a geometric average		
pH	6.0—9.0 at all times		
Total Residual Chlorine	0.5 (monitor)		1.6 (monitor)

Limit effective 3 years after permit effective date, until then monitor and report.

Other Conditions:

Combined Sewer Overflow Requirements

The EPA waiver is in effect.

PA 0111066. SIC: 3471, **Multimetal Products Corporation**, 4150 B Old Berwick Road, Bloomsburg, PA 17815.

This proposed action is for renewal of an NPDES permit for an existing discharge of treated industrial waste to the North Branch Susquehanna River in South Centre Township, **Columbia County**.

The receiving stream is classified for the following uses: warm water fishery and aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the downstream potable water supply (PWS) considered during the evaluation is located at Danville approximately 13 miles below the discharge.

The proposed effluent limits for Outfall 001 based on a design flow of 0.0096 mgd are:

<i>Discharge Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow (mgd)	monitor		
Oil and Grease	15.0	30.0	30.0
Total Suspended Solids	31.0	60.0	90.0
Cadmium	0.23	0.47	0.59
Chromium (T)	1.71	2.77	4.28
Copper	1.1	2.18	2.73
Lead	0.43	0.69	1.08
Nickel	2.38	3.98	5.95
Silver	0.24	0.43	0.6

<i>Discharge Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Zinc	1.48	2.61	3.7
Cyanide (T)	0.65	1.2	1.63
Total Toxic Organics (TTO)		2.13	
pH (std. units)	6.0—9.0		

The EPA waiver is in effect.

PA 0031852. Sewerage, SIC: 4952, **Central Columbia School District**, 4777 Old Berwick Road, Bloomsburg, PA 17815.

This proposed action is for renewal of an NPDES permit for an existing discharge of treated sewage wastewater to Campbell Run in South Centre Township, **Columbia County**.

The receiving stream is classified for the following uses: cold water fishes, aquatic life, water supply and recreation. For the purposes of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply (PWS) considered during the evaluation is Danville Water Authority located at Danville.

The proposed effluent limits for Outfall 001 based on a design flow of 0.028 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	40	50
TSS	30	45	60
Total Residual Cl ₂	1.0		2.3
Ammonia-N			
(5-1 to 10-30)	5.5		11
(11-1 to 4-30)	16		32
Fecal Coliforms			
(5-1 to 9-30)	200 col/100 ml as a geometric mean		
(10-1 to 4-30)	2,000 col/100 ml as a geometric mean		
pH	6.0—9.0 at all times		

The EPA waiver is in effect.

PA 0029831. Sewerage, SIC: 4952, **Sullivan County School District**, P. O. Box 346, Laporte, PA 18614.

This proposed action is for renewal of an NPDES permit for an existing discharge of treated sewage wastewater to unnamed tributary of Mill Creek in Laporte Borough, **Sullivan County**.

The receiving stream is classified for the following uses: high quality waters cold water fishes, aquatic life, water supply and recreation. For the purposes of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply (PWS) considered during the evaluation is PA American Water Company located at Milton.

The proposed effluent limits for Outfall 001 based on a design flow of 0.018 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25		50
TSS	30		60
Total Residual Cl ₂	1.0		2.3
Ammonia-N			
(5-1 to 10-31)	4		8
(11-1 to 4-30)	12		24
Fecal Coliforms			
(5-1 to 9-30)	200 col/100 ml as a geometric mean		
(10-1 to 4-30)	200 col/100 ml as a geometric mean		
pH	6.0—9.0 at all times		

The EPA waiver is in effect.

PA 0209368. Sewerage, SIC: 4952, **Benton Foundry, Inc.**, R. R. 2, Box 110, Benton, PA 17814-9550.

This proposed action is for issuance of an NPDES permit for a new discharge of treated sewage to unnamed tributary of Coles Creek in Sugarloaf Township, **Columbia County**.

The receiving stream is classified for the following uses: cold water fishery and aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply (PWS) considered during the evaluation is Danville Boro located at Danville on the Susquehanna River 30 miles downstream.

The proposed effluent limits for Outfall 001 based on a design flow of 0.01 mgd are:

<i>Discharge Parameter</i>	<i>Average Monthly</i>	<i>Instantaneous Maximum</i>
CBOD ₅	25	50
Suspended Solids	30	60
Fecal Coliforms (5-1 to 9-30)	200 lbs./100 ml as a geometric average	
(10-1 to 4-30)	2,000 lbs./100 ml as a geometric average	
pH	6.0—9.0 at all times	

Other Conditions:

Chlorine minimization

The EPA waiver is in effect.

PA 0020583. Sewerage, SIC: 4952, **Middleburg Municipal Authority**, 13 North Main Street, Middleburg, PA 17842.

This proposed action is for renewal of an NPDES permit for an existing discharge of treated sewage wastewater to Middle Creek in Middleburg Borough, **Snyder County**.

The receiving stream is classified for the following uses: trout stocking, aquatic life, water supply and recreation. For the purposes of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply (PWS) considered during the evaluation is Dauphin Consolidated Water Company located at Dauphin.

The proposed effluent limits for Outfall 001 based on a design flow of 0.45 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	40	50
TSS	30	45	60
Total Residual Cl ₂	1		2.3
Fecal Coliforms (5-1 to 9-30)	200 col/100 ml as a geometric mean		
(10-1 to 4-30)	2,000 col/100 ml as a geometric mean		
pH	6.0—9.0 at all times		

The EPA waiver is in effect.

PA 0027677. SIC: 4952, **U. S. Department of the Interior**, National Biological Survey, Research and Development Laboratory, R. D. 4, Box 63, Wellsboro, PA 16901.

This proposed action is for renewal of an NPDES permit for an existing discharge of treated industrial waste to Marsh Creek in Shippen Township, **Tioga County**.

The receiving stream is classified for the following uses: warm water fishery and aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the downstream potable water supply (PWS) considered during the evaluation is located at Jersey Shore approximately 60 miles below the discharge.

The proposed effluent limits for Outfall 001 based on an average design flow of 2.88 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	13.0	25.0
TSS	15.0	30.0
NH ₃ -N (5-1 to 10-31)	2.0	4.0
(11-1 to 4-30)	6.0	12.0
pH	6.0—9.0 s.u. at all times	

Special Conditions:

Monitoring of conditioning/therapeutic additives.

The EPA waiver is in effect.

PA 0209384. SIC: 4952, **Lawrence Township Municipal Authority**, R. D. 2, Box 220, Tioga, PA 16946.

This proposed action is for issuance of an NPDES permit for a new discharge of treated sewage to Tioga River in Lawrence Township, **Tioga County**.

The receiving stream is classified for the following uses: warm water fishery and aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the assumed downstream potable water supply (PWS) considered during the evaluation is the PA/NY State Border.

The proposed effluent limits for Outfall 001 based on a design flow of 0.130 mgd are:

Parameter	Average Monthly (mg/l)	Average Weekly (mg/l)	Instantaneous Maximum (mg/l)
CBOD ₅	25.0	40.0	50.0
Suspended Solids	30.0	45.0	60.0
Total Residual Cl ₂	0.5		1.6
Fecal Coliforms			
(5-1 to 9-30)	200/100 ml as a geometric average		
(10-1 to 4-30)	2,000/100 ml as a geometric average		
pH	6.0—9.0 at all times		

Other Conditions:
none

The EPA waiver is in effect.

Proposed NPDES Permit Renewal Actions for Minor Sewage Discharges

The following parties have applied to renew their current NPDES permits to allow the continued discharge of controlled wastewater into the surface waters of this Commonwealth. The Department of Environmental Protection (DEP) has made a tentative determination to renew these permits and proposes to issue them, subject to their current permit effluent limitations, and monitoring and reporting requirements, with appropriate and necessary updated requirements to reflect new or changed regulations and other requirements. The updates may include, but will not be limited to, applicable permit conditions and/or requirements addressing combined sewer overflows (CSOs), municipal sewage sludge management and total residual chlorine control (TRC). Any major changes to or deviations from the terms of the existing permit will be documented and published with the final Department actions.

The EPA, Region III, Regional Administrator has waived the right to review or object to these proposed permit actions under the waiver provision 40 CFR 123.6E.

Persons wishing to comment on the proposed permits are invited to submit a statement to the Field Operations indicated as the office responsible, within 30 days from the date of this public notice. Comments received within this 30-day period will be considered in the formulation of the final determinations regarding these applications and proposed permit actions. Comments should include the name, address and telephone number of the writer and a brief statement to inform the Field Office of the basis of the comment and the relevant facts upon which it is based. A public hearing may be held if the Field Office considers the public response significant.

Following the 30-day comment period, the Water Management Program Managers will make a final determination regarding the proposed permit action. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit renewal application and related documents, proposed effluent limitations and special conditions, comments received and other information are on DEP's file. The documents may be inspected at, or a copy requested from, the Field Office that has been indicated above the application notice.

Southcentral Regional Office: Water Management Program, One Ararat Boulevard, Harrisburg, PA 17110, telephone (717) 657-4590.

NPDES No.	Facility Name and Address	County and Municipality	Tributary Stream	New Permit Requirements
PA0084701	Penn Township Municipal Authority 100 Municipal Building Rd. Duncannon, PA 17020	Perry Penn Township	UNT Susquehanna River	TRC

The following parties have applied for an NPDES permit to discharge stormwater from a proposed construction activity into the surface waters of the Commonwealth. Unless otherwise indicated on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection proposes to issue a permit to discharge, subject to certain limitations set forth in the permit and special conditions. These proposed determinations are tentative. Limitations are provided in the permit as erosion and sedimentation control measures and facilities which restrict the rate and quantity of sediment discharged.

Where indicated, the EPA, Region III, Regional Administrator has waived the right to review or object to this

proposed permit action under the waiver provision 40 CFR 123.24(d).

Persons wishing to comment on the proposed permit are invited to submit a statement to the Regional Office or County Conservation District Office indicated as the responsible office, within 30-days from the date of this public notice. A copy of the written comments should be sent to the County Conservation District Office. Comments reviewed within this 30 day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Regional Office of the exact basis of a comment and the relevant facts upon

which it is based. A public hearing may be held if the Regional Office considers the public response significant.

Following the 30-day comment period, the Water Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealable to the Environmental Hearing Board.

The application and related documents, including the erosion and sedimentation control plan for the construction activity, are on file and may be inspected at the County Conservation District Office or the Department Regional Office indicated above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at 1 (800) 654-5984.

Southeast Regional Office: Regional Water Management Program Manager; Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, telephone (610) 832-6130.

Northeast Regional Office: Regional Water Management Program Manager; 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 825-2511.

Northcentral Regional Office: Regional Water Management Program Manager; 208 W. Third Street, Williamsport, PA 17701, telephone (717) 327-3669.

Southcentral Regional Office: Regional Water Management Program Manager; One Ararat Boulevard, Harrisburg, PA 17110, telephone (717) 657-4590.

Carbon County Conservation District, District Manager; 92 Blakeslee Blvd., E. Lehighton, PA 18235, telephone (610) 377-4894.

NPDES Permit PAS101307. Stormwater. **Bethlehem Water Authority**, Penn Forest Dam, 10 East Church Street, Bethlehem, PA 18018 has applied to discharge stormwater from a construction activity located in Penn Forest Township, **Carbon County**, to Wild Creek.

Centre County Conservation District, District Manager; 414 Holmes Ave., Ste. 4, Bellefonte, PA 16823, telephone (814) 355-6817.

NPDES Permit PAS10F055. Stormwater. **Greenleaf Manor PRD**, Corl Farm Inc., 1535 N. Atherton Street, State College, PA 16801 has applied to discharge stormwater from a construction activity located in Ferguson Township, **Centre County**, to Big Hollow Run.

NPDES Permit PAS10F056. Stormwater. **Spring-Benner-Walker Joint Authority**, 170 Irish Hollow Road, Bellefonte, PA 16823 has applied to discharge stormwater from a construction activity located in Spring Township, **Centre County**, to Little Fishing Creek.

Chester County Conservation District, District Manager; Gov. Serv. Ctr., Ste. 395, 601 Westtown Rd., West Chester, PA 19382, telephone (610) 696-5126.

NPDES Permit PAS10G210. Stormwater. **Francis McGowen, c/o McGowen**, Lincoln Mercury, Routes 3 and 352, West Chester, PA 19382 has applied to discharge stormwater from a construction activity located in Upper Uwchlan Township, **Chester County**, to Pickering Creek.

NPDES Permit PAS10G211. Stormwater. **Icedale Mobile Homes Inc.**, P. O. Box 93, R. D. 3, Honey Brook, PA 19344 has applied to discharge stormwater from a

construction activity located in Honeybrook Township, **Chester County**, to the west branch of Brandywine.

Cumberland County Conservation District, District Manager; 43 Brookwood Ave., Ste. 4, Carlisle, PA 17013, telephone (717) 249-8632.

NPDES Permit PAS10H056. Stormwater. **East Pennsboro Township**, 98 S. Enola Drive, Enola, PA 17025 has applied to discharge stormwater from a construction activity located in East Pennsboro Township, **Cumberland County**, to the Conodoguinet Creek.

NPDES Permit PAS10H059. Stormwater. **Al-Don Properties**, P. O. Box 688, 660 Edgegrove Road, Hanover, PA 17331 has applied to discharge stormwater from a construction activity located in Lemoyne Borough, **Cumberland County**, to the Conodoguinet Creek.

Lebanon County Conservation District, District Manager; 2120 Cornwall Rd., Ste. 5, Lebanon, PA 17042, telephone (717) 272-3377.

NPDES Permit PAS10P023. Stormwater. **Chester Scholl**, 25 Briarwood Drive, Elverson, PA 19520 has applied to discharge stormwater from a construction activity located in North and West Cornwall Townships and Cornwall Borough, **Lebanon County**, to Snitz Creek.

Lehigh County Conservation District, District Manager; Lehigh Ag. Ctr., Ste. 102, 4184 Dorney Park Rd., Allentown, PA 18104, telephone (610) 820-3398.

NPDES Permit PAS10Q114. Stormwater. **Bell Atlantic Properties**, 1717 Arch Street, Philadelphia, PA 19103 has applied to discharge stormwater from a construction activity located in Upper Macungie Township, **Lehigh County**, to Little Lehigh Creek.

NPDES Permit PAS10Q115. Stormwater. **Roma Development Company**, 1401 N. Cedar Crest Boulevard, Allentown, PA 18104 has applied to discharge stormwater from a construction activity located in Upper Saucon Township, **Lehigh County**, to Jordan Creek.

Montgomery County Conservation District, District Manager; 1015 Bridge Rd., Ste. B, Collegeville, PA 19426, telephone (610) 489-4506.

NPDES Permit PAS10T044-1. Stormwater. **Perkiomen Valley School District**, 3 Iron Ridge Road, Collegeville, PA 19426 has applied to discharge stormwater from a construction activity located in Perkiomen Township, **Montgomery County**, to Lodal Creek.

NPDES Permit PAS10T067. Stormwater. **TH Properties**, P. O. Box 159, Franconia, PA 18924 has applied to discharge stormwater from a construction activity located in Lower Salford Township, **Montgomery County**, to a tributary on site.

The following permit applications and requests for plan approval have been received by the Department of Environmental Protection.

Persons objecting on the grounds of public or private interest to the approval of an application or submitted plan may file a written protest with the Department of Environmental Protection at the address indicated above each permit application or plan. Each written protest should contain the following: name, address and telephone number, identification of the plan or application to which the protest is addressed and a concise statement in sufficient detail to inform the Department of the exact basis of the protest and the relevant facts upon which it is based. The Department may conduct a fact-finding hearing or an informal conference in response to any

given protest or protests. Each commentator will be notified in writing of the time and place if a hearing or conference concerning the plan, action or application to which the protest relates is held. To insure consideration by the Department prior to final action on permit applications and proposed plans, initial protests and additions or amendments to protests already filed should be filed within 15 calendar days from the date of this issue of the *Pennsylvania Bulletin*. A copy of each permit application and proposed plan is on file in the office indicated and is open to public inspection.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceeding should contact the Secretary to the Board at (717) 787-3483. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at 1 (800) 654-5984.

Industrial waste and sewerage applications under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).

Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.

A. 0296406. Sewerage, **James B. Husser**, 34 Cheryl Lane, Pittsburgh, PA 15236. Application for construction and operation of a single residence sewage treatment plant to serve the Husser Residence located in the Borough of Jefferson, **Allegheny County**.

A. 6396405. Sewerage, **William and Eileen Stocks**, 4462 Finleyville-Elrama Road, Finleyville, PA 15332. Application for the construction and operation of a single residence sewage treatment plant to serve the Stocks Residence located in the Township of Union, **Washington County**.

A. 6396406. Sewerage, **Thomas Goetz**, 1341 Vinemont Street, Pittsburgh, PA 15205. Application for the construction and operation of a sewage treatment plant to serve the Club 40 Restaurant located in the Township of North Franklin, **Washington County**.

Northeast Regional Office: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-2511.

A. 4596403. Sewerage. **Pocono Mountain School District**, P. O. Box 200, Swiftwater, PA 18370-0200. Application to construct and operate a sewage treatment plant to serve a new elementary center and a new middle school located in Coolbaugh Township, **Monroe County**. Application received in the Regional Office May 20, 1996.

A. 5496403. Sewerage. **Tamaqua Borough Authority**, 320 East Broad Street, Tamaqua, PA 18252. Application to construct and operate a belt filter press system at the Tamaqua Wastewater Treatment Plant, located in Walker Township, **Schuylkill County**. Application received in the Regional Office April 29, 1996.

Applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

Southwest Regional Office: Regional Manager, Water Supply and Community Health, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.

A. 3272501-A1. **Central Indiana County Water Authority**, 30 East Wiley Street, Homer City, PA 15748. Abandonment of the old water treatment plant, Homer City Borough, **Indiana County**.

A. 0496502. **Ambridge Water Authority**, 1001 Merchant Street, Box C, Ambridge, PA 15003. Installation of two metering pumps to feed Aqua Mag for corrosion control, **Beaver County**.

Northeast Regional Office: Sanitarian Regional Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-2511.

Major Amendment. Public water supply. **Keystone Job Corp. Center**, Village of Drums, c/o Michael Martine, P. O. Box 37, Foot Hills Drive, Drums, PA 18222. Patrick Caulfield, P. E., Alfred Benesch & Company, 1 Norwegian Plaza, Pottsville, PA 17901. This proposal involves addition of pH adjustment and corrosion control facilities at each of the three existing permitted well houses. It is located in Butler Township, **Luzerne County**.

3996501. Public water supply. **Lehigh County Authority**, North Whitehall Division, c/o Aurel M. Arndt, LCA Gen., Manager, P. O. Box 3348, Allentown, PA 18106-0348. This proposal involves installation of two additional booster pumps and a 230 KW diesel emergency generator. The proposed additional booster pump consists of a 10 HP unit rated at 150 GPM and a 60 HP unit rated at 750 GPM. It is located in North Whitehall Township, **Lehigh County**.

3596504. Public water supply. **Happy Acres**, c/o **Gerald Fritz**, Cliff Street, Honesdale, PA. James F. Knash, P. E., HC 62, Box 455A, Honesdale, PA 18431. This proposal involves a public water system existing since 1964 consisting of well no. 1 wellhouse and hypochlorinator, well no. 2 wellhouse and hypochlorinator, and the distribution system. It is located in Jefferson Township, **Lackawanna County**.

4595505. Public water supply. **Snow Shoe Condominium Water Company**, Thomas Wilkins, 304 Park Avenue, Stroudsburg, PA 18360. Harry Garman, P. E., McTish, Kunkel & Associates, 2402 Sunshine Road, Allentown, PA 18103. This proposal involves the addition of soda ash and aqua-mag in the existing Snow Shoe Condominium Water System. It is located in Mount Pocono Township, **Monroe County**.

Northcentral Field Operations: Environmental Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701.

A. 4196502. **Knittle Enterprises c/o Terry Knittle**, R. D. 1, Box 184, Williamsport, PA 17701, Eldred Township, **Lycoming County**. Development of drilled well no. 7 as a source of water supply for the Pinecrest Village Mobile Home Park located in Eldred Township, Lycoming County. The area involved in this project is approximately 0.2 acre.

Acknowledgment of Notices of Intent to Remediate

Acknowledgment of Notices of Intent to Remediate submitted to the Department of Environmental Protection under the Land Recycling and Environmental Remediation Standards Act, the act of May 19, 1995 (P. L. 4, No. 2).

Sections 302 and 303 of the Land Recycling and Environmental Remediation Standards Act (the act) require the Department of Environmental Protection to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate identifies a site where a person proposes to, or has been required to, respond to a release of a regulated

substance at a site. Persons intending to use the background or Statewide health standard to remediate a site must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department must provide a brief description of the location of the site, a list of known contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of the cleanup standards identified under the act will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department and shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

For further information concerning the content of a Notice of Intent to Remediate, contact the Department of Environmental Protection Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at 1 (800) 654-5984.

The Department of Environmental Protection has received the following Notices of Intent to Remediate:

Northeast Regional Field Office: Joseph Brogna, Regional Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-2511.

James L. Brown Property, Kingston Township, Luzerne County. James L. Brown, 123 Woodtip Drive, Trucksville, PA has submitted a Notice of Intent to Remediate site groundwater contaminated with BTEX (benzene, toluene, ethylbenzene, and/or xylene) compounds, and petroleum hydrocarbons. The applicant proposes to remediate the site to meet the Statewide health standard. A Final Report was simultaneously submitted. Please refer to additional *Pennsylvania Bulletin* notice.

Southeast Regional Office: Environmental Cleanup Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, telephone (610) 832-5950.

Sackville Mills Associates, Nether Providence Township and Brookhaven Borough. Joseph W. Standen, Jr., P. G., Leggette, Brashears & Graham, Inc., 426 Brandywine Parkway, West Chester, PA 19380, has submitted a Notice of Intent to Remediate site soils contaminated with PCBs, lead, heavy metals, solvents, BTEX, petroleum hydrocarbons and polycyclic aromatic hydrocarbons; and groundwater contaminated with solvents, BTEX, petroleum hydrocarbons and polycyclic aromatic hydrocarbons. The applicant proposes to remediate the site to meet the Statewide health standard for soils and the background standard for groundwater.

Opening of the Administrative Record; Proposed Response Under the Hazardous Sites Cleanup Act

U. S. Centrifugal Site
Colwyn Borough
Delaware County

The Department of Environmental Protection (Department), under the authority of the Hazardous Sites Cleanup Act, (HSCA) (35 P. S. §§ 6020.101—6020.1305), has proposed an interim response at the U. S. Centrifugal Corporation Site.

The U. S. Centrifugal site is located at Fifth and Ellis Streets, in Colwyn Borough, Delaware County. The site is an approximately 5.5 acre property, occupied by buildings and open courtyards, and bounded by railroads and Darby Creek. This site was operated as a metal foundry and casting operation from at least the 1950s until the early 1990s.

The Department has determined that there is a threat to public health and the environment posed by hazardous materials (metals contained in foundry wastes) abandoned on the site. The Department has considered three alternatives for action at the site. The HSCA requires consideration of a No Action alternative. This alternative would not be protective of human health and the environment. The second alternative, stabilization of the wastes and storage on the site, would eliminate the immediate risks posed by the site, but would not be a permanent solution. The third alternative is off site shipment and disposal of the hazardous materials and wastes, a permanent solution that would eliminate the threat to public health and the environment posed by the site.

The Department is proposing to sample, analyze, consolidate if possible, transport and properly dispose or recycle the materials defined as hazardous under the act. These materials are located in uncontrolled waste piles and containers scattered through the part of the site which was used in the foundry operation. The Department is not currently proposing to address municipal and residual wastes which may be in other areas of the property. This remedy is proposed because it is the most protective and permanent solution.

The Administrative Record, which contains the information that forms the basis for and documents the selection of this response, is available for public review and comment. The Administrative Record is located at the Colwyn Borough Hall, and is available for review Monday through Friday from 7 a.m. to noon, and 1 to 4 p.m.; evening hours are available by appointment with Major James McAnany. The Administrative Record may also be reviewed at the Department's Regional Office located at 555 North Lane, Suite 6010 Lee Park, Conshohocken, PA 19428.

Written comments concerning the Department's response and the information contained in the Administrative Record will be accepted in person, if delivered, or by mail, if postmarked, on or before September 16, 1996. Written comments should be directed to the attention of April Flipse, PA DEP Project Officer, Suite 6010 Lee Park, 555 North Lane, Conshohocken, PA 19428. The telephone number is (610) 832-5937.

In addition, the public will have an opportunity to present oral comments at a public hearing. The public hearing is scheduled for July 24, 1996, at 7:30 p.m. in the Colwyn Borough Hall, located at 221 Spruce Street, Colwyn. Persons wishing to present oral comments should register on or before the date of the public hearing by contacting Rob Goldberg, DEP Community Relations Coordinator, at (610) 832-6010.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact Rob Goldberg or the Pennsylvania AT&T Relay Service at 1 (800) 654-5984 to discuss how the Department may accommodate their needs.

The Department is providing this Notice under section 506(b) of HSCA. The date of publication of this Notice in

the *Pennsylvania Bulletin* initiates the minimum 90-day public comment period on the Administrative Record, as provided under that Act.

Applications received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and the Beneficial Use of Residual Waste Other Than Coal Ash.

Central Office: Division of Municipal and Residual Waste, 14th Floor, Rachel Carson State Office Building, 400 Market St., Harrisburg, PA 17101-2301.

General Permit Application No. WMGR043. Atlas Environmental Services and Equipment Co., 6801 State Rd., Building A, Philadelphia, PA 19135. An application for remediation of nonhazardous petroleum contaminated soils using non-thermal CO-7 Treatment Process.

Comments on the general permit application may be submitted to Ronald C. Hassinger, Chief, General Permits and Beneficial Use Section, Division of Municipal and Residual Waste, P. O. Box 8472, Harrisburg, PA 17105-8472. Persons interested in examining the application may make arrangements by calling the Division of Municipal and Residual Waste at (717) 787-7381. TDD users may contact the Department through the Pennsylvania Relay Service, 1 (800) 654-5984. Arrangements can also be made for persons with disabilities who wish to inspect the application. Public comments must be submitted to the Department within 60 days of the date of this notice and may recommend revisions to, and approval or denial of the application.

Applications received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to operate solid waste processing or disposal area or site.

Southwest Regional Office: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.

A. 100081. Southern Alleghenies Disposal Services, Inc., R. D. 3, P. O. Box 310, Hollsopple, PA 15935. Southern Alleghenies Landfill, State Route 219, Davidsville, PA 15928. Application for a major permit modification to revise and clarify the final cover system for the municipal landfill in Conemaugh Township in **Somerset County**. Application received in the Regional Office on May 23, 1996.

Applications under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify or reactivate air contaminant sources.

Regional Office: Southwest Regional Office, Bureau of Air Quality Control, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

30-305-019. Consolidation Coal Company (1800 Washington Road, Pittsburgh, PA 15241) for a coal preparation plant at its facility located in Greensboro Borough, **Greene County**.

Regional Office: Southcentral Regional Office, Air Quality Program, One Ararat Boulevard, Harrisburg, PA 17110.

07-318-007. Construction of a locomotive engine paint spray booth by **Consolidated Rail Corporation, Juniata Locomotive Shop** (200 Fourth Avenue, Juniata, Altoona, PA 16601-6702) in Logan Township, **Blair County**.

29-303-002B. Replacement of an existing baghouse for a batch mix asphalt plant by **New Enterprise Stone & Lime Company, Inc.** (P. O. Box 31, Warfordsburg, PA 17267) in Bethel Township, **Fulton County**.

36-310-021F. Construction of a crusher by **D. M. Stoltzfus & Son, Inc.** (P. O. Box 84, Talmage, PA 17580-0084) in Fulton Township, **Lancaster County**. The source is subject to 40 CFR 60, Subpart 000, Standards of Performance for New Stationary Sources.

Applications under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify or reactivate air contaminant sources or to install Air Cleaning Devices.

Regional Office: Southeast Regional Office, Bureau of Air Quality Control, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

23-399-023C. On May 17, 1996, an application was received from **DEL CORA** (100 East 5th Street, P. O. Box 999, Chester, PA 19428) for the installation of four sludge holding tanks to be located in City of Chester, **Delaware County**.

46-399-112. On May 24, 1996, an application was received from **Hale Products, Inc.** (700 Spring Mill Avenue, Conshohocken, PA 19013) for the construction of a no-bake pump mold and casting ma to be located in Conshohocken Borough, **Montgomery County**.

Applications received for operating permits issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015).

Regional Office: Southcentral Regional Office, Air Quality Program, One Ararat Boulevard, Harrisburg, PA 17110.

01-317-009. The Department intends to issue an air quality operating permit to **Andgro Fertilizer, Division of Agway, Inc.** (3150 Stoney Point Road, East Berlin, PA 17316) for a fertilizer mixing and bagging operation controlled by two fabric filters in Latimore Township, **Adams County**.

06-1003. The Department intends to issue an air quality operating permit (VOC & NOx RACT) to **Lucent Technologies** (P. O. Box 13396, Reading, PA 19612-3396) for a Microelectronics manufacturing facility in Muhlenberg Township, **Berks County**.

06-303-024A. The Department intends to issue an air quality operating permit to **Windsor Services, Inc.** (P. O. Box 13787, Reading, PA 19612-3787) for a drum mix asphalt plant controlled by a fabric collector in Cumru Township, **Berks County**. The source is subject to 40 CFR 60, Subpart I, Standards of Performance for New Stationary Sources.

07-313-012G. The Department intends to issue an air quality operating permit to **Quality Chemicals, Inc.** (P. O. Box 216, Tyrone, PA 16686) for a batch specialty chemical manufacturing operation in Tyrone Borough, **Blair County**.

36-2016. The Department intends to issue a RACT (Reasonably Available Control Technology) Air Quality Operating Permit to **Pennsylvania Power & Light**

Company (Two North Ninth Street, Allentown, PA 18101) for their Holtwood Steam Electric Station in Martic Township, **Lancaster County**.

36-302-182. The Department intends to issue an air quality operating permit to **Kemps Foods, Inc.** (P. O. Box 7007, Lancaster, PA 17604) for a fire tube boiler in the City of Lancaster, **Lancaster County**.

36-313-014. The Department intends to issue an air quality operating permit to **Armstrong World Industries, Inc.** (P. O. Box 3001, Lancaster, PA 17604) for the Corlon mix area at the Lancaster Floor Plant in the City of Lancaster, **Lancaster County**.

36-399-024A. The Department intends to issue an air quality operating permit to **Pennsylvania Power & Light Company** (Two North Ninth Street, Allentown, PA 18101) for a dry fly ash handling system at the Holtwood Steam Electric Station in Martic Township, **Lancaster County**.

Regional Office: Northcentral Regional Office, Bureau of Air Quality, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

12-399-003F. The Department intends to issue an operating permit to **American Sintered Technologies, Inc.** (P. O. Box 149, Emporium, PA 15834) for the operation of a sintering furnace (F-8) and associated air cleaning device (a stack incinerator) in Emporium Borough, **Cameron County**.

8-318-019B. The Department intends to issue an operating permit to **Masonite Corp.** (P. O. Box 311, Towanda, PA 18848) for the operation of a surface coating operation (die form coating booth no. 1 and associated infra-red preheat oven) in Wysox Township, **Bradford County**.

Reasonably Available Control Technology; Public Hearing

The Department of Environmental Protection has made a preliminary determination to approve a Reasonably Available Control Technology (RACT) plan and an amendment to the State Implementation Plan (SIP) for a sectional door manufacturing facility owned and operated by the Overhead Door Corporation, in Granville Township, Mifflin County, PA.

The proposed SIP revision does not adopt any new regulations. It incorporates the provisions and requirements contained in the RACT Plan Approval 44-2011 for this facility to comply with current regulations.

The preliminary RACT determination, if finally approved, will be incorporated into an Operating Permit for the facility and will be submitted to the U. S. Environmental Protection Agency (EPA) as a revision to Pennsylvania's State Implementation Plan.

An appointment to review the pertinent documents at the Southcentral Regional Office may be scheduled by contacting Mary Disanto at (717) 540-5018 between 8 a.m. and 3:30 p.m., Monday through Friday, except holidays.

One public hearing will be held for the purpose of receiving comments on the proposed Plan Approval and the proposed SIP revision. The hearing will be held on Tuesday, July 16, 1996, at 10 a.m., at the Highland Park Hose Company, located at 425 Highland Avenue, Lewistown, PA until all scheduled comments on the proposal are received.

Those wishing to comment are requested to contact Sandra Roderick at (717) 541-7969 at least 1 week in

advance of the hearing to schedule their testimony. Oral testimony will be limited to a maximum of 10 minutes per individual and two written copies of the testimony are requested. Each organization is requested to designate one witness to present testimony on its behalf. Written comments may be submitted to David R. Goles, Air Pollution Control Engineer, One Ararat Boulevard, Harrisburg, PA 17110 on or before July 16, 1996.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation should contact Sandra Roderick at (717) 541-7969 or the Pennsylvania AT&T Relay Service at 1 (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

Approval of Reasonably Available Control Technology (RACT) Plans for:

Merck and Company, Inc. (Upper Gwynedd Township, Montgomery County)

American Bank Note Company (Horsham Township, Montgomery County)

CMS Gilbreth Packaging Systems (Bensalem Township, Bucks County)

CMS Gilbreth Packaging Systems (Bristol Township, Bucks County)

DEP has made a preliminary determination to approve RACT plans as amendments to the State Implementation Plan (SIP) for the above facilities. The proposed SIP revisions do not adopt any new regulations. They incorporate the provisions and requirements contained in RACT approvals for these facilities to comply with current regulations.

These preliminary determinations, if finally approved, will be incorporated into Operating Permits for the facilities and will be submitted to the U. S. Environmental Protection Agency (EPA) as revisions to Pennsylvania's SIP.

The following is a summary of the preliminary determinations for these facilities:

Merck and Company, Inc. (Compliance Permit CP-46-0005, Plan Approval PA-46-0005)

<i>Source</i>	<i>Control Device</i>	<i>Implementation Schedule</i>
Pharmaceutical Manufacturing	Catalytic Oxidizer	Implemented
Biological Manufacturing	Cooling Coils	Implemented
Graphic Services	Low VOC Solvents	Implemented
Research & Development	Recordkeeping	Implemented
Combustion Sources	Good Control Practices	Implemented
Bulk Waste Transfer	Recordkeeping	Implemented
Boilers 1 & 2	Annual Tune-Up	Implemented
Boiler 3, 4, 5 & 6	Low NOx Burner	Implemented
Emergency Generator B33-1	Aftercooler	Implemented
26 Emergency Generators	Good Control Practices	Implemented
2 Incinerators	Good Control Practices	Implemented

There are 29 de-minimis sources of VOC associated with this facility as specified in this compliance permit.

American Bank Note Company (Operating Permit OP-46-0075)

<i>Source</i>	<i>Control Device</i>	<i>Implementation Schedule</i>
32 Printing Presses & Cleanup Operations	Low VOC Ink/Solvent & Good Control Practices	Implemented

This facility is not a major NOx emitter. The electrolytic and engraving cleaning operations are de-minimis sources of VOC.

CMS Gilbreth Packaging Systems (Operating Permit OP-09-0036)

<i>Source</i>	<i>Control Device</i>	<i>Implementation Schedule</i>
4 Printing Units & Cleanup Operations	Thermal Oxidizer	Implemented
Printing Press Comco-7	Recordkeeping	Implemented

This facility is not a major NOx emitter. Two cold cleaning degreasers are de-minimis sources of VOC.

CMS Gilbreth Packaging Systems (Operating Permit OP-09-0037)

<i>Source</i>	<i>Control Device</i>	<i>Implementation Schedule</i>
Rotogravure Press & Clean-Up Solvents	Thermal Oxidizer	Implemented
18 Seaming Machines	Good Control Practices	Implemented

This facility is not a major NOx emitter. Paint booth and two cold cleaning degreasers are de-minimis sources of VOC.

One public hearing will be held for the purpose of receiving comments on the proposed SIP revisions. The hearing will be held at 2 p.m. on July 16, 1996, at the Department of Environmental Protection Southeast Regional Office, Lee Park, 555 North Lane, Suite 6010, Conshohocken, PA. The hearing will represent the opportunity for oral comment to DEP on the proposed SIP revisions and will not be a question and answer session. Persons wishing to present testimony at the hearing are encouraged to contact Clarke Rupert, DEP Community Relations Coordinator, at (610) 832-6020 to register prior to the hearing, but may also register at the hearing. Those unable to attend the hearing but who wish to comment should send their written comments to Francine Carlini, Air Quality Program Manager, Department of Environmental Protection, Southeast Regional Office, Lee Park, 555 North Lane, Suite 6010, Conshohocken, PA 19428 on or before July 16, 1996.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate should contact Clarke Rupert at (610) 832-6020 or through the Pennsylvania AT&T Relay Service at 1 (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

Copies of the pertinent documents are available for review at the DEP Southeast Regional Office. Appointments for scheduling a review may be made by calling (610) 832-6268.

MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection. A copy of the application is available for inspection at the District mining office indicated above each application. Where a 401 water quality certification is needed for any aspect of a particular proposed mining activity, the submittal of the permit application will serve as the request for such certification.

Written comments or objections, or requests for informal conferences on applications, may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the same address within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences).

Where any of the mining activities listed below will have discharges of wastewater to streams, the Department will incorporate NPDES permits into the mining activity permits issued in response to these applications. Such NPDES permits will contain, at a minimum, technology-based effluent limitations (as described in the Department's regulations—25 Pa. Code §§ 77.522, 87.102, 88.92, 88.187, 88.242, 89.52 and 90.102) for iron, manganese, suspended solids, settleable solids, alkalinity and pH. In addition to the above, more restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining which may occur will be incorporated into a mining activity permit when necessary for compliance with water quality standards (in accordance with 25 Pa. Code Chs. 93 and 95). Persons or agencies which have requested review of the NPDES permit requirements for a particular mining activity within the above-mentioned public comment period will be provided with a 30-day period to review and submit comments on those requirements.

Written comments or objections should contain the name, address and telephone number of persons submitting comments or objections, application number and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based. Requests for an informal conference must contain the name, address and telephone number of requestor, application number, a brief summary of the issues to be raised by the requestor at the conference and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

District Mining Operations, 437 South Center Street, P. O. Box 625, Ebensburg, PA 15931-0625.

Coal Applications Received

56900113. Permit renewal, **Fieg Brothers** (R. D. 3, Box 45, Stoystown, PA 15563), commencement, operation and restoration of bituminous strip mine in Brothersvalley Township, **Somerset County**, affecting 99.5 acres, receiving stream Hays Run and unnamed tributaries to Hays Run; unnamed tributaries to Buffalo Creek, application received May 24, 1996.

Mineral Resources Management—District Mining, Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

40900204R. Silverbrook Anthracite, Inc., (322 Simpson Street, Dupont, PA 18641), renewal of an existing anthracite coal refuse reprocessing operation in Newport Township and Nanticoke City, **Luzerne County** affecting 80.0 acres, receiving stream Newport Creek. Application received May 22, 1996.

Mining and Reclamation, 3913 Washington Road, McMurray, PA 15317.

56851303. Rox Coal, Inc., (P. O. Box 149, Friedens, PA 15541), to revise the permit for the Barbara No. 1 and No. 2 bituminous deep mine in Stoneycreek and Brothersvalley Townships, **Somerset County** to add 29.3 surface and 9.0 Lower Kittanning seam permit acres, receiving stream unnamed tributary to Reitz Creek. Application received May 9, 1996.

30841309. Dunkard Mining Company, (P. O. Box 8, Dilliner, PA 15327), to renew the permit for the Dunkard No. 2 bituminous deep mine in Dunkard Township, **Greene County**, no additional discharge. Application received May 21, 1996.

11841601. E. P. Bender Coal Company, Inc., (P. O. Box 594, Carrolltown, PA 15722), to renew the permit for the Fallentimber Plant and related NPDES in Reade Township, **Cambria County**, no additional discharge. Application received May 23, 1996.

District Mining Operations, P. O. Box 669, Knox, PA 16232.

10900109. Rosebud Mining Company (R. D. 1, Box 379A, Kittanning, PA 16201). Transfer of an existing bituminous surface strip and auger operation in Fairview Township, **Butler County** affecting 120.3 acres. Receiving streams an unnamed tributary to south branch of Bear Creek. Transfer from TDK Coal Sales, Inc. Application received April 30, 1996.

33900113. M. B. Energy, Inc. (P. O. Box 1319, Indiana, PA 15701). Renewal of an existing bituminous surface strip operation in McCalmont Township, **Jefferson County** affecting 147.0 acres. Receiving streams two unnamed tributaries to Clutch Run. Application for reclamation only. Application received May 9, 1996.

33960105. MSM Coal Company, Inc. (P. O. Box 243, DuBois, PA 15801). Commencement, operation and restoration of a bituminous surface strip operation in Oliver Township, **Jefferson County** affecting 13.7 acres. Receiving streams Lick Run. Application received May 10, 1996.

33820142. M. B. Energy, Inc. (P. O. Box 1319, Indiana, PA 15701). Renewal of an existing bituminous surface strip operation in Porter Township, **Jefferson County** affecting 92.0 acres. Receiving streams unnamed tributary to Hamilton Run. Application for reclamation only. Application received May 23, 1996.

Hawk Run District Office, P. O. Box 209, Hawk Run, PA 16840.

17960109. R. B. Contracting, (R. D. 1, Box 13, Curwensville, PA 16833), commencement, operation and restoration of a bituminous surface mine permit in Bell Township, **Clearfield County** affecting 54.1 acres, receiving streams Buck Run and Fryor Run, application received May 23, 1996.

District Mining Operations, P. O. Box 669, Knox, PA 16232.

Noncoal Applications Received

4876SM19. Albert R. Conn (154 South Lake Street, North East, PA 16428). Revision to an existing gravel operation in North East Township, **Erie County** affecting 8.8 acres. Receiving streams Twelve Mile Run. Revision to utilize sewage sludge from the Borough of North East in the reclamation plan of this mine drainage permit. Application received May 16, 1996.

Mineral Resources Management—District Mining, Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

7574SM2A1C2. Hempt Bros., Inc., (205 Creek Road, Camp Hill, PA 17011), renewal of NPDES permit #PA0614343 in Lower Allen Township, **Cumberland County**, receiving stream Yellow Breeches Creek. Application received May 17, 1996.

4875SM2A2C2. Glen-Gery Corporation, (P. O. Box 7001, Wyomissing, PA 19610-6001), renewal of NPDES Permit #PA0119563 in Dover Township, **York County**, receiving stream unnamed tributary to Fox Run. Application received May 17, 1996.

40960303. Pikes Creek Sand & Stone, Inc., (P. O. Box 330, Sweet Valley, PA 18656), commencement, operation and restoration of a sand and stone quarry in Lehman Township, **Luzerne County**, affecting 54.5 acres, receiving stream none. Application received May 20, 1996.

The following Dam Safety and Encroachment permit applications, requests for Environmental Assessment approval, and requests for water quality certification have been received by the Department of Environmental Protection (Department).

In addition to permit applications, the Bureau of Dams, Waterways and Wetlands (BDWW) and the Regional Office Soils and Waterways Sections have assumed primary responsibility for processing requests for certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)), for projects requiring both a Dam Safety and Encroachments Permit and a United States Army Corps of Engineers (ACOE) permit. Section 401(a) of the Federal Water Pollution Control Act requires the State to certify that the involved projects will not violate the applicable provisions of 33 U.S.C.A. §§ 1301—1303, 1306 and 1307, as well as relevant State requirements. Initial requests for 401 certification will be published concurrently with the BDWW permit application. Persons objecting to approval of a request for certification under section 401 or to the issuance of a Dam Safety or Encroachment Permit, or the approval of Environmental Assessments must submit any comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the Bureau or Field Office indicated as the responsible office.

Applications filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and requests for certification under section 401 of the Federal Water Pollution Control Act.

Southcentral Regional Office: Water Management Program, Soils and Waterways Section, One Ararat Boulevard, Room 126, Harrisburg, PA 17110, telephone (717) 657-4590.

E01-164. Encroachment. **M. Everett Weiser**, 490 Town Hill Road, York Springs, PA 17372. To remove accumulated silt deposits in a tributary to Latimore Creek at Baltimore Road (Dillsburg, PA Quadrangle N: 2.5 inches; W: 12.1 inches) and in another tributary to Latimore Creek at Bushey School Road (Dillsburg, PA Quadrangle N: 7.2 inches; W: 15 inches) in Latimore Township, **Adams County**.

E07-257. Encroachment. **Babcock Lumber Company**, 5410 Sixth Avenue, Altoona, PA 16602. To place fill in the floodway of the Frankstown Branch of the Juniata River for the purpose of constructing a wholesale building material distributorship located along the east side of S. R. 3013 about 0.3 mile north of its intersection with S. R. 3008 (Roaring Spring, PA Quadrangle N: 12 inches; W: 9.7 inches) in Greenfield Township, **Blair County**.

E31-130. Encroachment. **Dawn and Todd Colyer**, HC 62, Box 426, Shade Gap, PA 17255. To construct and maintain a single span bridge having a clear span of 38 feet and an underclearance of about 8 feet across Shade Creek to provide access to an existing private residence located on the east side of S. R. 0641 about 0.6 mile south of its intersection with S. R. 0035 (Shade Gap, PA Quadrangle N: 9.4 inches; W: 14.6 inches) in Dublin Township, **Huntingdon County**.

E36-616. Encroachment. **Caernarvon Township**, 2147 Main Street, Narvon, PA 17555. To remove existing 1996 flood damaged structure, construct and maintain a precast concrete box culvert having an 18.5-foot span x 7-foot rise across the Little Conestoga Creek on Smoketown School Road (T-773), located 300 feet north of its intersection with Churchtown Road (Morgantown, PA Quadrangle N: 3.7 inches; W: 15.9 inches) in Caernarvon Township, **Lancaster County**.

E38-113. Encroachment. **Louis Hurst**, 530 West Trout Run Road, Ephrata, PA 17522. To construct and maintain two timber foot bridges, two roads using three 76-inch x 48-inch R. C. pipe arch culverts, and three 60-inch x 38-inch R. C. pipe arch culverts across a tributary to the Tulpehocken Creek. A hiking trail/boardwalk with observation decks to be constructed within wetland areas at the Arbogate subdivision located along the south side of East Kercher Avenue (Bethel, PA Quadrangle N: 23 inches; W: 12 inches) in Jackson Township, **Lebanon County**.

E50-176. Encroachment. **Saville Township**, R. R. 1, Elliottsburg, PA 17024. To remove an existing structure and to construct and maintain a concrete slab bridge with steel I beam supports having a clear span of 36 feet and an underclearance of 8 feet across Panther Creek for highway improvements located on Boots Hollow Road about 400 feet southwest of its intersection with S. R. 0074 (Ickesburg, PA Quadrangle N: 13.18 inches; W: 12.55 inches) in Saville Township, **Perry County**.

E67-564. Encroachment. **East Manchester Township Board of Supervisors**, 5080 North Sherman Street,

Extd., Mt. Wolf, PA 17347. To construct and maintain a floodwall and to maintain an elevated section of Riverview Road in the floodplain of Codorus Creek (York Haven, PA Quadrangle N: 9.6 inches; W: 3.4 inches) in East Manchester Township, **York County**.

E67-565. Encroachment. **Hanover Country Club**, P. O. Box 185, Abbottstown, PA 17301. To construct and maintain two golf cart bridges: one having a clear span of 28 feet with an average underclearance of 4.5 feet and the second having a clear span of 28 feet with an average underclearance of 3.5 feet at the Hanover Country Club (Abbottstown, PA Quadrangle N: 3.9 inches; W: 14.9 inches) in Paradise Township, **York County**.

Southeast Regional Office: Program Manager, Water Management Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

E15-259. Encroachment. **Department of Transportation**, 200 Radnor-Chester Road, St. Davids, PA 19087. To reissue permit E15-259 which authorizes the removal of the existing structure and to construct and maintain an 88-foot long twin-celled, 20-foot wide x 5-foot high R. C. box culvert (culvert bottom is depressed 6-inches below stream bed) and to place and maintain riprap along the channel of Valley Creek (CWF, MF) at a point on S. R. 0030, section 37S, Station 1012+95 (Downington, PA Quadrangle N: 5.15 inches; W: 0.1 inch) in West Whiteland Township, **Chester County**.

E23-342. Encroachment. **Ridley Township**, MacDade Boulevard and Morton Avenue, Folsom, PA 19033-0000. To construct and maintain a stream improvement project to Little Crum Creek which consists of widening approximately 700 linear feet of stream channel for the purpose of increasing hydraulic capacity. This project is located approximately 500 feet southeast from the intersection of Park Avenue and Michigan Avenue (Lansdowne, PA Quadrangle N: 3.15 inches; W: 12.38 inches) in Ridley Township, **Delaware County**.

E46-743. Encroachment. **Lawrence Contracting Company**, Lock Box 411, Gilberton, PA 17934. To place and maintain fill in 0.15 acre of wetlands for the purpose of expanding the Park Ridge Shopping Center located on the east corner of the intersection of Park Avenue (S. R. 0363) and Ridge Pike (Collegeville, PA Quadrangle N: 3.85 inches; W: 2.65 inches) in Lower Providence Township, **Montgomery County**.

Southwest Regional Office: Soils and Waterways Section, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.

E02-1149. Encroachment. **River Road Boat Club**, 1661 Fifth Ave., McKeesport, PA 15132-1010. To construct and maintain a marina along the left bank of the Youghiogheny River located approximately 2,000 feet from the confluence of the Monongahela River and the Youghiogheny River (McKeesport, PA Quadrangle N: 17.9 inches; W: 16.8 inches) in City of McKeesport, **Allegheny County**.

E63-413. Encroachment. **Turnpike Commission**, P. O. Box 67676, Harrisburg, PA 17106-7676. To remove existing structures; to place and maintain fill at various locations for roadway construction; and to construct and maintain the following list of structures/activities for the purpose of constructing proposed Mon/Fayette Expressway (S. R. 0043), Construction Sequence 52C1 consisting of a four-lane limited access divided toll highway. This construction section begins approximately 900 feet north of S. R. 2016 and ends approximately 900 feet south of

S. R. 1020 (Monongahela, PA Quadrangle N: 5.0 inches; W: 8.0 inches) in Fallowfield and Carroll Townships, **Washington County**.

- a 725-foot stream relocation of an unnamed tributary to Maple Creek (ST 847+50—855+00)
- a 42-inch diameter x 1,225-foot long RCP culvert for a road crossing in an unnamed tributary to Maple Creek (ST 855+00—866+25)
- a 140-foot stream relocation of an unnamed tributary to Maple Creek (ST 866+25—867+50)
- a 75-foot stream relocation of an unnamed tributary to Taylor Run Creek (ST 893+50—894+10)
- a 145-foot stream relocation of an unnamed tributary to Taylor Run Creek (ST 898+70)—900+00)
- a 490-foot stream relocation of an unnamed tributary to Taylor Run Creek (ST 914+40—919+50)
- a 635-foot stream relocation of an unnamed tributary to Taylor Run Creek (S. R. 2025, ST 11+75—17+59)
- a 66-inch diameter by 895-foot RCP culvert in an unnamed tributary to Taylor Run Creek (S. R. 2025, ST 17.59—25+00)
- a 210-foot stream relocation of an unnamed tributary to Taylor Run Creek (Ramp K, ST 52+25—53+05)
- an 84-inch diameter by 234-foot long RCP culvert for a road crossing in an unnamed tributary to Taylor Run Creek (T-882, ST 17+40—20+48)
- a 1,100-foot channel relocation of an unnamed tributary to Taylor Run Creek (T-882, ST 20+48—31+20)
- fill in 0.25 acre of wetlands (4.5 acres of replacement wetlands approved under DEP File No. E02-1132)

E65-632. Encroachment. DEP—Bureau of Abandoned Mine Reclamation, P. O. Box 149, Ebensburg, PA 15931. To construct an embankment in the floodway of Four Mile Run for the purpose of creating wetlands to provide passive treatment of mine drainage (Monastery Run OSM 65 (2533) 101.1) (Latrobe, PA Quadrangle N: 8.6 inches; W: 5.6 inches) in Unity Township, **Westmoreland County**.

Northcentral Regional Office: Soils and Waterways Section, 208 W. Third St., Suite 101, Williamsport, PA 17701, telephone (717) 327-3574.

E14-285. Water obstruction and encroachment. Richard T. Miller, Jr., Box 44, Tylersville, PA 17773-0049. Remove an existing structure and to construct and maintain a minor road crossing an unnamed tributary to Fishing Creek for access to private property. The proposed road crossing shall be constructed by installing two culvert pipes that have diameters of 48 inches and a length of 24 feet. The project is located along the northern right-of-way of S. R. 0880 approximately 1.1 mile west of the intersection of S. R. 2002 and S. R. 0880 (Millheim, PA Quadrangle N: 18.2 inches; W: 7.5 inches) in Miles Township, **Centre County**. Estimated stream disturbance 24.0 linear feet; wetlands will not be impacted; stream classification is cold water fishery.

E14-286. Water obstruction and encroachment. James C. Walck, Sr., 1245 South Atherton St., State College, PA 16801. To construct and maintain a private single span bridge across an unnamed tributary to Bald Eagle Creek for access to a single residence. The bridge shall be constructed with a single span of 5.00 feet, an underclearance of 5.00 feet and a width of 8.75 feet that does not impact wetlands while impacting 2.25 linear feet of

stream, a cold water fishery. The project is located along the western right-of-way of S. R. 0220 approximately 2,500.0 feet west of the intersection of S. R. 4004 and S. R. 0220 (Bellefonte, PA Quadrangle N: 8.6 inches; W: 15.1 inches) in Union Township, **Centre County**.

E18-211. Water obstruction and encroachment. David W. Evers, Jr., 601 W. Walnut St., Lock Haven, PA 17745. Remove the existing structure and to construct and maintain a 72 inch by 96 inch concrete pipe in Plunkets Run located approximately 300 feet upstream from the intersection of Plunkets Run Road and Frankenfield Road (Beech Creek, PA Quadrangle N: 22.0 inches; W: 3.60 inches) in Bald Eagle Township, **Clinton County**. The project proposes to disturb approximately 20 linear feet of Plunkets Run which is designated a CWF.

E18-214. Water obstruction and encroachment. DCNR, Bureau of Forestry, P. O. Box 8552, Harrisburg, PA 17105. Remove existing structure and to construct and maintain a single span glue laminated timber beam bridge with reinforced concrete abutments and wingwalls having a normal clear span of 19 feet 11 inches, an approximate underclearance of 5 feet 6 inches on a 70 degree ahead left skew across Shintown Run located approximately 0.75 mile westbound on Big Basin Road from its intersection with S. R. 0144 (Renovo West, PA Quadrangle N: 21.4 inches; W: 13.85 inches) in Liedy Township, **Clinton County**. This project proposes to temporarily impact approximately 25 feet of Shintown Run which is HQ-CWF.

E19-154. Water obstruction and encroachment. Department of Transportation, P. O. Box 218, Montoursville, PA 17754. Remove the existing structure and to construct and maintain a 16-foot by 10-foot precast concrete box culvert depressed 1 foot below the streambed with an effective underclearance of 9 feet and a skew of 80 degrees in an unnamed tributary to the Susquehanna River. This project is located on S. R. 1004 just west of its intersection with Edgar Avenue (Bloomsburg, PA Quadrangle N: 1.7 inches; W: 3.7 inches) in Scott Township, **Columbia County**. Estimated stream disturbance 100 feet; temporary wetland disturbance is less than .05 acre; stream classification CWF.

E41-368. Water obstruction and encroachment. DCNR, P. O. Box 8451, Harrisburg, PA 17105-8451. Remove an existing structure and to construct and maintain a single span bridge constructed with a span of 26.9 feet, an underclearance of 5.5 feet and curb to curb width of 18.0 feet across Little Bear Creek. The project is located along the eastern right-of-way of S. R. 0087 approximately 4,000.0 feet east of the intersection of Little Bear Road and S. R. 0087 (Huntersville, PA Quadrangle N: 18.8 inches; W: 11.4 inches) in Plunketts Creek Township, **Lycoming County**. Estimated stream disturbance 65.0 linear feet; no wetland impact.

E41-372. Water obstruction and encroachment. DCNR, Bureau of Forestry, P. O. Box 8552, Harrisburg, PA 17105-8552. Remove existing structure and to construct and maintain a single span glue laminated timber beam bridge with reinforced concrete abutments and wingwalls having a normal clear span of 20 feet, an approximate 2 miles up Rock Run Road from its intersection with S. R. 0014 (Ralston, PA Quadrangle N: 6.1 inches; W: 2.7 inches) in McIntyre Township, **Lycoming County**. This project proposes to temporarily impact approximately 25 feet of Hound Run which is HQ-CWF and has verified trout reproduction.

E55-138. Water obstruction and encroachment. Snyder County Commissioners, P. O. Box 217, Middleburg, PA

17842. Repair and maintain an existing bridge by repairing the abutments including underpinning one which is scoured and placing rock along both abutments over the North Branch Mahantango Creek on T-344 approximately 1 mile west of S. R. 104 (Dalamatia, PA Quadrangle N: 7.85 inches; W: 13.93 inches) in Perry Township, **Snyder County**.

E59-322. Water obstruction and encroachment. **DCNR**, P. O. Box 8451, Harrisburg, PA 17105-8451. To remove an existing structure and to construct and maintain a reinforced concrete box culvert with a span of 7.5 feet, a rise of 5.5 feet and a length of 22.0 feet to carry Mine Hole Road across East Mine Hole Run. The project is located along the eastern right-of-way of S. R. 3001 approximately 2.2 miles northeast of the intersection of S. R. 3001 and Mine Hole Run Road (Cedar Run, PA Quadrangle N: 14.2 inches; W: 8.3 inches) in Morris Township, **Tioga County**. Estimated stream disturbance 105.0 linear feet of waterway and 0.05 acre of wetlands.

E60-127. Water obstruction and encroachment. **DCNR**, Bureau of Forestry, P. O. Box 8552, Harrisburg, PA 17105. Remove the existing structure and to construct and maintain a single span timber bridge with a normal span of 29.6 feet and average underclearance of 4.9 feet over Weikert Run on Weikert Run Road approximately 1 mile west of the intersection of S. R. 3002 and T-302 (Weikert, PA Quadrangle N: 16.4 inches; W: 7.2 inches) in Hartley Township, **Union County**. Estimated stream disturbance approximately 250.0 linear feet; stream classification is HQ-CWF, no wetland impacts.

Applications received under the act of June 24, 1939 (P. L. 842, No. 365) (35 P. S. §§ 631—641) relating to the acquisition of rights to divert waters of the Commonwealth.

Northwest Regional Office: Regional Program Manager, Water Supply and Community Health, 230 Chestnut Street, Meadville, PA 16335-3481, telephone (814) 332-6899.

WA 43-1001. Water allocation. **South Pymatuning Township Board of Supervisors**, 3483 Tamarack Drive, Sharpsville, PA 16150. Requests the right to purchase 181,000 gpd from the Borough of Sharpsville, located in South Pymatuning Township, **Mercer County**.
Type of Facility: Water Allocation
Consulting Engineer: Edward A. Winslow, Jr., PE/PLS, President, E. A. Winslow and Associates, Inc., 220 Hickory Street, Sharpsville, PA 16150-2296.

ACTIONS

The Department of Environmental Protection has taken the following actions on previously received permit applications and requests for plan approval and has issued the following significant orders.

Any person aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice

and procedure are also available in braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at 1(800) 654-5984.

Actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).

Permits Issued

Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335, telephone (814) 332-6942.

NPDES Permit No. PA 0000256. Industrial waste. **PA American Water Company**, Punxsutawney District, 800 West Hershey Park Drive, Hershey, PA 17033 is authorized to discharge from a facility located in Gaskill Township, **Jefferson County** to the east branch of Mahoning Creek.

NPDES Permit No. PA 0000345. Industrial waste. **PA American Water Company**, Clarion District, 800 West Hershey Park Drive, Hershey, PA 17033 is authorized to discharge from a facility located in Clarion Township, **Clarion County** to the Clarion River.

NPDES Permit No. PA 0104019. Sewage. **BFI of PA, Inc.**, R. D. 2, P. O. Box Q, Brockway, PA 15824 is authorized to discharge from a facility located in Washington Township, **Jefferson County** to an unnamed tributary to Wolf Run.

Northcentral Regional Office: Regional Water Management Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701, telephone (717) 327-3664.

Permit No. NPDES PAG 044877. Sewerage. **Ronald W. Sampsell**, 125 North Washington Street, Muncy, PA 17756. Has been approved for renewal to discharge from single family residence. Facility located in Muncy Creek Township, **Lycoming County**.

Permit No. NPDES PA0113891. Sewerage. **Boar and Bull Tavern Inc.**, Box 495, US Highway 522 South, Middleburg, PA 17842. Has been approved for renewal to discharge from facility located in Beaver Township, **Snyder County**.

Permit No. NPDES PAG 044851. Sewerage. **David W. Bausinger**, R. R. 1, Box 721, Williamsport, PA 17701. Has been approved for renewal to discharge from single family residence. Facility located in Loyalsock Township, **Lycoming County**.

Permit No. NPDES PAG 044871. Sewerage. **Sharon Wilber**, R. R. 3, Box 406A, Wellsboro, PA 16901. Has been approved for renewal to discharge from single family residence. Facility located in Charleston Township, **Tioga County**.

Permit No. NPDES PA0114758. Sewerage. **Frank Perano**, Box 278, King of Prussia, PA 19406. Has been approved for renewal to discharge from single family residence. Facility located in West Chillisquaque Township, **Northumberland County**.

Permit No. NPDES PAG 044873. Sewerage. **Anne Hicks**, 2607 South 62nd Street, Philadelphia, PA 17765.

Has been approved for renewal to discharge from single family residence. Facility located in Decatur Township, **Clearfield County**.

Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.

NPDES Permit No. PA0096725. Sewage, **Belle Vernon Area School District**, R. D. 2, Belle Vernon, PA 15012 is authorized to discharge from a facility located at Belmar-Marion School STP, Washington Township, **Fayette County** to Downers Run.

NPDES Permit No. PA0098981. Sewage, **Dean E. Molter**, 187 Becks Run Road, Moon Township, PA 15108 is authorized to discharge from a facility located at Dean E. Molter Single Residence Sewage Treatment Plant, Moon Township, **Allegheny County** to an unnamed tributary of Flaugherty Run.

NPDES Permit No. PA0204706. Sewage, **Forward Manor Mobile Home Park**, 22 Manor Drive, Elizabeth, PA 15037 is authorized to discharge from a facility located at Forward Manor Mobile Home Park STP, Forward Township, **Allegheny County** to Drainage Way to Fallen Timber Run.

Notices of Intent for Coverage Under NPDES General Permit for Construction Activities and Department Final Actions

Adams County Conservation District: District Manager, 57 N. Fifth Street, Gettysburg, PA 17235, telephone (717) 334-0636.

Chester County Conservation District: District Manager, Gov. Serv. Ctr., Ste. 395, 601 Westtown Rd., West Chester, PA 19382, telephone (610) 696-5126.

Columbia County Conservation District: District Manager, 1127A Old Berwick Rd., Bloomsburg, PA 17815, telephone (717) 784-1310.

Cumberland County Conservation District: District Manager, 43 Brookwood Ave., Ste. 4, Carlisle, PA 17013, telephone (717) 249-8632.

Dauphin County Conservation District: District Manager, 1451 Peters Mtn. Rd., Dauphin, PA 17018, telephone (717) 921-8100.

Lancaster County Conservation District: District Manager, 1383 Arcadia Rd., Rm. 6 Farm & Home Ctr., Lancaster, PA 17601, telephone (717) 299-5361.

Luzerne County Conservation District: District Manager, Courthouse Annex, 5 Water Street, Wilkes-Barre, PA 18711, telephone (717) 825-1844.

Mercer County Conservation District: District Manager, R. R. 2, Box 2055, Mercer, PA 16137, telephone (412) 662-2242.

Montgomery County Conservation District: District Manager, 1015 Bridge Rd., Ste. B, Collegeville, PA 19426, telephone (610) 489-4506.

Northampton County Conservation District: District Manager, R. R. 4, Nazareth, PA 18064, telephone (610) 746-1971.

Schuylkill County Conservation District: District Manager, Schuylkill Mall, Frackville, PA 17931, telephone (717) 874-3130.

Somerset County Conservation District: District Manager, N. Ridge Bldg., 1590 N. Ctr. Ave., Ste.103, Somerset, PA 15501, telephone (814) 445-4652.

Union County Conservation District: District Manager, 60 Bull Run Crossing, Lewisburg, PA 17837, telephone (717) 523-8782.

Warren County Conservation District: District Manager, 609 Rouse Home Ave., Suite 203, Youngsville, PA 16317, telephone (814) 563-3117.

Washington County Conservation District: District Manager, 602 Courthouse Sq., Washington, PA 15301, telephone (412) 228-6774.

York County Conservation District: District Manager, 118 Pleasant Acres Road, York, PA 17402, telephone (717) 840-7430.

The following parties have submitted notices of Intent for coverage under NPDES General Permit PAG-2, General Permit for Discharges of Stormwater From Construction Activities. Unless otherwise indicated, on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection will authorize, subject to the terms and conditions contained in the general permit, the discharge of stormwater from eligible new and existing discharges.

The application and related documents, including the erosion and sedimentation control plan for the construction activity, are on file and may be inspected at the office noted above.

<i>NPDES Permit No.</i>	<i>Name and Address</i>	<i>County and Municipality</i>	<i>Receiving Stream</i>
PAR100028	William Stevens 6317 Macaw Ct. Elkridge, MD 21227	Adams Co. Germany Twp.	Alloway Crk.
PAR10G161	National Properties Inc. 150 E. Swedesford Rd. Wayne, PA 19087	Chester Co. W. Whiteland Twp.	Valley Crk.
PAR10G173	McCann Trailer Park 10 Ashton Rd. Collegeville, PA	Chester Co. Schuylkill Twp.	French Crk.
PAR10G181	Cignature Hospitality 400 Gordon Dr. Lionville, PA 19353	Chester Co. W. Goshen Twp.	UNT to Chester Crk.
PAR10G184	Megill Construction Co. 1308 S. Concord Rd. W. Chester, PA 19382	Chester Co. Westtown Twp.	UNT to Chester Crk.

<i>NPDES Permit No.</i>	<i>Name and Address</i>	<i>County and Municipality</i>	<i>Receiving Stream</i>
PAR10G186	Penn Oak Homes Inc. P. O. Box 129 Kennett Square, PA 19348	Chester Co. Boro. of Oxford	UNT to Tweed Run
PAR102123	Steve Shannon Warehouse Site P. O. Box 803 Bloomsburg, PA 17815	Columbia Co. Bloomsburg	Fishing Crk.
PAR10H095	John Knaub 580 Wilson Rd. Mechanicsburg, PA	Cumberland Co. Upper Allen Twp.	Cedar Run
PAR10H092	Ritner Park Assocs. 625 Hamilton St. Carlisle, PA 17013	Cumberland Co. Carlisle Boro.	Conodoguinet Crk.
PAR10I054-1	West Hanover Twp. Water & Sewer Authority 7171 Allentown Blvd. Harrisburg, PA 17112	Dauphin Co. W. Hanover Twp.	UNT to Beaver Crk.
PAR10-O-173	Jefferson Hartzler 1140 Union School Rd. Mount Joy, PA 17552	Lancaster Co. Conoy Twp.	Conewago Crk.
PAR10-O-203	H L Wiker & Sons Inc. 1 E. Main St. Strasburg, PA 17579	Lancaster Co. E. Lampeter Twp.	Stauffer Run
PAR10-O-204	Lancaster Area Habitat for Human 321 S. Queen St. Lancaster, PA	Lancaster Co. Lancaster City	Conestoga River
PAR10-O-205	Packaging Corp of America 1530 Fruitville Pke. Lancaster, PA 17601	Lancaster Co. Lancaster City	UNT to Conestoga Crk.
PAR10R084	John Moran 202 and 7th St. Watsontown, PA 17777	Luzerne Co. Wright Twp.	Municipal Storm sewer
PAR10R086	Robert Mericle 600 Baltimore Dr. E. Mtn. Corp. Ctr. Wilkes-Barre, PA	Luzerne Co. Hazle Twp.	Abandoned Strip Mine
PAR10R087	Hanover Area School District 1600 Sans Souci Hwy. Wilkes-Barre, PA	Luzerne Co. Hanover Twp.	Warrior Crk. and Susquehanna Rvr.
PAR104321	John Pharr Jr. R. D. 6, Box 504 New Castle, PA 16101	Mercer Co. Wolf Crk.	UNT to E. Br. of Wolf Crk.
PAR10T270	Marvin Anders 287 Highland Ave. Souderton, PA 18964	Montgomery Co. L. Salford Twp.	W. Br. of Skippack Crk.
PAR10T271	R C C Assocs. P. O. Box 270 Newtown, PA 18904	Montgomery Co. Abington Twp.	Pennypack Crk.
PAR10T264	Anthony Gianni 311 W. Ridge Pke. Limerick, PA 19468	Montgomery Co. N. Hanover Twp.	UNT to Ministers Crk.
PAR10T254	Industrial Investors P. O. Box 287 Fairview Village, PA 19409	Montgomery Co. E. Norriton Twp.	N/A
PAR10T275	Gambone Bros. Devel. Co. 1030 W. Germantown Pke. Fairview Village, PA 19409	Montgomery Co. L. Providence Twp.	Myers Run
PAR10U049	Richard Mansfield 305 Kichlwe Rd. Hellertown, PA 18055	Northampton Co. Williams Twp.	Saucon Crk.

<i>NPDES Permit No.</i>	<i>Name and Address</i>	<i>County and Municipality</i>	<i>Receiving Stream</i>
PAR10U053	Tom and Nancy Polak 1625 Wassergass Rd. Hellertown, PA 18055	Northampton Co. L. Saucon Twp.	Saucon Crk.
PAR10U056	Antonio and Soccorso Calantoni 2900 Swanson St. Easton, PA 18045	Northampton Co. Williams Twp.	Lehigh River
PAR105734	Butler Twp. Mun. Auth. Wastewater Collection System 211 Broad St. Ashland, PA 17921	Schuylkill Co. Butler Twp.	Mahanoy Crk. to Susquehanna River
PAR106113	Delta Coal Sales Inc. P. O. Box 309 Grantsville, MD 21536	Somerset Co. Summit Twp.	Casselman Rvr.
PAR106818	Watsontown Brick Co. P. O. Box 68 Watsontown, PA 17777	Union Co. E. Buffalo Twp.	Turtle Crk.
PAR107201	North Coast Energy 3896 Oakwood Ave. Youngstown, OH 44515	Warren Co. Columbus Twp.	Brokenstraw and Hare Crks.
PAR10W066	West Penn Power Co. 800 Cabin Hill Dr. Greensburg, PA 15601	Washington Co. Chartiers, S. and N. Strabane	UNT to Chartiers Crk.
PAR10Y198	Fairview Retirement Community 780 Woodland Ave. Lewisberry, PA 17339	York Co. Fairview Twp.	Fishing Crk.

NOI Received and Final Actions Under NPDES General Permits

Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, telephone (814) 332-6942.

Coverage under the General Permits issued under the National Pollutant Discharge Elimination System (NPDES) Permit Program to discharge wastewaters to waters of the Commonwealth.

<i>NPDES No.</i>	<i>Applicable GP No.</i>	<i>Facility Name and Address</i>	<i>Facility Location</i>	<i>Stream Name</i>	<i>SIC</i>
PAG048378	PAG-4	George Gerber 40 Callahan Rd. Greenville, PA 16125	Mercer Otter Creek Twp.	Unnamed Tributary to Mathey Run	
PAR118329	PAG-3	L&N Metallurgical Products Company P. O. Box 111 Ellwood City, PA 16117	Lawrence Ellport Boro	Connoquenessing Creek via Ellport Borough Stormwater Runoff System	3823

The following approvals for coverage under NPDES Individual Permit for Discharges of Stormwater from Construction Activities have been issued.

Northeast Regional Office: Regional Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 825-2511.

Southwest Regional Office: Regional Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County and Municipality</i>	<i>Receiving Stream</i>
PAS10A051	Quaker Highlands Inc. 996 Broadhead Rd. Coraopolis, PA 15108	Allegheny Co. Findlay Twp.	Montour Run
PAS10A083	BTS West Mifflin LP 1 Gorham Island Westpoint, CT 06880	Allegheny Co. W. Mifflin Boro.	UNT to Lewis Run

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County and Municipality</i>	<i>Receiving Stream</i>
PAS10A084	West Penn Power Co. 800 Cabin Hill Dr. Greensburg, PA 15601	Allegheny Co. Fawn, Buffalo and Harrison Twps.	Bull, Little Bull and Little Buffalo Crks.
PAS10Q098	Hillard Refrigerated Services 4715 132nd St. Omaha, NE	Lehigh Co. U. Macungie Twp.	Iron Run
PAS10Q100	Weyhill Inc. 824 8th Ave. Bethlehem, PA	Lehigh Co. U. Saucon Twp.	Saucon Crk.
PAS10Q103	Norwood Company 974 Mareon Blvd. Allentown, PA 18103	Lehigh Co. U. Macungie Twp.	Ltl. Lehigh Crk.
PAS10Q088	Jaindl Land Company 3150 Coffeetown Rd. Orefield, PA 18069	Lehigh Co. U. Macungie Twp.	Ltl. Lehigh Crk.
PAS10W042	JCP Associates 4839 Campbells Run Rd. Pittsburgh, PA 15205	Washington Co. S. Strabane Twp.	Chartiers Crk.
PAS10W048	DEP-BAMR P. O. Box 149 Ebensburg, PA 15931 and Bhatt Contracting Co. 3263 Route 60E Ona, WV 25545	Washington Co. Centerville Boro Beallsville Boro W. Pike Run Twp.	Pike Run
PAS10X051	Allegheny Twp. Mun. Authority 136 Community Bldg. Rd. Leechburg, PA 15656	Westmoreland Co. Allegheny Twp.	Pine Run and UNT to Kiskiminetas River

The following NPDES Individual Permits for Discharges of Stormwater from Construction Activities have been issued.

Southeast Regional Office: Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, telephone (610) 832-6130.

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County and Municipality</i>	<i>Receiving Stream</i>
PAS10-D080	Lockheed Martin, Inc. 6801 Rockledge Avenue Bethesda, MD 20817	Newtown Twp. Bucks County	Core Creek
PAS10-G183	Walter J. Styer P. O. Box 387 Uwchlan, PA 19480-0387	Upper Uwchlan Twp. Chester County	Tributary to Marsh Creek, Delaware Watershed

Southcentral Regional Office: Water Management Program, Soils and Waterways Section, One Ararat Boulevard, Room 126, Harrisburg, PA 17110, telephone (717) 657-4590.

PAS-10-H053. Individual NPDES. **Forgedale Associates**, 643 Forge Road, Carlisle, PA 17013. To implement an Erosion and Sedimentation Control Plan for a single family housing development called Forgedale Crossing on 69.28 acres in South Middletown Township, **Cumberland County**. The project is located on the west side of Carlisle—Boiling Springs Road (S. R. 2003) about 2 miles northwest of Boiling Springs (Carlisle, PA Quadrangle N: 8.8 inches; W: 3.9 inches). Drainage will be to the Letort Spring Run.

PAS-10-M091. Individual NPDES. **Charles and Ursula Riseborough**, 501 St. Thomas-Edenville Road, St. Thomas, PA 17252. To implement an Erosion and Sedimentation Control Plan for a single family housing development on Kreswood Forest subdivision on 52 acres in St. Thomas Township, **Franklin County**. The project

is located about 0.7 mile north of the Village of St. Thomas (St. Thomas, PA Quadrangle N: 9.5 inches; W: 7.5 inches). Drainage will be to unnamed tributary to Campbell Run.

Actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).

Northcentral Regional Office: 208 West Third Street, Suite 101, Grit Building, Williamsport, PA 17701.

Permit No. WQM-5588404-T1. Sewerage. **Ronald Troutman**, president of Boar and Bull Tavern Inc., Box 495 U. S. Highway 522S, Middleburg, PA 17842. The Transfree has been authorized to discharge from facility located in Beaver Township, **Snyder County**.

Permit No. WQM 1796403. Sewerage. **Clearfield Municipal Authority**, 125 East Market Street, Clearfield, PA 16830, has been authorized to discharge from facilities located in Lawrence Township, **Clearfield County**.

Permit No. WQM 1796405. Sewerage. **Anne Hicks**, 2607 South 62nd Street, Philadelphia, PA 19142, has been authorized to discharge from facility located in Decatur Township, **Clearfield County**.

Industrial waste and sewerage actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).

Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, telephone (814) 332-6942.

WQM Permit No. 4396403. Sewerage, **George Gerber**, SRSTP, 40 Callahan Rd., Greenville, PA 16125. Construction of George Gerber SRSTP located in Otter Creek Township, **Mercer County**.

Northeast Regional Office: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-2511.

Permit No. 5295403. Sewage waste. **James Gili (Miracle Laundromat)**, R. R. 1, Box 134X33, Dingmans Ferry, PA 18328. Permit to construct and operate an onlot sand mound system, located in Delaware Township, **Pike County**.

Permit No. 5495405. Sewerage. **Butler Township Municipal Authority**, 211 Broad Street, Ashland, PA 17921. Permit to construct and operate a sewage collection system and a sewage treatment plant, located in Butler Township, **Schuylkill County**.

Permit No. 5496401. Sewerage. **Frackville Area Municipal Authority**, 41 North Lehigh Street, Frackville, PA 17931. Permit to construct and operate a force main and gravity sewer to serve the State Correctional Institution at Frackville, located in Ryan Township, West Mahoning Township and the Borough of Frackville, **Schuylkill County**.

Permit No. 5496402. Sewerage. **Air Products and Chemicals, Inc.**, P. O. Box 351, R. R. 1, Tamaqua, PA 18252. Permit for modifications and additions to the existing sewage treatment plant, located in Rush Township, **Schuylkill County**.

Permit No. 5896401. Sewerage. **Elmer Brown**, R. R. 1, Box 166A, Hallstead, PA 18822. Permit to construct and operate a single family residence sewage treatment plant, located in Liberty Township, **Susquehanna County**.

Plan approval granted under the Pennsylvania Sewage Facilities Act (35 P. S. §§ 750.1—750.20).

Northeast Regional Office: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-2553.

Antolick Residence, North Abington Township, **Lackawanna County**.

Project Description: This residential project will involve the construction of a single-family dwelling adjacent to the property owner's existing business, the Inn of the Abingtons. The parcel upon which the home is being proposed is an existing 2.4 acre lot that will be combined with the 2.7 acre parcel upon which the restaurant is located, creating a new 5.1 acre lot.

Wastewater from the restaurant is currently disposed of in an elevated sand mound onlot system and will remain as such. Sewage flows from the proposed dwelling will be 500 gpd and will be disposed of by utilizing a Small Flow Treatment Facility with a stream discharge.

This treatment plant will discharge to Kennedy Creek. Acceptance of this revision is conceptual. It leaves to be addressed at a later date both (1) the effluent limitations necessary to protect public health, and (2) specific treatment technology.

The location of this project is on the south side of T-524, 1 mile west of the Scott Interchange of I-81 in North Abington Township, Lackawanna County, Pennsylvania.

Borough of Thompson, Susquehanna County

The Department's review has found that the Plan Update is acceptable and hereby grants planning approval. This review has also not identified any significant environmental impacts resulting from this proposal.

The approval of the Plan Update is conditioned, though, upon ultimate compliance with the provisions of the History Code (37 Pa.C.S. § 507). The costs of conducting any required survey work related to compliance with the History Code must be included in the cost of the proposed sewage facilities project. If recovery work or system re-design is required as a result of attaining compliance with the requirements of the Pennsylvania Historical and Museum Commission, the Department's Northeast Regional Office must be notified immediately.

The chosen wastewater disposal alternative outlined in the Plan Update calls for the implementation of Alternative 2C as identified in the Plan Update. This alternative proposes the construction of a 30,000 gpd wastewater treatment facility (septic tank with intermittent sand filter and stream discharge) and wastewater collection system (with various appurtenances) to serve 66 Equivalent Dwelling Units (EDUs) located in the central section of Thompson Borough. The 66 EDUs include 43 EDUs which currently discharge their wastewater to a "wildcat" sewer system with two outfalls directly to Starrucca Creek. Sewer service will also be provided for an additional 19 EDUs which discharge directly to Starrucca Creek or its immediate tributaries. In addition to eliminating all "wildcat" sewers within the Borough, the proposed wastewater collection system will also serve four EDUs whose onlot wastewater disposal systems are currently malfunctioning. The Plan Update also provides for the establishment of an onlot sewage management program. The proposed program will provide for the long-term monitoring and continued safe operation of all remaining onlot wastewater disposal systems located within Thompson Borough.

Financing of the chosen wastewater disposal alternative's construction is proposed to be provided by the RECDS in the form of a grant and long-term, low-interest loan. The Borough is also proposing a \$500 connection fee to reduce the total amount of funds required to be obtained through RECDS.

In accordance with the provisions of the Pennsylvania Sewage Facilities Act (35 P. S. §§ 750.1—750.20(a)) (Act 537) and 25 Pa. Code Ch. 71 (relating to administration of sewage facilities planning program), the Department will hold the Borough of Thompson responsible for the complete and timely implementation of the Plan Update's chosen alternative, as listed in the Schedule of Implementation, contained in the Plan Update.

Any additional wastewater-related improvements, additions, deletions or changes outside of those explicitly described in the Plan Update must be in compliance with the Department's Regulations and be submitted to and approved by the Department in writing.

Actions taken under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

Northeast Regional Office: Sanitarian Regional Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-2511.

Permit No. 3996501. Public water supply. **Lehigh County Authority, North Whitehall Division,** c/o Aurel M. Arndt, LCA Gen., Manager, P. O. Box 3348, Allentown, PA 18106-0348. This proposal involves installation of two additional booster pumps and a 230 KW diesel emergency generator. The proposed additional booster pump consist of a 10 HP unit rated at 150 gpm and a 60 HP unit rated at 750 gpm. It is located in North Whitehall Township, **Lehigh County.**

Permit to Operate issued: May 1, 1996.

Submission of Final Reports on Attainment of Background and Statewide Health Standards (Sections 302(e)(2) and 303(h)(2))

The following final reports were submitted to the Department of Environmental Protection under the Land Recycling and Environmental Remediation Standards Act, the act of May 19, 1995 (P. L. 4, No. 2).

Provisions of Chapter 3 of the Land Recycling and Environmental Remediation Standards Act (the act) require the Department of Environmental Protection to publish in the *Pennsylvania Bulletin* a notice of submission of any final reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the Act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed, and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning the final report, please contact the Environmental Cleanup Program in the Department of Environmental Protection Regional Office under which the notice of receipt of a final report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at 1 (800) 654-5984.

The Department has received the following final report.

Northeast Regional Field Office, Joseph Brogna, Regional Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-2511.

James L. Brown Property, Kingston Township, **Luzerne County.** James L. Brown, 123 Woodtip Drive, Trucksville, PA has submitted a Final Report concerning the remediation of site groundwater contaminated with BTEX (benzene, toluene, ethylbenzene and/or xylene) compounds and petroleum hydrocarbons. The report is intended to document remediation of the site to meet the Statewide health standard. A Notice of Intent to Remediate was simultaneously submitted. Please refer to additional *Pennsylvania Bulletin* notice.

Opening of the Administrative Record; Proposed Response under The Hazardous Sites Cleanup Act

Zieglerville TCE Site

Lower Frederick Township, Montgomery County

The Department of Environmental Protection (DEP), under the authority of the Hazardous Sites Cleanup Act, (HSCA) (35 P. S. §§ 6020.101—6020.1305), has proposed an interim response at the Zieglerville TCE site.

The Zieglerville TCE site is located at 1202 North Gravel Pike in Zieglerville, Montgomery County. The site consists of a groundwater contamination plume resulting from a manufacturing operation formerly located at 1202 North Gravel Pike. The facility manufactured, packaged and utilized solvents bearing TCE (trichlorethene) in its processes.

The Department has determined, through sampling, that a source of the groundwater contamination exists within the soil on the site property. The source area consists of an area of soil approximately 360 square feet in size, contaminated to a depth of 8 feet. The Department has also determined during the investigation that a number of drums on the adjoining property contain potentially hazardous materials. The Department suspects that the materials were generated by the former solvent manufacturer. The soil contamination constitutes a continuing release of hazardous materials to the environment, which may affect a nearby municipal water well. The drums containing potentially hazardous materials constitute a threat of a release of hazardous substances to the environment, which may contaminate the underlying soil and groundwater.

The objective of this response is to remove source areas, which threaten the local groundwater aquifer. The Department proposes to treat the soil in place using heat and mixing, with appropriate air quality emission controls to address the source area in the soil. The Department also proposes to remove drums containing potentially hazardous materials from the site for proper reuse, recycling, treatment and/or disposal. Through this proposed action the Department will address the areas which constitute threats to the groundwater at the site.

The Department has considered four alternatives for addressing the contaminated soil at the site. The No Action Alternative is required by HSCA to establish a baseline, and is not considered protective of human health or of the environment. Excavation and removal followed by proper treatment/disposal of contaminated soil is a feasible alternative, however, fugitive emissions from the excavation would be difficult to control and soil may require additional treatment prior to land disposal. Onsite low temperature thermal desorption would destroy contaminants in the soil, however, excavation is also required prior to treatment and mobilization costs for the treatment equipment are prohibitive for a relatively small amount of soil. Treatment of the soil using heat and mixing in place controls fugitive emissions and is a cost effective remedy which can be conducted over a short period of time.

The Department considered two alternatives for addressing the drums potentially containing hazardous materials at the site. The Department considered taking no action to remove the drums from the site. Taking no action to address the drums would not be protective of the environment or public welfare. Removal of the drums containing hazardous materials addresses the threat of release of hazardous materials from the containers.

The Department is proposing that the contaminated soil be cleaned up using mixing coupled with heat stripping and that drums containing hazardous materials be removed from the site.

The administrative record, which contains the information that forms the basis for and documents the selection of this response action, is available for public review and comment. The administrative record is located at the Lower Frederick Township Building, 53 Spring Mount Road in Spring Mount and is available for review Monday through Friday from 8:30 a.m. to 4:30 p.m. The administrative record may also be reviewed at the DEP Regional Office located at 555 North Lane, Suite 6010, in the Lee Park building, Conshohocken, PA.

Written comments concerning the Department's response and the information contained in the Administrative Record will be accepted in person, if delivered, or by mail, if postmarked, on or before September 16, 1996. Written comments should be directed to the attention of Dustin Armstrong, DEP Project Officer, Suite 6010 Lee Park, 555 North Lane, Conshohocken, PA 19428, telephone (610) 832-6206.

In addition, the public will have an opportunity to present oral comments at a public hearing. The public hearing is scheduled for July 17, 1996, at 7:30 p.m. at the Lower Frederick Township Municipal Building, located at 53 Spring Mount Road, Spring Mount, PA. Persons wishing to present oral comments should register on or before the date of the public hearing by contacting Rob Goldberg, DEP Community Relations Coordinator, at (610) 832-6010.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact Rob Goldberg or the Pennsylvania AT&T Relay Service at 1 (800) 654-5984 to discuss how the Department may accommodate their needs.

The Department is providing this notice under sections 505(b) and 506(b) of HSCA. The date of publication of this notice in the *Pennsylvania Bulletin* initiates the minimum 90-day public comment period for an opening of the Administrative Record, as provided, under that act.

License issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations for license to transport hazardous waste.

Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.

Chemical Conservation Corporation, 10100 Rocket Boulevard, Orlando, FL 32824; License No. **PA-AH 0518**; license issued May 24, 1996.

National Waste Clean, Inc., 304 Pulaski Street, South Plainfield, NJ 07080; License No. **PA-AH 0528**; license issued May 30, 1996.

Research Transportation Company, 2777 Broadway Avenue, Cleveland, OH 44115; License No. **PA-AH 0527**; license issued May 24, 1996.

Renewal licenses issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations for license to transport hazardous waste.

Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.

Clean America, Inc., 3300 Childs Street, Baltimore, MD 21226; License No. **PA-AH 0375**; license issued May 24, 1996.

Hazardous Waste Transporter License reinstated under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations for license to transport hazardous waste.

Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.

Clean America, Inc., 3300 Childs Street, Baltimore, MD 21226; License No. **PA-AH 0375**; license reinstated May 24, 1996.

Amended license issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations for license to transport hazardous waste.

Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.

Clean America, Inc., 3300 Childs Street, Baltimore, MD 21226; License No. **PA-AH 0375**; amended license issued May 24, 1996.

License expired under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations for license to transport hazardous waste.

Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.

RSO Inc., P. O. Box 1526, Laurel, MD 20725-1526; License No. **PA-AH S168**; license expired May 31, 1996.

S & M Management Incorporated, P. O. Box 1429, Milford, PA 18337; License No. **PA-AH 0412**; license expired May 31, 1996.

Permits issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), and Municipal Waste Regulations for General Permits for the Processing of Infectious or Chemotherapeutic Waste.

Central Office: Division of Municipal and Residual Waste, 14th Floor, Rachel Carson State Office Building, 400 Market St., Harrisburg, PA 17101-2301.

General Permit No. WMGI007. Sterile Technology Industries, Inc., R. R. 1, Box 364, Morgantown, PA 15443. A permit for processing infectious waste using sodium hypochlorite and low pressure steam in a modular treatment unit. The permit was issued by Central Office on May 29, 1996.

Persons interested in reviewing or registration information may contact the General Permits and Beneficial Use Section, Division of Municipal and Residual Waste, P. O. Box 8472, Harrisburg, PA 17105-8472.

Registration under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904); and residual waste regulations for a general permit to operate residual waste processing facilities and the beneficial use of residual waste other than coal ash.

Central Office: Division of Municipal and Residual Waste, 14th Floor, Rachel Carson State Office Building, 400 Market St., Harrisburg, PA 17101-2301.

General Permit Registration No. WMGR011R013. Re-New-It Recycling, R. D. 1, Box 173, Roaring Spring, PA 16673. Registration to operate under General Permit WMGR011 for the processing of spent ethylene glycol base antifreeze in mobile processing units for the purpose of reconditioning spent antifreeze generated by coolant or heating systems. Registration effective on May 29, 1996.

Permits issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to operate solid waste processing or disposal area or site.

Southwest Regional Office: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.

A. 603381. Adam J. Skokut, d/b/a A-Affordable Sanitation, P. O. Box 735, Manor, PA 15665. A major permit modification for generic sludge source approval and the addition of 146.77 acres for the operation of an agricultural utilization of sewage sludge site in South Huntingdon Township, **Westmoreland County**. Permit issued in the Regional Office on May 29, 1996.

Permits modified under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to operate solid waste processing or disposal area or site.

Southwest Regional Office: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.

A. 301224. United Environmental Group, Inc., 241 McAleer Road, Sewickley, PA 15143. Operation of a residual waste processing facility in Ohio Township, **Allegheny County**. Permit modified in the Regional Office on May 17, 1996 to address the management of waste oil and the dismantling of empty tanks.

Plan approvals issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify or reactivate air contamination sources or air cleaning devices.

Regional Office: Southcentral Regional Office, Air Quality Program, One Ararat Boulevard, Harrisburg, PA 17110.

06-308-028A. On May 30, 1996, the Department issued a Plan Approval to **General Battery Corp.** (P. O. Box 14294, Reading, PA 19612-4294) for the construction of a No. 2 lead-acid battery shredder and Venturi scrubber in Laureldale/Muhlenberg Township, **Berks County**. The source is subject to 40 CFR 63, Subpart X, National Emission Standards for Hazardous Air Pollutants.

06-309-008B. On May 30, 1996, the Department issued a Plan Approval to **Allentown Cement Company, Inc.** (P. O. Box 619, Blandon, PA 19510) for the installation of a finish mill conveying system and a fabric collector at their Evansville Plant in Maiden Creek Township, **Berks County**.

06-317-008A. On May 23, 1996, the Department issued a Plan Approval **Dietrich's Milk Products, Inc.** (100 McKinley Avenue, Reading, PA 19605) for the installation

of a No. 3 milk spray dryer and fabric collector at their Reading Plant in Muhlenberg Township, **Berks County**.

31-310-016C. On May 30, 1996, the Department issued a Plan Approval to **U. S. Silica Company** (P. O. Box 187, Berkeley Springs, WV 25411) for the construction of a bulk sand storage and loading system controlled by a fabric collector at their Keystone Plant in Brady Township, **Huntingdon County**.

31-310-019E. On May 23, 1996, the Department issued a Plan Approval to **New Enterprise Stone & Lime Company, Inc.** (P. O. Box 77, New Enterprise, PA 16664) for the modification of a limestone crushing plant controlled by wet suppression and two fabric collectors at their Tyrone fine crushing plant in Warriors Mark Township, **Huntingdon County**. The source is subject to 40 CFR 60, Subpart OOO, Standards of Performance for New Stationary Sources.

38-317-013. On May 14, 1996, the Department issued a Plan Approval to the **Hershey Pasta Group** (749 Guilford Street, Lebanon, PA 17046) for the construction of a pasta regrind system controlled by a fabric filter at their Lebanon Plant in the City of Lebanon, **Lebanon County**.

Regional Office: Southwest Regional Office, Bureau of Air Quality, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

32-306-010A. On May 23, 1996, a plan approval expiration date was extended to September 30, 1996, for **GPU Generation Corporation** (1001 Broad Street, Johnstown, PA 15907) for scrubbers on boiler unit 1 and 2 at its facility located in West Wheatfield Township, **Indiana County**.

56-305-043. On May 23, 1996, a plan approval expiration date was extended to January 31, 1997, for **Senate Coal Mines, Inc.** (P. O. Box 682, Latrobe, PA 15650) for a water truck for the coal refuse reclaiming/screen process at its facility located in Windber Borough, **Somerset County**.

11-305-028. On May 23, 1996, a plan approval expiration date was extended to January 31, 1997, for **Senate Coal Mines, Inc.** (P. O. Box 682, Latrobe, PA 15650) for a water truck at the wet coal refuse reclaiming plant at its mine no. 42 facility located in Adams Township, **Cambria County**.

63-320-001. On May 22, 1996, a plan approval expiration date was extended to October 1, 1996 for **Specialty Printing, Inc.** (P. O. Box 104, Third Street and PA RR, Charleroi, PA 15022) for a catalytic oxidizer on the Drier WEB-Offset Printing system at its facility located in Charleroi Borough, **Washington County**.

65-309-033A. On May 22, 1996, a plan approval expiration date was extended to December 31, 1996 for **St. George Crystal, Ltd.** (P. O. Box 709, Jeannette, PA 15644) for baghouses on the glass melting furnace at its facility located in Jeannette, **Westmoreland County**.

63-307-023A. On May 23, 1996, a plan approval expiration date was extended to November 1, 1996 for **Washington Steel Corporation** (P. O. Box 494, Washington, PA 15301) for two electric arc furnaces (EAF) at its facility located in Houston Borough, **Washington County**.

63-303-007. On May 23, 1996, a plan approval expiration date was extended to October 31, 1996 for **Commercial Stone Company, Inc.** (2200 Springfield Pike, Connellyville, PA 15425) for a baghouse on the bituminous

asphalt manufacturing process at its facility located in Somerset Township, **Washington County**.

63-308-035. On May 23, 1996, a plan approval expiration date was extended to June 30, 1997 for **Hansen Engineering, Inc.** (167 Laidley's Run Road, West Alexander, PA 15376) for an afterburner, a cyclone, a venturi scrubber, a packed tower and an inline stack scrubber on the sliding bed thermo oxidizer at its facility located in West Finley Township, **Washington County**.

65-307-076. On May 23, 1996, a plan approval expiration date was extended to October 1, 1996 for **Allegheny Ludlum Steel Corporation** (100 River Road, Brackenridge, PA 15014) for the no. 91 anneal and pickle line at its facility located in Vandergrift Borough, **Westmoreland County**.

63-310-005. On May 14, 1996, a plan approval was issued to **Southwest Aggregates Corporation** (Route 980, Box 272, Robinson Highway, McDonald, PA 15057) for a railroad ballast processing system at its Smith Township Site located in Smith Township, **Washington County**.

26-310-011B. On May 20, 1996, a plan approval was issued to **Commercial Stone Company, Inc.** (2200 Springfield Pike, Connellsville, PA 15425) for a portable crusher at its Springfield Pike Plant located in Connellsville Township, **Fayette County**.

32-305-043B. On May 23, 1996, a plan approval was issued to **Milcreek Processing** (110 Cedar Lane, McMurray, PA 15317) for a water spray truck, a road spray system and a paved roadway at its Challenger Coal Yard located in East Wheatfield Township, **Indiana County**.

65-307-079. On May 23, 1996, a plan approval was issued to **Kennametal, Inc.** (P. O. Box 231, Latrobe, PA 15650) for dust collectors on their jet mill at their Kingston Plant located in Derry Township, **Westmoreland County**.

63-399-002. On May 23, 1996, a plan approval was issued to **McGrew Welding & Fabricating, Inc.** (P. O. Box 87, Donora, PA 15033) for belt covers and sprays on their materials handling system at their plant located in Donora Borough, **Washington County**.

65-307-080. On May 23, 1996, a plan approval was issued to **Latrobe Steel Company** (2626 Ligonier Street, P. O. Box 31, Latrobe, PA 15650) for a stress relief furnace at its Latrobe Plant located in Latrobe Borough, **Westmoreland County**.

MINING ACTIVITY ACTIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); The Clean Streams Law (35 P.S. §§ 691.1—691.1001); The Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the request for 401 water quality certification. Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Quality Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

Hawk Run District Office, P. O. Box 209, Hawk Run, PA 16840.

Coal Permits Issued

17900129. Northern Counties Coal Company, Inc. (P. O. Box 668, Philipsburg, PA 16866), renewal of an existing bituminous surface mine permit in Beccaria Township, **Clearfield County** affecting 262 acres, receiving streams Blue Run, Buck Run, Porter Run and tributaries to Clearfield Creek to the west branch of the Susquehanna River, application received March 29, 1996, permit issued May 13, 1996.

Mineral Resources Management—District Mining, Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

54851340R2. Neumeister Coal Co., (R. D. 1, Box 327D, Ashland, PA 17921), renewal of an existing anthracite underground mine operation in Foster Township, **Schuylkill County** affecting 5.0 acres, receiving stream none. Renewal issued May 28, 1996.

Mining and Reclamation, 3913 Washington Road, McMurray, PA 15317.

16831603. C & K Coal Company, (P. O. Box 69, Clarion, PA 16214), to renew the permit for the Piney Prep Plant in Piney Township, **Clarion County** for reclamation only, no additional discharges. Permit issued May 29, 1996.

Mineral Resources Management—District Mining, Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

Noncoal Permits Issued

6176SM2A1C2. Berks Products Corporation, (726 Spring Street, P. O. Box 421, Reading, PA 19603), correction to an existing quarry operation in Maxatawny Township, **Berks County** affecting 28.7 acres, receiving stream Schuylkill River. Correction issued May 29, 1996.

Mineral Resources Management—District Mining, Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

General Small Noncoal Authorizations Granted

45950802. Louis J. Manzie, Inc., (R. D. 7, Box 7018, East Stroudsburg, PA 18301), commencement, operation and restoration of a small quarry operation in Stroud Township, **Monroe County** affecting 2.0 acres, receiving stream Cherry Creek. Authorization granted May 21, 1996.

Hawk Run District Office, P. O. Box 209, Hawk Run, PA 16840.

Small Industrial Mineral Authorizations Granted

12960801. Steven S. Troncone (605 East Second Street, Emporium, PA 15834), commencement, operation and restoration of a small industrial mineral (top soil, sand and gravel) permit in Lumber Township, **Cameron County** affecting 1 acre, application received April 16, 1996, authorization granted May 21, 1996.

The Department of Environmental Protection has taken the following actions on previously received Dam Safety and Encroachment permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Any person aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel

Carson State Office Building, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, 1 (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

Actions on applications filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and sections 5 and 402 of the act of June 22, 1937 (P. L. 1987, No. 394) (35 P. S. §§ 691.5 and 691.402) and notice of final action for certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)). (Note: Permits issued for Small Projects do not include 401 Certification, unless specifically stated in the description).

Permits Issued and Actions on 401 Certification

DEP Central Office: Bureau of Dams, Waterways and Wetlands, P. O. Box 8554, Harrisburg, PA 17105-8554, telephone (717) 783-1384.

Environmental Assessment Approvals and Actions on 401 Certification

EA46-015C0. Environmental assessment. **Gambone Brothers Development Company**, P. O. Box 287, 1030 W. Germantown Pike, Fairview Village, PA 19409. To construct and maintain a nonjurisdictional dam in the watershed of Minister Creek (TSF) impacting approximately 0.08 acre of wetlands (PSS) for the purpose of stormwater management at the proposed Fryer Subdivision located approximately 2,000 feet west of the intersection of Swamp Pike and Township Line Road (Sassamansville, PA Quadrangle N: 10.4 inches; W: 14.8 inches) in Douglass Township, **Montgomery County**. The owner has met the wetland replacement requirement by participating in the Pennsylvania Wetland Replacement Project.

Southeast Regional Office: Program Manager, Water Management Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

E09-709. Encroachment. **Bucks County Commissioners**, Administrative Building, Doylestown, PA 18901. To rehabilitate and maintain an existing two-span masonry arch bridge to enhance its structural stability by performing the following activities:

1. Line the existing arches with 2 inch metal plates and grouting the annular area between them.
2. Repair and repoint the stone masonry walls which extend along Gravel Hill Road, and the upstream and downstream bridge facings.
3. Repair the concrete footers and install riprap scour protection.

County Bridge 293 is located across Mill Creek on Gravel Hill Road (Hatboro, PA Quadrangle N: 8.95 inches; W: 2.0 inches) in Upper Southampton Township, **Bucks County**. This permit was issued under section 105.13(e) "Small Projects". This permit also includes 401 Water Quality Certification.

E23-337. Encroachment. **Eastern College**, Fairview Drive, St. David's, PA 19087-3696. To construct and maintain a three span steel plate arch bridge, having a span of 14.75-foot (each) with a 5.5-foot underclearance across Gulph Creek, and to place fill in 0.22 acre of associated wetlands for the proposed access road for a new residence hall and parking area for Eastern College. This site is located approximately 800 feet southwest from the intersection of Eagle and King of Prussia Roads (Norristown, PA Quadrangle N: 9.5 inches; W: 16.5 inches) in Radnor Township, **Delaware County**. The permittee will provide 0.25 acre of wetland replacement.

Southcentral Regional Office: Water Management Program, Soils and Waterways Section, One Ararat Boulevard, Room 126, Harrisburg, PA 17110, telephone (717) 657-4590.

E21-244. Encroachment. **Cumberland County Commissioners**, One Courthouse Square, Carlisle, PA 17013. To maintain an existing four-span county bridge having a total length of 298 feet across Conodoguinet Creek on Bernheisel Road (T-574), and to construct and maintain a 5-foot wide pedestrian bridge to be attached to this existing bridge by means of brackets located about 1.7 miles south of Donnellytown Village (Wertzville, PA Quadrangle N: 1.8 inches; W: 14.4 inches) in Middlesex Township, **Cumberland County**.

E44-078. Encroachment. **DCNR**, P. O. Box 8451, Harrisburg, PA 17105-8451. To remove an existing structure and to construct and maintain a single span bridge having a span of 22 feet and an underclearance of about 7.7 feet across Panther Run located on Havice Valley Road about 0.8 mile north of its intersection with Swift Run Road (Caburn, PA Quadrangle N: 14.3 inches; W: 5.8 inches) in Armagh Township, **Mifflin County**. This permit was issued under section 105.13(e) "Small Projects". This permit also includes 401 Water Quality Certification.

Northeast Regional Office: Regional Soils and Waterways Section, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-5485.

E13-092. Encroachment. **Duane Schleicher**, 182 William Lane, R. R. 7, Box 189, Lehigh, PA 18235. To fill in 0.6 acre of wetlands and to construct and maintain a single span bridge consisting of a timber plank deck, on existing abutments, having a span of 9.2 feet with an underclearance of approximately 3.5 feet across an unnamed tributary to Lizard Creek for the construction of the Schleicher Trailer Park, a 96 unit mobile home park. The project is located on the east side of T334 approximately 0.4 mile south of the intersection of S. R. 0895 and T334 (Nesquehoning, PA Quadrangle N: 2.1 inches; W: 1.2 inches) in East Penn Township, **Carbon County**. The permittee is required to provide 0.64 acre of replacement wetlands.

E39-305. Encroachment. **City of Allentown**, 435 Hamilton Street, Allentown, PA 18101-1699. To construct and maintain a 36-inch diameter stormwater outfall structure along the left bank of the Little Lehigh Creek. The project is located immediately north of the intersection of Devonshire Road and Keystone Avenue (Allentown West, PA Quadrangle N: 10.1 inches; W: 1.2 inches) in the City of Allentown, **Lehigh County**.

E52-132. Encroachment. **Paul and Theresa Stankiewicz**, 45 Brainard Road, Branford, CT 06405. To construct and maintain a steel I-beam bridge having a span of 30 feet and an underclearance of 4 feet across West Falls Creek to provide access to a residential building lot. This project is located along the north side of

S. R. 0590, approximately 0.5 mile east of S. R. 4003 (Narrowsburg, PA Quadrangle N: 0.3 inch; W: 11.0 inches) in Lackawaxen Township, **Pike County**.

E52-135. Encroachment. Vincent C. and Susan N. Giampapa, 67 Highland Avenue, Montclair, NJ 07042. To excavate in 0.51 acre of wetlands for the construction of a pond. This project is located approximately 1,400 feet east of the intersection of S. R. 0447 and T-370 (Newfoundland, PA Quadrangle N: 2.6 inches; W: 4.1 inches) in Greene Township, **Pike County**. Issuance of this permit also constitutes approval of the Environmental Assessment for a 0.25 acre wetland fill associated with the construction of a nonjurisdictional dam and a 0.2 acre secondary wetland impact associated with the impoundment of water over wetlands. The permittee is required to provide 0.96 acre of replacement wetlands.

[Pa.B. Doc. No. 96-971. Filed for public inspection June 14, 1996, 9:00 a.m.]

Low-Level Waste Advisory Committee Meeting

A meeting of the Low-Level Waste Advisory Committee is scheduled for June 27, 1996, from 9 a.m. to 4 p.m. at the Holiday Inn—Harrisburg West, Mechanicsburg, PA.

Questions concerning the agenda should be addressed to Rich Janati at 1 (800) 232-2786 or e-mail at Janati.Rich@a1.dep.state.pa.us. The agenda is also available through the Public Participation Center on DEP's World Wide Web site at <http://www.dep.state.pa.us>.

Persons in need of accommodations as provided for in the Americans With Disabilities Act of 1990 should contact Marianne Hansen directly at (717) 787-2480 or through the Pennsylvania AT&T Relay Service at 1 (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

JAMES M. SEIF,
Secretary

[Pa.B. Doc. No. 96-972. Filed for public inspection June 14, 1996, 9:00 a.m.]

DEPARTMENT OF GENERAL SERVICES

Request for Proposal

The Department of General Services is seeking interested firms to submit sealed proposals for consideration for the following project:

DGS 948-41.OB—Construction Management, Keystone Building, Harrisburg, Dauphin County, PA. A brief description of the project is as follows: Construction Management for Pre-Construction and Construction Phase for hazardous material abatement, building demolition and construction of new office building. Construction Manager is not acting as constructor. Construction Allocation is \$150 million for approximately 810,000 SF building on a 49½ month schedule.

To Obtain RFP—Requests for the RFP should be mailed to The Department of General Services, Bureau of Professional Selections and Administrative Services, Room 107,

Headquarters Building, 18th and Herr Streets, Harrisburg, PA 17125. Contact Bidders Services at (717) 787-3923, for the names of those who have secured the RFP.

Preproposal Conference—A Preproposal Conference has been scheduled for Thursday, June 27, 1996, at 1:30 p.m., State Museum of Pennsylvania Auditorium located at Third and North Streets, Harrisburg, PA. Questions concerning the RFP must be received by the Issuing Office: Robert L. Glenn, R.A., Director, Bureau of Engineering & Architecture, Room 201, Tent Building, 18th and Herr Streets, Harrisburg, PA 17120, (717) 787-6200 (FAX: 717-772-2036) no later than noon, Wednesday, June 26, 1996.

In addition, all proposers shall FAX attendance information with the names of the individuals (maximum two) that will be present at this meeting.

Note: Use the North Street entrance to the State Museum for this meeting. Proposals are due Tuesday, July 16, 1996, no later than 2 p.m., in Room 107, Headquarters Building, 18th and Herr Streets, Harrisburg, PA 17125. Responses received after this due date and time will be returned unopened.

GARY E. CROWELL,
Secretary

[Pa.B. Doc. No. 96-973. Filed for public inspection June 14, 1996, 9:00 a.m.]

DEPARTMENT OF HEALTH

Availability of Draft Maternal and Child Health Services Block Grant Application for Federal Year 1997

The Department of Health is making copies available of the draft Maternal and Child Health Services Block Grant Application for FFY 1997, under 42 U.S.C.A. § 705(a)(5)(F). This application is the Commonwealth of Pennsylvania's draft request to the United States Department of Health and Human Services for block grant funding.

The block grant application describing proposed services, program goals and objectives and activities can be obtained by contacting the Department of Health, Bureau of Maternal and Child Health at 733 Health and Welfare Building, P. O. Box 90, Harrisburg, PA 17108-0090, telephone (717) 787-7192. [TDD: (717) 783-6514].

Written comments will be accepted and should be sent to the Bureau of Maternal and Child Health, 733 Health and Welfare Building, P.O. Box 90, Harrisburg, PA 17108; comments must be received no later than 4 p.m., Monday, July 1, 1996.

Persons with a disability who desire to comment in alternative format (for example, large print, audio tape, braille) should contact the Bureau of Maternal and Child Health at the foregoing address and telephone number.

DANIEL F. HOFFMANN,
Acting Secretary

[Pa.B. Doc. No. 96-974. Filed for public inspection June 14, 1996, 9:00 a.m.]

Laboratories Approved to Perform Blood Lead and/or Erythrocyte Protoporphyrin Determinations Under the Clinical Laboratory Act

The following laboratories are licensed in accordance with the Clinical Laboratory Act (35 P.S. §§ 2151—2165) and/or the Federal Clinical Laboratory Improvement Act of 1967 (42 U.S.C.A. § 263a), and are currently approved under 28 Pa. Code § 5.50 (relating to approval to provide special analytical services) to perform analyses of blood for lead or erythrocyte protoporphyrin content. This approval is based on demonstrated proficiency in periodic evaluations conducted by the Bureau of Laboratories of the Department of Health.

Lead poisoning is a reportable noncommunicable disease. Approved laboratories which offer blood lead or erythrocyte protoporphyrin testing services are required to inform the Department of actual or possible incidents of this condition in accordance with 28 Pa. Code § 27.4 (relating to reportable noncommunicable diseases and conditions). In addition, the Department requests laboratories to submit reports on children under 6 years of age and pregnant women, on whom laboratory tests confirm venous blood lead concentrations of 15 micrograms per deciliter or higher. The Department's collection and review of these latter reports would be consistent with the most recent revision of the guideline titled, *Preventing Lead Poisoning in Young Children*, which was published in 1991 by the United States Department of Health and Human Services, Public Health Service, Centers for Disease Control and Prevention, and is available from them.

All reports must be sent to the Department of Health, Division of Environmental Health, P. O. Box 90, Harrisburg, PA 17108. Report forms are available on request from the Division of Environmental Health.

Erythrocyte protoporphyrin determinations may be performed as an adjunct determination to substantiate blood lead levels of 25 micrograms per deciliter or higher. Since erythrocyte protoporphyrin concentrations may not increase as a result of low level exposures to lead, direct blood lead analysis is the only reliable method for identifying individuals with blood lead concentrations below 25 micrograms per deciliter.

Persons seeking blood lead or erythrocyte protoporphyrin analyses should determine that the laboratory employs techniques and procedures acceptable for the purpose for which the analyses are sought. Laboratories offering blood lead analysis only are designated with the letter "L" following the name of the laboratory. Those offering erythrocyte protoporphyrin analysis only are designated with the letter "P." Laboratories offering both services are designated with the letters "LP."

Blood lead analyses performed for occupational safety and health purposes must be conducted by a laboratory which also meets the requirements of the Occupational Safety and Health Administration of the United States Department of Labor as specified in 29 CFR 1910.1025(j)(2)(iii).

The list of approved laboratories will be reviewed semiannually and if there are any changes to the list, a notice to that effect will be published in the *Pennsylvania Bulletin* at that time.

The Department's blood lead proficiency testing program is approved by the U.S. Department of Health and Human Services (HHS) in accordance with the requirements contained in the Clinical Laboratory Improvement Amendments of 1988 (42 CFR 493.901 and 493.937)

which are administered by the Health Care Financing Administration (HCFA). Participation in these programs may therefore be used to demonstrate acceptable performance for approval purposes under both Federal and Commonwealth statutes.

Questions regarding this list should be directed to Dr. M. Jeffery Shoemaker, Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P. O. Box 500, Exton, PA 19341-0500, (610) 363-8500. Persons with a disability may submit questions to Dr. Shoemaker in alternative formats, such as by audio tape, braille or using TDD: (717) 783-6514. Persons with a disability who require an alternative format of this document) for example, large print, audio tape, braille) should contact Dr. Shoemaker so that he may make the necessary arrangements.

DANIEL F. HOFFMANN, FACHE,
Acting Secretary

Allegheny General Hospital-L
320 East North Avenue
Pittsburgh, PA 15212
412-359-6388

American Medical Laboratories, Inc.-LP
14225 Newbrook Drive
Chantilly, VA 22021
703-802-6900

Angeline Kirby Memorial Health Center-L
71 North Franklin Street
Wilkes-Barre, PA 18701
717-823-5450

Associated Regional & University Pathologists-LP
500 Chipeta Way
Salt Lake City, UT 84108
800-242-2787

Children's Hospital of Philadelphia-P
One Children's Center, 34th and Civic
Philadelphia, PA 19104
215-590-1000

Clarendon Laboratory-L
1125 Flatbush Avenue
Brooklyn, NY 11226
718-856-4700

Corning Clinical Labs, Inc.-P
One Malcolm Avenue
Teterboro, NJ 07608
201-288-0900

Corning Clinical Laboratories-LP
875 Greentree Road
Four Parkway Center
Pittsburgh, PA 15220-3610
412-920-7600

Corning Clinical Laboratories, Inc.-LP
900 Business Center Drive
Horsham, PA 19044
215-957-9300
Corning Nichols Institute-LP
33608 Ortega Highway
San Juan Capistrano, CA 92690-6130
714-728-4000

County of Allegheny Dept. of Labs. Public Health-L
3441 Forbes Avenue Oakland
Pittsburgh, PA 15213
412-578-8072

D/B/A MetPath-LP
7655 Market Street, Suite 2500
Youngstown, OH 44512
216-758-5788

East Penn Manufacturing Company, Inc.-LP
Deka Road
Lyons Station, PA 19536
610-682-6361

Edison Medical Laboratories, Inc.-LP
1692 Oak Tree Road, Suite 17
Edison, NJ 08820
908-906-7800

Ellwood City General Hospital-P
724 Pershing Street
Ellwood City, PA 16117
412-752-0081

Exide Corp. Indus. Hygiene Lab.-LP
6313 Rising Sun Avenue
Philadelphia, PA 19111
215-342-1414

Geisinger Medical Center-L
North Academy Road
Danville, PA 17822
717-271-6338

Health Network Laboratories-LP
17th and Chew Streets
Allentown, PA 18102
610-402-2236

Keystone Clinical Labs, Inc.-L
333 N. Oxford Valley Road, Bldg. B
Fairless Hills, PA 19030
215-945-5570

Lab Corp of America Holdings-LP
6370 Wilcox Road
Dublin, OH 43016
800-282-7300

Lab Corp of America Holdings-LP
1447 York Court
Burlington, NC 27216
800-334-5161

LabCorp of America Holdings-LP
69 First Avenue, P.O. Box 500
Raritan, NJ 08869
201-526-2400

LabOne, Inc.-LP
8915 Lenexa Drive
Overland Park, KS 66214
913-888-1770

Laboratory Corp of America-LP
13900 Park Center Road
Herndon, VA 22071
703-742-3100

Lancaster General Hospital-L
555 North Duke Street, P.O. Box 3555
Lancaster, PA 17603
717-299-5511

LeadTech Corporation-L
1 Marine Plaza
N. Bergen, NJ 07047
201-868-7707

Liberty Testing Laboratory, Inc.-L
28 Chapel Street, 7th Floor
Brooklyn, NY 11201
718-647-7080

Mayo Clinic-LP
200 First Street, S.W., Hilton 530
Rochester, MN 55905
507-284-8626

Medlab Clinical Testing, Inc.-L
212 Cherry Lane
New Castle, DE 19720
800-633-5221

Mercy Catholic Medical Center-Fitzgerald Division-L
Lansdowne Avenue and Bailey Road
Darby, PA 19023
610-237-4175

Mercy Hosptial Lab-LP
Pride and Locust Streets
Pittsburgh, PA 15219
412-232-7831

National Medical Services-P
2300 Stratford Avenue
Willow Grove, PA 19090
215-657-3565

Omega Medical Laboratories, Inc.-L
2001 State Hill Road, Suite 100
Wyomissing, PA 19610
610-378-1900

Pacific Toxicology Laboratories-LP
1545 Pontius Avenue
Los Angeles, CA 90025
310-479-4911

Pennsylvania Department of Health-LP
Bureau of Laboratories
P.O. Box 500
Exton, PA 19341-0500
610-363-8500

Princeton Biomedical Labs., Inc.-P
2000 B Hartel Complex
Levittown, PA 19057
215-943-0700

Public Health Laboratory City of Philadelphia-L
500 South Broad Street
Philadelphia, PA 19146
215-875-5911

Quality Medical Laboratory-L
215 North 12th Street, Box 316
Reading, PA 19603
610-378-2000

Reading Hospital and Medical Center-L
6th and Spruce Streets
Reading, PA 19603
610-378-6080

SmithKline Beecham Clinical Laboratories-LP
400 Egypt Road
Norristown, PA 19403
610-631-4200

SmithKline Bioscience Laboratories-LP
7600 Tyrone Avenue
Van Nuys, CA 91405
818-376-6259

Toxi-Con Laboratories-L
120 Monahan Avenue
Suite 101
Dunmore, PA 18512
717-963-0722

University of Pittsburgh Medical Center-LP
Room 5929 Main Tower/UPMC
200 Lothrop Street
Pittsburgh, PA 15213-2582
412-647-7813

West Allis Memorial Hospital-P
8901 West Lincoln Avenue
West Allis, WI 53227
414-328-7945

[Pa.B. Doc. No. 96-975. Filed for public inspection June 14, 1996, 9:00 a.m.]

Notice of Beginning of Review; Certificate of Need

The Department has completed its preliminary assessment of the following applications for the offering, development, construction, renovation, expansion or establishment of reviewable clinically related health services or health care facilities. This notice is published in accordance with sections 702(c), 704(a) and 704(b) of the Health Care Facilities Act (35 P. S. §§ 448.702(c), 704(a) and 704(b)).

CON-95-H-2502-B: St. Francis Medical Center, 400 45th Street, Pittsburgh, PA. The project involves relocation and replacement of operating rooms and critical care beds.

The project is scheduled to be reviewed and a decision rendered by the Department of Health within 90 days beginning June 15, 1996. Any interested person, as defined in section 103 of the act (35 P. S. § 448.103) may request a public meeting. Requests must be made in writing within 15 days of this notice, to the Department of Health, Division of Need Review, Room 1027, Health and Welfare Building, Harrisburg, PA 17120. In order to preserve any appeal rights under section 506(a) of the act (35 P. S. § 448.506(a)) regarding the decisions made on these applications, any interested person as defined in the amended act must request a public meeting and participate in that meeting.

If the Department of Health receives a timely request for public meeting, such meeting will be held in Room 812 of the Health and Welfare Building, Seventh and Forster Streets, Harrisburg, PA. The public meeting will be conducted on Friday, July 19, 1996 at 2 p.m. Persons who need an accommodation due to a disability and want to attend this meeting, should contact Jack W. Means, Jr., Director, Division of Need Review at (717) 787-5601 at least 24 hours in advance so arrangements can be made. This meeting is subject to cancellation without further notice.

For additional information, contact the Division of Need Review at (717) 787-5601.

DANIEL F. HOFFMANN, FACHE,
Acting Secretary

[Pa.B. Doc. No. 96-976. Filed for public inspection June 14, 1996, 9:00 a.m.]

DEPARTMENT OF LABOR AND INDUSTRY

Current Prevailing Wage Act Debarments

The contractors referenced below have been determined to have intentionally violated the Pennsylvania Prevailing

Wage Act (act) (43 P. S. §§ 165-11—165-17). This notice is published for the information and convenience of public bodies subject to the act. Under section 11(e) of the act (43 P. S. § 165-11(e)), this firm or this person, or any firms, corporations or partnerships in which such firm or person has an interest, shall be awarded no contract for 3 years after the date listed.

JOHNNY J. BUTLER,
Secretary

<i>Contractor</i>	<i>Address</i>	<i>Date of Debarment</i>
Yialouris Painting Co., Inc., and Paul Yialouris	P. O. Box 11556 Pittsburgh, PA 15238 —and/or— 7001 Craig Drive Murrysville, PA 15668-9409	5/31/96
-AND-		
Paul Yialouris	461 Dover Drive Pittsburgh, PA 15278 —and/or— 740 Providence Road Pittsburgh, PA 15239	

[Pa.B. Doc. No. 96-977. Filed for public inspection June 14, 1996, 9:00 a.m.]

DEPARTMENT OF PUBLIC WELFARE

Notice of Rule Change; Eligibility for Cash and Medical Assistance Benefits

Act No. 1996-35 (Act 35), enacted on May 16, 1996, amends certain sections of the Public Welfare Code which govern eligibility for cash and Medical Assistance benefits. This notice concerns those provisions of Act 35 that are effective immediately. Separate Notices of Rule Change will be published at later dates concerning eligibility changes which are effective October 1, 1996, and changes which are effective upon receipt of necessary waivers of Federal law by the United States Department of Health and Human Services.

The amendments to the Public Welfare Code are explained within this notice. The explanation is organized by the eligibility groups that are affected and how they are affected. Each change in policy described within this notice identifies the section of Title 55 of the *Pennsylvania Code* that is being changed.

The changes in eligibility mandated by Act 35 will be applied to applicants for cash and Medical Assistance as of June 17, 1996. Each current recipient of cash or Medical Assistance who may be affected by these changes will undergo an individual redetermination of eligibility before these changes may be applied to them.

The following requirements apply to Aid to Families with Dependent Children (AFDC) and General Assistance (GA), Cash and related Non-Money Payment (NMP) programs:

—55 Pa. Code §§ 125.21(b)(1), 125.24(c)(1), 125.74, 181.11(a); 45 CFR § 206.10(a)(3)(i) and 62 P. S. § 432.19:

Initial authorization of assistance will occur when all factors of eligibility are verified unless verification is

pending from a third party and the client has cooperated in the verification attempt or unless certification of cooperation is pending with the domestic relations section of the Court of Common Pleas. Initial authorization of cash assistance will not be delayed more than 30 days after application. If the applicant establishes eligibility, assistance will be authorized effective with the date that all conditions of eligibility are verified.

—55 Pa. Code §§ 141.42, 168.2, 171.22, 175.22, 177.2 and 183.2; 62 P. S. § 402:

The term “assistance group” is defined as one or more related or unrelated individuals who occupy a common residence or would occupy a common residence if they were not homeless and whose needs and eligibility are considered together in determining eligibility for cash or medical assistance. “Assistance group” has the same meaning as the terms “assistance unit,” “filing unit,” “grant group” and “budget group” which are used throughout 55 Pa. Code. Definitions of the aforementioned terms are revised to include a reference to assistance group.

The following requirements apply to the AFDC and GA cash assistance programs:

—55 Pa. Code § 141.21; 62 P. S. § 481(f):

An applicant or recipient of AFDC or GA who has been convicted of violating section 481(a) of the Public Welfare Code, that is, has been convicted of securing or attempting to secure, or aiding or abetting or attempting to aid or abet any person in securing assistance or Federal food stamps by means of a willfully false statement or misrepresentation, or by impersonation or by willfully failing to disclose a material fact regarding eligibility either prior to, or at the time of, or subsequent to the application for assistance, a crime commonly referred to as welfare fraud, is ineligible for cash assistance for a period of 6 months from the date of a first conviction, for a period of 12 months from the date of a second conviction, and permanently from the date of a third conviction.

The following requirements apply to the GA cash assistance program:

—55 Pa. Code § 141.21; 62 P. S. § 432(9):

The definition of “satisfied the penalty” imposed by law is amended to include compliance with an approved plan for paying fines, costs and restitution as an alternative to completion of payment.

—55 Pa. Code § 147.23(a); 62 P. S. § 432.4:

In order to receive GA cash assistance, an applicant must establish that he has been a resident of the Commonwealth for at least 12 months immediately preceding his application.

—55 Pa. Code § 175.24(f); 62 P. S. § 434:

Cash assistance granted shall be reduced by amounts obtained by cashing an assistance check at a gambling casino, racetrack, bingo hall or other establishment that derives more than 50% of its gross revenues from gambling.

The following requirements apply to both the GA cash and the GA-related NMP programs:

—55 Pa. Code §§ 141.61(d)(1), 141.71; 62 P. S. § 432(3)(i)(B):

Persons eligible for GA and GA-related NMP-MA include persons who are parents residing in a two-parent

household with their child who is under 13 years of age or their child 13 years of age or older who has a verified disability.

—55 Pa. Code §§ 141.61(d)(1), 141.71; 62 P. S. § 432(3)(i)(C):

A person who has been assessed by a physician or psychologist as having a verified physical or mental disability which causes a permanent or temporary disability that precludes gainful employment must provide verification of the disability in a form prescribed by the Department and completed by a physician or psychologist. The verification of the physical or mental disability must be based on acceptable clinical and laboratory diagnostic techniques rather than a statement of symptoms by the applicant or recipient. An applicant or recipient with a verified physical or mental disability which is temporary must seek appropriate treatment as a condition of eligibility for GA and GA-related NMP-MA.

—55 Pa. Code §§ 141.61(d)(1), 141.71; 62 P. S. § 432(3)(i)(D):

Persons eligible for GA and GA-related NMP-MA include the nonparental caretaker of a child under 13 years of age. Assistance shall not be granted to a person under this criterion if there is another adult in the household who is capable of providing the care without GA being required.

—55 Pa. Code §§ 141.61(d)(1), 141.71; 62 P. S. § 432(3)(i)(E):

A person undergoing active treatment for substance abuse in an approved drug or alcohol treatment program qualifies for GA or GA-related NMP-MA only if such treatment precludes the person from engaging in employment. The 9-month lifetime limitation remains unchanged.

—55 Pa. Code §§ 147.23, 150.1; 62 P. S. § 432.22:

A person who is not a United States citizen is not eligible to receive GA, GA-related NMP-MA, or GA-related MNO-MA unless specifically required by Federal law.

The following requirements apply to the MA program:

—55 Pa. Code § 141.81; 62 P. S. § 442.1(a)(3):

To receive MNO-MA, a person must either receive GA or belong to one of the following groups: a child under 21 years of age; a custodial parent of a dependent child under 21 years of age; a person 59 years of age or older; a refugee for whom Federal financial participation is available; a pregnant woman; a person with a disability who is receiving Social Security disability benefits, who has been referred to the Social Security Administration for a determination of eligibility for Supplemental Security Income or who is under review for a disability by the Department based upon Social Security disability criteria; or a person who verifies employment of at least 100 hours per month earning at least the minimum wage. For persons whose eligibility is based upon the work requirement, past, present and continuing employment will be evaluated to determine compliance with the 100-hours per month work requirement. If an episode of illness or injury is the reason for the interruption of work and it is verified that 100 hours per month employment will resume subsequent to recovery from that illness or injury, the person will be considered to have met the work requirement.

—55 Pa. Code § 125.74; 62 P. S. § 442.1(a)(2):

A person applying for MA in the GA-related category of MNO-MA must meet the standards of both financial and nonfinancial eligibility.

—55 Pa. Code § 148.1; 62 P. S. § 442.1(a)(1)

A person applying for MA in the GA-related categories of NMP or MNO-MA must have resided in Pennsylvania continuously for 90 days immediately preceding the effective date of MA eligibility, except for persons eligible for Federally-funded categories of Medical Assistance.

—55 Pa. Code §§ 181.1(b) and 181.12; 62 P. S. § 442.1(c):

In determining eligibility for retroactive MNO-MA, income received or expected to be received in a 6-month period is used, even if the person requests MA coverage for less than 6 months. The 6-month period can include both retroactive and prospective months. Medical coverage can continue as long as the need exists, but no longer than the consecutive 6-month period from which income is counted.

This rule change has been reviewed and approved by the Office of General Counsel and the Office of Attorney General.

This rule change is made under the Joint Committee on Documents Resolution 1996-1(2), 26 Pa.B. 2374 (May 18, 1996). This rule change will be in effect for 365 days pending adoption of final rulemaking by the Department.

Public comments to this rule change may be made by writing to Patricia H. O'Neal, Director, Bureau of Policy, Office of Income Maintenance, Room 431, Health and Welfare Building, Harrisburg, PA 17105. Persons with a disability may use the AT&T Relay Service by calling 1 (800) 654-5984 (TDD user) or 1 (800) 654-5988 (Voice user), or may use the Department of Public Welfare (TDD) by calling (717) 787-3616. Persons who require another alternative format should contact India Wood at (717) 783-2212.

FEATHER O. HOUSTON,
Secretary

Purpose

To provide revisions to the Aid to Families with Dependent Children (AFDC), General Assistance (GA), and Medical Assistance (MA) requirements contained in 55 Pa. Code Chapters 125, Application Process; 141, General Eligibility Provisions; 148, MA Residence Provisions for GA-related Categorically Needy NMP-MA and MNO-MA; 168, Transitional Child Care; 171, Budget Group Provisions for AFDC/GA; 175, Allowances and Benefits; 177, Resources; 181, Income Provisions for Categorically Needy NMP-MA and MNO-MA; and 183, Income.

Background

Act 35, enacted on May 16, 1996, amends certain sections of the Public Welfare Code which govern eligibility for cash and Medical Assistance benefits. This Bulletin concerns those provisions of Act 35 that are effective immediately. Separate Notices of Rule Change will be published at later dates concerning eligibility changes which are effective October 1, 1996, and changes which are effective upon receipt of necessary waivers of Federal law by the United States Department of Health and Human Services.

The amendments to the Public Welfare Code are explained within this notice. The explanation is organized by the eligibility groups that are affected and how they

are affected. Each change in policy described within this notice identifies the section of Title 55 of the *Pennsylvania Code* that is being changed. It is followed by the Public Welfare Code citation (62 P. S. § —) as amended by Act 35.

The changes in eligibility mandated by Act 35 will be applied to applicants for cash and Medical Assistance as of June 17, 1996. Each current recipient of cash or Medical Assistance who may be affected by these changes will undergo an individual redetermination of eligibility before these changes may be applied to them.

Rule Change

The following requirements apply to Aid to Families with Dependent Children (AFDC) and General Assistance (GA), Cash and related Non-Money Payment (NMP) programs:

—55 Pa. Code §§ 125.21(b)(1), 125.24(c)(1), 125.74, 181.11(a); 45 CFR § 206.10(a)(3)(i) and 62 P. S. § 432.19:

Initial authorization of assistance will occur when all factors of eligibility are verified unless verification is pending from a third party and the client has cooperated in the verification attempt or unless certification of cooperation is pending with the domestic relations section of the Court of Common Pleas. Initial authorization of cash assistance will not be delayed more than 30 days after application. If the applicant establishes eligibility, assistance will be authorized effective with the date that all conditions of eligibility are verified.

—55 Pa. Code §§ 141.42, 168.2, 171.22, 175.22, 177.2 and 183.2; 62 P. S. § 402:

The term "assistance group" is defined as one or more related or unrelated individuals who occupy a common residence or would occupy a common residence if they were not homeless and whose needs and eligibility are considered together in determining eligibility for cash or Medical Assistance. "Assistance group" has the same meaning as the terms "assistance unit," "filing unit," "grant group" and "budget group" which are used throughout 55 Pa. Code. Definitions of the aforementioned terms are revised to include a reference to assistance group.

The following requirements apply to the AFDC and GA cash assistance programs:

—55 Pa. Code § 141.21; 62 P. S. § 481(f):

An applicant or recipient of AFDC or GA who has been convicted of violating section 481(a) of the Public Welfare Code, that is, has been convicted of securing or attempting to secure, or aiding or abetting or attempting to aid or abet any person in securing assistance or Federal food stamps by means of a willfully false statement or misrepresentation, or by impersonation or by willfully failing to disclose a material fact regarding eligibility either prior to, or at the time of, or subsequent to the application for assistance, a crime commonly referred to as welfare fraud, is ineligible for cash assistance for a period of 6 months from the date of a first conviction, for a period of 12 months from the date of a second conviction, and permanently from the date of a third conviction.

The following requirements apply to the GA cash assistance program:

—55 Pa. Code § 141.21; 62 P. S. § 432(9):

The definition of "satisfied the penalty" imposed by law is amended to include compliance with an approved plan for paying fines, costs and restitution as an alternative to completion of payment.

—55 Pa. Code § 147.23(a); 62 P. S. § 432.4:

In order to receive GA cash assistance, an applicant must establish that he has been a resident of the Commonwealth for at least 12 months immediately preceding his application.

—55 Pa. Code § 175.24(f); 62 P. S. § 434:

Cash assistance granted shall be reduced by amounts obtained by cashing an assistance check at a gambling casino, racetrack, bingo hall or other establishment that derives more than 50% of its gross revenues from gambling.

The following requirements apply to both the GA cash and the GA-related NMP programs:

—55 Pa. Code §§ 141.61(d)(1), 141.71; 62 P. S. § 432(3)(i)(B):

Persons eligible for GA and GA-related NMP-MA include persons who are parents residing in a two-parent household with their child who is under 13 years of age or their child 13 years of age or older who has a verified disability.

—55 Pa. Code §§ 141.61(d)(1), 141.71; 62 P. S. § 432(3)(i)(C):

A person who has been assessed by a physician or psychologist as having a verified physical or mental disability which causes a permanent or temporary disability that precludes gainful employment must provide verification of the disability in a form prescribed by the Department and completed by a physician or psychologist. The verification of the physical or mental disability must be based on acceptable clinical and laboratory diagnostic techniques rather than a statement of symptoms by the applicant or recipient. An applicant or recipient with a verified physical or mental disability which is temporary must seek appropriate treatment as a condition of eligibility for GA and GA-related NMP-MA.

—55 Pa. Code §§ 141.61(d)(1), 141.71; 62 P. S. § 432(3)(i)(D):

Persons eligible for GA and GA-related NMP-MA include the nonparental caretaker of a child under 13 years of age. Assistance will not be granted to a person under this criterion if there is another adult in the household who is capable of providing the care without GA being required.

—55 Pa. Code §§ 141.61(d)(1), 141.71; 62 P. S. § 432(3)(i)(E):

A person undergoing active treatment for substance abuse in an approved drug or alcohol treatment program qualifies for GA or GA-related NMP-MA only if such treatment precludes the person from engaging in employment. The 9-month lifetime limitation remains unchanged.

—55 Pa. Code §§ 147.23, 150.1; 62 P. S. § 432.22:

A person who is not a U. S. citizen is not eligible to receive GA, GA-related NMP-MA, or GA-related MNO-MA unless specifically required by Federal law.

The following requirements apply to the MA program:

—55 Pa. Code § 141.81; 62 P. S. § 442.1(a)(3):

To receive MNO-MA, a person must either receive GA or belong to one of the following groups: a child under 21 years of age; a custodial parent of a dependent child under 21 years of age; a person 59 years of age or older; a refugee for whom Federal financial participation is available; a pregnant woman; a person with a disability who is

receiving Social Security disability benefits, who has been referred to the Social Security Administration for a determination of eligibility for Supplemental Security Income or who is under review for a disability by the Department based upon Social Security disability criteria; or a person who verifies employment of at least 100 hours per month earning at least the minimum wage. For persons whose eligibility is based upon the work requirement, past, present and continuing employment will be evaluated to determine compliance with the 100-hours per month work requirement. If an episode of illness or injury is the reason for the interruption of work and it is verified that 100 hours per month employment will resume subsequent to recovery from that illness or injury, she will be considered to have met the work requirement.

—55 Pa. Code § 125.74; 62 P. S. § 442.1(a)(2):

A person applying for MA in the GA-related category of MNO-MA must meet the standards of both financial and nonfinancial eligibility.

—55 Pa. Code § 148.1; 62 P. S. § 442.1(a)(1)

A person applying for MA in the GA-related categories of NMP or MNO-MA must have resided in Pennsylvania continuously for 90 days immediately preceding the effective date of MA eligibility, except for persons eligible for Federally-funded categories of Medical Assistance.

—55 Pa. Code §§ 181.1(b) and 181.12; 62 P. S. § 442.1(c):

In determining eligibility for retroactive MNO-MA, income received or expected to be received in a 6-month period is used, even if the person requests MA coverage for less than 6 months. The 6-month period can include both retroactive and prospective months. Medical coverage can continue as long as the need exists, but no longer than the consecutive 6-month period from which income is counted.

Fiscal Note: 14-NRC-064. No fiscal impact; (8) recommends adoption.

This Notice provides for the implementation of certain provisions of Act 35 that became effective with the enactment of the legislation. These provisions are anticipated to produce net savings, including minor costs to the County Administration and Bureau of Information Systems appropriations, as follows:

1996-97	\$221,784,000	1999-00	\$293,241,000
1997-98	\$280,510,000	2000-01	\$298,825,000
1998-99	\$289,017,000	2001-02	\$304,611,000

[Pa.B. Doc. No. 96-978. Filed for public inspection June 14, 1996, 9:00 a.m.]

Eligibility for Medically Needy Only Medical Assistance: Community Service

Act 1996-35 (Act 35), enacted on May 16, 1996, amends certain sections of the Public Welfare Code which govern eligibility for Cash and Medical Assistance benefits. Among its provisions, Act 35 provides that a person who verifies employment of at least 100 hours per month and who earns at least the minimum wage can qualify for Medically Needy benefits if otherwise eligible.

Since passage of the act, the Department has received requests from interested parties advocating that persons who are actively engaged in volunteer community service for 100 hours per month be considered as meeting the

working for minimum wage requirement. As written, the applicable section of Act 35 (section 15), does not permit recognition of volunteer community service to qualify for Medically Needy Only Assistance.

Because of the interest in this issue, however, the Department, under its general rulemaking authority, intends to propose regulations that would recognize volunteer community service if a person was otherwise eligible for Medically Needy Assistance. It is anticipated that proposed regulations will be published no later than August 31, 1996. Persons interested in providing comments on this proposal should write to Patricia H. O'Neal, Director, Bureau of Policy, Office of Income Maintenance, Room 431, Health and Welfare Building, Harrisburg, PA 17105.

FEATHER O. HOUSTOUN,
Secretary

[Pa.B. Doc. No. 96-979. Filed for public inspection June 14, 1996, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania Musikfest '96 Instant Lottery Game

Under the provisions of the State Lottery Law (72 P. S. §§ 3761-1—3761-15) and the provisions of 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Musikfest '96.

2. *Price:* The price of a Pennsylvania Musikfest '96 instant lottery game ticket is \$1.00.

3. *Play Symbols:* Each Pennsylvania Musikfest '96 instant lottery game ticket will contain one "Play Area." The play symbols and their captions located in the "Play Area" are: \$1⁰⁰ (ONE), \$2⁰⁰ (TWO), \$5⁰⁰ (FIVE), \$20\$ (TWENTY) and \$100 (ONE HUN). The bonus play symbols and their captions located in the "Bonus Play" area are: Music Symbol (MUSIC) and TRY AGAIN symbol (TRY AGAIN).

4. *Prize:* The prizes that can be won in this game are \$1, \$2, \$5, \$20, \$100 and \$5,000.

5. *Approximate Number of Tickets Printed For the Game:* Approximately 5,258,400 tickets will be printed for the Pennsylvania Musikfest '96 instant lottery game.

6. *Determination of Prize Winners.*

(a) Holders of tickets with a Music Symbol (MUSIC) bonus play symbol in the "Bonus Play" area, on a single ticket, shall be entitled to a prize of \$5,000.

(b) Holders of tickets with three matching play symbols of \$100 (ONE HUN) in the "Play Area" on a single ticket, shall be entitled to a prize of \$100.

(c) Holders of tickets with three matching play symbols of \$20\$ (TWENTY) in the "Play Area" on a single ticket, shall be entitled to a prize of \$20.

(d) Holders of tickets with three matching play symbols of \$5⁰⁰ (FIVE) in the "Play Area" on a single ticket, shall be entitled to a prize of \$5.

(e) Holders of tickets with three matching play symbols of \$2⁰⁰ (TWO) in the "Play Area" on a single ticket, shall be entitled to a prize of \$2.

(f) Holders of tickets with three matching play symbols of \$1⁰⁰ (ONE) in the "Play Area" on a single ticket, shall be entitled to a prize of \$1.

(g) A prize will be paid only for the highest Pennsylvania Musikfest '96 instant lottery game prize won on the ticket if the ticket meets the criteria established in 61 Pa. Code § 819.213 (relating to ticket validation and requirements).

7. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes, and approximate odds of winning:

Get	Win	Approximate Odds	Approximate No. of Winners Per 5,258,400 Tickets
3-\$1	\$1	1:6	876,400
3-\$2	\$2	1:20	262,920
3-\$5	\$5	1:60	87,640
3-\$20	\$20	1:120	43,820
3-\$100	\$100	1:3,000	1,753
Music Symbol	\$5,000	1:1,051,680	5

8. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Game for retailers who sell Pennsylvania Musikfest '96 instant lottery game tickets. The conduct of the game will be governed by 61 Pa. Code § 819.222 (relating to retailer bonuses and incentives).

9. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Pennsylvania Musikfest '96, prize money on winning Pennsylvania Musikfest '96 instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Pennsylvania Musikfest '96 instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

10. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P. S. §§ 3761-1—3761-15), the regulations contained in Part V of Title 61 of the Pennsylvania Code (relating to State Lotteries) and the provisions contained in this notice.

11. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. Such announcement will be disseminated through media used to advertise or promote Pennsylvania Musikfest '96 or through normal communications methods.

ROBERT A. JUDGE, Sr.,
Secretary

[Pa.B. Doc. No. 96-980. Filed for public inspection June 14, 1996, 9:00 a.m.]

Pennsylvania New Bingo Instant Lottery Game

Under the provisions of the State Lottery Law (72 P. S. §§ 3761-1—3761-15) of 61 Pa. Code § 819.203 (relating to

notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania New Bingo.

2. *Price:* The price of a Pennsylvania New Bingo instant lottery game ticket is \$2.00.

3. *Play Symbols:* Each Pennsylvania New Bingo instant lottery game ticket will contain four play areas. The 76 play symbols located in the play areas are: The numbers 1 through 75 and FREE. Each ticket will also contain a "Caller's Card" area. The "Caller's Card" area will consist of 30 squares in a 5 x 6 grid. The play symbols that may be located in each square are: The letter B with a number 1 through 15; the letter I with a number 16 through 30; the letter N with a number 31 through 45; the letter G with a number 46 through 60; and the letter O with a number 61 through 75.

4. *Prizes:* The prizes that can be won in this game are \$2, \$5, \$10, \$20, \$100, \$500, \$1,000 and \$25,000. The player can win up to four times on a ticket.

5. *Approximate Number of Tickets Printed For the Game:* Approximately 20,030,400 tickets will be printed for the Pennsylvania New Bingo instant lottery game.

6. *Determination of Prize Winners:*

(a) Holders of tickets matching the "Caller's Card" play symbols in a five space horizontal, vertical or diagonal line on Your Card 1, Your Card 2 or Your Card 4, shall be entitled to a prize of \$2.

(b) Holders of tickets matching the "Caller's Card" play symbols in a five space horizontal, vertical or diagonal line on Your Card 3, shall be entitled to a prize of \$5.

(c) Holders of tickets matching the "Caller's Card" play symbols in the four corners on Your Card 1, shall be entitled to a prize of \$10.

(d) Holders of tickets matching the "Caller's Card" play symbols in the four corners on Your Card 2, Your Card 3 or Your Card 4, shall be entitled to a prize of \$20.

(e) Holders of tickets matching the "Caller's Card" play symbol in a diamond pattern, matching one square in the midpoint in each of the four outside rows and columns, on Your Card 1, shall be entitled to a prize of \$20.

(f) Holders of tickets matching the "Caller's Card" play symbols in a diamond pattern, matching one square in the midpoint in each of the four outside rows and columns, on Your Card 2 or Your Card 3, shall be entitled to a prize of \$100.

(g) Holders of tickets matching the "Caller's Card" play symbols in a diamond pattern, matching one square in the midpoint in each of the four outside rows and columns, on Your Card 4, shall be entitled to a prize of \$500.

(h) Holders of tickets matching the "Caller's Card" play symbols in an X extending through the "FREE" space and through to each of the four corners on Your Card 1, shall be entitled to a prize of \$100.

(i) Holders of tickets matching the "Caller's Card" play symbols in an X extending through the "FREE" space and through to each of the four corners on Your Card 2, shall be entitled to a prize of \$500.

(j) Holders of tickets matching the "Caller's Card" play symbols in an X extending through the "FREE" space and

through to each of the four corners on Your Card 3, shall be entitled to a prize of \$1,000.

(k) Holders of tickets matching the "Caller's Card" play symbols in an X extending through the "FREE" space and through to each of the four corners on Your Card 4, shall be entitled to a prize of \$25,000.

7. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes, and approximate odds of winning:

<i>Win</i>	<i>Approximate Odds</i>	<i>Approximate No. of Winners Per 20,030,400 Tickets</i>
\$2	1:9	2,225,600
\$4 (\$2 + 2)	1:15	1,335,360
\$5	1:30	667,680
\$6 (\$2 + \$2 + \$2)	1:45	445,120
\$10	1:60	333,840
\$11 (\$5 + \$2 + \$2 + \$2)	1:90	222,560
\$20	1:360	55,640
\$30 (\$20 + \$10)	1:3,600	5,564
\$40 (\$20 + \$20)	1:7,201	2,782
\$100	1:27,874	719
\$500	1:111,494	180
\$1,000	1:222,988	90
\$25,000	1:668,964	30

8. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Game for retailers who sell Pennsylvania New Bingo instant lottery game tickets. The conduct of the game will be governed by 61 Pa. Code § 819.222 (relating to retailer bonuses and incentives).

9. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Pennsylvania New Bingo, prize money on winning Pennsylvania New Bingo instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Pennsylvania New Bingo instant lottery game, the right of the ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

10. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-1—3761-15), the regulations contained in Part V of Title 61 of the Pennsylvania Code (relating to State Lotteries) and the provisions contained in this notice.

11. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. Such announcement will be disseminated through media used to advertise or promote Pennsylvania New Bingo or through normal communications methods.

ROBERT A. JUDGE, Sr.,
Secretary

[Pa.B. Doc. No. 96-981. Filed for public inspection June 14, 1996, 9:00 a.m.]

Pennsylvania Pinata Instant Lottery Game

Under the provisions of the State Lottery Law (72 P.S. §§ 3761-1—3761-15) and the provisions of 61 Pa. Code

§ 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Pinata.

2. *Price:* The price of a Pennsylvania Pinata instant lottery game ticket is \$1.00.

3. *Play Symbols:* Each Pennsylvania Pinata instant lottery game ticket will contain one "Play Area." The play symbols and their captions located in the "Play Area" are: FREE (TICKET), \$2⁰⁰ (TWO), \$3⁰⁰ (THREE), \$5⁰⁰ (FIVE), \$10\$ (TEN), \$20\$ (TWENTY), \$50\$ (FIFTY), \$100\$ (ONE HUN) and \$10000 (TEN THOU).

4. *Prizes:* The prizes that can be won in this game are one free ticket, \$2, \$3, \$5, \$10, \$20, \$50, \$100 and \$10,000.

5. *Approximate Number of Tickets Printed For the Game:* Approximately 10,141,200 tickets will be printed for the Pennsylvania Pinata instant lottery game.

6. *Determination of Prize Winners:*

(a) Holders of tickets with three matching play symbols of \$10000 (TEN THOU) in the "Play Area" on a single ticket, shall be entitled to a prize of \$10,000.

(b) Holders of tickets with three matching play symbols of \$100\$ (ONE HUN) in the "Play Area" on a single ticket, shall be entitled to a prize of \$100.

(c) Holders of tickets with three matching play symbols of \$50\$ (FIFTY) in the "Play Area" on a single ticket, shall be entitled to a prize of \$50.

(d) Holders of tickets with three matching play symbols of \$20\$ (TWENTY) in the "Play Area" on a single ticket, shall be entitled to a prize of \$20.

(e) Holders of tickets with three matching play symbols of \$10\$ (TEN) in the "Play Area" on a single ticket, shall be entitled to a prize of \$10.

(f) Holders of tickets with three matching play symbols of \$5⁰⁰ (FIVE) in the "Play Area" on a single ticket, shall be entitled to a prize of \$5.

(g) Holders of tickets with three matching play symbols of \$3⁰⁰ (THREE) in the "Play Area" on a single ticket, shall be entitled to a prize of \$3.

(h) Holders of tickets with three matching play symbols of \$2⁰⁰ (TWO) in the "Play Area" on a single ticket, shall be entitled to a prize of \$2.

(i) Holders of tickets with three matching play symbols of FREE (TICKET) in the "Play Area" on a single ticket, shall be entitled to a prize of one Pennsylvania instant lottery game ticket of equivalent sale price which is currently on sale, plus an entry into a Semifinal Grand Prize Drawing to qualify for a Grand Prize Drawing with prizes of \$5,000, \$50,000, \$75,000, \$100,000, or an annuity worth \$1 million (\$50,000 a year for 20 years).

(j) A prize will be paid only for the highest Pennsylvania Pinata instant lottery game prize won on the ticket if the ticket meets the criteria established in 61 Pa. Code § 819.213 (relating to ticket validation and requirements).

7. *Grand Prize Drawing Procedure:*

(a) *Frequency.*

(1) Grand Prize Drawings will be held on dates to be determined by the Secretary. The dates and locations will be announced by the Director.

(2) From the commencement of Pennsylvania Pinata until the deadline announced by the Director, there will be ten Grand Prize finalists selected for each Grand Prize Drawing. Grand Prize finalists will be selected in Semifinal Grand Prize Drawings on dates to be determined by the Secretary and announced by the Director.

(b) *Eligibility for Semifinal Grand Prize Drawings.* To be eligible for a Semifinal Grand Prize Drawing, a winner having a free winning ticket shall timely claim it at a participating Lottery sales retailer and properly complete the back of the ticket. The ticket claimed shall meet the ticket criteria under 61 Pa. Code § 819.213 (relating to ticket validation and requirements) to be eligible for a Semifinal Grand Prize Drawing.

(1) The Lottery will make a reasonable effort to ensure that a redeemed free winning ticket is entered into one of the Semifinal Grand Prize Drawings. The Lottery assumes no responsibility for a lost or misplaced redeemed ticket not entered into a Semifinal Grand Prize Drawing.

(2) A redeemed free winning ticket is eligible for only one Semifinal Grand Prize Drawing. A ticket that is not in one eligible group of redeemed free winning tickets may, at the discretion of the Director, remain eligible for a subsequent Semifinal Grand Prize Drawing.

(3) If a ticket is rejected during or following a Semifinal Grand Prize Drawing, the sole remedy is to select another ticket to replace the rejected ticket in accordance with Lottery procedure.

(4) Determination of winners will be made by the Secretary, whose judgment will be final and binding.

(c) *Manner of conducting Semifinal Grand Prize Drawings.*

(1) Periodically, as determined by the Secretary and announced by the Director, a Semifinal Grand Prize Drawing will be held using eligible redeemed free winning tickets. Ten finalists will be selected from an eligible group of tickets entered in the drawing. For the purpose of the drawing, each of the eligible groups of redeemed free winning tickets will be further divided into subgroups and placed in containers, with each container assigned a code depending on the number of containers used.

(2) With the aid of mechanical or automatic drawing equipment, ten container codes will be selected. The codes will determine the containers from which the ten finalists' tickets will be ultimately selected. One winning finalist ticket will be drawn from the first container selected. One winning ticket will then be selected from the second selected container and this procedure will be repeated until ten finalists have been selected for each Grand Prize Drawing.

(d) *Manner of conducting Grand Prize Drawings.*

(1) Following the selection of the ten finalists as described in subsection (c), there will be Grand Prize Drawings held at the discretion of the Director.

(2) The Lottery will award the following prizes to the eligible finalists in each of the Grand Prize Drawings:

<i>Grand Drawing Prizes</i>	<i>No. of Winners</i>	<i>Amount</i>
Grand Prize	1	\$1 million-annuity, or \$100,000, or \$75,000, or \$50,000
Consolation Prize	9	\$5,000

(e) *Procedure for conducting Grand Prize Drawings.*

(1) At a Grand Prize Drawing, a mechanical device in the shape of two concentric wheels will be used, a smaller wheel directly in front of a larger wheel. The larger wheel will have ten spaces each marked with a letter, "a" through "j", inclusive, inscribed clockwise in alphabetical order. The names of the selected ten finalists will be placed on the larger wheel in the order that they were selected beginning with the space marked letter "a" and continuing alphabetically through the letter "j", inclusive.

(2) The smaller wheel will contain designated amounts of \$1 million—annuity, \$100,000, \$75,000 and \$50,000.

(3) The wheels will be spun and when the wheels stop, the name of the finalist on the larger wheel will be identified as the Grand Prize Drawing winner and will be entitled to the prize indicated on the smaller wheel.

(4) The nine finalists whose names remain will receive a consolation prize of \$5,000 each.

(5) The Grand Prize Drawing winner shall receive the amount indicated, and if that amount is the top grand prize of an annuity worth \$1 million, that prize will be payable in 20 equal annual installments of \$50,000. The payment of a top grand prize to a person who dies before receiving a prize or to a person 17 years of age or younger shall be paid according to 61 Pa. Code §§ 811.16 and 811.27 (relating to prizes payable after death of a prize winner; and payment of prizes to persons under 18 years of age).

(6) Prizes chosen in the Grand Prize Drawing shall be claimed within 1 year of the date of the Grand Prize Drawing.

(7) The determination of a winner will be made by the Secretary, whose judgment will be final, conclusive and binding on the finalists.

(8) Prizes are subject to Federal withholding tax provisions.

(9) Number and Description of Prizes and Approximate Odds: The following table sets forth the approximate number of winners, amounts of prizes, and approximate odds of winning:

Win	Approximate Odds	Approximate No. of Winners per 10,141,200 Tickets
One Free Ticket Plus Entry	1:6	1,690,200
\$2	1:12	845,100
\$3	1:120	84,510
\$5	1:150	67,608
\$10	1:200	50,706
\$20	1:300	33,804
\$50	1:2,000	5,071
\$100	1:10,001	1,014
\$10,000	1:1,014,120	10

8. Retailer Incentive Awards:

(a) *Grand Prize Bonus.* The Lottery will pay a bonus to a retailer selling a redeemed and validated winning Pennsylvania Pinata instant lottery game ticket selected for a Grand Prize Drawing as follows:

(1) A winner of an annuity worth \$1 million (\$50,000 a year for 20 years) top grand prize entitles the selling retailer to a bonus of \$10,000.

(2) A winner of a \$100,00 grand prize entitles the selling retailer to a bonus of \$1,000.

(3) A winner of a \$75,000 grand prize entitles the selling retailer to a bonus of \$750.

(4) A winner of a \$50,000 grand prize entitles the selling retailer to a bonus of \$500.

(5) A winner of a \$5,000 consolation prize entitles the selling retailer to a bonus of \$50.

(b) *Retailer incentive.* The Lottery may conduct a separate Retailer Incentive Game for retailers who sell Pennsylvania Pinata instant lottery game tickets. The conduct of the game will be governed by 61 Pa. Code § 819.222 (relating to retailer bonuses and incentives).

9. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Pennsylvania Pinata, prize money on winning Pennsylvania Pinata instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of Pennsylvania Pinata, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

10. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P. S. §§ 3761-1—3761-15), the regulations contained in Part V of Title 61 of the Pennsylvania Code (relating to State Lotteries) and the provisions contained in this notice.

11. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. Such announcement will be disseminated through media used to advertise or promote Pennsylvania Pinata or through normal communications methods.

ROBERT A. JUDGE, Sr.,
Secretary

[Pa.B. Doc. No. 96-982. Filed for public inspection June 14, 1996, 9:00 a.m.]

Pennsylvania Regatta Cash Instant Lottery Game

Under the provisions of the State Lottery Law (71 P. S. §§ 3761-1—3761-15) and the provisions of 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Regatta Cash.

2. *Price:* The price of a Pennsylvania Regatta Cash instant lottery game ticket is \$1.00.

3. *Play Symbols:* Each Pennsylvania Regatta Cash instant lottery game ticket will contain one "Play Area." The play symbols and their captions located in the "Play Area" are: \$1⁰⁰ (ONE), \$2⁰⁰ (TWO), \$5⁰⁰ (FIVE), \$20^S (TWENTY) and \$100 (ONE HUN). The bonus play symbols and their captions located in the "Bonus Play" area are: Sailboat Symbol (BOAT) and TRY AGAIN symbol (TRY AGAIN).

4. *Prize:* The prizes that can be won in this game are \$1, \$2, \$5, \$20, \$100 and \$5,000.

5. *Approximate Number of Tickets Printed For the Game:* Approximately 5,258,400 tickets will be printed for the Pennsylvania Regatta Cash instant lottery game.

6. *Determination of Prize Winners.*

(a) Holders of tickets with a Sailboat Symbol (BOAT) bonus play symbol in the "Bonus Play" area, on a single ticket, shall be entitled to a prize of \$5,000.

(b) Holders of tickets with three matching play symbols of \$100 (ONE HUN) in the "Play Area" on a single ticket, shall be entitled to a prize of \$100.

(c) Holders of tickets with three matching play symbols of \$20\$ (TWENTY) in the "Play Area" on a single ticket, shall be entitled to a prize of \$20.

(d) Holders of tickets with three matching play symbols of \$5⁰⁰ (FIVE) in the "Play Area" on a single ticket, shall be entitled to a prize of \$5.

(e) Holders of tickets with three matching play symbols of \$2⁰⁰ (TWO) in the "Play Area" on a single ticket, shall be entitled to a prize of \$2.

(f) Holders of tickets with three matching play symbols of \$1⁰⁰ (ONE) in the "Play Area" on a single ticket, shall be entitled to a prize of \$1.

(g) A prize will be paid only for the highest Pennsylvania Regatta Cash instant lottery game prize won on the ticket if the ticket meets the criteria established in 61 Pa. Code § 819.213 (relating to ticket validation and requirements).

7. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes, and approximate odds of winning:

Get	Win	Approximate Odds	Approximate No. of Winners Per 5,258,400 Tickets
3-\$1	\$1	1:6	876,400
3-\$2	\$2	1:20	262,920
3-\$5	\$5	1:60	87,640
3-\$20	\$20	1:120	43,820
3-\$100	\$100	1:3,000	1,753
Sailboat Symbol	\$5,000	1:1,051,680	5

8. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Game for retailers who sell Pennsylvania Regatta Cash instant lottery game tickets. The conduct of the game will be governed by 61 Pa. Code § 819.222 (relating to retailer bonuses and incentives).

9. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Pennsylvania Regatta Cash, prize money on winning Pennsylvania Regatta Cash instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Pennsylvania Regatta Cash instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

10. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P. S. §§ 3761-1—3761-15), the regulations contained in Part V of Title 61 of the *Pennsylvania Code* (relating to State Lotteries) and the provisions contained in this notice.

11. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. Such announcement will be

disseminated through media used to advertise or promote Pennsylvania Regatta Cash or through normal communications methods.

ROBERT A. JUDGE, Sr.,
Secretary

[Pa.B. Doc. No. 96-983. Filed for public inspection June 14, 1996, 9:00 a.m.]

Pennsylvania \$10,000 Club Instant Lottery Game

Under the provisions of the State Lottery Law (72 P. S. §§ 3761-1—3761-15) and the provisions of 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania \$10,000 Club.

2. *Price:* The price of a Pennsylvania \$10,000 Club instant lottery game ticket is \$1.00.

3. *Play Symbols:* Each Pennsylvania \$10,000 Club instant lottery game ticket will contain one "Play Area." The play symbols and their captions located in the "Play Area" are: Spade Symbol (SPADE), Heart Symbol (HEART), Diamond Symbol (DIAMOND) and Club Symbol (CLUB).

4. *Prizes:* The prizes that can be won in this game are \$1, \$2, \$5, \$10, \$20, \$50, \$100, \$200, \$1,000 and \$10,000.

5. *Approximate Number of Tickets Printed For the Game:* Approximately 10,141,200 tickets will be printed for the Pennsylvania \$10,000 Club instant lottery game.

6. *Determination of Prize Winners:*

(a) Holders of tickets with ten matching Club Symbol (CLUB) play symbols in the "Play Area" on a single ticket, shall be entitled to a prize of \$10,000.

(b) Holders of tickets with nine matching Club Symbol (CLUB) play symbols in the "Play Area" on a single ticket, shall be entitled to a prize of \$1,000.

(c) Holders of tickets with eight matching Club Symbol (CLUB) play symbols in the "Play Area" on a single ticket, shall be entitled to a prize of \$200.

(d) Holders of tickets with seven matching Club Symbol (CLUB) play symbols in the "Play Area" on a single ticket, shall be entitled to a prize of \$100.

(e) Holders of tickets with six matching Club Symbol (CLUB) play symbols in the "Play Area" on a single ticket, shall be entitled to a prize of \$50.

(f) Holders of tickets with five matching Club Symbol (CLUB) play symbols in the "Play Area" on a single ticket, shall be entitled to a prize of \$20.

(g) Holders of tickets with four matching Club Symbol (CLUB) play symbols in the "Play Area" on a single ticket, shall be entitled to a prize of \$10.

(h) Holders of tickets with three matching Club Symbol (CLUB) play symbols in the "Play Area" on a single ticket, shall be entitled to a prize of \$5.

(i) Holders of tickets with two matching Club Symbol (CLUB) play symbols in the "Play Area" on a single ticket, shall be entitled to a prize of \$2.

(j) Holders of tickets with one matching Club Symbol (CLUB) play symbol in the "Play Area" on a single ticket, shall be entitled to a prize of \$1.

(k) A prize will be paid only for the highest Pennsylvania \$10,000 Club instant lottery game prize won on the ticket if the ticket meets the criteria established in 61 Pa. Code § 819.213 (relating to ticket validation and requirements).

7. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes, and approximate odds of winning:

Get	Win	Approximate Odds	Approximate No. of Winners per 10,141,200 Tickets
1-CLUB	\$1	1:6	1,690,200
2-CLUBs	\$2	1:18	563,400
3-CLUBs	\$5	1:50	202,824
4-CLUBs	\$10	1:150	67,608
5-CLUBs	\$20	1:300	33,804
6-CLUBs	\$50	1:3,130	3,240
7-CLUBs	\$100	1:9,390	1,080
8-CLUBs	\$200	1:18,780	540
9-CLUBs	\$1,000	1:507,060	20
10-CLUBs	\$10,000	1:1,014,120	10

8. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Game for retailers who sell Pennsylvania \$10,000 Club instant lottery game tickets. The conduct of the game will be governed by 61 Pa. Code § 819.222 (relating to retailer bonuses and incentives).

9. *Unclaimed Prize Money:* for a period of 1 year from the announced close of Pennsylvania \$10,000 Club, prize money on winning Pennsylvania \$10,000 Club instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Pennsylvania \$10,000 Club instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

10. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P. S. §§ 3761-1—3761-15), the regulations contained in Part V of Title 61 of the Pennsylvania Code (relating to State Lotteries) and the provisions contained in this notice.

11. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. Such announcement will be disseminated through media used to advertise or promote Pennsylvania \$10,000 Club or through normal communications methods.

ROBERT A. JUDGE, Sr.,
Secretary

[Pa.B. Doc. No. 96-984. Filed for public inspection June 14, 1996, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Application for Lease of Right-of-Way

The Department of Transportation, under the authority contained in section 2002(c) of The Administrative Code

of 1929 (71 P. S. § 512(c)) and in 67 Pa. Code § 495.4, gives notice that an application to lease highway right-of-way has been submitted to the Department by SICO Company, A Delaware Corporation, of 15 Mount Joy Street, Mount Joy, PA 17552, seeking to lease highway right-of-way located at 760 Eisenhower Boulevard, Harrisburg, Swatara Township, PA, Dauphin, 7,600 square feet/acres ±, adjacent to L. R. 22019, for purposes of ingress and egress; surface type improvements only.

Interested persons are invited to submit, within 30 days from the publication of this notice in the *Pennsylvania Bulletin*, written comments, suggestions and/or objections regarding the approval of this application to Barry G. Hoffman, P.E., District Engineer, Engineering District 8-0, 2140 Herr Street, Harrisburg, PA 17103.

Questions regarding this application or the proposed use may be directed to Kim J. Smith, R/W Representative, 2140 Herr Street, Harrisburg, PA, (717) 772-5119.

BRADLEY L. MALLORY,
Secretary

[Pa.B. Doc. No. 96-985. Filed for public inspection June 14, 1996, 9:00 a.m.]

Retention of Engineering Firms

Bedford, Blair, Cambria, Fulton, Huntingdon and Somerset Counties Reference No. 08430AG1998

The Department of Transportation will retain an engineering firm for an open-end contract to provide supplementary construction inspection staff of approximately 20 inspectors under the Department's Inspectors-in-charge, for construction inspection and documentation services on various Department projects and for a variety of Highway Occupancy Permit projects located in Engineering District 9-0, that is Bedford, Blair, Cambria, Fulton, Huntingdon and Somerset Counties. The contract will be for a period of 30 months with a maximum cost of \$750 thousand.

It is anticipated that a maximum supplementary construction staff of 20 Transportation Construction Inspectors (TCIs) may be required at one time. The job descriptions for this classification can be obtained from the District contact person identified at the end of this solicitation.

The Department will establish an order of ranking of a minimum of three firms for the purpose of negotiating an open-end contract based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interests:

- (a) Number of available inspectors.
- (b) Number of NICET certified inspectors
- (c) Review of inspectors' resumes with emphasis on construction inspection capabilities and specialized experience in the maintenance and protection of traffic, soils, structures, concrete, asphalt paving and drainage.
- (d) Understanding of Department requirements, policies and specifications.

- (e) Location of the consultant with respect to the District.
- (f) Past performance.
- (g) Workload

The maximum reimbursement of direct payroll cost for each Department payroll classification for calendar year 1996 will be limited to the actual direct salary of the individual employe, or the following rates, whichever is less:

<i>Payroll Classification</i>	<i>Direct Payroll Rate</i>
Transportation Construction Inspector (TCI)	\$15.18

Maximum reimbursable direct payroll rates for subsequent calendar years will be established at the scope of work meeting.

Department Projects

The firm selected may be required to attend a preconstruction conference with the Department and the construction contractor for each project. Under the supervision and direction of the Department, the selected firm will be required to keep records and document the construction work; prepare current and final estimates for payment to the construction contractor; assist the Department in obtaining compliance with the labor standards, safety and accident prevention, and equal opportunity provisions of the contract items; participate with the Department in the semifinal and final inspections; determine from the project records the final quantities of each contract item; and perform other duties as may be required. Firms applying must have qualified personnel capable of climbing structures during painting, rehabilitation or construction.

Highway Occupancy Permit Projects

The selected firm will be required to provide all necessary services and work and furnish all equipment and materials not otherwise provided to perform construction inspection services on various projects.

Under the general supervision and direction of the Department, the selected firm may be required to attend preconstruction conferences; record minutes of the conferences; represent the Department as the Project Manager; be responsible for the Department's interest and the public safety on the State highway system involved in each permit, ensure that the specific and general requirements of the permit are carried out in the best interest of the Department; and keep project records and document activities by methods approved by the Department.

The qualifications and experience required of the firm's inspectors will be established by the Department, and the qualifications of the firm's proposed employes will be reviewed and approved by the Department.

It is anticipated that the supplementary construction inspection staff for this assignment will consist of the following number of inspectors who meet the requirements for the following inspection classifications:

<i>Classification</i>	<i>No. of Inspectors</i>
Transportation Construction Inspector (TCI)	20 (12)
NICET Highway Construction Level 2 or equivalent	

The number in parenthesis above indicates the number of inspectors in each classification that must meet at least one of the following requirements:

1. Be certified by the National Institute for Certification in Engineering Technologies (NICET) in the field of Transportation Engineering Technology, subfield of Highway Construction, or subfield of Highway Materials, at the level required for the Inspection Classification.
2. Be registered as a Professional Engineer by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
3. Be certified as an Engineer-in-Training by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
4. Hold a Bachelor of Science degree in Civil Engineering or a Bachelor of Science degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.
5. Hold an Associates degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

Technical questions concerning the requirements for this project should be directed to Kenneth R. Eichelberger, P. E., District 9-0, Lead Construction Engineer, at (814) 940-5118.

Questions concerning the submittal of the letter of interest can be directed to the Consultant Agreement Division at (717) 783-9309.

**Somerset County
Reference No. 08430AG1999**

The Department of Transportation will retain an engineering firm to provide supplementary construction inspection staff of approximately 15 inspectors, under the Department's Inspector-in-charge, for construction inspection and documentation services on S. R. 6219, Section B08, Relocation of TR 219, Meyersdale Bypass, Somerset County.

The Department will establish an order of ranking of a minimum of three firms for the purpose of negotiating an Engineering Agreement based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- a. Review of inspector's resumes with emphasis on construction inspection capabilities and specialized experience in the maintenance and protection of traffic, soils, structures, concrete, asphalt paving, drainage, wetland replacement and computerized documentation.
- b. Understanding of Department's requirements, policies and specifications.
- c. Past performance.
- d. Location of consultant.
- e. Number of NICET certified inspectors in each payroll classification.
- f. Number of available inspectors in each payroll classification.

The qualifications and experience required of the firm's inspectors will be established by the Department, and the qualifications of the firm's employes will be reviewed and approved by the Department.

It is anticipated that the supplementary construction inspection staff for this assignment will consist of the following number of inspectors who meet the requirements for the following inspection classification:

<i>Classification</i>	<i>No. of Inspectors</i>
Transportation Construction Manager 1 (TCMA) NICET Highway Construction Level 4 or equivalent	2 (2)
Transportation Construction Inspection Supv. (TCIS)—NICET Highway Construction Level 3 or equivalent	2 (2)
Transportation Construction Inspector—Materials (TCI-Materials)—NICET Highway Materials Level 2 or equivalent	1 (1)
Transportation Construction Inspector (TCI)—NICET Highway Construction Level 2 or equivalent	9 (4)
Technical Assistant (TA)—NICET Highway Construction Level 1 or equivalent	1 (0)

The numbers in parenthesis above indicate the number of inspectors in each classification that must meet at least one of the following requirements:

1. Be certified by the National Institute for Certification in Engineering Technologies (NICET) in the field of Transportation Engineering Technology, subfield of Highway Construction, or subfield of Highway Materials, at the level required for the Inspection Classification.
2. Be registered as a Professional Engineer by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
3. Be certified as a Engineer-in-Training by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
4. Hold a Bachelor of Science degree in Civil Engineering or a Bachelor of Science degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.
5. Hold an Associate degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

The maximum reimbursement of direct payroll cost for each Department Payroll Classification for calendar year 1996 will be limited to the actual direct salary of the individual employe, or the following rates, whichever is less:

<i>Payroll Classification</i>	<i>Direct Payroll Rate</i>
Transportation Construction Manager 1 (TCM1)	\$19.79
Transportation Construction Inspector Supervisor (TCIS)	\$17.34
Transportation Construction Inspector—Materials (TCI-M)	\$15.68
Transportation Construction Inspector	\$15.18
Technical Assistant (TA)	\$10.43

Maximum reimbursable direct payroll rates for subsequent calendar years will be established at the scope-of-work meeting.

The firm selected may be required to attend a preconstruction conference with the Department and the

construction contractor for this project. Under the supervision and direction of the Department, the selected firm will be required to keep records and document the construction work, prepare current and final estimates for payment to the construction contractor, assist the Department in obtaining compliance with the labor standards, safety and accident prevention, and equal opportunity provisions of the contract item, participate with the Department in the semifinal and final inspections, determine from the project records the final quantities of each contract item, provide certified CDS operators and perform other duties as may be required.

Letters of interest for this project must include a letter, signed by the individuals proposed for all TCMI and TCIS positions, giving their approval to use their names in the letter of interest for this specific project.

The goal for Disadvantaged Business Enterprise (DBE) participation in the agreement shall be 15% of the total contract price. Additional information concerning DBE participation in this agreement is contained in the General Requirements and Information section after the advertised projects.

Technical questions concerning the requirements for this project should be directed to Thomas V. Bracken, District 9-0, at (814) 940-5121.

Questions concerning the submittal of the letter of interest can be directed to the Consultant Agreement Division at (717) 783-9309.

General Requirements and Information

Firms interested in performing any of the above services are invited to submit letters of interest to: Director, Consultant Selection Committee, Room 1118, Transportation and Safety Building, Harrisburg, PA 17120.

A separate letter of interest and required forms must be submitted for each project for which the applicant wishes to be considered. The letter of interest and required forms must be received within 13 calendar days of this notice. The deadline for receipt of a letter of interest at the above address is 4:30 p.m. of the thirteenth day.

If the project advertisement indicates that the Department will retain an engineering firm, letters of interest will only be accepted from individuals, firms or corporations duly authorized to engage in the practice of engineering. If an individual, firm or corporation not authorized to engage in the practice of engineering desires to submit a letter of interest, said individual, firm or corporation may do so as part of a joint venture with an individual, firm or corporation which is permitted under State law to engage in the practice of engineering.

If a goal for Disadvantaged Business Enterprise (DBE) participation is established for an advertised project, firms expressing interest in the project must agree to ensure that Disadvantaged Business Enterprise (DBE) firms as defined in the Intermodal Surface Transportation Efficiency Act of 1991 and currently certified by the Department of Transportation shall have the maximum opportunity to participate in any subcontracting or furnishing supplies or services approved under Form 442, Section 1.10(a). The act requires that firms owned and controlled by women (WBEs) be included, as a presumptive group, within the definition of Disadvantaged Business Enterprise (DBE). The goal for DBE participation shall be as stated in the individual project advertisement. Responding firms shall make good faith efforts to meet the DBE goal using DBEs (as they were defined prior to

the act), WBEs or combinations thereof. Proposed DBE firms must be certified at the time of submission of the letter of interest. If the selected firm fails to meet the goal established, it shall be required to demonstrate its good faith efforts to attain the goal. Failure to meet the goal and to demonstrate good faith efforts may result in being barred from Department contracts in the future.

Responses are encouraged by small engineering firms, disadvantaged business enterprise engineering firms and other engineering firms who have not previously performed work for the Department of Transportation.

Each letter of interest must include in the heading, the firm's Federal Identification Number and the Project Reference Number indicated in the advertisement. The letter of interest must also include the following:

1. Standard Form 255, "Architect-Engineer and Related Services Questionnaire for Specific Project."

2. Standard Form 254, "Architect-Engineer and Related Services Questionnaire" not more than 1 year old as of the date of this advertisement, must accompany each letter of interest for the firm, each party to a joint venture and for each subconsultant the firm or joint venture is proposing to use for the performance of professional services regardless of whether the subconsultant is an individual, a college professor or a company. Please disregard the statements on Standard Form 255 that indicate a Standard Form 254 is only required if not already on file with the contracting office. The Department does not maintain a file for Standard Form 254 for contracting purposes; therefore, this Form is required for the prime consultant and each subconsultant as stated above.

3. Two copies of the Department's Form D-427 (Rev. 6-89), "Current Workload" for the firm submitting the letter of interest. At least one copy of Form D-427 must remain free and not bound in any way to any other portion of the letter of interest or accompanying documentation. Copies of Form D-427 are available upon request from the above address or by contacting the Department's Consultant Agreement Division at (717) 783-9309.

4. Firms with out-of-State headquarters or corporations not incorporated in Pennsylvania must include with each letter of interest a copy of their registration to do business in the Commonwealth as provided by the Department of State. Firms who are not registered to do business in Pennsylvania at the time of this advertisement must document that they have applied for registration to the Department of State, Corporation Bureau. The telephone number for the Corporation Bureau is (717) 787-1057 or (717) 787-2004.

The Standard Form 255 must be filled out in its entirety including Item No. 6 listing the proposed subconsultants and the type of work or service they will perform on the project. If a Disadvantaged Business Enterprise (DBE) goal is specified for the project, the DBE must be presently certified by the Department of Transportation, and the name of the firm and the work to be performed must be indicated in Item 6. If a Women Business Enterprise (WBE) firm is substituted for the DBE, the WBE firm must also be presently certified by the Department of Transportation and indicated in Item 6.

The Standard Form 254 must be signed and dated and must be less than 1 year old as of the date of this advertisement. A Standard Form must accompany each letter of interest for the firm submitting the letter of

interest, each party to a joint venture, and for each subconsultant shown under Item 6 of the Standard Form 255.

Unless other factors are identified under the individual project reference number, the following factors, listed in their order of importance, will be considered by the Committee during their evaluation of the firms submitting letters of interest:

a. Specialized experience and technical competence of firm.

b. Past record of performance with respect to cost control, work quality, and ability to meet schedules. The specific experience of individuals who constitute the firms shall be considered.

c. Current workload and capacity of firm to perform the work within the time limitations.

d. Location of consultant.

e. Special requirements of the project.

f. Other factors, if any, specific to the project.

The Department currently limits its participation in the remuneration of principals or consultant employees performing work on projects to \$72,800 per annum or \$35 per hour or their actual audited remuneration, whichever is less. The Department currently limits its participation in the consultant's indirect payroll costs (overhead) on design and miscellaneous projects to 130% of the direct payroll cost or the consultant's actual audited overhead rate, whichever is less. The Department currently limits its participation in the consultant's indirect payroll costs (overhead) on construction inspection projects to 85.2% of the direct payroll cost or the consultant's actual audited overhead rate, whichever is less. The Department's limitations will apply to the projects advertised above unless the Department policy is revised prior to the negotiation of an agreement or contract.

The assignment of the above services will be made to one of the firms responding to this notice, but the Committee reserves the right to reject all letters of interest submitted, to cancel the solicitations requested under this notice, and/or to readvertise solicitation for these services.

BRADLEY L. MALLORY,
Secretary

[Pa.B. Doc. No. 96-986. Filed for public inspection June 14, 1996, 9:00 a.m.]

ENVIRONMENTAL HEARING BOARD

Appleton Papers, Inc. v. DEP; EHB Doc. No. 96-112-MR

Appleton Papers, Inc. has appealed the issuance by the Department of Environmental Protection of an NPDES permit to Appleton Papers, Inc. for a facility in Roaring Spring Borough, Blair County.

A date for the hearing on the appeal has not yet been scheduled.

The appeal is filed with the Environmental Hearing Board at its office on the Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457,

Harrisburg, PA 17105-8457, and may be reviewed by any interested party on request during normal business hours. If information concerning this notice is required in an alternative form, contact the Secretary to the Board at (717) 787-3483. TDD users may telephone the Board through the AT&T Pennsylvania Relay Center at 1 (800) 654-5984.

Petitions to intervene in the appeal may be filed with the Board by interested parties under 25 Pa. Code § 1021.62. Copies of the Board's rules of practice and procedure are available upon request from the Board.

GEORGE J. MILLER,
Chairperson

[Pa.B. Doc. No. 96-987. Filed for public inspection June 14, 1996, 9:00 a.m.]

HEALTH CARE COST CONTAINMENT COUNCIL

Meeting Notice

The following meeting of the Health Care Cost Containment Council has been scheduled: Thursday, June 20, 1996, Data Systems Review Committee, 2 p.m. The meeting will be held at the Pennsylvania Chamber of Business and Industry, One Commerce Square, 417 Walnut Street, Harrisburg, PA 17101. The meeting is open to the public. Persons who need accommodation due to a disability and want to attend a meeting should contact Cherie Kauffman, Health Care Cost Containment Council, 225 Market Street, Harrisburg, PA 17101, (717) 232-6787, at least 24 hours in advance so that arrangements can be made.

ERNEST J. SESSA,
Executive Director

[Pa.B. Doc. No. 96-988. Filed for public inspection June 14, 1996, 9:00 a.m.]

INSURANCE DEPARTMENT

Application and Request for a Certificate of Authority

Somerset Casualty Insurance Company has applied for a Certificate of Authority to Operate as a stock casualty insurance company in Pennsylvania. The initial filing was received on May 29, 1996, and was made under the requirements set forth under 40 P. S. §§ 961—971. Persons wishing to comment on the grounds of public or private interest to the issuance of the Department's order approving this Certificate of Authority are invited to submit a written statement to the Insurance Department within 15 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include the name, address and telephone number of the interested party, identification of the application to which the statement is addressed and a concise statement with sufficient detail to inform the Insurance Department of the exact basis of the statement. Written statements should be directed to Robert Brackbill, Insurance Company Licensing Specialist, In-

urance Department, 1345 Strawberry Square, Harrisburg, PA 17120, (717) 787-2735.

LINDA S. KAISER,
Insurance Commissioner

[Pa.B. Doc. No. 96-989. Filed for public inspection June 14, 1996, 9:00 a.m.]

ITT Hartford Insurance Group; Hartford Fire Insurance Company; Hartford Accident and Indemnity Company; Hartford Casualty Insurance Company; Hartford Underwriters Insurance Company; Twin City Fire Insurance Company; Hartford Insurance Company of the Midwest; Trumbull Insurance Company; Workers' Compensation Group Retrospective Rating Plan

On May 20, 1996, the Department received a filing from the ITT Hartford Insurance Group which describes eligibility criteria and premium calculation rules for a workers' compensation group retrospective rating plan. The rating plan would be written through the ITT Hartford Insurance Group with a proposed July 1, 1996 effective date.

The objective of this rating plan is to expand ITT Hartford's current large risk alternative rating plan to include groups which implement safety programs designed to reduce the frequency and severity of loss under this rating plan.

Copies of this filing are available for public inspection during normal working hours, by appointment, at the Insurance Department's offices in Harrisburg, Philadelphia, Pittsburgh and Erie.

Interested parties are invited to submit written comments, suggestions or objections to Guo Harrison, Actuary, Insurance Department, Office of Rate and Policy Regulation, 1311 Strawberry Square, Harrisburg, PA 17120, within 30 days of publication of this notice in the *Pennsylvania Bulletin*.

LINDA S. KAISER,
Insurance Commissioner

[Pa.B. Doc. No. 96-990. Filed for public inspection June 14, 1996, 9:00 a.m.]

Kenneth K. Kelley; Hearing

Kenneth K. Kelley; Doc. No. P95-11-015

The hearing is scheduled for July 24, 1996, at 9 a.m. in the Administrative Hearing Office Room 200, 901 North Seventh Street, Harrisburg, PA 17102.

The proceedings in this matter will be governed by 2 Pa.C.S. §§ 501—508, 701—704 (relating to the Administrative Agency Law) and 1 Pa. Code Part II (relating to the General Rules of Administrative Practice and Procedure).

Pending hearing, parties shall exchange proposed exhibits, the names of witnesses, and provide an offer of proof with respect to each witness, and informally attempt to resolve undisputed facts by stipulation.

Motions preliminary to those at hearing, protests, petitions to intervene, or notices of intervention, if any,

must be filed in writing with the Docket Clerk, Insurance Department, Room 200, 901 North Seventh Street, Harrisburg, PA 17102 on or before June 26, 1996.

LINDA S. KAISER,
Insurance Commissioner

[Pa.B. Doc. No. 96-991. Filed for public inspection June 14, 1996, 9:00 a.m.]

INSURANCE FRAUD PREVENTION AUTHORITY

Meeting Notice

A public meeting of the Insurance Fraud Prevention Authority will be held on June 24, 1996, at 10 a.m., in the offices of the Insurance Department located in Strawberry Square, Harrisburg. The meeting will be held in Conference Room #1 on the 13th Floor.

Any interested member of the public is invited to attend. Seating may be limited, and advance notice of attendance is requested. Please contact Michelle Staton of the Authority at (717) 975-9074 to request seating.

DAVID A. BANO,
Chairperson

[Pa.B. Doc. No. 96-992. Filed for public inspection June 14, 1996, 9:00 a.m.]

LAWYER TRUST ACCOUNT BOARD

Meeting Notice

A meeting of the Lawyer Trust Account Board will be held on Friday, June 21, 1996, at 10 a.m.

The meeting will be held at the PA Bar Association, 100 South Street, Harrisburg, PA.

GERALD A. MCHUGH, Jr.,
Chairperson

[Pa.B. Doc. No. 96-993. Filed for public inspection June 14, 1996, 9:00 a.m.]

LEGISLATIVE REFERENCE BUREAU

Documents Filed But Not Published

The Legislative Reference Bureau accepted the following documents during the preceding calendar month for filing without publication under 1 Pa. Code § 3.13(b) (relating to contents of Bulletin). The Bureau will continue to publish on a monthly basis either a summary table identifying the documents accepted during the preceding calendar month under this subsection or a statement that no such documents have been received. For questions concerning or copies of documents filed, but not published, call (717) 783-1530.

Governor's Office

Management Directive No. 205.21—Commonwealth Child Care Program, Amended April 24, 1996.

Management Directive No. 250.3—State Contract Information Document, Amended May 8, 1996.

Management Directive No. 245.11—Development of Information Technology—Enterprise Continuity/Recovery Plans, Dated May 20, 1996.

Management Directive No. 310.22—Central Vendor Information System, Dated April 30, 1996.

Management Directive No. 315.20—Taxability of the Use of State-Provided Vehicles, Amended May 6, 1996.

Management Directive No. 570.6—Optional Membership in State Employees' Retirement System, Amended April 30, 1996.

Management Directive No. 570.12—Refusal of Recall From Furlough—Termination of Interest on Retirement Contributions, Amended April 30, 1996.

Management Directive No. 625.5—Reporting Surplus Real Property, Amended May 6, 1996.

Management Directive No. 630.2—Reporting of Employee Liability Claims, Amended May 2, 1996.

Administrative Circular No. 96-19—Internet Development Guidelines for Agencies, Dated April 25, 1996.

Administrative Circular No. 96-20—Closing Instruction No. 3, Prior Encumbrances for Act 146 Waivers and Contracted Repairs, Dated May 13, 1996.

Administrative Circular No. 96-21—Weekly Transfer of State Share Retirement Contributions, Dated May 21, 1996.

GARY R. HOFFMAN,
Director
Pennsylvania Bulletin

[Pa.B. Doc. No. 96-994. Filed for public inspection June 14, 1996, 9:00 a.m.]

PENNSYLVANIA MUNICIPAL RETIREMENT BOARD

Hearing Scheduled

A hearing has been scheduled, as authorized by Law (53 P.S. §§ 881.101—881.501) in connection with the Pennsylvania Municipal Retirement Board's denial of claimant's request concerning the indicated account.

The hearing will be held before a hearing examiner at the Pennsylvania Municipal Retirement Board, 1010 North 7th Street, Suite 301, East Gate Center, Harrisburg, PA 17102.

July 15, 1996 City of Harrisburg 1:30 p.m.
(Account of Harold W. Murphy) (Disability)

Persons with a disability who wish to attend the above-listed hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact Helen Willis at (717) 787-2065 to discuss how the Pennsylvania Municipal Retirement System may best accommodate their needs.

Parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The hearings will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law). Under 16 Pa. Code § 91.1 (relating to applicability of general rules), procedural matters will be in conformance with 1 Pa. Code §§ 31.1—35.251 (relating to General Rules of Administrative Practice and Procedure) unless specific exemption is granted.

JAMES B. ALLEN,
Secretary

[Pa.B. Doc. No. 96-995. Filed for public inspection June 14, 1996, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Publication of this notice shall be considered as sufficient notice to all carriers holding authority from this Commission. Applications will be considered without hearing in the absence of protests to the application. Protests to the applications published herein are due on or before July 8, 1996, as set forth at 52 Pa. Code § 3.381 (relating to applications for transportation of property and persons). The protest shall also indicate whether it applies to the temporary authority application or the permanent application or both.

Applications of the following for approval of the beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of persons by transfer of rights as described under each application.

A-00113101. Airport Limousine and Taxi Service, Inc. (P. O. Box 338, Wyoming, Luzerne County, PA 18644), a corporation of the Commonwealth of Pennsylvania—persons in airport transfer service, from points in the counties of Lackawanna, Luzerne, Monroe, Wayne and Pike, to the Wilkes-Barre/Scranton International Airport in the township of Pittston, Luzerne County, which is to be a transfer of the right issued to Pocono Enterprises, Inc., t/d/b/a Airport Limousine & Taxi Service, under the certificate issued at A-00110011, subject to the same limitations and conditions. *Attorney:* Stephen A. Menn, Suite 200, Garden Village Center, 16 Luzerne Avenue, West Pittston, PA 18643-2817.

Applications of the following for approval of the beginning of the exercise of the right and privilege of operating as common carriers for transportation of persons as described under each application.

A-00113098. Rosemarie Metz-Brungard and Steven Roger Brungard, Tenants by the Entireties, t/d/b/a Protean Potentials (One East Manor Avenue (Rear), Enola, Cumberland County, PA 17025)—persons in airport transfer service, from points in the counties of Adams, Bedford, Berks, Blair, Bucks, Cambria, Carbon, Centre, Chester, Clinton, Columbia, Cumberland, Dau-

phin, Franklin, Fulton, Huntingdon, Juniata, Lackawanna, Lancaster, Lebanon, Lehigh, Luzerne, Lycoming, Mifflin, Monroe, Montour, Montgomery, Northampton, Northumberland, Perry, Schuylkill, Snyder, Union and York, to the Philadelphia International Airport, located in the city and county of Philadelphia and the township of Tinicum, Delaware County; the Pittsburgh International Airport located in the townships of Moon and Findlay, Allegheny County; the Williamsport-Lycoming County Airport, located in the borough of Montoursville, Lycoming County; the Penn Valley Airport located in Monroe Township, Snyder County; the Harrisburg International Airport, located in Lower Swatara Township, Dauphin County; the Reading Regional Airport, located in Bern Township, Berks County; the Lancaster Airport located in Manheim Township, Lancaster County; the University Park Airport, located in Benner Township, Centre County; the Mid-State Airport located in Centre Township, Centre County; the Wilkes-Barre/Scranton International Airport, located in the borough of Avoca, Luzerne County; the Lehigh Valley International Airport located in Hanover Township, Lehigh County; the Northeast Philadelphia Airport, located in the city and county of Philadelphia; and the Northumberland County Airport, located in Ralpho Township, Northumberland County. *Attorney:* James O. Lott, III, 1956 Lambs Gap Road, Mechanicsburg, PA 17055.

Applications of the following for amendment to the certificate of public convenience approving the operation of motor vehicles as common carriers for transportation of persons as described under each application.

A-00110061, Folder 1, Am-A. Jerry A. Barrett, t/d/b/a Barrett Busing (R. D. 2, Box 14, Templeton, Armstrong County, PA 16259), persons in group and party service, in school bus-type equipment, from the borough of New Bethlehem, Clarion County, and the townships of Mahoning, Madison, Redbank and Boggs, and the borough of South Bethlehem, Armstrong County, to points in Pennsylvania: *so as to permit* the transportation of persons, in group and party service, in school bus-type equipment, between points in the county of Clarion, and the townships of Wayne, Washington, Pine, Bradys Bend, Perry, Hovey and Rayburn, and the boroughs of Parker City and Dayton, all located in Armstrong County, to points in Pennsylvania and return.

A-00106442, Folder 2, Am-A. (2nd correction) M.L.L. Tours, Inc., t/d/b/a "Mary's Little Lamb's" Tours (R. D. 1, Box 34, Clarion, Clarion County, PA 16214), a corporation of the Commonwealth of Pennsylvania—inter alia—persons in group and party service, between points in the counties of Clarion and Venango and from points in said counties to points in Pennsylvania: *so as to permit* the transportation of persons in group and party service, between points in the counties of Armstrong, Butler, Allegheny and Jefferson, and from points in said counties to points in Pennsylvania and return.

A-00108292, Folder 1, Am-B. James Dainelewicz, t/d/b/a Limousines for Less (315 Claremont Avenue, Stroudsburg, Monroe County, PA 18360)—persons in limousine service, between points in the counties of Monroe and Pike and from points in said counties to points within an airline distance of 10 statute miles of the limits thereof, and vice versa; subject to the following conditions: (a) that no right, power or privilege is granted to originate service in the counties of Lehigh and Northampton; (b) that no right, power or privilege is granted to

originate service from points in the county of Monroe which are located more than 10 statute miles from the limits of the borough of Stroudsburg, Monroe County; *so as to permit* the transportation of persons in limousine service, between points in Wayne County, and points within an airline distance of 25 statute miles of the limits of said county, and from points in said territory to points in Pennsylvania and return. *Attorney:* James B. Campbell, Jr., 3631 North Front Street, Harrisburg, PA 17110-1533.

Applications of the following for approval of the beginning of the exercise of the right and privilege of operating motor vehicles as contract carriers for transportation of persons as described under each application.

A-00113102. Dillard-Lewis, Inc., t/d/b/a Highland Express Shuttle Service (4216A Pin Oak Road, P. O. Box 40686, Raleigh, Lake County, NC 27629), a corporation of the State of North Carolina—persons, for The United States Department of Military Defense as governed by the Military Traffic Management Command, between points in Pennsylvania. *Attorney:* Scott A. Gould, 100 Pine Street, P. O. Box 1166, Harrisburg, PA 17108.

Notice of Motor Carrier Applications—Property, Excluding Household Goods in Use

The following applications for the authority to transport property, excluding household goods in use, between points in Pennsylvania, have been filed with the Pennsylvania Public Utility Commission. Public comment to these applications may be filed, in writing with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265 on or before July 1, 1996.

- A-00113103 Troyer Transportation, Inc.
810 Route 97 South, P. O. Box 676,
Waterford, PA 16441; Andrew K.
Light, Scopelitis, Garvain, Light &
Hanson, 1777 Market Tower, 10
West Market Street, Indianapolis,
IN 46204-2971
- A-00113104 Sandra L. Rethage, t/d/b/a All Secure
Pickup & Delivery
P. O. Box 98121, Pittsburgh, PA
15227
- A-00113105 Frank W. Mozina
R. D. 2, Box 298, Meadville, PA
16335
- A-00113106 Lehigh Asphalt Paving and
Construction
P. O. Box 549, Tamaqua, PA 18252;
Otis W. Erisman, White and Will-
iams Law Offices, 1800 One Lib-
erty Place, Philadelphia, PA 19103-
7395
- A-00113108 Pax Network, Inc., t/d/b/a Pax Net
109 Henderson Drive, Sharon Hill,
PA 19079; James W. Patterson, One
Liberty Place, 32nd Floor, Philadel-
phia, PA 19103-7393
- A-00113115 Ron Vrabel, t/d/b/a Ron Vrabel Dump
Truck Service
93 Bacton Hill Road D-3, Frazer,
PA 19355

- A-00113116 KBP Services, Inc.
P. O. Box 14746, Reading, PA
19612; Andrew K. Light, 1777 Mar-
ket Tower, 10 West Market Street,
Indianapolis, IN 46204-2971
- A-00113117 Gregory C. Bellotti
R. D. 1, Box 219, Tionesta, PA
16353
- A-00113118 Dan Warner, t/d/b/a Dan Warner
Trucking
R. R. 1, Box 254B, Montrose, PA
18801
- A-00113109 Great Lakes Cartage Company
P. O. Box 4704, Youngstown, OH
44515
- A-00113110 Star Crete, Inc.
3311 Farmsville Road, Bethlehem,
PA 18017
- A-00113111 Custom Trucking, Inc.
464 South Mountain Boulevard,
Mountain Top, PA 18707
- A-00111955, F. 2 Dave Kelius Construction Co.
106 Bragg Road, Schwenksville, PA
19473
- A-00113112 Timothy J. Herhold, t/d/b/a Action
Enterprises
8349 Edinboro Road, Erie, PA
16509
- A-00113113 Allegheny Cartage, Inc.
45 Hillside Drive, Winber, PA
15963
- A-00113114 R. Carrier, Inc.
201 Union Street, Sharpsville, PA
16150; James Duvall, 2515 West
Granville Road, Columbus, OH
43235

JOHN G. ALFORD,
Secretary

[Pa.B. Doc. No. 96-996. Filed for public inspection June 14, 1996, 9:00 a.m.]

**Water Service
Without Hearing**

A-211885 F2000. Meadows Water Company. Application of Meadows Water Company for approval of the abandonment or discontinuance of water service to the public.

This application may be considered without a hearing. Protests or petitions to intervene can be filed with the Pennsylvania Public Utility Commission, Harrisburg, with a copy served on the applicant on or before July 1, 1996, under 52 Pa. Code (relating to public utilities).

Counsel for Applicant: Michael D. Klein, Esquire, LeBoeuf, Lamb, Greene and MacRae, LLP, 200 North Third Street, Suite 300, P. O. Box 12105, Harrisburg, PA 17108-2105.

JOHN G. ALFORD,
Secretary

[Pa.B. Doc. No. 96-997. Filed for public inspection June 14, 1996, 9:00 a.m.]

**Water Service
Without Hearing**

A-210073. Mid-Monroe Water Company. Application of Mid-Monroe Water Company for the approval to begin to offer, render, furnish or supply water service to the public in portions of Middle Smithfield Township, Monroe County.

This application may be considered without a hearing. Protests or petitions to intervene can be filed with the Pennsylvania Public Utility Commission, Harrisburg, with a copy served on the applicant on or before July 1, 1996, under 52 Pa. Code (relating to public utilities).

Counsel for Applicant: Robert P. Haynes, III, Esquire, Mette, Evans and Woodside, 3401 North Front Street, P. O. Box 5950, Harrisburg, PA 17110-0950.

JOHN G. ALFORD,
Secretary

[Pa.B. Doc. No. 96-998. Filed for public inspection June 14, 1996, 9:00 a.m.]

PHILADELPHIA REGIONAL PORT AUTHORITY

Request for Proposals

The Philadelphia Regional Port Authority (PRPA) will accept sealed proposals for Project #9431.1 and #9431.4A—Site Improvements & Site Lighting at Piers 96 South and 98 South Annex until 2 p.m., Thursday, July 11, 1996. The bid documents can be obtained from the Procurement Administrator, PRPA, 210 W. Washington Sq., 8th Flr., Phila., PA 19106, (215) 928-9100 and will be available June 18, 1996. The cost of the bid document is \$35 (includes 7% PA Sales tax). The cost is nonrefundable. PRPA is an equal opportunity employer. Contractor will be required to comply with all applicable equal employment opportunity laws and regulations.

Mandatory prebid meeting will be held June 27, 1996, 10 a.m. at the job site, Oregon Ave. and Columbus Blvd. (formerly Delaware Avenue).

JAMES J. MCDERMOTT,
Executive Director

[Pa.B. Doc. No. 96-999. Filed for public inspection June 14, 1996, 9:00 a.m.]

PUBLIC SCHOOL EMPLOYEES' RETIREMENT BOARD

Hearings Scheduled

Hearings have been scheduled, as authorized by 24 Pa.C.S. Part IV (relating to Public School Employees' Retirement Code), in connection with the Public School Employees' Retirement System's denial of claimants' requests concerning the indicated accounts.

The hearings will be held before a hearing examiner at the Public School Employees' Retirement System, 5 North

Fifth Street, Harrisburg, PA 17101:

July 10, 1996	Paul Danko, Jr. (Purchase of Service)	1 p.m.
July 24, 1996	Jeffry P. Deutsch (Membership Eligibility)	1 p.m.
	Lois C. Teaford (Membership Eligibility)	2:30 p.m.

Persons with a disability who wish to attend the above-listed hearings and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact Arthur J. Granito, Assistant Executive Director, at (717) 783-5613 to discuss how the Public School Employees' Retirement System may best accommodate their needs.

Parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The hearings will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law). Under 22 Pa. Code § 201.1 (relating to applicability of general rules), procedural matters will be in conformance with 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) unless specific exemption is granted.

JAMES A. PERRY,
Secretary

[Pa.B. Doc. No. 96-1000. Filed for public inspection June 14, 1996, 9:00 a.m.]

TURNPIKE COMMISSION

Request for Proposals

Sealed proposals will be received by Jeffrey L. Hess, Director of Purchases, at the Administration Building, Harrisburg-East Interchange near Highspire, PA (Mailing Address: P. O. Box 67676, Harrisburg, PA 17106-7676) and publicly opened and read at the date and time indicated below for the following contract:

Contract No. 97-006-RL70. Bridge joint repairs, deck repairs and resurfacing, Delaware River Bridge, structure no. PO.OO, M.P. 358.8 in Bucks County, PA.

Bid Opening: July 11, 1996, 11 a.m.

Bid Surety: 5%.

Plans, specifications and contract documents will be available and open to public inspection at the Administration Building. Copies may be purchased upon payment of \$25 per paper copy set (do not add State tax) by check or U.S.P.S. Money Order (no cash) to the Turnpike Commission, P. O. Box 67676, Harrisburg, PA 17106-7676; Attn: Secretary/Treasurer's Office. No refund will be made for any reason.

A Prequalification Certification and Maximum Capacity Rating assigned by the Prequalification Committee of the Department of Transportation is a necessary prerequisite for bidding on this project.

Contact the Director of Purchases for listing of other locations where plans and specs can be inspected.

JAMES F. MALONE, III,
Chairperson

[Pa.B. Doc. No. 96-1001. Filed for public inspection June 14, 1996, 9:00 a.m.]

Request for Proposals

Sealed proposals will be received by Jeffrey L. Hess, Director of Purchases, at the Administration Building, Harrisburg-East Interchange near Highspire, PA (Mailing Address: P. O. Box 67676, Harrisburg, PA 17106-7676) and publicly opened and read at the date and time indicated below for the following contract:

Contract No. 83-005-RS54-C. Replacement of Pennsylvania Turnpike Bridge B-448 at M. P. 76.07 and widening of Pennsylvania Turnpike Bridge B-472-A at M. P. 75.2.

Bid Opening: July 2, 1996, 11 a.m.

Bid Surety: 5%.

Plans, specifications and contract documents will be available and open to public inspection at the Administration Building. Copies may be purchased upon payment of

\$55 per paper copy set (do not add State tax) by check or U.S.P.S. Money Order (no cash) to the Turnpike Commission, P. O. Box 67676, Harrisburg, PA 17106-7676: Attn: Secretary/Treasurer's Office. No refund will be made for any reason.

A Prequalification Certification and Maximum Capacity Rating assigned by the Prequalification Committee of the Pennsylvania Department of Transportation is a necessary prerequisite for bidding on this project.

Contact the Director of Purchases for listing of other locations where plans and specs can be inspected.

JAMES F. MALONE, III,
Chairperson

[Pa.B. Doc. No. 96-1002. Filed for public inspection June 14, 1996, 9:00 a.m.]