

NOTICES

DEPARTMENT OF BANKING

Action on Applications

The Department of Banking of the Commonwealth of Pennsylvania, under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending April 25, 2000.

BANKING INSTITUTIONS

Branch Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
4-21-00	Lafayette Ambassador Bank Easton Northampton County	2045 City Line Rd. Bethlehem Lehigh County	Approved
4-21-00	Parkvale Savings Bank Monroeville Allegheny County	12095 Perry Highway Wexford Allegheny County	Approved
4-21-00	S & T Bank Indiana Indiana County	4251 Old William Penn Highway Murrysville Westmoreland County	Approved

Branch Relocations/Consolidations

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
4-21-00	Harris Savings Bank Harrisburg Dauphin County	<i>Into:</i> Camp Hill Mall Camp Hill Cumberland County <i>From:</i> 1832 Market Street Camp Hill Cumberland County	Approved
4-24-00	Harris Savings Bank Harrisburg Dauphin County	<i>Into:</i> Camp Hill Mall Camp Hill Cumberland County <i>From:</i> Market Street Camp Hill Cumberland County	Filed

SAVINGS INSTITUTIONS

No activity.

CREDIT UNIONS

No activity.

DAVID E. ZUERN,
Secretary

[Pa.B. Doc. No. 00-746. Filed for public inspection May 5, 2000, 9:00 a.m.]

DEPARTMENT OF COMMUNITY AND ECONOMIC DEVELOPMENT

Consolidated Plan; 1999 Annual Performance Report Availability

By this notice, the Department of Community and Economic Development (Department) makes available for public review, the 1999 Annual Performance Report (APR)

for the Commonwealth of Pennsylvania's Consolidated Plan. The 1999 APR reports on activities that were outlined in the Consolidated Plan for Federal fiscal years 1995 through 1999 as well as the Action Plan for 1999. The report describes progress in achieving the Commonwealth's 5-year strategy, including resources made available and activities completed in Federal fiscal year 1998. This report will be submitted to the United States Department of Housing and Urban Development by May 22, 2000.

Copies of the draft APR will be available for public comment from May 6—21, 2000 at the following locations.

The final APR will be made available again at the same locations, following approval by HUD.

County Commissioners—A copy will be sent to the Chairperson of each County Board of Commissioners.

The Tri-County Branch of the Pennsylvania Association of the Blind (on audio cassette):

Patricia Summers, Coordinator
Harrisburg, Area Radio Reading Service
1800 N. Second Street
Harrisburg, PA 17102
Telephone: (717) 238-2531

Pennsylvania Department of Community and Economic Development Regional Offices:

Southwest Regional Office 413 State Office Building 300 Liberty Avenue Pittsburgh, PA 15222 Telephone: (412) 565-5002	Northeast Regional Office 201 Samters Building 101 Penn Avenue Scranton, PA 18503 Telephone: (717) 963-4571
-----------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------

Northwest Regional Office Third Floor, Rothrock Building 121 West 10th Street Erie, PA 16501 Telephone: (814) 871-4241	Southeast Regional Office 908 State Office Building Broad & Spring Garden Streets Philadelphia, PA 19130 Telephone: (215) 560-2256
---------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------

Northcentral and
Southcentral Regional
Offices
576 Forum Building
Harrisburg, PA 17120
Telephone: (717) 787-2412

Pennsylvania's 27 District Libraries:

B.F. Jones Memorial Library, Aliquippa
Allentown Public Library, Allentown
Altoona Area Public Library, Altoona
Centre County Library, Bellefonte
Bethlehem Area Public Library, Bethlehem
Clarion Free Library, Clarion
Conococheague District Library, Chambersburg
Bucks County Free Library, Doylestown
Easton Area Public Library, Easton
Erie County Library, Erie
Dauphin County Library, Harrisburg
Cambria County Library, Johnstown
Lancaster County Library, Lancaster
Delaware County Library, Brookhaven
Monessen Public Library, Monessen
New Castle Public Library, New Castle
Montgomery County-Norristown Public Library,
Norristown
Free Library of Philadelphia, Philadelphia
Carnegie Library of Pittsburgh, Pittsburgh
Pottsville Free Public Library, Pottsville
Reading Public Library, Reading
Scranton Public Library, Scranton
Warren Public Library, Warren
Citizens Library, Washington
Chester County Library, Exton
Osterhout Free Library, Wilkes-Barre
James V. Brown Library, Williamsport

Submit written comments concerning the APR to: Gary R. Thomas, Compliance Manager, Office of Community Development and Housing, Department of Community and Economic Development, 513 Forum Building, Harris-

burg, PA 17120, fax (717) 234-4560. Written comments must be received by May 21, 2000.

Persons with a hearing disability who wish to review the Annual Performance Report should notify the Department and accommodations will be made. Text Telephone (TT) calls can be placed through the Pennsylvania Relay System at (800) 654-5984. Calls will be relayed to the Department's number.

SAMUEL A. MCCULLOUGH,
Secretary

[Pa.B. Doc. No. 00-747. Filed for public inspection May 5, 2000, 9:00 a.m.]

DEPARTMENT OF EDUCATION

Application of Franklin and Marshall College for Approval of Amendment of its Articles of Incorporation

Notice of Opportunity for Hearing and Invitation to Protest

Under 24 Pa.C.S. § 6503(e) (relating to certification of institutions), the Department of Education (Department) will consider the application of Franklin and Marshall College for a Certificate of Authority approving the institution's amendment to and the restating of its Articles of Incorporation in their entirety.

In accordance with 24 Pa.C.S. § 6503(e), the Department will act upon the application without hearing, unless within 30 days after the publication of this notice in the *Pennsylvania Bulletin* a written request for public hearing is filed with the Department, along with a notice of intervention, a petition to intervene or protest in accordance with 1 Pa. Code §§ 35.23 and 35.24 (relating to protests) or 1 Pa. Code §§ 35.27—35.32 (relating to intervention).

Petitions to intervene, protest and request for hearing shall be filed with Dr. Warren D. Evans, Chartering/Governance/Accreditation Specialist, 333 Market Street, Harrisburg, PA 17126-0333, (717) 787-7572 on or before 4 p.m. on the due date prescribed by this notice. Persons wishing to review the application should phone or write to the aforementioned office to schedule a time for an in-office review. Copies of the application are not available.

Persons with a disability who wish to attend the hearing, if held, and require an auxiliary aid, service or other accommodation to participate, should contact Dr. Warren Evans at the previously-listed telephone number to discuss how the Department may best accommodate their needs.

EUGENE W. HICKOK,
Secretary

[Pa.B. Doc. No. 00-748. Filed for public inspection May 5, 2000, 9:00 a.m.]

Application of Philadelphia College of Bible for Approval of Change of Status

Notice of Opportunity for Hearing and Invitation to Protest

Under 24 Pa.C.S. § 6503(e) (relating to certification of institutions), the Department of Education (Department) will consider the application of Philadelphia College of Bible for a Certificate of Authority approving the institution's change of status to that of a university.

In accordance with 24 Pa.C.S. § 6503(e), the Department will act upon the application without hearing, unless within 30 days after the publication of this notice in the *Pennsylvania Bulletin* a written request for public hearing is filed with the Department, along with a notice of intervention, a petition to intervene or protest in accordance with 1 Pa. Code §§ 35.23 and 35.24 (relating to protests) or 1 Pa. Code §§ 35.27—35.32 (relating to intervention).

Interested parties desiring to initiate hearing procedures must file a notice of intervention, petition to intervene or protest, and a request for hearing, within 30

days after publication of this notice in the *Pennsylvania Bulletin*.

Petitions to intervene, protest and request for hearing shall be filed with Dr. Warren D. Evans, Chartering/Governance/Accreditation Specialist, 333 Market Street, Harrisburg, PA 17126-0333, (717) 787-7572 on or before 4 p.m. on the due date prescribed by this notice. Persons wishing to review the application should phone or write to the aforementioned office to schedule a time for an in-office review. Duplicate copies of the application are not available.

Persons with a disability who wish to attend the hearing, if held, and require an auxiliary aid, service or other accommodation to participate, should contact Dr. Warren Evans at (717) 787-7572 to discuss how the Department may best accommodate their needs.

EUGENE W. HICKOK,
Secretary

[Pa.B. Doc. No. 00-749. Filed for public inspection May 5, 2000, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

APPLICATIONS RECEIVED UNDER THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

[National Pollution Discharge Elimination System Program (NPDES)]

DISCHARGE OF CONTROLLED INDUSTRIAL WASTE AND SEWERAGE WASTEWATER

(Part I Permits)

The following parties have applied for an NPDES permit to discharge controlled wastewaters into the surface waters of this Commonwealth. Unless otherwise indicated on the basis of preliminary review and application of lawful standard and regulations, the Department of Environmental Protection (Department) proposes to issue a permit to discharge subject to certain effluent limitations and special conditions. These proposed determinations are tentative.

Where indicated the EPA Region III Administrator has waived the right to review or object to this proposed permit action under the waiver provision to CFR 123.6E.

Persons wishing to comment on the proposed permit are invited to submit a statement to the office noted above the application within 30 days from the date of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the responsible office considers the public response significant.

Following the 30-day comment period, the Water Management Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, proposed effluent limitations and special conditions, comments received and other information are on file and may be inspected and arrangements made for copying at the office indicated above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid service or other accommodations to participate in the proceeding should contact the Secretary to the Board at (717) 787-3483. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications for National Pollutant Discharge Elimination System (NPDES) Permit to discharge to State waters.

Southeast Regional Office: Regional Manager, Water Management, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-6130.

PA 0043974. Sewage, **Valley Forge Sewer Authority**, 333 Pawling Road, Phoenixville, PA 19460-2656.

This application is for amendment of an NPDES permit to discharge treated sewage from the Valley Forge Sewer Authority WWTP in Schuylkill Township, **Chester County**. This is an existing discharge to the Schuylkill River.

The receiving stream is classified for the following uses: warm water fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on an average flow of 9.2 mgd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅			
(5-1 to 10-31)	20	30	40
(11-1 to 4-30)	25	40	50
Suspended Solids	30	45	60
Ammonia (as N)			
(5-1 to 10-31)	15.0		30.0
(11-1 to 4-30)	20.0		40.0
Total Residual Chlorine			
(year 1)	monitor/report		monitor/report
(years 2—5)	0.5		monitor/report
Fecal Coliform	200 colonies/100 ml as a geometric average		
Dissolved Oxygen	minimum of 5.0 mg/l at all times		
pH	within limits of 6.0—9.0 standard units at all times		

The proposed effluent limits for Outfall 001, based on an average flow of 9.2 mgd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Mercury	monitor/report	monitor/report	
Total Copper	monitor/report	monitor/report	
Total Lead	monitor/report	monitor/report	
Total Zinc	monitor/report	monitor/report	
Free Cyanide	monitor/report	monitor/report	
Total Arsenic	monitor/report	monitor/report	
Total Cadmium	monitor/report	monitor/report	
Hexavalent Chromium	monitor/report	monitor/report	
Total Selenium	monitor/report	monitor/report	
Total Silver	monitor/report	monitor/report	

The EPA waiver is not in effect.

Northeast Region: Environmental Protection Manager, Water Management, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2553.

PA 0007919. Industrial waste, SIC: 2621, **Plainwell, Inc.**, P. O. Box 6000, Pittston, PA 18640.

This proposed action is for renewal of an NPDES permit to discharge treated process wastewater sewage into Susquehanna River in Ransom Township, **Lackawanna County**.

The receiving stream is classified for the following uses: warm water fishery, aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing proposed downstream potable water supply (PWS) considered during the evaluation is Danville Water Supply on the Susquehanna River.

Outfall 101

Process Wastewater: 1.86 mgd:

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Daily Maximum (lbs/day)</i>	<i>Instantaneous Maximum (mg/l)</i>
BOD ₅	2260	3841	
TSS	2528	3792	
pH	6—9 standard units at all times		
Oil and Grease	15 mg/l	30 mg/l	

Outfall 201

Sewage: .012 mgd

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Daily Maximum (lbs/day)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25		50
TSS	30		60

NOTICES

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Daily Maximum (lbs/day)</i>	<i>Instantaneous Maximum (mg/l)</i>
Fecal Coliform (5-1 to 9-30) (10-1 to 4-30)	200/100 ml as geometric mean 2,000/100 ml as geometric mean		
Total Residual Chlorine	1.2		2.8
pH	6 to 9 standard units at all times		

Outfalls 005

Precipitator Overflow

pH 6 to 9 standard units at all times

Outfalls 001, 002, 003, 004

Uncontaminated Stormwater

The EPA waiver is not in effect.

Southcentral Regional Office: Regional Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4707.

PA 0032883, Amendment No. 1, SIC: 4952, Sewage, **Borough of Duncansville**, P. O. Box 308, Duncansville, PA 16635.

This application is for amendment of an NPDES permit for an existing discharge of treated sewage to Blair Gap Run, in Allegheny Township, **Blair County**.

The receiving stream is classified for trout stocking fishes, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was United Water Company located near Harrisburg. The discharge is not expected to impact any potable water supply.

The proposed changes to effluent limits for Outfall 001 for a design flow of 1.217 mgd are:

- The requirements for copper are changed from a numerical limit to a monitor and report.
- The requirement to conduct a Toxics Reduction Evaluation is deleted.

Persons may make an appointment to review the DEP files on this case by calling Mary DiSanto, File Review Coordinator, at (717) 705-4732.

The EPA waiver is not in effect.

PA 0082791, SIC Code 4953, Industrial waste, **Chester County Solid Waste Authority (Lanchester Landfill)**, 7224 Division Highway, Narvon, PA 17555.

This application is for renewal of an NPDES permit for an existing discharge of treated industrial waste to the Conestoga River, in Caernarvon Township, **Lancaster County**.

The receiving stream is classified for warm water fisheries, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was Lancaster Municipal Water Authority located in Lancaster City, Lancaster County. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.107 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	85	170	212
Total Suspended Solids	100	200	250
NH ₃ -N (5-1 to 10-31)	17	34	42
(11-1 to 4-30)	51	102	126
Total Phosphorus	4.4	9	11
Fecal Coliform (5-1 to 9-30) (10-1 to 4-30)		200/100 ml as a geometric average 3,000/100 ml as a geometric average	
pH		6.0 to 9.0	
Total Residual Chlorine	0.5	—	1.6
Total Iron	43.5	87	109
Dissolved Iron	8.7	17.4	21.8
p-chloro-m-cresol		monitor	
Dichlorobromomethane		monitor	

The proposed effluent limits for Outfall 100 for a design flow of 0.087 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
BOD ₅	37	140	175
Total Suspended Solids	27	88	110
NH ₃ -N	4.9	10	12.5
a-terpineol	0.016	0.033	0.041
Benzoic acid	0.071	0.12	0.018
P-Cresol	0.014	0.025	0.035
Phenol	0.015	0.026	0.038
Total Zinc	0.11	0.2	0.28
Total Iron	3.5	—	7.0
pH		6.0 to 9.0	

The proposed effluent limits for Outfall 101 for a design flow of 0.02 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
NH ₃ -N		monitor	
Total Iron		monitor	
Dissolved Iron		monitor	
Total Aluminum		monitor	
pH		monitor	

The proposed effluent limits for Outfalls 002 through 008 for stormwater are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Organic Carbon		monitor	
Chemical Oxygen Demand		monitor	
Total Dissolved Solids		monitor	
NH ₃ -N		monitor	
NO ₂ + NO ₃		monitor	
Dissolved Iron		monitor	
pH		monitor	
Total Zinc		monitor	
Total Copper		monitor	
Total Chromium		monitor	
Total Cadmium		monitor	
Total Lead		monitor	
Total Aluminum		monitor	
Total Arsenic		monitor	
Total Cyanide		monitor	
Total Iron		monitor	
P-Cresol		monitor	
a-terpineol		monitor	

Persons may make an appointment to review the DEP files on this case by calling Mary DiSanto, File Review Coordinator, at (717) 705-4732.

The EPA waiver is in effect.

Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

PA 0004979. Industrial waste, SIC: 2821, 2869 and 2818, **Neville Chemical Company**, 2800 Neville Road, Pittsburgh, PA 15225.

This application is for renewal of an NPDES permit to discharge treated process water, cooling water, stormwater, leachate and untreated cooling water stormwater from Neville Chemical in Neville Township, **Allegheny County**.

The following effluent limitations are proposed for discharge to the receiving waters, Ohio River (Main Channel and Back Channel), classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply (PWS) is Robinson Township Authority, located at Mile 8.8—Ohio River, 2.43 miles below the discharge point.

Outfall 001: new discharge, design flow of 0.216 mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (mgd)	monitor and report				
Temperature (°F)				110	

Outfall 002: new discharge, design flow of 0.005 mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (mgd)	monitor and report				
Oil and Grease			15		30

Outfall 101: existing discharge, design flow of 0.154 mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (mgd)	monitor and report				
BOD ₅	29.075	77.164	26.000	69.000	
TSS	46.967	150.964	42.000	135.000	
Acenaphthene	0.028	0.076	0.022	0.059	
Acenaphthylene	0.028	0.076	0.022	0.059	
Acrylonitrile	0.123	0.311	0.096	0.242	
Anthracene	0.028	0.076	0.022	0.059	
Benzene	0.048	0.175	0.037	0.136	
Benzo(a)Anthracene	0.028	0.076	0.022	0.059	
3,4-Benzo-Fluoranthene	0.038	0.078	0.023	0.061	
Benzo(k)Fluoranthene	0.028	0.076	0.022	0.059	
Benzo(a)Pyrene	0.030	0.078	0.023	0.061	
Bis(2-Ethylhexyl)phthalate	0.132	0.358	0.103	0.279	
Carbon Tetrachloride	0.023	0.049	0.018	0.038	
Boron	268.00	318.00	monitor and report		
Chlorobenzene	0.019	0.036	0.015	0.028	
Chloroethane	0.134	0.344	0.104	0.268	
Chloroform	0.027	0.059	0.021	0.046	
2-Chlorophenol	0.040	0.126	0.031	0.098	
Chrysene	0.028	0.076	0.022	0.059	
Di-N-Butylphthalate	0.035	0.073	0.027	0.057	
1,2-Dichlorobenzene	0.099	0.209	0.077	0.163	
1,3-Dichlorobenzene	0.040	0.057	0.031	0.044	
1,4-Dichlorobenzene	0.019	0.036	0.015	0.028	
1,1-Dichloroethane	0.028	0.076	0.022	0.059	
1,2-Dichloroethane	0.087	0.271	0.068	0.211	
1,1-Dichloroethylene	0.021	0.032	0.016	0.025	
1,2-trans-Dichloroethylene	0.027	0.069	0.021	0.054	
2,4-Dichlorophenol	0.050	0.144	0.039	0.112	
1,2-Dichloropropane	0.197	0.295	0.153	0.230	
1,3-Dichloropropylene	0.037	0.057	0.029	0.044	
Diethylphthalate	0.104	0.261	0.081	0.203	
2,4-Dimethylphenol	0.023	0.046	0.018	0.036	
Dimethylphthalate	0.024	0.060	0.019	0.047	
4,6-Dinitro-o-Cresol	0.100	0.356	0.078	0.277	
2,4-Dinitrophenol	0.091	0.158	0.071	0.123	
2,4-Dinitrotoluene	0.145	0.366	0.113	0.285	
2,6-Dinitrotoluene	0.328	0.823	0.255	0.641	
Ethylbenzene	0.041	0.139	0.032	0.108	
Fluoranthene ²	0.032	0.087	0.025	0.068	
Fluorene	0.028	0.076	0.022	0.059	
Fluoride	1273.00	1651.00	monitor and report		
Hexachlorobenzene	0.019	0.036	0.015	0.028	
Hexachlorobutadiene	0.026	0.063	0.020	0.049	
Hexachloroethane	0.027	0.069	0.021	0.054	
Methyl Chloride	0.110	0.244	0.086	0.190	
Methylene Chloride	0.051	0.114	0.040	0.089	
Naphthalene	0.028	0.076	0.022	0.059	
Nitrobenzene	0.038	0.087	0.027	0.068	
Fluoroborate	monitor and report				
2-Nitrophenol	0.053	0.089	0.041	0.069	
4-Nitrophenol	0.092	0.159	0.072	0.124	
Phenol	0.019	0.033	0.015	0.026	
Phenanthrene	0.028	0.076	0.022	0.059	
Pyrene	0.032	0.086	0.025	0.067	
Tetrachloroethylene	0.028	0.072	0.022	0.056	
Toluene	0.033	0.103	0.026	0.080	

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Total Chromium	1.426	3.558	1.110	2.770	
Total Copper	1.862	3.341	1.450	3.380	
Total Cyanide	0.539	1.541	0.420	1.20	
Total Lead	0.411	0.886	0.320	0.690	
Total Nickel	2.171	5.112	1.690	3.980	
Total Zinc	1.349	3.352	1.050	2.610	
1,2,4-Trichlorobenzene	0.087	0.180	0.068	0.140	
1,1,1-Trichloroethane	0.027	0.069	0.021	0.054	
1,1,2-Trichloroethane	0.027	0.069	0.021	0.054	
Trichloroethylene	0.027	0.069	0.021	0.054	
Vinyl Chloride	0.134	0.344	0.104	0.268	
pH	not less than 6.0 nor greater than 9.0				

Outfall 201: existing discharge to Outfall 003. Design discharge flow of 2.76 mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (mgd)	monitor and report				
Temperature	110°F				
Benzene	monitor and report				
Toluene	monitor and report				
Xylenes	monitor and report				
Vinyl Chloride	monitor and report				
Styrene	monitor and report				
Chlorobenzene	monitor and report				
Ethylbenzene	monitor and report				
Naphthalene	monitor and report				
pH	not less than 6.0 nor greater than 9.0 standard units				

Outfall 004: existing discharge to the Ohio River—Main Channel. Design discharge flow of 0.432 mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (mgd)	monitor and report				
TSS			30	60	
Acetone	monitor and report				
Benzene			0.032	0.064	
Cis-1,2-Dichloroethylene			0.004	0.008	
Ethylbenzene			0.035	0.070	
Methylene Chloride			0.065	0.13	
Naphthalene			0.548	1.09	
Toluene			0.028	0.056	
P-Xylene			0.057	0.114	
Total Iron				7	
pH	not less than 6.0 nor greater than 9.0				

Part C: Other requirements

Part C.12 requires permittee to submit a Pollution Reduction Report (Outfall 201).

The EPA waiver is not in effect.

PA 0090344. Sewage. **Ohio Township Sanitary Authority**, 1719 Roosevelt Road, Pittsburgh, PA 15237.

This application is for renewal of an NPDES permit to discharge treated sewage from Windy Knoll STP in Ohio Township, **Allegheny County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Drainage Swale to Toms Run, which are classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the: ARCO Chemical Company, BV Plant, on the Ohio River.

Outfall 001: existing discharge, design flow of 0.10 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	10	15		20
Suspended Solids	10	15		20
Ammonia Nitrogen				
(5-1 to 10-31)	2.0	3.0		4.0
(11-1 to 4-30)	3.0	4.5		6.0
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Dissolved Oxygen	not less than 5.0 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

PA 0091898. Sewage, **United Mobile Homes, Inc.**, 125 Wyckoff Road, P. O. Box 335, Eatontown, NJ 07724.

This application is for renewal of an NPDES permit to discharge treated sewage from the Edgewood Estates Mobile Home Park Sewage Treatment Plant in Kiskiminetas Township, **Armstrong County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as an unnamed tributary of Rattling Run, which are classified as a cold water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Buffalo Township Municipal Authority (Freeport) on the Allegheny River.

Outfall 001: existing discharge, design flow of 0.05 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	25			50
Suspended Solids	30			60
Ammonia Nitrogen				
(5-1 to 10-31)	2			4
(11-1 to 4-30)	3.7			7.4
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine				
(1st month—36th month)	monitor and report			
(37th month—expiration)	0.03			0.06
Dissolved Oxygen	not less than 6 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

PA 0096423. Sewage, **Turkeyfoot Valley Area School District**, R. D. 1, Box 78, Confluence, PA 15424-9616.

This application is for renewal of an NPDES permit to discharge treated sewage from the Turkeyfoot Valley Area School District Sewage Treatment Plant in Lower Turkeyfoot Township, **Somerset County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Casselman River, which are classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Ohiopyle Borough Municipal Waterworks.

Outfall 001: existing discharge, design flow of 0.0117 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	25			50
Suspended Solids	30			60
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	100,000/100 ml as a geometric mean			
Total Residual Chlorine				
(1st month—36th month)	monitor and report			
(37th month—expiration)	1.0			2.3
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

Northwest Regional Office: Regional Manager; Water Management, 230 Chestnut Street, Meadville, PA 16335, (814) 332-6942.

PA 0006181. Industrial waste, SIC: 3399. **Engineered Materials Corp.**, 921 Clark Street, Brockway, PA 15824.

This application is for renewal of an NPDES Permit, to discharge noncontact cooling water and Group 1 stormwater to Little Toby Creek in Beockway Borough, **Jefferson County**. This is an existing discharge.

The receiving water is classified for the following uses: cold water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is Western PA Water Company on the Clarion River located at Clarion, approximately 42.4 miles below point of discharge.

The proposed discharge limits for Outfall No. 001 based on a design flow of 0.0144 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	monitor and report		
Temperature	monitor and report		
pH		6.0 to 9.0 at all times	

The EPA waiver is in effect.

PA 0045039. Sewage. **DCNR Bureau of State Parks (Oil Creek State Park)**, R. R. 1 Box 207, Oil City, PA 16301-9733.

This application is for renewal of an NPDES Permit to discharge treated sewage to Oil Creek in Cornplanter Township, **Venango County**. This is an existing discharge.

The receiving water is classified for the following uses: cold water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Emlenton Municipal Water Authority on the Allegheny River located at Emlenton, approximately 41 miles below point of discharge.

The proposed effluent limits for Outfall No. 001 based on a design flow of 0.0019 mgd, are:

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Weekly Average (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	monitor and report		
CBOD ₅	25		50
Total Suspended Solids	30		60
Fecal Coliform (5-1 to 9-30)	200/100 ml as a geometric average		
(10-1 to 4-30)	100,000/100 ml as a geometric average		
Total Residual Chlorine	0.5		1.2
pH	6.0—9.0 at all times		

The EPA waiver is in effect.

PA 0223000. Sewage. **Kalyumet Campground**, R. R. 1, Box 672, Lucinda, PA 16235.

This application is for a new NPDES Permit to discharge treated sewage to Callihan Run in Highland Township, **Clarion County**. This is a minor discharge.

The receiving water is classified for the following uses: cold water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the PA-American Water Company-Clarion intake on the Clarion River located at Clarion, approximately 10 miles below point of discharge.

The proposed effluent limits, based on a design flow of 0.01 mgd, are:

Outfall No. 001 (after the chlorine contact tank)

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	50
TSS	30	60
Fecal Coliform (5-1 to 9-30)	200/100 ml as a geometric average	
(10-1 to 4-30)	2,000/100 ml as a geometric average	
Total Residual Chlorine	1.4	3.3
pH	6.0—9.0 at all times	

The EPA waiver is in effect.

PA 0210528-Amendment No. 1. Sewage. **Welcome Home Centers, Inc.**, Rt. 417 West, P. O. Box 189, Allegany, NY 14706.

This application is for a transfer of an NPDES Permit to discharge treated sewage to the Unnamed Tributary to Wolf Run in Washington Township, **Jefferson County**. This is an existing discharge.

The receiving water is classified for the following uses: cold water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Hawthorn Water Authority on Redbank Creek located at Hawthorn, approximately 36 miles below point of discharge.

The proposed effluent limits, based on a design flow of 0.000528 mgd, are:

Outfall No. 001 (after the chlorine contact tank)

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	50
TSS	30	60
Fecal Coliform (5-1 to 9-30) (10-1 to 4-30)	200/100 ml as a geometric average 21,200/100 ml as a geometric average	monitoring only
Total Residual Chlorine		6.0—9.0 at all times
pH		

The EPA waiver is in effect.

PA 0210161. Industrial waste, SIC: 4941. **Pennsylvania-American Water Company—Butler District**, 207 Oneida Valley Road, Butler, PA 16001.

This application is for renewal of an NPDES Permit, for an existing discharge of Allegheny River water to supplement storage volume in the Boydstown Oneida and Thorn Run Reservoirs in Oakland Township, **Butler County**. This is an existing discharge.

The receiving water is classified for the following uses: HQ-WWF, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the PA American Water Company's Boydstown-Oneida and Thorn Run Reservoirs located in Oakland Township, Butler County.

The proposed discharge limits for Outfall No. 001 based on a design flow of 6.0 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Residual Chlorine	0.011	0.029
Lead	XX	
Mercury	XX	
Zinc	XX	

XX—Monitor and Report

The EPA waiver is in effect.

PA 010656. Industrial waste, SIC: 1311, 4922. **CNG Transmission Corporation**, Division V Wastewater Treatment Facility, P. O. Box 97, Luthersburg, PA 15848.

This application is for renewal of an NPDES Permit, to discharge treated industrial waste to Stump Creek in Henderson Township, **Jefferson County**. This is a existing discharge.

The receiving water is classified for the following uses: cold water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is Western Pennsylvania Water Company—Kittanning District on the Allegheny River at Kittanning, approximately 76 miles below the point of discharge.

The proposed discharge limits for Outfall No. 001 based on a design flow of 0.01008 mgd are:

Outfall 002: existing discharge, design flow of 0.06 mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (mgd)				0.01008	
Oil and Grease			15		30
TSS			30		60
Total Iron			3.5		7.0
MBAS			12		24
Zinc			0.395		0.79
Barium	13	25.9	154	308	385
Phenolics				monitor and report	
Benzene				monitor and report	
Osmotic Pressure (mOs/kg)				monitor and report	
Acrylamide (monomer)				monitor and report	

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Alkalinity				monitor and report	
Acidity				less than alkalinity	
pH				6.0 to 9.0 at all times	

The EPA waiver is in effect.

PA 0093131. Sewage. **AK Steel Corporation-APCC**, R. D. 1, Slippery Rock, PA 16057.

This application is for a renewal of an NPDES Permit to discharge treated sewage to the Unnamed Tributary to Slippery Rock Creek in Slippery Rock Township, **Butler County**. This is an existing discharge.

The receiving water is classified for the following uses: cold water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Camp Allegheny intake on Slippery Rock Creek located in Wayne Township, Lawrence County, approximately 18 miles below point of discharge.

The proposed effluent limits for Outfall No. 001 based on a design flow of 0.011 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅		
(5-1 to 10-31)	20	40
(11-1 to 4-30)	25	50
TSS	30	60
Ammonia-Nitrogen		
(5-1 to 10-31)	4	8
(11-1 to 4-30)	12	24
Fecal Coliform		
(5-1 to 9-30)	200/100 ml as a geometric average	
(10-1 to 4-30)	2,000/100 ml as a geometric average	
Total Residual Chlorine	1.4	3.3
Dissolved Oxygen	minimum of 3 mg/l at all times	
pH	6.0—9.0 at all times	

The EPA waiver is in effect.

PA 0223069. Sewage. **Coolspring-Jackson Lake Latonka Joint Authority**, 420 Latonka Drive, Mercer, PA 16137.

This application is for a new NPDES Permit to discharge treated sewage to Cool Spring Creek in Coolspring Township, **Mercer County**. This is a new discharge.

The receiving water is classified for the following uses: trout stocking fishery, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Beaver Falls Municipal Authority intake on the Beaver River located at Eastvale, approximately 45 miles below point of discharge.

The proposed effluent limits for Outfall No. 001 based on a design flow of 0.15 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Weekly Average (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅			
(5-1 to 10-31)	20	30	40
(11-1 to 4-30)	25	40	50
TSS	30	45	60
Ammonia-Nitrogen			
(5-1 to 10-31)	8		16
(11-1 to 4-30)	24		48
Fecal Coliform			
(5-1 to 9-30)	200/100 ml as a geometric average		
(10-1 to 4-30)	10,600/100 ml as a geometric average		
Ultraviolet Light Intensity	monitor and report		
pH	6.0—9.0 at all times		

The EPA waiver is in effect.

PA 0094200. Sewage. **Bear Creek Watershed Authority**, 259 Argyle Street, Petrolia, PA 16050.

This application is for renewal of an NPDES Permit to discharge treated sewage to the Bear Creek in Parker Township, **Butler County**. This is an existing discharge.

The receiving water is classified for the following uses: cold water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed

downstream potable water supply considered during the evaluation is Butler District Pennsylvania-American Water Company on the Allegheny River located at river mile 69.6 and is located 16.2 miles below point of discharge.

The proposed effluent limits for Outfall No. 001 based on a design flow of 0.0432 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	40	50
TSS	30	45	60
Ammonia-Nitrogen (5-1 to 10-31)	13		26
Fecal Coliform (5-1 to 9-30)		200/100 ml as a geometric average	
(10-1 to 4-30)		3,300/100 ml as a geometric average	
Total Residual Chlorine	0.5		1.2
pH		6.0—9.0 at all times	

The proposed effluent limits for Outfall No. 002 based on a design flow of 0.0299 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	40	50
TSS	30	45	60
Ammonia-Nitrogen (5-1 to 10-31)	13		26
Fecal Coliform (5-1 to 9-30)		200/100 ml as a geometric average	
(10-1 to 4-30)		2,000/100 ml as a geometric average	
Total Residual Chlorine	0.5		1.2
pH		6.0—9.0 at all times	

The proposed effluent limits for Outfall No. 003 based on a design flow of 0.0411 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅ (5-1 to 10-31)	20	40	40
(11-1 to 4-30)	25	40	50
TSS	30	45	60
Ammonia-Nitrogen (5-1 to 10-31)	4		8
(11-1 to 4-30)	12.0		24
Fecal Coliform (5-1 to 9-30)		200/100 ml as a geometric average	
(10-1 to 4-30)		2,000/100 ml as a geometric average	
Total Residual Chlorine	0.5		1.2
pH		6.0—9.0 at all times	

The proposed effluent limits for Outfall No. 004 based on a design flow of 0.0411 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	40	50
TSS	30	45	60
Ammonia-Nitrogen (5-1 to 10-31)	5.5		11
(11-1 to 4-30)	16.0		33
Fecal Coliform (5-1 to 9-30)		200/100 ml as a geometric average	
(10-1 to 4-30)		2,000/100 ml as a geometric average	
Total Residual Chlorine	0.5		1.2
pH		6.0—9.0 at all times	

The EPA waiver is in effect.

PA 0104060. Sewage. **John E. McCoan**, R. D. 1, Box 1000, Clarendon, PA 16313.

This application is for renewal of an NPDES Permit, to discharge treated sewage to Unnamed Tributary to West Branch Tionesta Creek in Mead Township. This is a **Warren County** discharge.

The receiving water is classified for the following uses: cold water fishes, aquatic life, water supply and recreation.

The proposed discharge limits for Outfall No. 001 based on a design flow of 400 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	50
TSS	30	60
Fecal Coliform (5-1 to 9-30)	200/100 ml as a geometric average	
(10-1 to 4-30)	2,000/100 ml as a geometric average	
Total Residual Chlorine	monitor and report	
pH	6.0—9.0 at all times	

The EPA waiver is not in effect.

Proposed NPDES Permit Renewal Actions for Minor Sewage Discharges

The following parties have applied to renew their current NPDES permits to allow the continued discharge of controlled wastewater into the surface waters of this Commonwealth. The Department of Environmental Protection (Department) has made a tentative determination to renew these permits and proposes to issue them, subject to their current permit effluent limitations, and monitoring and reporting requirements. The updates may include but will not be limited to applicable permit conditions and/or requirements addressing combined sewer overflows (CSOs), municipal sewage sludge management and total residual chlorine control (TRC). Major changes to or deviations from the terms of the existing permit will be documented and published with the final Department actions.

The EPA, Region III, Regional Administrator has waived the right to review or object to these proposed permit actions under the waiver provision 40 CFR 123.6E.

Persons wishing to comment on the proposed permits are invited to submit a statement to the Field Office indicated as the office responsible, within 30 days from the date of this public notice. Comments received within this 30-day period will be considered in the formulation of the final determinations regarding these applications and proposed permit actions. Comments should include the name, address and telephone number of the writer and a brief statement to inform the Field Office of the basis of the comment and the relevant facts upon which it is based. A public hearing may be held if the Field Office considers the public response significant.

Following the 30-day comment period, the Water Management Program Manager will make a final determination regarding the proposed action. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit renewal application and related documents, proposed effluent limitations and special conditions, comments received and other information are on the Department's file. The documents may be inspected at, or a copy requested from, the Field Office that has been indicated above the application notice.

Southeast Regional Office: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-6130.

<i>NPDES No.</i>	<i>Facility Name and Address</i>	<i>County and Municipality</i>	<i>Tributary Stream</i>	<i>New Permit Requirements</i>
PA0050482	Freedom's Foundation at Valley Forge 1601 Valley Forge, PA 19482	Chester County Schuylkill Township	UNT to Schuylkill River	TRC
PA0053783	Avon Grove School District 375 South Jennersville Road West Grove, PA 19390	Chester County New London Township	UNT to West Branch of White Clay Creek	TRC
PA0042129	US Army Reserve 99th Regional Support Command HQ, 99th RSC 5 Lobaugh Street Oakdale, PA 15071-5001	Montgomery County Worcester Township	Dry Swale of Stony Creek	TRC

Southcentral Regional Office: Water Management Program, 909 Elmerton Avenue—2nd Floor, Harrisburg, PA 17110, (717) 705-4707.

<i>NPDES No.</i>	<i>Facility Name and Address</i>	<i>County and Municipality</i>	<i>Tributary Stream</i>	<i>New Permit Requirements</i>
PA0081523	Blair Chalet R. R. 1 Box 379 Hollidaysburg, PA 16648-9516	Blair County Blair Township	Beaverdam Branch Juniata River	TRC
PA0084034	West Perry School District R. R. 1 Box 7A Elliptsburg, PA 17024	Perry County Shermans Dale Township	Shermans Creek	TRC
PA0080730	West Perry School District R. R. 1 Box 7A Elliptsburg, PA 17024	Perry County Blain Borough	Conoco Creek	TRC

**DISCHARGE OF CONTROLLED INDUSTRIAL
WASTE AND SEWERAGE WASTEWATER**

**Applications under the Pennsylvania Clean
Streams Law**

(Part II Permits)

The following permit applications and requests for plan approval have been received by the Department of Environmental Protection (Department).

Persons objecting on the grounds of public or private interest to the approval of an application or submitted plan may file a written protest with the Department at the address indicated above each permit application or plan. Each written protest should contain the following: name, address and telephone number; identification of the plan or application to which the protest is addressed; and a concise statement in sufficient detail to inform the Department of the exact basis of the protest and the relevant facts upon which it is based. The Department may conduct a fact-finding hearing or an informal conference in response to any given protest or protests. Each commentator will be notified in writing of the time and place if a hearing or conference concerning the plan or action or application to which the protest relates is held. To insure consideration by the Department prior to final action on permit applications and proposed plans, initial protests and additions or amendments to protests already filed should be filed within 15 calendar days from the date of this issue of the *Pennsylvania Bulletin*. A copy of each permit application and proposed plan is on file in the office indicated and is open to public inspection.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceeding should contact the Secretary to the Board at (717) 783-3483. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Industrial waste and sewerage applications under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).

Southeast Regional Office: Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-6130.

WQM Permit No. 0900405. Sewerage. **Warwick Township Water and Sewer Authority**, 1733 Township Greene, P. O. Box 315, Jamison, PA 18929. Applicant is requesting approval for the construction and operation of two new reactor tanks to expand the Country Crossing WWTP located in Warwick Township, **Bucks County**.

WQM Permit No. 1500411. Sewerage. **Octorara Area School District**, P. O. Box 500, Route 41 and Highland Road, Atglen, PA 19310. Applicant is requesting approval to replace four intermittent sand filters with a package type rapid sand filter to serve the Octorara Area School District located in West Fallowfield Township, **Chester County**.

WQM Permit No. 2300407. Sewerage. **Knights Bridge Corporation**, 112 Chesley Drive, Suite 200, Media, PA 19063-1762. Applicant is requesting approval to amend the existing permit to expand the Knight's Bridge STP facility from 45,000 to 90,000 gpd located in Chadds Ford Township, **Delaware County**.

WQM Permit No. 1500410. Sewerage. **East Goshen Municipal Authority**, 1580 Paoli Pike, West Chester, PA 19380. Applicant is requesting approval to install a low-pressure water supply system to serve as a supply for

the irrigation pond to serve Applebrook Golf Course located in East Goshen Township, **Chester County**.

WQM Permit No. 4600413. Sewerage. **Upper Gwynedd Towamencin Municipal Authority**, 2225 Kribel Road, Lansdale, PA 19446. Applicant is requesting approval to install approximately 1,250 feet of 20" ductile iron pipe and approximately 80 feet of 8" ductile iron pipe sanitary sewer and 8 manholes located in Towamencin Township, **Montgomery County**.

Northeast Regional Office: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

A. 3500402. Sewerage. **Spring Brook Township Sewer Authority**, P. O. Box 1100, Moscow, PA 18444. Application to construct a new pumping station, located in Spring Brook Township, **Lackawanna County**. Application received in the Regional Office April 17, 2000.

Southcentral Regional Office: Water Management Program Manager, 909 Elmerton Avenue, 2nd Floor, Harrisburg, PA 17110-8200, (717) 705-4707. Persons who wish to review any of these applications should contact Mary DiSanto at (717) 705-4732.

A. 2800402. Sewage, submitted by **Carl R. Gochenauer**, 3361 Keefer Road, Chambersburg, PA 17201, Hamilton Township, **Franklin County** to construct a small flow treatment system to serve a single family residence was received in the Southcentral Region on April 14, 2000.

Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

A. 0200204. Industrial waste, **J. A. Jones/Traylor Brothers, Inc.**, J. A. Jones Drive, Charlotte, NC 28287. Application for the construction and operation of a Wastewater Treatment Facility to serve the Leetsdale Concrete Casting Facility located in Leetsdale Borough, **Allegheny County**.

A. 0400402. Sewerage, **Melanie B. Kelly**, 2 Emerald Lane, Ambridge, PA 15003. Application for the construction and operation of a small flow sewage treatment plant to serve the Kelly Residence located in Harmony Township, **Beaver County**.

A. 1185402-A2 Sewerage, **Ebensburg Borough Municipal Authority**, 300 West High Street, Ebensburg, PA 15931. Application for the modification and operation of a sewage treatment plant to add a sulfur dioxide injection facility to serve the Ebensburg Wastewater Treatment Plant located in Cambria Township, **Cambria County**.

A. 5600401. Sewerage, **James R. Latshaw, II**, 307 West Church Street, Somerset, PA 15501. Application for the construction and operation of a small flow sewage treatment plant to serve the Latshaw Residence located in Black Township, **Somerset County**.

WQM Permit No. 1700201. Industrial waste. **Hart Resource Technologies, Inc.**, P. O. Box 232, Creekside, PA. Application to construct and operate an industrial wastewater treatment facility in Pike Township, **Clearfield County**. Application received in the Regional Office: March 27, 2000.

Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6942.

WQM Permit No. 1600401. Sewage, **Richard A. Baumcratz**, R. R. 1, Box 272, Lucinda, PA 16235. This

project is for the construction of a Single Residence Sewage Treatment Plant in Knox Township, **Clarion County**.

WQM Permit No. 4300404. Sewage, **Richard J. Larson**, R. R. 3, Box 54, Sugar Grove, PA 16350. This project is for the construction of a Single Residence Sewage Treatment Plant in Sugar Grove Township, **Warren County**.

WQM Permit No. 2000406. Sewage, **Adam H. and Rebecca W. Detweiler**, 2761 Leach Road, Atlantic, PA 16111. This project is for the construction of a Single Residence Sewage Treatment Plant in East Fallowfield Township, **Crawford County**.

WQM Permit No. 2000407. Sewage, **Richard L. VanBuren**, 17352 State Highway 98, Meadville, PA 16335. This project is for the construction of a Single Residence Sewage Treatment Plant in Hayfield Township, **Crawford County**.

WQM Permit No. 1000402. Sewage, **Christopher J. Holden**, 238 Dinnerbell Road, Butler, PA 16002. This project is for the construction of a Single Residence Sewage Treatment Plant in Penn Township, **Butler County**.

INDIVIDUAL PERMITS (PAS)

NPDES Individual

The following parties have applied for an NPDES permit to discharge stormwater from a proposed construction activity into the surface waters of this Commonwealth. Unless otherwise indicated, on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection (Department) proposes to issue a permit to discharge, subject to certain limitations set forth in the permit and special conditions. The proposed determinations are tentative. Limitations are provided in the permit as erosion and sedimentation control measures and facilities which restrict the rate and quantity of sediment discharged.

Where indicated, the EPA, Region III, Regional Administrator has waived the right to review or object to this proposed permit action under the waiver provision of 40 CFR 123.24(d).

Persons wishing to comment on the proposed permit are invited to submit a statement to the office noted above the application within 30 days from the date of this public notice. Comments reviewed within this 30-day permit will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the responsible office considers the public response significant.

Following the 30-day comment period, the Water Management Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, including the erosion and sedimentation control plan for the construction activity, are on file and may be inspected at the office noted above the application.

Southwest Regional Office: Regional Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

NPDES Permit PAS106110. Stormwater. **Kettler Brothers, Inc.**, 9426 Stewartown Road, Gaithersburg, MD 20879 has applied to discharge stormwater from a construction site located in Jefferson Township, **Somerset County** to Crise Run, HQ-CWF; Gross Run, HQ, CWF; Jones Mill, EV; and Kooser Run, HQ-CWF.

SAFE DRINKING WATER

Application received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

Northeast Regional Office: Sanitarian Regional Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

4899506. Public water supply. **East Allen Township Municipal Authority**, Charles Wert, Chairperson, 3444 Nor-Bath Blvd., Northampton, PA 18067. This proposal involves the permitting of an existing unpermitted community water system consisting of wells, manganese, sequesting, a booster pump station with finished water storage and disinfection. It is located in East Allen Township, **Northampton County**. *Engineer: Ronald Madison, Hanover Engineering Assoc., Inc.*

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

Under Act 2, 1995

Preamble 1

Acknowledgment of Notices of Intent to Remediate submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Sections 302—304 and 305 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the background standard, Statewide health standard, the site-specific standard, or who intend to remediate a site as a special industrial area, must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known suspected contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. A person who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as

a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the sites identified as proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified. During this comment period the municipality may request that the person identified, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the Environmental Cleanup Program Manager in the Department Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Northeast Regional Field Office: Joseph Brogna, Regional Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

PPL Utilities—Former Penn Fuel Gas Manufactured Gas Plant (Jim Thorpe), Mahoning Township, Carbon County. Michael Hasel, Environmental Professional, Environmental Management Division, PPL Utilities, Two North 9th Street (GENTW8), Allentown, PA 18101-1179 submitted a Notice of Intent to Remediate concerning the remediation of site soils, groundwater, surface water and sediment found or suspected to have been contaminated with metals, phenolic compounds, cyanide, polycyclic aromatic hydrocarbons, and BTEX (benzene, toluene, ethylbenzene and xylenes) constituents. The applicant proposes to remediate the site to meet both the Statewide health and site-specific standards. A summary of the notice was reportedly published in Lehigh's *The Times News* on April 25, 2000.

Rossville Chromatex, Borough of West Hazleton, Luzerne County. Lawrence F. Roach, P.G., Groundwater Sciences Corporation, 2601 Market Place Street, Suite 310, Harrisburg, PA 17110 submitted a Notice of Intent to Remediate (on behalf of his client, Rossville Chromatex, One Rotary Drive, W. Hazleton, PA 18201) concerning the remediation of site soils found or suspected to have been contaminated with no. 2 fuel oil constituents. The applicant proposes to remediate the site to meet both the Statewide health and site-specific standards. A summary of the notice was reportedly published in the *Standard Speaker* on April 5, 2000.

Southwest Field Office: John J. Matviya, Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-5217.

Industrial Center of McKeesport, City of McKeesport, Allegheny County. Mark Urbassik, KU Resources, Inc., One Library Place, Suite 207, Duquesne, PA 15110 and RIDC of Southwestern Pennsylvania Growth Fund, Suite 500, 425 Sixth Avenue, Pittsburgh, PA 15219 has submitted a Notice of Intent to Remediate soil and groundwater contaminated with PCBs, lead, heavy metals, BTEX and PAHs. The applicant proposes to remediate the site to meet the Site Specific Standard. A

summary of the Notice of Intent to Remediate was reported to have been published in the *McKeesport Daily News* on April 7, 2000.

SOLID AND HAZARDOUS WASTE HAZARDOUS WASTE, TREATMENT, STORAGE AND DISPOSAL FACILITIES

Applications submitted under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to operate a hazardous waste treatment, storage or disposal facility.

Northwest Regional Office: Regional Solid Waste Manager, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6848.

Permit No. PAD087561015. Class 2 permit modification application to expand the facility's storage capacities with a second containment building, an 8,000 gallon liquid storage tank, and modifications to Container Storage Areas 1 and 3, was received from **International Metals Reclamation Company, Inc.**, 245 Portersville Road, Ellwood City, PA 16117, located in Ellwood City Boro, Lawrence County. Application was accepted in the Regional Office on April 13, 2000.

AIR QUALITY

Notice of Plan Approval and Operating Permit Applications

Nonmajor Sources and Modifications

The Department of Environmental Protection (Department) has developed an "integrated" plan approval, State operating permit and Title V operating permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit all the permitting documents relevant to its application one time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

Notice is hereby given that the Department has received applications for plan approvals and/or operating permits from the following facilities. Although the sources covered by these applications may be located at a major facility, the sources being installed or modified do not trigger major new source review or prevention of significant deterioration requirements.

Copies of these applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the Regional Offices identified in this notice. Persons interested in reviewing the application files should contact the appropriate regional office to schedule an appointment.

Persons wishing to file protests or comments on the proposed plan approval and/or operating permits must submit the protest or comment within 30 days from the date of this notice. Interested persons may also request that a hearing be held concerning the proposed plan approval and operating permit. Comments or protests filed with Department Regional Offices must include a concise statement of the objections to the issuance of the plan approval or operating permit and relevant facts which serve as the basis for the objections. If the Department schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* at least 30 days prior the date of the hearing.

Final plan approvals and operating permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121–143, the Federal Clean Air Act and regulations adopted under the act.

OPERATING PERMITS

Applications received and intent to issue Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001–4015).

Northeast Regional Office: Air Quality Program, Two Public Square, Wilkes-Barre, PA 17811-0790, (570) 826-2531.

54-313-013: Air Products & Chemicals, Inc. (P. O. Box 351, R. R. 1, Tamaqua, PA 18252) for operation of a paint spray booth in Rush Township, **Schuylkill County**.

35-322-001B: Keystone Sanitary Landfill, Inc. (P. O. Box 249, Dunmore, PA 18512) for operation of a landfill gas flare in Throop Borough, **Lackawanna County**.

40-320-009: Berwick Industries, Inc. (Bomboy Lane and Ninth Street, Berwick, PA 18603) for operation of a printing operation in Salem Township, **Luzerne County**.

35-301-039: Finch Hill Veterinary Clinic (101 Petrilak Road, Greenfield Township, PA 18407) for operation of a crematory incinerator in Greenfield Township, **Lackawanna County**.

Southcentral Regional Office: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4702.

22-03028: Linda Corson (785 Route 322, Dauphin, PA 17018) for a Natural Minor operating permit for a pet crematorium in Middle Paxton Township, **Dauphin County**.

36-05093: Martin Limestone (P. O. Box 550, Blue Ball, PA 17506-0550) for a Synthetic Minor operating permit for a drum mix asphalt plant in East Cocalico Township, **Lancaster County**.

Northcentral Regional Office: Air Quality Program, 208 West Third Street, Suite 101, Williamsport, PA 17701, (570) 327-3637.

19-317-022A: Perdue Specialty Feeds, Inc. (P. O. Box 1537, Salisbury, MD 21802) for operation of a fish food pellet dryer and associated air cleaning device (a high efficiency cyclone) in Catawissa Borough, **Columbia County**.

17-305-044: M. B. Energy, Inc. (175 McKnight Road, Blairsville, PA 15717) for operation of a coal crushing, stockpiling and loading facility at the Black Hills #2 Strip Mine in Bell Township, **Clearfield County**. The facility is subject to Subpart Y of the Federal Standards of Performance for New Stationary Sources.

41-305-011: Fisher Mining Co. (40 Shoate Circle, Montoursville, PA 17754) for operation of a coal preparation plant in Pine Township, **Lycoming County**. The plant is subject to Subpart Y of the Federal Standards of Performance for New Stationary Sources.

Notice of Intent to Issue Title V Operating Permits

Under 25 Pa. Code § 127.521, notice is given that the Department of Environmental Protection (Department) intends to issue a Title V Operating Permit to the following facilities. These facilities are major facilities subject to the operating permit requirements under Title

V of the Federal Clean Air Act and 25 Pa. Code Chapter 127, Subchapters F (relating to operating permit requirements) and G (relating to Title V operating permits).

Appointments to review copies of the Title V application, proposed permit and other relevant information must be made by contacting Records Management at the regional office telephone number noted below. For additional information, contact the regional office noted.

Interested persons may submit written comments, suggestions or objections concerning the proposed Title V permit to the regional office within 30 days of publication of this notice. Written comments submitted to the Department during the 30-day public comment period shall include the name, address and telephone number of the persons submitting the comments, along with the reference number of the proposed permit. The commentator should also include a concise statement of any objections to the permit issuance and the relevant facts upon which the objections are based.

The Department reserves the right to hold a public hearing on the proposed action based upon the information received during the public comment period and will provide notice of any scheduled public hearing at least thirty days in advance of the hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation where the facility is located.

Southeast Regional Office: Air Quality Program, 555 North Lane, Conshohocken, PA 19428, (610) 832-6242.

23-00030: Swarthmore College (500 College Avenue, Swarthmore, PA 19081-1397) located in Swarthmore Borough, **Delaware County**. The facility's major emission points include 14 boilers and 10 emergency generators which emit major levels of Nitrogen Oxides (NOx).

09-00037: CMS Gilbreth (3001 State Road, Croydon, PA 19021) located in Bristol Township, **Bucks County**. The facility's major emission points include flexographic and rotogravure printing pressures, electroplating operations, and air pollution control devices which emit major levels of volatile organic compounds (VOCs).

46-00036: Ford Electronics & Refrigeration LLC (2750 Morris Road, Lansdale, PA 19446) located in Worcester Township, **Montgomery County**. The facility's major emission points include six wave soldering machines, five selective soldering machines, a coil soldering—servo and an in-line package machine which emit major levels of volatile organic compounds (VOCs) and nitrogen oxides (NOx).

46-00041: Jefferson Smurfit Corporation (U. S.) (1035 Longford Road, Phoenixville, PA 19460) located in Upper Providence Township, **Montgomery County**. The facility's major emission points include six sheetfed, nonheatset, offset lithographic presses, two boilers, an emergency generator and a finishing department which emit major levels of VOCs.

46-00089: SPRA-FIN, Inc. (177 Wissahickon Avenue, North Wales Borough) located in Upper Gwynedd Township, **Montgomery County**. The facility's major emission points include 3-spray booths which emit major levels of volatile organic compounds (VOCs).

46-00010: Montenay Montgomery, L. P. (1155 Conshohocken, Road, Conshohocken, PA 19428) located in Plymouth Township, **Montgomery County**. The facility's major emission points include municipal waste combustors, which emit major levels of nitrogen oxides (NOx) and carbon monoxide (CO).

23-00017: PECO Energy Co. (One Industrial Highway, Eddystone, PA 19022-1585) located in Eddystone Borough, **Delaware County**. The facility's major emission points include fossil fuel fired boilers, and auxiliary electrical generating equipment, which emit major levels of nitrogen oxides (NOx), carbon monoxide (CO), particulate matter (PM), and sulfur oxides (SOx).

Northeast Regional Office: Air Quality Program, Two Public Square, Wilkes-Barre, PA 17811-0790, (570) 826-2531.

13-00014: Silberline Manufacturing Company (Lincoln Drive, Tamaqua, PA 18252) in Lansford Borough, **Carbon County**. The facility's major sources of emissions are from manufacturing of aluminum pigments process, storage tanks and boilers that primarily emit volatile organic compound (VOC).

54-00041: Silberline Manufacturing Co. (Lincoln Drive, Tamaqua, PA 18252) in Rush Township, **Schuylkill County**. The facility's major sources of emissions are from manufacturing of aluminum pigments process, storage tanks and boilers that primarily emit volatile organic compound (VOC).

48-00015: Lehigh Heavy Forge Corp. (1275 Daly Avenue, Bethlehem, PA 18015-2042) in City of Bethlehem, **Northampton County**. The facility's major sources of emissions are from steel forging furnaces, space heaters, burning and scarfing operation and machine shops that primarily emit nitrogen oxides (NOx).

PLAN APPROVALS

Applications received and intent to issue Plan Approvals under the Air Pollution Control Act (35 P. S. §§ 4001—4015).

Northeast Regional Office: Air Quality Program, Two Public Square, Wilkes-Barre, PA 17811-0790, (570) 826-2531.

35-322-005A: Keystone Sanitary Landfill, Inc. (P. O. Box 249, Dunmore, PA 18512) for modification of the operation by increasing the daily acceptance rate in Throop and Dunmore Boroughs, **Lackawanna County**.

Northcentral Regional Office: Air Quality Program, 208 West Third Street, Suite 101, Williamsport, PA 17701, (570) 327-3637.

19-317-023B: Heinz Pet Products (6670 Low Street, Bloomsburg, PA 17815-8607) for installation of an air cleaning device (a packed bed scrubber) on an existing wastewater treatment plant dissolved air flotation tank in South Centre Township, **Columbia County**. The dissolved air flotation tank currently emits an unknown quantity of malodorous air contaminants including reduced sulfur compounds which the proposed scrubber is intended to significantly reduce. Any plan approval issued, as well as any subsequent operating permit amendment, will contain appropriate conditions pertaining to the operation and maintenance of the dissolved air flotation tank and associated scrubber as well as appropriate recordkeeping and reporting conditions to ensure compliance.

Northwest Regional Office: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6940

PA-37-013B: Southdown, Inc. (2001 Portland Park, Wampum, PA 16157-9109) for construction of a portland

cement storage dome (100,000 ton capacity), including three baghouses in Wampum, **Lawrence County**. This construction is subject to Federal NSPS 40 CFR Part 60, Subpart F, and NESHAP 40 CFR Part 63, Subpart LLL, Southdown, Wampum, is a Title V facility.

PA-20-258A: Andover Industries (R. D. 2, Dunham Road, Meadville, PA 16335) for construction of a new paint line and RTO in Vernon Township, **Crawford County**.

PA-43-170C: Werner Co. (93 Werner Rd., Greenville, PA 16125) for construction of a homogenizing furnace in Sugar Grove Township, **Mercer County**. This is a Title V facility.

MINING

APPLICATIONS TO CONDUCT COAL AND NONCOAL ACTIVITIES

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). Mining activity permits issued in response to these applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (Department). A copy of the application is available for inspection at the District mining office indicated above each application. Where a 401 water quality certification is needed for any aspect of a particular proposed mining activity, the submittal of the permit application will serve as the request for the certification.

Written comments or objections, or requests for informal conferences on applications, may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the same address within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences).

Where any of the mining activities listed will have discharges of wastewater to streams, the Department will incorporate NPDES permits into the mining activity permits issued in response to these applications. The NPDES permits will contain, at a minimum, technology-based effluent limitations (as described in the Department's regulations—25 Pa. Code §§ 77.522, 87.102, 88.92, 88.187, 88.242, 89.52 and 90.102) for iron, manganese, suspended solids, settleable solids, alkalinity and pH. In addition, more restrictive effluent limitations, restrictions on discharge volume, or restrictions on the extent of mining which may occur will be incorporated into a mining activity permit when necessary for compliance with water quality standards (in accordance with 25 Pa. Code Chapters 93 and 95). Persons or agencies which have requested review of the NPDES permit require-

ments for a particular mining activity within the above-mentioned public comment period will be provided with a 30-day period to review and submit comments on those requirements.

Written comments or objections should contain the name, address and telephone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based. Requests for an informal conference must contain the name, address and telephone number of requestor; application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Ebensburg District Office, 437 South Center Street, P. O. Box 625, Ebensburg, PA 15931-0625.

Coal Applications Received:

11950201. Permit Renewal for reclamation only, **Ridge Energy Company** (R. D. 2, Box 429, Clymer, PA 15728), for continued restoration of a bituminous surface mine in West Carroll Township, **Cambria County**, affecting 18.0 acres, receiving stream unnamed tributary to West Branch Susquehanna River and West Branch Susquehanna River, application received April 18, 2000.

32950202. Permit Renewal, **Cambria Reclamation Corporation** (7201 Hamilton Boulevard, Allentown, PA 18195-1501) for continued operation of a bituminous surface mine in Center Township, **Indiana County**, affecting 286.0 acres, receiving stream unnamed tributaries to Yellow Creek and Yellow Creek, application received April 20, 2000.

32950201. Permit Renewal, **Cambria Reclamation Corporation** (7201 Hamilton Boulevard, Allentown, PA 18196-1501), for continued operation of a bituminous surface mine in White and Rayne Townships, **Indiana County**, affecting 256.0 acres, receiving stream McKee Run to Crooked Creek, application received April 20, 2000.

Greensburg District Office, R. R. 2, Box 603-C, Greensburg, PA 15601.

03000104. Amerikohl Mining, Inc. (202 Sunset Drive, Butler, PA 16001). Application received for commencement, operation and reclamation of a bituminous surface auger mine located in Valley and Kittanning Townships, **Armstrong County**, proposed to affect 444.0 acres. Receiving streams: unnamed tributaries to Cowanshannock Creek, Cowanshannock Creek to the Allegheny River; unnamed tributaries to Mill Run, Mill Run to Cowanshannock Creek to the Allegheny River. Application received: April 14, 2000.

26980105. Amerikohl Mining, Inc. (202 Sunset Drive, Butler, PA 16001). Revision received to change the post-mining land use from forestland and/or unmanaged natural habitat to pastureland and/or land occasionally cut for hay on the Gallentine Property on an existing bituminous surface auger mine located in Saltlick Township, **Fayette County**. Receiving streams: unnamed tributary to Little Champion Creek to Little Champion Creek to Champion Creek to Indiana Creek to the Youghiogheny River. Revision request received: April 6, 2000.

Knox District Office, P. O. Box 669, Knox, PA 16232.

33000101. Reichard Contracting, Inc. (R. D. 3, New Bethlehem, PA 16242). Commencement, operation and restoration of a bituminous surface strip, auger and coal preparation plant/processing facility operation in Ringgold Township, **Jefferson County**, affecting 86.0 acres. Receiving streams: Four unnamed tributaries to Painter Run and Painter Run. Application received April 14, 2000.

102543-33000101-E-1. Reichard Contracting, Inc. (R. D. 3, New Bethlehem, PA 16242). Application for a stream encroachment to encroach within 25 feet of Painter Run and two unnamed tributaries to Painter Run in Ringgold Township, **Jefferson County**. Receiving streams: four unnamed tributaries to Painter Run and Painter Run. Application received April 14, 2000.

Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

54773017R3. K & K Coal Company (133 Valley Furnace Avenue, Port Carbon, PA 17965-1215), renewal of an existing anthracite surface mine operation in East Norwegian and Blythe Townships, **Schuylkill County** affecting 243.1 acres, receiving stream—none. Application received April 18, 2000.

Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

Noncoal Applications Received

58900303C2. Kilmer, Cecil (R. R. 1, Box 1130, Nicholson, PA 18446), renewal of NPDES Permit No. PA059044 in New Milford Township, **Susquehanna County**, receiving stream—unnamed tributary to Beaver Creek. Application received April 14, 2000.

19940301C. Zeisloft Construction Company (P. O. Box 338, Bloomsburg, PA 17815), correction to an existing quarry operation in Orange Township, **Columbia County** affecting 8.0 acres, receiving stream—Fishing Creek. Application received April 14, 2000.

APPLICATIONS RECEIVED UNDER SECTION 401: FEDERAL WATER POLLUTION CONTROL ACT

ENCROACHMENTS

The following permit applications and requests for Environmental Assessment approval and requests for water quality certification have been received by the Department of Environmental Protection (Department). Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)), requires the State to certify that the involved projects will not violate the applicable provisions of 33 U.S.C.A. §§ 1311—1313, 1316 and 1317 as well as relevant State requirements. Initial requests for 401 certification will be published concurrently with the permit application. Persons objecting to approval of a request for certification under section 401 or to the issuance of a Dam Safety or Encroachment Permit, or the approval of Environmental Assessments must submit any comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and requests for certification under section 401 of the Federal Water Pollution Control Act.

Southeast Regional Office: Program Manager, Water Management Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

E15-640. Encroachment. **Applebrook Associates**, 200 Eagle Road, #118, Wayne, PA 19087. To perform the following activities associated with the proposed Applebrook Golf Course located on the southwest corner of Paoli Pike and Line Road (West Chester, PA Quadrangle N: 22.5 inches; W: 4.8 inches) in East Goshen Township, **Chester County**.

1. To install and maintain a 255 linear foot long cart bridge over the East Branch of Ridley Creek (HQ-TSF) associated with hole no. 15 (Malvern, PA Quadrangle N: 1.2 inches; W: 4.85 inches)

2. To install and maintain a 84 linear foot long cart bridge over the unnamed tributaries of East Branch Ridley Creek (HQ-TSF) associated with hole no. 16 (Malvern, PA Quadrangle N: 1.1 inches; W: 4.7 inches)

3. To install and maintain a 226 linear foot long cart bridge over the unnamed tributaries to East Branch Ridley Creek (HQ-TSF) associated with hole no. 16 (Malvern, PA Quadrangle N: 0.82 inch; W: 4.55 inches)

4. To install and maintain 311 linear foot long cart bridge over the East Branch Ridley Creek (HQ-TSF) associated with hole no. 14 (Malvern, PA Quadrangle N: 0.6 inch; W: 4.85 inches)

5. To install and maintain a 49 linear foot long cart bridge over an unnamed tributary to East Branch Ridley Creek (HQ-TSF) associated with holes no. 4 and no. 5 (West Chester, PA Quadrangle N: 22.5 inches; W: 4.2 inches)

E15-641. Encroachment. **Brandywine Operating Partnership**, 14 Campus Blvd., Suite 100, Newtown Square, PA 19073. To perform the following activities associated with the Applebrook Commercial site located on the northwest corner of East Boot Road and Clock Tower Drive (West Chester, PA Quadrangle N: 21.8 inches; W: 5.4 inches) in East Goshen Township, **Chester County**.

1. To install and maintain a 101 foot long single span bridge over Ridley Creek (HQ-TSF) associated with construction of drive A (West Chester, PA Quadrangle N: 21.1 inches; W: 5.5 inches)

2. To impact approximately 650, 600 and 350 linear feet of three unnamed tributaries of Ridley Creek (HQ-TSF) and 0.11 acre of adjacent wetlands associated with the construction of drive B, parking lot and detention basin 2B (West Chester, PA Quadrangle N: 21.5 inches; W: 5.4 inches).

The applicant proposes to construct 0.73 acre of replacement wetlands to compensate for wetland lost on the proposed Applebrook Gold Course site (E15-640) which is located immediately to the north of this project.

E51-184. Encroachment. **Fort Mifflin on the Delaware**, Fort Mifflin Road, Philadelphia, PA 19153. To perform the following activities associated with the installation of the public access to the historic site Fort Mifflin on the Delaware River (WWF-MF) (Philadelphia, PA-NJ

Quadrangle N: 0.01 inch; W: 12.1 inches) in the **City and County of Philadelphia**.

1. Installing a 120-foot long, 8-foot wide floating boat dock with a passenger ramp in the Delaware River, including:

- Seven 12—14 inch diameter pipe piles to support the boat dock.

- A 35-foot long, 4-foot wide steel gangway.

- 10×10-foot cantilever access deck.

2. Installing seven 16-inch diameter concrete filled mooring pipe piles in the Delaware River.

3. Installing approximately 400 linear feet of 15-foot wide paved sidewalk along the top of the existing riprap slope protection walls, various fences and electrical utilities to protect and service the public boat dock.

4. Installing an 18-inch diameter corrugated metal pipe (CMP) pedestrian path (Road Crossing) crossing over a nontidal stormwater drainage ditch, and construction of approximately 200 linear feet of gravel or paved pedestrian pathway along the top of the existing concrete and riprap bank stabilization.

Southcentral Regional Office: Section Chief, Water Management Program, Soils and Waterways Section, 909 Elmerton Avenue, 2nd Floor, Harrisburg, PA 17110, (717) 705-4707.

E22-413. Encroachment. **Triple Crown Corporation**, Mark DiSanto, 5351 Jaycee Avenue, Harrisburg, PA 17112. To place fill in the floodway of a tributary to Fishing Creek at a point approximately 2,000 feet upstream of Richardson Road for the purpose of constructing a warehouse and parking area in Swatara Township, **Dauphin County**.

Southwest Regional Office, Soils and Waterways Section, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E03-388. Encroachment. **Pennsylvania Department of Transportation**, Engineering District 10-0, P. O. Box 429, Indiana, PA 15701. To remove the existing structures and to construct and maintain a 36-inch diameter stream enclosure for a distance of 525.0 feet in a tributary to Spur Run (WWF). The project is located on S. R. 0066 just south of its intersection with S. R. 2032 (Leechburg, PA Quadrangle N: 11.2 inches; W: 8.7 inches) in Bethel Township, **Armstrong County**.

E63-489. Encroachment. **Flexsys America, L. P.**, 829 Rt. 481, Monongahela, PA 15063. To construct and maintain an addition to the existing building along the left bank of Taylor's Run (WWF) for the purpose of expanding an existing business located on the east side of Taylor's Run Road approximately 300 feet south from the intersection of Taylor's Run Road (S. R. 481) and Front Street (Monongahela, PA Quadrangle N: 10.5 inches; W: 8.5 inches) in Carroll Township, **Washington County**.

E63-486. Encroachment. **Pennsylvania Department of Transportation**, Engineering District 10-0, P. O. Box 429, Indiana, PA 15701. To remove the existing structure and to construct and maintain a prestressed concrete box beam bridge having a normal span of 32.0 feet and an underclearance of 7.5 feet over Enlow Fork (TSF). Also, to conduct channel clearing within 50 feet upstream of the bridge; to construct and maintain a temporary stream crossing; and to construct and maintain an 18-inch diameter outfall in Enlow Fork (TSF). The project is located on S. R. 4013 approximately 500 feet southeast of its intersection with S. R. 3026. Wind Ridge, PA Quad-

range N: 18.7 inches; W: 3.0 inches) in Morris Township, **Greene County** and East Finley Township, **Washington County**.

Northwest Regional Office: Soils and Waterways Section, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6942.

E62-364. Encroachment. **City of Warren**, 318 W. 3rd St., Warren, PA 16365-2388. To maintain a 48-inch-diameter stormwater outfall, gabion basket headwall and scour protection from the Parker Street Storm Sewer to the Allegheny River. The placement of these structures was authorized by Emergency Permit No. EP6200601. This outfall is located along the north bank of the Allegheny River approximately 5,000 feet upstream of the confluence of Conewango Creek and the Allegheny River (Warren, PA Quadrangle N: 15.0 inches; W: 1.1 inches) located in the City of Warren, **Warren County**.

E61-234. Encroachment. **Pa. Electric Co. dba GPU Energy**, 2800 Pottsville Pike, P. O. Box 16001, Reading, PA 19640-0001. To install an aerial fiber optic utility line and to maintain existing aerial electric utility lines across French Creek (WWF, Nominated 1-A Scenic). The project is located across French Creek approximately 1,300 feet downstream of the SR 322 bridge across French Creek in the City of Franklin (Franklin, PA Quadrangle N: 4.4 inches; W: 10.3 inches) located in the City of Franklin, **Venango County**.

E61-235. Encroachment. **PA. Dept. of Transportation, Engineering District 1-0**, 255 Elm Street, Oil City, PA 16301-1412. To remove the existing Third Street Bridge (SR 3017) and to construct and maintain a three span prestressed concrete adjacent box beam bridge having two equal spans of 115 feet, one span of 53 feet 8 inches and an approximate underclearance of 20 feet across French Creek WWF, Nominated 1-A Scenic on a new alignment. The project is located across French Creek upstream of the existing Third Street Bridge SR 3017 in the Borough of Utica approximately 3 miles west of the intersection of SR 322 and SR 3017 (Utica, PA Quadrangle N: 11.4 inches; W: 11.0 inches) located in the Borough of Utica, **Venango County**.

ACTIONS

FINAL ACTIONS TAKEN UNDER THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

[National Pollution Discharge Elimination System Program (NPDES)]

DISCHARGE OF CONTROLLED INDUSTRIAL WASTE AND SEWERAGE WASTEWATER

(Part I Permits)

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications and requests for plan approval and has issued the following significant orders.

Persons aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania

Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

Actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).

Southeast Regional Office: Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-6130.

WQM Permit No. 5100201. Industrial Waste. **National Railroad Passenger Corp. (Amtrak)**, 30th and Race Streets, Philadelphia, PA 19104. Applicant is granted approval for the installation of an ion exchange unit to serve Amtrak stormwater industrial treatment plant located in the City of Philadelphia, **Philadelphia County**.

WQM Permit No. 2300401. Sewerage. **Concord Township Sewer Authority**, P. O. Box 171, 689 Smithbridge Road, Concordville, PA 19331. Applicant is granted approval for the construction and operation of a pressure force main to serve eight existing single family homes located in Concord Township, **Delaware County**.

Northeast Regional Office: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

Permit No. 6400401. Sewerage. **Texas Township Municipal Authority**, Old Willow Avenue, Honesdale, PA 18431. Permit for construction of a sanitary sewer collection system to service the Indian Orchard area of Texas Township, **Wayne County**.

Southcentral Regional Office: Regional Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4707.

Permit No. PA0070335 Amendment No. 1. Industrial waste. **McConway & Torley Corporation** (Kutztown Foundry Division), 230 Railroad Street, Kutztown, PA 19530 is authorized to discharge from a facility located in Kutztown Borough, **Berks County** to the receiving waters named Sacony Creek.

Permit No. PA0081655. Industrial waste. **Philadelphia Mixres**, 1221 East Main Street, Palmyra, PA 17078 is authorized to discharge from a facility located in Palmyra Borough, **Lebanon County** to the receiving waters named Killinger Creek.

Permit No. PA0080837. Sewerage. **John D. Walter**, Conodoguinet Mobile Estates, P. O. Box 175, Newville, PA 17241 is authorized to discharge from a facility located in Lower Mifflin Township, **Cumberland County** to the receiving waters named Conodoguinet Creek.

Permit No. PA0083453. Industrial waste. **Montour Oil Service Company** (Harrisburg Terminal), 112 Broad Street, Montoursville, PA 17754 is authorized to discharge from a facility located in Swatara Township, **Dauphin County** to the receiving waters named Spring Creek (by storm sewer).

Permit No. PA0082732. Sewerage. **East St. Clair Township Municipal Authority** (Stone Creek STP),

P. O. Box 55, Fishertown, PA 15539 is authorized to discharge from a facility located in East St. Clair Township, **Bedford County** to the receiving waters named Dunning Creek.

Permit No. PA0043257 Amendment No. 1. Sewerage. **New Freedom Borough Authority**, 150 East Main Street, New Freedom, PA 17349 is authorized to discharge from a facility located in Railroad Borough, **York County** to the receiving waters named South Branch Codorus Creek.

Permit No. PA0041581. Sewerage. **Liverpool Municipal Authority**, P. O. Box 357, Liverpool, PA 17045 is authorized to discharge from a facility located in Liverpool Township, **Perry County** to the receiving waters named Susquehanna River.

Permit No. PAG043635. Sewerage—Single Family Residence. **Lee R. Bierly**, 1879 Friedensburg Road, Reading, PA 19606 is authorized to discharge from a facility located in Alsace Township, **Berks County**, to the receiving waters named Antietam Creek.

Permit No. PA0080195. Industrial waste. **Supply Sales Company**, 1411 Lancaster Avenue, Columbia, PA 17512 is authorized to discharge from a facility located in Columbia Borough, **Lancaster County** to the receiving waters named unnamed tributary to Shawnee Run.

Permit No. PA0081451. Sewerage. **Red Lion Area School District** (Clearview Elementary School), 696 Delta Road, Red Lion, PA 17356 is authorized to discharge from a facility located in Chanceford Township, **York County** to the receiving waters named West Branch Toms Run.

Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

NPDES Permit No. PA0094404. Sewerage. **Antiochian Orthodox Christian Archdiocese of North America**, P. O. Box 638, Ligonier, PA 15658-0638 is authorized to discharge from a facility located at Antiochian Village STP, Fairfield Township, **Westmoreland County** to receiving waters named Unnamed Tributary of Hendricks Creek.

NPDES Permit No. PA0095303. Sewerage. **Purchase Line School District**, 16559 Route 286 Highway E, P. O. Box 374, Commodore, PA 15729-0374 is authorized to discharge from a facility located at Purchase Line School District Sewage Treatment Plant, Green Township, **Indiana County** to receiving waters named Unnamed Tributary of East Run.

NPDES Permit No. PA0110981. Sewerage. **John J. and Rosalyn M. Keslar**, P. O. Box 63, Rector, PA 15677 is authorized to discharge from a facility located at Jioio's Restaurant STP, Conemaugh Township, **Somerset County** to receiving waters named Bens Creek.

Permit No. 0381204-A4. Industrial waste. **Sithe Northeast Management Company**, 1001 Broad Street, Johnstown, PA 15907. Modification and operation of a Wastewater Treatment Facility, Coal Fired Electric Power Generation Station located in Plum Creek Township, **Armstrong County** to serve Keystone Generating Station, West Valley Disposal Site.

Permit No. 0400201. Industrial waste. **Ron Corigliano**, C & C Marine Maintenance Company, P. O. Box 610, Dunlevy, PA 15432. Construction of barge washing facility located in Georgetown Borough, **Beaver County** to serve Georgetown Landing.

Permit No. 0200402. Sewerage. **Sanitary Authority of Elizabeth Township**, 522 Rock Run Road, Buena Vista, PA 15018. Construction of Interceptor Sewer and Gravity Collection Sewer System located in Elizabeth Township, **Allegheny County** to serve Blythdale and Douglas Run Areas Phases I and II of Arrowhead Lakes Project.

Permit No. 0400402. Sewerage. **Melanie B. Kelly**, 2 Emerald Lane, Ambridge, PA 15003. Construction of Single Residence Sewage Treatment Plant located in Harmony Township, **Beaver County** to serve Kelly Property STP.

Permit No. 3299405. Sewerage. **Conemaugh Township Municipal Water and Sewer Authority**, R. D. 1, Box 206, Saltsburg, PA 15681. Construction of sanitary sewerlines, pump station and sewage treatment plant located in Conemaugh Township, **Indiana County** to serve Conemaugh Township STP.

Permit No. 5600401. Sewerage. **James R. Latshaw II**, 307 West Church Street, Somerset, PA 15501. Construction and operation of a sewage treatment plant located in Black Township, **Somerset County** to serve the Latshaw Single Residence.

Permit No. 5692401-A5. Sewerage. **Somerset Township Municipal Authority**, Somerset Township Water Department, P. O. Box 247, Somerset, PA 15501-0247. Construction of sewage treatment plant modification located in Black Township, **Somerset County** to serve SCI—Somerset Sewage Treatment Plant.

Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335, (814) 332-6942.

NPDES Permit No. PA0032760. Sewerage. **Pennsylvania Department of Transportation, Safety Rest Area Site No. 17 (I-79 North)**, P. O. Box 3060, Harrisburg, PA 17105-3060 is authorized to discharge from a facility located in Deer Creek Township, **Mercer County** to an unnamed tributary to Lake Wilhelm.

NPDES Permit No. PA0032751. Sewerage. **Pennsylvania Department of Transportation, Safety Rest Area Site No. 18 (I-79 South)**, P. O. Box 3060, Harrisburg, PA 17105-3060 is authorized to discharge from a facility located in Deer Creek Township, **Mercer County** to an unnamed tributary to Black Run.

WQM Permit No. 6100402. Sewerage. **Pleasantville Borough**, 114 West Street, P. O. Box 150, Pleasantville, PA 16341-9741. This project is for the construction and operation of dechlorination facilities at the Pleasantville sewage treatment plant in Pleasantville Borough, **Venango County**.

INDIVIDUAL PERMITS

(PAS)

The following approvals for coverage under NPDES Individual Permit for discharge of stormwater from construction activities have been issued.

These actions of the Department of Environmental Protection (Department) may be appealed to the Environmental Hearing Board (Board), Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483, by any aggrieved person under the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law). Appeals must be filed with the Board within 30 days from the date of this issue of the *Pennsylvania Bulletin* unless the appropriate statute provides a differ-

ent time period. Copies of the appeal form and the Department's regulations governing practice and procedure before the Board may be obtained from the Board.

Southcentral Regional Office: Section Chief, Water Management Program, Soils and Waterways Section, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4707.

PAS-10-H085. Individual NPDES. **Carlisle Evangelical Free Church**, 209 Petersburg Road, Carlisle, PA 17013. To Implement an Erosion and Sedimentation

Control Plan for the construction of a church building and its associated improvements on 10 acres in South Middleton Township, **Cumberland County**. The project is located at the west side of Petersburg Road about 0.5 mile south of I-81 Interchange No. 15 (Carlisle, PA Quadrangle N: 11.1 inches; W: 5.7 inches). Drainage will be to Letort Spring Run. (EV-CWF)

Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6942.

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County and Municipality</i>	<i>Receiving Stream</i>
PAS10E071	Mark R. Denny 110 Dingle Road West Sunbury, PA 16061	Butler County Clay Township	Unnamed Tributary to Muddy Creek (HQ-CWF)

Southwest Regional Office: Regional Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County and Municipality</i>	<i>Receiving Stream</i>
PAS10A052-3	McMetro Partnership 315 Payday Drive Elizabeth, PA 15037	Allegheny County North Fayette Township Robinson Township	UNT Montour Run Pinkerton Run
PAS10A111	William R. Hofer and Marion Hofer 100 O'Hara Woods Drive Pittsburgh, PA 15238	Allegheny County Fox Chapel Borough Indiana Township	UNT Squaw Run
PAS10W078	BAR Development Company 772 Pine Valley Road Pittsburgh, PA 15239	Washington County North Strabane Township	Little Chartiers Creek
PAS10W079	William B. Stewart and Pamela W. Stewart	Washington County Buffalo Township Canton Township	UNT Buffalo Creek UNT Canton Creek

INDIVIDUAL PERMITS

(PAR)

Approvals to Use NPDES and/or Other General Permits

The following parties have submitted (1) Notices of Intent (NOIs) for Coverage under General NPDES Permit(s) to discharge wastewater into the surface waters of this Commonwealth; (2) NOIs for coverage under General Permit(s) for Beneficial Use of Sewage Sludge or Residential Septage by Land Application in Pennsylvania; or (3) Notifications for First Land Application of Sewage Sludge.

The approval of coverage under these General Permits may be subject to one or more of the following: pollutant or effluent discharge limitations, monitoring and reporting, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions set forth in the respective general permit. The Department of Environmental Protection (Department) has reviewed the NOIs and determined that they comply with administrative requirements of the respective permit application. Also, the Department has evaluated the First Land Application of Sewage Sludge for the sites applying for coverage under PAG-7, PAG-8 and PAG-9 and determined that the sites are suitable for land application of sewage sludge.

The EPA Region III Regional Administrator has waived the right to review or object to this permit action under the waiver provision: 40 CFR 123.24.

The application and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted.

List of General Permit Type

PAG-1	General Permit For Discharges From Stripper Oil Well Facilities
PAG-2	General Permit For Discharges of Stormwater From Construction Activities
PAG-3	General Permit For Discharges of Stormwater From Industrial Activities
PAG-4	General Permit For Discharges From Single Residence Sewage Treatment Plant
PAG-5	General Permit For Discharges From Gasoline Contaminated Ground Water Remediation Systems

*List of
General Permit Type*

PAG-6	General Permit For Wet Weather Overflow Discharges From Combined Sewer Systems
PAG-7	General Permit For Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit For Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-9	General Permit For Beneficial Use of Residential Septage By Land Application to Agricultural Land, Forest or a Land Reclamation Site
PAG-10	General Permit for Discharges Resulting from Hydrostatic Testing of Tanks and Pipelines

General Permit Type—PAG-2

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream, Body of Water or Site Name and Address</i>	<i>Contact Office and Telephone No.</i>
Luzerne County Wilkes-Barre Township	PAR10R193	Greater Wilkes-Barre Ind. Fund 2 Public Square P. O. Box 5340 Wilkes-Barre, PA 18710-5340	Susquehanna River	(570) 674-7991
Caernarvon Township Berks County	PAR-10-C306	Farren Hill Subdivision Douglas Abbonizio/Farren Dev. Co. 1302 Farrem Ave. West Chester, PA 19380	East Branch of Conestoga River	Berks County CD P. O. Box 520 1238 County Welfare Road Leesport, PA 19533 (610) 372-4657
Susquehanna Township Dauphin County	PAR-10-I230	Bethel AME Church 715 North Sixteenth Street Harrisburg, PA 17103	Paxton Creek	Dauphin County CD 1451 Peters Mountain Road Dauphin, PA 17018 (717) 921-8100
Londonderry Township Dauphin County	PAR-10-I234	Richard E. and Gwendlyn H. Wright 13 Para Avenue Hershey, PA 17033	Swatara Creek	Dauphin County CD 1451 Peters Mountain Road Dauphin, PA 17018 (717) 921-8100
Guilford Township Franklin County	PAR-10-M176-1	WCN Properties, Inc. Lot No. 24 and 25 2294 Molly Pitcher Highway Chambersburg, PA 17201	UNT to Conococheague Creek	Franklin County CD 550 Cleveland Avenue Chambersburg, PA 17201 (717) 264-8074
Erie County Millcreek Township	PAR10K154	Millcreek Dump Site Group c/o Demaximis, Inc. 301 Gallaher View Rd. Suite 227 Knoxville, TN 37919	Lake Erie Tributary (CWF)	Erie Conservation Dist. 12723 Route 19 P. O. Box 801 Waterford, PA 16441 (814) 796-4203
Jefferson County Brookville Borough	PAR103334	WRC Community and Health Services (Laurelbrook Landing) R. D. 5, Box 47C Brookville, PA 15825	Unnamed Tributary to Redbank Creek	Jefferson Conservation District R. R. 5, Box 51 Brookville, PA 15825 (814) 849-7463

General Permit Type—PAG-3

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream, Body of Water or Site Name and Address</i>	<i>Contact Office and Telephone No.</i>
Lancaster County Manheim Township	PAR203538	Precision Form, Inc. 148 West Airport Road Lititz, PA 17543	Bachman Run Stream	DEP—Southcentral Region 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream, Body of Water or Site Name and Address</i>	<i>Contact Office and Telephone No.</i>
Cumberland County Hampden Township	PAR203521	True Temper Hardware P. O. Box 8859 Camp Hill, PA 17011	Cedar Run	DEP—Southcentral Region 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
New Beaver Borough Lawrence County	PAR218313	Doren, Inc. P. O. Box 55 R. R. 2, Route 18 Wampum, PA 16157	Beaver River	DEP—Northwest Region Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Wampum Borough Lawrence County	PAR218317	Universal Refractories, Inc. 915 Clyde Street P. O. Box 97 Wampum, PA 16157-0097	Eckles Run	DEP—Northwest Region Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Cranberry Township Butler County	PAR808349	Federal Express Corporation 1980 Nonconnah Boulevard Memphis, TN 38194-1849	Unnamed Tributary of Brush Creek	DEP—Northwest Region Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
City of Erie Erie County	PAR808351	Mountfort Terminal, Ltd. P. O. Box 1000 Erie, PA 16512-1000	Presque Isle Bay	DEP—Northwest Region Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Bell Township Jefferson County	PAR808371	Punxsutawney Airport Authority P. O. Box 365 Punxsutawney, PA 15767	Unnamed Tributary to Mahoning Creek Basins	DEP—Northwest Region Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

General Permit Type—PAG-4

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream, Body of Water or Site Name and Address</i>	<i>Contact Office and Telephone No.</i>
Franklin County Hamilton Township	PAG043642	Carl R. Gochenauer 3361 Keefer Road Chambersburg, PA 17201	UNT to Rocky Spring Creek	DEP—Southcentral Region 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Bedford County Kimmel Township	PAG043643	Pamela Walter R. R. 1 Claysburg, PA 16625	UNT to Beaverdam Creek	DEP—Southcentral Region 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Bedford County West St. Clair Township	PAG043644	F. Steve Wolfehope 568 Lovely Road Alum Bank, PA 15521	Georges Creek	DEP—Southcentral Region 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707

NOTICES

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream, Body of Water or Site Name and Address</i>	<i>Contact Office and Telephone No.</i>
Juniata County Fayette Township	PAG043539	Douglas R. and Jennie L. Elsasser P. O. Box 1 Cocolamus, PA 17014	Cocolamus Creek	DEP—Southcentral Region 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Beaver County Harmony Township	PAG046202	Melanie B. Kelly 2 Emerald Avenue Ambridge, PA 15003	Drainage Swale to Big Sewickley Creek	Southwest Regional Office: Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000
Somerset County Black Township	PAG046205	James R. Latshaw II 307 West Church Street Somerset, PA 15501	Coxes Creek	Southwest Regional Office: Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000
Lackawannock Township Mercer County	PAG048657	Anita L. Kammerdiener 196 Horvath Farms Road Hermitage, PA 16148	Unnamed Tributary of Magargee Run	DEP—Northwest Region Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Brokenstraw Township Warren County	PAG048336	John W. McCanna R. R. 1, Box 55 Youngsville, PA 16371-9606	Indian Camp Run	DEP—Northwest Region Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Hempfield Township Mercer County	PAG048353	Nicholas Barbosa, Jr. 371 Fredonia Road Greenville, PA 16125	Unnamed Tributary of Mathay Run	DEP—Northwest Region Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Sugar Grove Township Warren County	PAG048664	Douglas T. and Chiyo T. Grant P. O. Box 528 Sugar Grove, PA 16350	Unnamed Tributary of Stillwater Creek	DEP—Northwest Region Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

General Permit Type—PAG-8

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream, Body of Water or Site Name and Address</i>	<i>Contact Office and Telephone No.</i>
South Annville Township Lebanon County	PAG-08-3504	Annville Township P. O. Box 320 Annville, PA 17003	Berger Farm South Annville Township Lebanon County	DEP—Southcentral Regional Office 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707

**SEWAGE FACILITIES ACT
PLAN APPROVAL**

Plan approval granted under the Pennsylvania Sewage Facilities Act (35 P. S. §§ 750.1—750.20).

Northeast Regional Office: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

Branch Township, Schuylkill County.

The Plan Revision calls for Branch Township to enter into a joint project with neighboring Cass Township to construct a regional sewer system. A sanitary sewage collection and conveyance system will be constructed to serve approximately 672 Equivalent Dwelling Units (EDUs) in the following areas of Branch Township: Llewellyn, West Terrace, Phoenix Park, Dowdowntown and New Minersville. The sewage from these areas will be conveyed to a 450,000 gallons per day (gpd) treatment plant that will be constructed south of the Village of Llewellyn, with a treated effluent discharge to the West Branch of the Schuylkill River. In addition, a sewage collection system and a 5,000 gpd package sewage treatment plant will be constructed to serve approximately 20 EDUs in the Village of Stein's Mill. Treated effluent from the Stein's Mill plant will be discharged into Muddy Branch Creek.

The plan is approved with the following conditions:

1. The approved project will require NPDES Permits for the proposed effluent discharges. The permit applications must be submitted in the name of the municipality or authority, as appropriate.

2. The approved project will require Water Management Part II Permits for the construction and operation of the proposed sewage facilities. The permit applications must be submitted in the name of the municipality or authority, as appropriate.

Issuance of a Part II Permit will be based upon a technical evaluation of the permit application and supporting documentation. Starting construction prior to obtaining a Part II Permit is a violation of The Clean Streams Law.

3. Other Departmental permits may be required for construction if encroachment to streams or wetlands will result. Information regarding the requirements for such permits or approvals can be obtained from the Department's Soils and Waterways Section by contacting (570) 826-2553.

It is now Branch Township's responsibility to implement the Plan Revision in accordance with the schedule contained therein.

Northeast Regional Office: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2553.

Location: State Route 946, 1 mile west of the intersection of 946 and SR 987 in Moore Township, **Northampton County**. *Project Description:* This project proposes the expansion and renovation of the existing Moore Township Elementary School comprising 17.62 acres. The school and its facilities serve 735 students and faculty at this time. An existing activated sludge package treatment plant serves the school. The plant has a permitted discharge of 6,420 gpd of treated effluent to an unnamed tributary of the Hokendauqua Creek. The existing metered water consumption rate of the school population is 4,238 gpd. The treatment plant will undergo renovations

including the addition of flow equalization facilities and a new effluent tank incorporating chlorination, dechlorination, polishing clarifier and a post aeration compartment will be installed. The anticipated student/faculty population after renovation to the school is 970, which will generate a water consumption rate of 5,620 gpd. An existing well provides water to the school.

Northcentral Regional Office: Water Management Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448, (570) 327-0530.

Location: Troy Township, **Bradford County**. Fallbrook Road southwest of Troy Borough and the area along Rt. 14 north of Rt. 6 to the Troy Township line.

Project Description: This project proposes to extend gravity sewer service to serve 120 existing EDUs. The sewage will be conveyed to and be treated at the existing Troy Borough sewage treatment plant.

The Department's review of the sewage facilities update revision has not identified any significant negative environmental impacts resulting from this proposal.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

Northeast Regional Office: Sanitarian Regional Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-2511.

Permit No. 4800501. Public water supply. **Easton Suburban Water Authority**, Roy White, P. O. Box 3819, Easton, PA 18043. This proposal involves replacing three existing pumps with two 2.5 mgd pumps, installing new inside/outside piping, installing 1,380 linear feet of 24-inch transmission main and surge control, and installing electrical service, instrumentation, SCADA System, and heating/ventilation improvements at Easton Suburban Water Authority's existing Knox Avenue Pump Station. It is located in the City of Easton, **Northampton County**. Permit issued on March 19, 2000.

Permit No. 5499501. Public water supply. **Eagle Springs Inc.**, Valley View Springs II, Richard J. Withelder, Tremont, PA 17981. This proposal involves the addition of a spring source, Valley View Springs II. It is located in Hegins Township, **Schuylkill County**. Permit issued on February 16, 2000.

Permit No. 5499506. Public water supply. **Mountain Water Authority of Joliett**, Charles Yerges, Treasurer, 23 Joliett Street, Joliett, PA 17981. This proposal involves the addition of Corrosion Control treatment facilities consisting of pH/Alkalinity adjustment with soda ash with provisions for the addition of corrosion inhibitor, zinc orthophosphate. It is located in Porte and Tremont Townships, **Schuylkill County**. Permit issued on March 22, 2000.

Permit No. 3590501T1. Public water supply. **Lakeside Village Mobile Home Park**, Mount Pennbrook, Inc., P. O. Box 974, Moscow, PA 18444, Brian Moore, President. This proposal involves the modification of an existing water supply serving Lakeside Village MHP. Facilities include one well, disinfection station, storage and distribution. It is located in Madison Township, **Lackawanna County**. Permit issued on March 28, 2000.

Permit No. 3546485. Special Permit by Rule. **Elizabethtown Crystal Pure Water Company**, 1016 West Ridge Road, Elizabethtown, PA 17022, Raymond R.

Diener. Approval to operate a vending machine to BG's Value Market in the Northeast Region. Permit issued on April 10, 2000.

Minor Amendment to Tobyhanna Army Depot, c/o Randy Didier, Chief, 11 Hap Arnold Boulevard SDSTO-EM, Tobyhanna, PA 18466. It is located in Tobyhanna Township, **Monroe County**. Permit issued on April 7, 2000.

Minor Amendment to Hazleton City Authority—Water Department, Randy Cahalan, 400 East Arthur Gardner Parkway, Hazleton, PA 18201. It is located in Hazleton City, **Luzerne County**. Permit issued on March 10, 2000.

Operations Permit—Emergency Permit issued to All-Tyme, Inc., on April 10, 2000, located in Honesdale Borough, **Wayne County**.

Operations Permit No. 3480055. Issued to **Citizens Utility Water Company of Pennsylvania**, on April 7, 2000, located in Wind Gap Borough, **Northampton County**.

Operations Permit No. 2409013. Issued to **PAWC (Huntsville WTP)** on March 27, 2000, located in Dallas Township, **Luzerne County**.

Operations Permit No. 3480037. Issued to **Cedar Grove Mobile Home Park**, on April 5, 2000, located in Lower Mount Bethel Township, **Northampton County**.

Operations Permit No. 2450053. Issued to **Tobyhanna Army Depot** on April 12, 2000, located in Tobyhanna Township, **Monroe County**.

Southcentral Regional Office: Sanitarian Regional Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4708.

Permit No. 6799506. Public water supply. **James Dorwart**, Fairview Township, **York County**. *Responsible Official*: James Dorwart, 1375 Old Quaker Road, Etters, PA 17319. *Type of Facility*: Issuance of an Operation Permit on April 10, 2000, authorizing use of Well No. 2, at a rate of up to 90 gallons per minute, as a source of supply for the Dorwart Apartments. Treatment will be provided utilizing existing, previously permitted facilities. *Consulting Engineer*: Jerry Stahlman, P.E., Stallman & Stahlman, Inc., 139 E. Market St., York, PA 17401. Permit to Operate Issued: April 10, 2000.

Permit No. 2199504. Public water supply. **Lindenwood—Pressure Booster Station**, Upper Allen Township, **Cumberland County**. *Responsible Official*: Mike Gephart, Sr. Project Engineer, 4211 East Park Circle, P. O. Box 4151, Harrisburg, PA 17111-0151. *Type of Facility*: Booster pump station to serve the Lindenwood development. *Consulting Engineer*: Bony R. Dawood, PE, Dawood Engineering, Inc., P. O. Box 246, Enola, PA 17025. Permit to Construct Issued: April 17, 2000.

Regional Office: Northcentral Field Operations, Environmental Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701.

Permit No. Minor Permit Amendment—Construction. The Department issued a Minor Permit Amendment Construction Permit to **Consumer's Pennsylvania Water Company**, Susquehanna Division, 204 East Sunbury Street, Shamokin, PA 17872-4859, Athens Borough, **Bradford County**. This permit authorizes upgrading of

the Well 19 pump house to ensure a reliable supply of water to the water company's customers.

Permit No. Minor Amendment. The Department issued a Minor Amendment Operation Permit to **Pennsylvania-American Water Company**, Moshannon District, 800 Hershey Park Drive, P. O. Box 888, Hershey, PA 17033-0888, Graham Township, **Clearfield County**. This permit authorizes operation of the wastewater clarifier at the Shady Acres finished water storage tank which was recently rehabilitated.

Permit No. Minor Amendment. The Department issued a Minor Amendment Operation Permit to **Pennsylvania-American Water Company**, Moshannon District, 800 Hershey Park Drive, P. O. Box 888, Hershey, PA 17033-0888, Rush Township, **Centre County**. This permit authorizes operation of the wastewater clarifier at the Philipsburg filter plant which was recently modified.

Northwest Regional Office, Regional Manager, 230 Chestnut Street, Meadville, PA, (814) 332-6899.

Permit No. 6199501. Public water supply. **General Authority of the City of Franklin**, 430 Thirteenth Street, Franklin, PA 16323 has been issued a permit for the construction of a corrosion control treatment facility at the Elk Street Extension and 9th Street plants in the City of Franklin, **Venango County**. *Type of Facility*: Community Water Supply. *Consulting Engineer*: Olgierd K. Wodzianski, P.E., Wodzianski & Smith Inc. Engineers, 1322 Elk Street, Franklin, PA 16323. *Permit to Construct Issued*: April 17, 2000.

HAZARDOUS SITES CLEANUP

Under the Act of October 18, 1988

Proposed Consent Order and Agreement

Filmore Site

Millcreek Township, Erie County

Under section 1113 of the Hazardous Sites Cleanup Act (35 P. S. §§ 6020.101—6020.1305) (HSCA), notice is hereby provided that the Department of Environmental Protection (Department) has agreed to a Consent Order and Agreement (CO&A) with Benjamin F. Kimmel concerning the resolution of his liability for the Filmore Site (Site). The Site is located at the end of Filmore Avenue in Millcreek Township, Erie County, PA.

In the past, hazardous substances were disposed at the Site and these substances contaminated the environment at the Site. The Department has incurred more than \$500,000 in response costs at the Site. The Department estimates that it will cost up to \$1.8 million dollars more to abate the release and threatened release of hazardous substances at the Site. As an owner of a portion of the Site subsequent to hazardous substance disposal and initial releases at the Site, and during the time of the release and threatened release of hazardous substances at the Site, Benjamin F. Kimmel is a "responsible person" as defined in section 103 of HSCA (35 P. S. § 6020.103). Under the terms of the CO&A, Benjamin Kimmel shall pay a total of \$45,000 to the Hazardous Sites Cleanup Fund in settlement of his share of responsibility for the cleanup of the Site. Benjamin F. Kimmel will also convey title of the portion of the Site that he owes to the Department, under the terms of the CO&A. The Department anticipates that the response action will be conducted at the Site during the 2000 construction season. This response will help mitigate the threat to human

health and the environment posed by the hazardous substances there.

The specific terms of this settlement are set forth in the CO&A between the Department and Benjamin Kimmel. The Department will receive and consider comments relating to the CO&A for 60 days from the date of this Public Notice. The Department has the right to withdraw its consent to the CO&A if the comments concerning the CO&A disclose facts or considerations which indicate that the CO&A is inappropriate, improper or not in the public interest. After the public comment period, the Department's settlement with Benjamin Kimmel shall be effective upon the date that the Department notifies Benjamin Kimmel, in writing, that this Consent Order and Agreement is final and effective in its present form, and that the Department has filed a response to significant written comments to the CO&A, or that no such comments were received.

The CO&A is available for inspection and copying at the Department's office at 230 Chestnut Street, Meadville, PA. Comments may be submitted, in writing, to Charles L. Tordella, Project Manager, Department of Environmental Protection, Hazardous Sites Cleanup, 230 Chestnut Street, Meadville, PA 16335. Further information may be obtained by contacting Charles Tordella at (814) 332-6648. TDD users may contact the Department through the Pennsylvania Relay Service at (800) 645-5984.

Notice of Prompt Interim Response

Chemigraphics Site

Whitpain Township, Montgomery County

The Department of Environmental Protection (Department) is issuing this notice under section 506(b) of the Hazardous Sites Cleanup Act (35 P. S. §§ 6020—6020.101—6020.1304) (HSCA).

The Department, under the authority of HSCA, began an interim response action on September 16, 1998, at the Chemigraphics Site (Site), located at Railroad Avenue and Mathers Road in Whitpain Township, Montgomery County. The Site has a plume of contaminated groundwater, and had a number of drums and containers of hazardous wastes and materials. Based on the ongoing release and imminent threat of release of hazardous substances at the Site, and corresponding threats to human health and the environment, the Department decided that it was necessary to implement a prompt interim response action at the Site under authority under sections 501(a) and 505(b) of HSCA (35 P. S. §§ 6020.501(a) and 6020.505(b)). The Department determined that prompt action was required to protect the public health and safety and the environment from the ongoing release and threat of release of hazardous substances.

The Department made its decision to implement a prompt interim response at the Site because of the community's actual or potential exposure to hazardous substances by inhalation, ingestion and dermal contact. The formerly unused portions of the facility were being put back into active use, and as a result the probability of exposure to stored materials increased. Because of these conditions, the Department determined that prompt action was required to protect the public health and safety, and the environment within the meaning of 25 Pa. Code 3.21(b). The Department will conduct further investiga-

tions of Site conditions concurrent with, and following, the prompt interim response action.

The objectives of the prompt interim response action were to remove and properly dispose of hazardous wastes and materials that the Department had stored on the Site. The Department considered two alternative interim response actions for the Chemigraphics Site:

Alternative 1) No Action. A "No Action" alternative provides a baseline against which all other alternatives can be prepared and/or judged. Had the Department selected the "No Action" alternative, any actual or potential health and environmental risk posed by the Site would have remained the same.

Alternative 2) Waste Removal and Disposal. This alternative consisted of shipping the stored wastes offsite to properly permitted disposal facilities.

In evaluating these alternatives, the Department considered the criteria of permanence, protection of human health and environment, and the alternatives' ability to meet applicable, relevant and appropriate State and Federal requirements (ARARs). The Department also considered cost-effectiveness in analyzing the prompt interim alternatives. The Department determined that the "No Action" alternative would not be protective of the public health. The Department selected Alternative 2, "Waste Removal and Disposal." This alternative is protective of the public health and environment, complies with ARARs, and is feasible and effective. Due to the arrival of a new tenant at the facility, the Department determined that prompt action was required under the authority provided in section 505(b) of HSCA.

An Administrative Record which contains more detailed information concerning the prompt interim response action is available for public inspection. The Administrative Record may be examined from 8 a.m. to 4 p.m. at the Department's offices at Suite 6010, Lee Park, 555 North Lane, Conshohocken, PA 19428, (610) 832-6000. Individuals interested in examining the Administrative Record should contact April Flipse at (610) 832-5937 to arrange for an appointment.

An additional copy of the Administrative Record is available for review at the Wissahickon Valley Public Library, Ambler Branch, 209 Race Street, Ambler.

A public hearing is scheduled under section 506(d) of HSCA for June 13, 2000 at 7 p.m. at the Wissahickon Valley Public Library System, Blue Bell Branch, 650 Skippack Pike, Blue Bell, PA 19422. Persons who want to present formal oral comments regarding this prompt interim response may do so by registering with the Department before the meeting. Individuals may register by calling the Department's Community Relations Coordinator, John Gerdemann, at (610) 832-6228.

Persons with a disability who wish to attend the June 13 meeting and require auxiliary aid, service or other accommodation to participate in the proceedings should contact John Gerdemann at the telephone number listed or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

The public may also submit written comments regarding the Department's prompt interim response action during the period of public comment. Under section 506(c) of HSCA, the Department has established a period for public comment, which shall run from the date of this notice through August 4, 2000. Written comments should

be addressed to April Flipse, Project Officer, at the Department's address listed.

Individuals with questions concerning this notice should contact April Flipse at (610) 832-5937.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

Under Act 2, 1995

Preamble 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908) and Chapter 250 Administration of Land Recycling Program.

Provisions of 25 Pa. Code § 250.8 Administration of Land Recycling Program requires the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the Land Recycling and Environmental Remediation Standards Act (act). Plans and reports required by provisions of the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigations, concentration of regulated substances in environmental media, benefits of reuse of the property, and in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. A cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed, and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the content of the plans and reports, contact the Environmental Cleanup Program Manager in the Department's Regional Office under which the notice of the plan and report appears. If information concerning the plan and report is required in an alternative form, contact the community relations coordinator at the appropriate regional office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports.

Southeast Regional Office: Environmental Cleanup Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-5950.

Krouse Property, City of Philadelphia, **Philadelphia County**. A Final Report concerning remediation of site soil contaminated with petroleum hydrocarbons and

polycyclic aromatic hydrocarbons was submitted to the Department. The report demonstrated attainment of the Statewide health standards and was approved by the Department on October 30, 1997.

Northeast Fence & Ironworks, City of Philadelphia, **Philadelphia County**. A Final Report concerning remediation of site soil contaminated with PCBs, heavy metals and petroleum hydrocarbons and groundwater contaminated with heavy metals was submitted to the Department. The report demonstrated attainment of site-specific standards and was approved by the Department on October 1, 1997.

Northeast Regional Field Office: Joseph Brogna, Regional Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

Pennsylvania Power & Light Company (PP&L)—Distribution Pole No. 56095N49849 (Abington Road), North Abington Township, **Lackawanna County**. PP&L, Environmental Management Division, 2 North Ninth Street, Allentown, PA 18101 submitted a Final Report concerning the remediation of site soils found to be contaminated with PCBs (polychlorinated biphenyls). The final report demonstrated attainment of the Statewide health standard, and was approved on October 2, 1997.

Pennsylvania Power & Light Company (PP&L)—Distribution Pole No. 56526N50832 (Craig Road), North Abington Township, **Lackawanna County**. PP&L, Environmental Management Division, 2 North Ninth Street, Allentown, PA 18101 submitted a Final Report concerning the remediation of site soils found to be contaminated with PCBs (polychlorinated biphenyls). The final report demonstrated attainment of the Statewide health standard, and was approved on October 2, 1997.

Pennsylvania Power & Light Company (PP&L)—Distribution Pole No. 56475N44790 (Hamm Court), City of Scranton, **Lackawanna County**. PP&L, Environmental Management Division, 2 North Ninth Street, Allentown, PA 18101 submitted a Final Report concerning the remediation of site soils found to be contaminated with PCBs (polychlorinated biphenyls). The final report demonstrated attainment of the Statewide health standard, and was approved on October 2, 1997.

Pennsylvania Power & Light Company (PP&L)—Distribution Pole No. 56454N46658 (Simplex Drive), City of Scranton, **Lackawanna County**. PP&L, Environmental Management Division, 2 North Ninth Street, Allentown, PA 18101 submitted a Final Report concerning the remediation of site soils found to be contaminated with PCBs (polychlorinated biphenyls). The final report demonstrated attainment of the Statewide health standard, and was approved on October 2, 1997.

Pennsylvania Power & Light Company (PP&L)—Distribution Pole No. 59960S47145 (Applewood Drive), South Whitehall Township, **Lehigh County**. PP&L, Environmental Management Division, 2 North Ninth Street, Allentown, PA 18101 submitted a Final Report concerning the remediation of site soils found to be contaminated with PCBs (polychlorinated biphenyls). The final report demonstrated attainment of the Statewide health standard, and was approved on October 2, 1997.

Coleman Residence, Coaldale Borough, **Schuylkill County**. Glen E. Rieger, Senior Engineer with Environmental Strategies Corporation, Four Penn Center West, Suite 315, Pittsburgh, PA (on behalf of his clients,

Thomas and Kimberly Coleman, 53 East Phillips Street, Coaldale, PA) submitted a Final Report concerning the remediation of site soils found to be contaminated with petroleum hydrocarbons. The Final Report demonstrated attainment of the Statewide health standard, and was approved on September 10, 1997.

Southcentral Regional Office: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4705.

Bethlehem Steel Corp., Steelton and Highspire Boroughs, **Dauphin County**. A Final Report has been submitted concerning the remediation of site soils contaminated with heavy metals. The Final Report demonstrated attainment of the background standard, and was approved by the Department on October 31, 1997.

Bethlehem Steel Corp., Steelton and Highspire Boroughs, **Dauphin County**. A remedial investigation report, baseline risk assessment report and cleanup plan have been submitted concerning the remediation of site groundwater contaminated with solvents. These reports were approved by the Department on October 31, 1997.

Degol Carpet, Duncansville Borough, **Blair County**. A Final Report has been submitted concerning the remediation of site groundwater contaminated with solvents. The Final Report will demonstrate attainment of the background standard, and was approved by the Department on October 15, 1997.

Northwest Regional Office: Craig Lobins, Environmental Cleanup Program Manager, 230 Chestnut Street, Meadville, PA 16335, (814) 332-6648.

GTE Erie West Plant Facility, 1157 West 16th Street, City of Erie, **Erie County**. A Final Report concerning remediation of groundwater contaminated with solvents was submitted to the Department. The report demonstrated attainment of the site-specific standards and was approved by the Department on October 31, 1997.

GPU Front Street Parcel G-1, North of Front Street, City of Erie, **Erie County**. A Final Report concerning remediation of site soils and groundwater contaminated with PCBs (polychlorinated biphenyls), heavy metals and petroleum hydrocarbons was submitted to the Department. The report demonstrated attainment of Statewide health standards and was approved on October 2, 1997.

SOLID AND HAZARDOUS WASTE

HAZARDOUS WASTE, TREATMENT, STORAGE AND DISPOSAL FACILITIES

Permits issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to operate hazardous waste treatment, storage or disposal facility.

Regional Office: Northeast Regional Office, Regional Solid Waste Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-2516.

PAD No. 002389559. Keystone Cement Company, P. O. Box A, Bath, PA 18014-0058. A permit modification updating the Hazardous Waste Storage Permit to address significant changes to the permitted facility's construction, changes to permitted activities and new (post 1991) statutory and regulatory requirements. This permit modification also includes changes from the draft permit modification issued October 15, 1999 for public comment. The permit modification was approved in the Regional Office on April 11, 2000.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Permits issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and regulations to operate solid waste processing or disposal area or site.

Southeast Regional Office: Regional Solid Waste Manager, Lee Park, 555 North Lane, Suite 6010, Conshohocken, PA 19428.

Permit No. 101656. Accurate Recycling Corp., 300 East Baltimore Pike, Lansdowne, PA 19050. A permit modification was issued to Accurate for their C&D transfer station facility located in Upper Darby Township, **Delaware County**. This modification includes a facility expansion, a daily volume increase and an increase in operating hours. The permit was issued by the Southeast Regional Office on April 16, 2000.

Southcentral Regional Office: Regional Solid Waste Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4706.

Permit No. 101668. Barner Site Transfer Station, Mifflin County Solid Waste Authority, (P. O. Box 390, Lewistown, PA 17044-0390). Application for a transfer station in Derry Township, **Mifflin County**. Permit issued in the Regional Office on April 13, 2000.

Northcentral Regional Office: Regional Solid Waste Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701, (570) 327-3653.

Permit No. 300610. Masonite Landfill, Masonite Corporation (P. O. Box 311, Towanda, PA 18848). Repermitting of residual waste landfill located in Wysox Township, **Bradford County**, issued in the regional office on April 19, 2000.

Permits revoked under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to operate solid waste processing or disposal area or site.

Southeast Regional Office: Regional Solid Waste Manager, Suite 6010, Lee Park, 555 North Lane, Conshohocken, PA 19428.

Permit No. 603343(13). BIO GRO, P. O. Box 266, Somerset, PA 15501. This permit has been revoked in response to the permittees' request to revoke the permit for agricultural utilization of municipal sewage sludges on the Laurel Locks Farm located in North Coventry Township, **Chester County**. Permit revoked in the Southeast Regional Office on April 11, 2000.

AIR QUALITY

OPERATING PERMITS

General Plan Approval and Operating Permit usage authorized under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southeast Regional Office: Air Quality Program, 555 North Lane, Conshohocken, PA 19428, (610) 832-6242.

09-302-081GP: Hines Color (6071 Durham Road, Pipersville, PA 18947) on March 29, 2000, for a hot water boiler in Plumstead Township, **Bucks County**.

15-312-034GP: West Chester University (University Avenue, West Chester, PA 19383) for a boiler in West Chester Borough, **Chester County**.

Northeast Regional Office: Air Quality Program, Two Public Square, Wilkes-Barre, PA 17811-0790, (570) 826-2531.

45-310-017GP: Haines & Kibblehouse, Inc. (Locust Ridge Quarry, P. O. Box 196, Skippack, PA 19474) on April 13, 2000, for relocation and operation of a Hazmag portable stone plant in Tobyhanna Township, **Monroe County**.

45-310-018GP: Haines & Kibblehouse, Inc. (Locust Ridge Quarry, P. O. Box 196, Skippack, PA 19474) on April 13, 2000, for relocation and operation of a Cedar Rapids portable stone plant in Tobyhanna Township, **Monroe County**.

40-323-012GP: Reilly Finishing Technologies (130 Alden Road, Nanticoke, PA 18634) on April 21, 2000, for construction and operation of a burnoff oven in Nanticoke Borough, **Luzerne County**.

54-310-025GP: Lehigh Asphalt Paving & Construction Co. (P. O. Box 1089, Glenside, PA 19038) on April 21, 2000, for construction and operation of a portable stone crushing plant in Porter Township, **Schuylkill County**.

Southcentral Regional Office: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4702.

GP3-06-3115: Haines & Kibblehouse, Inc. (P. O. Box 196, Skippack, PA 19474) authorized use of a general permit for installation/operation of a portable non-metallic mineral processing plant in Cumru Township, **Berks County**.

Operating Permits issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southcentral Regional Office: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4702.

22-322-001A: Dauphin Meadows, Inc. (Route 209, Millersburg, PA 17061) on April 24, 2000, for operation of a landfill gas extraction system controlled by an enclosed ground flare in Upper Paxton and Washington Townships, **Dauphin County**.

36-317-105D: Kellogg U.S.A., Inc. (2050 State Road, Lancaster, PA 17604) on April 24, 2000, for operation of corn lines controlled by rotoclones and fabric collectors in East Hempfield Township, **Lancaster County**.

Northwest Regional Office: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6940.

PA-20-284A: Multi-Tool, Inc. (Route 198 South Street, P. O. Box 708, Saegertown, PA 16433) on February 28, 2000, for operation of two chrome plating tanks in Saegertown, **Crawford County**.

PA-25-070B: Gunite EMI Corp. (603 West 12th Street, Erie, PA 16501) on March 31, 2000, for operation of a paint spray booth in Erie, **Erie County**.

Administrative Amendment of Operating Permits issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southeast Regional Office: Air Quality Program, 555 North Lane, Conshohocken, PA 19428, (610) 832-6242.

OP-46-0015: Occidental Chemical (Armand Hammer Boulevard, Pottstown, PA 19464) on March 29, 2000, for Facility VOCs/NOx in Lower Pottsgrove Township, **Montgomery County**.

OP-09-0022: Cleveland Steel Container Corp. (350 Mill Street, Quakertown, PA 18951) on March 31, 2000, for fountain solution in Quakertown Borough, **Bucks County**.

OP-09-0001A: Avery Dennison Corp. (35 Penn Am Drive, Quakertown, PA 18951) on April 13, 2000, for Facility VOC/NOx RACT in Richland Township, **Bucks County**.

OP-09-0013: Wheelabrator Falls, Inc. (1201 New Ford Mill Road, Morrisville, PA 19067) on April 13, 2000, for Facility VOC in Falls Township, **Bucks County**.

OP-09-0021: MRI Flexible Packaging (122 Penns Trail, Newtown, PA 18940) on April 17, 2000, for Facility VOCs/NOx RACT in Newtown Township, **Bucks County**.

OP-46-0024: McNeil Consumer Healthcare (7050 Camp Hill Road, Fort Washington, PA 19428) on April 21, 2000, for Facility VOCs/NOx RACT in Whitemarsh Township, **Montgomery County**.

OP-09-0022: Cleveland Steel Container Corp. (350 Mill Street, Quakertown, PA 18951) on March 24, 2000, for fountain solution in Quakertown Borough, **Bucks County**.

OP-46-0035: SmithKline Beecham Pharmaceuticals (709 Swedeland Road, King of Prussia, PA 19406) on March 24, 2000, for two emergency generators in Upper Merion Township, **Montgomery County**.

OP-46-0050: Rohm & Haas DVI (727 Norristown Road, Spring House, PA 19477) on February 23, 2000, for Synthetic Minor NOx Facility in Lower Gwynedd Township, **Montgomery County**.

Northcentral Regional Office: Air Quality Program, 208 West Third Street, Suite 101, Williamsport, PA 17701, (570) 327-3637.

49-302-051: Kurt Weiss Greenhouses of Pennsylvania, Inc. (10 Arcos Road, P. O. Box C, Mt. Carmel, PA 17851) on April 13, 2000, to incorporate conditions established in Plan Approval 49-302-051A for two 17,600,000 BTU per hour natural gas/#2 fuel oil fired boilers equipped with low NOx (nitrogen oxides) burners in Mt. Carmel Township, **Northumberland County**. The boilers are subject to Subpart Dc of the Federal Standards of Performance for New Stationary Sources.

Operating Permits Minor Modification issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Northeast Regional Office: Air Quality Program, Two Public Square, Wilkes-Barre, PA 17811-0790, (570) 826-2531.

48-309-109: Keystone Cement Co. (P. O. Box A, Bath, PA 18014) for minor modification and consolidation of permits in East Allen Township, **Northampton County**.

39-310-002C: Eastern Industries, Inc. (4401 Camp Meeting Road, Center Valley, PA 18034) for minor modification of a crushing operation in Whitehall Township, **Lehigh County**.

PLAN APPROVALS

Plan Approvals issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southeast Regional Office: Air Quality Program, 555 North Lane, Conshohocken, PA 19428, (610) 832-6242.

PA-15-0055: Highway Materials, Inc. (850 Quarry Road, Downingtown, PA 19335) on March 6, 2000, for operation of a baghouse in East Caln Township, **Chester County**.

PA-09-0063A: New Hope Crushed Stone Co. (6970 Phillips Mill Road, New Hope, PA 18938) on March 10, 2000, for operation of a stone crushing plant in Solebury Township, **Bucks County**.

PA-23-0001N: Sunoco, Inc. (R&M) (Delaware Avenue and Green Street, Marcus Hook, PA 19061) on March 15, 2000, for operation of Boiler 9 in Marcus Hook Borough, **Delaware County**.

PA-23-0006C: Foamex L. P. (1500 East Second Street, Eddystone, PA 19022) on March 15, 2000, for operation of a thermal reticulation unit in Eddystone Borough, **Delaware County**.

PA-46-0081B: Markel Corp. (416 School Lane, Norristown, PA 19404) on March 15, 2000, for operation of two horizontal extruders in Plymouth Township, **Montgomery County**.

PA-46-0041: Jefferson Smurfit Corp. (US) (1035 Longford Road, Phoenixville, PA 19460) on March 15, 2000, for operation of a Non-heatset Lithographic Press in Upper Providence Township, **Montgomery County**.

PA-15-0101: Kendal-Crosslands Communities (4109 East Baltimore Pike, Kennett Square, PA 19348) on March 15, 2000, for operation of a diesel generator in Kennett Township, **Chester County**.

PA-15-0100: Kendal-Crosslands Communities (1660 East Street Road, Kennett Square, PA 19348) on March 15, 2000, for operation of a diesel generator in Pennsbury Township, **Chester County**.

PA-46-0015A: Occidental Chemical Corp. (375 Armand Hammer Boulevard, Pottstown, PA 19464) on March 29, 2000, for operation of Process Line No. 6 in Lower Pottsgrove Township, **Montgomery County**.

PA-09-0087A: Air Products & Chemicals, Inc. (351 Philadelphia Avenue, Morrisville, PA 19067) on March 29, 2000, for operation of an ammonia scrubber in Falls Township, **Bucks County**.

PA-46-0123: Wesco Industrial Products, Inc. (1250 Welsh Road, Lansdale, PA 19446) on March 29, 2000, for operation of spray paint booths in Montgomery Township, **Montgomery County**.

PA-23-0001L: Sunoco, Inc. (Delaware Avenue and Green Street, Marcus Hook, PA 19061) on April 5, 2000, for operation of two racing fuel storage tanks in Marcus Hook Borough, **Delaware County**.

PA-23-0001M: Sunoco, Inc. (Delaware Avenue and Green Street, Marcus Hook, PA 19061) on April 7, 2000, for operation of a CO Boiler in Marcus Hook Borough, **Delaware County**.

PA-15-0029B: Dopaco, Inc. (241 Woodbine Road, Downingtown, PA 19335) on April 12, 2000, for operation of a packaging rotogravure printing press in Downingtown Borough, **Chester County**.

PA-09-0112A: Superior Woodcraft, Inc. (160 North Hamilton Street, Doylestown, PA 18901) on April 12, 2000, for operation of a floor type spray booth in Doylestown Borough, **Bucks County**.

PA-46-0036B: Ford Electronics & Refrigeration, LLC (2750 Morris Road, Lansdale, PA 19446) on April 14, 2000, for operation of a selective soldering machine in Worcester Township, **Montgomery County**.

PA-09-0105A: Naceville Materials (Springfield Street and Route 309, Coopersburg, PA 19474) on April 19, 2000, for operation of an asphalt batch plant in Springfield Township, **Bucks County**.

Northeast Regional Office: Air Quality Program, Two Public Square, Wilkes-Barre, PA 17811-0790, (570) 826-2531.

48-317-018: Keystone Food Products, Inc. (3767 Hecktown Road, P. O. Box 326, Easton, PA 18044) on April 20, 2000, for installation of an air cleaning device on the frying operations in Lower Nazareth Township, **Northampton County**.

Southcentral Regional Office: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4702.

07-05001B: Appleton Papers, Inc. (100 Paper Mill Road, Roaring Spring, PA 16673) on April 17, 2000, for construction of bleach plant operations controlled by a packed column wet scrubber at the Spring Mill in Roaring Spring Borough, **Blair County**. This source is subject to 40 CFR Part 63, Subpart S—Standards of Performance for Hazardous Air Pollutants from the Pulp and Paper Industry.

67-05077: Fypon, Ltd. (22 West Pennsylvania Avenue, Stewartstown, PA 17363) on April 20, 2000, for construction of an architectural molded millwork production facility in North Codorus Township, **York County**.

Southwest Regional Office: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4174.

PA-03-026A: Eljer Plumbingware, Inc. (1301 Eljer Way, Ford City, PA 16226) on April 18, 2000, for operation of Tunnel Kiln 1 at Ford City Plant in Burrell Township, **Armstrong County**.

Northwest Regional Office: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6940.

PA-61-004B: Electralloy, A G. O. Carlson, Inc. Co. (175 Main Street, Oil City, PA 16301) on April 25, 2000, for construction of a granular metal production process in Oil City, **Venango County**.

Plan Approval extensions issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southeast Regional Office: Air Quality Program, 555 North Lane, Conshohocken, PA 19428, (610) 832-6242.

OP-46-0015: Occidental Chemical (Armand Hammer Boulevard, Pottstown, PA 19464) on March 29, 2000, for Facility VOCs/NOx in Lower Pottsgrove Township, **Montgomery County**.

OP-09-0022: Cleveland Steel Container Corp. (350 Mill Street, Quakertown, PA 18951) on March 31, 2000, for fountain solution in Quakertown Borough, **Bucks County**.

OP-09-0001A: Avery Dennison Corp. (35 Penn Am Drive, Quakertown, PA 18951) on April 13, 2000, for Facility VOC/NOx RACT in Richland Township, **Bucks County**.

OP-09-0013: Wheelabrator Falls, Inc. (1201 New Ford Mill Road, Morrisville, PA 19067) on April 13, 2000, for Facility VOC in Falls Township, **Bucks County**.

OP-09-0021: MRI Flexible Packaging (122 Penns Trail, Newtown, PA 18940) on April 17, 2000, for Facility VOCs/NOx RACT in Newtown Township, **Bucks County**.

OP-46-0024: McNeil Consumer Healthcare (7050 Camp Hill Road, Fort Washington, PA 19428) on April 21, 2000, for Facility VOCs/NOx RACT in Whitemarsh Township, **Montgomery County**.

OP-09-0022: Cleveland Steel Container Corp. (350 Mill Street, Quakertown, PA 18951) on March 24, 2000, for fountain solution in Quakertown Borough, **Bucks County**.

OP-46-0035: SmithKline Beecham Pharmaceuticals (709 Swedeland Road, King of Prussia, PA 19406) on March 24, 2000, for two emergency generators in Upper Merion Township, **Montgomery County**.

OP-46-0050: Rohm & Haas DVI (727 Norristown Road, Spring House, PA 19477) on February 23, 2000, for Synthetic Minor NOx Facility in Lower Gwynedd Township, **Montgomery County**.

Southcentral Regional Office: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4702.

28-05022: RJC Industries, Inc. (5171 Innovation Way, Chambersburg, PA 17201) granted April 4, 2000, to authorize temporary operation of two spray paint booths controlled by dry panel filters, covered under this Plan Approval until August 1, 2000, at Letterkenny Industrial Park in Greene Township, **Franklin County**.

36-05019B: Supply Sales Co. (1411 Lancaster Avenue, Columbia, PA 17512) granted January 2, 2000, to authorize temporary operation of a sprue crusher, covered under this Plan Approval until May 1, 2000, at the Columbia Plant in Columbia Borough, **Lancaster County**.

36-05019C: Supply Sales Co. (1411 Lancaster Avenue, Columbia, PA 17512) granted January 2, 2000, to authorize temporary operation of a fabric collector, covered under this Plan Approval until May 1, 2000, at the Columbia Plant in Columbia Borough, **Lancaster County**.

Northcentral Regional Office: Air Quality Program, 208 West Third Street, Suite 101, Williamsport, PA 17701, (570) 327-3637.

18-313-019C: Croda, Inc. (P. O. Box 178, Mill Hall, PA 17751-0178) on April 14, 2000, to extend the authorization to operate an ethylene oxide storage and distribution system on a temporary basis until August 12, 2000, in Bald Eagle Township, **Clinton County**.

08-322-001B: Northern Tier Solid Waste Authority (P. O. Box 10, Burlington, PA 18814-0010) on April 14, 2000, to extend the deadline to June 30, 2001, for construction of additional municipal solid waste landfill disposal area (Cells 6, 7 and 8) at the Northern Tier Solid Waste Authority Landfill in West Burlington Township, **Bradford County**.

18-310-002D: Hanson Aggregates Pennsylvania, Inc. (P. O. Box 231, Easton, PA 18044-0231) on April 18, 2000, to extend the authorization to operate various pieces of stone crushing and screening equipment on a temporary basis until August 16, 2000, in Lamar Township, **Clinton County**.

Northwest Regional Office: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6940.

PA-37-234B: Praxair Surface Technologies (3225 Honeybee Lane, New Castle, PA 16105) on April 30, 2000, for a coating disposition cubicle in Wilmington Township, **Lawrence County**.

PA-37-243A: International Metals Reclamation Co. (245 Portersville Road, P. O. Box 720, Ellwood City, PA 16117) on April 30, 2000, for a rotary calciner thermal oxidation furnace in Ellwood City, **Lawrence County**.

PA-42-185A: IA Construction Co. (Route 155 Turtlepoint, P. O. Box 568, Franklin, PA 16323) on April 30, 2000, for a batch asphalt plant in Annin Township, **McKean County**.

PA-43-170B: Werner Co. (93 Werner Road, Greenville, PA 16125) on April 30, 2000, for a pultrusion line in Sugar Grove Township, **Mercer County**.

Plan Approvals transferred under the Air Pollution Control Act (35 P. S. §§ 4001—4015).

Southwest Regional Office: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4174.

PA-04-699A: NGC Industries, Inc. (2001 Rexford Road, Charlotte, NC 28211) on April 19, 2000, to National Gypsum for a wallboard manufacturing plant in Shippingport Borough, **Beaver County**. The original plan approval was issued on February 24, 1998.

MINING

APPROVALS TO CONDUCT COAL AND NONCOAL ACTIVITIES

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the request for 401 water quality certification. Mining activity permits issued in response to such applications will also address

the applicable permitting requirements of the following statutes: the Air Quality Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

Ebensburg District Office, 437 South Center Street, P. O. Box 625, Ebensburg, PA 15931-0625.

Coal Applications Issued:

65990102. Duppstadt Coal (2835 Stutzmantown Road, Somerset, PA 15501-8332), commencement, operation and restoration of a bituminous surface mine in Elk Lick Township, **Somerset County**, affecting 76.4 acres, receiving stream Tub Mill Run, unnamed tributaries to Tub Mill Run, and unnamed tributaries to Casselman River, application received May 12, 1999, permit issued April 17, 2000.

Greensburg District Office, R. R. 2, Box 603-C, Greensburg, PA 15601.

65990107. Amerikohl Mining, Inc. (202 Sunset Drive, Butler, PA 16001). Permit issued for commencement, operation and reclamation of a bituminous surface mine located in Mt. Pleasant Township, **Westmoreland County**, affecting 55.6 acres. Receiving streams: unnamed tributaries to Jacobs Creek, Jacobs Creek to Youghiogeny River. Application received: October 12, 1999. Permit issued: April 17, 2000.

26940101R. J & B Coal Company (R. D. 2, Box 75C, Smithfield, PA 15478). Permit renewed for continued reclamation only of a bituminous surface mine located in Nicholson Township, **Fayette County**, affecting 22.5 acres. Receiving streams: unnamed tributary to Jacobs Creek, to Jacobs Creek, to the Monongahela River. Application received: December 20, 1999. Renewal issued: April 19, 2000.

26900103R. J & B Coal Company (R. D. 2, Box 75C, Smithfield, PA 15478). Permit renewed for continued reclamation only of a bituminous surface mine located in Nicholson Township, **Fayette County**, affecting 31.6 acres. Receiving streams: Jacobs Creek and the Monongahela River. Application received: December 20, 1999. Renewal issued: April 19, 2000.

63951701. Pennsylvania Turnpike Commission (Commonwealth of Pennsylvania, P. O. Box 67676, Harrisburg, PA 17106-7676). Permit revised to be renewed for an additional 5 years at a mine drainage treatment facility located in Fallowfield Township, **Washington County**. Application received: April 3, 2000. Revision/renewal issued: April 20, 2000.

Hawk Run District Office, P. O. Box 209, Off Empire Road, Hawk Run, PA 16840.

17990108. Waroquier Coal Company (P. O. Box 128, Clearfield, PA 16830), commencement, operation and restoration of a bituminous surface mine permit in Girard Township, **Clearfield County** affecting 73.5 acres. Receiving streams: unnamed tributary No. 1 and unnamed tributary No. 2 to Bald Hill Run to the West Branch of the Susquehanna River to the West Branch of the Susquehanna River. Application received April 29, 1999. Permit issued April 13, 2000.

Knox District Office, P. O. Box 669, Knox, PA 16232.

61970101. Ben Hal Mining Company (389 Irishtown Road, Grove City, PA 16127). Revision to an existing bituminous strip operation to add the removal of Vanport Limestone in Irwin Township, **Venango County** affecting 66.5 acres. Receiving streams: Four unnamed tributaries

to Scrubgrass Creek. Application received: February 11, 2000. Permit Issued: April 12, 2000.

33890113. Original Fuels, Inc. (P. O. Box 343, Punxsutawney, PA 15767). Renewal of an existing bituminous strip, auger, tipple refuse disposal and limestone and sandstone removal in Perry Township, **Jefferson County** affecting 508.8 acres. Receiving streams: Unnamed tributaries to Pine Run. Application received: August 18, 1999. Permit Issued: April 17, 2000.

33990111. P & N Coal Co., Inc. (P. O. Box 332, Punxsutawney, PA 15767). Commencement, operation and restoration of a bituminous strip operation in Young and McCalmont Townships, **Jefferson County** affecting 171.5 acres. Receiving streams: Unnamed tributary to Little Elk Run and Unnamed tributary to Elk Run. Application received: August 26, 1999. Permit Issued: April 12, 2000.

33990113. Cookport Coal Company, Inc. (425 Market Street, Kittanning, PA 16201). Commencement, operation and restoration of a bituminous strip operation in Perry Township, **Jefferson County** affecting 50.1 acres. Receiving streams: Unnamed tributary to Rose Run. Application received: December 28, 1999. Permit Issued: April 12, 2000.

Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

54840205R3. Hegins Mining Company (290 Swatara Road, Zerbe, PA 17981), renewal of an existing coal refuse reprocessing and coal preparation plant operation in Reilly Township, **Schuylkill County** affecting 63.6 acres, receiving stream—none. Renewal issued April 17, 2000.

Hawk Run District Office, P. O. Box 209, Off Empire Road, Hawk Run, PA 16840.

Small Industrial Minerals Permits Issued

08990804. Donald E. Johnson, Sr. (R. R. 1, Box 257A, Monroeton, PA 18832), commencement, operation and restoration of a Small Industrial Minerals (Flagstone) permit in Asylum Township, **Bradford County** affecting 1 acre. Receiving streams: unnamed tributary to Durell Creek. Application received September 30, 1999. Permit issued April 13, 2000.

Knox District Office, P. O. Box 669, Knox, PA 16232.

Small Noncoal (Industrial Minerals) Permits Issued

20992804. Joseph F. and M. Shirley Pikula (26161 Crossingville Road, Edinboro, PA 16412). Commencement, operation and restoration of a small noncoal sand and gravel operation in Cussewago Township, **Crawford County** affecting 5.0 acres. Receiving streams: Cussewago Creek. Application received: May 5, 1999. Permit Issued: April 11, 2000.

Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

58992807. Douglas G. Kilmer (R. R. 1 Box 85K, Uniondale, PA 18470), commencement, operation and restoration of a quarry operation in Franklin Township, **Susquehanna County** affecting 4.0 acres, receiving stream—none. Permit issued April 19, 2000.

58000803. Robert Cooley (R. R. 2 Box 154, Kingsley, PA 18826), commencement, operation and restoration of a bluestone quarry operation in Brooklyn Township, **Susquehanna County** affecting 1.0 acres, receiving stream—none. Permit issued April 19, 2000.

58000804. James W. Barber (Box 157, Clifford, PA 18413), commencement, operation and restoration of a bluestone quarry operation in Clifford Township, **Susquehanna County** affecting 2.0 acres, receiving stream—none. Permit issued April 19, 2000.

Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

Noncoal Permits Issued

5575SM1A3C3. State Aggregates, Inc. (4401 Camp Meeting Road, Suite 200, Center Valley, PA 18034-9454), renewal of NPDES Permit No. PA0119555 in Clifford Township, **Susquehanna County**, receiving stream—East Branch of Tunkhannock Creek and an unnamed tributary. Renewal issued April 17, 2000.

4873SM3C7. York Silicia Sand, Inc. (740 South Front Street, Wrightsville, PA 17368), renewal of NPDES Permit No. PA0595021 in Springettsbury Township, **York County**, receiving stream—unnamed tributary to Codorus Creek. Renewal issued April 17, 2000.

8274SM4A2C3. Rohrer's Quarry, Inc. (70 Lititz Road, P. O. Box 365, Lititz, PA 17543), renewal of NPDES Permit No. PA0010111 in Penn and Warwick Townships, **Lancaster County**, receiving stream—unnamed tributary to Little Conestoga Creek. Renewal issued April 17, 2000.

48870301C2. Haines & Kibblehouse, Inc. (2052 Lucon Road, Skippack, PA 19474), renewal of NPDES Permit No. PA0593893 in Lower Mt. Bethel Township, **Northampton County**, receiving stream—Delaware River. Renewal issued April 21, 2000.

21900301C. E. E. Kough Sons (P. O. Box 134, Newville, PA 17241), renewal of NPDES Permit No. PA0595055 in North Newton Township, **Cumberland County**, receiving stream—unnamed tributary to Conodoguinet Creek. Renewal issued April 21, 2000.

ACTIONS TAKEN UNDER SECTION 401: FEDERAL WATER POLLUTION CONTROL ACT

ENCROACHMENTS

The Department of Environmental Protection (Department) has taken the following actions on previously received Dam Safety and Encroachment permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Persons aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law) to the Environmental Hearing Board, 400 Market Street, Floor 2, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of the written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

Actions on applications filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and sections 5 and 402 of The Clean Streams Law (35 P. S. §§ 691.5 and 691.402) and notice of final action for certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)). (Note: Permits issued for Small Projects do not include 401 Certification, unless specifically stated in the description.)

Southcentral Regional Office: Section Chief, Water Management Program, Soils and Waterways Section, 909 Elmerton Avenue, 2nd Floor, Harrisburg, PA 17110, (717) 705-4707.

E38-128. Encroachment. **Scott Lengel**, P. O. Box 424, Newmanstown, PA 17073. To maintain a 10-inch PVC intake pipe installed in the left downstream channel bank of the Tulpehocken Creek (TSF) to convey water into an existing pond within an abandoned quarry located about 400 feet west of Millardsville Road (Bethel, PA Quadrangle N: 0.1 inch; W: 2.6 inches) in Jackson Township, **Lebanon County**. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

E50-196. Encroachment. **Department of Conservation and Natural Resources**, P. O. Box 8451, Harrisburg, PA 17105. To place approximately 140 feet of riprap along the channel of the North Branch of Laurel Run (EV) at a point along Laurel Run Road (Newburg, PA Quadrangle N: 22.6 inches; W: 4.2 inches) for the purpose of stopping streambank erosion in Toboyne Township, **Perry County**. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

Northcentral Region: Water Management—Soils and Waterways, F. Alan Sever, Chief, 208 West Third Street, Williamsport, PA 17701.

E14-358. Encroachment. **Sea Oaks Company**, 2007 Windgate Drive, Durham, NC 27705. To extend an existing culvert crossing, two 58-inch by 36-inch arch pipes by 5 feet in an unnamed tributary to Big Hollow located on Toftrees Avenue just east of Waddle Road (Julian, PA Quadrangle N: 13.0 inches; W: 3.6 inches) in Patton Township, **Centre County**. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

E14-365. Encroachment. **John and Amy Beck**, 537 Rattlesnake Pike, Julian, PA 16844. To 1) maintain a 60-foot long by 8-foot to 12-foot wide by 0-foot to 2.5-foot deep area of fill to facilitate driving around the existing garage and 2) place three 6-inch by 6-inch wooden posts for a garage roof extension within 50-feet of the top of the left bank of Dewitt Run, 3) place 120 linear feet or R-4 limestone riprap on the left bank of Dewitt Run located 0.75 mile up S. R. 504 (Rattlesnake Pike) from S. R. 220 (Bear Knob, PA Quadrangle N: 7.07 inches; W: 1.85 inches) in Union Township, **Centre County**. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

E17-339. Encroachment. **Pennsylvania Department of Transportation**, Engineering District 2-0, 1924-30 Daisy Street, P. O. Box 342, Clearfield, PA 16830-0424. To remove an existing single span structure and to construct, operate and maintain a single span pre-stressed concrete spread box beam bridge to carry SR 1014, Section A01, Segment/Offset 0060-0290 across Alder Run. The bridge

shall be constructed with a clear span of 31.1 feet. The average underclearance of the bridge shall be a minimum of 7.4 feet. The bridge shall be constructed with a skew of 75 degrees. The proposed bridge is located along the eastern right-of-way of SR 0080 approximately 1.2 miles southeast of the intersection of Graham Township Road No. 735 and SR 1014 (Frenchville, PA Quadrangle N: 2.5 inches; W: 10.4 inches) in Graham Township, **Clearfield County**. This permit also authorizes the installation of R-7 rip rap for channel scour protection which shall not expand or diminish the natural stream conveyance.

E19-191. Encroachment. **John E. Klinger**, R. R. 5, Box 290, Bloomsburg, PA 17815. To (1) excavate and remove fill from the floodway of the Susquehanna River; and (2) place and maintain fill in 0.313 acre of wetland associated to the Susquehanna River for the development of multi-family dwellings. The floodway work shall consist of excavating and removing a maximum of 2,700 cubic yards of material within a 1.12-acre parcel delineated as 100-year floodway. The fill work shall consist of placing fill in 0.313 acre of wetland. The project is located along the eastern right-of-way of SR 0011 approximately 1.5 miles north of SR 1004 and SR 0011 intersection (Bloomsburg, PA Quadrangle N: 0.01 inch; W: 6.7 inches) in Scott Township, **Columbia County**. The 0.313 acre of permanently impacted wetlands shall be mitigated with 0.317 acre of onsite replacement wetlands. All pre-existing floodway activity shall be completed, all proposed floodway activity shall be completed and all replacement wetlands shall be completely constructed prior to the filling of any wetlands authorized by this permit.

E19-199. Encroachment. **Linda L. Hill**, 2069 Mill Road, Catawissa, PA 17820. To: 1) maintain the following existing structures, with their respective footprints noted, that have been built since 1975, a) 656-square foot residential addition to the pre-1975 residence, b) 198-square foot metal shed, c) an 842-square foot pole garage, d) 433-square feet of concrete walkway, e) a 223-square foot concrete slab, 2) construct and maintain an 842-square foot by 3-inch thick reinforced concrete pad in an existing pole garage, all of which is in the left 100-year floodway of Roaring Creek (Catawissa, PA Quadrangle, N: 5.1 inches; W: 3.1 inches) in Locust Township, **Columbia County**. This permit was issued under section 105.13(e) "Small Projects."

Southwest Regional Office: Soils and Waterways Section, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E02-968. Encroachment. **Redland Brick, Inc.**, 375 Rich Hill Road, R. D. 3, Cheswick, PA 15024. To amend permit E02-968 which authorized the construction and maintenance of a twin 12' x 6' R. C. box culvert in the channel of Deer Creek to provide mobile equipment access to shale recovery operations located at a point approximately 700 feet upstream from Rich Hill Road (New Kensington, West PA Quadrangle N: 10.2 inches; W: 12.7 inches) in Harmar Township, **Allegheny County**. The permit will be amended to include the placement and maintenance of fill for a distance of approximately 640' within the floodway of Little Deer Creek (TSF), to place and maintain rip rap erosion protection adjacent to and behind an existing structure along the same stream and to place and maintain fill in 0.23 acre of wetlands (PEM/PSS) for the purpose of constructing a new state of the art brick making facility replacing the current facility (New Kensington West PA Quadrangle N: 10.3 inches; W: 12.0 inches) in Harmar Township, Allegheny County. To meet the wetland replacement requirements the applicant has paid into the wetland replacement fund. Originally published under E02-1297.

E26-264. Encroachment. **Pennsylvania Department of General Services**, 18th and Herr Streets, Harrisburg, PA 17120. To place and maintain fill in 0.01 acre of de minimis wetlands and to relocate and maintain 633 LF of an unnamed tributary to the Monongahela River (WWF) for the purpose of constructing the Western Pennsylvania Correctional Institution located along S. R. 4028 near its intersection with S. R. 4022 (Carmichaels, PA Quadrangle: N: 22.2 inches; W: 15.65 inches) in Luzerne Township, **Fayette County**.

Northwest Regional Office: Soils and Waterways Section, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6942.

E10-186. Encroachment. **Washington Homes, Inc.**, 2500 Baldwick Road, Suite 285, Pittsburgh, PA 15205. To place and maintain fill along a total of 50 lineal feet of a tributary to Brush Creek to provide a public right-of-way and residential lots along Parkwood Drive off Freedom Road in Woodland Estates Development (Baden, PA Quadrangle N: 9.6 inches; W: 0.6 inch) in Cranberry Township, **Butler County**.

E61-229. Encroachment. **Pennsylvania Electric Company d/b/a GPU Energy**, 2800 Pottsville Pike, P. O. Box 16001, Reading, PA 19640-0001. To install a fiber optic cable and to operate and maintain the existing aerial fiber optic and electric distribution lines across Sugar Creek at the following locations in Sugarcreek Borough, **Venango County**: Crossing No. 1 is located approximately 0.31 mile northwest of the intersection of S. R. 322 and S. R. 427 (Utica, PA Quadrangle N: 13.75 inches; W: 3.25 inches). Crossing No. 2 is located upstream of Sugarcreek Drive approximately 0.3 mile south of S. R. 322 (Utica, PA Quadrangle N: 9.75 inches; W: 0.69 inch). Crossing No. 3 is located approximately 250 feet upstream of the mouth (Utica, PA Quadrangle N: 8.0 inches; W: 0.1 inch).

E61-230. Encroachment. **Pennsylvania Electric Company d/b/a GPU Energy**, 2800 Pottsville Pike, P. O. Box 16001, Reading, PA 19640-0001. To install a fiber optic cable and to operate and maintain the existing aerial fiber optic and electric distribution lines across the Allegheny River near the Oil City Sewage Treatment Plant approximately 2 miles downstream of S. R. 62 (Oil City, PA Quadrangle N: 6.75 inches; W: 14.7 inches) in Sugarcreek Borough and Oil City, **Venango County**.

WATER ALLOCATIONS

Actions taken on applications filed under the act of June 24, 1939 (P. L. 842, No. 365) (32 P. S. §§ 631—641) relating to the acquisition of rights to divert waters of this Commonwealth.

Southcentral Regional Office: Water Supply Management Program, Sanitarian Regional Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4708.

Permit No. WA 28-518C. Water allocation. **Mont Alto Water Authority, Franklin County**. *Responsible Official:* P. E. Nunemaker, P. O. Box 427, Mont Alto, PA 17237-0427. Request: Increase withdrawal from 50,000 gallons per day to 135,000 gallons per day from pearl of the Park Spring. *Consulting Engineer:* Walter A. Mulewich, Design Engineer, Nassaux-Hemsley Inc., 56 North Second Street, Chambersburg, PA 17201-1820. Permit Issued: April 17, 2000.

STORAGE TANKS

SITE SPECIFIC INSTALLATION PERMITS

The following Storage Tank Site Specific Installation Permits under the authority of the Storage Tank and Spill Prevention Act (35 P. S. §§ 6021.304, 6021.504, 6021.1101—1102) and 25 Pa. Code Chapter 245, Subchapter C have been issued by the Bureau of Watershed Conservation, Director, P. O. Box 8555, Harrisburg, PA 17105-8555, (717) 787-5267.

<i>SSIP Permit No.</i>	<i>Applicant Name and Address</i>	<i>County and Municipality</i>	<i>Tank Type and Capacity</i>
00-06-002	Rick Greenly East Penn Manufacturing Company Deka Road Lyon Station, PA 19536	Berks County Lyons Borough	1 AST Storing Sulfur Nitrogen 1,000,000 gallon

SPECIAL NOTICE

Notice of intent to issue a Hazardous Waste Permit under the Resource Conservation and Recovery Act and the Hazardous and Solid Waste Amendments of 1984, and opportunity for a public hearing.

Department of Environmental Protection, 2 Public Square, Wilkes-Barre, PA 18711-0790.

DRAFT HAZARDOUS WASTE PERMIT

Permittee: Copperhead Chemical Company, Inc.
Permit No.: PAR000030874
Facility: **Copperhead Chemical Company, Inc.**
Tamaqua
Schuylkill County

The Department of Environmental Protection (Department) intends to issue to Copperhead Chemical Company, Inc. a Solid Waste Management Act Permit. This draft permit is to operate a Hazardous Waste facility located in Tamaqua, Pennsylvania.

Public Review, Public Comment, Public Hearing

The Hazardous Waste Regulations, 25 Pa. Code § 270a.80(2) Public Notice and Comment requirements states: The Department gives public notice of the following actions: A draft permit is prepared under 270a.10(c).

Section 270a.80(b) of 25 Pa. Code requires that the public be given 45 days to comment on each draft permit prepared under the Solid Waste Management Act. The comment period will begin on May 12, 2000 and will end on June 26, 1999. Any person interested in commenting on the application or draft permit must do so within this comment period. Copies of the application, draft permit and fact sheet for the Hazardous Waste Facility may be reviewed at the Pennsylvania Department's Bethlehem District Office at 4530 Bath Pike (Route 512), Bethlehem, PA 18017 and the North East Regional Office at 2 Public Square, Wilkes-Barre, PA 18711-0790. Please contact Robert C. Wallace at (570) 826-2516 for further information.

Further Information

All persons wishing to comment on any of the permit conditions or permit application should submit the comments in writing to the Department of Environmental Protection, Waste Management Program, 2 Public Square, Wilkes-Barre, PA 18711-0790; Attention William Tomayko, Regional Solid Waste Manager. Comments should include all reasonably available references, factual grounds and supporting materials.

A public hearing is scheduled for June 26, 2000 at 7 p.m. The hearing will be held at the Walker Township

Municipal Building, R. D. 1, Tamaqua, PA 18252. The public hearing will be held on the Department's draft for hazardous waste processing.

Final Determination

When making a determination regarding the issuance of a hazardous waste permit to Copperhead Chemical Company, the Department will consider all written comments received during the comment period, and oral or written statements received during the public hearing (if requested), the requirements of the hazardous waste regulations of 25 Pa. Code Chs. 260—270 and the Department's permitting policies.

Facility Description

The Tamaqua, Pennsylvania, facility of Copperhead Chemical Company, located in Schuylkill County, is a manufacturer of nitrated esters, pharmaceutical grade nitroglycerin and other products for use in various pharmaceutical blends.

The facility consists of a proposed thermal treatment unit for the safe disposal of waste materials generated in the manufacturing process, as well as off-spec products. The thermal treatment unit is to be located in an isolated area of the western section of Copperhead's property. The unit will consist of three elevated concrete slabs with concrete block walls on three sides which house 1/4" thick steel burn pans supported by fire brick. The loading/unloading area in front of the burn bays will be paved with asphalt to minimize the potential for spills to impact soils or groundwater.

[Pa.B. Doc. No. 00-750. Filed for public inspection May 5, 2000, 9:00 a.m.]

Availability of Technical Guidance

Technical Guidance Documents are on DEP's World Wide Web site (www.dep.state.pa.us) at the Public Participation Center. The "2000 Inventory" heading is the Governor's List of Non-regulatory Documents. The "Final Documents" heading is the link to a menu of the various DEP bureaus and from there to each bureau's final technical guidance documents. The "Draft Technical Guidance" heading is the link to DEP's draft technical guidance documents.

DEP will continue to revise its documents, as necessary, throughout 2000.

Downloading/Ordering Paper Copies of DEP Technical Guidance

Persons can download all guidance documents from our website at www.dep.state.pa.us. We strongly encourage

utilizing Internet access for viewing documents whenever possible. If you do not have access to the Internet, copies of the latest Inventory or an unbound paper copy of any of the final documents listed on the Inventory can be ordered by calling DEP at (717) 783-8727.

In addition, bound copies of some of DEP's documents are available as DEP publications. Please check with the appropriate bureau for more information about the availability of a particular document as a publication.

Changes to Technical Guidance Documents

Here is the current list of recent changes. Persons who have any questions or comments about a particular document should call the contact person whose name and phone number are listed with each document. Persons who have questions or comments in general should call Joe Sieber at (717) 783-8727.

Draft Guidance

DEP ID: 383-2100-208 Title: Approval Guide for Noncommunity Water Systems Description: Noncommunity water systems must be authorized by DEP to serve water to the public. This authorization may take the form of either a public water supply permit or a noncommunity water system approval. This guidance document will summarize the noncommunity water system approval process and will serve as the sister document to the *DEP Permit Guide to Public Water Systems*. Comment Period Closes: June 12, 2000 Anticipated Effective Date: August 5, 2000 Contact: Trudy Troutman at (717) 783-3795, email is Troutman.Trudy@dep.state.pa.us.

Final Guidance

DEP ID: 363-2134-008 Title: Erosion and Sedimentation Pollution Control Program Manual Description: This manual is a substantive revision of the 1996 version of the manual with the same title. The manual contains design standards for Best Management Practices for erosion and sediment pollution control. Effective Date: May 13, 2000 Contact: John Mank at (717) 772-5963.

Notice to Rescind

DEP ID: 253-5800-618 Title: Change Orders for Hazardous Sites Cleanup Program Contract Management Description: Establishes policies and procedures for making changes to approved work performed under a General Technical Assistance Contract or Interim Response Services Contract with the Hazardous Sites Cleanup Program. Since the information contained in this policy provides guidance to Department staff on the management of the Hazardous Sites Cleanup Program and does not contain information that is relevant to the public, the policy should be rescinded from the Department's technical guidance inventory. Effective Date: May 13, 2000 Contact: Robert Orwan at (717) 783-9475.

DEP ID: 253-5800-610 Title: End of Project Report: Interim Policy and Procedure Description: Establishes guidance for work assignments and activities completed under a General Technical Assistance Contract and Interim Response Services contract with the Hazardous Sites Cleanup Program. Since the information contained in this policy provides guidance to Department staff on the management of the Hazardous Sites Cleanup Program and does not contain information that is relevant to the public, the policy should be rescinded from the Department's technical guidance inventory. Effective Date: May 13, 2000 Contact: Robert Orwan at (717) 783-9475.

DEP ID: 253-5800-625 Title: Subcontractor Approval Process in HSCA Contracts Description: Establishes poli-

cies and procedures for approving subcontractors for use in Interim Response Service Contracts and General Technical Assistance Contracts with the Hazardous Sites Cleanup Program. Since the information contained in this policy provides guidance to Department staff on the management of the Hazardous Sites Cleanup Program and does not contain information that is relevant to the public, the policy should be rescinded from the Department's technical guidance inventory. Effective Date: May 13, 2000 Contact: Robert Orwan at (717) 783-9475.

JAMES M. SEIF,
Secretary

[Pa.B. Doc. No. 00-751. Filed for public inspection May 5, 2000, 9:00 a.m.]

Initial Notice of Request for Certification under Section 401 of the Federal Clean Water Act and Coastal Zone Management Consistency Determination for the Issuance and Modification of Section 404 Nationwide Permits by the United States Army Corps of Engineers

This notice pertains to the issuance and modification of United States Army Corps of Engineers (Corps) Nationwide Permits (NWP) under section 404 of the Federal Clean Water Act (act). At the present time, these NWPs do not alter Pennsylvania's existing wetland protection program. The final NWPs may impact citizens who are required to receive Federal authorization or permits for these activities.

On March 9, 2000, the Corps published in the *Federal Register* (65 *Fed. Reg.* 12818) its application for certification under section 401(a) of the Federal Clean Water Act (33 U.S.C.A. § 1341(a)) that the activities described in the *Federal Register* notice which may result in a discharge into waters of the United States will comply with the applicable provisions of sections 301–303, 306 and 307 of the act. That notice also served as a request for a State determination of Coastal Zone Management consistency under section 307 of the Coastal Zone Management (CZM) Act, 16 U.S.C.A. § 1456, for activities within or affecting the coastal zone of the Commonwealth of Pennsylvania.

In its *Federal Register* Notice, the Corps issued five new NWPs, modified six existing NWPs, amended nine NWP general conditions, and added two new NWP general conditions. The *Federal Register* notice also provides that NWP 26 will expire on June 5, 2000. A list of new and modified NWPs and new and modified NWP conditions follows. Further information on this Federal action is available by accessing the Corps Home Page at <http://www.usace.army.mil/inet/functions/cw/cecwo/reg> or by contacting David Olsen or Sam Collinson at (202) 761-0199.

Persons wishing to comment on this application for 401 Water Quality Certification and CZM consistency are invited to submit comments by June 5, 2000, to Ken Reisinger, Chief, Division of Waterways, Wetlands and Erosion Control, P. O. Box 8775, Harrisburg, PA 17105-8775. Requests should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments are addressed, and a concise statement of comments, objections or suggestions. Prior to final action on this application, consideration will be given to any comments, suggestions or objections which are submitted in writing

by June 5, 2000. Persons with a disability may use the AT&T Relay Service by calling (800) 654-5984 (TDD users) or (800) 654-5788 (voice users). No comments submitted by facsimile transmission will be accepted. The Department may conduct a fact-finding hearing or an informal conference in response to any comments if deemed necessary.

Electronic Comments—Comments may be submitted electronically to the Department at Reisinger.Kenneth@dep.state.pa.us. A subject heading of the proposal must be included in each transmission. Comments submitted electronically must also be received by the Department by June 5, 2000.

New Nationwide Permits

39. Residential, Commercial and Institutional Developments.

- 41. Reshaping Existing Drainage Ditches.
- 42. Recreational Facilities.
- 43. Stormwater Management Facilities.
- 44. Mining Activities.

Modified Nationwide Permits

- 3. Maintenance.
- 7. Outfall Structures and Maintenance.
- 12. Utility Activities.
- 14. Linear Transportation Crossings.
- 27. Stream and Wetland Restoration Activities.
- 40. Agricultural Activities.

New General Permit Conditions

- 25. Designated Critical Resource Waters.
- 26. Fills within 100-Year Floodplains.

Modified General Conditions

- 4. Aquatic Life Movements.
- 9. Water Quality.
- 11. Endangered Species.
- 13. Notification.
- 15. Use of Multiple Nationwide Permits.
- 17. Shellfish Beds.
- 19. Mitigation.
- 20. Spawning Areas.
- 21. Management of Water Flows.

JAMES M. SEIF,
Secretary

[Pa.B. Doc. No. 00-752. Filed for public inspection May 5, 2000, 9:00 a.m.]

DEPARTMENT OF GENERAL SERVICES

Design Professional Selections

The Department of General Services has withdrawn the request for applications for design services for the following project which was advertised in the March 4, 2000, issue of the *Pennsylvania Bulletin*:

Project No. DGS 553-32—Install Particulate Emissions Collection System, Selinsgrove Center, Selinsgrove, Snyder County, PA. Construction Cost: \$1,000,000. The scope of work includes, but is not limited to, installation of emissions control devices on the existing boiler plant. Consideration should be given to a device other than the conventional baghouse. Must be completed and operational by December 31, 2001.

GARY E. CROWELL,
Secretary

[Pa.B. Doc. No. 00-753. Filed for public inspection May 5, 2000, 9:00 a.m.]

Request for Proposal; Project Monitor

The Department of General Services (Department) plans to retain six Project Monitor (PM) firms that specialize in project monitoring for asbestos and lead for each of the three Public Works Construction regions (two each for the Western Region, Central Region and Eastern Region). The PM will review project specifications, perform project oversight as related to the specifications and requirements of this Request for Proposal, collect and analyze samples, and provide written documentation to insure satisfactory removal and disposal of asbestos and/or lead materials. It is advised that there is no guarantee that PM services will be used. No minimum compensation is guaranteed or implied by virtue of this contract.

The Department is seeking interested firms to submit sealed proposals for consideration for the following project:

DGS 2000-1 RAL—Regional Asbestos and Lead Project Monitoring, Sample Collection and Analysis, Department of General Services Construction Regions (Revised Rebid)

RFP Price—\$25 (Includes PA Sales Tax) per RFP. Checks must be made payable to the Commonwealth of Pennsylvania. This price is nonrefundable. Requests for the RFP should be mailed to the Department of General Services, Bureau of Professional Selections and Administrative Services, Room 107, Headquarters Building, 18th and Herr Streets, Harrisburg, PA 17125. Contact Bidders Services at (717) 787-3923 or www.dgs.state.pa.us for the names of those who have secured the RFP.

Preproposal Questions—All questions pertaining to this RFP must be received by fax by 5 p.m., Wednesday, May 10, 2000. Inquiries received after this time and date will not be considered. Address questions to Brian Hunsberger, fax (717) 772-8441 or (717) 772-2036.

Proposals are due Friday, May 19, 2000, no later than 2 p.m., in Room 107, Headquarters Building, 18th and Herr Streets, Harrisburg, PA 17125. Responses received after this due date and time will be returned unopened.

GARY E. CROWELL,
Secretary

[Pa.B. Doc. No. 00-754. Filed for public inspection May 5, 2000, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Finding

Berks County

Pursuant to the provisions of 71 P. S. Section 2002(b), the Secretary of Transportation makes the following written finding:

The Federal Highway Administration and the Department of Transportation are planning selective replacement and rehabilitation of the Lindbergh Viaduct, which carries S. R. 2021 over Mineral Spring Road, 19th Street, Mineral Spring Creek and Pendorf Park in the City of Reading, Berks County.

This project will impact Section 4(f) resources as identified in the associated Categorical Exclusion Evaluation/Programmatic Section 4(f) Evaluation.

Mitigation measures will be taken to minimize harm as stipulated in the Categorical Exclusion Evaluation/Programmatic Section 4(f) Evaluation and in the executed Memorandum of Agreement. Mitigation measures include the following:

- A Historic American Buildings Survey/Historic American Engineering Record (HABS/HAER) recordation/documentation will be completed to mitigate the demolition of spans 1-6 and the consequent change in the bridge's overall character and appearance.
- All new construction will be compatible with the historic and architectural qualities of the Lindbergh Viaduct.
- The deteriorated reinforced concrete light standards will be reproduced, and neoclassical style, two arm luminaires will be installed.
- Plantings on the embankment will be the same type used in the park.
- The information generated during the HAER recordation will be compiled into an interpretive plaque to be placed in the park adjacent to a pedestrian path and/or on the bridge.
- Only the area necessary to effectively complete the construction will be disturbed. Any adjacent sensitive resources will be surrounded with protective fencing. All disturbed areas will be restored and revegetated at the completion of construction.
- A protective cover will be constructed over Mineral Spring Creek to prevent debris and other construction material from falling into the stream channel.
- The construction area within Pendorf Park will be surrounded by protective fencing in order to eliminate construction/recreation conflicts.

The environmental, economic, social, and other effects of the proposed project as enumerated in Section 2002 of the Administrative Code, have been considered. It has been concluded that there is no feasible and prudent alternative to the project as designed and all reasonable steps have been taken to minimize such effects.

No adverse environmental effect is likely to result from this bridge project.

BRADLEY L. MALLORY,
Secretary

[Pa.B. Doc. No. 00-755. Filed for public inspection May 5, 2000, 9:00 a.m.]

Finding

Montgomery County

Pursuant to the provisions of 71 P. S. Section 2002(b), the Secretary of Transportation makes the following written finding:

The Federal Highway Administration and the Department of Transportation plan to replace the one lane stone arch bridge that carries S. R. 4015 (Second Avenue) over Mingo Creek in Upper Providence Township, Montgomery County. The bridge is eligible for listing in the National Register of Historic Places and is considered a Section 2002/Section 4(f) resource.

This project will impact the Section 2002/Section 4(f) resource as identified in the associated Categorical Exclusion Evaluation/Programmatic Section 4(f) Evaluation.

Mitigation measures will be taken to minimize harm as stipulated in the Categorical Exclusion Evaluation/Programmatic Section 4(f) Evaluation and in the executed Memorandum of Agreement. Mitigation measures will include the following:

- A Historic American Buildings Survey/Historic American Engineering Record (HABS/HAER) recordation will be completed prior to the demolition of the bridge.
- Architectural elements such as the date plaque will be selected for curation, relocation, or reconstruction.
- A permanent plaque commemorating the history and significance of the bridge will be placed near the site.
- The Renninger archaeological site will be avoided.
- The new twin culvert will be placed six inches below the natural stream bottom to allow for natural re-establishment of the streambed and maintenance of fish passage.

The environmental, economic, social, and other effects of the proposed project as enumerated in Section 2002 of the Administrative Code, have been considered. It has been concluded that there is no feasible and prudent alternative to the project as designed and all reasonable steps have been taken to minimize such effects.

No adverse environmental effect is likely to result from this bridge replacement project.

BRADLEY L. MALLORY,
Secretary

[Pa.B. Doc. No. 00-756. Filed for public inspection May 5, 2000, 9:00 a.m.]

Retention of Engineering Firms

Indiana County

Project Reference No. 08430AG2545

The Department will retain an engineering firm to provide supplementary construction inspection staff of

approximately thirteen (13) inspectors, under the Department's Inspector(s)-in-Charge, for construction inspection and documentation services on S.R. 0022, Section 495, Gas Center, Indiana County.

This project involves the reconstruction of Route 22 from the Route 403 intersection to the Indiana and Cambria County lines in East Wheatfield Township. This project consists of constructing a four lane divided highway with median barrier to replace the existing two-lane roadway. The project will involve earthwork, drainage, pavement construction, guide rail and traffic control.

The Department will establish an order of ranking of a minimum of three (3) firms for the purpose of negotiating an Engineering Agreement based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the final ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- a. Review of inspectors' resumes with emphasis on construction inspection capabilities and specialized experience in the Maintenance and Protection of Traffic, soils, structures, concrete, asphalt paving, and drainage.
- b. Number of available inspectors in each payroll classification.
- c. Number of NICET certified inspectors in each payroll classification.
- d. Understanding of Department's requirements, policies, and specifications.
- e. Ability to provide CPM scheduling.
- f. Past Performance.

The qualifications and experience required of the firm's inspectors will be established by the Department, and the qualifications of the firm's proposed employees will be reviewed and approved by the Department.

It is anticipated that the supplementary construction inspection staff for this assignment will consist of the following number of inspectors who meet the requirements for the following inspection classifications:

<i>Classification</i>	<i>No. Of Inspectors</i>
Transportation Construction Manager 1 (TCM-1) (NICET Highway Construction Level 4 or equivalent)	1 (1)
Transportation Construction Ins. Super. (TCIS) (NICET Highway Construction Level 3 or equivalent)	3 (2)
Transportation Construction Inspector—Materials (TCI-Materials) (NICET Highway Materials Level 2 or equivalent)	2 (1)
Transportation Construction Inspector (TCI) (NICET Highway Construction Level 2 or equivalent)	6 (4)
Technical Assistant (TA) (NICET Highway Construction Level 1 or equivalent)	1 (0)

The numbers in parenthesis above indicate the number of inspectors in each Classification that must meet at least one of the following requirements:

- 1. Be certified by the National Institute for Certification in Engineering Technologies (NICET) in the field of Transportation Engineering Technology, sub field of High-

way Construction, or sub field of Highway Materials, at the Level required for the Inspection Classification.

- 2. Be registered as a Professional Engineer by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
- 3. Be certified as an Engineer-in-Training by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
- 4. Hold a Bachelor of Science Degree in Civil Engineering or a Bachelor of Science Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.
- 5. Hold an Associate Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

The maximum reimbursement per hour of inspection for each Department Payroll Classification for calendar year of 2000:

<i>Payroll Classification</i>	<i>Maximum Straight Time Reimbursement Per Hour Of Inspection</i>
(TCM-1)	\$47.65
(TCIS)	\$41.75
(TCI-Materials)	\$37.65
(TCI)	\$36.53
(TA)	\$25.12

The maximum reimbursement per hour of inspection includes all costs for providing construction inspection services at the project site during the normal workweek.

Maximum reimbursement per hour of inspection for subsequent calendar years, if applicable, will be established at the scope of work meeting.

The firm selected may be required to attend a pre-construction conference with the Department and the construction contractor for this project. Under the supervision and direction of the Department, the selected firm will be required to keep records and document the construction work; prepare current and final estimates for payment to the construction contractor; assist the Department in obtaining compliance with the labor standards, safety and accident prevention, and equal opportunity provisions of the contract item; Provide certified CDS Operator, NECEPT certified bituminous technician, and Nuclear Densometer Gage Licensed Operator; and perform other duties as may be required.

The firm selected will be required to supply the following equipment at no direct cost to the Department:

- 1 Nuclear Densometer Gauges/License at point of need, when required
- 1 Camera—Digital

The goal for Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be fifteen percent (15%) of the total Agreement price. Additional information concerning DBE participation in this Agreement is contained in the General Requirements and Information Section after the advertised projects.

Letters of interest for this project must include a letter, signed by the individuals you propose for all TCM-1 and TCIS positions, giving their approval to use their name in your letter of interest for this specific project.

The maximum number of resumes to be included in the letter of interest shall be as follows:

<i>Classification</i>	<i>No. of Resumes</i>
TCM-1	2
TCIS	4
TCI-M	3
TCI	8
TA	0

This project reference assignment is considered non-complex. The letter of interest shall be limited to a maximum of three (3) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable (see the General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

Mr. Richard H. Hogg, P.E., District Engineer
Engineering District 10-0
Route 286 South, P. O. Box 429
Indiana, PA 15701
Attention Mr. Paul F. Koza, Jr.

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 P.M. prevailing time on the twentieth (20th) day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to Paul F. Koza, Jr., phone number (724) 357-3205, fax number (724) 357-5951.

**Bucks and Montgomery Counties
Project Reference No. 08430AG2546**

The Department will retain an engineering firm to provide preliminary engineering, environmental documentation, final design and services during construction on S.R. 1058, Section HAT, Bucks & Montgomery Counties, Sumneytown Pike/PA 309 Connector in Lower Salford, Towamencin, Franconia, and Hatfield Townships in Montgomery County and Hiltown in Bucks County.

This project involves roadway overlay, shoulder widening, roadway reconstruction, roadway construction on new alignment, bridge and retaining wall construction, interchange improvements with PA 309, traffic signal installation, right and left turn-lane installation, signing, drainage improvements, highway lighting and appurtenant work.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

a. Past record of performance with respect to cost control, work quality, ability to meet schedules, and previous experience. The specific experience of individuals employed by the firm shall be considered.

b. Available staffing for this assignment and the ability to meet the Department's needs.

c. Specialized experience and technical competence of firm.

d. Location of Consultant with respect to the District Office.

The firm selected may be required to provide the following engineering, environmental and design services: C.E.E. document preparation; alternate alignment analysis; noise analysis; surveys; roadway design; preparation of cross sections; drainage design; erosion and sedimentation control design; preparation of roadside development plans; right of way investigation and plan preparation, subsurface boring, sampling and testing; structure design;

traffic analysis; traffic signal design; preparation of traffic control plans, pavement marking and signing plans; highway lighting design; utility coordination; coordination with PUC, PennDEP, US Army Corps of Engineers, public agencies, municipal officials, and the public; preparation of final plans, specifications and estimates; shop drawing reviews; alternate design review; construction consultation; and other services necessary to complete the project.

The firm selected will be required to provide environmental services to identify and assess historic and archaeological resources, farmlands, hazardous waste sites, wetlands and noise sensitive areas.

The firm selected may be required to provide all necessary environmental services, materials and equipment to collect, analyze, and organize data, assess impacts, conduct agency and public involvement activities, and prepare reports and mitigation plans to ensure that a complete environmental investigation has been performed. The reports and other written graphic material to be prepared may include, but are not limited to Section 106 documents; Section 4(f) Evaluation, Mitigation Plans and Reports; and coordinating the development of the study with various agencies and special interest groups.

The goal for Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be fifteen percent (15%) of the total contract price. Additional information concerning DBE participation in this Agreement is contained in the General Requirements and Information Section after the advertised project(s).

This project reference assignment is considered complex. The letter of interest shall be limited to a maximum of five (5) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable. (See the General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

Mr. Andrew L. Warren, District Administrator
Engineering District 6-0
7000 Geerdes Boulevard
King of Prussia, PA 19406

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 P.M. prevailing time on the twentieth (20th) day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to Mr. Timothy R. O'Brien, P.E., District 6-0, phone number (610) 205-6850, fax number (610) 205-6903 or Mr. Joseph L. Capella, District 6-0, at (610) 205-6857, fax number (610) 205-6903.

Statewide

Project Reference No. 08430AG2547

The Department will retain four (4) photogrammetric mapping firms for Open-End Contracts for photogrammetric services. Each contract will be for a sixty (60) month period with projects assigned on an as-needed basis. The maximum amount of each of the Open-End Contract will be \$2.0 million.

The Department will establish an order of ranking of a minimum of seven (7) firms for the purpose of negotiating four Open-End Contracts based on the Department's evaluation of the letters of interest received in response to this solicitation. The final ranking will be established

directly from the letters of interest. Technical proposals will *not* be requested prior to the establishment of the final ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- a. Specialized experience and technical competence of firm.
- b. Past record of performance with respect to cost control, work quality, and available staff to meet schedules.
- c. Specific experience of in-house staff and professional qualifications.
- d. Quality assurance/quality control criteria established for checking all work tasks.
- e. Specialized photogrammetric systems and surveying equipment.
- f. Previous experience on Open-End Contracts.
- g. Relative size of firm to size of projects that may be completed under this Contract.

Services requested may include, but are not limited to the following:

- Vertical and oblique aerial photography acquisition, using a variety of aircraft
- Aerial film processing, printing, and enlargements
- Airborne GPS
- Scanning of aerial film
- Geodetic mapping control surveys
- Establishing permanent monumentation
- Global Positioning System (GPS) surveys
- Analytical aero-triangulation
- Digital map compilation
- Digital orthophotography
- Digital terrain models
- Archive files onto electronic media

All work must be performed in accordance with the requirements of the applicable sections of the Department's Surveying and Mapping Manual (Publication 122M). The geodetic surveying and photogrammetric mapping must be performed under the direct supervision of a *licensed Pennsylvania Professional Land Surveyor*. It is also recommended that a Certified Photogrammetrist (ASPRS) be part of the firm's full-time staff working in the photogrammetry section.

Firms submitting a letter of interest for this work should have prior experience in geodetic surveys and large-scale photogrammetric mapping for highway design in metric and/or English units. Digital mapping should be compiled directly into CADD using analytical stereo plotters or softcopy workstations with the ability to provide the digital data in MicroStation format. In addition to having current state-of-the-art surveying equipment and photogrammetric systems, firms should have sufficient qualified personnel to complete large assignments with short delivery schedules.

The photogrammetric services identified above are the general work activities that can be expected under these Open-End Contracts. A more specific and project-related Scope of Work will be outlined for each individual Work Order developed under this Open-End Contract.

This project reference assignment is considered non-complex. The letter of interest shall be limited to a maximum of three (3) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable. (See the General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

Mr. Dean A. Schreiber, P.E., Director-
Bureau of Design
7th floor Forum Place
555 Walnut Street
Harrisburg, PA 17101-1900
Attn: L. Bradley Foltz, P. L.S.

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 P.M. prevailing time on the twentieth (20th) day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to L. Bradley Foltz, phone number 717-948-3830 ext. 3002, fax number 717-948-3826.

Dauphin and Lebanon Counties

Project Reference No. 08430AG2548

The Department will retain an engineering firm for a multi-phase, specific project(s) agreement to provide corridor safety/intersection studies, environmental studies and overview report, preliminary engineering including traffic data collection and preparation of a Preliminary Alternatives Report, final design including traffic signal plans roadway plans, specifications and estimates and construction consultation on the following project(s):

1. S.R. 0022, Section 010, Dauphin County Local Name: US 22 Safety Corridor This project involves studying and designing for recommended safety improvements along the corridor that runs from Segment 0490/0000 to Segment 0660/3548 (L.R. 140 Sta. 373+71 to Sta. 784+37) a distance of approximately 7.7 miles beginning at Blue Ribbon Avenue and terminating at the Lebanon County line, Lower Paxton, East and West Hanover Townships, Dauphin County.

2. S.R. 0022, Section 004, Lebanon County Local Name: US 22 Safety Corridor This project involves studying and designing for recommended safety improvements along the Corridor that runs from Segment 0010/0000 to Segment 0300/0000, (L.R. 140 Sta. 0+00 to Sta. 731+61), a distance of approximately 13.8 miles beginning at the Lebanon County line and terminating at the interchange with I-78, East Hanover, Swatara and Bethel Townships, Lebanon County.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- a. Specialized experience and technical competence with similar projects and their ability to provide innovative solutions to complex technical problems.
- b. Understanding of the Departments requirements, Design Manuals, policies and specifications.
- c. Past record with respect to cost control, work quality, and ability to meet schedules.
- d. The project team including subconsultants and the method of controlling between disciplines, subconsultants, etc.

e. Location of the consultant with respect to the District Office. This will include ability/provisions for quick responses to District requests.

The firm selected may be required to, at a minimum, do the preparation of intent to enter notices; field surveys; plotting of topography and cross sections; corridor/intersection safety studies and recommendations, environmental overview, preparation of categorical exclusion document; historical survey; pavement and drainage design; submission of utility verification and relocation engineering; field view; safety review meeting; step 9 and value engineering; line and grade submissions; right-of-way plans; traffic control plan with special provision; development of the soil and foundation engineering report; erosion control plans and narrative; investigation of utility and property involvement; and construction plans, specifications, cost estimates, public involvement meetings, and provide services during construction.

The design of these projects will be done in English units.

Welcom's Open Plan Software will be used for project management and tracking.

A project specific Quality Development Plan will be developed.

The Department is seeking a multi-disciplined team with environmental, geotechnical, signal design, traffic data gathering, and final design experience.

The goal for Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be fifteen percent (15%) of the total contract price. Additional information concerning DBE participation in this Agreement is contained in the General Requirements and Information Section after the advertised project(s).

This project reference assignment is considered moderately complex. The letter of interest shall be limited to a maximum of five (5) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable. (See the General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

Mr. Barry G. Hoffman, P.E., District Engineer
Engineering District 8-0
2140 Herr Street
Harrisburg, Pa 17103-1699
Attention: Mr. Mark A. Malhenzie

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 P.M. prevailing time on the twentieth (20th) day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to Mark A. Malhenzie, phone number 717-783-5080, fax number 717-705-5493.

Adams, Cumberland, Dauphin, Franklin, Lancaster, Lebanon, Perry and York Counties

Project Reference No. 08430AG2549

The Department will retain an engineering firm for an Open-End Contract for various engineering services on various projects located in Engineering District 8-0, that is Adams, Cumberland, Dauphin, Franklin, Lancaster, Lebanon, Perry and York Counties. The Contract will be for a sixty (60) month period with projects assigned on an as-needed basis. The maximum amount of the Open-End Contract will be \$250 thousand.

The Department will establish an order of ranking of a minimum of three (3) firms for the purpose of negotiating an Open-End Contract based on the Department's evaluation of the letters of interest received in response to this solicitation. The final ranking will be established directly from the letters of interest. Technical proposals will *not* be requested prior to the establishment of the final ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

a. Past record of performance with respect to cost control, work quality, ability to meet schedules, and previous experience on Open-end Contracts. The specific experience of individuals employed by the firm shall be considered.

b. Available staffing for this assignment and the ability to meet the Department's needs. The selected firm could be assigned several concurrent work orders of a similar or diverse nature. Prompt turn-around time is expected.

c. Specialized experience and technical competence of firm.

d. Location of Consultant in respect to the District.

e. Use of Microstation CADD

f. Special consideration will be given to smaller firms.

The work and services required under this Contract may encompass a wide range of engineering efforts with the possibility of several different types of projects with short completion schedules being assigned concurrently. The anticipated types of projects include, but not limited to, bridge replacements or bridge rehabilitation with minor approach work, environmental studies, roadway betterments (3R type), minor capital improvement projects (bridges or roadway), railroad grade crossing projects, and minor location studies, etc.

The engineering work and services which may be required under this Contract include, but are not limited to, perform field surveys; plot topography and cross sections; prepare submission for utility verification and relocations engineering; prepare all pertinent submissions and materials necessary for the Department to prepare the application to PUC and for the PUC field conference; attend and supply any required information for all PUC meetings and hearings during the design of the project; develop erosion control details and narrative; prepare right of way plans; complete structure designs including type, size and location reports, core boring layouts and foundation designs and reports; develop traffic control plans with narratives; conduct soils investigations and prepare soils reports; investigate utility involvement on projects; provide material for and participate in value engineering reviews; coordinate contacts with railroad officials and procure railroad related costs, permits, and insurance; collect signal timing, accident data and other traffic flow data; document engineering study findings and activities; alternative analysis to assess impacts and mitigation; and prepare construction plans, specifications, and estimates.

The engineering services identified above are the general work activities that can be expected under this Open-End Contract. A more specific and project-related Scope of Work will be outlined for each individual Work Order developed under this Open-End Contract.

This project reference assignment is considered non-complex. The letter of interest shall be limited to a

maximum of three (3) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable. (See the General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

District Consultant Selection Committee
Engineering District 8-0
2140 Herr Street
Harrisburg, PA 17103-1699
Attn: Mr. Greg Vaughn

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 p.m. prevailing time on the tenth (10th) day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to Gregory J. Vaughn, District 8-0, phone number 717-783-5149, fax number 717-705-5493.

Adams, Cumberland, Dauphin, Franklin, Lancaster, Lebanon, Perry and York Counties

Project Reference No. 08430AG 2550

The Department will retain an engineering firm for Open-End Contracts for various environmental services on various projects located in Engineering District 8-0, that is Adams, Cumberland, Dauphin, Franklin, Lancaster, Lebanon, Perry and York Counties. The Contract will be for a sixty (60) month period with projects assigned on an as-needed basis. The maximum amount of the Open-End Contract will be \$250 thousand.

The Department will establish an order of ranking of a minimum of three (3) firms for the purpose of negotiating an Open-End Contract based on the Department's evaluation of the letters of interest received in response to this solicitation. The final ranking will be established directly from the letters of interest. Technical proposals will *not* be requested prior to the establishment of the final ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- a. Past record of performance with respect to cost control, work quality, ability to meet schedules, and previous experience on Open-end Contracts. The specific experience of individuals employed by the firm shall be considered.
- b. Available staffing for this assignment and the ability to meet the Department's needs. The selected firm could be assigned several concurrent work orders of a similar or diverse nature. Prompt turn-around time is expected.
- c. Specialized experience and technical competence of firm.
- d. Location of Consultant in respect to the District.
- e. Use of Microstation CADD
- f. Special consideration will be given to smaller firms.

The work and services required under this Contract may encompass a wide range of environmental studies with the possibility of several different types of projects with short completion schedules being assigned concurrently. The anticipated types of projects include, but not limited to, bridge replacements or bridge rehabilitation with minor approach work, environmental studies, roadway betterments (3R type), minor capital improvement

projects (bridges or roadway), railroad grade crossing projects, and minor location studies, etc.

The areas of environmental study required under the Contract may include, but are not limited to: air quality; noise; energy; vibration; hazardous waste; surface water and ground water quality; surface water and ground water hydrology; terrestrial ecology including threatened and endangered species; wetlands; soils; geology; farmlands; visual quality; socio-economic resources; cultural resources; Section 4(f) Evaluations; early coordination and; scoping correspondence; meeting minutes; public meeting and hearing presentations; visualization materials, handouts and displays; technical basis reports (TBRs) and/or technical files; NEPA environmental documents; Section 106 documents; mitigation plans and reports; wetland and floodplain findings; and preliminary engineering plans, and remote sensing/mapping innovations; The format and content of all documents will be consistent with applicable State and Federal regulations, policies and guidelines.

The environmental studies identified above are the general work activities that can be expected under this Open-End Contract. A more specific and project-related Scope of Work will be outlined for each individual Work Order developed under this Open-End Contract.

This project reference assignment is considered non-complex. The letter of interest shall be limited to a maximum of three (3) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable. (See the General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

District Consultant Selection Committee
Engineering District 8-0
2140 Herr Street
Harrisburg, PA 17103-1699
Attn: Mr. Greg Vaughn

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 P.M. prevailing time on the tenth (10th) day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to Gregory J. Vaughn, District 8-0, phone number 717-783-5149, fax number 717-705-5493.

Adams, Cumberland, Dauphin, Franklin, Lancaster, Lebanon, Perry and York Counties

Project Reference No. 08430AG2551

The Department will retain an engineering firm for an Open-End Contract for various engineering and/or environmental services on various projects located in Engineering District 8-0, that is Adams, Cumberland, Dauphin, Franklin, Lancaster, Lebanon, Perry and York Counties. The Contract will be for a sixty (60) month period with projects assigned on an as-needed basis. The maximum amount of the Open-End Contract will be \$500 thousand.

The Department will establish an order of ranking of a minimum of three (3) firms for the purpose of negotiating an Open-End Contract based on the Department's evaluation of the letters of interest received in response to this solicitation. The final ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the final ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

a. Past record of performance with respect to cost control, work quality, ability to meet schedules, and previous experience on Open-end Contracts. The specific experience of individuals employed by the firm shall be considered.

b. Available staffing for this assignment and the ability to meet the Department's needs. The selected firm could be assigned up to twenty concurrent work orders of a similar or diverse nature. Prompt turn-around time is expected.

c. Specialized experience and technical competence of firm.

d. Location of Consultant in respect to the District.

e. Use of Microstation CADD

f. Relative size of firm to size of projects that may be completed under this Contract.

The work and services required under this Contract may encompass a wide range of environmental studies and engineering efforts with the possibility of several different types of projects with short completion schedules being assigned concurrently. The anticipated types of projects include, but not limited to, bridge replacements or bridge rehabilitation with minor approach work, environmental studies, roadway betterments (3R type), minor capital improvement projects (bridges or roadway), railroad grade crossing projects, and minor location studies, etc.

The engineering work and services which may be required under this Contract include, but are not limited to, perform field surveys; plot topography and cross sections; prepare submission for utility verification and relocations engineering; prepare all pertinent submissions and materials necessary for the Department to prepare the application to PUC and for the PUC field conference; attend and supply any required information for all PUC meetings and hearings during the design of the project; develop erosion control details and narrative; prepare right of way plans; complete structure designs including type, size and location reports, core boring layouts and foundation designs and reports; develop traffic control plans with narratives; conduct soils investigations and prepare soils reports; investigate utility involvement on projects; provide material for and participate in value engineering reviews; coordinate contacts with railroad officials and procure railroad related costs, permits, and insurance; collect signal timing, accident data and other traffic flow data; document engineering study findings and activities; alternative analysis to assess impacts and mitigation; and prepare construction plans, specifications, and estimates.

The areas of environmental study required under the Contract may include, but are not limited to: air quality; noise; energy; vibration; hazardous waste; surface water and ground water quality; surface water and ground water hydrology; terrestrial ecology including threatened and endangered species; wetlands; soils; geology; farmlands; visual quality; socio-economic resources; cultural resources; Section 4(f) Evaluations; early coordination and; scoping correspondence; meeting minutes; public meeting and hearing presentations; visualization materials, handouts and displays; technical basis reports (TBRs) and/or technical files; NEPA environmental documents; Section 106 documents; mitigation plans and reports;

wetland and floodplain findings; and preliminary engineering plans, and remote sensing/mapping innovations; The format and content of all documents will be consistent with applicable State and Federal regulations, policies and guidelines.

The engineering services and environmental studies identified above are the general work activities that can be expected under this Open-End Contract. A more specific and project-related Scope of Work will be outlined for each individual Work Order developed under this Open-End Contract.

This project reference assignment is considered non-complex. The letter of interest shall be limited to a maximum of three (3) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable. (See the General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

District Consultant Selection Committee
Engineering District 8-0
2140 Herr Street
Harrisburg, PA 17103-1699
Attn: Mr. Greg Vaughn

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 p.m. prevailing time on the tenth (10th) day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to Gregory J. Vaughn, District 8-0, phone number 717-783-5149, fax number 717-705-5493.

Bedford County

Project Reference No. 08430AG2552

The Department will retain an engineering firm to provide final design and services during construction on the following projects:

1. S.R. 0056, Section 008, Bedford County
Local Name: 0056 Western Intersections

This project involves safety improvements to two (2) separate intersections (approximately 0.8 miles apart) located less than two (2) miles east of Pleasantville, Bedford County. The western most intersection (S.R. 0056 with T-671 and T-554) will have a left turn lane added to S.R. 0056 at both approaches. The existing single span structure located just west of this intersection on S.R. 0056 will be replaced as part of this project. The second intersection is at the intersection of T-559, S.R. 4032, and S.R. 0056. The proposed work at this intersection includes adding a left turn lane to S.R. 0056 at both approaches and improving the vertical alignment on S.R. 0056 just west of S.R. 4032. These improvements (at both intersections) also include roadway widening and rehabilitation, widening of shoulders, hillside cuts to improve sight distance (where applicable), guide rail updates, drainage improvements, and improvements to the immediate approaches of intersecting roadways (width, radii and gradient). The Final Design of this project will be based upon approved Preliminary Design.

2. S.R. 0056, Section 010, Bedford County
Local Name: Turn Lane at Chestnut Ridge School

This project involves safety improvements to a section of SR 0056 beginning just west of Fishertown, Bedford County and extending approximately 0.9 miles eastward. The project will provide a continuous center left turn lane through access drives for the three (3) existing schools

located within this section. The existing vertical alignment on S.R. 0056 just west of S.R. 4003 will be adjusted to improve sight distance. An existing concrete culvert near the eastern end of the section will be extended to accommodate the widening of S.R. 0056. These improvements also include roadway widening and rehabilitation, wider shoulders, guide rail updates, drainage improvements, and improvements to the immediate approaches of intersecting roadways and driveways (width, radii and gradient). The Final Design of this project will be based upon approved Preliminary Design submissions.

3. S.R. 0056, Section 012, Bedford County
Local Name: 0056 Eastern Intersections

This project involves safety improvements to three (3) separate intersections located within a one half-mile section of S.R. 0056. This section of S.R. 0056 is located just south of Fishertown, Bedford County. A continuous left turn lane or designated left turn lane, (as determined in the Preliminary Design phase), will be provided on S.R. 0056 for all three-intersection locations. The western-most intersection in this section where S.R. 4028 intersects S.R. 0056 at approximately a 45-degree angle will either be relocated west to form a "T" intersection, or be cul-de-saced, or be otherwise improved as determined during the Preliminary Design phase. The next intersection is where T-541 intersects S.R. 0056. An existing single span structure on T-541 located less than 50 feet from the intersection will be replaced as part of this project. The hillside just west of this intersection will be cut back to provide required sight distance. The eastern most intersection is where S.R. 4015 and T-518 intersect S.R. 0056. These improvements also include roadway widening and rehabilitation, widening of shoulders, guide rail updates, drainage improvements, and improvements to the immediate approaches of intersecting roadways (width, radii and gradient). The Final Design of this project will be based upon approved Preliminary Design submissions.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

a. Specialized experience and technical competence of the design team. The team must demonstrate an ability to collect and analyze data, make decisions to develop quality plans in a timely manner, and to meet accelerated schedules. Firms must demonstrate familiarity with the project and how the project relates to the firms' experience. Firms must demonstrate a capacity for innovative engineering to resolve complex problems.

b. Past experience of firm in Pennsylvania, (with emphasis on District 9-0 projects), with respect to cost control, work quality and meeting schedules. The specific experience and project management skills of the individuals who constitute the firm will be considered.

c. Understanding the Department's requirements, Design Manuals, policies and procedures. The firm selected must be capable of providing adequate leadership and human resources to effectively complete this project. The firm must demonstrate their ability to communicate ideas and/or practices across units, subconsultants and the general public.

d. Number and title of personnel assigned to this project and their work location. Current and projected workload on PennDOT and Pennsylvania Turnpike projects will be considered. List current PennDOT projects and PennDOT contact person including their telephone number.

e. The specific experience and project management skills of the individuals who constitute the subconsultant selected by the prime will be considered.

f. Firm must describe their methods of controlling the quality of project submissions by outlining a project specific Quality Assurance/Quality Control (QA/QC) plan.

g. Location of firm with respect to District 9's office as it relates to their ability to provide quick response time to the District's requests.

The firm selected may be required to provide a variety of engineering services as indicated below, but not limited to:

1. Adjustments to concepts provided during the Preliminary Design Submission.

2. Preparation of right of way plans, other plans as required, final roadway and structure plans, including, but not limited to: roadway and structure borings; final design; and preparation of plans, specifications, and estimates.

3. Consultation during construction.

The goal for Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be fifteen percent (15%) of the total contract price. Additional information concerning DBE participation in this Agreement is contained in the General Requirements and Information Section after the advertised project(s).

This project reference assignment is considered non-complex. The letter of interest shall be limited to a maximum of five (5) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable. (See the General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

Mr. Earl L. Neiderhiser, P.E., District Engineer
Engineering District 9-0
1620 North Juniata St.
Hollidaysburg, PA 16648
Attn.: Terry L. Bouch

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 p.m. prevailing time on the twentieth (20th) day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to Terry L. Bouch, District 9-0, phone number (814) 696-7171, fax number (814) 696-7173.

**Adams, Cumberland, Franklin, York, Dauphin,
Lancaster, Lebanon and Perry Counties**

Project Reference No. 08430AG2553

The Department will retain two (2) engineering firms for Open-End Contracts to provide supplementary construction inspection staffing under the Department's Inspector(s)-in-Charge to perform construction inspection services on various projects in Engineering District 8-0, that is: Adams, Cumberland, Franklin, York, Dauphin, Lancaster, Lebanon and Perry Counties. The Contract will include roadway and bridge construction projects. Each Contract will be for a period of sixty (60) months, with a maximum cost of \$ 1.5 Million dollars.

The Department will establish an order of ranking of a minimum of three (3) firms for the purpose of negotiating these Engineering Agreements based on the Department's evaluation of the acceptable letters of interest received in

response to this solicitation. The final ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the final rankings.

The following, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest.

a. Review of inspector's resumes with emphasis on construction inspection capabilities and specialized experience in the maintenance and protection of traffic, soils, structures, concrete placement, rigid and bituminous concrete paving and drainage.

b. Number of NICET certified inspectors in each payroll classification.

c. Number of NECEPT certified inspectors, with the exception of the TCM-1 and TA personnel in each payroll classification. To receive the highest rating 50% of the inspectors shown in the letter of interest must be certified and a training plan to achieve 75% and 100% certification by January of 2002 and 2003 respectively must be presented.

d. Understanding of the Department's requirements, policies and specifications.

e. Number of available inspectors in each payroll classification.

The qualifications and experience required of the firm's inspectors will be established by the Department, and the qualifications of the firm's proposed employees will be reviewed and approved by the Department.

It is anticipated that the supplementary construction inspection staff for this assignment will consist of the following number of inspectors who meet the requirements for the following inspection classifications:

<i>Classifications</i>	<i>No. of Inspectors</i>
Transportation Construction Manager 1 (TCM-1) (NICET Highway Construction Level 4 or equivalent)	1 (1)
Transportation Construction Inspector Supervisor (TCIS) (NICET Highway Construction Level 3 or equivalent)	6 (6)
Transportation Construction Inspector (TCI) (NICET Highway Construction Level 2 or equivalent)	15 (12)
Technical Assistant (TA) (NICET Highway Construction Level 1 or equivalent)	6 (0)

The number(s) in parenthesis above indicate the number of inspectors in each classification that must meet at least one of the following requirements:

1. Be certified by the National Institute for Certification in Engineering Technology (NICET) in the field of Transportation Engineering Technology, subfield of Highway Construction or subfield of Highway Materials, at the level required for the Inspection Classification.

2. Be registered as a Professional Engineer by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.

3. Be certified as an Engineer-in-Training by the Commonwealth of Pennsylvania with the Required highway experience specified for the Inspection Classification.

4. Hold a Bachelor of Science Degree in Civil Engineering or a Bachelor of Science Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

5. Hold an Associate Degree in Civil Engineering Technology with the required experience Specified for the Inspection Classification.

The maximum reimbursement per hour inspection for each Department Payroll Classification for the calendar year 2000:

<i>Payroll Classification</i>	<i>Maximum Straight Time Reimbursement Per Hour of Inspection</i>
TCM-1	\$ 47.65
TCIS	\$ 41.75
TCI	\$ 36.53
TA	\$ 25.12

The maximum reimbursement per hour of inspection includes all cost for providing construction inspection services at the project site during the normal workweek.

Maximum reimbursement per hour of inspection for subsequent calendar years, if applicable, will be established at the scope of work meeting.

The firm selected may be required to attend a pre-construction conference with the Department and the construction contractor for the project. Under the supervision and direction of the Department: the selected firm will be required to keep records and document the construction work; prepare current and final estimates for payment to the construction contractor; assist the Department in obtaining compliance with labor standards, safety and accident prevention and equal opportunity provisions of the contract; personnel should be proficient with the Department's construction documentation policies and procedures as well as "CDS" operations, also, knowledgeable of the Department's final project documentation close out audit procedures and perform other duties as may be required. Firms applying must have qualified personnel capable of climbing structures during painting, rehabilitation or construction.

The firm selected will be required to supply the following equipment at no direct cost to the Department:

Cellular Telephones (For Engineer's employees only)

The goal for Disadvantaged Business Enterprise (DBE) participation in this agreement shall be fifteen percent (15%) of the total Agreement cost. Additional information concerning DBE Participation in this Agreement is contained in the General Requirements and Information Section after the advertised project.

Letters of Interest for this project must include a letter, signed by the individuals you propose for all TCM-1 and TCIS positions, giving their approval to use their name in your Letter of Interest for this specific project.

The maximum number of resumes to be included in the letter of interest shall be as follows:

<i>Classification</i>	<i>No. of Resumes</i>
TCM-1	2
TCIS	8
TCI	18
TA	0

No resumes are required for the TA Classification.

This project reference assignment is considered to be of a non-complex nature. The letter of interest shall be limited to a maximum of three (3) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size) and additional resumes, if applicable. (See the General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

Mr. Barry G. Hoffman, P.E., District Engineer
Engineering District 8-0
2140 Herr Street
Harrisburg, PA 17103-1699
Attention: Mr. Richard K. Waddell

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 P.M. prevailing time on the twentieth (20th) day following the date of this notice.

Any technical questions concerning the requirements for this project should be directed to Richard K. Waddell, District 8-0, Construction Unit at (717) 787-5054, fax (717) 772-0397.

Warren County

Project Reference No. 08430AG2554

The Department will retain an engineering firm to provide supplementary construction inspection staff of approximately seven (7) inspectors, under the Department's Inspector-in-Charge for construction inspection and documentation services on S.R. 0006, Section A01, Warren County.

This project involves the reconstruction of approximately 5.76 miles of S.R. 0006 from Thatcher's Lane (approximately the Brokenstraw Township/Youngsville Borough Line - Seg 0390/1859) east to the Village of Starbrick (Conewango Township Seg 0520/0000). Items of work include overlay and reconstruction (break and seat) of the existing 8" depth reinforced cement concrete pavement, new left and right turning lanes, guide rail updates, new signs and traffic signals, and drainage improvements.

The Department will establish an order of ranking of a minimum of three (3) firms for the purpose of negotiating an Engineering Agreement based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the final ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- a. Review of inspectors' resumes with emphasis on construction inspection capabilities and specialized experience in the Maintenance and Protection of Traffic, soils, structures, concrete, asphalt paving, and drainage.
- b. Understanding of Department's requirements, policies, and specifications.
- c. Past Performance.
- d. Ability to provide CPM scheduling.
- e. Number of available inspectors in each payroll classification.
- f. Number of NICET certified inspectors in each payroll classification.

The qualifications and experience required of the firm's inspectors will be established by the Department, and the qualifications of the firm's proposed employees will be reviewed and approved by the Department.

It is anticipated that the supplementary construction inspection staff for this assignment will consist of the

following number of inspectors who meet the requirements for the following inspection classifications:

<i>Classification</i>	<i>No. of Inspectors</i>
Transportation Construction Manager 1 (TCM-1) (NICET Highway Construction Level 4 or equivalent)	1 (1)
Transportation Construction Ins. Super. (TCIS) (NICET Highway Construction Level 3 or equivalent)	1 (1)
Transportation Construction Inspector (TCI) (NICET Highway Construction Level 2 or equivalent)	4 (3)*
Technical Assistant (TA) (NICET Highway Construction Level 1 or equivalent)	1 (0)

* At least one TCI to be a nuclear gage operator.

The numbers in parenthesis above indicate the number of inspectors in each Classification that must meet at least one of the following requirements:

1. Be certified by the National Institute for Certification in Engineering Technologies (NICET) in the field of Transportation Engineering Technology, subfield of Highway Construction, or subfield of Highway Materials, at the Level required for the Inspection Classification.
2. Be registered as a Professional Engineer by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
3. Be certified as an Engineer-in-Training by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
4. Hold a Bachelor of Science Degree in Civil Engineering or a Bachelor of Science Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.
5. Hold an Associate Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

The maximum reimbursement per hour of inspection for each Department Payroll Classification for calendar year of 2000:

<i>Payroll Classification</i>	<i>Maximum Straight Time Reimbursement Per Hour Of Inspection</i>
(TCM-1)	\$47.65
(TCIS)	\$41.75
(TCI)	\$36.53
(TA)	\$25.12

The maximum reimbursement per hour of inspection includes all costs for providing construction inspection services at the project site during the normal work week.

Maximum reimbursement per hour of inspection for subsequent calendar years, if applicable, will be established at the scope of work meeting.

The firm selected may be required to attend a pre-construction conference with the Department and the construction contractor for this project. Under the supervision and direction of the Department, the selected firm will be required to keep records and document the construction work; prepare current and final estimates for payment to the construction contractor; assist the Department in obtaining compliance with the labor standards, safety and accident prevention, and equal opportunity

provisions of the contract item; and perform other duties as may be required. Firms applying must have qualified personnel capable of climbing structures during painting, rehabilitation, or construction.

The firm selected will be required to supply the following equipment at no direct cost to the Department:

1	Nuclear Densometer Gauges/License at point of need when needed
4	Two-Way Radios
2	Cellular Phones (for Engineer's employees only)
1	Camera—Digital with date and time
1	Smart Level

The goal for Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be fifteen percent (15%) of the total Agreement price. Additional information concerning DBE participation in this Agreement is contained in the General Requirements and Information Section after the advertised project.

Letters of interest for this project must include a letter, signed by the individuals you propose for all TCM-1 and TCIS positions, giving their approval to use their name in your letter of interest for this specific project.

The maximum number of resumes to be included in the letter of interest shall be as follows:

<i>Classification</i>	<i>No. of Resumes</i>
TCM-1	2
TCIS	2
TCI	5
TA	0

This project reference assignment is considered moderately complex. The letter of interest shall be limited to a maximum of five (5) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable. (See the General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

Mr. John L. Baker, P.E. District Engineer
Engineering District 1-0
255 Elm Street
P. O. Box 398
Oil City, Pa. 16301-0398

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 p.m. prevailing time on the 20th day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to Mr. Terry J. Nye, P.E., Assistant District Engineer Construction, District 1-0, phone number (814)678-7120, fax number (814)618-7020.

Mercer County

Project Reference Nos. 08430AG2538 and 08430AG2539

On April 22, 2000 the above Project Reference Numbers solicited letters of interest to supply supplementary construction inspection staff of approximately nine (9) inspectors under the Department's Inspector-in-Charge for construction inspection and documentation services on S.R. 0018, Section A01, Mercer County, North Hermitage Road.

This assignment will be made under Project Reference Number 08430AG2538 however the Department will accept letters of interest submitted under either Project Reference Number. If a firm proposed the same project team for both Project Reference Numbers no further action is required. However if a firm proposed a different project team for each Reference Number and they desire to have the Letter of Interest for Reference Number 08430AG2539 considered instead of the Letter of Interest for Reference Number 08430AG2538 than the firm must notify the Department in writing no later than May 12, 2000.

The Notification shall be sent to:

Mr. John L. Baker, P.E., District Engineer
Engineering District 1-0
255 Elm Street
P. O. Box 398
Oil City, PA 16301-0398

Otherwise, the Department will evaluate the firm based on the content of the Letter of Interest for Reference Number 08430AG2538 and discard the Letter of Interest for Reference No. 08430AG2539.

General Requirements and Information

Firms interested in providing the above work and services are invited to submit a Letter of Interest with the required information for each Project Reference Number for which the applicant wishes to be considered.

The Letter of Interest and required information must be submitted to the person designated in the individual advertisement.

The Letter of Interest and required information must be received by the Deadline indicated in the individual advertisement.

All consultants, both prime consultants and subconsultants, who desire to be included in a Letter of Interest must have an Annual Qualification Package on file with the appropriate District Office, by the deadline stipulated in the individual advertisements.

For Statewide projects, all consultants, both prime consultants and subconsultants, who desire to be included in a Letter of Interest must have an Annual Qualification Package on file with the Central Office, Bureau of Design by the deadline stipulated in the individual advertisements.

By submitting a letter of interest for the projects that request engineering services, the consulting firm is certifying that the firm is qualified to perform engineering services in accordance with the laws of the Commonwealth of Pennsylvania. A firm not conforming to this requirement may submit a letter of interest as a part of a joint venture with an individual, firm or corporation which is permitted under State law to engage in the practice of engineering.

Information concerning the Annual Qualification Package can be found in Strike-off Letter No. 433-99-04 or under the Notice to all Consultants published in the February 27, 1999 issue of the *Pennsylvania Bulletin*.

The requirements for Letters of Interest, in addition to the requirements stipulated in the individual advertisement, are as follows:

1. The Letter of Interest must include the project reference number, the firm's legal name, and the firm's federal identification number.
2. Identify the project manager.

3. Identify subconsultants, if any, including DBE/WBE, if required.

4. Identify key project staff.

5. Include full disclosure of any potential conflict of interest by the prime or any subconsultant based on Engineering Involvement Restrictions Guidelines as established in Strike-off Letter No. 433-00-02 published March 27, 2000. If there are no potential conflicts you shall include the following statement: I have reviewed Strike-off Letter No. 433-00-02 and determine that there are no potential conflicts of interest for anyone on this project team.

If a Joint Venture responds to a project advertisement, the Department of Transportation will not accept separate Letters of Interest from the Joint Venture constituents. A firm will not be permitted to submit a Letter of Interest on more than one (1) Joint Venture for the same Project Reference Number. Also a firm that responds to a project as a prime may not be included as a designated subcontractor to another firm that responds as a prime to the project. Multiple responses under any of the foregoing situations will cause the rejection of all responses of the firm or firms involved. The above does not preclude a firm from being set forth as a designated subcontractor to more than one (1) prime responding to the project advertisement.

If a goal for Disadvantaged Business Enterprise (DBE) participation is established for an advertised project, firms expressing interest in the project must agree to ensure that Disadvantaged Business Enterprise (DBE) firms as defined in the Transportation Equity Act for the 21st century (TEA-21) and currently certified by the Department of Transportation shall have the opportunity to participate in any subcontracting or furnishing supplies or services approved under Form 442, Section 1.10(a). The TEA-21 requires that firms owned and controlled by women (WBEs) be included, as a presumptive group, within the definition of Disadvantaged Business Enterprise (DBE). The goal for DBE participation shall be as stated in the individual project advertisement. Responding firms shall make good faith efforts to meet the DBE goal using DBEs (as they are defined prior to the act, WBEs or combinations thereof).

Proposing DBE firms must be certified at the time of submission of the Letter of Interest. If the selected firm fails to meet the established DBE participation goal, it shall be required to demonstrate its good faith efforts to attain the goal.

Responses are encouraged by small firms, Disadvantaged Business Enterprise (DBE) firms, and other firms who have not previously performed work for the Department of Transportation.

The assignment of the agreement/contract for the above advertisement(s) will be made to one of the firms who submitted an acceptable Letter of Interest in response to the project advertisement. The assignment will be made based on the Department's evaluation of the firm's qualification and capabilities. The Department reserves the right to reject all letters submitted, to cancel the solici-

tions requested under this Notice, and/or to readvertise solicitation for the work and services.

BRADLEY L. MALLORY,
Secretary

[Pa.B. Doc. No. 00-757. Filed for public inspection May 5, 2000, 9:00 a.m.]

FISH AND BOAT COMMISSION

Designation of Wilderness Trout Waters

The Fish and Boat Commission (Commission) has approved the list of Wilderness Trout Waters as set forth at 30 Pa.B. 1428 (March 11, 2000). Under 58 Pa. Code § 57.4 (relating to wilderness trout streams), it is the Commission's policy to manage the wilderness trout streams program where the stream remoteness and populations of naturally reproducing trout combine to offer a sport fishing opportunity for the recreation of anglers in a wilderness setting away from roads or vehicular access. It is the Commission's intent to advocate proper watershed management to maintain the wilderness setting and to advance and seek the highest water quality standards through the Department of Environmental Protection.

PETER A. COLANGELO,
Executive Director

[Pa.B. Doc. No. 00-758. Filed for public inspection May 5, 2000, 9:00 a.m.]

Designations of Waters Subject to Special Fishing Regulations

The Fish and Boat Commission (Commission) has redesignated the limits of the following water that is currently regulated and managed under 58 Pa. Code § 65.1 (relating to the Selective Harvest Program), effective immediately upon publication of this notice in the *Pennsylvania Bulletin*:

<i>Water on which County located</i>	<i>Description</i>
York Codorus Creek	From the confluence with the West Branch of Codorus Creek downstream to the cable 0.5 miles downstream of T-374 (Hayrick Road), a distance of 3.1 miles.

PETER A. COLANGELO,
Executive Director

[Pa.B. Doc. No. 00-759. Filed for public inspection May 5, 2000, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Notice of Comments Issued

Section 5(g) of the Regulatory Review Act (act) (71 P. S. § 745.5(g)) provides that the designated standing committees may issue comments within 20 days of the close of

the public comment period, and the Independent Regulatory Review Commission (Commission) may issue comments within 10 days of the close of the committee comment period. The Commission comments are based upon the criteria contained in section 5a(h) and (i) of the act (75 P. S. § 745.5a(h) and (i)).

The Commission has issued comments on the following proposed regulations. The agency must consider these comments in preparing the final-form regulation. The final-form regulations must be submitted by the dates indicated.

<i>Reg. No.</i>	<i>Agency/Title</i>	<i>Issued</i>	<i>Final-Form Submission Deadline</i>
57-213	Pennsylvania Public Utility Commission Reporting Requirements for Quality of Gas Service Benchmarks and Standards	4/20/00	3/20/02
16A-555	State Board of Accountancy Continuing Education Program Sponsors	4/20/00	3/20/02
10-161	Department of Health WIC Program	4/20/00	3/20/02

Pennsylvania Public Utility Commission Regulation No. 57-213

Reporting Requirements for Quality of Gas Service Benchmarks and Standards

April 20, 2000

We submit for consideration the following objections and recommendations regarding this regulation. Subsections 5.1(h) and (i) of the Regulatory Review Act (71 P. S. § 745.5a(h) and (i)) list the criteria the Commission must use to determine if the regulation is in the public interest. The Pennsylvania Public Utility Commission (PUC) must respond to these Comments when it submits the final-form regulation. If the final-form regulation is not delivered by March 20, 2002, the regulation will be deemed withdrawn.

1. Section 62.31. Purpose.—Clarity.

This section states that the regulation is intended to provide the PUC with uniform measurements and reports to ensure that customer services of Natural Gas Distribution Companies (NGDC) are maintained at the same quality under competition. To improve clarity, the PUC should specify that this regulation applies to two classes of NGDCs which are required to file restructuring plans under the Natural Gas Choice and Competition Act. Specifically, these classes are large NGDCs serving more than 100,000 residential customers and small NGDCs serving less than 100,000 residential customers.

2. Section 62.32. Definitions.—Clarity.

Call abandonment rate

The phrase “. . . at the NGDC’s telephone call center or business office” appears twice in this definition. To be consistent with the definition of “busy-out rate,” the PUC should delete the phrase appearing at the end of the definition of “call abandonment rate.”

Infraction rate, Justified informal consumer complaint rate and Justified payment arrangement request rate

The definitions of these terms address informally verified infractions, justified informal complaints and justified payment arrangement requests. To improve clarity, the PUC should add the phrase “as determined by BCS” to these definitions.

Also, these definitions refer to the PUC’s “negotiation procedures or regulations.” This phrase is vague. The PUC should specify the “procedures” and “regulations” it will use in determining these rates.

Transaction survey

Subparagraph (ii) of this definition lists transactions that could be included in an NGDC’s survey. However, section 62.34(2) of the proposed regulation provides a list of transactions that must be included in the transaction survey. Given the explicitness of section 62.34(2), subparagraph (ii) in the definition of “transaction survey” is not necessary and should be deleted.

3. Section 62.33. Reporting requirements.—Reasonableness; Clarity.

Subsection (b) Recordkeeping

This subsection establishes what data an NGDC must report. However, it does not require an NGDC to record the amount of time it takes for the NGDC to respond to emergency calls. The PUC should consider adding the amount of time it takes an NGDC to respond to emergency safety calls to the list of items required to be reported.

This subsection also requires each NGDC to “take measures necessary and keep sufficient records” to report certain data to the PUC. This phrase does not specify what measures are “necessary” or what records are “sufficient.” Instead, the regulation clearly sets forth the data that is to be reported to the PUC. Consequently, this phrase is unnecessary and should be deleted.

Subsection (b)(3) Meter reading

Subsection (b)(3)(i) and (ii) requires each NGDC to report the number and percent of residential meters for which the company has not obtained an actual or ratepayer supplied reading within the past 6 and 12 months, as required by the PUC’s Chapter 56 regulations. However, this requirement does not distinguish between meters which are inside or outside a residential customer’s home. Although this distinction does not negate the Chapter 56 requirement for meter readings, the location of the meter is a significant factor in an NGDC’s failure

to obtain the required meter readings. The PUC should consider allowing separate reporting for meters which are inside a residential customer's home.

4. Section 62.34. Customer surveys.—Clarity.

Paragraph (1) Purpose

This paragraph requires survey questions to measure the "promptness" and "timeliness" of the NGDC's response or visit. These terms are also used in section 62.35(3)(iv). The difference between these terms is unclear. For clarity, the PUC should define "promptness" and "timeliness" in section 62.32.

Paragraph (2) Questions

We request the PUC specify what types of transactions would fall into category (vi) "Other similar transactions."

Paragraph (3) Uniform data

This provision requires an NGDC to conduct a survey using "instruments and procedures" which provide the PUC with uniform data. We request the PUC clarify what "instruments and procedures" are to be used.

Paragraph (6) Commission approval

This paragraph states the "survey instrumentation, as well as procedures for case selection, sampling, conducting the survey, analyzing results and reporting to the Commission shall be subject to the review and approval of the Commission." We have several questions relating to this provision. When does review and approval occur? Is review and approval done through a formal proceeding? If not, what type of proceeding is used? We request the PUC address these issues in the final regulation.

5. Section 62.35. NGDCs with fewer than 10,000 residential accounts.—Clarity.

Paragraph (1) Survey sample

This paragraph requires an NGDC to report to the PUC "[T]he results of a mail survey of a sample of the NGDC customers who have had interactions with one or more representatives of the NGDC." (Emphasis added.) However, the regulation does not specify the required sample size. It is our understanding that the PUC intends to require each small NGDC (under 100,000 residential customers) to survey every 10th customer that contacts the company. For clarity, the PUC should include the required sample size in the final regulation.

Additionally, the phrase "one or more representatives of" is unnecessary. For clarity and consistency with the language in section 62.34, the PUC should delete this phrase.

Paragraph (3) BCS approval

This paragraph provides that "[E]ach NGDC shall use the same mail survey questionnaire which shall be approved by the BCS." Is the questionnaire approved by the BCS through a formal proceeding? If not, what type of proceeding is used? We request the PUC address these issues in the final regulation.

6. Section 62.36. Informal complaints to the BCS.—Clarity.

Subsection (a) Residential informal consumer complaints and payment arrangement requests

According to this subsection, the BCS will report the "justified consumer complaint rate" to the PUC on an annual basis. The defined term in section 62.32 is "justified informal consumer complaint rate." The PUC should use the defined term in this subsection. If this

provision is intended to address a different complaint rate, the PUC should separately define "justified consumer complaint rate."

Subsection (b) Informally verified infractions

This subsection states that the BCS will report to the PUC "an 'infraction rate' for each NGDC with more than 100,000 residential accounts." It is unclear if the "infraction rate" referenced in this subsection is the same rate as the one defined in section 62.32. If the PUC is referring to the same rate, why does the term appear in quotation marks in this subsection? If the PUC is referring to a different rate, the term should be defined for purposes of this subsection.

7. Waiver of survey requirements.—Clarity.

In the preamble, the PUC states that it reserves the right to waive the requirements of this regulation upon petition by an affected party under 52 Pa. Code § 5.43 (relating to petitions for issuance, amendment, waiver or repeal of regulations). However, waivers are not addressed in the proposed regulation. The PUC should consider adding a section which cross-references the requirements for petitioning for a waiver in section 5.43.

State Board of Accountancy Regulation No. 16A-555

Continuing Education Program Sponsors

April 20, 2000

We submit for consideration the following objections and recommendations regarding this regulation. Subsections 5.1(h) and (i) of the Regulatory Review Act (71 P. S. § 745.5a(h) and (i)) list the criteria the Commission must use to determine if the regulation is in the public interest. The State Board of Accountancy (Board) must respond to these Comments when it submits the final-form regulation. If the final-form regulation is not delivered by March 20, 2002, the regulation will be deemed withdrawn.

1. Section 11.64. Sources of continuing education credit.—Clarity.

The date in this section is inconsistent with the Preamble. The date, May 1, 2000, should be deleted and replaced with January 1, 2001.

2. Section 11.69.a. Approval of program sponsor.—Reasonableness, Implementation procedure and Clarity.

Subsection (a) Initial approval.

Subsection (a) states, "[T]he approval of previously approved program sponsors will expire December 31, 2000." Additionally, "[P]reviously approved programs sponsors desiring to offer continuing education programs after December 31, 2000, shall comply with this section."

The House Professional Licensure Committee has two concerns with this requirement. First, will the program sponsor applicants be able to comply with the December 31, 2000 deadline? Second, given the potential number of program sponsor applications, does the Board have the ability to process these applications in time? The Board should explain how both the Board and applicants will meet the deadline.

Subsection (c) Contents of application for initial approval.

This subsection contains an extensive list of information required in an application for approval. The contents of paragraphs (1), (2), (6), (7), (8), (9), (10) and (11) are definitive and readily available.

However, we question whether the program sponsor will be able to provide to the Board the information requested in paragraphs (3) (the dates and locations of the programs), (4) (the faculty names, titles and degrees) and (5) (the program schedules, which include the title of subject, lecturer, time allotted, excluding breaks and lunches). This information may be difficult to project 2 years in advance.

To properly evaluate a program sponsor, the Board needs to review the sponsor's courses and instructors. At the same time, the Board must recognize that this information is subject to change. To provide greater flexibility, the Board should consider allowing approved program sponsors to submit any changes, deletions or amendments to the information required in this subsection as they occur.

Subsection (e) Board review of application for initial approval.

This subsection provides that the Board's Continuing Education Committee (Committee) will review an application for approval or disapproval. If a program is disapproved, the Board will provide the applicant the reasons for disapproval, and allow the applicant to resubmit the disapproved application. However, there are no time frames for any stage of this process. For clarity, the Board should provide time frames for the Committee's review, and for an applicant to resubmit.

3. Section 11.71. Responsibilities of program sponsor.—Need and Clarity.

Paragraph (1) Program level of difficulty.

For improved readability, the phrase "[A]s an illustration" should be replaced by "For example."

Paragraph (4) Program review.

This paragraph states, "[A] program sponsor shall review the course materials periodically . . ." The term "periodically" is vague. For clarity, the Board should consider including a set time frame for the review of course materials in paragraph (4).

Paragraph (6) Selection and review of instructors.

Paragraph (6) includes the phrase "[A]lthough it is expected that the instructors will be selected with great care . . ." This phrase is unnecessary in the regulation. For clarity, the Board should delete it from this paragraph.

Paragraphs (8) and (9) Attendance records and course materials.

These two paragraphs require program sponsors to maintain and retain records of attendance and written outlines of course materials for a 5-year period. Although this retention requirement is consistent with an existing provision at 49 Pa. Code § 11.68(a), the period appears to be lengthy. It is our understanding that the Board only reviews records from the previous biennium. When the current biennium ends, it is unnecessary to retain records that will not be used. Therefore, the Board should explain the need to retain records for a 5-year period rather than the current and previous biennial review period.

4. Section 11.72. Withdrawal of approval of program sponsor.—Reasonableness.

This section allows the Board to withdraw the approval of a program sponsor. What impact does the withdrawal of approval have on courses given by the program sponsor

before the withdrawal? It is our understanding that participants can still claim credit for courses they took from a program sponsor before the Board withdrew approval from that sponsor. If this is so, the regulation should make that clear.

Department of Health Regulation No. 10-161

WIC Program

April 20, 2000

We submit for consideration the following objections and recommendations regarding this regulation. Each objection or recommendation includes a reference to the criteria in the Regulatory Review Act (71 P. S. § 745.5a(h) and (i)) which has not been met. The Department of Health (Department) must respond to these Comments when it submits the final-form regulation. If the final-form regulation is not delivered by March 20, 2002, the regulation will be deemed withdrawn.

1. Section 1103.2. Probationary certification.—Clarity.

There appears to be a typographical error in subsection (b)(2). The subsection (b)(2) cross reference to Inadequate Participant Access is cited as section 1107.3(c)(8). However, Inadequate Participant Access is found at section 1103.7. Is the correct reference section 1103.7(c)(8)? If not, please explain.

2. Section 1103.3. Authorization of store slots.—Clarity.

Subsection (b) provides that by October 1 of each year the Department will evaluate the WIC participant population to determine store slot allocations per county for each Federal Fiscal Year. Please explain how the public and the industry will be notified of annual changes in store slots.

3. Section 1107.1. Imposition of sanctions.—Consistency with Federal regulations and Clarity.

New subsections (b) and (c) both state ". . . the Department will give the store the option of paying a civil money penalty in lieu of . . . disqualification. . . ." The parallel portions of 7 CFR 246.12(f)(2)(xix) and (xx) provide ". . . the State Agency shall impose a civil money penalty. . ." (Emphasis added) The Department should explain why the language in the regulation differs from the language in the Federal regulation.

4. Section 1107.1a. Disqualifications.—Clarity.

There are two clarity concerns in subsection (d). First, in paragraph (9) the phrase "or with another WIC check for purchases made with a WIC check" is unclear. What circumstance does this phrase address?

Second, paragraph (14) uses the phrase "within the specified time frame," but does not specifically identify the time frame. Time frames are set forth in sections 1105.2(f), (g) and 1105.6(f). The Department should amend paragraph (14) to clearly specify the time frames that must be met to avoid disqualification, or include a cross reference to sections 1105.2(f), (g) and 1105.6(f).

5. Section 1107.2. Civil money penalties.—Clarity.

There is an inconsistency between subsection (b)(2) and the Preamble. Subsection (b)(2) begins "For disqualifications identified in sections 1107.1a(d)(2)—(15), . . ." The Preamble includes sections 1107.1a(d)(2)—(16). The De-

partment should make these citations consistent for the final-form submittal.

JOHN R. MCGINLEY, Jr.,
Chairperson

[Pa.B. Doc. No. 00-760. Filed for public inspection May 5, 2000, 9:00 a.m.]

Notice of Filing of Final Rulemakings

The Independent Regulatory Review Commission (Commission) received, on the dates indicated, the following regulations for review. To obtain the date and time of the meeting, interested parties may contact the office of the Commission at (717) 783-5417. To obtain a copy of the regulation, interested parties should contact the agency promulgating the regulation.

Final-Form

Reg. No.	Agency/Title	Received
30-51	Pennsylvania Emergency Management Agency Public Safety Emergency Telephone Program	4/20/00
30-52	Pennsylvania Emergency Management Agency Training and Certification Standards for 9-1-1 Emergency Communications Personnel	4/20/00
30-53	Pennsylvania Emergency Management Agency 9-1-1 Performance Review and Quality Assurance Standards	4/20/00
60-2	Pennsylvania Turnpike Commission Traffic Regulations	4/20/00
49-1	Pennsylvania Municipal Retirement Board Revisions to Rules and Regulations	4/26/00

JOHN R. MCGINLEY, Jr.,
Chairperson

[Pa.B. Doc. No. 00-761. Filed for public inspection May 5, 2000, 9:00 a.m.]

INSURANCE DEPARTMENT

Application and Request for Certificate of Authority

1st Choice Auto Insurance Company, Inc. has applied for a Certificate of Authority to operate as a stock casualty insurance company in Pennsylvania. The initial filing was received on April 18, 2000, and was made under the requirements set forth under the Business Corporation Law of 1988 (15 Pa.C.S.A. §§ 1101—1997). Persons wishing to comment on the grounds of public or private interest to the issuance of the Insurance Department's (Department) order approving this Certificate of Authority are invited to submit a written statement to the Department within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Each written statement must include name, address and telephone number of the interested party, identification of the application to which the statement is addressed, and a concise statement with sufficient detail to inform the Department of

the exact basis of the statement. Written statements should be directed to Cressinda E. Bybee, Insurance Company Licensing Specialist, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120; Fax (717) 787-8557; E-mail cbybee@ins.state.pa.us.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 00-762. Filed for public inspection May 5, 2000, 9:00 a.m.]

Bankers Life and Casualty Insurance Company Requesting Authority to Increase Rates for Individual Standardized Medicare Supplement Plans A, B, C, D, E and H Policy Form Numbers GR-A05A, GR-A05B, GR-A05C, GR-A05D, GR-A05E and GR-A05H; Rate Filing

Bankers Life and Casualty Insurance Company has filed for approval increased rates for its individual Medicare supplement plans, listed above. The filing requests an average increase of 14.3%, varying by benefit plan. The rate increase will impact about 12,384 policyholders, and produce additional annual Pennsylvania premium income of approximately \$2.85 million. The requested effective date of the increase is September 3, 2000.

The proposed rate increase percentages by plan are as follows:

Form No.	Plan	Increase %
GR-A05A	A	20.0%
GR-A05B	B	15.5%
GR-A05C	C	14.0%
GR-A05D	D	20.0%
GR-A05E	E	20.0%
GR-A05H	H	0.0%

Copies of the filing are available for public inspection during normal working hours, by appointment, at the Insurance Department's offices in Harrisburg, Philadelphia, Pittsburgh and Erie.

Interested parties are invited to submit written comments, suggestions or objections to Michael Gurgiolo, Actuary, Insurance Department, Office of Rate and Policy Regulation, Bureau of Accident and Health Insurance, 1311 Strawberry Square, Harrisburg, PA 17120, within 30 days of the publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 00-763. Filed for public inspection May 5, 2000, 9:00 a.m.]

Export List of Insurance Coverages Request for Comments

The Insurance Commissioner published a notice at 30 Pa.B. 841 (February 12, 2000) soliciting comments to the export list published at 29 Pa.B. 2735 (May 22, 1999). Consideration was given to all comments received. The Insurance Commissioner proposes to amend the May 22, 1999, list to delete: (1) physical damage coverage for private passenger, classic, antique or commercial vehicles with an original new cost or market value of \$60,000 or

greater; (2) asbestos abatement contractors liability and cleanup coverage; (3) hazardous waste site mitigation contractors liability; (4) hazardous waste disposal site liability and cleanup coverage; (5) lead liability; (6) lead abatement contractors liability; and (7) ocean marine.

Persons wishing to comment on the Insurance Commissioner's proposals are invited to submit a written statement within 15 days from the date of this publication. Each written statement must include sufficient detail and relevant facts to inform the Insurance Department of the exact basis of the statement. Written statements should be directed to Cressinda Bybee, Office of Regulation of Companies, Insurance Department, 1345 Strawberry Square, Harrisburg, PA, 17120, Fax (717) 787-8557; E-mail cbybee@ins.state.pa.us. Formal notification of changes will be published in the *Pennsylvania Bulletin* after the 15-day comment period, or a notice will be published stating that the May 22, 1999, list remains in effect.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 00-764. Filed for public inspection May 5, 2000, 9:00 a.m.]

Hartford Insurance Company of the Midwest; Homeowners Rate Revision

On April 24, 2000, the Insurance Department (Department) received from Hartford Insurance Company of the Midwest a filing for a rate level change for homeowners insurance.

The company requests an overall 2.5% increase amounting to \$384,900 annually, to be effective September 1, 2000.

Unless formal administrative action is taken prior to May 24, 2000, the subject filing may be deemed approved by operation of law.

Copies of the filing will be available for public inspection, by appointment, during normal working hours at the Department's offices in Harrisburg, Philadelphia, Pittsburgh and Erie.

Interested parties are invited to submit written comments, suggestions or objections to Michael W. Burkett, Insurance Department, Bureau of Regulation of Rates and Policies, Room 1311, Strawberry Square, Harrisburg, PA 17120 (E-mail at mburkett@ins.state.pa.us) within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 00-765. Filed for public inspection May 5, 2000, 9:00 a.m.]

HealthAmerica; Rate Filing

On April 24, 2000, HealthAmerica submitted a filing for base rates for HMO and associated medical riders for Western Pennsylvania service area, requesting a rate increase of 9.4%. This filing will affect approximately 93,000 members. The proposed increase will generate an additional annual premium income of approximately \$3.7 million. An effective date of January 1, 2001, is requested.

Copies of the filing are available for public inspection during normal working hours, by appointment, at the Insurance Department's Harrisburg Regional Office and Pittsburgh Regional Office.

Interested parties are invited to submit written comments, suggestions or objections to Rashmi Mathur, Actuary, Bureau of Accident and Health Insurance, Insurance Department, 1311 Strawberry Square, Harrisburg, PA 17120, within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 00-766. Filed for public inspection May 5, 2000, 9:00 a.m.]

Highmark Inc. d/b/a Pennsylvania Blue Shield, d/b/a Highmark Blue Cross Blue Shield Filing No. 200001—PremierBlue Preferred Provider Allowances; Rate Filing

Highmark Inc., d/b/a Pennsylvania Blue Shield, d/b/a Highmark Blue Cross Blue Shield submitted a request to adjust selected PremierBlue fee scheduled allowances to no higher than 105% of Medicare Pennsylvania 2000 Medicare Metro allowances. The PremierBlue preferred provider allowance was originally established to perform overall at approximately 114% of the Pennsylvania Medicare 1993 Metro and Rural Fee schedules. The proposed change is projected to save \$762,000 (2% of claims). Highmark has recommended no rate adjustment at this time in concert with this submission.

Copies of the filing are available for public inspection during normal working hours, by appointment, at the Insurance Department's office in Harrisburg, Philadelphia, Pittsburgh and Erie.

Interested parties are invited to submit written comments, suggestions or objections to Bharat Patel, Actuary, Insurance Department, Accident and Health Bureau, Office of Rate and Policy Regulation, 1311 Strawberry Square, Harrisburg, PA 17120, within 30 days of publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 00-767. Filed for public inspection May 5, 2000, 9:00 a.m.]

LIQUOR CONTROL BOARD

Expiration of Leases

The following Liquor Control Board lease will expire:

Jefferson County, Wine & Spirits Shoppe #3305, 410 Main Street, Reynoldsville, PA 15851-1251.

Lease Expiration Date: April 30, 2001

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Liquor Control Board with approximately 1,600 net useable

square feet of new or existing retail commercial space on Main Street in downtown Reynoldsville.

Proposals due: May 25, 2000 at noon

Department: Liquor Control Board
Location: Real Estate Division, State Office Building, Room 408, 300 Liberty Avenue, Pittsburgh, PA 15222
Contact: Bruce VanDyke, (412) 565-5130

Clearfield County, Wine & Spirits Shoppe #1701, 315 East Market Street, Clearfield, PA 16830.

Lease Expiration Date: June 30, 2000.

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Liquor Control Board with approximately 2,000 to 3,000 net useable square feet of new or existing retail commercial space in the Clearfield Central Business District.

Proposals due: May 19, 2000 at noon

Department: Liquor Control Board
Location: Real Estate Division, State Office Building, Room 408, 300 Liberty Avenue, Pittsburgh, PA 15222.
Contact: George Danis, (412) 565-5130

Delaware County, Wine & Spirits Shoppe #2324, MacDade Shopping Center, 2143 MacDade Boulevard, Holmes, PA 19043.

Lease Expiration Date: June 30, 2001

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Liquor Control Board with approximately 6,000 net useable square feet of new or existing retail commercial space within 1 mile radius of Route 420 and MacDade Boulevard in Ridley Township.

Proposals due: June 2, 2000 at noon

Department: Liquor Control Board
Location: Real Estate Division, 8305 Ridge Avenue, Philadelphia, PA 19128-2113
Contact: James M. Bradley, (215) 482-9670

JOHN E. JONES, III,
Chairperson

[Pa.B. Doc. No. 00-768. Filed for public inspection May 5, 2000, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Railroad With Hearing

A-00114696. Frank T. Perano. Application of Frank T. Perano for approval of the vacation of one private at-grade railroad crossing and construct a new at-grade private crossing where the proposed private road will cross at-grade the tracks of the Consolidated Rail Corporation rail line, along with the installation of underground utilities, said private crossing to be located approximately 3,000 L. F. east of the intersection of the Consolidated Rail Corporation's rail tracks and Cedar Hill Road (T-354) located in the Township of Robeson, Berks County, PA.

An Initial Hearing on this matter will be held Wednesday, June 21, 2000, at 10 a.m. in an available hearing room, Ground Floor, North Office Building, North Street and Commonwealth Avenue, Harrisburg, PA, when and where all persons in interest may appear and be heard, if they so desire.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 00-769. Filed for public inspection May 5, 2000, 9:00 a.m.]

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Publication of this notice shall be considered as sufficient notice to all carriers holding authority from this Commission. Applications will be considered without hearing in the absence of protests to the application. Protests to the applications published herein are due on or before May 29, 2000, as set forth at 52 Pa. Code § 3.381 (relating to applications for transportation of property and persons). The protest shall also indicate whether it applies to the temporary authority application or the permanent application or both.

Applications of the following for approval of the beginning of the exercise of the right and privilege of operating as common carriers for transportation of persons as described under each application.

A-00116771, Folder 2. HDS Enterprises, Inc. (R. D. 3, Box 3080, East Stroudsburg, Monroe County, PA 18301), a corporation of the Commonwealth of Pennsylvania—persons on scheduled route service: (1) Beginning in the borough of Stroudsburg to the borough of East Stroudsburg, and return, all transportation performed in Monroe County, as follows: Beginning in the borough of Stroudsburg at the corner of 7th and Main Streets, thence proceeding east on Main Street and over the Interborough Bridge to Brown Street in the borough of East Stroudsburg, proceeding on Brown Street, thence left onto Prospect Street, thence right onto Normal Street, proceeding on Normal Street, thence left on Analomink Street, proceeding on Analomink Street, thence right onto North Courtland Street, proceeding on North Courtland Street, thence turning around at the intersection of North Courtland and Route 477, thence south on North Courtland, thence right onto Washington Street, after crossing the Interborough Bridge, thence right onto Sarah Street, proceeding on Sarah Street, thence right onto Ninth Street, after one block, thence onto Main Street, proceeding west on Main Street, turning around at the intersection of Dreher Avenue and Main Street, proceeding east on Main Street to the place of beginning; and (2) Beginning in the borough of Stroudsburg to the village of Tannersville, located in Pocono Township, and return, all transportation performed in Monroe County, as follows: Beginning in the borough of Stroudsburg, at the corner of 7th and Main Streets, thence west on Main Street, thence right onto Bridge Street, proceeding on Bridge Street, thence left onto Route 611/Ninth Street, proceeding north on Route 611 (approximately 7 miles) to The Crossings in the village of Tannersville, located in Pocono Township, thence turning around at The Crossings, thence south on Route 611, thence left onto Sarah Street, proceeding along

Sarah Street, thence right onto 7th Street, proceeding south on 7th Street, to Main Street, to the place of beginning. *Attorney:* Jason Zac Christman, 3227 North Fifth Street, East Stroudsburg, PA 18301.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 00-770. Filed for public inspection May 5, 2000, 9:00 a.m.]

Supplemental Interconnection Agreement

A-310725F0002. GTE North Incorporated and FairPoint Communications. Joint Petition of GTE North Incorporated and FairPoint Communications for approval of a supplemental interconnection agreement.

GTE North Incorporated and FairPoint Communications by its counsel, filed on April 18, 2000, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of a supplemental interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the GTE North Incorporated and FairPoint Communications Joint Petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 00-771. Filed for public inspection May 5, 2000, 9:00 a.m.]

Telecommunications

A-310806. United Telephone Company of Pennsylvania d/b/a Sprint and NOW Communications, Inc. Joint Application of the United Telephone Company of Pennsylvania d/b/a Sprint and NOW Communications, Inc., for approval of a master resale agreement under section 252(a)(1) and (e) of the Telecommunications Act of 1996.

The United Telephone Company of Pennsylvania d/b/a Sprint and NOW Communications, Inc., by its counsel, filed on April 20, 2000, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of a master resale agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the United Telephone Company of Pennsylvania d/b/a Sprint and NOW Communications, Inc. Joint Petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 00-772. Filed for public inspection May 5, 2000, 9:00 a.m.]

Telecommunications

A-310622. United Telephone Company of Pennsylvania d/b/a Sprint and Tel-Link, L.L.C. Joint Petition of The United Telephone Company of Pennsylvania d/b/a Sprint and Tel-Link, L.L.C. for approval of a master resale agreement under section 252(a)(1) and (e) of the Telecommunications Act of 1996.

The United Telephone Company of Pennsylvania d/b/a Sprint and Tel-Link, L.L.C., by its counsel, filed on April 20, 2000, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of a master resale agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the United Telephone of Pennsylvania d/b/a Sprint and Tel-Link, L.L.C. Joint Petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 00-773. Filed for public inspection May 5, 2000, 9:00 a.m.]