

NOTICES

DEPARTMENT OF BANKING

Action on Applications

The Department of Banking, under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending March 5, 2002.

BANKING INSTITUTIONS

Holding Company Acquisitions

<i>Date</i>	<i>Name of Corporation</i>	<i>Location</i>	<i>Action</i>
1-1-02	Stratton Holding Company, Plymouth Meeting, to acquire 100% of the common stock of Semper Trust Company, Plymouth Meeting	Plymouth Meeting	Effective

Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
2-27-02	Minersville Safe Deposit Bank and Trust Company Minersville Schuylkill County Purchase of assets/assumption of liabilities of two branch offices of Community Banks, Millersburg, located at: 300 Hobart Street Gordon Schuylkill County	Minersville 339 Main Street Lavelle Schuylkill County	Filed

Branch Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
3-5-02	The Peoples Bank of Oxford Oxford Chester County	1138 Georgetown Rd. Georgetown Bart Township Lancaster County	Filed

Branch Relocations

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
2-19-02	Fulton Bank Lancaster Lancaster County	<i>To:</i> Shillington Square Shopping Center 2251 Lancaster Ave. Shillington Cumru Township Berks County <i>From:</i> 6 Philadelphia Ave. Shillington Berks County	Effective

Branch Discontinuances

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
2-28-02	Wilmington Trust of Pennsylvania West Chester Chester County	402 Lancaster Ave. Haverford Montgomery County	Effective

NOTICES

SAVINGS INSTITUTIONS

No activity.

CREDIT UNIONS

Articles of Amendment

<i>Date</i>	<i>Name of Credit Union</i>	<i>Purpose</i>	<i>Action</i>
2-27-02	Superior Credit Union Collegeville Montgomery County	Amendment to Article I provides for a change in the physical location of the principal place of business from: 3900 Germantown Pike to: 1000 Crosskeys Road, both addresses in Collegeville, Montgomery County, PA. The mailing address will continue as P. O. Box 26159, Collegeville, PA 19426-0159	Approved and Effective

JAMES B. KAUFFMAN, Jr.,
Secretary

[Pa.B. Doc. No. 02-424. Filed for public inspection March 15, 2002, 9:00 a.m.]

DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES

Conservation and Natural Resources Advisory Council; Meeting

The Conservation and Natural Resources Advisory Council to the Department of Conservation and Natural Resources (Department) will meet on Wednesday, March 27, 2002. The meeting will be held at 10 a.m. in the Adams Mark Hotel, 4000 Monument Road, Philadelphia, PA.

Questions concerning this meeting or agenda items can be directed to Kurt Leitholf at (717) 705-0031.

Persons in need of accommodations as provided for in the Americans With Disabilities Act of 1990 should contact Claire Guisewite directly at (717) 705-0031 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

PAULETTE JOHNSON,
Chairperson

[Pa.B. Doc. No. 02-425. Filed for public inspection March 15, 2002, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

ACTIONS

NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS

NPDES APPLICATIONS

PART I PERMITS

Under the Federal Clean Water Act and The Clean Streams Law, the following parties have applied for an NPDES permit or to renew their current permit to discharge controlled wastewaters into the waters of this Commonwealth or to conduct other activities required by the NPDES permit. For renewal applications listed in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements. For all new permit applications, renewal application with major changes or applications for permits not waived by the EPA, the Department, based upon preliminary reviews, also made a tentative determination of proposed effluent limitations and other terms and conditions for the permit applications listed in Section II. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the EPA Region III Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.24(d).

Persons wishing to comment on the proposed permit are invited to submit a statement, to the office noted before the application within 30 days from the date of this public notice. Comments received within this 30-day comment period will

be considered in the formulation of the final determinations regarding this application. The comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the responsible office considers the public response significant. Following the comment period, the Department's Water Management Program Manager will make a final determination regarding these applications. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The renewal application, including proposed effluent limitations and special conditions, is available on file. For new permit applications, information submitted with the applications is available on file. The information may be inspected and arrangements made for copying at the office indicated before the application.

Persons with a disability, who require an auxiliary aid, service, including TDD users or other accommodations to seek additional information, should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications

Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0032301	American Water Services 453 Boot Road Downingtown, PA 19335	Delaware County Concord Township	West Branch of Chester Creek	Y

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA-0035726	Camp Ramah in the Poconos 261 Old York Road Jenkintown, PA 19046	Wayne County Buckingham Township	An unnamed tributary of Equinunk Creek (1A)	Yes
PA-0020940 (Minor)	Tunkhannock Borough Municipal Authority 203 West Tioga Street Tunkhannock, PA 18657-6655	Tunkhannock Borough Wyoming County	Tunkhannock Creek (4F)	Yes

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0080322	Greater Lebanon Refuse Authority 1610 Russell Road Lebanon, PA 17046	Lebanon County North Annville Township North Lebanon/Swatara Township	UNT to Swatara Creek/ 7-D	Y
PA0021776	Fairfield Municipal Authority P. O. Box 705 Fairfield, PA 17320	Adams County Hamiltonban Township	Spring Run Creek/13-D	Y
PA0035092	Tyson Foods, Inc. 403 South Custer Avenue P. O. Box 1156 New Holland, PA 17557-0901	Lancaster County Earl Township New Holland Borough	UNT to Mill Creek/7-J	Y
PA0021865	Adamstown Borough Authority of Lancaster County 98 Lancaster Avenue Adamstown, PA 19501	East Cocalico Township Lancaster County	Little Muddy Creek/7-J	Y
PA0010375 Amendment/ Name Change	Lehigh Cement Company 7660 Imperial Way Allentown, PA 18195	West Manchester Township York County	UNT Codorus Creek/7-H	Y

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Applications

Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

No. PA0024058, Sewage, **Borough of Kennett Square**, 120 North Broad Street, Kennett Square, PA 19348-2942. This application is for renewal of an NPDES permit to discharge treated sewage from a sewage treatment plant in Kennett Township, **Chester County**. This is an existing discharge to West Branch Red Clay Creek.

The receiving stream is classified for the following uses: warm water fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on an average flow of 1.1 mgd for first two years of the permit are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	40	50
Suspended Solids	30	45	60
Ammonia (as N)			
(5-1 to 10-31)	3.0		6.0
(11-1 to 4-30)	9.0		18.0
Phosphorus (as P)			
(4-1 to 10-31)	Monitor		Monitor
Fecal Coliform	200 colonies/100 ml as a geometric average		
Dissolved Oxygen	minimum of 6.0 mg/l at all times		
pH	Within limits of 6.0—9.0 Standard Units at all times		
Mercury, Total	0.00011		0.00028
Phenols, Total	0.023		0.058
Pentachlorophenol	0.0026		0.0065
Lindane	Monitor		Monitor
Toxicity (TU _c)	2.23 Maximum Daily		

The proposed effluent limits for Outfall 001, based on an average flow of 1.1 mgd, from third year of the permit through expiration, are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅			
(5-1 to 10-31)	17	25	33
(11-1 to 4-30)	25	40	50
Suspended Solids	30	45	60
Ammonia (as N)			
(5-1 to 10-31)	2.0		4.0
(11-1 to 4-30)	6.0		12.0
Phosphorus (as P)			
(4-1 to 10-31)	1.3		2.6
Fecal Coliform	200 colonies/100 ml as a geometric average		
Dissolved Oxygen	minimum of 6.0 mg/l at all times		
pH	Within limits of 6.0—9.0 Standard Units at all times		
Mercury, Total	0.00011		0.00028
Phenols, Total	0.023		0.058
Pentachlorophenol	0.0026		0.0065
Lindane	Monitor		Monitor
Toxicity (TU _c)	2.23 Maximum Daily		

The EPA Waiver is not in effect.

Implementation of industrial pretreatment program requirements.

Bioassay requirement.

Special Test Methods for certain pollutants.

No. PA0058416, Sewage, **Charles Cobler**, 531 Conshohocken State Road, Gladwyne, PA 19035. This application is for issuance of an NPDES permit to discharge treated sewage from a single residence sewage treatment plant in Lower Merion Township, **Montgomery County**. This is a new discharge to unnamed tributary to Schuylkill River.

The receiving stream is classified for the following uses: aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on an average flow of 500 gpd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	10	20
Suspended Solids	20	40
Total Residual Chlorine	Monitor/Report	Monitor/Report
Fecal Coliform	200 colonies/100 ml as a geometric average	
pH	Within limits of 6.0—9.0 Standard Units at all times	

Other Conditions:

The EPA Waiver is in effect.

The first downstream potable water intake is Queen Lane intake.

*Southcentral Region: Water Management Program
Manager, 909 Elmerton Avenue, Harrisburg, PA 17110,
(717) 705-4707.*

PAG123548, CAFO, **John E. Lindsey**, 395 Lindsey Lane, Lewistown, PA 17044. This proposed facility is located in Derry and Decatur Townships, **Mifflin County**.

Description of Proposed Activity: The John Lindsey Swine Farm is a swine and dairy operation with a total AEUs of 513.3. An estimated quantity of total annual manure production is 912 tons. John E. Lindsey is proposing to phase out the dairy operation while adding to the swine finishing operation. The 4,000 head of swine will be housed in two barns. All manure and wash water will be stored under the barn in concrete storages until application time. Of the 1,511,978 gallons of manure generated on the farm, 831,978 gallons is used on the farm with 680,000 gallons being exported to neighboring farms.

The receiving stream, UNT to Meadow Creek, is in the State Water Plan watershed 12-A and is classified for CWF.

The proposed effluent limits for the operation/activity include: except for the chronic or catastrophic rainfall events defined as over the 25 year/24 hour rain storms, the CAFO general permit is a nondischarge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with Pennsylvania Nutrient Management Act and The Clean Stream Law constitutes compliance with the State narrative water quality standards.

PAG123549, CAFO, **Jay C. Finkbiner**, R. R. 1, Box 2975, McAlisterville, PA 17049. This proposed facility is located in Fayette Township, **Juniata County**.

Description of Proposed Activity: The Finkbiner farm is an existing dairy and swine operation with a total AEUs of 919.1. The 110 head dairy operation generates approximately 418,809 gallons of manure annually. This operation uses a PTO pump to transfer manure from a reception pit located near the stanchion barn to an existing slurry store. All the dairy manure is disposed on the farm. The 6,600-head swine operation has an approximate manure generation of 1,898,348 gallons. The facilities utilize both a 900,000 and a 1.305 million-gallon under building storage facility. The storage is equipped with a foundation drainage system that can be used as a leak detection system. Of the 1,898,348 gallons of swine manure produced, 480,000 gallons is exported to neighboring farms with the remainder being applied on the home farm.

The receiving stream, Little Lost Creek, is in the State Water Plan watershed 12-A and is classified for TSF.

The proposed effluent limits for the operation/activity include: except for the chronic or catastrophic rainfall events defined as over the 25 year/24 hour rain storms, the CAFO general permit is a nondischarge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with Pennsylvania Nutrient Management Act and The Clean Stream Law constitutes compliance with the State narrative water quality standards.

PAG123550, CAFO, **Weiler Farm Partnership**, 350 East Mill Avenue, Myerstown, PA 17067. This proposed facility is located in Jackson Township, **Lebanon County**.

Description of Proposed Activity: The Weiler Farm 1 is an existing 4,000-head swine operation with a total AEUs of 556. The estimated annual manure production is 6,813 tons. The farm's manure storage system consists of reinforced concrete manure storage structures under each building. The system is designed to allow manure and wastewater to directly fall into the structure. Each structure is 81' x 206' x 6'. All of the 1,635,226 gallons of manure is exported to neighboring farms.

The receiving stream, Tulpehocken Creek, is in the State Water Plan watershed 3-C and is classified for TSF.

The proposed effluent limits for the operation/activity include: except for the chronic or catastrophic rainfall events defined as over the 25 year/24 hour rain storms, the CAFO general permit is a nondischarge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with Pennsylvania Nutrient Management Act and The Clean Stream Law constitutes compliance with the State narrative water quality standards.

PAG123551, CAFO, **Weiler Farm Partnership**, 350 East Mill Avenue, Myerstown, PA 17067. This proposed facility is located in South Londonderry Township, **Lebanon County**.

Description of Proposed Activity: The Weiler Farm 2 is an existing 6,000-head swine operation with a total AEUs of 689.1. The estimated annual manure production is 8,972.93 tons. The farm's manure storage system consists of reinforced concrete manure storage structures under each building. The system is designed to allow manure and wastewater to directly fall into the structure. Each structure is 81' x 206' x 6'. All of the 2,153,502 gallons of manure is exported to neighboring farms.

The receiving stream, Little Conewago Creek, is in the State Water Plan watershed 7-G and is classified for TSF.

The proposed effluent limits for the operation/activity include: except for the chronic or catastrophic rainfall events defined as over the 25 year/24 hour rain storms, the CAFO general permit is a nondischarge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with Pennsylvania Nutrient Management Act and The Clean Stream Law constitutes compliance with the State narrative water quality standards.

PAG123547, CAFO, **Lawrence N. Mummau**, R. R. 1, Box 279, East Waterford, PA 17021. This proposed facility is located in Shirley Township, **Huntingdon County**.

Description of Proposed Activity: The Mummau farm is an existing swine and beef operation with an average AEU of 635. The operation includes approximately 40 beef cattle plus calves that are pastured 100% of the time. Of the 686.2 tons of manure produced by these animals, virtually all of the waste is deposited directly on pasture. Any manure that may be left behind in a shelter facility is stockpiled and composted but is not spread on the fields. The 3,700 head swine operation produces 2,002,002 gallons of liquid manure that is first directed through slotted floors into shallow pits beneath pens and then drained periodically to a 1,890,625 gallon capacity, impermeable polyethylene-lined earthen storage lagoon. All of the manure generated is utilized on this farm.

The receiving stream, tributary to Aughwick Creek, is in the State Water Plan watershed 12-C and is classified for: TSF.

The proposed effluent limits for the operation/activity include: except for the chronic or catastrophic rainfall events defined as over the 25 year/24 hour rain storms, the CAFO general permit is a nondischarge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with Pennsylvania Nutrient Management Act and The Clean Stream Law constitutes compliance with the State narrative water quality standards.

PA0246638, CAFO, **Franklinview Farms**, 2232 Franklin Road, Columbia, PA 17512. This proposed facility is located in Manor Township, **Lancaster County**.

Description of Proposed Activity: The Franklinview Farm is an existing poultry and dairy operation planning to expand the dairy portion of the farm upping the total AEU to 1,073.4. The estimated quantity of total annual manure production is 16,529 tons. A herd of 783 dairy animals is planned with the expansion. The new facility will consist of a free-stall barn and concrete under the slatted floor of the building. The storage shall be sized to hold at least 6 months of storage. The expansion estimate of liquid cow manure is 2,621,376 gallons. The present dairy herd generates 1,016,986 gallons and 790.5 tons of manure. The 34,000-broiler litter generates 286.4 tons of manure but broiler production may be abandoned after the expansion. All of the manure produced from this operation is used on the farm.

The receiving stream, Syrickler Run, is in the State Water Plan watershed 7-G and is classified for: WWF.

The proposed effluent limits for the operation/activity include: except for the chronic or catastrophic rainfall events defined as over the 25 year/24 hour rain storms,

the CAFO general permit is a nondischarge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with Pennsylvania Nutrient Management Act and The Clean Stream Law constitutes compliance with the State narrative water quality standards.

PAG123552, CAFO, **Bruce Pohlman & Son Hog Farm**, 1633 Sentennial Road, New Oxford, PA 17350. This proposed facility is located in Mt. Pleasant Township, **Adams County**.

Description of Proposed Activity: The Bruce Pohlman & Son Hog Farm is an existing hog and beef operation with a total of 368 AEU (329 AEU are finishing swine). The estimated quantity of total annual manure production is 4,174.05 tons. All generated beef manure is used on farm. All swine manure is exported from the farm to Jim Weaver and/or Jeff Weaver Farms in New Oxford. They will be receiving approximately 656,750 gallons of hog manure.

The receiving stream, UNT (spring fed) Conewago Creek, is in the State Water Plan watershed 7F and is classified for: WWF.

The proposed effluent limits for the operation/activity include: except for the chronic or catastrophic rainfall events defined as over the 25 year/24 hour rain storms, the CAFO general permit is a nondischarge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with Pennsylvania Nutrient Management Act and The Clean Stream Law constitutes compliance with the State narrative water quality standards.

PAG123553, CAFO, **Path Valley Enterprises LLC**, 1272 Ash Lane, Lebanon, PA 17042. This proposed facility is located in Fannett Township, **Franklin County**.

Description of Proposed Activity: The Path Valley Farm is an existing sow operation with 297.1 AEU. They are proposing a two building expansion (1,400 sows) and an extension onto the nursery barn, upon completion they will house 706.58 AEU. Utilization of the existing storage structures with additional limited storage under the building will be implemented into the plant. Total storage for the sow operations will exceed 1.6 million gallons upon completion of the expansion. The nursery facility will continue to utilize the existing manure storage facility that has a capacity of 550,000 gallons. All manure will be utilized onsite (84.6 acres).

The receiving stream, Doyleburg Stream, is in the State Water Plan watershed 12-B and is classified for: CWF.

The proposed effluent limits for the operation/activity include: except for the chronic or catastrophic rainfall events defined as over the 25 year/24 hour rain storms, the CAFO general permit is a nondischarge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with Pennsylvania Nutrient Management Act and The Clean Stream Law constitutes compliance with the State narrative water quality standards.

Application No. PA 0088781, Industrial Waste, **Conectiv Mid-Merit, Inc.**, 113 Pencader Drive, Suite 100, P. O. Box 6066, Newark, DE 19714-6066. The proposed facility will be located in Peach Bottom Township, **York County**.

Description of activity: The application is for issuance of an NPDES permit for a new discharge of cooling tower blowdown.

The receiving stream, Susquehanna River, is in Watershed 7-I and is classified for warm water fishery, water supply and recreation and fish consumption. The nearest downstream public water supply intake is the City of Baltimore, located on the Susquehanna River approximately 9 miles downstream. The discharge is not expected to affect the water supply.

The proposed effluent limits for Outfall 001 based on a maximum discharge rate of 6.01 MGD are:

Parameter	Mass (lbs/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
pH	XXX	XXX		6.0 to 9.0 inclusive	
Free Available Chlorine	XXX	XXX	XXX	0.2	0.5
Discharge Temperature	XXX	XXX	XXX	100°F	XXX
Heat Rejection Rate	XXX	XXX	XXX	Monitor and Report	XXX
Total Aluminum	XXX	XXX	XXX	Monitor and Report	XXX
Total Copper	XXX	XXX	XXX	Monitor and Report	XXX

The proposed effluent limits for Outfall 100 (internal monitoring point) based on a maximum discharge rate of 0.4 MGD are:

Parameter	Mass (lbs/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Oil and Grease	XXX	XXX	15	20	30
Total Suspended Solids	XXX	XXX	30	100	XXX

In addition to the effluent limits, the permit contains the following major special conditions:

- Instream temperature monitoring.
- Submission of operating procedure for moderating instream temperature changes following plant shutdown and a Preparedness, Prevention and Contingency (PPC) Plan.

Individuals may make an appointment to review the Department files on this case by calling the File Review Coordinator at (717) 705-4732.

The EPA waiver is in effect.

Southwest Regional Office: Regional Manager, Water Management, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; (412) 442-4000.

PAS116105, Industrial Waste, SIC, 3545, **Kennametal, Inc.**, Chestnut Ridge Road, P. O. Box 231, Latrobe, PA 15650. This application is for issuance of an NPDES permit to discharge stormwater from the Chestnut Ridge Facility in Derry Township, **Westmoreland County**.

The following effluent limitations are proposed for discharge to the receiving waters, Miller Run, classified as a high quality cold water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply (PWS) is Buffalo Township Municipal Authority, located at 707 South Pike Road, Sarver, PA 16055, 59.67 miles below the discharge point.

Outfalls 001 and 002: new stormwater discharges.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Nitrate + Nitrite Nitrogen					
Cobalt					

The EPA waiver is in effect.

**WATER QUALITY MANAGEMENT PERMITS
CONTROLLED INDUSTRIAL WASTE AND SEWAGE
WASTEWATER**

**APPLICATIONS UNDER THE CLEAN STREAMS
LAW**

PART II PERMITS

The following permit applications or requests for plan approval have been received by the Department of Environmental Protection (Department).

Persons wishing to comment on any of the applications are invited to submit a statement to the office noted before the application within 15 days from the date of this public notice. Comments received within this 15-day comment period will be considered in making the final decision regarding the application. The comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department reserves the right to hold a public hearing if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation of the area. If no hearing is held, the Department's Water Management Program Manager will make a final determination regarding the applications after a complete review. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

A copy of the permit application or proposed plan is on file in the office indicated and is open to public inspection. Appointments to review the application may be made by contacting Records Management at the indicated telephone number.

I. Industrial Waste and Sewerage Applications under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).

Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

WQM Permit No. 0902404, Sewerage, **Tom Helder**, 3260 Mink Road, Kintnersville, PA 18930. This proposed facility is located in Springfield Township, **Bucks County**.

Description of Proposed Action/Activity: Construction and operation of a small flow sewage treatment facility.

WQM Permit No. 1500421 Amendment No. 2, Sewerage, **Upper Uwchlan Township**, 140 Pottstown Pike, Chester Springs, PA 19425. This proposed facility is located in Upper Uwchlan Township, **Chester County**.

Description of Proposed Action/Activity: Amend the existing permit for construction of a spray irrigation field and storage tank and the internal sewage collection system associated with the construction of 131 single-family units.

WQM Permit No. 1598404 Amendment No. 1, Sewerage, **Spring City Borough**, 6 South Church Street, Spring City, PA 19475. This proposed facility is located in Spring City Borough, **Chester County**.

Description of Proposed Action/Activity: Amend the existing permit to install an effluent liquid hypochlorite disinfection system replacing the facility's existing gas chlorine disinfection system.

WQM Permit No. 1599201, Industrial Waste, **Philadelphia Suburban Water Company**, 762 West Lancaster Avenue, Bryn Mawr, PA 19010-3489. This proposed facility is located in Wallace Township, **Chester County**.

Description of Proposed Action/Activity: Construction and operation of a water treatment plant consisting of two lined lagoons and other treatment units at Cornog Quarry.

Southcentral Region: Water Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

WQM Permit No. 3801403 Amendment 02-1, Sewerage, **Mount Gretna Authority**, 101 Chautauqua Drive, P. O. Box 322, Mount Gretna, PA 17064. This proposed facility is located in South Londonderry Township, **Lebanon County**.

Description of Proposed Action/Activity: Authorization to replace the present chlorine injection system with an ultra-violet system.

WQM Permit No. 0602402, Sewerage, **Donald J. Pilon**, 1475 Elverson Rd., Elverson, PA 19520. This proposed facility is located in Caernarvon Township, **Berks County**.

Description of Proposed Action/Activity: Authorization to construct a small flow sewage treatment system to serve single residence on Lot #2.

WQM Permit No. 3602201, CAFO operation, **Franklinview Farms**, 2232 Franklin Road, Columbia, PA 17512. This proposed facility is located in Manor Township, **Lancaster County**.

Description of Proposed Action/Activity: Authorization to expand dairy operation.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Application No. 0202405, Sewerage, **Andrew Bell**, 405 Edgewood Drive, Sarver, PA 16055. Application for the construction and operation of a small flow sewage treatment plant to serve the Bell Residence located in Frazer Township, **Allegheny County**.

Application No. 462S121, Sewerage, **Girl Scouts of Southwestern Pennsylvania**, 606 Liberty Avenue, Pittsburgh, PA 15222. Application for the modification and operation of the Camp Henry Kaufman sewage treatment plant to serve the residents of Camp Henry Kaufman located in Fairfield Township, **Westmoreland County**.

Application No. 6302401, Sewerage, **Peters Township Sanitary Authority**, 3244 Washington Road, McMurray, PA 15317. Application for the construction and operation of the Valleybrook Interceptor to serve the Upper Brush Run Service Area located in Peters Township, **Washington County**.

Application No. 6502403, Sewerage, **H.I.S. Enterprises**, 930 Merwin Road, New Kensington, PA 15068. Application for the construction and operation of a sewage treatment plant to serve the Morrow Mobile Home Park located in Upper Burrell Township, **Westmoreland County**.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. 1602401, Industrial Waste, **Pennsylvania American Water Company**, 800 West Hersheypark Drive, Hershey, PA 17033. This proposed facility is located in Clarion Township, **Clarion County**.

Description of Proposed Action/Activity: This project is for the construction of a water treatment plant.

WQM Permit No. 1002404, Sewerage, **Department of Conservation and Natural Resources—Moraine State Park**, Bureau of Facility Design and Construction, 195 Park Road, P. O. Box 387, Prospect, PA 16052-0387. This proposed facility is located in Muddy Creek Township, **Butler County**.

Description of Proposed Action/Activity: This project is for the replacement of existing sand filters with new continuous backwash, up-flow filters; construction of a duplex, submersible pumping station with automatic controls; and modification of an existing chlorine contact basin.

WQM Permit No. 2502405, Sewerage, **Union Township Municipal Authority**, 16300 Route 8, Union City, PA 16438. This proposed facility is located in Union Township, **Erie County**.

Description of Proposed Action/Activity: This project is for the installation of a pump station and sanitary sewerage system that will connect to an existing treatment plant.

WQM Permit No. 4389412, Sewerage Amendment, **Ekstrom Mobile Home Park**, 1050 Garfield Street, Wadsworth, OH 44281. This proposed facility is located in Hempfield Township, **Mercer County**.

Description of Proposed Action/Activity: This project is for the addition of a 10,000-gallon Flow Equalization Tank to an existing sewage treatment plant.

WQM Permit No 2502406, Sewerage, **Donna R. and Peter J. Vuksta**, 40 Blue Mountain Manor, Saugertis, NY. 12477. This proposed facility is located in LeBoeuf Township, **Erie County**.

Description of Proposed Action/Activity: This project is for a Single Residence Sewage Treatment Plant.

WQM Permit No 3702403, Sewerage, **James D. Welker**, R. R. 3, Box 87, New Castle, PA 16105. This proposed facility is located in Neshannock Township, **Lawrence County**.

Description of Proposed Action/Activity: This project is for a Single Residence Sewage Treatment Plant.

WQM Permit No 6202403, Sewerage, **Todd R. Swanson**, R. R. 2, Box 2618, Russell, PA 16345. This proposed facility is located in Pine Grove Township, **Warren County**.

Description of Proposed Action/Activity: This project is for a Single Residence Sewage Treatment Plant.

WQM Permit No 2002402, Sewerage, **Danny P. and Shelly M. Forbes**, 21958 Hillview Road, Saegertown, PA 16433. This proposed facility is located in Cussewago Township, **Crawford County**.

Description of Proposed Action/Activity: This project is for a Single Residence Sewage Treatment Plant.

WQM Permit No 6202404, Sewerage, **Rae Kent Gardner**, P. O. Box 43, Warren, PA 16365-0043. This proposed facility is located in Conewango Township, **Warren County**.

Description of Proposed Action/Activity: This project is for a Single Residence Sewage Treatment Plant.

WQM Permit No 4302408, Sewerage, **Frederick C. Callahan**, 85 Fredonia Road, Apt. 4, Greenville, PA 16125. This proposed facility is located in Hempfield Township, **Mercer County**.

Description of Proposed Action/Activity: This project is for a Single Residence Sewage Treatment Plant.

NPDES Stormwater Individual Permit

The following parties have applied for an NPDES permit to discharge stormwater associated with a construction activity into waters of this Commonwealth. Unless otherwise indicated, on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection (Department) proposes to issue a permit to discharge, subject to certain limitations set forth in the permit conditions. These proposed determinations are tentative. Limitations are provided as erosion and sediment control best management practices that restrict the rate and quantity of sediment discharged.

Where indicated, the EPA Region III Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.24(d).

Persons wishing to comment on the proposed permit are invited to submit a statement to the appropriate Department Regional Office noted before the application within 30 days from the date of this public notice. Comments reviewed within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and relevant facts upon which it is based. A public hearing may be held after consideration of comments received by the appropriate Department Regional Office during the 30-day public comment period.

Following the 30-day comment period, the appropriate Regional Office Water Management Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, including the erosion and sediment control plan for the earth disturbance activity, are on file and may be inspected at the office identified in this notice.

Persons with a disability that require an auxiliary aid, service or other accommodation to participate during the 30-day public comment period should contact the specified Regional Office. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

Centre County Conservation District, 414 Holmes Ave, Suite 4, Bellefonte, PA 16823 (814) 355-8696.

NPDES Permit PAS10F103, Stormwater, **The Pennsylvania State University**, Office of Physical Plant, University Park, PA 16802 has applied to discharge stormwater associated with a construction activity located in State College Borough, **Centre County** to Thompson Run, HQ-CWF.

PUBLIC WATER SUPPLY (PWS) PERMIT

Under the Pennsylvania Safe Drinking Water Act, the following parties have applied for a PWS permit to construct or substantially modify a public water system.

Persons wishing to comment on the permit application are invited to submit a statement to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding this application. Comment responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and any related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

Southcentral Region: Water Supply Management Program Manger; 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 0102502, Public Water Supply.	
Applicant	The Links of Gettysburg Utility Company LLC
Municipality	Mt. Joy Township
County	Adams
Responsible Official	Richard Klein, President 601 Mason Dixon Road Gettysburg, PA 17325
Type of Facility	PWS
Consulting Engineer	Richard M. Bodner, P.E. Martin and Martin, Inc. 37 S. Main St. Chambersburg, PA 17201
Application Received Date	February 8, 2002
Description of Action	Construction Permit Application for a new community water system. The system will consist of two wells, manganese filtration, chlorine disinfection, storage and distribution facilities. Projected average daily demand for the proposed system is 112,000 gpd. Well No. 1 is to have a capacity of 120 gpm and Well No. 2 is to have a capacity of 112 gpm.

MINOR AMENDMENT

Applications Received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

Southeast Region: Water Supply Management Program Manager; Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

Application No. 0902502, Minor Amendment.	
Applicant	Philadelphia Suburban Water Company
Borough	Chalfont
Responsible Official	Joseph A. Ritter 762 W. Lancaster Avenue Bryn Mawr, PA 19010
Type of Facility	PWS System
Consulting Engineer	Philadelphia Suburban Water Company 762 W. Lancaster Avenue Bryn Mawr, PA 19010
Application Received Date	February 25, 2002
Description of Action	Change of disinfection from gas chlorine to liquid sodium hypochlorite feed.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908)

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the background standard, Statewide health standard, the site-specific standard or who intend to remediate a site as a special industrial area, must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of the cleanup standards or who receives approval of a special industrial area remediation identified under the Act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific

standard, in whole or in part and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the sites identified, proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified. During this comment period the municipality may request that the person identified, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved and comments, should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the Environmental Cleanup Program Manager in the Department Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department received the following Notices of Intent to Remediate:

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Fypon Stewartstown, Borough of Stewartstown, **York County**. Langan Engineering & Environmental Services, Inc., 30 South 17th Street, Suite 1500, Philadelphia, PA 19103-4005, on behalf of Fypon, Ltd., 22 West Pennsylvania Avenue, Stewartstown, PA 17363, submitted a Notice of Intent to Remediate site soils and groundwater contaminated with PCE, VOCs and SVOCs. The applicant proposes to remediate the site to meet the requirements for a combination of the Statewide Health and Site-Specific standards. A summary of the Notice of Intent to Remediate was reported to have been published in the *York Daily Record/York Dispatch* on February 25, 2002.

Federal Mogul Corporation, City of Lancaster, **Lancaster County**. Environmental Strategies Corporation, Four Penn Center West, Suite 315, Pittsburgh, PA 15276, on behalf of Federal Mogul Corporation, 26555 Northwestern Highway, Southfield, MI 48034, submitted a Notice of Intent to Remediate site soils and groundwater contaminated with PCBs, lead, heavy metals, pesticides, solvents, BTEX, PHCs and PAHs. The applicant proposes to remediate the site to meet the Site-Specific standard requirements. A summary of the Notice of Intent to Remediate was reported to have been published in the *Lancaster New Era* on February 12, 2002.

Former West Fairview Borough Building Property, East Pennsboro Township, **Cumberland County**. Onesky Engineering, Inc., 210 Carter Drive, Suite 8, West Chester, PA 19382-4984, on behalf of East Pennsboro Township, 98 South Enola Drive, Enola, PA 17025-2796, submitted a Notice of Intent to Remediate site groundwater contaminated with BTEX. The applicant proposes to remediate the site to meet the requirements for a combination of the Statewide Health and Site-Specific standards. A summary of the Notice of Intent to Remediate was reported to have been published in the *Harrisburg Patriot News* on January 31, 2002.

Northwest Region: Environmental Cleanup Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Caparo Steel Company (Former Boilerhouse Fuel Storage Areas (AOC-9)), 15 Roemer Blvd., City of Farrell, **Mercer County**, Paul Wojciak, P.E. of Environmental Management Services, Suite 23, 10925 Perry Highway, Wexford, PA 15090 (on behalf of Caparo Steel Company) has submitted a Notice of Intent to Remediate soil contaminated with Lead, Heavy Metals, BTEX, PHCs and PAHs. The applicant proposes to remediate the site to meet the Statewide Health Standard. A summary of the Notice of Intent to Remediate was reported to have been published in the *Herald Newspaper*.

DETERMINATION FOR APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

Applications for Determination of Applicability received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other Than Coal Ash.

Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

General Permit Application No. WMGR038SW001. Iser, Inc., P. O. Box 303, Somerset, PA 15501. Iser Facility, P. O. Box 303, Somerset, PA 15501. An application for a General Permit determination of applicability in Elk Lick Township, **Somerset County**, was received in the Regional Office on February 26, 2002.

Comments concerning the application should be directed to David Eberle, Facilities Supervisor, Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222. Persons interested in obtaining more information about the general permit application may contact the Department Southwest Regional Office at (412) 442-4000. TDD users may contact the Department through the Pennsylvania Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to and approval or denial of the application.

AIR QUALITY

NOTICE OF PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

NEW SOURCES AND MODIFICATIONS

The Department of Environmental Protection (Department) has developed an "integrated" plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit all the permitting documents relevant to its application one time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

The Department has received applications for plan approvals and/or operating permits from the following facilities.

Copies of these applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the Regional Office identified in this notice. Persons interested in reviewing the application files should contact the appropriate Regional Office to schedule an appointment.

Persons wishing to receive a copy of the proposed Plan Approval or Operating Permit must indicate their interest to the Department Regional Office within 30 days of the date of this notice and must file protests or comments on a Proposed Plan Approval or Operating Permit within 30 days of the Department providing a copy of the proposed document to that person or within 30 days of its publication in the *Pennsylvania Bulletin*, whichever comes first. Interested persons may also request that a hearing be held concerning the proposed plan approval and operating permit. Any comments or protests filed with the Department Regional Offices must include a concise statement of the objections to the issuance of the plan approval or operating permit and relevant facts, which serve as the basis for the objections. If the Department schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* at least 30 days prior the date of the hearing.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the Regional Office identified. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Final plan approvals and operating permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121–143, the Federal Clean Air Act and regulations adopted under the Act.

PLAN APPROVALS

Plan Approval Applications Received under the Air Pollution Control Act (35 P. S. §§ 4001–4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790; Contact: James Parette, New Source Review Chief, (570) 826-2531.

35-317-003: Preferred Meal Systems, Inc. (4135 Birney Avenue, Moosic, PA 18507) for construction of a steam convection cooking oven and associated air cleaning device in Moosic Borough, **Lackawanna County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; Contact: William Charlton, New Source Review Chief, (412) 442-4174.

26-00402B: CBF, Inc. (Route 21, P. O. Box 266, McClellandtown, PA 15458) for installation of increased landfill gas flow rates at J and J Landfill in German Township, **Fayette County**.

65-00280A: Kalumetals, Inc. (P. O. Box 455, Latrobe, PA 15650) for installation of thermal oxidizer/afterburner at Derry Plant in Derry Township, **Westmoreland County**.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001–4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Southeast Region: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428; Contact: Thomas McGinley, New Source Review Chief, (610) 832-6242.

46-0041A: Jefferson Smurfit Corp. (U. S.) (1035 Longford Road, Phoenixville, PA 19460) for installation of a new lithographic printing press (Press No. 10) at the folding carton plant in Upper Providence Township, **Montgomery County**. The plant is a Title V facility. This installation will result in a VOC net emission increase of 24.5 tons per year. The Plan Approval and Operating Permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

46-00015: Occidental Chemical Corp., Inc. (375 Armand Hammer Blvd., Pottstown, PA) to amend their Title V Operating Permit to incorporate the plan approval that was issued on March 29, 2000, for the replacement of a product cyclone on Production Line No. 6 at their facility in Lower Pottsgrove Township, **Montgomery County**. Production Line No. 6 corresponds to Source ID 104 in the Title V Operating Permit. The Plan Approval and Operating Permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Contact: Ronald Davis, New Source Review Chief, (717) 705-4702.

05-03010A: New Enterprise Stone and Lime Co., Inc. (P. O. Box 77, New Enterprise, PA 16664) for installation of a limestone screening and crushing unit at the existing limestone crushing and screening plant in Snake Spring Township, **Bedford County**. The crusher will be controlled by wet suppression and it is subject to 40 CFR Part 60, Subpart OOO—Standards of Performance for Nonmetallic Mineral Processing Plants. The potential emissions of particulate matter will increase by 2.4 tons per year. The plan approval will include recordkeeping and reporting requirements designed to ensure compliance with the applicable air quality requirements.

06-05069A: East Penn Mfg. Co., Inc. (P. O. Box 147, Lyon Station, PA 19536) for installation of two replacement mist eliminators to control the battery formation operation at the Industrial Battery Plant in Richmond Township, **Berks County**. The operation has a potential to emit of 4.2 tons per year of particulate and 2.4 tons per year of sulfur oxides. The plan approval will include monitoring, recordkeeping and reporting requirements designed to keep the source operating within all applicable air quality requirements. The plan approval will be incorporated into the Title V operating permit in accordance with 25 Pa. Code § 127.450.

36-03135A: Shared Mail Acquisitions, LLC (72 Industrial Circle, Leola, PA 17540-0129) for construction of sources at its printing facility in Upper Leacock Township, **Lancaster County**. This printing facility is a non-Title V (State only) facility. This construction will result in 2.28 tons per year of VOCs, 2.29 tons per year of nitrogen oxides, 1.92 tons per year of carbon monoxide and less than 1 ton each of hazardous air pollutants, particulate matter and sulfur oxides to be emitted. A thermal oxidizer will control the VOC emissions. Conditions for monitoring, recordkeeping and operating are included to keep the facility operating within the applicable requirements.

ER-36-05015A: Dart Container Corp. of PA (60 East Main Street, Leola, PA 17540) for an Air Quality Emission Reduction Credit approval of 20 tons of VOCs, resulting from the use of nonvolatile ultraviolet cured inks in the polyethylene film (bag) printing operations in

Upper Leacock Township, **Lancaster County**. The plan approval will include emission limitations, testing, monitoring, record keeping, reporting requirements and work practice standards designed to keep the facility operating within all applicable air quality requirements.

36-05027B: R. R. Donnelley and Sons Co. (1375 Harrisburg Pike, Lancaster, PA 17601) for installation of one web offset printing press at the Lancaster East Plant in Lancaster City, **Lancaster County**. The existing thermal oxidizer will control the new source. The allowable VOC emissions, from the operation of the press, are limited to 30 tons per year. The plan approval will include monitoring, recordkeeping and reporting requirements designed to keep the source operating within all applicable air quality requirements. The plan approval will be incorporated into the Title V operating permit in accordance with 25 Pa. Code § 127.450.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Contact: William Charlton, New Source Review Chief, (412) 442-4174.

30-00099A: Allegheny Energy Supply Co., LLC (4350 Northern Pike, Monroeville, PA 15146) for installation of NOx control projects on Units #1—#3 at Hatfield's Ferry Power Station in Monongahela Township, **Greene County**.

The facility is subject to the applicable requirements of 25 Pa. Code Chapter 127 and 25 Pa. Code §§ 123.102—123.120. It is proposed that the following conditions be placed in the Plan Approval:

1. The facility is to be constructed in accordance with the plans submitted with the application (as approved herein).

2. Upon completion of the construction of the facility, an operating permit must be obtained. Notify the Department when the installation is completed so that the facility can be inspected for issuance of an operating permit.

3. This Plan Approval authorizes the installation of NOx control projects on Units #1—#3 at Allegheny Energy Supply Company's Hatfield's Ferry Power Station located in Monongahela Township, Greene County (25 Pa. Code § 127.11).

4. The proposed NOx control project on Unit #1 consists of rotary overfired air nozzles, Rotamix nozzles for the injection of ammonia and all associated fans, ductwork, transfer piping and control systems. Also included is an aboveground tank and associated unloading and transfer equipment for the storage and use of aqueous ammonia and/or urea unloading, storage and processing equipment (25 Pa. Code § 127.11).

5. Urea storage silos shall be equipped with bin vent collectors. Urea shall be pneumatically transferred from trucks/railcars to storage silos. Unloading of urea trucks/railcars shall not take place unless the pneumatic transfer/bin vent collector systems are also operating properly.

6. The NOx control projects for Units #2 and #3 consist of the installation of natural gas reburn systems. Systems each include nozzles for the injection of natural gas and overfire air and all associated fans, ductwork, piping and control systems (25 Pa. Code § 127.12b).

7. The emission of ammonia from Unit #1 shall not exceed 10 ppmv at stack conditions as determined by EPA Conditional Test Method (CTM-027), *Procedure for Collec-*

tion and Analysis of Ammonia in Stationary Sources or other procedure approved by the Department (25 Pa. Code § 127.12b).

8. Stack testing shall be conducted on Unit #1 to determine the mass emission rate of ammonia (as NH₃) and carbon monoxide. Stack testing shall be conducted on Units #2 and #3 to determine the mass emission rate of carbon monoxide and nonmethane VOCs. Testing should be conducted within 90 days of achieving maximum capacity operation (including maximum natural gas availability) of the NOx control project on each unit. However, it is understood that additional time, not to exceed 180 days total, may be necessary, due to the three-unit, two-stack configuration and the required unit outages to isolate emissions from each unit (25 Pa. Code §§ 127.12b and 139.11).

a) Stack testing shall be conducted in accordance with the provisions of 25 Pa. Code Chapter 139 and the Department's Source Testing Manual.

b) At least 60 days prior to the test, the owner/operator shall submit to the Department two copies of the procedures for the stack test and drawings with dimensions indicating the location of sampling ports and other data to ensure the collection of representative samples.

c) At least 15 days prior to the test, the Regional Air Quality Manager shall be informed of the date and time of the test.

d) All relevant operating parameters (such as boiler steam flow, air flow, gross megawatts, O₂; CEMS heat input and stack flue gas volumetric flow rate; natural gas and/or ammonia feed flow rate) shall be recorded at appropriate intervals throughout the duration of the stack tests. Operating data recorded shall be sufficient to establish that the units and the air cleaning devices are operating at maximum routine operating conditions. A discussion of the recorded operating parameters and values shall be included in the test report.

e) Within 60 days after the stack test, two copies of the complete test report, including all recorded operating parameters, shall be submitted to the Regional Air Quality Manager for approval.

f) The ammonia slip limit previously established may be revised based on the results of the stack testing.

9. It is not an enforceable requirement that the NOx control projects be operated at any given time (25 Pa. Code § 127.12b).

10. Owner/operator shall keep a monthly log of all aqueous ammonia and/or urea delivered to this facility. These records shall be kept onsite for a period of 5 years and be made available to the Department upon request (25 Pa. Code § 127.12b).

11. As required by 40 CFR 68.10(a)(3), a Risk Management Plan must be submitted to both EPA and the Department prior to the storage on site of any regulated toxic substances in excess of the threshold quantities listed Table 1 to 40 CFR 68.130. The Risk Management Plan shall include all of the requirements of 40 CFR 68, Subpart G.

12. Total fuel input to Units #1—#3 shall not exceed their rated heat capacity of 5,766 mmBtu/hr each.

13. This approval to construct shall become invalid: (1) if construction is not commenced (as defined in 40 CFR 52.21(b)(8)) within 18 months after the date of this approval; or (2) if construction is discontinued for a period of 18 months or more (25 Pa. Code § 127.13(b)).

14. This Plan Approval authorizes temporary operation of the sources and/or control devices covered by this Plan Approval provided the following conditions are met (25 Pa. Code § 127.12b(d)).

a) The Department must receive written notice from the Owner/Operator of the completion of construction and the operator's intent to commence operation at least 5 working days prior to the completion of construction. The notice should state when construction will be completed and when operator expects to commence operation.

b) Operation is permitted only to facilitate the start-up and shake-down of sources and/or air cleaning devices, to permit operations pending the issuance of an Operating Permit or to permit the evaluation of the sources and/or control devices for compliance with all applicable regulations and requirements.

c) This condition authorizes temporary operation of the sources and/or control devices for a period of 180 days from the date of commencement of operation, provided the Department receives notice from the Owner/Operator under subpart (a).

d) The Owner/Operator may request an extension if compliance with all applicable regulations and Plan Approval requirements has not been established. The extension request shall be submitted in writing at least 15 days prior to the end of this period of temporary operation and shall provide a description of the compliance status of the sources and/or control devices, a detailed schedule for establishing compliance and the reasons compliance has not been established.

e) The notice submitted by the Owner/Operator under subpart (a), prior to the expiration of this Plan Approval, shall modify the plan approval expiration date. The new Plan Approval expiration date shall be 180 days from the date of the written.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790; Contact: Michael Saffo, Facilities Permitting Chief, (570) 826-2531.

48-00011: C. F. Martin and Co., Inc. (510 Sycamore Street, Nazareth, PA 18064) for their guitar manufacturing process in Upper Nazareth Township, **Northampton County**. As a result of emissions of VOCs, the company is considered a major stationary source subject to the Title V Operating Permit requirements adopted in 25 Pa. Code Chapter 127, Subchapter G. The proposed Title V Operating Permit will incorporate applicable air quality requirements of Title V for the sources at the facility and include the Department's Plan Approval No. 48-318-129B. Plan Approval No. 48-318-129B is an approval for an increase of operating hours and VOC emissions. It requires that the VOC emissions from the entire facility shall never exceed 98.9 tons per year from the coating operation and clean-up solvents. The operating permit will contain additional record keeping and operating restrictions designed to keep the source operating within all applicable air quality requirements.

Intent to Issue Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790; Contact: Michael Saffo, Facilities Permitting Chief, (570) 826-2531.

66-00002: Wyoming Sand and Stone Co. (6 Wyoming Sand Road, Tunkhannock, PA 18657) for a Synthetic Minor Operating Permit for the operations at the facility in Eaton Township, **Wyoming County**.

35-00044: Community Central Energy Corp. (1220 North Washington Avenue, Scranton, PA 18509) for a Natural Minor Operating Permit for the operations at the facility in the City of Scranton, **Lackawanna County**.

48-00049: OMG Acquisition Holdings II, Inc. (275 Keystone Drive, Bethlehem, PA 18020-9464) for a Natural Minor Operating Permit for the operations at the facility in Lower Nazareth Township, **Northampton County**.

48-00046: Easton Affiliated Services Corp. (2111 Butler Street, Easton, PA 18042) for a Natural Minor Operating Permit for the operations at the facility in Wilson Borough, **Northampton County**.

40-00060: Hudson Anthracite, Inc. (202 Main Street, Laflin, PA 18702) for a Natural Minor Operating Permit for the operations at the facility in Jenkins Township, **Luzerne County**.

40-00041: Back Mountain Veterinary Hospital (732 Center Hill Road, Dallas, PA 18612) for a Natural Minor Operating Permit for the operations at the facility in Dallas Township, **Luzerne County**.

35-00028: Moses Taylor Hospital (700 Quincy Avenue, Scranton, PA 18510) for a Natural Minor Operating Permit for the operations at the facility in the City of Scranton, **Lackawanna County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Contact: Yasmin Neidlinger, Facilities Permitting Chief, (717) 705-4702.

36-05062A: Manheim Auto Auctions (1190 Lancaster Road, Manheim, PA 17545-9746) for operation of their automobile refinishing facility in Penn Township, **Lancaster County**. Emissions of VOCs will be limited to less than 50 tons per year. Emissions of hazardous air pollutants (HAPs) will be limited to less than 10 tons per year for any individual HAP and less than 25 tons per year for any combination of HAPs. The synthetic minor operating permit will contain emission limits, monitoring, recordkeeping and reporting requirements to ensure the facility operates in accordance with the applicable requirements.

36-05073: Bollman Hat Co. (110 East Main Street, Adamstown, PA 19501) for operation of their Main Street hat manufacturing plant in Adamstown Borough, **Lancaster County**. Potential emissions of nitrogen oxides and sulfur oxides from the facility's two boilers are 100 tons for each pollutant annually. The synthetic minor operating permit will contain emission limits, monitoring, recordkeeping and reporting requirements to ensure the facility operates in accordance with the applicable requirements.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; Contact: David Aldenderfer, Program Manager, (570) 327-3637.

59-399-013: Truck-Lite Co., Inc. (R. R. 7, Box 942, Wellsboro, PA 16901) for operation of two wave soldering

machines and eight associated hand soldering stations in Wellsboro Borough, Charleston Township, **Tioga County**.

The two wave soldering machines and eight associated hand soldering stations have the potential to emit up to 5.98 tons of VOCs, .17 tons of lead and .77 tons of combined hazardous air pollutants (including lead) in any 12 consecutive month period.

The Department has determined that the wave soldering machines and hand soldering stations were constructed and are operating, in accordance with all conditions of Plan Approval 59-399-013 as well as in compliance with all applicable regulatory requirements pertaining to air contamination sources and the emission of air contaminants including the best available technology requirements of 25 Pa. Code §§ 127.1 and 127.12. The Department consequently intends to issue an operating permit for the operation of the respective wave soldering machines and hand soldering stations.

The Department intends to place conditions in the operating permit to be issued to ensure continued compliance with all applicable requirements. The following is a summary of these conditions:

1. The two wave soldering machines and eight associated hand soldering stations shall not emit a combined total of more than 5.98 tons of VOCs, .17 tons of lead and .77 tons of combined hazardous air pollutants (including lead) in any 12 consecutive month period.

2. The company shall not use more than a combined total of 800 gallons of flux, 800 gallons of thinner and 3.6 tons of solder paste in the two wave soldering machines and eight associated hand soldering stations during any 12 consecutive month period.

3. The eight hand soldering stations shall not use more than a combined total of 2 tons of solder in any 12 consecutive month period or use a solder that contains a lead content greater than 40% by weight.

4. The two wave soldering machines shall not use more than a combined total of 3.6 tons of solder in any 12 consecutive month period or use solder that contains a lead content greater than 37% by weight.

5. The company shall keep records of the amount of each solder, flux and thinner that is used each month in the two wave soldering machines and the amount of each used each month in the eight hand soldering stations. All records shall be retained for at least 5 years and made available to the Department upon request.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; Contact: Mark Wayner, Facilities Permitting Chief, (412) 442-4174.

04-00713: US Natural Resources Microspheres (212 State Street, Belle Vernon, PA 15012) for a drying and bagging operation in Harmony Township, **Beaver County**.

04-00714: Ashland Inc. (5200 Blazer Parkway, Dublin, OH 43017) for a blending and packaging operation in Rochester Borough, **Beaver County**.

30-00096: Kyowa America Corp. (317 East Roy Furman Highway, Waynesburg, PA 15370) for operation of a rotary concentrator and thermal oxidizer in Franklin Township, **Green County**.

04-00682: Heckett MultiServe (612 North Main Street, Butler, PA 16001) for renewal of a slag processing plant in Koppel Borough, **Beaver County**.

11-00498: Pets After Life Services (316 Allen Street, Portage, PA 15946) for operation of an animal crematory in Portage Township, **Cambria County**.

MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). Mining activity permits issued in response to the applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (Department). A copy of the application is available for inspection at the District Mining Office indicated before each application. Where a 401 Water Quality Certification is needed for any aspect of a particular proposed mining activity, the submittal of the permit application will serve as the request for certification.

Written comments or objections or requests for informal conferences on applications, may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the same address within 30 days of this publication or within 30 days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment and informal conferences).

Where any of the mining activities listed will have discharges of wastewater to streams, the Department will incorporate NPDES permits into the mining activity permits issued in response to these applications. NPDES permits will contain, at a minimum, technology-based effluent limitations (as described in the Department's regulations—25 Pa. Code §§ 77.522, 87.102, 88.92, 88.187, 88.242, 89.52 and 90.102) for iron, manganese, suspended solids, settleable solids, alkalinity and pH. In addition to the previous, more restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining that may occur will be incorporated into a mining activity permit, when necessary, for compliance with water quality standards (in accordance with 25 Pa. Code Chapters 93 and 95). Persons or agencies which have requested review of the NPDES permit requirements for a particular mining activity within the previously-mentioned public comment period will be provided with a 30-day period to review and submit comments on those requirements.

Written comments or objections should contain the name, address and telephone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based. Requests for an informal conference must contain the name, address and telephone number of requestor; application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor de-

sires to have the conference conducted in the locality of the proposed mining activities.

Coal Applications Received

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2454, (570) 621-3118.

54860109R3. Harriman Coal Corporation (978 Gap Street, Valley View, PA 17983), renewal of an existing anthracite surface mine operation in Tremont Township, **Schuylkill County** affecting 35.0 acres, receiving stream: none. Application received February 22, 2002.

49970201R. Split Vein Coal Co., Inc. (R. R. 1, Drawer 2, Paxinos, PA 17860), renewal of an existing refuse reprocessing operation in Mt. Carmel Township, **Northumberland County** affecting 72.3 acres, receiving stream: none. Application received February 22, 2002.

40810108C2. Pioneer Aggregates, Inc. (202 Main Street, Wilkes-Barre, PA 18702), correction to an existing anthracite surface mine operation in Plains Township, **Luzerne County** affecting 82.0 acres, receiving stream: none. Application received February 22, 2002.

54861303R3. R & D Coal Company (214 Vaux Avenue, Tremont, PA 17981), renewal of an anthracite underground mine operation in Tremont Township, **Schuylkill County** affecting 7.8 acres, receiving stream: Lorberry Creek. Application received February 26, 2002.

54920201R2. Northeastern Power Co. (P. O. Box 7, McAdoo, PA 18237-0001), renewal of an existing anthracite coal refuse reprocessing operation in Kline and Packer Townships, **Schuylkill and Carbon Counties** affecting 876.0 acres, receiving stream: none. Application received February 26, 2002.

Greensburg District Mining Office: Armbrust Building, R. R. 2 Box 603-C, Greensburg, PA 15601-0982, (724) 925-5500.

63020101. David Breeden Enterprises, Inc. (P. O. Box 89, Tarentum, PA 15084). Commencement, operation and reclamation of a bituminous surface mine located in Somerset Township, **Washington County** affecting 261.6 acres. Receiving streams: unnamed tributaries to Center Branch of Pigeon Creek to Pigeon Creek, classified for the following use: warm water fishery. The first downstream potable water supply intake from the point of discharge is Ellsworth Borough Water Department. Application received February 14, 2002.

65990103. TCNC Industries (384 Foster Road, North Versailles, PA 15137). Transfer application currently issued to Gary Gioia Coal Co. for commencement, operation and reclamation of a bituminous surface mine located in Hempfield Township, **Westmoreland County** affecting 21.5 acres. Receiving streams: unnamed tributaries to Wilson Run to Wilson Run to Sewickley Creek; classified for the following use: warm water fishery. There is no potable water supply intake within 10 miles downstream from the point of discharge. Transfer application received February 19, 2002.

65920104. Albert F. Stiffler (141 Locust Road, Box 42-C, Normalville, PA 15469). Transfer application currently issued to Mehalic Brothers for commencement, operation and reclamation of a bituminous surface mine located in Mt. Pleasant Township, **Westmoreland County** affecting 100 acres. Receiving streams: unnamed tributaries to Welty Run to Welty Run to Sewickley Creek, classified for the following use: cold water fishery. There is no potable water supply intake within 10 miles

downstream from the point of discharge. Transfer application received February 28, 2002.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

32020101 and NPDES Permit No. PA0249165. Alverda Enterprises, Inc., P. O. Box 87, Alverda, PA 15710, commencement, operation and restoration of a bituminous surface and coal refuse processing mine and for discharge of treated mine drainage in Pine Township, **Indiana County**, affecting 18.3 acres. Receiving streams: Yellow Creek classified for the following uses: cold water fishery. There are no potable water supply intakes within 10 miles downstream. Application received February 25, 2002.

32950108 and NPDES Permit No. PA0213241. TLH Coal Company, R. D. 1, Box 170, Rochester Mills, PA 15771, permit renewal for reclamation only for continued restoration of a bituminous surface mine and for existing discharge of treated mine drainage in East Mahoning Township, **Indiana County**, affecting 52.6 acres. Receiving streams: Dixon Run and unnamed tributaries to Rayne Run classified for the following uses: Cold Water Fishery. The first downstream potable water supply intake from the point of discharge is Indiana County Municipal Authority-Indiana Borough Water Supply. Application received February 26, 2002.

Noncoal Applications Received

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2454, (570) 621-3118.

09870302C4 and NPDES Permit #PA0036421. Delaware Valley Concrete Co., Inc. (248 East County Line Road, Hatboro, PA 19040), renewal of NPDES Permit in Tinicum Township, **Bucks County**, receiving stream: Delaware River classified for the following use: warm water fishery. Application received February 25, 2002.

5278SM2C4. Hanson Aggregates, Inc. (P. O. Box 231, Easton, PA 18044-0231), correction to an existing quarry operation in Lake Township, **Wayne County** affecting 104.63 acres, receiving stream: unnamed tributary to Middle Creek. Application received February 25, 2002.

52820303C4 and NPDES Permit #PA0613169. Penny Supply, Inc. (P. O. Box 3331, Harrisburg, PA 17105), renewal of NPDES Permit in Oliver Township, **Perry County**, receiving stream: Little Buffalo Creek classified for the following use: cold water fishery. Application received February 27, 2002.

7075SM1C3 and NPDES Permit #PA0612120. Penny Supply, Inc. (P. O. Box 3331, Harrisburg, PA 17105), renewal of NPDES Permit in Spring Township, **Perry County**, receiving stream: Sherman's Creek classified for the following use: warm water fishery. Application received February 27, 2002.

7175SM1A1C5 and NPDES Permit #PA0613827. Penny Supply, Inc. (P. O. Box 3331, Harrisburg, PA 17105), renewal of NPDES Permit in South Hanover Township, **Dauphin County**, receiving stream: Swatara Creek classified for the following use: warm water fishery. Application received February 27, 2002.

Greensburg District Mining Office: Armbrust Building, R. R. 2 Box 603-C, Greensburg, PA 15601-0982, (724) 925-5500.

30020801. Mather Recovery Systems, LLC (1620 Locust Ave., Fairmont, WV 26554). Commencement, operation and reclamation of a small noncoal surface mine located in Morgan Township, **Greene County** affecting 5

acres. Receiving streams: Brown's Run of South Fork and South Fork of Ten Mile Creek, classified for the following use: warm water fishery. There is no potable water supply intake within 10 miles downstream from the point of discharge. Application received January 25, 2002.

Knox District Mining Office: White Memorial Building, P. O. Box 669, Knox, PA 16232-0669, (814) 797-1191.

5380-37930302-E-1. Quality Aggregates, Inc. (200 Neville Road, Pittsburgh, PA 15225). Application for a stream encroachment to construct a temporary stream crossing over an unnamed tributary to Slippery Rock Creek located on the Harold W. Wilson property in Slippery Rock Township, **Lawrence County**, classified for the following uses: CWF. The first downstream potable water supply intakes from the point of discharge are Belvedere Retirement Home Well; Armco Park CC; and Salvation Army Camp. Receiving streams: unnamed tributary of Slippery Rock Creek. Application received February 22, 2002.

24020301. Superior Greentree Landfill, LLC (635 Toby Road, Kersey, PA 15846). Commencement, operation and restoration of a soil overburden operation in Fox Township, **Elk County** affecting 57.0 acres. Receiving streams: unnamed tributary to Sawmill Run, classified for the following uses: Statewide water uses: CWF. No public water supplies are within 1,000 feet of the permit area. Application received February 19, 2002.

6763-24020301-E-1. Superior Greentree Landfill, LLC (635 Toby Road, Kersey, PA 15846). Application for a stream encroachment by the haul road within 100 feet of and the installation of a temporary stream crossing over Sawmill Run in Fox Township, **Elk County** affecting 57.0 acres. Receiving streams: unnamed tributary to Sawmill Run, classified for the following uses: Statewide water uses: CWF. No public water supplies are within 1,000 feet of the permit area. Application received February 19, 2002.

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications and requests for Environmental Assessment approval and requests for Water Quality Certification have been received by the Department of Environmental Protection (Department). Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341(a)), requires the State to certify that the involved projects will not violate the applicable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Initial requests for 401 Water Quality Certification will be published concurrently with the permit application. Persons objecting to approval of a request for certification under section 401 or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted before the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or

conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between the hours of 8 a.m. and 4 p.m. on each working day at the office noted before the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications Received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and Requests for Certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

E09-837. Borough of Sellersville, 140 E. Church Street, Sellersville, PA 18960, Borough of Sellersville, **Bucks County**, ACOE Philadelphia District.

To construct and maintain approximately 230 linear feet of triple cell 48-inch HDPE stream enclosure with associated junction box, end-walls and riprap apron in and along an unnamed tributary to the East Branch Perkiomen Creek (TSF). The junction box will serve to connect the proposed structure with the existing Maple Avenue road crossing, which consists of a 42-inch CMP and a 48-inch by 68-inch elliptical CMP. The site is located 100 feet east of the intersection of Farmers Lane and Maple Avenue (Telford, PA Quadrangle N: 19.5 inches; W: 9 inches).

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

E48-322. Tatamy Borough, 23 Broad Street, P. O. Box 218, Tatamy, PA 18085, in Tatamy Borough, **Northampton County**, U. S. Army Corps of Engineers, Philadelphia District.

To maintain two 36-inch diameter stormwater outfall structures projecting into Bushkill Creek (HQ-CWF). The projects are located approximately 1,200 feet apart between S.R. 1002 and the Borough boundary (Easton, PA-NJ Quadrangle N: 21.0 and 20.3 inches; W: 17.0 and 16.9 inches).

E66-129. Richard M. and Deborah M. Bell, R. R. 2, Box 101, Mehoopany, PA 18629, in Lemon Township, **Wyoming County**, U. S. Army Corps of Engineers, Baltimore District.

To dredge approximately 27 c.y. of material from the bed of Lake Carey (CWF) and to expand the reservoir by removing and relocating a stone retaining wall 2 feet landward for the purpose of increasing the mooring area around an existing private recreational dock. The project is located along the eastern shore of the lake approximately 0.75 mile north of S.R. 1003 (Tunkhannock, PA Quadrangle N: 18.0 inches; W: 7.2 inches).

E13-129. Timothy J. Carter, 635 Stagecoach Road West, Lehighton, PA 18235, in Towamensing Township, **Carbon County**, U. S. Army Corps of Engineers, Philadelphia District.

To remove the existing structure and to construct and maintain an open-bottom concrete box culvert, having a span of 8 feet and an underclearance of 4.5 feet across Bull Run (HQ-CFW); and to construct and maintain a channel change, having a length of approximately 200 feet in Bull Run, consisting of concrete walls along both banks. The project is located 0.5 mile southwest of the intersection of S.R. 2001 and Stagecoach Road. (Palmerton, PA Quadrangle N: 18.2 inches; W: 14.3 inches).

E40-586. Peter and Dolores Valania, 405 Alden Mountain Road, Nanticoke, PA 18634, in Newport Township, **Luzerne County**, U. S. Army Corps of Engineers, Baltimore District.

To place fill in a de minimis area of wetlands equal to 0.05 acre for the purpose of constructing a home. The project is located on Lot No. 13, along the west side of Alden Mountain Road (S.R. 3001), to the east of Fairchild Pond. (Nanticoke, PA Quadrangle N: 8.1 inches; W: 0.6 inch).

E40-587. Russell L. Dado, 12 North Mountain Boulevard, Mountaintop, PA 18707, in Fairview Township, **Luzerne County**, U. S. Army Corps of Engineers, Baltimore District.

To construct and maintain a building addition (having a footprint of 20 feet x 20.5 feet), associated parking areas and an access drive and a stormwater outfall swale, in the floodway along the left bank of Big Wapwallopen Creek (CWF). The project is located along the west side of S.R. 0309 (12 North Mountain Boulevard). (Wilkes-Barre West, PA Quadrangle N: 6.9 inches; W: 1.5 inches).

E45-426. Price Township Development Corporation, One Empire Plaza, Stroudsburg, PA 18360, in Price and Smithfield Townships, **Monroe County**, U. S. Army Corps of Engineers, Philadelphia District.

To construct and maintain one road crossing in Michael Creek (HQ-CWF) and adjacent wetlands and three road crossings in tributaries to Michael Creek (HQ-CFW) and adjacent wetlands for the purpose of providing access to a proposed 137-acre planned residential development known as The Highlands at Rob Roy. The total wetland impact associated with the four road crossings is 0.44 acre. The project is located southeast of the intersection of Township Road T556 (Woodale Road) and S.R. 1005 (Schoolhouse Road). (East Stroudsburg, PA Quadrangle N: 12.5 inches; W: 8.5 inches).

E40-588. James Kozemchak, R. R. 3, Box 120, Harveys Lake, PA 18618, in Harveys Lake Borough, **Luzerne County**, U. S. Army Corps of Engineers, Baltimore District.

To modify and maintain an existing dock in Harveys Lake, with work consisting of eliminating an existing 16-foot x 25-foot open area, restoring this area to its previous, covered condition. The dock has overall dimensions of approximately 1,500 square feet and is located at Pole 258. (Harveys Lake, PA Quadrangle N: 19.1 inches; W: 5.8 inches).

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

E06-563. Eileen Pinder, Douglass Township, 1068 Douglass Drive, Boyertown, PA 19512 in Douglass Township, **Berks County**, ACOE Philadelphia District

To remove an existing cut stone arch culvert 8-foot, 4-inch wide by 6-foot, 2 1/2-inch high and to construct and maintain a concrete box culvert 8-foot by 6-foot at a

point along Redshale Drive (T-481) across an unnamed tributary to Ironstone Creek (TSF) (Boyertown, PA Quadrangle N: 9.4 inches; W: 6.6 inches) in Douglass Township, Berks County.

E21-337. Steve Campbell, Hampden Township Sewer Authority, 230 S. Sporting Hill Road Mechanicsburg, PA 17055 in Hampden and East Pennsboro Townships, **Cumberland County**, ACOE Baltimore District

To construct and maintain: (1) two sanitary sewer line crossings in Pine Run, four sanitary sewer line crossings of associated wetlands along Pine Run and two ford crossings in Pine Run (WWF); (2) one sanitary sewer line crossing in Sears Run (WWF); (3) one sanitary sewer line crossing of an unnamed tributary to Pine Run (WWF); and (4) one ford crossing in Holtz Run (WWF) all for the purpose of constructing the Pine Run Interceptor and Pumping Station project located on the eastern side of Interstate Route 81 at the Wertzville Road interchange and situated north and south of Wertzville Road SR 0944 (Harrisburg West, PA Quadrangle N: 6.5 inches; W: 13.0 inches) in Hampden and East Pennsboro Townships, Cumberland County.

E21-338. Louis Marinacci, South Middletown Township Municipal Authority, P. O. Box 8 Boiling Springs, PA 17007 in South Middletown Township, **Cumberland County**, ACOE Baltimore District.

To construct and maintain a sanitary sewer line crossing of the Yellow Breeches Creek (HQ-CWF) for the purpose of constructing 15,400 linear feet of a new 4-inch diameter sanitary sewer force main, 1,300 linear feet of a new 8-inch diameter sanitary sewer gravity main along Creek Road (Carlisle, PA Quadrangle N: 2.3 inches; W: 3.3 inches) in South Middletown Township, Cumberland County.

E31-180. Vicki Harshbarger, Smithfield Township, Mt. Vernon Avenue and 13th Street, Huntingdon, PA 16652 in Smithfield Township, **Huntingdon County**, ACOE Baltimore District.

To maintain the existing Smithfield Flood Protection Project along the Juniata River (WWF) and Crooked Creek (WWF) at a point near Route 22 (Huntingdon, PA Quadrangle N: 19.3 inches; W: 2.6 inches) in Smithfield Township, Huntingdon County.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701, (570) 327-3636.

E14-415. Pennsylvania Electric Company, 2800 Pottsville Pike, Reading, PA 19612-6001. Small Projects Joint Permit Application, in Snowshoe Township, **Centre County**, ACOE Susquehanna River Basin District (Karthaus, PA Quadrangle N: 2.9 inches; W: 3.1 inches).

To construct and maintain 280 feet of aerial electric line crossing over Black Moshannon Creek designated a High Quality-Cold Water Fishery. This project does not propose to impact any jurisdictional wetlands.

E19-223. James W. Knorr, 7295 Old Berwick Road, Bloomsburg, PA 17815. Quarry Filling, in Montour Township, **Columbia County**, ACOE Baltimore District (Danville, PA Quadrangle N: 18.50 inches; W: 2.25 inches).

To fill in a 30 acre abandoned limestone quarry with stable fill material. The project is located off Quarry Drive 0.25 mile from the intersection of Quarry Drive with Route 11. Runoff from the project area will enter an unnamed tributary to Montour Run. Montour Run is a

cold water fisheries stream. The project will not impact wetlands while impacting approximately 60 feet of waterway.

E41-498. Lycoming County Water and Sewer Authority, 216 Old Cement Road, Montoursville, PA 17754. Lycoming County Wastewater Collection Expansion, in Muncy Township, **Lycoming County**, ACOE Baltimore District (Muncy, PA Quadrangle N: 18.5 inches; W: 6.4 inches).

To construct, operate and maintain 11.33 miles of sanitary sewer line within the Susquehanna River watershed (Warm Water Fishery) for the treatment of municipal wastewater. Construction of the sanitary sewer lines will require the six stream crossings that are as follows:

<i>Stream Name</i>	<i>Number of Crossings</i>	<i>Total Length of Crossings</i>
Wolf Run	1	88.0 feet
Unnamed tributaries—		
Wolf Run	2	68.5 feet
Carpenters Run	2	87.0 feet
Turkey Run	1	33.5 feet
Tules Run	1	79.5 feet

All sewer line crossings shall be constructed with a minimum of 3-feet of cover with concrete encasement beneath the waterways. Trench plugs or clay dikes shall be used at every sewer line crossing a waterway to ensure the hydrology of the streams is not altered. Construction of the Industrial Park Pumping Station will require the placement of fill in the floodway of Wolf Run (Cold Water Fishery). The project will not impact wetlands while impacting 356.50-feet of waterway. The project is located along the northern and southern right-of-way of SR 2014 approximately 12.0-miles east of SR 2014 and Old Cement Road intersection.

E41-500. Pennsylvania Department of Transportation, Engineering District 3-0, P. O. Box 218, Montoursville, PA 17754-0218. SR 2071 Bryan Mill bridge replacement, in Wolf Township, **Lycoming County**, ACOE Susquehanna River Basin District (Picture Rocks, PA Quadrangle N: 2.5 inches; W: 12.9 inches).

To remove an existing structure and construct and maintain a two span adjacent box beam bridge having a span of 150.0 feet and a minimum underclearance of 14.25 feet with a skew of 83° in Muncy Creek (Trout Stocked Fishery). The project is located along SR 2017 approximately 0.2 mile west of SR 0220 and SR 2017 intersection in Wolf Township, Lycoming County. The constructed bridge will have a minimal impact on wetlands while impacting 150-feet of waterway.

E41-501. Keith Edler, 484 Knipe Road, Liberty, PA 16930. Water Obstruction and Encroachment Permit Application in Pine Township, **Lycoming County**, ACOE Susquehanna River Basin District (English Center, PA Quadrangle N: 9.96 inches; W: 7.53 inches).

To remove and maintain a gravel bar measuring 400 feet by 92 feet in Little Pine Creek located along the northern right-of-way of SR 4001, 1.5 miles west of the intersection of SR 0287 and SR 4001. This project proposes to have a minimal impact on 400 linear feet Little Pine Creek, which is designated a Cold Water Fishery and a stream which supports Wild Trout. The project does not propose to impact any jurisdictional wetlands.

E49-258. Pennsylvania Department of Transportation, Engineering District 3-0, P. O. Box 218, Montoursville, PA 17754-0218. Watsonstown bridge re-

placement, in Watsonstown Borough, **Northumberland County**, ACOE Susquehanna River Basin District (Milton, PA Quadrangle N: 2.5 inches; W: 12.9 inches).

To rehabilitate an existing structure in the West Branch of the Susquehanna River (Warm Water Fishery) and White Deer Creek (High-Quality Cold Water Fishery). The project is located along SR 1014 approximately 250 feet west of SR 0405 and SR 1014 intersection in Watsonstown Borough, **Northumberland County**. The rehabilitated bridge will temporarily impact 0.21 acre of wetlands while temporarily impacting 800-feet of waterway.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E02-1370. Monte Cello's Italian Restaurant, Inc., 2198 Babcock Boulevard, Pittsburgh, PA 15209. Ross Township, **Allegheny County**, ACOE Pittsburgh District.

To operate and maintain a 5' diameter concrete culvert approximately 80' long in a tributary to Girtys Run (WWF) locally known as Thompson Run. The culvert is located under an existing parking lot in the northeast corner of Babcock Boulevard and Thompson Run Road. The original culvert was replaced under Emergency Permit No. EP0202201 issued on February 20, 2002 (Glenshaw, PA Quadrangle N: 2.0 inches; W: 16.5 inches).

E11-294. Pennsylvania Department of Transportation, Engineering District 9-0, 1620 North Juniata Street, Hollidaysburg, PA 16648. Reade and White Townships, **Cambria County**, ACOE Baltimore District.

To remove the existing structure and to construct and maintain a prestressed concrete spread box beam bridge having a single, clear, normal span of 89.3 feet and an underclearance of 15.6 feet over Clearfield Creek (WWF) and to place and maintain fill in 0.003 acre of PSS/PEM wetland for the purpose of improving highway safety. The project is located on S.R. 1023 in the Village of Fallentimber. The wetlands have been replaced at State Gamelands 108. (Blandburg, PA Quadrangle N: 10.9 inches; W: 17.2 inches).

E26-292. Pennsylvania Department of Transportation, Engineering District 12-0, P. O. Box 459, Uniontown, PA 15401. Dunbar Township, **Fayette County**, ACOE Pittsburgh District.

To extend and maintain an existing 8.0 meter long, 1.60 meter x 1.17 meter box culvert for a distance of 2.54 meters upstream and 2.38 meters downstream in an unnamed tributary to the Youghiogheny River (WWF). The inverts of the culvert extensions will be depressed 0.3 meter. Also to relocate and maintain 392.0 meters of stream channel from Station 2+006.041 to Station 2+325 LEFT and to construct and maintain a 257.0 meter long, 900 mm diameter pipe from Station 2+325 to Station 0+340 LEFT in an unnamed tributary to the Youghiogheny River (WWF). Also to construct and maintain a 571.0 meter long, 900 mm diameter pipe from Station 2+006.041 to Station 0+340 RIGHT in an unnamed tributary to the Youghiogheny River and to place and maintain fill in a de minimis area of PEM wetland equal to 0.007 hectare for the purpose of improving highway safety. The project is located on S.R. 0201 just west of its intersection with Township Road 742 (Connellsville, PA Quadrangle N: 4.1 inches; W: 16.8 inches).

E63-527. Montour Trail Council, P. O. Box 11866, Pittsburgh, PA 15228. Peters Township, **Washington County**, ACOE Pittsburgh District.

To construct and maintain two pedestrian bridges across the channel of Brush Run (WWF) one having a span of 83.0 feet with a minimum underclearance of 9.0 feet located approximately 450 feet north from the intersection of Valley Brook Road and S.R. 19 and one having a span of 157.0 feet with a minimum underclearance of 15.6 feet located approximately 900 feet north from the intersection of S.R. 19 and Valley Brook Road for the purpose of constructing the Montour Trail a bike/pedestrian trail (Bridgeville, PA Quadrangle N: 7.7 inches; W: 14.9 inches).

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

E10-355 Butler County Planning Commission, P. O. Box 1208, Butler, PA. 16003-208 T.R. 340, Across Crab Run, in Connoquenessing Township, **Butler County**, ACOE Pittsburgh District (Evans City, PA Quadrangle N: 19.5 inches; W: 8.8 inches)

To remove the existing structure and to construct and maintain a Steel I-Beam bridge with concrete abutments and wingwalls and steel beams supporting a Glu Lam timber decking system, having a clear span of 30 feet and an underclearance of 6.75 feet across Crab Run on T.R. 340.

ENVIRONMENTAL ASSESSMENTS

Central Office: Bureau of Waterways Engineering, Rachel Carson State Office Building, Floor 3, 400 Market Street, Harrisburg, PA 17105.

D13-001A. Lake Hauto Club, 140 Maple Terrace Road, Nesquehoning, PA 18240. Nesquehoning Borough, **Carbon County**, ACOE Philadelphia District.

Project proposes to construct improvements to the Lake Hauto Dam including armoring the dam crest and downstream slope and renovating the spillway channel. Improvements will not change the normal pool elevation of the reservoir. The improvements will directly impact approximately 0.17 acre of wetlands (PEM). The dam is located across Nesquehoning Creek (HQ-WWF) (Tamaqua, PA Quadrangle, N: 17.45 inches, W: 3.40 inches).

ACTIONS

FINAL ACTIONS TAKEN UNDER THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT—NPDES AND WQM PART II PERMITS

INDUSTRIAL WASTE AND SEWERAGE WASTEWATER

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications and requests for plan approval.

Persons aggrieved by these actions may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service,

(800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge this action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. Municipal and Industrial Permit Actions under The Clean Streams Law Act (35 P. S. §§ 691.1— 691.1001).

Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

NPDES Permit No. PA0053775, Sewage, **Thomas and Maureen Scheuerman**, 321 North Feathering Road, Media, PA 19063. This proposed facility is located in Upper Providence Township, **Delaware County**.

Description of Proposed Action/Activity: Renewal to discharge into an unnamed tributary of Ridley Creek.

NPDES Permit No. PA0054721, Sewage, **Joseph and Sondra McGeever**, 2390 North Feathering Road, Media, PA 1963. This proposed facility is located in Upper Providence Township, **Delaware County**.

Description of Proposed Action/Activity: Renewal to discharge into an unnamed tributary of Ridley Creek-Ridley 3G.

WQM Permit No. 2301408, Sewerage, **Little Washington Wastewater Company**, 762 West Lancaster Avenue, Bryn Mawr, PA 19010-3689. This proposed facility is located in Newtown Township, **Delaware County**.

Description of Proposed Action/Activity: Construction and operation of a sewage treatment plant to serve the proposed Somerset land development.

WQM Permit No. 1501422, Sewerage, **Upper Uwchlan Township Municipal Authority**, 140 Pottstown Pike, Chester Springs, PA 19428. This proposed facility is located in Upper Uwchlan Township, **Chester County**.

Description of Proposed Action/Activity: Construction and operation of a sewage treatment plant to serve the St. Andrews Brae Subdivision.

WQM Permit No. 0995403 Amendment No. 1, Sewerage, **Bucks County Water and Sewer Authority**, 1275 Almshouse Road, Warrington, PA 18976. This proposed facility is located in Doylestown Borough, **Bucks County**.

Description of Proposed Action/Activity: Approval for modifications and upgrade of existing pump station at Cooks Run Interceptor to increase capacity.

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

NPDES Permit No. PA-0013650, Industrial Waste, **Chamberlain Manufacturing Corporation**, 156 Cedar Avenue, Scranton, PA 18505-1138. This proposed facility is located in Scranton City, **Lackawanna County**.

Description of Proposed Action/Activity: NPDES permit renewal to discharge stormwater from the manufacturing facility (SIC Code 3483) into Roaring Brook.

NPDES Permit No. PA-0060887, Sewage, **Tafton Diner & Sandy Beach Motel**, Box 150, Hawley, PA 18428. This proposed facility is located in Palmyra Township, **Pike County**.

Description of Proposed Action/Activity: to renew NPDES Permit.

WQM Permit No. 4801403, Sewerage, **East Allen Township Municipal Authority**, 5340 Nor-Bath Boulevard, Northampton, PA 18067. This proposed facility is located in East Allen Township, **Northampton County**.

Description of Proposed Action/Activity: Applicant is authorized to construct a pump station, a gravity sewer collection system and a force main to serve the Village of Old Jacksonville, in East Allen Township.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

NPDES Permit No. PA0024040, Sewage, **Borough of Highspire**, 640 Eshelman St., Highspire, PA 17034-1698. This proposed facility is located in Highspire Borough, **Dauphin County**.

Description of Proposed Action/Activity: Authorization to discharge to Susquehanna River in Watershed 7-C.

NPDES Permit No. PA0088048, Amendment No. 2, Sewage, **Borough of New Morgan**, Building D, Room 3, Grace Boulevard, Morgantown, PA 19543. This proposed facility is located in New Morgan Borough, **Berks County**.

Description of Proposed Action/Activity: Authorization to discharge to Conestoga River in Watershed 7-J.

NPDES Permit No. PA0087017, Sewerage, **Lower Paxton Township Authority**, 75 Houcks Road, Room 200, Harrisburg, PA 17109. This proposed facility is located in Lower Paxton Township, **Dauphin County**.

Description of Proposed Action/Activity: Authorization to discharge to an unnamed tributary of Beaver Creek in Watershed 7-D.

NPDES Permit No. PA0021491, Sewerage, **Williamstown Borough Sewer Authority**, Williamstown Borough STP, P. O. Box 44, Williamstown, PA 17098. This proposed facility is located in Williams Township, **Dauphin County**.

Description of Proposed Action/Activity: Authorization to discharge to Wiconisco Creek in Watershed 6-C.

NPDES Permit No. PA0026620, Sewerage, **Borough of Millersville**, 10 Colonial Avenue, Millersville, PA 17551. This proposed facility is located in Manor Township, **Lancaster County**.

Description of Proposed Action/Activity: Authorization to discharge to Conestoga River in Watershed 7-J.

NPDES Permit No. PA0021245, Sewerage, **Borough of Duncannon**, 428 North High Street, Duncannon, PA 17020. This proposed facility is located in Duncannon Borough, **Perry County**.

Description of Proposed Action/Activity: Authorization to discharge to Susquehanna River in Watershed 7-A.

NPDES Permit No. PA0083721, Sewerage, **Jacob L. Miller, Jr.**, 1124 Lake Road, Spring Grove, PA 17362-8813. This proposed facility is located in Paradise Township, **York County**.

Description of Proposed Action/Activity: Authorization to discharge to UNT Beaver Creek in Watershed 7-F.

NPDES Permit No. PA0085405 and WQM Permit No. 0193405 (02-1), Sewerage, **Suzanne Lanky, Suzinn, LLC**, 40 Hospital Road, Gettysburg, PA 17325. This proposed facility is located in Cumberland Township, **Adams County**.

Description of Proposed Action/Activity: Transfer of Permits with continued authorization to discharge to UNT of Rock Creek in Watershed 13-D.

NPDES Permit No. PA0080438 and WQM Permit No. 3674409 (01-1), Sewerage, **Northern Lancaster County Authority**, 983 Beam Road, Denver, PA 17517. This proposed facility is located in Brecknock Township, **Lancaster County**.

Description of Proposed Action/Activity: Authorization of continued discharge to Muddy Creek in Watershed 7-J and Re-rating of Beam Road Sewage Treatment Plant.

WQM Permit No. 2295402, Transfer, Sewerage, **Lower Paxton Township**, 75 South Houcks Road, Room 200, Harrisburg, PA 17109. This proposed facility is located in Lower Paxton Township, **Dauphin County**.

Description of Proposed Action/Activity: Approval for Permit Transfer.

NPDES Permit No. PA0008265, Industrial Waste, **Appleton Papers, Inc.**, 100 Paper Mill Road, Roaring Springs, PA 16673-1488. This proposed facility is located in Blair Township, **Blair County**.

Description of Proposed Action/Activity: Authorization to discharge to Frankstown Branch Juniata River in Watershed 11-A.

NPDES Permit No. PA0084816, Transfer, Industrial Waste, **Sunoco Logistics Partners Operations, GP, LLC**, 1801 Market Street (10 PC), Philadelphia, PA 19103-1699. This proposed facility is located in Spring Township, **Berks County**.

Description of Proposed Action/Activity: Authorization to discharge to UNT Cacoosing Creek in Watershed 3-C.

NPDES Permit No. PA0087840, Transfer, Industrial Waste, **JMH, Inc.**, 1090 Spring Street, Wyomissing, PA 19610. This proposed facility is located in Muhlenberg Township, **Berks County**.

Description of Size and Scope of Proposed Operation/Activity: Authorization to discharge to dry swale in watershed 3-C.

NPDES Permit No. PA0008541, Industrial Waste, **York International**, 631 S. Richland Avenue, York, PA 17403. This proposed facility is located in Spring Garden Township, **York County**.

Description of Size and Scope of Proposed Operation/Activity: Authorization to discharge Codorus Creek in Watershed 7-H.

NPDES Permit No. PA0246417, Industrial Waste, **Harold E. Miller, State Line Sales, Inc.**, 2632 Robert Fulton Highway, Peach Bottom, PA 17563. This proposed facility is located in Fulton Township, **Lancaster County**.

Description of Proposed Action/Activity: Authorization to discharge to UNT of Conewago Creek in Watershed 7K.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

NPDES Permit No. PAS144813, Industrial Stormwater, SIC 3272, **Centre Concrete Company**, P. O. Box 859, State College, PA 16804-0859. This facility is located in College Township, **Centre County**.

Description of Proposed Action/Activity: Stormwater discharge from ready-mix concrete processing facility.

NPDES Permit No. PA0209457, Industrial Waste, **CraftMaster Manufacturing, Inc.**, P. O. Box 311, Towanda, PA 18848. This existing facility is located in Wysox Township, **Bradford County**.

Description of Proposed Action/Activity: Renewal of the permit for the discharge of industrial wastewater from a water demineralizer.

NPDES Permit No. PA0027171, Sewage, **Bloomsburg Municipal Authority**, 301 W. Main Street, Bloomsburg, PA 17815. This existing facility is located in the Town of Bloomsburg, **Columbia County**.

Description of Proposed Action/Activity: This action was for the amendment of the NPDES permit to require the development of an Industrial Waste Pretreatment program.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

NPDES Permit No. PA0203963, Industrial Waste, **Washington Penn Plastics, Inc.**, 2080 N. Main Street, Washington, PA 15301 is authorized to discharge from a facility located at Performance Products Division, South Strabane Township, **Washington County** to receiving waters named unnamed tributary to Little Chartiers Creek.

NPDES Permit No. PA0095907, Sewage, **Albert Gallatin Area School District**, 10 West Church Street, Masontown, PA 15461-1800 is authorized to discharge from a facility located at Plava Elementary School Sewage Treatment Plant, German Township, **Fayette County** to receiving waters named unnamed tributary of North Branch Browns Run known locally as Parshall Run.

NPDES Permit No. PA0095982, Sewage, **Albert Gallatin Area School District**, 10 West Church Street, Masontown, PA 15461-1800 is authorized to discharge from a facility located at Albert Gallatin North Middle (formerly North Junior High) School STP, German Township, **Fayette County** to receiving waters named unnamed tributary of North Branch Browns Run.

NPDES Permit No. PA0097811, Sewage, **Dry Tavern Sewer Authority**, P. O. Box 159, Rices Landing, PA 15357 is authorized to discharge from a facility located at Dry Tavern Sewer Authority Sewage Treatment Plant, Jefferson Township, **Greene County** to receiving waters named unnamed tributary of Pumpkin Run.

NPDES Permit No. PA0098981, Sewage, **Dean E. Molter**, 187 Becks Run Road, Moon Township, PA 15108 is authorized to discharge from a facility located at the Dean E. Molter Single Residence STP, Moon Township, **Allegheny County** to receiving waters named unnamed tributary of Flaugherty Run.

NPDES Permit No. PA0205451, Sewage, **Lawrence G. Schwartz**, 110 North Lane, Sewickley, PA 15143 is authorized to discharge from a facility located at

Schwartz MHP STP, Economy Borough, **Beaver County** to receiving waters named Big Sewickley Creek.

NPDES Permit No. PA0217271, Sewage, **Ohio Township Sanitary Authority**, 1719 Roosevelt Road, Pittsburgh, PA 15237 is authorized to discharge from a facility located at Kilbuck Run Sewage Treatment Plant, Sewickley Hills Borough, **Allegheny County** to receiving waters named Kilbuck Run.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

NPDES Permit No. PA0103926, Industrial Waste, **Component Inter Technologies, Inc.**, 2426 Perry Highway, Hadley, PA 16130-2998. This proposed facility is located in Perry Township, **Mercer County**.

Description of Proposed Action/Activity: This facility is authorized to discharge to an unnamed tributary of Little Shenango River.

NPDES Permit No. PA0020095, Industrial Waste, **Thomas and Betts Reznor**, 150 McKinley Avenue, Mercer, PA 16137. This proposed facility is located in Mercer Borough, **Mercer County**.

Description of Proposed Action/Activity: This facility is authorized to discharge to Munnell Run and Otter Creek.

NPDES Permit No. PA0238546, Industrial Waste, **Ellwood City Forge**, P. O. Box 31, Ellwood City, PA 16117. This proposed facility is located in Ellwood City Borough, **Lawrence County**.

Description of Proposed Action/Activity: This facility is authorized to discharge to Connoquenessing Creek.

NPDES Permit No. PA0102326, Sewage, **Department of Corrections, State Regional Correctional Facility at Mercer**, 801 Butler Pike, Mercer, PA 16137. This proposed facility is located in Findley Township, **Mercer County**.

Description of Proposed Action/Activity: This facility is authorized to discharge to Neshannock Creek.

NPDES Permit No. PA0104353, Sewage, **Lemick, Inc.**, Oakleaf Estates Manufactured Home Park, 9 Corporation Center, Broadview Heights, OH 44147. This proposed facility is located in Shenango Township, **Mercer County**.

Description of Proposed Action/Activity: This facility is authorized to discharge to an unnamed tributary of the Shenango River.

NPDES Permit No. PA0026174, Sewage, **The General Authority of the City of Franklin**, City Hall, 430 Thirteenth Street, Franklin, PA 16323-1317. This proposed facility is located in the City of Franklin, **Venango County**.

Description of Proposed Action/Activity: This facility is authorized to discharge to French Creek and the Allegheny River.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. 6201411, Sewerage, **Everett Rhoades**, R. R. #3, Box 3212, Russell, PA 16346. This proposed facility is located in Sugar Grove Township, **Warren County**.

Description of Proposed Action/Activity: This project is for a single residence.

WQM Permit No. 1001407, Sewerage, **Jenny McKeag**, 111 Venango Trail, Slippery Rock, PA 16057. This proposed facility is located in Slippery Rock Township, **Butler County**.

Description of Proposed Action/Activity: This project is for a single residence.

WQM Permit No. 3702402, Sewerage, **Richard D. Mooney**, R. R. 5, Box 225, New Castle, PA 16105. This proposed facility is located in Neshannock Township, **Lawrence County**.

Description of Proposed Action/Activity: This project is for a single residence.

NPDES STORMWATER INDIVIDUAL PERMITS—(PAS)

The following NPDES Individual Permits for Discharges of Stormwater Associated with Construction Activities have been issued.

Persons aggrieved by these actions may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel

Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge this action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

<i>NPDES Permit</i>	<i>Applicant Name and Address</i>	<i>County and Municipality</i>	<i>Receiving Stream</i>
PAS10X098	Turnpike Commission P. O. Box 67676 Harrisburg, PA 17106-7676	Westmoreland County Donegal Borough Donegal Township Mount Pleasant Township	Indian Creek/HQ-CWF Jacobs Creek/CWF Champion Creek /CWF Fourmile Run/TSF Jacobs Creek/TSF Indian Creek/TSF

Northwest Region: Oil and Gas Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAS10E075	Acorn Woods Development Acorn Enterprises Sherry Kyne 1031 New Castle Road P. O. Box 465 Prospect, PA 16052	Butler County	Franklin Township	Tributary to Muddy Creek (CWF)

APPROVALS TO USE NPDES AND/OR OTHER GENERAL PERMITS

The following parties have submitted: (1) Notices of Intent for Coverage under (1) General NPDES Permits to Discharge Wastewater into the Waters of the Commonwealth. The approval for coverage under these general NPDES permits is subject to applicable effluent limitations. Monitoring, reporting requirements and other conditions set forth in the general permit; (2) General Permits for Beneficial Use of Sewage Sludge or Residential Septage by Land Application in this Commonwealth; (3) General NPDES Permit Authorizing the Discharge of Stormwater Associated with Construction Activities to Waters of the Commonwealth; (4) Notification for First Use Application of Sewage Sludge.

The approval of coverage for land application of sewage sludge or residential septage under these general permits is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions set forth in the respective permit. The Department of Environmental Protection approves the following coverage under the specific General Permit.

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

The application and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted.

List of NPDES and/or Other General Permit Types

PAG-1	General Permit for Discharges From Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated With Construction Activities (PAR)
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities
PAG-4	General Permit for Discharges From Single Residence Sewage Treatment Plant
PAG-5	General Permit for Discharges From Gasoline Contaminated Ground Water Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges From Combined Sewer Systems (CSO)
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Nonexceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Nonexceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharge Resulting from Hydrostatic Testing of Tanks and Pipelines
PAG-11	(To Be Announced)
PAG-12	Concentrated Animal Feeding Operations (CAFOs)

General Permit Type—PAG-2

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Telephone No.</i>
Codorus Township Jefferson Borough York County	PAR10Y558	Codorus Estates Hickory Heights Inc. R. D. 1 Box 1550 Spring Grove, PA 17362	Buffalo Valley Run WWF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 (717) 840-7430
Newberry Township Conewago Township York County	PAR10Y572	Conewago Heights Sanitary Sewer Extension Newberry Township Anne Baucum 1915 Old Trail Road Etters, PA 17319	Big Conewago NL	York County Conservation District 118 Pleasant Acres Road York, PA 17402 (717) 840-7430
Broad Top Township Bedford County	PAR100460	Broad Top Township 187 Municipal Road P. O. Box 57 DeFiance, PA 16633-0057	Six Mile Run WWF	Bedford County Conservation District 702 W. Pitt Street Suite 4 Bedford, PA 15522 (814) 623-8099
Centre County Burnside and Snow Shoe Townships	PAR10F156	Litke Tract 706 SGL 255 Airport Rd. P. O. Box 1378 Indiana, PA 15701	Little Sandy Run CWF	Centre County Conservation District 414 Holmes Ave. St. 4 Bellefonte, PA 16823 (814) 355-8696
Tioga County Morris Township	PAR106640	Babb Creek Watershed Assoc. 2538 Rt. 405 Hwy. Muncy, PA 17756	Point Run, Black Run, tributary to Stony Fork/Babb Creek CWF	Tioga County Conservation District 29 East Ave. Wellsboro, PA 16901 (570) 724-1801
Crawford County Vernon Township Union Township Greenwood Township	PAR102321	Pennsylvania Department of Transportation Karl D. Ishman P. O. Box 398 Oil City, PA 16301	Tributaries to French Creek (WWF) Tributaries to Conneaut Outlet	Crawford County Conservation District (814) 724-1793
Crawford County Vernon Township	PAR102322	Crawford County Development Corporation Stephen R. Hall 18257 Industrial Drive Meadville, PA 16335	French Creek (WWF)	Crawford County Conservation District (814) 724-1793

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Telephone No.</i>
Elk County Ridgway Borough	PAR102527	Department of Environmental Protection Bureau of Abandoned Mine Reclamation Rachel Carson State Office Building P. O. Box 8476 Harrisburg, PA 17105-8476	Clarion River (CWF) Elk Creek (CWF)	Elk County Conservation District (814) 776-5373
Elk County Fox Township	PAR102528	Manno Construction, Inc. R. R. 2, Box 249 G Ridgway, PA 15853	Little Toby Creek (CWF)	Elk County Conservation District (814) 776-5373
<i>General Permit Type—PAG-3</i>				
<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Telephone No.</i>
Berks County Reading City	PAR213544	IFS Industries, Inc. 400 Orrton Avenue P. O. Box 1053 Reading, PA 19603	UNT to Schuylkill River	DEP SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Bloomsburg Columbia County	PAR124806	Bernardi Italian Foods 595 West 11th Street Bloomsburg, PA 17815	Susquehanna River (WWF)	Northcentral Regional Office Water Management Program 208 West Third Street Suite 101 Williamsport, PA 17701 (570) 327-3666
Greenwood Township Crawford County	PAR238321	J-M Manufacturing Company, Inc. 9 Peach Tree Hill Road Livingston, NJ 07039	Unnamed tributary to Conneaut Outlet	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335- 3481 (814) 332-6942
Washington Township Clarion County	PAR238328	Clarion Bathware 205 Amsler Avenue Shippensburg, PA 16254	East Sandy	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335- 3481 (814) 332-6942
City of Erie Erie County	PAR508304	Waste Management of Pennsylvania, Inc. 975 Robison Road East Erie, PA 16509	Tributary to Cascade Creek	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335- 3481 (814) 332-6942

General Permit Type—PAG-4

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Telephone No.</i>
Berks County Caernarvon Township	PAG043688	Greg Pilon Lot #2 1475 Elverson Rd. Elverson, PA 19520	UNT Conestoga River/7J	DEP SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Telephone No.</i>
Sugar Grove Township Warren County	PAG048784	Everett Rhoades R. R. 3, Box 3212 Russell, PA 16346	Unnamed tributary to Matthews Run	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335- 3481 (814) 332-6942
Slippery Rock Township Butler County	PAG048738	Jenny McKeag 111 Venango Trail Slippery Rock, PA 16057	Slippery Rock Creek	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335- 3481 (814) 332-6942
Neshannock Township Lawrence County	PAG048791	Richard D. Mooney R. R. 5, Box 225 New Castle, PA 16105	Unnamed tributary to Neshannock Creek	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335- 3481 (814) 332-6942

General Permit Type—PAG-8

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Site Name & Location</i>	<i>Contact Office & Telephone No.</i>
Frederick, MD	PAG08-9904	Frederick City Wastewater Treatment Plant 111 Airport Road East Frederick, MD 21701	Frederick City Wastewater Treatment Plant 111 Airport Road East Frederick, MD 21701	BWSWM (717) 787-8184

General Permit Type—PAG-12

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Telephone No.</i>
Granville Township Bradford County	PAG124811	Matthew L. McClellan R. R. 1, Box 181 Granville Summit, PA 16926	North Branch Towanda Creek (CWF)	Northcentral Regional Office Water Management Program 208 West Third Street Suite 101 Williamsport, PA 17701 (570) 327-3666

PUBLIC WATER SUPPLY PERMITS

The Department of Environmental Protection (Department) has taken the following actions on applications received under the Safe Drinking Water Act for the construction, substantial modification or operation of a public water system.

Persons aggrieved by these actions may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the

Pennsylvania Bulletin, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge this action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

Northeast Region: Water Supply Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Operations Permit issued to **Pinecrest Development Corporation**, P. O. Box 760, Pocono Pines, PA 18350, Tobyhanna Township, **Monroe County** on February 21, 2002.

Operations Permit issued to **Sweet Arrow Springs, LLC**, 20th and Herr Streets, P. O. Box 2001, Harrisburg, PA 17105, Pine Grove Township, **Schuylkill County** on February 25, 2002.

Operations Permit issued to **Pennsylvania-American Water Company**, 20 East Union Street, Wilkes-Barre, PA 18701, Forest City, **Susquehanna County** on February 19, 2002.

Operations Permit issued to **Pennsylvania-American Water Company**, 800 West Hershey Park Drive, Hershey, PA 17033, Bridgewater Township, **Susquehanna County** on February 13, 2002.

Operations Permit issued to **Eagle Springs, Inc.**, 88 West Donaldson Street, Tremont/Zerbe, PA 17981, Hegins Township, **Schuylkill County** on January 31, 2002.

Southcentral Region: Water Supply Management Program Manger, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 0100504, Public Water Supply.
 Applicant **Gettysburg Municipal Authority**
 Municipality **Straban Township**
 County **Adams**
 Type of Facility The Department issued an Operation Permit for an 800 gallon per minute finished water booster pump station. The station was installed to supply finished water from the Gettysburg Municipal Authority to the adams County Commerce Center and standpipe.

Consulting Engineer Gene C. Koontz, P.E.
 Gannett Fleming, Inc.
 P. O. Box 67100
 Harrisburg, PA 17106-7100

Permit to Operate Issued: February 6, 2002

Permit No. 2801507, Public Water Supply.
 Applicant **Lincoln Utilities Incorporated**
 Municipality **Antrim Township**
 County **Franklin**

Type of Facility A Construction Permit for proposed modifications to existing water treatment facilities. Modifications will include installation of two pressure filters, chemical feed equipment and chlorine disinfection to meet the requirements of the Pennsylvania Filter Rule.

Consulting Engineer Gene C. Koontz, P.E.
 Gannett Fleming, Inc.
 P. O. Box 67100
 Harrisburg, PA 17106-7100

Permit to Construct Issued: February 11, 2002

Permit No. 0601509, Public Water Supply.
 Applicant **Muhlenberg Township Authority**
 Municipality **Ontelaunee Township**
 County **Berks**
 Type of Facility New well 15 (250 gpm) with disinfection.

Consulting Engineer Gene C. Koontz, P.E.
 Gannett Fleming, Inc.
 P. O. Box 67100
 Harrisburg, PA 17106-7100

Permit to Construct Issued: February 11, 2002

Permit No. 0601517, Public Water Supply.
 Applicant **Pennsylvania American Water Company**
 Municipality **Amity Township**
 County **Berks**
 Type of Facility Reconstruction of Douglasville Well 12 and rerating to 120 gallons per minute.

Consulting Engineer Steven E. Riley, P.E.
 Spotts Stevens and McCoy
 345 North Wyomissing Boulevard
 Reading, PA 19530-0307

Permit to Construct Issued: February 19, 2002

Permit No. 0601512 MA, Minor Amendment, Public Water Supply.
 Applicant **Wissahickon Spring Water, Inc.**
 Municipality **Kutztown**
 County **Berks**
 Type of Facility Use of Pine Valley Farms Spring No. 1 as a source of supply.

Permit to Operate Issued: February 6, 2002

Permit No. 3601515, Public Water Supply.
 Applicant **Two Stewards d/b/a Cameron Estate Inn**
 Municipality **East Donegal Township**
 County **Lancaster**

Type of Facility Addition of a nitrate treatment system, softening and UV disinfection treatment to serve the Inn.

Consulting Engineer Mark Hilson, P.E.
ARRO Consulting
270 Granite Run Drive
Lancaster, PA 17601

Permit to Construct Issued: February 19, 2002

Permit No. 0601514, Public Water Supply.

Applicant **Muhlenberg Township Authority**

Municipality Muhlenberg Township

County **Berks**

Type of Facility Rerate of Well 13 from 200 gpm to 350 gpm.

Consulting Engineer Robert A. Stark, P.E.
Gannett Fleming Inc.
P. O. Box 67100
Harrisburg, PA 17106-7100

Permit to Operate Issued: February 19, 2002

Permit No. 7380417, Public Water Supply.

Applicant **Fredericksburg United Methodist Church**

Municipality Bethel Township

County **Lebanon**

Type of Facility Operation of a cation exchange (softening) system and an anion exchange system for nitrate-removal for an existing well source for the church building and parsonage.

Consulting Engineer Charles A. Kehew II, P.E.
James R. Holley & Assoc., Inc.
18 South George St.
York, PA 17401

Permit to Operate Issued: February 19, 2002

Permit No. 3601516, Public Water Supply.

Applicant **The Jay Group**

Municipality East Lampeter Township

County **Lancaster**

Type of Facility Inatallation of anion exchange for the removal of high nitrates in the source water. Project will also involve the use of UV light system for disinfection.

Consulting Engineer Parley E. Hess Jr, P.E.
113 Liberty Street
Lancaster, PA 17602

Permit to Construct Issued: February 19, 2002

Permit No. 5001503, Public Water Supply.

Applicant **Perry Village Nursing Home**

Municipality Centre Township

County **Perry**

Type of Facility Construction Permit approving installation of zinc orthophosphate feed equipment for lead and copper corrosion control.

Consulting Engineer Gene C. Koontz, P.E.
Gannett Fleming, Inc.
P. O. Box 67100
Harrisburg, PA 17106-7100

Permit to Construct Issued: February 20, 2002

Permit No. 2299501, Public Water Supply.

Applicant **United Water Pennsylvania**

Municipality Susquehanna Township

County **Dauphin**

Type of Facility Operation of an onsite hypochlorination generation unit to generate 210 lb/day chlorine equivalent utilizing three 70 lb/day cells and a 2,000 and 2,550 gallon storage tank.

Consulting Engineer R. Michael Gephart, P.E.
United Water Pennsylvania
4211 East Park Circle
Harrisburg, PA 17111

Permit to Operate Issued: February 20, 2002

Permit No. 2299502, Public Water Supply.

Applicant **United Water Pennsylvania**

Municipality Susquehanna Township

County **Dauphin**

Type of Facility Operation of an onsite hypochlorination generation unit to generate 150 lb/day chlorine equivalent utilizing three 50 lb/day cells and two 1,500 gallon storage tanks.

Consulting Engineer R. Michael Gephart, P.E.
United Water Pennsylvania
4211 East Park Circle
Harrisburg, PA 17111

Permit to Operate Issued: February 20, 2002

Northcentral Region: Water Supply Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

Permit No. 1701504, Public Water Supply.

Applicant **Westover Municipal Authority**

121 North Main Street

P. O. Box 185

Westover, PA 16692-0185

Borough Westover Borough

County **Clearfield**

Type of Facility PWS—permit to construct a membrane filtration plant; disinfection, phosphate and caustic soda feeds; three system meter pits; customer meter replacement; and finished water storage tank rehabilitation.

Consulting Engineer Gwin, Dobson, & Foreman, Inc.
3121 Fairway Drive
Altoona, PA 16602

Permit to Construct Issued March 1, 2002

Permit No., Minor Amendment. Public Water Supply.

Applicant **Troy Borough**
110 Elmira Street
Troy, PA 16947-1202

Borough Troy Borough

County **Bradford**

Type of Facility PWS—permit for construction of a 500,000 gallon finished water storage tank and installation of 10,600 feet of 12" and 8" ductile iron pipe.

Consulting Engineer Larson Design Group, Inc.
P. O. Box 487
1000 Commerce Park Drive
Water Tower Square
Williamsport, PA 17703-0487

Permit to Construct Issued March 5, 2002

Permit No., Minor Amendment. Public Water Supply.

Applicant **Penn Township Municipal Authority**
12 Clifford Road
Selinsgrove, PA 17870

Township Penn Township

County **Snyder**

Type of Facility PWS—permit to operate fluoridation facilities for Well #1A.

Permit to Operate Issued February 28, 2002

SEWAGE FACILITIES ACT PLAN APPROVAL

Plan Approvals Granted under the Pennsylvania Sewage Facilities Act (35 P. S. §§ 750.1—750.20a).

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Plan Location: **Hidden Valley Scout Reservation**, Hidden Valley Road, Tyrone Township, **Perry County**.

The approved plan provides for the installation of a sanitary sewer system to collect all sewage generated at the camp and convey it to the Loysville Village Municipal Authority's facilities for the treatment. The Scout Council recently entered into an agreement with the Loysville Village Municipal Authority to connect and discharge up to 20,000 gallons per day of sewage to the Authority's system. Based on 400 gallons per day per equivalent dwelling unit (EDUs), this is equal to 50 EDUs. The projected population to be served by the project is equal

to 200 full-time occupants. Potable water for the Reservation is supplied by onsite wells owned and operated by the Scout Council. No new wells are proposed as part of the project.

Plan Location: **Southern Phase II—2002** (Creek Road, West Lisburn Road, Shuman Road, Meadow Lane, North Loop Road), Monroe Township, **Cumberland County**.

The approved plan provides for the installation of approximately 9,325 feet of low pressure sewer in the western portion of Monroe Township. Projected increased sewage flows are 14,175 gallons per day to be conveyed to the existing South Middleton Township Wastewater Treatment Plant. Sewer will run along a portion of the following roads: first area—Creek Road where it ties into Kuhn Road and second area—West Lisburn Road, Shuman Road, Meadow Lane and North Loop Road.

The plan provides for the change in the method of sewage disposal for three previously approved plans. They are Lisburn Meadows South, Lisburn Meadow Estates North and Mountain View Estates. These developments will be served by low-pressure sanitary sewer and onlot sewage disposal systems will be an interim method of sewage disposal.

Sewer service on North Loop Road in the first area and Creek Road in the second area would be implemented immediately. Implementation of the remainder of the additional service areas would be delayed for 12 years. Earlier implementation is acceptable under this plan approval.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 2

The following final reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of Chapter 3 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of submission of final reports. A final report is submitted to document cleanup of a release of a regulated substance at a site where one of the Act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected.

For further information concerning the final report, contact the Environmental Cleanup Program Manager in the Department Regional Office under which the notice of receipt of a final report appears. If information concerning a final report is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following final reports:

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Former Shultz Enterprises Property, Lots 5 and 6, Borough of Hanover, **York County.** Mountain Research, Inc., 825 25th Street, Altoona, PA 16601, on behalf of Crown American Properties, LP, Pasquerilla Plaza, Johnstown, PA 15907-0879, submitted a final report concerning remediation of site soils and groundwater contaminated with lead, BTEX and solvents. The report is intended to document remediation of the site to a combination of the Statewide Health and Background standards.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of 25 Pa. Code § 250.8, Administration of the Land Recycling and Environmental Remediation Standards Act (Act) requires the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the Act. Plans and reports required by provisions of the Act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media; benefits of refuse of the property and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. A cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the Environmental Cleanup Program Manager in the Department Regional Office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following final reports:

Southeast Region: Environmental Cleanup Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

Bensalem Redevelopment, L.P., Former Elf Atochem North America, Inc., Cornwell Heights Plant, **Bucks County.** C. Peter Barringer, Environmental Resources Management, 855 Springdale Drive, Exton, PA 19341, has submitted a revised Remedial Investigation Report, Risk Assessment Report and Cleanup Plan concerning the remediation of site soil, groundwater and surface water contaminated with PCBs, lead, heavy metals, pesticides, solvents, BTEX, petroleum hydrocarbons and polycyclic aromatic hydrocarbons. The report was approved by the Department on January 16, 2002.

World Savings Property, Bensalem Township, **Bucks County.** Andrew K. Markowski, P.G., Onesky Engineering, Inc., 210 Carter Dr., Suite 8, West Chester, PA 19382 on behalf of World Savings, 198 Washington Valley Rd., Warren, NJ 07059, has submitted a Final Report concerning the remediation of site soil contaminated with BTEX and polycyclic aromatic hydrocarbons. The report demonstrated attainment of the Statewide Health Standard and was approved by the Department on January 30, 2002.

Alfa Laval, Inc., Warminster Township, **Bucks County.** Patrick M. Hennessy, Alfa Laval Inc., 9201 Wilmot Rd., Kenosha, WI 53141-0840, has submitted a Final Report concerning the remediation of site soil contaminated with PCBs, lead, heavy metals, BTEX, polycyclic aromatic hydrocarbons, solvents and pesticides. The report demonstrated attainment of the Statewide Health Standard and was approved by the Department on January 31, 2002.

Broomell Residence, East Nottingham Township, **Chester County.** Thomas M. Hippensteal, P.G., Mid-Atlantic Associates, P.A., P. O. Box 1128, North Wales, PA 19454, on behalf of Edward and Mary Broomell, 695 Hopewell, Oxford, PA 19454, has submitted a Final Report concerning the remediation of site soil and groundwater contaminated with BTEX and petroleum hydrocarbons. The report demonstrated attainment of the Statewide Health Standard and was approved by the Department on January 18, 2002.

Former Fermtec Facility Areas F—M, West Chester Borough, **Chester County.** Richard P. Almquist, Jr., Oxford Engineers & Consultants, Inc., 2621 Van Buren Ave., Suite 500, Norristown, PA 19403, on behalf of Robert M. Casciato and Senya Simeon D. Isayeff Real Estate Partnership, 882 S. Matlack St., West Chester, PA 19382, has submitted an Addendum Final Report for Areas F—M, concerning the remediation of site soil contaminated with lead, heavy metals, solvents, BTEX, petroleum hydrocarbons and polycyclic aromatic hydrocarbons. The addendum report demonstrated attainment of the Statewide Health Standard and was approved by the Department on January 28, 2002.

Triad Building, Upper Merion Township, **Montgomery County.** William A. Kovach, Environmental Waste Management Associates, 51 Everett Dr., Suite A-10, West Windsor, NJ 08550, on behalf of Triad Realty Associates, LP, c/o Gale & Wentworth, Director of Environmental Safety, 300 Campus Dr., Florham Park, NJ 07932, has submitted a Final Report concerning the remediation of site soil contaminated with ethylene glycol. The report demonstrated attainment of the Statewide Health Standard and was approved by the Department on January 16, 2002.

Binder Residence, Lower Moreland Township, **Montgomery County.** Andrew Dziedzic, Brinkerhoff Environ-

mental Services, Inc., 133 Jackson Rd., Suite D, Medford, PA, on behalf of Lucy Binder, Huntingdon Valley, PA has submitted a Final Report concerning the remediation of site soil and groundwater contaminated with BTEX. The report demonstrated attainment of the Statewide Health Standard and was approved by the Department on January 28, 2002.

Former Murata-Wiedemann Facility, Upper Merion Township, **Montgomery County**. Peter A. Malik, RT Environmental Services, Inc., 215 W. Church Rd., King of Prussia, PA 19406, on behalf of 211 Gullroad Associates, LP, 1200 River Rd., Suite 1303, Conshohocken, PA 19428, has submitted a combined Risk Investigation, Risk Assessment Report and Cleanup Plan concerning the remediation of site groundwater contaminated with solvents. The reports were approved by the Department on February 20, 2002.

Former Modern Laundry Facility, City of Philadelphia, **Philadelphia County**. Charlene R. Drake, React Environmental Services, Inc., 6901 Kingsessing Ave., Philadelphia, PA 19142, on behalf of 41st and Market Sts., LLC, 654A Mount Rd., Aston, PA 19014, has submitted a Baseline Remedial Report for a Special Industrial Area, concerning the remediation of site soil and groundwater contaminated with lead, solvents and polycyclic aromatic hydrocarbons. The report was approved by the Department on January 4, 2002.

Transit Aide—North American Street, City of Philadelphia, **Philadelphia County**. James G. Gallagher, P.E., Pennoni Associates, Inc., 3001 Market St., Philadelphia, PA, on behalf of Transit Aide, Inc., 1602-44 North American St., Philadelphia, PA, has submitted a Baseline Environmental Report for a Special Industrial Area, concerning the remediation of site soil contaminated with lead and groundwater contaminated with lead, MTBE, VOC and SVOC. The report was approved by the Department on January 8, 2002.

Kurz-Hastings, Inc., City of Philadelphia, **Philadelphia County**. J. Anthony Sauder, P.E., P.G., Pennoni Associates, Inc., 3001 Market St., Suite 200, Philadelphia, PA 19154, on behalf of Kurz-Hastings, Inc., 10901 Dutton Rd., Philadelphia, PA 19154, has submitted a Remedial Investigation and Risk Assessment Report concerning remediation of site soil and groundwater contaminated with volatiles. The reports were approved by the Department on February 8, 2002.

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Ruth E. Swope Estate, Conoy Township, **Lancaster County**. Alternative Environmental Solutions, 930 Pointview Avenue, Ephrata, PA 17522, on behalf of Julie A. Rodkey, Executrix, Estate of Ruth E. Swope, 4717 Cardinal Drive, Columbia, PA 17512, submitted a final report concerning the remediation of groundwater contaminated with BTEX. The final report demonstrated attainment of the Statewide Health standard and was approved by the Department on February 26, 2002.

HAZARDOUS WASTE TRANSPORTER LICENSE

Actions on applications for Hazardous Waste Transporter License received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to transport hazardous waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.

Hazardous Waste Transporter License Renewed

M. S. Carriers, Inc., 3171 Directors Row, Memphis, TN 38131. License No. **PA-AH 0656**. Effective February 22, 2002.

MHF, Inc., 300 Grandview Blvd., Zelienople, PA 16063. License No. **PA-AH 0638**. Effective February 27, 2002.

Fortress Trucking Limited, 4230 Fountain Street North, Cambridge, ON Canada N3H 4R7. License No. **PA-AH 0512**. Effective February 27, 2002.

Frank's Vacuum Truck Service, Inc., 4500 Royal Avenue, Niagara Falls, NY 14303. License No. **PA-AH 0331**. Effective February 28, 2002.

Action Resources, Inc., 355 County Road 513, Hanceville, AL 35077. License No. **PA-AH 0650**. Effective March 04, 2002.

G. Tresch Transportation, Inc., 630 S. Evergreen Avenue, Woodbury, NJ 08097. License No. **PA-AH 0380**. Effective March 05, 2002.

Hazardous Waste Transporter License Expired

General Chemical Corporation, 138 Leland Street, Framingham, MA 01702. License No. **PA-AH 0374**. Effective February 28, 2002.

Action Resources, Inc., 355 County Road 513, Hanceville, AL 35077. License No. **PA-AH 0650**. Effective February 28, 2002.

Par-Tech, Inc., 287 Lackawanna Drive, Andover, NJ 07821. License No. **PA-AH 0581**. Effective February 28, 2002.

Metropolitan Environmental Inc., P. O. Box 378, Celina, OH 45822. License No. **PA-AH 0289**. Effective February 28, 2002.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Permit issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 101584. Edward Armstrong and Sons, Inc., 205 Greenfield Road, Lancaster, PA 17601, East Lampeter Township, **Lancaster County**. The major permit modification was approved for the operation of the Municipal Waste Processing Facility. The permit was approved by the Southcentral Regional Office on February 1, 2002.

Persons interested in reviewing the general permit may contact Keith Kerns, Program Manager, Waste Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4706. TDD users may contact the Department through the Pennsylvania Relay Service, (800) 654-5984.

Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Permit No. 100281. Greenridge Reclamation Landfill, operated by Greenridge Reclamation, LLC, Box 717, Landfill Road, Scottdale, PA 15683. Operation of a municipal waste landfill in East Huntingdon Township, **Westmoreland County.** Permit modification to increase the permit boundary to include Borrow Area B was issued in the Regional Office on February 26, 2002.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Contact: Ronald Davis, New Source Review Chief, (717) 705-4702.

GP4-67-05072: Graham Architectural Products Corp. (1551 Mount Rose Avenue, York, PA 17403-2909) on February 28, 2002, was authorized to operate a burn off oven under GP4 in Spring Garden Township, **York County.**

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; Contact: David Aldenderfer, Program Manager, (570) 327-3637.

GP5-17-11A: EnerVest Operating LLC (P. O. Drawer 1878, Clarksburg, WV 26302-1878) on February 8, 2002, was authorized to operate a 1,085 horsepower natural gas-fired reciprocating internal combustion compressor engine under the General Plan Approval and General Operating Permit for Natural Gas Production Facilities (BAQ-GPA/GP-5) at the Lynn Robbins Station in Knox Township, **Clearfield County.**

GP5-17-16: EOG Resources, Inc. (Millcraft Plaza, Suite 300, 400 Southpointe Boulevard, Canonsburg, PA 15317) on February 8, 2002, was authorized to operate a 280 horsepower natural gas-fired reciprocating internal combustion compressor engine, a 350 horsepower natural gas-fired reciprocating internal combustion compressor engine and associated air cleaning devices (two catalytic converters) under the General Plan Approval and General Operating Permit for Natural Gas Production Facilities (BAQ-GPA/GP-5) at the Woytek Station in Bell Township, **Clearfield County.**

GP5-17-17A: EnerVest Operating LLC (P. O. Drawer 1878, Clarksburg, WV 26302-1878) on February 8, 2002, was authorized to operate a 1,085 horsepower natural gas-fired reciprocating internal combustion compressor engine under the General Plan Approval and General Operating Permit for Natural Gas Production Facilities (BAQ-GPA/GP-5) at the Chase Station in Boggs Township, **Clearfield County.**

GP5-17-07A: EOG Resources, Inc. (Millcraft Plaza, Suite 300, 400 Southpointe Boulevard, Canonsburg, PA 15317) on February 8, 2002, was authorized to construct and operate a 364 horsepower natural gas-fired reciprocating internal combustion compressor engine and a 462 horsepower natural gas-fired reciprocating internal combustion compressor engine under the General Plan Approval and General Operating Permit for Natural Gas Production Facilities (BAQ-GPA/GP-5) at the South Station in Brady Township, **Clearfield County.**

Plan Approvals Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790; Contact: James Parette, New Source Review Chief, (570) 826-2531.

45-313-009F: Heico Chemicals, Inc. (P. O. Box 160, Delaware Water Gap, PA 18327) on February 21, 2002, for modification of chemical processing operations and associated air cleaning devices in Delaware Water Gap Borough, **Monroe County.**

40-313-009A: HPG International, Inc. (Crestwood Industrial Park, Oakhill Road, Mountain Top, PA 18707) on February 28, 2002, for the modification of Calendar Lines 9 and 10 and associated air cleaning devices in Wright Township, **Luzerne County.**

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; Contact: David Aldenderfer, Program Manager, (570) 327-3637.

08-318-027C: Mill's Pride—Pennsylvania (100 Lamoka Road, Sayre, PA 18840) on February 5, 2002, for modification of two 28.7 million Btu per hour natural gas/woodwaste-fired boilers (increase of 23 and 69 tons per 12 consecutive month period, respectively, in the allowable nitrogen oxides and carbon monoxide emission rates) as well as for the installation of an air cleaning device (an electrostatic precipitator) on the respective boilers in Athens Township, **Bradford County.** The boilers are subject to Subpart Dc of the Federal Standards of Performance for New Stationary Sources.

08-317-006A: Leprino Foods Co. (217 Yanuzzi Drive, South Waverly, PA 18840) on February 5, 2002, for construction of whey drying and packaging systems and associated air cleaning devices (two cyclone collectors, a venturi spray tower scrubber and a fabric collector) in South Waverly Borough, **Bradford County.**

41-0010A: Andritz, Inc. (35 Sherman Street, Muncy, PA 17756-1202) on February 5, 2002, for construction of a .5 ton per hour thermal sand reclaimer and associated air cleaning device (a fabric collector) as well as for the construction of a 650 pound per hour steel-melting electric induction furnace in Muncy Borough, **Lycoming County.**

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southeast Region: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428; Contact: Thomas McGinley, New Source Review Chief, (610) 832-6242.

09-0087A: Air Products and Chemicals, Inc. (351 Philadelphia Avenue, Morrisville, PA 19067) on February 14, 2002, for operation of an ammonia scrubber in Falls Township, **Bucks County.**

46-0134: Hill School, The (717 East High Street, Pottstown, PA 19464) on February 14, 2002, for operation of two boilers in Pottstown Borough, **Montgomery County.**

15-0004D: Reynolds Metals Co. (520 Lincoln Avenue, Downingtown, PA 19335) on February 14, 2002, for operation of four film seaming machines in Downingtown Borough, **Chester County**.

23-0001N: Sunoco, Inc. (R&M) (Delaware Avenue and Green Street, Marcus Hook, PA 19061) on February 14, 2002, for operation of Boiler #9 in Marcus Hook Borough, **Delaware County**.

46-0036: Visteon Systems LLC (2750 Morris Road, Lansdale, PA 19446) on February 14, 2002, for operation of Selective Soldering Machine No. 6 in Worcester Township, **Montgomery County**.

46-0036A: Visteon Systems LLC (2750 Morris Road, Lansdale, PA 19446) on February 28, 2002, for operation of a urea selective catalytic reduction in Worcester Township, **Montgomery County**.

46-0036B: Visteon Systems LLC (2750 Morris Road, Lansdale, PA 19446) on February 14, 2002, for operation of a selective soldering machine in Worcester Township, **Montgomery County**.

09-0074: PCR Enterprises, Inc. (401 Fairview Avenue, Quakertown, PA 18951) on February 26, 2002, for operation of a spray booth in Quakertown Borough, **Bucks County**.

23-0001K: Sunoco, Inc. (Delaware Avenue and Green Streets, Marcus Hook, PA 19061) on February 26, 2002, for operation of an organic chemical production in Marcus Hook Borough, **Delaware County**.

09-0040A: Consolidated Graphics (315A West Street Road, Warminster, PA 18974) on March 1, 2002, for operation of a lithographic printing press in Warminster Township, **Bucks County**.

46-0108: Highway Materials, Inc. (1128 Crusher Road, Perkiomenville, PA 18074) on March 1, 2002, for operation of asphalt batch plant in Marlborough Township, **Montgomery County**.

46-0025G: Lonza, Inc. (900 River Road, Conshohocken, PA 19428) on March 1, 2002, for operation of two prescrubbers in Upper Merion Township, **Montgomery County**.

46-0025B: Lonza, Inc. (900 River Road, Conshohocken, PA 19428) on March 1, 2002, for operation of a hydrogenation reactor train in Upper Merion Township, **Montgomery County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Contact: Ronald Davis, New Source Review Chief, (717) 705-4702.

07-05004A: Eldorado Properties Corp. (P. O. Box 2621, Harrisburg, PA 17105) on January 2, 2002, for installation of a storage tank for gasoline/distillate (Tank 30) at its Burns Avenue facility in Allegheny Township, **Blair County**. This plan approval was extended.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; Contact: David Aldenderfer, Program Manager, (570) 327-3637.

47-305-002: Iris Energy, LLC (100 Nyala Farm, Westport, CT 06880), owner and DQE Synfuels, L.P. (1 North Shore Center, Suite 500, Pittsburgh, PA 15212), operator, on February 25, 2002, to extend authorization to operate a synthetic fuel manufacturing facility on a temporary basis until June 25, 2002, in Derry Township, **Montour County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; Contact: William Charlton, New Source Review Chief, (412) 442-4174.

65-858A: American Video Glass Co. (777 Technology Drive, Mt. Pleasant, PA 15666) on January 31, 2002, for installation of Funnel Lehr Line 2 at New Stanton facility in Mt. Pleasant Township, **Westmoreland County**. This plan approval was extended.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790; Contact: Michael Safko, Facilities Permitting Chief, (570) 826-2531.

35-00015: Metso Paper USA, Inc. (P. O. Box 155, Ivory Industrial Park, Clarks Summit, PA 18411) on February 20, 2002, for a Synthetic Minor Operating Permit for their fabricated rubber products operations in South Abington Township, **Lackawanna County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Contact: Yasmin Neidlinger, Facilities Permitting Chief, (717) 705-4702.

01-05031: Metropolitan Edison Co. (P. O. Box 16001, 2800 Pottsville Pike, Reading, PA 19640-0001) on February 26, 2002, for operation of electrical generating units at its Germantown Substation in Mount Joy Township, **Adams County**.

06-05188: Metropolitan Edison Co. (P. O. Box 16001, 2800 Pottsville Pike, Reading, PA 19640-0001) on February 26, 2002, for operation of an electric generating station controlled by combustion controls in Muhlenberg Township, **Berks County**.

21-05045: Metropolitan Edison Co. (P. O. Box 16001, 2800 Pottsville Pike, Reading, PA 19640-0001) on February 26, 2002, for operation of electrical generating units at its Allen Substation in Monroe Township, **Cumberland County**.

67-05085: Metropolitan Edison Co. (P. O. Box 16001, 2800 Pottsville Pike, Reading, PA 19640-0001) on February 26, 2002, for operation of electrical generating units at its Cly Substation in Newberry Township, **York County**.

67-05086: Metropolitan Edison Co. (P. O. Box 16001, 2800 Pottsville Pike, Reading, PA 19640-0001) on February 26, 2002, for operation of electrical generating units at its Hill Substation in Shrewsbury Township, **York County**.

67-05087: Metropolitan Edison Co. (P. O. Box 16001, 2800 Pottsville Pike, Reading, PA 19640-0001) on February 26, 2002, for operation of electrical generating units at its Pleasureville Substation in Springettsbury Township, **York County**.

67-05088: Metropolitan Edison Co. (P. O. Box 16001, 2800 Pottsville Pike, Reading, PA 19640-0001) on February 26, 2002, for operation of electrical generating units at its Roundtop Substation in Warrington Township, **York County**.

67-05089: Metropolitan Edison Co. (P. O. Box 16001, 2800 Pottsville Pike, Reading, PA 19640-0001) on February 26, 2002, for operation of electrical generating units at its Westgate Substation in the City of York, **York County**.

67-05090: Metropolitan Edison Co. (P. O. Box 16001, 2800 Pottsville Pike, Reading, PA 19640-0001) on February 26, 2002, for operation of electrical generating units at its Yoe Substation in Windsor Township, **York County**.

67-05091: Metropolitan Edison Co. (P. O. Box 16001, 2800 Pottsville Pike, Reading, PA 19640-0001) on February 26, 2002, for operation of electrical generating units at its Yorkana Substation in Lower Windsor Township, **York County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; Contact: David Aldenderfer, Program Manager, (570) 327-3637.

60-318-010: Nickelson Plastics, Inc. (100 Industrial Way, Osceola, WI 54020-0459) on February 5, 2002, for operation of a PVC coating operation in Buffalo Township, **Union County**.

60-310-007: Iddings Quarry, Inc. (900 Chestnut Street, Mifflinburg, PA 17844-1235) on February 26, 2002, for operation of a stone crushing and screening operation and associated air cleaning device (a water spray dust suppression system) in Limestone Township, **Union County**.

17-302-023: DuBois Regional Medical Center (P. O. Box 447, DuBois, PA 15801-0447) on February 26, 2002, for operation of three 20.92 million Btu per hour natural gas/#2 fuel oil-fired boilers in the City of DuBois, **Clearfield County**. These boilers are subject to Subpart Dc of the Federal Standards of Performance for New Stationary Sources.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104; Contact: Edward Braun, Chief, (215) 685-9476.

95-076: Newman and Co., Inc. (6101 Tacony Street, Philadelphia, PA 19135) administratively amended on February 28, 2002, to change the permit contact information for their facility in the City of Philadelphia, **Philadelphia County**. The Title V Operating Permit was originally issued on July 9, 1999.

95-078: Kraft-Nabisco Division—Philadelphia Bakery (12000 East Roosevelt Boulevard, Philadelphia, PA 19116) administratively amended on February 28, 2002, to change the ownership of the facility from Nabisco Biscuit Company for their bakery in the City of Philadelphia, **Philadelphia County**. The Title V Operating Permit was originally issued on March 3, 2000.

96-039: Baum Printing Co. (9985 Gantry Road, Philadelphia, PA 19115) administratively amended on February 28, 2002, to change the ownership of the facility to Wallace Integrated Graphics, Inc. and to remove a press from the facility inventory list that has been removed from the facility in the City of Philadelphia, **Philadelphia County**. The Synthetic Minor Operating Permit was originally issued on December 14, 1999.

96-016: Boc Edwards Stokes Vacuum (5500 Tabor Road, Philadelphia, PA 19120) administratively amended on February 28, 2002, to change the ownership of the facility from Stokes Vacuum to Boc Edwards, correct the renewal application fee, correct two fuel oil tank sizes and to remove Spray Booth ID# P1 from the facility inventory list and replace it with a new spray booth as well as

incorporate conditions from Installation Permit #01077 for this new booth in the City of Philadelphia, **Philadelphia County**. The Natural Minor operating permit was originally issued on June 20, 2000.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the request for 401 Water Quality Certification and the NPDES permit application. Mining activity permits issued in response to the applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

Coal Permits Actions

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2454, (570) 621-3118.

54851317R3. Rhen Coal Company (75 Rock Road, Pine Grove, PA 17963), renewal of an underground mine operation in Reilly Township, **Schuylkill County** affecting 2.5 acres, receiving stream: none. Application received December 7, 2001. Renewal issued February 26, 2002.

Greensburg District Mining Office: Armbrust Building, R. R. 2 Box 603-C, Greensburg, PA 15601-0982, (724) 925-5500.

63910103 and NPDES Permit No. PA020313. Robinson Coal Company (200 Neville Road, Neville Island, PA 15225). Permit renewal issued for reclamation only of a bituminous surface mine located in Robinson Township, **Washington County**, affecting 113.5 acres. Receiving streams: unnamed tributaries to Robinson Run and Little Raccoon Creek. Application received December 28, 2001. Reclamation only renewal issued February 27, 2002.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

56990105 and NPDES Permit No. PA0235202, Marquise Mining Corporation. 3889 Menoher Blvd., Johnstown, PA 15905, commencement, operation and restoration of a bituminous surface and auger mine and for discharge of treated mine drainage in Quemahoning Township, **Somerset County**, affecting 168.5 acres. Receiving streams: unnamed tributaries to the Stonycreek River and Stonycreek River classified for the following uses: Cold Water Fishery and Cold Water Fishery. The first downstream potable water supply intake from the point of discharge is Cambria Somerset/Cambria County Municipal Authority—Border Dam. Application received October 19, 1999. Application issued February 27, 2002.

Noncoal Permits Actions

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2454, (570) 621-3118.

52980301T and NPDES Permit #PA0223905. E. R. Linde Construction Corp. (R. R. 6 Box 6825, Honesdale, PA 18431), transfer of an existing quarry operation in Lackawaxen Township, **Pike County** affecting 11.87 acres, receiving stream: unnamed tributary to Little Blooming Grove Creek. Application received October 18, 2001. Transfer issued March 1, 2002.

Hawk Run District Mining Office: Empire Road, P. O. Box 209, Hawk Run, PA 16840-0209, (814) 342-8200.

08010814. LaVern M. Johnson, R. R. 4, Box 4023, Wyalusing, PA 18853. Commencement, operation and restoration of a Small Industrial Minerals (Flagstone) permit in Wyalusing Township, **Bradford County** affecting 1 acre. Receiving streams: unnamed tributary, tributary to Susquehanna River. Application received June 25, 2001. Permit issued February 22, 2002.

53010806. Robert C. Paul, P. O. Box 64, Galeton, PA 16922. Commencement, operation and restoration of a Small Industrial Minerals (Bluestone) permit in West Branch Township, **Potter County** affecting 1 acre. Receiving streams: unnamed tributary to South Branch of Pine Creek. Application received October 16, 2001. Permit issued February 26, 2002.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department of Environmental Protection has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341(a)).

Except as otherwise noted, the Department of Environmental Protection certifies that the construction and operation herein described will comply with the applicable provisions of sections 301-303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State Water Quality Standards.

Persons aggrieved by these actions may appeal, under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge this action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law (35 P.S. §§ 691.1—691.702) and Notice of Final Action for Certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)). (Note: Water Obstruction and Encroachment Permits issued for Small Projects do not include 401 Certification, unless specifically stated in the description.)

Permits Issued and Actions on 401 Certifications:

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

E15-673. Pennsylvania Department of Transportation, District 6-0, 7000 Geerdes Boulevard, King of Prussia, PA 19460, West Vincent Township, **Chester County**, ACOE Philadelphia District.

To construct and maintain the Chester Springs Road Crossing (S.R. 1024) over the Pine Creek tributary (HQ-TSF) to Pickering Creek, which will replace the previous stone arch structure that has been removed. A 24-foot by 7-foot precast, open-bottom arch culvert is proposed for the site. The structure will span 24 feet and will be 28 feet wide with a maximum under clearance of 5 feet 9 inches. The proposed structure is to be constructed on the footprint of the previous bridge. Associated with the proposed structure is riprap scour protection to be placed at either end of the structure to protect the footings. It will approximately extend for a length of 5 feet along the channel and 38 feet across the streambed and embankment slopes on either side. The project site is located adjacent to the intersection of Old Kimberton Road and North Chester Springs Road (Downingtown, PA Quadrangle N: 18.5 inches; W: 4.7 inches).

E15-677. Robert James Enterprises Corporation, 21 West Biddle Street, West Chester, PA 19380, Upper Uwchlan Township, **Chester County**, ACOE Philadelphia District.

To replace, construct and maintain a private bridge crossing with associated wingwalls spanning the Black Horse Creek (HQ-TSF). The existing structure to be replaced consists of two elliptical CMPs and associated fill. The proposed bridge will be 12 feet long with a 30-foot span and 6-foot underclearance. The structure will serve as an access to two subdivided lots. The project site is located 300 feet west of the intersection of Krauser Road and Blackhorse Circle (Downingtown, PA Quadrangle N: 15.9 inches; W: 13.1 inches).

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

E35-345. William R. Powell, R. R. 1, Box 27, Carbondale, PA 18407, Fell Township, **Lackawanna County**, Army Corps of Engineers Baltimore District.

To place fill in a de minimis area of wetlands equal to 0.03 acre and to construct and maintain a steel-beam bridge with gabion wingwalls and concrete abutments and decking, having a span of 32.33 feet and an underclearance of approximately 8 feet across Fall Brook for the purpose of providing access to a single family residence. The project is located adjacent to S.R. 0106 approximately 1.5 miles southeast of its intersection with S.R. 0247 (Carbondale, PA Quadrangle N: 18.2 inches; W: 4.6 inches).

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

E31-174. Smithfield Township, Mt. Vernon and 13th Street, Huntingdon, PA 16652 in Smithfield Township, **Huntingdon County**.

To construct a pedestrian bridge across Crooked Creek (WWF) and to construct a park within the floodway of the Juniata River (WWF) at the junction of Crooked Creek and Juniata River (Huntingdon, PA Quadrangle N: 19.7 inches; W: 2.3 inches) in Smithfield Township, Huntingdon County.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

E14-408. Houtzdale Municipal Authority, 721-1 Kirk Street, Houtzdale, PA 16651. Intake Replacement, in Rush Township, **Centre County**, ACOE Baltimore District (Houtzdale, PA Quadrangle N: 7.0 inches; W: 11.0 inches).

To: 1) remove two existing water intakes from Mountain Branch; and 2) construct and maintain two 12-inch diameter PVC pipe intakes in Mountain Branch located 6,800 ft southeast of Trim Root Run's confluence with Mountain Branch and two 12-inch PVC pipe intakes located 3,000 ft northwest of Trim Root Run's confluence with Mountain Branch (Houtzdale, PA Quadrangle N: 7.0 inches; W: 11.0 inches) in Rush Township, Centre County. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

E10-201, Dimension Development Corporation, 120 Three Degree Road, Pittsburgh, PA 15237. Hunters Creek Plan of Lots, in Cranberry Township, **Butler County**, ACOE Pittsburgh District (Mars, PA Quadrangle N: 16.0 inches; W: 1.5 inches).

To construct and maintain a 80-foot long, 16.5-foot wide by 11-foot high corrugated metal pipe arch culvert in a tributary to Brush Creek and impacting 0.09 acre of wetland (PFO) for the extension of Hunter Drive for access to Phase IV of Hunter's Creek Plan of Lots residential development east of Powell Road approximately 1 mile north of Rochester Road. Project includes contribution to the Pennsylvania Wetland Replacement Fund for replacement of 0.09 acre of wetland impact.

E10-345, Pennsylvania Department of Transportation, District 10-0, P. O. Box 429, Route 286 South, Indiana, PA 15701. S.R. 3021, Segment 0100, Offset 0000 Across Wolfe Run, in Cranberry Township, Butler County, ACOE Pittsburgh District (Mars, PA Quadrangle N: 18.6 inches; W: 10.0 inches).

To remove the existing bridge and to construct and maintain a 40-foot long precast concrete CON/SPAN arch having a span of 32 feet and a clear rise of 8 feet across Wolfe Run on S.R. 3021, Segment 0100, Offset 0000 approximately 3 miles north of S.R. 228.

E10-347, Jenny McKeag, 111 Venango Trail, Slippery Rock, PA 16057. McKeag SRSTP Outfall to Slippery Rock Creek, in Slippery Rock Township, **Butler County**, ACOE Pittsburgh District (Slippery Rock, PA Quadrangle N: 7.0 inches; W: 1.6 inches).

To install and maintain a 4-inch diameter outfall pipe along the east side of Slippery Rock Creek approximately 2,000 feet upstream of Wadsworth Bridge Road from a Small Flow Sewage Treatment Facility replacing a malfunctioning septic system at 111 Venango Trail.

E27-066, Forest County, Forest County Courthouse, Tionesta, PA 16353. Bear Run Road Across Maple Creek, in Barnett Township, **Forest County**, ACOE Pittsburgh District (Marienville, PA Quadrangle N: 2.9 inches; W: 8.5 inches).

To remove the existing bridge and to construct and maintain a prestressed concrete adjacent box beam bridge having a clear span of 58.5 feet and an underclearance of 11 feet on a 53 degree skew on a new alignment approximately 30 feet upstream across Maple Creek (HQ-CWF) on Bear Run Road (S.R. 2008) approximately 2 miles west of S.R. 899.

ENVIRONMENTAL ASSESSMENTS

Central Office: Bureau of Waterways Engineering, Rachel Carson State Office Building, Floor 3, 400 Market Street, Harrisburg, PA 17105.

EA63-003CO. F. Daniel Caste, Bower Hill Development Group, P. O. Box 10360, Pittsburgh, PA 15234. Peters Township, **Washington County**, ACOE Pittsburgh District.

To construct a nonjurisdictional dam in the watershed of a tributary to Peters Creek (TSF) for stormwater management at the proposed Woodlands of Peters Township, Bower Hill Development, Inc., impacting approximately 0.07 acre of wetland (PEM). The applicant has proposed making a contribution to the Pennsylvania Wetland Replacement Fund in lieu of constructing replacement wetlands. The dam will be located approximately 1,500 feet northeast of the intersection of Bower Hill Road (SR62051) and McCombs Road (Bridgeville, PA Quadrangle, N: 2.55 inches, W: 9.15 inches).

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control Permit has been issued.

Persons aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once.

Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

<i>ESCP No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
ESCP6101801	Industrial Timber and Land Company P. O. Box 67 Endeavor, PA 16322	Venango County	Allegheny Township President Township	Stewart Run (CWF)

SPECIAL NOTICES

Application Period for Municipal Recycling Program Performance Grant Applications under Section 904 of the Municipal Waste Planning, Recycling and Waste Reduction Act (Act 101)

Calendar Year 2001 Recycling

The Department of Environmental Protection (Department) announces a request for applications from municipalities for recycling performance grant assistance for recycling programs under Act 101. Municipalities include counties, cities, boroughs, incorporated towns, townships and home rule municipalities. This application period is for eligible materials recycled and marketed in calendar year 2001.

Municipal Recycling Program Performance Grant (grant) funds will be awarded to municipalities based upon the weight of source separated recyclable materials identified in section 1501(c)(1)(i) of Act 101 recovered by municipal recycling programs and the population of the municipality as determined by the most recent decennial census. Municipalities will be eligible to receive an award based on a formula of \$5 for each Department approved ton of eligible recyclable materials recycled or marketed and \$1 per approved ton for each percentage of municipal waste calculated by the Department to be diverted from disposal. The weight of eligible materials allowable from nonresidential (commercial, institutional and municipal) sources under the preceding formula will be limited to no more than the weight of approved eligible materials from residential sources. Any Department approved materials from nonresidential sources not factored into the preceding formula will be awarded a bonus of \$10 per ton. The Department will not award grants calculated to be less than \$10.

Applicants that have failed to comply with the conditions set forth in previously awarded grants, the grant requirements or regulations of Act 101 may not be awarded funds under this grant program. Applicants must ensure that they are in compliance with section 272.314(b)(2) of Act 101 relating to the submittal of the annual recycling report.

Eligible materials include post-consumer clear glass, colored glass, aluminum cans, steel and bimetallic cans, high-grade office paper, newsprint, corrugated paper, other marketable grades of paper and plastics. Grants will be awarded only for properly documented, eligible materials that were actually marketed on or after January 1, 2001, to and including, December 31, 2001. Grant funds will not be awarded for residues, materials not listed as eligible including, but not limited to, leaf and yard wastes or any materials which cannot be documented as being recycled into a new product or use.

Documentation to support all claims that eligible recyclable materials were generated within the municipality and marketed must be made available for auditing by the Department, the Office of the Auditor General, the Office of the Treasurer or agents of those offices for 4 years. The Department will not require applicants to retain hauler customer lists; however, the lists may be required to be examined in the event of an audit. It will be the applicant's responsibility to arrange for hauler customer lists to be provided or for haulers to be present with their customer lists, during a grant audit. Supporting documentation is not required to be submitted with the application.

Acceptable Supporting Documentation: Weight slips or receipts verifying that the materials were recycled or marketed are required as supporting documentation for the grant application. The documentation must include: 1) the date the materials were recycled/marketed; 2) the type of material recycled/marketed; 3) the name of the municipality where the material was generated; and 4) weight, stated in pounds or tons, of the material recycled/marketed. Documentation supporting materials source separated from municipal waste by commercial/institutional establishments and recycled/marketed must bear the name of the establishment and the municipality where the establishment is located.

Acceptable documentation must be provided in one of the following formats: 1) a dated weight/market receipt identifying the generator of the recyclable materials and the market; 2) a dated report submitted by the hauler or market on company letterhead clearly indicating the name of the company generating the recyclable materials; or 3) a dated report submitted by the generator, which is signed by the hauler or market vendor that received the materials. Reports may be submitted on annual, monthly, weekly or other time period format. All information must be legible.

Estimates of weight will not be accepted except in cases where: 1) the material is packaged in uniform bales and the average weight of a bale can be demonstrated and supported by weight receipts and a record of the number of bales was provided by the market vendors; or when 2) multiple generators contribute to a known quantity of marketed material and the hauler or market estimates the quantities attributable to any individual establishment or municipality and verifies the estimate with a signature.

Although the supporting documentation is not required to be submitted with the grant application, any documentation provided must conform to the previous requirements or the materials claimed will not be credited toward the grant award.

Grant applications must be on forms provided by the Department for calendar year 2001. Grant applications must be delivered by 3 p.m., September 27, 2002, or postmarked by that date. Applications received by the Department after the deadline will be returned to the applicant. All grant awards are predicated on the receipt of recycling fees required by sections 701 and 702 of Act 101 and the availability of moneys in the Recycling Fund.

Municipalities wishing to file an application should contact their County Recycling Coordinator or the Department at the address that follows. Applicants who filed a Performance Grant application for calendar year 2000 will be mailed a current application by the Department as soon as they are available. Applications may also be obtained from the Department's website at www.dep.state.pa.us (direct link "Recycle"). Inquiries concerning this notice should be directed to Todd Pejack, Bureau of Land Recycling and Waste Management, Department of Environmental Protection, Rachel Carson State Office

Building, P. O. Box 8472, Harrisburg, PA 17105-8472 or e-mail to tpejack@state.pa.us.

**Certification to Perform Radon-Related Activities
in this Commonwealth**

In the month of February 2002, the Department of Environmental Protection, under the authority contained in the Radon Certification Act (63 P. S. §§ 2001—2014) and regulations promulgated thereunder at 25 Pa. Code Chapter 240, has certified the following persons to perform radon-related activities in this Commonwealth. The period of certification is 2 years. For a complete list of persons currently certified to perform radon-related activities in this Commonwealth and for information as to the specific testing devices that persons certified for testing or laboratory are certified to use, contact the Bureau of Radiation Protection, Radon Division, P. O. Box 8469, Harrisburg, PA 17105-8469, (800) 23RADON.

<i>Name</i>	<i>Address</i>	<i>Type of Certification</i>
Air Quality Control, Inc.	241 King Manor Drive Suite D King of Prussia, PA 19406	Mitigation
Michael Biechler	2843 North Front Street Harrisburg, PA 17110	Testing
Gregory Hancock	193 Park Avenue Woolrich, PA 17779	Testing
Robert Harris	2843 North Front Street Harrisburg, PA 17110	Testing
Matthew Hodges Hodges Environmental Technology	407 South West End Avenue Lancaster, PA 17603	Testing
Scott Jacobs	618 North Maple Avenue Ridgeway, PA 15853	Mitigation
Donald John	P. O. Box 211 Worthington, PA 16262	Testing
Leonard Kelsey	800 Sunset Lane Stroudsburg, PA 18360	Testing
Daniel Keogh	590 Sandra Lane Phoenixville, PA 19460	Testing
Raymond King	1812 Willow Street Pike Lancaster, PA 17602	Testing
John Marryott	45 Wilfred Avenue Titusville, NJ 08560	Mitigation
Thomas O'Connor	8620 Rochester Road Pittsburgh, PA 15237	Testing
Harold Quesenberry Enviro Test, Inc.	355 Barts Church Road Hanover, PA 17331	Testing and Mitigation
Realty Inspection Services, Inc.	483 North Main Street Moscow, PA 18444	Testing
Kathleen Remsnyder	2843 North Front Street Harrisburg, PA 17110	Testing
Jeffrey Schlaline Absolute Radon Mitigation, LLC	800 Locust Grove Road York, PA 17402	Mitigation
Igor Smetaniuk	P. O. Box 300 454 High Road Glen Spey, NY 12737	Testing

<i>Name</i>	<i>Address</i>	<i>Type of Certification</i>
David Steinman	1899 Lititz Pike Lancaster, PA 17601	Testing
Roy Stirling National Property Inspections, Inc.	P. O. Box 145 Geigertown, PA 19508	Testing
Wayne Thomas Environmental Abatement Assoc., Inc.	143 West Main Street Plymouth, PA 18651	Testing

[Pa.B. Doc. No. 02-426. Filed for public inspection March 15, 2002, 9:00 a.m.]

Air Quality Technical Advisory Committee; Meeting Cancellation

The Air Quality Technical Advisory Committee meeting scheduled for March 14, 2002, has been cancelled because of an insufficient number of agenda items.

For further information, contact Terry Black at (717) 787-2030.

DAVID E. HESS,
Secretary

[Pa.B. Doc. No. 02-427. Filed for public inspection March 15, 2002, 9:00 a.m.]

Availability of Technical Guidance

Technical guidance documents are on the Department of Environmental Protection's (DEP) website (www.dep.state.pa.us) at the Public Participation Center page. The "December 2001 Inventory" heading is the Governor's list of nonregulatory guidance documents. The "Final Documents" heading is the link to a menu of the various DEP bureaus and from there to each bureau's final technical guidance documents. The "Draft Technical Guidance" heading is the link to DEP's draft technical guidance documents.

Ordering Paper Copies of DEP Technical Guidance

DEP encourages the use of the Internet to view guidance documents. When this option is not available, persons can order a bound paper copy of the latest inventory or an unbound paper copy of any of the final documents listed on the inventory by calling DEP at (717) 783-8727.

In addition, bound copies of some of DEP's documents are available as DEP publications. Check with the appropriate bureau for more information about the availability of a particular document as a publication.

Changes to Technical Guidance Documents

Following is the current list of recent changes. Persons who have any questions or comments about a particular document should call the contact person whose name and phone number is listed with each document.

Draft Technical Guidance

DEP ID: 383-2300-001. Title: Pennsylvania's Interim Program for Operator Certification. Description: The Department and the State Board for Certification of Water and Wastewater Systems Operators will follow this guidance to direct and support the Water and Wastewater Systems Operator's Certification Act and meet section 1419 of the 1996 amendments to the Federal Safe Drinking Water Act. The document also will ensure the Commonwealth's continued eligibility to receive Federal funding to support the operator certification program, and

serve interim functions until promulgation of final-form rulemaking by the Environmental Quality Board. Anticipated Effective Date: July 1, 2002. Comment Period Ends: April 30, 2002. Contact: Foster Diadato at (717) 787-0122 or e-mail at fdiodata@state.pa.us.

DEP ID: 383-2300-002. Title: Training Provider Manual for the Pennsylvania Water and Wastewater System Operator Training Program. Description: The Department and the State Board for Certification of Water and Wastewater Systems Operators will follow this guidance to direct and support the Water and Wastewater Systems Operator Training Program. The document will establish uniform procedures and protocol for reviewing and approving water and wastewater training courses for pre-certification and continuing education of operators, and to ensure application of appropriate credit to operators for training taken. Anticipated Effective Date: July 1, 2002. Comment Period Ends: April 30, 2002. Contact: Barry Grenawalt at (717) 787-0122 or e-mail at rgreenawal@state.pa.us.

Final Technical Guidance

DEP ID: 012-0700-001. Title: Implementation of the Pennsylvania State History Code: Policy and Procedures for Applicants for DEP Permits and Plan Approvals. Description: This policy has been revised to be consistent with the Pennsylvania State History Code for DEP Plan approvals and permit reviews so that the Pennsylvania Historical and Museum Commission has the opportunity to review activities undertaken with DEP's approval for their possible impact on significant historical and archaeological resources. Effective Date: March 16, 2002. Contact: Patricia Grim at (717) 783-6390 or e-mail at pgrimstate.pa.us.

DAVID E. HESS,
Secretary

[Pa.B. Doc. No. 02-428. Filed for public inspection March 15, 2002, 9:00 a.m.]

Oil and Gas Technical Advisory Board; Meeting Cancellation

The meeting of the Oil and Gas Technical Advisory Board scheduled for March 21, 2002, in Harrisburg, has been cancelled. The next meeting is scheduled for Thursday, October 24, 2002, in Harrisburg.

For further information, contact Jim Erb, Bureau of Oil and Gas Management, (717) 772-2199 or e-mail to jerb@state.pa.us.

DAVID E. HESS,
Secretary

[Pa.B. Doc. No. 02-429. Filed for public inspection March 15, 2002, 9:00 a.m.]

DEPARTMENT OF GENERAL SERVICES

State Surplus Property

The Department of General Services, State Surplus Property is selling a mobile home located in the village of Coral-Graceton. Open house is March 23, 2002, from 9 a.m. to 12 noon. Bid opening is April 10, 2002. For more information call (717) 787-4085.

KELLY POWELL LOGAN,
Secretary

[Pa.B. Doc. No. 02-430. Filed for public inspection March 15, 2002, 9:00 a.m.]

State Surplus Property

Under the provisions of section 510 of The Administrative Code of 1929 (71 P. S. § 190), the Department of General Services, State Surplus Property Program is offering for sale to counties, boroughs, incorporated towns, cities and townships the following items:

<i>Item</i>	<i>Make</i>	<i>Eq. No.</i>	<i>Location</i>
Front End Loader	John Deere	242-8040	PennDOT—Waterford, PA
Articulated Loader	John Deere	043-2040	PennDOT—Tionesta, PA
Rubber Tire Loader	John Deere	295-2040	PennDOT—Harrisburg, PA
Rubber Tire Loader	John Deere	224-2040	PennDOT—Franklin, PA
Articulated Loader	Michigan	058-8059	PennDOT—Bellefonte, PA
Backhoe Loader Comb. Tractor	Case	173-6056	PennDOT—Bellefonte, PA
All Wheel Drive Grader	Clark	319-3671	PennDOT—Bellefonte, PA
Mixer Paver	Midland	002-1957	PennDOT—Bellefonte, PA
Front End Bucket Loader	Michigan	059-8059	PennDOT—Lewistown, PA
Diesel Powered Patcher	Rosco	015-5610	PennDOT—Mifflintown, PA
Backhoe	Case	206-6056	PennDOT—Towanda, PA
Excavator	Koehring	001-6368	PennDOT—Towanda, PA
Belt Loader	Athey	098-5369	PennDOT—Towanda, PA
Articulated Grader	Champion	010-1682	PennDOT—White Mills, PA
Bituminous Towed Patcher	Rosco	038-5610	PennDOT—Temple, PA
Front End Rubber Tire Loader	John Deere	122-2040	PennDOT—Temple, PA
Front End Loader	John Deere	117-2040	PennDOT—Allentown, PA
Articulated Loader	John Deere	127-2040	PennDOT—Schuylkill Haven, PA
Side Dozer Maint. w/Broom	Huber	121-5683	PennDOT—Gettysburg, PA
Backhoe Loader Combined	Case	281-6056	PennDOT—Gettysburg, PA
Backhoe Loader Combined	John Deere	102-6040	PennDOT—York, PA
Front End Bucket Loader	Case	301-2056	PennDOT—York, PA
Grader Mounted Widener	Rivinus	004-7055	PennDOT—York, PA
Stone Self Propelled Chipper	Etnyre	033-5808	PennDOT—York, PA
3-5 Ton Roller	Galion	901-9435	PennDOT—York, PA
Earth Moving Loader	Case	318-2056	PennDOT—York, PA
Diesel Backhoe	Case	345-6056	PennDOT—Harrisburg, PA
Backhoe Loader	Case	286-6056	PennDOT—Harrisburg, PA
Rubber Tire Roller	Galion	692-2435	PennDOT—Lancaster, PA
Loader	John Deere	182-2040	PennDOT—Lancaster, PA
Wheel Loader	John Deere	060-2040	PennDOT—Lancaster, PA
Wheel Loader	John Deere	068-1385	PennDOT—Lancaster, PA
Rubber Tire Loader	John Deere	129-2040	PennDOT—Ebensburg, PA
610B Turbo Backhoe	John Deere	101-6040	PennDOT—Ebensburg, PA
Crawler Loader	John Deere	127-8385	PennDOT—Somerset, PA
Backhoe	John Deere	143-6040	PennDOT—Shippensburg, PA
Three Wheel Loader	Galion	712-3435	PennDOT—Punxsutawney, PA
Right Lane Closed Ahead Signs	Eastern Metal	137265	PennDOT—Harrisburg, PA
Right Lane Closed Ahead Signs	Eastern Metal	137264	PennDOT—Harrisburg, PA
One Lane Road Ahead Signs	Eastern Metal	137263	PennDOT—Harrisburg, PA
One Lane Road Ahead Signs	Eastern Metal	137262	PennDOT—Harrisburg, PA
Road Closed Ahead Signs	Eastern Metal	137261	PennDOT—Harrisburg, PA
Detour Ahead Signs	Eastern Metal	137260	PennDOT—Harrisburg, PA
Stop Ahead Signs	Eastern Metal	137259	PennDOT—Harrisburg, PA
End Work Area	Eastern Metal	137258	PennDOT—Harrisburg, PA
Flagger Symbol Signs	Eastern Metal	137266	PennDOT—Harrisburg, PA
Flagger Symbol Signs	Eastern Metal	137267	PennDOT—Harrisburg, PA

<i>Item</i>	<i>Make</i>	<i>Eq. No.</i>	<i>Location</i>
Be Prepared to Stop Signs	Eastern Metal	137268	PennDOT—Harrisburg, PA
Be Prepared to Stop Signs	Eastern Metal	137269	PennDOT—Harrisburg, PA
Work Area Ahead Signs	Eastern Metal	137270	PennDOT—Harrisburg, PA
Work Area Ahead Signs	Eastern Metal	137271	PennDOT—Harrisburg, PA
Counter Install Ahead Signs	Eastern Metal	137272	PennDOT—Harrisburg, PA
Counter Install Ahead Signs	Eastern Metal	137273	PennDOT—Harrisburg, PA
Backhoe	John Deere	010-6040	Corrections—Frackville, PA
Backhoe	Case	114-07-0243	DPW—Clarks Summit, PA
Loader	Case	114-05-0097	DPW—Clarks Summit, PA

The items will be sold to the highest responsible bidder by sealed bid sale. Political subdivisions interested in procuring one or more of these items should contact Department of General Services, State Surplus Property Division, 2221 Forster Street, Room G-12, Harrisburg, PA 17125, (717) 787-4085. Requests need to be made prior to the bid opening on April 15, 2002, at 1 p.m. to receive a bid packet.

KELLY POWELL LOGAN,
Secretary

[Pa.B. Doc. No. 02-431. Filed for public inspection March 15, 2002, 9:00 a.m.]

DEPARTMENT OF HEALTH

Application of Holy Redeemer Health System for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) hereby gives notice that Holy Redeemer Health System has requested an exception to the requirements of 28 Pa. Code § 138.15 (relating to high-risk cardiac catheterizations).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax: (717) 772-2163, e-mail address: DDITLOW@STATE.PA.US.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address previously listed.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so, should contact Director, Division of Acute and Ambulatory Care at (717) 783-8980, V/TT: (717) 783-6154 for Speech and/or Hearing Impaired Persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 02-432. Filed for public inspection March 15, 2002, 9:00 a.m.]

Application of Jeanes Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) hereby gives notice that Jeanes Hospital has requested an exception to the requirements of 28 Pa. Code § 138.15 (relating to high-risk cardiac catheterizations).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax: (717) 772-2163, e-mail address: DDITLOW@STATE.PA.US.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address previously listed.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so, should contact Director, Division of Acute and Ambulatory Care at (717) 783-8980, V/TT: (717) 783-6154 for Speech and/or Hearing Impaired Persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 02-433. Filed for public inspection March 15, 2002, 9:00 a.m.]

Application of UPMC Shadyside for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) hereby gives notice that UPMC Shadyside has requested an exception to the requirements of 28 Pa. Code § 51.3(g)(4) (relating to notification).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax: (717) 772-2163, e-mail address: DDITLOW@STATE.PA.US.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the division and address previously listed.

Comments received by the Department within 10 days after the date of publication of this notice will be

reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and require an auxiliary aid, service or other accommodation to do so, should contact Director, Division of Acute and Ambulatory Care at (717) 783-8980, V/TT: (717) 783-6154 for Speech and/or Hearing Impaired Persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 02-434. Filed for public inspection March 15, 2002, 9:00 a.m.]

Request for Exception; Long-Term Care Nursing Facilities

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.6(a) (relating to function of building):

Sharon Regional Health System Skilled Care Center
740 East State Street
Sharon, PA 16146

This request is on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax: (717) 772-2163, e-mail address: PAEXCEPT@HEALTH.STATE.PA.US.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the division and address previously listed.

Comments received by the Department within 15 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so, should contact V/TT: (717) 783-6514 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 02-435. Filed for public inspection March 15, 2002, 9:00 a.m.]

WIC Public Meetings

The Department of Health (Department), Supplemental Food Program for Women, Infants and Children (WIC Program), will hold public meetings on the following dates at the locations indicated:

April 17, 2002
10 a.m. to 3 p.m.
Health and Welfare Building, Room 610
Commonwealth and Forster Streets
Harrisburg, PA 17120

April 24, 2002
10 a.m. to 3 p.m.
NORTH, Inc.
624 North Broad Street, Suite 101
Philadelphia, PA 19130-1289

The Department invites comments on all aspects of the WIC Programs' operations. General comments on other issues pertinent to the WIC Program also are requested.

Persons wishing to give testimony at the public meeting are requested to preregister with the State WIC Program Office, (717) 783-1289. Anyone unable to attend the meetings may submit written comments by March 31, 2002, to the Department. Direct written comments to Department of Health, Division of WIC, Attention: Planning and Monitoring Section, P. O. Box 90, Harrisburg, PA 17108.

Persons with a disability who wish to attend a meeting and require an auxiliary aid service or other accommodation to do so, should contact Jeannette Fossie, (717) 783-1289; V/TT: (717) 783-6514 for Speech and/or Hearing Impaired Persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.
Secretary

[Pa.B. Doc. No. 02-436. Filed for public inspection March 15, 2002, 9:00 a.m.]

DEPARTMENT OF LABOR AND INDUSTRY

Current Prevailing Wage Act Debarments

The following contractor has been determined to have intentionally violated the Pennsylvania Prevailing Wage Act (act) (43 P. S. §§ 165-1—165-17). This notice is published for the information and convenience of public bodies subject to the act. Under section 11(e) of the act (43 P. S. § 165-11(e)), this firm or persons, or any firms, corporations or partnerships in which the firm or persons have an interest, shall be awarded no contract for 3 years after the date listed.

<i>Contractor</i>	<i>Address</i>	<i>Date of Debarment</i>
Zane Dow, Wallace Butler, Pete White, Wanda McCowin and Darryl Grant, individually and d/b/a Wal-Field Group (Fed. ER ID No. 23-2994563)	2 Kline Plaza, Suite F and/or Suite K Harrisburg, PA 17104 and/or P. O. Box 5567 Harrisburg, PA 17110-0567	2/20/02

JOHNNY J. BUTLER,
Secretary

[Pa.B. Doc. No. 02-437. Filed for public inspection March 15, 2002, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Notice of Filing of Final Rulemakings

The Independent Regulatory Review Commission (Commission) received the following regulation on the date indicated. To obtain the date and time of the meeting at which the Commission will consider this regulation, contact the Commission at (717) 783-5417 or visit its website at www.irrc.state.pa.us. To obtain a copy of the regulation, contact the promulgating agency.

Final-Form

Reg. No.	Agency/Title	Received
#16-17	Pennsylvania State Athletic Commission Boxing and Wrestling	3/5/02
	JOHN R. MCGINLEY, Jr., Chairperson	

[Pa.B. Doc. No. 02-438. Filed for public inspection March 15, 2002, 9:00 a.m.]

INSURANCE DEPARTMENT

Aetna US Healthcare; Pittsburgh 3Q02 Rate Filing

On March 1, 2002, Aetna US Healthcare submitted a filing for an increase in the commercial HMO rates in its Pittsburgh service area. This filing represents an average annual increase over current rates, which varies by renewal quarter from 11% to 29% on medical policies. The reason for the increase is because recent medical costs are increasing at a higher level than anticipated in the current rate manual. The rate increase will affect approximately 52,000 medical subscribers and result in additional annual premium income of approximately \$20 million.

The requested effective date of the change is July 1, 2002.

Copies of the filing are available for public inspection during normal working hours, by appointment, at the Insurance Department's regional offices in Harrisburg and Pittsburgh.

Interested parties are invited to submit written comments, suggestions or objections to Rashmi Mathur, Actuary, Bureau of Accident and Health Insurance, Insurance Department, 1311 Strawberry Square, Harrisburg, PA 17120, within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 02-439. Filed for public inspection March 15, 2002, 9:00 a.m.]

Review Procedure Hearings; Cancellation or Refusal of Insurance

The following insureds have requested a hearing as authorized by the act of June 17, 1998 (P. L. 464, No. 68),

in connection with the termination of the insured's automobile policy. The hearings will be held in accordance with the requirements of the act; 1 Pa. Code Part II (relating to the General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). The administrative hearings will be held in the Insurance Department's regional offices in Harrisburg, Pittsburgh and Philadelphia, PA. Failure by the appellants to appear at the scheduled hearing may result in dismissal with prejudice.

The following hearing will be held in the Administrative Hearings Office, Capitol Associates Building, Room 200, 901 N. Seventh Street, Harrisburg, PA 17102.

Appeal of Robert D. Ford; file no. 02-182-00838; Erie Insurance Exchange; doc. no. P02-02-035; April 10, 2002, at 10:30 a.m.

The following hearings will be held in the Pittsburgh Regional Office, Room 304 State Office Building, 300 Liberty Avenue, Pittsburgh, PA 15222.

Appeal of Diana McDonald; file no. 02-303-70004; American Independent Insurance Company; doc. no. PI02-02-033; April 24, 2002, at 9 a.m.

Appeal of Robert A. and Lavonne E. Milisits; file no. 02-308-70289; Erie Insurance Exchange; doc. no. PI02-02-036; April 24, 2002, at 11 a.m.

Appeal of Katie A. Mcgurk; file no. 02-348-70089; Liberty Mutual Fire Insurance Company; doc. no. PI02-02-032; April 24, 2002, at 1 p.m.

The following hearings will be held in the Philadelphia Regional Office, Room 1701 State Office Building, 1400 Spring Garden Street, Philadelphia, PA 19130.

Appeal of Herbert and Francine Lottier; file no. 02-267-00228; Liberty Mutual Insurance Group; doc. no. PH02-02-027; April 26, 2002, at 9:30 a.m.

Appeal of Wayne A. Young; file no. 02-215-00756; CGU Insurance Company; doc. no. PH02-02-022; April 26, 2002, at 11:30 a.m.

Appeal of Ronald Mccoy; file no. 02-280-00465; American Independent Insurance Company; doc. no. PH02-02-025; April 26, 2002, at 1 p.m.

Appeal of Gary and Bernadette Kisselback; file no. 02-278-00042; AAA Mid-Atlantic Insurance Company; doc. no. PH02-02-023; April 26, 2002, at 3 p.m.

Parties may appear with or without counsel and offer relevant testimony or evidence. Each party must bring documents, photographs, drawings, claims files, witnesses and the like necessary to support the party's case. A party intending to offer documents or photographs into evidence shall bring enough copies for the record and for each opposing party.

In some cases, the Insurance Commissioner (Commissioner) may order that the company reimburse an insured for the higher cost of replacement insurance coverage obtained while the appeal is pending. Reimbursement is available only when the insured is successful on appeal, and may not be ordered in all instances. If an insured wishes to seek reimbursement for the higher cost of replacement insurance, the insured must produce documentation at the hearing which will allow comparison of coverages and costs between the original policy and the replacement policy.

Following the hearing and receipt of the stenographic transcript, the Commissioner will issue a written order

resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the above-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing, should contact Tracey Pontius, Agency Coordinator, at (717) 787-4298.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 02-440. Filed for public inspection March 15, 2002, 9:00 a.m.]

LEGISLATIVE REFERENCE BUREAU

Documents Filed But Not Published

The Legislative Reference Bureau (Bureau) accepted the following documents during the preceding calendar month for filing without publication under 1 Pa. Code § 3.13(b) (relating to contents of *Bulletin*). The Bureau will continue to publish on a monthly basis either a summary table identifying the documents accepted during the preceding calendar month under this subsection or a statement that no such documents have been received. For questions concerning or copies of documents filed, but not published, call (717) 783-1530.

Governor's Office

Management Directive No. 620.1—Coal Sampling and Reporting, Amended February 6, 2002.

GARY R. HOFFMAN,
Director
Pennsylvania Bulletin

[Pa.B. Doc. No. 02-441. Filed for public inspection March 15, 2002, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Default Order

Public Meeting held
February 21, 2002

Commissioners Present: Glen R. Thomas, Chairperson; Kim Pizzigrilli; Aaron Wilson, Jr.; Terrance J. Fitzpatrick.

Pennsylvania Public Utility Commission Law Bureau Prosecutory Staff (2001.0359) v. AGF Direct Gas Sales & Servicing; Doc. No. C-20026669; A-125061

Default Order

By the Commission:

On January 14, 2002, the Law Bureau Prosecutory Staff instituted a complaint against AGF Direct Gas Sales & Servicing (the Respondent), a natural gas supplier

licensed at A-125061. In the complaint, Prosecutory Staff alleged that the Commission sent by certified mail a notice to the Respondent that its 2001-2002 annual assessment was overdue. The complaint charged that the Respondent's failure to pay this assessment violates 66 Pa.C.S. § 510(c).

The complaint sought an order from the Commission canceling the Respondent's license for failure to pay its annual assessment. The complaint was mailed by the Secretary's Bureau on January 16, 2002, to its last known business address. To date, more than 20 days since the filing of the complaint, no answer has been filed to the complaint and the annual assessment has still not been paid. Additionally, the telephone number the Commission has for the company is no longer valid; *Therefore,*

It Is Ordered That:

1. The allegations in the Law Bureau Prosecutory Staff's complaint are deemed admitted and the complaint is thereby sustained.

2. The Secretary serve a copy of this Default Order upon the Office of Consumer Advocate, the Office of Small Business Advocate, the Office of Trial Staff, and the Attorney General's Bureau of Consumer Protection, and also cause a copy of this Default Order to be published in the *Pennsylvania Bulletin* with a 20-day comment period.

3. Absent the filing of adverse public comment, 20 days after publication in the *Pennsylvania Bulletin* and without further action by the Commission, the license held by AGF Direct Gas Sales & Servicing at Docket No. A-125061 shall be canceled, and the company's name stricken from all active utility lists maintained by the Tariff and Annual Report Section of the Commission's Bureau of Fixed Utility Services and the Assessment Section of the Bureau of Audits.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 02-442. Filed for public inspection March 15, 2002, 9:00 a.m.]

Railroad With Hearing

A-00113579. Department of Transportation. Application of the Department of Transportation for approval of the abolition of the crossing where State Route 4003 crosses over the tracks of Consolidated Rail Corporation in the City of Philadelphia, Philadelphia County and the allocation of costs and expenses incident thereto.

An initial hearing on this matter will be held Tuesday, April 16, 2002, at 10 a.m. in an available hearing room, Philadelphia State Office Building, Broad and Spring Garden Streets, Philadelphia, PA, when and where all persons in interest may appear and be heard, if they so desire.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 02-443. Filed for public inspection March 15, 2002, 9:00 a.m.]

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission (Commission). Publication of this notice shall be considered as sufficient notice to all carriers holding authority from this Commission. Applications will be considered without hearing in the absence of protests to the application. Protests to the applications published herein are due on or before April 8, 2002, as set forth at 52 Pa. Code § 3.381 (relating to applications for transportation of property, household goods in use and persons). The protests shall also indicate whether it applies to the temporary authority application or the permanent application or both.

Application of the following for approval to *begin operating as common carriers for transportation of persons as described under the application.*

A-00118692. Todd W. Callahan t/d/b/a Interstate Airport Shuttle (405 North Wade Avenue, Washington, Washington County, PA 15301)—persons in airport transfer service, from points in the borough of Canonsburg and the city of Washington, Washington County, to the Pittsburgh International Airport, located in the township of Moon, Allegheny County.

Application of the following for approval to *begin operating as contract carriers for transportation of persons as described under the application.*

A-00118684. Fresh Air Accessible Services, LLC (P. O. Box 4670, Scottsdale AZ 85260)—contract carrier, persons, for Elder Health Pennsylvania HMO, Inc., between points in the counties of Bucks, Chester, Delaware, Montgomery and Philadelphia. *Attorney:* Jeremy Kahn, 1730 Rhode Island Avenue, NW, Suite 810, Washington, DC 20036.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 02-444. Filed for public inspection March 15, 2002, 9:00 a.m.]

Telecommunications

A-311159F7002. The United Telephone Company of Pennsylvania d/b/a Sprint and Budget Phone, Inc. Joint Petition of The United Telephone Company of Pennsylvania d/b/a Sprint and Budget Phone, Inc. for approval of a master interconnection and resale agreement under section 252(e) of the Telecommunications Act of 1996.

The United Telephone Company of Pennsylvania d/b/a Sprint and Budget Phone, Inc. filed on March 4, 2002, at the Pennsylvania Public Utility Commission (Commission), a Joint Petition for approval of a master interconnection and resale agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of The United Telephone Company of Pennsylvania d/b/a Sprint

and Budget Phone, Inc. Joint Petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 02-445. Filed for public inspection March 15, 2002, 9:00 a.m.]

Telecommunications

A-311149F7001. Verizon North Inc. and NPCR, Inc. d/b/a Nextel Partners. Joint Petition of Verizon North Inc. and NPCR, Inc. d/b/a Nextel Partners for approval of an interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Verizon North Inc. and NPCR, Inc. d/b/a Nextel Partners filed on February 22, 2002, at the Pennsylvania Public Utility Commission (Commission), a Joint Petition for approval of an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Verizon North Inc. and NPCR, Inc. d/b/a Nextel Partners Joint Petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 02-446. Filed for public inspection March 15, 2002, 9:00 a.m.]

Tentative Order

Public Meeting held
February 21, 2002

Commissioners Present: Glen R. Thomas, Chairperson; Kim Pizzingrilli; Aaron Wilson, Jr.; Terrance J. Fitzpatrick

Columbia Energy Power Marketing Corp.; Doc. No. A-110067

Tentative Order

By the Commission:

Columbia Energy Power Marketing Corp. (Columbia) has not paid its 2001-2002 Annual Assessment pursuant to 66 Pa.C.S. § 510. In its efforts to collect payment, Law Bureau Prosecutory Staff was advised by the company's former outside lawyer that all of the company's assets were sold to two other companies in the summer of 2000 and that Columbia is no longer in business. Telephone calls to the last known business address of Columbia confirmed that the number is no longer in service and no information is available for any new phone number.

Columbia, an electric generation supplier, was granted an interim electric generation supplier license by the Commission on May 21, 1998, at A-110067, and a permanent license on January 1, 1999. Based upon the findings of the Prosecutory Staff, we believe that it is appropriate to revoke Columbia's license without the necessity of first filing a formal complaint. Finally, we are not aware that Columbia has any current customers in Pennsylvania. For these reasons, we tentatively conclude that revocation of Columbia's license pursuant to 66 Pa.C.S. § 2809 will not be detrimental to the public interest; *Therefore*,

It Is Ordered That:

1. Columbia Energy Power Marketing Corp.'s electric generation supplier license is hereby tentatively approved to be revoked as being in the public interest.

2. A copy of this Tentative Order be published in the *Pennsylvania Bulletin* giving all persons having an interest in this proceeding 30 days from the date of publication to file a written response.

3. Absent the filing of adverse public comment 30 days after publication in the *Pennsylvania Bulletin*, this Tentative Order shall become final without further order of this Commission.

4. Upon this order becoming final and without further action by the Commission, the license held by Columbia Energy Power Marketing Corp. at A-110067 shall be cancelled, and the company's name stricken from all active utility lists maintained by the Tariff and Annual Report Section of the Commission's Bureau of Fixed Utility Services and the Assessment Section of the Bureau of Administrative Services.

5. A copy of this Order be served upon the Office of Consumer Advocate, the Office of Small Business Advocate, the Office of Trial Staff, and the Attorney General's Bureau of Consumer Protection.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 02-447. Filed for public inspection March 15, 2002, 9:00 a.m.]

**Wastewater
Without Hearing**

A-230240F0015. Little Washington Wastewater Company d/b/a Suburban Wastewater Company. Application of Little Washington Wastewater Company d/b/a Suburban Wastewater Company, for approval of: 1) the transfer, by sale, of the wastewater system assets of K. Hovnanian at Thornbury, Inc. to Little Washington Wastewater Company; and 2) the right of Little Washington Wastewater Company to begin to offer, render, furnish or supply wastewater service to the public in a portion of Thornbury Township, Chester County, PA.

This application may be considered without a hearing. Protests or petitions to intervene can be filed with the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant on or before April 1, 2002, under 52 Pa. Code (relating to public utilities).

Applicant: Little Washington Wastewater Company
d/b/a Suburban Wastewater Company

Through and By Counsel: Mark J. Kropilak, Esquire,
762 West Lancaster Avenue, Bryn Mawr, PA 19010-3489.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 02-448. Filed for public inspection March 15, 2002, 9:00 a.m.]

**PHILADELPHIA REGIONAL
PORT AUTHORITY**

Request for Bids

The Philadelphia Regional Port Authority (PRPA) will accept sealed bids for Project #0215.1, Instillation of Temp. Whse. Bldg. at Pier 84 South until 2 p.m. on Thursday, March 28, 2002. The bid documents can be obtained from the Director of Procurement, PRPA, 3460 N. Delaware Ave., 2nd Floor, Philadelphia, PA 19134, (215) 426-2600 and will be available March 19, 2002. The cost of the bid document is \$35 (includes 7% Pennsylvania Sales Tax). The cost is nonrefundable. PRPA is an equal opportunity employer. Contractor must comply with all applicable equal opportunity laws and regulations.

Mandatory prebid job site meeting will be held March 21, 2002, 10 a.m. at Columbus Blvd. and Porter St., Philadelphia, PA 19148.

JAMES T. MCDERMOTT,
Executive Director

[Pa.B. Doc. No. 02-449. Filed for public inspection March 15, 2002, 9:00 a.m.]

TURNPIKE COMMISSION

Retention of a Design Management Firm

**I-95/I-276 (Pennsylvania Turnpike) Interchange
Project**

Reference No. 4-061

The Turnpike Commission (Commission) will retain a design management firm to provide project management services for the design development of an interchange between Interstate 95 and Interstate 276 (I-95/I-276) in Bucks County, PA. It is anticipated that the design manager will manage, direct and coordinate the efforts of approximately five design firms.

The design manager will act as an agent of the Commission. Project correspondence, except contractual issues, will be directed to the design manager for resolution and response.

Design management activities will begin with review of the scopes-of-work for the design consultants and end with the bidding of the final construction contract on the I-95/I-276 Interchange Project. A minimum of five major construction contracts is anticipated. This contract may be financed with Federal, State and Commission funds and will be subject to Federal review and oversight in accordance with Federal aid regulations (23 CFR Chapter 1). The project has an estimated construction cost of \$640

million as developed in the draft environmental impact statement, Section 4(f) evaluation and Section 404 permit application.

The selected firm will be required to provide engineering review services during the design phase of the project and to provide sufficient staff to adequately maintain project coordination and schedule from preliminary design through bidding of the construction contracts.

Tasks required include, but are not limited to: prepare master schedules to coordinate all phases of the project; monitor schedules to assure compliance with the master schedule; monitor design costs to keep cost within budget; review of design submissions, preliminary and final right-of-way plans, design drawings, special provisions, specifications and estimates prepared by other consulting engineering firms; conduct design review meetings and plan checks; provide constructibility reviews; review environmental items of work and coordinate required permit applications; standardize design details; coordinate design and right-of-way acquisition activities; and coordinate with Department of Transportation (Department), Federal Highway Administration, environmental agencies, township officials, municipal authorities and utility companies by means of periodic meetings.

The selected firm will be required to provide a full-time, permanent staff of qualified and experienced professional engineers and support personnel required to maintain project control. In addition to the full-time staff, other in-house specialists may be required to assist with specific work tasks encountered. The Commission must approve the individual who will head the design management team.

The selected firm is required to furnish a fully equipped office in this Commonwealth, conveniently accessible and within 50 miles of the of the project area. The office must include a conference room capable of seating at least 25 people.

The following factors will be considered by the Commission during the evaluation of the firms submitting statements of interest for this project:

- a. Specialized experience and technical competence of prime consultant and subconsultants. The team must clearly demonstrate experience and competence on management of large-scale public works design projects.
- b. Past record of performance with respect to cost control, work quality ability to meet schedules and previous experience on management projects. The consultant should identify similar projects that have been completed by that firm as the prime, the magnitude of the project and the client.
- c. The specific experience and number of individuals who constitute the firm.
- d. Location of consultant's office where the work will be performed.
- e. Workload of the prime consultant and subconsultants for all Department and Commission projects.
- f. Other factors, if any, specific to the project.

Address these items and any necessary further details in a brief yet comprehensive manner in the statement of interest.

Firms expressing interest in this project must agree to ensure that Disadvantaged Business Enterprise (DBE) firms, as defined in the Transportation Equity Act for the 21st Century (act) and currently certified by the Department, shall have the maximum opportunity to participate

in any subcontracting or furnishing supplies or services approved under Form 442, Section 1.10(a). The act requires that firms owned and controlled by women (WBEs) be included, as a presumptive group, within the definition of DBE. The goal of DBE participation in this contract will be established prior to the submission of technical proposals from the shortlisted firms for this project. Responding firms shall make good faith efforts to meet the DBE goal using DBEs (as they are defined prior to the act), WBEs or combinations thereof. Proposed DBE firms must be certified at the time of submission of the statement of interest. If the selected firm fails to meet the established goal, it shall be required to demonstrate its good faith efforts to attain the goal. If further information is desired concerning DBE/MBE/WBE participation, direct inquiries to the Contracts Administration Department, (717) 939-9551 ext. 4241.

Direct inquiries about this advertisement to Jeffrey C. Davis, (717) 939-9551 ext. 5160; or by e-mail to jdavis@paturnpike.com. Direct contractual questions to George M. Hatalowich at (717) 986-8737; or by e-mail to ghatalow@paturnpike.com.

General Requirements and Information

Firms interested in providing the previous work and services are invited to submit a statement of interest with the required information. The statements of interest must include the following:

1. One page transmittal letter clearly identifying the project reference number, brief description of the project from the advertisement, the firm's Federal identification number, the firm's legal name, contact person or project manager, address of corporate office and project office. (If the firm has multiple offices, the location of the office performing the work must be identified.)
2. A three-page statement of interest on the advertised project. Each firm should demonstrate their ability to perform the specific requirements indicated for this project and provide explanation of the technical approach, stressing the team's ability to coordinate several construction contracts that were designed by different design consultants.
3. An organization chart for the project, identifying key personnel and any subconsultants and their roles. Any deviation from the subconsultant's listed in the statement of interest will require written approval from the Commission.
4. Tabulation or listing of workload for the prime consultant and all subconsultants for all Department and Commission projects. Do not graphically represent the firm's workload.
5. A Consultant Qualification Package similar to the one submitted to the Department for the current year or one that is best suited for this project. A copy of the Consultant Qualification Package printed directly from the Department's ECMS website is acceptable.

The Consultant Qualification Package should contain at a minimum the following information for the prime consultant and all subconsultants and attached to the back of the statement of interest (subs to follow primes):

- ECMS General Information and Project Experience Forms or Standard Form (SF) 254-Architect-Engineer and Related Services Questionnaire in its entirety, either not more than 1 year old as of the date of the advertisement.
- Resumes of key personnel expected to be involved in the project (limit to two 8 1/2 x 11 pages, per person). Only resumes of key personnel should be included.

- Copy of the firm's registration to do business in this Commonwealth as provided by the Department of State for firms with out-of-State headquarters or corporations not incorporated in this Commonwealth.
- A copy of the Department's DBE/WBE Certification, if applicable.

If a Joint Venture responds to a project advertisement, the Commission will not accept separate statements of interest from joint venture constituents. A firm will not be permitted to submit a statement of interest on more than one joint venture for the same project reference number. Also, a firm that responds to a project as a prime may not be included as a designated subconsultant to another firm that responds to the same project advertisement. This does not preclude a firm from being set forth as a designated subconsultant to more than one prime consultant responding to the project advertisement.

Firms interested in performing the previous services are invited to submit a statement of interest and required information to George M. Hatalowich, Engineering Contract Manager, Turnpike Commission Administration Building, 700 South Eisenhower Boulevard, Middletown, PA 17057 (street address). The Commission mailing address is P. O. Box 67676, Harrisburg, PA 17106-7676.

The statement of interest and required information must be received by 12 p.m., Friday, April 5, 2002. Any statements of interest received after this date and time will be time-stamped and returned.

Based on an evaluation of acceptable statements of interest received in response to these solicitations, three firms will be shortlisted for this contract. Technical proposals will be requested from the shortlisted firms prior to the establishment of the final ranking. An order of preference will be established for the purpose of negotiating an agreement with the highest ranked firm established by the Technical Review Committee and approved by the Commission.

The Commission reserves the right to reject all statements of interest, to cancel solicitation requested under this notice and/or to readvertise solicitation for the work and services.

BRADLEY L. MALLORY,
Chairperson

[Pa.B. Doc. No. 02-450. Filed for public inspection March 15, 2002, 9:00 a.m.]