

NOTICES

CAPITOL PRESERVATION COMMITTEE

Request for Proposals

CPC 08.116: The Rehabilitation of Historic South Capitol Park involves the construction of retaining walls, walks, storm drains, landscaping and lighting to rehabilitate historic South Capitol Park. Work includes maintenance of traffic, tree preservation, demolition, masonry for walls and walks, renovation of existing light fixtures, installation of new light fixtures, installation of new storm drainage, stormwater management, water lines and hose bibs, installation of site furniture, landscape and lawn installation. The project is divided into three phases over 2 years. A \$100 deposit is required for issuance of project documents. Issue date of proposal will be October 10, 2008, at 2 p.m. A mandatory preproposal conference and walk through will be held on October 30, 2008, at 10 a.m. Convene in Room 630 Main Capitol. Proposals are due on November 12, 2008, at 2 p.m. prevailing time. Project documents may be obtained in Room 630 Main Capitol Building, Harrisburg, PA or by contacting Tara Pyle at (717) 783-6484.

Department/Agency: PA Capitol Preservation Committee

Location: Main Capital Building, Room 630, Harrisburg, PA 17120

County: Dauphin

Duration: April 2009—October 2011

Contact: Chris Ellis

E-Mail Address: cellis@cpc.state.pa.us

Phone: (717) 783-6484

RUTHANN HUBBERT-KEMPER,
Executive Director

[Pa.B. Doc. No. 08-1847. Filed for public inspection October 10, 2008, 9:00 a.m.]

DEPARTMENT OF AGRICULTURE

Order of Guidelines for Destruction of Animals by Drug Overdose

Recitals

A. The act of December 22, 1983 (P. L. 303, No. 83) (3 P. S. §§ 328.1—328.10) (act) addresses various methods by which animals may be destroyed. Among the responsibilities assigned to the Department of Agriculture (Department) under the act is the responsibility to establish guidelines for the destruction of animals by the administration of an overdose of a barbiturate, barbiturate combinations, a drug or drug combinations approved for the purpose of animal destruction by the Federal Drug Administration. See 3 P. S. § 328.2(a).

B. The act requires that the referenced drugs be administered to the animal by intravenous injection, intraperitoneal injection, intracardiac injection or orally. See 3 P. S. § 328.3.

C. The act requires that the referenced drugs be administered by a licensed veterinarian. See 3 P. S. § 328.3. There is a limited exception to this requirement that allows for an appropriately-trained nonveterinarian to administer a single drug—sodium pentobarbital—to destroy animals if that person is working for a humane society organization or animal control organization that has obtained a limited license from the State Board of Pharmacy authorizing that organization to purchase, possess and administer that drug for animal euthanasia purposes. See 3 P. S. §§ 328.3 and 328.6.

D. The American Veterinary Medical Association (AVMA) has established its own guidelines addressing destruction of animals. The current edition of these guidelines is titled *AVMA Guidelines on Euthanasia*, and is dated June 2007.

E. The *AVMA Guidelines on Euthanasia* address various methods of animal euthanasia, including euthanasia through the use of “noninhalant pharmaceutical agents.”

F. The Department believes the *AVMA Guidelines on Euthanasia* present a broad, reasonable set of standards that represent the current state of veterinary medical thinking on the subject of animal euthanasia, and that provide understandable and workable guidance for both: (1) veterinary medical practitioners who euthanize animals by drug overdose; and (2) nonveterinarians who possess and use sodium pentobarbital for animal euthanasia under the specific conditions described in the act.

Order

It is hereby ordered that:

1. The Recitals set forth previously are incorporated into this Order.

2. The most current *AVMA Guidelines on Euthanasia* are adopted as the Department’s guidelines for the destruction of animals by administration of an overdose of a barbiturate, barbiturate combination, drug or drug combination authorized by the act.

3. The topics addressed in the *AVMA Guidelines on Euthanasia* that are most applicable to the destruction of animals by administration of an overdose of a barbiturate, barbiturate combination, drug or drug combination authorized by the act include, but are not limited to, the following:

- a. general considerations for methods of euthanasia;
- b. animal behavioral considerations;
- c. human behavioral considerations;
- d. modes of action of euthanizing agents;
- e. noninhalant pharmaceutical agents;
- f. special considerations; and
- g. relevant tables and appendices.

4. Interested persons may view or download a copy of the *AVMA Guidelines on Euthanasia* through the AVMA web site: www.avma.org, or may obtain a copy from the Department of Agriculture, Bureau of Animal Health and Diagnostic Services, ATTN: Chief, Regulations and Compliance Division, 2301 North Cameron Street, Harrisburg, PA 17110-9408, (717) 772-2852.

5. This Order does not establish or purport to establish the *AVMA Guidelines on Euthanasia* as regulations of this Department. These guidelines do not have the force and effect of law but are, instead, the Department's guidance for persons who destroy animals by the administration of a barbiturate, barbiturate combination, drug or drug combination as authorized by the act.

6. This Order shall take effect as of October 11, 2008.

DENNIS C WOLFF,
Secretary

[Pa.B. Doc. No. 08-1848. Filed for public inspection October 10, 2008, 9:00 a.m.]

DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES

Conservation and Natural Resources Advisory Council Meeting

The Conservation and Natural Resources Advisory Council to the Department of Conservation and Natural Resources (Department) will hold a meeting on Wednesday, October 22, 2008, at 10 a.m. in Room 105, Lobby Level, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA.

Questions concerning this meeting or agenda items can be directed to Kurt Leitholf at (717) 705-0031.

Persons in need of accommodations as provided for in the Americans With Disabilities Act of 1990 should contact Joan Dupes directly at (717) 705-0031 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

MICHAEL F. DIBERARDINIS,
Secretary

[Pa.B. Doc. No. 08-1849. Filed for public inspection October 10, 2008, 9:00 a.m.]

DEPARTMENT OF EDUCATION

Application of Ann Bartolomeo for Reinstatement of Teaching Certificates; Doc. No. Re-08-02

Under the Professional Educator Discipline Act (act) (24 P. S. §§ 2070.1—207.18a), the Professional Standards and Practices Commission (Commission) will consider the application of Ann Bartolomeo for reinstatement of her teaching certificates.

Ann Bartolomeo filed an application for reinstatement of her teaching certificates under section 16 of the act (24 P. S. §§ 2070.16), 1 Pa. Code §§ 35.1 and 35.2 (relating to applications) and 22 Pa. Code § 233.14 (relating to reinstatement). Under section 16 of the act, the Department of Education on September 29, 2008, filed its opposition to the reinstatement.

In accordance with the act, 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) and 22 Pa. Code § 233.14(d), the Commission will act upon the application without hearing, unless within 30 days after the publication of this notice in the *Pennsylvania Bulletin* a written request for public hearing is filed with the Commission, along with a notice of intervention, a petition to intervene or protest in accordance with 1 Pa. Code §§ 35.23 and 35.24 (relating to protest) or 1 Pa. Code §§ 35.27—35.32 (relating to intervention).

Petitions to intervene, protests and requests for hearing shall be filed with Carolyn Angelo, Executive Director of the Professional Standards and Practices Commission, at 333 Market Street, Harrisburg, PA 17126-0333, on or before 4 p.m. on the due date prescribed by this notice.

Persons with a disability who wish to attend the hearing, if held, and require an auxiliary aid, service or other accommodation to participate contact Suzanne Markowicz at (717) 787-6576 to discuss how the Commission may best accommodate their needs.

GERALD L. ZAHORCHAK, D. Ed.,
Secretary

[Pa.B. Doc. No. 08-1850. Filed for public inspection October 10, 2008, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

APPLICATIONS FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a general permit. The applications concern, but are not limited to, discharges related to industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFOs). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92 and 40 CFR Part 122, implementing The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act.

| <i>Location</i> | <i>Permit Authority</i> | <i>Application Type or Category</i> |
|-----------------|-------------------------|--|
| Section I | NPDES | Renewals |
| Section II | NPDES | New or amendment |
| Section III | WQM | Industrial, sewage or animal waste; discharge into groundwater |
| Section IV | NPDES | MS4 individual permit |
| Section V | NPDES | MS4 permit waiver |
| Section VI | NPDES | Individual permit stormwater construction |
| Section VII | NPDES | NOI for coverage under NPDES general permits |

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 individual permits and individual stormwater construction permits in Sections IV and VI, the Department, based upon preliminary reviews, has made a tentative determination of proposed effluent limitations and other terms and conditions for the permit applications. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the Environmental Protection Agency (EPA) Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on an NPDES application are invited to submit a statement to the regional office noted before an application within 30 days from the date of this public notice. Persons wishing to comment on a WQM permit application are invited to submit a statement to the regional office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. Comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for a public hearing on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

| <i>NPDES No. (Type)</i> | <i>Facility Name & Address</i> | <i>County & Municipality</i> | <i>Stream Name (Watershed #)</i> | <i>EPA Waived Y/N ?</i> |
|---|--|--|--------------------------------------|-----------------------------|
| PA0041076 | Department of Conservation and Natural Resources Bureau of Forestry— District 19 HC1 Box 95A Swiftwater, PA 18370-9723 | Monroe County Pocono Township | UNT of Scot Run 1E | Y |
| PAS212202 (Industrial Stormwater) | Berks Products Corporation 5050 Crackersport Road Allentown, PA 18104 | South Whitehall Township Lehigh County | Little Cedar Creek 2C | Y |

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

| <i>NPDES No. (Type)</i> | <i>Facility Name & Address</i> | <i>County & Municipality</i> | <i>Stream Name (Watershed #)</i> | <i>EPA Waived Y/N ?</i> |
|-----------------------------|---|--------------------------------------|--|-----------------------------|
| PA0083186 (Sew) | Mark Davis HMS Host P. O. Box 8 Middletown, PA 17057 | Fulton County Taylor Township | Dry ditch of Licking Creek Branch 12-C | Y |

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

| <i>NPDES No. (Type)</i> | <i>Facility Name & Address</i> | <i>County & Municipality</i> | <i>Stream Name (Watershed #)</i> | <i>EPA Waived Y/N ?</i> |
|-----------------------------|--|--------------------------------------|--------------------------------------|-----------------------------|
| PA0209431 Sewerage | Thomas R. Shroul 788 Beaver Branch Road Pennsylvania Furnace, PA 16865-9734 | Halfmoon Township Centre County | UNT Halfmoon Creek 11A | Y |

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

| <i>NPDES No. (Type)</i> | <i>Facility Name & Address</i> | <i>County & Municipality</i> | <i>Stream Name (Watershed #)</i> | <i>EPA Waived Y/N ?</i> |
|-----------------------------|---|--------------------------------------|---|-----------------------------|
| PA0239437 | Human Services Center 130 West North Street New Castle, PA 16101 | Pulaski Township Lawrence County | UNT to Shenango River 20-A | Y |
| PAS208302 | Keystone Powdered Metal Co. 251 State Street Saint Marys, PA 15857 | Lewis Run Borough McKean County | UNTs to East Branch Tunungwant Creek 16-C | Y |
| PA0222801 | Sarah Heinz House Association One Heinz Street Pittsburgh, PA 15212 | Wayne Township Lawrence County | Slippery Rock Creek 20-C | Y |
| PA0222356 | TDY Industries, Inc. 1000 Six PPG Place Pittsburgh, PA 15222 | Borough of Edinboro Erie County | UNT to Darrows Creek 16A | Y |
| PA0222232 | Albion Borough 26 Smock Avenue Albion, PA 16401 | Conneaut Township Erie County | East Branch of Conneaut Creek 15CC | Y |

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Applications

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

PA0029521, Sewage, SIC 4952, **Pennridge School District**, 1200 North 5th Street, Perkasio, PA 18944. This proposed facility is located in Bedminster Township, **Bucks County**.

Description of Proposed Activity: Renewal of an NPDES permit to discharge 9,000 gpd of treated sewage into Deer Run.

The receiving stream, Deer Run, is in the State Water Plan Watershed 2D and is classified for: CWF. The nearest downstream public water supply intake for PA Water Company is located on Delaware River and is 25 miles below the point of discharge.

The proposed effluent limits for Outfall 001 are based on a design flow of 9,000 gpd.

| <i>Parameter</i> | <i>Average Monthly (mg/l)</i> | <i>Instantaneous Maximum (mg/l)</i> |
|-------------------------------------|---|---|
| CBOD ₅ (5-1 to 10-31) | 15 | 30 |
| (11-1 to 4-30) | 25 | 50 |
| Suspended Solids | 30 | 60 |
| Ammonia (as N) (5-1 to 10-31) | 2.0 | 4.0 |
| (11-1 to 4-30) | 6.0 | 12.0 |
| Fecal Coliform | 200 colonies/100 ml 1,000 #/100 ml | |
| Dissolved Oxygen | Minimum of 5 mg/l at all times | |
| pH | Within limits of 6.0 to 9.0 Standard Units at all times | |

In addition to the effluent limits, the permit contains the following major special condition:

1. Special Protection Waters Discharge.

PA0030023, Amendment 1, Sewage, SIC 4952, **Bryn Athyn Borough**, P. O. Box 683, 2835 Buck Road, Bryn Athyn, PA 19009. This proposed facility is located in Bryn Athyn Borough, **Montgomery County**.

Description of Proposed Activity: This application is for amendment of an NPDES permit to incorporate maximum monthly hydraulic capacity of 0.08 mgd of the New Church STP, located in Bryn Athyn Borough, Montgomery County. This is an existing discharge to a UNT to Huntingdon Valley Creek. Also, Total Dissolved Solids limitations has been added in the amendment as per approved the Delaware River Basin Commission Docket No. D-2008-13CP-1 dated July 21, 2008.

The receiving stream, UNT to Huntingdon Valley Creek, is in the State Water Plan Watershed 3J and is classified for: TSF, aquatic life, water supply and recreation. The nearest downstream public water supply intake for Aqua-Pennsylvania is located on Pennypack Creek and is about 8 miles below the point of discharge.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.065 mgd are as follows:

| <i>Parameter</i> | <i>Average Monthly (mg/l)</i> | <i>Average Weekly (mg/l)</i> | <i>Instantaneous Maximum (mg/l)</i> |
|-------------------------|---|----------------------------------|---|
| CBOD ₅ | | | |
| (5-1 to 10-31) | 6.8 | 10.2 | 13.6 |
| (11-1 to 4-30) | 13.6 | 20.4 | 27.2 |
| Total Suspended Solids | 10 | 15 | 20 |
| Total Dissolved Solids | 1,000 | 2,000 | 2,500 |
| Ammonia (as N) | | | |
| (5-1 to 10-31) | 2.8 | | 5.6 |
| (11-1 to 4-30) | 8.4 | | 16.8 |
| Total Residual Chlorine | 0.4 | | 0.9 |
| Fecal Coliform | # 200/100 ml | | # 1,000/100 ml |
| Dissolved Oxygen | Minimum of 5.0 mg/l at all times | | |
| pH | Within limits of 6.0 to 9.0 Standard Units at all times | | |

The EPA waiver is in effect.

PA0056847, Sewage, SIC 4953, **East Rockhill Township**, 1622 Ridge Road, Perkasio, PA 18944. This proposed facility is located in East Rockhill Township, **Bucks County**.

Description of Proposed Activity: This application is for renewal of an NPDES permit to discharge treated sewage from East Rockhill Township wastewater treatment plant in East Rockhill Township, Bucks County.

The receiving stream, East Branch Perkiomen Creek, is in the State Water Plan Watershed 3E and is classified for TSF. There are no downstream public water supply intakes on this stream.

The proposed effluent limits for Outfall 001, based on a design flow of 0.133 mgd, are as follows:

| <i>Parameters</i> | <i>Mass (lb/day)</i> | | <i>Concentration (mg/l)</i> | | <i>Instantaneous Maximum</i> |
|------------------------|----------------------------|---------------------------|---|---------------------------|----------------------------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | <i>Average Monthly</i> | <i>Average Weekly</i> | |
| CBOD ₅ | | | | | |
| (5-1 to 10-31) | 19 | 28 | 20 | 30 | 40 |
| (11-1 to 4-30) | 24 | 38 | 25 | 40 | 50 |
| Total Suspended Solids | 28 | 42 | 30 | 45 | 60 |
| Ammonia as N | | | | | |
| (5-1 to 10-31) | 9.4 | | 10.0 | | 20.0 |
| (11-1 to 4-30) | 14.1 | | 15.0 | | 30.0 |
| Phosphorus as P | 1.41 | | 1.5 | | 3.0 |
| Fecal Coliform | | | 200 #/100 ml | | 1,000 #/100 ml |
| Dissolved Oxygen | | | 5.0 Minimum at all times | | |
| pH (Standard Units) | | | Within Limits of 6.0 to 9.0 Standard Units at all times | | |

The EPA waiver is in effect.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

Application No. PA 0086860, Sewage, **Springfield Township York County Sewer Authority**, Hollow Creek STP. This facility is located in Springfield Township, **York County**.

Description of activity: The application is for issuance of an NPDES permit for new discharge of treated sewage.

The receiving stream, a UNT of the East Branch Codorus Creek, is in Watershed 7-H, and classified for CWF, water supply, recreation and fish consumption. The nearest downstream public water supply intake for York Water Company is located on the South Branch Codorus Creek, approximately 6.5 miles downstream. The discharge is not expected to affect the water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.7 mgd are:

| <i>Parameter</i> | <i>Average Monthly (mg/l)</i> | <i>Average Weekly (mg/l)</i> | <i>Instantaneous Maximum (mg/l)</i> |
|------------------------|-----------------------------------|----------------------------------|---|
| CBOD ₅ | 10 | 15 | 20 |
| Total Suspended Solids | 10 | 15 | 20 |
| NH ₃ -N | | | |
| (5-1 to 10-31) | 1.5 | | 3.0 |
| (11-1 to 4-30) | 4.5 | | 9.0 |

NOTICES

| <i>Parameter</i> | <i>Average Monthly (mg/l)</i> | <i>Average Weekly (mg/l)</i> | <i>Instantaneous Maximum (mg/l)</i> |
|-------------------------|-----------------------------------|-------------------------------------|---|
| Total Residual Chlorine | 0.017 | | 0.055 |
| Total Phosphorus | 2.0 | | 4.0 |
| Dissolved Oxygen | | Minimum of 5.0 at all times | |
| pH | | From 6.0 to 9.0 inclusive | |
| Fecal Coliform | | 200/100 ml as a Geometric Average | |
| (5-1 to 9-30) | | 2,000/100 ml as a Geometric Average | |
| (10-1 to 4-30) | | | |

Chesapeake Bay Requirements

| | <i>Concentration (mg/l)</i> | | <i>Mass (lbs)</i> |
|----------------------|-----------------------------|----------------|-------------------|
| | <i>Monthly Average</i> | <i>Monthly</i> | <i>Annual</i> |
| Ammonia-N | Report | Report | Report** |
| Kjeldahl-N | Report | Report | XXX |
| Nitrate-Nitrite as N | Report | Report | XXX |
| Total Nitrogen | Report | Report | Report |
| Total Phosphorus | Report | Report | Report |
| Net Total Nitrogen | XXX | Report | 12,785* |
| Net Total Phosphorus | XXX | Report | 1,704* |

* The permit contains conditions which authorize the permittee to apply nutrient reduction credits, to meet the Net Total Nitrogen and Net Total Phosphorus effluent limits, under the Department of Environmental Protection's (Department) Trading of Nutrient and Sediment Reduction Credits Policy and Guidelines (392-0900-001, December 30, 2006). The conditions include the requirement to report application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

* Net Total Nitrogen and Net Total Phosphorus limits compliance date will begin on October 1, 2012. Since these reporting requirements are annual loads, reporting on compliance with the annual limitations will be required on the Supplemental DMR—Annual Nutrient Summary by October 28, 2013. The facility is required to monitor and report for Net Total Nitrogen and Net Total Phosphorus from the effective date of the permit until September 30, 2012.

** Total Annual Ammonia Load will be required to be reported on the Supplemental DMR—Annual Nutrient Summary by October 28, 2013.

Persons may make an appointment to review the Department's files on this case by calling the file review coordinator at (717) 705-4732.

The EPA waiver is in effect.

Application No. PA 0261181, Sewage, **Mr. and Mrs. Michael Camellerie**, 150 Corey Place, Huntington Station, NY 11746. This facility is located in North Middleton Township, **Cumberland County**.

Description of activity: The application is for issuance of an NPDES permit for a new discharge of treated sewage.

The receiving stream, UNT to Conodoguinet Creek, is in Watershed 7-B, and classified for WWF, water supply, recreation and fish consumption. The nearest downstream public water supply intake for Carlisle Borough is located on the Conodoguinet Creek, approximately 6.9 miles downstream. The discharge is not expected to affect the water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.0005 mgd are:

| <i>Parameter</i> | <i>Average Monthly (mg/l)</i> | <i>Average Weekly (mg/l)</i> | <i>Instantaneous Maximum (mg/l)</i> |
|-------------------------|-----------------------------------|-------------------------------------|---|
| CBOD ₅ | 25 | XXX | 50 |
| Total Suspended Solids | 30 | XXX | 60 |
| Total Residual Chlorine | Report | XXX | XXX |
| pH | | From 6.0 to 9.0 inclusive | |
| Fecal Coliform | | 200/100 ml as a Geometric Average | |
| (5-1 to 9-30) | | 2,000/100 ml as a Geometric Average | |
| (10-1 to 4-30) | | | |

Persons may make an appointment to review the Department of Environmental Protection's files on this case by calling the file review coordinator at (717) 705-4732.

The EPA waiver is in effect.

Application No. PA 0083607, Sewage, **Union Township**, 3111 SR 72, Jonestown, PA 17038. This facility is located in Union Township, **Lebanon County**.

Description of activity: The application is for issuance of an NPDES permit for a new discharge of treated sewage.

The receiving stream, Forge Creek, is in Watershed 7-D, and classified for WWF, water supply, recreation and fish consumption. The nearest downstream public water supply intake for the City of Lebanon is located on the Swatara Creek, approximately 3.5 miles downstream. The discharge is not expected to affect the water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.3 mgd are:

| <i>Parameter</i> | <i>Average Monthly (mg/l)</i> | <i>Average Weekly (mg/l)</i> | <i>Instantaneous Maximum (mg/l)</i> |
|-------------------------|-------------------------------------|------------------------------|-------------------------------------|
| CBOD ₅ | 10 | 15 | 20 |
| Total Suspended Solids | 10 | 15 | 20 |
| NH ₃ -N | | | |
| (5-1 to 10-31) | 1.0 | | 2.0 |
| (11-1 to 4-30) | 3.0 | | 6.0 |
| Total Residual Chlorine | 0.1 | | 0.33 |
| Total Phosphorus | 0.67 | | 1.34 |
| Dissolved Oxygen | Minimum of 5.0 at all times | | |
| pH | From 6.0 to 9.0 inclusive | | |
| Fecal Coliform | | | |
| (5-1 to 9-30) | 200/100 ml as a Geometric Average | | |
| (10-1 to 4-30) | 2,000/100 ml as a Geometric Average | | |

Chesapeake Bay Requirements

| | <i>Concentration (mg/l)</i> | | <i>Mass (lbs)</i> | |
|----------------------|-----------------------------|----------------|-------------------|---------------|
| | <i>Monthly Average</i> | <i>Monthly</i> | <i>Monthly</i> | <i>Annual</i> |
| Ammonia-N | Report | Report | Report | Report** |
| Kjeldahl-N | Report | Report | Report | XXX |
| Nitrate-Nitrite as N | Report | Report | Report | XXX |
| Total Nitrogen | Report | Report | Report | Report |
| Total Phosphorus | Report | Report | Report | Report |
| Net Total Nitrogen | XXX | Report | Report | 5,479* |
| Net Total Phosphorus | XXX | Report | Report | 612* |

* The permit contains conditions which authorize the permittee to apply nutrient reduction credits, to meet the Net Total Nitrogen and Net Total Phosphorus effluent limits, under the Department of Environmental Protection's (Department) Trading of Nutrient and Sediment Reduction Credits Policy and Guidelines (392-0900-001, December 30, 2006). The conditions include the requirement to report application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

** Total Annual Ammonia Load will be required to be reported on the Supplemental DMR—Annual Nutrient Summary.

Persons may make an appointment to review the Department's files on this case by calling the file review coordinator at (717) 705-4732.

The EPA waiver is not in effect.

Southwest Regional Office: Regional Manager, Water Management, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

PA0253936, Sewage, **Ferndale Borough**, 109 Station Street, Johnstown, PA 15905. This application is for issuance of an NPDES permit to discharge combined sewage from combined sewer outfalls in Ferndale Borough, **Cambria County**.

The Outfalls in the Borough serve as a combined sewer overflows which may discharge to the Stonycreek River receiving water. Discharges from these outfalls are necessitated by stormwater entering the sewer system and exceeding the hydraulic capacity of the sewers and/or the treatment plant and are permitted to discharge only for such reason. At this time, there are no specific numeric effluent limitations on the outfall's discharges. Each discharge shall be monitored for cause, frequency, duration and quantity of flow.

Other Conditions: Ferndale Borough has proposed a plan to control its combined sewer overflow (CSO) discharges through; the construction of a new sanitary-only collector sewer system, the exclusion of all wet weather flow related inflow sources from the new collector sewer system and property lateral sewer systems and the cessation of all wet weather related sanitary sewage discharges upon completion of the sewer separation proposal. The existing sewer collection system will be converted to a strictly stormwater-only conveyance system. In a letter dated August 20, 2008, the Department of Environmental Protection has approved the Borough of Ferndale's long-term CSO management plan (LTCP). A task identification and implementation schedule and post-construction compliance monitoring requirement is included in this permit with the proposed LTCP completion required within 3 1/2 years following the permit effective date.

The EPA waiver is in effect.

PA0217913, Sewage, **William J. McIntire**, P. O. Box 171, Shelocta, PA 15774. This application is for renewal of an NPDES permit to discharge treated sewage from Urling Mine Nos. 1 and 2 Main Portal STP in Armstrong Township, **Indiana County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Anthony Run, which are classified as a WWF with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Buffalo Municipal Authority.

Outfall 002: existing discharge, design flow of 0.023 mgd.

| <i>Parameter</i> | <i>Concentration (mg/l)</i> | | | |
|------------------------------------|--|-----------------------|----------------------|------------------------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | <i>Maximum Daily</i> | <i>Instantaneous Maximum</i> |
| CBOD ₅ | 25 | | | 50 |
| Suspended Solids | 30 | | | 60 |
| Ammonia Nitrogen (5-1 to 10-31) | 13.0 | | | 26.0 |
| Fecal Coliform (5-1 to 9-30) | 200/100 ml as a Geometric Mean | | | |
| (10-1 to 4-30) | 2,000/100 ml as a Geometric Mean | | | |
| Total Residual Chlorine | 2.3 | | | 4.6 |
| pH | not less than 6.0 nor greater than 9.0 | | | |

The EPA waiver is in effect.

PA0252590, Sewage, **Center Township Supervisors**, P. O. Box 435, Rogersville, PA 15359. This application is for renewal of an NPDES permit to discharge treated sewage from Rogersville STP in Center Township, **Greene County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as South Fork Tenmile Creek, which are classified as a HQ-WWF with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Tri-County Joint Municipal Authority.

Outfall 001: existing discharge, design flow of 0.03 mgd.

| <i>Parameter</i> | <i>Concentration (mg/l)</i> | | | |
|------------------------------------|--|-----------------------|----------------------|------------------------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | <i>Maximum Daily</i> | <i>Instantaneous Maximum</i> |
| CBOD ₅ | 10 | | | 20 |
| Suspended Solids | 10 | | | 20 |
| Ammonia Nitrogen (5-1 to 10-31) | 1.5 | | | 3.0 |
| (11-1 to 4-30) | 4.5 | | | 9.0 |
| Nitrite/Nitrate | Monitor and Report | | | |
| Fecal Coliform (5-1 to 9-30) | 200/100 ml as a Geometric Mean | | | |
| (10-1 to 4-30) | 2,000/100 ml as a Geometric Mean | | | |
| Dissolved Oxygen | not less than 5.0 mg/l | | | |
| pH | not less than 6.0 nor greater than 9.0 | | | |

The EPA waiver is in effect.

PA0205575, Sewage, **Pleasant Valley Country Club**, R. D. 2, Box 292, Connellsville, PA 15425. This application is for renewal of an NPDES permit to discharge treated sewage from Pleasant Valley C.C. STP in Bullskin Township, **Fayette County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Mountz Creek, which are classified as a WWF with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Westmoreland County Municipal Authority—McKeesport.

Outfall 001: existing discharge, design flow of 0.01 mgd.

| <i>Parameter</i> | <i>Concentration (mg/l)</i> | | | |
|------------------------------------|--|-----------------------|----------------------|------------------------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | <i>Maximum Daily</i> | <i>Instantaneous Maximum</i> |
| CBOD ₅ | 25 | | | 50 |
| Suspended Solids | 30 | | | 60 |
| Ammonia Nitrogen (5-1 to 10-31) | 19.0 | | | 38.0 |
| Fecal Coliform (5-1 to 9-30) | 200/100 ml as a Geometric Mean | | | |
| (10-1 to 4-30) | 2,000/100 ml as a Geometric Mean | | | |
| Total Residual Chlorine | 1.4 | | | 3.3 |
| pH | not less than 6.0 nor greater than 9.0 | | | |

The EPA waiver is in effect.

PA0001350, Sewage, **Eighty Four Mining Company**, P. O. Box J, Claysville, PA 15323. This application is for renewal of an NPDES permit to discharge treated sewage from Mine 84-Somerset Portal STP in Somerset Township, **Washington County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Center Branch Pigeon Creek, which are classified as a WWF with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the PA American Water Co., Aldrich Station, on the Monongahela River.

Outfall 001: existing discharge, design flow of 0.00972 mgd.

| <i>Parameter</i> | <i>Concentration (mg/l)</i> | | | |
|------------------------------------|--|-----------------------|----------------------|------------------------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | <i>Maximum Daily</i> | <i>Instantaneous Maximum</i> |
| CBOD ₅ | 25 | | | 50 |
| Suspended Solids | 30 | | | 60 |
| Ammonia Nitrogen (5-1 to 10-31) | 17.0 | | | 34.0 |
| Fecal Coliform (5-1 to 9-30) | 200/100 ml as a Geometric Mean | | | |
| (10-1 to 4-30) | 2,000/100 ml as a Geometric Mean | | | |
| Total Residual Chlorine | 1.4 | | | 3.3 |
| pH | not less than 6.0 nor greater than 9.0 | | | |

The EPA waiver is in effect.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

PA0006343, Industrial Waste. **AK Steel Corporation—Butler Works**, 210 Pittsburgh Road, Butler, PA 16003. This proposed facility is located in Butler Township and City of Butler, **Butler County**.

Description of Proposed Activity: Renewal (redraft) of an existing discharge of treated industrial waste, noncontact cooling water and stormwater.

The receiving waters are Connoquenessing Creek (Outfalls 001—005, 007—016, 027—030, 033—037 and 040—045), Sawmill Run (Outfalls 006, 026, 031 and 032), Rocklick Run (Outfalls 017—024, 038 and 039) and Sullivan Run (Outfall 025). The receiving streams are in State Water Plan 20-C and are classified for the following uses: WWF, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride, and phenolics, sulfate and chloride the existing/proposed downstream potable water supply considered during the evaluation is the Beaver Falls Municipal Authority intake on the Beaver River, located at Eastvale, approximately 34 miles below the point of discharge.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.341 mgd.

| <i>Parameter</i> | <i>Loadings</i> | | <i>Concentrations</i> | | |
|------------------------|--|-------------------------------|-------------------------------|-----------------------------|-------------------------------------|
| | <i>Average Monthly (lb/day)</i> | <i>Maximum Daily (lb/day)</i> | <i>Average Monthly (mg/l)</i> | <i>Maximum Daily (mg/l)</i> | <i>Instantaneous Maximum (mg/l)</i> |
| Flow (mgd) | XX | XX | | | |
| Total Suspended Solids | 179 | 417 | XX | XX | 157 |
| Chromium, Total | 2.4 | 6.0 | XX | XX | 2.1 |
| Nickel, Total | 1.8 | 5.4 | XX | XX | 1.6 |
| Chromium Hexavalent | 0.26 | 0.51 | 0.093 | 0.19 | 0.23 |
| Iron, Total | XX | XX | 4.3 | 8.7 | 10.9 |
| pH | Within limits of 6.0 to 9.0 at all times | | | | |

The proposed effluent limits for Outfalls 002 and 003 are based on a design flow of n/a mgd.

| <i>Parameter</i> | <i>Loadings</i> | | <i>Concentrations</i> | | |
|------------------------|--|-------------------------------|-------------------------------|-----------------------------|-------------------------------------|
| | <i>Average Monthly (lb/day)</i> | <i>Maximum Daily (lb/day)</i> | <i>Average Monthly (mg/l)</i> | <i>Maximum Daily (mg/l)</i> | <i>Instantaneous Maximum (mg/l)</i> |
| Flow (mgd) | XX | | | | |
| Total Suspended Solids | | | | | 150 |
| Oil and Grease | | | | | 30 |
| pH | Within limits of 6.0 to 9.0 at all times | | | | |

The proposed effluent limits for Outfall 004 are based on a design flow of 0.286 mgd.

| <i>Parameter</i> | <i>Loadings</i> | | <i>Concentrations</i> | | |
|------------------|--|-------------------------------|-------------------------------|-----------------------------|-------------------------------------|
| | <i>Average Monthly (lb/day)</i> | <i>Maximum Daily (lb/day)</i> | <i>Average Monthly (mg/l)</i> | <i>Maximum Daily (mg/l)</i> | <i>Instantaneous Maximum (mg/l)</i> |
| Flow (mgd) | XX | | | | |
| pH | Within limits of 6.0 to 9.0 at all times | | | | |

The proposed effluent limits for Outfall 005 are based on a design flow of 2.51 mgd.

| Parameter | Loadings | | Concentrations | | |
|------------------------|--|---------------------------|---------------------------|-------------------------|---------------------------------|
| | Average Monthly (lb/day) | Maximum Daily (lb/day) | Average Monthly (mg/l) | Maximum Daily (mg/l) | Instantaneous Maximum (mg/l) |
| Flow (mgd) | XX | XX | | | |
| Total Suspended Solids | 1,552 | 3,728 | XX | XX | 186 |
| Oil and Grease | 511 | 1,532 | 15 | XX | 30 |
| Chromium, Total | 19.1 | 47.8 | XX | XX | 2.3 |
| Nickel, Total | 14.4 | 43.1 | XX | XX | 2.1 |
| Naphthalene | | 0.06 | | | |
| Tetrachloroethylene | | 0.09 | | | |
| Iron, Total | 55.7 | 111 | 2.54 | 5.08 | 6.35 |
| pH | Within limits of 6.0 to 9.0 at all times | | | | |

The proposed effluent limits for Outfall 006 are based on a design flow of n/a mgd.

| Parameter | Loadings | | Concentrations | | |
|------------------------|--|---------------------------|---------------------------|-------------------------|---------------------------------|
| | Average Monthly (lb/day) | Maximum Daily (lb/day) | Average Monthly (mg/l) | Maximum Daily (mg/l) | Instantaneous Maximum (mg/l) |
| Flow (mgd) | XX | | | | |
| Total Suspended Solids | | | 30 | | 60 |
| Oil and Grease | | | 15 | XX | 30 |
| pH | Within limits of 6.0 to 9.0 at all times | | | | |

The proposed effluent limits for Outfall 007 are based on a design flow of 1.35 mgd.

| Parameter | Loadings | | Concentrations | | |
|------------------------|--|---------------------------|---------------------------|-------------------------|---------------------------------|
| | Average Monthly (lb/day) | Maximum Daily (lb/day) | Average Monthly (mg/l) | Maximum Daily (mg/l) | Instantaneous Maximum (mg/l) |
| Flow (mgd) | XX | | | | |
| Total Suspended Solids | 1,152 | 3,073 | | | 273 |
| Oil and Grease | | 770 | 15 | | 30 |
| pH | Within limits of 6.0 to 9.0 at all times | | | | |

Outfalls 008, 017—022, 026 and 027 wastewater consists of: Stormwater runoff and low volume discharges of treated recycle water from the main plant recycle system.

Outfalls 009—016, 023—025, 028—045 wastewater consists of: Stormwater runoff.

Special Conditions:

1. Temperature.
2. Chemical Additives.
3. Stormwater Best Management Practices.
4. Outfall Labeling—(Heated Waste Discharge)—Outfall 001 and 004.
5. Monitoring Waiver—Outfall 005 parameters: Naphthalene and Tetrachloroethylene.
6. Restart of Production Facilities.

The EPA waiver is not in effect.

III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law (35 P. S. §§ 691.1—691.1001)

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

WQM Permit No. 1508412, Sewerage, **West Grove Borough Authority**, P. O. Box 61, 117 Rosehill Avenue, West Grove, PA 19390-0061. This proposed facility is located in West Grove Township, **Chester County**.

Description of Action/Activity: Rerate influent organic loading.

WQM Permit No. 4608413, Sewerage, **Lower Frederick Township**, 53 Spring Mount Road, P. O. Box 253, Zieglerville, PA 19492. This proposed facility is located in Lower Frederick Township, **Montgomery County**.

Description of Action/Activity: Installation of an ultraviolet disinfection system and replacement/relocation of the effluent discharge piping.

WQM Permit No. 1508413, Sewerage, **West Vincent Township**, 729 St. Matthews Road, Chester Springs, PA 19425. This proposed facility is located in West Vincent Township, **Chester County**.

Description of Action/Activity: Construction and operation of a wastewater treatment plant and spray irrigation.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

WQM Permit No. 3108402, Sewerage, **Spring Ridge Club**, 150 West 7th Street, Bellwood, PA 16617. This proposed facility is located in Spruce Creek Township, **Huntingdon County**.

Description of Proposed Action/Activity: Construction/Operation of 12 individual onlot septic systems to be permitted as a single large volume system.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

WQM Permit No. 0408201, Industrial Waste, **Valvoline**, 3499 Blazer Parkway, Lexington, KY 40509. This proposed facility is located in Rochester Borough, **Beaver County**.

Description of Proposed Action/Activity: Application for the construction and operation of a wastewater treatment plant.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. 6108402, Sewerage, **City of Oil City**, 21 Seneca Street, Oil City, PA 16301. This proposed facility is located in City of Oil City, **Venango County**.

Description of Proposed Action/Activity: Combined sewer overflow (CSO) Improvements in accordance with Phase II of the approved long-term CSO management plan. Modifications to the 16 existing CSOs in the City's sewer collection system adjacent to Oil Creek and the Allegheny River. The modifications to the CSOs include installation of new regulator structures, sewer piping, outfalls, modifications to existing regulator structures and elimination of two CSO overflow points.

IV. NPDES Applications for Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

V. Applications for NPDES wavier Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Pike County Conservation District: HC 6, Box 6770, Hawley, PA 18428, (570) 226-8220.

| <i>NPDES Permit No.</i> | <i>Applicant Name & Address</i> | <i>County</i> | <i>Municipality</i> | <i>Receiving Water/Use</i> |
|-------------------------|--|---------------|---------------------|---|
| PAI025208011 | Wayne J. Day 185 Weber Road Milford, PA 18337 | Pike | Delaware Township | Dingman's Creek HQ-CWF |
| PAI025208012 | 509 Central North, LLC and 509 Central South, LLC 5020 Clark Road 315 Sarasota, FL 34233 | Pike | Palmyra Township | Wallenpaupack Creek HQ-CWF Wallenpaupack Lake HQ-CWF |

Carbon County Conservation District: 5664 Interchange Road, Lehighton, PA 18235-5114, (610) 377-4894.

| <i>NPDES Permit No.</i> | <i>Applicant Name & Address</i> | <i>County</i> | <i>Municipality</i> | <i>Receiving Water/Use</i> |
|-------------------------|--|---------------|---------------------|--------------------------------|
| PAI021308002 | Carbon Career and Technical Institute 150 West 13th Street Jim Thorpe, PA 18229 | Carbon | Jim Thorpe Borough | Slaughterhouse Creek HQ-CWF |

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

Centre County Conservation District: 414 Holmes Avenue, Suite 4, Bellefonte, PA 16823, (814) 355-6817.

| <i>NPDES Permit No.</i> | <i>Applicant Name & Address</i> | <i>County</i> | <i>Municipality</i> | <i>Receiving Water/Use</i> |
|-------------------------|--|---------------|---------------------|----------------------------|
| PAI041408011 | Springfield Commons Tom Songer, II GTW Associates 1951 Pine Hall Road Suite 150 State College, PA 16801 | Centre | Harris Township | Spring Creek HQ-CWF |

Southwest Region: Watershed Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Westmoreland County Conservation District: 211 Donohoe Road, Greensburg, PA 15601, (724) 837-5271.

| <i>NPDES Permit No.</i> | <i>Applicant Name & Address</i> | <i>County</i> | <i>Municipality</i> | <i>Receiving Water/Use</i> |
|-------------------------|--|---------------|---------------------------|----------------------------|
| PAI056508002 | Robert Mihok Maronda Homes, Inc. 202 Park West Drive Pittsburgh, PA 15275 | Westmoreland | North Huntingdon Township | UNT to Long Run HQ-TSF |

Northwest Region: Watershed Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Jefferson County Conservation District: 1514 Route 28, Brookville, PA 15825, (814) 849-7463.

| <i>NPDES Permit No.</i> | <i>Applicant Name & Address</i> | <i>County</i> | <i>Municipality</i> | <i>Receiving Water/Use</i> |
|-------------------------|--|---------------|-------------------------------------|--|
| PAI063308004 | Department of Transportation P. O. Box 429 2550 Oakland Avenue Indiana, PA 15701-0429 | Jefferson | Brookville Borough Rose Township | North Fork Creek HQ-CWF Clement Run CWF |

VII. List of NOIs for NPDES and/or Other General Permit Types

| | |
|--------|---|
| PAG-12 | Concentrated Animal Feeding Operations (CAFOs) |
| PAG-13 | Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4) |

STATE CONSERVATION COMMISSION

NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS FOR CONCENTRATED ANIMAL FEEDING OPERATIONS (CAFO)

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under the act of July 6, 2005 (Act 38 of 2005, 3 Pa.C.S. §§ 501—522) (hereinafter referred to as Act 38), and that have or anticipate submitting applications for new, amended or renewed NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92. This notice is provided in accordance with 25 Pa. Code Chapter 92 and 40 CFR Part 122, implementing The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC), or County Conservation Districts (CCD) working under a delegation agreement with the SCC, have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at www.pacd.org/districts/directory.htm or can be obtained from the SCC at the office address listed or by calling (717) 787-8821.

Persons wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based.

The address for the SCC is Agriculture Building, Room 407, 2301 North Cameron Street, Harrisburg, PA 17110.

Persons with a disability who require an auxiliary aid, service, including TDD users or other accommodations to seek additional information should contact the SCC through the Pennsylvania AT&T Relay Service at (800) 654-5984.

NUTRIENT MANAGEMENT PLAN— PUBLIC NOTICE SPREADSHEET—APPLICATIONS

| <i>Agricultural Operation Name and Address</i> | <i>County</i> | <i>Total Acres</i> | <i>Animal Equivalent Units</i> | <i>Animal Type</i> | <i>Special Protection Waters (HQ or EV or NA)</i> | <i>Renewal/New</i> |
|---|---------------|--------------------|--------------------------------|--------------------|---|--------------------|
| Downs Racing LP d/b/a Mohegan Sun at Pocono Downs 1280 Highway 315 Wilkes-Barre, PA 18702 | Luzerne | 216 | 254 | Horse | N/A | New |
| Dale Stoltzfus 160 Farm View Road Pine Grove, PA 17963 | Schuylkill | 56.3 | 130.2 | Ducks | N/A | Renewal |

| <i>Agricultural Operation Name and Address</i> | <i>County</i> | <i>Total Acres</i> | <i>Animal Equivalent Units</i> | <i>Animal Type</i> | <i>Special Protection Waters (HQ or EV or NA)</i> | <i>Renewal/New</i> |
|---|---------------|--------------------|--------------------------------|--------------------|---|--------------------|
| Steven Haas Haas Farms 15 Haas Road Klingerstown, PA 17941 | Schuylkill | 1,343.2 | 757.3 0.564/acre | Layers | N/A | Renewal |

CAFO PUBLIC NOTICE SPREADSHEET—APPLICATIONS

| | | | | | | |
|--|-----------|---------|---------|----------------------------|-----|---------|
| David H. Martin 420 Nottingham Road Nottingham, PA 19362 | Lancaster | 232 | 698.3 | Hogs Pullets Heifers | HQ | Renewal |
| Mt. Pleasant Farms 2071 Mt. Pleasant Road Fayetteville, PA 17222 | Franklin | 540.0 | 435.45 | Dairy | N/A | Renewal |
| Hissong Farmstead, Inc. 5492 Buchanan Trail West Greencastle, PA 17225 | Franklin | 1,418.1 | 1,444.9 | Dairy | N/A | Renewal |

PUBLIC WATER SUPPLY (PWS) PERMIT

Under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17), the following parties have applied for a PWS permit to construct or substantially modify a public water system.

Persons wishing to comment on a permit application are invited to submit a statement to the office listed before the application within 30 days of this public notice. Comments received within the 30-day comment period will be considered in the formulation of the final determinations regarding the application. Comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of Environmental Protection (Department) of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and any related documents are on file at the office listed before the application and are available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability who require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received under the Pennsylvania Safe Drinking Water Act

Southcentral Region: Water Supply Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 0604511, Public Water Supply.
 Applicant **Colonial Manor Adult Home**
 Municipality Union Township
 County **Berks**
 Responsible Official Regina Kwapisz, Owner
 2308 East Main Street
 Douglassville, PA 19518
 Type of Facility Public Water Supply
 Consulting Engineer James Rhoades Jr., P. E.
 Alfred Benesch and Company
 400 One Norwegian Plaza
 Pottsville, PA 17901
 Application Withdrawn: September 17, 2008
 Description of Action Installation of a nitrate treatment system.

Permit No. 4408502, Public Water Supply.
 Applicant **Melanie Macknair**
 Municipality Derry Township
 County **Mifflin**
 Responsible Official Melanie Macknair, Owner
 2305 Vira Road
 Lewistown, PA 17044
 Type of Facility Public Water Supply
 Consulting Engineer Mark V. Glenn, P. E.
 Gwin, Dobson and Foreman, Inc.
 3121 Fairway Drive
 Altoona, PA 16602-4475
 Application Received: August 25, 2008
 Description of Action Installation of nitrate treatment for a catering buisness.

Permit No. 2808508, Public Water Supply.
 Applicant **Guilford Water Authority**
 Municipality Guilford Township
 County **Franklin**
 Responsible Official Larry Heck, Manager
 115 Spring Valley Road
 Chambersburg, PA 17201

Type of Facility Public Water Supply
 Consulting Engineer Diana M. Young, P. E.
 Buchart-Horn
 445 West Philadelphia Street
 York, PA 17405-7040
 Application Received: September 10, 2008
 Description of Action Construction of Bartl and Valley
 Quarries Well Pump Stations.

MINOR AMENDMENT

*Northeast Region: Water Supply Management Program,
 2 Public Square, Wilkes-Barre, PA 18711-0790.*

**Application No. 4807502MA, Minor Amendment,
 Public Water Supply.**

Applicant **Pennsylvania American
 Water**
 800 West Hersheypark Drive
 Hershey, PA 17033
 Pen Argyl Borough
 Responsible Official David Kaufman
 Pennsylvania American Water
 800 West Hersheypark Drive
 Hershey, PA 17033
 Type of Facility PWS
 Consulting Engineer Daniel G. Rickard, P. E.
 Pennsylvania American Water
 100 North Pennsylvania Avenue
 Wilkes-Barre, PA 18701
 Application Received Date September 9, 2008
 Description of Action Applicant requests approval to
 replace the existing
 pretreatment gas chlorination
 system with a new liquid
 hypochlorite system at the PAW
 Pen Argyl WTP.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 1

**Acknowledgment of Notices of Intent to Remediate
 Submitted under the Land Recycling and Environ-
 mental Remediation Standards Act (35 P. S.
 §§ 6026.101—6026.908).**

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the Background Standard, Statewide Health Standard, the Site-Specific Standard or who intend to remediate a site as a special industrial area must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demon-

strates attainment of one, a combination of the cleanup standards or who receives approval of a special industrial area remediation identified under the act will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a Site-Specific Standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the sites identified, proposed for remediation to a Site-Specific Standard or as a special industrial area, the municipality within which the site is located may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified. During this comment period, the municipality may request that the person identified as the remediator of the site develop and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental cleanup program manager in the Department regional office before which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

*Southcentral Region: Environmental Cleanup Program
 Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

New York Wire Company, Spring Garden Township, **York County**. Earth Tech AECOM, 2 Market Plaza Way, Mechanicsburg, PA 17055, on behalf of New York Wire, Inc., 829 Loucks Mill Road, York, PA 17402, submitted a Notice of Intent to Remediate site soils and groundwater contaminated with boron, iron, manganese, chloride, sulfate and fluoride. Industrial/nonresidential activities are planned for the site, which will be remediated to a combination of the Statewide Health and Site-Specific Standards. The site is being cleaned up under the Department of Environmental Protection/Environmental Protection Agency One Cleanup Program.

*Northcentral Region: Environmental Cleanup Program
 Manager, 208 West Third Street, Williamsport, PA 17701.*

Yellow Freight Diesel Release, Armstrong Township, **Lycoming County**. Northridge Group Incorporated, 1172 Ridge Road, Northumberland, PA 17857 on behalf of Yellow Freight, 3576 Old Route 15, New Columbia, PA 17886 has submitted a Notice of Intent to Remediate soil contaminated with diesel fuel. The applicant proposes to remediate the site to meet the Statewide Health Standard. The site of the project will remain a right-of-way area along the highway.

Penske Truck Leasing Accident, Monroe Township, **Snyder County**. Northridge Group Inc., 1172 Ridge Road, Northumberland, PA 17857 on behalf of Penske Truck Leasing, 233 Sardis Road, Ashville, NC 28806 has

submitted a Notice of Intent to Remediate soil contaminated with diesel fuel. The applicant proposes to remediate the site to meet the Statewide Health Standard. The site will remain a Department of Transportation right-of-way along the highway.

Nell Hann Property/Truck Accident, Richmond Township, **Tioga County**. ATC Associates, Inc., 101 Allegheny Street, Hollidaysburg, PA 16643 on behalf of Pelton Trucking, R. R. 1, Box 228, Monroeton, PA 18832 has submitted a Notice of Intent to Remediate soil contaminated with diesel fuel. The applicant proposes to remediate the site to meet the Statewide Health Standard. The site of the project will continue to be a residence.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

NEW SOURCES AND MODIFICATIONS

The Department of Environmental Protection (Department) has developed an "integrated" plan approval, State operating permit and Title V operating permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit all the permitting documents relevant to its application one time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

The Department has received applications for plan approvals and/or operating permits from the following facilities.

Copies of the applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the regional office identified in this notice. Persons interested in reviewing the application files should contact the appropriate regional office to schedule an appointment.

Persons wishing to receive a copy of a proposed plan approval or operating permit must indicate their interest to the Department regional office within 30 days of the date of this notice and must file protests or comments on a proposed plan approval or operating permit within 30 days of the Department providing a copy of the proposed document to that person or within 30 days of its publication in the *Pennsylvania Bulletin*, whichever comes first. Interested persons may also request that a hearing be held concerning the proposed plan approval and operating permit. Comments or protests filed with the Department regional offices must include a concise statement of the objections to the issuance of the Plan approval or operating permit and relevant facts which serve as the basis for the objections. If the Department schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* at least 30 days prior the date of the hearing.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office identified before the application. TDD users should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Final plan approvals and operating permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121-143, the Federal Clean Air Act (act) and regulations adopted under the act.

PLAN APPROVALS

Plan Approval Applications Received under the Air Pollution Control Act (35 P. S. §§ 4001-4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Sachin Shankar, New Source Review Chief, (484) 250-5920.

46-0161C: Reading Materials (294 Sanatoga Road, Pottstown, PA 19464) to modify production parameters of an existing plan approval at an existing facility in Lower Pottsgrove Township, **Montgomery County**. The emission rate of NO_x, VOC, CO and SO_x are requested to be revised based on stack test results. The annual production limit will be increased from 300,000 tons to 395,000 tons. Overall there will be a reduction in emission limits for NO_x, SO_x, CO and PM, but will have increased emission limit for VOC. The company shall comply with good air pollution control practices, monitoring and recordkeeping procedures designed to keep the facility operating within all applicable air quality requirements.

09-0048D: H & K Materials (300 Skunk Hollow Road, Chalfont, PA 18914) to modify production parameters of an existing plan approval at an existing facility in Hilltown Township, **Bucks County**. The emission rate of NO_x, VOC, CO and SO_x are requested to be revised based on stack test results. The annual production limit will be reduced from 495,000 tons to 50,000 tons. The annual potential to emit for all the criteria pollutants will decrease due to the reduction in the production limit and will become the new limits for the facility. The company shall comply with good air pollution control practices, monitoring and recordkeeping procedures designed to keep the facility operating within all applicable air quality requirements.

09-0206: Samax Enterprises Inc. (1001 New Ford Mill Road, Morrisville, PA 19067) for installation of a paint remover manufacturing process at a new facility in Falls Township, **Bucks County**. The facility shall be limited to 11.90 tpy of total HAPs emissions. The company shall comply with good air pollution control practices, monitoring and recordkeeping procedures designed to keep the facility operating within all applicable air quality requirements.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, David Aldenderfer, Program Manager, (570) 327-3637.

18-00009D: Clinton County Solid Waste Authority (264 Landfill Lane, McElhattan, PA 17748) for construction of a municipal waste landfill (conversion of a closed municipal waste landfill to an active municipal waste landfill) in Wayne Township, **Clinton County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, George Monasky, New Source Review Chief, (814) 332-6940.

20-123C: Lord Corp. (124 Grant Street, Cambridge Springs, PA 16403) for installation of three hand spray booths and associated preheat ovens at their facility in Cambridge Springs Borough, **Crawford County**. This is a Title V facility.

24-083P: Carbone of America (215 Stackpole Street, St. Marys, PA 15857) for modification of existing plan approval 24-083N to include three additional mixers at their facility in the City of St. Marys, **Elk County**. This is a Title V facility.

62-032D: Ellwood National Steel (3 Front Street, Irvine, PA 16329) for installation of two natural gas fired annealing furnaces at their facility in Brokenstraw Township, **Warren County**. This is a Title V facility.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, Ray Kempa, New Source Review Chief, (570) 826-2507.

PA 66-399-006: The Procter & Gamble Paper Products Co. (P. O. Box 31, Mehoopany, PA 18692) for modification of diaper operations (Source ID DP17) in Washington Township, **Wyoming County**.

In accordance with 25 Pa. Code §§ 127.44(b) and 127.424(b) the Department of Environmental Protection (Department) intends to issue Plan Approval No. 66-399-006 to The Procter & Gamble Paper Products Co., P. O. 31, Mehoopany, PA 18692, for their plant located in Washington Township, Wyoming County. The facility currently has Title V Permit No. 66-00001. This plan approval will be incorporated into the Title V operating permit through an administrative amendment at a later date, and the action will be published as a notice in the *Pennsylvania Bulletin*.

Plan Approval No. 66-399-006 is for the modification of diaper operations (Source ID DP17). These modifications involve increasing the throughput of the site's diaper operations. In addition, one diaper production line (line 43) will be replaced by a new diaper production line (line 44). By this application the company has requested to increase diaper production by 33% from their 18 existing lines. Eighteen production lines will be affected. Presently PM emissions from all affected diaper production lines are controlled by either baghouses or drum filters. To achieve the desired production level the company will increase the air flow through the air pollution control devices. The company will maintain the air cloth to ratios for pleated baghouses to less than 3.5 feet per minute and for drum filters to less than 125 feet per minute, which meets good design practices. PM emissions from the new diaper production line will be controlled by existing air pollution control devices, no new baghouse/drum filter proposed for this line. The additional diaper production increase will increase VOC emission and PM emissions only from the diaper raw material handling systems and diaper manufacturing operations. This project does not impact emissions from other sources at the site. The VOC emissions increase due to this modification will be less than 8.81 tpy, and PM/PM10 with less than 1.39 tpy based on a 12-month rolling sum. The use of baghouses and drum filters capable of achieving 99.8% efficiency for PM and use of low VOC inks and adhesive meets Department's BAT requirements.

The Plan Approval and Operating Permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Copies of the application, the Department's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711.

Any person wishing to provide the Department with additional information which they believe should be considered prior to the issuance of this permit may submit the information to the address shown in the preceding paragraph. Each written comment must contain the following:

Name, address and telephone number of the person submitting the comments.

Identification of the proposed permit No.: 66-399-006

A concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department, in its discretion, decides that a hearing is warranted based on the comments received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, when the Department determines the notification is sufficient. Written comments or requests for a public hearing should be directed to Raymond Kempa, P. E., Chief, New Source Review Section, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711, (570) 826-2511 within 30 days after publication date.

40-399-062: Valmont Penn Summit (225 Kiwanis Boulevard, West Hazleton, PA 18202) for construction and operation of a plasma cutting operation and shot blast machine at their facility in Hazle Township, **Luzerne County**. This facility is not a Title V facility. The company will install two cartridge filters, one for each operation, to control emission into the atmosphere. The plan approval will include all appropriate testing, monitoring, recordkeeping and reporting requirements designed to keep the operations within all applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, William R. Weaver, New Source Review Chief, (717) 705-4702.

21-05021F: Arnold Fuel Oil, Inc. (P. O. Box 2621, Harrisburg, PA 17105-2621) for construction of a loading rack controlled by a vapor combustion unit at Mechanicsburg North Terminal at 127 Texaco Road, Silver Spring Township, **Cumberland County**. The primary emissions from the source is VOCs with potential of 42 tpy. The facility has the actual VOC emissions limits of 50 tpy that will not change. The plan approval will be incorporated into the facility's synthetic minor operating permit No. 21-05021. The plan approval and permit will have restrictions, monitoring, recordkeeping and reporting requirements designed to operate the sources to comply with the applicable air quality standards.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, David Aldenderfer, Program Manager, (570) 327-3637.

49-00038A: F. B. Leopold Co., Inc. (P. O. Box 128, Watsontown, PA 17777), submitted an application (No. 49-00038A) to the Department of Environmental Protection (Department) for plan approval to install a new Seneca model 336-IMTS-10 fabric collector (ID C101) to replace existing C. P. Environmental model 120TNF256W fabric collector to control PM emissions from the facility's existing coal drying and loading operation (Source ID

P101) at the Watsonstown coal preparation plant located in Delaware Township, **Northumberland County**.

The Department's review of the information submitted by F. B. Leopold Co., Inc. indicates that the proposed new fabric collector associated with the drying and loading operation will comply with all applicable air quality requirements including State and Federal requirements. The operation of the proposed fabric collector associated with the drying and loading operation will not result in an increase in any air contaminant emissions. Additionally, if the Department determines that the Source ID P101 and ID C101 are in compliance with all plan approval conditions, the conditions established in the plan approval will be incorporated into the State-only operating permit (NMOP 49-00038) by means of an administrative amendment under 25 Pa. Code § 127.450.

The following is a summary of the conditions the Department proposes to place in the plan approval to be issued to ensure compliance with all applicable air quality regulatory requirements:

1. Source ID P101 is a coal drying and loading operation consisting of the following sources:

A. One Carman Industries model FBP 902 natural gas fired fluid bed dryer with a maximum rated heat input capacity of 8.00 mmBtu/hr.

B. One belt conveyor, flex wall enclosed 18' by 33', 17 tph.

C. One screw feeder with integral hopper, open top, 17 tph.

The PM emissions from Source ID P101 shall be controlled by a Seneca Environmental Products manufactured model 336-IMTS-10 fabric collector (ID C101).

2. Under 25 Pa. Code § 127.12b, the PM emissions in the exhaust of Control Device ID C101 associated with Source ID P101 shall not exceed 0.02 gr/dscf. Compliance with this requirement assures compliance with the PM requirement specified in 40 CFR 60.252.

3. Under 40 CFR 60.252, the visible air contaminants emissions from the exhaust of Control Device ID C101 associated with Source ID P101 shall not exhibit equal to or greater than 20% opacity at any time.

4. The permittee shall comply with all applicable requirements relating to fugitive PM emissions of 25 Pa. Code §§ 123.1 and 123.2 for Source ID P101.

5. Within 120 days of issuance of this plan approval, the permittee shall conduct PM stack test at the exhaust of the Control Device ID C101 associated with Source ID P101 to verify compliance with the PM emissions limitation of 0.02 gr/dscf. The performance test shall be conducted in accordance with the requirements and procedures specified in 25 Pa. Code Chapter 139.

6. The stack testing required by this plan approval shall be performed using reference method test procedures acceptable to the Department. At least 60 days prior to the performance of the stack testing required by this plan approval, a test plan shall be submitted to the Department for evaluation. The plan shall contain a description of the proposed test methods and dimensioned drawings or sketches showing the test port locations. The Department (Northcentral Regional Office and Central Office, Source Testing Section) shall be given at least 15 days advance notice of the scheduled dates for the performance of the stack testing required by this plan approval. Within 60 days of the completion of the stack testing required by this plan approval, two copies of the

test report shall be submitted to the Department (Northcentral Regional Office). The report shall contain the results of the tests, a description of the testing and analytical procedures actually used in performance of the tests, all process and operating data collected during the tests, a copy of all raw data, and a copy of all calculations generated during data analysis. In addition, the permittee shall keep records of the test report.

7. Control Device ID C101 associated with Source ID P101 shall be equipped with instrumentation which continuously monitors the pressure drop across the fabric collector on a continuous basis.

8. Control Device ID C101 associated with Source ID P101 shall be constructed, operated and maintained in accordance with the manufacturer's instructions and recommendations.

9. The permittee shall record the pressure drops across Control Device ID C101 at least once per day. The permittee shall keep these records for a minimum of 5 years and shall be presented to the Department upon request.

10. The permittee shall keep on hand a sufficient quantity of spare fabric collector bags for Control Device ID C101 associated with Source P101 in order to be able to immediately replace any bag that requires replacement immediately.

11. The submission of all requests, reports, applications, submittals and other communications relating to Source ID P101, as required by 40 CFR 60.250—60.254 shall be made available to the Department and the US Environmental Protection Agency (EPA) as required by 40 CFR 60.4.

12. The Carman fluid bed dryer of Source ID P101 is subject to Subpart Y of the Federal Standards of Performance for New Stationary Sources, 40 CFR 60.250—60.254. The permittee shall comply with all applicable requirements of this subpart.

A copy of the plan approval application is available for public review between 8 a.m. and 4 p.m. at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review may be made by calling the Department at (570) 327-3693. Written comments or requests for a public hearing should be directed to Muhammad Q. Zaman, Manager, Facilities Permitting Section, Department of Environmental Protection, Air Quality Program, Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701, (570) 327-0512.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, George Monasky, New Source Review Chief, (814) 332-6940.

24-123F: Veolia ES Greentree Landfill, LLC (635 Toby Road, Kersey, PA 15846) for construction of additional landfill cells (Area 2 expansion) in Fox Township, **Elk County**. This is a Title V facility. The public notice is required for sources required to obtain a Plan Approval at Title V facilities in accordance with 25 Pa. Code § 127.44. This plan approval will, in accordance with 25 Pa. Code § 127.450, be incorporated into the Title V operating permit through an administrative amendment at a later date. The source shall comply with the following conditions, which will satisfy the requirements of 25 Pa. Code § 127.12b (pertaining to plan approval terms and conditions) and will demonstrate BAT for the source:

* Annually, the permittee shall calculate the year-end gas generation rate in accordance with 40 CFR 60.755(a)(1)(ii) using known year-to-year solid waste acceptance rates. Also, the permittee shall estimate the next year-end gas generation rate using projected solid waste acceptance rates. The permittee shall compare both rates to the installed control devices maximum gas capacity. The permittee shall submit a report containing the calculated year-end and the estimated next year end gas generation rates by June 30 until such time as the plan approval for the next control device has been submitted. This report may be submitted as part of the Solid Waste Annual Operating Report; however, a copy needs to go to Air Quality. Once the calculated year-end or the estimated next year-end gas generation rate exceeds 80% of the existing control devices maximum gas capacity from the report due June 30, the permittee shall submit a new plan approval application, within 60-days of the report, for installation of an additional control device that will control LFG above the permitted capacity as stipulated under this plan approval (16,500 cfm).

* All applicable conditions from the Title V Operating Permit 24-00123 issued on October 6, 2005, for the landfill and the flares (4,000 cfm enclosed, 4,500 cfm enclosed and 2,000 cfm candle) and all applicable conditions from plan approval 24-123E issued on January 19, 2006, for the 6,000 cfm enclosed flare shall remain applicable to the existing landfill and its expansion.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Janine Tulloch-Reid, Facilities Permitting Chief, (484) 250-5920.

46-00035: SmithKline Beecham Corp.—d/b/a Glaxo SmithKline (709 Swedeland Road, King of Prussia, PA 19406) for a renewal of their Title V Operating Permit in Upper Merion Township, **Montgomery County**. The facility is primarily involved in pharmaceutical research and development. SmithKline Beecham Corp.—d/b/a Glaxo SmithKline operates boilers, generators, incinerators and other lab equipment. The renewal incorporates plan approval 46-0035D for the installation of a scrubber system and fabric filter. The renewal contains all applicable requirements including monitoring, recordkeeping and reporting. The operation is subject to Compliance Assurance Monitoring under 40 CFR Part 64 and NSPS regulations.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, Ray Kempa, New Source Review Chief, (570) 826-2507.

TV 40-00011: Department of Corrections—Dallas SCI. (P. O. Box 598, Camp Hill, PA 17001-0598) for operation of a State Correctional Institution facility, Title V Operating Permit in Jackson Township, **Luzerne County**.

TV 40-00021: Lakeside Energy LLC—Hazelton Generation, LLC (10 Maplewood Drive, Humboldt Industrial Park, Hazelton, PA 18201) for operation of an electrical generation facility, Title V Operating Permit in Hazle Township, **Luzerne County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, William R. Weaver, New Source Review Chief, (717) 705-4702.

67-05045: Glen Gery Corp. (1090 East Boundary Avenue, York, PA 17403) for operation of a brick manufacturing plant in Spring Garden Township, **York County**. The facility's major source of emissions include two tunnel kilns which primarily emit the HAPs hydrogen fluoride and hydrochloric acid. The kilns are also primary emitters of the criteria pollutants SOx and PM10. This action is a renewal of the Title V operating permit issued in 2003.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, Matthew Williams, Facilities Permitting Chief, (814) 332-6940.

10-00062: State System of Higher Education—Slippery Rock University—SRU (1 Morrow Way, Maintenance Center, Slippery Rock, PA 16057-1313) for a Title V Facility in the Borough of Slippery Rock, **Butler County**. SRU air emission sources are as followed: three 35.5 mmBtu/hr co-fired natural gas and coal boilers, 26 mmBtu/hr natural gas fired boiler and approximately 20 IC Engines. The facility, by rulemaking, is a Title V facility and is therefore subject to the Title V Operating Permit requirements adopted in 25 Pa. Code Chapter 127, Subchapter G.

Intent to Issue Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19428, Janine Tulloch-Reid, Facilities Permitting Chief, (484) 250-5920.

23-00053: Delaware County Memorial Hospital (501 North Lansdowne Avenue, Drexel Hill, PA 19026) for operation of three natural gas/No. 2 fuel oil-fired boilers and one natural gas and three diesel fuel-fired emergency generators at their facility in Upper Darby Township, **Delaware County**. The renewal permit is for a non-Title V (State-only) facility. The potential to emit NOx from the facility exceeds 25 tpy; however, Delaware County Memorial Hospital has elected to restrict NOx emissions from the facility to less than 25 tpy. Therefore, the facility is categorized as Synthetic Minor. The renewal permit will contain monitoring, recordkeeping, reporting and work practice requirements designed to keep the facility operating within all applicable air quality requirements.

09-00168: Fiberglass Technologies, Inc. (1610 Hanford Street, Levittown, PA 19057) for operation of a gelcoat and a resin spray booth at their facility in Bristol Township, **Bucks County**. The permit is for a non-Title V (State-only) facility. The potential to emit styrene from the facility exceeds 25 tpy; however, styrene emissions from the facility are restricted to less than 2.7 tpy. Therefore, the facility is categorized as Synthetic Minor. The permit will contain monitoring, recordkeeping, reporting and work practice requirements designed to keep the facility operating within all applicable air quality requirements.

09-00156: Old Castle Lawn and Garden, Inc. (500 East Pumping Station Road, Quakertown, PA 18951) for issuance of a State-only Operating Permit to operate five diesel engines and wood processing equipment in Richland Township, **Bucks County**. The facility is synthetic minor for NOx, CO and PM. Plan Approvals, PA-09-0156 and PA-09-0156A, are being incorporated into the facility permit, SMOP-09-00156. This Operating Permit shall include monitoring, and recordkeeping designed to ensure this facility complies with all applicable air quality regulations.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, Ray Kempa, New Source Review Chief, (570) 826-2507.

48-00059: Keystone Food Products, Inc. (3767 Hecktown Road, Easton, PA 18044) for operation of a snack food manufacturing operation including ovens and fryers at their facility in Lower Nazareth Township, **Northampton County**. This action is a renewal of the State-only (Natural Minor) Operating Permit for this facility. This Operating Permit shall include emission restrictions, monitoring, recordkeeping and reporting requirements designed to ensure this facility complies with all applicable air quality regulations.

39-00022: Sunoco Partners Marketing & Terminals, LP, Fullerton Terminal (525 Fritztown Road, Sinking Spring, PA 19608) for operation of bulk petroleum storage in Whitehall Township, **Lehigh County**. This is a State-only Synthetic Minor operating permit.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, William R. Weaver, New Source Review Chief, (717) 705-4702.

06-05037: McConway & Torley Corp. (230 Railroad Street, Kutztown, PA 19530) for operation of a steel foundry in Kutztown Borough, **Berks County**. This is a renewal of the State-only operating permit issued in July 2003.

21-05052: Valk Manufacturing Company (66 East Main Street, New Kingstown, PA 17072-0428) for a snow plow and blade manufacturing operation located in Silver Spring Township, **Cumberland County**. The operation of the paint booths at this facility will result in emissions of approximately 15 tpy of VOCs and 1 tpy of HAPs. The facility wide (State-only) operating permit shall contain monitoring, recordkeeping and reporting requirements designed to keep the sources operating within all applicable air quality requirements.

67-03056: SKF USA, Inc. (20 Industrial Drive, Hanover, PA 17331) for operation of its spherical roller bearing manufacturing facility in Penn Township, **York County**. The State-only operating permit will include emission restrictions, work practice standards, testing, monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements. This is a renewal of the State-only operating permit issued in 2001.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, David Aldenderfer, Program Manager, (570) 327-3637.

08-00016: Dalrymple Gravel & Contracting Co., Inc. (2105 South Broadway, Pine City, NY 14781), for their asphalt as well as sand and gravel processing facility located in Athens Township, **Bradford County**. The facility's main sources include a Cedar Rapids batch mix asphalt plant, a Barber Greene drum mix asphalt plant and various pieces of crushing, screening and conveying equipment of sand and gravel operation. The facility has the potential to emit major quantities of SO_x, NO_x, CO, PM/PM₁₀, VOCs and HAPs. The facility has taken a synthetic minor restrictions to limit its SO_x, NO_x, CO, PM/PM₁₀, VOCs and HAPs emissions below the major emission thresholds. The proposed operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

49-00053: Shumaker Industries, Inc. (P. O. Box 206, Northumberland, PA 17857) for their cement drum refurbishing facility located in Northumberland Borough, **Northumberland County**. The facility's main sources include shot blasting and surface coating operations. The facility has the potential to emit SO_x, NO_x, CO, PM/PM₁₀, VOCs and HAPs below the major emission thresholds. The proposed operating permit contains all applicable requirements including Federal and State regulations. In addition, monitoring, recordkeeping and reporting conditions regarding compliance with all applicable requirements are included.

49-00037: Milton Brothers Fabrics, Inc. (P. O. Box 538, Sunbury, PA 17801), for their fabric dyeing and finishing facility located in Milton Borough, **Northumberland County**. The facility's main sources include one natural gas/No. 2 fuel oil fired boiler, one natural gas/No. 2 fuel oil fired heat exchanger, one Artos dryer, one Krantz dryer, seven MCS jets, four narrow beams, two wide beams and two jigs. The facility has the potential to emit major quantities of SO_x. The facility has taken a synthetic minor restriction to limit its SO_x emissions below the major emission thresholds. The facility has the potential to emit NO_x, CO, PM/PM₁₀, VOCs and HAPs below the major emission thresholds. The proposed operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

41-00060: Frito Lay, Inc. (220 North Reach Road, Williamsport, PA 17701), for their Frito Lay—Williamsport plant in the City of Williamsport, **Lycoming County**. The facility's main sources include 28 natural gas and propane fired combustion units, 11 propane fired combustion units, four snack food fryers, three ovens, six extruders, corn kettles, one corn clipper cleaner, two cold cleaning degreaser, one natural gas and propane fired emergency generator and two corn meal storage silos. The facility has the potential to emit SO_x, NO_x, CO, PM/PM₁₀, VOCs and HAPs below the major emission thresholds. The proposed operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

12-00004: GE Transportation Systems, Motor Coils (55 Pine Street, Emporium, PA 15834), for their facility in the Borough of Emporium, **Cameron County**. The facility is a manufacturer of motor coils for locomotive engines. The facility's sources consist of a surface coating operation, coil burnout operation and space heaters. This facility has the potential to emit PM/PM₁₀, NO_x, SO_x, VOC and CO below the major thresholds. The proposed operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

08-00012: Cargill Meat Solutions Corporation (P. O. Box 188, Wyalusing, PA 18852) for the renewal of State-only Operating Permit 08-00012 for the operation of a meat packing facility in Wyalusing Township, **Bradford County**.

The facility incorporates a 40.4 mmBtu/hr natural gas/No. 2 fuel oil-fired boiler, a 24.5 mmBtu/hr natural gas/No. 2 fuel oil-fired boiler, a 41.84 mmBtu/hr natural gas/No. 2 fuel oil/tallow/biogas-fired boiler, 54 small natural gas-fired boilers, heaters, and the like (with a total combined heat input of 36.72 mmBtu/hr), a rendering operation, a crax processing operation, a blood drying operation, a wastewater treatment plant, a biogas flare, two diesel fuel-fired emergency generators (82 and 85 horsepower), six aqueous parts washers, a meal silo and

nine aboveground storage tanks (six tallow tanks, two propylene glycol tanks and one No. 2 fuel oil tank).

The 40.4 mmBtu/hr boiler is equipped with a low NOx burner. The 24.5 and 41.84 mmBtu/hr boilers are each equipped with a low NOx burner and flue gas recirculation. The PM and malodorous air contaminant emissions from the blood drying operation are controlled by three centrifugal separators and a packed bed scrubber. The PM and malodorous air contaminant emissions from the rendering operation are controlled by a heat exchanger, a condenser, two venturi scrubbers, two packed bed scrubbers and one of the facility's boilers. The PM and malodorous air contaminant emissions from the crax processing operation are controlled by two centrifugal separators and a packed bed scrubber. The PM emissions from the meal silo are controlled by a fabric collector.

The facility has the potential to emit up to 91.96 tons of SOx, 83.37 tons of CO, 76.32 tons of PM/PM10 and 59.54 tons of NOx per year.

The Department of Environmental Protection (Department) proposes to renew State-only Operating Permit 08-00012. The Department intends to incorporate into this renewal all conditions currently contained in State-only Operating Permit 08-00012 with these changes and exceptions:

1. Conditions limiting the total combined facility-wide NOx emissions to less than 100 tons in any 12-consecutive month period, and requiring the maintenance and reporting of records of the amount of NOx emitted from the facility each month, have been removed from the permit as it is no longer possible for the facility's total combined NOx emissions to equal or exceed this emission limitation.

2. Conditions requiring the maintenance and semiannual reporting of records of the amount of SOx emitted from the facility each month have been removed from the permit as these values can be determined from fuel usage records, the maintenance and reporting of which are required elsewhere in the permit.

3. A condition requiring the maintenance of No. 2 fuel oil sulfur content certification reports has been revised to make it clear that a certification of sulfur content must be obtained for each individual load of No. 2 fuel oil delivered to the facility rather than an after-the-fact certification for all deliveries made during the prior year.

4. Conditions requiring a weekly inspection of the facility for the presence of excessive visible air contaminant emissions, visible fugitive air contaminant emissions and malodorous air contaminant emissions, and the maintenance of records of these inspections, have been revised to require inspections for the presence of excessive malodorous air contaminant emissions only as this facility does not contain the types of sources that are likely to produce excessive visible air contaminant and visible fugitive air contaminant emissions.

5. A condition requiring malfunctions to be reported to the Department has been revised to exclude the reporting of malfunctions which do not result in, or potentially result in, air contaminant emissions in excess of an applicable air contaminant emission limitation and/or do not result in, or potentially result in, noncompliance with any operating permit condition.

6. Conditions requiring the maintenance of records of "supporting calculations used to verify compliance" with the NOx and carbon monoxide emission limitations for the facility's 40.4 mmBtu/hr boiler and 24.5 mmBtu/hr

boiler have been removed from the permit as it is not possible to verify compliance with the respective emission limitations with "calculations."

7. Conditions requiring the semiannual reporting of the amount of No. 2 fuel oil used in the facility's 40.4 mmBtu/hr boiler and 24.5 mmBtu/hr boiler have been revised to require annual reporting.

8. Several small natural gas-fired combustion units (boilers, heaters, and the like) have been added to the permit.

9. Conditions have been added to the permit requiring the maintenance, and annual reporting, of records of the amount of No. 2 fuel oil fired each month in the rotary drum dryer incorporated in the blood drying operation.

10. Conditions requiring the maintenance of records of the vapor pressure of the materials stored in the tallow, propylene glycol and No. 2 fuel oil storage tanks have been revised to require the maintenance of records of the identity of the material stored in each tank.

11. Conditions specifying 25 Pa. Code § 127.63 requirements for the facility's parts washers have been removed from the permit as the parts washers are not subject to 25 Pa. Code § 129.63.

12. Conditions have been added to the permit limiting the cleaning solutions used in the facility's parts washers to aqueous solutions containing 5% or less VOCs.

13. Conditions requiring the maintenance of records of once-per-shift pressure differential, scrubbing water flow rate and scrubbing solution identity readings for the centrifugal separators and scrubbers associated with the facility's rendering operation and crax processing operation have been removed from the permit.

14. A condition which requires the maintenance of records "which verify compliance with the particulate matter emission limitation" for the facility's meal silo has been removed from the permit as there are no records which could conceivably be maintained which could "verify" compliance with the respective emission limitation.

14-00024: Shain Shop Bilt, Inc. (509 Hemlock Street, Philipsburg, PA 16866-2937) for their wood furniture manufacturing facility in South Philipsburg Borough, **Centre County**. The facility's main sources include one No. 2 fired boiler, two spray booths, woodworking equipment and one aboveground storage tank. The facility has the potential to emit PM10, NOx, CO, VOCs, HAPs and SOx below the major emission thresholds. The proposed operating permit contains all applicable Federal and State regulatory requirements including monitoring, recordkeeping and reporting conditions.

Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104, Edward Brawn, Chief, (215) 685-9476.

S08-002: Innovation Printing and Communications (11601 Caroline Road, Philadelphia, PA 19154) for operation of a printing facility in the City of Philadelphia, **Philadelphia County**. The facility's air emissions sources include four nonheatset, sheet-feed lithographic printing presses and two space heaters 400,000 Btu/hr or less firing natural gas.

The operating permit will be issued under the 25 Pa. Code, Philadelphia Code Title 3 and Air Management Regulation XIII. Permit copies and other supporting information are available for public inspection at AMS,

321 University Avenue, Philadelphia, PA 19104. For further information, contact Edward Wiener at (215) 685-9426.

Persons wishing to file protest or comments on the above operating permit must submit the protest or comments within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating permit or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a local newspaper at least 30 days before the hearing.

COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (Department). A copy of the application is available for inspection at the District Mining Office indicated above each application. Where a 401 Water Quality Certification is needed for any aspect of a particular proposed mining activity, the submittal of the permit application will serve as the request for the certification.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the address of the district mining office indicated above each application within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—34.

Written comments or objections related to a mining permit application should contain the name, address and telephone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

Requests for an informal conference, or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code §§ 77.123 or 86.34, must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Where a National Pollutant Discharge Elimination System (NPDES) number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. The Department has made a tentative determination to issue the NPDES permit in conjunction with the mining activity permit, but the issuance of the NPDES permit is contingent upon the approval of the associated mining activity permit.

For coal mining activities, NPDES permits, when issued, will contain effluent limits that do not exceed the technology-based effluent limitations. The proposed limits are listed in Table 1.

For noncoal mining activities, the proposed limits are found in Table 2. Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description below specifies the parameters. The limits will be in the ranges specified in Table 1.

More restrictive effluent limitations, restrictions on discharge volume, or restrictions on the extent of mining that may occur, will be incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 362-0600-001, NPDES Program Implementation—Memorandum of Understanding Concerning Water Quality Management, NPDES Program Implementation and Related Matters. Other specific factors to be considered include public comments and Total Maximum Daily Loads (TMDLs).

Persons wishing to comment on an NPDES permit application should submit a statement to the Department at the address of the district mining office indicated previously each application within 30 days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92.61. The request or petition for a public hearing shall be filed within 30 days of this public notice and shall contain the name, address, telephone number and the interest of the party filing the request, and shall state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES permit application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. In the case where a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

Coal Applications Received

Effluent Limits—The following range of effluent limits will apply to NPDES permits issued in conjunction with the associated coal mining activity permit and, in some cases, noncoal mining permits:

Table 1

| Parameter | 30-Day Average | Daily Maximum | Instantaneous Maximum |
|--|-------------------|---------------------------------|--------------------------|
| Iron (Total) | 1.5 to 3.0 mg/l | 3.0 to 6.0 mg/l | 3.5 to 7.0 mg/l |
| Manganese (Total) | 1.0 to 2.0 mg/l | 2.0 to 4.0 mg/l | 2.5 to 5.0 mg/l |
| Suspended solids | 10 to 35 mg/l | 20 to 70 mg/l | 25 to 90 mg/l |
| Aluminum (Total) | 0.75 to 2.0 mg/l | 1.5 to 4.0 mg/l | 2.0 to 5.0 mg/l |
| pH ¹ | | greater than 6.0; less than 9.0 | |
| Alkalinity greater than acidity ¹ | | | |

¹The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; and mined areas backfilled and revegetated; and drainage (resulting from a precipitation event of less than or equal to a 1-year 24-hour event) from coal refuse disposal piles.

Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, (724) 925-5500.

03080104 and NPDES Permit No. PA0251496. Thomas J. Smith, Inc. (2340 Smith Road, Shelocta, PA 15774). Application for commencement, operation and reclamation of a bituminous surface mine, located in East Franklin and North Buffalo Townships, **Armstrong County**, affecting 114.8 acres. Receiving streams: UNTs to Glade Run, classified for the following use: TSF. There is no potable water supply intake within 10 miles downstream from the point of discharge. Application received September 19, 2008.

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191.

10930111 and NPDES Permit No. PA0211834. JMW Enterprises, Inc. (P. O. Box 312, Bridgeville, PA 15017). Renewal of an existing bituminous surface strip and auger operation in Washington Township, **Butler County** affecting 115.5 acres. Receiving streams: UNTs to South Branch Slippery Rock Creek and one UNT to Bear Creek, classified for the following use: CWF. There are no potable surface water supply intakes within 10 miles downstream. Application received September 24, 2008.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200.

17803094 and NPDES No. PA0127086. RES Coal, LLC (224 Grange Hall Road, P. O. Box 228, Armagh, PA

15920), transfer of an existing bituminous surface mine with an Insignificant Permit Boundary Correction from Sky Haven Coal, Inc. (5510 State Park Road, Penfield, PA 15849), located in Goshen Township, **Clearfield County**, affecting 307.9 acres. Receiving streams: Little Trout Run to Trout Run to West Branch Susquehanna River, classified for the following uses: CWF, CWF, WWF. There are no potable water supply intakes within 10 miles downstream. Application received August 15, 2008.

17743172 and NPDES No. PA0610909. RES Coal, LLC (224 Grange Hall Road, P. O. Box 228, Armagh, PA 15920), transfer of an existing bituminous surface mine with an Insignificant Permit Boundary Correction from Sky Haven Coal, Inc. (5510 State Park Road, Penfield, PA 15849), located in Morris Township, **Clearfield County**, affecting 569.0 acres. Receiving streams: Hawk Run to Moshannon Creek to West Branch Susquehanna River, classified for the following uses: CWF, CWF, WWF. There are no potable water supply intakes within 10 miles downstream. Application received August 5, 2008.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

40840203R5. Mammoth Anthracite, LLC, (P. O. Box Q, Milnesville, PA 18239), renewal of an existing anthracite coal refuse reprocessing operation in Hazle Township, **Luzerne County** affecting 101.0 acres, receiving stream: none. Application received September 22, 2008.

40930102R3. Mammoth Anthracite, LLC, (P. O. Box Q, Milnesville, PA 18239), renewal of an existing anthracite surface mine operation in Hazle Township, **Luzerne County** affecting 492.2 acres, receiving stream: none. Application received September 22, 2008.

Noncoal Applications Received

Effluent Limits—The following effluent limits will apply to NPDES permits issued in conjunction with a noncoal mining permit:

Table 2

| Parameter | 30-day Average | Daily Maximum | Instantaneous Maximum |
|-------------------------------|-------------------|---------------------------------|--------------------------|
| Suspended solids | 10 to 35 mg/l | 20 to 70 mg/l | 25 to 90 mg/l |
| Alkalinity exceeding acidity* | | greater than 6.0; less than 9.0 | |
| pH* | | | |

* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will

apply to discharges of wastewater to streams.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

48080301. Penn Big Bed Slate Co., Inc., (P. O. Box 184, Slatington, PA 18080), commencement, operation and

restoration of a quarry operation (replacing SMP No. 7475SM7) in Pen Argyl Borough, **Northampton County** affecting 174.59 acres, receiving stream: Waltz Creek, Classified for the following uses: CWF and MF. Application received September 2, 2008.

48080302. Penn Big Bed Slate Co., Inc., (P. O. Box 184, Slatington, PA 18080), commencement, operation and restoration of a quarry operation (replacing SMP No. 48900301) in Pen Argyl Borough, **Northampton County** affecting 49.39 acres, receiving stream: Waltz Creek, Classified for the following uses: CWF and MF. Application received September 2, 2008.

7973SM3C9 and NPDES Permit No. PA0594369. Miller Quarries, (6100 Easton Road, Pipersville, PA 18947), renewal of NPDES Permit for discharge of treated mine drainage from a quarry operation in Wrightstown Township, **Bucks County**, receiving stream: Mill Creek, classified for the following use: CWF and MF. Application received September 18, 2008.

6376SM2A1C5 and NPDES Permit No. PA0594474. York Building Products Co., Inc., (P. O. Box 1708, York, PA 17405), renewal of NPDES Permit for discharge of treated mine drainage from a quarry operation in Jackson Township, **York County**, receiving stream: Little Conewago Creek, classified for the following use: TSF. Application received September 19, 2008.

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection (Department). Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the State to certify that the involved projects will not violate the applicable provisions of sections 301–303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311–1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA or to the issuance of a Dam Permit, Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment must submit comments, suggestions or objections within 30 days of the date of this notice, as well as questions, to the regional office noted before the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Individuals will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on each working day at the regional office noted before the application.

Persons with a disability who wish to attend a hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1–693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and requests for certification under section 401(a) of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

E15-788. West Bradford Township, 1348 Campus Drive, Downingtown, PA 19335, West Radford Township, **Chester County**, United States Army Corps of Engineers, Philadelphia District.

To perform the following water obstruction and encroachment activities across a UNT to Broad Run (EV) associated with the realignment of the intersection of Chestnut Lane and Lone Eagle Road slightly to the north:

- 1) To place fill in 0.003 acre of wetlands associated with the roadway grading.
- 2) To construct and maintain an outfall structure associated with the extension of the existing stormwater pipe.
- 3) To construct and maintain a temporary cofferdam.

The project will permanently impact approximately 30 linear feet of stream length and .003 acre of wetlands. The site is located at the intersection of Chestnut Lane and Lone Eagle Road (Unionville, PA USGS Quadrangle N: 16.75 inches; W: 17.24 inches).

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

E58-279. New Milford Borough, P. O. Box 630, New Milford, PA 18834, in New Milford Borough, **Susquehanna County**, United States Army Corps of Engineers, Baltimore District.

To restore and maintain the historical cross section and alignment of approximately 400 linear feet of Salt Lick Creek (HQ-CWF) to pre-2006 flood conditions. The project is located 0.5 mile northeast of the intersection of Church Street and SR 0492 in New Milford Borough, Susquehanna County (Harford, PA Quadrangle Latitude: 41° 52' 26"; Longitude: 75° 43' 23").

E40-693. Schiel Development, LLC, 30 Hanover Street, Wilkes-Barre, PA 18702, in Hanover Township, **Luzerne County**, United States Army Corps of Engineers, Baltimore District.

To place fill in 0.02 acre of PSS wetlands for the purpose of constructing townhouses within the Fairway Estates Residential Development. The project is located approximately 0.94 mile from the intersection of Oxford (SR 2011) and South Main Streets (SR 2008) (Wilkes-Barre West, PA Quadrangle Latitude: 41° 13' 16"; Longitude: 75° 55' 38").

E52-213. Department of Transportation, Engineering District 4-0, 55 Keystone Industrial Park, Dunmore, PA 18512, in Dingman Township, **Pike County**, United States Army Corps of Engineers, Philadelphia District.

To remove the existing structure and to construct and maintain a single-span concrete spread box beam bridge skewed 40° to the stream with a normal span of 26 feet and an underclearance of 6 feet across Dwarfs Kill Creek (HQ-CWF). The project is located at SR 2006 (Log Tavern Road), Segment 0080, Offset 0000, approximately 2.8

miles east of the intersection of SR 0739 and SR 2006 (Scranton, PA Quadrangle Latitude: 41° 17' 49"; Longitude: 74° 54' 21").

Southcentral Region: Watershed Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

E67-854: White Rock Commercial, LLC, 1501 LBJ Freeway, Suite 550, Dallas, TX 75234. Susquehanna Trail Distribution Center, in Manchester Township, **York County**, United States Army Corps of Engineers, Baltimore District.

The applicant proposes to: 1) permanently fill five wetland areas: 2.01 acres of PEM and 0.09 acre of PEM/PFO; 2) permanently place 37,330.0 cubic yards of fill in 1,775.0 linear feet of a UNT to Little Conewago Creek (TSF); 3) relocate 723.0 linear feet of a UNT to Little Conewago Creek (TSF); 4) relocate 521.0 linear feet of a UNT to Little Conewago Creek (TSF); 5) relocate 150.0 linear feet of a UNT to Little Conewago Creek (TSF); and 6) relocate 920.0 linear feet of a UNT to Little Conewago Creek (TSF) to construct a 708.0 square foot warehouse/distribution building, associated parking facilities and associated stormwater management facilities. The project proposes to impact a total of 2.10 acres of wetlands and 4,094.0 linear feet of stream channel. The project is located directly to the west of Interstate 83 and directly to the east of the intersection of Bear Road and North Susquehanna Trail (York Haven, PA Quadrangle N: 6.92 inches; W: 17.41 inches, Latitude: 40° 2' 17.1"; Longitude: 76° 44' 57.7") in Manchester Township, York County. The applicant is required to provide a minimum of 2.19 acres of wetland replacement. The applicant proposes to provide 2.49 acres of replacement wetlands of which 0.90 acre is proposed onsite with the remaining 1.59 acres to be located at a site along Bull Road (Dover, PA Quadrangle Latitude: 40° 1' 26.2"; Longitude: 76° 49' 14.8") in Conewago Township, York County. The applicant also proposes to protect 1,800.0 linear feet of wooded corridor along Little Conewago Creek through dedication of a restrictive covenant.

E67-862: Department of Transportation, Engineering District 8-0, 2140 Herr Street, Harrisburg, PA 17103-1699, Manheim Township, **York County**, United States Army Corps of Engineers, Baltimore District.

To: (1) raze the existing SR 3074 (Smoketown Road) single span reinforced concrete slab bridge having a width of 20.0 feet, a total span of 17.0 feet, and an underclearance of 2.7 feet over a UNT to Codorus Creek (TSF) (Seven Valleys, PA Quadrangle N: 4.2 inches; W: 11.6 inches, Latitude: 39° 46' 23"; Longitude: 76° 49' 56"); (2) construct and maintain a composite prestressed concrete spread box beam bridge approximately 16 feet downstream of the existing bridge having a width of 32.0 feet, a total span of 36.0 feet, and an underclearance of 3.8 feet carrying SR 3074 (Smoketown Road) over a UNT to Codorus Creek (TSF) (York, PA Quadrangle N: 4.2 inches; W: 11.6 inches, Latitude: 39° 46' 23"; Longitude: 76° 49' 56"); (3) construct and maintain an 18-inch outfall structure to a UNT to Codorus Creek (TSF) (York, PA Quadrangle N: 4.3 inches; W: 11.6 inches, Latitude: 39° 46' 23"; Longitude: 76° 49' 56"); (4) construct and maintain an 18-inch outfall structure to a UNT to Codorus Creek (TSF) (York, PA Quadrangle N: 4.4 inches; W: 11.7 inches, Latitude: 39° 46' 27"; Longitude: 76° 50' 00"); and (5) construct and maintain an 18-inch outfall structure to a UNT to Codorus Creek (TSF) (York, PA Quadrangle N: 4.3 inches; W: 11.6 inches, Latitude: 39° 46' 25"; Longitude: 76° 49' 58"). The project will result in 40

linear feet of net permanent floodway impacts associated with replacement of the SR 3074 bridge over a UNT to Codorus Creek (TSF) in Manheim Township, York County.

E67-861: Department of Transportation, Engineering District 8-0, 2140 Herr Street, Harrisburg, PA 17103-1699, Springettsbury and Spring Garden Townships, **York County**, United States Army Corps of Engineers, Baltimore District.

To: (1) raze the existing SR 1033 (Sherman Street) steel I-beam bridge having four spans, a width of 37.3 feet, a total span of 263.9 feet, and an underclearance of 22.5 feet over Mill Creek (CWF) and Interstate 83 (York, PA Quadrangle N: 18.9 inches; W: 11.9 inches, Latitude: 39° 58' 45"; Longitude: 76° 42' 35"); and (2) construct and maintain a three span composite prestressed concrete bulb tee beam bridge approximately 18 feet west of the existing bridge having a width of 59.3 feet, a total span of 267.0 feet, and an underclearance of 26.8 feet carrying SR 1033 (Sherman Street) over Mill Creek (WWF) and Interstate 83 (York, PA Quadrangle N: 18.9 inches; W: 11.9 inches, Latitude: 39° 58' 45"; Longitude: 76° 42' 35"). The project will result in 62.0 linear feet of net permanent floodway impacts associated with replacement of the SR 1033 (Sherman Street) bridge over Mill Creek (WWF) in Springettsbury and Spring Garden Townships, York County.

E44-138: Department of Transportation, Engineering District 2-0, 1924 Daisy Street, P. O. Box 342, Clearfield, PA 16830, Derry Township, **Mifflin County**, United States Army Corps of Engineers, Baltimore District.

To: (1) raze the existing SR 2007 Section A01 bridge, having two spans, a width of 26.0 feet, a total span of 70.0 feet, and an underclearance of 10.5 feet over Kishacoquillas Creek (HQ-CWF) (Lewistown, PA Quadrangle N: 21.4 inches; W: 8.4 inches, Latitude: 30° 37' 03"; Longitude: 77° 33' 37"); and (2) construct and maintain a two span bridge approximately 20 feet west of the existing bridge having a width of 35.0 feet, a total span of 98.0 feet, and an underclearance of 9.8 feet carrying SR 2007 over Kishacoquillas Creek (HQ-CWF) (Lewistown, PA Quadrangle N: 21.4 inches; W: 8.4 inches, Latitude: 30° 37' 03"; Longitude: 77° 33' 37"). This permit also authorizes the installation of a temporary causeway and cofferdams for the purpose of constructing the new bridge and removing the old bridge. The project will result in 80.0 linear feet of temporary and 50.0 linear feet of net permanent floodway impacts associated with replacement of the SR 2007 Bridge over Kishacoquillas Creek (HQ-CWF) in Derry Township, Mifflin County.

E38-163: Jeffrey Camp, 633 West Germantown Pike, Suite 104, Plymouth Meeting, PA 19462, Lickdale Associates/Logistics Park, Union Township, **Lebanon County**, United States Army Corps of Engineers, Baltimore District.

To: (1) remove an existing 18.0-inch by 24.0-inch CMP from a UNT to the Swatara Creek (WWF) (Indiantown Gap, PA Quadrangle N: 11.29 inches; W: 1.69 inches, Latitude: 40° 26' 4.8" N; Longitude: 76° 30' 46.2" W); (2) remove an existing 12.0-inch metal culvert from a UNT to the Swatara Creek (WWF) (Indiantown Gap, PA Quadrangle N: 10.84 inches; W: 1.76 inches, Latitude: 40° 26' 4.8" N; Longitude: 76° 30' 45.5" W); (3) remove an existing 8.0-inch diameter concrete pipe from a UNT to the Swatara Creek (WWF) (Indiantown Gap, PA Quadrangle N: 11.77 inches; W: 1.98 inches, Latitude: 40° 26' 23.4" N; Longitude: 76° 30' 51.3" W); (4) construct and

maintain an 83.0-foot long, 36.0-inch diameter SLCPP with a 4.0-inch PVC sanitary sewer, a 10.0-inch diameter DIP water and a 6.0-inch diameter PVC electric line utility crossing in a UNT to the Swatara Creek (WWF) (Indiantown Gap, PA Quadrangle N: 11.35 inches; W: 1.66 inches, Latitude: 40° 26' 15" N; Longitude: 76° 30' 43" W); (5) construct and maintain a 102.0-foot long, 30.0-inch diameter SLCPP culvert in a UNT to the Swatara Creek (WWF) (Indiantown Gap, PA Quadrangle N: 11.00 inches; W: 1.47 inches, Latitude: 40° 26' 08" N; Longitude: 76° 30' 38" W); (6) remove an existing 65.2-foot long, 36.0-inch diameter concrete pipe culvert and to construct and maintain a 0.50-foot depressed, 132.0-foot long, 5.0-foot high by 6.0-foot wide concrete box culvert in a UNT to the Swatara Creek (WWF) to relocate the stream, also to construct and maintain a 4.0-inch PVC sanitary sewer, a 10.0-inch diameter DIP water and 6.0 inch diameter PVC electric line utility crossing under the proposed culvert in a UNT to the Swatara Creek (WWF) (Indiantown Gap, PA Quadrangle N: 11.55 inches; W: 1.70 inches, Latitude: 40° 26' 19" N; Longitude: 76° 30' 44" W); (7) to construct and maintain a 0.50-foot depressed, 151.0-foot long, 6.0-foot high, by 3.0-foot wide concrete box culvert having a 24.0-inch diameter storm sewer pipe, an 8.0-inch sanitary sewer line, a 10.0-inch diameter DIP water and a 6.0-inch diameter PVC electric line utility crossing under the proposed culvert in a UNT to the Swatara Creek (WWF) (Indiantown Gap, PA Quadrangle N: 11.40 inches; W: 2.13 inches, Latitude: 40° 26' 16" N; Longitude: 76° 30' 55" W); (8) to construct and maintain a 10.0-foot long, 48.0-inch diameter SLCPP utility line crossing over an existing 12.0-inch diameter culvert in UNT to the Swatara Creek (WWF) (Indiantown Gap, PA Quadrangle N: 10.14 inches; W: 1.51 inches, Latitude: 40° 25' 51" N; Longitude: 76° 30' 39" W); (9) to place and maintain fill in 0.20 acre of palustrine emergent wetland (PEM) for the construction of the proposed Old Forge Road (Indiantown Gap, PA Quadrangle N: 11.70 inches; W: 1.74 inches, Latitude: 40° 26' 22" N; Longitude: 76° 30' 45" W); (10) to construct and maintain a 0.50-foot depressed, 116.0-foot long, 12.0-foot high by 9.0-foot wide concrete box culvert with a 4.0-inch PVC sanitary sewer, a 10.0-inch diameter DIP water and a 6.0-inch diameter PVC electric line utility crossing in a UNT to the Swatara Creek (WWF) also impacting 0.017 acre of palustrine forested scrub/shrub wetlands (PFO/PSS) (Indiantown Gap, PA Quadrangle N: 12.01 inches; W: 1.74 inches, Latitude: 40° 26' 28" N; Longitude: 76° 30' 45" W); (11) to construct and maintain a 0.50-foot depressed, 85.0-foot long 5.0-foot high by 4.0-foot wide concrete box culvert with a 2.0 inch diameter PVC, a 4.0 inch PVC sanitary sewer pipe, a 10.0-inch diameter DIP water and a 6.0-inch diameter PVC electric line utility crossing impacting 85.0 linear feet of a UNT to the Swatara Creek (WWF) and 0.16 acre of palustrine emergent/scrub shrub/forested (PFO/PSS/PEM) (Indiantown Gap, PA Quadrangle N: 11.15 inches; W: 1.74 inches, Latitude: 40° 26' 11" N; Longitude: 76° 30' 46" W); (12) to place and maintain fill in 0.10 acre of PEM for the purpose of constructing warehouse buildings and an access road (Indiantown Gap, PA Quadrangle N: 10.09 inches; W: 1.70 inches, Latitude: 40° 25' 50" N; Longitude: 76° 30' 44" W); (13) to place and maintain fill in 0.11 acre of palustrine scrub shrub wetlands (PSS) for the purpose of constructing warehouse buildings and an access road (Indiantown Gap, PA Quadrangle N: 11.40 inches; W: 1.70 inches, Latitude: 40° 26' 16" N; Longitude: 76° 30' 56" W); (14) to place and maintain fill in 0.61 acre of palustrine forested wetlands located in and affecting 65.0 linear feet of floodway of a UNT to the

Swatara Creek (WWF) (Indiantown Gap, PA Quadrangle N: 10.74 inches; W: 1.82 inches, Latitude: 40° 26' 03" N; Longitude: 76° 30' 47" W); and (15) to place and maintain fill in 0.02 acre of PEM for the purpose of constructing the proposed warehouse and access roads (Indiantown Gap, PA Quadrangle N: 11.80 inches; W: 1.74 inches, Latitude: 40° 26' 24" N; Longitude: 76° 30' 45" W) all for the purpose of constructing three warehouse facilities and associated access and parking for an industrial park located at a point northwest of the intersection of SR 72 and Bordnersville Road in Union Township Lebanon County. Wetland replacement of 1.81 acres of (PEM/PSS/PFO) is proposed onsite.

Southwest Region: Watershed Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E56-329 A. The Buncher Resort and Hospitality Group, LLC, Penn Liberty Plaza 1, Suite 300, 1300 Penn Avenue, Pittsburgh, PA 15222. To approve seasonal bridges over Kooser Run in Jefferson Township, **Somerset County**, United States Army Corps of Engineers, Pittsburgh District (Bakersville, PA Quadrangle N: 11.8 inches; W: 16.8 inches, Latitude 40° 03' 53"; Longitude 79° 14' 42"). The applicant proposes to amend Permit E56-329 which seasonally approved between November 15th and March 15th of each year the construction and maintenance of timber bridges across Kooser Run (HQ-CWF) and an adjoining abandoned fish hatchery, to create a snow tubing trail over these watercourses. The permit also authorizes two 70-foot by 20-foot bridges, separated by 40-feet to be seasonally constructed over Kooser Run and one 180-foot by 15-foot bridge to be seasonally constructed over the abandoned fish hatchery. The structures temporarily affect approximately 0.07 acre of adjacent wetlands. The permit requires that the timber bridges be replaced with timber deck structures as the logs for the timber bridges deteriorate and need to be replaced. To compensate for the wetland impacts 0.13 acre of wetlands were created by partially removing fill from a former pond. The project is located in Hidden Valley's Outback Park, located along SR 0031, approximately 0.25 mile past the main entrance to the Hidden Valley Resort. For this amendment, the applicant proposes to remove approximately 300-feet of the existing fish hatchery located in the UNT to Kooser Run, to construct and maintain concrete caisson or steel pilings at 20' centers for approximately 285-feet with steel beam supports between the caissons and an open metal deck on top at the same location as the fish hatchery. Also in this same UNT, they propose to remove an existing 30-foot long 36-inch diameter pipe and construct and maintain a new 50-foot long 36-inch diameter pipe and remove an existing 25-foot long 12-inch diameter culvert located in a small tributary on the upstream end of the existing fish hatchery with a new 65-foot long 18-inch diameter culvert. The applicant also proposes to construct and maintain concrete or steel caisson at 20-foot centers with steel beam cross supports and an open steel decking for approximately 70-feet in Kooser Run, which will be connected to a new 40-foot long, 36-inch diameter culvert, that will replace an existing 20-foot long 36-inch diameter culvert. On the downstream end of the new culvert, the applicant proposes to construct and maintain more concrete caisson or steel pilings at 20-foot centers with steel beam cross supports and open steel decking for approximately 180-feet. This project will also impact 0.09 acre of wetlands. To compensate for these impacts, the applicant proposes to construct and maintain 0.09 acre of replace-

ment wetlands. The total stream impact is approximately 535-feet for the proposed open steel decking and 155 feet of culverting of the stream.

E65-926. Loyalhanna Watershed Association, Inc., 110 Andi Lane, Ligonier, PA 15668. To construct a culvert, outfall and temporary wetland fill in Derry Township, **Westmoreland County**, United States Army Corps of Engineers, Pittsburgh District (Latrobe, PA Quadrangle N: 13.47 inches; W: 0.35 inch, Latitude: 40° 19' 27"; Longitude: 79° 22' 39"). The applicant proposes to:

1. Install and maintain a 24" penstock in an existing culvert.
2. Install, maintain and remove a temporary road crossing.
3. Install and maintain an outfall structure.
4. Install and maintain two 24" HDPE waterline crossings across Saxman Run (WWF).
5. Install a 24" KDPE waterline in approximately 0.54 acre of wetlands.
6. A Limited Power Permit Application was included.

All for the purpose of installing a micro turbine electric generation facility and acid mine drainage treatment facility.

Northwest Region: Watershed Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

E62-416, PAPCO, P. O. Box 627, Warren, PA 16365. Warrant 2978, Lots 38 and 39 Gas Wells, in Mead Township, **Warren County**, United States Army Corps of Engineers, Pittsburgh District (Clarendon, PA Quadrangle N: 12.9 inches; W: 12.7 inches).

The applicant proposes to construct approximately 3,500 feet of access roads and oil pipelines for the development of nine oil wells in the Allegheny National Forest north of the confluence of Fluent Run and Browns Run involving: 1) to construct and maintain two oil pipeline stream crossings of UNTs to Fluent Run (EV) by open trenching having two 2-inch diameter polyethylene lines at each crossing; 2) to construct and maintain five oil pipeline/road wetland crossings of PEM EV wetlands by open trenching having two 2-inch diameter polyethylene lines at each crossing resulting in permanent impact of 0.074 acre; and 3) to construct 0.2 acre of PEM wetland as mitigation for wetland impacts.

ENVIRONMENTAL ASSESSMENTS

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

EA36-018: PPL Holtwood, LLC, Dennis J. Murphy, VP/COO, 2 North 9th Street, Allentown, PA 18101, Martic Township, **Lancaster County**, United States Army Corps of Engineers, Baltimore District.

PPL Hydroelectric Plant is located on the Susquehanna River (WWF) in Martic Township, Lancaster County. PPL proposes to construct a new powerhouse, install new turbines, construct a new skimmer wall and increase the forebay capacity, and reconfigure the project facilities to enhance upstream fish passage through modification of existing facilities and excavations in the tailrace channel (Holtwood, PA Quadrangle N: 14 inches; W: 11.5 inches, Latitude: 39° 49' 37.7" N; Longitude: 76° 19' 50.4" W). The licensed installed capacity at the project would increase from 107.2 MW to a proposed 195.5 MW. To improve migratory fish passage at the project, PPL proposes to: (1) modify the existing fish lift; (2) reroute the discharge of Unit 1 in the existing powerhouse; and

(3) excavate the project tailrace (33.49 acres), the forebay (4.63 acres) and Piney Channel (6.68 acres). PPL also proposes to provide minimum flows, perform studies and evaluations of the effectiveness of the fish passage improvements and flow releases, improve existing and construct new recreational facilities, and protect special status plants and wildlife and cultural resources during construction. The project will cumulatively impact 1.24 acres of palustrine emergent and forested wetlands (approximately 0.50 acre of temporary impacts and approximately 0.73 acre of permanent impacts), approximately 7.60 acres of shallow water habitat and approximately 14.60 acres of deep water habitat. To mitigate for impacts associated with the project, PPL proposes to: (1) construct 0.25 acre emergent wetland, 1.96 acres forested wetland and establish 1.57 acres forested riparian buffer, and 1.8 acres upland forest at the RLPS Architect's property located west-southwest of the intersection of Oregon Pike (PA-272) and Valleybrook Drive in Manheim Township, Lancaster County (Lancaster, PA Quadrangle N: 15.96 inches; W: 5.37 inches, Latitude: 40° 05' 16.332" N; Longitude: 76° 17' 18.2004" W) in the floodway of Landis Run (WWF); (2) construct and maintain a 3,200.0-foot stream restoration project in and along Pequea Creek (WWF) (New Holland and Gap, PA Quadrangles Latitude: 40° 00' 01.1" N; Longitude: 76° 06' 11.1" W) located in Paradise and Leacock Townships, Lancaster County. The project shall include riparian plantings along 5,000.0 feet of Pequea Creek, 3,300.0 feet of streambank fencing providing a minimum of a 25-foot buffer on each side of the Pequea Creek, bank grading, two cattle crossings, one cattle access, four areas of habitat boulder placement, five rock cross vanes, nine J-hooks, three stream bank rock deflectors with logs, five root wads, four mudsill fish enhancement structures; (3) plant 3.2 acres of an existing agricultural field adjacent to the Susquehanna River with native tree species at a point just north of the intersection of Prescott and River Roads (SR 441) (York Haven, PA Quadrangle Latitude: 40° 06' 35.70" N; Longitude: 76° 41' 18.36" W) in Conoy Township, Lancaster County; (4) remove three dams: (a) D36-306, Levi Fisher Dam, located on Pequea Creek (HQ-CWF) at a point just west of the intersection of Mount Vernon and Buena Vista Roads (Honey Brook, PA Quadrangle Latitude: 40° 1' 9.12" N; Longitude: 75° 59' 4.56" W) in Salisbury Township, Lancaster County; (b) Smucker Dam located on Goff Run (WWF) at a point just west of the intersection of Tabor Road and Custer Avenue (New Holland, PA Quadrangle Latitude: 40° 4' 9.84" N; Longitude: 76° 5' 8.52" W) in Earl Township, Lancaster County; and (c) Zimmerman Dam located on Conestoga River (WWF) at a point just southwest of the intersection of Cabin Road and Twenty-Eighth Division Highway (SR 322) (Ephrata PA Quadrangle; Latitude: 40° 9' 1.44" N; Longitude: 75° 8' 11.49" W) in Earl Township, Lancaster County; (5) expand the existing Pequea Boat Launch to include the addition of 18 trailer spaces, three car parking spaces, a boat ramp measuring 129.0 feet long and 20.0 feet wide and a 25.0-foot by 20.0-foot ADA accessible fishing platform and dock in and along the Susquehanna River (Conestoga, PA Quadrangle N: 2.5 inches; W: 16.5 inches, Latitude: 39° 53' 17.4" N; Longitude: 76° 22' 0.5" W); (6) extend the two existing boat ramps at the York Furnace Boating Access into the Susquehanna River (Safe Harbor, PA Quadrangle N: 0.75 inch; W: 1.0 inch; Latitude: 39° 52' 20.8" N; Longitude: 76° 22' 48.3" W); (7) construct additional parking along the existing McCall's Ferry Road, which is located in the floodway of the Susquehanna River (Holtwood, PA Quadrangle N: 13.0 inches; W: 12.5 inches, Latitude: 39° 49' 15.6" N; Longitude: 76° 20' 16.5"

W), to provide parking for the white water boating community use, which additional parking includes widening McCall's Ferry Road by 27.5 feet for a distance of 137 feet; and (8) construct and maintain a bridge over the railroad tracks along the left bank of the Susquehanna River for the purpose of allowing recreational access to a new parking area, measuring 200.0 feet long by 50.0 feet wide, located between the railroad right-of-way and the Holtwood Tailrace (Holtwood, PA Quadrangle N: 13.25 inches; W: 11.0 inches, Latitude: 39° 49' 22.6" N; Longitude: 76° 19' 35.3" W). This parking area would include parking for 18 cars, with three spaces reserved for ADA access. From the parking area an ADA accessible trail would provide access to a 40.0-foot by 10.0-foot fishing platform along the Holtwood Tailrace. The fishing platform would be retrofitted from the abutment to the lower tailrace bridge.

Northcentral Region: Watershed Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

EA17-006. Emigh Run/Lakeside Watershed Association, Inc., P. O. Box 204, Morrisdale, PA 16858. Acid mine drainage abatement project on Hubler Run in Graham Township, **Clearfield County**, United States Army Corps of Engineers, Baltimore District (Frenchville, PA Quadrangle Latitude: N: 41° 0' 59"; Longitude: W: 78° 13' 27").

The applicant has requested a restoration waiver to rehabilitate and improve an existing AMD abatement project. The original Hubler Run 1 AMD Treatment System was authorized in 2000 through EA17-002NC. The designated use for Hubler Run is CWF. Improvements to the Hubler Run 1 AMD Treatment System will result in 3.5 acres of disturbance and 0.03 acre of PEM wetland impact.

ACTIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

FINAL ACTIONS TAKEN FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

The Department of Environmental Protection (Department) has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and Notices of Intent (NOI) for coverage under general permits. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act.

| <i>Location</i> | <i>Permit Authority</i> | <i>Application Type or Category</i> |
|-----------------|-------------------------|--|
| Section I | NPDES | Renewals |
| Section II | NPDES | New or amendment |
| Section III | WQM | Industrial, sewage or animal wastes; discharges to groundwater |
| Section IV | NPDES | MS4 individual permit |
| Section V | NPDES | MS4 permit waiver |
| Section VI | NPDES | Individual permit stormwater construction |
| Section VII | NPDES | NOI for coverage under NPDES general permits |

Sections I—VI contain actions related to industrial, animal or sewage wastes discharges, discharges to groundwater and discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities and concentrated animal feeding operations (CAFOs). Section VII contains notices for parties who have submitted NOIs for coverage under general NPDES permits. The approval for coverage under general NPDES permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions set forth in each general permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions set forth in the respective permit. Permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

| <i>NPDES No. (Type)</i> | <i>Facility Name & Address</i> | <i>County & Municipality</i> | <i>Stream Name (Watershed #)</i> | <i>EPA Waived Y/N ?</i> |
|-------------------------------------|--|---------------------------------------|--------------------------------------|-----------------------------|
| PA-0062952 (Industrial Waste) | Laminations, Inc. 101 Power Boulevard Archbald, PA 18403 | City of Scranton Lackawanna County | Meadow Brook 05A | Y |

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

| <i>NPDES No. (Type)</i> | <i>Facility Name & Address</i> | <i>County & Municipality</i> | <i>Stream Name (Watershed #)</i> | <i>EPA Waived Y/N ?</i> |
|-----------------------------|--|---------------------------------------|--|-----------------------------|
| PA0246890 (SEW) | Dennis and Janice McClure 3469 McAlevys Fort Road Petersburg, PA 16669 | Huntingdon County Jackson Township | 11-B UNT Laurel Run | Y |
| PA0029602 (Sew) | Juniata Valley School District 7775 Juniata Valley Pike P. O. Box 318 Alexandria, PA 16611-0318 | Huntingdon County Porter Township | Dry swale to the Frankstown Branch Juniata River | Y |

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

| <i>NPDES No. (Type)</i> | <i>Facility Name & Address</i> | <i>County & Municipality</i> | <i>Stream Name (Watershed #)</i> | <i>EPA Waived Y/N ?</i> |
|-----------------------------|--|---|--------------------------------------|-----------------------------|
| PA0112470 SP | Upper Augusta Township 2087 Snyderstown Road Sunbury, PA 17801 | Northumberland County Upper Augusta Township | UNT of Susquehanna River 5E | Y |

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

| <i>NPDES No. (Type)</i> | <i>Facility Name & Address</i> | <i>County & Municipality</i> | <i>Stream Name (Watershed #)</i> | <i>EPA Waived Y/N</i> |
|----------------------------------|---|---|--------------------------------------|---------------------------|
| PA0001759 Industrial Waste | Omnova Solutions, Inc. 1001 Chambers Avenue Jeannette, PA 15644-3207 | Westmoreland County City of Jeannette | Brush Creek | Y |
| PA0026891 Sewage | Authority of the Borough of Charleroi 325—327 McKean Avenue Charleroi, PA 15022 | Washington County Charleroi Borough | Monongahela River | N |

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

| <i>NPDES No. (Type)</i> | <i>Facility Name & Address</i> | <i>County & Municipality</i> | <i>Stream Name (Watershed #)</i> | <i>EPA Waived Y/N ?</i> |
|-----------------------------|---|--|--------------------------------------|-----------------------------|
| PA0239488 | Eldred Township Warren County 2915 Newton Road Pittsfield, PA 16340-1537 | Eldred Township Warren County | Caldwell Creek 16-E | Y |
| PA0103896 | County Landfill, Inc. 5600 Niagara Falls Boulevard Niagara Falls, NY 14304-1532 | Farmington Township Clarion County | UNT to Walley Run 16-F | N |

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

NPDES Permit No. PA0244422, Industrial Waste, **Norfolk Southern Railway Company**, 110 Franklin Road, SE, P. O. Box 13, Roanoke, VA 24042-0013. This proposed facility is located in Upper Merion Township, **Montgomery County**.

Description of Proposed Action/Activity: Approval for the renewal to discharge stormwater runoff into Crow Creek and UNTs to the Schuylkill River in Watershed 3F.

NPDES Permit No. PA0050776, Sewage, **Coventry Terrace MHC, LLC**, 10006 Hammock Bend, Chapel Hill, NC 27517. This proposed facility is located in East Coventry Township, **Chester County**.

Description of Proposed Action/Activity: Approval for the renewal to discharge treated sewage into Pigeon Creek in Watershed 3D.

NPDES Permit No. PA0026018, Sewage, **Borough of West Chester**, 401 East Gay Street, West Chester, PA 19380. This proposed facility is located in East Bradford Township, **Chester County**.

Description of Proposed Action/Activity: Approval for the renewal to discharge treated sewage from Taylor Run STP into a tributary to Taylor run in Watershed 3H.

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Special Public Notice

Chesapeake Bay Point Source Nutrient Reduction Strategy

In accordance with the 2000 Chesapeake Bay Agreement, this Commonwealth has agreed to develop a Tributary Strategy to reduce total nitrogen and phosphorus to the Bay by about 40% from both point and nonpoint sources by 2010. This reduction is projected to improve the water quality in the Bay to allow it to be removed from the impaired waters list. The point source part of the strategy requires that the existing dischargers monitor for total nitrogen and phosphorus. The following dischargers have been identified as significant contributors of nutrients. These dischargers are being notified by letter that their NPDES permits will be modified to include monitoring requirements for nutrients. The monitoring requirements concern Ammonia-N, Total Nitrogen (calculated as the sum of Kjeldahl-N, Nitrite-N and Nitrate-N) and Total Phosphorus.

Comments should be directed to Program Manager, Water Management, Department of Environmental Protection, 2 Public Square, Wilkes-Barre, PA 18711.

| <i>NPDES Permit Number</i> | <i>Permittee</i> |
|----------------------------|--|
| PA-0070041 | Mahanoy City Sewer Authority, Schuylkill County |
| PA-0070386 | Shenandoah Municipal Sewer Authority, Schuylkill County |
| PA-0046272 | Porter Tower Joint Municipal Authority, Schuylkill County |
| PA-0023558 | Borough of Ashland, Schuylkill County |
| PA-0023736 | Tri-Borough Municipal Authority, Susquehanna County |
| PA-0062201 | Schuylkill County Municipal Authority, Schuylkill County |
| PA-0060801 | Montrose Municipal Authority, Susquehanna County |
| PA-0060135 | Shickshinny Borough Sewer Authority, Luzerne County |
| PA-0029432 | Commonwealth of Pennsylvania (Clarks Summit State Hospital), Lackawanna County |

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

NPDES Permit No. PA0008281, Amendment No. 1, Industrial Waste, PPL Brunner Island, LLC, Two North Ninth Street, GENPL-6, Allentown, PA 18101-1179. This proposed facility is located in East Manchester Township, **York County**.

Description of Proposed Action/Activity: Authorization to discharge to Susquehanna River, Hartman Run and Conewago Creek in Watersheds 7F and 7-H.

NPDES Permit No. PA0261131, Sewage, Frederick W. Steudler, 2599 Old Philadelphia Pike, Bird-In-Hand, PA 17505. This proposed facility is located in Providence Township, **Lancaster County**.

Description of Proposed Action/Activity: Authorization to discharge to a UNT to Huber Run in Watershed 7-K.

NPDES Permit No. PA0260959, CAFO, J. Richard Noll, 1100 Old Line Road, Manheim, PA 17545. This proposed facility is located in Penn Township, **Lancaster County**.

Description of Size and Scope of Proposed Operation/Activity: Termination of permit due to transfer of ownership.

NPDES Permit No. PA0261084, CAFO, Ann Fithian, 195 Fort Swatara Road, Jonestown, PA 17038. This proposed facility is located in Union Township, **Lebanon County**.

Description of Size and Scope of Proposed Operation/Activity: Termination of permit due to number of housed animals.

Northcentral Region: Watershed Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

PA0228427, CAFO, SIC 0213, Country View Family Farms, LLC, 6360 Flank Drive, Suite 100, Harrisburg, PA 17112-2766. This existing facility is located in Wells Township, **Bradford County**.

Description of Proposed Activity: The Pine Hill Farm CAFO is an existing swine operation that will be expanding its operation. Upon completion of the proposed expansion the facility will include approximately 5,050 sows, 12 boars, 750 sow/litter pairs, 2,000 gilts and 19,200 piglets, totaling 3,244 Animal Equivalent Units.

The water body nearest to this facility is Mill Creek located in the Tioga Watershed (SWP-04A) and has a designated use of TSF.

Except for the chronic or catastrophic rainfall events defined as over 25 year/24 hour rain storms, the CAFO permit is a nondischarge NPDES permit. Where applicable compliance with 40 CFR Federal effluent limitation guidelines is required. The permit requires no other numeric effluent limitations. Compliance with the Pennsylvania Nutrient Management Act and The Clean Streams Law constitutes compliance with State narrative water quality standards.

In addition to the effluent limits, the permit contains the following major special conditions.

1. Compliance with the Farm's Nutrient Management Plan.
2. Compliance with the Farm's Preparedness, Prevention and Contingency Plan.
3. Compliance with the Farm's Erosion and Sedimentation Control Plan for plowing and tilling.
4. Erosion and Sedimentation Control Plan requirements for stormwater during construction activities.
5. Animal mortality handling and disposing requirements.
6. Certification requirements for manure storage facilities.

7. Requirements for storage of feed and other raw materials.
8. Best Management Practices requirements.
9. Groundwater monitoring well maintenance requirement.

The EPA waiver will not be in effect.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

NPDES Permit No. PA0253723, Industrial Waste, **Shallenberger Construction, Inc.**, 2611 Memorial Boulevard, Connellsville, PA 15425. This proposed facility is located in German Township, **Fayette County**.

Description of Proposed Action/Activity: Permit issuance to discharge from Ronco Treatment Facility.

III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001)

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

WQM Permit No. 6706201, Industrial Waste, **PPL Brunner Island, LLC**, Two North Ninth Street, GENPL-6, Allentown, PA 18101-1179. This proposed facility is located in East Manchester Township, **York County**.

Description of Proposed Action/Activity: Construction/Operation of industrial wastewater treatment facilities with a design hydraulic capacity of 0.52 mgd and an anticipated annual average flow of 0.33 mgd.

WQM Permit No. 3608402, Sewage, **Tamarack Mobile Home Park**, 515 Beechnut Drive, New Providence, PA 17560. This proposed facility is located in Providence Township, **Lancaster County**.

Description of Proposed Action/Activity: Permit approval for the construction/operation of sewerage facilities consisting of equalization tank, anoxic tank, aeration tank, clarifier, chlorination and dechlorination tanks, metering and polishing tank, post aeration tank, sludge holding tank and influent and effluent pump station.

WQM Permit No. 2808405, Sewage, **Richard and Angel Wenger**, P. O. Box 175, Shade Gap, PA 17255. This proposed facility is located in Fannett Township, **Franklin County**.

Description of Proposed Action/Activity: Permit approval for the construction of sewerage facilities consisting of a small flow sewage treatment facility with a dual compartment septic tank, dose tank, subsurface sand filter and chlorine disinfection.

WQM Permit No. 3608203, CAFO, **Jason Brandt**, 3501 North Colebrook Road, Manheim, PA 17545. This proposed facility is located in Mount Joy Township, **Lancaster County**.

Description of Proposed Action/Activity: Permit approval for the construction of manure storage facilities.

Northcentral Region: Watershed Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

WQM Permit No. 0808202, CAFO Operation, SIC 0213, **Country View Family Farms, LLC**, 6360 Flank Drive, Suite 100, Harrisburg, PA 17112-2766. This proposed facility is located in Wells Township, **Bradford County**.

Description of Proposed Action/Activity: A WQM permit has been issued to Pine Hill Farm, an existing swine farm, for the construction and operation of two concrete underbarn manure storage facilities and for the renovation of four existing underbarn manure storage facilities. One facility will measure 85 feet by 736 feet by 2 feet deep and will service a proposed farrowing barn. The second facility will measure 125.5 feet by 920 feet by 9 feet deep and will service a proposed gestation barn. The two underbarn manure storage facilities will provide a total holding capacity, minus appropriate freeboard, of approximately 7 million gallons. The renovations to the existing underbarn manure storage facilities will consist of the replacement of pit walls, floors, drains and footers.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

WQM Permit No. 0208202, Industrial Waste, **Allegheny County Airport Authority**, Pittsburgh International Airport, Landside Terminal, 4th Floor Mezzanine, P. O. Box 12370, Pittsburgh, PA 15231. This proposed facility is located in Moon and Findlay Townships, **Allegheny County**.

Description of Proposed Action/Activity: Permit issuance for the construction and operation of deicing wastewater treatment facilities.

WQM Permit No. WQG016166, Sewerage, **Richard H. Michelini**, 179 Ford City Road, Freeport, PA 16229. This proposed facility is located in South Buffalo Township, **Armstrong County**.

Description of Proposed Action/Activity: Permit issuance for the construction and operation of a single-residence sewage treatment plant.

Northwest Region: Watershed Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. 2008201, CAFO Operation, SIC 0241, **Bortnick Dairy, LLC**, 21820 Palmer Road, Conneautville, PA 16406. This proposed facility is located in Beaver Township, **Crawford County**.

Description of Proposed Action/Activity: A Water Quality Management permit was issued for the construction and operation of an anaerobic digester to produce methane, which will be used as fuel in an electrical generator for the purpose of powering farm operations.

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA.

WQM Permit No. 4603417, Sewerage, Amendment, **Horsham Water and Sewer Authority**, 617 Horsham Road, Horsham, PA 19044. This proposed facility is located in Horsham Township, **Montgomery County**.

Description of Action/Activity: An increase in average daily flow.

WQM Permit No. WQG02460817, Sewerage, **Lower Salford Township Authority**, 57 Main Street, P. O. Box 243, Harleysville, PA 19438. This proposed facility is located in Lower Salford Township, **Montgomery County**.

Description of Action/Activity: Construction and operation of a low pressure force main and associated grinder pumps to serve one new twin dwelling and two new single-family dwellings.

WQM Permit No. 4608406, Sewerage, **Lower Salford Township Authority**, 57 Main Street, P. O. Box 243, Harleysville, PA 19438-2309. This proposed facility is located in Lower Salford Township, **Montgomery County**.

Description of Action/Activity: Construction and operation of 5,400 linear feet of 8", 12" and 16" gravity sewers and associated appurtenances.

WQM Permit No. WQG02150819, Sewerage, **New Garden Township Sewer Authority**, 299 Starr Road, Landenberg, PA 19350. This proposed facility is located in New Garden Township, **Chester County**.

Description of Action/Activity: Construction and operation of a sewer extension.

WQM Permit No. 4608405, Sewerage, **Salford Township**, P. O. Box 54, 139 Ridge Road, Tylersport, PA 18971. This proposed facility is located in Salford Township, **Montgomery County**.

Description of Action/Activity: Construction and operation of a sanitary pump station to convey the sewage from the Country View at Salford Development.

WQM Permit No. WQG02460814, Sewerage, **Valley Forge National Park Service**, 1400 North Outerline Drive, King of Prussia, PA 19406. This proposed facility is located in Upper Merion Township, **Montgomery County**.

Description of Action/Activity: Construction and operation of a pump station to serve a "comfort station" at Washington's Headquarters in VFNP.

WQM Permit No. 1598201, Industrial, Renewal, **Herr Foods, Inc.**, P. O. Box 300, Nottingham, PA 19362-0300. This proposed facility is located in West Nottingham Township, **Chester County**.

Description of Action/Activity: Approval for renewal of existing permit for modifications and continued operations of the Herr Foods, Inc. Wastewater Treatment Plant.

WQM Permit No. WQG010023, Sewerage, **Janet Berry**, 372 Yankee Road, Quakertown, PA 18951. This proposed facility is located in Richland Township, **Bucks County**.

Description of Action/Activity: Construction and operation of a small flow sewage treatment plant to serve five bedroom dwelling.

WQM Permit No. WQG02230816, Sewerage, **Concord Township Sewer Authority**, 664 Concord Road, Glen Mills, PA 19342. This proposed facility is located in Concord Township, **Delaware County**.

Description of Action/Activity: Installation of a low pressure sanitary sewer force main.

WQM Permit No. 4608405, Sewerage, **Salford Township**, P. O. Box 54, 139 Ridge Road, Tylesport, PA 18971. This proposed facility is located in Salford Township, **Montgomery County**.

Description of Action/Activity: Construction and operation of a sanitary pump station to convey the sewage from the Country View at Salford Development.

WQM Permit No. WQG02460814, Sewerage, **Valley National Park Service**, 1400 North Outerline Drive, King of Prussia, PA 19406. This proposed facility is located in Upper Merion Township, **Montgomery County**.

Description of Action/Activity: Construction and operation of a pump station to serve a "comfort station" at Washington's Headquarters in VFNP.

WQM Permit No. 1598201, Industrial, Renewal, **Herr Foods, Inc.**, P. O. Box 300, Nottingham, PA 19362-0300. This proposed facility is located in West Nottingham Township, **Chester County**.

Description of Action/Activity: Approval for renewal of existing permit for modifications and continued operations of the Herr Foods, Inc. Wastewater Treatment Plant.

IV. NPDES Stormwater Discharges from MS4 Permit Actions

V. NPDES Waiver Stormwater Discharges from MS4 Actions

VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

| <i>NPDES Permit No.</i> | <i>Applicant Name & Address</i> | <i>County</i> | <i>Municipality</i> | <i>Receiving Water/Use</i> |
|-------------------------|---|---------------|----------------------|------------------------------|
| PAI01 1506061 | Wooldridge Construction of PA, Inc. 1389 Boot Road West Chester, PA 19380 | Chester | East Goshen Township | Tributary Ridley Creek HQ |

| <i>NPDES Permit No.</i> | <i>Applicant Name & Address</i> | <i>County</i> | <i>Municipality</i> | <i>Receiving Water/Use</i> |
|-------------------------|---|---------------|-----------------------|----------------------------|
| PAI01 1506091 | Megill Homes, LLC 276A Dilworthtown Road West Chester, PA 19382 | Chester | Upper Oxford Township | Big Elk Creek HQ-TSF-MF |

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

| <i>NPDES Permit No.</i> | <i>Applicant Name & Address</i> | <i>County</i> | <i>Municipality</i> | <i>Receiving Water/Use</i> |
|-------------------------|--|---------------|-------------------------|--|
| PAI023908012 | CSGM Development, LLC 4972 Medical Center Circle Allentown, PA 18106 | Lehigh | Lower Macungie Township | Cedar Creek HQ-CWF Little Lehigh Creek HQ-CWF |
| PAI024007003 | Keith Linn 174—R. R. 1 Wapwallopen, PA 18660 | Luzerne | Slocum Township | Tributary to Pond Creek CWF |

VII. Approvals to Use NPDES and/or Other General Permits

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types

| | |
|-------------|--|
| PAG-1 | General Permit for Discharges From Stripper Oil Well Facilities |
| PAG-2 | General Permit for Discharges of Stormwater Associated With Construction Activities (PAR) |
| PAG-3 | General Permit for Discharges of Stormwater From Industrial Activities |
| PAG-4 | General Permit for Discharges From Small Flow Treatment Facilities |
| PAG-5 | General Permit for Discharges From Gasoline Contaminated Groundwater Remediation Systems |
| PAG-6 | General Permit for Wet Weather Overflow Discharges From Combined Sewer Systems (CSO) |
| PAG-7 | General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application |
| PAG-8 | General Permit for Beneficial Use of Nonexceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site |
| PAG-8 (SSN) | Site Suitability Notice for Land Application Under Approved PAG-8 General Permit Coverage |
| PAG-9 | General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest, or a Land Reclamation Site |
| PAG-9 (SSN) | Site Suitability Notice for Land Application Under Approved PAG-9 General Permit Coverage |
| PAG-10 | General Permit for Discharge Resulting from Hydrostatic Testing of Tanks and Pipelines |
| PAG-11 | (To Be Announced) |
| PAG-12 | Concentrated Animal Feeding Operations (CAFOs) |
| PAG-13 | Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4) |

General Permit Type—PAG-2

Facility Location:

| <i>Municipality & County</i> | <i>Permit No.</i> | <i>Applicant Name & Address</i> | <i>Receiving Water/Use</i> | <i>Contact Office & Phone No.</i> |
|--|---------------------|---|-----------------------------|--|
| East Nottingham Township Chester County | PAG200 1504019 | Brown Partnership 125 Limestone Road Oxford, PA 19363 | Northeast Creek TSF | Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900 |
| Caln Township Chester County | PAG200 1503088-R | D.H.L.P. Kings Grant, LP 435 Devon Park Drive Building 200 Wayne, PA 19087 | UNT Beaver Creek TSF, MF | Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900 |
| West Sadsbury Township Chester County | PAG200 1508046 | JD Eckman, Inc. 141 Lower Valley Road Atglen, PA 19310-9724 | Valley Creek TSF, MF | Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900 |

NOTICES

5701

| <i>Facility Location: Municipality & County</i> | <i>Permit No.</i> | <i>Applicant Name & Address</i> | <i>Receiving Water/Use</i> | <i>Contact Office & Phone No.</i> |
|---|-------------------|---|---|--|
| Chester Township Delaware County | PAG200 2308028 | Jeffrey B. Rotwitt 63 Concord Road Aston, PA 19014 | Baldwin Run Chester Creek WWF, MF | Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900 |
| City of Philadelphia Philadelphia County | PAG201 5108022 | The Barnes Foundation 300 North Latches Lane Merion, PA 19066 | Schuylkill River CWF | Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900 |
| City of Allentown Lehigh County | PAG2003908011 | Keith Flickenger Allentown Classic Motor Cars, Inc. 805 North Fenwick Street Allentown, PA 18109 | Lehigh River TSF | Lehigh County Conservation District (610) 391-9583 |
| Northampton Borough Northampton County | PAG2004808014 | Steven Yavorski Clearwater Properties, LLC 3151 Apple Butter Road Danielsville, PA 18038 | Hokendauqua Creek CWF Lehigh River TSF | Northampton County Conservation District (610) 746-1971 |
| Smithfield Township Monroe County | PAG2004508004 | East Stroudsburg Area School District Attn: Leonard Kresefski P. O. Box 298 East Stroudsburg, PA 18301 | Sambo Creek CWF, MF | Monroe County Conservation District (570) 629-3060 |
| Eldred Township Monroe County | PAG2004508002 | Heidi Rebollo 388 Conestoga Road Malvern, PA 18355 | Borger Creek CWF | Monroe County Conservation District (570) 629-3060 |
| Harrisburg City Dauphin County | PAG2002208028 | Department of Transportation District 8-0 2140 Herr Street Harrisburg, PA 17103-1699 | Paxton Creek WWF | Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 (717) 921-8100 |
| Cumberland Township Adams County | PAG2000103018R | Anthony Zuccolotto S & A Custom Built Homes, Inc. 2121 Gatesburg Road Suite 200 State College, PA 16803 | UNT to Marsh Creek UNT to Willoughby Run CWF-WWF | Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325 (717) 334-0636 |
| Hamilton Township Adams County | PAG2000108002 | Randall S. Faloon 1171 Eichelberger Street Hanover, PA 17331 | Pine Run WWF | Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325 (717) 334-0636 |
| Colebrookdale Township Berks County | PAG2000608007 | Dennis Malloy Fred Beans Ford of Boyertown, Inc. P. O. Box 524 Boyertown, PA 19512 | West Swamp Creek CWF-MF | Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 (610) 372-4657, Ext. 201 |

*Facility Location:
Municipality &
County**Permit No.**Applicant Name &
Address**Receiving Water/Use**Contact Office &
Phone No.*

Maidencreek
Township
Berks County

PAR10C348-1R

Larry Gardner
Larken Assoc.
P. O. Box 6989
Hillsborough, NJ 08844

Willow
Creek—Schuylkill
River
CWF

Berks County
Conservation District
1238 County Welfare
Road
Suite 200
Leesport, PA
19533-9710
(610) 372-4657,
Ext. 201

Penn Township
York County

PAG2006708076

South Hanover Partners, LP
120 North Pointe Boulevard
Suite 301
Lancaster, PA 17601

UNT to Plum Creek
WWF

York County
Conservation District
118 Pleasant Acres
Road
York, PA 17402
(717) 755-0301

Penn Township
York County

PAG2006703010-R

Tony Forbes
Bon Ton Builders
1060 Baltimore Street
Hanover, PA 17331

Plum Creek
WWF

York County
Conservation District
118 Pleasant Acres
Road
York, PA 17402
(717) 755-0301

Penn and West
Manheim Townships
York County

PAG2006703021-R

Woodhaven Building &
Development, Inc.
4175 Hanover Pike
Manchester, MD 21102

Plum Creek—Indian
Run
WWF

York County
Conservation District
118 Pleasant Acres
Road
York, PA 17402
(717) 755-0301

Tioga County
Richmond Township

PAG2005908005

Dave Howicz
TS Mansfield, LLC
3548 Sweet Maggie Lane
Naperville, IL 60564

Tioga River
CWF

Tioga County
Conservation District
50 Plaza Lane
Wellsboro, PA 16901
(570) 724-1801, Ext. 3

Tioga County
Charleston Township

PAG2005908006

Daryl Sobol
East Resources, Inc.
38 SR 660
Mansfield, PA 16933

North Elk Run
CWF

Tioga County
Conservation District
50 Plaza Lane
Wellsboro, PA 16901
(570) 724-1801, Ext. 3

Allegheny County
Ohio Township
Franklin Park
Borough

PAG2000204082-R

Colbalt Development Corp.
101 Commerce Boulevard
Lawrence, PA 15055

Kilbuck Run
WWF

Allegheny County
Conservation District
(412) 241-7645

Allegheny County
Pittsburgh

PAG2000204108-2

Port Authority of Allegheny
County
345 Sixth Avenue
Pittsburgh, PA 15222

Allegheny River
WWF

Allegheny County
Conservation District
(412) 241-7645

Allegheny County
Penn Hills Oakmont
Boroughs

PAG2000205046-1

Brooks and Blair Waterfront
Prop.
5541 Walnut Street
Pittsburgh, PA 15232

Plum Creek
WWF

Allegheny County
Conservation District
(412) 241-7645

Allegheny County
West Mifflin Borough

PAG2000206044-1

Allegheny County Airport
Authority
12 Allegheny County Airport
West Mifflin, PA 15122

Monongahela River
WWF

Allegheny County
Conservation District
(412) 241-7645

Allegheny County
Moon Township

PAG2000207103

Moon Township
1000 Beaver Grade Road
Coraopolis, PA 15108

Meeks Run
TSF

Allegheny County
Conservation District
(412) 241-7645

Allegheny County
Ohio and Ross
Townships
Franklin Park
Borough

PAG2000208026

Department of Transportation
45 Thoms Run Road
Bridgeville, PA 15017

Bear and Lowries
Runs and Ohio River
TSF

Allegheny County
Conservation District
(412) 241-7645

NOTICES

5703

| <i>Facility Location: Municipality & County</i> | <i>Permit No.</i> | <i>Applicant Name & Address</i> | <i>Receiving Water/Use</i> | <i>Contact Office & Phone No.</i> |
|---|-------------------|--|--|--|
| Allegheny County Jefferson Hills Borough | PAG2000208031 | T. J. Football Boosters, Inc. 376 Saratoga Drive Pittsburgh, PA 15236 | Lick Run WWF | Allegheny County Conservation District (412) 241-7645 |
| Allegheny County Collier Township | PAG2000208041 | Collier Township 2418 Hilltop Road Presto, PA 15142 | Robinson Run WWF | Allegheny County Conservation District (412) 241-7645 |
| Allegheny County North Fayette Township | PAG2000208044 | A R Building Company 5541 Walnut Street Pittsburgh, PA 15232 | North Branch of Robinson Run WWF | Allegheny County Conservation District (412) 241-7645 |
| Allegheny County Pittsburgh and Greentree Borough | PAG2000208051 | South Star Development Partners of PA 2867 Beaver Grade Road Coraopolis, PA 15108 | Sawmill Run WWF | Allegheny County Conservation District (412) 241-7645 |
| Allegheny County Monroeville | PAG2000208052 | Oxford Development Company One Oxford Centre Pittsburgh, PA 15219 | Thompson Run WWF | Allegheny County Conservation District (412) 241-7645 |
| Allegheny County Ross Township | PAG2000208057 | McKnight Property Management 330 Grant Street Pittsburgh, PA 15219 | Girtys Run WWF | Allegheny County Conservation District (412) 241-7645 |
| Allegheny County Pittsburgh | PAG2000208058 | Oxford Development Co. One Oxford Centre Pittsburgh, PA 15219 | Allegheny River WWF | Allegheny County Conservation District (412) 241-7645 |
| Allegheny County Robinson Township | PAG2000208060 | HVL, Inc. 600 Boyce Road Pittsburgh, PA 15205 | Campbells Run WWF | Allegheny County Conservation District (412) 241-7645 |
| Allegheny County Hampton Township | PAG2000208063 | Carl Schaier 2161 Linwood Drive Allison Park, PA 15101 | Pine Creek TSF | Allegheny County Conservation District (412) 241-7645 |
| Allegheny County Pittsburgh | PAG2000208066 | Board of Public Education 341 South Bellefield Pittsburgh, PA 15213 | Saw Mill Run WWF | Allegheny County Conservation District (412) 241-7645 |
| Fayette County Bullskin Township | PAG2002608013 | Dave Panzella Connellsville Soccer Club 264 Bellview Road Connellsville, PA 15425 | UNT to Mounts Creek WWF | Fayette County Conservation District (724) 438-4497 |
| Washington County Chartiers Township | PAG2006305026-2 | Villas of Arden Mills 102 West Pike Street Suite 200 Houston, PA 15342 | UNT to Chartiers Creek WWF | Washington County Conservation District (724) 229-6774 |
| Washington County Robinson Township | PAG2006308016 | Golden Triangle Construction Co., Inc. Charles Niederriter 40 Partridge Lane Imperial, PA 15126 | UNT to Raccoon Run WWF | Washington County Conservation District (724) 228-6774 |
| Slippery Rock Township Butler County | PAG2001008020 | James Revesz Slippery Rock University of Pennsylvania Facilities and Planning Department Slippery Rock, PA 16057-1326 | Slippery Rock Creek CWF | Butler County Conservation District (724) 284-5270 |
| Hempfield Township Mercer County | PAG2004308006(2) | Mitch Properties c/o Spiro L. Pappan P. O. Box 1567 Beaver Falls, PA 15010 | UNT Little Shenango TSF | Mercer County Conservation District (724) 662-2242 |
| City of Hermitage Mercer County | PAG2004308010 | Edward J. Ackerman Amber Jo Enterprises 6276 Downs Road Warren, OH 44481 | UNT Pint Hollow Run WWF | Mercer County Conservation District (724) 662-2242 |

*Facility Location:
Municipality &
County*Pine Township
Mercer County*Permit No.*

PAG2004308011

*Applicant Name &
Address*Grove City College
100 Campus Drive
Grove City, PA 16127*Receiving Water/Use*UNT Wolf Creek
CWF*Contact Office &
Phone No.*Mercer County
Conservation District
(724) 662-2242*General Permit Type—PAG-3**Facility Location:
Municipality &
County*St. Clair Borough
Schuylkill County*Permit No.*

PAR202244

*Applicant Name &
Address*Leed Foundry, Inc.
Wade Road
St. Clair, PA 17970*Receiving Water/Use*Mill Creek
CWF*Contact Office &
Phone No.*DEP—NERO
Water Management
Program
2 Public Square
Wilkes-Barre, PA
18711-2511
(570) 826-2511Wright Township
Luzerne County

PAR702218

Mountaintop Anthracite
1550 Crestwood Drive
Mountaintop, PA 18707Bow Creek
CWFDEP—NERO
Water Management
Program
2 Public Square
Wilkes-Barre, PA
18711-2511
(570) 826-2511*General Permit Type—PAG-4**Facility Location:
Municipality &
County*South Buffalo
Township
Armstrong County*Permit No.*

PAG046387

*Applicant Name &
Address*Richard H. Michelini
179 Ford City Road
Freeport, PA 16229*Receiving Water/Use*UNT of the
Allegheny River*Contact Office &
Phone No.*Southwest
Regional Office
Water Management
Program Manager
400 Waterfront Drive
Pittsburgh, PA
15222-4745
(412) 442-4000Columbus Township
Warren County

PAG048586

Michael J. Munsee
295 Picidilli Hill Road
Corry, PA 16407-4005UNT to Hare Creek
16-BDEP—NWRO
Water Management
230 Chestnut Street
Meadville, PA
16335-3481
(814) 332-6942*General Permit Type—PAG-9**Facility Location:
Municipality &
County*Middleburg and
Center Townships
Snyder County*Permit No.*

PAG094839

*Applicant Name &
Address*Dave Zook
346 Sunrise Garden Lane
Middleburg, PA 17842*Site Name &
Location*Mark Zook Farm
230 Trozelville Road
Middleburg and
Center Townships
Snyder County*Contact Office &
Phone No.*Northcentral
Regional Office
Water Management
Program
208 West Third
Street
Suite 101
Williamsport, PA
17701
(570) 327-3664**PUBLIC WATER SUPPLY (PWS)
PERMITS**

The Department of Environmental Protection has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P. S.

§§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the

Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act

Northeast Region: Water Supply Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Permit No. 2640032, Operations Permit, Public Water Supply.

| | |
|--------------------------|--|
| Applicant | Aqua Pennsylvania, Inc. 762 West Lancaster Avenue Bryn Mawr, PA 19010 Waymart Borough |
| County | Wayne |
| Type of Facility | PWS |
| Consulting Engineer | Brennan T. Kelly, P. E. Aqua Pennsylvania, Inc. 762 West Lancaster Avenue Bryn Mawr, PA 19010 |
| Permit to Operate Issued | September 2, 2008 |

Permit No. 2450133, Operations Permit, Public Water Supply.

| | |
|--------------------------|--|
| Applicant | Pennsylvania American Water 800 West Hersheypark Drive Hershey, PA 17033 Stroud Township |
| County | Monroe |
| Type of Facility | PWS |
| Consulting Engineer | Daniel Rickard, P. E. Pennsylvania American Water 100 North Pennsylvania Avenue Wilkes-Barre PA 18701 |
| Permit to Operate Issued | August 11, 2008 |

Southcentral Region: Water Supply Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 6707514, Public Water Supply.

| | |
|----------------------------|---|
| Applicant | The York Water Company |
| Municipality | West Manheim Township |
| County | York |
| Type of Facility | Construction of the West Manheim Booster Station with fluoridation. |
| Consulting Engineer | Mark S. Snyder, P. E. The York Water Company 130 East Market Street P. O. Box 15089 York, PA 17405-7089 |
| Permit to Construct Issued | September 23, 2008 |

Permit No. 2108506, Minor Amendment, Public Water Supply.

| | |
|----------------------------|---|
| Applicant | United Water Pennsylvania |
| Municipality | Upper Allen Township |
| County | Cumberland |
| Type of Facility | Construction of a new Mt. Allen booster pump station. |
| Consulting Engineer | Renee A. Szczepanski, P. E. Navarro & Wright Consulting Engineers, Inc. 151 Reno Avenue New Cumberland, PA 17070 |
| Permit to Construct Issued | September 26, 2008 |

Permit No. 0508503 MA, Minor Amendment, Public Water Supply.

| | |
|----------------------------|--|
| Applicant | Bedford Township Municipal Authority |
| Municipality | Bedford Township |
| County | Bedford |
| Type of Facility | Sweet Root Road Extension. |
| Consulting Engineer | Timothy A. Cooper, P. E. Stiffler McGraw & Associates, Inc. 19 North Juniata Street Hollidaysburg, PA 16648 |
| Permit to Construct Issued | September 22, 2008 |

Operations Permit issued to **Brush Wellman, Inc.**, 3060677, Shoemakersville Borough, **Berks County** on September 22, 2008, for the operation of facilities approved under Construction Permit No. 0607514.

Operations Permit issued to **IFCO Systems North America, Inc.**, 7010942, Butler Township, **Adams County** on September 26, 2008, for the operation of facilities approved under Construction Permit No. 0108507.

Operations Permit issued to **Everett Area School District**, 4050870, West Providence Township, **Bedford County** on September 22, 2008, for the operation of facilities approved under Construction Permit No. 0508502 MA.

Operations Permit issued to **Hillandale Gettysburg, LP**, 7011004, Tyrone Township, **Adams County** on September 29, 2008, for the operation of facilities approved under Construction Permit No. 0108512 MA.

Northcentral Region: Water Supply Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

Permit No. M.A. 1896501—Operation, Public Water Supply.

Applicant **Kettle Creek State Park**
 Township or Borough Leidy Township
 County **Clinton**
 Responsible Official John Norbeck
 Department of Conservation and Natural Resources
 Bureau of State Parks
 P. O. Box 8551
 Harrisburg, PA 17105-8551
 Type of Facility Public Water Supply—Operation
 Consulting Engineer Mark Lonergan
 Senior Civil Engineer
 400 Market Street
 Harrisburg, PA 17105-8451
 Permit Issued Date September 24, 2008
 Description of Action Addition of Aqua-Mag for corrosion control to the existing system.

Permit No. M.A.—Operation, Public Water Supply.

Applicant **Kipps Run Mobile Home Park**
 Township or Borough Riverside Borough
 County **Northumberland**
 Responsible Official Karl Drescher
 46 Stacey Drive
 Barto, PA 19504
 Type of Facility Public Water Supply—Operation
 Consulting Engineer N/A
 Permit Issued Date September 29, 2008
 Description of Action Operation of the polyphosphate and finished water storage tank.

Permit No. 5908501—Operation, Public Water Supply.

Applicant **Somers Lane Mobile Home Park**
 Township or Borough Lawrence Township
 County **Tioga**
 Responsible Official Charles Wilcox, Jr., Owner
 Somers Lane Mobile Home Park
 229 Upper Somers Lane
 Lawrenceville, PA 16929
 Type of Facility Public Water Supply—Operation
 Consulting Engineer N/A
 Permit Issued Date September 30, 2008

Description of Action Operation of a manganese and arsenic removal system, including sodium hypochlorite and ferric chloride chemical feed systems, three Macrolite filters, two 300-gallon pressure detention tanks; and two 1,200-gallon finished water storage tanks.

Permit No. M.A.—Operation, Public Water Supply.

Applicant **Clearfield Municipal Authority**
 Township or Borough Lawrence Township
 County **Clearfield**
 Responsible Official Jeffrey S. Williams, Manager
 Clearfield Municipal Authority
 107 East Market Street
 Clearfield, PA 16830
 Type of Facility Public Water Supply—Operation
 Consulting Engineer N/A
 Permit Issued Date September 30, 2008
 Description of Action Operation of a blended polyphosphate chemical feed system at Moose Creek Well No. 3 Treatment Building for hydrogen sulfide sequestering and operation of pre- and post-sodium hypochlorite chemical feed systems at the Montgomery Run Treatment Plant.

Northwest Region: Water Supply Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Operations Permit issued to **Pennsylvania American Water Company—Ellwood**, PWSID No. 6370011, Ellwood City, Wayne Township, **Lawrence County**, on September 24, 2008, for operation of the recently renovated Aiken Reservoir according to specifications approved by construction permit 3784502-T1-MA3, issued January 25, 2008.

Operations Permit issued to **Mt. Jewett Borough Authority**, PWSID No. 6420018, Mt. Jewett Borough, **McKean County**. Emergency Operations Permit issued September 29, 2008, for the use of Spring "B" as an emergency source of supply for a time period not to exceed 60 days.

HAZARDOUS SITES CLEAN-UP UNDER THE ACT OF OCTOBER 18, 1988

Notice of Prompt Interim Response

The Department of Environmental Protection (Department), under the authority of the Hazardous Sites Cleanup Act (HSCA) (35 P. S. §§ 6020.101—6020.1305) has initiated a prompt interim response at the Hemlock Road Site, one of the disposal areas that make up the Bear Creek Area Chemical Site. This response has been initiated pursuant to sections 501(a) and 505(b) of the HSCA (35 P. S. §§ 6020.501(a) and 6020.505(b)).

The Bear Creek Area Chemical Site includes, among other things, at least 24 areas where the Department knows or has evidence to suggest that industrial wastes were historically disposed, and the surface water, ground-

water, soils and sediments that have been contaminated from hazardous substances and contaminants that have migrated from the disposal areas. The individual disposal areas are located in Concord, Fairview and Parker Townships, Butler County and Perry Township, Armstrong County. In the site area, the Department has provided approximately 800 homes and businesses with a permanent water system as part of the Groundwater Operable Unit for the Bear Creek Area Chemical Site. A more detailed description of the location for each of the 24 individual disposal areas is located in the administrative record compiled for this response.

The Hemlock Road Site is located in a sparsely populated residential area with undeveloped woodlands that has been subject to surface and deep mining for coal. Active and inactive oil and gas wells are common in the area. The disposal area at the Hemlock Road Site consists of two separate deposit areas with a combination of wastes deposited on the ground surface and beneath the waters of two small ponds. The thickness of the deposited waste ranges from a thin veneer to areas up to 4 feet thick on the ground surface, while the submerged deposits are up to 9 feet thick. The total volume of waste is estimated to be approximately 5,900 cubic yards. Any potential surface water runoff and transport off the disposal area would drain into unnamed tributaries of the South Branch of Bear Creek.

The following hazardous substances have been found in waste and environmental media at one or more of the disposal areas and are present at the Hemlock Road Site: resorcinol, xylene, benzene, acetone, phenols, formaldehyde, chloromethane, bromomethane, methyl ethyl ketone, carbon disulfide, trichloroethane, ethyl benzene, nickel, lead, chromium, copper, aluminum sulfate and arsenic.

To date, no peer-reviewed, or health or environmental agency-approved health-based advisory levels or maximum contaminant levels exist for resorcinol and the above-mentioned site-related contaminants for water or soils. The 5 parts per billion threshold Medium Specific Concentration (MSC) for resorcinol contained in 25 Pa. Code § 250, Appendix A, table 6 is a default value and was not derived from actual toxicological data used in the development of Statewide Health Standards under the Land Recycling Act. Accordingly, the risks associated with the presence of these compounds in drinking water, wastes, and contaminated soils are not known. Further, the Department can not conclude that the presence of these substances does not threaten human health and the environment. As a result, the Department has decided that a response action is appropriate to protect public health and safety.

For this prompt interim response, the Department considered three alternatives for the Hemlock Road Site.

Alternative 1—No Action:

This alternative would involve no further action to eliminate or reduce threats posed by the site.

Alternative 2—Removal of Wastes:

- Excavation of contaminated wastes and soils;
- Solidification of liquid wastes;
- Offsite disposal in an approved facility;
- Regrading and revegetation of excavated areas or reestablishment of ponds, pending landowner request.

Alternative 3—Ex-Situ Solidification/Stabilization, On-Site Disposal

- Excavation of contaminated wastes and soils;
- Solidification of liquid wastes;
- Onsite disposal beneath a soil cap;
- Regrading and revegetation of excavation and disposal areas.

Each alternative was evaluated with respect to four comparison criteria of: (1) the extent to which each alternative protects the public health and the environment; (2) the extent to which each alternative complies with or otherwise addresses Applicable or Relevant and Appropriate Requirements; (3) the extent to which each alternative is feasible, effective, implementable and permanent; and (4) the relative cost of each alternative. The comparative analysis identified advantages and disadvantages of each alternative, so that tradeoffs between the alternatives could be determined.

Based on the comparative analysis the Department chose to implement Alternative 2—Removal and solidification of wastes for offsite disposal at the Hemlock Road Site. The prior provision of safe drinking water to the public in the area of the Hemlock Road site (as well as all over the Bear Creek Area Chemical Site), made the release of contaminants to the groundwater is less of a concern from the human health perspective (that is, exposure through drinking groundwater). The only other significant routes of potential exposure to Hemlock Road waste constituents are by means of direct contact, surface water runoff into streams, and the groundwater to surface water pathway. The removal alternative will effectively eliminate the direct contact, groundwater and surface water runoff routes. The cost of Alternative 2 is estimated at \$949,482. This alternative was selected because it protects, in the most cost-effective manner, the public and ecological receptors from direct contact with wastes or surface water runoff contaminated with site-related hazardous substances.

This notice is being provided pursuant to section 506(b) of HSCA. The administrative record, which contains the information that forms the basis and documents the selection of this response, is available for public review and comment. The administrative record is located at the Department's Northwest Regional Office, 230 Chestnut Street, Meadville, PA 16335, and is available for review Monday through Friday from 8 a.m. to 4 p.m. Telephone before hand for an appointment (814) 332-6648.

The administrative record will be open for comment from October 11, 2008 until January 9, 2009. Persons may submit written comments into the record during this time only, by sending them to Charles Tordella, Project Manager, at the Department's Northwest Regional Office at 230 Chestnut Street, Meadville, PA 16335, or by delivering them to the office in person. In addition, the Department will hold a public meeting on November 20, 2008, from 5 p.m. to 7 p.m. at the Fairview Township Municipal Building, 1571 Hooker Road, Karns City, PA 16041, if requested by one or more members of the public. The meeting's purpose will be for the Department to answer the public's questions concerning the response at the Hemlock Road Site. Also, the public will have an opportunity to present oral comments, for inclusion into the administrative record, regarding the chosen prompt interim response, at a public hearing following the public meeting. Persons wishing to present oral comments must register with Gary Mechtly at the Department's Northwest Regional Office before November 6, 2008, by tele-

phone or in writing. If no one requests a meeting or hearing, they will not be held. Persons interested in finding out if anyone has requested a public meeting or registered to present oral comments at the public hearing, should contact Gary Mechtly. Persons with a disability who wish to attend the meeting and require auxiliary aid, service or other accommodations to participate in the proceedings, should call Gary Mechtly or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 2

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of Chapter 3 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, shall also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a Site-Specific Standard remediation. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media; benefits of refuse of the property and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the Environmental Cleanup Program manager in the Department regional office after which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the Community Relations Coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northeast Region: Ronald S. Brezinski, Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Wyoming Seminary Residential Property (191 South Sprague Avenue), Kingston Borough, Luzerne County. Martin P. Gilgallon, Pennsylvania Tectonic,

Inc., 826 Main Street, Peckville, PA 18452 has submitted a Final Report (on behalf of his client, Wyoming Seminary, 201 North Sprague Avenue, Kingston, PA 18704-3593), concerning the remediation of soils found to have been impacted by No. 2 fuel oil as a result of a release that occurred during the filling of an aboveground storage tank. The report was submitted to document attainment of the Statewide Health Standard. A public notice regarding the submittal of the Final Report was published in *The Citizens' Voice* on August 14, 2008.

George V. Seiple & Son Co., Inc.—Lot 55 (321 South Nulton Avenue), Palmer Township, Northampton County. Louis F. Vittorio, Jr., P. G., EarthRes Group, Inc., P. O. Box 468, Pipersville, PA 18947 has submitted a Final Report (on behalf of his client, Thomas P. Stitt, George V. Seiple & Son Co., Inc., P. O. Box 483, Easton, PA 18044-0483), concerning the remediation of soils and groundwater found to have been impacted by arsenic and pesticides. The report was submitted to document attainment of both the Statewide Health Standard for soil and the Site-Specific Standard for soil and groundwater. A public notice regarding the submittal of the Final Report was published in *The Express Times* on January 23, 2008.

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Buckeye Tuckerton Station, Muhlenberg Township, Berks County. Groundwater & Environmental Services, 440 Creamery Way, Suite 500, Exton, PA 19341, on behalf of Buckeye Partners, LP, 9999 Hamilton Boulevard, TEK Park 5, Breinigsville, PA 18031, submitted a final report within 90 days of a release concerning remediation of site soil contaminated with No. 2 fuel oil. The report is intended to document remediation of the site to the Statewide Health Standard.

Priority Transport/National Guard Armory, City of York, York County. Earth Tech AECOM, 2 Market Plaza Way, Mechanicsburg, PA 17055, on behalf of Priority Transport, c/o XL Environmental, 505 Eagleview Boulevard, Exton, PA 19341 and Department of Military and Veterans Affairs, Fort Indiantown Gap, Environmental Building 11-19, Annville, PA 17003 submitted a Final Report concerning remediation of site soils contaminated with diesel fuel. The report was submitted within 90 days of the release and is intended to document remediation of the site to the Statewide Health Standard.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701.

R & L Carriers I-80 MM 190.5W Accident, Green Township, Clinton County. Northridge Group, Inc., 1172 Ridge Road, Northumberland, PA 17857 on behalf of R & L Carriers, 600 Gilliam Road, Wilmington, OH 45177 has submitted a Final Report concerning remediation of site soil contaminated with diesel fuel within 90 days of the release. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Yellow Freight Diesel Release, Armstrong Township, Lycoming County. Northridge Group Incorporated, 1172 Ridge Road, Northumberland, PA 17857 on behalf of Yellow Freight, 3576 Old Route 15, New Columbia, PA 17886 has submitted a Final Report within 90 days of the release concerning remediation of site soil contaminated with diesel fuel. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Freemont Contract Carriers I-80 MM 212 Accident, Turbot Township, **Northumberland County**. Northridge Group, Inc., 1172 Ridge Road, Northumberland, PA 17837 on behalf of Freemont Contract Carriers, Inc., 865 Bud Boulevard, Freemont, NE 68025 has submitted a Final Report within 90 days of the release concerning remediation of site soil contaminated with diesel fuel. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Penske Truck Leasing Truck Accident, Monroe Township, **Snyder County**. Northridge Group, Inc., 1172 Ridge Road, Northumberland, PA 17857 on behalf of Penske Truck Leasing, 233 Sardis Road, Ashville, NC 28806 has submitted a Final Report within 90 of the release concerning Remediation of site soil contaminated with diesel fuel. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Northwest Region: Environmental Cleanup Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Honeywell Wax Manufacturing Facility OLD, Emlenton Borough, **Venango County**. MACTEC Engineering and Consulting, Inc., 800 North Bell Avenue, Suite 200, Pittsburgh, PA 15106 on behalf of Shell Lubricants, d/b/a SOPUS Products, P. O. Box 744, Clarion, PA 16214 and Honeywell International, P. O. Box 1139, 101 Columbia Road, Morristown, NJ 07962-1139 has submitted a Revised Remedial Investigation/Risk Assessment Report concerning remediation of site soil contaminated with mercury, benzene, toluene, trimethylebenzene and site groundwater contaminated with benzene, toluene, ethylebenzene and xylene compounds. The Report is intended to document remediation of the site to meet the Site-Specific Standards.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of 25 Pa. Code § 250.8, administration of the Land Recycling and Environmental Remediation Standards Act (act), require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by provisions of the act for compliance with selection of remediation to a Site-Specific Standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media,

benefits of refuse of the property and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by provisions of the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the Environmental Cleanup Program manager in the Department regional office before which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the Community Relations Coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401.

Cambridge Square Condominium II, Lower Merion Township, **Montgomery County**. Stephan Brower, Environmental Standards, Inc., 1140 Valley Forge Road, P. O. Box 810, Valley Forge, PA 19482 on behalf of Peter Monaghan, Sibley Avenue Associates, LP, 1008 Upper Gulph Road, Wayne, PA 19807 has submitted a Final Report concerning the remediation of site soil contaminated with pcb's. The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department of Environmental Protection on August 28, 2008.

Haven Peniel Senior Citizens Residence, City of Philadelphia, **Philadelphia County**. William G. Murray, URS Corporation, 335 Commerce Drive, Suite 300, Fort Washington, PA 19034 on behalf of Faye Wilson, Haven Peniel Development Corporation, 2301 West Oxford Street, Philadelphia, PA 1912 has submitted a Final Report concerning the remediation of site soil contaminated with lead and pch's. The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department of Environmental Protection on September 10, 2008.

Estate of Cecilia C. and Leslie B. Schramm, East Bradford Township, **Chester County**. David Farrington, Brickhouse Environmental, 515 South Franklin Street, West Chester, PA 19382 on behalf of Austin Lee Executor, The Estate of Cecilia C. and Leslie B. Schramm, 600 Willow Valley Square, G107, Lancaster, PA 17602 has submitted a Final Report concerning the remediation of site groundwater contaminated with unleaded gasoline. The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department of Environmental Protection on September 19, 2008.

Tri County Performing Arts, Borough of Pottstown, **Montgomery County**. Robert White, Lewis Environmental Group, P. O. Box 639, Royersford, PA 19468 on behalf of Marta Kiesling, Tri-County Performing Arts Center, 245 East High Street, Pottstown, PA 19464 has submitted a 90 day Final Report concerning the remediation of site groundwater and soil contaminated with No 2 fuel oil. The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department of Environmental Protection on August 20, 2008.

9222 Old Easton Road, Nockamixon Township, **Bucks County**. Charlene Drake, REPSG, Inc., 6901 Kingsessing Avenue, Philadelphia, PA 19142 on behalf of George McLuckey, 9222 Old Easton Road, Ferndale, PA 18921 has submitted a Final Report concerning the remediation of site soil and groundwater contaminated with No. 2 fuel oil. The Final Report demonstrated attainment of the Standard and was approved by the Department of Environmental Protection on September 11, 2008.

Neiman Residence, Lower Merion Township, **Montgomery County**. Richard Trimpi, Trimpi Associates, Inc., 1635 Old Plains Road, Pennsylvania, PA 18073 on behalf of Myrtle Neiman, 505 Oreland Mill Road, Oreland, PA 19075 has submitted a Final Report concerning the remediation of site environmental media contaminated with contaminant. The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department of Environmental Protection on September 3, 2008.

Northeast Region: Ronald S. Brezinski, Environmental Cleanup Program Manager; 2 Public Square, Wilkes-Barre, PA 18711-0790.

Teel Property (366 Herb Button Road), Springville Township, **Susquehanna County**. Dawn L. Wash, Resource Environmental Management, Inc., 8 Ridge Street, Montrose, PA 18801 submitted a Final Report (on behalf of her client, Cleo Teel, R. R. 6, Box 6184, Montrose, PA 18801), concerning the remediation of soil found to have been impacted by diesel fuel as a result of an accidental release from an aboveground storage tank. The report documented attainment of the Statewide Health Standard and was approved on September 22, 2008. The report was originally submitted within 90 day of the release.

Southcentral Region: Environmental Cleanup Program Manager; 909 Elmerton Avenue, Harrisburg, PA 17110.

GF Capital—901 North 7th Street, Harrisburg City, **Dauphin County**. RT Environmental Services, Inc., Pureland Complex, Suite 306, 510 Heron Drive, Bridgeport, NJ 08014, on behalf of GF Capital Real Estate Investment VI, LP, 767 Fifth Avenue, 46th Floor, New York, NY 10153, submitted a Final Report concerning remediation of site soils and groundwater contaminated by kerosene. The Final Report demonstrated attainment of the Residential Statewide Health Standard and was approved by the Department of Environmental Protection on September 23, 2008.

Stone Pointe Center/former Agere Systems, Muhlenberg Township, **Berks County**. Environmental Resources Management, Inc., 350 Eagleview Boulevard, Suite 200, Exton, PA 19341, on behalf of AGR133 LLC, 3360 Visitation Road, Collegeville, PA 19426 and LSI Corporation, 555 Union Boulevard, Allentown, PA 18109, submitted a Final Report concerning remediation of site soils contaminated with chlorinated solvents. The Final Report demonstrated attainment of the Residential Statewide Health Standard and was approved by the Department of Environmental Protection on September 24, 2008

Northcentral Region: Environmental Cleanup Program Manager; 208 West Third Street, Williamsport, PA 17701.

Makdad Industrial Supply (Keystone refrigeration), Sandy Township, **Clearfield County**. ATC Associates, Inc., 103 North Meadows Drive, Suite 215, Wexford, PA 15090 on behalf of Roger McCoy, 245 East Mountain Road, Port Matilda, PA 16870 has submitted a Remedial Investigation Report and Cleanup Plan concerning the remediation of site soil contaminated with lead and groundwater contaminated with benzene, ethylbenzene, naphthalene, 1,2,4-TMB and 1,3,5-TMB. The Remedial Investigation Report and Cleanup Plan were approved by the Department of Environmental Protection on September 23, 2008.

Northwest Region: Environmental Cleanup Program Manager; 230 Chestnut Street, Meadville, PA 16335-3481.

American Meter, City of Erie, **Erie County**. Civil & Environmental Consultants, Inc., 333 Baldwin Road, Pittsburgh, PA 15205 on behalf of American Meter Company, 2 West Liberty Boulevard, Suite 180, Malvern, PA 19355 has submitted a *Remedial Investigation Report* concerning the remediation of site soil contaminated with antimony, arsenic, lead and site groundwater contaminated with trichloroethene. The *Remedial Investigation Report* was approved by the Department of Environmental Protection on September 25, 2008.

Honeywell Farmers Valley South of Cole Creek, Keating Township, **McKean County**. MACTEC Engineering and Consulting, Inc., 800 North Bell Avenue, Suite 200, Pittsburgh, PA 15106 on behalf of Honeywell International, Inc., 101 Columbia Road, Morristown, NJ 07962 and Shell Lubricants, 260 Elm Street, P. O. Box 99, Oil City, PA 16301 has submitted a *Remedial Investigation Report* and *Risk Assessment Report* concerning the remediation of site soil and site groundwater contaminated with compounds related to petroleum refining. The *Remedial Investigation Report* and *Risk Assessment Report* were approved by the Department of Environmental Protection on September 26, 2008.

HAZARDOUS WASTE TREATMENT, STORAGE AND DISPOSAL FACILITIES

Permits Issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and Regulations to Operate a Hazardous Waste Treatment, Storage or Disposal Facility.

Northcentral Region: Regional Solid Waste Manager; 208 West Third Street, Suite 101, Williamsport, PA 17701.

Permit No. PAD003053758. Tecumseh Redevelopment, Inc. (formerly Bethlehem Steel Corporation), 4020 KinRoss Lakes, Richfield, OH 44286. The postclosure permit for the Tecumseh Redevelopment, Inc. facility located along the east side of the Burger King parking lot on Maynard Street in the City of Williamsport, Lycoming County was issued on October 1, 2008.

Persons interested in reviewing the permit should contact David Garg, P. E., Environmental Engineer Manager, Williamsport Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701, (570) 327-3653. TDD users should contact the Department of Environmental Protection through the Pennsylvania Relay Service, (800) 654-5984.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Sachin Shankar, New Source Review Chief, (484) 250-5920.

GP3-46-0075: Haines & Kibblehouse, Inc. (2052 Lucon Road, Skippack, PA 19474) on September 24, 2008, to operate a portable nonmetallic mineral in Upper Providence Township, **Montgomery County**.

GP9-46-0029: Haines & Kibblehouse, Inc. (2052 Lucon Road, Skippack, PA 19474) on September 24, 2008, to operate a diesel/No. 2 fuel-fired internal in Upper Providence Township, **Montgomery County**.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, Ray Kempa, New Source Review Chief, (570) 826-2507.

58-399-003GP5: Epsilon Energy USA, Inc. (3766 US 31 South, Traverse, PA 49684) on September 22, 2008, to construct and operate a Natural Gas Compressor Station at their site in Rush Township, **Susquehanna County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, David Aldenderfer, Program Manager, (570) 327-3637.

GP3-49-00054: Meckley's Limestone Products, Inc. (R. R. 1, Box 1682, Herndon, PA 17701) on June 30, 2008, to authorize the construction and operation of a portable nonmetallic crushing plant under the General Plan Approval and General Operating Permit for Portable Nonmetallic Mineral Processing Plants (BAQ-GPA/GP-3) located in Lower Mahanoy Township, **Northumberland County**.

GP9-49-00054: Meckley's Limestone Products, Inc. (R. R. 1, Box 1682, Herndon, PA 17701) on June 30, 2008, to authorize the construction and operation of two diesel-fired engines under the General Plan Approval and General Operating Permit for Diesel or No. 2- Fuel-Fired Internal Combustion Engines (BAQ-GPA/GP-9) located in Lower Mahanoy Township, **Northumberland County**.

GP5-18-179A: Texas Keystone, Inc. (130 Raymond Drive, Indiana, PA 15701) on September 16, 2008, to authorize the construction and operation of a 275 brake horsepower natural gas compression engine, catalyst and glycol dehydrator with a rated boiler heat input of 0.12 mmBtu/hr under the General Plan Approval and General Operating Permit for Natural Gas Production Facilities (BAQ-GPA/GP-5) located in Beech Creek Township, **Clinton County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Mark Gorog and Barb Hatch, Environmental Engineer Managers, (412) 442-4163/5226.

GP5-63-00933: MarkWest Liberty Gas Gathering, LLC (1515 Arapahoe Street, Tower 2, Suite 700, Denver, CO 80202-2126) on September 26, 2008, received authorization under GP-5 to install and operate four Caterpillar G3516-LE compressor engines, each with a Miratech ZHS-30 x 31-12-H1 catalytic converter and two NATCO

triethylene glycol dehydrators, at their Johnston Compressor Station in Chartiers Township, **Washington County**.

GP5-63-00946: Atlas Pipeline Pennsylvania, LLC (P. O. Box 611, 1550 Coraopolis Heights Road, Floor 2, Moon Township, PA 15108-0611) on September 26, 2008, received authorization under GP-5 to install and operate one Caterpillar G3516-LE compressor engine and one NATCO 90-200 triethylene glycol dehydrator at their Deemston compressor station in Deemston Borough, **Washington County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, George Monasky, New Source Review Chief, (814) 332-6940.

GP-10-062A: Slippery Rock University (Slippery Rock University, Slippery Rock, PA 16057) on September 23, 2008, for a Cleaver-Brooks Boiler (BAQ-GPA/GP-1) in Slippery Rock Borough, **Butler County**.

Plan Approvals Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Sachin Shankar, New Source Review Chief, (484) 250-5920.

15-0125: PPL Renewable Energy, LLC (Swedesford Road and Valley Creek Boulevard, Exton, PA 19341) on September 23, 2008, to install two natural gas-fired Caterpillar reciprocating internal combustion engines in East Whiteland Township, **Chester County**. The pollutants of concern from the proposed operation include NOx, VOC, CO and PM emissions. NOx and VOC emissions will have the potential to exceed Title V thresholds, however, the facility will utilize air pollution control devices to maintain emissions below 25 tpy. The Plan Approval will contain recordkeeping and operating restrictions designed to keep the facility operating within the allowable emissions and all applicable air quality requirements.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, Ray Kempa, New Source Review Chief, (570) 826-2531.

39-327-004: Sumitomo (SHI) Cryogenics of America, Inc. (1833 Vultee Street, Allentown, PA 18103) on September 23, 2008, to construct a new batch vapor degreaser in Allentown, **Lehigh County**.

58-302-008: Donald Dean & Sons, Inc. (P. O. Box 246, Montrose, PA 18801-0246) on August 14, 2008, to construct and operate a wood fired boiler at their site in Bridgewater Township, **Susquehanna County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Mark Gorog and Barb Hatch, Environmental Engineer Managers, (412) 442-4163/5226.

11-00523A: Jigging Technologies, LLC (1008 Club Drive, Johnstown, PA 15905) on September 24, 2008, to construct and operate a steel slag processing facility at their 220-acre Tecumseh Redevelopment, Inc., Riders Disposal Area (formerly owned and operated by Bethlehem Steel Corporation) in the City of Johnstown and East Taylor Township, **Cambria County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, George Monasky, New Source Review Chief, (814) 332-6940.

10-171C: Butler Color Press (119 Bonnie Drive, Butler, PA 16003) on September 25, 2008, to construct a new web offset lithography press line with an integrated dryer and afterburner in Summit Township, **Butler County**. This is a State-only facility.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Sachin Shankar, New Source Review Chief, (484) 250-5920.

09-0037F: CMS Gilbreth Packaging Systems, Inc. (3001 State Road, Croydon, PA 19021) on September 26, 2008, to operate a ten unit rotogravure in Bristol Township, **Bucks County**.

15-0104C: Tasty Baking Oxford, Inc. (700 Lincoln Avenue, Oxford, PA 19363) on September 26, 2008, to operate two Sveba-Dahlen V42 rack ovens in Oxford Borough, **Chester County**.

46-313-146: Penn Color, Inc. (2755 Bergey Road, Hatfield, PA 19440) on September 26, 2008, to operate a base pigment dispersion facility in Hatfield Township, **Montgomery County**.

09-0117B: Heucotech, LTD (99 Newbold Road, Fairless Hills, PA 19030-4932) on September 26, 2008, to operate a pigment mixing operations in Falls Township, **Bucks County**.

Title V Operating Permits Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Janine Tulloch-Reid, Facilities Permitting Chief, (484) 250-5920.

15-00104: Tasty Baking Oxford, Inc. (700 Lincoln Street, Oxford, PA 19363) on September 23, 2008, a Title V Operating Permit is being issued for manufacturing of pastries and donuts in Oxford Borough, **Chester County**. Primary sources of air pollution include three fryers, a conveyor oven and a rack oven. The facility also operates various smaller combustion units. The Title V Operating incorporates requirements from RACT Operating Permit No. OP-15-0104 and Plan Approval No. 15-0104C. The facility is subject to a site wide emission limit of 49.40 tpy for VOC. The facility is not subject to NSR, PSD, NSPS or NESHAP. The Title V Operating Permit contains monitoring and recordkeeping requirements designed to keep the facility operating within the allowable emission rate and all applicable air quality requirements.

Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104, Thomas Huynh, Chief, (215) 685-9476.

V06-015: Rohm and Haas Co. (5000 Richmond Street, Philadelphia, PA 19137) for operation of a chemical manufacturing facility in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources include two 48.4 mmBtu/hr boilers, one emergency river pump, one fire water pump, a UB process, a GOAL process, an ambersorb process, wastewater treatment and

groundwater remediation and storage tanks. Control devices include scrubbers, cyclone collectors and dust collectors.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, Ray Kempa, New Source Review Chief, (570) 826-2507.

54-00033: Waste Management and Proc., Inc. (P. O. Box K, Frackville, PA 17931-0609) on August 14, 2008, to operate a Facility State-only Natural Minor Operating Permit for the operation of a coal prep plant in Frackville Borough, **Schuylkill County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, William R. Weaver, New Source Review Chief, (717) 705-4702.

29-03002: P & W Excavating, Inc. (882 Pigeon Cove Road, P. O. Box 128, Warfordsburg, PA 17267) on September 22, 2008, to operate a batch asphalt plant in Bethel Township, **Fulton County**. This is a renewal of the State-only operating permit.

44-03007: Hoenstine Funeral Home, Inc. (75 Logan Street, Lewistown, PA 17044-1860) on September 29, 2008, to operate their human crematory in Lewistown Borough, **Mifflin County**. This is a renewal of the State-only operating permit.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, Matthew Williams, Facilities Permitting Chief, (814) 332-6940.

20-00296: Homerwood Hardwood Flooring (1026 Industrial Drive, Titusville, PA 16354) on September 29, 2008, to operate the facility's air contamination source consisting of: a surface coating operation and a wood-working operation. The facility has a facility-wide VOC limit of 49 tpy to remain a State-only. The facility manufactures hardwood flooring in the City of Titusville, **Crawford County**.

25-00053: Urick Foundry Co., Inc. (1501 Cherry Street, P. O. Box 6027, Erie, PA 16512) on September 25, 2008, to operate this foundry operation in the City of Erie, **Erie County**.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, William R. Weaver, New Source Review Chief, (717) 705-4702.

67-05092: Starbucks Coffee Co. (3000 Espresso Way, York, PA 17402-8035) on September 25, 2008, to operate their York Roasting Plant in East Manchester Township, **York County**. This State-only operating permit was administratively amended to incorporate plan approval 67-05092E. This is Revision No. 1.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the request for 401 Water Quality Certification and the NPDES permit application. Mining activity permits issued in response to the applications will also address the application permitting requirements of the following statutes: the Air Quality Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

Coal Permits Actions

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

56070201 and NPDES Permit No. PA0262501, Robindale Energy Services, Inc., 224 Grange Hall Road, P. O. Box 228, Armagh, PA 15920, commencement, operation and restoration of a bituminous surface coal refuse reprocessing and beneficial use of coal ash mine, in Brothersvalley Township, **Somerset County**, affecting 23 acres. Receiving streams: UNT of Buffalo Creek and Buffalo Creek classified for the following use: CWF. There are no potable water supply intakes within 10 miles downstream. Application received September 27, 2007. Permit issued September 17, 2008.

11823003 and NPDES No. PA0608211. Cooney Brothers Coal Company, P. O. Box 246, Cresson, PA 16630, permit renewal for reclamation only of a bituminous surface mine in Summerhill Township, **Cambria County**, affecting 125.6 acres. Receiving streams: Beaverdam Run classified for the following use: HQ-CWF. There are no potable water supply intakes within 10 miles downstream. Application received July 28, 2008. Permit issued September 22, 2008.

11920103 and NPDES No. PA0599450. T. J. Mining, Inc., P. O. Box 370, Carrolltown, PA 15722, permit renewal for reclamation only of a bituminous surface and auger mine in Jackson Township, **Cambria County**, affecting 61.0 acres. Receiving streams: UNTs to South Branch Blacklick Creek classified for the following use: CWF. There are no potable water supply intakes within 10 miles downstream. Application received July 22, 2008. Permit issued September 22, 2008.

11860107 and NPDES No. PA0597830. Cooney Brothers Coal Company, P. O. Box 246, Cresson, PA 16630, permit renewal for reclamation only of a bituminous surface mine in Dean Township, **Cambria County**, affecting 201 acres. Receiving streams: Clearfield Creek; UNTs to Clearfield Creek; Brubaker Run; UNT to Brubaker Run classified for the following uses: WWF; CWF; CWF; CWF. There are no potable water supply intakes within 10 miles downstream. Application received July 28, 2008. Permit issued September 22, 2008.

56930108 and NPDES No. PA0212539. PBS Coals, Inc., P. O. Box 260, Friedens, PA 15541, permit renewal for the continued operation and restoration of a bituminous surface and coal refuse reprocessing mine in Stonycreek Township, **Somerset County**, affecting 86.0 acres. Receiving streams: UNT to/and Schrock Run classified for the following use: CWF. There are no potable water supply intakes within 10 miles downstream. Application received June 3, 2008. Permit issued September 23, 2008.

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191.

33020107 and NPDES Permit No. PA0242233. Original Fuels, Inc. (P. O. Box 343, Punxsutawney, PA 15767) Renewal of an existing bituminous strip and auger operation in Oliver Township, **Jefferson County** affecting 138.7 acres. This renewal is issued for reclamation only. Receiving streams: Hadden Run. Application received July 21, 2008. Permit issued September 25, 2008.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

54970101R2 and NPDES Permit No. PA0223832. Premium Fine Coal, Inc., (P. O. Box 2043, Hazleton, PA 18201), renewal of an existing anthracite surface mine, coal refuse disposal and reprocessing operation and NPDES Permit for discharge of treated mine drainage in Schuylkill Township, **Schuylkill County** affecting 632.0 acres, receiving stream: Schuylkill River. Application received July 5, 2007. Renewal issued September 26, 2008.

35910102R3 and NPDES Permit No. PA0596051. Silverbrook Anthracite, Inc., (1 Market Street, Laflin, PA 18702), renewal of an existing anthracite surface mine operation and NPDES Permit for discharge of treated mine drainage in Archbald Borough, **Lackawanna County** affecting 1,000.0 acres, receiving stream: UNT to Aylesworth Creek. Application received January 25, 2008. Renewal issued September 26, 2008.

54951301R2. R & R Anthracite Coal Company, (538 West Center Street, Donaldson, PA 17981), renewal of an anthracite underground mine operation in Hegins Township, **Schuylkill County** affecting 3.0 acres, receiving stream: none. Application received September 26, 2005. Application denied September 25, 2008.

Noncoal Applications Returned

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200.

08080805. Darlene W. Ellis (R. R. 2, Box 213, Wyalusing, PA 18853), commencement, operation and restoration of a bluestone quarry operation in Wilmot Township, **Bradford County**, affecting 5 acres. Receiving streams: Sugar Run Creek, tributary to Susquehanna. Application received May 29, 2008. Application returned September 10, 2008.

Noncoal Permits Actions

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191.

37082804. Beyond Corp., LLC (2905 Hillsville Road, Edinburg, PA 16116) Commencement, operation and restoration of a Small Industrial Mineral limestone operation in Mahoning Township, **Lawrence County** affecting 5.0 acres. Receiving streams: Marshall Run. Application received June 23, 2008. Permit issued September 22, 2008.

37070303 and NPDES Permit No. PA0258491. Allegheny Mineral Corporation (P. O. Box 1022, Kittanning, PA 16201) Commencement, operation and restoration of a Large Industrial Mineral limestone operation in Slippery Rock Township, **Lawrence County** affecting 80.1 acres. Receiving streams: UNT to Slippery Rock Creek. Application received November 19, 2007. Permit issued September 22, 2008.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200.

17072801. RES Coal LLC (224 Grange Hall Road, P. O. Box 228, Armagh, PA 15920). Transfer of an existing small industrial minerals (topsoil, shale) permit application from Sky Haven Coal, Inc. The site is located in Lawrence Township, **Clearfield County**, affecting 6.0 acres. Receiving streams: UNT to the West Branch Susquehanna River, tributary to Susquehanna River. Application received July 2, 2008. Transfer issued September 4, 2008.

14082801. Cynthia G. Russell (2640 Greenville Pike, Grampian, PA 16838). Commencement, operation and restoration of a small industrial minerals (field stone) operation in Liberty Township, **Centre County**, affecting 5.0 acres. Receiving stream: tributary to Bald Eagle. Application received April 14, 2008. Permit issued September 15, 2008.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

8074SM2C6. Highway Materials, Inc., (1750 Walton Road, Blue Bell, PA 19422), incidental boundary correction and occupied dwelling variances for a quarry operation in Whitemarsh Township, **Montgomery County** affecting 334.0, receiving stream: Lorraine Run. Application received April 9, 2008. Correction issued September 23, 2008.

58080845. RD Smith Flagstone, (115 Montrose Terrace Park, Montrose, PA 18801), commencement, operation and restoration of a quarry operation in Springville Township, **Susquehanna County** affecting 1.0 acre, receiving stream: none. Application received July 10, 2008. Permit issued September 26, 2008.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 (43 P.S. §§ 151-161); and 25 Pa. Code § 211.124 (relating to blasting activity permits). Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Blasting Permits Actions

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

31084103. Douglas Explosives, Inc., P. O. Box 77, Philipsburg, PA 16866-0077, blasting activity permit issued for single dwelling development in Warriors Mark Township, **Huntingdon County**. Blasting activity permit end date is October 30, 2008. Permit issued September 18, 2008.

Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, (724) 925-5500.

26084005. New Enterprise Stone & Lime Co., Inc. (P. O. Box 77, New Enterprise, PA 16664). Blasting activity permit for construction of the Mon/Fayette Expressway, SR 0043, Section 51F, 166 North, located in Redstone and Luzerne Townships, **Fayette County**. The duration of blasting is expected to be 60 days. Blasting permit issued September 25, 2008.

63084008. Shallenberger Construction (2611 Memorial Avenue, Connellsville, PA 15425). Blasting activity permit for construction of the Cowden 50 Atlas Well Site, located in Cross Creek Township, **Washington County**. The duration of blasting is expected to be 180 days. Blasting permit issued September 25, 2008.

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191.

24084004. Veolia Waste Services (635 Toby Road, Brockway, PA 15824) Blasting activity permit for stone removal in Fox Township, **Elk County**. This blasting activity permit will expire on September 24, 2010. Application received September 19, 2008. Permit issued September 24, 2008.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200.

14084011. Douglas Explosives, Inc. (P. O. Box 77, Philipsburg, PA 16866), construction blasting for Ivan Beiler-(manure pit) located in Miles Township, **Centre County**. Permit issued September 16, 2008. Permit expires September 30, 2008.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

64084112. Holbert Explosives, Inc., (237 Mast Hope Plank Road, Lackawaxen, PA 18435), construction blasting for Sterling Business Park in Sterling Township, **Wayne County** with an expiration date of September 30, 2009. Permit issued September 23, 2008.

06084127. J. Roy's, Inc., (Box 125, Bowmansville, PA 17507), construction blasting for Alvernia College in the City of Reading, **Berks County** with an expiration date of September 24, 2009. Permit issued September 24, 2008.

06084128. J. Roy's, Inc., (Box 125, Bowmansville, PA 17507), construction blasting for a single dwelling on Apple Lane in Alsace Township, **Berks County** with an expiration date of September 22, 2009. Permit issued September 24, 2008.

35084122. ER Linde Construction Corp., (9 Collan Park, Honesdale, PA 18431), construction blasting for Jessup Industrial Road in Jessup Borough, **Lackawanna County** with an expiration date of September 30, 2009. Permit issued September 24, 2008.

360841103. Warren's Excavating & Drilling, Inc., (P. O. Box 1022, Honey Brook, PA 19344), construction blasting for Lowe's East Lancaster in the City of Lancaster, **Lancaster County** with an expiration date of September 22, 2009. Permit issued September 24, 2008.

13084105. Hayduk Enterprises, Inc., (257 Riverside Drive, Factoryville, PA 18419), construction blasting at Cloverfield Farm in Lehigh Township, **Carbon County** with an expiration date of October 31, 2009. Permit issued September 25, 2008

46084121. Allan A. Myers, Inc. d/b/a Independence Construction Materials, (P. O. Box 98, Worcester, PA 19490), construction blasting for Smithfield Beef Render-

ing Facility in Franconia Township, **Monroe County** with an expiration date of September 1, 2009. Permit issued September 26, 2008.

45084002. Joao & Bradley Construction, (P. O. Box 20345, Lehigh Valley, PA 18002) and **AJT Blasting, LLC**, (P. O. Box 20412, Bethlehem, PA 18002), construction blasting for Stokes Avenue Apartments in Stroud Township, **Monroe County** with an expiration date of December 31, 2008. Permit issued September 29, 2008.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and The Clean Streams Law (35 §§ 691.1—691.702) and Notice of Final Action for Certification under section 401 of the FWPCA (33 U.S.C.A. § 1341).

Permits, Environmental Assessments and 401 Water Quality Certifications Issued

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

E51-223. City of Philadelphia, Capital Program Office, Fairmount Park Commission, One Parkway, 1515 Arch Street, 10th Floor, Philadelphia, PA 19102, **City and County of Philadelphia**, United States Army Corps of Engineers, Philadelphia District.

To perform the following water obstructions and encroachments in and along the Schuylkill River (WWF-MF):

1. To construct and maintain a 54-foot-long (parallel to river bank) and 40-foot-wide (perpendicular to river bank) floating dock, gangways and platforms with piling foundation.
2. To construct and maintain paving, landscaping and fencing on park esplanade leading to boat dock entrance.
3. To construct and maintain an approximately 40-foot-long floating debris screen with piling foundation upstream of the dock.
4. To construct and maintain electrical conduit for walk and dock lighting.

This project is located adjacent to the Fairmount Water Works, approximately 800 feet downstream of the Fairmount Park Dam in Philadelphia. The nearest intersection is Waterworks and Kelly Drives (Philadelphia, PA-NJ, Quadrangle North: 16.3 inches; West: 8.3 inches).

The issuance of this permit also constitutes approval of a Water Quality Certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. 134(a)).

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701, (570) 327-3636.

E17-445. Paris Cleaners, Inc., 67 Hoover Avenue, DuBois, PA 15801. Water Obstruction and Encroachment Joint Permit Application for proposed construction of a 50,000 ft² industrial building and appurtenant structures in the City of DuBois, **Clearfield County**, United States Army Corps of Engineers, Pittsburgh District (Luthersburg, PA Quadrangle N: 21.5 inches; W: 16.5 inches).

The applicant is authorized to place and maintain fill within 0.17 acre of PEM wetlands for the purposes of constructing a 50,000 ft² industrial building and appurtenant structures on a 4.5 acre site. The watershed has a Chapter 93 water use protection designation of TSF and the wetlands are classified as "other wetlands" by the Department of Environmental Protection. The permit applicant has met the wetland replacement requirement by participating in the Pennsylvania Wetland Replacement Project.

E19-272. Department of Transportation, Engineering District 3-0, 715 Jordan Avenue, Montoursville, PA 17754-0218. SR 4020 shoulder widening, in Orange Township, **Columbia County**, United States Army Corps of Engineers, Baltimore District (Bloomsburg, PA Quadrangle N: 41° 04' 58"; W: 76° 25' 29").

The Department of Transportation proposes to place approximately 6,129 tons of R-7 rip-rap, 857 tons of R-3 rip-rap, 655 tons of Class 2A subbase, lined with 4,492 square yards of Class 2 Type A Geotextile in a combination of the floodway-flood fringe area of Green Creek. The project will total approximately 1,950 ft, but will only impact the right stream bank of green Creek for 230 ft. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

E19-273. Department of Transportation, Engineering District 3-0, P. O. Box 218, Montoursville, PA 17754-0218. SR 4025 Segment 0020 Offset 0621 Bridge structure replacement over a UNT to the East Branch of Chillisquaue Creek, Madison Township, **Columbia County**, United States Army Corps of Engineers, Susquehanna River Basin District (Millville, PA Quadrangle N: 41° 06' 05"; W: 76° 36' 44").

The proposed project will replace an existing concrete arch bridge over a UNT to the East Branch of Chillisquaue Creek with a single cell precast box culvert. The existing structure is 15 ft wide with a clear span of 30 ft. The proposed structure is 57 ft long with a clear span of 31.74 ft. The project will impact 80 linear ft of stream and will impact 0.01 acre of palustrine wetland.

This project proposes to have a minimal impact on the UNT to the East Branch of Chillisquaue Creek, which is designated a WWF. This project proposes to impact 0.01 acre of jurisdictional wetlands. This permit also includes 401 Water Quality Certification.

E41-592. Charles T. Nork III, 1607 Quenshukney Road, Linden, PA 17744. Small Projects Water Obstruction and Encroachment Joint Permit, in Piatt Township, **Lycoming County**, United States Army Corps of Engineers, Susquehanna River Basin District (Linden, PA Quadrangle N: 41° 11' 45"; W: 77° 10' 32").

To construct and maintain a concrete retaining wall measuring 18 feet high, 130 feet long and 1-foot wide, maintain residential structure measuring 50 feet long by 10 feet wide, pavilion measuring 12 feet by 16 feet, as well as a woodshed measuring 12 feet by 14 feet within the floodway of the West Branch of the Susquehanna River located along Windswept Drive in Piatt Township, Lycoming County. This project does not propose to impact any wetlands. This permit was issued under section 105.13(e) "Small Projects."

E55-219. Keith A. Herrold, 857 Peffer Valley Road, Port Trevorton, PA 17864 Herrold Camp site, in Union Township, Snyder County, United States Army Corps of Engineers, Baltimore District (Pillow, PA Quadrangle Latitude: 40° 42' 26"; Longitude: 76° 51' 51.5").

To construct, operate and maintain a primitive camping facility in the floodway of the Susquehanna River, which carries a water quality designation of WWF. The permit authorizes the installation and maintenance of a 1,200 linear foot roadway that is 20 feet wide. This roadway shall be no higher than the existing grades surrounding it and at no times will its elevation be greater than those surrounding grades. Stable wearing surface application is authorized under this permit. Clearing of under story vegetation is authorized under this permit, thus retaining the over story. This permit does not authorize the installation of any sewage facilities nor any water source facilities. This permit also authorizes the operation and maintenance of an existing boat launch area that extends not more than 50 feet riverward and 30 feet wide along the shoreline. This permit was issued under section 105.13(e) "Small Projects."

Southwest Region: Watershed Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E32-483. Commonwealth of Pennsylvania, Department of General Services, Bureau of Engineering and Architecture, 18th and Herr Streets, Room 201, Harrisburg, PA 17120. To place fill in watershed and maintain and construct a box culvert in White Township, **Indiana County**, United States Army Corps of Engineers, Pittsburgh District (Indiana, PA Quadrangle N: 20.2 inches; W: 5.1 inches Latitude: 40° 36' 40" Longitude: 79° 09' 42"). To place and maintain fill in a de minimis wetland (0.04 acre) in the Marsh Run (CWF) Watershed, to construct and maintain a 20' by 7' box culvert 53' long in Marsh Run, to construct and maintain a 760' stream enclosure on a UNT to Whites Run (CWF) with a drainage area of less than 100 acres, the placement of fill in the floodway of Whites Run and Marsh Creek, the removal of an existing 506' stream enclosure in Marsh Run and restore and relocate approximately 700 feet of the same channel and construct and maintain outfall structures, for the purpose of constructing a convocation center and associated parking lots. To compensate for the stream impacts the permittee will restore 450' of Whites Run and 1,264' of Marsh and Stony Runs.

STORAGE TANKS

SITE-SPECIFIC INSTALLATION PERMITS

The following Storage Tank Site-Specific Installation Permits, under the authority of the Storage Tank Spill Prevention Act (35 P. S. §§ 6021.304, 6021.504, 6021.1101 and 6021.1102) and under 25 Pa. Code Chapter 245, Subchapter C, have been issued by the Bureau of Waste Management, Director, P. O. Box 8763, Harrisburg, PA 17105-8763.

| <i>SSIP Permit No.</i> | <i>Applicant Name & Address</i> | <i>County</i> | <i>Municipality</i> | <i>Tank Type</i> | <i>Tank Capacity</i> |
|------------------------|---|---------------|----------------------|----------------------------|----------------------|
| 08-67-006 | Recycling Technologies International, LLC 76 Acco Drive York, PA 17404 Attn: John McFalls | York | York Township | 4 ASTs storing Isocyanates | 25,000 gallons total |
| 08-51-016 | Sunoco, Inc. (R & M) 3144 Passyunk Avenue Philadelphia, PA 19145-5299 Attn: Michael G. McKee | Philadelphia | City of Philadelphia | 1 AST storing crude oil | 6,304,200 gallons |

SPECIAL NOTICES

Notice of Certification to Perform Radon-Related Activities in Pennsylvania

In the month of September 2008, the Department of Environmental Protection of the Commonwealth of Pennsylvania, under the authority contained in the Radon Certification Act, (63 P. S. §§ 2001—2014) and regulations promulgated thereunder at 25 Pa. Code Chapter 240, has certified the persons listed to perform radon-related activities in Pennsylvania. The period of certification is 2 years. For a complete list of persons currently certified to perform radon-related activities in Pennsylvania and for information as to the specific testing devices that persons certified for testing or laboratory are certified to use, contact the Bureau of Radiation Protection, Radon Division, P. O. Box 8469, Harrisburg, PA 17105-8469, (800) 23RADON.

| <i>Name</i> | <i>Address</i> | <i>Type of Certification</i> |
|---|--|------------------------------|
| A-1 Realty Services, Inc. | 99 Kohler Road Kutztown, PA 19530 | Testing |
| John Bertone | 420 William Street Downingtown, PA 19335 | Testing |
| James Bucciarelli Certified Testing Services, Inc. | 474 Easton Road Horsham, PA 19044 | Testing |
| Nathaniel Burden, Jr. Fidelity Inspection & Consulting Services | 626 Jacksonville Road Suite 200 Warminster, PA 18974 | Testing |
| J. L. Camp Inspection Services, Inc. | 6006 Forest Drive Monaca, PA 15061 | Testing |
| Certified Testing Services, Inc. | 474 Easton Road Horsham, PA 19044 | Mitigation |
| Andrew Dionne | 421 West Chocolate Avenue Hershey, PA 17033 | Testing |
| Paul Edwards | 215 Kelso Circle Collegeville, PA 19426 | Testing |
| Stephen Fiorelli | 700 Braxton Road Ridley Park, PA 19078 | Testing |
| John Gogal Keystone Inspection Service | P. O. Box 204 Sciota, PA 18354 | Testing |
| Douglas Kaup | 263 Sewickley Oakmont Road Pittsburgh, PA 15237 | Testing |
| Robert Klebanoff | 6 Greenwood Place Wyncote, PA 19095 | Testing |
| Richard D. Malin & Associates, Inc. | 2075 Haymaker Road Monroeville, PA 15146 | Testing |
| Deborah Mancini-Wilson Safe-Gard Consolidated Inspection Services, Inc. | P. O. Box 748 Ingomar, PA 15127 | Testing |
| John Moreck | 201 Cooper Street Courtdale, PA 18704 | Testing |
| Wesley Morgan | 338 Rockhill Road Pittsburgh, PA 15243 | Testing |
| David Mull | 14 Crestmont Court Lititz, PA 17543 | Testing |
| Penoco, Inc. | 485 East College Avenue Pleasant Gap, PA 16823 | Testing |
| Jeffrey Schlaline | 800 Locust Grove Road York, PA 17402 | Testing |
| Kimberly Skladanowski | 5140 Amherst Road Erie, PA 16506 | Testing |
| James Wandless | 1424 West 30th Street Erie, PA 16508 | Mitigation |
| Philip Yang, Ph.D. | 1067 Treeline Drive Allentown, PA 18103 | Testing |

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

EGS No. 11003. Altoona City Authority. 3172 Route 764, Duncansville, PA 16635. A stream diversion located on properties owned by the Game Commission located on State Game Lands No. 108 and No. 158 in Reade Township, **Cambria County.** Project received June 2, 2008. Project issued August 19, 2008.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200.

Act 181 Solicitation Notice

Under Act 181 of 1984, the Department of Environmental Protection is soliciting interest/reclamation proposals from landowners, licensed mine operators and/or eligible reclamation contractors for the reclamation of the following abandoned strip mine:

| Project | Municipality | County | Acres |
|---|--------------------|----------|-------|
| Bernice Mining Co, Inc. Bliss Mine SMP 57813001 | Cherry Township | Sullivan | 80 |

A preproposal site meeting is scheduled for Wednesday, October 22, 2008, at 10 a.m. to tour the reclamation area with all interested parties.

To assure an adequate number of specification packages at the site meeting, preregistration is necessary by means of a letter of interest or verbal confirmation. Preregister through Eric Rosengrant, Mining Permit and Compliance Specialist, Moshannon District Office, Department of Environmental Protection, 186 Enterprise Drive, Philipsburg, PA 16866, no later than 3:30 p.m., October 20, 2007. Telephone inquiries shall be directed to Eric Rosengrant at (814) 342-8200.

Only proposals from those in attendance will be considered for this contract.

Project Overview Reclamation of site consists of removing and properly disposing of large quantities of trash and tires, demolition and removal of buildings and loading facilities, dewatering four sedimentation ponds and pit, backfilling three pit areas totaling over 730,000 cubic yards in volume, major and minor regrading of approximately 80 acres, lime neutralization, relocation and encapsulation of refuse material, implementation of E & S controls and removal of those controls when stabilization is achieved.

[Pa.B. Doc. No. 08-1851. Filed for public inspection October 10, 2008, 9:00 a.m.]

Agricultural Advisory Board; Meeting Cancellation

The Agricultural Advisory Board (Board) meeting scheduled for October 15, 2008, has been cancelled. The next meeting is scheduled on December 17, 2008, at 10 a.m. in Room 105 of the Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17105.

Questions concerning the cancelled or next scheduled meeting of the Board can be directed to Frank Schneider at (717) 772-5972 or fschneider@state.pa.us. The agenda and materials for the December 17, 2008, meeting will be available through the Public Participation Center on the Department of Environmental Protection's (Department) web site at www.depweb.state.pa.us (DEP Keyword: Participate).

Persons in need of accommodations as provided for in the Americans With Disabilities Act of 1990 should contact the Department at (717) 783-6118 or through AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

JOHN HANGER,
Acting Secretary

[Pa.B. Doc. No. 08-1852. Filed for public inspection October 10, 2008, 9:00 a.m.]

Alternative Disposal of Radioactive Material Request

Under the requirements at 25 Pa. Code § 215.1(e), the United States Environmental Protection Agency (EPA) has submitted a request to the Department of Environmental Protection (Department) for approval to dispose of building demolition debris from the Safety Light Corporation site in Bloomsburg, Columbia County, PA at a hazardous waste landfill in Idaho. The landfill is permitted to receive low concentrations of certain radioactive materials if the material is approved for disposal by the appropriate regulatory body. The Safety Light Corporation Site is on the National Priorities List and is being remediated by EPA under the Comprehensive Environmental Response, Compensation, and Liability Act and the National Contingency Plan. The EPA believes the building demolition debris from the Safety Light Corporation Site contains minimum levels of radioactive contamination, making it acceptable for disposal at a hazardous waste landfill, if approved by the Department.

The EPA's Alternative Disposal of Radioactive Material Request for the Safety Light Corporation Site in Bloomsburg is available for public review and comment. The Department will accept written comments on the EPA's request until November 10, 2008. Comments should be submitted to Director, Bureau of Radiation Protection, Rachel Carson State Office Building, P. O. Box 8469, Harrisburg, PA 17105 or RA-EPDecommissioning@state.pa.us. Following the public comment period, the Department will make a final determination regarding the EPA's request. Notice of the Department's final determination will be published in a future edition of the *Pennsylvania Bulletin*.

For additional information concerning the EPA's request, individuals may contact the Bureau of Radiation Protection at (717) 787-2480 or RA-EPDecommissioning@state.pa.us. Persons in need of accommodations as provided for in the Americans With Disabilities Act of 1990 should contact the Department directly at (717) 787-2480 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

JOHN HANGER,
Acting Secretary

[Pa.B. Doc. No. 08-1853. Filed for public inspection October 10, 2008, 9:00 a.m.]

Availability of Technical Guidance

Technical guidance documents are available on the Department of Environmental Protection's (Department) web site at www.depweb.state.pa.us (DEP Keywords:

Technical Guidance). The "Final Documents" heading is the link to a menu of the various Department bureaus where each bureau's final technical guidance documents are posted. The "Draft Technical Guidance" heading is the link to the Department's draft technical guidance documents.

The Department will continue to revise its nonregulatory documents, as necessary, throughout 2008.

Ordering Paper Copies of Department Technical Guidance

The Department encourages the use of the Internet to view and download technical guidance documents. When this option is not available, persons can order a paper copy of any of the Department's draft or final technical guidance documents by contacting the Department at (717) 783-8727.

In addition, bound copies of some of the Department's documents are available as Department publications. Check with the appropriate bureau for more information about the availability of a particular document as a publication.

Changes to Technical Guidance Documents

Following is the current list of recent changes. Persons who have questions or comments about a particular document should call the contact person whose name and phone number is listed with each document.

Final Technical Guidance

DEP ID: 394-2000-002. Title: Pennsylvania's Nonpoint Source Management Program Update. Description: This guidance outlines the Commonwealth's plan to address nonpoint source (NPS) pollution through 2012, contingent upon having adequate resources including necessary personnel. This technical guidance enhances Pennsylvania's NPS Management Program, approved by EPA in 1999 in compliance with Section 319(b) of the Federal Water Pollution Control Act (Clean Water Act) as amended by P. L. 100-4 on February 4, 1987. This technical guidance also establishes the overall strategy Pennsylvania will use to implement the watershed protection aspects of Pennsylvania's Growing Greener program. Notice of the availability of the draft Pennsylvania Nonpoint Source Management Program Update was published at 36 Pa.B. 3039 (June 17, 2006), with provision for a 45-day public comment period that ended on August 1, 2006.

The Department received comments from seven commentators, which are addressed in a separate Comment and Response Document. Several comments related to individual NPS categories and recommended further clarification of the objectives in those categories. More specific comments were received concerning atmospheric deposition, which were addressed by expanding Section II of the document to include atmospheric deposition. Several NPS category objectives having 2005, 2006, and 2007 end dates were deleted or new end dates were included. Finally, revisions were made to Sections III and IV in order to update program descriptions, regulatory programs and web sites. Contact: Stephen Lathrop, Department of Environmental Protection, Bureau of Watershed Management, Rachel Carson State Office Building, 10th Floor, P. O. Box 8555, Harrisburg, PA 17105-8555, (717) 772-5618, slathrop@state.pa.us. Effective Date: October 11, 2008.

Draft Technical Guidance

DEP ID: 273-4000-005. Title: Compliance Assurance Policy for Continuous Emission Monitoring Systems (CEMS) on Combustion Units. Description: The Depart-

ment of Environmental Protection (Department) proposes to revise its Enforcement Policy—CEMS and Coal Sampling/ Analysis Systems, (273-4000-005), which was adopted by the Department in June 1985 and became effective on July 1, 1985. The proposed revised title of the guidance is Compliance Assurance Policy for CEMS on Combustion Units. Its scope is proposed to be expanded to apply to all averaging periods, air contaminants and parameters for all combustion units subject to Continuous Source Monitoring requirements. The proposed revised Policy incorporates provisions of the Department's March 1992 Interim CSMS Penalty Guidelines, Hourly Based Emission Standards. Base penalty amounts are adjusted for inflation. Penalty provisions are proposed to be revised to reflect improvements in source performance relative to emissions since 1985, and to provide consistent statewide considerations in conformance with the Department's more recent Compliance Assurance Policies for Continuous Source Monitoring Systems, Revision Number 8 to the Department's Continuous Source Monitoring Manual, (274-0300-001), and Federal requirements applicable to Continuous Emission Monitoring Systems. Written Comments: Interested persons may submit written comments on this draft technical guidance document by November 10, 2008. The Department will accept comments submitted by e-mail, but comments submitted by facsimile will not be accepted. A return name and address must be included in each e-mail transmission. Written comments should be submitted to Ronald Gray, Chief, Continuous Compliance Section, Department of Environmental Protection, Bureau of Air Quality, P. O. Box 8468, Harrisburg, PA 17105-8468, rongray@state.pa.us. Effective Date: The proposed revised guidance document will be effective January 1, 2009, and will be applied to Continuous Source Monitoring System Quarterly Reports for the first quarter, 2009 and thereafter. Contact: Questions regarding the draft technical guidance document should be directed to Ronald Gray, (717) 772-4482 or Doug Haulik, (717) 772-3976.

JOHN HANGER,
Acting Secretary

[Pa.B. Doc. No. 08-1854. Filed for public inspection October 10, 2008, 9:00 a.m.]

Consumer and Small Business Solar Energy Projects; Stakeholder Meeting

The Department of Environmental Protection (Department) will convene a meeting, on Monday, October 27, 2008, of stakeholders to discuss the creation of a loan, grant, reimbursement or rebate program for solar energy projects within this Commonwealth, under the enactment of the Alternative Energy Investment Act, act of July 9, 2008, Special Session, No. 1, P. L. _____. The meeting will convene at 9 a.m. in Room 105 of the Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA. The input received from stakeholders at the meeting will guide the Department in establishing program guidelines for consumer and small business solar energy projects.

Questions concerning the meeting agenda can be directed to Rebecca Campbell, Office of Energy and Technology Deployment at (717) 783-8411 or recampbell@state.pa.us.

Persons in need of accommodations as provided for in the Americans With Disabilities Act of 1990 should contact Angela Rothrock at (717) 772-8911 or through the

Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

JOHN HANGER,
Acting Secretary

[Pa.B. Doc. No. 08-1855. Filed for public inspection October 10, 2008, 9:00 a.m.]

Oil and Gas Well Permit Application Modifications

The Department of Environmental Protection (Department) announces modifications to the well permit application for Marcellus Shale gas well development.

Effective October 11, 2008, applicants for well permits for gas wells to the Marcellus Shale must use the revised "Application Addendum for Marcellus Shale Gas Well Development" (Document 5500-PM-OGO00083) in addition to the conventional well permit application. The addendum was revised to assist the applicant in providing the supplemental information, including the water management plan, associated with the development of Marcellus Shale Gas Wells. The complete permit application, including the addendum for Marcellus Shale Gas Well Development, is available on the Department's web site at www.dep.state.pa.us (DEP Keywords: Gas and Oil Wells).

Questions concerning the permit application and processing time modifications may be directed to Ronald Gilius, Bureau of Oil and Gas Management at (717) 772-2199, rgilius@state.pa.us

JOHN HANGER,
Acting Secretary

[Pa.B. Doc. No. 08-1856. Filed for public inspection October 10, 2008, 9:00 a.m.]

Processing and Beneficial Use of Gypsum Wallboard; General Permit WMGM038

Under the regulatory authority of 25 Pa. Code § 271.811 (relating to authorization for general permit) of the municipal waste regulations and the statutory authority of the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Department of Environmental Protection (Department) is proposing a General Permit for the processing and beneficial use of unpainted and untreated standard gypsum wallboard.

This proposed General Permit will provide for the beneficial use of ground (that is, processed) gypsum wallboard as a component of mushroom growing media, as a soil additive material or soil amendment and will allow for utilization of the backing paper as an animal bedding material. Proposed General Permit WMGM038 will reduce the amount of gypsum wallboard being disposed of in landfills by providing a mechanism to divert the waste to a more productive, beneficial use. This General Permit will provide potential end uses with a streamlined set of operating conditions.

Comments concerning the General Permit should be directed to Cuong Vu, Division of Municipal and Residual Waste, Bureau of Waste Management, Rachel Carson State Office Building, P. O. Box 8472, Harrisburg, PA

17105-8472, (717) 787-7381. The Department must receive public comments on the proposed General Permit by November 10, 2008.

Persons interested in obtaining more information or a paper copy of proposed General Permit WMGM038 should contact Peter Arnt of the Division of Municipal and Residual Waste at the previous telephone number. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984. The General Permit WMGM038 document is also accessible on the Department's web site at www.depweb.state.pa.us (DEP Keywords: "Participate"; then "Proposals Open for Comment," or DEP Keywords "Municipal Waste").

The Department will provide public notice upon final publication of General Permit WMGM038.

JOHN HANGER,
Acting Secretary

[Pa.B. Doc. No. 08-1857. Filed for public inspection October 10, 2008, 9:00 a.m.]

Residential Consumer Energy Conservation Projects; Stakeholder Meeting

The Department of Environmental Protection (Department) will convene a meeting, on Friday, October 17, 2008, of stakeholders to discuss the creation of a Consumer Energy Conservation Program to provide incentives for the purchase and installation of residential energy conservation measures in owner-occupied primary residences in accordance with the Alternative Energy Investment Act, act of July 9, 2008, Special Session, No. 1, P. L. _____. The meeting will convene at 9 a.m. in Room 105 of the Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA. Stakeholders will be invited to provide their input into aspects of the program guidelines.

Questions concerning the meeting agenda can be directed to Libby Dodson, Office of Energy and Technology Deployment at (717) 772-8907 or ldodson@state.pa.us.

Persons in need of accommodations as provided for in the Americans With Disabilities Act of 1990 should contact Angela Rothrock at (717) 772-8911 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

JOHN HANGER,
Acting Secretary

[Pa.B. Doc. No. 08-1858. Filed for public inspection October 10, 2008, 9:00 a.m.]

DEPARTMENT OF HEALTH

Application of Eynon Surgery Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Eynon Surgery Center has requested an exception to the requirements of 28 Pa. Code § 555.31(a) (relating to principle).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone numbers or for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Services at (800) 654-5984.

A. EVERETTE JAMES,
Acting Secretary

[Pa.B. Doc. No. 08-1859. Filed for public inspection October 10, 2008, 9:00 a.m.]

Healthcare Associated Infection Prevention Section Infection Control Training Funds 2008-2009 Nursing Home Mini-Grant Award Guidelines for Infection Control and Surveillance Training

The Department of Health, Healthcare Associated Infection Prevention Section (HAIP) is offering mini-grants of up to \$1,000 per long-term care nursing facility (nursing home) licensed in this Commonwealth to support training for identification, reporting and prevention of health care-associated infections occurring in nursing homes. HAIP will award one mini-grant of up to \$1,000 to each eligible nursing home that submits an acceptable completed Nursing Home Mini-Grant Award Notice and Acceptance Attestation by November 26, 2008. The 2008-2009 Nursing Home Mini-Grant Award Guidelines for Infection Control and Surveillance Training document is electronically accessible through the HAIP web site at: www.dsf.health.state.pa.us/health/cwp/browse.asp?a=188&bc=0&c=38963.

Persons with a disability who require an alternative format of the 2008-2009 Nursing Home Mini-Grant Award Guidelines for Infection Control and Surveillance Training (for example, large print, audiotape, Braille) should contact William Cramer, Director, Healthcare Associated Infection Prevention, 8th Floor, Forum Place, 555 Walnut Street, Harrisburg, PA 17101, (717) 425-5422 or for speech and/or hearing impaired persons V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Services at (800) 654-5984.

A. EVERETTE JAMES,
Acting Secretary

[Pa.B. Doc. No. 08-1860. Filed for public inspection October 10, 2008, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania Snow Dough '08 Instant Lottery Game

Under the State Lottery Law (72 P. S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Snow Dough '08.

2. *Price:* The price of a Pennsylvania Snow Dough '08 instant lottery game ticket is \$5.

3. *Play Symbols:* Each Pennsylvania Snow Dough '08 instant lottery game ticket will contain one play area featuring a "FROSTY'S NUMBERS" area and a "YOUR NUMBERS" area. The play symbols and their captions located in the "FROSTY'S NUMBERS" area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR) and 25 (TWYFIV). The play symbols and their captions, located in the "YOUR NUMBERS" area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), Snow Man symbol (SNMAN) and Moneybag symbol (MNYBAG).

4. *Prize Symbols:* The prize symbols and their captions located in the "YOUR NUMBERS" area are: \$5⁰⁰ (FIV DOL), \$10⁰⁰ (TEN DOL), \$20\$ (TWENTY), \$25\$ (TWY FIV), \$40\$ (FORTY), \$50\$ (FIFTY), \$100 (ONE HUN), \$400 (FOR HUN), \$500 (FIV HUN), \$1,000 (ONE THO), \$10,000 (TEN THO) and \$100,000 (ONEHUNTHO).

5. *Prizes:* The prizes that can be won in this game are: \$5, \$10, \$20, \$25, \$40, \$50, \$100, \$400, \$500, \$1,000, \$10,000 and \$100,000. The player can win up to ten times on a ticket.

6. *Approximate Number of Tickets Printed For the Game:* Approximately 8,400,000 tickets will be printed for the Pennsylvania Snow Dough '08 instant lottery game.

7. *Determination of Prize Winners:*

(a) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of "FROSTY'S NUMBERS" play symbols and a prize symbol of \$100,000 (ONEHUNTHO) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$100,000.

(b) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of "FROSTY'S NUMBERS" play symbols and a prize symbol of \$10,000 (TEN THO) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$10,000.

(c) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of "FROSTY'S NUMBERS" play symbols and a prize symbol of \$1,000

(ONE THO) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(d) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Moneybag symbol (MNYBAG) and a prize symbol of \$500 (FIV HUN) appears under that Moneybag symbol (MNYBAG), on a single ticket, shall be entitled to a prize of \$1,000.

(e) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of "FROSTY'S NUMBERS" play symbols and a prize symbol of \$500 (FIV HUN) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$500.

(f) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of "FROSTY'S NUMBERS" play symbols and a prize symbol of \$400 (FOR HUN) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$400.

(g) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Snowman symbol (SNMAN) and a prize symbol of \$400 (FOR HUN) appears under that Snowman symbol (SNMAN), on a single ticket, shall be entitled to a prize of \$400.

(h) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Moneybag symbol (MNYBAG) and a prize symbol of \$100 (ONE HUN) appears under that Moneybag symbol (MNYBAG), on a single ticket, shall be entitled to a prize of \$200.

(i) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of "FROSTY'S NUMBERS" play symbols and a prize symbol of \$100 (ONE HUN) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$100.

(j) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Snowman symbol (SNMAN) and a prize symbol of \$100 (ONE HUN) appears under that Snowman symbol (SNMAN), on a single ticket, shall be entitled to a prize of \$100.

(k) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Moneybag symbol (MNYBAG) and a prize symbol of \$50\$ (FIFTY) appears under that Moneybag symbol (MNYBAG), on a single ticket, shall be entitled to a prize of \$100.

(l) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of "FROSTY'S NUMBERS" play symbols and a prize symbol of \$50\$ (FIFTY) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$50.

(m) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Snowman symbol (SNMAN) and a prize symbol of \$50\$ (FIFTY) appears under that Snowman symbol (SNMAN), on a single ticket, shall be entitled to a prize of \$50.

(n) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Moneybag symbol (MNYBAG) and a prize symbol of \$25\$ (TWY FIV) appears under that Moneybag symbol (MNYBAG), on a single ticket, shall be entitled to a prize of \$50.

(o) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of "FROSTY'S NUMBERS" play symbols and a prize symbol

of \$40\$ (FORTY) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$40.

(p) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Snowman symbol (SNMAN) and a prize symbol of \$40\$ (FORTY) appears under that Snowman symbol (SNMAN), on a single ticket, shall be entitled to a prize of \$40.

(q) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Moneybag symbol (MNYBAG) and a prize symbol of \$20\$ (TWENTY) appears under that Moneybag symbol (MNYBAG), on a single ticket, shall be entitled to a prize of \$40.

(r) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of "FROSTY'S NUMBERS" play symbols and a prize symbol of \$25\$ (TWY FIV) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$25.

(s) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Snowman symbol (SNMAN) and a prize symbol of \$25\$ (TWY FIV) appears under that Snowman symbol (SNMAN), on a single ticket, shall be entitled to a prize of \$25.

(t) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of "FROSTY'S NUMBERS" play symbols and a prize symbol of \$20\$ (TWENTY) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$20.

(u) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Snowman symbol (SNMAN) and a prize symbol of \$20\$ (TWENTY) appears under that Snowman symbol (SNMAN), on a single ticket, shall be entitled to a prize of \$20.

(v) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Moneybag symbol (MNYBAG) and a prize symbol of \$10⁰⁰ (TEN DOL) appears under that Moneybag symbol (MNYBAG), on a single ticket, shall be entitled to a prize of \$20.

(w) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of "FROSTY'S NUMBERS" play symbols and a prize symbol of \$10⁰⁰ (TEN DOL) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$10.

(x) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Snowman symbol (SNMAN) and a prize symbol of \$10⁰⁰ (TEN DOL) appears under that Snowman symbol (SNMAN), on a single ticket, shall be entitled to a prize of \$10.

(y) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Moneybag symbol (MNYBAG) and a prize symbol of \$5⁰⁰ (FIV DOL) appears under that Moneybag symbol (MNYBAG), on a single ticket, shall be entitled to a prize of \$10.

(z) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of "FROSTY'S NUMBERS" play symbols and a prize symbol of \$5⁰⁰ (FIV DOL) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$5.

(aa) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Snowman symbol (SNMAN) and a prize symbol of \$5⁰⁰ (FIV DOL) appears under that Snowman symbol (SNMAN), on a single ticket, shall be entitled to a prize of \$5.

8. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

| <i>When Any Of Your Numbers Match Any Of Frosty's Numbers, Win with Prize(s) Of:</i> | <i>Win:</i> | <i>Approximate Odds Are 1 In:</i> | <i>Approximate No. Of Winners Per 8,400,000 Tickets</i> |
|--|-------------|-----------------------------------|---|
| \$5 | \$5 | 15 | 560,000 |
| \$5 w/SNOWMAN | \$5 | 20 | 420,000 |
| \$5 × 2 | \$10 | 60 | 140,000 |
| \$5 w/MONEYBAG | \$10 | 60 | 140,000 |
| \$10 w/SNOWMAN | \$10 | 60 | 140,000 |
| \$10 | \$10 | 60 | 140,000 |
| \$5 × 4 | \$20 | 300 | 28,000 |
| \$10 × 2 | \$20 | 300 | 28,000 |
| \$10 w/MONEYBAG | \$20 | 300 | 28,000 |
| \$20 w/SNOWMAN | \$20 | 300 | 28,000 |
| \$20 | \$20 | 300 | 28,000 |
| \$5 × 5 | \$25 | 300 | 28,000 |
| (\$5 w/MONEYBAG) + (\$5 × 3) | \$25 | 300 | 28,000 |
| (\$10 w/MONEYBAG) + \$5 | \$25 | 300 | 28,000 |
| \$25 w/SNOWMAN | \$25 | 300 | 28,000 |
| \$25 | \$25 | 300 | 28,000 |
| \$5 × 8 | \$40 | 600 | 14,000 |
| \$10 × 4 | \$40 | 600 | 14,000 |
| \$20 w/MONEYBAG | \$40 | 600 | 14,000 |
| \$40 w/SNOWMAN | \$40 | 600 | 14,000 |
| \$40 | \$40 | 600 | 14,000 |
| \$5 × 10 | \$50 | 600 | 14,000 |
| \$10 × 5 | \$50 | 600 | 14,000 |
| \$25 w/MONEYBAG | \$50 | 600 | 14,000 |
| \$50 w/SNOWMAN | \$50 | 600 | 14,000 |
| \$50 | \$50 | 600 | 14,000 |
| \$10 × 10 | \$100 | 2,400 | 3,500 |
| \$20 × 5 | \$100 | 2,400 | 3,500 |
| \$50 × 2 | \$100 | 2,400 | 3,500 |
| \$50 w/MONEYBAG | \$100 | 2,400 | 3,500 |
| \$100 w/SNOWMAN | \$100 | 2,400 | 3,500 |
| \$100 | \$100 | 2,400 | 3,500 |
| \$40 × 10 | \$400 | 20,000 | 420 |
| \$100 × 4 | \$400 | 20,000 | 420 |
| (\$100 w/MONEYBAG) + (\$100 × 2) | \$400 | 20,000 | 420 |
| \$400 w/SNOWMAN | \$400 | 20,000 | 420 |
| \$400 | \$400 | 20,000 | 420 |
| \$50 × 10 | \$500 | 24,000 | 350 |
| \$100 × 5 | \$500 | 24,000 | 350 |
| (\$100 w/MONEYBAG) + (\$100 × 3) | \$500 | 24,000 | 350 |
| \$500 | \$500 | 20,000 | 420 |
| \$100 × 10 | \$1,000 | 24,000 | 350 |
| \$500 × 2 | \$1,000 | 24,000 | 350 |
| \$500 w/MONEYBAG | \$1,000 | 24,000 | 350 |
| \$1,000 | \$1,000 | 24,000 | 350 |
| \$10,000 | \$10,000 | 560,000 | 15 |
| \$100,000 | \$100,000 | 560,000 | 15 |

Snowman (SNMAN) = Win prize shown under it automatically.
Moneybag (MONEYBAG) = Win double the prize shown under it.

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Game for retailers who sell Pennsylvania Snow Dough '08 instant lottery game tickets. The conduct of the game will be governed by 61

Pa. Code § 819.222 (relating to retailer bonuses and incentive).

10. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Pennsylvania Snow Dough '08, prize money from winning Pennsylvania Snow Dough '08 instant lottery game tickets will be retained by the

Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Pennsylvania Snow Dough '08 instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

11. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P. S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

12. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Pennsylvania Snow Dough '08 or through normal communications methods.

THOMAS W. WOLF,
Secretary

[Pa.B. Doc. No. 08-1861. Filed for public inspection October 10, 2008, 9:00 a.m.]

DEPARTMENT OF STATE

Interstate Compact for Juveniles

Under the authority of the Interstate Compact for Juveniles Act (11 P. S. §§ 890.1—890.6), the Secretary of the Commonwealth provides public notice that the Compact has become operative and effective. The date on which the compact became effective and operative between the Commonwealth of Pennsylvania and any other ratifying states in accordance with the act is August 26, 2008.

PEDRO A. CORTÉS,
Secretary of the Commonwealth

[Pa.B. Doc. No. 08-1862. Filed for public inspection October 10, 2008, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Application for Lease of Right-of-Way

The Department of Transportation (Department), under the authority contained in section 2002(c) of The Administrative Code of 1929 (71 P. S. § 512(c)) and 67 Pa. Code § 495.4(d) (relating to application procedure), gives notice that an application to lease highway right-of-way has been submitted to the Department by West Shore Eye and Ear Center, 1857 Center Street, Camp Hill, PA 17011, seeking to lease highway right-of-way located at 1857 Center Street, East Pennsboro Township, Cumberland County, Camp Hill, PA 17011, 7,200 square meters/hectares +/- adjacent to LR 21015 Section 2A, for the purpose of parking only.

Interested persons are invited to submit, within 30 days from the publication of this notice in the *Pennsylvania Bulletin*, written comments, suggestions and/or objections regarding the approval of this application to R. Scott Christie, P. E., District Engineer, Engineering District 8-0, 2140 Herr Street, Harrisburg, PA 17103-1699.

Questions regarding this application or the proposed use may be directed to George D. Achenbach, Right-of-Way Representative, 2140 Herr Street, Harrisburg, PA 17103-1699, (717) 772-5117.

ALLEN D. BIEHLER, P. E.,
Secretary

[Pa.B. Doc. No. 08-1863. Filed for public inspection October 10, 2008, 9:00 a.m.]

ENVIRONMENTAL HEARING BOARD

Ronald C. Kamzelski v. DEP and AES Armenia Mountain Wind, LLC, Permittee; EHB Doc. No. 2008-288-L

Ronald Kamzelski has appealed the issuance by the Department of Environmental Protection of NPDES permit to AES Armenia Mountain Wind, LLC for stormwater discharges associated with construction activities in Richmond, Sullivan, Ward and Armenia Townships, Tioga and Bradford Counties.

A date for the hearing on the appeal has not yet been scheduled.

The appeal is filed with the Environmental Hearing Board (Board) at its office on the Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, and may be reviewed by any interested party on request during normal business hours. If information concerning this notice is required in an alternative form, contact the Secretary to the Board at (717) 787-3483. TDD users may telephone the Board through the AT&T Pennsylvania Relay Center at (800) 654-5984.

Petitions to intervene in the appeal may be filed with the Board by interested parties under 25 Pa. Code § 1021.81 (relating to intervention). Copies of the Board's rules of practice and procedure are available upon request from the Board.

THOMAS W. RENWAND,
Acting Chairperson

[Pa.B. Doc. No. 08-1864. Filed for public inspection October 10, 2008, 9:00 a.m.]

ENVIRONMENTAL QUALITY BOARD

Meeting Cancellation

The October 21, 2008, meeting of the Environmental Quality Board (EQB) is cancelled. The next regularly scheduled meeting of the EQB is scheduled for Tuesday,

November 18, 2008, at 9 a.m. in Room 105 of the Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17105. An agenda and meeting materials for the November 18, 2008, meeting will be available on the Department of Environmental Protection's web site at www.depweb.state.pa.us (DEP Keywords: EQB).

Questions concerning the EQB's next scheduled meeting may be directed to Michele Tate at (717) 783-8727 or mtate@state.pa.us.

JOHN HANGER,
Acting Secretary

[Pa.B. Doc. No. 08-1865. Filed for public inspection October 10, 2008, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Notice of Filing of Final Rulemaking

The Independent Regulatory Review Commission (Commission) received the following regulations. They are scheduled to be considered on the date noted. The Commission's public meetings are held at 333 Market Street, 14th Floor, in Harrisburg, PA at 10:30 a.m. To obtain a copy of the regulation, interested parties should first contact the promulgating agency. If a copy cannot be obtained from the promulgating agency, the Commission will provide a copy or you can obtain a copy from our web site, www.irrc.state.pa.us.

Final-Form

| <i>Reg. No.</i> | <i>Agency/Title</i> | <i>Received</i> | <i>Public Meeting</i> |
|-----------------|---|-----------------|-----------------------|
| 57-264 | Pennsylvania Public Utility Commission Net Metering and Interconnection | 9/25/08 | 11/6/08 |
| 57-261 | Pennsylvania Public Utility Commission Telecommunications Relay Service System and Relay Service Fund | 9/25/08 | 11/6/08 |
| 3-43 | Department of Banking Proper Conduct of Lending and Brokering in the Mortgage Loan Business | 9/25/08 | 11/6/08 |
| 2-102 | Department of Agriculture Amusement Rides and Attractions Erected Permanently or Temporarily at Carnivals, Fairs and Amusement Parks | 9/25/08 | 11/6/08 |
| 125-85 | Pennsylvania Gaming Control Board Licensed Facility | 9/30/08 | 11/6/08 |
| 125-88 | Pennsylvania Gaming Control Board Slot Machine Testing and Control; Possession of Slot Machines; Accounting and Internal Controls; and Commencement of Slot Operations | 9/30/08 | 11/6/08 |
| 125-89 | Pennsylvania Gaming Control Board Employees; Slot Machine Licenses; and Accounting and Internal Controls | 9/30/08 | 11/6/08 |

ARTHUR COCCODRILLI,
Chairperson

[Pa.B. Doc. No. 08-1866. Filed for public inspection October 10, 2008, 9:00 a.m.]

INSURANCE DEPARTMENT

Applications for Approval of the Consolidation of Highmark, Inc. and Independence Blue Cross and to Acquire Control of the Pennsylvania Domiciled Insurance Subsidiaries of Highmark, Inc. and Independence Blue Cross; Amended Notice of Closing of Public Comment Period

The purpose of this notice is to announce, in accordance with the requirements of Act 62 of 2008 that the Insurance Department (Department) will close the public comment period on October 14, 2008. This amends the notice published at 38 Pa.B. 5237 (September 20, 2008) and extends the date for the closing of the public comment

period, as published on September 20, 2008, by 4 days. The reason for this amendment is that the September 20, 2008, notice was inadvertently published with lines of the caption omitted. Persons wishing to comment on the grounds of public or private interest are invited to submit a written statement to the Department. Each written statement must include the name, address and telephone number of the interested party, identification of the application to which the statement is addressed, and a concise statement with sufficient detail and relevant facts to inform the Department of the exact basis of the statement. Written statements should be directed to Robert Brackbill, Chief, Company Licensing Division, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557, rbrackbill@state.pa.us.

The closing of the public comment period begins the 45-day period in which the Banking and Insurance Committee of the Senate and the Insurance Committee of the House of Representatives may submit written comments and recommendations, as set forth in Act 62 of 2008. Under Act 62 of 2008, the Department may issue its final order and determination on or after 105 days following the close of the public comment period. This means the legislative review period will extend through November 28, 2008, and that the Department may issue its final order on or after January 27, 2009.

JOEL SCOTT ARIO,
Insurance Commissioner

[Pa.B. Doc. No. 08-1867. Filed for public inspection October 11, 2008, 9:00 a.m.]

PATIENT SAFETY AUTHORITY

Public Meeting

The Patient Safety Authority (Authority), established by section 303 of the Medical Care Availability and Reduction of Error (MCARE) Act (40 P.S. § 1303.303), enacted on March 20, 2002, announces a meeting of the Authority's Board on Tuesday, October 28, 2008, at 9:30 a.m. to be held at the Radisson Penn Harris Hotel and Convention Center, 1150 Camp Hill Bypass, Camp Hill, PA.

Individuals having questions regarding this meeting, which is open to the public, should contact the Authority at (717) 346-0469.

MICHAEL C. DOERING,
Executive Director

[Pa.B. Doc. No. 08-1868. Filed for public inspection October 10, 2008, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Authorization to Sell Accounts Receivable

A-2008-2065751. Metropolitan Edison Company. Application of Metropolitan Edison Company for authorization to sell accounts receivable.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant, on or before October 27, 2008. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the applicant's business address.

Applicant: Metropolitan Edison Company

Through and By Counsel: Bradley A. Bingaman, Esquire, FirstEnergy Service Company, 2800 Pottsville Pike, P. O. Box 16001, Reading, PA 19612-6001

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 08-1869. Filed for public inspection October 10, 2008, 9:00 a.m.]

Authorization to Sell Accounts Receivable

A-2008-2065761. Pennsylvania Electric Company. Application of Pennsylvania Electric Company for authorization to sell accounts receivable.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant, on or before October 27, 2008. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the applicant's business address.

Applicant: Pennsylvania Electric Company

Through and By Counsel: Bradley A. Bingaman, Esquire, FirstEnergy Service Company, 2800 Pottsville Pike, P. O. Box 16001, Reading, PA 19612-6001

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 08-1870. Filed for public inspection October 10, 2008, 9:00 a.m.]

Authorization to Sell Accounts Receivable

A-2008-2065758. Pennsylvania Power Company. Application of Pennsylvania Power Company for authorization to sell accounts receivable.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant, on or before October 27, 2008. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the applicant's business address.

Applicant: Pennsylvania Power Company

Through and By Counsel: Bradley A. Bingaman, Esquire, FirstEnergy Service Company, 2800 Pottsville Pike, P. O. Box 16001, Reading, PA 19612-6001

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 08-1871. Filed for public inspection October 10, 2008, 9:00 a.m.]

Local Exchange Carrier Service

A-2008-2065503. Citynet Pennsylvania, LLC. Application of Citynet Pennsylvania, LLC for approval to offer, render, furnish or supply telecommunications services to the public as a Competitive Local Exchange Carrier in the service territory of Windstream Pennsylvania, LLC.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant, on or before October 27, 2008. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the applicant's business address.

Applicant: Citynet Pennsylvania, LLC

Through and By Counsel: Jeffrey A. Ray, General Counsel, Citynet Pennsylvania, LLC, 113 Platinum Drive, Suite B, Bridgeport, WV 26330

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 08-1872. Filed for public inspection October 10, 2008, 9:00 a.m.]

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant by October 27, 2008. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

Applications of the following for approval to begin operating as common carriers for transportation of persons as described under each application.

A-2008-2063911. Millcreek Paramedic Service, Inc. (3608 West 26th Street, Erie, Erie County, PA 16506)—persons, in paratransit service, from points in the County of Erie to points in Pennsylvania, and return. *Attorney:* William A. Gray, Vuono & Gray, LLC, 310 Grant Street, Suite 2310, Pittsburgh, PA 15219.

A-2008-2064873. Raymond Dunkle, t/a Dunkle Transportation (16703 Timmons Road, Spring Run, Franklin County, PA 17262)—persons, in paratransit service, limited to persons whose personal convictions prevent them from owning or operating motor vehicles, from points in the County of Lancaster, to points in Pennsylvania, and return.

Applications of the following for approval of the beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of persons by transfer of rights as described under each application.

A-2008-2065319. Altoona VIP Limousine and Car Service, LLC (201 East 22nd Avenue, Altoona, Blair County, PA 16601)—a limited liability company of the Commonwealth—persons in limousine service, between points in Pennsylvania, which is to be a transfer of all rights authorized under the certificate issued at A-00115270 to Robert P. Kawtoski and Stephen P. Romanowicz, co-partners, t/d/b/a VIP Limousine Service Altoona, subject to the same limitations and conditions. *Attorney:* McNeese, Wallace & Nurick, LLC, J. Corey Reader, 330 Innovation Boulevard, Suite 301, State College, PA 16803.

A-2008-2065647. Active Limousine, LLC (2604 Cove Road, Pennsauken, Camden County, NJ 08109)—a limited liability company of the Commonwealth—persons in limousine service, between points in Pennsylvania, which is to be a transfer of all rights authorized under the certificate issued at A-00116325 to Golden Limousine Service, Inc., subject to the same limitations and conditions. *Attorney:* David P. Temple, 1760 Market Street, Suite 1100, Philadelphia, PA 19103.

Applications of the following for approval of the additional right and privilege of operating motor vehicles as common carriers for transportation of persons as described under each application.

A-2008-2041603. Limousines For Less, Inc. (315 Clermont Avenue, Stroudsburg, Monroe County, PA 18360)—a corporation of the Commonwealth—persons in group and party service, in vehicles seating 11 to 15 passengers, including the driver, from points in Monroe County, to points in Pennsylvania, and return.

A-2008-2061302. PJA, Inc. t/a Hansen's Errand Service (P. O. Box 8503, Erie, Erie County, PA 16505-0503)—a corporation of the Commonwealth—persons in airport transfer service, from the Counties of Crawford, Erie, Venango and Warren, to the Erie International Airport, a/k/a Tom Ridge Field, located in Erie County.

Application of the following for approval of the beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of household goods as described under the application.

A-2008-2065117. Move Way, Inc. (1352 Maple Avenue, Croydon, Bucks County, PA 19021)—household goods in use, from points in the City and County of Philadelphia, to points within 30 airline miles of Philadelphia City Hall, and vice versa.

Application of the following for the approval of the transfer of stock as described under the application.

A-2008-2062240. Charles E. Groff & Sons, Inc. (1284 Cloverleaf Road, Mount Joy, Lancaster County, PA 17552), a corporation of the Commonwealth—stock transfer—for the approval of the transfer of 2,000 shares of outstanding stock as follows: 200 shares of outstanding stock held by Wilbur Groff to Leslie E. Brosius, Jr. and 1,000 shares of outstanding stock held by Kevin Groff and 800 shares

of outstanding stock held by Wilbur Groff to be purchased by the corporation and held as treasury stock. *Attorney:* Craig A. Doll, 25 West Second Street, P. O. Box 403, Hummelstown, PA 17036-0403.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 08-1873. Filed for public inspection October 10, 2008, 9:00 a.m.]

Telecommunications

A-2008-2066503. The United Telephone Company of Pennsylvania, d/b/a Embarq and MCImetro Access Transmission Services, LLC. Joint petition of The United Telephone Company of Pennsylvania, d/b/a Embarq and MCImetro Access Transmission Services, LLC for approval of a master interconnection, collocation and resale agreement under section 252(e) of the Telecommunications Act of 1996.

The United Telephone Company of Pennsylvania, d/b/a Embarq and MCImetro Access Transmission Services, LLC, by its counsel, filed on September 29, 2008, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of a master interconnection, collocation and resale agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the The United Telephone Company of Pennsylvania, d/b/a Embarq and MCImetro Access Transmission Services, LLC joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

By the Commission

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 08-1874. Filed for public inspection October 10, 2008, 9:00 a.m.]

PHILADELPHIA REGIONAL PORT AUTHORITY

Request for Bids

The Philadelphia Regional Port Authority (PRPA) requests qualifications for a public relations firm (Project No. 08-124.P). The Qualification documents will be accepted until 2 p.m. on Wednesday, October 29, 2008. Documents can be obtained from the Director of Procurement, PRPA, 3460 North Delaware Avenue, 2nd Floor, Philadelphia, PA 19134, (215) 426-2600 and will be available Tuesday, October 14, 2008. The cost of the document is \$35 (includes 7% PA Sales Tax). Payment must be in the form of a company check (no cash accepted). The cost is nonrefundable. PRPA is an equal opportunity employer. Firms must comply with all applicable equal employment opportunity laws and regulations.

JAMES T. MCDERMOTT, Jr.,
Executive Director

[Pa.B. Doc. No. 08-1875. Filed for public inspection October 10, 2008, 9:00 a.m.]

Request for Bids

The Philadelphia Regional Port Authority (PRPA) will select a firm to conduct a strategic assessment of PRPA facilities (Project No. 08-102.P). The proposal documents will be accepted until 2 p.m. on Friday, November 7, 2008. Documents can be obtained from the Director of Procurement, PRPA, 3460 North Delaware Avenue, 2nd Floor, Philadelphia, PA 19134, (215) 426-2600 and will be available Tuesday, October 14, 2008. The cost of the document is \$35 (includes 7% PA Sales Tax). Payment must be in the form of a company check (no cash accepted). The cost is nonrefundable. PRPA is an equal opportunity employer. Firms must comply with all applicable equal employment opportunity laws and regulations.

JAMES T. MCDERMOTT, Jr.,
Executive Director

[Pa.B. Doc. No. 08-1876. Filed for public inspection October 10, 2008, 9:00 a.m.]

