

NOTICES

DEPARTMENT OF BANKING

Actions on Applications

The Department of Banking (Department), under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending May 31, 2011.

Under section 503.E of the Department of Banking Code (71 P. S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file their comments in writing with the Department of Banking, Corporate Applications Division, 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, contact the Corporate Applications Division at (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

BANKING INSTITUTIONS

Incorporations

Holding Company Acquisitions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
3-31-2011	GNB Financial Services, Inc. Gratz Dauphin County Application for approval to acquire 100% of The Herndon National Bank, Herndon.	Filed

Branch Applications

De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
12-27-2010	Monument Bank Doylestown Bucks County	33 Swamp Road Newtown Bucks County	Effective

Branch Discontinuances

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
5-24-2011	Reliance Savings Bank Altoona Blair County	1824 South Atherton Street State College Centre County	Effective

SAVINGS INSTITUTIONS

No activity.

CREDIT UNIONS

No activity.

The Department's web site at www.banking.state.pa.us includes public notices for more recently filed applications.

GLENN E. MOYER,
Secretary

[Pa.B. Doc. No. 11-1012. Filed for public inspection June 17, 2011, 9:00 a.m.]

Actions on Applications

The Department of Banking (Department), under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending June 7, 2011.

Under section 503.E of the Department of Banking Code (71 P. S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file their comments in writing with the Department of Banking, Corporate Applications Division, 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments

must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, contact the Corporate Applications Division at (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

BANKING INSTITUTIONS

Interim Incorporations

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
6-7-2011	New Century Interim Bank Phoenixville Chester County	Approved

The purpose of New Century Interim Bank, Phoenixville, is to merge with New Century Bank (d.b.a. Customers Bank), Phoenixville, to facilitate the proposed reorganization of New Century Bank into a bank holding company structure whereby New Century Bank will become the wholly-owned subsidiary of Customers Bancorp, Inc., Phoenixville, a new bank holding company in formation.

Consolidations, Mergers, and Absorptions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
5-31-2011	Wayne Bank Honesdale Wayne County	Effective

Application for approval to merge North Penn Bank, Scranton, with and into Wayne Bank, Honesdale.

Branch Applications

De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
5-19-2011	Monument Bank Doylestown Bucks County	Newtown Plaza 33 Swamp Road Newtown Bucks County	Opened
6-3-2011	Citizens Bank of Pennsylvania Philadelphia Philadelphia County	733 West Lancaster Avenue Bryn Mawr Montgomery County	Approved
6-7-2011	Beneficial Mutual Savings Bank Philadelphia Philadelphia County	900 Welsh Road Maple Glen Montgomery County	Approved

Branch Relocations

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
5-20-2011	Royal Asian Bank Philadelphia Philadelphia County	<i>To:</i> 449 Broad Avenue Palisades Park Bergen County, NJ <i>From:</i> 232 Broad Avenue Palisades Park Bergen County, NJ	Effective

Branch Discontinuances

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
5-20-2011	Reliance Savings Bank Altoona Blair County	1824 South Atherton Street State College Centre County	Closed
5-31-2011	First Commonwealth Bank Indiana Indiana County	363 Butler Street Pittsburgh Allegheny County	Closed
5-31-2011	First Commonwealth Bank Indiana Indiana County	608 Miller Avenue Clairton Allegheny County	Closed
5-31-2011	First Commonwealth Bank Indiana Indiana County	250 Summit Park Drive Pittsburgh Allegheny County	Closed

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
5-31-2011	Union Bank and Trust Company Pottsville Schuylkill County	Redner's Market Route 61 Schuylkill Haven Schuylkill County	Closed
5-31-2011	Union Bank and Trust Company Pottsville Schuylkill County	Redner's Market Gold Star Highway Shenandoah Schuylkill County	Closed
6-3-2011	Citizens Bank of Pennsylvania Philadelphia Philadelphia County	345 East Beaver Avenue State College Centre County	Closed

Articles of Amendment

<i>Date</i>	<i>Name and Location of Institution</i>	<i>Action</i>
6-7-2011	Royal Asian Bank Philadelphia Philadelphia County	Approved and Effective
Articles of Incorporation amended and restated in their entirety to change the name of the institution to "Noah Bank" and to relocate the institution's principal place of business <i>From</i> : 418 Oak Lane, Philadelphia, Pennsylvania 19126 <i>To</i> : 7301 Old York Road, Elkins Park, Pennsylvania 19027		

SAVINGS INSTITUTIONS

No activity.

CREDIT UNIONS**Articles of Amendment**

<i>Date</i>	<i>Name and Location of Institution</i>	<i>Action</i>
6-7-2011	Spojnia Credit Union Scranton Lackawanna County	Approved and Effective
Amendment to Article 2 of the credit union's Articles of Incorporation provides for a statement that the credit union is organized and operated as a nonprofit corporation.		

Branch Applications**De Novo Branches**

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
12-10-2010	Crayola, LLC Employees Credit Union Easton Northampton County	2475 Brodhead Road Bethlehem Northampton County	Opened
6-3-2011	TruMark Financial Credit Union Trevose Bucks County	333 Centennial Road Warminster Bucks County	Filed

The Department's web site at www.banking.state.pa.us includes public notices for more recently filed applications.

GLENN E. MOYER,
Secretary

[Pa.B. Doc. No. 11-1013. Filed for public inspection June 17, 2011, 9:00 a.m.]

Maximum Lawful Rate of Interest for Residential Mortgages for the Month of July 2011

The Department of Banking (Department), under the authority contained in section 301 of the act of January 30, 1974 (P. L. 13, No. 6) (41 P. S. § 301), determines that the maximum lawful rate of interest for residential mortgages for the month of July, 2011, is 6%.

The interest rate limitations under the State's usury statute were preempted to a great extent by Federal law, the Depository Institutions Deregulation and Monetary Control Act of 1980 (Pub. L. No. 96-221). Further preemption was instituted with the signing of Pub. L. No.

96-399, which overrode State interest rate limitations on any individual who finances the sale or exchange of residential real property which the individual owns and which the individual occupies or has occupied as his principal residence.

Each month the Department is required by State law to compute and announce the ceiling rate on residential mortgages in this Commonwealth. This maximum rate is determined by adding 2.50 percentage points to the yield rate on long-term government bonds as published by the Federal Reserve Board and/or the United States Treasury. The latest yield rate on long-term government securities is 3.59 to which was added 2.50 percentage points for a

total of 6.09 that by law is rounded off to the nearest quarter at 6%.

GLENN E. MOYER,
Secretary

[Pa.B. Doc. No. 11-1014. Filed for public inspection June 17, 2011, 9:00 a.m.]

DEPARTMENT OF EDUCATION

Application of Trinity International University for Approval to Offer a Degree and Certificate Program

Notice of Opportunity for Hearing and Invitation to Protest

Under 24 Pa.C.S. § 6503(e) (relating to certification of institutions), the Department of Education (Department) will consider the application for approval of a Certificate of Authority for Trinity International University of Deerfield, IL, by means of its Trinity Evangelical Divinity School to offer a program in Christian Studies leading to a Master of Arts degree and a program in Christian Studies leading to a certificate of completion at the site of North Way Christian Community in Wexford, PA.

In accordance with 24 Pa.C.S. § 6503(e), the Department will act upon this application without hearing, unless within 30 days after the publication of this notice in the *Pennsylvania Bulletin* a written request for public hearing is filed with the Department, along with a notice of intervention, a petition to intervene or protest in accordance with 1 Pa. Code §§ 35.23 and 35.24 (relating to protests) or 1 Pa. Code §§ 35.27—35.32 (relating to intervention).

Petitions to intervene, protest and request for hearing shall be filed with Carol M. D. Gisselquist, Higher Education Specialist, 333 Market Street, Harrisburg, PA 17126-0333, (717) 787-4448, on or before 4 p.m. on the due date prescribed by this notice. Persons wishing to review the application should phone or write to the aforementioned office to schedule a time for an in-office review. Duplicate copies of the application are not available.

Persons with a disability who wish to attend the hearing, if held, and require an auxiliary aid, service or other accommodation to participate, should contact Carol M. D. Gisselquist at (717) 787-4448 to discuss how the Department may best accommodate their needs.

RONALD J. TOMALIS,
Secretary

[Pa.B. Doc. No. 11-1015. Filed for public inspection June 17, 2011, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT APPLICATIONS FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications concern, but are not limited to, discharges regarding industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFO). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Waste; Discharge into Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 Individual Permits and Individual Stormwater Construction Permits in Sections IV and VI, the Department, based upon preliminary reviews, has made tentative determinations of proposed effluent limitations and other terms and conditions for the permit applications. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the United States Environmental Protection Agency (EPA) Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on NPDES applications are invited to submit statements to the contact office noted before the application within 30 days from the date of this public notice. Persons wishing to comment on WQM permit applications are invited to submit statements to the office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for public hearings on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed No.)	EPA Waived Y/N?
PA0061361 (Sewage)	Smithfield Sewer Authority WWTP 1155 Red Fox Road East Stroudsburg, PA 18301-9106	Monroe County Smithfield Township	Little Sambo Creek (01E)	Y

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 3717-705-4707.

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed #)	EPA Waived Y/N?
PA0029939 (Sew—Transfer / Renewal)	Cromwell Township Board of Supervisors 10999 Valley Street Shirleysburg, PA 17260	Huntingdon County Cromwell Township	Aughwick Creek / 12-C	Y

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed No.)	EPA Waived Y/N?
PA0114766 (Sewage)	Behavioral Specialists, Inc. 184 E Village Drive Williamsport, PA 17702	Lycoming County Susquehanna Township	Bender Run (10-A)	Y
PA0033316 (Sewage)	Pine Crest Village MHP 170 Pinecrest Drive Williamsport, PA 17701-9730	Lycoming County Eldred Township	Unnamed Tributary of Millers Run (10-B)	Y

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed#)	EPA Waived Y/N?
PA0005762 (Industrial Waste)	G. O. Carlson Inc. d/b/a Electralloy 176 Main Street Oil City, PA 16301	Venango City of Oil City	Allegheny River 16-E	Y
PA0209902 (Sewage)	Ina B. & Michael J. Mailliard Sunol road Cochranton, PA 16314	Crawford County Greenwood Township	Sandy Creek 16-G	Y

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Non-Waived Permit Applications

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401

PA0051250, Sewage, **Bucks County Water and Sewer Authority**, 1275 Almshouse Road, Warrington, PA 18976. This facility is located in Doylestown Township, **Bucks County**.

Description of Proposed Activity: Renewal of an NPDES permit to discharge treated sewage from Kings Plaza STP, located on Almhouse Road east of Easton Road.

The receiving stream, Neshaminy Creek, is in the State Water Plan watershed 2F and is classified for: TSF, MF, aquatic life, water supply, and recreation. The nearest downstream public water supply intake for the Aqua Pennsylvania Neshaminy Plant is located on Neshaminy Creek.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.425 MGD.

<i>Parameters</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅				
(05-01 to 10-31)	15	23		30
(11-01 to 04-30)	25	40		50
Suspended Solids	30	45		60
Ammonia (as N)				
(05-01 to 10-31)	2.0			4.0
(11-01 to 04-30)	6.0			12.0
NO ₂ +NO ₃ as N				
(07-01 to 10-31)	9.0			
(11-01 to 06-30)	Monitor/Report			
Total Kjeldahl Nitrogen	Monitor/Report			
Phosphorous (as P)				
first 12 months				
(04-01 to 10-31)	1.0			2.0
(11-01 to 03-31)	Monitor/Report			
after 12 months				
(04-01 to 10-31)	0.8			1.6
(11-01 to 03-31)	1.6			3.2
Fecal Coliform			200 #/100 ml as a geometric mean, nor greater than 1,000 #/100 ml	
Dissolved Oxygen			Minimum of 5.0 mg/l at all times	
pH			Within limits of 6.0-9.0 Standard Units at all times	
Total Residual Chlorine	0.5			1.6

In addition to the effluent limits, the permit contains the following major special conditions:

1. Designation of Responsible Operator
2. Remedial Measures if Public Nuisance
3. No Stormwater to Sewers
4. Necessary Property Rights
5. Small Stream Discharge
6. Change in Ownership
7. Chlorine Minimization
8. Proper Sludge Disposal
9. TMDL/WLA Analysis
10. Operator Training
11. Instantaneous Maximum Limits
12. Laboratory Certification

PA0053651, SIC Code 3341, **Johnson Matthey Inc.**, 1401 King Road, West Chester, PA 19380-1467. Facility Name: Johnson Matthey GWCU. This existing facility is located in West Whiteland Township, **Chester County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated groundwater and stormwater.

The receiving stream(s), Valley Creek, is located in State Water Plan watershed 3H and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.036 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Instant. Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0
1,1,2-Trichloroethane Influent	XXX	XXX	XXX	Report	XXX

Parameters	Mass (lb/day)		Instant. Minimum	Concentration (mg/l)		Instant. Maximum
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
1,1,2-Trichloroethane	XXX	XXX	XXX	0.002	0.004	0.005
1,1,2,2-Tetrachloroethane	XXX	XXX	XXX	0.0007	0.0014	0.0017
1,1,2,2-Tetrachloroethane Influent	XXX	XXX	XXX	Report	XXX	XXX
Tetrachloroethylene	XXX	XXX	XXX	0.0025	0.005	0.0062
Tetrachloroethylene Influent	XXX	XXX	XXX	Report	XXX	XXX
Trichloroethylene	XXX	XXX	XXX	Report	XXX	XXX
Trichloroethylene Influent	XXX	XXX	XXX	Report	XXX	XXX
Trichloroethylene	XXX	XXX	XXX	0.01	0.02	0.025

The proposed effluent limits for Outfall 002 are based on an average stormwater flow.

Parameters	Mass (lb/day)		Minimum	Concentration (mg/l)		Instant. Maximum
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
pH	XXX	XXX	XXX	XXX	Report	XXX
CBOD ₅	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Dissolved Iron	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

1. Remedial Measures if Unsatisfactory Effluent
2. Small Stream Discharge
3. BAT/ELG Reopener
4. Test Methods
5. Change of Ownership
6. Proper Sludge Disposal
7. TMDL/WLA Analysis
8. Groundwater Monitoring
9. No Stripper Tower Cleaning Water Discharge
10. Laboratory Certification
11. Stormwater Only Outfall

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790

PA0047325, Industrial Waste, SIC Code 4911, **PPL Electric Utilities Corp**, 769 Salem Boulevard, Berwick, PA 18603-6828. Facility Name: Susquehanna Steam Electric Station. This existing facility is located in Salem Township, **Luzerne County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Industrial Waste.

The receiving stream, Susquehanna River, is located in State Water Plan watershed 5-B and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 070 Stormwater.

Parameters	Mass (lb/day)		Minimum	Concentration (mg/l)		Instant. Maximum
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
pH (S.U.)	XXX	XXX	XXX	report	XXX	XXX
Total Suspended Solids	XXX	XXX	XXX	report	XXX	XXX
Oil and Grease	XXX	XXX	XXX	report	XXX	XXX

The proposed effluent limits for Outfall 071 are based on a design flow of 13.89 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Daily Maximum</i>	<i>Maximum</i>	
Flow (MGD)	report	report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Free Available Chlorine	XXX	XXX	XXX	0.2	XXX	0.50
Ammonia-Nitrogen				Report		
Total Phosphorus	XXX	XXX	XXX	Avg Mo	XXX	XXX
Total Chromium	XXX	XXX	XXX	Report		
Total Zinc	XXX	XXX	XXX	Avg Mo	XXX	XXX
				0.2	0.2	XXX
				1.0	1.0	XXX

The proposed effluent limits for Outfall 072 are based on a design flow of 0.009 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	report	report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	30	100	XXX
Oil and Grease	XXX	XXX	XXX	15.0	20.0	30.0

The proposed effluent limits for Outfall 073 are based on a design flow of 0.008 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	report	report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	30	100	XXX
Oil and Grease	XXX	XXX	XXX	15.0	20.0	30.0

The proposed effluent limits for Outfall 074 are based on a design flow of 0.008 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	report	report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	30.0	100.0	XXX
Oil and Grease	XXX	XXX	XXX	15.0	20.0	30.0

The proposed effluent limits for Outfall 075 Stormwater.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	report	XXX	XXX
Total Suspended Solids	XXX	XXX	XXX	report	XXX	XXX
Oil and Grease	XXX	XXX	XXX	report	XXX	XXX

The proposed effluent limits for Outfall 079 are based on a design flow of 0.08 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine	XXX	XXX	XXX	1.0	XXX	2.0
CBOD ₅	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30				200		
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean	1,000	XXX
				2000		
	XXX	XXX	XXX	Geo Mean	10,000	XXX

The proposed effluent limits for Outfall 080 Stormwater.

Parameters	Mass (lb/day)			Concentration (mg/l)		
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum
pH (S.U.)	XXX	XXX	XXX	report	XXX	XXX
Total Suspended Solids	XXX	XXX	XXX	report	XXX	XXX
Oil and Grease	XXX	XXX	XXX	report	XXX	XXX

The proposed effluent limits for Outfall 371 are based on a design flow of 0.001 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum
Flow (MGD)	report	report	XXX	XXX	XXX	XXX
Total Suspended Solids	XXX	XXX	XXX	30	100	XXX
Oil and Grease	XXX	XXX	XXX	15.0	20.0	XXX

In addition, the permit contains the following major special conditions:

- Chemical Additives
- Stormwater
- 316(b)
- ELG 423 Specific Special Conditions

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is not in effect.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

PA0032051, Sewage, SIC Code 4952, **Granville Township**, Mifflin County, 100 Helen Street, Lewistown, PA 17044-2437. Facility Name: Junction STP. This existing facility is located in Granville Township, **Mifflin County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Juniata River, is located in State Water Plan watershed 12-A and is classified for High Quality Waters - Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.5 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		
	Average Monthly	Weekly Average	Minimum	Average Monthly	Weekly Average	Instant. Maximum
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	0.5	XXX	1.6
CBOD ₅	156	250	XXX	25	40	50
BOD ₅	Report	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	Report	XXX	XXX	Report	XXX	XXX
Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	188	282	XXX	30	45	60
Fecal Coliform (CFU/100 ml)				200		
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 2,000	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean Report	XXX	10,000
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	XXX	XXX	XXX
Total Nitrogen	Total Mo	XXX	XXX	XXX	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Report	XXX	XXX	XXX	XXX	XXX
Total Nitrogen	Total Mo	XXX	XXX	XXX	XXX	XXX
Total Nitrogen	XXX	Report Total Annual	XXX	XXX	XXX	XXX

Parameters	Mass (lb/day)		Minimum	Concentration (mg/l)		Instant. Maximum
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Total Nitrogen Effluent Net	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Nitrogen Effluent Net	XXX	15,796 Total Annual	XXX	XXX	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Ammonia-Nitrogen	XXX	Report Total Annual	XXX	XXX	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Phosphorus Effluent Net	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Phosphorus	XXX	Report Total Annual	XXX	XXX	XXX	XXX
Total Phosphorus Effluent Net	XXX	1,899 Total Annual	XXX	XXX	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

PA0261661, Sewage, SIC Code 1522, **Patel Mangla P & Patel Pravin M**, 2845 Lebanon Road, Manheim, PA 17545. Facility Name: Red Carpet Inn. This proposed facility is located in Rapho Township, **Lancaster County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated Sewage.

The receiving stream(s), Unnamed tributary to Shearers Creek, is located in State Water Plan watershed 7-G and is classified for High Quality Waters - Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0048 MGD.

Parameters	Mass (lb/day)		Minimum	Concentration (mg/l)		Instant. Maximum
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	7.0	XXX	XXX	XXX
CBOD ₅	XXX	XXX	XXX	10	20	25
Total Suspended Solids	XXX	XXX	XXX	10	20	25
Total Dissolved Solids	XXX	XXX	XXX	500	1000	1250
Fecal Coliform (CFU/100 ml)	XXX	XXX	XXX	200	1000	1250
Nitrate-Nitrite as N	XXX	XXX	XXX	Geo Mean	XXX	1000
Nitrate-Nitrite as N	Report Total Mo	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	5	10	12.5
Total Nitrogen	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Nitrogen	XXX	Report Total Annual	XXX	XXX	XXX	XXX
Total Nitrogen Effluent Net	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Nitrogen Effluent Net (Interim)	XXX	Report Total Annual	XXX	XXX	XXX	XXX

Parameters	Mass (lb/day)			Concentration (mg/l)		Instant. Maximum
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	
Total Nitrogen Effluent Net (Final)		181				
	XXX	Total Annual	XXX	XXX	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	1.0	2.0	2.5
Ammonia-Nitrogen		Report				
	XXX	Total Annual	XXX	XXX	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen	Report					
	Total Mo	XXX	XXX	XXX	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	0.5	1	1.25
Total Phosphorus	Report					
	Total Mo	XXX	XXX	XXX	XXX	XXX
Total Phosphorus		Report				
	XXX	Total Annual	XXX	XXX	XXX	XXX
Total Phosphorus Effluent Net	Report					
	Total Mo	XXX	XXX	XXX	XXX	XXX
Total Phosphorus Effluent Net (Interim)		Report				
	XXX	Total Annual	XXX	XXX	XXX	XXX
Total Phosphorus Effluent Net (Final)		0.0				
	XXX	Total Annual	XXX	XXX	XXX	XXX
Total Copper	XXX	XXX	XXX	0.053	0.106	0.13
Total Lead	XXX	XXX	XXX	0.098	0.196	0.25
Total Zinc	XXX	XXX	XXX	0.244	0.288	0.61

In addition, the permit contains the following major special conditions:

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0014648, Industrial Waste, SIC Code 4941, **United Water PA Inc.**, 4211 E Park Circle, Harrisburg, PA 17111-2806. Facility Name: United Water PA Harrisburg System. This existing facility is located in Hummelstown Borough, **Dauphin County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Industrial Waste.

The receiving stream(s), Unnamed Tributary to Swatara Creek, is located in State Water Plan watershed 7-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.25 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		Instant. Maximum
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine	XXX	XXX	XXX	0.5	1.0	1.6
Total Suspended Solids	Report	Report	XXX	30	60	75
Total Aluminum	Report	Report	XXX	4.0	8.0	10
Total Iron	Report	Report	XXX	2.0	4.0	5.0
Total Manganese	Report	Report	XXX	1.0	2.0	2.5

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Outfall 001.

Parameters	Mass (lbs)			Concentration (mg/l)	
	Monthly	Annual	Minimum	Monthly Average	Maximum
Ammonia—N	Report	Report	XXX	Report	XXX
Kjeldahl—N	Report	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX
Total Nitrogen	Report	Report	XXX	Report	XXX
Total Phosphorus	Report	Report	XXX	Report	XXX

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Trading of Nutrients and

Sediment Reduction Credits Policy and Guidelines (Document #392-0900-001, December 30, 2006). The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Northcentral Regional Office: Regional Water Management Program Manager, 208 W Third Street Suite 101, Williamsport, PA 17701-6448, Telephone: 570.327.3664.

PA0028461, Sewage, SIC Code 4952, **Borough of Mifflinburg**, 333 Chestnut Street, Mifflinburg, PA 17844-1348. Facility Name: Mifflinburg Borough Wastewater Treatment Plant. This existing facility is located in Mifflinburg Borough, **Union County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Buffalo Creek, is located in State Water Plan watershed 10-C and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 1.4 MGD.

Parameters	Mass (lb/day)		Minimum	Concentration (mg/l)		Instant. Maximum
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)		Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	4.0	XXX	XXX	XXX
CBOD ₅						
May 1 - Oct 31	99	140	XXX	8.5	12	17
Nov 1 - Apr 30	292	467	XXX	25	40	50
Total Suspended Solids	350	525	XXX	30	45	60
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
Ammonia-Nitrogen						
May 1 - Oct 31	91	128	XXX	7.8	11	15
Nov 1 - Apr 30	30	45	XXX	2.6	3.9	5.2
UV Dosage (mjoules/cm ²)	XXX	XXX	Report	XXX	XXX	XXX
Chronic toxicity (TUc) (ceiodaphnia) (Interim) *	XXX	XXX	XXX	XXX	Report Max	XXX
(ceriodaphnia) (Final) *	XXX	XXX	XXX	XXX	2.21 Max	XXX
(pimephales) (Interim) *	XXX	XXX	XXX	XXX	Report Max	XXX
(pimephales) (Final) *	XXX	XXX	XXX	XXX	2.21 Max	XXX

* The chronic toxicity effluent limitation does not go into effect until September 1, 2014 pending the results of a toxics reduction evaluation.

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Outfall 001.

Parameters	Mass (lbs)		Minimum	Concentration (mg/l)	
	Monthly	Annual		Monthly Average	Maximum
Ammonia—N	Report	Report		Report	
Kjeldahl—N	Report			Report	
Nitrate-Nitrite as N	Report			Report	
Total Nitrogen	Report	Report		Report	
Total Phosphorus	Report	Report		Report	
Net Total Nitrogen (Interim)	Report	Report			
Net Total Nitrogen (Final)	Report	25,570			
Net Total Phosphorus (Interim)	Report	Report			
Net Total Phosphorus (Final)	Report	3,409			

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Trading of Nutrients and Sediment Reduction Credits Policy and Guidelines (Document #392-0900-001, December 30, 2006). The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

* The compliance date for Net Total Nitrogen and Net Total Phosphorus will begin on October 1, 2011. Since these reporting requirements are annual loads, the reporting on compliance with the annual limitations will be required to be reported on the Supplemental DMR - Annual Nutrient Summary by November 28, 2012. This facility is required to monitor and report for Net Total Nitrogen and Net Total Phosphorus from the effective date of the permit until September 30, 2011.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is not in effect.

Southwest Regional Office: Regional Manager, Water Management, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; 412-442-4000

PA0093203, Sewage, SIC Code 9999, **The Pennsylvania State University**, Engineering Services, 101P Physical Plant Building, University Park, PA 16802. Facility Name: Penn State New Kensington Campus STP. This existing facility is located in Upper Burrell Township, **Westmoreland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Unnamed Tributary to Pucketa Creek, is located in State Water Plan watershed 18-A and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.015 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		Instant. Maximum
	Average Monthly		Minimum	Average Monthly		
Flow (MGD)	0.015	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	6.0	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	1.4	XXX	3.3
CBOD ₅	XXX	XXX	XXX	15	XXX	30
Total Suspended Solids	XXX	XXX	XXX	25	XXX	50
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30				200		
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean	XXX	1000
Ammonia-Nitrogen				2000		
May 1 - Oct 31	XXX	XXX	XXX	Geo Mean	XXX	10000
Nov 1 - Apr 30	XXX	XXX	XXX	4.0	XXX	8.0
	XXX	XXX	XXX	12.0	XXX	24.0

The EPA Waiver is in effect.

PA0205419, **Industrial Waste**, SIC Code 3312, **Carpenter Powder Products, Inc.**, 600 Mayer Street, Bridgeville, PA 15017. Facility Name: Bridgeville Facility. This existing facility is located in Collier Township, **Allegheny County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of furnace and vacuum pump non-contact cooling water, blowdown from closed-loop cooling water system, storm water, groundwater seepage, and air compressor condensate.

The receiving stream(s), Unnamed Tributary to Chartiers Creek, is located in State Water Plan watershed 20-F and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.029 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		Instant. Maximum
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
Temperature (° F)	XXX	XXX	XXX	XXX	XXX	110
Chemical Oxygen Demand	XXX	XXX	XXX	Report	Report	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0

In addition, the permit contains the following major special conditions:

- Requirement to implement best management practices and develop a storm water pollution prevention plan to reduce contaminants in storm water discharges; record use of chemical additives; prevent pollutant additions to non-contact

cooling water over intake values except heat and water conditioning additives; prohibition on discharges that would change the temperature of the receiving stream more than 2°F in any one hour period.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

PA0254401, Sewage, **Ligonier Township Municipal Authority**, One Municipal Park Drive, Ligonier, PA 15658. Facility Name: Darlington STP. This proposed facility is located in Ligonier Township, **Westmoreland County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated Sewage.

The receiving stream(s), Loyalhanna Creek, is located in State Water Plan watershed 18-C and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.154 MGD.

Parameters	Mass (lb/day)		Minimum	Concentration (mg/l)		Instant. Maximum
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	0.154	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	3.0	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	0.5	XXX	1.0
CBOD ₅	32.1	48.2	XXX	25	37.5	50
Total Suspended Solids	38.6	57.8	XXX	30	45	60
Fecal Coliform (CFU/100 ml)				200		
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean	XXX	1000
Oct 1 - Apr 30	XXX	XXX	XXX	2000 Geo Mean	XXX	10000

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

PA0033456, Sewage, SIC Code 6515, **UMH PA II, LLC**, 3499 Route 9 North, Freehold, NJ 07724. Facility Name: Sunny Acres Mobile Home Park STP. This existing facility is located in Somerset Township, **Somerset County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Unnamed Tributary to East Branch Coxes Creek, is located in State Water Plan watershed 19-F and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0375 MGD.

Parameters	Mass (lb/day)		Minimum	Concentration (mg/l)		Instant. Maximum
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Flow (MGD)	0.0375	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	0.05	XXX	0.12
CBOD ₅	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (CFU/100 ml)				200		
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean	XXX	1000
Oct 1 - Apr 30	XXX	XXX	XXX	2000 Geo Mean	XXX	10000
Ammonia-Nitrogen						
May 1 - Oct 31	XXX	XXX	XXX	2.0	XXX	4.0
Nov 1 - Apr 30	XXX	XXX	XXX	3.5	XXX	7.0

In addition, the permit contains the following major special conditions:

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

WQM Permit No. 3611401, Sewage, **Pravin & Mangla Patel**, The Red Carpet Inn, 2845 Lebanon Road, Manheim, PA 17545.

This proposed facility is located in Rapho Township, **Lancaster County**.

Description of Proposed Action/Activity: Seeking permit approval for the construction/operation of a new sewage treatment plant to serve a 50 room hotel and their single residence.

WQM Permit No. 3604401, Amendment 11-1, Sewage, **Marietta-Donnegal Joint Authority**, PO Box 167, Marietta, PA 17547.

This proposed facility is located in Marietta Township, **Lancaster County**.

Description of Proposed Action/Activity: Seeking permit approval for construction/operation of the existing SBR system, the addition of a fourth blower, and the installation of a mechanical bar screen at the main pump station.

WQM Permit No. 3811402, Sewage, **Heidelberg Township**, PO Box 188, Schaefferstown, PA 17088.

This proposed facility is located in Heidelberg Township, **Lebanon County**.

Description of Proposed Action/Activity: Seeking permit approval for the construction/operation of four sewage lift stations.

WQM Permit No. 2211401, Sewage, **Williams Valley School District**, 10330 Route 209, Tower City, PA 17098-9474.

This proposed facility is located in Williamstown Township, Dauphin County and Porter Township, **Schuylkill County**.

Description of Proposed Action/Activity: Seeking permit approval for the construction/operation of a pump station to serve their existing school with sewage being conveyed to the Porter Township Joint Municipal Authority. Upon completion, they will be abandoning their private sewage treatment plant.

WQM Permit No. 3111401, Sewage, **Kurt & Delores Herzberg**, 25 Grandview Drive, Duncannon, PA 17020.

This proposed facility is located in Tell Township, **Huntingdon County**.

Description of Proposed Action/Activity: Seeking permit approval for the construction/operation of a small flow sewage treatment system to serve their single family residence located at 17922 Shade Valley Road, Blairs Mill, PA 17213.

WQM Permit No. 2111402, Sewage, **Marjorie Greeger**, 1 Alliance Drive, Room 202, Carlisle, PA 17013.

This proposed facility is located in North Middleton Township, **Cumberland County**.

Description of Proposed Action/Activity: Seeking permit approval for the construction/operation of a small flow sewage treatment system to serve their single family residence located at 151 Shatto Drive, Carlisle, PA 17013.

WQM Permit No. 4472401 11-1, Sewage, **McVeytown Borough Authority**, 10 North Queen Street, PO Box 321, McVeytown, PA 17051-7436.

This proposed facility is located in McVeytown Borough, **Mifflin County**.

Description of Proposed Action/Activity: Seeking approval for modifications to the existing treatment facility including upgrades to the aeration systems and aerobic digester.

WQM Permit No. 3611402, Sewage, **City of Lancaster**, 120 North Duke Street, PO Box 1599, Lancaster, PA 17608-1599.

This proposed facility is located in Lancaster Township, **Lancaster County**.

Description of Proposed Action/Activity: Seeking approval for the expansion of the Conestoga Gardens Sewage Pumping Station.

WQM Permit No. 2111402, Sewage, **Lewis M. Burkholder**, 100 Gephart Road, Shippensburg, PA 17257.

This proposed facility is located in Southampton Township, **Cumberland County**.

Description of Proposed Action/Activity: Construction of an individual spray irrigation system.

WQM Permit No. 0111402, Sewage, **Reading Township Municipal Authority**, 235 Browns Dam Road, New Oxford, PA 17350.

This proposed facility is located in Reading Township, **Adams County**.

Description of Proposed Action/Activity: Seeking approval for the construction of a replacement pumping station for the current Browns Dam Pumping Station.

WQM Permit No. 3111402, Sewage, **Cromwell Township Board of Supervisors**, 10999 Valley Street, Shirleysburg, PA 17260.

This proposed facility is located in Cromwell Township, **Huntingdon County**.

Description of Proposed Action/Activity: Upgrades to the Southern Huntingdon County High School Treatment Facility to allow treatment of wastewater from Cromwell Township.

WQM Permit No. 0690411 11-1, Sewage, **Joint Municipal Authority of Wyomissing Valley**, 701 Old Wyomissing Road, Reading, PA 19611.

This proposed facility is located in Reading City, **Berks County**.

Description of Proposed Action/Activity: Upgrades to the wastewater treatment plant including the disinfection system, hydraulic changes for relief from peak flows and some minor equipment repairs and replacement.

WQM Permit No. 2177403 11-1, Sewage, **Mount Holly Springs Borough Authority**, 200 Harman Street, Mount Holly Springs, PA 17065.

This proposed facility is located in Mount Holly Springs Borough, **Cumberland County**.

Description of Proposed Action/Activity: Upgrades to the Authority's existing WWTP with biological nutrient removal technology so that the Authority will be in compliance of nutrient discharge limitations as imposed by the Chesapeake Bay Tributary Strategy.

WQM Permit No. 0787401 11-1, Sewage, **Williamsburg Municipal Authority**, 305 East Second Street, Williamsburg, PA 16693-1041.

This proposed facility is located in Catharine Township, **Blair County**.

Description of Proposed Action/Activity: Upgrades to provide the necessary equipment and processes to reduce the nutrient discharge to limits that comply with the Chesapeake Bay Tributary Strategy.

WQM Permit No. 2811201, CAFO, Leon Snyder, New Hope Sow Farm, 230 Poplar Road, Fleetwood, PA 19522.

This proposed facility is located in Fannett Township, **Franklin County**.

Description of Proposed Action/Activity: Seeking approval to construct three swine barns with underneath manure storage.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

WQM Permit No. 2011402, Sewerage, **PA DCNR Bureau of State Parks**, P. O. Box 8551, 400 Market Street, Harrisburg, PA 17105-8551

This proposed facility is located in West & South Shenango Township, **Crawford County**.

Description of Proposed Action/Activity: Issuance of a WQ Permit for installation of a dual sewage pump station and an underground sewer force main in Pymatuning State Park. This project will phase out and re-direct sewage from an old sub-standard sewage treatment plant (Pymatuning State Park's Jamestown Sewage Treatment Facility) to a more modern treatment facility (North & South Shenango Joint Municipal Authority WWTP).

IV. NPDES Applications for Stormwater Discharges from MS4

V. Applications for NPDES Waiver Stormwater Discharges from MS4

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI01 091002-1	Robert J. Mockoviak 2727 Aquetong Road New Hope, PA 18938	Bucks	Solebury Township	Aquetong Creek (HQ-CWF)
PAI01 1505074-R	The Rutt Family Sonshine, LP 227 Granite Run Drive, Ste 100 Lancaster, PA 17601	Chester	Honey Brook Township	Unnamed Tributary West Branch Brandywine Creek (HQ-TSF-MF)
PAI01 1506076-A3	St. Peters Town, LP 401 South Schuylkill Avenue Norristown, PA 19403	Chester	Warwick Township	French Creek (EV)
PAI01 151112	Aqua Pennsylvania, Inc. 762 West Lancaster Avenue Bryn Mawr, PA 19010	Chester	West Brandywine Township	Indian Run Creek (HQ-CWF-MF)
PAI01 151113	Philips Brothers Electrical Contractors, Inc. 235 Sweet Spring Road Glenmoore, PA 19343	Chester	East Nantmeal Township	Lyons Run (HQ-TSF-MF)
PAI01 151114	Diament Building Corporation 144 Byers Road PO Box 471 Uwchland, PA 19480	Chester	Charlestown Township	Pigeon Run/Pickering Creek (HQ)

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI01 461001-2	PA Air National Guard, 111th Fighter Wing 1120 Fairchild Street Horsham, PA 19044-5236	Montgomery	Horsham Township	Unnamed Tributary Park Creek (WWF)
PAI01 461102	PECO Energy Company 2301 Market Street S7-2 Philadelphia, PA 19103	Montgomery	Norristown Borough	Schuylkill River (WWF)

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790

Monroe County Conservation District: 8050 Running Valley Road, Stroudsburg, PA 18360, 570-629-3060

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI024503021-R	First National Community Bank 200 S. Blakely St. Dunmore, PA 18512	Monroe County	Middle Smithfield Twp.	Sandhill Creek (HQ-CWF, MF)
PAS105056R(8)	Sanofi Pasteur Inc. Discovery Drive Swiftwater, PA 18370	Monroe County	Pocono Twp	Swiftwater Creek (HQ-CWF, MF)
PAI024509016	Arcadia Properties LLC 100 Gateway Drive Suite 310 Bethlehem PA 18017	Monroe County	Tobyhanna Twp.	Tobyhanna Creek (HQ-CWF, MF) UNT Tobyhanna Creek (HQ-CWF, MF)

Northampton County Conservation District: 14 Gracedale Ave., Nazareth, PA 18064-9211, 610-746-1971

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI024811001	PennDOT Eng. Dist. 5-0 Manan Desai 1002 Hamilton St. Allentown PA 18101 James D. Morrissey, Inc. Bill Greer 9199 Frankford Ave. Phila., PA 19114	Northampton County	Bushkill Twp. Plainfield Twp. Wind Gap Boro.	Bushkill Creek (HQ-CWF, MF) UNT Bushkill Creek (Sobers Run) EV

VII. List of NOIs for NPDES and/or Other General Permit Types

PAG-12	CAFOs
PAG-13	Stormwater Discharges from MS4

STATE CONSERVATION COMMISSION NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law) to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

NUTRIENT MANAGEMENT PLAN—PUBLIC NOTICE SPREADSHEET

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal / New</i>
Dream Farms 13689 Dream Highway Newburg, PA 17240	Franklin	225.9	2295	Dairy heifers	NA	Renewal
Funk Family Farm Jeff Funk 18255 Ft. Davis Rd. Mercersburg, PA 17236	Franklin	346.7	677.64	Swine/beef	NA	Renewal

PUBLIC WATER SUPPLY (PWS) PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17), the following parties have applied for PWS permits to construct or substantially modify public water systems.

Persons wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received Under the Pennsylvania Safe Drinking Water Act

Central Office: Bureau Director, Water Standards and Facility Regulation, PO Box 8467, Harrisburg, PA 17105-8467

Permit No. [9996586], Public Water Supply.

Applicant [Sunrise Springs Water Co.]
[Township or Borough] [Newbury, Ohio]

Responsible Official	[Darrell Langford, Vice President]
Type of Facility	[Out of State Bottled Water System]
Application Received Date	[June 2, 2011]
Description of Action	[Applicant requesting Department approval to sell bottled water in Pennsylvania under the brand names: Sunrise Springs Spring Water, Sunrise Springs Purified Water and Sunrise Springs Distilled Water.]

Southeast Region: Water Supply Management Program Manager, 2 East Main Street, Norristown, PA 19401

Application No. 0911511 Public Water Supply

Applicant	USS Realty- Fairless Works
Township	Falls
County	Bucks
Responsible Official	Stephan Bilan One Ben Failless Drive Fairless Hills, PA 19030
Type of Facility	PWS
Application Received Date	February 8, 2011
Description of Action	Construction of permanent interconnection water between USS Realty-Fairless Works and the Township of Falls Authority.

Application No. 4611515 Water Supply

Applicant	PA American Water
Township	Norristown
County	Montgomery
Responsible Official	David R. Kaufman 800 West Hershey Drive Hershey, PA 17033
Type of Facility	PWS
Application Received Date	May 2, 2011

Description of Action Substitute pre-chlorine with pre-chloramination to reduce disinfection by-products at the Norristown plant. This is a follow-up to a successful full-scale plant trial completed in October 2010.

Application No. 0911518 Public Water Supply

Applicant **Aqua Pennsylvania, Inc.**
 Township Bensalem
 County **Bucks**
 Responsible Official Mr. Brennan Kelly
 762 West Lancaster Avenue
 Bryn Mawr, PA 19010
 Type of Facility PWS
 Application Received Date March 13, 2011
 Description of Action Construction of a 2.2 MG elevated water storage tank.

Northwest Region: Water Supply Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Application No. 2411501, Public Water Supply

Applicant **Ridgway Township Municipal Authority**
 Township or Borough Ridgway Township, **Elk County**
 Responsible Official Edward P. LaValle, Chairman
 Consulting Engineer Richard L. Wray, Partner
 Hegemann & Wray
 Consulting Engineers
 429 Park Avenue
 Cresson, PA 16630
 Application Received Date 05/09/2011
 Description of Action Addition of liquid chlorination to Lower Boot Jack Pump Station and Industrial Park Pump Station.

Application No. 2011502, Public Water Supply

Applicant **Double D's Venango Hotel**
 Township or Borough Venango Borough, **Crawford County**
 Responsible Official Denelle Whalen, President
 Consulting Engineer Arthur Kuholski/
 Lake Engineering
 140 Meadville Street
 Edinboro PA 16412
 Application Received Date 05/27/2011
 Description of Action Updates to existing system to include nitrate removal.

Application No. 6111503, Public Water Supply

Applicant **PA DPW Polk Center**
 Township or Borough Polk Borough, **Venango County**
 Responsible Official Michael G Kapil, PE - DPW

Consulting Engineer F Mark Voyack, PE
 Quad 3 Architecture
 37 N Washington Street
 Wilkes-Barre PA 18701

Application Received Date 05/31/2011

Description of Action Renovation of water treatment plant & installation of membrane filtration treatment system.

MINOR AMENDMENT

Applications Received Under the Pennsylvania Safe Drinking Water Act

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, Pa 15222-4745

Application No. 1111504MA, Minor Amendment.

Applicant **Portage Borough Municipal Authority**,
 606 Cambria Street,
 Portage, PA 15946
 [Township or Borough] Portage Township
 Responsible Official Raymond A. Vandzura,
 Chairman
 Portage Borough
 Municipal Authority,
 606 Cambria Street,
 Portage, PA 15946
 Type of Facility Water system
 Consulting Engineer The EADS Group, Inc.
 450 Aberdeen Drive
 Somerset, PA 15501
 Application Received Date March 18, 2011
 Description of Action Construction of the 1 MG Spring Hill water storage tank to replace the existing 200,000 gallon water storage tank and the installation/replacement of 32,000 L.F. of 2-inch to 10-inch waterline.

Application No. 3211505GWR, Minor Amendment.

Applicant **Hillsdale Nursing & Rehab Center**
 138 Mountain View Drive
 Hillsdale, PA 15746
 [Township or Borough] Montgomery Township
 Responsible Official Richard Hoover, Sr.,
 Plant Operator
 Hillsdale Nursing &
 Rehab Center
 138 Mountain View Drive
 Hillsdale, PA 15746
 Type of Facility Water system
 Consulting Engineer
 Application Received Date May 31, 2011

Description of Action	Demonstration of 4-log treatment for groundwater sources
Application No. 5611509GWR, Minor Amendment.	
Applicant	Somerset Township Municipal Authority 2209 North Center Avenue Somerset, PA 15501
[Township or Borough]	Somerset Township
Responsible Official	David Hottle, Operator Somerset Township Municipal Authority 2209 North Center Avenue Somerset, PA 15501
Type of Facility	Listie water system
Consulting Engineer	Somerset Planning & Engineering Services, LLC 222 West Main Street Suite 100 Somerset, PA 15501
Application Received Date	May 31, 2011
Description of Action	Demonstration of 4-log treatment for groundwater sources

Application No. 5611510GWR, Minor Amendment.	
Applicant	Somerset Township Municipal Authority 2209 North Center Avenue Somerset, PA 15501
[Township or Borough]	Somerset Township
Responsible Official	David Hottle, Operator Somerset Township Municipal Authority 2209 North Center Avenue Somerset, PA 15501
Type of Facility	Reading Mines water system
Consulting Engineer	Somerset Planning & Engineering Services, LLC 222 West Main Street Suite 100 Somerset, PA 15501
Application Received Date	May 31, 2011
Description of Action	Demonstration of 4-log treatment for groundwater sources

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907)

Sections 302-305 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P. S. §§ 6026.302—6026.305) require the Department to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to

Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. A person intending to use the background standard, Statewide health standard, the site-specific standard or intend to remediate a site as a special industrial area shall file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of cleanup standards or receives approval of a special industrial area remediation identified under the act will be relieved of further liability for the remediation of the site for contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the following site, proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified as follows. During this comment period, the municipality may request that the person identified as the remediator of the site develop and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental cleanup program manager in the Department regional office listed before the notice. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Northeast Region: Eric Supey, Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Larry Moore Property, 148 Main Street, North Manheim Township, **Schuylkill County**. Bridget E. Shadler and Katlyn E. Heberlig, Alternative Environmental Solutions, Inc., 480 New Holland Avenue, Suite 8203, Lancaster, PA 17602 have submitted a Notice of Intent to Remediate (on behalf of their client, Lawrence Moore, 18 Overlook Drive, Pottsville, PA 17901), concerning the remediation of soil found to have been impacted by No. 2 fuel oil as a result of a release from an aboveground storage tank. The applicant proposes to remediate the site to meet the Residential Statewide Health Standard for soil. The current and intended future use of the property is for residential purposes. A summary of the Notice of

Intent to Remediate is expected to be published in a local newspaper serving the general area sometime in the near future.

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Ara Seropian Property, 253-257 North Prince Street, City of Lancaster, **Lancaster County**. GCI Environmental Services, 1250 East King Street, Lancaster, PA 17602, on behalf of Ara Seropian, 241 North Prince Street, Lancaster, PA 17603, submitted a Notice of Intent to Remediate site soils and groundwater contaminated with petroleum hydrocarbons released from an unregulated underground gasoline storage tank. The property will remain commercial. The site will be remediated to a combination of the Non-Residential Statewide Health and Site-Specific standards.

Worley Industries, 6210 West Penn Avenue, Heidelberg Township, **Berks County**. GCI Environmental Services, 1250 East King Street, Lancaster, PA 17602, on behalf of Worley Industries, Inc., 410 Sheridan Road, Wernersville, PA 19567, submitted a Notice of Intent to Remediate site soils and groundwater contaminated with No. 2 fuel oil. The site will be remediated to a combination of the Non-Residential Statewide Health and Site-Specific standards. Future use of the site will remain industrial.

1862 Rockvale Road, West Lampeter Township, **Lancaster County**. GCI Environmental Services, 1250 East King Street, Lancaster, PA 17602, on behalf of Weisenthal, LP, 1835 Pioneer Road, Lancaster PA 17602, submitted a Notice of Intent to Remediate site soils and groundwater contaminated with gasoline from an unregulated underground storage tank. The site will be remediated to the Residential Statewide Health standard. Future use of the site will remain residential and agricultural.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701

Pumpco Route 154 & State Route 4001 Accident, Village of Lincoln Falls, Elkland Township, **Sullivan County**. Pennsylvania Tectonics, Inc., 826 Main St., Peckville, PA 18452, on behalf of Pumpco Energy Services, 236 Finley Road, Suite 14, Belle Vernon, PA 15012 has submitted a Notice of Intent to Remediate soil contaminated with diesel fuel. The applicant proposes to remediate the site to meet the Statewide Health Standard. Future use of the area is anticipated to be consistent with the current use, that being agricultural purposes, primary residence and a bed and breakfast.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS NEW SOURCES AND MODIFICATIONS

The Department has developed an "integrated" plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit permitting documents relevant to its application one time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities.

Copies of these applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the regional office listed before the applications. Persons interested in reviewing the application files should contact the appropriate regional office to schedule appointments.

Persons wishing to receive a copy of a proposed Plan Approval or Operating Permit shall indicate interests to the Department regional office within 30 days of the date of this notice and shall file protests or comments on a proposed Plan Approval or Operating Permit within 30 days of the Department providing a copy of the proposed documents to persons or within 30 days of its publication in the *Pennsylvania Bulletin*, whichever comes first. Interested persons may also request that hearings be held concerning a proposed Plan Approval or Operating Permit. A comment or protest filed with the Department regional office shall include a concise statement of the objections to the issuance of the Plan Approval or Operating Permit and relevant facts which serve as the basis for the objections. If the Department schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* at least 30 days prior the date of the hearing.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121—143, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790

Contact: Ray Kempa, New Source Review Chief—Telephone: 570-826-2507

40-399-071: PPL Susquehanna LLC (769 Salem Boulevard, Berwick PA 18603) for operation of two (2) existing cooling water towers and an emergency water spray pond as air emission sources into their operating permit for their facility in Salem Township, **Luzerne County**.

In accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a), the Department of Environmental Protection (DEP) intends to issue a Plan Approval to PPL Susquehanna LLC (769 Salem Blvd, Berwick PA 18603) for their facility located in Salem Twp, Luzerne County. This Plan Approval No. 40-399-071 will be incorporated into the company's State Only Operating Permit #40-00027 through an administrative amendment at a later date.

Plan Approval No. 40-399-071 is to include operation of two existing cooling water towers & an emergency water spray pond as an air emission sources into their operating permit. PPL recently conducted an assessment of all potential air emission sources and their pollutant emissions at Susquehanna SES. During review of Susquehanna's air emission sources it was determined that, the

draft cooling towers & the emergency water spray pond were sources of particulate emissions and had not been included in the facility's air quality operating permit. As a result the company has submitted a plan approval application to include the two existing cooling water towers and an existing emergency water spray pond into their operating permit. Particulate emissions from two (2) cooling towers is estimated at 87.8 tpy & from water spray pond to be less than 5.5 tpy on a 12 month rolling sum basis. The company will operate the facility and maintain the sources in accordance with the good engineering practices to assure proper operation of sources. The Plan Approval and Operating permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701.

Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown in the preceding paragraph. Each written comment must contain the following:

Name, address and telephone number of the person submitting the comments. Identification of the proposed permit No. 40-399-071 A concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Ray Kempa, Chief, New Source Review Section, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701, Phone # 570-826-2511 within 30 days after publication date.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas J. Hanlon, Chief, East Permitting Section—Telephone: 717-705-4862 or Daniel Husted, Chief, West Permitting Section—Telephone: 717-949-7935

01-05016M: ISP Mineral, Inc.—Charmian Quarry (1455 Old Waynesboro Road, Blue Ridge Summit, PA 17214-0914) for installation of a Back Surfacing System on the Finish Line in Hamiltonban Township, **Adams County**.

In accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a), the Department of Environmental Protection (DEP) has received and intends to issue a Plan Approval to the above mentioned company for the above mentioned project. This plan approval may be incorporated into the company's facility-wide permit via an administrative amendment at a later date.

The company shall be subject to and comply with the relevant provisions of the PA Code including the chapters 123, 127, and 129. The Plan Approval and Operating permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements. The use of

fabric collectors to control the particulate matter emissions from the source, is considered to be Best Available Technology (BAT). The facility's actual controlled particulate matter emissions from this plan approval shall increase less than 1 tpy of TSP and less than 0.1 tpy of PM10.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110. A person may oppose the proposed plan approval, or may provide the Department with additional information to consider in its review, by filing a written protest with the Department at the address listed above. Each written comment must contain the following:

- Name, address and telephone number of the person submitting the comments.
- Identification of the proposed permit by the permit number listed above.
- A concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A 30-day comment period, from the date of publication of this notice in the *PA Bulletin*, will exist for the submission of comments or protests.

Daniel C. Husted may be contacted at 717-705-4863, or at PA DEP Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, for additional information or for the submission of comments or protests.

Plan approvals issued to sources identified in 25 Pa. Code Section 127.44(b)(1)—(4) or plan approvals issued to sources with limitations on the potential to emit may become part of the SIP, and will be submitted to EPA for review and approval.

06-05069R: East Penn Manufacturing Co. (Deka Road, P. O. Box 147, Lyon Station, PA 19536) for their lead-acid battery assembly operation for addition of various equipment to expand manufacturing capacity and to better filter air emissions at their Lyon Station Plant in Richmond Township, **Berks County**.

In accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a), the Department of Environmental Protection (DEP) has received and intends to issue a Plan Approval to the abovementioned company for the abovementioned project. This plan approval may be incorporated into the company's facility-wide permit via an administrative amendment at a later date.

Plan Approval 06-05069R is to increase production at their plant. The company shall be subject to and comply with 40 CFR Part 60 Subpart KK and Best Available Technology (BAT). The Plan Approval and Operating Permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements. The project will not trigger PSD or NSR requirements. The potential decrease in air emissions from the proposed project are 44 tpy of particulate matter and a 0.9 tpy of lead.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

A person may oppose the proposed plan approval, or may provide the Department with additional information to consider in its review, by filing a written protest with

the Department at the address listed below. Each written comment must contain the following:

- Name, address and telephone number of the person submitting the comments.
- Identification of the proposed permit by the permit number listed above.
- A concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A 30-day comment period, from the date of publication of this notice in the *PA Bulletin*, will exist for the submission of comments or protests, or for requests for a public hearing. A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received.

Thomas Hanlon, East Permitting Section Chief, may be contacted at 717-705-4862, or at PA DEP Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, for additional information or for the submission of comments, protests, or requests for a public hearing.

Plan approvals issued to sources identified in 25 Pa. Code Section 127.44(b)(1)–(4) or plan approvals issued to sources with limitations on the potential to emit may become part of the SIP, and will be submitted to EPA for review and approval.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648

08-00043A: Glenn O. Hawbaker, Inc. (711 East College Avenue, Bellefonte, PA 16823) for construction of a 600 ton per hour sand and gravel wash plant consisting of crushers, screens and associated material handling devices at their Green's Landing facility in Athens Township, **Bradford County**. The proposed wash plant will be operated as a wet process to suppress fugitive dust emissions.

The Department's review of the information contained in the application submitted by Glenn O. Hawbaker, Inc. indicates that the wash plant will comply with all applicable air quality requirements pertaining to air contamination sources and the emission of air contaminants, including the best available technology requirements of 25 Pa. Code Sections 127.1 and 127.12, the fugitive air contaminant emission requirement of 25 Pa. Code Section 123.1, the particulate matter emission limitation of 25 Pa. Code Section 123.13, and Subpart 000 of the Federal Standards of Performance for New Stationary Sources 40 CFR Part 60 Subpart 000 Sections 60.670–60.676. The plan approval, if issued, will subsequently be incorporated in an operating permit via an administrative amendment in accordance with 25 Pa. Code Section 127.450 at a later date.

Based upon this finding, the Department proposes to issue a plan approval for the construction of the sand and gravel wash plant. The following is a summary of the conditions the Department proposes to place in the plan approval to be issued to ensure compliance with all applicable regulatory requirements:

1. Pursuant to the best available technology requirements of 25 Pa. Code Sections 127.1 and 127.12, the sand and gravel wash plant shall only be used to process washed (wet) stone. The material shall be saturated to the point where visible fugitive emissions are not present while the material is being processed through the plant.

2. Pursuant to the best available technology requirements of 25 Pa. Code Sections 127.1 and 127.12, the operation of the sand and gravel wash plant shall not result in the emission of fugitive air contaminants in excess of the limitations specified in 25 Pa. Code Section 123.1.

3. Pursuant to the best available technology requirements of 25 Pa. Code Sections 127.1 and 127.12, the production rate of the sand and gravel wash plant shall not exceed 600 tons per hour.

4. Pursuant to the best available technology requirements of 25 Pa. Code Sections 127.1 and 127.12, the total particulate matter emissions and particulate matter less than 10 microns emissions from the sand and gravel wash plant shall not exceed 41.14 tons and 14.91 tons in any 12 consecutive month period, respectively.

5. The permittee shall maintain records of the amount of material processed through the sand and gravel wash plant on a monthly basis. Additionally, the permittee shall keep daily records of the production rate of the sand and gravel wash plant. These records shall be retained for a minimum of five years and be presented to the Department upon request.

6. The submission of all requests, reports, applications, submittals and other communications relating to the sand and gravel wash plant, as required by 40 CFR Sections 60.670–60.676, shall be made available to the DEP and the US EPA as required by 40 CFR Part 60 Section 60.4.

7. The sand and gravel wash plant is subject to subpart 000 of the Federal Standards of Performance for New Stationary Sources, 40 CFR Sections 60.670–60.676 and shall comply with all applicable requirements of this subpart.

A copy of the plan approval application is available for public review between 8 a.m. and 4 p.m. at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review may be made by calling the Department at 570-327-3693. Written comments or requests for a public hearing should be directed to Muhammad Q. Zaman, Air Quality Program Manager, Department of Environmental Protection, Air Quality Program, Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701, 570-327-3648.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: B. Hatch, Environmental Engineer Managers—Telephone: 412-442-4163/5226

30-00072I: Consol Pennsylvania Coal Company, LLC (1525 Pleasant Grove Road, Claysville, PA 15323) to authorize construction and temporary operation of the Enlow Fork Overland Conveyor, a 5.73-mile elevated coal conveyor that will extend from the Enlow Fork Mine (Oak Spring Slope) in East Finley Township, **Washington County**, to the Bailey Prep Plant in Richhill Township, **Greene County**.

In accordance with 25 Pa. Code §§ 127.44 and 127.45, the Department of Environmental Protection (DEP) intends to issue Air Quality Plan Approval PA-30-00072I to authorize construction and temporary operation of the Enlow Fork Overland Conveyor, a 5.73-mile elevated coal conveyor that will extend from the Enlow Fork Mine (Oak Spring Slope) in East Finley Township, Washington County, to the Bailey Prep Plant in Richhill Township, Greene County. This is a Title V Facility.

This authorization is subject to applicable sections of Title 25 of the Pennsylvania Code and Federal New Source Performance Standards (NSPS), specifically 40 CFR Part 60 Subpart Y—Standards of Performance for Coal Preparation and Processing Plants. The Plan Approval will include monitoring, testing, maintenance, and record keeping requirements to ensure compliance with all applicable rules and regulations.

The Enlow Fork Conveyor System will add additional sources of PM and PM-10 emissions to the Bailey Prep Plant. These emission points include six (6) storage silo bin vents and a total of (8) conveyor and/or silo transfer points. Conditions of the plan approval will incorporate federally enforceable limitations for emissions of total particulate matter from the raw coal storage silo bin vents as found in 40 CFR § 60.254 and 25 Pa. Code § 123.13. Compliance with emission limitations will be demonstrated through stack testing. Best available technology (BAT) for the conveyor system includes bin vent collectors on the coal storage silo vents; fully enclosed coal conveyors and transfer points; and installation of treated water/oil sprays at appropriate points. Once compliance with the conditions of the Plan Approval has been demonstrated, the applicant may subsequently apply for a Title V Operating Permit or Administrative Amendment in accordance with Title 25 of the Pennsylvania Code, Subchapter G.

The potential to emit for the proposed Enlow Fork Overland Conveyor, based on annual raw coal throughput of 18.5 million tons and 5,500 hours of operation, is estimated at 35.73 tons of PM per year, 31.25 tons of which is assumed to be PM-10. At the time the operation Enlow Fork Overland Conveyor commences, operation of thermal dryer #1 at the Bailey Prep Plant will be permanently discontinued, which represents a decrease of 47.85 tons of PM and PM-10. The above activities combined will generate a net decrease in past actual to future projected actual emissions of 12.12 tons of PM and 16.6 tons of PM-10 at the facility, annually. As such, this project does not meet the 40 CFR Part 52 definition of a major modification [i.e., no significant increase of any pollutant listed under 40 CFR 52.21(b)(23)(i)] and is therefore not subject to the Part 52 requirements.

Those who wish to provide the Department with additional written information that they believe should be considered prior to the issuance of the Plan Approval may submit the information to Devin P. Tomko, Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA, 15222. Each written comment must contain the following:

Name, address and telephone number of the person submitting the comments.

Identification of the proposed Plan Approval (PA-30-00072I).

Concise statements regarding the relevancy of the information or objections to issuance of the Plan Approval.

All comments must be received prior to the close of business 30 days after the date of this publication.

For additional information you may contact Devin P. Tomko at 412-442-5231.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6636

24-1310: SGL Carbon LLC (900 Theresia Street, Saint Marys, PA 15857) for installation of six (6) new reactors, three (3) power supplies and three (3) scrubbers in the City of Saint Marys, **Elk County**.

Pursuant to 25 Pa. Code Sections 127.44(b) and 127.424(b), the Pennsylvania Department of Environmental Protection (DEP) intends to issue Plan Approval 24-1310 to SGL Carbon LLC for six (6) new reactors, three (3) power supplies and three (3) scrubbers, for the facility located in the City of Saint Marys, Elk County. The Plan Approval will subsequently be incorporated into a facility Operating Permit through an administrative amendment in accordance with 25 Pa. Code Section 127.450.

Plan Approval No. 24-1310 is for the installation of six (6) new reactors, three (3) power supplies and three (3) scrubbers. Based on the information provided by the applicant and DEP's own analysis, the combined subject sources will have the potential to emit approximately 24.13 tons per year of hazardous air pollutants.

The Plan Approval will contain testing, monitoring, recordkeeping, reporting, work practice and additional requirements designed to keep the facility operating within all applicable air quality requirements.

Intent to Issue Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19428

Contact: Janine Tulloch-Reid, Facilities Permitting Chief - Telephone: 484-250-5920

09-00123: Hanson Aggregates BMC, Inc. (Ottsville Asphalt Plant 262 Quarry Road, Ottsville, PA 18942) for renewal of a Synthetic Minor Operating Permit under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code § 127.450 in Nockamixon Township, **Bucks County**. The Operating Permit will contain record keeping requirements, monitoring requirements and operating conditions designed to keep the facility operating within the allowable emission limits and all applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas J. Hanlon, Chief, East Permitting Section—Telephone: 717-705-4862 or Daniel Husted, Chief, West Permitting Section—Telephone: 717-949-7935

22-03009: Dauphin Precision Tool, LLC (200 Front Street, Millersburg, PA 17061) for their machining and heat treat operations in Millersburg Borough, **Dauphin County**. This is a renewal of their State-Only Operating Permit issued in 2006.

In accordance with 25 Pa. Code §§ 127.424 and 127.425 the Department of Environmental Protection (DEP) has received an application and intends to issue an Air Quality Operating Permit for the abovementioned facility.

The subject facility has the potential-to-emit particulate matter in the amount of about 26 lbs/year. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours

at the PA DEP Southcentral Regional Office, at 909 Elmerton Avenue, Harrisburg, PA 17110.

A person may oppose the proposed operating permit, or may provide the Department with additional information to consider in its review, or may request a public hearing, by filing a written protest with the Department at the address listed above. Each written comment must contain the following:

- Name, address and telephone number of the person submitting the comments.
- Identification of the proposed permit by the permit number listed above.
- A concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A 30-day comment period, from the date of publication of this notice in the *PA Bulletin*, will exist for the submission of comments or protests.

Tom Hanlon, Chief, East Permitting Section, may be contacted at 717-705-4862, or at PA DEP Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, for additional information or for the submission of comments or protests.

22-03005: Harsco Metals Slag Processing Plant 18 (P. O. Box 5003, Cranberry Township, PA 16066-5003) for the operation of a slag processing plant in Steelton Borough, **Dauphin County**.

In accordance with 25 Pa. Code §§ 127.424 and 127.425 the Department of Environmental Protection (DEP) has received an application and intends to issue an Air Quality Operating Permit for the abovementioned facility.

The subject facility emits about 3 tons per year of particulate matter (PM). The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at the PA DEP Southcentral Regional Office, at 909 Elmerton Avenue, Harrisburg, PA 17110.

A person may oppose the proposed operating permit, or may provide the Department with additional information to consider in its review, or may request a public hearing, by filing a written protest with the Department at the address listed above. Each written comment must contain the following:

- Name, address and telephone number of the person submitting the comments.
- Identification of the proposed permit by the permit number listed above.
- A concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A 30-day comment period, from the date of publication of this notice in the *PA Bulletin*, will exist for the submission of comments or protests.

Thomas J. Hanlon, P.E., Chief, East Permitting Section Chief may be contacted at (717) 705-4862, or at PA DEP Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, for additional information or for the submission of comments or protests.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648

12-00006: Lewis & Hockenberry, Inc. (4725 Rich Valley Road, Emporium, PA 15834) for their facility in Shippen Township, **Cameron County**. The facility's main sources include two (2) wood fired boilers, thirteen (14) steam heated lumber drying kilns, and wood working operation. The facility has the potential to emit sulfur oxides (SO_x), nitrogen oxides (NO_x), carbon monoxide (CO), particulate matter with an aerodynamic diameter of 10 microns or less (PM₁₀), volatile organic compounds (VOCs), and hazardous air pollutants (HAPs) below the major emission thresholds. The proposed operating permit contains all applicable requirements including Federal and State regulations. In addition, monitoring, record-keeping and reporting conditions regarding compliance with all applicable requirements are included.

49-00057: Pet Rest Memorial Park (2410 8th Street Drive, Watsonstown, PA 17777-8002) for their facility in Delaware Township, **Northumberland County**. The facility's main source includes one (1) animal crematory incinerator. The facility has the potential to emit particulate matter, nitrogen oxides, carbon monoxide, volatile organic compounds, sulfur oxides, and combined and individual hazardous air pollutants emissions below the respective major thresholds. The operating permit contains monitoring, recordkeeping, and reporting requirements to show compliance with applicable Federal and State regulatory requirements.

55-00013: Mid-West School District (568 East Main Street, Middleburg, PA 17842-1218) for issuance of a State-Only Operating Permit renewal for operation of their West Snyder Middle School facility in Spring Township, **Snyder County**. The Mid-West School District operates a 6.25 MMBtu/hour Burnham model 4N-L-827 anthracite-coal-fired boiler equipped with a Losch FJP-72 stoker (Source 031), a 4.15 MMBtu/hour Burnham model 4FL-450A3-50-LB #2-fuel-oil-fired boiler (Source 032), and a 31 bhp propane-fired Onan emergency generator (Source P101). The Department of Environmental Protection (Department) proposes to issue State-Only Operating Permit 55-00013. The proposed renewal operating permit contains all applicable requirements including Federal and State regulations. In addition, monitoring, record-keeping and reporting conditions regarding compliance with all applicable requirements are included.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6131

43-00308: Ergon Trucking, Inc. (944 New Castle Mercer Road, Mercer, PA 16137) for a Synthetic Minor Permit to operate their crude oil storage and dispensing plant in East Lackawannock Township, **Mercer County**. The sources include three crude oil storage tanks and one loading rack. The facility has taken a facility wide throughput restriction of 39,000,000 gallons per year and become synthetic minor.

PLAN APPROVALS

Receipt of Plan Approval Applications and Intent to Issue Plan Approvals, and Intent to Issue Amended Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter B And Subchapter F. These actions may include the administrative amendments of an associated operating permit.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: Sachin Shankar, New Source Review Chief—Telephone: 484-250-5920

09-00123: Hanson Aggregates BMC, Inc.—Ottsville Asphalt Plant (262 Quarry Road, Ottsville, PA 18942) for renewal of a Synthetic Minor Operating Permit under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code § 127.450 in Nockamixon Township, **Bucks County**. The Operating Permit will contain record keeping requirements, monitoring requirements and operating conditions designed to keep the facility operating within the allowable emission limits and all applicable air quality requirements.

COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.20a). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department. A copy of the application is available for inspection at the district mining office indicated before each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application may be submitted by any person or any officer or head of any Federal, state or local government agency or authority to the Department at the address of the district mining office indicated before each application within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Written comments or objections regarding a mining permit application should contain the name, address and telephone number of persons submitting comments or objections, application number and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

A request for an informal conference or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 or § 86.34, must

contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

When an NPDES number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. A separate notice will be provided after the draft NPDES permit is prepared.

Coal Applications Received

California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100

30831303 and NPDES No. PA0013511, Cumberland Coal Resources, LP, (158 Portal Road, P. O. Box 1020, Waynesburg, PA 15370), to revise the permit for the Cumberland Mine in Wayne Township, **Greene County** to add underground and subsidence control plan area acres for development mining. Underground Acres Proposed 52.4, Subsidence Control Plan Acres Proposed 112.04. No additional discharges. Application received: February 23, 2011.

32061303 and NPDES No. PA0235725, Rosebud Mining Company, (301 Market Street, Kittanning, PA 16201), to revise the permit for the Heilwood Mine in Pine and Cherryhill Townships, **Indiana County** to add underground permit and subsidence control plan area acres. Underground Acres Proposed 1,777.0. Subsidence Control Plan Acres Proposed 1,777.0. No additional discharges. The first downstream potable water supply intake from the point of discharge is Central Indiana Water Authority and intake Yellow Creek. Application received: March 3, 2011.

Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, 724-925-5500

26040105 and NPDES Permit No. PA0250635, Amerikohl Mining, Inc. (1384 State Route 711, Stahlstown, PA 15687). Renewal application for reclamation only of an existing bituminous surface mine, located in Dunbar Township, **Fayette County**, affecting 382.7 acres. Receiving streams: TF1 to Ferguson Run to TF2-4 to unnamed tributaries of Laurel Run, classified for the following use: TSF. There is no potable water supply intake within 10 miles downstream from the point of discharge. Renewal application received: May 27, 2011.

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191

33110102 and NPDES Permit No. PA0259101, Ben Hal Mining Company (389 Irishtown Road, Grove City, PA 16127) Commencement, operation and restoration of a bituminous strip operation in Union Township and Corsica Borough, **Jefferson County** affecting 33.5 acres. Receiving streams: Unnamed tributary No. 1 to Welch Run, classified for the following uses: CWF. There are no potable surface water supply intakes within 10 miles downstream. Application received: May 19, 2011.

24010101 and NPDES Permit No. PA0241857, AMFIRE Mining Company, LLC (One Energy Place, Suite 2800, Latrobe, PA 15650) Renewal of an existing bituminous strip, auger and clay removal operation in Horton Township, **Elk County** affecting 264.3 acres. Receiving streams: Unnamed tributary "G" to Mead Run and unnamed tributaries to Johnson Run, both classified for the following uses: CWF. There are no potable surface

water supply intakes within 10 miles downstream. Application received: May 25, 2011.

33110103 and NPDES Permit No. PA0259110. Original Fuels, Inc. (P. O. Box 343, Punxsutawney, PA 15767) Commencement, operation and restoration of a bituminous strip operation in Perry Township, **Jefferson County** affecting 99.0 acres. Receiving streams: One unnamed tributary to Mahoning Creek and Mahoning Creek, classified for the following uses: WWF. There are no potable surface water supply intakes within 10 miles downstream. Application received: May 25, 2011.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200

17970102 and NPDES No. PA0220558. EnerCorp, Inc. (1686 Allport Cutoff, Morrisdale, PA 16858). Revision to an existing bituminous surface mine located in Graham Township, **Clearfield County** affecting 56.3 acres. This revision is for a permit boundary adjustment and stream variance. Receiving streams: Alder Run and Flat Run both classified for cold water fisheries. There are no potable water supply intakes within 10 miles downstream. Revision application received: May 6, 2011.

17110106 and NPDES No. PA0257672. Black Cat Coal, LLC (107 W. First Ave., Clearfield, PA 16830). Commencement, operation and restoration of a bituminous surface mine located in Brady Township, **Clearfield County** affecting 89.0 acres. Receiving streams: unnamed tributaries to East Branch Mahoning Creek classified for high quality cold water fisheries and Stump Creek classified for cold water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: May 31, 2011.

Noncoal Applications Received

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900

11110801. Snyder Excavating, LLC, 2824 William Penn Avenue, Johnstown, PA 15909, commencement, operation and restoration of a small noncoal (industrial minerals) operation in Jackson Township, **Cambria County**, affecting 3.0 acres, receiving stream(s): Hinkston Run. Permit received: April 18, 2011.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act(33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	
Alkalinity greater than acidity*			

*The parameter is applicable at all times.

In addition, the Department imposes a technology-based aluminum limit of 2.0 mg/l (30 day average) to protect stream uses.

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The BAT limits for noncoal mining activities as provided in 40 CFR Part 436 and 25 Pa. Code Chapters 77 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Suspended solids	35 mg/l	70 mg/l	90 mg/l
Alkalinity exceeding acidity*			
pH*		greater than 6.0; less than 9.0	

* The parameter is applicable at all times.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters in this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 362-0600-001, NPDES Program Implementation—Memorandum of Understanding (MOU) Concerning Water Quality Management, NPDES Program Implementation, and Related Matters. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit within 30 days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30 days of this public notice and contain the name, address, telephone number and the interest of the party filing the

request, and state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES permit application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. When a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

Coal NPDES Draft Permits

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900

NPDES No. PA0262218 (Mining permit no. 4274SM5), New Enterprise Stone & Lime Company, Inc., P. O. Box 77, New Enterprise, PA 16664, renewal of an NPDES permit for discharge of treated water from post-mining discharges in Broad Top Township, **Bedford County**, affecting 86.53 acres. Receiving stream(s): Unnamed Tributary to Six Mile Run, classified for the following use(s): Warm Water Fishery. This receiving stream is included in the Six Mile Run TMDL. Application received: February 2, 2011.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for coal mining activities.

The outfall(s) listed below discharge to: Unnamed Tributary to Six Mile Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
001	N

Noncoal NPDES Draft Permits

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

NPDES Permit No. PA0595217, Surface Mining Permit No. 5276SM5, Eureka Stone Quarry, Inc., (P. O. Box 249, Chalfont, PA 18914), renewal of an NPDES Permit for a quarry operation in Dingman Township, **Pike County** affecting 202.3 acres. Receiving stream: tributary to Sawkill Creek classified for the following use: Exceptional Value, migratory fishes. Application received: October 22, 2009.

The outfall listed below discharges to tributary to Sawkill Creek:

<i>Outfall No.</i>	<i>New Outfall</i>
001	No

The proposed effluent limits for the above-listed outfall are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Total Suspended Solids (mg/l)	35.0	70.0	90.0
Total Iron (mg/l)	3.0	6.0	7.0
Total Manganese (mg/l)	2.0	4.0	5.0
pH (g.u.)	Minimum 6.0		9.0

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the Commonwealth to certify that the involved projects will not violate the sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA, the issuance of a Dam Permit or Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment shall submit comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted before an application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on working days at the office noted before the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications Received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and Requests for Certification under section 401(a) of the FWPCA.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, Telephone 570-826-2511.

E52-227. Schmalzle Construction Co., 109 Alex Road, Hawley, PA 18428, in Blooming Grove Township, **Pike County**, U.S. Army Corps of Engineers, Philadelphia District.

To construct and maintain a 20-foot wide road crossing of Burchards Creek (HQ-CWF, MF), consisting of two 48-inch diameter corrugated metal pipes depressed 1-foot below streambed elevation and fieldstone headwalls, for the purpose of providing access to a quarry (Rowland, PA Quadrangle, Latitude: 41°24'29.1"; Longitude: -75°03'52.4").

ENVIRONMENTAL ASSESSMENTS

Central Office: Bureau of Waterways Engineering, Rachel Carson State Office Building, Floor 3, 400 Market Street, Harrisburg, PA 17105

D48-088EA. Director of Parks and Public Property, 10 East Church Street, Bethlehem, PA 18018-6025. City of Bethlehem, **Northampton County**, ACOE Philadelphia District.

Project proposes to breach and remove Monocacy Creek Dam across Monocacy Creek (HQ-CWF, MF) for the purpose of eliminating a threat to public safety and restoring the stream to a free flowing condition. The project will restore approximately 1200 feet of stream channel. The dam is located approximately 500 feet south of the intersection of S.R. 378 and West Broad Street. (Allentown, East, PA Quadrangle; Latitude: 40° 37' 18", Longitude: -75° 23' 01").

D40-148EA. John and Robert Carney. PO Box 28, Langhorne, PA 19047, Bear Creek Township, **Luzerne County**, ACOE Philadelphia District.

To rehabilitate Pine View Dam across a tributary to Pine Creek (HQ-CWF). The project proposes 0.02-acre of permanent impact to Exceptional Value, PEM wetlands associated with a tributary to Pine Creek. The dam is located approximately 5,600 feet northeast of the intersection of SR 2041 and I-476 (Hickory Run, PA Quadrangle, Latitude: 41°07'26"; Longitude: - 75°44'23").

ACTIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT FINAL ACTIONS TAKEN FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

The Department has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and NOIs for coverage under General Permits. This notice of final action is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P. S. §§ 691.1—691.101) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Wastes; Discharges to Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

Sections I—VI contain actions regarding industrial, animal or sewage wastes discharges, discharges to groundwater, and discharges associated with MS4, stormwater associated with construction activities and CAFOs. Section VII contains notices for parties who have submitted NOIs for Coverage under General NPDES Permits. The approval for coverage under these General NPDES Permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions in each General Permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions in the respective permit. The permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0060623 (Sewage)	Silver Lake Township Municipal Authority (Quaker Lake WWTP) S R 4002, Quaker Lake Road Brackney, PA 18812	Susquehanna County Silver Lake Township	Unnamed Tributary to Little Rhiney Creek (4-E)	Y
PA0063860 (Industrial Waste)	Lehighon Water Authority (Lehigh River Diversion Pump Station) Long Run Reservoir No 1 On Long Run Road Lehighon, PA 18235	Carbon County Franklin Township	Long Run (2-B) HQ CWF	Y
PA0044423 (Industrial Waste)	Lehigh University Mountaintop Campus Homer Lab 461 Webster Street Bethlehem, PA 18015-1755	Northampton County Bethlehem City	Saucon Creek (2-C) HQ CWF & MF	Y

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0025381 (Sew)	Saxton Borough Municipal Authority 1002 Branch Street Saxton, PA 16678-8739	Bedford County Liberty Township	Raystown Branch Juniata River /	Y

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0047201	Tionesta Municipal Authority P. O. Box 408 Tionesta, PA 16411	Forest County Tionesta Borough	Allegheny River 16-F	Y
PA0221970 (Industrial Waste)	Greenville Borough WTP South Water Street Greenville, PA 16125	Mercer County Hempfield Township	Shenango River 20-A	Y

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401

NPDES Permit No. PA0011851 Amendment No. 2, Industrial Waste, **Superior Tube Co., Inc.**, 3900 Germantown Pike, Collegeville, PA 19426-3112.

This proposed facility is located in Lower Providence Township, **Montgomery County**.

Description of Proposed Action/Activity: Approval for the amendment to revise the NH₃-N limits at Internal Monitoring Point 108 from a facility known as Superior Tube Collegeville Facility to Unnamed Tributary to Perkiomen Creek in Watershed 3-E.

NPDES Permit No. PA0244562, Industrial Waste, **Eastern Metal Recycling Terminal LLC**, 1500 South 6th Street, Camden, NJ 08101-0496, Eddystone Borough, **Delaware County**.

The following notice reflects changes to the notice published in the March 12, 2011, *Pennsylvania Bulletin*:

A Dissolved Iron limit of 7.0 mg/l (Inst. Max.) and a monitoring requirement for Total Cadmium are included in the permit.

The additional permit conditions included are the following:

- (i) Proper Test Methods
- (ii) Internal Monitoring Points
- (iii) Monitoring for the First Year of Operation
- (iv) No Discharge Requirement

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

NPDES Permit No. PA0087459, Sewage, **Country View Village, LP**, PO Box 375, Gap, PA 17525.

This proposed facility is located in Centre Township, **Perry County**.

Description of Proposed Action/Activity: Transfer of Permit.

NPDES Permit No. PA0261611, Sewage, **Robert E. Plank**, 1525 Fairfield Road, Gettysburg, PA 17325.

This proposed facility is located in Cumberland Township, **Adams County**.

Description of Proposed Action/Activity: Authorization to discharge to a UNT to Willoughby Run in Watershed 13-D.

Northcentral Regional Office: Regional Water Management Program Manager, 208 W Third Street Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.3664.

NPDES Permit No. PA0043681, Sewage, SIC Code 4952, **Valley Joint Sewer Authority**, 1 S River Street, Athens, PA 18810-1701.

This existing facility is located in Athens Borough, **Bradford County**.

Description of Existing Action/Activity: Issuance of an NPDES Permit for an existing discharge of treated Sewage.

III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

WQM Permit No. 3800403, Amendment 10-1, Sewage, **Annville Township**, PO Box 178, Annville, PA 17003-0178.

This proposed facility is located in North Annville Township, **Lebanon County**.

Description of Proposed Action/Activity: Permit approval for the modifications of sewerage facilities consisting of: Influent pumping, screening, grit removal, aeration upgrade to activated sludge treatment, tertiary filtration with methanol addition, chemical feed systems, aerobic sludge digestion and hauled waste receiving station and storage.

WQM Permit No. 0511401, Sewage, **Officers Christian Fellowship**, 4499 Milligans Cove Road, 4499 Milligans Cove Road, Manns Choice, PA 15550.

This proposed facility is located in Harrison Township, **Bedford County**.

Description of Proposed Action/Activity: Permit approval for the construction and operation of sewerage facilities consisting of: Sewerage facilities consisting of flow equalization, an MLE nutrient reduction treatment process, chemical addition, settling followed by rapid sand filtration and disinfection prior to discharge. Aerobic digestion, of solids is included with residue solids pumped and hauled to a permitted sewage solids processing facility.

WQM Permit No. WQG01281101, Sewage, **Brian Zimmerman**, PO Box 131, Fannettsburg, PA 17221.

This proposed facility is located in Lurgan Township, **Franklin County**.

Description of Proposed Action/Activity: Construction/Operation of a small flow sewage system to serve their single family residence located off of Newburg Road, Newburg, PA 17240.

WQM Permit No. 0110405, Sewage, **Robert E. Plank**, 1525 Fairfield Road, Gettysburg, PA 17325.

This proposed facility is located in Cumberland Township, **Adams County**.

Description of Proposed Action/Activity: Permit approval for the construction of sewage facilities consisting of 1,000 gallon septic tank → Ecoflo STB-650 Peat Filter → UV Disinfection → 4" PVC discharge pipe to UNT to Beaverdam Creek.

WQM Permit No. 2888401, Amendment 11-1, Sewage, Waynesboro Borough Authority, PO Box 310, Waynesboro, PA 17268.

This proposed facility is located in Waynesboro Borough, **Franklin County**.

Description of Proposed Action/Activity: Permit approval for the modification of sewerage facilities consisting of miscellaneous improvements for the existing biofilters, clarifiers and anaerobic digestion system. New poly-aluminum chloride and magnesium hydroxide feed systems in a new chemical storage building. Denitrification filters in a new filter building.

WQM Permit No. 3811401, Sewage, North Londonderry Township Authority, 655 East Ridge Road, Palmyra, PA 17078.

This proposed facility is located in South Annville Township, **Lebanon County**.

Description of Proposed Action/Activity: Permit approval for the construction of sewage facilities consisting of: a 15-inch interceptor sewer that will convey sewage from North Londonderry Township and the Borough of Palmyra to the North Londonderry wastewater treatment plant.

WQM Permit No. WQG02361102, Sewage, Lancaster Area Sewer Authority, 130 Centerville Road, Lancaster, PA 17602.

This proposed facility is located in Manheim Township, **Lancaster County**.

Description of Proposed Action/Activity: Permit approval for the construction of sewage facilities consisting of a new 8" diameter gravity sewer system in the Pleasant Valley / Kissel Hill Road area.

WQM Permit No. WQG02671101, Sewage, Stewartstown Borough Authority, 6 North Main Street, Suite A, Stewartstown, PA 17363.

This proposed facility is located in Hopewell Township, **York County**.

Description of Proposed Action/Activity: Permit approval for the construction of a pumping station and force main for the Bridgeview residential development.

WQM Permit No. WQG02061101, Sewage, Exeter Township Authority, 4975 DeMoss Road, Reading, PA 19606-9060.

This proposed facility is located in Exeter Township and St. Lawrence Borough, **Berks County**.

Description of Proposed Action/Activity: Replacement of existing sanitary sewer lines within the Antietam Creek Trunk Line.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701

WQM Permit No. WQG02171102, Sewerage [SIC 4952], Karthaus-Burnside Joint Authority, PO Box 97, Karthaus, PA 16845.

This proposed facility is located in Karthaus Township, **Clearfield County** and Burnside Township, **Centre County**.

Description of Proposed Action/Activity: The Authority is proposing to construct a sewer extension consisting of approximately 14,000 l.f. of 8-inch sanitary sewer, 500 l.f. of 6-inch sanitary sewer, 9,300 l.f. of 3-inch diameter force main piping, 900 l.f. of 2-inch diameter force main piping, a total of 78 new manholes/cleanouts (201-278), 1,000 l.f. of 1-1/2-inch diameter force main piping, six (6) duplex grinder pump stations and five (5) simplex grinder pump stations as well as all required appurtenances. The total number of existing EDUs served from the extension is 56, which equates to an additional 14,560 GPD of flow to the treatment facility.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

WQM Permit No. Sewerage, Dinamyt Real Estate, LLC, 134 Schnauzer Lane, Beaver Falls, PA 15010

This proposed facility is located in Marion Township, **Beaver County**

Description of Proposed Action/Activity: Permit issuance for the construction and operation of sanitary sewers, pump station and force main, and sewage treatment plant.

WQM Permit No. 6596412-A1, Sewerage, Municipal Authority Borough Smithton, PO Box 342, Smithton, PA 15479-0342

This existing facility is located in Smithton Borough, **Westmoreland County**

Description of Proposed Action/Activity: Permit amendment issuance for the construction and operation of a UV Disinfection Unit.

IV. NPDES Stormwater Discharges from MS4 Permit Actions

V. NPDES Waiver Stormwater Discharges from MS4 Actions

VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI01 091004	Trumbauersville Fire Company No. 1 PO Box 142 Trumbauersville, PA 18970	Bucks	Trumbauersville Borough	Unami Creek (HQ-TSF-MF)
PAI01 151024	Lexington, LTD 119 John Robert Thomas Dr Exton, PA 19341	Chester	Charlestown Township	Pigeon Run (HQ-TSF)
PAI01 231001	Eastern Metal Recycling Terminal, LLC 1500 South 6th Street Camden, NJ 08101-0496	Delaware	Eddystone Borough	Delaware River (WWF-MF)

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Telephone 717-705-4707.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI033810001	Navin Zimmerman L.N.D. Associates (Zimmerman's Landscape) 119 Mountain Trail Road Newmanstown, PA 17073	Lebanon	Heidelberg Twp.	Furnace Run (HQ-CWF)

VII. Approvals to Use NPDES and/or Other General Permits

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision in 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types

PAG-1	General Permit for Discharges from Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated with Construction Activities (PAR)
PAG-3	General Permit for Discharges of Stormwater from Industrial Activities
PAG-4	General Permit for Discharges from Small Flow Treatment Facilities
PAG-5	General Permit for Discharges from Gasoline Contaminated Ground Water Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Nonexceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharge Resulting from Hydrostatic Testing of Tanks and Pipelines
PAG-11	(To Be Announced)
PAG-12	CAFOs
PAG-13	Stormwater Discharges from MS4

General Permit Type—PAG-02

Facility Location:

<i>Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Middletown Township Bucks County	PAG0200 0911007	George School 1890 Newtown-Langhorne Rd Newtown, PA 18940	Neshaminy Creek (WWF-MF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
East Rockhill Township Bucks County	PAG0200 0911002	Oak Tree Auto Recycling 1528 Ridge Road Perkasie, PA 18944	Three Mile Run (TSF-MF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Bristol Township Bucks County	PAG0200 0910008	Okna Windows 5601 Beaver Dam Road Bristol, PA 19007	Neshaminy Creek (WWF-MF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Falls Township Bucks County	PAG0200 0911025	Pennsbury School District 134 Yardley Avenue PO Box 338 Fallsington, PA 19058	Delaware River (WWF-MF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
East and West Nantmeal Townships Chester County	PAG0200 1505103-R	BK Campbell, Inc. 402 Bayard Road Kennett Square, PA 19438	Blackburn Run (TSF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
East Fallowfield Township Chester County	PAG0200 1511023	T. David Thomas PO Box 196 Downingtown, PA 19335	Buck Run (TSF-MF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Downingtown Borough Chester County	PAG0200 1511021	Downingtown Borough 4 West Lancaster Avenue Downingtown, PA 19335	Brandywine Creek (WWF-MF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Sadsbury Township Chester County	PAG0200 1505068-R	OHB Homes, Inc. 3333 Street Road, Suite 101 Bensalem, PA 19020	East Branch Chester Creek (TSF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
West Sadsbury Township Chester County	PAG0200 1511020	Camp Hill Real Estate Properties, LLC 4 Featherwood Dr, PO Box 555 Parkesburg, PA 19365	Unnamed Tributary Officers Run (TSF-MF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Bethel Township Delaware County	PAG0200 2310026	Robert J. Briggs 1315 Abaran's Creek Road Garnet Valley, PA 19080	South Branch Naaman's Creek (WWF-MF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Bethel Township Delaware County	PAG0200 236001-R	Garnet Mine, LLC 220 Continental Drive Newark, DE 19713	Green Creek (CWF-MF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Plymouth Township Montgomery County	PAG0200 46211014	Antioch Church of Philadelphia One Antioch Avenue Conshohocken, PA 19428	Plymouth Creek (WWF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Upper Hanover Township Montgomery County	PAG0200 4606020-R	Parklands, LLC 1590 Canary Road Quakertown, PA 18951	Perkiomen Creek (TSF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Old Forge Boro Lackawanna Co.	PAG02003511010	Verraastro Properties, L.P. 375 North 7th Ave. Scranton, PA 18503	Lackawanna River (CWF, MF)	Lackawanna Co. Conservation District 570-281-9495
Dallas Twp. Luzerne Co.	PAG0200400504R	C&N Dining, LLC Perry Dunford P. O. Box 70 Dallas, PA 18612	UNT to Huntsville Reservoir (CWF, MF)	Luzerne Co. Conservation District 570-674-7991
Forty Fort Boro and Wyoming Boro Luzerne Co.	PAG02004011005	Luzerne County Greg Parrs 200 N. River Street Wilkes-Barre, PA 18711	Abrahams Creek (CWF, MF)	Luzerne Co. Conservation District 570-674-7991
Upper Mount Bethel Twp & Portland Boro. Northampton Co.	PAG02004810017	Olav Sandnes Marine Properties, LLC 794 Sunrise Blvd. Mt. Bethel, PA 18343	UNT to the Delaware River (CWF, MF)	Northampton Co. Conservation District 610-746-1971
Saint Clair Boro Schuylkill Co.	PAG02005411008	Chris Schell The Home Depot USA Inc 600 Terry Rich Blvd. Saint Clair, PA 17970	Mill Creek (CWF, MF)	Schuylkill Co. Conservation District 570-622-3742
Washington Twp. Schuylkill Co.	PAG02005411006	John Brommer 1260 Rock Road Schuylkill Haven, PA 17972	Little Swatara Creek (CWF, MF)	Schuylkill Co. Conservation District 570-622-3742
New Milford Twp. Susquehanna Co.	PAG2005811002	Lackawanna College 501 Vine Street Scranton PA 18509	Nine Partners Creek (CWF, MF)	Susquehanna Co. Conservation District 570-278-4600
Allegheny Township, Blair County	PAG2000711006	Fred Imler, Jr. Imler's Poultry P. O. Box 863 Duncansville, PA 16635	Spencer Run (CWF)	Blair County Conservation District, 814-696-0877 ext 5
Mifflin Township, Dauphin County	PAG02002211012	Melvin Stoltzfus 4434 Shippen Dam Rd Elizabethville, PA 17023	Little Wiconisco Creek/WWF	Dauphin County Conservation District 1451 Peters Mountain Rd Dauphin, PA 17018
Mifflin Township, Dauphin County	PAG02002211012	Melvin Stoltzfus 4434 Shippen Dam Rd Elizabethville, PA 17023	Little Wiconisco Creek/WWF	Dauphin County Conservation District 1451 Peters Mountain Rd Dauphin, PA 17018
North Londonderry and South Annville Townships Lebanon County	PAG02003811004	Gordon W. Watts North Londonderry Township Authority 655 East Ridge Road Palmyra, PA 17078	UNT to Killinger Creek/TSF, MF	Lebanon County Conservation District 2120 Cornwall Road Suite 5 Lebanon, PA 17042 717-272-3908 ext. 4
South Annville Township Lebanon County	PAG02003810014	Gordon W. Watts North Londonderry Township Authority 655 East Ridge Road Palmyra, PA 17078	Killinger Creek/Quittaphailla Creek Watershed/TSF, MF	Lebanon County Conservation District 2120 Cornwall Road Suite 5 Lebanon, PA 17042 717-272-3908 ext. 4
South Annville Township Lebanon County	PAG02003810031	Reid Hoover 400 Mount Wilson Road Lebanon PA 17042	UNT to Bachman Run/TSF	Lebanon County Conservation District 2120 Cornwall Road Suite 5 Lebanon, PA 17042 717-272-3908 ext. 4

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Bethel and Jackson Townships Lebanon County	PAG02003811005	Joseph Zaprazny 2401 Summer Valley Road New Ringold PA 17960	Little Swatara Creek/WWF	Lebanon County Conservation District 2120 Cornwall Road Suite 5 Lebanon, PA 17042 717-272-3908 ext. 4
Jackson Township Lebanon County	PAG2003806001R	Patrick Kreiser Kreiser Construction 2 Goodyear Lane Newmanstown, PA 17073	UNT to Tulpehocken Creek/TSF-MF	Lebanon County Conservation District 2120 Cornwall Road Suite 5 Lebanon, PA 17042 717-272-3908 ext. 4
Jackson Township Lebanon County	PAG02003811002	Craig Garloff Stone Ridge Retirement Living 440 East Lincoln Avenue Myerstown, PA 17067	UNT to Owl Creek/WWF, MF	Lebanon County Conservation District 2120 Cornwall Road Suite 5 Lebanon, PA 17042 717-272-3908 ext. 4
North Lebanon Township Lebanon County	PAG02003811006	Sheila M Wartluft North Lebanon Township 725 Kimmerlings Road Lebanon PA 17046	Quittapahilla Creek/TSF-MF and Tulpehocken Creek/CWF-MF	Lebanon County Conservation District 2120 Cornwall Road Suite 5 Lebanon, PA 17042 717-272-3908 ext. 4
Wysox Township Bradford County	PAG2000811005	Endless Mtns Land Mgmt Inc 21186 Route 187 Towanda, PA 18848	Susquehanna River WWF	Bradford County Conservation District Stoll Natural Resource Center RR 5, Box 5030C Towanda, PA 18848 (570) 265-5539, X 6
Spring Township Centre County	PAG2001411007	Richard Makin CPI of Science & Technology 540 N Harrison Rd Pleasant Gap, PA 16823	UNT to Lagan Branch CWF, MF	Centre County Conservation District 414 Holmes Avenue, Suite 4 Bellefonte, PA 16823 (814) 355-6817
Wallaceton Borough & Boggs Township Clearfield County	PAG2001706009R	Ronald Krise 5949 Shiloh Rd Woodland, PA 16881	Laurel Run CWF	Clearfield County Conservation District 650 Leonard Street Clearfield, PA 16830 (814) 765-2629
Lower Mahanoy, Upper Augusta, Lower Augusta, Little Mahanoy & Jackson Townships Northumberland County	PAG2004910022	PPL 4810 Lycoming Mall Dr Montoursville, PA 17754	Sealholtz Run, UNT Hallowing Run, Hallowing Run, UNT Boile Run, UNT Mahanoy Creek, Mahanoy Creek, UNT Susquehanna River, Filders Run, Dalmatia Creek, UNT to Mahantango Creek & Mahantango Creek WWFs	Northumberland County Conservation District RR 3, Box 238-C Sunbury, PA 17801 (570) 286-7114, X 4
Lawrenceville Borough Tioga County	PAG2005911008	Lawrenceville Cinderella Softball Assoc PO Box 184 Lawrenceville, PA 16929	Cowanesque River CWF	Tioga County Conservation District 50 Plaza Lane Wellsboro, PA 16901 (570) 724-1801, X 3

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Mars Borough Butler County	PAG02 0010 11 007	Breakneck Creek Regional Authority PO Box 1180 Mars PA 16046	Breakneck Creek WWF	Butler Conservation District 724-284-5270
City of Bradford McKean County	PAG02 0042 11 002	City of Bradford 20 Russell Blvd PO Box 490 Bradford PA 16701	West Branch Tunungwant CWF; TSF	McKean Conservation District 814-887-4001
Coolspring Township Mercer County	PAG02 0043 11 002	Paul E. O'Brien Rein Construction Co PO Box 68 Brookfield OH 44403	Munnell Run TSF	Mercer Conservation District 724-662-2242
City of Hermitage Mercer County	PAG02 0043 06 005(1)R	Larry Reichard Penn-NW Develop. Corp 749 Greenville Road, Suite 100 Mercer, PA 16137	Shenango River WWF	Mercer Conservation District 724-662-2242

General Permit Type—PAG-3

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant's Name and Address</i>	<i>Receiving Stream or Body of Water</i>	<i>Contact Office and Telephone No.</i>
City of Philadelphia Philadelphia County	PAR900024	Philadelphia Gas Works 3100 W Passyunk Avenue Philadelphia, PA 19145	Schuylkill River - 3F	Southeast Region Water Management 484.250.5970
Pottstown Borough Montgomery County	PAR210027	Hanson Pipe & Precast Inc. 2900 Terminal Avenue Richmond, VA 23234	Schuylkill River - 3-D	Southeast Region Water Management 484.250.5970
City of Philadelphia Philadelphia County	PAR900017	Clean Earth of Philadelphia, LLC 3201 South 61st Street Philadelphia, PA 19153	Schuylkill River - 3F	Southeast Region Water Management 484.250.5970
City of Philadelphia Philadelphia County	PAR120008	Sweet Ovations, LLC 1741 Tomlinson Road Philadelphia, PA 19116	Unnamed Tributary to Walton Run - 3J	Southeast Region Water Management 484.250.5970
Richland Township Bucks County	PAR130006	RR Donnelley & Sons Company 100 American Drive Quakertown, PA 18951	Unnamed Tributary to Tohickon Creek - 2D	Southeast Region Water Management 484.250.5970
Falls Township Bucks County	PAR800165	Rite Aid Corporation 30 Hunter Lane Camp Hill, PA 17011	Rock Run - 2E	Southeast Region Water Management 484.250.5970
Bensalem Township Bucks County	PAR600031	Al's Auto, Inc. 4339 Old Lincoln Highway Trevose, PA 19053	Unnamed Tributary to Neshaminy Creek - 2F	Southeast Region Water Management 484.250.5970
Scranton City Lackawanna County	PAR202248	Master Halco Inc 1000 North South Road Scranton PA 18504	Keyser Creek (CWF, MF)	PA DEP Northeast Regional Office 2 Public Square Wilkes-Barre, PA 18701-1915 570-826-2511
Blair County / Greenfield Township	PAR213560	A.P. Green Refractories, Inc., Sproul Plant 400 Fairway Drive Moon Township, PA 15108	Boiling Spring Run / CWF / 11-A	DEP—SCRO— Water Management 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant's Name and Address</i>	<i>Receiving Stream or Body of Water</i>	<i>Contact Office and Telephone No.</i>
Sandy Township Clearfield County	PAR704804	Glenn O Hawbaker Inc. 711 East College Avenue Bellefonte, PA 16823	Unnamed tributary to Sandy Lick Creek - 17-C	DEP Northcentral Regional Office Water Management 208 W Third Street Suite 101, Williamsport, PA 17701-6448 570.327.3664
Liberty Township Tioga County	PAR114803	Matts Auto Parts & Sales Inc. 1177 Bloss Mountain Road Liberty, PA 16930	Unnamed Tributary to Blacks Creek - 9-A	DEP Northcentral Regional Office Water Management 208 W Third Street Suite 101, Williamsport, PA 17701-6448 570.327.3664
Williamsport City Lycoming County	PAR604807	Staiman Bros Inc. 201 Hepburn Street Williamsport, PA 17701	West Branch Susquehanna River - 10-B	DEP Northcentral Regional Office Water Management 208 W Third Street Suite 101, Williamsport, PA 17701-6448 570.327.3664
Limestone Township Montour County	PAR804825	Great Dane LP 70 Strick Road Danville, PA 17821	County Line Branch - 10-D	DEP Northcentral Regional Office Water Management 208 W Third Street Suite 101, Williamsport, PA 17701-6448 570.327.3664
Delaware Township Northumberland County	PAR214814	Watsonstown Brick Co. Pa 405 Watsonstown, PA 17777-0068	West Branch Susquehanna River - 10-D	DEP Northcentral Regional Office Water Management 208 W Third Street Suite 101, Williamsport, PA 17701-6448 570.327.3664
Wayne Township Clinton County	PAR504804	Clinton County SWA PO Box 209 264 Landfill Lane McElhattan, PA 17748-0209	Unnamed Tributary to West Branch Susquehanna River - 9-B	DEP Northcentral Regional Office Water Management 208 W Third Street Suite 101, Williamsport, PA 17701-6448 570.327.3664
Troy Township Bradford County	PAR224823	Oak Hill Veneer Inc. PO Box 304 Us Route 14 North Troy, PA 16947	North Branch Sugar Creek - 4-C	DEP Northcentral Regional Office Water Management 208 W Third Street Suite 101, Williamsport, PA 17701-6448 570.327.3664

General Permit Type—PAG-4

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Franklin County / Lurgan Township	PAG043916	Brian Zimmerman PO Box 131 Fannettsburg, PA 17221	UNT Clipperings Run / WWF	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707
Berks County Maxatawny Township	PAG043512	Robert Bunner 949 Bennicoff Road Kutztown, PA 19530	Mill Creek / TSF	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707

General Permit Type—PAG-7

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Site Name</i>	<i>Contact Office & Phone No.</i>
Westmoreland County Franklin Township	PAG076103	Franklin Twp. Muni. Sani. Auth. 3001 Meadowbrook Road Murrysville, PA 15668	Franklin Twp. Muni. Sani. Auth. WWTP	Southwest Regional Office: Water Management Program Manager 400 Waterfront Drive Pittsburgh PA 15222-4745 (412) 442-4000

General Permit Type—PAG-9

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Site Name</i>	<i>Contact Office & Phone No.</i>
Somerset Township Somerset County	PAG096108	Piles Concrete Products, Inc. 115 Pickett Lane Friedens, PA 15541	Piles Concrete Products, Inc.	Southwest Regional Office: Water Management Program Manager 400 Waterfront Drive Pittsburgh PA 15222-4745 (412) 442-4000
Plumcreek Township Armstrong County	PAG096110	J & D Septic Service, Inc. PO Box 28 Elderton, PA 15736	J & D Septic Service, Inc.	Southwest Regional Office: Water Management Program Manager 400 Waterfront Drive Pittsburgh PA 15222-4745 (412) 442-4000

General Permit Type—PAG-12 CAFO

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Hublely Township Schuylkill County	PAG 122205	Wenger Feed Mill, Inc. Hegins Valley Layer Complex 824 Church Road Hegins, PA 17938	Pine Creek/CWF	PA DEP 2 Public Square Wilkes-Barre, PA 18701 Phone#: (570)826-2511

*General Permit Type—PAG-12**Facility Location:*

<i>Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Fulton County / Belfast Township	PAG123514	Ting-Kwang Chiou Chiou Hog Farm, LLC 312 Hammonton Place Silver Spring, MD 20902	13-B	DEP—SCRO— Watershed Management 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4802
Lancaster County / Manor Township	PAG123637	Jay Bleacher 1173 Brenneman Road Conestoga, PA 17516	7-J	DEP—SCRO— Watershed Management 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4802
White Deer Township, Union County	PAG124841	Broc Troxell/ Troxell Farms, 250 Showers Road, New Columbia, PA 17856	UNT of West Branch of Susquehanna River/ Warm Water Fishery (WWF)	PADEP Northcentral Regional Office, Watershed Management, 208 W Third Street, Suite 101, Williamsport, PA 17701-6448 570.327.0529

STATE CONSERVATION COMMISSION**NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs**

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board. Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

CAFO PUBLIC NOTICE SPREADSHEET—ACTIONS

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Scott Gochenaur 3057 Harvest Road Elizabethtown, PA 17022	Lancaster	21	371.7	Layers	NA	Approved
Reid Hoover 400 Mt. Wilson Rd Lebanon, PA 17042	Lebanon	261.3	582	Dairy	NA	Approved

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act

Southeast Region: Water Supply Management Program Manager, 2 East Main Street, Norristown, PA 19401

Permit No. 2310515 Public Water Supply

Applicant **Aqua Pennsylvania, Inc.**
762 West Lancaster Avenue
Bryn Mawr, PA 19010

Township Middletown

County **Delaware**

Type of Facility PWS

Consulting Engineer CET Engineering Services
1240 North Mountain Road
Harrisburg, PA 17112

Permit to Construct November 4, 2011
Issued

Permit No. 2311501 Public Water Supply

Applicant **Aqua Pennsylvania, Inc.**
762 West Lancaster Avenue
Bryn Mawr, PA 19010

Township Aston

County **Delaware**

Type of Facility PWS

Consulting Engineer Aqua Pennsylvania, Inc.
762 West Lancaster Avenue
Bryn Mawr, PA 19010

Permit to Construct January 5, 2011
Issued

Permit No. 4611510 Public Water Supply

Applicant **Aqua Pennsylvania, Inc.**
762 West Lancaster Avenue
Bryn Mawr, PA 19010

Township Abington

County **Montgomery**

Type of Facility PWS

Consulting Engineer CET Engineering, Services
1240 North Mountain Road
Harrisburg, PA 17112

Permit to Construct 1March 24, 2011
Issued

Permit No. 1511513 Public Water Supply

Applicant **Pennsylvania American Water Company**
800 West Hershey Park Drive
Hershey, PA 17033

Township East Vincent

County **Chester**

Type of Facility PWS

Consulting Engineer Pennsylvania American Water Company
800 West Hershey Park Drive
Hershey, PA 17033

Permit to Construct March 28, 2011
Issued

Permit No. 0911516 Public Water Supply

Applicant **Upper Southampton Municipal Authority**
945 Street Road
P. O. Box 481
Southampton, PA 18966

Township Upper Southampton

County **Bucks**

Type of Facility PWS

Consulting Engineer Pennoni Associates
62 Rockford Road
Wilmington, DE 19806

Permit to Construct March 7, 2011
Issued

Permit No. 0911515 Public Water Supply

Applicant **Warminster Municipal Authority**
415 Gibson Avenue
Warminster, PA 18974

Township Warminster and Warwick

County **Bucks**

Type of Facility PWS

Consulting Engineer CKS Engineering
88 South Main Street
Doylestown, PA 18901

Permit to Construct March 2, 2011
Issued

Operations Permit 0911533 issued to: **Buckingham Township**, P. O. Box 413, Buckingham, PA 18912

PWSID#1090159 Buckingham Township, Bucks County on May 6, 2011, for operation of Facilities approved under construction permit 0902510 for Furlong Well F-8, Buckingham Township, **Bucks County**.

Operations Permit 0911534 issued to: **Newtown Artesian Water Company**, 201 North Lincoln Avenue, Newtown, PA 18940

PWSID#1090043 Newtown Borough, Bucks County on May 6, 2011, for operation of Facilities approved under construction permit 0910519 for sodium Hypochlorite Injection at the Low Service Pump Station, Newtown Borough, **Bucks County**.

Operations Permit 0911529 issued to: **Pennsylvania American Water**, 800 West Hershey Park Drive, Hershey, PA 17033

PWSID#1150166 Lower Makefield Township, Bucks County on April 7, 2011, for operation of Facilities approved under construction permit 0910648 for liquid Ammonium sulfate at College Avenue and High Drive Well Stations, Lower Makefield Township, **Bucks County**.

Operations Permit 0911531 issued to: **Telford Borough Authority**, 122 Penn Avenue, Telford, PA 18969.

PWSID#1460050 Hilltown Township, Bucks County on April 11, 2011 for operation of Facilities approved under construction permit 0910505 for backwash discharge from arsenic treatment at Well 6 to sanitary sewer, Hilltown Township, **Bucks County**.

Operations Permit 1511516 issued to: **Camp Hill Special Schools**, 1784 Fairview Road, Glenmoore, PA 19343.

PWSID#1150039 East Vincent Township, Chester County on April 26, 2011 for operation of Well No. 1, East Vincent Township, **Chester County**.

Southcentral Region: Water Supply Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110

Permit No. 0610532, Public Water Supply.

Applicant	Shinn Spring Water Company
Municipality	Cumru Township
County	Berks
Responsible Official	Bryan Shinn, Vice President 2 East Pointe Drive Birdsboro, PA 19508
Type of Facility	Project includes expanding of the existing bottle water facility including the addition of another RO unit, finished water storage tank and becoming a bulk water hauler.
Consulting Engineer	Edward J. Walsh, P.E. McCarthy Engineering Associates 1121 Snyder Road West Lawn, PA 19609
Permit to Construct Issued:	5/23/2011

Permit No. 3611502, Public Water Supply.

Applicant	Turkey Hill Dairy, Inc.
Municipality	Manor Township
County	Lancaster

Responsible Official	William P Gregory, Director of Operations Services 2601 River Road Conestoga, PA 17516-9630
Type of Facility	Installation of Nitrate Treatment
Consulting Engineer	Peter Lusardi, P.E. CET Engineering Services 1240 N. Mountain Rd. Harrisburg, PA 17112
Permit to Construct Issued:	5/23/2011

Operations Permit issued to: **Spring Hollow Properties**, 7360092, Rapho Township, **Lancaster County** on 5/23/2011 for the operation of facilities submitted under Application No. 3611518 MA.

Operations Permit issued to: **Blue Mountain Heights MHP**, 7210056, Lower Mifflin Township, **Cumberland County** on 5/20/2011 for the operation of facilities submitted under Application No. 7210056 COP.

Operations Permit issued to: **Heritage Hills Retirement Home**, 7280066, Antrim Township, **Franklin County** on 5/25/2011 for the operation of facilities approved under Construction Permit No. 2810503 MA.

Operations Permit issued to: **Berks Properties, Inc.**, 3060004, Hereford Township, **Berks County** on 5/31/2011 for the operation of facilities approved under Construction Permit No. 0610523 MA.

Operations Permit issued to: **Berks Properties, Inc.**, 3060037, Hereford Township, **Berks County** on 6/1/2011 for the operation of facilities approved under Construction Permit No. 0610524 MA.

Operations Permit issued to: **Berks Properties, Inc.**, 3060095, Longswamp Township, **Berks County** on 5/27/2011 for the operation of facilities approved under Construction Permit No. 0610525 MA.

Operations Permit issued to: **Bloomfield Borough Water Authority**, 7500012, Bloomfield Borough, **Perry County** on 6/1/2011 for the operation of facilities approved under Construction Permit No. 5010506 MA.

Northcentral Region: Water Supply Management Program Manager, 208 West Third Street, Williamsport, PA 17701

Permit No. Minor Amendment (5998501)—Construction Public Water Supply.

Applicant	Wellsboro Municipal Authority
[Township or Borough]	Duncan Township
County	Tioga
Responsible Official	Robert DeCamp, Chairman Wellsboro Municipal Authority 28 Crafton Street Wellsboro, PA 16901
Type of Facility	Public Water Supply
Consulting Engineer	William S. Bray, P.E. P. O. Box 535 Wellsboro, PA 16901
Permit Issued Date	June 7, 2011
Description of Action	Installation of a 2nd raw water intake line and flow metering equipment for the Rock Run surface water source.

Permit No. Minor Amendment—Operation Public Water Supply.

Applicant **The Meadows at Watsonstown**
 [Township or Borough] Delaware Township
 County **Northumberland**
 Responsible Official Mr. Al Thompson
 The Meadows at Watsonstown
 4 Dove Drive
 Watsonstown, PA 17777
 Type of Facility Public Water Supply
 Consulting Engineer N/A
 Permit Issued Date June 7, 2011
 Description of Action 4-log inactivation of viruses at
 Entry Point 100 (Well No. 3).

The College Township Municipal Authority (Public Water Supply), Centre County: On June 1, 2011, the Department of Environmental Protection approved the Source Water Protection (SWP) plan for The College Township Municipal Authority. The personnel involved with the development of this SWP plan are to be commended for taking these proactive steps to protect these water sources for their community. Funding for development of this SWP plan was made possible by the EPA and administered through the Department's Source Water Protection Technical Assistance Program (David W. Garg, P.E.) (570) 321-6581).

Northwest Region: Water Supply Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Permit No. 6111501, Public Water Supply

Applicant **Pleasantville Borough**
 Township or Borough Pleasantville Borough & Oil Creek
 Township
 County **Venango County**
 Type of Facility Public Water Supply
 Consulting Engineer Arthur Kuholski, PE
 Permit to Construct 05/13/2011
 Issued

Permit No. 4211501, Public Water Supply

Applicant **PA American Water Company**
 Township or Borough Kane Borough
 County **McKean County**
 Type of Facility Public Water Supply
 Consulting Engineer Karl J Shellenberger, PE
 Permit to Construct 05/25/2011
 Issued

Operations Permit issued to **Ridgway Township Municipal Authority**, PWSID #6240022, Ridgway Township, **Elk County**. Permit Number 2407501, issued May 24, 2011 for the operation of Liquid Chlorination facilities at the Boot Jack Industrial Park Pump House and at the Lower Boot Jack Pump House. This permit is issued in response to an operation inspection conducted by Department personnel on September 23, 2010.

Transfer of Operations Permit issued to **Carriage Court Personal Care Home**, PWSID #6370958, Shenango Township, **Lawrence County**, Permit Number 3708503-T1, issued May 24, 2011. Action is for the simultaneous issuance of the construction and operation

permit for the personal care home's water treatment plant and distribution system and change in ownership. This permit is issued in response to an operation inspection conducted by Department personnel on May 12, 2011.

Operations Permit issued to **Port Allegany Water Authority**, PWSID #6420021, Port Allegany Borough, **McKean County**. Permit Number 4277501-MA2, issued May 17, 2011 for the operation of 4-Log treatment of viruses for Entry Point 198. This action is taken under the requirements of the Groundwater Rule.

Interim Operations Permit issued to **Meadville Housing Corporation**, PWSID #6200035, West Mead Township, **Crawford County**. Deadline extension granted May 19, 2011 for Permit Number 87501-MA1, for use of new chlorine contact line & associated plumbing while the new hydropneumatic tank is installed.

SEWAGE FACILITIES ACT PLAN APPROVAL**Plan Approvals Granted Under the Pennsylvania Sewage Facilities Act (35 P. S. § 750.5)**

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Hanover Township	1267 Sans Souci Parkway Hanover Township, PA. 18706	Luzerne

Plan Description: The Plan's selected alternative is Alternative No. 3. This alternative proposes the installation of a new gravity wastewater collection and conveyance system to serve all existing structures (approximately 60 Equivalent Dwelling Units) within the planning area of Witinski's Villa and Truesdale Terrace as outlined in the text and drawings of the Plan. Wastewater from the project area will be conveyed via a new gravity interceptor to a connection point at the intersection of Holly and Slope Streets in Warrior Run Borough. From this point wastewater from the project area will flow through the Warrior Run Borough Wastewater Collection System to the Wyoming Valley Sanitary Authority's (WVSA) Diversion Chamber No. 34 and its Pump Station No. 20. After leaving Pump Station No. 20, wastewater will flow exclusively through force mains and gravity interceptor lines owned and operated by WVSA as shown in the drawings found in Exhibit No. 20 of the Plan. No modifications of the Warrior Run Borough or WVSA wastewater collection and conveyance facilities will be required to facilitate the conveyance of the project area's wastewater from Warrior Run Borough to the WVSA Wastewater Treatment Facility. Treatment of the project area's wastewater will occur at WVSA's Wastewater Treatment Facility located in Hanover Township. Treated wastewater will be ultimately discharged to the Susquehanna River.

Financing of the wastewater collection and conveyance systems is to be provided by the Pennsylvania Infrastructure Investment Authority (PENNVEST).

This approval covers only the wastewater planning aspects of the selected wastewater disposal alternative as it relates to the Hanover Township's Official Sewage Facilities Plan. Other Departmental permits may be required for construction if encroachment to streams or

wetlands will result. The Department's review has also not identified any significant environmental impacts resulting from this proposal.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Curwensville Borough	900 Susquehanna Avenue Curwensville, PA 16833	Clearfield

Plan Description: The approved plan provides for the replacement of an out-dated and deteriorated sewage treatment plant with a new Sequencing Batch Reactor sewage treatment plant. This plan also provides for the rehabilitation/replacement of brick manholes and clay sewers throughout their collection and conveyance system, as well as upgrades to the Park Avenue Pump Station. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

Southwest Regional Office, Regional Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Telephone 412-442-4000

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Municipality of Penn Hills	12245 Frankstown Road Pittsburgh, PA 15235	Allegheny

Plan Description: The approved plan provides for a proposal to install a small flow treatment facility to repair an existing malfunctioning on-lot system located at 8153 Nadine Road in the Borough of Penn Hills, **Allegheny County**. The proposed treatment facility will discharge to an unnamed tributary of the Allegheny River and service a three-bedroom single family dwelling. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. The required NPDES Permit and WAM Permits will be obtained in the name of the applicant as appropriate.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Telephone: 717-705-4707.

Plan Location: on the northwest side of Back Road, 0.1 miles northeast of Goshorn Road.

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Fannett Township	P O Box 40 Dry Run PA 17220	Franklin County

Plan Description: The approved plan, in the name of Sam and Janet Smith, provides for a Small Flow Treatment Facility to serve one residential dwelling with sewage flows of 400 gallons per day. The Small Flow Treatment Facility is proposed to discharge into an unnamed tributary to Doylestown Stream. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the owner.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department regional office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701

Putnam Wellpad 77, Armenia Township, **Bradford County**. URS Corporation, 4507 N. Front St., Suite 200, Harrisburg, PA 17110 on behalf of Talisman Energy USA Inc., 50 Penwood Place, Warrendale, PA 15086 has submitted a Final Report concerning remediation of site soil

contaminated with diesel fuel. The Final Report demonstrated attainment of the Statewide Health Standard was approved by the Department on May 31, 2011.

Bolton Metal Products formerly Cerro Metal Products-North Yard Spring Township, Centre County. Chambers Environmental Group, Inc., 629 East Rolling Ridge Drive, Bellefonte, PA 16823 on behalf of The Marmon Group, LLC, 181 West Madison St., Chicago, IL 60602 has submitted a Cleanup Plan concerning site soil contaminated with metals at 2022 Axemann Road, Bellefonte, PA 16823. The Cleanup Plan was approved by the Department on June 1, 2011.

OTRT Inc. Interstate 80 @ MM202E, White Deer Township, **Union County.** Northridge Group, Inc., 1172 Ridge Road, Northumberland, PA 17857, on behalf of OTRT, Inc., 2682 Coyle Avenue, Elk Grove Village, IL 60007, has submitted a Final Report concerning remediation of site soil contaminated with diesel fuel. The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department on June 3, 2011.

Northwest Region: Environmental Cleanup Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

US Bronze Foundry and Machine, Inc.—Metals Impacted Soils and Sediments, Woodcock Township, **Crawford County.** Geosyntec Consultants, 10220 Old Columbia Road, Suite A, Columbia, MD 21046 on behalf of Pneumo Abex, LLC, c/o Briggs and Morgan PA, 2200 IDS Center, 80 South 8th Street, Minneapolis, MN 55402 has submitted a Risk Assessment Report concerning the remediation of site soil and sediment contaminated with lead, copper, zinc, antimony, arsenic, barium, beryllium, cadmium, mercury, nickel, silver, selenium, thallium, plant debris, building materials, and residual wastewater sludge. The Risk Assessment was approved by the Department on May 12, 2011.

Littlefield No. 1353, Hickory Township, **Forest County.** Groundwater & Environmental Services, Inc., 301 Commerce Park Drive, Cranberry Township, PA 16066 on behalf of Catalyst Energy, Inc., 800 Cranberry Woods Drive, Suite 290, Cranberry Township, PA 16066 has submitted a Final Report concerning the remediation of site soils contaminated with crude oil. The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department on May 19, 2011.

DETERMINATION OF APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

Determination of Applicability for General Permit issued Under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other Than Coal Ash.

Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17105-8472.

General Permit No. WMGR082D003. Impact Environmental Consulting, Inc., 170 Keyland Court, Bohemia, NY 11716. The steel slag, iron slag, and refractory bricks are located at 1820 North Dauphin Street, Allentown, PA 18109-0674.

The Department of Environmental Protection, Bureau of Waste Management has issued a determination of applicability under the General Permit No. WMGR082 on May 31, 2011. The general permit WMGR082 is for the processing and beneficial use of steel slag, iron slag, and refractory bricks that were co-disposed with slag ("slag") as a construction material.

Persons interested in reviewing the general permit may contact Scott E. Walters, Chief, General Permits/Beneficial Use Section, Division of Municipal and Residual Waste, Bureau of Waste Management, P. O. Box 8472, Harrisburg, PA 17105-8472, 717-787-7381. TDD users may contact the Department through the Pennsylvania Relay service, (800) 654-5984.

General Permit Application No. WMGR002D011. Coplay Aggregates, Inc., P. O. Box 143, Orefield, PA 18069.

The general permit WMGR002D011 is for the beneficial use only of paper and pulp mill wastewater treatment sludge as a soil additive (i) to establish or re-establish agricultural productivity, (ii) for use in establishing or improving wildlife habitat, and (iii) to facilitate revegetation at Coplay Quarry, located in Whitehall Township, **Lehigh County.** Central Office approved the determination of applicability on June 1, 2011.

Persons interested in reviewing the general permit may contact C. D. Vu, General Permits and Beneficial Use Section, Division of Municipal and Residual Waste, Bureau of Waste Management, P. O. Box 8472, Harrisburg, PA 17105-8472, (717) 787-7381. TDD users may contact the Department through the Pennsylvania Relay service, (800) 654-5984.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Permits Issued Under the Solid Waste Management Act, the Municipal Waste Planning, Recycling and Waste Reduction Act and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southeast Region: Regional Solid Waste Manager, 2 East Main Street, Norristown, PA 19401

Permit No. 300176. ArcelorMittal Plate, LLC, 139 Modena Rd, Coatesville Pa 19320, East Fallowfield and Valley Townships, **Chester County.** Ten-year permit renewal and modification (increased zinc waste acceptance criteria, reduced gas monitoring frequency) of a captive residual waste landfill. East Fallowfield Township provided comments on, and expressed certain objections to, parts of the applications. Those comments and/or objections relevant to the Department's review have been adequately addressed to the Department's satisfaction. The Department's consideration of those comments and/or objections is documented in the application file. The permit was renewed and modified by the Southeast Regional Office on June 3, 2011.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790

Contact: Ray Kempa, New Source Review Chief—
Telephone: 570-826-2507

66-399-010GP5: Williams Field Services LLC (2800 Post Oak Blvd., Houston, TX 77056) on March 1, 2011, to construct and operate three (3) IC Engines at a Natural Gas Compressor Station site in Tunkhannock Twp., **Wyoming County**.

66-310-023GP3: Meshoppen Stone, Inc. (PO BOX 127, Frantz Road, Meshoppen, PA 18630) on May 12, 2011, to the construct and operate a Portable Crushing Operation with watersprays at their Lopatofsky Site in Washington Township, **Wyoming County**.

66-329-010GP9: Meshoppen Stone, Inc. (PO BOX 127, Frantz Road, Meshoppen, PA 18630) on May 12, 2011, to install and operate a Diesel I/C engine at the Lopatofsky Site in Washington Township, **Wyoming County**.

52-329-002GP9: E.R. Linde Construction (9 Collan Park, Honesdale, PA 18431) on May 31, 2011, to construct and operate of diesel IC engines at their site in Lackawaxen Township, **Pike County**.

64-329-003GP9: E.R. Linde Construction (9 Collan Park, Honesdale, PA 18431) on May 31, 2011, to construct and operate diesel IC engines at their site in Palmyra Township, **Wayne County**.

35-329-009GP9: E.R. Linde Construction (9 Collan Park, Honesdale, PA 18431) on May 31, 2011, to construct and operate diesel IC engines at their site in Jessup Borough, **Lackawanna County**.

45-329-012GP9: E.R. Linde Construction (9 Collan Park, Honesdale, PA 18431) on May 31, 2011, to construct and operate diesel IC engines at the site in Barrett Township, **Monroe County**.

58-310-040GP3: Eastern Industries, Inc. (4401 Camp Meeting Road, Center Valley, PA 18034 on May 12, 2011, to construct and operate a Portable Crushing Operation with watersprays at their site in Clifford Township, **Susquehanna County**.

58-329-032GP9: Eastern Industries, Inc. (4401 Camp Meeting Road, Center Valley, PA 18034) on May 12, 2011, to install and operate a Diesel I/C engine at their site in Clifford Township, **Susquehanna County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648

40-302-158GP1: ADM COCOA (400 Stony Creek Road, Hazleton, PA 18202) on May 12, 2011, to renew operation of their boiler at their site in Hazle Township, **Luzerne County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: Mark Gorog and Barb Hatch, Environmental Engineer Managers—Telephone: 412-442-4163/5226

GP5-30-00203: EQT Gathering, LLC. EQT Plaza, 625 Liberty Avenue, Pittsburgh, PA 15222 on June 1, 2011, to install and operate one (1) new tri-ethylene glycol dehydration unit including a reboiler rated at 0.50 Mmbtu/hr at their Pipers Ridge Station in Morgan Township, **Greene County**.

GP5-26-00591: Caiman Penn Midstream, LLC. (5949, Sherry Lane, Suite 1300, Dallas, TX 75225) on June 3, 2011, to install and operate one new lean burn

natural gas-fired compressor engine rated at 670 bhp, one TEG dehydrator rated at 10.0 MMscf/d, and a reboiler rated 0.35 Mmbtu/hr. at their Fike Connect Compressor Station located in Henry Clay Township, **Fayette County, PA**.

Plan Approvals Issued under the Air Pollution Control Act and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790

Contact: Ray Kempa, New Source Review Chief—
Telephone: 570-826-2507

40-310-085: Cedar Rock Materials Corp. (7612 Columbia Boulevard, Berwick, PA 18603) on May 25, 2011, to construct and operate a quarry plant consisting of a hard rock operation and sand/gravel operation at their facility in the Salem Township, **Luzerne County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648

59-00004: Ward Manufacturing, LLC (117 Gulick Street, Blossburg, PA 16912-0009) on May 31, 2011, to construct a tumblast cleaning machine at their Blossburg Borough, **Tioga County** facility.

08-00020A: Seaboard International, Inc. (PO Box 450989, Houston, TX 77245) on June 1, 2011, to construct a wellhead equipment repair operation at their facility in Ulster Township, **Bradford County**.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: Sachin Shankar, New Source Review Chief—
Telephone: 484-250-5920

46-0262A: Penn Color, Inc. (2755 Bergey Road, Hatfield, PA 19440) on May 27, 2011, to operate a dust collector in Hatfield Township, **Montgomery County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas J. Hanlon, Chief, East Permitting Section—Telephone: 717-705-4862 or Daniel Husted, Chief, West Permitting Section—Telephone: 717-949-7935

67-05083: Calpine Mid Merit LLC (PO Box 6066, 92 DC 72, Newark, DE 19714-6066) on June 1, 2011, to construct an electric generating plant in Peach Bottom Township, **York County**. The plan approval was extended.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: M. Gorog & B. Hatch, Environmental Engineer Managers—Telephone: 412-442-4163/5226

26-00573A: Johnson Matthey, Inc. (605 Mountain View Drive, Smithfield, PA 15478) on June 7, 2011, to extend the period of temporary operation of the catalyst production facility covered under plan approval 26-

00573A until December 8, 2011 in Smithfield Borough, **Fayette County**. The plan approval has been extended.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6636

24-167A: E Carbon America, LLC (806 Theresia Street, St Marys, PA 15857) on May 31, 2011, to modify the method of operation for the carbon baking kilns and the construction of the impregnation department in St Marys City, **Elk County**. This is a Title V facility.

Title V Operating Permits Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter G.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas J. Hanlon, Chief, East Permitting Section—Telephone: 717-705-4862 or Daniel Husted, Chief, West Permitting Section—Telephone: 717-949-7935

36-05140: Valley Proteins, Inc. (693 Wide Hollow Road, East Earl, PA 17519-9645) on June 1, 2011, for the Terre Hill rendering plant in East Earl Township, **Lancaster County**. The Title V permit was renewed.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790

Contact: Ray Kempa, New Source Review Chief—Telephone: 570-826-2507

40-00052: Pioneer Aggregates, Inc. (202 Main Street, Laflin, PA 18702) on May 25, 2011, to operate a stone crushing and sizing facility in Plains Township, **Luzerne County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648

08-00025: Northern Bradford Crematory (502 North Keystone Avenue, South Waverly, PA 18840) on May 31, 2011, to operate their facility in the Borough of South Waverly, **Bradford County**. The State Only operating permit contains requirements including monitoring, recordkeeping and reporting conditions to ensure compliance with applicable Federal and State regulations.

Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104

Contact: Edward Wiener, Chief—Telephone: 215-685-9426

V10-025: Plains Products Terminals LLC (6850 Essington Avenue, Philadelphia, PA 19134) on June 6, 2011, to operate two (2) adjacent bulk liquid storage and distribution terminals in the City of Philadelphia, **Philadelphia County**. The North Terminal (formerly ST Services) and South Terminal (formerly ExxonMobil) are now under common ownership, making it one facility. The facility's air emission sources include a 20 MMBTU/hr thermal fluid heater, a vapor incinerator, a vapor recovery unit, 20 petroleum products storage tanks, truck loading, non-gasoline marine loading.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920

23-00041: ConocoPhillips Co. (600 N Dairy Ashford Houston, TX 77079) on June 1, 2011, the Operating Permit was amended for the Chelsea Tank Farm, a Title V facility in Upper Chichester Township, **Delaware County**. The Administrative Amendment includes changes in responsible official, permit contact and contact information for the facility.

46-00035: Glaxosmithkline (709 Swedeland Road, Upper Merion Township, **Montgomery County**) on June 1, 2011, was amended to incorporate Plan Approval PA-46-0035E (750 Kw Emergency Generator) and to incorporate GP1-46-0272 (32.6 MMBTU/HR natural gas fired boiler). The amended Title V Operating Permit will contain additional monitoring, recordkeeping, reporting and work practice standards to keep the facility operating within all applicable air quality requirements.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law; the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.20a). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to applications will also address the application permitting requirements of the following statutes: the Air Quality Pollution Act (35 P. S. §§ 4001—4014); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1002).

Coal Permits Actions

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900

56090101 and NPDES No. PA0262714. Future Industries, Inc., P. O. Box 157, Meyersdale, PA 15552, commencement, operation and restoration of a bituminous surface mine in Elk Lick Township, **Somerset County**, affecting 186.0 acres. Receiving stream(s): unnamed tributary to/and Casselman River; unnamed tributaries to Piney Creek classified for the following use(s): cold water fishery. There are no potable water supply intakes within

10 miles downstream. Application received: January 13, 2009. Permit issued: May 23, 2011.

Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, 724-925-5500

03060102 and NPDES Permit No. PA0250902. P & N Coal Co., Inc. (P. O. Box 332, 240 West Mahoning Street, Punxsutawney, PA 15767). Permit renewal issued for continued reclamation only of a bituminous surface mining site located in Sugarcreek Township, **Armstrong County**, affecting 252.2 acres. Receiving streams: Patterson Creek and unnamed tributaries to Patterson Creek. Renewal application received: February 9, 2011. Renewal issued: May 26, 2011.

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191

16000101 and NPDES Permit No. PA0241695. Glenn O. Hawbaker, Inc. (1952 Waddle Road, State College, PA 16803) Renewal of an existing bituminous strip operation in Richland & Licking Townships, **Clarion County** affecting 83.6 acres. Receiving streams: Unnamed tributaries to the Clarion River. Application received: November 12, 2010. Permit Issued: May 24, 2011.

Noncoal Applications Returned

Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, 724-925-5500

65070301. Latrobe Specialty Steel Co. (2626 Ligonier Street, Latrobe, PA 15650). Returned application for a large noncoal surface mine, located in Latrobe Borough, **Westmoreland County**, affecting 33.25 acres. Receiving stream: Loyalhanna Creek, classified for the following use: WWF. Application received: September 21, 2007. Application returned: May 31, 2011.

Noncoal Permits Actions

Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, 724-925-5500

26980601 and NPDES Permit No. PA0202193. Hanson Aggregates BMC, Inc. (2200 Springfield Pike, Connellsville, PA 15425). Permit revised to add 35.6 acres of underground mining at an existing large noncoal surface mining site located in Bullsken Township, **Fayette County**, affecting 708.6 acres. Receiving streams: unnamed tributaries to Breakneck Run and Breakneck Run. Application received: March 4, 2011. Revision issued: May 31, 2011.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200

08100305 and NPDES No. PA0257443. Eastern Industries, Inc. (4401 Camp Meeting Road, Center Valley, PA 18034). Commencement, operation and restoration of a large non-coal surface mine (sand & gravel) located in Sheshequin Township, **Bradford County** affecting 67.47 acres. Receiving streams: Susquehanna River classified for cold water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: August 31, 2010. Permit issued: May 12, 2011.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Blasting Permits Actions

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200

08114116. Main Drilling & Blasting, Inc. (P. O. Box 1140, Gardiner, ME 04345-1140). Blasting for a pipeline located in Towanda Township, **Bradford County**. Permit issued: May 16, 2011. Permit expires: December 31, 2011.

08114117. Maurer & Scott Sales, Inc. (122 Thomas St., Coopersburg, PA 18036-2100). Blasting for construction of a natural gas well pad located in Standing Stone Township, **Bradford County**. Permit issued: May 18, 2011. Permit expires: August 31, 2011.

41114009. CGG Veritas Land (US) Inc. (10300 Town Park Drive, Houston, TX 77072). Seismic exploration blasting located in McIntrye Township, **Lycoming County**. Permit issued: May 17, 2011. Permit expires: December 31, 2012.

41114010. E & J Construction, LLC (1842 Masten Road, Canton, PA 17724). Blasting at the Minnier Quarry located in McNett Township, **Lycoming County**. Permit issued: May 17, 2011. Permit expires: May 31, 2012.

59114003. Tesla-Conquest, Inc. (504 1st Center, Daniel Zenker Drive, Horseheads, NY 14845). Seismic exploration blasting located in Troy, Columbia, Springfield, Armenia and Rutland Townships, **Tioga, Sullivan and Bradford Counties**. Permit issued: April 28, 2011. Permit expires: August 14, 2011.

59114103. Wampum Hardware Co. (2856 Stoystown Road, Friedens, PA 15541-7020). Blasting for a borrow pit for well pads located in Hamilton Township, **Tioga County**. Permit issued: May 16, 2011. Permit expires: December 31, 2012.

59114104. Main Drilling & Blasting, Inc. (P. O. Box 1140, Gardiner, ME 04345-1140). Blasting for a pipeline located in Mansfield Boro, **Tioga County**. Permit issued: May 16, 2011. Permit expires: December 31, 2011.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

45114111. Pact Construction, Inc., (P. O. Box 74, Ringoes, NJ 08551), construction blasting for Pocono and Hamilton Sewer Transmission Project 14 in Pocono and Hamilton Townships, **Monroe County** with an expiration date of May 18, 2012. Permit issued: June 1, 2011.

09114104. Rock Work, Inc., (1257 DeKalb Pike, Blue Bell, PA 19422), construction blasting for Costco in Warminster Township, **Bucks County** with an expiration date of December 31, 2011. Permit issued: June 3, 2011.

48114106. Austin Powder Northeast, LLC, (25800 Science Park Drive, Beachwood, OH 44122), construction blasting for a single dwelling in Nazareth Borough, **Northampton County** with an expiration date May 27, 2012. Permit issued: June 3, 2011.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.

Permits, Environmental Assessments and 401 Water Quality Certifications Issued:

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southeast Region: Watershed Management Program Manager, 2 East Main Street, Norristown, PA 19401

E23-488. Eastern Metal Recycling Terminal LLC, 1500 S. 6th Street, P. O. Box 496, Camden, NJ 08104, Eddystone Borough, **Delaware County**, ACOE Philadelphia District.

To construct and maintain four stormwater outfall structures, which vary between 38-inches to 48-inches in diameter in and along the Delaware River associated with the redevelopment of the former Foamex site.

The site is located near the intersection of Saville Avenue and 2nd Street. (Bridgeport, NJ-PA USGS Quadrangle N: 3.75 inches; W: 1.75 inches.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Telephone: 717-705-4707.

E21-419: Boyd E. Diller, Inc., 6820 Wertzville Road, Enola, PA 17025, in Hampden and Silver Spring Townships, **Cumberland County**, ACOE Baltimore District

To remove an existing 800.0-square foot tan bark mulching operation holding pond and to convert the area into a rain garden facility. The project is located in the Sears Run (WWF, MF) watershed approximately 1,000.0 feet north of the intersection of Hunter Drive and Wertzville Road (S.R. 0944) (Wertzville, PA Quadrangle; N: 7.0 inches, W: 1.8 inches; Latitude: 40°17'26", Longitude: -77°0.0'44") in Hampden and Silver Spring Townships, Cumberland County. The purpose of the project is for the stabilization of the existing site

E21-421: Silver Spring Township Authority, 31 East Main Street, PO Box 1001, New Kingstown, PA 17072, in Silver Spring Township, **Cumberland County**, ACOE Baltimore District

To: 1) demolish five pumping stations and remove the associated force mains located in the floodplain of Trindle Spring Run (CWF, MF); 2) construct and maintain approximately 6,735.0 feet of 12.0-inch diameter and 1,627 feet of 8.0-inch diameter PVC sanitary sewer interceptor and 37 manholes in the floodway and floodplain of Trindle Spring Run (CWF, MF); 3) construct and maintain a concrete encased 8.0-inch diameter PVC sanitary sewer crossing in and across Trindle Spring Run (CWF, MF) and a 115.0-foot long wetland crossing temporarily impacting 0.01 acre of an exceptional value (EV) palustrine emergent (PEM) wetland; 4) construct and maintain two concrete encased 12.0-inch diameter PVC sanitary sewer crossing in and across Trindle Spring Run (CWF, MF); 5) construct and maintain a concrete encased 8.0-inch diameter PVC sanitary sewer crossing in and across Trindle Spring Run (CWF, MF). The project starts near the intersection of Mulberry Drive (T-586) and Brook Meadow Drive and ends near the intersection of Woods Drive (T-585) and Tavern House Highway (Mechanicsburg, PA Quadrangle; N: 17.96 inches, W: 4.07 inches; Latitude: 40°13'26", Longitude: -77°1.0'45" to N: 19.82 inches, W: 2.29 inches; Latitude: 40°14'3.0", Longitude: -77°0.0'59") in Silver Spring Township, Cumberland County. The purpose of the project is to eliminate five pump stations and reduce operating costs. The amount of wetland impact is considered a temporary and de minimus impact of 0.01 acre and wetland mitigation is not required.

E22-548: Derry Township, 600 Clearwater Road, Hershey, PA 17033, in Derry Township, **Dauphin County**, ACOE Baltimore District

To: 1) regrade an existing stormwater channel impacting 0.02-acre of palustrine emergent wetland associated with an unnamed tributary to Spring Creek (WWF, MF) and to construct and maintain a 28.0-inch wide by 20.0-inch high CMP stormwater outfall with endwall and depressed riprap outlet protection discharging to an unnamed tributary to Spring Creek (WWF, MF), impacting 0.01-acre of palustrine emergent wetland (Hershey, PA Quadrangle; N: 3.80 inches, W: 3.25 inches; Latitude: 40°16'15.5", Longitude: -76°38'53"); 2) relocate 334.0 feet and to restore a total of 945.0 feet of an unnamed tributary to Spring Creek (WWF, MF) including regrading to create a low flow channel and a floodplain bench impacting 0.05-acre of palustrine emergent wetland (Hershey, PA Quadrangle; N: 3.95 inches, W: 3.20 inches;

Latitude: 40°16'18", Longitude: -76°38'52.2"); 3) install and maintain concrete plugs and flowable fill into existing dual 42.0-inch diameter pipes in an unnamed tributary to Spring Creek (WWF, MF) (Hershey, PA Quadrangle; N: 4.30 inches, W: 3.25 inches; Latitude: 40°16'25.1", Longitude: -76°38'54.1"); 4) construct and maintain a 12.0-foot long, 1.0-foot depressed, 75.0-inch high by 112.0-inch wide CMP arch culvert with headwall, endwall, and depressed riprap apron in an unnamed tributary to Spring Creek (WWF, MF) to provide pedestrian access to an adjacent property (Hershey, PA Quadrangle; N: 4.30 inches, W: 3.25 inches; Latitude: 40°16'25.1", Longitude: -76°38'54.1"); 5) construct and maintain a 78.0-foot long, 1.0-foot depressed, 96.0-inch RCP culvert with headwall in an unnamed tributary to Spring Creek (WWF, MF) (Hershey, PA Quadrangle; N: 4.45 inches, W: 3.25 inches; Latitude: 40°16'28.8", Longitude: -76°38'53.9"); 6) construct and maintain two Type 10 junction boxes and a 297.0-foot long, 1.0-foot depressed, 75.0-inch by 112.0-inch CMP with endwall and depressed riprap apron outlet protection in an unnamed tributary to Spring Creek (WWF, MF) (Hershey, PA Quadrangle; N: 4.45 inches, W: 3.25 inches; Latitude: 40°16'28.8", Longitude: -76°38'53.9"); 7) install and maintain 54.0 lineal feet of 10.0-inch diameter PVC sanitary sewer line between existing manhole MH-57-16 and proposed manhole MH-G290A, in the floodway of an unnamed tributary to Spring Creek (WWF, MF) (Hershey, PA Quadrangle; N: 4.45 inches, W: 3.25 inches; Latitude: 40°16'32.5", Longitude: -76°38'53"); and 8) install and maintain 97.0 lineal feet of 8.0-inch diameter PVC sanitary sewer line between proposed manhole MH-G290A and existing manhole MH-G290 in the floodway of an unnamed tributary to Spring Creek (WWF, MF) (Hershey, PA Quadrangle; N: 4.40 inches, W: 3.25 inches; Latitude: 40°16'27", Longitude: 76°38'53.8"). The project is located at the intersection of Governor Road (SR 0322) and Cocoa Avenue (SR 0743) in Derry Township, Dauphin County. The purpose of the project is to improve stormwater conveyance and decrease flooding. The project will permanently impact 0.078 acre of PEM wetland and the permittee is required to provide a minimum of 0.11 acre of replacement PEM wetland onsite and proposes to create 0.16 acre of wetland onsite. This notice also rescinds the duplicate application notice for Permit Application No. E22-548 for this project, which was published in the *Pennsylvania Bulletin* on May 28, 2011. The same project description was published in the *Pennsylvania Bulletin* on February 12, 2011.

E28-366: Chambersburg Rod & Gun Club, 905 Payer Mill Road, Chambersburg, PA 17202, in Guilford Township, **Franklin County**, ACOE Baltimore District

to construct and maintain a post and beam structure with a steel roof and gable ends enclosed with chain-link fence over the existing trout runway in the floodway of an unnamed tributary to Falling Spring (TSF). The project is located on Franklin Farm Lane (Chambersburg, PA Quadrangle, N: 9.82 inches, W: 0.58 inch; Latitude: 39°55'44.7", Longitude: -77°37'45.0") in Guilford Township, Franklin County. The purpose of the project is to protect the existing trout nursery from theft, predation, and outside elements.

DAM SAFETY

Central Office: Bureau of Waterways Engineering, 400 Market Street, Floor 3, P. O. Box 8554, Harrisburg, PA 17105-8554

D45-052. Richard and Marian MacDonough, P. O. Box 86, Marshalls Creek, PA 18335. To modify, operate,

and maintain Marshall Lake Dam across Pond Creek (HQ-CWF), for the purpose of repairing a spillway and outlet of existing dam. East Stroudsburg, PA Quadrangle N: 7.9 inches; W: 0.3 inches) Smithfield Township, **Monroe County**.

Oil & Gas Management—SWRO—400 Waterfront Drive, Pittsburgh, PA 15222

Joint Permit

[Permit # E30-07-003]. EQT Production Company, 455 Racetrack Road, Washington, PA 15301. To construct an access road, associated with a gas well pad, crossing Rush Run and Wetland 1 in Center Township, **Greene County**, Pittsburgh ACOE District, State Water Plan Basin 19-B, (Rogersville, PA Quadrangle; N 4.6 inches; W 1.8 inches; Latitude: N 39° 54' 2.30"; Longitude: W 80° 15' 45.97"), Tenmile Creek Watershed. The applicant proposes to involve the installation of three 50-foot long concrete culverts (one 5-foot diameter and two 4-foot diameter) crossing the stream channel and adjacent floodplain of Rush Run (HQ-WWF) to serve as permanent access to a gas well (no well permit yet). Impacts include one (1) palustrine emergent wetland totaling approximately 0.03 acres impact and Rush Run (HQ-CWF) approximately 121 linear feet of stream within the project area. The upstream watershed drainage at the access road crossing is approximately 689 acres (1.08 mi²).

Wetland Name	Coordinates	Proposed Area Impact
Wetland 1	39° 54' 1.87" 80° 15' 45.73"	_.03_ (ac.)
Stream Name	Coordinates	Proposed Linear Impact
Rush Run	39° 54' 2.30" 80° 15' 45.97"	121 ft. (culverts)

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Southwest Region: Oil & Gas Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

5/18/2011

ESCGP-1 No.: ESX11-129-0015
 Applicant Name: Williams Production Appalachia LLC
 CONTACT: David Freudenrich
 Address: 1000 Town Center Suite 130
 City: Canonsburg State: PA Zip Code: 15317
 County: Westmoreland Township(s): Derry
 Receiving Stream(s) And Classifications: Tributary 44759 to McGee Run/Conemaugh River, Other Cold Water Fishes

4/19/2011

ESCGP-1 No.: ESX11-059-0006
 Applicant Name: EQT Production Company
 Contact Person: Todd Klaner
 Address: 455 Racetrack Road
 City: Washington State: PA Zip Code: 15301
 County: Greene Township(s): Center
 Receiving Stream(s) and Classifications: UNT to Patterson Creek—HQ-WWF-South Fork Tenmile Creek Watershed

5/19/2011

ESCGP-1 No.: ESX11-125-0041
 Applicant Name: CNX Gas Co LLC
 Contact Person: Daniel Bitz
 Address: 200 Evergreene Drive
 City: Waynesburg State: PA Zip Code: 15370
 County: Washington Township(s): Morris
 Receiving Stream(s) and Classifications: UNT to Tenmile Creek TSF & UNT to Short Creek/Tenmile Creek Watershed

Northwest Region: Oil and Gas Program Manager, 230 Chestnut St., Meadville, PA 16335

ESCGP-1 #ESG11-083-0043—MROC PAD A 1H-6H & WI
 Applicant Triana Energy, LLC
 Contact Ms. Rachelle King
 Address 900 Virginia Street East, Suite 400
 City Charleston State WV Zip Code 25301
 County McKean Township(s) Lafayette & Bradford
 Receiving Stream(s) and Classification(s) Unnamed Tributary of East Branch Tunugwant Creek HQ-CWF and Unnamed Tributaries of Railroad Run & Minard Run EV-CWF

ESCGP-1 #ESX11-039-0001—Kerecman 370390001
 Applicant Eclipse Resources Operating, LLC
 Contact Brian Panetta
 Address 912 Atherton Street
 City State College State PA Zip Code 16801
 County Crawford Township(s) North Shenango(s)
 Receiving Stream(s) and Classification(s) Bennett Run (WWF), UNT to Bennett Run (WWF)

ESCGP-1 #ESX11-083-0044
 Applicant Enervest Operating LLC
 Contact Randall Spence
 Address 22811 Titusville Road
 City Pleasantville State PA Zip Code 16341
 County Mckean Township(s) Lafayette(s)
 Receiving Stream(s) and Classification(s) Kinzua Creek, Wintergreen Run, Unnamed Tribs

ESCGP-1 #ESX11-065-0020A Hollobaugh Pad—Major Modification
 Applicant EXCO Resources (PA), LLC
 Contact Larry Sanders
 Address 3000 Ericsson Drive, Suite 200
 City Warrendale, State PA Zip Code 15086
 County Jefferson Township(s) Beaver(s)
 Receiving Stream(s) and Classification(s) UNT to Redbank Creek (CWF), Redbank Creek (TSF)—Other—Secondary Water Allegheny River (WWF)

SPECIAL NOTICES

Notice of Certification to Perform Radon-Related Activities in Pennsylvania

In the month of May 2011 the Department of Environmental Protection of the Commonwealth of Pennsylvania, under the authority contained in the Radon Certification Act, act of July 9, 1987, P. L. 238, No. 43 (63 P. S. Sections 2001—2014) and regulations promulgated thereunder at 25 Pa. Code Chapter 240, has certified the persons listed below to perform radon-related activities in Pennsylvania. The period of certification is two years. (For a complete list of persons currently certified to perform radon-related activities in Pennsylvania and for information as to the specific testing devices that persons certified for testing or laboratory are certified to use, contact the Bureau of Radiation Protection, Radon Division, P. O. Box 8469, Harrisburg, PA 17105-8469, (1-800-23RADON).

<i>Name</i>	<i>Address</i>	<i>Type of Certification</i>
David Artigliere	2514 Park Street Reading, PA 19606	Testing
Brian Bacchus	125 Twin Oak Drive Wexford, PA 15090	Testing
Jay Bauder Bauder Basement Systems, Inc.	3 Yoder Lane Newmanstown, PA 17073	Mitigation
Thomas Biebel	2820 West 23rd Street Erie, PA 16506	Mitigation
Robert Blanchfield	2830 Stephens Street Easton, PA 18045	Testing
Deborah Buck	P. O. Box 63 Saylorsburg, PA 18360	Testing
Ellen Butkus	2291 Cable Hollow Road Russell, PA 16345	Testing
Lois Distenfeld	4326 Crestview Road Harrisburg, PA 17112	Testing & Laboratory Analysis

<i>Name</i>	<i>Address</i>	<i>Type of Certification</i>
Mark Dolph	515 State Route 590 Roaring Brook Twp., PA 18444	Testing
Kevin Dunkle	P. O. Box 211 Worthington, PA 16262	Testing
James Gagnon	P. O. Box H Avis, PA 17721	Mitigation
Peter Hilburn Disaster Blaster, Inc.	911 Main Street Avoca, PA 18641	Mitigation
Thomas Hollingsworth	23 Ravine Lane Levittown, PA 19055	Mitigation
Housing Inspection Services	P. O. Box 373 Murrysville, PA 15668	Testing
Robert Koppenhaver Robert Koppenhaver Builder & Contracting Co., Inc.	2743 West Main Street Spring Glen, PA 17978	Mitigation
Gary Lyons	911 Main Street Avoca, PA 18641	Mitigation
Robert Meyer, Jr.	247 Mine Bank Road Wellsville, PA 17365	Mitigation
James Nase Moyer & Son, Inc.	113 East Reliance Road P. O. Box 64198 Souderton, PA 18964	Testing
Richard Onega	333 Lindsay Road Zelienople, PA 16063	Testing
Greg Petruska	112 Sandy Hill Road Valencia, PA 16059	Testing
Brian Reuss HouseMaster Home Inspections	9125 Marshall Road Suite B-12 Cranberry Twp., PA 16066	Testing
William Roberts	517 Germantown Court Warminster, PA 18974	Testing
Eric Rode	290 South Mill Road Milton, PA 17847	Testing
Brendan Ryan	216 Logan Road Valencia, PA 16059	Mitigation
Mark Salasky Landauer, Inc.	2 Science Road Glenwood, IL 60425	Laboratory Analysis
Fred Shaffer, III	304 Earl Drive, NW Warren, OH 44483	Testing
Dale Thorson	800 Antietam Drive Douglassville, PA 19518	Testing
ValueGuard, USA, Inc.	634 Pine Street Philadelphia, PA 19106	Testing
Michael Werst	1321 North 18th Street Allentown, PA 18104	Testing
Jeffrey Zimmerman Gold Star Radon, Inc.	99 Kohler Road Kutztown, PA 19530	Mitigation
John Zym	R.R. #5, Box 5248 East Stroudsburg, PA 18301	Testing

Consent Order and Agreement with City of Philadelphia Water Department

National Pollutant Discharge Elimination System (NPDES) Permit Nos. PA0026662 (Southeast WPCP), PA0026671 (Southwest WPCP), PA0026689 (Northeast WPCP), City of Philadelphia—Water Department, 1101 Market Street, 4th floor, ARA Towers, Philadelphia, PA 19107.

On June 1, 2011 the Department authorized the City of Philadelphia (City) to implement its September 2009 Long Term Control Plan Update (LTCPU), which describes the City's plan for the control of combined sewer overflows (CSOs) and executed a Consent Order and Agreement (CO&A) as a means of addressing the requirements of the Pennsylvania Clean Streams Law, 35 P. S. Sections 691.1—691.1001, the regulations promulgated thereunder, applicable portions of the Federal Clean Water Act, 33 U.S.C. Sections 1251—1387, and the Federal regulations promulgated thereunder, the

Pennsylvania CSO Policy, and the National CSO Control Policy. The CO&A contains specific requirements and enforcement mechanisms that will be included as special conditions in the National Pollutant Discharge Elimination System (NPDES) permits for the City's three Water Pollution Control Plants (WPCPs). The LTCPU contains a variety of projects and programs, all aimed at reducing the frequency and volume of combined sewer overflows (CSOs), which are wet weather discharges from the sewer system.

The specifics of the Department's agreement with the City of Philadelphia Water Department are set forth in the Consent Order and Agreement. Copies of the Consent Order and Agreement are available for inspection at the Department's office at 2 East Main Street, Norristown, PA 19401. Further information may be obtained by contacting Mr. David Burke at (484) 250 5970.

DRINKING WATER STATE REVOLVING FUND

Special Notice Under the federal Safe Drinking Water Act

CATEGORICAL EXCLUSION

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Pittsburgh Water and Sewer Authority, Location: Penn Liberty Plaza I, 1200 Penn Avenue, Pittsburgh, PA 15222.

Description: The Pennsylvania Infrastructure Investment Authority, which administers the Commonwealth's State Revolving Fund, is intended to be the funding source for this project. The Authority proposes to construct a filter backwash recycle system at their water treatment plant. The Department's review of the project and the information received has not identified any significant, adverse environmental impact resulting from this proposal. The Department hereby categorically excludes this project from the State Environmental Review Process.

Description: The Pennsylvania Infrastructure Investment Authority, which administers the Commonwealth's State Revolving Fund, is intended to be the funding source for this project. The Authority proposes to rehabilitate the Herron Hill water storage tank. The Department's review of the project and the information received has not identified any significant, adverse environmental impact resulting from this proposal. The Department hereby categorically excludes this project from the State Environmental Review Process.

[Pa.B. Doc. No. 11-1016. Filed for public inspection June 17, 2011, 9:00 a.m.]

Bid Opportunity

BOGM 11-2, Cleaning Out and Plugging Two Abandoned Gas Wells (Clarence L. Schaberl and Maxianne A. Rosenberger Properties), Perry Township, Jefferson County. The principal items of work are to clean-out and plug two abandoned gas wells, estimated to be 3,000 feet in depth to Department of Environmental Protection specifications; to prepare and restore well sites; and to mobilize and demobilize plugging equipment. This project issues on June 17, 2011, and bids will be opened on July 19, 2011, at 2 p.m. Bid documents cost \$10 per set and will not be mailed until payment has been received. A prebid conference is planned for June 28, 2011, at 10 a.m. Use the contact information contained in this advertisement to find out more about the prebid. Contact the Construction Contracts Section at (717) 787-7820 or joelmiller@state.pa.us for more information on this bid.

MICHAEL L. KRANCER,
Secretary

[Pa.B. Doc. No. 11-1017. Filed for public inspection June 17, 2011, 9:00 a.m.]

Each of these subcommittee meetings will be held in the Rachel Carson State Office Building, Conference Room 15A. Additionally, interested persons will be able to participate by means of WebEx webinar. Additional details, including agendas and call-in/log-in information for each meeting will be posted closer to the meeting dates, on the Committee's web page at http://www.portal.state.pa.us/portal/server.pt/community/climate_change_advisory_committee/10412.

Questions concerning these meetings can be directed to Jessie Stockwell at (717) 772-8948 or e-mail jstockwell@state.pa.us.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Angela Rothrock at (717) 772-8911, or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

MICHAEL L. KRANCER,
Secretary

[Pa.B. Doc. No. 11-1018. Filed for public inspection June 17, 2011, 9:00 a.m.]

Climate Change Advisory Committee Subcommittee Meetings

The Department of Environmental Protection (Department) announces the following subcommittee meetings of the Climate Change Advisory Committee (Committee):

Land Use and Transportation Subcommittee—June 23, 2011, at 1 p.m.

Energy Production, Transmission and Distribution Subcommittee—July 12, 2011, at 1:30 p.m.

Nutrient Credit Trading Program Action

The Department of Environmental Protection (Department) provides notice of the following action under the Nutrient Credit Trading Program (Trading Program). This action was taken under 25 Pa. Code § 96.8 (relating to use of offsets and tradable credits from pollution reduction activities in the Chesapeake Bay Watershed), published at 40 Pa.B. 5790 (October 9, 2010).

Nutrient trading is a market-based program that provides incentives for entities to create nutrient reduction

credits (credits) by going beyond statutory, regulatory or voluntary obligations and goals to remove nutrients from a watershed. The credits can be traded to help others more cost-effectively meet their obligations or goals. The primary purpose of the Trading Program is to provide for more efficient ways for National Pollutant Discharge Elimination System permittees to meet their effluent limits for nutrients.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board. Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

For further information about this action or the Trading Program, contact Ann Roda, Water Planning Office, Department of Environmental Protection, P.O. Box 2063, Harrisburg, PA 17105-2063, (717) 787-4785, aroda@state.pa.us or visit the Department's web site at www.depweb.state.pa.us (DEP Keywords: "Nutrient Trading").

The following certification request has been approved by the Department. The approval of this request is considered a final action of the Department.

Lycoming County Conservation District (542 County Farm Road, Suite 202, Montoursville, PA 17754). This approval is applicable to the nutrient reductions generated from the installed off-stream watering and streambank fencing on the 4 acres of pasture and the riparian buffer installed on the remaining 13.9 acres. This approval includes a verification plan, and authorizes the generation of 95 nitrogen credits. This certification of annual credits is valid until September 30, 2015, as long as the pollution reduction activity is implemented maintained and verified under the terms and conditions contained in the certification. After September 30, 2015, credits for the pollution reduction activity may only be generated if recertification, which will be based on the program requirements in place on the date of the recertification submission, is obtained. Notice of the certification request was published for comment at 41 Pa.B. 971 (February 19, 2011).

MICHAEL L. KRANCER,
Secretary

[Pa.B. Doc. No. 11-1019. Filed for public inspection June 17, 2011, 9:00 a.m.]

DEPARTMENT OF HEALTH

Availability of Draft Preventive Health and Health Services Block Grant Application for Federal Fiscal Year 2012

The Department of Health (Department) is making copies available of the proposed Preventive Health and Health Services Block Grant (block grant) Application for Federal Fiscal Year 2012, under section 1905 of the Public Health Service Act (act) (42 U.S.C.A. § 300w-4). This application is the Commonwealth's draft request to the United States Department of Health and Human Services (HHS) for block grant funding to address the Healthy People 2020 Health Status Objectives.

The block grant application is the Commonwealth's funding (fix formula-based) request to HHS describing proposed services, program goals and objectives and activities that is available for public comment. Electronic or hard copies of the proposal will be available on or after August 26, 2011, and can be obtained by calling the Bureau of Health Promotion and Risk Reduction (Bureau) at (717) 787-6214.

A public hearing will be conducted by the Department for the purpose of receiving testimony on the previously-mentioned application in accordance with section 1905 of the act. Comments and suggestions from the public should relate to the priorities and program plans included in the application.

The hearing will be held from 10 a.m. until 12 p.m. on July 19, 2011, in Conference Room 1000, Health and Welfare Building, 625 Forster Street, Harrisburg, PA. Persons wishing to testify are requested to preregister by contacting the Bureau at (717) 787-6214. Registration will be accepted on the day of the hearing. Persons will be allotted a maximum of 15 minutes to testify. Individuals should provide the Department with two copies of their testimony at the time of the hearing.

Written comments will be accepted and should be sent to the Bureau at the address listed previously and should be received no later than 4 p.m. on August 26, 2011.

Persons with a disability who require an alternative format of the application or wish to comment in alternative format (for example, large print or Braille) or wish to attend the hearing and require an auxiliary aid, service or other accommodations, should notify the Bureau at (717) 787-6214, or for speech and/or hearing impaired persons V/TT (717) 783-6514, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 11-1020. Filed for public inspection June 17, 2011, 9:00 a.m.]

Emergency Medical Services Operating Fund Funding Priorities

Under 28 Pa. Code §§ 1001.22 and 1001.23 (relating to criteria for funding; and allocation of funds), the Department of Health (Department) gives notice of priorities for the distribution by the regional emergency medical services (EMS) councils of funding from the Emergency

Medical Services Operating Fund (EMSOF) for the fiscal year beginning July 1, 2011, and ending June 30, 2012.

EMSOF moneys are to be used to provide funding to maintain, improve and develop the quality of the EMS system within this Commonwealth. The Department finds that EMSOF is not sufficient to fully fund the EMS system. Therefore, it gives notice, under 28 Pa. Code § 1001.22(d), that recipients of EMSOF funding from regional EMS councils may be required to contribute funds toward all purchases, acquisitions and projects for which the Department permits the use of EMSOF moneys.

Each regional EMS council shall prioritize the distribution of its EMSOF allocation based upon the Statewide EMS Development Plan and its regional EMS development plan, subject to the funding priorities set forth in this notice. By October 30, 2011, the regional EMS councils shall notify the providers and other appropriate entities of the established funding priorities, the application process, acquisition documentation requirements and processing deadlines. Each regional EMS council must complete all documents required for the distribution of EMSOF funding by June 30, 2012.

The Department may increase the amount of the initial payment or reimbursement from EMSOF based upon the EMS development plans (State and regional) or documented financial hardship of a provider of EMS. A provider of EMS that seeks additional funds due to financial hardship shall be required to submit a financial disclosure statement and other documentation deemed necessary by the Department.

A provider of EMS applying for EMSOF funding must be in full compliance with all regulations, policies and priorities of the State and regional EMS systems.

Funds for purchases, acquisitions and projects for the fiscal year beginning July 1, 2011, and ending June 30, 2012, must be expended or encumbered by the regional EMS council by June 30, 2012.

Funding Priorities

These priorities are not ranked. The priorities must be considered before there is any regional distribution of EMSOF moneys for initiatives that are not listed. All funding must be distributed consistent with the regional and Statewide EMS development plans. Consequently, if the priorities in this notice have been funded and additional funding is available, the request to use EMSOF money towards nonpriority items must still be supported by the Statewide and regional EMS development plans.

* Development or improvement of an organizational risk management program (safety measures, hazard recognition/mitigation and the necessary organizational structure and support processes) proposed by an ambulance service. Proposals for funding must be comprehensive and include safe vehicle operations. Approval by the Department is required prior to funding.

* Recruitment and retention programs, including scholarships/tuition reimbursement for first responder (FR), emergency medical technician (EMT) and paramedic education in areas with high prehospital personnel vacancy rates as determined by the regional EMS council and approved by the Department.

* Equipment required to meet basic life support (BLS) and advanced life support (ALS) ambulance service licensure.

* Capnography equipment (especially wave-form end-tidal CO₂ monitors).

* An ambulance for ambulance services that is older than 10 years or has more than 200,000 miles on it. Limit to one per fiscal year.

* Software/computer equipment to enable services to collect and transmit EMS patient care reports electronically.

* Quality assurance/improvement program.

* EMS personnel protective respiratory equipment approved by the Department to protect the EMS practitioner from communicable diseases transmitted from person to person through airborne mechanisms.

* Costs associated with investigating a potential merger or consolidation of services. These costs include but are not limited to consulting fees, studies, legal fees and statistical analysis.

* Costs associated with the actual merger or consolidation of services.

* The additional cost of reflective chevron markings on the back of a new ambulance purchased by an ambulance service.

* Bariatric equipment to equip ambulances.

When two or more ambulance companies have consolidated, for the first 5 years after the ambulance companies completed consolidation the entity may be deemed eligible to receive funding not to exceed the amount of the combined total for which the individual companies would have been eligible had they not consolidated.

Emergency Preparedness and Response Funding Requests

Emergency preparedness and response funding requests must be based on local and response roles of services, regional needs and needs identified by threat vulnerability analysis. Purchases must be coordinated with county emergency, fire service, HAZMAT and hospital organizations in the applicant's service area to assure interoperability and to prevent duplication. Funding requests related to response to all hazard and emergency preparedness must have a clear connection to the regional EMS catastrophic plan and the regional EMS development plan. Priority will be given to fund the ambulance services in each region that have committed to participating in the EMS strike team capability project and respond to requests for EMS, both interstate and intrastate, as identified in the State and regional mass casualty plans.

Provider Equipment

Purchases by providers of EMS are not limited to equipment. If an EMS provider requests EMSOF moneys to purchase equipment, the Eligible Provider Equipment List identifies equipment for which EMSOF funds will be made available to purchase. This chart identifies the types of providers of EMS eligible for equipment purchases supported by EMSOF funding and the maximum allowable cost upon which the EMSOF contribution will be calculated.

EMSOF funds will fund 60% of the maximum allowable cost of an equipment item for rural providers and will fund 50% of the maximum allowable cost of an equipment item for nonrural providers. An eligible provider is responsible for the balance of the purchase price. The

provider may purchase an item for an amount that exceeds the maximum allowable cost, but the provider will be responsible for any amount exceeding that figure. The last two columns of the chart identify the percentage of EMSOF contribution towards the purchase price, up to the maximum allowable cost of the item, based upon whether the provider operates in a rural or nonrural area.

Examinations

Funding may be provided to services to cover the cost of the State written test for paramedic, prehospital registered nurse (PHRN), EMT and FR certification taken by their personnel at 100% of the cost of two examination attempts up to a maximum allowable cost of \$300 for paramedic and PHRN and \$200 for EMT/FR per person.

ELIGIBLE PROVIDER EQUIPMENT LIST

EQUIPMENT DESCRIPTION	LIFE EXPECTANCY	ELIGIBLE PURCHASE FOR:				ALLOWABLE COSTS ¹	NON RURAL (50%)	RURAL (60%)
		ALS	ALS/SQ	BLS	QRS			
EKG Monitor/Defibrillator with Pacer	5 years	Y	Y	N	N	12,000	6,000	7,200
12 Lead EKG ²	5 years	Y	Y	N	N	20,000	10,000	12,000
Automated External Defibrillator (AED)	5 years	N	N	Y ³	Y ³	1,500	750	900
AED Trainer	5 years	N	N	Y	Y	400	200	240
Oxygen Equipment (any combination) Cylinder Demand Valve w/Hose & Mask Regulator (combination or constant flow—25 lpm capable) Case	5 years	Y	Y	Y	Y	500	250	300
Capnography Equipment	3 years	Y	Y	N	N	3,000	1,500	1,800
CPAP Ventilation Portable Equipment	5 years	Y	Y	Y	Y	1,500	750	900
Pulse Oximeter	5 years	Y	Y	Y	Y	700	350	420
Nitrous Oxide Delivery System	5 years	Y	Y	N	N	2,000	1,000	1,200
Intravenous Infusion Pumps	5 years	Y	Y	N	N	2,000	1,000	1,000
Adult/Pediatric Intubation Kits	5 years	Y ⁴	Y ⁴	N	N	600	300	360
Transtracheal Jet Insufflators (TTJ)	5 years	Y	Y	N	N	200	100	120
Splinting/Immobilization Devices (any combination) Backboard Cervical Immobilization Device Splints (rigid, traction, and the like)	3 years	Y	Y	Y	Y	500	250	300
Stairchair 300 lb Capacity	3 years	Y	N	Y	N	2,000	1,000	1,200
Stairchair 500 lb Capacity	5 years	Y	N	Y	N	2,650	1,325	1,590
Stretcher 300 lb Capacity	5 years	Y	N	Y	N	4,000	2,000	2,400
Stretcher 700 lb Capacity	5 years	Y	N	Y	N	11,500	5,750	6,900
Stretcher/Chair Combination	5 years	Y	N	Y	N	700	350	420
Suction (Portable)	3 years	Y	Y	Y	Y	900	450	540
Ventilator, Automatic (per Department of Health Guidelines)	5 years	Y ⁵	Y ⁵	Y ⁶	Y ⁶	3,000	1,500	1,800

<i>EQUIPMENT DESCRIPTION</i>	<i>LIFE EXPECTANCY</i>	<i>ELIGIBLE PURCHASE FOR:</i>				<i>ALLOWABLE COSTS¹</i>	<i>NON RURAL (50%)</i>	<i>RURAL (60%)</i>
		<i>ALS</i>	<i>ALS/SQ</i>	<i>BLS</i>	<i>QRS</i>			
Ambulance with Chevron Marking on Back of Unit	-	Y	N	Y	N	-	15,000	20,000
Chevron	-	Y	Y	Y	Y	1,500	750	900
Squad/Response Vehicle with Chevron Marking on Back of Unit	-	N	Y	N	Y	-	7,500	9,000
Data Collection Software/Technology ⁷	-	Y	Y	Y	Y	1,700	850	1,020
Data Collection Hardware ⁸	3 years	Y	Y	Y	Y	2,000	1,000	1,200
Radio, Mobile (two per vehicle)	5 years	Y ⁹	Y ⁹	Y ⁹	Y ⁹	5,000	2,500	3,000
Radio, Portable (two per vehicle per year)	5 years	Y ⁹	Y ⁹	Y ⁹	Y ⁹	5,000	2,500	3,000
Triage Vest with Reflection Stripes Meeting ANSI National Standards	5 years	Y	Y	Y	Y	150	75	90
Triage System	5 years	Y	Y	Y	Y	750	375	450
Alerting Equipment (5 per service @ \$400 each)	5 years	Y ⁹	Y ⁹	Y ⁹	Y ⁹	2,000	1,000	1,200
Vehicle Safety Monitoring Systems	5 years	Y	Y	Y	Y	3,500	1,750	2,100
Personal Protective Equipment/Turnout Gear: Helmet, Coat, Pants, Boots, Protection Vest Meeting ANSI National Standards (one set per provider) Respiratory Protection from Communicable Diseases	5 years	Y	Y	Y	Y	1,200	600	720
Protective Ballistic Vest	5 years	Y	Y	Y	Y	1,000	500	600
Global Positioning System Receiver 1 per licensed Ambulance or Recognized QRS Vehicle	5 years	Y	Y	Y	Y	500	250	275
Traffic Safety Equipment	5 years	Y	Y	Y	Y	2,500	1,250	1,500
Large Patient Moving/Carrying Device	10 years	Y	Y	Y	Y	3,000	1,500	1,800
Self Contained Breathing Apparatus (2 per licensed vehicle)	10 years	Y	Y	Y	Y	3,000	1,500	1,800
EMT-P / PHRN Testing (Written)	-	Y	Y	N	N	300	300	300
EMT /FR Testing (Written)	-	N	N	Y	Y	200	200	200
CO Detectors (Monitors)	5 Years	Y	Y	Y	Y	200	100	120
12 Lead EKG Transmitter System	5 Years	Y	Y	N	N	1,000	500	600
IO Drills or Bone Injection Systems	5 Years	Y	Y	N	N	300	150	180
Narcotics Security Systems	5 Years	Y	Y	N	N	900	450	540
Refrigerators (mini)	10 Years	Y	Y	N	N	1,200	600	480

EQUIPMENT DESCRIPTION	LIFE EXPECTANCY	ELIGIBLE PURCHASE FOR:				ALLOWABLE COSTS ¹	NON RURAL (50%)	RURAL (60%)
		ALS	ALS/SQ	BLS	QRS			
Tourniquet (commercially)	5 Years	Y	Y	Y	Y	25	12.50	10
Bariatric equipment	5 Years	Y	Y	Y	Y	20,000	10,000	8,000

¹ All figures are dollar amounts for each item of equipment.

² Amount includes \$1,000 for communications package. Receiving facility must have appropriate communications capabilities.

³ Must be an approved AED service or part of regional planning and AED medical director required.

⁴ Must be durable equipment, not disposable equipment.

⁵ Completion of approved training program required.

⁶ Completion of approved training program required and BLS service medical director approval required.

⁷ Must be a Department-approved software program, version and vendor.

⁸ Data collection hardware may include computer, modem, printer, backup device and battery system.

⁹ Must be compatible with regional and State EMS communications plan.

Questions regarding the Eligible Provider Equipment List or other matters addressed in this notice should be directed to Joseph W. Schmider, Director, Bureau of Emergency Medical Services, Department of Health, Room 606, Health and Welfare Building, 625 Forster Street, Harrisburg, PA 17120-0701, (717) 787-8740.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotape, Braille) should contact Joseph W. Schmider at the previously listed address or telephone numbers or for speech or hearing impaired persons may use VTT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984.

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 11-1021. Filed for public inspection June 17, 2011, 9:00 a.m.]

Human Immunodeficiency Virus (HIV) Community Prevention Planning Committee Public Meetings

The Statewide HIV Community Prevention Planning Committee, established by the Department of Health (Department) under sections 301(a) and 317 of the Public Health Service Act (42 U.S.C.A. §§ 241(a) and 247), will hold public meetings on Wednesday, July 20, 2011, from 9 a.m. to 4 p.m. and on Thursday, July 21, 2011, from 9 a.m. to 2:30 p.m. at the Park Inn Harrisburg West, 5401 Carlisle Pike, Mechanicsburg, PA 17050.

For additional information, contact Kenneth McGarvey, Department of Health, Bureau of Communicable Diseases, 625 Forster Street, Room 1010, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-0572.

Persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other accommodation to do so should also contact Kenneth McGarvey at the previously listed number, or at V/TT (717) 783-6514 for speech and/or hearing impaired persons, or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

The Department reserves the right to cancel this meeting without prior notice.

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 11-1022. Filed for public inspection June 17, 2011, 9:00 a.m.]

Human Immunodeficiency Virus (HIV) Integrated Council Public Meeting

The Statewide Integrated HIV Planning Council, established by the Department of Health (Department) under sections 301(a) and 317 of the Public Health Service Act (42 U.S.C.A. §§ 241(a) and 247), will hold a public meeting on Tuesday, June 19, 2011, from 9 a.m. to 2 p.m. at the Park Inn Harrisburg West, 5401 Carlisle Pike, Mechanicsburg, PA 17050.

For additional information, contact Joseph Pease, Department of Health, Bureau of Communicable Diseases, Division of HIV/AIDS, 625 Forster Street, Room 1010, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-0572.

Persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other accommodation to do so should also contact Joseph Pease at the previously listed number, or at V/TT (717) 783-6514 for speech and/or hearing impaired persons, or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

The Department reserves the right to cancel this meeting without prior notice.

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 11-1023. Filed for public inspection June 17, 2011, 9:00 a.m.]

Preventive Health and Health Services Block Grant Advisory Committee Meeting

The Preventive Health and Health Services Block Grant Advisory Committee will hold a WebEx teleconference (public) meeting on Monday, July 18, 2011, from 10 a.m. to 12 p.m., at the Department of Health, Room 812, Health and Welfare Building, 625 Forster Street, Harrisburg, PA 17120.

For additional information contact Terry L. Walker, Administrative Officer, Bureau of Health Promotion and Risk Reduction, Room 1000, Health and Welfare Building, Harrisburg, PA, (717) 787-6214.

Persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other accommodation to do so should contact Terry L. Walker, at the telephone number listed previously, or for speech and/or hearing impaired persons V/TT (717) 783-6514, or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

This meeting is subject to cancellation without notice.

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 11-1024. Filed for public inspection June 17, 2011, 9:00 a.m.]

DEPARTMENT OF PUBLIC WELFARE

Disproportionate Share and Supplemental Hospital Payments

The Department of Public Welfare (Department) is announcing its intent to change the formula used to calculate the disproportionate share hospital (DSH) payments to small and sole community hospitals and the Medical Assistance (MA) Rehabilitation Adjustment Payments authorized under the Commonwealth's Medicaid State Plan.

Background

The Department published a notice announcing its intent to modify certain existing DSH and supplemental payments and to establish several new DSH and supplemental payments to hospitals using revenues from the Quality Care Assessment Account at 40 Pa.B. 5536 (September 25, 2010). Following publication of this notice, the Department submitted a State Plan Amendment (SPA) to the Centers for Medicare and Medicaid Services (CMS) authorizing these changes. Among the DSH and supplemental payments included in the SPA were DSH payments to small and sole community hospitals and MA Rehabilitation Adjustment Payments. CMS approved the SPA authorizing these payments and their payment methodologies effective December 29, 2010.

Changes to the DSH Payments to Small and Sole Community Hospitals

Since CMS approval of the DSH payments to small and sole community hospitals for Fiscal Year (FY) 2010-2011, the Department determined that additional hospitals

qualify under the approved eligibility criteria for this payment. The Department is proposing to revise the payment percentage amount to conform to the amount allocated for these payments. The Department is proposing that payments to hospitals qualifying under the second criterion for this payment be changed from 27.3% to 24.6% of each qualifying hospital's calculated disproportionate OBRA 1993 limit. In addition, the Department recalculated all hospitals' disproportionate share OBRA 1993 limits using updated 2008-2009 cost report data. The Department intends to use these updated disproportionate share limits in the determination of payments for hospitals qualifying under criteria (a)(2) or (a)(3) for the DSH payments to small and sole community hospitals.

Changes to the MA Rehabilitation Adjustment Payment

Under the approved SPA, freestanding rehabilitation hospitals that qualify for a MA Rehabilitation Adjustment Payment receive a payment amount equal to 92% of the total inpatient MA fee-for-service (FFS) payment amount made to the hospital as reported in the hospital's FY 2007-2008 MA cost report available to the Department as of July 2010. Since CMS approval of this payment, an additional \$4.2 million has been allocated to this payment. The Department is proposing to increase the aggregate amount of the MA Rehabilitation Adjustment Payments to \$18.619 million and the percentage used to determine the payment amount for each qualifying freestanding rehabilitation hospital to 116% of a hospital's FY 2007-2008 inpatient MA FFS payments.

Fiscal Impact

The FY 2010-2011 fiscal impact, as a result of changes to the DSH payments to small and sole community hospitals and the MA Rehabilitation Adjustment payments is \$4.198 million (\$2.336 million in Federal funds and \$1.862 million in State funds upon approval by CMS).

Public Comment

Interested persons are invited to submit written comments regarding this notice to the Department of Public Welfare, Office of Medical Assistance Programs, c/o Regulations Coordinator, Room 515, Health and Welfare Building, Harrisburg, PA 17120. Comments received within 30 days will be reviewed and considered for any subsequent revision of the notice.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

GARY D. ALEXANDER,
Acting Secretary

Fiscal Note: 14-NOT-692. (1) General Fund; (2) Implementing Year 2010-11 is \$1,862,000; (3) 1st Succeeding Year 2011-12 is \$0; 2nd Succeeding Year 2012-13 is \$0; 3rd Succeeding Year 2013-14 is \$0; 4th Succeeding Year 2014-15 is \$0; 5th Succeeding Year 2015-16 is \$0; (4) 2009-10 Program—\$373,515,000; 2008-09 Program—\$426,822,000; 2007-08 Program—\$468,589,000; (7) MA—Inpatient and Medical Assistance—Outpatient; (8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 11-1025. Filed for public inspection June 17, 2011, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania Mini Multiplier Instant Lottery Game

Under the State Lottery Law (72 P. S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Mini Multiplier.

2. *Price:* The price of a Pennsylvania Mini Multiplier instant lottery game ticket is \$2.

3. *Play Symbols:* Each Pennsylvania Mini Multiplier instant lottery game ticket will contain one play area featuring a “WINNING NUMBERS” area, a “YOUR NUMBERS” area and a “Multiplier Bonus” area. The play symbols and their captions located in the “WINNING NUMBERS” area are: 1 (ONE), 3 (THREE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWY TWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN), 30 (THIRTY), 31 (THYONE), 32 (THYTWO), 33 (THYTHR), 34 (THYFOR), 35 (THYFIV), 36 (THYSIX), 37 (THYSVN), 38 (THYEGT), 39 (THYNIN) and 40 (FORTY). The play symbols and their captions located in the “YOUR NUMBERS” area are: 1 (ONE), 3 (THREE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWY TWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN), 30 (THIRTY), 31 (THYONE), 32 (THYTWO), 33 (THYTHR), 34 (THYFOR), 35 (THYFIV), 36 (THYSIX), 37 (THYSVN), 38 (THYEGT), 39 (THYNIN) and 40 (FORTY). The play symbols and their captions located in the “Multiplier Bonus” area are: NO BONUS (TRY AGAIN) symbol, TRY AGAIN (NO BONUS) symbol, 2X (2TIMES) symbol, 4X (4TIMES) symbol and a 5X (5TIMES) symbol.

4. *Prize Symbols:* The prize symbols and their captions located in the “YOUR NUMBERS” area are: FREE (TICKET), \$1⁰⁰ (ONE DOL), \$2⁰⁰ (TWO DOL), \$3⁰⁰ (THR DOL), \$4⁰⁰ (FOR DOL), \$5⁰⁰ (FIV DOL), \$10⁰⁰ (TEN DOL), \$15⁰⁰ (FIFTN), \$20⁰⁰ (TWENTY), \$40⁰⁰ (FORTY), \$100 (ONE HUN), \$400 (FOR HUN), \$1,000 (ONE THO) and \$25,000 (TWYFIVTHO).

5. *Prizes:* The prizes that can be won in this game are: \$1, Free \$2 Ticket, \$2, \$3, \$4, \$5, \$10, \$15, \$20, \$40, \$100, \$400, \$1,000 and \$25,000. A player can win up to 8 times on a ticket.

6. *Approximate Number of Tickets Printed For the Game:* Approximately 19,200,000 tickets will be printed for the Pennsylvania Mini Multiplier instant lottery game.

7. Determination of Prize Winners:

(a) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$25,000 (TWYFIVTHO) appears under the matching

“YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$25,000.

(b) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$1,000 (ONE THO) appears under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(c) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$400 (FOR HUN) appears under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$400.

(d) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols, and a prize symbol of \$100 (ONE HUN) appears under the matching “YOUR NUMBERS” play symbol and a 2X (2TIMES) symbol appears in the “Multiplier Bonus” area in the same “Row” containing the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$200.

(e) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$100 (ONE HUN) appears under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$100.

(f) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols, and a prize symbol of \$20⁰⁰ (TWENTY) appears under the matching “YOUR NUMBERS” play symbol and a 5X (5TIMES) symbol appears in the “Multiplier Bonus” area in the same “Row” containing the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$100.

(g) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols, and a prize symbol of \$10⁰⁰ (TEN DOL) appears under the matching “YOUR NUMBERS” play symbol and a 5X (5TIMES) symbol appears in the “Multiplier Bonus” area in the same “Row” containing the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$50.

(h) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$40⁰⁰ (FORTY) appears under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$40.

(i) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols, and a prize symbol of \$20⁰⁰ (TWENTY) appears under the matching “YOUR NUMBERS” play symbol and a 2X (2TIMES) symbol appears in the “Multiplier Bonus” area in the same “Row” containing the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$40.

(j) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols, and a prize symbol of \$10⁰⁰ (TEN DOL) appears under the matching “YOUR NUMBERS” play symbol and a 4X (4TIMES) symbol appears in the “Multiplier Bonus” area in the same “Row” containing the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$40.

(k) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$20.00 (TWENTY) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$20.

(l) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols, and a prize symbol of \$10.00 (TEN DOL) appears under the matching "YOUR NUMBERS" play symbol and a 2X (2TIMES) symbol appears in the "Multiplier Bonus" area in the same "Row" containing the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$20.

(m) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols, and a prize symbol of \$4.00 (FOR DOL) appears under the matching "YOUR NUMBERS" play symbol and a 5X (5TIMES) symbol appears in the "Multiplier Bonus" area in the same "Row" containing the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$20.

(n) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$15.00 (FIFTEEN) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$15.

(o) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols, and a prize symbol of \$3.00 (THREE DOL) appears under the matching "YOUR NUMBERS" play symbol and a 5X (5TIMES) symbol appears in the "Multiplier Bonus" area in the same "Row" containing the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$15.

(p) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$10.00 (TEN DOL) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$10.

(q) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols, and a prize symbol of \$5.00 (FIVE DOL) appears under the matching "YOUR NUMBERS" play symbol and a 2X (2TIMES) symbol appears in the "Multiplier Bonus" area in the same "Row" containing the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$10.

(r) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols, and a prize symbol of \$2.00 (TWO DOL) appears under the matching "YOUR NUMBERS" play symbol and a 5X (5TIMES) symbol appears in the "Multiplier Bonus" area in the same "Row" contain-

ing the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$10.

(s) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$5.00 (FIVE DOL) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$5.

(t) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols, and a prize symbol of \$1.00 (ONE DOL) appears under the matching "YOUR NUMBERS" play symbol and a 5X (5TIMES) symbol appears in the "Multiplier Bonus" area in the same "Row" containing the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$5.

(u) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$4.00 (FOR DOL) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$4.

(v) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols, and a prize symbol of \$2.00 (TWO DOL) appears under the matching "YOUR NUMBERS" play symbol and a 2X (2TIMES) symbol appears in the "Multiplier Bonus" area in the same "Row" containing the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$4.

(w) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols, and a prize symbol of \$1.00 (ONE DOL) appears under the matching "YOUR NUMBERS" play symbol and a 4X (4TIMES) symbol appears in the "Multiplier Bonus" area in the same "Row" containing the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$4.

(x) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$2.00 (TWO DOL) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$2.

(y) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of FREE (TICKET) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of Pennsylvania Mini Multiplier instant game ticket or one Pennsylvania Lottery instant game ticket of equivalent sale price which is currently on sale.

8. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes, and approximate odds of winning:

When Any Of Your Numbers Match Any Of The Winning Numbers, Win Prize Shown Under The Matching Number. Win With Prize(s) Of:

FREE	FREE \$2 TICKET
\$2	\$2

Approximate Odds Are
 1 In:
 15
 18.75

Approximate No. Of Winners Per
 19,200,000
 Tickets
 1,280,000
 1,024,000

When Any Of Your Numbers
Match Any Of The Winning
Numbers, Win Prize Shown
Under The Matching Number.
Win With Prize(s) Of:

Win:	Approximate Odds Are 1 In:	Approximate No. Of Winners Per 19,200,000 Tickets	
\$2 × 2	\$4	75	256,000
\$2 w/2X	\$4	75	256,000
\$1 w/4X	\$4	75	256,000
\$4	\$4	75	256,000
\$1 w/5X	\$5	150	128,000
\$5	\$5	150	128,000
\$2 × 5	\$10	750	25,600
(\$4 × 2) + \$2	\$10	750	25,600
\$2 w/5X	\$10	750	25,600
\$5 w/2X	\$10	375	51,200
\$10	\$10	750	25,600
\$5 × 3	\$15	375	51,200
\$3 w/5X	\$15	750	25,600
\$15	\$15	750	25,600
\$4 w/5X	\$20	1,200	16,000
[(2 w/2X) × 4] + \$4	\$20	1,412	13,600
\$10 w/2X	\$20	1,333	14,400
\$15 + \$5	\$20	1,714	11,200
\$20	\$20	1,500	12,800
\$5 × 8	\$40	1,200	16,000
\$10 w/4X	\$40	1,600	12,000
\$20 w/2X	\$40	1,714	11,200
(\$4 w/5X) × 2	\$40	1,500	12,800
\$20 × 2	\$40	2,000	9,600
\$40	\$40	1,846	10,400
\$20 w/5X	\$100	1,333	14,400
[(5 w/2X) × 4] + (\$15 × 4)	\$100	1,200	16,000
(\$10 × 6) + (\$20 × 2)	\$100	960	20,000
\$100	\$100	1,412	13,600
(\$10 w/5X) × 8	\$400	60,000	320
\$400	\$400	120,000	160
[(100 w/2X) × 4] + (\$40 × 2) + \$100 + \$20	\$1,000	120,000	160
\$1,000	\$1,000	120,000	160
\$25,000	\$25,000	480,000	40

MULTIPLIER BONUS: Scratch the MULTIPLIER for each ROW.

Get a "2X" (2TIMES) symbol, win 2 TIMES any prize won in that ROW.

Get a "4X" (4TIMES) symbol, win 4 TIMES any prize won in that ROW.

Get a "5X" (5TIMES) symbol, win 5 TIMES any prize won in that ROW.

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Game for retailers who sell Pennsylvania Mini Multiplier instant lottery game tickets. The conduct of the game will be governed by 61 Pa. Code § 819.222 (relating to retailer bonuses and incentive).

10. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Pennsylvania Mini Multiplier, prize money from winning Pennsylvania Mini Multiplier instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Pennsylvania Mini Multiplier instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will

be paid into the State Lottery Fund and used for purposes provided for by statute.

11. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P. S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

12. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Pennsylvania Mini Multiplier or through normal communications methods.

DANIEL MEUSER,
Secretary

[Pa.B. Doc. No. 11-1026. Filed for public inspection June 17, 2011, 9:00 a.m.]

FISH AND BOAT COMMISSION

Approved Courses of Instruction in Boating Safety Education

Section 91.6(a)(1) of 58 Pa. Code (relating to Boating Safety Education Certificates) defines a Boating Safety Education Certificate for residents of this Commonwealth as a document issued by the Fish and Boat Commission (Commission) certifying that the person named on the certificate has established proof of competency through the successful completion of a course approved in accordance with 58 Pa. Code § 91.7 (relating to criteria for courses of instruction in boating safety education). Under 58 Pa. Code § 91.7, the Executive Director of the Commission may approve, by notice, boating safety education courses that meet the course criteria established under that section and will publish a list of approved boating safety education courses in the *Pennsylvania Bulletin* on an annual basis or more frequently as required. The Executive Director has approved the following courses in

boating safety education for Commonwealth residents, effective July 1, 2011:

- Fish and Boat Commission (classroom course)
- United States Coast Guard Auxiliary (classroom course)
- United States Power Squadrons (classroom course)
- Kalkomey Enterprises, Inc., d/b/a Boat Ed (correspondence course)
- BoaterExam America, Inc. (Internet course)
- Kalkomey Enterprises, Inc., d/b/a Boat Ed (Internet course)

For nonresidents, a Boating Safety Education Certificate is a certificate, card or other official document that indicates on the certificate, card or other document successful completion of a course approved by the National Association of State Boating Law Administrators.

JOHN A. ARWAY,
Executive Director

[Pa.B. Doc. No. 11-1027. Filed for public inspection June 17, 2011, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Notice of Comments Issued

Section 5(g) of the Regulatory Review Act (71 P. S. § 745.5(g)) provides that the Independent Regulatory Review Commission (Commission) may issue comments within 30 days of the close of the public comment period. The Commission comments are based upon the criteria contained in section 5.2 of the Regulatory Review Act (71 P. S. § 645.5b).

The Commission has issued comments on the following proposed regulations. The agencies must consider these comments in preparing the final-form regulation. The final-form regulation must be submitted within 2 years of the close of the public comment period or it will be deemed withdrawn.

<i>Reg. No.</i>	<i>Agency/Title</i>	<i>Close of the Public Comment Period</i>	<i>IRRC Comments Issued</i>
16A-677	State Board of Occupational Therapy Education and Licensure Continuing Competency 41 Pa.B. 1909 (April 9, 2011)	5/9/11	6/8/11
125-144	Pennsylvania Gaming Control Board Employee and Horsemen's Organization Revisions 41 Pa.B. 1903 (April 9, 2011)	5/9/11	6/8/11

SILVAN B. LUTKEWITTE, III,
Chairperson

[Pa.B. Doc. No. 11-1028. Filed for public inspection June 17, 2011, 9:00 a.m.]

INSURANCE DEPARTMENT

Liberty Mutual Fire Insurance Company; The First Liberty Insurance Corporation; Personal Homeowners; Rate Revisions

On June 1, 2011, the Insurance Department (Department) received from Liberty Mutual Fire Insurance Company and The First Liberty Insurance Corporation a filing for rate level changes for Homeowners insurance.

The company requests an overall 7.6% increase amounting to \$4.138 million annually for Liberty Mutual

Fire Insurance Company and an overall 8.0% increase amounting to \$4.222 million annually for The First Liberty Insurance Corporation, to be effective on October 14, 2011, for renewal business only. These overall figures represent averages; the effect of this filing on the rates for individual consumers may vary.

Unless formal administrative action is taken prior to July 31, 2011, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Department's web site at www.insurance.pa.gov. To access the filing,

under “How to Find . . .” click on “View Current Rate Filings.”

Interested parties are invited to submit written comments, suggestions or objections to Eric Zhou, Insurance Department, Insurance Product Regulation, 1311 Strawberry Square, Harrisburg, PA 17120, gzhou@state.pa.us within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

MICHAEL F. CONSEDINE,
Insurance Commissioner

[Pa.B. Doc. No. 11-1029. Filed for public inspection June 17, 2011, 9:00 a.m.]

Mutual of Omaha Insurance Company; Requested Aggregate 32.7% Rate Increase Filing for Several Long-Term Care Policies

Mutual of Omaha Insurance Company is requesting an aggregate increase of 32.7% on the following LTC policy forms: LT50, NH50, HCA, HCAQ, NHA, NHAQ, LTA and LTAQ.

This increase will impact 781 policyholders in this Commonwealth. Unless formal administrative action is taken prior to September 1, 2011, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's web site at www.insurance.pa.gov. To access the filing, under “How to Find . . .” click on “View Current Rate Filings.”

Interested parties are invited to submit written comments, suggestions or objections to James Laverty, Actuary, Insurance Department, Insurance Product Regulation, 1311 Strawberry Square, Harrisburg, PA 17120, jlaverty@state.pa.us within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

MICHAEL F. CONSEDINE,
Insurance Commissioner

[Pa.B. Doc. No. 11-1030. Filed for public inspection June 17, 2011, 9:00 a.m.]

The Travelers Home and Marine Insurance Company; Private Passenger Automobile; Rate and Rule Revisions

On June 1, 2011, the Insurance Department (Department) received from The Travelers Home and Marine Insurance Company a filing for rate level and rule changes for private passenger automobile insurance.

The company requests an overall 2.59% increase amounting to \$5,031,000 annually, to be effective September 18, 2011, for new business and renewal business. This overall figure represents an average; the effect of this filing on the rates for individual consumers may vary.

Unless formal administrative action is taken prior to July 31, 2011, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Department's web site at www.insurance.pa.gov. To access the filing, under “How to Find . . .” click on “View Current Rate Filings.”

Interested parties are invited to submit written comments, suggestions or objections to Xiaofeng Lu, Insurance Department, Insurance Product Regulation, 1311 Strawberry Square, Harrisburg, PA 17120, xlu@state.pa.us within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

MICHAEL F. CONSEDINE,
Insurance Commissioner

[Pa.B. Doc. No. 11-1031. Filed for public inspection June 17, 2011, 9:00 a.m.]

LEGISLATIVE REFERENCE BUREAU

Documents Filed But Not Published

The Legislative Reference Bureau (Bureau) accepted the following documents during the preceding calendar month for filing without publication under 1 Pa. Code § 3.13(b) (relating to contents of *Bulletin*). The Bureau will continue to publish on a monthly basis either a summary table identifying the documents accepted during the preceding calendar month under this subsection or a statement that no documents have been received. For questions concerning or copies of documents filed, but not published, call (717) 783-1530.

Governor's Office

Management Directive No. 205.35—Information Reporting from the Commonwealth's Enterprises SAP Business Information Warehouse System, Amended May 2, 2011.

Management Directive No. 210.1—Directives Management System, Amended May 2, 2011.

Management Directive No. 540.7—Performance Management Program, Amended May 2, 2011.

Administrative Circular No. 11-08—Approval of 2011-12 Advancement Accounts and Completion of Form STD-133, Request for Approval of Advancement Account, Dated April 26, 2011.

Administrative Circular No. 11-09—Closing Instruction No. 4, Fiscal Year 2010-11; Pending Lapse/Lapse Transactions and Reporting Deadlines, Dated May 13, 2011.

Administrative Circular No. 11-10—Closing Instruction No. 5, Fiscal Year 2010-11; Year-End Processing Deadlines, Dated May 13, 2011.

MARY JANE PHELPS,
Director
Pennsylvania Code and Bulletin

[Pa.B. Doc. No. 11-1032. Filed for public inspection June 17, 2011, 9:00 a.m.]

LIQUOR CONTROL BOARD

Licensing Agreements; Wine Kiosks

Allegheny County (Wine Kiosk), Pittsburgh, PA

Licensing Agreement of interior supermarket space designated for a wine kiosk to the Commonwealth.

Proposers are invited to provide the Liquor Control Board with approximately 16 feet by 7.5 feet of interior super-

market space. Preferred space includes areas adjacent to the supermarket's meats and cheese section or near prepared foods. Proposals in other areas of the supermarket will be considered. Proposals must include a detailed plan including location of kiosk, store demographics, license terms and amounts, foot traffic per store, store address and a detailed marketing plan that includes how the supermarket chain intends to support the kiosk in their typical advertising areas. Kiosks will need a dedicated data and electric line run to the location of the kiosk. Proposals should include the license fee, if applicable. Locations with an existing Wine and Spirits One Stop Shop will not be considered. More detailed specifications for the kiosk can be received by contacting johannon@state.pa.us.

Proposals due: July 8, 2011, at 12 p.m.

Department: Liquor Control Board
Location: Bureau of Real Estate
 Attention: Joe Hannon
 Northwest Office Building, Room 313
 Forster and Capital Streets
 Harrisburg, PA 17124-0001
Contact: Joe Hannon, (717) 787-3016

Dauphin County, (Wine Kiosk), Harrisburg, PA

Licensing Agreement of interior supermarket space designated for a wine kiosk to the Commonwealth.

Proposers are invited to provide the Liquor Control Board with approximately 16 feet by 7.5 feet of interior supermarket space. Preferred space includes areas adjacent to the supermarket's meats and cheese section or near prepared foods. Proposals in other areas of the supermarket will be considered. Proposals must include a detailed plan including location of kiosk, store demographics, license terms and amounts, foot traffic per store, store address and a detailed marketing plan that includes how the supermarket chain intends to support the kiosk in their typical advertising areas. Kiosks will need a dedicated data and electric line run to the location of the kiosk. Proposals should include the license fee, if applicable. Locations with an existing Wine and Spirits One Stop Shop will not be considered. More detailed specifications for the kiosk can be received by contacting johannon@state.pa.us.

Proposals due: July 8, 2011, at 12 p.m.

Department: Liquor Control Board
Location: Bureau of Real Estate
 Attention: Joe Hannon
 Northwest Office Building, Room 313
 Forster and Capital Streets
 Harrisburg, PA 17124-0001
Contact: Joe Hannon, (717) 787-3016

Philadelphia County (Wine Kiosk), Philadelphia, PA

Licensing Agreement of interior supermarket space designated for a wine kiosk to the Commonwealth.

Proposers are invited to provide the Liquor Control Board with approximately 16 feet by 7.5 feet of interior supermarket space. Preferred space includes areas adjacent to the supermarket's meats and cheese section or near prepared foods. Proposals in other areas of the supermarket will be considered. Proposals must include a detailed plan including location of kiosk, store demographics, license terms and amounts, foot traffic per store, store address and a detailed marketing plan that includes how the supermarket chain intends to support the kiosk in their typical advertising areas. Kiosks will need a dedi-

cated data and electric line run to the location of the kiosk. Proposals should include the license fee, if applicable. Locations with an existing Wine and Spirits One Stop Shop will not be considered. More detailed specifications for the kiosk can be received by contacting johannon@state.pa.us.

Proposals due: July 8, 2011, 12 p.m.

Department: Liquor Control Board
Location: Bureau of Real Estate
 Attention: Joe Hannon
 Northwest Office Building, Room 313
 Forster and Capital Streets
 Harrisburg, PA 17124-0001
Contact: Joe Hannon, (717) 787-3016

PATRICK J. STAPLETON, III,
Chairperson

[Pa.B. Doc. No. 11-1033. Filed for public inspection June 17, 2011, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant by July 5, 2011. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

Applications of the following for approval to *begin operating as common carriers for transportation of persons as described under each application.*

A-2011-2243389. Air Star Transportation and Limousine Service, Inc. (Sheraton Hotel/Northwest, 910 Sheraton Drive, Mars, Butler County, PA 16046)—a corporation of the Commonwealth of Pennsylvania—in Group and Party service, in vehicles seating 11 to 15 passengers, including the driver, between points in the Counties of Beaver, Butler, Fayette, Lawrence, Washington, Westmoreland and Armstrong, and from points in said Counties and the County of Allegheny to points in Pennsylvania, and return; excluding areas under the jurisdiction of the Philadelphia Parking Authority. *Attorney:* William A. Gray, 310 Grant Street, Suite 2310, Grant Building, Pittsburgh, PA 15219-2383.

A-2011-2244438. Ivoir Transportation, LLC, t/a Ivoir Transportation (6536 Paschall Avenue, Philadelphia, PA 19142)—a limited liability corporation of the Commonwealth of Pennsylvania—in paratransit service, from points in the City and County of Philadelphia, to points in Pennsylvania, and return.

Application of the following for the approval of the right and privilege to *discontinue/abandon* operating as *common carriers* by motor vehicle and for cancellation of the certificate of public convenience as described under the application.

A-2011-2242186. SMZ Ventures, Inc., t/a Medical Transport Services (1231 Warm Springs Avenue, Suite 102, Huntingdon, Huntingdon County, PA 16652)—discontinuance of service and cancellation of its certificate—persons in paratransit service, primarily in stretchers and wheelchairs, between points in Blair, Centre and Huntingdon Counties. *Attorney:* James R. Huff, II, 1701 Fifth Avenue, Altoona, PA 16602.

Pennsylvania Public Utility Commission, Bureau of Transportation and Safety v. I & S Magassa, Inc.;
Doc. No. C-2010-2137675; A-00114211

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings, which are prosecutory in nature to the Bureau of Transportation and Safety and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Transportation and Safety Prosecutory Staff hereby represents as follows:

1. That I & S Magassa, Inc., Respondent, maintains a principal place of business at P. O. Box 14498, Philadelphia, PA 19115.
2. That Respondent was issued a Certificate of Public Convenience by this Commission on September 30, 1997, A-00114211.
3. That Respondent was advised by letter dated May 10, 2005, that its medallion authority was being transferred to the Philadelphia Parking Authority. At that time, Respondent was advised that its taxicab service which had an origin and destination outside of the City of Philadelphia remained subject to the regulatory oversight of the PA PUC.
4. That Respondent was advised by letter dated September 11, 2009, that it failed to file a valid tariff with this Commission as required by 52 Pa. Code § 23.11. Respondent was provided 60 days to file an acceptable tariff. To date, Respondent has not filed an acceptable tariff. The penalty is \$250.00.

Wherefore, the Bureau of Transportation and Safety Prosecutory Staff hereby requests that the Commission fine I & S Magassa, Inc., the sum of two hundred and fifty dollars (\$250.00) for the illegal activity described in the complaint and order such other remedy as the Commission may deem to be appropriate.

Respectfully submitted,

Wendy J. Keezel, Chief of Enforcement
Motor Carrier Services & Enforcement Division
Bureau of Transportation and Safety
P. O. Box 3265
Harrisburg, PA. 17105-3265

VERIFICATION

I, Wendy J. Keezel, Chief of Enforcement for the Motor Carrier Services and Enforcement Division of the Bureau of Transportation and Safety, hereby state that the facts

above set forth are true and correct to the best of my knowledge, information and belief and that I expect the Bureau will be able to prove the same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: _____
Wendy J. Keezel, Chief of Enforcement
Motor Carrier Services and Enforcement
Division
Bureau of Transportation and Safety

NOTICE

A. You must file an answer within twenty (20) days of the date of service of this complaint. The date of service is the mailing date as indicated at the top of the Secretarial cover letter for this complaint and notice, 52 Pa. Code § 1.56(a). An answer is a written explanation of circumstances wished to be considered in determining the outcome. The answer shall raise all factual and legal arguments that you wish to claim in your defense and must include the reference number of this complaint. Your answer must be verified and the original and three (3) copies sent to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
P. O. Box 3265
Harrisburg, PA 17105-3265

B. If you fail to answer this complaint within twenty (20) days of the date of service, the Bureau of Transportation and Safety will request that the Commission issue a Secretarial Letter imposing a penalty. Each day you continue to violate any regulation, direction, requirement or Order of the Commission is a separate and distinct offense, subject to additional penalties.

C. You may elect not to contest this complaint by filing an acceptable tariff and by paying the fine proposed in this Complaint by certified check or money order. The tariff must be filed with the:

Compliance Office, Bureau of Transportation
and Safety
Pennsylvania Public Utility Commission
P. O. Box 3265
Harrisburg, PA 17105-3265

The fine payment must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
P. O. Box 3265
Harrisburg, PA 17105-3265

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of an acceptable tariff and payment of the proposed fine, the complaint proceeding shall be closed.

D. If you file an Answer, which admits or fails to deny the allegations of the Complaint, the Bureau of Transportation and Safety will request that the Commission issue a Secretarial Letter imposing a penalty.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The judge is not bound by the optional fine set forth above.

F. If you have questions regarding this Complaint or if you would like an alternative format to this Complaint

(for persons with disabilities), please contact the Compliance Office at (717) 787-1227.

*Pennsylvania Public Utility Commission, Bureau of
Transportation and Safety v. New Generation Taxi Co.;
Doc. No. C-2010-2131229; A-00120151*

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings, which are prosecutory in nature to the Bureau of Transportation and Safety and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Transportation and Safety Prosecutory Staff hereby represents as follows:

1. That New Generation Taxi Co., Respondent, maintains a principal place of business at 4746 Spruce Street, Philadelphia, PA 19139.

2. That Respondent was issued a Certificate of Public Convenience by this Commission on January 16, 2004, at A-00120151.

3. That Respondent was advised by letter dated May 10, 2005, that its medallion authority was being transferred to the Philadelphia Parking Authority. At that time, Respondent was advised that its taxicab service which had an origin and destination outside of the City of Philadelphia remained subject to the regulatory oversight of the PA PUC.

4. That Respondent was advised by letter dated September 4, 2009, that it failed to file a valid tariff with this Commission as required by 52 Pa. Code § 23.11. Respondent was provided 60 days to file an acceptable tariff. To date, Respondent has not filed an acceptable tariff. The Bureau of Transportation and Safety's Motor Carrier Services and Enforcement Prosecutory Staff's proposed civil penalty for this violation is \$250.00.

Wherefore, the Bureau of Transportation and Safety Prosecutory Staff hereby requests that the Commission fine New Generation Taxi Co., the sum of two hundred and fifty dollars (\$250.00) for the illegal activity described in the complaint and order such other remedy as the Commission may deem to be appropriate.

Respectfully submitted,

Wendy J. Keezel, Chief of Enforcement
Motor Carrier Services & Enforcement Division
Bureau of Transportation and Safety
P. O. Box 3265
Harrisburg, PA. 17105-3265

VERIFICATION

I, Wendy J. Keezel, Chief of Enforcement for the Motor Carrier Services and Enforcement Division of the Bureau of Transportation and Safety, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect the Bureau will be able to prove the same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: _____

Wendy J. Keezel, Chief of Enforcement
Motor Carrier Services and Enforcement
Division
Bureau of Transportation and Safety

NOTICE

A. You must file an answer within twenty (20) days of the date of service of this complaint. The date of service is the mailing date as indicated at the top of the Secretarial cover letter for this complaint and notice, 52 Pa. Code § 1.56(a). An answer is a written explanation of circumstances wished to be considered in determining the outcome. The answer shall raise all factual and legal arguments that you wish to claim in your defense and must include the reference number of this complaint. Your answer must be verified and the original and three (3) copies sent to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
P. O. Box 3265
Harrisburg, PA 17105-3265

B. If you fail to answer this complaint within twenty (20) days of the date of service, the Bureau of Transportation and Safety will request that the Commission issue a Secretarial Letter imposing a penalty. Each day you continue to violate any regulation, direction, requirement or Order of the Commission is a separate and distinct offense, subject to additional penalties.

C. You may elect not to contest this complaint by filing an acceptable tariff and by paying the fine proposed in this Complaint by certified check or money order. The tariff must be filed with the:

Compliance Office, Bureau of Transportation
and Safety
Pennsylvania Public Utility Commission
P. O. Box 3265
Harrisburg, PA 17105-3265

The fine payment must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
P. O. Box 3265
Harrisburg, PA 17105-3265

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of an acceptable tariff and payment of the proposed fine, the complaint proceeding shall be closed.

D. If you file an Answer, which admits or fails to deny the allegations of the Complaint, the Bureau of Transportation and Safety will request that the Commission issue a Secretarial Letter imposing a penalty.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The judge is not bound by the optional fine set forth above.

F. If you have questions regarding this Complaint or if you would like an alternative format to this Complaint (for persons with disabilities), please contact the Compliance Office at (717) 787-1227.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 11-1034. Filed for public inspection June 17, 2011, 9:00 a.m.]

STATE BOARD OF NURSING

Automatic Suspension of the License to Practice Professional Nursing of Lori Ann Boggs, R.N.; Doc. No. 2391-51-2010; File No. 2008-51-06757

On April 15, 2011, Lori Ann Boggs, license no. RN532097, of Allegheny County, was automatically suspended based on her felony conviction under the Drug Act.

Individuals may obtain a copy of the adjudication by writing to C. William Fritz, II, Board Counsel, State Board of Nursing, P. O. Box 2649, Harrisburg, PA 17105-2649.

This adjudication and final order represents the State Board of Nursing's (Board) final decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court, must serve the Board with a copy of their petition for review. The Board contact for receiving service of the appeals is the previously-named Board counsel.

JOSEPH J. NAPOLITANO, PhD, MPH, CRNP,
Chairperson

[Pa.B. Doc. No. 11-1035. Filed for public inspection June 17, 2011, 9:00 a.m.]

Automatic Suspension of the License to Practice Professional Nursing of Lauren Grace Pierce, R.N.; Doc. No. 0203-51-2011; File No. 2011-51- 00759

On April 6, 2011, Lauren Grace Pierce, license no. RN549480, of Erie County, was automatically suspended based on her felony conviction under the Drug Act.

Individuals may obtain a copy of the adjudication by writing to C. William Fritz, II, Board Counsel, State Board of Nursing, P. O. Box 2649, Harrisburg, PA 17105-2649.

This adjudication and final order represents the State Board of Nursing's (Board) final decision in this matter. It may be appealed to the Commonwealth Court of Pennsyl-

vania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court, must serve the Board with a copy of their petition for review. The Board contact for receiving service of the appeals is the previously-named Board counsel.

JOSEPH J. NAPOLITANO, PhD, MPH, CRNP,
Chairperson

[Pa.B. Doc. No. 11-1036. Filed for public inspection June 17, 2011, 9:00 a.m.]

STATE EMPLOYEES' RETIREMENT BOARD

Hearings Scheduled

The following hearings have been scheduled, as authorized by 71 Pa.C.S. Part XXV (relating to the State Employees' Retirement Code), in connection with the State Employees' Retirement System's denial of Claimants' requests concerning the indicated accounts.

The hearings will be held before a hearing officer at the State Employees' Retirement System, 30 North Third Street, Fifth Floor, Harrisburg, PA 17101:

July 12, 2011	Whittington R. Patton, Jr. (D) Death Benefit	1 p.m.
July 27, 2011	Brett C. Paulhamus (D) Death Benefit	1 p.m.
August 17, 2011	Ann H. Lokuta Pension Forfeiture	1 p.m.

Parties in each respective case may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The hearings will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law). Under 4 Pa. Code § 250.01 (relating to applicability of general rules), procedural matters will be in conformance with 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure), unless specific exemption is granted.

LEONARD KNEPP,
Secretary

[Pa.B. Doc. No. 11-1037. Filed for public inspection June 17, 2011, 9:00 a.m.]