

NOTICES

DEPARTMENT OF AGRICULTURE

General Quarantine Order; Chronic Wasting Disease Program Requirements

Recitals

A. Chronic Wasting Disease (CWD) is considered an infectious, progressive and always fatal disease of susceptible species of the genera *Cervus*, *Odocoileus* and *Alces* including elk, white-tailed deer, moose, mule deer, black-tailed deer, sika deer, red deer and hybrids thereof.

B. There is no known treatment for CWD infection, and no successful vaccine against this disease.

C. CWD is believed to be transmissible from infected to uninfected cervids by ingestion of infected or contaminated materials occurring through shared environment or close contact.

D. CWD has been designated a "dangerous transmissible disease" of animals by order of the Secretary of Agriculture under the provisions of the Domestic Animal Law (Law) (3 Pa.C.S. §§ 2301—2389), at 3 Pa.C.S. § 2321(d).

E. The Department of Agriculture (Department) has broad authority under the Law to regulate the keeping, transport and handling of domestic animals to exclude, contain or eliminate dangerous transmissible diseases, such as CWD.

F. The Department also has broad authority under the Law to prohibit the importation of domestic animals, conveyances, containers, goods, products or materials in an effort to keep dangerous transmissible diseases, such as CWD, from entering this Commonwealth.

G. CWD could negatively impact this Commonwealth's wild and domestic (farmed or captive) cervid populations. CWD is of particular concern to the captive/farmed cervid industry, in that presence of CWD infection in a herd may result in the destruction of the entire herd and may severely limit the market for product in this Commonwealth.

H. Although CWD has not, to date, been detected in this Commonwealth, it has been detected in cervids in New York, Virginia and West Virginia, and is known to be present in a number of other States and several Canadian Provinces.

I. On August 4, 2006, the Department issued a General Quarantine Order addressing the CWD threat. This Order, published at 36 Pa.B. 4612 (August 19, 2006), required persons who own or maintain one or more CWD-susceptible animals to enroll and participate in either the CWD Herd Certification Program or the CWD Herd Monitoring Program.

J. By this Order, the Department is rescinding and supplanting the referenced August 4, 2006, General Quarantine Order to reflect the experience the Department has gained in administering the referenced general quarantine, as well as its current understanding of the threat posed by CWD.

Order of Quarantine

With the foregoing recitals incorporated into this Order by reference, the Department hereby establishes a General Quarantine under authority of the Domestic Animal Law, at 3 Pa.C.S. § 2329(d). The terms of this Order are as follows:

1. *Quarantine Area.* This General Quarantine is applicable to the entire Commonwealth of Pennsylvania.

2. *August 4, 2006 General Quarantine Order.* The August 4, 2006 General Quarantine Order, published at 36 Pa.B. 4612 (August 19, 2006), is hereby rescinded and supplanted by this General Quarantine Order. Persons, premises and animals that were enrolled in either the CWD Herd Certification Program or the CWD Herd Monitoring Program under authority of the August 4, 2006 General Quarantine Order shall remain enrolled under the authority of this Order, and shall be subject to the terms and requirements of this Order. Persons currently enrolled under either of these Programs shall be afforded up to 60 days from the date of this Order within which to come into compliance with any new or different requirements imposed by this Order.

3. *Program Enrollment Requirement.* Any person or business that owns or maintains one or more of any of the CWD-susceptible species of the genera *Cervus*, *Odocoileus* or *Alces* including elk, white-tailed deer, moose, mule deer, black-tailed deer, sika deer, red deer or hybrid thereof, in captivity within this Commonwealth shall provide the Department with a completed Program Enrollment Form, as described in Section 5. The requirements of this Order are applicable to any type of location or operation at which CWD-susceptible cervids are maintained, including (but not limited to) private residences, farms, hunting ranches, zoological displays and menageries.

4. *Meeting the Program Enrollment Requirement; Required Adherence to Herd Certification or Herd Monitored Protocols.* Farmed or captive CWD-susceptible cervids as described in Section 3 present on each premises described in Section 3 shall be enrolled by the cervid owner in either the CWD Herd Certification Program or the CWD Herd Monitored Program (both of which are described as follows). A cervid owner that is required to enroll one or more CWD-susceptible cervids under this Order, and who enrolls the animals in either the CWD Herd Certification Program or the CWD Herd Monitored Program, shall be referred to as a "program participant" throughout this Order. The program participant shall be responsible to maintain the subject animal or herd in compliance with all of the requirements of the Program in which it is enrolled. The Department will promptly mail or deliver Program Enrollment Forms to any person who requests the forms. Enrollment shall be completed by delivering a completed Program Enrollment Form to the Department by any of the means described in Section 8.

5. *Obtaining a Program Enrollment Form.* The Program Enrollment Forms described in Section 4 (for either the CWD Herd Certification Program or the CWD Herd Monitored Program) may be obtained by:

a. Telephoning the Department at (717) 783-5309 and requesting that a form be provided by mail or fax.

b. Mailing or presenting a request to the Department at the following address:

Pennsylvania Department of Agriculture
ATTN: CWD Coordinator
2301 North Cameron Street
Harrisburg, PA 17110-9408

c. Downloading the forms from the Department's web site (www.agriculture.state.pa.us).

6. *Contents of the Program Enrollment Form for the CWD Herd Certification Program.* The Program Enrollment Form for the CWD Herd Certification Program shall require the following information:

a. Name, address, telephone number and e-mail address of the person who owns each subject farmed or captive cervid.

b. Name, address, telephone number and e-mail address of the person who maintains each subject cervid, if other than the owner.

c. Mailing address of premises at which each subject cervid is maintained in captivity or driving directions to the premises if there is no mailing address where each subject cervid is maintained.

d. Number of cervids maintained on the premises, by species.

e. The official identification (as described in Section 9(i)), farm identification, sex and date of birth of each subject cervid.

f. The date of acquisition and source of each subject cervid that was not born into the herd.

g. The location at which the records required under the Herd Certification Program shall be maintained and made available for inspection by the Department.

7. *Contents of the Program Enrollment Form for the CWD Herd Monitored Program.* The Program Enrollment Form for the CWD Herd Monitored Program shall require the following information:

a. Name, address, telephone number and e-mail address of the person who owns each subject farmed or captive cervid.

b. Name, address, telephone number and e-mail address of the person who maintains each subject cervid, if that person is other than the owner.

c. Mailing address of premises at which each cervid is maintained in captivity, or driving directions to the premises if there is no mailing address where each cervid is maintained.

d. The number of each species of farmed or captive CWD-susceptible cervid on the premises. An estimate may be provided if the exact number cannot be determined.

e. The date of acquisition and source of each subject cervid that was not born into the herd.

f. The location at which the records required under the Herd Monitored Program shall be maintained and made available for inspection by the Department.

8. *Delivering the Program Enrollment Form.* A person required to file a Program Enrollment Form under this Order shall deliver the completed Form to the Department by faxing it to (717) 787-1868, or mailing or delivering it to the address set forth in Section 5(b).

9. CWD Herd Certification Program.

a. *Program established.* The Chronic Wasting Disease Herd Certification Program (Herd Certification Program),

as established by the August 4, 2006, General Quarantine Order described in Section 2, is continued, as modified by this Order.

b. *Status of Herd.* The Herd Certification Program is a 5-year process by which a herd of farmed or captive CWD-susceptible cervids may achieve "Certified Status." The Department shall note the date of enrollment of a particular herd of farmed or captive CWD-susceptible cervids in the Herd Certification Program. The status of that enrolled herd shall be "First Year Status" for the first year following that date of enrollment. On the first four enrollment anniversary dates following enrollment, and if all of the applicable requirements of this Order have been met, the status of the herd shall be upgraded by 1 year. On the fifth enrollment anniversary date (that is, after 5 consecutive years of program participation have been completed), the status of the herd shall be upgraded to "Certified Status" if all of the conditions of the Herd Certification Program have been complied with, and this status shall last as long as the herd is CWD-free and continues to meet Herd Certification Program standards. If the herd is withdrawn from the Herd Certification Program and subsequently re-enrolled, the herd will be reassigned "First Year Status" and the 5-year process toward "Certified Status" shall begin again.

c. *Duty to Report Suspect Cervids.* A program participant, the owner of a herd of farmed or captive CWD-susceptible cervids and all caretakers of that herd shall immediately report any cervid that shows signs that are consistent with CWD (such as staggering, drooling, wasting or unusual behavior) to the Department. Also, upon the discovery of any dead farmed or captive CWD-susceptible cervid aged 12 months or older, from a carcass in an advanced state of decomposition, the program participant, owner or caretaker shall immediately report this death to the Department. This report shall be made promptly to the Department Regional Office or by telephone to the number set forth in Section 5(a).

d. *Mandatory Testing.* A program participant with a herd that is enrolled in the Herd Certification Program shall be responsible to ensure that a farmed or captive CWD-susceptible cervid is tested in accordance with this Section if any of the following occur after the date of enrollment in the Herd Certification Program:

i. The cervid shows signs (such as staggering, drooling, wasting or unusual behavior) that are consistent with CWD and the cervid dies or is killed.

ii. The cervid is 12 months of age or older and is sent to a slaughter facility.

iii. The cervid is 12 months of age or older and dies for any reason (including accident, natural causes, harvesting, culling or any other cause).

e. *Mandatory Testing for Farmed or Captive CWD-Susceptible Cervids designated as CWD Suspects.* If a dead farmed or captive CWD-susceptible cervid is required to be tested because it showed signs (such as staggering, drooling, wasting or unusual behavior) that are consistent with CWD before it died or was killed, as described in Subsection (d)(i), it shall be tested according to either of the following procedures:

i. A person may immediately notify the Department of the dead CWD-susceptible cervid and do the following:

A. Collect either the entire carcass of the cervid or the entire head of the cervid.

B. Deliver the carcass or head for CWD testing. The carcass or head shall be delivered to either a Department

laboratory for this CWD testing, or to a laboratory that has been approved, in advance, by the Department and/or USDA, within 72 hours of the cervid's death, to perform this CWD testing.

ii. As an alternative to the CWD testing procedure described in paragraph (i), the following procedure may be followed:

A. Tissue samples shall be collected by one of the following:

- I. An accredited practitioner of veterinary medicine.
- II. An authorized State official.
- III. An authorized Federal official.

IV. Another person who meets the current qualifications regarding authorized sample collectors, as prescribed by the United States Department of Agriculture/Animal and Plant Health Inspection Service (USDA/APHIS). A Department-certified CWD Technician does not meet the requirements of this subparagraph.

B. Tissue samples shall be collected and preserved within 72 hours of the cervid's death.

C. Tissues samples shall consist of:

the obex and the medial retropharyngeal lymph nodes preserved in formalin; and

in a separate container that does not contain formalin or any other preservative, a small portion of the ear that includes the official identification of the subject cervid.

D. The tissue samples shall be delivered to the Department for testing, or to a laboratory that has been approved in advance by the Department and/or USDA, within 72 hours of the cervid's death, to perform CWD testing.

f. *Testing Protocol for Other Farmed or Captive CWD-Susceptible Cervids.* If a farmed or captive CWD-susceptible cervid does not exhibit signs (as described in Subsection (d)(i)) that are consistent with CWD, and is required to be tested because it is 12 months of age or older and was either sent to a slaughter facility or died for any reason, as described in Subsections (d)(ii) and (d)(iii), it shall be tested according to the following procedures:

i. Tissue samples shall be collected by one of the following:

- A. An accredited practitioner of veterinary medicine.
- B. An authorized State official.
- C. An authorized Federal official.
- D. A Department-certified CWD Technician.

E. Another person who meets the current qualifications regarding authorized sample collectors, as prescribed by USDA/APHIS.

ii. Tissue samples shall be collected and preserved within 72 hours of the cervid's death.

iii. Tissues samples shall consist of:

the obex and the medial retropharyngeal lymph nodes preserved in formalin; and

in a separate container that does not contain formalin or any other preservative, a small portion of the ear that includes the official identification of the subject cervid.

iv. The tissue samples shall, within 30 days of collection, be delivered to the Department for testing, or to a

laboratory that has been approved in advance by the Department or USDA, or both, to perform CWD testing.

v. As an alternative to the testing protocol described in Subsections (f)(i), (f)(ii), (f)(iii) and (f)(iv), a person may, within 72 hours of the cervid's death, collect and deliver either the entire carcass of the cervid or the entire head of the cervid to a Department laboratory for CWD testing, or to a laboratory that has been approved in advance by the Department and/or USDA to perform CWD testing. The person who collects or delivers the carcass or head need not be a sampler as described in Subsection (f)(i).

g. *Impact of Untestable Samples on Enrollment Status.* The Department may lower the status of a herd that is enrolled in the Herd Certification Program, or move that herd to the Herd Monitored Program, if a sample from a dead cervid from that herd cannot be tested to determine whether that cervid has CWD. Adherence to the 72-hour deadlines established in Subsections (e)(ii) and (f)(ii) will be considered a mitigating factor by the Department in any reevaluation of herd status.

h. *Chain of Custody of Samples; Submission of Samples.* A person may obtain Chain-of-Custody Forms and Sample Submission Forms from the Department as set forth in Section 5. A person submitting a sample (whether tissue samples, an entire carcass or an entire head) for analysis under the Herd Certification Program shall complete a Chain-of-Custody Form and a Sample Submission Form, and shall submit those forms along with the sample that is delivered for testing. The Chain-of-Custody Form shall clearly identify the source of the sample, the date of sampling, and the persons (in chronological order) who handled the sample from the point it was taken until it is delivered to the Department, a Department-approved laboratory or a USDA-approved laboratory for CWD testing. The Chain of Custody shall bear the signature, printed name and other identifying information with respect to each person who handles the sample. The completed Chain-of-Custody Form and the Submission Form shall be provided to a responsible person at the laboratory to which the sample is delivered.

i. *Identification of Subject Animals.* Each farmed or captive CWD-susceptible cervid that is within a herd enrolled in the Herd Certification Program and is either 12 months of age or older or is transported alive from the enrolled premises shall have at least two forms of the Department or USDA/APHIS-approved, or both, animal identification attached. One form of identification must be official. If the other form of identification is not official, it shall be unique to the animal on the enrolled premises. Forms of identification that are Department-approved or USDA/APHIS-approved, or both, "official" forms of identification for purposes of this provision include the following:

i. A tattoo of a unique number approved by the Department, or USDA/APHIS, or both.

ii. A tamper resistant ear tag (with or without Radio Frequency Identification capability) bearing a unique 15-digit AIN or ISO compliant number.

iii. A Department-issued metal ear tag, bearing a unique number provided by the Department.

iv. A USDA/APHIS-issued metal ear tag, bearing a unique number provided by USDA/APHIS.

v. An electronic implant device, such as a microchip, provided that an appropriate reader is immediately available wherever the animal is located.

vi. Any other identification device approved by the Department, or USDA/APHIS, or both.

j. *Ongoing Record-Keeping Requirement.* A program participant with a herd that is enrolled in the Herd Certification Program shall maintain up-to-date records with respect to the subject herd for a period of 5 years, shall make these records available for inspection by the Department upon request, and shall mail or deliver a copy of these records to the Department no later than 1 month after each anniversary of the "date of enrollment" previously described in Section 9(b). These records shall include the following with respect to each subject cervid:

i. An official identification as previously described in Subsection (i).

ii. Either the second official identification or the unofficial identification that is unique to the animal on the enrolled premises, as previously described in Subsection (i).

iii. The sex and date of birth of the subject cervid.

iv. The date of departure and the destination of any subject cervid removed from the herd within the preceding 12 months; and the date of death and cause of death (if known) of any subject cervid that dies.

v. If the subject cervid is new to the herd since the "date of enrollment" previously described in Section 9(b), designation of whether the subject was born to the herd or acquired from outside the herd and, if the latter is true, the source of the subject cervid.

k. *Ongoing Reporting Requirement regarding Removal of CWD-Susceptible Cervids from an Enrolled Herd or Wild CWD-Susceptible Cervids entering an Enrolled Herd.* A program participant shall immediately report to the Department the removal of any farmed or captive CWD-susceptible cervid from the enrolled herd through theft or escape. A report of removal of a cervid shall clearly identify each cervid that was removed. A program participant shall immediately report to the Department if a wild CWD-susceptible cervid or any other CWD-susceptible cervid gains entrance into the enrolled herd. This reporting requirement is not applicable to additions to a herd as described in subsection (n) (titled *Additions to the Herd*). A report of a CWD-susceptible cervid gaining entrance to an enrolled herd shall clearly identify the individual cervid, to the extent identification information is known.

l. *Inspections.* The Department or its agents acting under the authority and direction of the Department may, at intervals of no greater than 12 months, inspect the premises upon which an enrolled herd of farmed or captive CWD-susceptible cervids is maintained. The Department may conduct additional inspections at reasonable times. Inspections may include records review, whole herd inventory with individual animal identification, inspecting fences and otherwise determining whether the herd is being maintained in compliance with the Herd Certification Program.

m. *Fencing.* A herd of farmed or captive CWD-susceptible cervids that is enrolled under the Herd Certification Program shall be maintained so as to prevent ingress and egress of cervids. Fence height shall be a minimum of 8 feet, although a 10-foot height is recommended.

n. *Additions to the Herd.* No CWD-susceptible cervid may be added to a herd of farmed or captive CWD-susceptible cervids that is enrolled under the Herd Certification Program unless the CWD-susceptible cervid to be added originates from that herd or a herd that is also

enrolled in the Herd Certification Program and has an equal or earlier enrollment date (month, day, year). This requirement applies regardless of whether a cervid is only added to an enrolled herd for a short period of time (Example: when a buck is moved to an enrolled herd for breeding season). If this requirement is not complied with, the herd enrollment date for the enrolled herd to which the CWD-susceptible cervid was added will be changed to that of the source of the herd addition, and herd status will be recalculated from that adjusted date.

o. *Usage of semen, embryos, germ plasm, urine, and other cervid by-products.* Semen, embryos, germ plasm, urine and other cervid by-products may be used in a herd of farmed or captive CWD-susceptible cervids that is enrolled under the Herd Certification Program if the following are met:

i. The donor animal is from a herd of equal or greater herd status as the destination herd. The source herd shall not have a CWD-positive animal, a CWD-suspect animal or a CWD-exposed animal at time of collection of the cervid by-product. The source herd shall not have CWD identified within the 60 months prior to collection.

ii. Out-of-state donor animals shall meet the same Tuberculosis and Brucellosis testing requirements as would be applicable if the donor animal, itself, was being imported.

iii. Records shall be maintained for 5 years by the seller and buyer including (as applicable) collection date, animal identification with respect to the cervid from which the cervid by-product was collected, animal identification with respect to the cervid that received the cervid by-product, date of sale, the CWD status of the source premises, and both buyer and seller name, address and telephone number. If a donor animal is from outside this Commonwealth, records of negative Tuberculosis and Brucellosis testing shall also be maintained.

p. *Intrastate Movement of Enrolled Cervids.* Farmed or captive CWD-susceptible cervids that are enrolled under the Herd Certification Program may be moved intrastate, if the cervid has one or more of the forms of official identification described in Subsection (i), and this movement is also done in compliance with any other applicable intrastate movement requirements related to diseases other than CWD.

q. *Changes of Status or Change of Program for Non-Compliance.* If a herd is enrolled in the CWD Herd Certification Program, and the program participant fails to meet the applicable requirements of this Order or the enrolled herd is not maintained in accordance with the applicable requirements of this Order, the Department may, as it determines is appropriate, change the enrollment status of the enrolled herd to a lower status, or remove the herd from the CWD Herd Certification Program and enroll it under the CWD Herd Monitored Program. This action may be taken for violations such as failure to meet applicable mandatory testing requirements, animal identification requirements, record-keeping requirements or any other requirements imposed by this Order.

10. *CWD Herd Monitored Program.*

a. *Program established.* The Chronic Wasting Disease Herd Monitoring Program (Herd Monitoring Program), as established by the August 4, 2006 General Quarantine Order described in Section 2, is continued as the Chronic Wasting Disease Herd Monitored Program (Herd Monitored Program), and as otherwise modified by this Order.

b. *Duty to Report Suspect Cervids and Unstable Samples.* The program participant, the owner of a herd of farmed or captive CWD-susceptible cervids and all caretakers of that herd shall immediately report any cervid that shows signs that are consistent with CWD (such as staggering, drooling, wasting or unusual behavior) to the Department. Also, upon the discovery of any dead farmed or captive CWD-susceptible cervid aged 12 months or older from a carcass in an advanced state of decomposition, the program participant, owner or caretaker shall immediately report this death to the Department. This report shall be made to the Department Regional Office or by telephone to the number set forth above in Section 5(a).

c. *Mandatory Testing for Farmed or Captive CWD-Susceptible Cervids designated as CWD Suspects.* A program participant with a herd that is enrolled in the Herd Monitored Program shall be responsible to ensure that a farmed or captive CWD-susceptible cervid is tested according to either of the following procedures if it is enrolled in the Herd Monitored Program, shows signs (such as staggering, drooling, wasting or unusual behavior) that are consistent with CWD, and dies or is killed:

i. A person may immediately notify the Department of the dead CWD-susceptible cervid and do the following:

A. Collect either the entire carcass of the cervid or the entire head of the cervid.

B. Deliver the carcass or head for CWD testing. The carcass or head shall be delivered to either a Department laboratory for this CWD testing, or to a laboratory that has been approved, in advance, by the Department or USDA, or both, within 72 hours of the cervid's death, to perform this CWD testing.

ii. As an alternative to the CWD testing procedure described in paragraph (i), the following procedure may be followed:

A. Tissue samples shall be collected by one of the following:

- I. An accredited practitioner of veterinary medicine.
- II. An authorized State official.
- III. An authorized Federal official.

IV. Another person who meets the current qualifications regarding authorized sample collectors, as prescribed by the United States Department of Agriculture/Animal and Plant Health Inspection Service (USDA/APHIS). A Department-certified CWD Technician does not meet the requirements of this subparagraph.

B. Tissue samples shall be collected and preserved within 72 hours of the cervid's death.

C. Tissues samples shall consist of:

the obex and the medial retropharyngeal lymph nodes preserved in formalin; and

in a separate container that does not contain formalin or any other preservative, a small portion of the ear that includes the official identification of the subject cervid.

D. The tissue samples shall be delivered to the Department for testing or to a laboratory that has been approved in advance by the Department or USDA, or both, within 72 hours of the cervid's death, to perform CWD testing.

d. *Mandatory Testing for CWD-Susceptible Cervids in Herds with a Cervid Source that is not enrolled in the Herd Certification Program.* If a farmed or captive CWD-

susceptible cervid that is 12 months of age or older is in an enrolled herd that contains one or more CWD-susceptible cervids that did not originate from that herd or a herd enrolled in the Herd Certification Program, does not exhibit signs (as described in Subsection (c)) that are consistent with CWD, and dies for any reason (including accident, natural causes, harvesting, culling or any other cause) or is sent to a slaughter facility, it shall be tested according to the testing protocol set forth in Subsection (f). If 30 such dead cervids are tested under this Subsection during a single 12-month period and are test-negative for CWD, this testing need not continue for the remainder of that 12-month period.

e. *Mandatory Testing for CWD-Susceptible Cervids in Herds Originating from Enrolled Herd Certification Program Herds.*

i. If a farmed or captive CWD-susceptible cervid that is 12 months of age or older is in an enrolled herd, and all of the CWD-susceptible cervids in the herd originate from herds that are enrolled in the Herd Certification Program, and such a CWD-susceptible cervid dies for any reason (including accident, natural causes, harvesting, culling or any other cause) or is sent to a slaughter facility, it shall be tested in accordance with the testing protocols set forth in Subsection (f). If 10% of the test-eligible CWD-susceptible cervids in the herd or 30 such cervids (whichever is less) are tested under this Subsection during a single 12-month interval and are test-negative for CWD, this testing need not continue for the remainder of that 12-month interval.

ii. If a farmed or captive CWD-susceptible cervid that is 12 months of age or older is in an enrolled herd, and all of the CWD-susceptible cervids in the herd originate from herds that are enrolled in the Herd Certification Program and have achieved "Certified Status" (as described in Section 9(b)), and such a CWD-susceptible cervid dies due to accident, natural causes or unknown reason, it shall be tested in accordance with the testing protocols set forth in Subsection (f). This test requirement is not applicable to cervids that are harvested by hunting ranch clients, or are harvested for human consumption. If 30 such cervids are tested under this Subsection during a single 12-month interval and are test-negative for CWD, this testing need not continue for the remainder of that 12-month interval.

f. *Testing Protocol for Other Farmed or Captive CWD-Susceptible Cervids.* If a farmed or captive CWD-susceptible cervid does not exhibit signs (as described in Subsection (c)) that are consistent with CWD, and is required to be tested because it is 12 months of age or older and to meet the requirements of Subsections (d) or (e), it shall be tested according to the following procedures:

i. Tissue samples shall be collected by one of the following:

- A. An accredited practitioner of veterinary medicine.
- B. An authorized State official.
- C. An authorized Federal official.
- D. A Department-certified CWD Technician.

E. Another person who meets the current qualifications regarding authorized sample collectors, as prescribed by USDA/APHIS.

ii. Tissue samples shall be collected and preserved within 72 hours of the cervid's death.

iii. Tissues samples shall consist of:

the obex and the medial retropharyngeal lymph nodes preserved in formalin; and

in a separate container that does not contain formalin or any other preservative, a small portion of the ear that includes the official identification of the subject cervid.

iv. The tissue samples shall, within 30 days of collection, be delivered to the Department for testing, or to a laboratory that has been approved in advance by the Department or USDA, or both, to perform CWD testing.

v. As an alternative to the testing protocol described in Subsections (f)(i), (f)(ii), (f)(iii) and (f)(iv), a person may, within 72 hours of the cervid's death, collect and deliver either the entire carcass of the cervid or the entire head of the cervid to a Department laboratory for CWD testing, or to a laboratory that has been approved in advance by the Department or USDA, or both, to perform CWD testing. The person who collects or delivers the carcass or head need not be a sampler as described in Subsection (f)(i).

g. *Chain of Custody of Samples; Submission of Samples.* A person may obtain Chain-of-Custody Forms and Sample Submission Forms from the Department by the same means previously set forth in Section 5. A person submitting a sample (whether tissue samples, an entire carcass or an entire head) for analysis under the Herd Monitored Program shall complete a Chain-of-Custody Form and a Sample Submission Form, and shall submit those forms along with the sample that is delivered for testing. The Chain-of-Custody Form shall clearly identify the source of the sample, the date of sampling, and the persons (in chronological order) who handled the sample from the point it was taken until it is delivered to the Department, or a Department-approved laboratory, or a USDA-approved laboratory for CWD testing. The Chain of Custody shall bear the signature, printed name and other identifying information with respect to each person who handles the sample. The completed Chain-of-Custody Form and the Submission Form shall be provided to a responsible person at the laboratory to which the sample is delivered.

h. *Identification of Subject Animals and Carcasses.* Each farmed or captive CWD-susceptible cervid that is within a herd that is enrolled in the Herd Monitored Program shall have at least one form of the Department and/or USDA/APHIS-approved official animal identification attached if it is transported from the enrolled premises or is tested for CWD. Forms of identification that are Department-approved or USDA/APHIS-approved, or both, "official" forms of identification for purposes of this provision include the following:

i. A tattoo of a unique number approved by the Department or USDA/APHIS, or both.

ii. A tamper resistant ear tag (with or without Radio Frequency Identification capability) bearing a unique 15-digit AIN or ISO compliant number.

iii. A Department-issued metal ear tag, bearing a unique number provided by the Department.

iv. A USDA/APHIS-issued metal ear tag, bearing a unique number provided by USDA/APHIS.

v. An electronic implant device, such as a microchip, provided that an appropriate reader is immediately available wherever the animal is located.

vi. Any other identification device approved by the Department or USDA/APHIS, or both.

i. *Ongoing Record-Keeping Requirement.* A program participant with a herd that is enrolled in the Herd Monitored Program shall maintain up-to-date records with respect to the subject herd for a period of 5 years, shall make these records available for inspection by the Department upon request, and shall mail or deliver a copy of these records to the Department no later than one month after each anniversary of the "date of enrollment" in the Herd Monitored Program. These records shall include the following:

i. Herd size (estimate if exact size is not known).

ii. For each CWD-susceptible cervid with identification that is enrolled in the Herd Monitored Program:

A. The unique number or identification information from the tattoo, tag, electronic implant device or other identification device described in Subsection (h).

B. The sex of the animal.

C. The date of birth of the animal.

D. Clarification as to whether the animal was born into the herd or was acquired from outside the herd.

E. If the animal was acquired from outside the herd, the name, address and telephone number of the source location from which the animal was acquired.

iii. The date of departure and the destination (including name, address and telephone number) of any subject cervid removed from the herd within the preceding 12 months; and the date of death and cause of death (if known) of any subject cervid that dies.

j. *Ongoing Reporting Requirement regarding Removal of CWD-Susceptible Cervids from an Enrolled Herd or Wild CWD-Susceptible Cervids entering an Enrolled Herd.* A program participant shall immediately report to the Department the removal of any farmed or captive CWD-susceptible cervid from the enrolled herd through theft or escape. A program participant shall immediately report to the Department if a wild CWD-susceptible cervid or any other CWD-susceptible cervid gains entrance into the enrolled herd. A report of removal of a cervid shall clearly identify the individual cervid. This reporting requirement is not applicable to additions to a herd as described in Subsection (i)(ii)(E). A report of a CWD-susceptible cervid gaining entrance to an enrolled herd shall clearly identify the individual cervid, to the extent identification information is known.

k. *Inspections.* The Department or agents acting under authority and direction of the Department may, at its discretion and at reasonable times, inspect the premises upon which an enrolled herd of farmed or captive CWD-susceptible cervids is maintained. Inspections may include records review, checking individual animal identification, inspecting fences and otherwise determining whether the herd is being maintained in compliance with the Herd Monitored Program. A program participant shall cooperate with the Department, and shall facilitate the inspection by making premises, animals and records available to the Department without delay.

l. *Fencing.* A herd of farmed or captive CWD-susceptible cervids that is enrolled under the Herd Monitored Program shall be maintained so as to prevent ingress and egress of cervids. Fence height is to be a minimum of 8 feet, although a 10-foot minimum height is recommended.

m. *Limitations on Intrastate Movement of Enrolled Cervids.* Live farmed or captive CWD-susceptible cervids that are from a herd that is enrolled under the Herd Monitored Program may not be transported intrastate unless the destination is a hunting ranch or a slaughter facility and each cervid has the Department or USDA/APHIS-approved, or both, official animal identification (as described in Subsection (h)) attached and recorded before leaving the source premises. Those animals transported to a slaughter facility shall be sampled and tested for CWD in accordance with Subsection (d) or (e), as applicable. Those animals transported to a hunting ranch shall be sampled and tested for CWD in accordance with Subsections (d) or (e), as applicable.

n. *Usage of semen, embryos, germ plasm, urine, and other cervid by-products.* Semen, embryos, germ plasm, urine and other cervid by-products may be used in a herd of farmed or captive CWD-susceptible cervids that is enrolled under the Herd Monitored Program if the following are met:

i. The donor animal is from a herd enrolled in the CWD Herd Certification Program or its out-of-State equivalent. The source herd shall not have a CWD-positive animal, suspect animal, or exposed animal at time of collection. The premises of the source herd shall not have CWD identified within the 60 months prior to collection.

ii. Out-of-state donor animals shall meet the same Tuberculosis and Brucellosis testing requirements as would be applicable if the donor animal, itself, was being imported.

iii. Records shall be maintained for 5 years by the seller and buyer including (as applicable) collection date, animal identification with respect to the cervid from which the cervid by-product was collected, animal identification with respect to the cervid that received the cervid by-product, date of sale, the CWD status of the source premises, and both buyer and seller name, address and telephone number. If a donor animal is from outside the

Commonwealth, records of negative Tuberculosis and Brucellosis testing shall also be maintained.

o. *Changes of Status for Noncompliance.* If a herd is enrolled in the CWD Herd Monitored Program, and the program participant fails to meet the applicable requirements of this Order or the enrolled herd is not maintained in accordance with the applicable requirements of this Order, the Department may, as it determines is appropriate, change the enrollment status of the enrolled herd to a lower status. This action may be taken for violations such as failure to meet applicable mandatory testing requirements, animal identification requirements, record-keeping requirements or any other requirements imposed by this Order.

11. *Participation in the Herd Certification Program or Herd Monitored Program.* Any contrary provision of this Order notwithstanding, persons may voluntarily enroll farmed or captive cervids that are not CWD-susceptible cervids (example: reindeer) in either the Herd Certification Program or the Herd Monitored Program.

12. *Violations/Penalties.* Any person violating the requirements of this Order shall be subject to criminal prosecution and/or civil penalties of up to \$10,000 per violation.

13. *No Restriction on Further Action by the Department.* This Order shall not be construed as limiting the Department's authority to establish additional quarantine or testing requirements on imported cervids.

14. *Effective Date.* This Order is immediately effective upon publication in the *Pennsylvania Bulletin*, and shall remain in effect unless rescinded or modified by subsequent order.

RUSSELL C. REDDING,
Secretary

[Pa.B. Doc. No. 11-208. Filed for public inspection February 4, 2011, 9:00 a.m.]

DEPARTMENT OF BANKING

Actions on Applications

The Department of Banking (Department), under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending January 18, 2011.

Under section 503.E of the Department of Banking Code (71 P. S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file their comments in writing with the Department of Banking, Corporate Applications Division, 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, contact the Corporate Applications Division at (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

BANKING INSTITUTIONS

Branch Applications

De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
1-9-2011	Susquehanna Bank Lititz Lancaster County	2343 Oregon Pike Lancaster Lancaster County	Opened

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
1-12-2011	Standard Bank, PaSB Murrysville Westmoreland County	Eastgate Shopping Center US Route 30 Greensburg Westmoreland County	Approved
1-14-2011	ACNB Bank Gettysburg Adams County	245A North Main Street Spring Grove York County	Filed

Branch Relocations

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
1-12-2011	Citizens Bank of Pennsylvania Philadelphia Philadelphia County	<i>To:</i> 1671 Butler Plank Road Glenshaw Allegheny County <i>From:</i> 1700 William Flynn Parkway Glenshaw Allegheny County	Approved

Branch Consolidations

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
1-14-2011	ACNB Bank Gettysburg Adams County	<i>Into:</i> 39 Carlisle Road Newville Cumberland County <i>From:</i> 1 West Big Spring Avenue Newville Cumberland County	Filed

Branch Discontinuances

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
1-7-2011	Susquehanna Bank Lititz Lancaster County	10211 Wincopin Circle Columbia Howard County, MD	Closed
1-7-2011	Susquehanna Bank Lititz Lancaster County	275 Clifton Boulevard Westminster Carroll County, MD	Closed
1-12-2011	Citizens Bank of Pennsylvania Philadelphia Philadelphia County	Cinnaminson Acme 1103 Route 130 South Cinnaminson Burlington County, NJ	Filed
1-12-2011	Citizens Bank of Pennsylvania Philadelphia Philadelphia County	Moorestown Acme 350 Young Avenue Moorestown Burlington County, NJ	Filed
1-12-2011	Citizens Bank of Pennsylvania Philadelphia Philadelphia County	Limerick Acme 31 West Ridge Pike Limerick Montgomery County	Filed

Articles of Amendment

<i>Date</i>	<i>Name and Location of Institution</i>	<i>Action</i>
1-18-2011	Greater Delaware Valley Savings Bank Broomall Delaware County Amendment to Article IX of the institution's Articles of Incorporation provides for a liquidation account for certain depositors of the institution pursuant to the terms and conditions of the Plan of Conversion and Reorganization adopted by the institution in August 2010.	Approved and Effective

SAVINGS INSTITUTIONS

No activity.

CREDIT UNIONS

No activity.

The Department's web site at www.banking.state.pa.us includes public notices for more recently filed applications.

PAUL WENTZEL,
Acting Secretary

[Pa.B. Doc. No. 11-209. Filed for public inspection February 4, 2011, 9:00 a.m.]

**DEPARTMENT
OF EDUCATION**

**Application of Andrea R. Fox for Reinstatement of
Teaching Certificates; Doc. No. RE 10-02**

Notice of Hearing

Under the Professional Educator Discipline Act (act) (24 P. S. §§ 2070.1a—2070.18a), the Professional Standards and Practices Commission (Commission) will consider the application of Andrea R. Fox for reinstatement of her teaching certificates.

On or about October 12, 2010, Andrea R. Fox filed an application for reinstatement of her teaching certificates under section 16 of the act (24 P. S. § 2070.16), 1 Pa. Code §§ 35.1 and 35.2 (relating to applications) and 22 Pa. Code § 233.14 (relating to reinstatements). Under section 16 of the act, the Department of Education on January 12, 2011, opposed the application for reinstatement.

In accordance with the act and 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure), the Commission will appoint a hearing examiner to serve as presiding officer to conduct the proceedings and hearings as might be necessary, and to prepare a

proposed report to the Commission containing findings of fact, conclusions of law and a recommended decision on the application.

Interested parties who wish to participate in these hearing procedures must file a notice of intervention or a petition to intervene in accordance with 1 Pa. Code §§ 35.27—35.32 (relating to intervention) within 30 days after publication of this notice in the *Pennsylvania Bulletin*. Persons objecting to the approval of the application may also, within 30 days after publication of this notice in the *Pennsylvania Bulletin*, file a protest in accordance 1 Pa. Code § 35.23 (relating to protest generally).

Notices and petitions to intervene and protest shall be filed with Carolyn Angelo, Executive Director, Professional Standards and Practices Commission, 333 Market Street, Harrisburg, PA 17126-0333, on or before 4 p.m. on the due date prescribed by this notice. Persons with a disability who wish to attend the hearings and require an auxiliary aid, service or other accommodation to participate should contact Suzanne B. Markowicz at (717) 787-6576 to discuss how the Commission may best accommodate their needs.

CAROLYN ANGELO,
*Executive Director,
Professional Standards and
Practices Commission*

[Pa.B. Doc. No. 11-210. Filed for public inspection February 4, 2011, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

**THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT
APPLICATIONS FOR NATIONAL POLLUTION DISCHARGE ELIMINATION
SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM)
PERMITS**

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications concern, but are not limited to, discharges regarding industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFO). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Waste; Discharge into Groundwater
Section IV	NPDES	MS4 Individual Permit

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 Individual Permits and Individual Stormwater Construction Permits in Sections IV and VI, the Department, based upon preliminary reviews, has made tentative determinations of proposed effluent limitations and other terms and conditions for the permit applications. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the United States Environmental Protection Agency (EPA) Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on NPDES applications are invited to submit statements to the contact office noted before the application within 30 days from the date of this public notice. Persons wishing to comment on WQM permit applications are invited to submit statements to the office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for public hearings on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PAS112206 (Industrial Storm Water)	Prime Conduit, Inc. 635 E Lawn Road Nazareth, PA 18064	Northampton County Upper Nazareth Township	Unnamed Tributary to Bushkill Creek (01F)	Y

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0045004 (Sew)	Lake Meade Municipal Authority 59 Curtis Drive East Berlin, PA 17316	Adams County / Reading Township	Mud Run / WWF / 7F	Y
PA0083704 (Sew)	Shippensburg Borough Authority (Gunter Valley Water Treatment Plant) 111 North Fayette Street, PO Box 129 Shippensburg, PA	Franklin County / Lurgan Township	Trout Run / 7B	Y
PA0070050 (IW)	Reading Alloys, Inc. PO Box 63 Old William Penn Highway Robesonia, PA 19551-0053	Berks County South Heidelberg Township Heidelberg Township	UNT to Spring Creek / 3-C	Y

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed#)</i>	<i>EPA Waived Y/N ?</i>
PA0104132 (Sewage)	Rock Lake North Association Inc. 113 Rock Lake Drive Zelienople, PA 16063	Butler County Jackson Township	Unnamed Tributary to Glade Run 20-C	Y
PA0027341 (Industrial Waste)	Pittsburgh Glass Works, LLC 5123 Victory Boulevard Meadville, PA 16335	Crawford County Greenwood Township	Unnamed Tributary to the Conneaut Outlet 16-D	Y

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Non-Waived Permit Applications

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401

PA0244546, Industrial Waste, SIC Code 7948, **Chester Downs & Marina LLC d/b/a Harrah's Casino & Racetrack**, 777 Harrah's Boulevard, Chester, PA 19013. Facility Name: Harrah's Chester Casino & Racetrack. This facility is located in Chester City, **Delaware County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of stormwater.

The receiving stream(s), Delaware River, is located in State Water Plan watershed 3-G and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on an average flow of stormwater.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Maximum</i>	
	pH (S.U.)	XXX	XXX	XXX	XXX	
CBOD ₅	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 002 are based on an average flow of stormwater.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Maximum</i>	
	pH (S.U.)	XXX	XXX	XXX	XXX	
CBOD ₅	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 003 are based on an average flow of stormwater.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Maximum</i>	
	pH (S.U.)	XXX	XXX	XXX	XXX	
CBOD ₅	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 004 are based on an average flow of stormwater.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Maximum</i>	
	pH (S.U.)	XXX	XXX	XXX	XXX	
CBOD ₅	XXX	XXX	XXX	XXX	Report	XXX

Parameters	Mass (lb/day)			Concentration (mg/l)		
	Average	Daily	Minimum	Average	Maximum	Instant.
	Monthly	Maximum		Monthly		
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 005 are based on an average flow of stormwater.

Parameters	Mass (lb/day)			Concentration (mg/l)		
	Average	Daily	Minimum	Average	Maximum	Instant.
	Monthly	Maximum		Monthly		
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
CBOD ₅	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- A. Remedial Measures if Unsatisfactory Effluent
- B. Change of Ownership
- C. Laboratory Certification
- D. Stormwater Outfall Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

PA0057380, Sewage, SIC Code 6514, **Heidi Whitney**, 3315 Chatham Place, Media, PA 19063-4313. Facility Name: Whitney SRSTP. This existing facility is located in Upper Providence Township, **Delaware County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Unnamed Tributary of Ridley Creek, is located in State Water Plan watershed 3G and is classified for high quality trout stocking fishery, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0005 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		
	Average	Daily	Instant.	Average	Daily	Instant.
	Monthly	Maximum	Minimum	Monthly	Maximum	Maximum
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	6.0	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	0.5	XXX	1.2
CBOD ₅						
May 1 - Oct 31	XXX	XXX	XXX	10	XXX	20
CBOD ₅						
Nov 1 - Apr 30	XXX	XXX	XXX	20	XXX	40
Total Suspended Solids	XXX	XXX	XXX	10	XXX	20
Fecal Coliform (CFU/100 ml)	XXX	XXX	XXX	200	XXX	XXX
				Geo Mean		
Ammonia-Nitrogen						
May 1 - Oct 31	XXX	XXX	XXX	1.5	XXX	3.0
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	4.5	XXX	9.0

In addition, the permit contains the following major special conditions:

- A. AMR to DEP
- B. Abandon STP when Municipal Sewers Available
- C. Remedial Measures if Unsatisfactory Effluent
- D. No Stormwater
- E. Acquire Necessary Property Rights
- F. Dry Stream Discharge

- G. Change in Ownership
- H. Proper Sludge Disposal
- I. Laboratory Certification

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

PA0050733, Sewage, **Lincoln University**, Physical Plant, MSC 197, P. O. Box 179, 1570 Baltimore Pike, Lincoln University, PA 19352.

This existing facility is located in Lower Oxford Township, **Chester County**.

Description of Proposed Activity: This application is for renewal of an NPDES permit for an existing discharge of treated sewage from the Lincoln University sewage treatment plant.

The receiving stream, McDonald Run, is in the State Water Plan watershed 7K and is classified for: HQ-TSF, MF.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.180 mgd.

<i>Parameters</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		<i>Instantaneous Maximum (mg/l)</i>
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	
CBOD ₅					
(05-01 to 10-31)	30		20		40
(11-01 to 04-30)	37.5		25		50
Total Suspended Solids	45		30		60
Ammonia as N					
(05-01 to 10-31)	2.0		1.3		2.6
(11-01 to 04-30)	6.0		3.9		7.8
Fecal Coliform			200/100 ml		1,000/100 ml
Dissolved Oxygen			6.0 (min)		
pH (Std Units)			6.0 (min)		9.0

In addition to the effluent limits, the permit contains the following major special conditions:

- A. Notification of Designation of Operator
- B. Abandon STP When Municipal Sewers Available
- C. Remedial Measures if Unsatisfactory Effluent
- D. No Stormwater
- E. Acquire Necessary Property Rights
- F. Change in Ownership
- G. Sludge Disposal Requirement
- H. Certified Operator
- I. I-max Requirements
- J. 2/Month Monitoring Requirements
- K. Laboratory Certification
- L. I-max for Fecal Coliform

PA0058548, SIC Code 4952, **Keelersville Club**, 2522 Ridge Road, Perkasie, PA 18944-3731. Facility Name: Keelersville Club STP. This existing facility is located in East Rockhill Township, **Bucks County**.

Description of Existing Activity: The application is for an amendment of an NPDES permit for an existing discharge of treated wastewater.

The receiving stream(s), Unnamed Tributary to Threemile Run, is located in State Water Plan watershed 2-D and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.001 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>	
	<i>Average Monthly</i>	<i>Instant. Minimum</i>	<i>Average Monthly</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report			
pH (S.U.)		6.0		9.0
Dissolved Oxygen		6.0		
CBOD ₅			10	20
Total Suspended Solids			10	20

<i>Parameters</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>	
	<i>Average Monthly</i>	<i>Instant. Minimum</i>	<i>Average Monthly</i>	<i>Instant. Maximum</i>
Fecal Coliform (CFU/100 ml)			50 Geo Mean	1,000
Nitrate-Nitrite as N			10	20
Ammonia-Nitrogen May 1 - Oct 31			1.5	3.0
Ammonia-Nitrogen Nov 1 - Apr 30			3.0	6.0
Total Phosphorus	0.008		0.9	1.8

In addition, the permit contains the following major special conditions:

1. Notification of designated operator
2. Abandon STP
3. Remedial Measures
4. No stormwater
5. Necessary Property Rights
6. Small Stream Discharge
7. Proper Sludge Disposal
8. Twice a month sampling
9. Change of ownership
10. IMAX limits on DMR
11. Operator training
12. Fecal Coliform Reporting
13. Operators and Maintenance Plan

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

PA0050377, Industrial Waste, **SIC 2833, Lonza, Inc.**, 900 River Road, Conshohocken, PA 19428.

This existing facility is located in Upper Merion Township, **Montgomery County**.

Description of Proposed Activity: Renewal of NPDES permit to discharge treated process wastewater (Outfall 001) and stormwater (Outfall 002) from a manufacturer of fine organic chemicals which are used as active ingredients in the production of pharmaceutical products elsewhere. Transfer of the facility to new owner, Johnson Matthey, will be reflected in the final permit

The receiving stream, Schuylkill River via Matsunk Creek, is in the State Water Plan watershed 3F and is classified for: warm water fishes, migratory fishes, aquatic life, water supply, and recreation. The nearest downstream public water supply intake for Philadelphia Water Department is located on the Schuylkill River and is approximately 8.7 miles below the point of discharge.

Review and approval of chemical additives was based on the following provisional human health criteria, using the most recent scientific data available, and are proposed as site specific criteria:

Sodium hypochlorite = 0.69 mg/l
 Bromine chloride = 0.01 mg/l
 Polypropylene glycol = 8.3 mg/l
 Cyclohexylamine = 1.4 mg/l
 Acrylamide = 00007 mg/l
 Acrylic acid = 3.5 mg/l

Comments on the proposed human health criteria can be provided to the Department in writing within 45 days of public notice.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.08 mgd.

<i>Parameters</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		<i>Instantaneous Maximum (mg/l)</i>
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	
BOD ₅	467	934	700	1,400	1,750
Total Suspended Solids	20	30	30	45	75
Chemical Oxygen Demand	571	1,118	856	1,675	2,140
Total Dissolved Solids	11,676	23,352	17,500	35,000	43,750

<i>Parameters</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		<i>Instantaneous Maximum (mg/l)</i>
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	
Ammonia as N (03/01-10/31)	13		20		50
Ammonia as N (11/01-02/29)	20		29.4		73.5
Temperature					110°F
pH (Standard Units)			6.0, I-min.		9.0
Influent BOD ₅	Monitor	Monitor	Monitor	Monitor	
Percent Removal BOD ₅			90 Percent		

<i>Parameters</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		<i>Instantaneous Maximum (mg/l)</i>
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	
Influent COD	Monitor	Monitor	Monitor	Monitor	
Percent Removal COD			74 Percent		
Color (PT/Cobalt Scale)			100		
Cyanide, Total	1.2	2.5	1.9	3.8	4.8
Acetone			0.2	0.5	
Acetonitrile			10.2	25	
N-Amyl Acetate			0.5	1.3	
Amyl Alcohol			4.1	10	
Benzene			0.02	0.05	
N-Butyl-Acetate			0.5	1.3	
Chlorobenzene			0.06	0.15	
Chloroform			0.01	0.02	
O-Dichlorobenzene			0.06	0.15	
1,2-Dichloroethane			0.1	0.4	
Diethylamine			102	250	
Dimethyl Sulfoxide			37.5	91.5	
Ethanol			4.1	10	
Ethyl Acetate			0.5	1.3	
N-Heptane			0.02	0.05	
N-Hexane			0.02	0.03	
Isobutyraldehyde			0.5	1.2	
Isopropanol			1.6	3.9	
Isopropyl Acetate			0.5	1.3	
Isopropyl Ether			2.6	8.4	
Methanol			4.1	10	
Methyl Cellosolve			40.6	100	
Methylene Chloride			0.3	0.9	
Methyl Formate			0.5	1.3	
4-Methyl-2-Pentanone			0.2	0.5	
Phenol			0.02	0.05	
Tetrahydrofuran			2.6	8.4	
Toluene			0.02	0.06	
Triethylamine			102	250	
Xylenes			0.01	0.03	
N-Nitrosodi-Methylamine			0.008	0.016	
Lithium, Total			Monitor	Monitor	
Total Residual Chlorine			0.5		1.25

The proposed effluent limits for Outfall 002 are based on a design flow of an average storm event.

<i>Parameters</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		<i>Instantaneous Maximum (mg/l)</i>
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	
CBOD ₅			Monitor	Monitor	
Chemical Oxygen Demand			Monitor	Monitor	
Oil and Grease			Monitor	Monitor	
pH (Standard Units)			Monitor	Monitor	
Total Suspended Solids			Monitor	Monitor	
Total Kjeldahl Nitrogen			Monitor	Monitor	
Total Phosphorus			Monitor	Monitor	
Iron, Dissolved			Monitor	Monitor	
Cyanide, Total			Monitor	Monitor	
Acetone			Monitor	Monitor	

<i>Parameters</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		<i>Instantaneous Maximum (mg/l)</i>
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	
Acetonitrile			Monitor	Monitor	
N-Amyl-Acetate			Monitor	Monitor	
Amyl Alcohol			Monitor	Monitor	
Benzene			Monitor	Monitor	
N-Butyl Acetate			Monitor	Monitor	
Chlorobenzene			Monitor	Monitor	
Chloroform			Monitor	Monitor	
O-Dichlorobenzene			Monitor	Monitor	
1,2-Dichloroethane			Monitor	Monitor	
Diethylamine			Monitor	Monitor	
Dimethyl Sulfoxide			Monitor	Monitor	
Ethanol			Monitor	Monitor	
Ethyl Acetate			Monitor	Monitor	
N-Heptane			Monitor	Monitor	
N-Hexane			Monitor	Monitor	
Isobutyraldehyde			Monitor	Monitor	
Isopropanol			Monitor	Monitor	
Isopropyl Acetate			Monitor	Monitor	
Isopropyl Ether			Monitor	Monitor	
Methanol			Monitor	Monitor	
Methyl Cellosolve			Monitor	Monitor	
Methylene Chloride			Monitor	Monitor	
Methyl Formate			Monitor	Monitor	
4-Methyl-2-Pentanone			Monitor	Monitor	
Phenol			Monitor	Monitor	
Tetrahydrofuran			Monitor	Monitor	
Toluene			Monitor	Monitor	
Triethylamine			Monitor	Monitor	
Xylenes			Monitor	Monitor	
N-Nitrosodi-Methylamine			Monitor	Monitor	
Total Dissolved Solids			Monitor	Monitor	
Ammonia as N			Monitor	Monitor	
Aluminum			Monitor	Monitor	

In addition to the effluent limits, the permit contains the following major special conditions:

1. Remedial Measures if Public Nuisance
2. Total Suspended Solids Effluent Limits
3. Chemical Oxygen Demand 74 Percent Reduction Requirement
4. BOD₅ 90 Percent Reduction Requirement
5. Influent Sampling and Reporting Requirement
6. Thermal Requirement
7. Specification of Test Methods
8. Change in Ownership
9. Proper Sludge Disposal
10. Laboratory Certification
11. PPC Plan
12. Chemical Additives
13. Stormwater requirements

The EPA waiver is in effect.

PA0026816, Sewage, SIC 4952, **East Norriton-Plymouth-Whitpain Joint Sewer Authority**, 200 Ross Street, Plymouth Meeting, PA 19462.

This facility is located in Plymouth Township, **Montgomery County**.

Description of Proposed Activity: Renewal of NPDES permit to discharge treated sewage effluent from the East Norriton-Plymouth STP through Outfall 001. Stormwater runoff discharges through Outfall 002.

The receiving stream, Schuylkill River, is in the State Water Plan watershed 3F and is classified for: warm water fishes, aquatic life, migratory fishes, water supply and recreation. The nearest downstream public water supply intake for Philadelphia Water Department is located on Schuylkill River and is approximately 10.4 miles below the point of discharge.

The proposed effluent limits for Outfall 001 are based on a design flow of 8.1 mgd.

<i>Parameters</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅ (5/1-10/31)	20	30		40
CBOD ₅ (11/1-4-30)	25	40		50
Total Suspended Solids	30	45		60
NH ₃ -N (11/1-4/30)	20.0			40.0
NH ₃ -N (5/1-10/31): (Issuance thru Yr 1)	20.0			40.0
(Yr 2 thru Expiration)	10.0			20.0
Fecal Coliform (col/100ml)	200			1000*
Dissolved Oxygen	5.0, min.			
pH (Std. units)	6.0			9.0
Total Dissolved Solids	1,000			2,500
Total Phosphorus	Monitor			Monitor
Copper	Monitor		Monitor	
Lead	Monitor		Monitor	
Zinc	Monitor		Monitor	

*Not to exceed 1,000 col/100ml as an instantaneous maximum from May through September. Not to exceed 1,000 col/100ml in greater than 10 percent of samples tested from October through April.

The proposed effluent limits for Outfall 002 are based on an average storm event.

<i>Parameters</i>	<i>Average Annual (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	Monitor		Monitor	
COD	Monitor		Monitor	
Total Suspended Solids	Monitor		Monitor	
Oil and Grease	Monitor		Monitor	
Fecal Coliform (col/100ml)	Monitor		Monitor	
Total Kjeldahl Nitrogen	Monitor		Monitor	
Total Phosphorus	Monitor		Monitor	
Dissolved Iron	Monitor		Monitor	
pH (Std. units)	Monitor		Monitor	

In addition to the effluent limits, the permit contains the following major special conditions:

1. Notification of responsible operator
 2. Definition of "average weekly"
 3. Remedial measures if public nuisance
 4. No stormwater to sanitary sewers
 5. Necessary property rights
 6. Change in ownership
 7. Chlorine minimization
 8. Proper sludge disposal
 9. TMDL/WLA analysis
 10. Operator training plan
 11. WETT with renewal
 12. Instantaneous maximum limitations
 13. Operations and maintenance plan
 14. Laboratory certification
 15. Fecal coliform reporting
 16. PCB TMDL
 17. Stormwater requirements
 18. Pretreatment program
- EPA waiver is not in effect.

PA0056642, Industrial Waste, SIC Code 5171, **Meenan Oil Co. LP**, 8301 Lansdowne Avenue, Upper Darby, PA 19082-5408. Facility Name: Meenan Oil Company. This existing facility is located in Upper Darby Township, **Delaware County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Industrial Waste.

The receiving stream(s), Naylor's Run, is located in State Water Plan watershed 3G and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on average flow of stormwater runoff.

Parameters	Mass (lb/day)			Concentration (mg/l)		
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum
Oil and Grease	XXX	XXX	XXX	15	XXX	30
TRPH	XXX	XXX	XXX	15	XXX	30

In addition, the permit contains the following major special conditions:

- A. Remedial Measures if Unsatisfactory Effluent
- B. Change in Ownership
- C. Proper Sludge Disposal
- D. Product Contaminated Stormwater Runoff
- E. PPC Plan
- F. Other Wastewater
- G. Definitions
- H. Laboratory Certification
- I. EDMR Requirement

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790

PA0044997, Sewage, SIC Code 4952, **Mount Pocono Municipal Authority**, 303 Pocono Boulevard, Mount Pocono, PA 18344. Facility Name: Mt Pocono Municipal Authority WWTP. This existing facility is located in Mount Pocono Borough, **Monroe County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Forest Hills Run, is located in State Water Plan watershed 1-E and is classified for High Quality Waters - Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.40 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		
	Average Monthly	Weekly Average	Minimum	Average Monthly	Daily Maximum	Instant. Maximum
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	7.0	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	0.19	XXX	0.44
Temperature (°F)						
Jan 1-31	XXX	XXX	XXX	XXX	41.6	XXX
Feb 1-29	XXX	XXX	XXX	XXX	42.2	XXX
Mar 1-31	XXX	XXX	XXX	XXX	46.7	XXX
Apr 1-15	XXX	XXX	XXX	XXX	63	XXX
Apr 16-30	XXX	XXX	XXX	XXX	63	XXX
May 1-15	XXX	XXX	XXX	XXX	64	XXX

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Temperature (°F) May 16-31	XXX	XXX	XXX	XXX	69	XXX
Temperature (°F) Jun 1-15	XXX	XXX	XXX	XXX	72.3	XXX
Temperature (°F) Jun 16-30	XXX	XXX	XXX	XXX	75	XXX
Temperature (°F) Jul 1-31	XXX	XXX	XXX	XXX	77.3	XXX
Temperature (°F) Aug 1-15	XXX	XXX	XXX	XXX	75.0	XXX
Temperature (°F) Aug 16-31	XXX	XXX	XXX	XXX	75.0	XXX
Temperature (°F) Sep 1-15	XXX	XXX	XXX	XXX	70.7	XXX
Temperature (°F) Sep 16-30	XXX	XXX	XXX	XXX	63.2	XXX
Temperature (°F) Oct 1-15	XXX	XXX	XXX	XXX	55.8	XXX
Temperature (°F) Oct 16-31	XXX	XXX	XXX	XXX	51.2	XXX
Temperature (°F) Nov 1-15	XXX	XXX	XXX	XXX	49.0	XXX
Temperature (°F) Nov 16-30	XXX	XXX	XXX	XXX	47.2	XXX
Temperature (°F) Dec 1-31	XXX	XXX	XXX	XXX	43.3	XXX
CBOD ₅	33	50	XXX	10	15	20
Total Suspended Solids	100	150	XXX	30	Wkly Avg 45	60
Fecal Coliform (CFU/100 ml) May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1000
Fecal Coliform (CFU/100 ml) Oct 1 - Apr 30	XXX	XXX	XXX	2000 Geo Mean	XXX	10000
Nitrate-Nitrite as N Ammonia-Nitrogen May 1 - Oct 31	46 9.0	XXX	XXX	13.8 2.7	XXX	27.6 5.4
Ammonia-Nitrogen Nov 1 - Apr 30	27	XXX	XXX	8.1	XXX	16.2
Total Phosphorus	3.3	XXX	XXX	1.0	XXX	2.0
Total Copper	Report	XXX	XXX	Report	XXX	XXX
Total Lead	Report	XXX	XXX	Report	XXX	XXX
Total Zinc	Report	XXX	XXX	Report	XXX	XXX

In addition, the permit contains the following major special conditions:

1. Maximum Temperature Change
2. Compliance Schedule

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

PA0033863, Sewage, SIC Code 7033, **Camp-A-While, Inc.**, 1921 East Main Street, Hegins, PA 17938-9143. Facility Name: Camp A While. This existing facility is located in Hegins Township, **Schuylkill County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Pine Creek, is located in State Water Plan watershed 6-C and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.019 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	1.2	XXX	2.8
CBOD ₅	XXX	XXX	XXX	25.0	XXX	50.0
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60.0
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1000
				Geo Mean		
Fecal Coliform (CFU/100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2000	XXX	10000
				Geo Mean		
Ammonia-Nitrogen						
May 1 - Oct 31	XXX	XXX	XXX	8.96	XXX	17.92

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

PA0042951, Sewage, SIC Code 4952, **Schuylkill County Municipal Authority**, P. O. Box 960, 221 S. Centre St., Pottsville, PA 17901. Facility Name: Schuylkill County Municipal Authority Tremont WWTP. This existing facility is located in Tremont Township, **Schuylkill County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Swatara Creek, is located in State Water Plan watershed 7-D and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.5 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
		Daily Max				
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	4.0	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	0.5	XXX	1.17
CBOD ₅	104	167	XXX	25	40	50
Total Suspended Solids	125	188	XXX	30	45	60
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Fecal Coliform (CFU/100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
				Geo Mean		
Ammonia-Nitrogen						
May 1 - Oct 31	25	XXX	XXX	6.0	XXX	12.0
Ammonia-Nitrogen						
Nov 1 - April 30	75	XXX	XXX	18.0	XXX	XXX
Total Phosphorus	8.3	12.5	XXX	2.0	3.0	4.0
Total Aluminum*	XXX	XXX	XXX	0.95	1.49	XXX
Total Iron*	XXX	XXX	XXX	Report	Daily Max XXX	Report

*When iron or aluminum-based chemicals are used for phosphorus reduction.

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Outfall 001.

<i>Parameters</i>	<i>Mass (lbs)</i>			<i>Concentration (mg/l)</i>	
	<i>Monthly</i>	<i>Annual</i>	<i>Minimum</i>	<i>Monthly Average</i>	<i>Maximum</i>
Ammonia—N	Report	Report		Report	
Kjeldahl—N	Report			Report	
Nitrate-Nitrite as N	Report			Report	

<i>Parameters</i>	<i>Mass (lbs)</i>		<i>Concentration (mg/l)</i>		
	<i>Monthly</i>	<i>Annual</i>	<i>Minimum</i>	<i>Monthly Average</i>	<i>Maximum</i>
Total Nitrogen	Report	Report		Report	
Total Phosphorus	Report	Report		Report	
Net Total Nitrogen (Interim)	Report	Report			
Net Total Nitrogen (Final)	Report	9,132			
Net Total Phosphorus (Interim)	Report	Report			
Net Total Phosphorus (Final)	Report	1,281			

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Trading of Nutrients and Sediment Reduction Credits Policy and Guidelines (Document #392-0900-001, December 30, 2006). The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

** The compliance date for Net Total Nitrogen and Net Total Phosphorus will begin on October 1, 2013. Since these reporting requirements are annual loads, the reporting on compliance with the annual limitations will be required to be reported on the Supplemental DMR—Annual Nutrient Summary by November 28, 2014. This facility is required to monitor and report for Net Total Nitrogen and Net Total Phosphorus from the effective date of the permit until September 30, 2013.

*** Total Annual Ammonia Load will be required to be reported on the Supplemental DMR—Annual Nutrient Summary by November 28, 2014.

In addition, the permit contains the following major permit conditions:

- Chesapeake Bay Schedule
- Chesapeake Bay Nutrient Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is not in effect.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

PA0028347, Sewage, SIC Code 4952, **Martinsburg Borough Municipal Authority**, 133 E Allegheny Street, Martinsburg, PA 16662-1101. Facility Name: Martinsburg STP. This existing facility is located in Martinsburg Borough, **Blair County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Plum Creek, is located in State Water Plan watershed 11-A and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.7 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	0.5	XXX	1.6
CBOD ₅	146	233	XXX	25	40	50
		Wkly Avg				
BOD ₅						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids	175	263	XXX	30	45	60
		Wkly Avg				
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	XXX
Fecal Coliform (CFU/100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2000 Geo Mean	XXX	XXX
Ammonia-Nitrogen						
May 1 - Oct 31	15	XXX	XXX	2.5	XXX	5.0

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Instant. Maximum</i>
Ammonia-Nitrogen Nov 1 - Apr 30	44	XXX	XXX	7.5	XXX	15
Total Phosphorus	11.5	XXX	XXX	2.0	XXX	4.0

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Outfall 001.

<i>Parameters</i>	<i>Mass (lbs)</i>			<i>Concentration (mg/l)</i>	
	<i>Monthly</i>	<i>Annual</i>	<i>Minimum</i>	<i>Monthly Average</i>	<i>Maximum</i>
Ammonia—N	Report	Report	XXX	Report	XXX
Kjeldahl—N	Report	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX
Total Nitrogen	Report	Report	XXX	Report	XXX
Total Phosphorus	Report	Report	XXX	Report	XXX
Net Total Nitrogen (Interim)	Report	Report	XXX	XXX	XXX
Net Total Nitrogen (Final)	Report	12,785	XXX	XXX	XXX
Net Total Phosphorus (Interim)	Report	Report	XXX	XXX	XXX
Net Total Phosphorus (Final)	Report	1,705	XXX	XXX	XXX

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Trading of Nutrients and Sediment Reduction Credits Policy and Guidelines (Document #392-0900-001, December 30, 2006). The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

PA0020214, Sewage, SIC Code 4952, **Mount Union Borough Municipal Authority**, 400 North Drake Street, Mount Union, PA 17066. Facility Name: Mt Union STP. This existing facility is located in Mount Union Borough, **Huntingdon County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Juniata River, is located in State Water Plan watershed 12-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.95 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Instant. Maximum</i>
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
CBOD ₅	198	317	XXX	25	40	50
BOD ₅		Wkly Avg				
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids	238	357	XXX	30	45	60
Fecal Coliform (CFU/100 ml)		Wkly Avg				
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	XXX
				Geo Mean		
Fecal Coliform (CFU/100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2000	XXX	XXX
				Geo Mean		

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Outfall 001.

<i>Parameters</i>	<i>Mass (lbs)</i>		<i>Minimum</i>	<i>Concentration (mg/l)</i>	
	<i>Monthly</i>	<i>Annual</i>		<i>Monthly Average</i>	<i>Maximum</i>
Ammonia—N	Report	Report	XXX	Report	XXX
Kjeldahl—N	Report	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX
Total Nitrogen	Report	Report	XXX	Report	XXX
Total Phosphorus	Report	Report	XXX	Report	XXX
Net Total Nitrogen (Interim)	Report	Report	XXX	XXX	XXX
Net Total Nitrogen (Final)	Report	17,351	XXX	XXX	XXX
Net Total Phosphorus (Interim)	Report	Report	XXX	XXX	XXX
Net Total Phosphorus (Final)	Report	2,314	XXX	XXX	XXX

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department’s Trading of Nutrients and Sediment Reduction Credits Policy and Guidelines (Document #392-0900-001, December 30, 2006). The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

PA0023183, Sewage, SIC Code 4952, **Mount Holly Springs Borough Authority**, 200 Harman Street, Mount Holly Springs, PA 17065-1339. Facility Name: Mt Holly Springs STP. This existing facility is located in Mount Holly Springs Borough, **Cumberland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Mountain Creek, is located in State Water Plan watershed 7-E and is classified for Trout Stocking, Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.60 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
CBOD ₅						
May 1 - Oct 31	138	208	XXX	20	30	40
Nov 1 - Apr 30	173	277	XXX	25	40	50
BOD ₅						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
		Daily Max				
Total Suspended Solids						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
		Daily Max				
Total Suspended Solids	208	311	XXX	30	45	60
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	XXX
				Geo Mean		
Fecal Coliform (CFU/100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	XXX
				Geo Mean		
Ammonia-Nitrogen						
May 1 - Oct 31	17	XXX	XXX	2.5	XXX	5.0
Ammonia-Nitrogen						
Nov 1 - Apr 30	52	XXX	XXX	7.5	XXX	15
Total Phosphorus	14	XXX	XXX	2.0	XXX	4.0

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Outfall 001.

<i>Parameters</i>	<i>Mass (lbs)</i>		<i>Concentration (mg/l)</i>		
	<i>Monthly</i>	<i>Annual</i>	<i>Minimum</i>	<i>Monthly Average</i>	<i>Maximum</i>
Ammonia—N	Report	Report		Report	
Kjeldahl—N	Report			Report	
Nitrate-Nitrite as N	Report			Report	
Total Nitrogen	Report	Report		Report	
Total Phosphorus	Report	Report		Report	
Net Total Nitrogen (Interim)	Report	Report			
Net Total Nitrogen (Final)	Report	10,959			
Net Total Phosphorus (Interim)	Report	Report			
Net Total Phosphorus (Final)	Report	1,461			

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Trading of Nutrients and Sediment Reduction Credits Policy and Guidelines (Document #392-0900-001, December 30, 2006). The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

* The compliance date for Net Total Nitrogen and Net Total Phosphorus will begin on October 1, 2012. Since these reporting requirements are annual loads, the reporting on compliance with the annual limitations will be required to be reported on the Supplemental DMR—Annual Nutrient Summary by November 28, 2013. This facility is required to monitor and report for Net Total Nitrogen and Net Total Phosphorus from the effective date of the permit until September 30, 2012.

** Total Annual Ammonia Load will be required to be reported on the Supplemental DMR—Annual Nutrient Summary by November 28, 2011.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

Northcentral Regional Office: Regional Water Management Program Manager, 208 W Third Street Suite 101, Williamsport, PA 17701-6448, Telephone: 570.327.3664.

PA0233927, SIC Code 4952, **Lewis Township Supervisors**, 1428 Rovendale Drive, Watsontown, PA 17777.

Facility Name: Lewis Township SFTF. This proposed facility will be located in Lewis Township, **Northumberland County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated sewage from a proposed small flow treatment facility which will serve 8 residences.

The receiving stream(s), Unnamed Tributary to Warrior Run, is located in State Water Plan watershed 10-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.002 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>		<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
BOD ₅	XXX	XXX	XXX	10	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10	XXX	20
Fecal Coliform (CFU/100 ml)	XXX	XXX	XXX	200	XXX	1,000
UV Dosage (mjoule/cm ²)	XXX	XXX	Report	XXX	XXX	XXX

In addition, the permit contains the following major special conditions:

1. SFTF Tank Cleaning
2. UV System Maintenance

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is in effect.

PA0114961, Sewage, SIC Code 4952, **Hughesville-Wolf Township Joint Municipal Authority**, 547 Woolen Mill Road, Hughesville, PA 17737-9091. Facility Name: Hughesville-Wolf Township Joint Municipal Authority Wastewater Treatment Plant. This existing facility is located in Wolf Township, **Lycoming County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Muncy Creek, is located in State Water Plan watershed 10-D and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.675 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine	XXX	XXX	XXX	0.5	XXX	1.6
CBOD ₅	140	225	XXX	25	40	50
Total Suspended Solids	165	250	XXX	30	45	60
Fecal Coliform (CFU/100 ml) May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Fecal Coliform (CFU/100 ml) Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
Ammonia-Nitrogen May 1 - Oct 31	50	70	XXX	9.0	13	18

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Outfall 001.

<i>Parameters</i>	<i>Mass (lbs)</i>		<i>Minimum</i>	<i>Concentration (mg/l)</i>	
	<i>Monthly</i>	<i>Annual</i>		<i>Monthly Average</i>	<i>Maximum</i>
Ammonia—N	Report	Report		Report	
Kjeldahl—N	Report			Report	
Nitrate-Nitrite as N	Report			Report	
Total Nitrogen	Report	Report		Report	
Total Phosphorus	Report	Report		Report	
Net Total Nitrogen (Interim)	Report	Report			
Net Total Nitrogen (Final)	Report	12,329			
Net Total Phosphorus (Interim)	Report	Report			
Net Total Phosphorus (Final)	Report	1,644			

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Trading of Nutrients and Sediment Reduction Credits Policy and Guidelines (Document #392-0900-001, December 30, 2006). The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

* The compliance date for Net Total Nitrogen and Net Total Phosphorus will begin on October 1, 2011. Since these reporting requirements are annual loads, the reporting on compliance with the annual limitations will be required to be reported on the Supplemental DMR—Annual Nutrient Summary by November 28, 2012. This facility is required to monitor and report for Net Total Nitrogen and Net Total Phosphorus from the effective date of the permit until September 30, 2011.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is not in effect.

Northwest Region: Oil and Gas Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

PA0102784, Industrial Waste. **Waste Treatment Corporation**, P. O. Box 1550, Warren, PA 16365.

This existing facility is located in the City of Warren, **Warren County**.

Description of Proposed Activity: permit renewal for an existing discharge of treated industrial waste.

The receiving water is the Allegheny River. The receiving stream is in State Water Plan 16-B and is classified for the following uses: warm water fishes, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001 are based on a maximum flow of 0.213 MGD.

Parameters	Loadings		Concentrations		
	Average Monthly (lb/day)	Maximum Daily (lb/day)	Average Monthly (mg/l)	Maximum Daily (mg/l)	Instantaneous Maximum (mg/l)
Flow (MGD)		0.213			
Oil and Grease			15		30
Total Suspended Solids			30		60
BOD ₅			53	163	163
Iron (total)			3	6	7.5
Manganese			2	4	5
Copper			0.757	0.865	1.893
Zinc			0.420	0.497	1.05
Acetone			7.97	30.2	30.2
Acetophenone			0.0562	0.114	0.141
2-Butanone			1.85	4.81	4.81
o-Cresol			0.561	1.92	1.92
p-Cresol			0.205	0.698	0.698
Phenol			1.08	3.65	3.65
Pyridine			0.182	0.37	0.455
2,4,6 -Trichlorophenol			0.106	0.155	0.265
Cadmium			0.049	0.098	0.123
Acrylamide			0.022	0.044	0.0055
Aluminum			4.0		8.0
TDS	176,508	315,624	XX	XX	
Acidity				Less than Alkalinity	
Alkalinity			XX	XX	
Barium			XX	XX	
Osmotic Pressure (mOs/Kg)			XX	XX	
Strontium			XX	XX	
Ammonia - N			XX	XX	
Silver			XX	XX	
Lead			XX	XX	
Benzene			XX	XX	
Selenium			XX	XX	
Sulfate			XX	XX	
Chloride			XX	XX	
Bromide			XX	XX	
Radium 226/228 (pCi/L)			XX	XX	
Gross Alpha (pCi/L)			XX	XX	
pH			Within limits of 6.0 to 9.0 standard units at all times.		

XX—Monitor and report on monthly DMRs.

The EPA Waiver is not in effect.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

PA0002666—Amendment No. 1, Industrial Waste. NAICS Code 324 & 325, **Sonneborn, Inc.**, 575 Corporate Drive, Suite 415, Mahwah, NJ 07430-2330. Facility Name: Sonneborn. This existing facility is located in Fairview Township, **Butler County**.

Description of Proposed Activity: Amendment of an NPDES Permit for an existing discharge of treated industrial waste, treated stormwater, and untreated stormwater from a producer of surface active agents. The Cadmium limit at Outfall 010 along with the TRE special condition is being removed. This is a major discharge.

The receiving water is South Branch Bear Creek. The receiving stream is in State Water Plan 17-C and is classified for the following uses: warm water fishes, aquatic life, water supply and recreation. This discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 003 based on a design flow of n/a MGD.

Parameter	Loadings		Concentrations		
	Average Monthly (lb/day)	Maximum Daily (lb/day)	Average Monthly (mg/l)	Maximum Daily (mg/l)	Instantaneous Maximum (mg/l)
Flow (MGD)	XX				
CBOD ₅			XX		
TSS			XX		
Oil and Grease			15		30
Iron, Total			XX		
Manganese			XX		

Parameter	Loadings		Concentrations		
	Average Monthly (lb/day)	Maximum Daily (lb/day)	Average Monthly (mg/l)	Maximum Daily (mg/l)	Instantaneous Maximum (mg/l)
Aluminum			XX		
pH			XX		

The proposed effluent limits for Outfall 007 based on a design flow of n/a MGD.

Parameter	Loadings		Concentrations		
	Average Monthly (lb/day)	Maximum Daily (lb/day)	Average Monthly (mg/l)	Maximum Daily (mg/l)	Instantaneous Maximum (mg/l)
Flow (MGD)	XX				
CBOD ₅			XX		
TSS			XX		
Oil and Grease			15		30
Iron, Total			XX		
Manganese			XX		
Aluminum			XX		
Barium			XX		
pH			XX		

The proposed effluent limits for Outfall 010 based on a design flow of 0.42 MGD. Interim Limits

Parameter	Loadings		Concentrations		
	Average Monthly (lb/day)	Maximum Daily (lb/day)	Average Monthly (mg/l)	Maximum Daily (mg/l)	Instantaneous Maximum (mg/l)
Flow (MGD)	XX	XX			
CBOD ₅ (05/01 - 10/31)	46	91	13	26	32
(11/01 - 04/30)	91	182	26	52	65
TSS	175	350	50	150	150
Ammonia Nitrogen (05/01 - 10/31)	4.6	9.1	1.3	2.6	3.25
(11/01 - 04/30)	13.7	27.3	3.9	7.8	9.75
Fecal Coliform (05/01 - 09/30)			200/100ml as a geometric mean		
(10/01 - 04/30)			2000/100ml as a geometric mean		
Dissolved Oxygen			Shall be greater than 5 mg/l at all times		
Oil and Grease	52	105	15	30	50
Aluminum	2.3	4.6	XX	XX	
Iron, Total	5.2	10.3	XX	XX	
Manganese	4.0	8.0	1.0	2.0	2.5
Barium	11.7	23.4	3.4	6.7	8.3
pH			Within limits of 6.0 to 9.0 standard units at all times		
Temperature			Average Daily		
January 1 - 31			58°F		
February 1 - 29			61°F		
March 1 - 31			69°F		
April 1 - 15			87°F		
April 16 - 30			110°F		
May 1 - 15			103°F		
May 16 - 31			110°F		
June 1 - 15			109°F		
June 16 - 30			103°F		
July 1 - 31			98°F		
August 1 - 31			95°F		
September 1 - 15			93°F		
September 16 - 30			87°F		
October 1 - 15			89°F		
October 16 - 31			79°F		
November 1 - 15			80°F		
November 16 - 30			71°F		
December 1 - 31			61°F		

The proposed effluent limits for Outfall 010 based on a design flow of 0.42 MGD. Final Limits

<i>Parameter</i>	<i>Loadings</i>		<i>Concentrations</i>		
	<i>Average Monthly (lb/day)</i>	<i>Maximum Daily (lb/day)</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow (MGD)	XX	XX			
CBOD ₅					
(05/01 - 10/31)	46	91	13	26	32
(11/01 - 04/30)	91	182	26	52	65
TSS	175	350	50	150	150
Ammonia Nitrogen					
(05/01 - 10/31)	4.6	9.1	1.3	2.6	3.25
(11/01 - 04/30)	13.7	27.3	3.9	7.8	9.75
Fecal Coliform					
(05/01 - 09/30)			200/100ml as a geometric mean		
(10/01 - 04/30)			2000/100ml as a geometric mean		
Dissolved Oxygen			Shall be greater than 5 mg/l at all times		
Oil and Grease	52	105	15	30	50
Aluminum	2.3	4.6	XX	XX	
Iron, Total	5.2	10.3	XX	XX	
Manganese	4.0	8.0	1.0	2.0	2.5
Barium	11.7	23.4	3.4	6.7	8.3
pH		Within limits of 6.0 to 9.0 standard units at all times			
Temperature			Average Daily		
January 1 - 31			56°F		
February 1 - 29			49°F		
March 1 - 31			66°F		
April 1 - 15			81°F		
April 16 - 30			110°F		
May 1 - 15			97°F		
May 16 - 31			110°F		
June 1 - 15			105°F		
June 16 - 30			100°F		
July 1 - 31			96°F		
August 1 - 31			93°F		
September 1 - 15			91°F		
September 16 - 30			85°F		
October 1 - 15			87°F		
October 16 - 31			77°F		
November 1 - 15			76°F		
November 16 - 30			68°F		
December 1 - 31			59°F		

The proposed effluent limits for Outfall 021 based on a design flow of n/a MGD.

<i>Parameter</i>	<i>Loadings</i>		<i>Concentrations</i>		
	<i>Average Monthly (lb/day)</i>	<i>Maximum Daily (lb/day)</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow (MGD)	XX				
CBOD ₅			XX		
TSS			XX		
Oil and Grease			15		30
Iron, Total			XX		
Manganese			XX		
Aluminum			XX		
pH			XX		

The proposed effluent limits for Outfall 022 based on a design flow of n/a MGD.

<i>Parameter</i>	<i>Loadings</i>		<i>Concentrations</i>		
	<i>Average Monthly (lb/day)</i>	<i>Maximum Daily (lb/day)</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow (MGD)	XX				
CBOD ₅			XX		
TSS			XX		
Oil and Grease			15		30
Iron, Total			XX		
Manganese			XX		
Aluminum			XX		
pH			XX		

The proposed effluent limits for Outfall 023 based on a design flow of n/a MGD.

Parameter	Loadings		Concentrations		
	Average Monthly (lb/day)	Maximum Daily (lb/day)	Average Monthly (mg/l)	Maximum Daily (mg/l)	Instantaneous Maximum (mg/l)
Flow (MGD)	XX				
CBOD ₅			XX		
TSS			XX		
Oil and Grease			15		30
Iron, Total			XX		
Manganese			XX		
Aluminum			XX		
pH			XX		

The proposed effluent limits for Outfall 024 based on a design flow of n/a MGD.

Parameter	Loadings		Concentrations		
	Average Monthly (lb/day)	Maximum Daily (lb/day)	Average Monthly (mg/l)	Maximum Daily (mg/l)	Instantaneous Maximum (mg/l)
Flow (MGD)	XX				
CBOD ₅			XX		
TSS			XX		
Oil and Grease			XX		
Iron, Total			XX		
Manganese			XX		
Aluminum			XX		
pH			XX		

The proposed effluent limits for Outfall 025 based on a design flow of n/a MGD.

Parameter	Loadings		Concentrations		
	Average Monthly (lb/day)	Maximum Daily (lb/day)	Average Monthly (mg/l)	Maximum Daily (mg/l)	Instantaneous Maximum (mg/l)
Flow (MGD)	XX				
CBOD ₅			XX		
TSS			XX		
Oil and Grease			XX		
Iron, Total			XX		
Manganese			XX		
Aluminum			XX		
pH			XX		

XX—Monitor and report.

In addition, the permit contains the following major special conditions:

- Stormwater Sampling Requirements
- Chemical Additives
- Schedule of Compliance for Temperature

III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790

WQM Permit No. 5810401, Sewerage, **Montrose Municipal Authority**, PO Box 306, Montrose, PA 18801

This proposed facility is located in Bridgewater Twp., **Susquehanna County**, PA.

Description of Proposed Action/Activity: This project involves upgrades to the Montrose Municipal Authority's sewage treatment plant in order to comply with Total Nitrogen and Total Phosphorus limits as required by the Chesapeake Bay Tributary Strategy. The project includes modifications to the existing head works, replacing the existing rotating biological contactors with a vertical loop reactor process, sludge processing improvements and installation of an ultraviolet disinfection system.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701

WQM Permit No. 4908403, Sewerage [SIC 4952], **Lewis Township Supervisors**, 1428 Rovendale Drive, Watsonstown, PA 17777.

This proposed facility will be located in Lewis Township, **Northumberland County**.

Description of Proposed Action/Activity: The application proposes a small flow treatment facility to serve 8 residences and replace failed on-lot systems.

WQM Permit No. 1407202-A1, Industrial Waste [SIC 4952], **Madisonburg Waterworks**, 260 Madisonburg Pike, Madisonburg, PA 16852.

This proposed facility is located in Miles Township, **Centre County**.

Description of Proposed Action/Activity: The client wishes to amend their current WQM permit to approve the use of an existing infiltration basin to dispose of maintenance wash and chemical clean-in-place industrial wastewaters.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

WQM Permit No. 3303401, Sewerage, Amendment No. 1, **McCalmont Township**, P. O. Box 255, 127 Firehouse Lane, Anita, PA 15711

This existing facility is located in McCalmont Township, **Jefferson County**.

Description of Proposed Action/Activity: The proposed modifications to the existing treatment facility includes piping modifications to the aeration tanks and final clarifiers, replacement of the return activated sludge pumps, installation of a chemical feed system, installation of covers for the clarifiers to prevent freezing, installation of a sump pump in the ultraviolet disinfection/post aeration tank to allow cleaning for the tank, installation of additional outside lighting for safety and security, and the addition of refrigerated composite samplers for NPDES compliance sampling.

WQM Permit No. 4303416, Sewerage, Amendment No. 2, **Hermitage Municipal Authority**, 800 North Hermitage Road, Hermitage, PA 16148

This existing facility is located in City of Hermitage, **Mercer County**.

Description of proposed Action/Activity: Amendment permit application provides for the installation of a bio-gas electrical generator which will utilize the bio-gas from the anaerobic digestion system to produce electricity, the installation of an emergency generator, the elimination of the food waste shredder to replace it with a bottle/container processing unit and modifying the sludge staging pavilion, the change in the effluent flow metering system and a decrease in the maximum flow rate for the SBR system to the UV disinfection system.

WQM Permit No. 2009404, Sewerage, Amendment No. 1, **Meadville Area Sewer Authority**, 1320 Park Avenue, Meadville, PA 16335

This existing facility is located in City of Meadville, **Crawford County**.

Description of Proposed Action/Activity: Due to the relative age of the force main and its maintenance record, the Authority proposes to effectively replace the existing 10-inch force main by installing a new 14-inch C-905 PVC force main rated for 150 psi working pressure.

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

WQM Permit No. 0911401, Sewerage, **Pennsylvania Historical and Museum Commission**, Commonwealth Keystone Building, 400 North Street, Room N118, Harrisburg, PA 17120-0093.

This proposed facility is located in Solebury Township, **Bucks County**.

Description of Action/Activity: Replacement of five pump stations located throughout site and modifications to sewer treatment plant to allow adequate for flows of 8,200 gpd vs 25,000 gpd.

IV. NPDES Applications for Stormwater Discharges from MS4

V. Applications for NPDES Waiver Stormwater Discharges from MS4

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401

NPDES Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAI01 091009	Air Products and Chemical, Inc. 7201 Hamilton Boulevard Allentown, PA 18195-1501	Bucks	Falls Township	Delaware River South (MF-WWF)
PAI01 511007	New Courtland Elder Services 6970 Germantown Avenue Philadelphia, PA 19119	Philadelphia	City of Philadelphia	Delaware River (WWF-MF)

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790

Wayne Conservation District: 648 Park St., Honesdale, PA 18431

NPDES Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAI024010004(3)	PPL Electric Utilities Corp. Two North Ninth Street Allentown, PA 18101	Wayne	South Canaan Twp. Lake Twp. Paupack Twp. Palmyra Twp.	Lackawaxen River (HQ-CWF, MF) Middle Creek (HQ-CWF, MF) Wallenpaupack Creek (HQ-WWF, MF)

Lehigh Conservation District: 4184 Dorney Park Rd., Allentown, PA 18104

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI023911001	Anthony & Matthew Sorrentino, Castle Holdings Inc 6616 B Rupperville Rd. Allentown, PA 18106	Lehigh	Upper Macungie Twp.	Breinig Run (HQ-CWF, MF)

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI035010003	Roger A. & Susan T. Smith 6525 Creek Road Newport, PA 17074	Perry	Juniata Township	UNT to Buffalo Creek/ HQ-CWF
PAI030610011	Michael Keiser Pennsylvania Department of Transportation Engineering District 5-0 1002 Hamilton Street Allentown, PA 18101	Berks	Hereford Township	Perkiomen Creek/ CWF
PAI033810001	Nevin Zimmerman LND Associates 119 Mountain Trail Road Newmanstown, PA 17073	Lebanon	Heidelberg Township	Furnace Run/ HQ-CWF
PAI032805006R	Richard D. Leatham S & A Custom Built Homes, Inc. 2011 West Trindle Road, Carlisle, PA 17013	Franklin	Guilford Township	Falling Spring Branch/ HQ-CWF

Northcentral Region: Watershed Management Program Manager, 208 West Third Street, Williamsport, PA 17701

Centre County Conservation District: 414 Holmes Avenue, Suite 4, Bellefonte, PA 16823, (814) 355-6817

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI041411001	Halfmoon Land Co., LLC 1210 N. Atherton St., Ste 207 State College, PA 16803	Centre	Halfmoon Township	Halfmoon Creek HQ-CWF
PAI041411002	Halfmoon Land Co., LLC 1210 N. Atherton St., Ste 207 State College, PA 16803	Centre	Patton Township	Buffalo Run HQ-CWF Spring Creek HQ-CWF

VII. List of NOIs for NPDES and/or Other General Permit Types

PAG-12	CAFOs
PAG-13	Stormwater Discharges from MS4

STATE CONSERVATION COMMISSION NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law) to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

NUTRIENT MANAGEMENT PLAN—PUBLIC NOTICE SPREADSHEET

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal/ New</i>
Greenfield Farms 6420 Route 35 East Waterford, PA 17021	Juniata	1339.2	468.33	Poultry	Woodward Run, HQ-CWF / Dougherty Run, HQ-CWF	Renewal
Mason Dixon Farms 1800 Mason Dixon Road Gettysburg, PA 17325-7127	Adams	459.7	4524.4	dairy	n/a	Renewal
Star Rock Services Inc Abe Barley 175 Chestnut Grove Rd Conestoga, PA 17516	Lancaster	1200	2208.88	Dairy	NA	Renewal
Paul Dotterer & Sons Inc 6795 Nittany Valley Dr Mill Hall, PA 17751	Clinton	3101	2155	Dairy	Fishing Creek - HQ	Renewal
Justa Mere Farm 3746 Manantongo Creek Road Dalmatia, PA 17017-7235	Northumberland	413.21	132.89	Ducks	None	Renewal

PUBLIC WATER SUPPLY (PWS) PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17), the following parties have applied for PWS permits to construct or substantially modify public water systems.

Persons wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office

listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received Under the Pennsylvania Safe Drinking Water Act

Southcentral Region: Water Supply Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110

Permit No. 0610509, Public Water Supply.

Applicant	Cornell Companies dba Abraxas Academy
Municipality	New Morgan Borough
County	Berks
Responsible Official	Michael D. Sweeney, Business Manager 1000 Academy Drive PO Box 645 Morgantown, PA 19543-0645
Type of Facility	Public Water Supply
Consulting Engineer	Charles A Kehew II, P.E. James R. Holley & Assoc., Inc. 18 South George St. York, PA 17401
Application Received:	6/14/2010

Description of Action Project consist of addition of an blended orthopolyphosphate for general corrosion control. Also included are improvements to insure the system provides 4-log treatment of viruses.

Northcentral Region: Water Supply Management Program Manager, 208 West Third Street, Williamsport, PA 17701

Application No. 1411501—Construction Public Water Supply.

Applicant **Penn’s Cave, Inc.**
 [Township or Borough] Gregg Township

County **Centre**

Responsible Official Penn’s Cave, Inc.
 Russell Schleiden,
 Owner/Manager
 222 Penns Cave Inc
 Centre Hall, PA 16828

Type of Facility Public Water Supply—Construction

Consulting Engineer David M. Cunningham, P.E.
 Keller Engineers, Inc.
 420 Allegheny Street
 P. O. Box 61
 Hollidaysburg, PA 16648

Application Received January 19, 2011

Description of Action Installation of new water filtration units.

Northwest Region: Water Supply Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Application No. 4211501, Public Water Supply

Applicant **PA American Water Company Kane**

Township or Borough Wetmore Township, **McKean County**

Responsible Official William H. Lage

Consulting Engineer Karl J. Shellenberger
 Buchart Horn, Inc.
 1975 Waddle Road
 State College, PA 16803

Application Received Date 01/14/2011

Description of Action Construction to replace existing High Service Pumps, and new pump building to house those pumps.

Application No. 2511501, Public Water Supply

Applicant **Summit Township Water Authority**

Township or Borough Summit Township, **Erie County**

Responsible Official John A. Troutman

Consulting Engineer August E. Maas, PE
 Hill Engineering, Inc.
 8 Gibson Street
 North East, PA 16428

Application Received Date 01/14/2011

Description of Action Construction of 12-inch Transmission Main along Old Perry Highway & Route 97 Pump Station.

Application No. 2511502, Public Water Supply

Applicant **Waterford Borough Municipal Authority**

Township or Borough Waterford Borough, **Erie County**

Responsible Official Bruce Coffin

Consulting Engineer August E. Maas, PE
 Hill Engineering, Inc.
 8 Gibson Street
 North East, PA 16428

Application Received Date 01/18/2011

Description of Action Construction of West 2nd Street Well & Hazel Street Well Chlorine Contact Pipelines for 4-Log inactivation.

MINOR AMENDMENT

Applications Received Under the Pennsylvania Safe Drinking Water Act

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, Pa 15222-4745

Application No. 5611501GWR, Minor Amendment.

Applicant **UMH PA II, LLC,**
 3499 Route 9 North,
 Suite 3C,
 Freehold, NJ 07728

[Township or Borough] Somerset Township

Responsible Official UMH PA II, LLC,
 3499 Route 9 North,
 Suite 3C,
 Freehold, NJ 07728

Type of Facility Water system

Consulting Engineer The EADS Group, Inc.
 450 Aberdeen Drive
 Somerset, PA 15501

Application Received Date January 5, 2011

Description of Action Demonstration of 4-log treatment for groundwater sources

Application No. 0311501MA, Minor Amendment.

Applicant **Brady’s Bend Township Water and Sewer Authority,**
 697 State Route 68,
 East Brady, PA 16028

[Township or Borough] Brady’s Bend Township

Responsible Official Wade Ion, Chairman
 Brady’s Bend Township Water and Sewer Authority,
 697 State Route 68,
 East Brady, PA 16028

Type of Facility Water system

Consulting Engineer	Gibson-Thomas Engineering Co., Inc. 1004 Ligonier Street PO Box 853 Latrobe, PA 15650
Application Received Date	January 18, 2011
Description of Action	Interconnection with the Petroleum Valley Regional Water Authority and the installation of approximately 22,000 feet of waterline to serve the Seybertown Road area.

WATER ALLOCATIONS

Applications received under the Act of June 24, 1939 (P. L. 842, No. 365) (35 P. S. § 631—641) relating to the Acquisition of Rights to Divert Waters of the Commonwealth

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, Pa 15222-4745

WA56-1006, Water Allocations. **The Municipal Authority of the Borough of Boswell**, 300 Stonycreek Street, Boswell, PA 15531, **Somerset County**. The applicant is requesting the right to purchase 10,000 gallons of water per day from the Somerset County General Authority.

Biosolids Individual Permits (PABIG and PABIS)

The following parties have applied for either an Individual Site Permit (PABIS) or an Individual Generator Permit (PABIG) for beneficial use of sewage sludge (biosolids) by land application. Unless otherwise indicated, on the basis of preliminary review and application of lawful standards and regulations, the Department proposes to issue a permit to land apply biosolids subject to certain requirements in the permit.

Persons wishing to comment on a proposed permit are invited to submit statements to the responsible Department regional office noted before the application within 30 days from the date of this public notice. Comments received within this 30-day period will be considered in the formulation of the final determination regarding an application. A response should include the name, address and telephone number of the writer and a concise statement of a comment and the relevant facts upon which it is based. A public hearing may be held if the regional office considers the public response significant.

Following the 30-day comment period, the water management regional manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board (Board).

The application and related documents, comments received and other information on file and may be inspected and arrangements made for copying at the responsible Department regional office indicated before the application.

Persons with a disability who require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the Secretary to the Board at (717) 787-3483. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701

PABIS 4821. Leslie's Septic Service, Pike Township, Potter County. Leslie's Septic Service, 491 Yahn Road Galeton, PA 16922 has submitted an individual site renewal application to beneficially use their biosolids on the Circle H farm in Pike Township, **Potter County**.

An individual site permit is necessitated by virtue of the facility being located within the confines of an exceptional value watershed. This action is a renewal of a currently permitted facility.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907)

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P. S. §§ 6026.302—6026.305) require the Department to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. A person intending to use the background standard, Statewide health standard, the site-specific standard or intend to remediate a site as a special industrial area shall file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of cleanup standards or receives approval of a special industrial area remediation identified under the act will be relieved of further liability for the remediation of the site for contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the following site, proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified as follows. During this comment period, the municipality may request that the person identified as the remediator of the site develop and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental

cleanup program manager in the Department regional office listed before the notice. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401

Ochal Residence, Warrington Township, **Bucks County**. Richard D. Trimpi, Trimpi Associates, Inc. 1635 Old Plains Road, Pennsburg, PA 18073, John Patcella, Allstate Insurance, 309 Lakeside Drive, Suite 100, Horsham, PA 19044 on behalf of Kathy Ochal, 2329 Jericho Drive, Jamison, PA 18929 has submitted a Notice of Intent to Remediate. Soil at the site has been impacted with the release of no. 2 fuel oil. The future use of the site will remain the same. A summary of the Notice of Intent to Remediate was reported to have been published in *The Intelligence* on December 10, 2010.

Great Valley Shopping Center, East Whiteland Township, **Chester County**. Chris T. Kotch, Barry Isett & Associates, Inc, P. O. Box 147, Trexlertown, PA 18087, on behalf of Thomas Morelli, Morelli Rental Corporation, 81 Lancaster Avenue, Suite 209, Malvern, PA 19355 has submitted a Notice of Intent to Remediate. Soil at the site has been impacted with the release of chlorinated solvents. The future use of the site will remain the same. A summary of the Notice of Intent to Remediate was reported to have been published in *The Daily Local News* on November 4, 2010.

Franks Tire Center, Douglass Township, **Montgomery County**. Andre R. Fetterman, Synergy Environmental, Inc. 155 Railroad Plaza, 1st Floor, Royersford, PA 19468 on behalf of James Brunner, Frank's Tire Center, 1493 East Philadelphia Avenue, Gilbertsville, PA 19525 has submitted a Notice of Intent to Remediate. Groundwater and soil at the site has been impacted with the release of unleaded gasoline. The future use of the site includes an auto body repair facility.

Riverside Construction Material Inc., Bristol Township, **Bucks County**. Rob Walsh, RJ Walsh & Associates, PO Box 119, Allentown, NJ 08501, Uday Patanker, Riverside Construction Materials, Inc, 7900 N. Radcliffe on behalf of W. Timothy Kurz, Riverside Construction Material Inc, 7900 North Radcliffe Street, Bristol, PA 19007 has submitted a Notice of Intent to Remediate. Soil and groundwater at the site has been impacted with the release of chlorinated solvents. The site is currently used to offload and store Portland cement, gypsum and road salt, utilizing a deep-water port located within the facility on the Delaware River.

Moving Target, Borough of Perkasio, **Bucks County**. Michael Christie, Penn Environmental & Remediation, 2755 Bergey Road, Hatfield, PA 19440, Thomas S. Jones, Penn Environmental & Remediation, 2755 Bergey Road, Hatfield, PA 19440 on behalf of Stu Duckman, Target Partners, LLC, 812 Chestnut Street, Perkasio, PA 18944 has submitted a Notice of Intent to Remediate. Soil at the site has been impacted with the release of chlorinated solvents. The future use of the property will be non-residential for commercial/light purpose. A summary of the Notice of Intent to Remediate was reported to have been published in *The Intelligencer* on November 24, 2010.

Starlink Logistics Inc. Lower Gwynedd Township, **Montgomery County**. David Kistner, URS Corporation, 335 Commerce Drive, Suite 300, Fort Washington, PA 19034 on behalf of Stuart Dearden, Starlink Logistics Inc, 1041 Route 202-206, Mail Code J103F, PO Box 6800, Bridgewater, NJ 08807-0800 has submitted a Notice of Intent to Remediate. Soil at site has been impacted with the release of chlorinated solvents. The intended future use of sites A, B, C is non-residential. A summary of the Notice of Intent to Remediate was reported to have been published in the *Ambler Gazette* on December 15, 2010.

BPG Ellis Preserve, Newtown Township, **Delaware County**. Bella Bakrania, IES Engineers, 1720 Walton Road, Blue Bell, PA 19422 on behalf of Linda Rothenberger, BPG Management Company, LP, Betsy Ross Cottage, 3815 West Chester Pike, Newtown Square, PA 19073 has submitted a Notice of Intent to Remediate. Groundwater at the site has been impacted with the release of inorganics. The subject property is a planned community under the Uniform Planned Community Act, all units and other portions of which are owned by entities affiliated with BPG Management Company, LP. Portions of the site are currently used for mixed commercial and industrial uses. Future anticipate uses of portions of the property include continuation of the current mixed commercial and industrial uses, as well as developed of commercial, retail residential.

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Former Kemp Foods Facility, City of Lancaster, **Lancaster County**. B & B Diversified Enterprises, Inc., PO Box 16, Barto, PA 19504, on behalf of HP Hood LLC, 6 Kimball Lane, Lynnfield, MA 01940, submitted a Notice of Intent to Remediate site groundwater contaminated with PCBs, PAHs, VOCs and SVOCs. Future use of the site, which will be remediated to the Site-Specific standard, will be commercial.

Cloister Heights, Ephrata Borough, **Lancaster County**. GCI Environmental Services, 1250 East King Street, Lancaster, PA 17602, on behalf of Community Basics, 941 Wheatland Avenue, Suite 204, Lancaster, PA 17603, submitted a Notice of Intent to Remediate site soils and groundwater contaminated with No. 2 fuel oil released from two underground storage tanks. The site, which will be remediated to a combination of residential Statewide Health and Site-Specific standards, will remain residential.

Former IAC Carlisle Manufacturing Plant, Carlisle Borough, **Cumberland County**. AMEC Earth & Environment, 502 West Germantown Pike, Suite 850, Plymouth Meeting, PA 19462, on behalf of International Automotive Components North, 5300 Auto Club Drive, Plymouth, MI 48170 and Carlisle Auto Industries, Inc., 1000 Bryn Mawr Road, Carlisle, PA 17013, submitted a Notice of Intent to Remediate site soils and groundwater contaminated with VOCs, SVOCs, and metals. The site will be remediated to a combination of Statewide Health (residential and non-residential) and Site-Specific standards.

Ben Kelly Property, Lower Paxton Township, **Dauphin County**. Pennsylvania Tectonics, 826 Main Street, Peckville, PA 18452, on behalf of Ben and Nicole Kelly, 6125 Bluegrass Avenue, Harrisburg, PA 17112-2328, submitted a Notice of Intent to Remediate site soils contaminated with No. 2 fuel oil released from an aboveground storage tank. The site will be remediated to the residential Statewide Health standard and will remain residential.

RENEWAL APPLICATION FOR RESIDUAL WASTE GENERAL PERMITS

Renewal Application for General Permit Received Under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other Than Coal Ash.

Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17105-8472.

General Permit Application Number WMGR068. Northampton Generating Co., 1 Horwith Dr., Northampton, PA 18067-9728. General Permit Number WMGR068 authorizes beneficial use of (i) carbonaceous wastes: petroleum coke, uncontaminated, untreated wood chips and other paper and wood industry wastes comprised primarily of wood fibers, and tire-derived fuel (TDF), and (ii) the ash generated from the burning of that waste as (a) an alternative fuel to combine with waste coal/coal to produce specification fuel for circulating fluidized bed boilers and (b) Ash - a soil additive to promote revegetation on mine sites; and (c) as prescribed in 25 Pa. Code §§ 287.661—287.666. The application for renewal was received by Central Office on November 15, 2010.

Persons interested in reviewing the general permit renewal application and/or providing comments are directed to Scott E. Walters, Chief, General Permits/Beneficial Use Section, Division of Municipal and Residual Waste, Bureau of Waste Management, P. O. Box 8472, Harrisburg, PA 17105-8472, 717-787-7381. TDD users may contact the Department through the Pennsylvania Relay service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS NEW SOURCES AND MODIFICATIONS

The Department has developed an "integrated" plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit permitting documents relevant to its application one time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities.

Copies of these applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the regional office listed before the applications. Persons interested in reviewing the application files should contact the appropriate regional office to schedule appointments.

Persons wishing to receive a copy of a proposed Plan Approval or Operating Permit shall indicate interests to the Department regional office within 30 days of the date of this notice and shall file protests or comments on a

proposed Plan Approval or Operating Permit within 30 days of the Department providing a copy of the proposed documents to persons or within 30 days of its publication in the *Pennsylvania Bulletin*, whichever comes first. Interested persons may also request that hearings be held concerning a proposed Plan Approval or Operating Permit. A comment or protest filed with the Department regional office shall include a concise statement of the objections to the issuance of the Plan Approval or Operating Permit and relevant facts which serve as the basis for the objections. If the Department schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* at least 30 days prior the date of the hearing.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121—143, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas J. Hanlon, Chief, East Permitting Section—Telephone: 717-705-4862 or Daniel Husted, Chief, West Permitting Section—Telephone: 717-949-7935

01-05017F: World Color Printing (100 N. Main Street, Fairfield, PA 17320) for installation of two (2) printing presses at their printing plant in Fairfield Borough, **Adams County**.

In accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a), the Department of Environmental Protection (DEP) has received an application and intends to issue a Plan Approval to the abovementioned company for the abovementioned project. This plan approval may be incorporated into the company's facility-wide permit via an administrative amendment at a later date.

Plan Approval 01-05017F authorizes the installation of a heatset web offset printing press and a digital printing press at the existing facility. These installations will increase the plant's VOC emissions potential by less than 7.0 tons per year. The Plan Approval and Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

A person may oppose the proposed plan approval, or may provide the Department with additional information to consider in its review, by filing a written protest with

the Department at the address listed above. Each written comment must contain the following:

- Name, address and telephone number of the person submitting the comments.
- Identification of the proposed permit by the permit number listed above.
- A concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A 30-day comment period, from the date of publication of this notice in the *Pennsylvania Bulletin*, will exist for the submission of comments or protests.

Daniel C. Husted, Chief, West Permitting Section may be contacted at 717-705-4863, or at PA DEP Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, for additional information or for the submission of comments or protests.

Plan approvals issues to sources identified in 25 Pa. Code Section 127.44(b)(1)–(4) or plan approvals issued to sources with limitations on the potential to emit may become part of the SIP, and will be submitted to EPA for review and approval.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: B. Hatch, Environmental Engineer Managers—Telephone: 412-442-4163/5226

63-00936D: MarkWest Liberty Midstream and Resources, LLC (1515 Arapahoe Street Tower 2, Suite 700, Denver, CO 80202-2126) to allow the installation and initial temporary operation of a fractionator tower rated for 355 MMscf/day of natural gas and a hot oil heater rated at 148 MMBtu/hr at their Houston Gas Plant in Chartiers Township, **Washington County**

In accordance with 25 Pa. Code §§ 127.44–127.46 that the Department of Environmental Protection (DEP) intends to issue Air Quality Plan Approval: PA-63-00936D to allow the installation and initial temporary operation of a fractionator tower rated for 355 MMscf/day of natural gas and a hot oil heater rated at 148 MMBtu/hr at the Houston Gas Plant located in Chartiers Township, Washington County.

Potential emissions from the facility are estimated to be 58.35 tons of nitrogen oxides (NO_x), 68.63 tons of carbon monoxide (CO), 8.03 tons of particulate matter and particulate matter less than 10 microns in diameter (PM/PM₁₀), 25.65 tons of volatile organic compounds (VOC), and 0.44 tons of hazardous air pollutants (HAP) per year. Best available technology (BAT) for the proposed sources is implementation of a leak detection and recognition (LDAR) program, use of ultra-low NO_x burners including flue gas recirculation (FGR) and staged fuel combustion, good combustion practices, and proper operation and maintenance. The authorization is subject to State regulations and Federal New Source Performance Standards (NSPS) including 40 CFR Part 60 Subpart KKK. Federal requirements for Mandatory Greenhouse Gas Reporting from 40 CFR Part 98 have also been included in this Plan Approval. Plan Approval has been conditioned to ensure compliance with all applicable rules. This includes work practice, monitoring, recordkeeping, and reporting conditions. Once compliance with the Plan Approval is demonstrated, the applicant will subsequently apply for a State Only Operating Permit in accordance with Pa. Code Title 25 Subchapter F.

Those who wish to provide the Department with additional written information that they believe should be considered prior to the issuance of the Plan Approval may submit the information to Alan Binder, Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA, 15222. Each written comment must contain the following:

Name, address and telephone number of the person submitting the comments.

Identification of the proposed Plan Approval (PA-63-00936D).

Concise statements regarding the relevancy of the information or objections to issuance of the Plan Approval.

All comments must be received prior to the close of business 30 days after the date of this publication.

For additional information you may contact Alan Binder at 412-442-4168.

30-00194: EQT Gathering, LLC (625 Liberty Avenue, Pittsburgh, PA 15222) to allow installation and temporary operation of the following sources at their Callisto Compressor Station in Morris Township, **Greene County**: three (3) new natural gas-fired spark-ignition compressor engines rated at 4,735-bhp, each; two (2) dehydrators (including reboiler) rated at 120 MMscfd of natural gas; one (1) natural gas-fired spark-ignition generator engine rated at 566 bhp for primary power production; one (1) natural gas-fired spark-ignition generator engine rated at 690 bhp for stand-by power production; two (2) 8,820-gallon produced fluids storage tanks.

In accordance with 25 Pa. Code §§ 127.44–127.46 the Department of Environmental Protection (DEP) intends to issue Air Quality Plan Approval PA-30-00194 to allow the installation and temporary operation of the following sources at the Callisto Compressor Station located in Morris Township, Greene County: three (3) new natural gas-fired spark-ignition compressor engines rated at 4,735-bhp, each; two (2) dehydrators (including reboiler) rated at 120 MMscfd of natural gas; one (1) natural gas-fired spark-ignition generator engine rated at 566 bhp for primary power production; one (1) natural gas-fired spark-ignition generator engine rated at 690 bhp for stand-by power production; two (2) 8,820-gallon produced fluids storage tanks.

The potential to emit for the facility was estimated at 78 tons of nitrogen oxides (NO_x), 29 tons of carbon monoxide (CO), 33 tons of volatile organic compounds (VOCs), 6 tons of formaldehyde, and 16 tons of total combined hazardous air pollutants (HAPs) per year. The plan approval will include federally enforceable limits for emissions of NO_x, CO, and VOC from the engines. Best available technology (BAT) for each proposed compressor engine is lean-burn natural gas combustion, installation of oxidation catalysts with air to fuel ratio controllers, good combustion practices, and proper maintenance and operation. BAT for each proposed generator engine is rich-burn natural gas combustion, installation of three-way catalysts with air to fuel ratio controllers, good combustion practices, and proper maintenance and operation. BAT for each proposed dehydrator/reboiler unit is the use of an enclosed ground flare for VOC, HAP, and malodor control. This authorization is subject to applicable sections of Title 25 of the Pennsylvania Code; Federal New Source Performance Standards (NSPS) including 40 CFR Part 60 Subpart JJJJ for spark ignition internal combustion engines; and Federal National Emission Standards for Hazardous Air Pollutants (NESHAPS)

including 40 CFR Part 63 Subpart HHH for Hazardous Air Pollutants From Natural Gas Transmission and Storage Facilities, and 40 CFR Part 63 Subpart ZZZZ for Hazardous Air Pollutants From stationary reciprocating internal combustion engines. Federal requirements for Mandatory Greenhouse Gas Reporting from 40 CFR Part 98 has also been included in this Plan Approval. Compliance with emission limitations will be demonstrated through stack testing. The Plan Approval has been conditioned to ensure compliance with all applicable rules and regulations. Once compliance with the Plan Approval is demonstrated, the applicant will subsequently apply for a State Only Operating Permit in accordance with Title 25 of the Pennsylvania Code, Subchapter F.

Those who wish to provide the Department with additional written information that they believe should be considered prior to the issuance of the Plan Approval may submit the information to Devin P. Tomko, Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA, 15222. Each written comment must contain the following:

Name, address and telephone number of the person submitting the comments.

Identification of the proposed Plan Approval (PA-30-00194).

Concise statements regarding the relevancy of the information or objections to issuance of the Plan Approval.

All comments must be received prior to the close of business 30 days after the date of this publication.

For additional information you may contact Devin P. Tomko at 412-442-5231

Intent to Issue Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19428

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920

46-00273: Titanium Finishing Co. (248 Main Street, East Greenville, PA 18041) for operation of an electroless plating and anodizing facility in East Greenville Borough, **Montgomery County**. The major sources of air emissions from this facility are one trichloroethylene (TCE) vapor degreaser, one electroless nickel plating process and one electroless chromium plating process. The proposed operating permit is for a non-Title V (State Only), Natural Minor facility. It contains monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes Barre, PA 18711-0790

Contact: Ray Kempa, New Source Review Chief—Telephone: 570-826-2507

64-00010: John Sexton Sand & Gravel Corp.—Rosencranse Landfill (2801 Lakeside Drive, Suite No. 100, Bannockburn, IL 60015) for operation of a landfill gas flare in Berlin Township, **Wayne County**. This is a renewal of a State-Only Operating Permit.

45-00007: National Electrical Carbon Products (100 Stokes Avenue, East Stroudsburg, PA 18301) for manufacture of carbon and graphite products facility in East Stroudsburg Borough, **Monroe County**. This is a renewal of a State-Only Natural Minor operating permit for this facility. The State-Only operating permit includes emissions, work practice standards and testing, monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas J. Hanlon, Chief, East Permitting Section—Telephone: 717-705-4862 or Daniel Husted, Chief, West Permitting Section—Telephone: 717-949-7935

28-05034: Grove Worldwide, LLC (1565 Buchanan Trail East, Shady Grove, PA 17256) for operation of a chrome plating facility in Quincy Township, **Franklin County**. This action is a renewal of the state-only operating permit issued in 2006. The permit renewal will contain all of the emission limits and work practice standards along with all monitoring, recordkeeping and reporting requirements from the previous permit to ensure the facility complies with the applicable air quality regulations.

67-05079: York Building Products Co., Inc. (1020 North Hartley Street, York, PA 17404-2831) for operation of the Thomasville Blacktop Plant in Jackson Township, **York County**. This is a renewal of the facility's state only operating permit issued in 2006.

44-05013: Eastern Industries, Inc.—Naginey Quarry (220 Park Rd. Winfield, PA 17889) for operation of limestone crushing and asphalt production plants in Armaugh Township, **Mifflin County**. This is a renewal of the facility's state only operating permit issued in 2005.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: Barbara Hatch, Facilities Permitting Chief—Telephone: 412-442-4174

04-00679: Tri-State River Products, Inc. (PO Box 218, Beaver, PA 15009) on January 14, 2011, for renewal of their State Only Operating Permit for an aggregate production facility know as the William L. Price No. 16 Dredge, on the Ohio River in the Municipality of Beaver, **Beaver County**.

11-00285: HRI, Inc. (1750 State College Avenue, Suite No. 1, State College, PA 16801) on January 18, 2011, for renewal of their State Only Operating Permit for an existing hot mix asphalt batch plant, in Richland Township, **Cambria County**.

30-00106: Equitrans, LP (625 Liberty Avenue, Suite 1700, Pittsburgh, PA 15222) on January 18, 2011, for renewal of their State Only Operating Permit for Waynesburg Compressor Station, in Franklin Township, **Greene County**.

04-00701: Lindy Paving Company, Inc. (586 Northgate Circle, New Castle, PA 16105) on January 19, 2011, for renewal of their State Only Operating Permit for their asphalt paving mixture and block manufacturing facility in Monaca Borough, **Beaver County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Matthew Williams, New Source Review Chief—Telephone: 814-332-6940

25-00940: Animal Friends Cremation Services (11711 Sharp Road, Waterford, PA 16441-3935) to issue a renewal State Only Operating Permit for their facility in Waterford Borough, **Erie County**. The facility is a Natural Minor. The primary source at the facility is a crematory. The renewal permit contains emission restrictions, recordkeeping, and work practice requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104

Contact: Edward Brawn, Chief—Telephone: 215-685-9476

S10-025: Park Towne Place Apartments (2200 Ben Franklin Parkway, Philadelphia, PA 19130) for operation of an apartment complex facility in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources include two (2) 25.1 MMBTU/hr boilers burning either natural gas or #4 oil and four (4) 35 kW natural gas emergency generators.

The operating permit will be issued under the Pennsylvania Code Title 25, Philadelphia Code Title 3 and Air Management Regulation XIII. Permit copies and other supporting information are available for public inspection at AMS, 321 University Avenue, Philadelphia, PA 19104. For further information, contact Edward Wiener at (215) 685-9426.

Persons wishing to file protest or comments on the above operating permit must submit the protest or comments within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating permit or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a local newspaper at least thirty days before the hearing.

PLAN APPROVALS

Receipt of Plan Approval Applications and Intent to Issue Plan Approvals, and Intent to Issue Amended Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter B And Subchapter F. These actions may include the administrative amendments of an associated operating permit.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes Barre, PA 18711-0790

Contact: Ray Kempa, New Source Review Chief—Telephone: 570-826-2507

45-318-034: Tobyhanna Army Depot (11 Hap Arnold Blvd. Tobyhanna, PA 18466) for installation and operation of two (2) new blasting booths with dust collectors and two (2) new paint booths with panel filters and dryers for their facility in Coolbaugh Township, **Monroe County**.

In accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a), the Department of Environmental Protection (DEP) has received and intends to issue a Plan Approval to Tobyhanna Army Depot (11 Hap Arnold Blvd. Tobyhanna, PA 18466) for their facility in Coolbaugh

Township, Monroe County. This Plan Approval No. 45-318-034 will be incorporated into the company's Synthetic Minor Permit No. 45-00004 through an administrative amendment at a later date.

Plan Approval No. 45-318-034 is for the installation and operation of two new blasting booths with dust collectors and two new paint booths with panel filters and dryers at the facility located in Coolbaugh Twp., Monroe County. The TYAD will use high volumes low-pressure (HVLP) spray system to spray the paint inside each booth manually. All paints and coatings are code-compliant with the VOC limits of § 129.52, Table I. TYAD will maintain actual VOC emissions from the facility below 49.9 TPY on a 12 month rolling sum basis. The company will operate the facility and maintain the sources in accordance with the good engineering practices to assure proper operation of sources. The Plan Approval and Operating permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711.

Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown in the preceding paragraph. Each written comment must contain the following:

Name, address and telephone number of the person submitting the comments.

Identification of the proposed permit No. 45-318-034.

A concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Ray Kempa, Chief, New Source Review Section, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711, Phone No. 570-826-2511 within 30 days after publication date.

COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law; the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.20a). Mining activity permits issued in response to applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4014); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1002).

The following permit applications to conduct mining activities have been received by the Department. A copy of an application is available for inspection at the district

mining office indicated before each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference or a public hearing, as applicable, on a mining permit application may be submitted by a person or an officer or head of Federal, state or local government agency or authority to the Department at the address of the district mining office indicated before each application within 30 days of this publication or within 30 days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Written comments or objections regarding a mining permit application should contain the name, address and telephone number of the person submitting comments or objections, the application number and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

A request for an informal conference or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 or § 86.34, must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

When an NPDES number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. The Department has made a tentative determination to issue the NPDES permit in conjunction with the mining activity permit, but the issuance of the NPDES permit is contingent upon the approval of the associated mining activity permit.

For coal mining activities, NPDES permits, when issued, will contain effluent limits that do not exceed the technology-based effluent limitations. The proposed limits are listed in Table 1.

For noncoal mining activities, the proposed limits are in Table 2. Discharges from noncoal mines located in some geologic settings (for example, in coal fields) may require additional effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters. The limits will be in the ranges specified in Table 1.

More restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining that may occur will be incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are in Technical Guidance Document 362-0600-001, NPDES Program Implementation-Memorandum of Understanding (MOU) Concerning Water Quality Management, NPDES Program Implementation, and Related Matters. Other specific factors to be considered include public comments and Total Maximum Daily Loads.

Persons wishing to comment on NPDES permit applications should submit statements to the Department at the address of the district mining office indicated before each application within 30 days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. A comment must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications as provided in 25 Pa. Code § 92.61. The request or petition for a public hearing shall be filed within 30 days of this public notice and contain the name, address, telephone number and the interest of the party filing the request and state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES permit application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. When a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

Coal Applications Received

Effluent Limits—The following range of effluent limits will apply to NPDES permits issued in conjunction with the associated coal mining activity permit and, in some cases, noncoal mining permits:

Table 1

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (total)	1.5 to 3.0 mg/l	3.0 to 6.0 mg/l	3.5 to 7.0 mg/l
Manganese (total)	1.0 to 2.0 mg/l	2.0 to 4.0 mg/l	2.5 to 5.0 mg/l
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Aluminum (Total)	0.75 to 2.0 mg/l	1.5 to 4.0 mg/l	2.0 to 5.0 mg/l
pH ¹		greater than 6.0;	less than 9.0
Alkalinity greater than acidity ¹			

¹The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; and mined areas backfilled and revegetated; and drainage (resulting from a precipitation event of less than or equal to a 1-year 24-hour event) from coal refuse disposal piles.

California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100

30841316 and NPDES No. PA0213535, Consol PA Coal Company, LLC, (P. O. Box J, 1525 Pleasant Grove Road, Claysville, PA 15323), to revise the permit for the Bailey Mine and Prep Plant in Richhill and Aleppo Townships, **Greene County** to add surface activity site acres for the installation of three ventilation boreholes. Surface Acres Proposed 10.2. No additional discharges. Application received: September 22, 2010.

30841317 and NPDES No. PA0213527, Consol PA Coal Company, LLC, (P. O. Box J, 1525 Pleasant Grove Road, Claysville, PA 15323), to revise the permit for the Enlow Fork Mine in East Finley Township, **Washington County** for an overhead power line and right-of-way to install power to the 3 North #6 Air Shaft. Surface Acres Proposed 13.7. No additional discharges. Application received: October 20, 2010.

32061303 and NPDES No. PA0235725, Rosebud Mining Company, (301 Market Street, Kittanning, PA 16201-9642), to revise the permit for the Heilwood Mine in Pine and Cherryhill Townships, **Indiana County** to add subsidence control plan area acres. Subsidence Control Plan Acres Proposed 1574.4. No additional discharges. The first downstream potable water supply intake from the point of discharge is Indiana County Municipal Services Authority and intake: Yellow Creek. Application received: October 12, 2010.

56841612 and NPDES No. PA0588491, Wilson Creek Energy, LLC, (140 West Union Street, Somerset, PA 15501), to transfer the permit for the Wilson Creek Coal Preparation Plant in Black Township, **Somerset County** to Wilson Creek Energy, LLC from Svonavec, Inc. and revise the permit to add acreage and construct a new coal preparation plant. Revision includes operation name change from Coal Preparation Plant No. 2 to Wilson Creek Coal Preparation Plant. Surface Acres Proposed 4.1. No additional discharges. Application received: December 3, 2010.

63091301 and NPDES No. PA0236004, Tunnel Ridge, LLC, (2596 Battle Run Road, Triadelphia, WV 26059-1200), to revise the in-process permit for the Tunnel Ridge Mine in Donegal Township, **Washington County** to install the Miller Bleeder Shaft site and add an NPDES permit. Surface Acres Proposed 12.8. Receiving stream: Little Wheeling Creek, classified for the following use: WWF. Application received: September 20, 2010.

Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, 724-925-5500

02080101 and NPDES Permit No. PA0251461. Quality Aggregates, Inc. (4955 Steubenville Pike, Suite 245, Pittsburgh, PA 15205). Application received for an insignificant boundary correction of 4.3 acres and redistribution of 6.3 unaffected acres at an existing bituminous surface mining site located in Findlay Township, **Allegheny County**, now affecting 91.0 acres. Receiving streams: unnamed tributary to Potato Garden Run, clas-

sified for the following use: warm water fishes. There are no potable water supply intakes within ten miles downstream from the point of discharge. Revision application received: January 20, 2011.

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191

33100103 and NPDES Permit No. PA0258873. Ben Hal Mining Company (389 Irishtown Road, Grove City, PA 16127) Revision to an existing bituminous surface strip operation to add 2.0 acres to the existing surface mining permit in Union Township and Corsica Borough, **Jefferson County** affecting 28.5 acres. Receiving streams: Welch Run to Redbank Creek, classified for the following: CWF. There are no potable surface water supply intakes within 10 miles downstream. Application received: January 14, 2011.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

54900105R4 and PA0594822. Tuscarora Mines & Minerals Corp., (P. O. Box 131, Tuscarora, PA 17982), renewal for reclamation activities only of an existing anthracite surface mine operation in Schuylkill Township, **Schuylkill County** affecting 40.0 acres, receiving stream: Schuylkill River, classified for the following use: cold water fishes. Application received: January 13, 2011.

54840203R5 and NPDES Permit No. PA0613185. Skytop Coal, Inc., (P. O. Box 330, Mahanoy City, PA 17948), renewal of an existing anthracite coal refuse reprocessing operation in Mahanoy Township, **Schuylkill County** affecting 200.0 acre, receiving stream: Mill Creek to Schuylkill River, classified for the following use: cold water fishes. Application received: January 14, 2011.

54851332R5 and NPDES Permit No. PA0595756. RS & W Coal Co., Inc., (207 Creek Road, Klingerstown, PA 17941), renewal of an existing anthracite underground mine operation in Norwegian Township, **Schuylkill County** affecting 2.1 acres, receiving stream: West Branch Schuylkill River, classified for the following use: cold water fishes. Application received: January 14, 2011.

54773005R5. Reading Anthracite Company, (P. O. Box 1200, Pottsville, PA 17901), renewal of an existing anthracite surface mine and coal refuse reprocessing operation in Blythe & East Norwegian Townships and St. Clair Borough, **Schuylkill County** affecting 2108.0 acres, receiving stream: none. Application received: January 14, 2011.

49663009R5 and NPDES Permit No. PA0594318. Mallard Contracting Co., Inc., (122 Wilburton Road, Mt. Carmel, PA 17851), renewal of an existing anthracite surface mine, refuse reprocessing, refuse disposal and prep plant operation in Mt. Carmel and Conyngham Townships, **Northumberland and Columbia Counties** affecting 1200.0 acres, receiving stream: Shamokin Creek, classified for the following use: cold water fishes. Application received: January 18, 2011.

40663028R5. Pagnotti Enterprises, Inc., (46 Public Square, Suite 600, Wilkes-Barre, PA 18701), renewal of an existing anthracite surface mine and refuse disposal operation in Hazle Township, **Luzerne County** affecting 474.0 acres, receiving stream: none. Application received: January 19, 2011.

Noncoal Applications Received

Effluent Limits—The following effluent limits will apply to NPDES permits issued in conjunction with a noncoal mining permit:

Parameter	Table 2 30-day Average	Daily Maximum	Instantaneous Maximum
Suspended solids	10to35mg/l	20to70mg/l	25to90mg/l
Alkalinity exceeding acidity* pH*		greater than 6.0; less than 9.0	

* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900

50890301 and NPDES Permit No. PA0594431. Eastern Industries, Inc., 4401 Camp Meeting Road, Center Valley, PA 18034, renewal of NPDES Permit, Buffalo Township, **Perry County**. Receiving stream(s): unnamed tributary to Susquehanna River classified for the following use(s): warm water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: January 13, 2011.

6875SM5 and NPDES Permit No. PA0595128. Eastern Industries, Inc., 4401 Camp Meeting Road, Center Valley, PA 18034, renewal of NPDES Permit, Oliver Township, **Mifflin County**. Receiving stream(s): unnamed tributary to Strodes Run classified for the following use(s): high quality - cold water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: January 13, 2011.

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191

10960301. Quality Aggregates, Inc. (4955 Steubenville Pike, Suite 245, Pittsburgh, PA 15205) Renewal of existing NPDES Permit No. PA0227196 in Marion Township, **Butler County**. Receiving streams: Unnamed tributaries to Blacks Creek and unnamed tributary to Slippery Rock Creek, both classified for the following uses: CWF. There are no potable surface water supply intakes within 10 miles downstream. Application received: January 18, 2011.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

7474SM2C7 and NPDES Permit No. PA0124303. Essroc Cement Corp., (3938 Easton Nazareth Highway, Nazareth, PA 18064), renewal of NPDES Permit for discharge of treated mine drainage from a quarry operation in Upper Nazareth and Lower Nazareth Townships and Nazareth Borough, **Northampton County**, receiving stream: unnamed tributary to Shoeneck Creek, classified for the following use: warm water fishes. Application received: January 11, 2011.

6276SM4C7 and NPDES Permit No. PA0613142. Martin Limestone, Inc., (P. O. Box 550, Blue Ball, PA 17506), renewal of NPDES Permit for discharge of treated mine drainage from a quarry operation in Honey Brook and Caernarvon Townships, **Chester and Lancaster Counties**, receiving stream: West Branch Brandywine Creek, classified for the following uses: HQ-Trout Stock Fishery and Migratory Fishes. Application received: January 13, 2011.

7175SM2C7 and NPDES Permit No. PA0124061. Eastern Industries, Inc., (4401 Camp Meeting Road, Suite 200, Center Valley, PA 18034), renewal of NPDES Permit for discharge of treated mine drainage from a quarry operation in Washington and Jackson Townships, **Dauphin County**, receiving streams: unnamed tributary to Wiconisco Creek and unnamed tributary to Armstrong Creek, classified for the following use: cold water fishes. Application received: January 13, 2011.

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the Commonwealth to certify that the involved projects will not violate the sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA, the issuance of a Dam Permit or Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment shall submit comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted before an application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on working days at the office noted before the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications Received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and Requests for Certification under section 401(a) of the FWPCA.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southeast Region: Watershed Management Program Manager, 2 East Main Street, Norristown, PA 19401

E46-1063. Wissahickon Valley Watershed Association, 12 Morris Road, Ambler, PA 19002, Upper Gwynedd Township, **Montgomery County**, ACOE Philadelphia District.

To perform the following water obstruction and encroachment activities in the Wissahickon Watershed:

1. To remove an existing 47.65-foot long, 17.80-foot span abandoned concrete bridge.
2. To stabilize approximately 169 linear feet of stream bank along Wissahickon Creek by utilizing natural stream measures in the vicinity of the bridge.
3. To stabilize approximately 368 linear feet of stream bank along Wissahickon Creek by utilizing natural stream measures.
4. To stabilize approximately 179 linear feet of stream bank along Wissahickon Creek by utilizing natural stream measures, and impacting approximately 0.004 acre of wetlands (PEM/PFO).
5. To modify the existing stormwater outfall structure by constructing a rock weir in the tributary to Wissahickon Creek.
6. To place and maintain fill in the floodway of Wissahickon Creek associated with construction of a seepage berm.

The site is located near the intersection of West Prospect Park and Old Church Road, (Lansdale, PA USGS Quadrangle N: 12.5 inches; W: 5.25 inches).

E51-245- JERC Partners XIII, 171 State Route 173, Philadelphia City, **Philadelphia County**. ACOE Philadelphia District.

To place fill in 0.18 acre of wetlands (WL-C) associated with the construction of an industrial warehouse and

distribution facility at Red Lion Road. Approximately 0.18 acre of wetlands will be created as a mitigation measure.

The project site is located north of the intersection of Red Lion Road and Sandmeyer Lane in the City and County of Philadelphia. (Frankford, PA USGS Quadrangle N: 4.50 inches; W: 3.30 inches).

Northcentral Region: Watershed Management Program Manager, 208 West Third Street, Williamsport, PA 17701, 570-327-3636

E08-469. D&C Rentals, LLC., 556 Ward Hill Road, Canton, PA 17724-7761. Water Obstruction and Encroachment Joint Application, Parker Hannafin Development, in Canton Township, **Bradford County**, ACOE Baltimore District (Canton, PA Quadrangle N: 41° 39' 33"; W: 76° 50' 12").

To construct, operate and maintain a commercial development associated with the natural gas industry within the Mill Creek watershed (Cold Water Fishery, MF—Wild Trout). Construction of the development will require one (1) stream outfall and impact 0.581 acres of jurisdictional wetland natural. The project is located 0.2 miles east of Canton Borough along SR 0414 in Canton Township, Bradford County.

E17-466. DuBois Area School District, 500 Liberty Boulevard, DuBois, PA 15801-2437. Juniata Elementary School Expansion Project in the City of DuBois, **Clearfield County**, ACOE Pittsburgh District (Falls Creek, PA Quadrangle Latitude: 41° 07' 51.3"; Longitude: 78° 45' 30.72").

DuBois Area School District proposes to expand the Juniata Elementary School requiring construction, replacement, modification, operation and maintenance of the following encroachments of Juniata Run and its 100-year floodplain:

<i>Permit ID</i>	<i>Activity</i>	<i>Resource</i>	<i>Water Quality</i>	<i>Latitude</i>	<i>Longitude</i>
School Addition	Excavation, Fill and Building	Juniata Run 100-year Floodplain	CWF	41° 07' 50.62"	78° 45' 32.35"
Parking Area	Excavation, Fill and Impervious	Juniata Run 100-year Floodplain	CWF	41° 07' 51.12"	78° 45' 30.72"
Play Area	Excavation and Grading	Juniata Run 100-year Floodplain	CWF	41° 07' 52.26"	78° 45' 29.13"
Pavilion	Excavation and Building	Juniata Run 100-year Floodplain	CWF	41° 07' 52.97"	78° 45' 28.49"
Juniata Street Footbridge	Existing Footbridge Replacement	Juniata Run	CWF	41° 07' 50.04"	78° 45' 31.75"
First Street Footbridge	Existing Footbridge Replacement	Juniata Run	CWF	41° 07' 50.04"	78° 45' 31.75"
First Street Parking Area	Excavation, Fill and Impervious	Juniata Run 100-year Floodplain	CWF	41° 07' 51.36"	78° 45' 27.97"
Stormwater Facility	Outfall Structure	Juniata Run	CWF	41° 07' 52.65"	78° 45' 28.29"

As proposed, the activities in and along Juniata Run shall not increase the water 100-year frequency flood water surface elevations that are defined in the National Flood Insurance Program mapping for the City of DuBois. The project is located along the western right-of-way of First Street immediately south of West Sherman Avenue and First Street intersection.

Southwest Region: Watershed Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E04-335. Municipal Authority of the Borough of Baden, 149 State Street, Baden, PA 15005. To construct in a Special Flood Hazard Area, Baden Borough, **Beaver County**, Pittsburgh ACOE District. (Baden Pa Quad-

range N: 3.0 inches; W: 2.5 inches; Latitude: 40 22' 8"; Longitude: 80 14' 6"). The applicant proposed to construct and maintain improvements to the Baden Sewage Treatment Plant to either raise the elevations of appurtenances or provide flood protection. The modifications include the Headworks Building platform, new influent wet well with watertight hatch, replacement of primary clarifiers with aerated sludge holding tanks above flood elevations, replacement of existing aerated sludge digester, installation of a new motor control center, and rehabilitation of doors and slide gates. The project involves construction along Tevebaugh Run (WWF) but is within a Special Flood Hazard Area (A15) of the Ohio River (WWF). The development will be constructed approximately 250 LF east of the intersection of Ohio River Blvd (Pa Rt. 65) and Tevebaugh Run Road.

Northcentral Regional Office: Oil and Gas Management Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701

E0829-004: Chesapeake Appalachia, LLC, 101 North Main Street, Athens, PA 18810, Albany and Overton Township and New Albany Borough, **Bradford County**, ACOE Baltimore District.

To construct, operate and maintain:

1. One 6 inch diameter temporary water line and a 16ft wide equipment mat across an unnamed tributary to Ladds Creek (CWF, MF). Impacted Area: 5 square feet; (Dushore, PA Quadrangle N: 13.31 inches, W: 15.77 inches, Latitude: 41° 35' 55.61", Longitude: -76° 27' 22.06") in Albany Township, Bradford County.

2. One 6 inch diameter temporary water line and a 16ft wide equipment mat across an unnamed tributary to Ladds Creek (CWF, MF). Impacted Area: 3 square feet; (Dushore, PA Quadrangle N: 13.31 inches, W: 15.77 inches, Latitude: 41° 36' 10.31", Longitude: -76° 28' 3.88") in Albany Township, Bradford County.

3. One 6 inch diameter temporary water line across Ladds Creek (CWF, MF). Impacted Area: 18 square feet; (Dushore, PA Quadrangle N: 13.31 inches, W: 15.77 inches, Latitude: 41° 35' 50.51", Longitude: -76° 28' 1.86") in Albany Township, Bradford County.

4. One 6 inch diameter temporary water line and a 16ft wide equipment mat across a Palustrine Emergent Wetland (EV). Impacted Area: 38 square feet; (Dushore, PA Quadrangle N: 13.31 inches, W: 15.77 inches, Latitude: 41° 34' 33.45", Longitude: -76° 29' 28.96") in Overton Township, Bradford County.

5. One 6 inch diameter temporary water line and a 16ft wide equipment mat across a Palustrine Emergent Wetland (EV). Impacted Area: 19 square feet; (Dushore, PA Quadrangle N: 13.31 inches, W: 15.77 inches, Latitude: 41° 34' 34.74", Longitude: -76° 29' 30.0") in Overton Township, Bradford County.

6. One 6 inch diameter temporary water line and a 16ft wide equipment mat across a Palustrine Emergent Wetland (EV). Impacted Area: 19 square feet; (Dushore, PA Quadrangle N: 13.31 inches, W: 15.77 inches, Latitude: 41° 35' 7.89", Longitude: -76° 29' 28.98") in Overton, Bradford County.

7. One 6 inch diameter temporary water line and a 16ft wide equipment mat across an unnamed tributary to Black Creek (EV). Impacted Area: 3 square feet; (Dushore, PA Quadrangle N: 13.31 inches, W: 15.77 inches, Latitude: 41° 35' 7.89", Longitude: -76° 29' 28.98") in Overton, Bradford County.

8. One 6 inch diameter temporary water line and a 16ft wide equipment mat across a Palustrine Emergent Wetland (EV). Impacted Area: 49 square feet; (Dushore, PA Quadrangle N: 13.31 inches, W: 15.77 inches, Latitude: 41° 35' 10.44", Longitude: -76° 29' 26.12") in Overton Township, Bradford County.

9. One 6 inch diameter temporary water line and a 16ft wide equipment mat across a Palustrine Emergent Wetland (EV). Impacted Area: 49 square feet; (Dushore, PA Quadrangle N: 13.31 inches, W: 15.77 inches, Latitude: 41° 35' 16.90", Longitude: -76° 28' 56.11") in Albany Township, Bradford County.

The project will result in 34 linear feet of temporary stream impacts and 185 square feet of PEM wetland impact from water line and temporary mat crossings. These crossings will accumulate a total of 0.01 acres of wetland impacts all for the purpose of installing temporary water lines with associated access roadways.

E5829-004. Southwestern Energy Production Company, 181 W. Tioga Street, Suite 2, Tunkhannock, PA 18657; Lenox Township, **Susquehanna County**, ACOE Baltimore District.

To construct, operate, and maintain:

1) One 9 feet wide x 7 feet high x 25 feet long Concrete Box Culvert replacing two varying size culverts beneath an existing access drive on an Unnamed Tributary to Tunkhannock Creek (Chap. 93 CWF-MF); located at N 41° 42' 15.7" Lat., W -75° 39' 40.4" Long.; Stream Impact: 40 feet; U.S.G.S. Lenoxville Topographic Quadrangle.

2) One 24 inch diameter x 40 lineal foot Culvert in an existing field access road across a Palustrine Emergent (PEM) Wetland; located at N 41° 42' 18.9" Lat., W -75° 39' 46" Long.; Crossing Impact: 1,464 square feet; U.S.G.S. Lenoxville Topographic Quadrangle.

The project will result in the impact of 40 feet of stream channel and 1,464 square feet of Palustrine Emergent Wetlands all for the purpose of access to the Gerfin Well Site. Wetland impacts are de minimus.

STORAGE TANKS

SITE-SPECIFIC INSTALLATION PERMITS

The following Storage Tank Site-Specific Installation Permit application has been received by the Department of Environmental Protection (Department) and is currently under review. Persons wishing to comment on the proposed permit are invited to submit a statement to the Bureau of Waste Management, Division of Storage Tanks, PO Box 8763, Harrisburg, PA 17105-8763, within 30 days from the date of this publication. Comments received within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of the comment and the relevant facts upon which it based.

The following applications have been received for Storage Tank Site-Specific Installation Permits under the authority of the Storage Tank Spill Prevention Act (35 P. S. §§ 6021.304, 6021.504, 6021.1101—6021.1102) and under 25 Pa. Code Chapter 245, Subchapter C.

<i>SSIP Application No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Tank Type</i>	<i>Tank Capacity</i>
11003	M-I LLC 1110 Matthew Street Watsonstown, PA 17777 Attn: Dennis LaHood	Lycoming	City of Williamsport	32 ASTs storing base oil & finished drilling mud	672,000 gallons total

ACTIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT FINAL ACTIONS TAKEN FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

The Department has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and NOIs for coverage under General Permits. This notice of final action is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P. S. §§ 691.1—691.101) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Wastes; Discharges to Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

Sections I—VI contain actions regarding industrial, animal or sewage wastes discharges, discharges to groundwater, and discharges associated with MS4, stormwater associated with construction activities and CAFOs. Section VII contains notices for parties who have submitted NOIs for Coverage under General NPDES Permits. The approval for coverage under these General NPDES Permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions in each General Permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions in the respective permit. The permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0062405 (Sewage)	Scott Tech Park Discovery Road Scott Township, PA 18447	Lackawanna County Scott Township	An unnamed tributary to South Branch Tunkhannock Creek (4-F) TSF	Y

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0247651 (Stormwater)	United Parcel Service— Lewistown 1821 S. 19th Street Harrisburg, PA 17104-3206	Mifflin County / Armagh Township	UNT of Kishoquillas Creek / 12-A	Y
PA047774 (Stormwater)	Mueller's Auto Recycling & Sales, Inc. 1555 Mill Run Road Altoona, PA 16601	Blair County / Logan Township	UNT to Mill Run	Y
PA0022535 (Sew)	Millersburg Borough Area Authority 101 West Street Millersburg, PA 17061-1363	Dauphin County Millersburg Borough	Susquehanna River / 6-C	N

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0022373 (Sewage)	Lakeview Joint Sewer Authority 5394 Franklin Street Sandy Lake, PA 16145	Mercer County	Sandy Lake Borough Sandy Creek 16-G	Y
PA0222933 (Industrial Waste)	John Maneely Co. d/b/a JMC Steel Group 20 Church Street Wheatland, PA 16161	Mercer County Wheatland Borough	Shenango River 20-A	Y
PA0221007 (Sewage)	Volant Borough P. O. Box 96 530 Main Street Volant, PA 16156-0096	Lawrence County Volant Borough	Neshannock Creek 20-A	Y
PA0101273 (Industrial Waste)	B.H.B. Industries 133 Railroad Street Cambridge Springs, PA 16403	Crawford County Cambridge Springs Borough	French Creek 16-A	Y

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401

NPDES Permit No. PA0050466 Transfer, Sewage, East Vincent Township, 262 Ridge Road, Spring City, PA 19475-2203.

This proposed facility is located in East Vincent Township, **Chester County**.

Description of Proposed Action/Activity: Approval for the transfer from East Vincent Municipal Authority due to change of ownership. Previous permit had incorrect watershed (3E) for the receiving stream. The correct watershed (3D) has been listed in the current permit.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

NPDES Permit No. PAS803505, Amendment No. 1, Stormwater, HPT PSC Properties Trust, 24601 Center Ridge Road, Westlake, OH 44145.

This proposed facility is located in Middlesex Township, **Cumberland County**.

Description of Proposed Action/Activity: Authorization to discharge to Letort Spring Run in Watershed 7B.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701

NPDES Permit No. PAS224804, Industrial Waste SIC [2421 & 2452], Kuhns Brothers Lumber Company, Inc., 434 Swartz Road, Lewisburg, PA 17837.

This existing facility is located in Buffalo Township, **Union County**.

Description of Activity: Permit issued authorizing the discharge of stormwater associated with industrial activities from a lumber company that processes lumber for log homes, mulch and firewood.

NPDES Permit No. PAG041023, Sewage, Troy E. Plavsity, 24455 Highway 408, Cambridge Springs, PA 16403.

This proposed facility is located in Cambridge Township, **Crawford County**.

Description of Proposed Action/Activity: Issuance of a new NPDES permit for Single Resident Sewage Treatment Plant.

NPDES Permit No. PAG041022, Sewage, Emerson Properties, LLC, P. O. Box 564, Harmony, PA 16037.

This proposed facility is located in Portersville Borough, **Butler County**.

Description of Proposed Action/Activity: Issuance of a new NPDES permit for replacement of a malfunctioning onlot Sewage Treatment Plant for a small business office.

NPDES Permit No. PA0263761, Sewage, **Allen & Stacy Ryan**, 6618 Pleasant Drive, Warren, PA 16365.

This proposed facility is located in Pleasant Township, **Warren County**.

Description of Proposed Action/Activity: Issuance for a new NPDES permit, for a new discharge of treated sewage for Single Residence Sewage Treatment Plant.

NPDES Permit No. PA0263770, Sewage, **Ann Kozen**, 124 Fairway Circle, Townsend, TN 37882.

This proposed facility is located in Athens Township, **Crawford County**.

Description of Proposed Action/Activity: Issuance for a new NPDES permit, for a new discharge of treated sewage for Single Residence Sewage Treatment Plant.

III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790

WQM Permit No. 5410405 Sewerage, **Schuylkill County Municipal Authority**, 221 South Centre St., Pottsville, Pa 17901.

This proposed facility is located in West Brunswick Township, **Schuylkill County**.

Description of Proposed Action/Activity: Issuance of Water Quality Management Permit for the State Route 61 North Corridor Sanitary Sewer Collection System Project.

WQM Permit No. 5410403 Sewerage, **Schuylkill County Municipal Authority**, 221 S. Centre St., Pottsville, Pa 17901.

This proposed facility is located in West Brunswick Township, **Schuylkill County**.

Description of Proposed Action/Activity: Issuance of Water Quality Management Permit for upgrading the Deer Lake WWTP from 0.229 MGD to a 1.0 MGD plant.

WQM Permit No. 5410408, Sewerage, **Pine Grove Joint Treatment Authority**, 115 Mifflin Street, Pine Grove, PA 17963.

This proposed facility is located in Pine Grove Township, **Schuylkill County**.

Description of Proposed Action/Activity: Issuance of Water Quality Management Permit for modifications at the Authority's former sewage treatment plant to utilize the aeration tanks to receive hauled-in septage. From there, it will be pumped to the main pump station at a controlled rate and then conveyed to the new sewage treatment plant.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

WQM Permit No. 3681401, Sewage, **Ephrata Borough Authority**, 124 South State Street, Ephrata, PA 17522-2792.

This proposed facility is located in Ephrata Township, **Lancaster County**.

Description of Proposed Action/Activity: Amendment approving the modification of sewerage facilities consisting of new headworks, modifications to the primary clarifier sludge piping, addition of an outer ring to the existing oxidation ditch, upgrade to the brush rotor aeration, and DO and ORP online instrumentation. Modifications to the RAS and new internal wastewater recycle systems, new controls to facilitate improved nutrient removal, and a new gravity thickener for primary sludge thickening.

WQM Permit No. 3691410, Amendment 10-1, Sewage, Amendment approval for the construction / operation of a Dissolved Air Flotation Unit consisting of sump pump, building, and appurtenances.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701

WQM Permit No. WQG02490903, Sewerage [SIC 4952], **Lewis Township Supervisors**, 1428 Rovendale Drive, Watsonstown, PA 17777.

This proposed facility will be located in Lewis Township, **Northumberland County**.

Description of Proposed Action/Activity: General permit issued authorizing the design, construction and operation of the Trent Road pump station.

WQM Permit No. 6009201, Kuhns Brothers Lumber Company, Inc., 434 Swartz Road, Lewisburg, PA 17837

This proposed facility will be located in Buffalo Township, **Union County**.

Description of Proposed Action/Activity: Permit issued authorizing the design, construction and operation of a leachate collection impoundment at an existing lumber company facility. Leachate will be collected for reuse in a mulch spray operation. Impoundment will be lined, maintain 2 foot of freeboard and be designed to accommodate a 25 year-24 hour storm (approximately 148,000 cubic feet of storage).

WQM Permit No. 4909403, Sewerage [SIC 4952], **Shamokin Coal Township Joint Sewer Authority**, 114 Bridge Street, Shamokin, PA 17872.

This existing facility is located in Ralpho Township, **Northumberland County**.

Description of Proposed Action/Activity: Permit issued authorizing wastewater treatment upgrades for compliance with nutrient reduction requirements.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

WQM Permit No. WQG018790, Sewage, **Ronald M. & Sarah W. Tarr**, 1937 Meadville Road, Titusville, PA 16354. This proposed facility is located in Cherrytree Township, **Venango County**.

Description of Proposed Action/Activity: Issuance of a new permit for a Single Residence Sewage Treatment Plant.

WQM Permit No. WQG018792, Sewage, **Emerson Properties, LLC**, P. O. Box 564, Harmony, PA 16037.

This proposed facility is located in Portersville Borough, **Butler County**.

Description of Proposed Action/Activity: Replacement of a malfunctioning onlot Sewage Treatment Plant for a small business office.

WQM Permit No. WQG018793, Sewage, **Troy E. Plavsity**, 24455 Highway 408, Cambridge Springs, PA 16403.

This proposed facility is located in Cambridge Township, **Crawford County**.

Description of Proposed Action/Activity: Issuance of a new permit for a Single Residence Sewage Treatment Plant.

WQM Permit No. 6210402, Sewage, **Allen & Stacy Ryan**, 6618 Pleasant Drive, Warren, PA 16365.

This proposed facility is located in Pleasant Township, **Warren County**.

Description of Proposed Action/Activity: Issuance of a new permit for a Single Residence Sewage Treatment Plant.

WQM Permit No. WQG018786, Sewage, **Ann Kozen**, 124 Fairway Circle, Townsend, TN 37882.

This proposed facility is located in Athens Township, **Crawford County**.

Description of Proposed Action/Activity: Issuance of a new permit for a Single Residence Sewage Treatment Plant.

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA

WQM Permit No. 1599422, Sewerage, **Amendment 2, Valley Forge Sewer Authority**, 333 Pawlings Road, Phoenixville, PA 19460.

This proposed facility is located in Schuylkill Township, **Chester County**.

Description of Action/Activity: Expansion of the Valley Forge Sewer Authority WWTP from 9.2 mgd to 11.75 mgd annual average flow.

WQM Permit No. 1592402, Sewerage, **Renewal, Little Washington Wastewater Company**, 762 West Lancaster Avenue, Bryn Mawr, PA 19010-3489.

This proposed facility is located in East Bradford Township, **Chester County**.

Description of Action/Activity: Renewal of permit to allow continued operation of a sewage treatment plant and land application.

WQM Permit No. 4692417, Sewage, **Transfer, Mr. Mark & Ms. Justine Amarnek**, 132 Middle Creek Road, Gilbertsville, PA 19525.

This proposed facility is located in Douglass Township, **Montgomery County**.

Description of Action/Activity: Permit transferred from Robert Sugg and still operating as single residence sewage treatment plant.

WQM Permit No. 0996401, Sewerage, **Renewal, Solebury School**, 6832 Phillips Mill Road, New Hope, PA 18938.

This proposed facility is located in Solebury Township, **Bucks County**.

Description of Action/Activity: Renewal of permit to continue operation of a sewage treatment plant with spray irrigation.

WQM Permit No. 2310401, Sewerage, **Melmark**, 2600 Wayland Road, Berwyn, PA 19312.

This proposed facility is located in Newtown Township, **Delaware County**.

Description of Action/Activity: Installation a campus-wide capped gravity sewer.

IV. NPDES Stormwater Discharges from MS4 Permit Actions

V. NPDES Waiver Stormwater Discharges from MS4 Actions

VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401

NPDES Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAI01 091008	PECO Energy Company 2301 Market Street Philadelphia, PA 19103	Bucks	Solebury Township	Aquetong Creek & Tributaries (HQ-CWF)

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAS10-G558-R	Tevil Corporation 527 Main Street Harleysville, PA 19438	Chester	East Coventry Township	Unnamed Tributary Pigeon Creek (HQ-TSF)
PAI01 1509038	Coatesville Area School District—Benner Education Center— 545 E Lincoln Hwy, Coatesville, PA 19320	Chester	West Brandywine and Caln townships	West Branch Brandywine Creek (HQ-TSF-MF); Beaver creek (TSF-MF)

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI025210005	Lands of Siegfried 103 Siegfried Drive Newfoundland, PA 18445	Pike	Green Township	Unnamed tributary to Bridge Creek, HQ-CWF, MF
PAI023508006(1)	Karl Pfeiffenberger SLIBCO P. O. Box 431 Scranton, PA 18503	Lackawanna	Jessup Borough	Grassy Island Creek, HQ-CWF, MF; UNT to Lackawanna River, CWF, MF

VII. Approvals to Use NPDES and/or Other General Permits

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision in 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types

PAG-1	General Permit for Discharges from Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated with Construction Activities (PAR)
PAG-3	General Permit for Discharges of Stormwater from Industrial Activities
PAG-4	General Permit for Discharges from Small Flow Treatment Facilities
PAG-5	General Permit for Discharges from Gasoline Contaminated Ground Water Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Nonexceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharge Resulting from Hydrostatic Testing of Tanks and Pipelines
PAG-11	(To Be Announced)
PAG-12	CAFOs
PAG-13	Stormwater Discharges from MS4

General Permit Type—PAG-2

Facility Location:

<i>Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Yardley Borough Bucks County	PAG0200 091040	Yardley Country Club 1010 Reading Avenue Yardley, PA 19067	Delaware River (WWF-MF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
New Britain Township Bucks County	PAG0200 0906248-R	Kathleen M. Gilmore 159 King Road Chalfont, PA 18914	Unnamed Tributary Lake Galena/Neshaminy Creek (WWF-MF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Plumstead Township Bucks County	PAG0200 0909027	Stanton Properties, Inc. 339 Armwell Road, Building C Hillsborough, PA 08844	Geedes Run (CWF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Doylestown Township Bucks County	PAG0200 0905043-R-1	Toll Brothers, Inc. 250 Gibraltar Road Horsham, PA 19044	North Branch Neshaminy Creek (TSF-MF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Parkesburg Borough Chester County	PAG0200 151020	Chetty Builders 511 Schoolhouse Road Kennett Square, PA 19348	Unnamed Tributary Bucks Run (TSF-MF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
London Grove Township Chester County	PAG0200 151006	DN Acquisition Company, Inc. 4 Brandywine Avenue Downingtown, PA 19335	Unnamed Tributary East Branch White Clay Creek (CWF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
London Grove Township Chester County	PAG0200 151008	Karina Farms, LLC 234 North James Street Newport, DE 19804	Unnamed Tributary East Branch White Clay Creek (CWF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Upper Darby Township Delaware County	PAG0200 231027	Drexelbrook Associates, LLC 4812 Drexelbrook Drive Drexel Hill, PA 19026	Darby Creek (TSF-MF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Haverford Township Delaware County	PAG0200 231023	School District of Haverford Township 50 East Eagle Road Haverford, PA 19083	Cobbs Creek (WWF-MF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Bridgeport Borough Montgomery County	PAG0200 4609096	Borough of Bridgeport 4th and Mill Street Bridgeport, PA 19405	Schuylkill River (WWF-MF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Kline Twp. Schuylkill Co.	PAG02005410010	Hazleton Area School District ATTN: Anthony J. Ryba 1515 West 23rd St. Hazleton PA 18202	Honeybrook Reservoir (CWF, MF) Catawissa Creek (CWF, MF)	Schuylkill Co. Conservation District 570-622-3742
North Whitehall Twp. Lehigh Co.	PAG02003904038(R)	Bruce Laub 3544 Neffs-Laurys Rd Schnecksville, PA 18078	Fells Creek (CWF, MF)	Lehigh Co. Conservation District 610-391-9583
Granville Township Mifflin County	PAG2004410005	Rob Postal MCIDC 6395 SR 103 North Lewistown, PA 17044	UNT to Juniata River/WWF	Mifflin County Conservation District 20 Windmill Hill #4 Burnham, PA 17009 717-248-4695
West Hempfield Township Lancaster County	PAG2003610066	Mitchell S. Weaver 4418 Fairview Road Columbia, PA 17512	UNT Chickies Creek/WWF	Lancaster County Conservation District 1383 Arcadia Road, Room 200 Lancaster, PA 17601 717-299-5361 Ext. 5

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Denver Borough Lancaster County	PAG2003610072	Cocalico School District 800 South 4th Street Denver, PA 17517	Denver/WWF	Lancaster County Conservation District 1383 Arcadia Road, Room 200 Lancaster, PA 17601 717-299-5361 Ext. 5
Earl Township Lancaster County	PAG2003610074	Petra Christian Fellowship 565 Airport Road New Holland, PA 17557	UNT to Mill Creek/CWF-MF	Lancaster County Conservation District 1383 Arcadia Road, Room 200 Lancaster, PA 17601 717-299-5361 Ext. 5
West Pennsboro Township, Cumberland County	PAG2002109017	Sheetz, Inc. Michael Lacesa 5700 Sixth Avenue Altoona, PA 16602	UNT to Conodoguinet Creek/WWF	Cumberland County Conservation District 310 Allen Road Carlisle, PA 17013 717-240-7812
Bonneauville Borough Adams County	PAG02000110019	John Krichten DJ Homes 415 Cedar Run Road New Oxford, PA 17350	Rock Creek/WWF	Adams County Conservation District 670 Old Harrisburg Road, Suite 201 Gettysburg, PA 17325 (717) 334-0636
Mount Joy Township Adams County	PAG02PAG200010 6006(1)	Barton L. Breighner Barton Real Estate, LLC 420 Bulk Plant Road Littlestown, PA 17340	Little Run, Rock Creek/WWF	Adams County Conservation District 670 Old Harrisburg Road, Suite 201 Gettysburg, PA 17325 (717) 334-0636
Burnside Township Clearfield County	PAG2001710013	R.J. Corman Railroad Company Pennsylvania Lines PO Box 788 Nicholasville, KY 40340	West Branch of Susquehanna River WWF	Clearfield County Conservation District 650 Leonard Street Clearfield, PA 16830 (814) 765-2629
Berwick Borough Columbia County	PAG2001905017R	William B. Michael Berwick Area Little League Land PO Box 65 Berwick, PA 18603	Susquehanna River WWF, MF	Columbia County Conservation District 702 Sawmill Road Suite 204 Bloomsburg, PA 17815 (570) 784-1310, X 102
Millville Borough Columbia County	PAG2001908009(1)	Gerald W. Creveling Creveling Excavating 179 Bottom Rd. Orangeville, PA 17859	Little Fishing Creek CWF, MF	Columbia County Conservation District 702 Sawmill Road Suite 204 Bloomsburg, PA 17815 (570) 784-1310, X 102
Muncy Township Lycoming County	PAG2004110018	Jim Miller MBC Development, LP 950 E. Main St. PO Box 472 Schuylkill Haven, PA 17972	UNT to Carpenters Run WWF	Lycoming County Conservation District 542 County Farm Rd Suite 202, Montoursville, PA 17754, (570) 433-3003
Point Township Northumberland County	PAG2004910019	Service Electric Cable Vision 500 Grant St. Sunbury, PA 17801	Susquehanna River WWF	Northumberland County Conservation District RR 3, Box 238-C Sunbury, PA 17801 (570) 286-7114, X 4
Beaver County Chippewa Twp.	PAG2000406001-R	Tri-Venture Limited c/o Gary Birmingham 665 Freedom Crider Road Freedom, PA 15042	UNT to North Branch Bradys Run (TSF)	Beaver County CD 156 Cowpath Road Aliquippa, PA 15001 724-378-1701

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Fayette County South Union Twp.	PAG2002611001	George Family Limited Partnership PO Box 458 Chalk Hill, Pa 15421-0458	Redstone Creek (WWF)	Fayette County CD 10 Nickman Plaza Lemont Furnace, PA 15456 724-438-4497
Indiana County Conemaugh Twp.	PAG020023210008	Indiana County Municipal Services Authority 602 Kolter Drive Indiana, PA 157101	Elders Run, Blackleggs Creek & UNT Conemaugh River (CWF)	Indiana County CD 625 Kolter Drive, Suite 8 Indiana, PA 15701-3571 724-471-4751
Perry Township Clarion County	PAG02 0616 09 001(1)	Central Electric Corporation PO Box 329 716 Route 268 Parker PA 16049	Middle Allegheny River WWF	Clarion Conservation District 814-226-4070 x113
Union Township Lawrence County	PAG02 0037 06 005(1)R	Arbor Development Group Attn: David Chapin 4420 E. Miraloma Ave, Ste A Anaheim CA 92807	UNT Shenango River WWF	Lawrence Conservation District 724-652-4512

General Permit Type—PAG-3

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Hegins Twp Schuylkill County	PAR202254	MI Windows and Doors Inc PO Box 4490 Clearwater FL 33758	Pine Creek (CWF)	PA DEP Northeast Regional Office 2 Public Square Wilkes-Barre, PA 18701-1915 570-826-2511
Perry Township Snyder County	PAR224816	RJ Hoffman and Sons, Inc. 1144 Buckwheat Valley Road Mount Pleasant Mills, PA 17853	Unnamed Tributary to North Branch Mahantango Creek (CWF)—6-C	DEP Northcentral Regional Office Water Management 208 W Third Street Suite 101, Williamsport, PA 17701-6448 570.327.3664
Clinton Township Lycoming County	PAR224807	Springs Window Fashions, LLC P. O. Box 500 Montgomery, PA 17752	Unnamed Tributary to West Branch Susquehanna River— WWF, 10-C	DEP Northcentral Regional Office Water Management 208 W Third Street Suite 101, Williamsport, PA 17701-6448 570.327.3664
Slippery Rock Township Butler County	PAR218327	Mercer Lime & Stone Company 560 Branchton Road Slippery Rock, PA 16057	Unnamed tributary to McDonald Run, 20-C	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 814/332-6942

General Permit Type—PAG-4

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Cherrytree Township Venango County	PAG041020	Ronald M & Sarah W. Tarr 1937 Meadville Road Titusville, PA 16354	Unnamed tributary of Prather Creek 16-D	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 814/332-6942

General Permit Type—PAG-12

Facility Location:
Municipality &
County

Permit No.

Applicant Name &
Address

Receiving
Water/Use

Contact Office &
Phone No.

Adams County /
Oxford Township

PAG123589

Dale Hess Farm
768 Oxford Road

Termination of Permit

DEP—SCRO—
Watershed Management
909 Elmerton Avenue
Harrisburg, PA 17110
717-705-4802

Union County,
Kelly Township

PAG124801

Gary A. Pfleegor,
Pfleegor Farm,
560 Goodman Road,
Lewisburg, PA
17837-7589

Trib to Little Buffalo
Creek, Watershed 10C

PADEP-North
Central Regional Office
Watershed Management
208 West Third Street,
Suite 101,
Williamsport, PA
17701-6448
570-327-0529

**PUBLIC WATER SUPPLY (PWS)
PERMITS**

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act

Southcentral Region: Water Supply Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110

Permit No. 6710518 MA, Minor Amendment, Public Water Supply.

Applicant **The York Water Company**
Municipality Codorus Township

County

York

Responsible Official

Mark S Snyder,
Engineering Manager
130 East Market Street
PO Box 15089
York, PA 17405-7089

Type of Facility

Jefferson Reservoir Tank
Repainting.

Consulting Engineer

1 - Not Available

Permit to Construct
Issued:

1/20/2011

Permit No. 0610522, Public Water Supply.

Applicant

Wernersville Municipal Authority

Municipality

South Heidelberg Township

County

Berks

Responsible Official

Michael J. Drobeck, Chairman
PO Box 145
250 North Elm Street
Wernersville, PA 19566

Type of Facility

Installation of chlorination
facilities for Well No. 7.
Demonstration of 4-Log
Treatment of Viruses for GWR.

Consulting Engineer

Richard M. Schloesser, P.E.
Spotts, Stevens and McCoy, Inc.
1047 North Park Road
250 North Elm Street
Reading, PA 17610-0307

Permit to Construct
Issued:

1/12/2011

Permit No. 2210513 MA, Minor Amendment, Public Water Supply.

Applicant

Halifax Area Sewer & Water Authority

Municipality

Halifax Township

County

Dauphin

Responsible Official

Fred L Ford, Chairman
PO Box 443
Halifax, PA 17032

Type of Facility GWR 4-Log inactivation of viruses. Installation of additional chlorine contact piping at EP Nos. 101 & 103.

Consulting Engineer John L Latsha, P.E.
Glance Associates Inc
3705 Trindle Road
Camp Hill, PA 17011

Permit to Construct Issued: 1/18/2011

Permit No. 2110508 MA, Minor Amendment, Public Water Supply.

Applicant **South Middleton Township Municipal Authority**

Municipality South Middleton Township

County **Cumberland**

Responsible Official Robert L Kissinger, Manager
345 Criswell Drive
Boiling Springs, PA 17007-0008

Type of Facility Chlorine contact pipe installation, 4-log demonstration.

Consulting Engineer Max E Stoner, P.E.
Glance Associates, Inc.
3705 Trindle Rd
Camp Hill, PA 17011

Permit to Construct Issued: 1/21/2011

Permit No. 0610529, Public Water Supply.

Applicant **Reading Area Water Authority**

Municipality Ontelaunee Township

County **Berks**

Responsible Official Dean Miller, Executive Director
815 Washington Street
Reading, PA 19601

Type of Facility Installation of sodium hypochlorite treatment facilities inside existing Ames Way Booster Station.

Consulting Engineer Thomas L Weld Jr, P.E.
BCM Engineers
920 Germantown Pike
Plymouth, PA 19462

Permit to Construct Issued: 1/12/2011

Permit No. 0610509, Public Water Supply.

Applicant **Cornell Companies dba Abraxas Academy**

Municipality New Morgan Borough

County **Berks**

Responsible Official Michael D. Sweeney,
Business Manager
1000 Academy Drive
PO Box 645
Morgantown, PA 19543-0645

Type of Facility Project consist of addition of an blended orthopolyphosphate for general corrosion control. Also included are improvements to ensure the system provides 4-log treatment of viruses.

Consulting Engineer Charles A Kehew II, P.E.
James R. Holley & Assoc., Inc.
18 South George St.
York, PA 17401

Permit to Construct Issued: 12/30/2010

Operations Permit issued to: **Borough of Fleetwood**, 3060029, Ruscombmanor Township, **Berks County** on 1/12/2011 for the operation of facilities approved under Construction Permit No. 0610501 MA.

Operations Permit issued to: **Dillsburg Area Authority**, 7670071, Dillsburg Borough, **York County** on 1/24/2011 for the operation of facilities approved under Construction Permit No. 6710521 MA.

Operations Permit issued to: **Lyons Borough Municipal Authority**, 3060096, Lyons Borough, **Berks County** on 1/12/2011 for the operation of facilities approved under Construction Permit No. 0610540 MA.

Operations Permit issued to: **United Water Pennsylvania**, 7670061, Newberry Township, **York County** on 1/20/2011 for the operation of facilities approved under Construction Permit No. 6710505 MA.

Operations Permit issued to: **Gratz Borough Water Revenue Fund**, 7220005, Gratz Borough, **Dauphin County** on 1/18/2011 for the operation of facilities approved under Construction Permit No. 2210508 MA.

Operations Permit issued to: **Mexico Market & Deli**, 4340812, Walker Township, **Juniata County** on 12/28/2010 for the operation of facilities approved under Construction Permit No. 3410507 MA.

Northcentral Region: Water Supply Management Program Manager, 208 West Third Street, Williamsport, PA 17701

Permit No. Minor Amendment—Construction Public Water Supply.

Applicant **Red Rock Job Corps**

[Township or Borough] Colley Township

County **Sullivan**

Responsible Official Mr. John R. Fite
Red Rock Job Corps
US Department of Labor
P. O. Box 218
Lopez, PA 18628

Type of Facility Public Water Supply

Consulting Engineer Michael B. Mills, P.E.
Martin Rogers Assoc., PC
185 N. Pennsylvania Ave.
Wilkes-Barre, PA 18701

Permit Issued Date January 20, 2011

Description of Action Modifications to the inlet and outlet piping of both finished water storage tanks. Chlorinated water will enter at the top and discharge at the bottom of the tanks to ensure 4-log inactivation of viruses.

Permit No. Minor Amendment—Operation Public Water Supply.

Applicant **Kreamer Municipal Authority**
 [Township or Borough] Middlecreek Township
County **Snyder**
Responsible Official Mr. Todd Mace, Operator
 Kreamer Municipal Authority
 P. O. Box 220
 Kreamer, PA 17833
Type of Facility Public Water Supply
Consulting Engineer N/A
Permit Issued Date January 21, 2011
Description of Action 4-log inactivation of viruses at
 Entry Point 101 (Well Nos. 4 and
 9).

The Beccaria, Coalport, Irvona Municipal Authority (Public Water Supply), **Clearfield County**: On January, 20, 2011, the Watershed Management Program approved the Source Water Protection (SWP) plan for this Beccaria, Coalport, Irvona Municipal Authority. The personnel involved with the development of this SWP are to be commended for taking these proactive steps to protect these water sources for their community. Development of the SWP plan was funded by the Department of Environmental Protection (David W. Garg, P.E.) (570) 321-6581.

Northwest Region: Water Supply Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Operations Permit issued to **Aqua Pennsylvania, Inc.**, PWSID #6610019, Emlenton Borough, **Venango County** on January 14, 2011, for operation of the Aqua PA Emlenton Water Filtration Plant and distribution system. This permit is issued in response to an operation inspection conducted by Department personnel on January 13, 2011, and in accordance with construction permit 6109503, issued March 26, 2010.

Operations Permit issued to **Borough of East Brady**, PWSID #6160003, East Brady Borough, **Clarion County** on January 21, 2011, for operation of 235 feet of 48-inch ductile iron pipe used for chlorine contact time. This permit is issued in response to an operation inspection conducted by Department personnel on January 18, 2011, and in accordance with construction permit 1604502-MA2, issued August 13, 2009.

SEWAGE FACILITIES ACT PLAN APPROVAL

Plan Approvals Granted under the Pennsylvania Sewage Facilities Act (35 P. S. § 750.5)

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
West Brunswick Twp.	West Brunswick Twp. 95 Municipal Road Orwigsburg, PA 17961	Schuylkill
West Brunswick Twp.	Schuylkill County Municipal Authority 221 South Centre St. Pottsville, PA 17901	Schuylkill

Plan Description: The approved plan, revised December 2010, has evaluated the Route 895 Pine Creek South Study Area and proposes a sanitary sewer collection system and construction of the West Brunswick Township (WBT) Pump Station. It is estimated that the sanitary sewer system will serve about 100 EDUs initially and about 164 EDUs ultimately. The sewer collection system will consist of about 23,550 L.F. of 8" PVC gravity pipe; two grinder pumps and about 950 L.F. of 2" low pressure force main. The WBT pump station's discharge will enter a 725 foot section of 6" force main before it connects with Auburn Municipal Authority's 8" force main, which connects with SCMA's/Deer Lake's WWTP. Wastewater from the WWTP discharges to Pine Creek, a tributary of the Schuylkill River and the Delaware River. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the Schuylkill County Municipal Authority.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Keating Township	P. O. Box 103 East Smethport, PA 16730	McKean

Plan Description: The approved plan provides for the construction of two new 85,000 GPD sewage treatment plants (STP), as well as a small portion of the project area being conveyed to the existing Smethport sewage treatment facility. The project is divided into east and west sectors, and may be done as two separate phases unless funding can be obtained to construct both portions at the same time. The west side (Phase II) will encompass the Gifford, Cyclone and Ormsby areas, and is approximately 351 EDUs. Treatment will be at the first new STP, which will be located near Cyclone, after being conveyed through 97,000 +/- LF of proposed pressure sewer, accompanied by grinder pumps and a pump station. Final discharge will be into a UNT of Kinzua Creek. 51 EDUs from the Blacksmith, Stickles-Fairmont areas will be treated at the existing Smethport STP. The east side (Phase III) will service the Wolf Run, Bordell, Wrights Corners, Brooder Hollow, Tyler Brook, Chaplin Hill, and Farmers Valley areas, and is approximately 344 EDUs. Treatment will be at the second new STP, located in Farmers Valley, after being conveyed through 130,800 +/- LF of proposed pressure sewer, accompanied by two pump stations and grinder pumps. Final discharge will be into Potato Creek. Existing and future sewage needs are being provided for as well as capacity for 20 homes in adjacent Lafayette Township. Numerous small flow treatment facilities will be eliminated through this project and it will also address the needs of the Highland Council Boy Scout Camp which is currently under a CO&A. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Telephone: 717-705-4707.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Snyder Township	108 Baughman Hollow Road Tyrone PA 16686	Blair County

Plan Description: The approved plan provides for construction of a Small Flow Treatment Facility, to repair a malfunctioning on-lot sewage system, for the 1.17 acre property owned by Corinna Teeter. The proposed sewage flows are 400 gallons per day with a discharge to a dry stream channel tributary to Decker Hollow Run. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 2

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P. S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department regional office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110

Former Kemp Foods Facility, City of Lancaster, Lancaster County. B & B Diversified Enterprises, Inc., PO Box 16, Barto, PA 19504, on behalf of HP Hood LLC, 6 Kimball Lane, Lynnfield, MA 01940, submitted a Remedial Investigation, Cleanup Plan, and Final Report concerning remediation of site groundwater contaminated with PCBs, PAHs, VOCs and SVOCs. The reports are intended to document remediation of the site to meet the Site-Specific standard.

CSXT Locomotive 7550 Diesel Fuel Release, Chambersburg Borough, Franklin County. ARCADIS, 1114 Benfield Boulevard, Suite A, Millersville, MD 21108, on behalf of CSX Intermodal Terminals, 700 Kriner Road, Chambersburg, PA 17202 and CSX Transportation, Inc., 500 Water Street, J-275, Jacksonville, FL 32202, submitted a Final Report concerning remediation of site soils contaminated with diesel fuel released from a parked locomotive. The report, which was submitted within 90 days of the release, is intended to document remediation of the site to meet the Statewide Health standard.

Northwest Region: Environmental Cleanup Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

Trinity Industries Inc. North Plant, Borough of Greenville, Mercer County. Golder Associates, Inc., Spring Mill Corporate Center, 555 North Lane, Suite 6057, Mt. Laurel, NJ 08054 on behalf of Trinity Industries, Inc., 2525 Stemmons Freeway, Dallas, TX 75207 has submitted a Remedial Investigation Report concerning remediation of site soils contaminated with ethylbenzene, total xylenes, 1,2,4-trimethylbenzene, 1,3,5-trimethylbenzene, antimony, arsenic, lead and site groundwater contaminated with PCE, vinyl chloride, arsenic, manganese, and lead. The report is intended to document remediation of the site to meet the Site-Specific Standard.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of

regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department regional office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northeast Region: Eric Supey, Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Former Wilkes-Barre Water Street MGP Site, City of Wilkes-Barre, **Luzerne County**. John Roberts, Stantec Consulting Services, Inc., 400 Dais Drive, Suite 400, Plymouth Meeting, PA 19462 submitted a Remedy Selection/Remedy Design Report (Cleanup Plan) (on behalf of his client, UGI Penn Natural Gas, Inc., P. O. Box 12677, Reading, PA 19612-2677), concerning the remediation of site soils and groundwater found to have been impacted by manufactured gas plant constituents due to historical operations from a former manufactured gas plant. The report met the requirements of the Site-Specific Standard for soil and groundwater and the Statewide Health Standard for soil and groundwater and was approved on January 20, 2011.

Former Hank's Garage, 411 South 1st Street, Bangor Borough, **Northampton County**. Mark Ellis, MEA, Inc., 1365 Ackermanville Road, Bangor, PA 18013 submitted a Final Report (on behalf of his client, Edward Wagner, 406 Nazareth Drive, Nazareth, PA 18064), concerning the remediation of soil found to have been impacted by leaded/unleaded gasoline as a result of a release in a tank field formerly containing three 3,000-gallon underground storage tanks. The report documented attainment of the Residential Statewide Health Standard for soil and was approved on January 19, 2011.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701

Alba Mountain Road-Arlen Landis Property, Canton Township, **Bradford County**. Pennsylvania Tectonics, Inc., 826 Main St., Peckville, PA 18452 on behalf of Arlen Landis, 896 Alba Mountain Road, Canton, PA 16947 has submitted a Final Report within 90 days of the release concerning remediation of site soil contaminated with diesel fuel. The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department on January 18, 2011.

Former Region Oil Gulf, City of Sunbury, **Northumberland County**. Delta Consultants, 5910 Rice Creek Pkwy., Suite 100, Shoreview, MN 55126 on behalf of Damark, Inc. Liquidating Trust, 5007 East Mount Washington, St. Paul, MN 55126 has submitted a combined Remedial Investigation/Cleanup Plan/Final Report concerning the remediation of site soil and groundwater contaminated with BTEX, PHC's, MTBE, cumene and naphthalene. The Final Report demonstrated attainment of the Statewide Health Standard and the Site-specific Standard and was approved by the Department on January 19, 2011.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: Sachin Shankar, New Source Review Chief—Telephone: 484-250-5920

GP14-46-0274: Catagnus Funeral Home & Cremation Center, Ltd. (329 North Lewis Road, Royersford, PA 19468) on January 14, 2011, to operate a human crematory unit in Limerick Township, **Montgomery County**.

GP3-46-0094: Allied Recycling Co. (1752 Limekiln Pike, Suite 3A, Dresher, PA 19025) on January 20, 2011, to operate a portable nonmetallic mineral processing plant in Limerick Township, **Montgomery County**.

GP11-46-0047: Allied Recycling Co. (1752 Limekiln Pike, Suite 3A, Dresher, PA 19025) on January 20, 2011, to operate nonroad engine(s) in Limerick Township, **Montgomery County**.

GP3-09-0099: Haines & Kibblehouse, Inc. (2052 Lucon Road, Skippack, PA 19474) on January 21, 2011, to operate a portable nonmetallic mineral processing plant in Hilltown Township, **Bucks County**.

GP9-09-0029: Haines & Kibblehouse, Inc. (2052 Lucon Road, Skippack, PA 19474) On January 21, 2011, to operate diesel-fired internal combustion engines in Hilltown Township, **Bucks County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Mark Gorog, New Source Review Chief—Telephone: 814-332-6940

GP5-10-368A: Keystone Midstream Services, LLC—Bluestone Gas Processing Plant (Hartmann Road, Evans City, PA 16033) on January 12, 2011, to operate natural gas fired compressor engines (BAQ-GPA/GP-5) in Jackson Township, **Butler County**.

GP4-25-1031A: Pennsylvania Electric Motor Service, Inc. (4693 Iroquois Avenue, Erie, PA 16511) on January 7, 2011, to operate burn off ovens (BAQ-GPA-GP-4) in Harborcreek Township, **Erie County**.

GP1-25-1032A: Cliffstar, LLC (63 Wall Street, North East, PA 16428) on January 13, 2011, to operate an existing 20.9 MMbtu/hour natural gas fired boiler (BAQ-GPA-GP-1) in North East Borough, **Erie County**.

GP5-42-203C: Atlas Energy Resources, LLC—Hamilton Compressor Station (455 Forest Road, Lafayette, PA 16751) on January 19, 2011, to operate a

natural gas fired compressor engine (BAQ-GPA/GP-5) in Hamilton Township, **McKean County**.

GP5-62-166A: Pennsylvania General Energy Co., LLC—Zimmerman Hill Compressor Station (Zimmerman Hill Road, Warren, PA 16365) on January 12, 2011, to operate four (4) natural gas fired compressor engines (BAQ-GPA/GP-5) in Pleasant Township, **Warren County**.

Plan Approvals Issued under the Air Pollution Control Act and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: Sachin Shankar, New Source Review Chief—Telephone: 484-250-5920

09-0028E: Fibermark North America, Inc. (45 North Fourth Street, Quakertown, PA 18951) on January 20, 2011, for modification of existing Source ID 303: Surface Coater No. 11 at their Quakertown Plant in Quakertown Borough, **Bucks County**. Fibermark proposes to increase the VOC content limit of coatings from 0.05 to 1.81 pound of VOC per gallon of coating solids, as applied, and decrease the source VOC emission limit from 20 tons per year to 10 tons per year. There are no physical changes to the source equipment. Fibermark North America, Inc. is a major source of VOC and HAPs, currently operating under TVOP No. 09-00028. The installation will not trigger New Source Review. The plan approval will include monitoring, testing, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: M. Gorog & B. Hatch, Environmental Engineer Managers—Telephone: 412-442-4163/5226

04-00065C: WHEMCO-Steel Casting, Inc. (1 12th Street, Midland, PA 15059) on January 7, 2011 for an extension of the Plan Approval for the temporary operation to facilitate the shake-down operation and to conduct an initial operating permit inspection of their facility at Midland Borough, **Beaver County**. The plan approval has been extended.

63-00549A: Arden Landfill, Inc. (625 Cherrington Parkway, Moon Township, PA 15108) on January 7, 2011, for an extension of the Plan Approval (gas to energy plant) for the temporary operation and to amend the Title V Permit in Chartiers Township, **Washington County**. The plan approval has been extended

03-00027B: GenOn Northeast Management, Inc. (121 Champion Way, Suite 200, Canonsburg, Pa 15317-581) on January 19, 2011, for an extension of the Plan Approval for the temporary operation and to amend the Title V Permit for their facility in Plumcreek Township, **Armstrong County**. The plan approval has been extended.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920

09-00004: Oliver-Tolas Healthcare Packaging, Inc. (905 Pennsylvania Boulevard, Feasterville, PA 19053) on January 20, 2011, for a State Only, Synthetic Minor Operating Permit Renewal in Lower Southampton Township, **Bucks County**. The facility operates rotogravure and flexographic printing presses, and cold degreasers. The primary pollutant of concern is volatile organic compounds (VOC) from the printing and degreasing processes which have the potential to exceed major thresholds. The company has elected to take appropriate operating and emission restrictions to limit VOC emissions to below 24.9 tons per year and maintain a synthetic minor operating status. The current operating permit expires on April 30, 2011. There have been no changes at the facility since the last operating permit was issued. Monitoring, record keeping and reporting requirements are included in the permit to address applicable limitations.

46-00172: Gemalto, Inc. (101 Park Drive, Montgomeryville, PA 18936) on January 20, 2011, for renewal of a State Only, Synthetic Minor Operating Permit in Montgomery Township, **Montgomery County**. The facility operates both lithographic and silk screen printing presses. The primary pollutant of concern is volatile organic compounds (VOC) from the printing processes which have the potential to exceed major thresholds. The company has elected to take appropriate operating and emission restrictions to limit VOC emissions to below 24.9 tons per year and maintain a synthetic minor operating status. The current operating permit expires March 31, 2011. There have been some changes at the facility since the issuance of the original operating permit. Plan Approval No. 46-0172B and General Plan Approval/Operating Permit, 46-320-038GP are being incorporated into the state only operating permit during the renewal. Monitoring, record keeping and reporting requirements are included in the permit to address applicable limitations.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas J. Hanlon, Chief, East Permitting Section—Telephone: 717-705-4862 or Daniel Husted, Chief, West Permitting Section—Telephone: 717-949-7935

07-03038: Amerway, Inc. (3701 Beale Avenue, Altoona, Pennsylvania 16601-1317) on January 12, 2011, for the tin/lead solder alloy wire products manufacturing facility in Altoona City, **Blair County**. This is a renewal of the State Only Operating permit.

06-01069R: East Penn Manufacturing Co., Inc. (Deka Road, PO Box 147, Lyon Station, PA 19536) on January 19, 2011, to approve and condition the implementation of the VOC/NOx RACT plan for the Title V battery assembly facility in Richmond Township, **Berks County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: Barbara Hatch, Facilities Permitting Chief—Telephone: 412-442-4174

56-00151: FTCA, Inc.-Coleman Camping Trailers - Plant No. 72 (258 Beacon Street, PO Box 111, Somerset, PA 15501) on January 19, 2011, to issue a State Only Operating Permit for to manufacture portable "pop-up" camping trailers at their facility in Somerset Borough, **Somerset County**. The operation of the facility's air contamination sources consist of a pyrolysis cleaning furnace, drying oven, powder coating, and miscellaneous VOC/HAP applications including caulking, sealants, adhesives, and cleaners. The facility is subject to 40 CFR 63 Subpart M, P, P, P, and R, R, R, R pertaining to surface coating. The facility will continue to be treated as a major facility per 25 Pa Code Section 127.206(k). The permit includes operation requirements, monitoring requirements, and recordkeeping requirements and is a State Only Renewal

26-00562: Coastal Lumber Co. (3302 Lobban Place, Charlottesville, VA 22903) on January 24, 2011, to issue a State Only Operating Permit for operation of their saw mill facility in South Union Township, **Fayette County**. The operation of the facility's air contamination sources, consisting of 1-15.4 MMBTU/hour wood-fired boiler, 1-8.5 MMBTU/hour natural gas-fired boiler, sawdust loading operation and excess sawdust loadout operation emit 17.59 tons per year of PM₁₀, 1.69 tons per year of SO₂, 36.27 tons per year of CO, 13.30 tons per year of NO_x and 2.63 tons per year of VOC. The facility is limited to a maximum opacity from any processing equipment of 20 percent. The permit also includes emission limitations, operational requirements, monitoring requirements, and recordkeeping requirements.

*Department of Public Health, Air Management Services:
321 University Avenue, Philadelphia, PA 19104*

Contact: Edward Braun, Chief—Telephone: 215-685-9476

S10-023: Philadelphia Gas Works - Passyunk Station (3100 Passyunk Avenue, Philadelphia, PA 19145) for operation of a liquefied natural gas (LNG) storage and distribution facility in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources include two heaters each AAAA10 MMBTU/hr, one emergency generators at 1250 Hp, two emergency generators at 110 Hp each, three 58.8 MBTU/hr boilers with low NO_x burners, a firewater pump, and a gasoline vehicle fueling system with Stage II vapor recovery.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920

09-00031: Eureka Stone Quarry, Inc. (PO Box 249 Chalfont, PA 18914-0249) on January 20, 2011, to amend the operating permit was for Rush Valley 1 Quarry and Asphalt Plant, a synthetic minor facility in Wrightstown Township, **Bucks County**. The Administrative Amendment incorporates the conditions of Plan Approval 09-0031B for Hot Mix Asphalt Plant No. 4.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas J. Hanlon, Chief, East Permitting Section—Telephone: 717-705-4862 or Daniel Husted, Chief, West Permitting Section—Telephone: 717-949-7935

67-03098: White Rose Crematorium, LLC (420 Pat-tison Street, York, Pennsylvania 17403-2439) on January 19, 2011, for their human crematory in York City, **York County**. This State Only Operating permit was administratively amended due to a change of ownership. This is Revision 1 of the permit.

De Minimis Emissions Increases Authorized under 25 Pa. Code § 127.449.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: Barbara Hatch, Facilities Permitting Chief—Telephone: 412-442-4174

11-00356: Peoples Natural Gas Co., LLC (1201 Pitt Street, Pittsburgh, PA 15221) Per Title 25 Pa. Code Section 127.449(i), this Notice is for the following de minimis emission increase at the Peoples Natural Gas Company, LLC, Laurel Ridge/Rager Mountain Compressor Station, located in Jackson Township, **Cambria County**:

Emissions from this project will not exceed 0.20 tpy VOC, 0.07 tpy HAP, 0.72 tpy NO_x, 0.61 tpy CO, 0.06 tpy PM₁₀, and 0.01 tpy SO₂ from the installation and operation of one Exterrani triethylene glycol dehydrator, rated at 75 MMscf/day; equipped with a natural gas-fired re-boiler, rated at 0.65 MMBtu/hr; and controlled by a natural gas-fired thermal oxidizer rated at 1.0 MMBtu/hr.

The list of de minimis increases includes only this project. This is a Title V Facility.

32-00101: Halliburton Energy Services, Inc. (PO Box 42810, Houston, TX 77242). Per Title 25 Pa. Code Section 127.449(i), this Notice is for the following de minimis emission increase at the Halliburton Energy Services, Inc., Indiana Plant, located in Homer City Borough, **Indiana County**:

Emissions from this project will not exceed 0.005 tpy PM₁₀ from the increase in annual sand throughput from 6,795 to 10,000 tons per year.

In addition to this project, the list of de minimis increases includes:

October 2008 construction of the Bulk Cement/Flyash Storage Plant. This is a State Only Facility.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law; the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.20a). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to applications will also address the application permitting requirements of the following statutes: the Air Quality Pollution Act (35 P. S. §§ 4001—4014); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1002).

Coal Applications Returned

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200

17100105 and NPDES No. PA0257338. TDK Coal Sales, Inc. (P. O. Box 259, Brockway, PA 15842). Commencement, operation and restoration of a bituminous surface mine located in Penn Township, **Clearfield County** affecting 364.3 acres. Receiving streams: unnamed tributaries to Daily Run to Curry Run to the West Branch of the Susquehanna River classified for cold water fisheries. There are no potable water supply intakes within 10 miles downstream. Application received: March 22, 2010. Application withdrawn: January 18, 2011.

Coal Permits Actions

California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100

30841307 and NPDES Permit # PA0213438, Emerald Coal Resources, LP, (158 Portal Road, P. O. Box 1020, Waynesburg, PA 15370), to revise the permit for the Emerald Mine No. 1 in Franklin Township, **Greene County** to add surface activity site acres to install thirteen ventilation boreholes and associated access roads. Coal Refuse Disposal Support Acres Proposed 10.81. No additional discharges. Application received: March 26, 2010. Permit issued: January 18, 2011.

30841317 and NPDES Permit # PA0213527, Consol PA Coal Company, LLC, (1525 Pleasant Grove Road, P. O. Box J, Claysville, PA 15323), to revise the permit for the Enlow Fork Mine in East Finley Township, **Washington County** to construct Phase 1 of an overland conveyor to transport coal from the proposed Oak Spring Slope to the Bailey Mine Complex Preparation Plant. In conjunction with this approval, the Department is granting 401 Water Quality Certification certifying that the approved activities will comply with the applicable provisions of sections 301-303, 306 and 307 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341) and will not violate applicable Federal and State water quality standards. Surface Acres Proposed 202.0. Receiving stream: Long Run, classified for the following use: TSF. Application received: August 28, 2009. Permit issued: January 19, 2011

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900

56060107. Coal Loaders, Inc., 210 East Main Street, Ligonier, PA 15658, transfer of an existing bituminous surface and auger mine from Greathouse & Greathouse Enterprises, 2066 Whistler Road, Stoystown, PA 15563, located in Quemahoning Township, **Somerset County**, affecting 26.4 acres. Receiving stream(s): Higgins Run, a tributary to Quemahoning Creek classified for the following use(s): high quality cold water fishery. The first downstream potable water supply intake from the point of discharge is Cambria Somerset Authority & Johnstown Water Authority. Application received: July 15, 2011. Permit issued: January 18, 2011.

56080108 and NPDES No. PA0262692. PBS Coals, Inc., P. O. Box 260, Friedens, PA 15541, revision of an existing bituminous surface and auger mine to conduct auger mining activities within 100 feet and beneath of SR 2024, Walker School Road in Brothersvalley Township, **Somerset County**, affecting 377.7 acres. Receiving stream(s): unnamed tributary to Blue Lick Creek; unnamed trib to Swamp Creek; UT to Buffalo Creek classified for the following use(s): cold water fishery. There are no potable water supply intakes within 10

miles downstream. Application received: October 13, 2010. Permit issued: January 18, 2011.

Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, 724-925-5500

65890104 and NPDES Permit No. PA0591734. Coal Loaders, Inc. (210 East Main Street, Ligonier, PA 15658). Transfer of permit formerly issued to Gary Gioia Coal Company for continued reclamation only of a bituminous surface/auger mining site located in South Huntingdon Township, **Westmoreland County**, affecting 92.5 acres. Receiving streams: unnamed tributary to Barren Run. Transfer application received: July 22, 2010. Transfer permit issued: January 18, 2011.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

49050101R and NPDES Permit No. PA0224430. Farragut Anthracite Company, (122 Wilburton Road, Mt. Carmel, PA 17851), renewal of an existing anthracite surface mine and refuse disposal operation in Coal and Zerbe Townships, **Northumberland County** affecting 578.0 acres, receiving stream: Shamokin Creek. Application received: March 2, 2010. Renewal issued: January 20, 2011.

Noncoal Permits Actions

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191

3075SM6. Glacial Sand & Gravel Co. (P. O. Box 1022, Kittanning, PA 16201) Transfer of an existing large industrial mineral operation from Ennstone, Inc. d/b/a Three Rivers Aggregates in Worth Township and West Liberty Borough, **Butler County** affecting 114.5 acres. Receiving streams: Hogue Run, Black Run and Slippery Rock Creek. Application received: November 8, 2010. Permit Issued: January 19, 2011.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Blasting Permits Actions

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200

08114103. Maurer & Scott Sales, Inc. (122 Thomas St., Coopersburg, PA 18036-2100). Construction blasting for a detention pond located in Asylum Township, **Bradford County**. Permit issued: January 12, 2011. Permit expires: March 31, 2011.

08115101. John H. Brainard (RR 1, Box 275, Kingsley, PA 18826-9702). Blasting for road construction located in Asylum Township, **Bradford County**. Permit issued: January 12, 2011. Permit expires: February 28, 2011.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

36114102. Maine Drilling & Blasting, (P. O. Box 1140, Gardiner, ME 04345), construction blasting for Park View in Manheim Township, **Lancaster County** with an expiration date of January 7, 2012. Permit issued: January 18, 2011.

36114104. Keystone Blasting Service, (15 Hopeland Road, Lititz, PA 17543), construction blasting for Lincoln Meadows in Ephrata Township, **Lancaster County** with an expiration date of December 31, 2011. Permit issued: January 18, 2011.

48114101. Pact Construction, Inc., (P. O. Box 74, Ringoes, NJ 08551), construction blasting for Freemansburg Avenue Interceptor Replacement Contract 10-5 in Bethlehem Township, **Northampton County** with an expiration date of January 10, 2012. Permit issued: January 18, 2011.

48114102. Pact Construction, Inc., (P. O. Box 74, Ringoes, NJ 08551), construction blasting for St. Luke's Interceptor Sewer & Force Main Contract 10-5 in Bethlehem Township, **Northampton County** with an expiration date of January 10, 2012. Permit issued: January 18, 2011.

36114105. Maine Drilling & Blasting, (P. O. Box 1140, Gardiner, ME 04345), construction blasting for Riverview Estates in West Lampeter Township, **Lancaster County** with an expiration date of January 14, 2012. Permit issued: January 19, 2011.

46114102. Maine Drilling & Blasting, (P. O. Box 1140, Gardiner, ME 04345), construction blasting for Southview in Lower Pottsgrove Township, **Montgomery County** with an expiration date of January 19, 2012. Permit issued: January 19, 2011.

58114001. John Brainard, (3978 State Route 2073, Kingsley, PA 18826), construction blasting for the Craige Well Pad in Rush Township, **Susquehanna County** with an expiration date of April 30, 2011. Permit issued: January 20, 2011.

58114102. Schlouch, Inc., (P. O. Box 69, Blandon, PA 19510), construction blasting for Hollenbeck 1H Oil & Gas well in Franklin Township, **Susquehanna County** with an expiration date of January 14, 2012. Permit issued: January 21, 2011.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure

may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.

Permits, Environmental Assessments and 401 Water Quality Certifications Issued:

WATER OBSTRUCTIONS AND ENCROACHMENTS

Northcentral Regional Office: Oil and Gas Management Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701

E4129-003 Anadarko E&P Company, LP, P. O. Box 1330, Houston, Texas 77251-1330, McHenry Township, **Lycoming County**, ACOE Baltimore District. To construct, operate, and maintain a surface water withdrawal along Pine Creek (HQ-CWF) adjacent to Route 414 south of Jersey Mills (Jersey Mills Quadrangle 41° 21' 3.26"N 77° 24' 10.3"W). The proposed withdrawal will include a submersible pump with related materials set in the stream bed parallel to the direction of stream flow. The project will result in 264 square feet of stream impacts all for the purpose of obtaining water to use to develop multiple Marcellus Shale wells.

E4129-004 Anadarko E&P Company, LP, P. O. Box 1330, Houston, Texas 77251-1330, Mifflin Township, **Lycoming County**, ACOE Baltimore District. To construct, operate, and maintain a surface water withdrawal along Second Fork Larry's Creek (EV) adjacent to Route 287 north of Salladasburg (Salladasburg, PA Quadrangle 41° 20' 11.26"N 77° 14' 36.28"W). The proposed withdrawal will include a submersible pump set in a wet well with related materials set in the stream bed. The project will result in 29 square feet of permanent stream and floodway impact, and 220 square feet of temporary stream and floodway impact all for the purpose of obtaining water for use to develop multiple Marcellus Shale wells.

E5929-003: East Resources Management, LLC, 190 Thorn Hill Road, Warrendale, PA 15086, Union Township, **Tioga County**, ACOE Baltimore District. To construct and maintain:

(1) an 8 inch diameter natural gas gathering line and two 4 inch waterlines crossing an unnamed tributary (UNT) to Towanda Creek (CWF) impacting 665 square feet (Ralston, PA Quadrangle 41° 36' 43.46"N 76° 54' 17.80"W);

(2) a temporary road crossing using a 20 foot long, 15 inch diameter corrugated metal pipe, an 8 inch diameter natural gas gathering line and two 4 inch waterlines

crossing an UNT to Towanda Creek (CWF) impacting 694 square feet (Ralston, PA Quadrangle 41° 36' 59.73"N 76° 53' 59.28"W);

(3) a temporary road crossing using three 20 foot long, 24 inch diameter corrugated metal pipe, an 8 inch diameter natural gas gathering line and two 4 inch waterlines crossing an UNT to Towanda Creek (CWF) impacting 564 square feet (Ralston, PA Quadrangle 41° 37' 3.48"N 76° 53' 38.04"W);

(4) an 8 inch diameter natural gas gathering line and two 4 inch waterlines crossing an unnamed tributary (UNT) to Lycoming Creek (HQ-CWF) impacting 866 square feet (Ralston, PA Quadrangle 41° 36' 10.31"N 76° 53' 53.43"W);

(5) a temporary road crossing using two 20 foot long, 24 inch diameter corrugated metal pipe, an 8 inch diameter natural gas gathering line and two 4 inch waterlines crossing an UNT to Towanda Creek (CWF) impacting 1,429 square feet (Ralston, PA Quadrangle 41° 37' 14.27"N 76° 53' 51.09"W);

(6) a temporary road crossing using a 20 foot long, 18 inch diameter corrugated metal pipe, an 8 inch diameter natural gas gathering line and two 4 inch waterlines crossing an UNT to Lycoming Creek (HQ-CWF) impacting 219 square feet (Ralston, PA Quadrangle 41° 37' 14.27"N 76° 53' 51.09"W);

(7) a temporary road crossing using a wood mat bridge, an 8 inch diameter natural gas gathering line and two 4 inch diameter waterlines crossing a palustrine emergent (PEM) wetland impacting 1,091 square feet (Ralston, PA Quadrangle 41° 36' 33.56"N 76° 54' 21.95"W);

(8) a temporary road crossing using a wood mat bridge, an 8 inch diameter natural gas gathering line and two 4 inch diameter waterlines crossing a palustrine emergent (PEM) wetland impacting 586 square feet (Ralston, PA Quadrangle 41° 36' 36.92"N 76° 54' 21.05"W);

(9) a temporary road crossing using a wood mat bridge, an 8 inch diameter natural gas gathering line and two 4 inch diameter waterlines crossing a palustrine scrub shrub (PSS) wetland impacting 1,004 square feet (Ralston, PA Quadrangle 41° 36' 42.61"N 76° 54' 18.15"W);

(10) a temporary road crossing using a wood mat bridge, an 8 inch diameter natural gas gathering line and two 4 inch diameter waterlines crossing a palustrine scrub shrub (PSS) wetland impacting 1,598 square feet (Ralston, PA Quadrangle 41° 37' 0.95"N 76° 53' 54.82"W);

(11) a temporary road crossing using a wood mat bridge, an 8 inch diameter natural gas gathering line and two 4 inch diameter waterlines crossing an exceptional value palustrine emergent (EV-PEM) wetland impacting 6,307 square feet (Ralston, PA Quadrangle 41° 37' 2.39"N 76° 53' 42.12"W);

(12) a temporary road crossing using a wood mat bridge, an 8 inch diameter natural gas gathering line and two 4 inch diameter waterlines crossing a palustrine emergent (PEM) wetland impacting 716 square feet (Ralston, PA Quadrangle 41° 36' 39.81"N 76° 54' 38.62"W);

(13) a temporary road crossing using a wood mat bridge, an 8 inch diameter natural gas gathering line and two 4 inch diameter waterlines crossing an exceptional value palustrine emergent (EV-PEM) wetland impacting 433 square feet (Ralston, PA Quadrangle 41° 37' 13.20"N 76° 54' 44.22"W);

(14) a temporary road crossing using a wood mat bridge, an 8 inch diameter natural gas gathering line and two 4 inch diameter waterlines crossing an exceptional value scrub shrub palustrine (EV-PSS) wetland impacting 2,532 square feet (Ralston, PA Quadrangle 41° 36' 10.17"N 76° 53' 56.55"W);

(15) a temporary road crossing using a wood mat bridge, an 8 inch diameter natural gas gathering line and two 4 inch diameter waterlines crossing an exceptional value palustrine emergent (EV-PEM) wetland impacting 4,305 square feet (Ralston, PA Quadrangle 41° 36' 10.43"N 76° 53' 50.99"W);

(16) a temporary road crossing using a wood mat bridge, an 8 inch diameter natural gas gathering line and two 4 inch diameter waterlines crossing an exceptional value scrub shrub palustrine (EV-PSS) wetland impacting 2,899 square feet (Ralston, PA Quadrangle 41° 36' 49.82"N 76° 55' 40.32"W);

(17) an 8 inch diameter natural gas gathering line and two 4 inch diameter waterlines crossing an exceptional value scrub shrub palustrine (EV-PSS) wetland impacting 2,899 square feet (Ralston, PA Quadrangle 41° 36' 50.52"N 76° 55' 41.04"W);

(18) a temporary road crossing using a wood mat bridge, an 8 inch diameter natural gas gathering line and two 4 inch diameter waterlines crossing a palustrine scrub shrub (PSS) wetland impacting 559 square feet (Ralston, PA Quadrangle 41° 36' 51.47"N 76° 55' 38.69"W);

(19) a temporary road crossing using a wood mat bridge, an 8 inch diameter natural gas gathering line and two 4 inch diameter waterlines crossing a palustrine scrub shrub (PSS) wetland impacting 3,991 square feet (Ralston, PA Quadrangle 41° 36' 52.65"N 76° 55' 37.37"W);

(20) a temporary road crossing using a wood mat bridge, an 8 inch diameter natural gas gathering line and two 4 inch diameter waterlines crossing a palustrine emergent (PEM) wetland impacting 558 square feet (Ralston, PA Quadrangle 41° 36' 59.89"N 76° 55' 37.37"W);

(21) an 8 inch diameter natural gas gathering line and two 4 inch diameter waterlines crossing a palustrine emergent (PEM) wetland impacting 729 square feet (Ralston, PA Quadrangle 41° 37' 3.01"N 76° 55' 36.72"W);

(22) a temporary road crossing using a wood mat bridge, an 8 inch diameter natural gas gathering line and two 4 inch diameter waterlines crossing a palustrine emergent (PEM) wetland impacting 462 square feet (Ralston, PA Quadrangle 41° 36' 9.88"N 76° 55' 12.93"W);

(23) a temporary road crossing using a wood mat bridge, an 8 inch diameter natural gas gathering line and two 4 inch diameter waterlines crossing a forested (PFO) wetland impacting 1,611 square feet (Ralston, PA Quadrangle 41° 36' 36.54"N 76° 54' 41.14"W).

The project will result in 115 linear feet of temporary stream impacts, a total of 28,341 square feet (0.66 acres) of temporary wetland impacts, and a total of 1,611 square feet (0.04 acres) of permanent wetland impacts all for the purpose of installing a natural gas gathering line with associated access roadways.

Northcentral Region: Watershed Management Program Manager, 208 West Third Street, Williamsport, PA 17701, 570-327-3636

E49-313. Shamokin-Coal Township Joint Sewer Authority, 114 Bridge Street, Shamokin, PA 17872-7690. Sewer Plant Upgrades, in Ralpho Township, **Northumberland County**, ACOE Baltimore District (Shamokin, PA Quadrangle Latitude: 40-48-54.3; Longitude: 76-35-0.5).

To construct, operate and maintain an at grade manhole along with a 24 inch connecting line from the existing facility. This manhole will connect to an existing discharge line and headwall works. The system will discharge to Shamokin Creek which carries a water quality designation of Warm Water Fishery. This project is located on bridge Street, 2.5 miles south of Paxinos on SR 61 at the Shamokin-Coal Township Joint Sewer Authority Waste Water Treatment Facility. This permit was issued under Section 105.13(e) "Small Projects."

E59-505. David K. Moyer, 623 Halteman Road, Souderton, PA 18964-2304. Water Obstruction and Encroachment Joint Permit, in Gaines Township, **Tioga County**, ACOE Susquehanna River Basin District (Marshlands, PA Quadrangle N: 41° 44' 22"; W: 77° 32' 19").

To construct and maintain 20 linear feet of metal arch pipe having a span of 103-inches and an underclearance of 71-inches over Lick Run (HQ-CWF). The culvert is located off Lick Run Road, 2.25 miles southwest of Rexford in Gaines Township, Tioga County. This project proposes to permanently impact 20 linear feet of Lick Run, which is designated a High Quality -Cold Water Fishery. This project does not propose to impact any wetlands. This permit was issued under Section 105.13(e) "Small Projects."

Southwest Region: Watershed Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E03-452. Pennsylvania Department of Transportation, District 10-0, 2550 Oakland Avenue, P. O. Box 429, Indiana, PA 15701. To construction and maintain a relocation of Whiskey Run in West Kittanning and East Franklin Township, **Armstrong County**, Pittsburgh ACOE District. (Kittanning, PA Quadrangle: N: 11.2 inches; W: 4.8 inches; Latitude: 40° 48' 43.7"; and Longitude: 79° 32' 5.4"). To construct and maintain a 380 ft relocation of Whiskey Run (WWF) with a drainage area of 1 square mile. Within the relocation one 101 ft long by 14 ft span by 8.5 ft high box culvert and one 132 ft long by 14 ft span by 7.5 ft high box culverts depressed one ft with baffles will be constructed and maintained. In addition one 57 ft long by 10 ft span by 8 ft high culvert shall be removed and the stream restored; and one 100 ft long by 6 ft high by 10 ft span box culvert shall be removed. In addition associated stormwater outfalls will be relocated to discharge into the new stream channel. Compensation for unavoidable impacts to Whiskey Run will be provided as 250 ft of stream bank stabilization on an unnamed tributary to Whiskey Run (WWF) located on private property 730 ft upstream of the project site. This project is associated with the SR 268 and SR 1038 (Butler Road) intersection improvement project located on the border between East Franklin and West Kittanning Townships.

Northwest Region: Watershed Management Program Manager, 230 Chestnut Street, Meadville, PA 16335.

E10-460, Cranberry Township, 2525 Rochester Road, Suite 400, Cranberry Township, PA 16066. Parallel Sewer Interceptor Project, in Cranberry Township, **Butler County**, ACOE Pittsburgh District (Mars, PA Quadrangle N: 40°, 40', 48.96"; W: 80°, 6', 50.97").

Construct and maintain a 1.75 to 4.5-foot diameter interceptor sewer line approximately 25,000 foot long with 20 watercourse crossings of UNT's of Brush Creek, 10 watercourse crossings of Brush Creek, and 15 wetland crossings.

E10-462, Butler Area Sewer Authority, 100 Littman Road, Butler PA 16001, in the City of Butler, **Butler County** (Butler, PA Quadrangle N: 40°, 51', 30.7"; W: 79°, 53', 14.5") and (Butler, PA Quadrangle N: 40°, 51', 34.1"; W: 79°, 53', 21.1"), Pittsburgh ACOE

construct and maintain the following structures within the federal flood control project in Connoquenessing Creek in the City of Butler, Butler County: 1) a stormwater/sewage emergency overflow structure having a 1.5-foot diameter PVC outfall pipe and concrete endwall at the Monroe Equalization Tanks site approximately 240 feet southwest of the intersection East Cunningham Street and South Monroe Street; and a 2) a stormwater/sewage emergency overflow structure having a 2-foot diameter PVC outfall pipe and concrete endwall at the Monroe Pump Station site approximately 300 feet north-east of the intersection of McClain Avenue and South Monroe Street.

Northcentral Regional Oil and Gas Manager, 208 W. Third St., Suite 101, Williamsport, PA 17701

95-16-65420-007. Williams Production Appalachia, LLC and RW Gathering, LLC, 1000 Town Center, Suite 130, Canonsburg, PA 15317.

Project proposes to operate and maintain the Resource Recovery / Brown / Alder Run Property Impoundment Dam as a centralized impoundment to collect and store flow-back water, for the use and re-use of hydraulic fracturing water, from the Resource Recovery Well Pad 1, Resource Recovery Well Pad 2, Resource Recovery Well Pad 3, and future wells in the area. (Karthaus, PA Quadrangle; Latitude: N 41° 1' 30.9", Longitude: W 78° 3' 35.3"), Snow Shoe Township, Centre County.

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free

pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Northcentral Region: Oil & Gas Management Program Manager, 208 West Third Street, Williamsport, PA 17701

ESCGP-1 # ESX11-015-0001

Applicant Name Talisman Energy USA, Inc.

Contact Person Tracy Gregory

Address 337 Daniel Zenker Drive

City, State, Zip Horseheads, NY 14845

County Bradford

Township(s) Wells Twp.

Receiving Stream(s) and Classification(s) Beckwith Creek, UNT to Seeley Creek, Seeley Creek

ESCGP-1 # ESX10-015-0366

Applicant Name Chesapeake Appalachia, LLC

Contact Person Eric Haskins

Address 101 North Main St

City, State, Zip Athens, PA 18810

County Bradford

Township(s) Smithfield Twp.

Receiving Stream(s) and Classification(s) Buck Creek/Apple Creek

ESCGP-1 # ESX10-015-0387

Applicant Name Chesapeake Appalachia, LLC

Contact Person Eric Haskins

Address 101 North Main St

City, State, Zip Athens, PA 18810

County Bradford

Township(s) Rome Twp.

Receiving Stream(s) and Classification(s) UNT to Parks Creek/Parks Creek,

ESCGP-1 # ESX10-081-0108

Applicant Name Range Resources—Appalachia, LLC

Contact Person Carla Suszkowski

Address 380 Southpointe Blvd

City, State, Zip Canonsburg, PA 15317

County Lycoming

Township(s) Penn Twp.

Receiving Stream(s) and Classification(s) UNT to Sugar Run and UNT to Gregs Run—both part of Muncy Watershed

ESCGP-1 # ESX10-081-0110

Applicant Name Anadarko Marcellus Midstream, LLC

Contact Person Bertha Nefe

Address P. O. Box 1330

City, State, Zip Houston, TX 77251

County Lycoming

Township(s) McHenry Twp.

Receiving Stream(s) and Classification(s) Pine Cr, First Big Fork, Miller Run, UNT to Miller Run

ESCGP-1 # ESX10-115-0080

Applicant Name Carrizo Marcellus, LLC

Contact Person Gary Byron

Address 251 Drain Lick Creek

City, State, Zip Drifting, PA 16834

County Susquehanna

Township(s) Forrest Lake Twp.

Receiving Stream(s) and Classification(s) (2) UNTs to Middle Branch Wyalusing Creek

ESCGP-1 # ESX10-131-0040

Applicant Name Chesapeake Appalachia, LLC

Contact Person Eric Haskins

Address 101 North Main Street

City, State, Zip Athens, PA 18810

County Wyoming

Township(s) Meshoppen Twp.

Receiving Stream(s) and Classification(s) UNT to Susquehanna River, Susquehanna River

ESCGP-1 # ESX10-015-0368

Applicant Name Chesapeake Appalachia, LLC

Contact Person Eric Haskins

Address 101 North Main Street

City, State, Zip Athens, PA 18810

County Bradford

Township(s) Ulster Twp.

Receiving Stream(s) and Classification(s) Cash Creek, UNT to Susquehanna River, Susquehanna River

ESCGP-1 # ESX10-115-0079

Applicant Name Southwestern Energy Production Co

Contact Person Dave Sweeley

Address 181 W. Tioga St, STE 2

City, State, Zip Tunkhannock, PA 18657

County Susquehanna

Township(s) Lenox Twp.

Receiving Stream(s) and Classification(s) UNT to the East Br. of the Tunkhannock Cr, Tunkhannock Cr

ESCGP-1 # ESX10-115-0078

Applicant Name Southwestern Energy Production Co

Contact Person Dave Sweeley

Address 181 W. Tioga St, STE 2

City, State, Zip Tunkhannock, PA 18657

County Susquehanna

Township(s) Lenox Twp.

Receiving Stream(s) and Classification(s) UNT to Tunkhannock Cr, Susquehanna River

ESCGP-1 # ESX10-117-0267

Applicant Name East Resources Management, LLC

Contact Person Sylvie Tran

Address 190 Thorn Hill Road

City, State, Zip Warrendale, PA 15086

County Tioga

Township(s) Richmond Twp.

Receiving Stream(s) and Classification(s) UNT to Corey Cr/Tioga River Basin, Corey Creek—Tioga River

ESCGP-1 # ESX10-131-0042

Applicant Name Chief Oil & Gas LLC

Contact Person Michael Hritz

Address 6051 Wallace Road Ext., Suite 210

City, State, Zip Wexford, PA 15090

County Wyoming

Township(s) Lemon Twp.

Receiving Stream(s) and Classification(s) UNT TO Meshoppen Cr, Upper Susquehanna

ESCGP-1 # ESX11-115-0002

Applicant Name Cabot Oil & Gas Corp.

Contact Person Jeffrey Keim

Address Five Penn Center W, Ste 401

City, State, Zip Pittsburgh, PA 15276

County Susquehanna

Township(s) Dimock Twp.

Receiving Stream(s) and Classification(s) Meshoppen Cr and UNT to Meshoppen Creek

ESCGP-1 # ESG10-131-0035

Applicant Name Chief Gathering LLC

Contact Person Ted Wurfel

Address 6051 Wallace Rd Ext

City, State, Zip Wexford, PA 15090

County Susquehanna and Wyoming

Township(s) Lathrop Twp (Susquehanna Co.); Lemon & Nicholson Twp

Receiving Stream(s) and Classification(s) E. Br Field Br, UNT to Field Br, Field Br, UNT to Monroe Cr, Monroe Cr, Meade Br, UNT to Horton Cr, Horton Cr, UNT to Meshoppen Cr, Meshoppen Cr

ESCGP-1 # ESG10-105-0038
 Applicant Name Ultra Resources Inc
 Contact Person Erica Tokarz
 Address 5 East Avenue, #108
 City, State, Zip Wellsboro, PA 16901-1613
 County Potter
 Township(s) West Branch Twp.
 Receiving Stream(s) and Classification(s) Paul Hollow and
 Stone Hollow, S. Branch Pine Cr
*Northwest Region: Oil and Gas Program Manager, 230
 Chestnut St., Meadville, PA 16335*

ESCGP-1 #ESX10-019-0054—Loretta M McCullough et al
 No. 1, 2H, 3H
 Applicant Name Phillips Exploration, Inc.
 Contact Person Gary A. Clark
 Address 502 Keystone Drive
 City Warrendale State PA Zip Code 15086
 County Butler Township(s) Buffalo
 Receiving Stream(s) and Classification(s) UNT of
 McDowell Run—TSF, McDowell Run—TSF,
 Bull Creek—TSF

SPECIAL NOTICES

Planning Grant Awards under Section 901 of the Municipal Waste Planning Recycling and Waste Reduction Act of 1988, Act 101

The Department of Environmental Protection (DEP) hereby announces the following grants to counties pursuant to the Pennsylvania Municipal Waste Planning, Recycling and Waste Reduction Act of 1988, Act 101, P. L. 556, Section 901 and Section 208 of the Waste Tire Recycling Act/Small Business and Household Pollution Prevention Act (Act 190 of 1996).

Planning grants are awarded to counties for 80% of approved costs for preparing municipal waste management plans as required by Act 101, for carrying out related studies, surveys, investigations, inquiries, research and analysis, including those related to siting, environmental mediation, education programs on pollution prevention and household hazardous waste and providing technical assistance to small businesses for pollution prevention. Grants may be awarded for feasibility studies and project development for municipal waste processing or disposal facilities, except for facilities for the combustion of municipal waste that are not proposed to be operated for the recovery of energy. All grant awards are predicated on the receipt of recycling fees required by Sections 701 and 702 of Act 101, and the availability of monies in the Recycling Fund.

Inquiries regarding the grant offerings should be directed to Mr. Mark Vottero, Department of Environmental Protection, Bureau of Waste Management, Division of Waste Minimization and Planning, PO Box 8472, Harrisburg, PA 17105-8472.

Act 101, Section 901 Planning Grants

<i>Region</i>	<i>County</i>	<i>Applicant</i>	<i>Project Description</i>	<i>Grant Award</i>
Northcentral	Snyder	Snyder Co.	Plan Update Reimbursement	\$56,000
Southeast	Chester	Chester County	Plan Revision/Update	\$85,094.00

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200

Permit Application to Conduct Mining Activities

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection, Moshannon District Mining Office. A copy of the application is available for inspection at the District Mining Office indicated above each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Moshannon District Mining Office: Environmental Group Manager, 186 Enterprise Drive, Philipsburg, PA 16866, Telephone 814-342-8200.

SMP #14080103. RES Coal LLC, 224 Grange Hall Road. PO Box 228, Armagh, PA 15920

Application is for a proposed project located in Rush Township, Centre County and Woodward Township, Clearfield County and will involve the installation of a temporary stream crossing on Moshannon Creek, tributary to West Branch Susquehanna River. This will be a temporary crossing consisting of two 6-foot diameter pipes. Total area disturbed will be limited to 0.3 acres. The crossing will be removed upon completion of the mining operation and the crossing site reclaimed to the existing or better conditions.

The highest flow at Moshannon Creek near the crossing was 300+ gpm recorded on October 21, 2008. The lowest

flow was >250 gpm and was recorded on November 6, 2008. The stream is classified under 25 PA Code Chapter 93 as TSF. Chemical analysis of Point G reveals slightly net acidic water quality with elevated iron, manganese and sulfate concentration. This application also includes a request for Section 401 Water Quality Certification.

Written comments or objection on the permit application and the request for Section 401 water quality application may be submitted to the Department.

[Pa.B. Doc. No. 11-211. Filed for public inspection February 4, 2011, 9:00 a.m.]

Air Quality Technical Advisory Committee Meeting Cancellation

The Air Quality Technical Advisory Committee meeting scheduled for Thursday, February 17, 2011, has been cancelled. The next meeting is scheduled for Thursday, April 21, 2011, in Room 105, Rachel Carson State Office Building at 9:15 a.m. For information, contact Arleen Shulman at (717) 772-9495 or e-mail at ashulman@state.pa.us. The agenda and meeting materials for future meetings will be available through the Advisory Committee section of the Public Participation Center on the Department of Environmental Protection's (Department) web site at www.depweb.state.pa.us.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Connie Hartlaub at (717) 787-9495 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

MICHAEL L. KRANCER,
Acting Secretary

[Pa.B. Doc. No. 11-212. Filed for public inspection February 4, 2011, 9:00 a.m.]

Bid Opportunity

BOGM 10-4, Cleaning Out and Plugging Four Abandoned Oil Wells (Troy Raup, Mr. and Mrs. Ronald J. Matthews, Jr. and James E. Nelms properties), Sugar creek Township, Venango County. The principle items of work include cleaning out and plugging four abandoned oil wells, estimated to be 1,000 feet in depth, to Department of Environmental Protection specifications, preparing and restoring well site and mobilizing and demobilizing plugging equipment. This project issues on February 4, 2011, and bids will be opened on March 8, 2011, at 2 p.m. Bid documents cost \$10 per set and will not be mailed until payment has been received. A prebid conference is planned for this project but a date has not been set. Contact the Construction Contracts Section at (717) 787-7820 or joelmiller@state.pa.us for more information on the prebid and this bid.

MICHAEL L. KRANCER,
Acting Secretary

[Pa.B. Doc. No. 11-213. Filed for public inspection February 4, 2011, 9:00 a.m.]

Water Resources Advisory Committee Meeting Cancellation

The Water Resources Advisory Committee meeting scheduled for February 9, 2011, has been cancelled. The next meeting is scheduled to occur on April 13, 2011, at 9:30 a.m. in Room 105, Department of Environmental Protection's (Department) Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101.

Questions concerning the cancellation or the next scheduled meeting should be directed to Marcus Kohl at (717) 783-4693 or mkohl@state.pa.us. The agenda and meeting materials for the April 13, 2011, meeting will be available through the Advisory Committee section of the Public Participation Center on the Department's web site at www.depweb.state.pa.us.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact the Department at (717) 783-4693 or through the Pennsylvania AT&T Relay Service at 800-654-5984 (TDD) to discuss how the Department may accommodate their needs.

MICHAEL L. KRANCER,
Acting Secretary

[Pa.B. Doc. No. 11-214. Filed for public inspection February 4, 2011, 9:00 a.m.]

DEPARTMENT OF HEALTH

Application of CH Hospital of Allentown—Brodheadsville MRI Suite for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that CH Hospital of Allentown—Brodheadsville MRI Suite has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospitals and Healthcare Facilities*. The facility specifically requests exception from the following standard contained in this publication: 2.2-3.4.4.4 (relating to handwashing station).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

ELI N. AVILA, MD, JD, MPH, FCLM,
Acting Secretary

[Pa.B. Doc. No. 11-215. Filed for public inspection February 4, 2011, 9:00 a.m.]

Application of CH Hospital of Allentown—Easton Physical Therapy for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that CH Hospital of Allentown—Easton Physical Therapy has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospitals and Healthcare Facilities*. The facility specifically requests exception from the following standard contained in this publication: 2.2-3.7.8.2 (relating to patient toilets).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

ELI N. AVILA, MD, JD, MPH, FCLM,
Acting Secretary

[Pa.B. Doc. No. 11-216. Filed for public inspection February 4, 2011, 9:00 a.m.]

Application of CH Hospital of Allentown—Schoenersville MRI Suite for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that CH Hospital of Allentown—Schoenersville MRI Suite has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospitals and Healthcare Facilities*. The facility specifically requests exception from the following standard contained in this publication: 2.2-3.4.4.4 (relating to handwashing station).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

ELI N. AVILA, MD, JD, MPH, FCLM,
Acting Secretary

[Pa.B. Doc. No. 11-217. Filed for public inspection February 4, 2011, 9:00 a.m.]

Application of Community Medical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Community Medical Center has requested an

exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospitals and Healthcare Facilities*. The facility specifically requests exception from the following standard contained in this publication: 2.2-3.1.4.3(2) (relating to observation unit space requirements).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

ELI N. AVILA, MD, JD, MPH, FCLM,
Acting Secretary

[Pa.B. Doc. No. 11-218. Filed for public inspection February 4, 2011, 9:00 a.m.]

Application of Elk Regional Health Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Elk Regional Health Center has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospitals and Healthcare Facilities*. The facility specifically requests exception from the following standards contained in this publication: 2.2-2.12 (relating to patient treatment area) and 2.2-2.2.2.1 (relating to private rooms).

This facility is also requesting an exception to 28 Pa. Code § 51.6 (relating to identification of personnel).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

ELI N. AVILA, MD, JD, MPH, FCLM,
Acting Secretary

[Pa.B. Doc. No. 11-219. Filed for public inspection February 4, 2011, 9:00 a.m.]

Application of J C Blair Memorial Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that J C Blair Memorial Hospital has requested an exception to the requirements of 28 Pa. Code § 123.25(2) (relating to regulations for control of anesthetic explosion hazards).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

This facility is requesting a waiver of the comment period, as set forth in 28 Pa. Code § 51.33(c).

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

ELI N. AVILA, MD, JD, MPH, FCLM,
Acting Secretary

[Pa.B. Doc. No. 11-220. Filed for public inspection February 4, 2011, 9:00 a.m.]

Application of Pine Grove Surgical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Pine Grove Surgical Center has requested an exception to the requirements of 28 Pa. Code § 551.21(d)(3) (relating to criteria for ambulatory surgery).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be

reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

ELI N. AVILA, MD, JD, MPH, FCLM,
Acting Secretary

[Pa.B. Doc. No. 11-221. Filed for public inspection February 4, 2011, 9:00 a.m.]

Application of Surgical Center of York for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Surgical Center of York has requested an exception to the requirements of 28 Pa. Code § 555.32(a) (relating to administration of anesthesia).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

This facility is requesting a waiver of the comment period, as set forth in 28 Pa. Code § 51.33(c).

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

ELI N. AVILA, MD, JD, MPH, FCLM,
Acting Secretary

[Pa.B. Doc. No. 11-222. Filed for public inspection February 4, 2011, 9:00 a.m.]

Application of Titusville Area Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Titusville Area Hospital has requested an exception to the requirements of 28 Pa. Code § 123.25(2) (relating to regulations for control of anesthetic explosion hazards).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

This facility is requesting a waiver of the comment period, as set forth in 28 Pa. Code § 51.33(c).

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and

require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

ELI N. AVILA, MD, JD, MPH, FCLM,
Acting Secretary

[Pa.B. Doc. No. 11-223. Filed for public inspection February 4, 2011, 9:00 a.m.]

Application of The Western Pennsylvania Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that The Western Pennsylvania Hospital has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospitals and Healthcare Facilities*. The facility specifically requests exception from the following standard contained in this publication: 2.2-2.2.2.5 (relating to handwashing station).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

ELI N. AVILA, MD, JD, MPH, FCLM,
Acting Secretary

[Pa.B. Doc. No. 11-224. Filed for public inspection February 4, 2011, 9:00 a.m.]

Applications for Exception to 28 Pa. Code § 153.1

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that the following facilities have requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospitals and Healthcare Facilities*. The facilities specifically request exception from the following standard contained in this publication: 3.1-3.2.2.2 (relating to space requirements):

CH Hospital of Allentown—Brodheadsville Physician Office

CH Hospital of Allentown—Easton Physician Office
CH Hospital of Allentown—Highland Physician Office
CH Hospital of Allentown—Independence Physician Office
CH Hospital of Allentown—Physician Office
CH Hospital of Allentown—Schoenersville Physician Office

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

ELI N. AVILA, MD, JD, MPH, FCLM,
Acting Secretary

[Pa.B. Doc. No. 11-225. Filed for public inspection February 4, 2011, 9:00 a.m.]

Health Policy Board Annual Meeting Schedule for 2011

The Health Policy Board has set its calendar for the year 2011. The meeting dates are scheduled as follows:

April 20, 2011
July 20, 2011
October 19, 2011

All meetings will begin at 10 a.m. in Room 812, Health and Welfare Building, 625 Forster Street, Harrisburg, PA.

For additional information or for persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other accommodation to do so should contact Linda Pavlesich at (717) 772-5298, V/TT (717) 783-6514 for speech and/or hearing impaired persons, or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

These meetings are subject to cancellation without notice.

ELI N. AVILA, MD, JD, MPH, FCLM,
Acting Secretary

[Pa.B. Doc. No. 11-226. Filed for public inspection February 4, 2011, 9:00 a.m.]

Organ Donation Advisory Committee Meeting

The Organ Donation Advisory Committee, established under 20 Pa.C.S. § 8622 (relating to The Governor Robert P. Casey Memorial Organ and Tissue Donation Awareness Trust Fund), will hold a public meeting on March 3, 2011,

from 10 a.m. to 3 p.m. The meeting will be held at the Giant Community Center, 2nd Floor, Giant Food Store, 3301 Trindle Road, Camp Hill, PA 17011.

For additional information, or for persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other accommodation to do so, contact Cyndi Malinen, Public Health Program Administrator, Division of Nutrition and Physical Activity, Bureau of Health Promotion and Risk Reduction, Room 1000, Health and Welfare Building, Harrisburg, PA, (717) 787-5876, or for speech and/or hearing impaired persons V/TT (717) 783-6514, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

This meeting is subject to cancellation without notice.

ELI N. AVILA, MD, JD, MPH, FCLM,
Acting Secretary

[Pa.B. Doc. No. 11-227. Filed for public inspection February 4, 2011, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Meetings Scheduled

State Transportation Advisory Committee

The State Transportation Advisory Committee will hold a meeting on Monday, February 7, 2011, from 10 a.m. to 12 p.m. in Conference Room 8N1, Commonwealth Keystone Building, Harrisburg, PA. For more information, contact Nolan Ritchie at (717) 787-2913 or nritch@state.pa.us.

Motor Carrier Safety Advisory Committee

The Motor Carrier Safety Advisory Committee will hold a meeting on Thursday, February 17, 2011, from 12:30 p.m. to 3 p.m. at the Turnpike Commission Building, Middletown, PA. For more information, contact Ryan McNary at (717) 787-3656 or rymcnary@state.pa.us.

State Transportation Commission

The State Transportation Commission will hold a meeting on Thursday, February 24, 2011, from 10 a.m. to 12 p.m. in Conference Room 8N1, Commonwealth Keystone Building, Harrisburg, PA. For more information, contact Nolan Ritchie at (717) 787-2913 or nritch@state.pa.us.

BARRY SCHOCH, P. E.,
Acting Secretary

[Pa.B. Doc. No. 11-228. Filed for public inspection February 4, 2011, 9:00 a.m.]

ENVIRONMENTAL QUALITY BOARD

Meeting Cancellation

The February 15, 2011, meeting of the Environmental Quality Board (Board) is cancelled. The next regularly scheduled meeting of the Board is scheduled for Tuesday, March 15, 2011, at 9:00 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA

17105. An agenda and meeting materials for the March 15, 2011, meeting will be available on the Department of Environmental Protection's web site at <http://www.depweb.state.pa.us> (Select "Public Participation"; "Public Participation Center").

Questions concerning the Board's next scheduled meeting may be directed to Michele Tate at (717) 783-8727 or mtate@state.pa.us.

MICHAEL L. KRANCER,
Chairperson

[Pa.B. Doc. No. 11-229. Filed for public inspection February 4, 2011, 9:00 a.m.]

INSURANCE DEPARTMENT

Keystone Health Plan East; Medically Underwritten Individual HMO Options Rate Filing

Keystone Health Plan East requests approval to increase the rate for the Medically Underwritten Individual HMO Options. The requested rate increase is 6.9%. The proposed rate increase would affect approximately 26,000 existing members and would produce additional income of about \$4.1 million annually. The requested effective date of the change is July 1, 2011.

Unless formal administrative action is taken prior to April 21, 2011, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's (Department) web site at www.insurance.pa.gov. To access the filing, under "How to Find . . ." click on "View Current Rate Filings."

A copy of the filing is also available for public inspection, by appointment, during normal working hours at the Department's Harrisburg office.

Interested parties are invited to submit written or e-mail comments, suggestions or objections to Rashmi Mathur, Insurance Department, Insurance Product Regulation, 1311 Strawberry Square, Harrisburg, PA 17120, rmathur@state.pa.us within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

MICHAEL F. CONSEDINE,
Acting Insurance Commissioner

[Pa.B. Doc. No. 11-230. Filed for public inspection February 4, 2011, 9:00 a.m.]

Surplus Lines Agents and Interested Parties; Ex- port List of Insurance Coverages

In April 2010, the Insurance Commissioner (Commissioner) determined that certain insurance coverages were generally unavailable in the authorized market and declared those coverages as exportable. A list of exportable coverages was published at 40 Pa.B. 2203 (April 24, 2010). Accordingly, for those insurance coverages that are included on the export list, a diligent search among

insurers admitted to do business in this Commonwealth is not required before placement of the coverages in the surplus lines market.

The Commissioner declared that the export list would remain in effect until revised or superseded by a subsequent list.

At this time, the Commissioner is soliciting comments regarding the current export list. Persons may request in writing that a coverage be added or removed from the list.

Persons wishing to comment on the Commissioner's current export list are invited to submit a written statement within 30 days from the date of publication of this notice in the *Pennsylvania Bulletin*. Each written statement must include sufficient detail and relevant facts to inform the Insurance Department of the exact basis of the statement. Written statements should be directed to Cressinda Bybee, Office of Corporate and Financial Regulation, Insurance Department, 1345 Strawberry Square, Harrisburg, PA, 17120, fax (717) 787-8557, cbybee@state.pa.us. After consideration of all comments received, the Commissioner will publish a notice in the *Pennsylvania Bulletin* providing a 15-day opportunity to comment on any proposed changes before formal publication of the revised list.

MICHAEL F. CONSEDINE,
Acting Insurance Commissioner

[Pa.B. Doc. No. 11-231. Filed for public inspection February 4, 2011, 9:00 a.m.]

PENNSYLVANIA COUNCIL ON AGING

2011 Meeting Dates

Under 65 Pa.C.S. Chapter 7 (relating to Sunshine Act), the Pennsylvania Council on Aging (Council) has established the following meeting dates for the calendar year 2011:

February 23	(Wednesday)
April 20	(Wednesday)
June 8	(Wednesday)
September 7	(Wednesday)
December 7	(Wednesday)

Meetings of the Council will be held in the Fifth Floor Conference Room, 555 Walnut Street, Harrisburg, PA. Meetings are from 9 a.m. to 2 p.m.

Persons with a disability who wish to attend the previously-listed meetings and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact William White, Acting Executive Director at (717) 783-1550 to discuss how the Council may best accommodate their needs.

WILLIAM WHITE,
Acting Executive Director

[Pa.B. Doc. No. 11-232. Filed for public inspection February 4, 2011, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Abandon Rate GBM Service

A-2011-2221919. UGI Utilities, Inc.—Gas Division. Application of UGI Utilities, Inc.—Gas Division, for approval to abandon rate GBM service to 1809 West Broad Street, Quakertown.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant, on or before February 22, 2011. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at www.puc.state.pa.us, and at the applicant's business address.

Applicant: UGI Utilities, Inc.—Gas Division

Through and By Counsel: Mark C. Morrow, Esquire, Melanie J. Tambolas, Esquire, 460 North Gulph Road, King of Prussia, PA 19406

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 11-233. Filed for public inspection February 4, 2011, 9:00 a.m.]

Purchase of Property

A-2011-2221869. Pike County Light and Power Company. Application of Pike County Light and Power Company for approval of the purchase of property located in Pike County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant, on or before February 22, 2011. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at www.puc.state.pa.us, and at the applicant's business address.

Applicant: Pike County Light and Power Company

Through and By Counsel: John J. Gallagher, Esquire, 711 Forrest Road, Harrisburg, PA 17112

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 11-234. Filed for public inspection February 4, 2011, 9:00 a.m.]

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a

common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant by February 22, 2011. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

Applications of the following for approval to begin operating as common carriers for transportation of persons as described under each application.

A-2011-2221398. Infinity Transportation Services, LLC (221 North Prince Street, Lancaster, Lancaster County, PA 17603), a limited liability company of the Commonwealth of Pennsylvania, for the right to begin to transport, as a common carrier, by motor vehicle, persons in Group and Party 11-15 service, from points in the County of Lancaster to points in Pennsylvania, and return, excluding services that are under the jurisdiction of the Philadelphia Parking Authority.

A-2011-2221439. Infinity Transportation Services, LLC (221 North Prince Street, Lancaster, Lancaster County, PA 17603), a limited liability company of the Commonwealth of Pennsylvania, for the right to begin to transport, as a common carrier, by motor vehicle, persons in Limousine service, from points in the County of Lancaster to points in Pennsylvania, and return, excluding services that are under the jurisdiction of the Philadelphia Parking Authority.

A-2011-2221819. Lambert Worldwide Services, LLC (6703 Germantown Avenue, Philadelphia, Philadelphia County, PA 19119-2109), for the right to begin to transport persons, in paratransit service, from points in the Counties of Philadelphia, Bucks, Delaware, Chester and Montgomery, to points in Pennsylvania, and return.

A-2011-2221920. First Aid and Safety Patrol of Lebanon, t/a First Aid and Safety Patrol (254 South 11th Street, Lebanon, Lebanon County, PA 17042)—a corporation of the Commonwealth of Pennsylvania, for the right to begin to transport, as a common carrier, by motor vehicle, persons in paratransit service, from points in the Counties of Lebanon, Dauphin and Berks, to points in Pennsylvania and return. *Attorney:* Christina M. Mellott, Page, Wolfberg & Wirth, LLC, 5010 East Trindle Road, Suite 202, Mechanicsburg, PA 17050.

A-2011-2222094. John L. Yoder (519 Oliver Court, Belleville, PA 17004)—persons, in paratransit service, whose personal convictions prevent them from owning or operating motor vehicles, from points in the County of Mifflin, to points in Pennsylvania, and return.

Application of the following for the approval of the right and privilege to *discontinuelabandon* operating as common carriers by motor vehicle and for cancellation of the certificate of public convenience as described under the application.

A-2011-2221930. Ronald Warren Bauer, Jr. (817 Oak Grove Road, Lehigh, Carbon County, PA 18235), for the discontinuance of service and cancellation of his Certificate of Public Convenience as a common carrier, by

motor vehicle, at A-00122188 authorizing the transportation of persons in paratransit service between points in the County of Carbon.

Pennsylvania Public Utility Commission, Bureau of Transportation and Safety v. United Taxi Company;
Doc. No. C-2010-2150673

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings, which are prosecutory in nature to the Bureau of Transportation and Safety and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Transportation and Safety Prosecutory Staff hereby represents as follows:

1. That United Taxi Company, Respondent, maintains its principal place of business at 250 Mercer Street, Phillipsburg, NJ 08865.

2. That, Respondent, was issued a certificate of public convenience by this Commission on June 30, 2008, at Application A-00123614.

3. That, on March 30, 2009, Eastern Regional Manager David W. Loucks was unable to contact Respondent, by telephone, to arrange for a vehicle inspection. A certified letter was mailed, on March 31, 2009, requiring Respondent to contact the Commission to submit to an annual taxicab inspection by a Commission Enforcement Officer. The certified mail was returned by the U.S. Post Office on April 27, 2009 as not deliverable as addressed and unable to forward.

4. That, as of November 1, 2010, respondent has failed to contact the Commission, and has failed to have an annual taxicab inspection.

5. Pursuant to 66 Pa.C.S. § 506, duly authorized officers of the Pennsylvania Public Utility Commission have power and authority to inspect, inquire, and investigate all property, records, books, papers, accounts, and documents, of any public utility, whenever necessary, in carrying out their duties.

6. Pursuant to 66 Pa.C.S. § 1103, the Commission is responsible for ensuring that public utilities hold certificates of public convenience for the convenience, safety, accommodation and service of the public. Pursuant to 52 Pa. Code § 41.14(b), the Commission may withhold granting a carrier authority to operate if it is demonstrated that the carrier lacks a propensity to operate safely and legally. Respondent has demonstrated and convinced the Bureau of Transportation and Safety that it should not have the right to continue as a public utility. Therefore, for the safety of the public, the Bureau of Transportation and Safety Motor Carrier Services and Enforcement's Prosecutory staff's proposed civil penalty for this violation is the cancellation of Respondent's Certificate.

Wherefore, the Bureau of Transportation and Safety Prosecutory Staff hereby requests that the Commission revoke United Taxi Company certificate of public convenience at A-00123614 for the illegal activity described in this complaint and order such other remedy as the Commission may deem to be appropriate.

Respectfully submitted,

Michael E. Hoffman, Director
Bureau of Transportation and Safety
P. O. Box 3265
Harrisburg, PA. 17105-3265

VERIFICATION

I, Michael E. Hoffman, Director of the Bureau of Transportation and Safety, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect the Bureau will be able to prove the same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: _____

Michael E. Hoffman, Director
Bureau of Transportation and Safety

NOTICE

A. You must file an answer within twenty (20) days of the date of service of this complaint. The date of service is the mailing date as indicated at the top of the Secretarial cover letter for this complaint and notice, 52 Pa. Code § 1.56(a). An answer is a written explanation of circumstances wished to be considered in determining the outcome. The answer shall raise all factual and legal arguments that you wish to claim in your defense and must include the reference number of this complaint. Your answer must be verified and the original and three (3) copies sent to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
P. O. Box 3265
Harrisburg, PA 17105-3265

B. If you fail to answer this complaint within twenty (20) days, the Bureau of Transportation and Safety will request that the Commission issue a Secretarial Letter imposing a penalty, which will include the revocation of your Certificate of Public Convenience. In such case, the Bureau of Transportation and Safety will request that the Commission direct the Department of Transportation, pursuant to the Vehicle Code, 75 Pa.C.S. § 1375, to suspend the registration of any vehicle(s) involved in the alleged violations.

C. If you file an answer, which either admits or fails to deny the allegations of the complaint, the Bureau of Transportation and Safety will request that the Commission issue a Secretarial Letter imposing a penalty, which will include the revocation of your Certificate of Public Convenience.

D. If you file an Answer, which contests the complaint, the matter will be assigned to an administrative law judge for hearing and decision. The judge is not bound by the optional fine set forth above.

E. If you have questions regarding this Complaint, or if you would like an alternative format of the Complaint (for persons with disabilities), please contacting the Compliance Office at (717) 787-1227.

*Pennsylvania Public Utility Commission, Bureau of
Transportation and Safety v. Akwasi Abisah;
Doc. No. C-2010-2193440*

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Transportation and Safety and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Transportation and Safety Prosecutory Staff hereby represents as follows:

1. That all authority issued to Akwasi Abisah (respondent) is under suspension effective August 17, 2010, for failure to maintain evidence of insurance on file with this Commission.

2. That respondent maintains a principal place of business at 5340 Manayunk Road, Apt A, Harrisburg, PA 17105.

3. That respondent was issued a Certificate of Public Convenience by this Commission on July 03, 2008, at A-899900.

4. That respondent has failed to maintain evidence of Liability insurance on file with this Commission. The Bureau of Transportation and Safety Motor Carrier Services and Enforcement's Prosecutory Staff's proposed civil penalty for this violation is \$500 and cancellation of the Certificate of Public Convenience.

5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500 and causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Transportation and Safety Prosecutory Staff will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-899900 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,

Michael E. Hoffman, Director
Bureau of Transportation and Safety
P. O. Box 3265
Harrisburg, PA 17105-3265

VERIFICATION

I, Michael E. Hoffman, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: _____

Michael E. Hoffman, Director
Bureau of Transportation and Safety

NOTICE

A. You must file an Answer within twenty (20) days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Cover Letter for this Complaint and Notice, 52 Pa. Code § 1.56(a). An Answer is a written explanation of circumstances wished to be considered in determining the outcome. The Answer shall raise all factual and legal arguments that you wish to claim in your defense and must include the reference number of this Complaint. Your Answer must be verified and the original and three (3) copies sent to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
P. O. Box 3265
Harrisburg, PA 17105-3265

B. If you fail to answer this Complaint within twenty (20) days of the date of service, the Bureau of Transportation and Safety will request that the Commission issue an Order imposing a penalty. Pursuant to 66 Pa.C.S. § 3301(a), the penalty could include a fine of up to \$1,000 for each violation, the revocation of your Certificate of Public Convenience, or any other remedy as may be appropriate. Each day you continue to violate any regulation, direction, requirement, determination or Order of the Commission is a separate and distinct offense, subject to additional penalties.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the \$500 fine proposed in the Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Transportation and Safety
Pennsylvania Public Utility Commission
P. O. Box 3265
Harrisburg, PA 17105-3265

Acord Certificates of Insurance and faxed Form Es and Hs are unacceptable as evidence of insurance.

The fine payment must be made to the Commonwealth of Pennsylvania and forwarded to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
P. O. Box 3265
Harrisburg, PA 17105-3265

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations.

Upon receipt of the evidence of insurance from your insurer and receipt of your fine payment, the Complaint proceeding shall be closed.

D. If you file an Answer which admits or fails to deny the allegations of the Complaint, the Bureau of Transportation and Safety will request that the Commission issue an Order imposing a penalty, which may include the cancellation of your Certificate of Public Convenience. Should the Commission cancel your Certificate of Public Convenience, it may also impose an additional fine of up to \$1,000.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The judge is not bound by the optional fine set forth above.

F. If you have questions regarding this Complaint or if you would like an alternative format of this Complaint (for persons with disabilities), please contact the Compliance Office at (717) 787-1227.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 11-235. Filed for public inspection February 4, 2011, 9:00 a.m.]

Telecommunications

A-2011-2221418. The United Telephone Company of Pennsylvania, LLC, d/b/a CenturyLink and Verizon Wireless. Joint petition of The United Telephone Company of Pennsylvania, LLC, d/b/a CenturyLink and Verizon Wireless for approval of amendment No. 1 to the commercial mobile radio services interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

The United Telephone Company of Pennsylvania, LLC, d/b/a CenturyLink and Verizon Wireless, by its counsel, filed on January 20, 2011, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of amendment No. 1 to the commercial mobile radio services interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of The United Telephone Company of Pennsylvania, LLC, d/b/a CenturyLink and Verizon Wireless joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 11-236. Filed for public inspection February 4, 2011, 9:00 a.m.]

Transfer of Tangible Property

A-2011-2221891. Veolia Energy Philadelphia, Inc. Application of Veolia Energy Philadelphia, Inc. for approval of the transfer of tangible property used or useful in the public service under 66 Pa.C.S. § 1102(a)(3) (relating to enumeration of acts requiring certificate), which is filed in conjunction with the previously filed affiliated interest agreement at G-2010-2193998, pertaining to the lease of a currently unused portion of a building owned by Veolia Energy Philadelphia, Inc. to its affiliate, Veolia Energy Efficiency (PA), LLC.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the

applicant, on or before February 14, 2011. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at www.puc.state.pa.us, and at the applicant's business address.

Applicant: Veolia Energy Philadelphia, Inc.

Through and By Counsel: Barnett Satinsky, Esquire, Fox Rothschild, LLP, 2000 Market Street, 20th Floor, Philadelphia, PA 19103-3222

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 11-237. Filed for public inspection February 4, 2011, 9:00 a.m.]

STATE POLICE

Mobile Video Recording System Equipment Standards and Approved Mobile Video Recording Systems

The State Police, under 18 Pa.C.S. §§ 5704(16)(ii)(C) and 5706(b)(4) (relating to exceptions to prohibition of interception and disclosure of communications; and excep-

tions to prohibitions in possession, sale, distribution, manufacture or advertisement of electronic, mechanical or other devices), published at 34 Pa.B. 1304 (February 28, 2004) a notice of Mobile Video Recording System Equipment Standards and Approved Mobile Video Recording Systems for use until the next comprehensive list is published.

As an addendum to the listing of approved mobile video recording systems published at 34 Pa.B. 1304, the State Police, under the authority cited previously, has approved for use, until the next comprehensive list is published, subject to interim amendment, the following additional approved mobile video recording system, which meets the minimum equipment standards published at 34 Pa.B. 1304:

WatchGuard 4RE Mobile Video Recorder, WatchGuard, Plano, Texas.

DVM-500 Plus and DVM-750 Mobile Video Recorders, Digital Ally, Overland Park, Kansas.

Comments, suggestions or questions should be directed to State Police, Bureau of Patrol, Department Headquarters, 1800 Elmerton Avenue, Harrisburg, PA 17110.

COL. FRANK NOONAN,
Acting Commissioner

[Pa.B. Doc. No. 11-238. Filed for public inspection February 4, 2011, 9:00 a.m.]
