

# NOTICES

## DEPARTMENT OF BANKING AND SECURITIES

### Actions on Applications

The Department of Banking and Securities (Department), under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending December 30, 2014.

Under section 503.E of the Department of Banking and Securities Code (71 P. S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file their comments in writing with the Department of Banking and Securities, Corporate Applications Division, 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, contact the Corporate Applications Division at (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

### BANKING INSTITUTIONS

#### Branch Applications

##### De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
12-1-2014	Prudential Savings Bank Philadelphia Philadelphia County	329 North Main Street Chalfont Bucks County	Opened
12-23-2014	Prudential Savings Bank Philadelphia Philadelphia County	1270 Township Line Road Drexel Hill Delaware County	Filed

##### Branch Discontinuances

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
12-19-2014	Beneficial Mutual Savings Bank Philadelphia Philadelphia County	Route 413 and Doublewoods Road Langhorne Bucks County	Closed
12-19-2014	Peoples Security Bank & Trust Scranton Lackawanna County	108 Second Street Deposit Delaware County, NY	Closed

### CREDIT UNIONS

#### Branch Applications

##### Branch Relocations

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
12-23-2014	TruMark Financial Credit Union Trevose Bucks County	<i>To:</i> 1701 Market Street Philadelphia Philadelphia County  <i>From:</i> 1811 John F. Kennedy Boulevard Philadelphia Philadelphia County	Filed

The Department's web site at [www.dobs.state.pa.us](http://www.dobs.state.pa.us) includes public notices for more recently filed applications.

GLENN E. MOYER,  
*Secretary*

[Pa.B. Doc. No. 15-60. Filed for public inspection January 9, 2015, 9:00 a.m.]

# DEPARTMENT OF COMMUNITY AND ECONOMIC DEVELOPMENT

## Citizen Fair Housing Focus Group Meeting

The Department of Community and Economic Development (Department) is preparing an update to its Analysis to Impediments to Fair Housing. As part of this process the Department will be conducting a Citizen Fair Housing Focus Group (Focus Group) meeting on January 13, 2015, from 6 p.m. to 8 p.m. at Harrisburg Area Community College Midtown 2, Room 202, 1500 North 3rd Street (3rd and Reilly Streets), Harrisburg, PA 17102.

The Focus Group will discuss what is fair housing, what impediments to fair housing are in place throughout this Commonwealth and what actions does the Commonwealth need to address to eradicate these impediments through the use of their Federal funds. Citizen input is encouraged.

The Department must limit the number of those who wish to participate in this Focus Group, so participants must register in advance. Contact Megan Snyder at (717) 720-7404 to receive registration instructions for the meeting at least 24 hours prior to the meeting date.

Persons who have a disability and wish to participate in the Focus Group should contact Megan Snyder, Department of Community and Economic Development, Commonwealth Keystone Building, 400 North Street, 4th Floor, Harrisburg, PA 17120-0225, (717) 720-7404 to discuss how the Department can accommodate their needs. Text telephone calls can be placed through the Pennsylvania AT&T Relay Service at (800) 654-5984. Calls will be relayed to the Department's previously listed number.

C. ALAN WALKER,  
*Secretary*

[Pa.B. Doc. No. 15-61. Filed for public inspection January 9, 2015, 9:00 a.m.]

## Regional Housing Advisory Committee Meetings

The Department of Community and Economic Development (Department) is preparing the Commonwealth's Action Plan (Plan) for 2015. As part of the Plan process, the Department conducts meetings across this Commonwealth to discuss regional issues for housing, homelessness and community development programs that may affect the method of distribution of the Federal programs it administers in with Fiscal Year 2015 funding. The Housing and Urban Development funding programs covered by the Plan and administered by the Department are the Community Development Block Grant (CDBG), the HOME Investment Partnerships, the Emergency So-

lutions Grant, CDBG Disaster Recovery and Neighborhood Stabilization Program. The Department of Health administers the Housing Opportunities for Persons with AIDS program and is covered in the Plan also.

### Regional Housing Advisory Committee (RHAC) Meetings

The RHAC meetings are open to the public and will take place at the following sites on the specified dates:

*Area:* Northwest/Southwest

*Date/Time:* January 17, 2015, 1 p.m. to 2 p.m.

*Location:* Cranberry Township Municipal Center,

Council Chambers

2525 Rochester Road

Cranberry Township, PA 16066

*Area:* Northeast

*Date/Time:* January 12, 2015, 1 p.m. to 2 p.m.

*Location:* Pittston Borough's Council Chambers

555 Exeter Avenue

West Pittston, PA 18643

*Area:* Central

*Date/Time:* January 13, 2015, 1 p.m. to 2 p.m.

*Location:* HACC Midtown 2, Room 202

1500 North 3rd Street

Harrisburg, PA 17102 (3rd and Reilly Streets)

*Area:* Southeast

The RHAC meeting for the Southeastern Region of this Commonwealth will be held as a web-based meeting to be conducted electronically by means of the Internet on Thursday, January 15, 2015. Access to the discussion by means of the Internet will occur between 1 p.m. to 2 p.m. This more widely available personal computer access will replace the onsite public meeting for this region only.

Comments will be accepted about topics related to the needs of this Commonwealth in the following areas: community development; housing; homelessness; economic development; any changes to the method of distribution of the existing Federal programs; and the process by which the public input is gathered. The Commonwealth encourages public participation in this process.

Persons who want to participate must register in advance to ensure adequate space. Contact Megan Snyder at (717) 720-7404 at least 24 hours prior to the meeting date.

Persons who have a disability and wish to participate in the meeting should contact Megan Snyder, Department of Community and Economic Development, Commonwealth Keystone Building, 400 North Street, 4th Floor, Harrisburg, PA 17120-0225, (717) 720-7404 to discuss how the Department can accommodate their needs. Text telephone calls can be placed through the Pennsylvania AT&T Relay Service at (800) 654-5984. Calls will be relayed to the Department's previously listed number.

C. ALAN WALKER,  
*Secretary*

[Pa.B. Doc. No. 15-62. Filed for public inspection January 9, 2015, 9:00 a.m.]

# DEPARTMENT OF ENVIRONMENTAL PROTECTION

## Applications, Actions and Special Notices

### APPLICATIONS

#### THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT APPLICATIONS FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications concern, but are not limited to, discharges regarding industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFO). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Waste; Discharge into Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 Individual Permits and Individual Stormwater Construction Permits in Sections IV and VI, the Department, based upon preliminary reviews, has made tentative determinations of proposed effluent limitations and other terms and conditions for the permit applications. In accordance with 25 Pa. Code § 92a.32(d), the proposed discharge of stormwater associated with construction activities will be managed in accordance with the requirements of 25 Pa. Code Chapter 102. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the United States Environmental Protection Agency (EPA) Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on NPDES applications are invited to submit statements to the contact office noted before the application within 30 days from the date of this public notice. Persons wishing to comment on WQM permit applications are invited to submit statements to the office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for public hearings on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

#### I. NPDES Renewal Applications

*Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0063908 (Stormwater)	Ace-Robbins, Inc. 4022 SR 6 Tunkhannock, PA 18657	Wyoming County Tunkhannock Township	Tunkhannock Creek (4-F)	Y

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0086690 (IW)	Kalas Manufacturing, Inc.— Plant #2 167 Greenfield Road Lancaster, PA 17601-5814	Lancaster County / East Cocalico Township	Stony Run / 7J	Y
PA0088528 (Sew)	Tulpehocken Township— Rehrersburg STP 22 Rehrersburg Road Rehrersburg, PA 19550	Berks County / Tulpehocken Township	UNT Little Swatara Creek / 7D	Y

*Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed#)</i>	<i>EPA Waived Y/N?</i>
PA0222607 (Sewage)	Lorraine Steele SFTF RR 1 Box 9613 Wilcox, PA 15870	Elk County Jones Township	East Branch Clarion River (17-A)	Y
PA0100013 (Sewage)	National Fuel Gas West Erie County Service Center 8170 Avonia Road Fairview, PA 16415	Erie County Fairview Township	Unnamed Tributary of Elk Creek (15-A)	Y
PA0239445 (Sewage)	Sugar Grove Area STP Dobson Road Sugar Grove, PA 16350	Warren County Sugar Grove Borough	Stillwater Creek (16-B)	Y

## **II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Non-Waived Permit Applications**

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.*

**PA0085197**, Sewage, SIC Code 3999, **Kampel Enterprises Inc.**, 8930 Carlisle Road, Wellsville, PA 17365-9735. Facility Name: Kampel Enterprises Airplane & Metalwork. This existing facility is located in Warrington Township, **York County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Unnamed Tributary of North Branch Bermudian Creek, is located in State Water Plan watershed 7-F and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0025 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Instant. Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	6.0	XXX	XXX	XXX
Total Residual Chlorine (Interim)	XXX	XXX	XXX	0.5	XXX	1.5
(Final)	XXX	XXX	XXX	0.33	XXX	1.1
CBOD <sub>5</sub>	XXX	XXX	XXX	10	XXX	20
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 2,000	XXX	10,000
Ammonia-Nitrogen						
May 1 - Oct 31	XXX	XXX	XXX	5.0	XXX	10
Nov 1 - Apr 30	XXX	XXX	XXX	15	XXX	30
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Avg Qrtly Report	XXX	XXX
				Avg Qrtly		

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

**PA0246646**, SIC Code 5012, **Copart Auto Auction**, 8 Park Drive, Grantville, PA 17028-8210. Facility Name: Copart Auto Auction. This existing facility is located in East Hanover Township, **Lebanon County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Swatara Creek, is located in State Water Plan watershed 7-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0017 MGD.

Parameters	Mass (lb/day)		Minimum	Concentration (mg/l)		Instant. Maximum
	Average Monthly	Daily Maximum		Average Monthly		
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine	XXX	XXX	XXX	0.5	XXX	1.63
CBOD <sub>5</sub>	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

**PA0265969**, Sewage, SIC Code 5812, **Crooks Wesley**, 10924 Raystown Road, Saxton, PA 16678. Facility Name: Happy Hollow Restaurant. This proposed facility is located in Liberty Township, **Bedford County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated sewage and kitchen sink wastewater.

The receiving stream(s), Unnamed tributary to Sugar Camp Run, is located in State Water Plan watershed 11-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.002 MGD.

Parameters	Mass (lb/day)		Minimum	Concentration (mg/l)		Instant. Maximum
	Average Monthly	Daily Maximum		Average Monthly		
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine	XXX	XXX	XXX	0.5	XXX	1.6
CBOD <sub>5</sub>	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

---

Northcentral Regional Office: Regional Clean Water Program Manager, 208 W Third Street Suite 101, Williamsport, PA 17701-6448, Telephone: 570.327.0530.

**PA0233927 A-1**, SIC Code 4952, **Lewis Township**, 1428 Rovendale Drive, Watsontown, PA 17777.

Facility Name: Lewis Township SFTF. This existing facility is located in Lewis Township, **Northumberland County**.

Description of Existing Activity: The application is for an amendment to the NPDES permit for an existing discharge of treated sewage. The removal of the UV monitoring requirement has been proposed.



The receiving stream(s), Unnamed Tributary to Warrior Run, is located in State Water Plan watershed 10-D and is classified for Warm Water Fishes, Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.002 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		Instant. Maximum
	Average Monthly	Daily Maximum	Minimum	Average Monthly		
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
BOD <sub>5</sub>	XXX	XXX	XXX	10	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is in effect.

**PA0111741 A-2**, Sewage, SIC Code 4952, **Lewis Township Northumberland County**, 1428 Rovendale Drive, Watsonstown, PA 17777.

Facility Name: Warrior Run School District WWTP. This existing facility is located in Lewis Township, **Northumberland County**.

Description of Existing Activity: The application is for an amendment to the NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Unnamed Tributary to Warrior Run, is located in State Water Plan watershed 10-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.026 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		Instant. Maximum
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Weekly Average	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
CBOD <sub>5</sub>	XXX	XXX	XXX	25	40	50
Total Suspended Solids	XXX	XXX	XXX	30	45	60
Fecal Coliform (No./100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 2,000	XXX	10,000
UV Intensity (mW/cm <sup>2</sup> )	XXX	XXX	XXX	Geo Mean Report	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is in effect.

*Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Telephone: 412.442.4000.*

**PA0254908**, SIC Code 8811, **Frank G. Szczechowicz**, 7785 Lincoln Highway, Central City, PA 15926. Facility Name: Peninsula Lot 217. This proposed facility is located in Indian Lake Borough, **Somerset County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated sanitary sewage.

The receiving stream, Indian Lake, is located in State Water Plan watershed 18-E and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		Instant. Maximum
	Average Monthly		Minimum	Average Monthly		
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	Report	XXX	XXX
CBOD <sub>5</sub>	XXX	XXX	XXX	10	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10	XXX	20
Fecal Coliform (CFU/100 ml)	XXX	XXX	XXX	200	XXX	XXX
				Geo Mean		

The EPA Waiver is in effect.

---

**III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law**


---

*Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.*

**WQM Permit No. WQG02351401**, Sewage, **Scott Township**, 1038 Montdale Road, Scott Township, PA 18447.

This proposed facility is located in Scott Township, **Lackawanna County**.

Description of Proposed Action/Activity: The project is for the installation of approximately 4,250 lineal feet of an 8-inch PVC gravity sewer extension from the wastewater treatment plant in the Scott Technology Park along Mostowski Road to an existing sewage pump station on Ball Road. Installation of 26 concrete manholes and a stream crossing over South Branch Tunkhannock Creek are included in the project.

---

**VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities**


---

*Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI011505043R(1)	The Hankin Group 707 Eagleview Blvd P.O. Box 562 Exton, PA 19341	Chester	Uwchlan Township	Shamona Creek HQ-TSF-MF
PAI011514038	PECO Energy Company 2301 Market Street, S7-2 Philadelphia, PA 19101	Chester	Londonderry & Penn Townships	Unnamed Tributary to East Branch Big Elk Creek HQ-TSF
PAI014614005	Mancill Mill Road Company	Montgomery	Upper Merion Township	Schuylkill WWF

*Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

*Carbon County Conserve District, 5664 Interchange Road, Lehighon, PA 18235-5114*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI021309004(2)	PA Solar Park LLC Mark Noyes 100 Summit Lake Drive Suite 400 Valhalla, NY 10595	Carbon	Nesquehoning Borough	Nesquehoning Creek (CWF, MF) Broad Run (HQ-CWF, MF) Deep Run (EV, MF)

*Lehigh County Conservation District, Lehigh Ag Center, Suite 102, 4184 Dorney Park Road, Allentown PA 18104*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI023914021	Warren Riggins Concordia Lutheran Church of Macungie 2623 Brookside Road Macungie, PA 18062	Lehigh	Lower Macungie Township	Little Lehigh Creek (HQ-CWF, MF)

*Pike County Conserve District, 556 Route 402, Hawley, PA 18428*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI025214004	Cellco Partnership dba Verizon Wireless	Pike	Westfall Township	UNT to Delaware River (HQ-CWF, MF)

*Northwest Region: Waterways and Wetlands Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481*

*Butler County Conservation District, 122 McCune Drive, Butler PA 16001-6501*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI061014004	Municipal Authority of Buffalo Township 707 South Pike Road Sarver PA 16055	Butler	Buffalo Township	UNT Sarver Run HQ-TSF

---

**VII. List of NOIs for NPDES and/or Other General Permit Types**


---

PAG-12            CAFOs

*CAFO Notices of Intent Received*

*Northcentral Regional Office: Regional Clean Water Program Manager, 208 W Third St Ste 101, Williamsport, PA 17701-6448. Phone: 570.327.0530.*

**NPDES Permit No. PAG124850, CAFO, Garrett & Darren Moyer Swine & Dairy Farm**, 1200 Red Bank Rd, Middleburg, PA 17842.

This proposed facility is located in Washington Township, **Snyder County**.

Description of size and scope of proposed operation/activity: This is an existing Dairy farm with 88 cows. They are proposing to add 4,800 pigs. Total AEU's will be 781. Liquid manure will be land applied on ground operated by Garrett Moyer and exported to neighboring farms per an approved Nutrient Management Plan.

The receiving stream, Unnamed Tributary to Susquehecca Creek, is in watershed 6-A and classified for: Cold Water Fishes and Migratory Fishes.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 25-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the state narrative water quality standards.

**NPDES Permit No. PAG124849, CAFO, Van Blarcom Farms**, 1301 Fulling Mill Rd Suite 3000, Middletown, PA 17057.

This proposed facility is located in Columbia Township, **Bradford County**.

Description of size and scope of proposed operation/activity: The facility is a farrow to wean operation. The animal population is maintained at 4,920 gestation sows, 960 sows with litter, 15 boars and 2,000 gilts. Total AEU's is 2,716. The farm is set on 18 acres and has no cropland associated with the sow operation. All manure is exported.

The receiving stream, Unnamed Tributary to Wolfe Creek, is in watershed 4-C and classified for: Trout Stocking and Migratory Fishes.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 25-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the state narrative water quality standards.

## STATE CONSERVATION COMMISSION

### PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling (717) 787-8821.

Persons wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Persons with a disability who require an auxiliary aid, service, including TDD users or other accommodations to seek additional information should contact the SCC through the Pennsylvania AT&T Relay Service at (800) 654-5984.



**APPLICATIONS**  
**NUTRIENT MANAGEMENT PLAN—PUBLIC NOTICE SPREADSHEET**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal / New</i>
James Stahl 910 Jake Landis Rd Lititz, PA 17543	Lancaster	251.7	406.01	Layers/Steer	NA	R
Bryan Byers 81 Four Pines Road Quarryville, PA 17566	Lancaster	278.1	130.19	Ducks	HQ	R
Joe Burkholder 1440 Division Highway Ephrata, PA 17522	Lancaster	75.7	331.6	Swine/Steer	NA	R
Harold Weaver 2693 N. Colebrook Road Manheim, PA 17545	Lancaster	60.7	131.2	Ducks	NA	R
Mor-T-Do Farm Neill & Mac Miller 5292 Pleasant Ridge Road Needmore, PA 17238	FULTON	170	364.96	Swine & Beef	None	R
Calvin Zerbe 296 Manbeck Road, Bernville, PA 19506	Berks	143.3	150.71	pullets	N/A	Renewal
Pleasant View Farms Inc 261 Pleasant View Farms Lane, Martinsburg, PA 16662	Blair	2,784	3,107.5	Dairy	Clover Creek, Piney Creek, Yellow Creek, Plum Creek, Halter Creek	Renewal
Tim Heckenluber Heckenluber Poultry Farm 413 Heckenluber Road Biglerville, PA 17307	Adams	20	398.9	Turkey	NA	Renewal

**PUBLIC WATER SUPPLY (PWS)  
PERMITS**

Under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17), the following parties have applied for PWS permits to construct or substantially modify public water systems.

Persons wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

**SAFE DRINKING WATER**

**Applications Received Under the Pennsylvania Safe Drinking Water Act**

*Northcentral Region: Safe Drinking Water Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448*

**Application No. 1414505—Construction** Public Water Supply.

Applicant	<b>Pennsylvania State University</b>
[Township or Borough]	College Township
County	<b>Centre</b>
Responsible Official	Andrew D. Gutberlet, P.E. Manager, Engineering Services Pennsylvania State University 139J Physical Plant Building University Park, PA 16802
Type of Facility	Public Water Supply

Consulting Engineer	Daniel A. Cargnel, P.E. Buchart Horn, Inc. 1975 Waddle Road State College, PA 16803
Application Received	December 22, 2014
Description of Action	Construction of a new water treatment plant for the Pennsylvania State University's Park Campus.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

### UNDER ACT 2, 1995 PREAMBLE 1

#### Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907)

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.302—6026.305) require the Department to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. A person intending to use the background standard, Statewide health standard, the site-specific standard or intend to remediate a site as a special industrial area shall file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of cleanup standards or receives approval of a special industrial area remediation identified under the act will be relieved of further liability for the remediation of the site for contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the following site, proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified as follows. During this comment period, the municipality may request that the person identified as the remediator of the site develop and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental cleanup program manager in the Department regional

office listed before the notice. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

*Southwest Region: Environmental Cleanup & Brownfield Development Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745*

**Former Gorell Facility, (former Aluminum Fabrications Company of Pittsburgh / Season-All Industries, S-All, Gorell Enterprises, Inc.)** 1380 Wayne Avenue, White Township, Indiana County. JEMCOR, P.O. Box 126, 68 Walnut Street, Johnstown, PA 15907 on behalf of Troika Holdings, LLC., 1060, Wayne Avenue, 2nd Floor, Indiana, PA 15701 has submitted a Notice of Intent to Remediate for the Special Industrial Area designation for site soils and groundwater. Primary contaminants of concern for this SIA relate to inorganics: arsenic, lead, chrome; petroleum constituents and chlorinated solvents. Future use of the property is non-residential. Notice of the NIR was published in the *Indiana Gazette* on December 9, 2014.

#### RESIDUAL WASTE GENERAL PERMITS

**Application(s) received Under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and the Beneficial Use of Residual Waste other than Coal Ash.**

*Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone 412-442-4000.*

**General Permit Application No. WMGR017SW002. Highland Sewer & Water Authority, 120 Tank Drive, Johnstown, PA 15904.** A renewal application for the continued coverage under residual waste general permit WMGR017 for beneficial use of drinking water treatment sludge generated by a water supply treatment facility for use as a soil additive on agricultural lands was received in the Regional Office on November 7, 2014.

#### OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

**Application Received Under the Solid Waste Management Act, the Municipal Waste Planning, Recycling and Waste Reduction Act and Regulations to Operate Solid Waste Processing or Disposal Area or Site.**

*Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Telephone 412-442-4000.*

**Permit ID No. WMGR123SW011. Appalachian Water Services, LLC, 300 Cherrington Parkway, Suite 200, Coraopolis, PA 15425.** Modification to registration authorizing the processing of oil and gas liquid waste for beneficial use at the Ronco Industrial Wastewater Treatment Plant located in Masontown Borough, Fayette County. Application was received in the Regional Office on December 12, 2014.

*Southeast Region: Regional Solid Waste Manager, 2 East Main Street, Norristown, PA 19401*

**Permit Application No. 100817. Abington Township**, 1176 Old York Road, Abington, PA 19001. This application is for permit reissuance of the Solid Waste Permit No. 100817 for Abington Transfer Station facility from Waste System Authority of Eastern Montgomery County to Abington Township. The Abington Transfer Station facility is a municipal waste transfer facility operated by Covanta Abington Transfer Solutions, LLC, and located at 995 Fitzwatertown Road in Upper Dublin Township, **Montgomery County**. The application was received by the Southeast Regional Office on November 26, 2014.

## AIR QUALITY

### PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department has developed an "integrated" plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities.

Copies of the application, the Department's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate Department Regional Office. Appointments for scheduling a review must be made by calling the appropriate Department Regional Office. The address and phone number of the Regional Office is listed before the application notices.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the Department's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

A person wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if the Department, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when the Department determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate Department Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with

limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P. S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

### PLAN APPROVALS

**Plan Approval Applications Received under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.**

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790*

*Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507*

**39-00011C: Lafarge North America, Inc.** (5160 Main Street, Whitehall, PA 18052) for addition of natural gas as a fuel for No. 1 raw mill at their Whitehall Plant in Whitehall Township, **Lehigh County**. The current emission limits for this source will not change as a result of this modification. The Plan Approval will contain additional recordkeeping, testing and operating restrictions designed to keep the facility operating within all applicable air quality requirements. The facility currently has a Title V Operating Permit No. 39-00011. This plan approval will, in accordance with 25 Pa. Code § 127.450, be incorporated into the Title V Operating Permit through an administrative amendment at a later date.

**40-00067A: Wyoming Valley Sanitary Authority** (P.O. Box 33A, Wilkes-Barre, PA 18703) for addition of an active carbon mercury adsorption system at their facility in Hanover Township, **Luzerne County**. The current emission limits for this source will not change as a result of this modification. The Plan Approval will contain additional recordkeeping, testing and operating restrictions designed to keep the facility operating within all applicable air quality requirements. The facility currently has a Title V Operating Permit No. 40-00067. This plan approval will, in accordance with 25 Pa. Code § 127.450, be incorporated into the Title V Operating Permit through an administrative amendment at a later date.

**40-00020A: Pennsylvania Department of Public Welfare/White Haven Center** (827 Oley Valley Road, White Haven, PA 18661) has submitted an application to the Pennsylvania Department of Environmental Protection for plan approval to operate the three (3) existing coal boilers with a voluntary limit on coal usage to no more than 10% of their annual capacity to comply with 40 CFR 63 Subpart JJJJJJ at their facility in Foster Township, **Luzerne County**.



Plan Approval No. 40-00020A will also contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown in the preceding paragraph. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit No.: 40-00020A and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Ray Kempa, Chief, New Source Review Section, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, Phone 570-826-2511 within 30 days after publication date.

**35-00007A: Pennsylvania Department of Public Welfare/Clarks Summit State Hospital** (1451 Hillside Drive, Clarks Summit, PA 18411) has submitted an application to the Pennsylvania Department of Environmental Protection for plan approval to operate a new natural gas/No. 2 oil boiler at their facility in Newton Township, **Lackawanna County**.

Plan Approval No. 35-00007A is for operation a new natural gas/No. 2 oil boiler. Also the two (2) existing coal boilers will voluntarily limit coal usage to no more than 10% of their annual capacity to comply with 40 CFR 63 Subpart JJJJJJ. The Plan Approval and Operating permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown in the preceding paragraph. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit No.: 35-00007A and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania*

*Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Ray Kempa, Chief, New Source Review Section, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, Phone 570-826-2511 within 30 days after publication date.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745*

*Contact: Mark R. Gorog, P.E., Environmental Engineer Manager—Telephone: 412-442-4150*

**32-00200A: Indiana University of Pennsylvania** (525 Pratt Drive, Indiana, PA 15705-1028) to upgrade the engine exhaust systems of the University's four lean-burn reciprocating dual fuel compression ignition engines by installing a Johnson-Matthey Oxidation catalyst in the exhaust stream of each engine and adding an Alfa-Laval Pure Vent centrifugal separator to the crankcase ventilation system on each engine at the S.W. Cogeneration Plant in Indiana Borough, **Indiana County**. This is a major facility Plan Approval application submittal.

**26-00597A: Bullsken Stone & Lime, LLC** (117 Marcia Street, P.O. Box 528, Latrobe, PA 15650) to upgrade their General Permits (GP-3 and GP-9) to stationary equipment that allows greater annual production of stone at the Bullsken No. 1 Mine in Bullsken Township, **Fayette County**. This is an initial minor facility Plan Approval application submittal.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481*

*Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6636*

**43-373A: Ellwood Crankshaft & Machine Company** (2575 Freedland Road, Hermitage, PA 16148), for the construction of a crankshaft manufacturing facility consisting of horizontal multi-directional hot forging, heat treatment, and machining in Sharon City, **Mercer County**. This is a State Only facility.

---

**Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.**

---

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745*

*Contact: Mark R. Gorog, P.E., Environmental Engineer Manager—Telephone: 412-442-4150*

**26-00575A: Green Ridge Cemeteries, Inc.** (2901 Memorial Blvd., Connellsville, PA 15425). Notice is hereby given in accordance with 25 Pa. Code §§ 127.44—127.46 that the Department of Environmental Protection ("Department") intends to issue Air Quality Plan Approval PA-26-00575A to authorize temporary operation of one (1) Matthews International-Cremation Division IE43-PPII natural gas-fired crematory incinerator for the cremation of human remains at the above referenced facility located in Bullsken Township, **Fayette County**. The crematory incinerator has a maximum cremation rate of 150 pounds per hour and was previously installed under the authority of GP14-26-00575.

The crematory incinerator has an annual potential to emit (PTE) of 2.0 tons of carbon monoxide (CO); less than 1.1 ton each of nitrogen oxides (NO<sub>x</sub>), sulfur oxides (SO<sub>x</sub>), total particulate matter (PM, PM<sub>10</sub>, and PM<sub>2.5</sub>), and

volatile organic compounds (VOC); and less than 0.2 ton of total hazardous air pollutants (HAP). Best available technology (BAT) for the referenced crematory incinerator includes good combustion practices; operation and maintenance in accordance with the manufacturer's specifications and instructions; and multi-chamber design with a minimum secondary chamber temperature of 1800°F. The referenced crematory incinerator is subject to applicable portions of 25 Pa. Code Chapters 123 and 127. The proposed Plan Approval has been conditioned to ensure compliance with all applicable regulations and includes emissions limitations, and also work practice, monitoring, recordkeeping, and reporting requirements.

A person may oppose the proposed plan approval by filing a written protest with the Department through Devin P. Tomko, Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA, 15222. Written comments may also be submitted. Each protest or set of written comments must contain the name, address, and telephone number of the person submitting the comments, identification of the proposed Plan Approval (PA-26-00575A) and concise statements regarding the relevancy of the information or objections to issuance of the Plan Approval.

All comments must be received prior to the close of business 30 days after the date of this publication.

For additional information, you may contact Devin P. Tomko at 412-442-5231.

**63-00930A: Woodruff Partners, LLP—DBA Peaceful Pastures Pet Crematory** (2820 Washington Road, McMurray, PA 15317). Notice is hereby given in accordance with 25 Pa. Code §§ 127.44—127.46 that the Department of Environmental Protection (“Department”) intends to issue Air Quality Plan Approval PA-63-00930A to authorize temporary operation of one (1) Matthews International-Cremation Division IE43-PPII natural gas-fired crematory incinerator for the cremation of animal remains at the above referenced facility located in North Strabane Township, **Washington County**. The crematory incinerator has a maximum cremation rate of 150 pounds per hour and was previously installed under the authority of GP14-63-00930.

The crematory incinerator has an annual potential to emit (PTE) of 2.0 tons of carbon monoxide (CO); less than 1.1 ton each of nitrogen oxides (NO<sub>x</sub>), sulfur oxides (SO<sub>x</sub>), total particulate matter (PM, PM<sub>10</sub>, and PM<sub>2.5</sub>), and volatile organic compounds (VOC); and less than 0.2 ton of total hazardous air pollutants (HAP). Best available technology (BAT) for the referenced crematory incinerator includes good combustion practices; operation and maintenance in accordance with the manufacturer's specifications and instructions; and multi-chamber design with a minimum secondary chamber temperature of 1800°F. The referenced crematory incinerator is subject to applicable portions of 25 Pa. Code Chapters 123 and 127. The proposed Plan Approval has been conditioned to ensure compliance with all applicable regulations and includes emissions limitations, and also work practice, monitoring, recordkeeping, and reporting requirements.

A person may oppose the proposed plan approval by filing a written protest with the Department through Devin P. Tomko, Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA, 15222. Written comments may also be submitted. Each protest or set of written comments must contain the name, address, and telephone number of the person submitting the comments, identification of the proposed

Plan Approval (PA-63-00930A) and concise statements regarding the relevancy of the information or objections to issuance of the Plan Approval.

All comments must be received prior to the close of business 30 days after the date of this publication.

For additional information you may contact Devin P. Tomko at 412-442-5231.

**32-00371B: Blairsville Wilbert Vault Co.** (100 N.E. Lane, PO Box 7, Blairsville, PA 15717). Notice is hereby given in accordance with 25 Pa. Code §§ 127.44—127.46 that the Department of Environmental Protection (“Department”) intends to issue Air Quality Plan Approval PA-32-00371B to authorize temporary operation of one (1) Matthews International-Cremation Division IE43-PPII natural gas-fired crematory incinerator for the cremation of human remains at the above referenced facility located in Blairsville Borough, **Indiana County**. The crematory incinerator has a maximum cremation rate of 150 pounds per hour and was previously installed under PA-32-00371 and operated under the authority of OP-32-00371 and GP14-32-00371.

The crematory incinerator has an annual potential to emit (PTE) of 2.0 tons of carbon monoxide (CO); less than 1.1 ton each of nitrogen oxides (NO<sub>x</sub>), sulfur oxides (SO<sub>x</sub>), total particulate matter (PM, PM<sub>10</sub>, and PM<sub>2.5</sub>), and volatile organic compounds (VOC); and less than 0.2 ton of total hazardous air pollutants (HAP). Best available technology (BAT) for the referenced crematory incinerator includes good combustion practices; operation and maintenance in accordance with the manufacturer's specifications and instructions; and multi-chamber design with a minimum secondary chamber temperature of 1800°F. The referenced crematory incinerator is subject to applicable portions of 25 Pa. Code Chapters 123 and 127. The proposed Plan Approval has been conditioned to ensure compliance with all applicable regulations and includes emissions limitations, and also work practice, monitoring, recordkeeping, and reporting requirements.

A person may oppose the proposed plan approval by filing a written protest with the Department through Devin P. Tomko, Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA, 15222. Written comments may also be submitted. Each protest or set of written comments must contain the name, address, and telephone number of the person submitting the comments, identification of the proposed Plan Approval (PA-32-00371B) and concise statements regarding the relevancy of the information or objections to issuance of the Plan Approval.

All comments must be received prior to the close of business 30 days after the date of this publication.

For additional information, you may contact Devin P. Tomko at 412-442-5231.

**32-00394A: Bowser Minich Pet Crematory** (498 Ben Franklin Road South, Indiana, PA 15701). Notice is hereby given in accordance with 25 Pa. Code §§ 127.44—127.46 that the Department of Environmental Protection (“Department”) intends to issue Air Quality Plan Approval PA-32-00394A to authorize temporary operation of one (1) Matthews International-Cremation Division IE43-PPJr natural gas-fired crematory incinerator for the cremation of animal remains at the above referenced facility located in White Township, **Indiana County**. The crematory incinerator has a maximum cremation rate of 75 pounds per hour and was previously installed under the authority of GP14-32-00394.



The crematory incinerator has an annual potential to emit (PTE) of 1 ton of carbon monoxide (CO); less than 1 ton each of nitrogen oxides (NO<sub>x</sub>), sulfur oxides (SO<sub>x</sub>), total particulate matter (PM, PM<sub>10</sub>, and PM<sub>2.5</sub>), and volatile organic compounds (VOC); and less than 0.1 ton of total hazardous air pollutants (HAP). Best available technology (BAT) for the referenced crematory incinerator includes good combustion practices; operation and maintenance in accordance with the manufacturer's specifications and instructions; and multi-chamber design with a minimum secondary chamber temperature of 1800°F. The referenced crematory incinerator is subject to applicable portions of 25 Pa. Code Chapters 123 and 127. The proposed Plan Approval has been conditioned to ensure compliance with all applicable regulations and includes emissions limitations and also work practice, monitoring, recordkeeping, and reporting requirements.

A person may oppose the proposed plan approval by filing a written protest with the Department through Devin P. Tomko, Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA, 15222. Additional written comments may also be submitted. Each protest or set of written comments must contain the name, address, and telephone number of the person submitting the comments, identification of the proposed Plan Approval (PA-32-00394A) and concise statements regarding the relevancy of the information or objections to issuance of the Plan Approval.

All comments must be received prior to the close of business 30 days after the date of this publication.

For additional information, you may contact Devin P. Tomko at 412-442-5231.

#### OPERATING PERMITS

##### **Intent to Issue Title V Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter G.**

*Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4762, Lisa Dorman, New Source Review Permitting Chief—Telephone: 717-705-4863 or William Weaver, Regional Air Quality Manager, Telephone: 717-705-4702.*

**67-05022: Leisters Furniture Inc.**, (433 Ridge Avenue, Hanover, PA 17331) to issue a State Only Operating Permit for their wood furniture manufacturing operation in Hanover Borough, **York County**. The actual 2013 emissions were 0.15 ton of PM per year, 0.2 ton of CO per year, 0.2 ton of NO<sub>x</sub> per year, 0.001 ton of SO<sub>x</sub> per year, 3.4 tons of VOC per year, and 1.04 ton of total HAPs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 25 Pa. Code §§ 129.52 and 129.101—129.107, and 40 CFR Part 64 Compliance Assurance Monitoring (CAM).

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745*

*Contact: Barbara Hatch, Facilities Permitting Chief—Telephone: 412-442-4174*

**56-00167: North American Hoganas, Inc.** (111 Hoganas Way, Hollsopple, Pa 15935) In accordance with 25 Pa. Code §§ 127.424, 127.425 and 127.521, the Department of Environmental Protection (DEP) is providing notice that it intends to issue a Title V Operating Permit

renewal to North American Hoganas Inc. (NAH) for their Stony Creek Plant located in Quemahoning Township, **Somerset County**. NAH produces atomized iron powder, mixed iron and low alloy steel powders, and certified alloy ingots at the Stony Creek Plant.

NAH melts scrap steel and additives using an Electric Arc Furnace (EAF). The melted metal is transferred to the Ladle Melt Furnace where additives are added if necessary until the correct composition is reached. NAH also operates a small foundry at the Stony Creek Plant. Scrap metal and raw materials are first melted in one of three induction furnaces. Most often, the molten metal is then degassed by the vacuum degasser while still in the ladle. Molten metal is poured into ingot molds once within the needed chemical specifications. Ingots of stainless steel, tool steel, high alloy steel, carbon steel, and cobalt are cast by NAH. The process at this facility also include various heat treating furnaces, screen, vacuum degasser, shot blast, atomizer and rotary dryer. There are several baghouses to control particulate emissions.

Facility-wide emissions reported for the 2013 calendar year were approximately 85.87 tons of CO, 33.61 tons of NO<sub>x</sub>, 27.58 tons of SO<sub>x</sub>, 25.93 tons of PM<sub>10</sub>, 2.39 tons of VOCs, 7.95 tons of Chromium, 6.22 tons of Chlorine, and less than one ton for all other air contaminants. Title V Permitting of this facility is necessary because the potential emission rates for CO are above major source thresholds. The emission restriction, testing, monitoring, recordkeeping, reporting and work practice conditions of the TVOP have been derived from the applicable requirements of 40 CFR 63, Subparts AAa, YYYYY, Subpart ZZZZZ and 25 Pa. Code Chapters 121—145.

##### **Intent to Issue Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.**

*Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4762, Lisa Dorman, New Source Review Permitting Chief—Telephone: 717-705-4863 or William Weaver, Regional Air Quality Manager, Telephone: 717-705-4702.*

**67-03166: C & S Wholesale Grocers, Inc.** (4875 N. Susquehanna Trail, York, PA 17406) to issue a State Only Operating Permit for operation of ten existing backup generators to be used for emergencies, testing / maintenance, and demand response in Conewago Township, **York County**. The estimated potential emissions from the proposed sources will be 0.7 ton per year of PM, 1.2 ton per year of SO<sub>x</sub>, 4.4 tons per year of CO, 52.6 tons per year of NO<sub>x</sub>, 0.04 ton per year of Total HAPs, and 1.3 ton per year of VOC. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. A compliance schedule may be included. Additionally, among other items, the conditions include provisions derived from 40 CFR 60 Subpart JJJJ (Standards of Performance for New Stationary Spark Ignition Internal Combustion Engines), 40 CFR 60 Subpart IIII (Standard of Performance for Stationary Compression Ignition Internal Combustion Engines), and 40 CFR 63 Subpart ZZZZ (National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines).

**36-03186: Kline's Services, Inc.** (5 Holland Street, Salunga, PA 17538) to issue a State Only Operating

Permit for Kline's Services, Inc. located in East Hempfield Township, **Lancaster County**. The potential emissions from the facility are estimated at 8.8 tpy of NO<sub>x</sub>, 13.0 tpy of CO, 0.7 tpy of VOC and 1.6 tpy of Formaldehyde. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR Part 60 Subpart JJJJ—Standards of Performance for Stationary Spark Ignition Internal Combustion Engines.

**38-03001: Lebanon Chemical Corp.**, (1600 East Cumberland Street, Lebanon, PA 17042) to issue a State Only Operating Permit for their fertilizer drying and bagging operations controlled by a fabric collector in South Lebanon Township, **Lebanon County**. The estimated potential emissions are: 43 tons of PM per year; 14.3 tons of CO per year; 17.2 tons of NO<sub>x</sub> per year; 0.1 ton of SO<sub>x</sub> per year; 1 ton of VOCs per year; and 1 ton of HAPs per year. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

**28-05031: Borough of Chambersburg** (100 S. 2nd Street, Chambersburg, PA 17201) to issue a State Only Operating Permit for their Orchard Park generating station engines located in Chambersburg Borough, **Franklin County**. The primary emissions from the facility are NO<sub>x</sub>; the actual 2013 emissions from the facility were 3.77 tons. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the permit conditions include provisions derived from 40 CFR Part 63, Subpart ZZZZ—National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745*

*Contact: Barbara Hatch, Facilities Permitting Chief—Telephone: 412-442-4174*

**32-00436: John A. Lefdahl Funeral Home** (898 Old Route 119N, Indiana, PA 15701) for funeral services and crematories at their facility in White Township, **Indiana County**. This is an initial State-Only Operating Permit applications submittal.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481*

*Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6131*

**20-00040: Advanced Cast Products, Incorporated** (18700 Mill Street, Meadville, PA 16335) for a renewal of the Title V Operating Permit. The facility is located in the City of Meadville, **Crawford County**. Advanced cast manufactures gray and ductile iron foundries casting products. The facility's emitting sources include, 1) Charge & Preheating, 2) Melting-Transfer-Magnesium Treatment, 3) Pouring-Cooling-Shakeout (103 & 103A), 4) Disa Match Casting Line (Pouring/Cooling/Shakeout), 5) New Grinding and Goff, 6) Grinding and Cleaning, 7) Shell Core and Core Drying, 8) Sand Handling, 9) Heat Treating-Austemper Operation, 10) Air make Up units (3), 11) Miscellaneous Natural Gas Usage, 12) Two Degreaser Units, and 13) Bond Silo. The facility is a major facility

due to its potential to emit of particulate matter less than 10 microns in diameter. Therefore, the facility is subject to the Title V Operating Permit requirements adopted in 25 Pa. Code Chapter 127, Subchapter G. The facility is also subject to the Compliance Assurance Monitoring Rule (CAM) found in 40 C.F.R. Part 64. Appropriate permit conditions to address the applicable CAM requirements have been included in the permit. The facility submitted the following emission inventory for 2013: Carbon Monoxide: 48.40 tons per year (TPY), Nitrogen Oxides: 1.63 TPY, Particulate Matter less than 10 Microns: 54.43 TPY, Particulate Matter less than 2.5 Microns: 38.93 TPY, Sulfur Oxides: 0.28 TPY, Volatile Organic Compounds: 1.58 TPY, Methane: 0.032 TPY, Carbon Dioxide: 1,731.60, Nitrogen Oxides: 0.0032 TPY.

**33-00132: Matson Lumber Company—Brookville Plant** (132 Main Street, Brookville, PA 15825-1213), to issue a renewal State Only Operating Permit for the sawmill located in Brookville Boro, **Jefferson County**. The facility is a Natural Minor. The primary sources at the facility include a 20.6 mmbtu/hr wood fired boiler controlled by a multiclone, two natural gas boilers for backup to the wood fired boiler, miscellaneous woodworking and wood silo controlled by a cyclone, ten wood drying kilns, and a parts washer. The wood fired boiler is subject to 40 CFR 63 Subpart JJJJJJ—NESHAPs for Industrial, Commercial, and Institutional Boilers at an Area Source of HAPs. The boiler is subject to the work practice requirements of a tune-up and energy assessment. The renewal permit contains emission restrictions, record-keeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act. The emissions from the facility are less than major source thresholds.

## COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.20a). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department. A copy of the application is available for inspection at the district mining office indicated before each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application and request for Section 401 water quality certification application may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the address of the district mining office indicated before each application within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Written comments or objections regarding a mining permit application should contain the name, address and telephone number of persons submitting comments or objections, application number and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

A request for an informal conference or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 or § 86.34, must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

When an NPDES number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. A separate notice will be provided after the draft NPDES permit is prepared.

#### *Coal Applications Received*

*Knox District Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191*

**33990109. McKay Coal Company, Inc.** (P.O. Box 343, Punxsutawney, PA 15767) Revision to an existing bituminous surface and auger mine to add 6.5 acres in Perry Township, **Jefferson County**, for a total of 72.5 acres. Receiving streams: Two unnamed tributaries to Perryville Run. There are no potable surface water supply intakes within 10 miles downstream. Application received: December 18, 2014.

*Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200*

**14080101 and NPDES PA 0256773. Warren C. Hartman Contracting** (5315 Bigler Road, Clearfield, PA 16830). Permit renewal for continued operation and restoration of a bituminous surface mine located in Snow Shoe and Burnside Townships, **Centre County** affecting 325.0 acres. Receiving stream(s): Unnamed Tributaries to Little Sandy Creek and Unnamed Tributaries to Contrary Run classified for the following use(s): CWF. There are no potable water supply intakes within 10 miles downstream. Application received: December 15, 2014.

**17080103 and NPDES PA 0256722. Corey L. Shawver DBA Hilltop Coal Company** (12 Dutchtown Road, Houtzdale, PA 16651). Permit renewal for continued operation and restoration of a bituminous surface mine located in Bigler and Gulich Townships, **Clearfield County** affecting 320.7 acres. Receiving stream(s): Little Muddy Run, Unnamed Tributaries to Little Muddy Run, and Unnamed Tributaries to Muddy Run classified for the following use(s): CWF. There are no potable water supply intakes within 10 miles downstream. Application received: December 12, 2014.

#### *Noncoal Applications Received*

*Knox District Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191*

**43080302. White Rock Silica Sand Company, Inc.** (331 Methodist Road, Greenville, PA 16125) Renewal of NPDES Permit No. PA0258580 in Hempfield Township, Mercer County. Receiving streams: Nine unnamed tributaries to the Shenango River, four unnamed tributaries to Mathay Run and Mathay Run, all classified for the following uses: WWF. The first downstream potable water supply intake from the first point of discharge is Reynolds Water Company. Application received: December 22, 2014.

### MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

#### *Effluent Limits for Coal Mining Activities*

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	
Alkalinity greater than acidity*			

\* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.



Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

*Effluent Limits for Noncoal Mining Activities*

The limits for noncoal mining activities as provided in 25 Pa. Code Chapter 77 are pH 6 to 9 and other parameters the Department may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters in this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 563-2112-115, Developing National Pollutant Discharge Elimination System (NPDES) Permits for Mining Activities. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit within 30 days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30 days of this public notice and contain the name, address, telephone number and the interest of the party filing the request, and state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES permit application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. When a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

*Coal NPDES Draft Permits*

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900*

**NPDES No. PA0262781 (Mining permit no. 05090101), Sherpa Mining Contractors, Inc.**, 337 Benny Road, Hooversville, PA 15938, transfer/renewal of an NPDES permit for bituminous surface mine in Broad Top Township, **Bedford County**, affecting 164.0 acres. Receiving stream: Longs Run, classified for the following use: warm water fishery. This receiving stream is included in the Longs Run and Sandy Run Watershed TMDL. Application received: October 22, 2014.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for coal mining activities.

The treated wastewater outfalls listed below discharge to Longs Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
001	N
002	N
003	N
006	N
007	N

The proposed effluent limits for the above listed outfalls are as follows:

<i>Outfalls: 001, 002, 003, 006 &amp; 007</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Iron (mg/l)	1.5	3.0	3.7
Manganese (mg/l)	1.0	2.0	2.5
Aluminum (mg/l)	0.75	1.5	1.9
Total Suspended Solids (mg/l)	35.0	70.0	90.0
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times			
Alkalinity must exceed acidity at all times			

The stormwater outfalls listed below discharge to Longs Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
004	N
005	N

This proposed mine site also contains or is hydrologically connected to substandard discharges for which there is no responsible party. Pursuant to 25 Pa. Code § 87.201, effluent limits for those discharges will be based upon the existing baseline pollution load, or the standards found at 25 Pa. Code § 87.102(a) Group A, whichever is least stringent.

## FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the Commonwealth to certify that the involved projects will not violate the sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA, the issuance of a Dam Permit or Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment shall submit comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted before an application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on working days at the office noted before the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

### Applications Received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and Requests for Certification under section 401(a) of the FWPCA.

#### WATER OBSTRUCTIONS AND ENCROACHMENTS

*Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570-327-3636*

**E14-559. Columbia Gas of Pennsylvania, Inc.**, 1600 Colony Drive, York, PA 17408-4357. D-10018 Pipeline Replacement Project—Phase 1, in Snow Shoe Township and Burnside Township, **Centre County**, ACOE Baltimore District (Snow Shoe, PA Quadrangle N: 41°06'40"; W: -77°58'57" to N: 42°01'44"; W: -77°55'06").

To: 1) remove 7 miles of 21 miles of existing 8-inch gas distribution line, 2) place and maintain 7 miles of 21

miles of 12-inch natural gas distribution line in the first of three construction phases in order to provide clients with safe and reliable gas service. This first phase of a three phase project proposes to: 1) temporarily impact 0.066 acre of North Branch Beech Creek and two unnamed tributaries to North Branch Beech Creek and 6.93 acres of wetland, 2) permanently impact 0.003 acre of North Branch Beech Creek and two unnamed tributaries to North Branch Beech Creek and 0.19 acre of wetland, with the streams classified as a Cold Water Fisheries Fishery and the wetlands classified as Exceptional Value.

**E41-659. McIntyre Township**, PO Box 17, Ralston, PA 17763-0171. Ralston Flood Mitigation Project in McIntyre Township, **Lycoming County**, ACOE Baltimore District (Ralston, PA Quadrangle Lat: 41° 30' 20"; Long: -76° 57' 06").

McIntyre Township has applied for a Joint Permit Application to repair the existing flood mitigation project that protects the Village of Ralston along the mouth of Rock Run and Lycoming Creek in McIntyre Township, Lycoming County. The project includes removal of a sediment deposit at the mouth of Rock Run and Lycoming Creek and the placement of rock protection along the west channel bank of Lycoming Creek.

Approximately 70 lineal feet of riprap slope protection will be installed and with 100 lineal feet of gravel bar removal. The project will also construct mudd sill cribbing along the toe of riprap slope protection.

The total estimated stream impacts for the project are approximately 5,951 ft<sup>2</sup> of permanent impacts and 257 ft<sup>2</sup> of temporary impacts. The proposed project will not permanently impact wetlands, cultural or archaeological resources, national/state/local parks, forests recreational areas, landmarks wildlife refuge or historical sites. Lycoming Creek and Rock Run are classified with a designated use of High Quality-Cold Water Fishery (HQ-CWF) and with an existing use of Exceptional Value (EV).

*District Oil & Gas Operations: Eastern Oil & Gas District, 208 West Third Street, Suite 101, Williamsport, PA 17701*

**E5829-094: Jackson Township, Susquehanna Gathering, LLC**, 1429 Oliver Road, New Milford, PA 18834, Jackson Township, **Susquehanna County**, ACOE Baltimore District.

To construct, operate, and maintain:

1. a 12 inch diameter natural gas pipeline, 16 inch diameter water line, and temporary timber mat crossing impacting 743 square feet (0.02 acre) of a PEM wetland(Thompson, PA Quadrangle; Lat. 41° 49' 31" N, Long. -75° 37' 18" W),

2. a 12 inch diameter natural gas pipeline, 16 inch diameter water line, and temporary timber bridge crossing impacting 53 lineal feet of the Butler Creek (CWF-MF) (Thompson, PA Quadrangle; Lat. 41° 49' 31" N, Long. -75° 37' 17" W).



The Leonard Pipeline consists of a 12" gas gathering line and a 16" waterline all located within Jackson Township, Susquehanna County and connects the Range Unit 72 well site to the Susquehanna Gathering Well Connect 60-64 Pipeline. The project will result in 53

linear feet of temporary stream impacts and 743 square feet (0.02 acre) of temporary wetland impacts; all for the purpose of conveying Marcellus Shale natural gas to market.

### STORAGE TANKS SITE-SPECIFIC INSTALLATION PERMITS

The following Storage Tank Site-Specific Installation Permit application has been received by the Department of Environmental Protection (Department) and is currently under review. Persons wishing to comment on the proposed permit are invited to submit a statement to the Bureau of Environmental Cleanup and Brownfields, Division of Storage Tanks, PO Box 8762, Harrisburg, PA 17105-8762, within 30 days from the date of this publication. Comments may also be submitted via email to tanks@pa.gov. Comments received within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of the comment and the relevant facts upon which it based.

**The following applications have been received for Storage Tank Site-Specific Installation Permits under the authority of the Storage Tank Spill Prevention Act (35 P. S. §§ 6021.304, 6021.504, 6021.1101—6021.1102) and under 25 Pa. Code Chapter 245, Subchapter C.**

<i>SSIP Application No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Tank Type</i>	<i>Tank Capacity</i>
14011	Commonwealth of Pennsylvania Department of Corrections P.O. Box 246 Graterford, PA 19426-0246 Attn: James Misstishin	Montgomery	Skippack Township	2 ASTs storing diesel fuel	40,000 gallons total

### ACTIONS

## THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

### FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and NOIs for coverage under General Permits. This notice of final action is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P. S. §§ 691.1—691.101) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Wastes; Discharges to Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

Sections I—VI contain actions regarding industrial, animal or sewage wastes discharges, discharges to groundwater, and discharges associated with MS4, stormwater associated with construction activities and CAFOs. Section VII contains notices for parties who have submitted NOIs for Coverage under General NPDES Permits. The approval for coverage under these General NPDES Permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions in each General Permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions in the respective permit. The permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the

Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

### I. NPDES Renewal Permit Actions

*Northcentral Regional Office: Clean Water Program Manager, 208 W Third Street Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.0530.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0228745 (Sewage)	Carl N. & Karen J. Beaver Residence 47 Beaver Meadow Road Catawissa, PA 17820	Columbia County, Locust Township	Unnamed Tributary to Roaring Creek (5-E)	Y
PA0112470 (Sewage)	Upper Augusta Township WWTP 1454 Mile Post Road Sunbury, PA 17801	Northumberland County Upper Augusta Township	Unnamed Tributary of Susquehanna River (5-E)	Y

*Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0217026 (Industrial Waste)	Cemline Corporation Harmar Facility 808 Freeport Road Cheswick, PA 15024	Allegheny County Harmar Township	Allegheny River (18-A)	Y
PA0002933 (Industrial Waste)	Connellsville West Side Facility 311 South 7th Street Connellsville, PA 15425	Fayette County Connellsville Township	Youghiogheny River (19-D)	Y
PA0094048 (Industrial Waste)	Glacial Sand & Gravel Co. Bridgeburg River Plant P.O. Box 1022 Kittanning, PA 16201	Armstrong County East Franklin Township	Allegheny River (17-E)	Y
PA0204765 (Minor-IW Stormwater)	Great Lakes Terminal & Transport Corp 2601 Rt 68 Industry, PA 15052	Beaver County Industry Township	Ohio River (20-D)	Y
PA0096326 (Sewage)	Wencliff Eyrie MHP 130 Penn-Adamsburg Road Jeannette, PA 15644	Westmoreland County Hempfield Township	Unnamed Tributary of Brush Creek (19-A)	Y
PA0254011	J. G. Foodmarts STP Road 6 Box 90 Uniontown, PA 15401	Fayette County North Union Township	Drainage Swale to Unnamed Tributary of Redstone Creek (19-C)	Y

### II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions

*Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5970*

**NPDES Permit No. PA0012327**, Storm Water, **Bucks County Public Works Department**, 1265 Almshouse Road, Doylestown, PA 18901.

This proposed facility is located in Nockamixon Township, **Bucks County**.

Description of Proposed Action/Activity: Approval for the renewal of an NPDES permit to discharge treated sewage from a facility known as Hidden Valley Landfill to Unnamed Tributary to Gallows Run in Watershed 2-D.

**NPDES Permit No. PA0021172**, Sewage, **Bucks County Water and Sewer Authority**, 1275 Almshouse Road, Warrington, PA 18976.

This proposed facility is located in Doylestown Borough, **Bucks County**.

Description of Proposed Action/Activity: Approval for the renewal of an NPDES permit to discharge treated sewage from a facility known as Harvey Avenue STP to Cooks Run in Watershed 2F-Neshaminy.

**NPDES Permit No. PA0050911**, Sewage, **Upper Perkiomen School District**, 2229 East Buck Road, Suite 2, Pennsburg, PA 18073.

This proposed facility is located in Marlborough Township, **Montgomery County**.

Description of Proposed Action/Activity: Approval for the renewal of an NPDES permit to discharge treated sewage from a facility known as Marlborough Elementary School STP to Perkiomen Creek in Watershed 3-E.

**NPDES Permit No. PA0051802**, Industrial, **QG Printing III Co.**, 668 Gravel Pike, East Greenville, PA 18041-2199.

This proposed facility is located in Upper Hanover Township, **Montgomery County**.

Description of Proposed Action/Activity: Approval for the renewal of an NPDES permit to discharge treated sewage from a facility known as QG Printing III Co. to Perkiomen Creek in Watershed 3E-Perkiomen Creek.

*Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745*

**NPDES Permit No. PA0252905**, SIC Code 7999, **Washington Trotting Association**, 210 Racetrack Road, Washington, PA 15301.

This existing facility is located in North Strabane Township, **Washington County**.

Description of Existing Action/Activity: Authorization to operate a 845 Animal Equivalent Unit (AEU) horst racetrack operation situated near Chartiers Creek in Chartiers Creek Watershed.

*Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481*

*Northwest Regional Office: Regional Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, Telephone: 814.332.6942.*

**PA0272906**, Sewage, SIC Code 4952, 8800, **Joseph Albright**, 126 Purvis Road, Butler, PA 16001. Facility Name: Joseph Albright SRSTP. This proposed facility is located in Franklin Township, **Butler County**.

Description of Proposed Activity: A new NPDES permit for a new discharge of treated sewage.

**PA0272892**, Sewage, SIC Code 4952, 8800, **Walter Wojcik**, 1015 Buffalo Street, Olean, NY 14760. Facility Name: Walter Wojcik SRSTP. This proposed facility is located in Eldred Township, **McKean County**.

Description of Proposed Activity: A new NPDES permit for a new discharge of treated sewage.

---

### III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law

---

*Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401, 484.250.5900*

**WQM Permit No. 2314407**, Sewage, **The Children's Hospital of Philadelphia**, 34th Street & Civic Center Boulevard, CTRB 13, Philadelphia, PA 19104.

This proposed facility is located in Concord Township, **Delaware County**.

Description of Action/Activity: Construction and operation of a wastewater pump station

**WQM Permit No. WQG02151422**, Sewage, **East Marlborough Township**, 721 Unionville Road, Kennett Square, PA 19348.

This proposed facility is located in East Marlborough Township, **Chester County**.

Description of Action/Activity: Construction and operation of a pump station and force main.

**WQM Permit No. 0914401**, Sewage, **Borough of Quakertown**, 35 North Third Street, Quakertown, PA 18951-1376.

This proposed facility is located in Quakertown Borough, **Bucks County**.

Description of Action/Activity: Construct a 8,900 linear feet interceptor and a 13,400 linear feet interceptor for Licking Run and Beaver Run.

**WQM Permit No. 0914405**, Sewage, **Melody Lakes Management LLC**, 1045 N. West End Boulevard, Lot 600, Quakertown, PA 18951-4111.

This proposed facility is located in Richland Township, **Bucks County**.

Description of Action/Activity: To amend and existing extended aeration STP.

**WQM Permit No. WQG02091421**, Sewage, **Bucks County Water & Sewer Authority**, 1275 Almshouse Road, Warrington, PA 18976-1209.

This proposed facility is located in Doylestown Township, **Bucks County**.

Description of Action/Activity: Construction and operation of a gravity sanitary sewer system, pump station and force main.

**WQM Permit No. 4614406**, Sewage, **Berks Montgomery Municipal Authority**, 136 Municipal Drive, Gilbertsville, PA 19525-0370.

This proposed facility is located in Douglass Township, **Montgomery County**.

Description of Action/Activity: Installation of a CoMag treatment system.

**WQM Permit No. 4601405**, Sewage, Amendment, **Montgomery Township Municipal Sewer Authority**, 1001 Stump Road, Montgomeryville, PA 18936.

This proposed facility is located in Montgomery Township, **Montgomery County**.

Description of Action/Activity: Installation of septage screening unit with grit removal.

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.*

**WQM Permit No. 6791203, Amendment #2**, Industrial Waste, **Exelon Generation Company**, 300 Exelon Way, Kennett Square, PA 19348.

This proposed facility is located in Drumore Township, **Lancaster County**.

Description of Proposed Action/Activity: Permit amendment approves the modification of industrial wastewater facilities consisting of: The installation of an ultraviolet disinfection system and the removal of the existing hypochlorite disinfection system. The ultraviolet disinfection system will have two units in series, each with two low pressure low output bulbs. Each unit will have a minimum dosage rate of 100 mJ/cm<sup>2</sup>.

**WQM Permit No. 3878409, Amendment #2**, Sewerage, **North Londonderry Township Authority**, 655 East Ridge Road, Palmyra, PA 17078.

This proposed facility is located in South Annville Township, **Lebanon County**.

Description of Proposed Action/Activity: Permit amendment approves the modifications of sewerage facilities consisting of: The conversion of the existing dry pit pumping station into a submersible pump station. The upgraded pump station will be rated for 300 gpm at 72 feet of TDH. Proposed improvements to the existing pump station also include a new primary level control system (submersible pressure transducer with backup floats) a new mag flow meter, and a new dialer system. Minor modifications to the existing generator building will also be made to facilitate heating and ventilation.

*Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.*

**WQM Permit No. 6372404-A3**, SIC Code 4952, **Carroll Township Authority**, PO Box 661, Donora, PA 15033.

This existing facility is located in Carroll Township, **Washington County**.

Description of Proposed Action/Activity: The Authority proposes to replace the pumps and add a new comminutor at their existing El Dora Pump Station.

*Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481*

**WQM Permit No. 4214402**, Sewage, **Walter Wojcik**, 1015 Buffalo Street, Olean, NY 14760.

This proposed facility is located in Eldred Township, **McKean County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant to repair a malfunctioning on-lot system.

**WQM Permit No. WQG02251402**, Sewage, **Fairview Township Sewer Authority**, 7485 McCray Road, Fairview, PA 16415.

This proposed facility is located in Fairview Township, **Erie County**.

Description of Proposed Action/Activity: Sewage extension along Route 20 W from Dobler Road to Maple Drive.

---

## VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions

---

*Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI012314005	Tyler Arboretum 515 Painter Road Media, PA 19063	Delaware	Middletown Township	Ridley Creek HQ

*Northwest Region: Waterways and Wetlands Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481*

*Erie County Conservation District, 1927 Wager Road, Erie, PA 16509*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI062508003R	Birkmire Trucking Company 7400 Birkmire Drive Fairview PA 16415	Erie	Fairview Township	Bear Run CWF; MF

---

## VII. Approvals to Use NPDES and/or Other General Permits

---

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

---

### List of NPDES and/or Other General Permit Types

---

PAG-1	General Permit for Discharges From Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated With Construction Activities
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities



PAG-4	General Permit for Discharges From Small Flow Treatment Facilities
PAG-5	General Permit for Discharges From Gasoline Contaminated Ground Water Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges From Combined Sewer Systems (CSO)
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest, or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharge Resulting from Hydrostatic Testing of Tanks and Pipelines
PAG-11	(To Be Announced)
PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)
PAG-14	(To Be Announced)
PAG-15	General Permit for Discharges From the Application of Pesticides

*General Permit Type—PAG-02*

<i>Facility Location &amp; Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office &amp; Phone No.</i>
Richland Township Bucks County	PAG02000914038	Secant Medical, Inc. 700 Park Avenue Perkasie, PA 18944	Unnamed Tributary to Tohickon Creek TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Wrightstown Township Bucks County	PAG02000913064	LandTrust Properties, Inc. 721 Old State Road Berwyn, PA 19312	Unnamed Tributary to Mill Creek WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Wrightstown Township Bucks County	PAG02000914066	Golden Lotus Memorial Park, LLC 112 Washington Avenue, #A Philadelphia, PA 19147	Jericho Creek WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900

*Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915*

<i>Facility Location: Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office &amp; Phone No.</i>
City of Hazleton Luzerne County	PAG02154006001R(3)	Tunnel Hill Partners, LP William Rinaldi 390 North Broadway Jericho, NY 11753	n/a	Luzerne Conservation District 570-674-7991
Plains Township and Wilkes-Barre Township Luzerne County	PAG02004014013(1)	JT Posh Inc. Joseph Posh 2216 Willow Park Road Bethlehem, PA 18020	Coal Brook (CWF, MF)	Luzerne Conservation District 570-674-7991

*Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570.327.3636*

<i>Facility Location &amp; Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office &amp; Phone No.</i>
Bradford County Monroe Boro	PAG02000814018	Mark Bush Monroeton DG LLC 361 Summit Blvd Ste 110 Birmingham, AL 35243	Towanda Creek WWF	Bradford County Conservation District Stoll Natural Resource Ctr 200 Lake Rd Ste E Towanda, PA 18848 (570) 265-5539, X 6



<i>Facility Location &amp; Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office &amp; Phone No.</i>
Clearfield County Bell Township	PAG02001714010	Doug Miller KMI Land Co LP Fire Tower Rd	WB Susquehanna River WWF	Clearfield County Conservation District 511 Spruce St Ste 6 Clearfield, PA 16830 (814) 765-2629
Clinton County City of Lock Haven	PAG02001814009	Lock Haven Univ 95 W 4th St Lock Haven, PA 17745	WB Susquehanna River WWF	Clinton County Conservation District 45 Cooperation Ln Mill Hall, PA 17751 (570) 726-3798
Boswell Borough, Somerset County	PAG02095614009	Bureau of Abandoned Mine Reclamation Cambria Office 286 Industrial Park Road Ebensburg, PA 15931-4119	Unnamed Tributary to Quemahoning Creek (CWF)	Attention: Patrick M. Webb  PA DEP Cambria Office 286 Industrial Park Road Ebensburg, PA 15931-4119 814-472-1800

*General Permit Type—PAG-3*

<i>Facility Location &amp; Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office &amp; Phone No.</i>
Dauphin County/ Washington Township	PAR123565	JBS Souderton, Inc. PO Box 64395 Souderton, PA 18964-0395	UNT Wiconisco Creek/6-C	DEP—SCRO— Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707
Washington City Washington County	PAG036130	Crescent Service LLC 265 Meadowlands Boulevard Washington, PA 15301-8902	Chartiers Creek—20-F	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive, Pittsburgh, PA 15222-4745 412.442.4000

*General Permit Type—PAG-12*

<i>Facility Location &amp; Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office &amp; Phone No.</i>
Blair County/ North Woodbury Township	PAG123768	Pleasant View Farms, Inc. 261 Pleasant View Farm Road Martinsburg, PA 16662	Plus Creek (Home Farm), UNT Plum Creek (Piney Creek Farm) and Halter Creek (Mowry Farm)/WWF	DEP—SCRO— Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707

*General Permit Type—PAG-13*

<i>Facility Location Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office &amp; Phone No.</i>
Carbondale Township Lackawanna County	PAG132309	Carbondale Township Lackawanna County PO Box 234 Childs, PA 18407	Lees Creek, Lees Creek (historical), Powderly Creek and Racket Brook-5-A	DEP Northeast Regional Office Clean Water Program 2 Public Square, Wilkes-Barre, PA 18701-1915 570.826.2511

**PUBLIC WATER SUPPLY PERMITS**

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483.

TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

**SAFE DRINKING WATER**

**Actions taken under the Pennsylvania Safe Drinking Water Act**

*Southeast Region: Water Supply Management Program Manager, 2 East Main Street, Norristown, PA 19401*

**Operations Permit #4614529** issued to: **North Penn Water Authority** 300 Forty Foot P.O. Box 1659, Lansdale, PA 19446, [(PWSID)] Franconia Township, **Montgomery County** on December 18, 2014 for the operation of the 3.0 Million Gallon Franconia Elevated Storage Tank facilities approved under construction permit #4612516.

**Operations Permit #0914521** issued to: **Warminster Municipal Authority** 415 Gibson Avenue Warminster, PA 18974, [(PWSID)] Warminster Township, **Bucks County** on December 19, 2014 for the operation of a Bypass Line and valve Pit to Supply Well No. 10 Booster Tanks 1 and 2. facilities approved under construction permit #0914514.

**Permit No. 2314510, Minor Amendment.** Public Water Supply.

Applicant **Chester Water Authority**  
415 Welsh Street  
P.O. Box 467  
Chester, PA 19016-0467

Township Aston

County **Delaware**

Type of Facility PWS

Consulting Engineer Gannett Fleming, Inc.  
P.O. Box 67100  
Harrisburg, PA 17106-7100

Permit to Construct Issued December 16, 2014

**Permit No.4614523, Minor Amendment.** Public Water Supply.

Applicant **Aqua Pennsylvania, Inc.**  
762 West Lancaster Avenue  
Bryn Mawr, PA 19010

Township Lower Merion

County **Montgomery**

Type of Facility PWS

Consulting Engineer Gannett Fleming, Inc.  
P.O. Box 67100  
Harrisburg, PA 17106-7100

Permit to Operate Issued December 15, 2014

**Permit No.4614524, Minor Amendment.** Public Water Supply.

Applicant **Aqua Pennsylvania, Inc.**  
762 West Lancaster Avenue  
Bryn Mawr, PA 19010

Township Upper Providence

County **Montgomery**

Type of Facility PWS

Consulting Engineer Gannett Fleming, Inc.  
P.O. Box 67100  
Harrisburg, PA 17106-7100

Permit to Construct Issued December 19, 2014

**Permit No.1514534, Minor Amendment.** Public Water Supply.

Applicant **Aqua Pennsylvania, Inc.**  
762 West Lancaster Avenue  
Bryn Mawr, PA 19010

Township East Whiteland

County **Chester**

Type of Facility PWS

Consulting Engineer Gannett Fleming, Inc.  
P.O. Box 67100  
Harrisburg, PA 17106-7100

Permit to Construct Issued December 15, 2014

**Permit No.1514535, Minor Amendment.** Public Water Supply.

Applicant **Aqua Pennsylvania, Inc.**  
762 West Lancaster Avenue  
Bryn Mawr, PA 19010

Township Uwchland

County **Chester**

Type of Facility PWS

Consulting Engineer Gannett Fleming, Inc.  
P.O. Box 67100  
Harrisburg, PA 17106-7100

Permit to Construct Issued December 15, 2014

**Permit No.1514537, Minor Amendment.** Public Water Supply.

Applicant **Chester Water Authority**  
415 Welsh Street  
P.O. Box467  
Chester, PA 19016-0467

Township Kennett

County **Chester**

Type of Facility PWS

Consulting Engineer Gannett Fleming, Inc.  
P.O. Box 67100  
Harrisburg, PA 17106-7100

Permit to Construct Issued December 18, 2014

**Permit No.4614516, Minor Amendment.** Public Water Supply.

Applicant **Aqua Pennsylvania, Inc.**  
762 West Lancaster Avenue  
Bryn Mawr, PA 19010

Township Upper Merion

County **Montgomery**

Type of Facility PWS

Consulting Engineer GHD  
1240 North Mountain Road  
Harrisburg, PA 17112

Permit to Construct Issued December 19, 2014

**Permit No.4614519 Minor Amendment.** Public Water Supply.

Applicant **North Penn Water Authority**  
300 Forty Foot Road  
Lansdale, PA 19446

Borough Lansdale

County **Montgomery**

Type of Facility PWS

Consulting Engineer CKS Engineering, Inc.  
88 South Main Street  
Doylestown, PA 18901

Permit to Construct Issued December 16, 2014

*Northeast Region: Safe Drinking Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915*

**Permit No. 4514505, Construction Permit** Public Water Supply.

Applicant **Delaware Water Gap Borough**  
P. O. Box 218  
Delaware Water Gap, PA 18327

[Borough or Township] Delaware Water Gap Borough

County **Monroe**

Type of Facility PWS

Consulting Engineer Michael Gable, PE  
Boucher & James Inc.  
2738 Rimrock Drive  
Stroudsburg, PA 18360

Permit to Operate Issued 12/23/14

**Permit No. 6414506, Construction Permit** Public Water Supply.

Applicant **Aqua PA Inc.**  
1775 North Main Street,  
Honesdale, PA 18431

[Borough or Township] Honesdale Borough,

County **Wayne**

Type of Facility PWS

Consulting Engineer Entech Engineering  
Douglas E. Berg, PE  
4 South Fourth Street  
P O Box 32, Reading  
PA 19603-0032

Permit to Operate Issued 12/23/14

**Permit No. 2580035, Operations Permit** Public Water Supply.

Applicant **Oakland Trailer Park**  
104 Dream Lake Road  
New Milford, PA 18834

[Borough or Township] Oakland Township

County **Susquehanna County**

Type of Facility PWS

Consulting Engineer N/A

Permit to Operate Issued 11/20/14

*Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110*

**Permit No. 6714505, Minor Amendment,** Public Water Supply.

Applicant **Stone Mill Property Management**

Municipality Chanceford Township

County **York**

Responsible Official Irvin H. Peifer, Owner  
PO Box 506  
Elizabethtown, PA 17022

Type of Facility Iron and manganese sequestering and pH adjustment

Consulting Engineer Kerry D. Tyson, P.E.  
Nittany Engineering & Associates LLC  
2836 Earlstown Road  
Centre Hall, PA 16828

Permit to Construct Issued 12/19/2014

**Operation Permit No. 3060059** issued to: **Reading Area Water Authority (PWS ID No. 3060059)**, Robeson Township, **Berks County** on 12/18/2014 for facilities approved under Construction Permit No. 0611511.

**Operation Permit No. 3060059** issued to: **Reading Area Water Authority (PWS ID No. 3060059)**, Robeson Township, **Berks County** on 12/18/2014 for facilities approved under Construction Permit No. 0610513 MA.

**Operation Permit No. 3613511** issued to: **Turkey Hill Dairy, Inc. (PWS ID No. 7360322)**, Manor Township, **Lancaster County** on 12/18/2014 for facilities approved under Construction Permit No. 3613511.

*Northcentral Region: Safe Drinking Water Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.*

**Permit No. 1714504-MA—Construction—Public Water Supply.**

Applicant **Clearfield Municipal Authority**

Township/Borough Lawrence Township

County **Clearfield**

Responsible Official Kevin A. Shifter, Manager  
Clearfield Municipal Authority  
107 East Market Street  
Clearfield, PA 16830

Type of Facility Public Water Supply

Consulting Engineer James F. Potopa, P.E.  
Gwin, Dobson & Foreman, Inc.  
3121 Fairway Drive  
Altoona, PA 16602-4496

Permit Issued December 17, 2014

Description of Action Construction of the Moose Creek  
Rt. 322 transmission line  
replacement.

**Permit No. 1414503-MA—Operation—Public Water Supply.**

Applicant **Mountaintop Regional Water Authority**

Township/Borough Snow Shoe Township

County **Centre**

Responsible Official James L. Yost, Vice Chairman  
Mountaintop Regional Water  
Authority  
P.O. Box 294  
Snow Shoe, PA 16874

Type of Facility Public Water Supply

Consulting Engineer Kenneth W. Beldin, Jr., P.E.  
Gwin, Dobson & Foreman, Inc.  
3121 Fairway Drive  
Altoona, PA 16602

Permit Issued December 22, 2014

Description of Action Operation of Subsurface  
Technologies, Inc.'s Aqua Gard  
Well Maintenance System on  
Well #2.

**Permit No. 1714505-MA—Construction—Public Water Supply.**

Applicant **Clearfield Municipal Authority**

Township/Borough Lawrence & Pike Townships

County **Clearfield**

Responsible Official Kevin Shifter, Manager  
Clearfield Municipal Authority  
107 East Market Street  
Clearfield, PA 16830-2405

Type of Facility Public Water Supply

Consulting Engineer Mark V. Glenn, P.E.  
Gwin, Dobson & Foreman, Inc.  
3121 Fairway Drive  
Altoona, PA 16602-4475

Permit Issued December 23, 2014

Description of Action Modifying the corrosion inhibitor  
chemical used at the  
Montgomery and Moose Creek  
Water Treatment Facility's from  
Zinc Orthophosphate to a  
blended phosphate chemical  
named SeaQuest by  
manufacturer Aqua Smart, Inc.  
Clearfield Municipal Authority  
continues to be permitted to use  
Zinc Orthophosphate should  
water quality conditions  
warrant.

**Permit No. 1712501—Partial Operation—Public Water Supply.**

Applicant **Clearfield Municipal Authority**

Township/Borough Lawrence Township

County **Clearfield**

Responsible Official Kevin A. Shifter, Manager  
Clearfield Municipal Authority  
107 East Market Street  
Clearfield, PA 16830

Type of Facility Public Water Supply

Consulting Engineer James F. Potopa, P.E.  
Gwin, Dobson & Foreman, Inc.  
3121 Fairway Drive  
Altoona, PA 16602-4496

Permit Issued December 24, 2014

Description of Action Operation of the Montgomery 1.5  
MG water storage tank and the  
new above-ground Wolf Run  
booster pump station.

*Northwest Region: Safe Drinking Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481*

**Emergency Operation Permit No. 2** issued to **Fox Township (Toby Water)**, PWSID #6240008, Fox Township, Elk County on December 17, 2014. This permit is issued for the use of the proposed modifications to the interconnection with the Saint Marys Water Authority and at the water treatment plant to facilitate serving the entire Fox Township distribution system via the interconnection.

**SEWAGE FACILITIES ACT PLAN DISAPPROVAL**

**Plan Disapprovals Granted Under the Pennsylvania Sewage Facilities Act (35 P. S. § 750.5)**

*Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915*

*Plan Location: Village of Dundaff and the Crystal Lake area of Clifford Township*

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Clifford Township	Municipality of Clifford Township Box 339 Clifford, PA 18413	Susquehanna

*Plan Description: The plan was disapproved because it did not meet the requirements of Chapter 71, Section 71.73(b). Additionally, the Plan did not provide the evaluation of the existing onlot sewage facilities in the Sewage Management Program area as required in Chapter 71.21(a)(2).*

**LAND RECYCLING AND ENVIRONMENTAL REMEDIATION**

**UNDER ACT 2, 1995  
PREAMBLE 2**

**The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907).**

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35



P. S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department regional office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

*Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.*

**Pennsylvania Department of Transportation York County Maintenance Facility**, 1920 Susquehanna Trail North, York PA 17404, Manchester Township, **York County**. Apex Companies, LLC, 269 Great Valley Parkway, Malvern, PA 19355, on behalf of Pennsylvania Department of Transportation, P.O. Box 2957, Harrisburg, PA 17105, submitted a Remedial Investigation/Final Report concerning remediation of site soils and groundwater contaminated with petroleum hydrocarbons. The Report is intended to document remediation of the site to meet the Site Specific Standard.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

### UNDER ACT 2, 1995 PREAMBLE 3

**The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907).**

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report

provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department regional office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

*Northcentral Region: Environmental Cleanup & Brownfields Program Manager, 208 West Third Street, Williamsport, PA 17701*

**Xpedited Services**, Interstate 80 @ MM 183W, cross-over, Lamar Township, **Clinton County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857 on behalf of Xpedited Services has submitted a Final Report concerning the remediation of site soil contaminated with Benzene, Toluene, Ethylbenzene, Cumene, Napthalene, 1,3,5-Trimethylbenzene, 1,2,4-Trimethylbenzene, Methyl tertiary Butyl Ether. The Final Report demonstrated attainment of the Statewide Health Standard, and was approved by the Department on December 8, 2014.

**Bernard Steinbacher**, 2848 Funston Road, Franklin Township, **Lycoming County**. MW Farmer Company, 13 Fleming Street, South Williamsport, PA 17702, on behalf of Bernard Steinbacher, 2848 Funston Road, Muncy, PA 17756 submitted a Final Report concerning the remediation of site soils contaminated with heating oil. The Final Report demonstrated attainment of the Statewide Health Standard, and was approved by the Department on October 27, 2014.

*Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.*

**Pennsylvania Department of Transportation York County Maintenance Facility**, 1920 Susquehanna Trail North, York PA 17404, Manchester Township, **York County**. Apex Companies, LLC, 269 Great Valley Parkway, Malvern, PA 19355, on behalf of Pennsylvania Department of Transportation, P.O. Box 2957, Harrisburg, PA 17105, submitted a Remedial Investigation/Final Report concerning remediation of site soils and groundwater contaminated with petroleum hydrocarbons. The Report did not demonstrate attainment of the Site Specific Standard, and was disapproved by the Department on December 19, 2014.

**Cleveland Brothers Equipment Company, Inc.**, 2001 State Road, Camp Hill, PA, 17011, Lower Allen Township, **Cumberland County**. Geo-Technology Associates, Inc., 345-A Box Hill Corporate Center Drive, Abingdon, MD 21009, on behalf of Cleveland Brothers Equipment Company, Inc., 4565 William Penn Highway, Murrysville, PA 15668, and Smith Land and Improvement Corporation, 2010 State Road, Camp Hill, PA 17011 has submitted a combined Remedial Investigation and Final Report concerning remediation of site soils and groundwater contaminated with hexavalent chromium. The Final Report demonstrated attainment of the Site Specific Standard, and was approved by the Department on December 22, 2014.

#### MUNICIPAL WASTE GENERAL PERMITS

**Permit(s) Issued Under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904); and Municipal Waste Regulations for a General Permit to Operate Municipal Waste Processing Facilities and/or the Beneficial Use of Municipal Waste.**

*South Central Regional Office: Waste Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200.*

**General Permit No. WMGM027SC002. Evergreen Community Power, LLC**, 802 South Street, Reading, PA 19602.

A minor permit modification was issued under General Permit WMGM027SC002 to Evergreen Community Power, LLC located in the City of Reading, Berks County to: 1) use an existing building adjacent to the cogeneration facility for storage of up to 750 tons of alternative fuel; 2) use the area in front of the building for staging trailers containing alternative fuel; and 3) install an electric grappling machine to crush and feed wood pallets to the existing receiving shredder. This permit modification was issued on December 22, 2014.

Persons interested in reviewing the general permit may contact John Oren, Facilities Manager, Waste Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4706. TDD users may contact the Department through the Pennsylvania Relay service, (800) 654-5984.

#### OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

**Permits renewed under the Solid Waste Management Act, the Municipal Waste Planning, Recycling and Waste Reduction Act and Regulations to Operate Solid Waste Processing or Disposal Area or Site.**

*Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110*

**Permit No. 101092 Diller Transfer Station, Inc.** (Municipal Waste Transfer Station) 6820 Wertzville Road, Enola, PA 17025-1032 located in Hampden Township, **Cumberland County**. The permit for Diller Transfer Station, Inc., which expires on May 30, 2015, was renewed until May 15, 2025. The permit renewal was issued on December 18, 2014 for Solid Waste Permit No. 101092 for the operation of the Diller Transfer Station, Inc. in accordance with Article V of the Solid Waste Management Act, 35 P. S. Sections 6018.101, et seq.

Compliance with the terms and conditions set forth in the permit is mandatory. You have the right to file an appeal as to these terms and conditions.

### AIR QUALITY

**General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.**

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790*

*Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507*

**GP5-58-022A: Williams Field Services Company, LLC** (2000 Commerce Drive, Pittsburgh, PA 15275) on December 19, 2014 to construct and operate two (2) IC Engines, one (1) IC generator engine, two (2) dehydrators with reboilers, and one (1) condensate tank at the Jones Compressor Station site in Middletown Township, **Susquehanna County**.

**GP1-35-007: Pennsylvania Department of Public Welfare/Clarks Summit State Hospital** (1451 Hillside Drive, Clarks Summit, PA 18411) on December 16, 2014 to construct a new natural gas/No. 2 oil boiler at their facility in Newton Township, **Lackawanna County**.

**GP5-58-025: Carrizo (Marcellus), LLC** (500 Dallas Street, Suite 2300, Houston, TX 77002) on November 7, 2014 to construct and operate two (2) IC Engines, one (1) dehydrator, and one (1) condensate tank at the Baker West Compressor Station site in Forest Lake Township, **Susquehanna County**.

**GP3-39-005: DVS Enterprises** (5285 West Coplay Road, Whitehall, PA 18052) on November 18, 2014 to construct and operate a Portable Crushing Operation with water sprays in Whitehall Township, **Lehigh County**.

*Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4762, Lisa Dorman, New Source Review Permitting Chief—Telephone: 717-705-4863 or William Weaver, Regional Air Quality Manager, Telephone: 717-705-4702.*

**GP1-01-03028C: Plainville Farms, LLC, Division of Hain Pure Protein** (304 S. Water Street, PO Box 38, New Oxford, PA 17350) on December 19, 2014, for a new natural gas-fired 16.8 MMBtu/hr boiler, and an existing natural gas-fired 14.3 MMBtu/hr boiler, at the turkey processing facility in New Oxford Township, **Adams County**.



*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481*

*Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6636*

**GP2-10-021J: Indspec Chemical Corporation** (133 Main Street, Petrolia, PA 16050) on December 23, 2014 for the authorization to replace the V-8 tank with a 101,500 gallon tank (Tank T-2030) (BAQ-GPA/GP2) located in Petrolia Borough, **Butler County**.

**GP5-42-243A: NFG Midstream Clermont East Station** (70 Billy Buck Tie Road, Wilcox, PA 15870) on December 12, 2014 for the construction and/or operation of six (6) IC natural gas engines each equipped with an Air/Fuel ratio controller and a NSCR manufactured NSCR by Maxim model QAC1-67-14, two (2) triethylene glycol dehydration units rated at 150 mmscfd each with associated flash tanks and natural gas fired reboilers rated at 2.25 mmbtu/hr, seven (7) storage tanks and associated piping and components (BAQ-GPA/GP5) located in Sergeant Township, **McKean County**.

**GP5-43-300C: Laurel Mountain Midstream Hurtt Compressor Station** (57 Drake Road, Mercer, PA 16137) on December 11, 2014 for the authority to construct and/or operate a 1,340 bhp compressor engine (Caterpillar G3516LE) with a Miratech oxidation catalyst, a TEG Dehydrator rated at 0.5 MMBtu/hr with a 0.56 MMBtu/hr reboiler, three (3) storage tanks and station fugitive emissions (BAQ-GPA/GP5) located in East Lackawannock Township, **Mercer County**.

**GP5-43-301B: Laurel Mountain Midstream Jackson Center Compressor Station** (103 Hosack Road, Jackson Center, PA 16133 ) on December 19, 2014 for the authority to construct and/or operate a 1,150 bhp compressor engine (Caterpillar G3516LE), a TEG Dehydrator rated at 5.0 MMscfd with a 0.28 MMBtu/hr reboiler, a produced water tank and station fugitive emissions (BAQ-GPA/GP5) located in Jackson Township, **Mercer County**.

**Plan Approvals Issued under the Air Pollution Control Act and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.**

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790*

*Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507*

**54-00043A: Ashland Foundry and Machine Works, Inc.** (500 East Center Street, Ashland, PA 17921) on November 30, 2014 for the installation of one (1) new baghouse at their facility in Ashland Borough, **Schuylkill County**.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745*

*Contact: Mark R. Gorog, P.E., Environmental Engineer Manager—Telephone: 412-442-4150*

**04-00727A: Five Points Veterinary Clinic** (2057 Brodhead Road, Aliquippa, PA 15001) on December 23, 2014, for temporary operation of one (1) Matthews International-Cremation Division IE43-PPJr natural gas-fired crematory incinerator for the cremation of animal remains at Five Points Veterinary Clinic located in Hopewell Township, **Beaver County**.

*Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4762, Lisa Dorman, New Source Review Permitting Chief—Telephone: 717-705-4863 or William Weaver, Regional Air Quality Manager, Telephone: 717-705-4702.*

**22-05057A: Michels Pipeline Construction, Inc.** (817 West Main Street, Brownsville, WI 53006) on December 22, 2014, to construct a cured-in-place pipe (CIPP) wetout operation which will include resin storage tanks, catalyst drums, mix tank, injection metering pump, conveyor and rollers used to produce a polyester resin-saturated felt tube which will be used in repairing offsite pipe(s). The facility is to be located in West Hanover Township, **Dauphin County**.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481*

*Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6636*

**25-987F: Hanes Erie, Inc.** (7601 Klier Drive, Fairview, PA 16415) on December 4, 2014 has issued a plan approval for installation of a paint booth at their facility in Fairview Township, **Erie County**.

**43-363A: Pennex Aluminum Company** (93 Werner Road, Greenville, PA 16125-9499) on December 12, 2014, has issued a plan approval for the reclassification of source 103 (#1 Melting Furnace, 20 MMBtu/hr, Group 2) from a Group 2 furnace to a Group 1 furnace in accordance with 40 CFR Part 63, Subpart RRRR. This facility will be located in Sugar Grove Township, **Mercer County**.

**Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.13, 127.13a and 127.32.**

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745*

*Contact: Mark R. Gorog, P.E., Environmental Engineer Manager—Telephone: 412-442-4150*

**63-00968A: MarkWest Liberty Midstream and Resources, LLC** (1515 Arapahoe Street Tower 1, Suite 1600, Denver, CO 80202-2137) Extension effective December 24, 2014, to extend the period of temporary operation of eight new rich burn natural gas-fired compressor engines rated at 1,980 bhp each and controlled by three-way catalysts authorized under PA-63-00968A until June 24, 2015, at the Smith Compressor Station located in Smith Township, **Washington County**.

*Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4762, Lisa Dorman, New Source Review Permitting Chief—Telephone: 717-705-4863 or William Weaver, Regional Air Quality Manager, Telephone: 717-705-4702.*

**01-05003A: Columbia Gas Transmission, LLC** (1700 MacCorkle Avenue, S.E., Charleston, WV 25314) on December 23, 2014, for the construction of a 4700 bhp natural gas-fired combustion turbine and a 530 hp natural gas-fired emergency internal combustion engine, and ancillary small natural gas-fired heating sources at its Gettysburg Compressor Station in Straban Township, **Adams County**. The plan approval was extended.

**28-05003A: Columbia Gas Transmission, LLC** (1700 MacCorkle Avenue, S.E., Charleston, WV 25314) on De-

ember 23, 2014, for the construction of a 4700 bhp natural gas-fired combustion turbine and a 530 hp natural gas-fired emergency internal combustion engine, and ancillary small natural gas-fired heating sources at its Greencastle Compressor Station in Montgomery Township, **Franklin County**. The plan approval was extended.

**07-03055A: Advanced Metals Processing—PA LLC** (129 South Sparks Street, Suite 1, State College, PA 16801-3913) on December 24, 2014, for a nonferrous metal delacquering oven at their facility in Hollidaysburg Borough, **Blair County**. The plan approval was extended, with a revised compliance schedule.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481*

*Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6636*

**16-160A: Clarion Altela Environmental Services, LLC** (3099 Piney Dam Road, Clarion, PA 16214) on December 12, 2014, effective December 31, 2014, has issued a plan approval extension for the construction of twelve additional AltelaRain 600 modules to process produced water and frac flow-back water generated by natural gas wells in Piney Township, **Clarion County**. This is a State Only facility.

---

**Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.**

---

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745*

*Contact: Barbara Hatch, Facilities Permitting Chief—Telephone: 412-442-4174*

**65-00890: Basic Carbide Corporation** (900 Main Street, Lowber, PA 15660) on December 22, 2014, a State Only Operating Permit (SOOP) renewal to Basic Carbide Corporation to authorize the continued operation of their Plant located in Sewickley Township, **Westmoreland County**.

*Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4762, Lisa Dorman, New Source Review Permitting Chief—Telephone: 717-705-4863 or William Weaver, Regional Air Quality Manager, Telephone: 717-705-4702.*

**21-05064: Atlas Roofing Corp.** (817 Spangler Road, Camp Hill, PA 17011-5823) on December 22, 2014, for the foam laminate manufacturing facility in Camp Hill Borough, **Cumberland County**. The State-only permit was renewed.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481*

*Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6636*

**24-00119: Advanced Heat Treating Incorporated** (1057 Trout Run Road, Saint Marys, PA 15857-3124) on December 22, 2014 for a renewal of the Natural Minor Operating Permit to operate a metal heat treating operation facility located in City of Saint Marys, **Elk County**. The emitting sources include: 1) Tempering Furnaces (DF-2, DF-3, and DF-4), 2) Tempering Furnaces (DF-8, DF-10), 3) Miscellaneous natural gas usage, 4) Draw Furnaces DF-5, DF-6, & DF-7 and, 5) Draw Furnaces, DF-11, & DF-12. The potential emissions from the facility are less than the Title V threshold limits. Thus, the

facility is a natural minor. The PM<sub>10</sub> emissions from the facility are less than 3.63 Tons per year (TPY). The emissions of other criteria pollutants are less than 3.5 TPY each.

**42-00172: Momentive Specialty Chemicals, Inc.** (P.O. Box 7227, Mount Jewett, PA 16740) On December 15, 2014, the Department re-issued a Natural Minor Operating Permit to this urea-formaldehyde resin producing facility in Sergeant Township, **McKean County**. The facility's primary emission sources include storage tanks and a resin kettle. The potential emissions from this facility are as follows. Formaldehyde: 8.56 tons per year (TPY), Methanol: 0.29 TPY, Dimethyl Ether: 0.12 TPY, Total HAPs: 8.85 TPY, Total VOCs: 9.42 TPY, CO: 3.0 TPY, NO<sub>x</sub>: 11.5 TPY, PM<sub>2.5</sub>: 1.2 TPY, and SO<sub>x</sub>:.05 TPY.

---

**Operating Permits Denied, Terminated, Suspended or Revoked under the Air Pollution Control Act and 25 Pa. Code §§ 127.431 and 127.461.**

---

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481*

*Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-616636*

**16-00002: RFI Energy Incorporated** (P.O. Box 162, 1513 Shannon Tipple Road, Sligo, PA 16255-0162) on December 19, 2014, for the Shannon Tipple coal processing plant in Toby Township, **Clarion County**. This State Operating Permit was revoked because production ceased at the facility on November 19, 2014. The facility applied for a land use change and the facility is being sold. No further processing of coal will be conducted at the site.

**33-00178: Triangle Suspension Systems** (1 Meter Street, Punxsutawney, PA 15767-1836) on November 20, 2014, for the Short Run Plant in Punxsutawney Borough, **Jefferson County**. This State Operating Permit was revoked because the equipment was relocated to the main office in Dubois, **Clearfield County**.

---

**ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS**

---

**Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law; the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.20a). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to applications will also address the application permitting requirements of the following statutes: the Air Quality Pollution Act (35 P. S. §§ 4001—4014); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1002).**

---

*Coal Permits Issued*

*California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100*

**63131302 and NPDES No. PA0001147. Consol Mining Company LLC**, (CNX Center, 1000 Consol Energy Drive, Canonsburg, PA 15317). To transfer the permit and related NPDES permit for the Montour #4 Mine-Hahn



Treatment Facility in Cecil Township, **Washington County** from Consolidation Coal Company to Consol Mining Company LLC. No additional discharges. The application was considered administratively complete on January 27, 2014. Application received: January 6, 2014. Permit issued: December 8, 2014.

**02841304 and NPDES No. PA0041785. Tesone Land Company**, (PO Box 630, Gibsonia, PA 15044). To renew the permit for the Allegheny Mine & Preparation Plant in Fawn Township, **Allegheny County** for water treatment. No additional discharges. The application was considered administratively complete on November 8, 2010. Application received: July 22, 2010. Permit issued: December 8, 2014.

**03813704 and NPDES No. PA0002283. Consol Mining Company LLC**, (CNX Center, 1000 Consol Energy Drive, Canonsburg, PA 15317). To renew the permit for the Keystone No. 1 Coal Refuse Disposal Area in Plumcreek Township, **Armstrong County** for reclamation only. No additional discharges. The application was considered administratively complete on December 17, 2009. Application received: December 8, 2009. Permit issued: December 10, 2014.

**32831602 and NPDES No. PA0214515. General Trade Corporation**, (745 Power Plant Road, New Florence, PA 15944-7000). To renew the permit the Central Preparation Plant in West Wheatfield Township, **Indiana County**. The application was considered administratively complete on May 1, 2013. Application received: March 12, 2013. Permit issued: December 10, 2014.

**17071301 and NPDES No. PA0235784. Rosebud Mining Company**, (301 Market Street, Kittanning, PA 16201). To renew the permit for the Harmony Mine in Burnside Township, **Clearfield County**. No additional discharges. The application was considered administratively complete on July 25, 2013. Application received: June 5, 2013. Permit issued: December 11, 2014.

**56841612 and GP12-56841612-R14. Wilson Creek Energy LLC**, (1576 Stoystown Road, PO Box 260, Friedens, PA 15541). To revise the permit for the Wilson Creek Preparation Plant in Black Township, **Somerset County** to expand the raw coal storage area and add 0.8 acre to the raw coal pad. Approval is authorized under General Permit BAQ-GPS/GP12 and is required to meet all applicable limitations, terms, and conditions of authorization GP12-56841612-R14. No additional discharges. The application was considered administratively complete on April 9, 2014. Application received: April 9, 2014. Permit issued: December 19, 2014.

**30831303 and NPDES No. PA0013511. Cumberland Coal Resources, LP**, (158 Portal Road, PO Box 1020). To revise the permit for the Cumberland Mine in Center and Franklin Townships, **Greene County** to add underground mine and subsidence control plan acres for No. 3 Slope Bottom. Underground Acres Proposed 45.9, Subsidence Control Plan Acres Proposed 45.9. No additional discharges. The application was considered administratively complete on October 2, 2014. Application received: August 5, 2014. Permit issued: December 19, 2014.

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1900*

**Permit No. 11070202, NPDES No. PA0262439 and General Permit GP-12-11070202, Ebensburg Power Company**, 2840 New Germany Road, P.O. Box 845, Ebensburg, PA 15931, revision of an existing bituminous coal refuse site, to obtain coverage for coal refuse reprocessing under air quality general permit GP-12 in Jack-

son Township and Nanty Glo Borough, **Cambria County**, affecting 57.8 acres. Receiving streams: unnamed tributary to Pergrin Run and Southern Branch of Blacklick Creek classified for the following use: cold water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: October 16, 2014. Permit issued: December 15, 2014.

*Noncoal Permits Issued*

*Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200*

**08132802. Irene West** (P. O. Box 387, Wysox, PA 18858). Final bond release for a small industrial minerals surface mine located in Rome Township, **Bradford County**. Restoration of 2.3 acres completed. Receiving stream(s): Unnamed Tributary to Parks Creek. Application received: November 14, 2014. Final bond release approved: December 22, 2014.

**ACTIONS ON BLASTING ACTIVITY APPLICATIONS**

**Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.**

*Blasting Permits Issued*

*Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191*

**20144002. Hal D. Lilley** (8323 Oxbow Road, North East, PA 16428) Blasting activity permit for silo demolition in Sparta Township, **Crawford County**. This blasting activity permit expires on April 16, 2015. Permit Issued: December 22, 2014.

**FEDERAL WATER POLLUTION CONTROL ACT SECTION 401**

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to

the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

**Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.**

*Permits, Environmental Assessments and 401 Water Quality Certifications Issued:*

**WATER OBSTRUCTIONS AND ENCROACHMENTS**

*Southeast Region: Waterway and Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401, Telephone 484-250-5900.*

**E46-1108. Royersford Borough**, 300 Main Street, Royersford, PA 19468-2313, Royersford Borough, **Montgomery County**, ACOE Philadelphia District.

To construct and maintain a 10-foot wide trail along the floodway of the Schuylkill River (WWF, MF) which is part of an overall revitalization project to develop the riverfront. The project includes the removal of existing paved concrete surface.

The site is located along First Avenue between Main and Arch Streets (Latitude: 40.1795; Longitude: -75.5421). County.

The issuance of this permit also constitutes approval of a Water Quality Certification under Section 401 of the Federal Water Pollution Control Act [33 U.S.C.A. 1341(a)].

**E46-1109. Worcester Township**, 1721 Valley Forge Road, Worcester, PA 19490-0767, Worcester Township, **Montgomery County**, ACOE Philadelphia District.

To construct and maintain an 8-foot wide and 120-foot long pedestrian bridge over the wetland (PEM, PPA) and across an unnamed tributary to the Zacharias Creek (TSF, MF). This bridge construction will complete the trail connection from the Township's Heebner Park with the Evansburg State Park.

The site is located about 1000 feet northeast of the intersection of Heebner Road and Hollow Roads (Latitude: 40.1998; Longitude: -75.3623).

The issuance of this permit also constitutes approval of a Water Quality Certification under Section 401 of the Federal Water Pollution Control Act [33 U.S.C.A. 1341(a)].

*Southwest Region: Oil and Gas Management Program Manager 400 Waterfront Drive, Pittsburgh PA, 15222*

**E30-07-009: Energy Corporation of America—101** Heritage Run Road, Suite 1 Indiana, PA 15701

Project Location—Whiteley Township **Greene County**, PA (ACOE Pittsburgh District)

Energy Corporation of America is proposing to construct a Natural Gas Well Pad known as the Coastal Greene Pad Project located west of Dutch Run Road Whiteley Township, Greene County, PA (39.851523, -80.108003). This project appears on the Garards Fort, Pennsylvania U.S. Geological Survey (USGS) 7.5 minute Topographic Quadrangle. The project is proposing to build a natural gas well pad, tank pad and a 24-foot wide gravel access drive.

The project is a Joint Permit Application due to the proposed project not meeting the terms and conditions of the General Permit 07 (Minor Road Crossings). The project will result in one (1) perennial stream crossing (Dutch Run) with the installation of two (2)-24 inch corrugated metal pipe culverts resulting in permanent and temporary impacts to Dutch Run and its associated floodway (Table 1).

The table describes the proposed stream crossing and floodway impacts that will result from the construction of the Coastal Greene Pad Project:

Table 1. Associated Stream and Floodway Impacts to the Coastal Green Well Pad Project

<i>Stream Crossing</i>	<i>Latitude/Longitude</i>	<i>Area of Impact</i>	
Perennial Stream Crossing Dutch Run (TSF)	39.851516N, -80.108359W	Temporary:	17 Linear Ft. (0.003 ac)
		Permanent:	78 ln.ft. (0.014 ac)
Associated Floodway Impacts		Temporary:	0.084 ac
		Permanent:	0.055 ac

**EROSION AND SEDIMENT CONTROL**

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street,

PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to

the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

*Eastern Region: Oil & Gas Management Program Manager, 208 West Third Street, Williamsport, PA 17701*

ESCGP-2 # ESX11-015-0012 (01)  
Applicant Name Talisman Energy USA, Inc.  
Contact Person Joseph Katruska  
Address 50 Pennwood Place  
City, State, Zip Warrendale, PA 15086  
County Bradford County  
Township(s) Orwell Township  
Receiving Stream(s) and Classification(s) UNT to Trout Stream, Trout Stream (Both CWF/MF)

ESCGP-2 # ESG29-113-14-0028  
Applicant Name Appalachia Midstream Services, LLC  
Contact Person Randy DeLaune  
Address 400 1st Center  
City, State, Zip Horseheads, NY 14845  
County Bradford County  
Township(s) Overton Township  
Receiving Stream(s) and Classification(s) Tribs. 20239, 20233 and 20237 to Black Creek (EV-CWF); Little Loyalsock Creek

ESCGP-2 # ESX29-015-14-0091  
Applicant Name Chesapeake Appalachia, LLC  
Contact Person Eric Haskins  
Address 14 Chesapeake Lane  
City, State, Zip Sayre, PA 18840  
County Bradford County  
Township(s) Terry Township  
Receiving Stream(s) and Classification(s) UNT to Sugar Run, Trib to Sugar Run Creek (CWF/MF);  
Secondary: Sugar Run Creek (CWF/MF)

ESCGP-2 # ESG29-115-14-0103  
Applicant Name Southwestern Energy Production Company  
Contact Person Dave Sweeley  
Address 917 State Route 92 North  
City, State, Zip Tunkhannock, PA 18657  
County Susquehanna County  
Township(s) New Milford Township  
Receiving Stream(s) and Classification(s) Salt Lick Creek (HQ-CWF/MF), UNT Meylert Creek (HQ-CWF/MF);  
Secondary: Susquehanna River (WWF/MF)

ESCGP-2 # ESX12-023-0001 (01)  
Applicant Name Endeavor Operating Corporation  
Contact Person Stephen Trujillo  
Address 110 W 7th Street, Suite 1900  
City, State, Zip Tulsa, OK 74119-1076  
County Cameron County

Township(s) Lumber Township  
Receiving Stream(s) and Classification(s) McKinnon Branch (HQ/CWF) Steam Mill Branch (HQ-CWF/MF);  
Secondary: Hunts Run

ESCGP-2 # ESX29-115-14-0115  
Applicant Name Cabot Oil & Gas  
Contact Person Kenneth Marcum  
Address 5 Penn Center West, Suite 401  
City, State, Zip Pittsburgh, PA 15276  
County Susquehanna County  
Township(s) Harford Township  
Receiving Stream(s) and Classification(s) UNT Nine Partners Creek (CWF)

ESCGP-2 # ESX29-015-14-0093  
Applicant Name Talisman Energy USA, Inc.  
Contact Person Joe Katruska  
Address 50 Pennwood Place  
City, State, Zip Warrendale, PA 10586  
County Bradford County  
Township(s) Troy Township  
Receiving Stream(s) and Classification(s) South Branch Sugar Creek (TSF)

ESCGP-2 # ESG29-115-14-0086  
Applicant Name Williams Field Services, LLC  
Contact Person Julie Nicholas  
Address 310 State Route 29 North  
City, State, Zip Tunkhannock, PA 18657  
County Susquehanna County  
Township(s) Ararat & Gibson Townships  
Receiving Stream(s) and Classification(s) Rock Creek (CWF/MF) and UNT thereto

ESCGP-2 # ESX09-115-0012 (02)  
Applicant Name Chief Oil & Gas LLC  
Contact Person Jeffrey Deegan  
Address 6051 Wallace Road Ext., Suite 300  
City, State, Zip Wexford, PA 15090  
County Susquehanna County  
Township(s) Springville Township  
Receiving Stream(s) and Classification(s) Stevens Creek, Meshoppen Creek (CWF);  
Secondary: Susquehanna River (WWF)

ESCGP-2 # ESG11-117-0033(1)  
Applicant Name Talisman Energy USA, Inc.  
Contact Person Joe Katruska  
Address 50 Pennwood Place  
City, State, Zip Warrendale, PA 15086  
County Tioga County  
Township(s) Union Township  
Receiving Stream(s) and Classification(s) Sugar Works Run (HQ/CWF)

ESCGP-2 # ESX11-015-0020 (01)  
Applicant Name Talisman Energy USA, Inc.  
Contact Person Joe Katruska  
Address 50 Pennwood Place  
City, State, Zip Warrendale, PA 15086  
County Bradford County  
Township(s) Pike Township  
Receiving Stream(s) and Classification(s) UNT to Rockwell Creek (WWF/MF), UNT to Johnson Creek (CWF/MF)



## STORAGE TANKS SITE-SPECIFIC INSTALLATION PERMITS

The following Storage Tank Site-Specific Installation Permits, under the authority of the Storage Tank Spill Prevention Act (35 P. S. §§ 6021.304, 6021.504, 6021.1101—6021.1102) and under 25 Pa Code Chapter 245, Subchapter C, have been issued by the Bureau of Environmental Cleanup and Brownfields, Director, PO Box 8763, Harrisburg, PA 17105-8763.

<i>SSIP Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Tank Type</i>	<i>Tank Capacity</i>
14-51-023	Philadelphia Water Department 1101 Market Street, 2nd Floor Philadelphia, PA 19107-2994 Attn: Michael Lavery	Philadelphia	City of Philadelphia	4 ASTs storing Ferric Chloride	216,000 gallons total

[Pa.B. Doc. No. 15-63. Filed for public inspection January 9, 2015, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Application of Canonsburg Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Canonsburg Hospital has requested an exception to the requirements of 28 Pa. Code § 107.26(b)(1) (relating to additional committees).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

MICHAEL WOLF,  
Secretary

[Pa.B. Doc. No. 15-64. Filed for public inspection January 9, 2015, 9:00 a.m.]

*Construction of Health Care Facilities 2014.* The facility specifically requests exemptions from the following standards contained in this publication: 3.7-3.6.1 (relating to nursing stations), and 3.7-3.6.11.3(1) (relating to storage spaces). The facility also requests exemptions to subparagraph (ii) of the definition of “classification levels” in 28 Pa. Code § 551.3 (relating to definitions), regarding Class B facilities and PS III patients, and 28 Pa. Code § 551.21(d) (relating to criteria for ambulatory surgery).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

MICHAEL WOLF,  
Secretary

[Pa.B. Doc. No. 15-65. Filed for public inspection January 9, 2015, 9:00 a.m.]

### Application of Eastern Pennsylvania Nephrology Associates for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Eastern Pennsylvania Nephrology Associates has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and*

### Application of Lancaster General Women and Babies Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Lancaster General Women and Babies Hospital has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design*



and *Construction of Health Care Facilities 2014*. The facility specifically requests an exemption from the following standards contained in this publication: 2.2-3.4.5.4(1) and 2.2-3.4.5.2 (relating to toilets; and space requirements).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

MICHAEL WOLF,  
*Secretary*

[Pa.B. Doc. No. 15-66. Filed for public inspection January 9, 2015, 9:00 a.m.]

### Application of Paoli Surgery Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Paoli Surgical Center has requested an exception to the requirements of 28 Pa. Code § 551.21(d)(2) (relating to criteria for ambulatory surgery).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

MICHAEL WOLF,  
*Secretary*

[Pa.B. Doc. No. 15-67. Filed for public inspection January 9, 2015, 9:00 a.m.]

### Application of Penn Presbyterian Medical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Penn Presbyterian Medical Center has requested an exception to the requirements of 28 Pa. Code § 551.21(d)(1)—(3) (relating to criteria for ambulatory surgery).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

MICHAEL WOLF,  
*Secretary*

[Pa.B. Doc. No. 15-68. Filed for public inspection January 9, 2015, 9:00 a.m.]

### Application of St. Luke's University Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that St. Luke's University Hospital has requested an exception to the requirements of 28 Pa. Code § 105.1 (relating to principle).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and

Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

MICHAEL WOLF,  
Secretary

[Pa.B. Doc. No. 15-69. Filed for public inspection January 9, 2015, 9:00 a.m.]

### Application of UPMC Passavant Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that UPMC Passavant Hospital has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Health Care Facilities 2014*. The facility specifically requests an exemption from the following standards contained in this publication: 2.1-7.2.2.3(2) (relating to doors).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

MICHAEL WOLF,  
Secretary

[Pa.B. Doc. No. 15-70. Filed for public inspection January 9, 2015, 9:00 a.m.]

### Application of Windber Medical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Windber Medical Center has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Health Care Facilities 2014*. The facility specifically requests an exemption from the following standards contained in this publication: 2.1-8.5.3.2 (relating to size), regarding TDR rooms.

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

MICHAEL WOLF,  
Secretary

[Pa.B. Doc. No. 15-71. Filed for public inspection January 9, 2015, 9:00 a.m.]

### Application of York Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that York Hospital has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Health Care Facilities 2010*. The facility specifically requests an exemption from the following standards contained in this publication: 2.2-3.1.3.6 (relating to examination/treatment rooms).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

MICHAEL WOLF,  
Secretary

[Pa.B. Doc. No. 15-72. Filed for public inspection January 9, 2015, 9:00 a.m.]

### Long-Term Care Nursing Facilities; Request for Exception

The following long-term care nursing facilities are seeking exceptions to 28 Pa. Code § 211.9(g) (relating to pharmacy services):

Majestic Oaks Rehabilitation and Nursing Center  
333 Newtown Road  
Warminster, PA 18974  
FAC ID # 558802

Shippensburg Health Care Center  
121 Walnut Bottom Road  
Shippensburg, PA 17257  
FAC ID # 035002

These requests are on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the address or phone number listed previously, or for speech and/or hearing impaired persons V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

MICHAEL WOLF,  
*Secretary*

[Pa.B. Doc. No. 15-73. Filed for public inspection January 9, 2015, 9:00 a.m.]

## DEPARTMENT OF LABOR AND INDUSTRY

### Current Prevailing Wage Act Debarments

The following contractors have been determined to have intentionally violated the Pennsylvania Prevailing Wage Act (act) (43 P. S. §§ 165-1—165-17). This notice is published for the information and convenience of public bodies subject to the act. Under section 11(e) of the act (43 P. S. § 165-11(e)), these contractors, or either one of them, or any firms, corporations or partnerships in which either one of these contractors has an interest, shall be awarded no contract for 3 years after the date listed.

<i>Contractor</i>	<i>Address</i>	<i>Date of Debarment</i>
Danny West Painting and Remodeling, LLC, and Daniel R. West, individually FEIN No. 16-1648144	198 Malone Ridge Road Washington, PA 15301	12/17/2014

JULIA K. HEARTHWAY,  
*Secretary*

[Pa.B. Doc. No. 15-74. Filed for public inspection January 9, 2015, 9:00 a.m.]

## DEPARTMENT OF TRANSPORTATION

### Application for Lease of Right-of-Way

Under 67 Pa. Code § 495.4(d) (relating to application procedure), an application to lease highway right-of-way has been submitted to the Department of Transportation by Lower Paxton Township, William Hawk, Board of Supervisors Chairperson, 425 Prince Street, Harrisburg, PA 17109, seeking to lease highway right-of-way located at Town Square, Linglestown, Lower Paxton Township, adjacent to SR 0039 and Mountain Road on the north west quadrant, for purposes of a clock tower.

Interested persons are invited to submit, within 30 days from the publication of this notice in the *Pennsylvania Bulletin*, written comments, suggestions or objections regarding the approval of this application to Michael Keiser, PE, Engineering District 8-0, 2140 Herr Street, Harrisburg, PA 17103-1699.

Questions regarding this application or the proposed use may be directed to Paulette Broody Alexander, Chief Negotiator, 2140 Herr Street, Harrisburg, PA 17103-1699, (717) 787-1419.

BARRY J. SCHOCH, PE,  
*Secretary*

[Pa.B. Doc. No. 15-75. Filed for public inspection January 9, 2015, 9:00 a.m.]

## INDEPENDENT REGULATORY REVIEW COMMISSION

### Notice of Comments Issued

Section 5(g) of the Regulatory Review Act (71 P. S. § 745.5(g)) provides that the Independent Regulatory Review Commission (Commission) may issue comments within 30 days of the close of the public comment period. The Commission comments are based upon the criteria contained in section 5.2 of the Regulatory Review Act (71 P. S. § 745.5b).



The Commission has issued comments on the following proposed regulation. The agency must consider these comments in preparing the final-form regulation. The final-form regulation must be submitted within 2 years of the close of the public comment period or it will be deemed withdrawn.

<i>Reg No.</i>	<i>Agency/Title</i>	<i>Close of the Public Comment Period</i>	<i>IRRC Comments Issued</i>
#7-489	Environmental Quality Board Land Reclamation Financial Guarantees and Bioenergy Crop Bonding 44 Pa.B. 6781 (October 25, 2014)	11/24/14	12/24/14

**Environmental Quality Board Regulation #7-489  
(IRRC #3074)**

**Land Reclamation Financial Guarantees and  
Bioenergy Crop Bonding**

**December 24, 2014**

We submit for your consideration the following comments on the proposed rulemaking published in the October 25, 2014 *Pennsylvania Bulletin*. Our comments are based on criteria in Section 5.2 of the Regulatory Review Act (71 P.S. § 745.5b). Section 5.1(a) of the Regulatory Review Act (71 P.S. § 745.5a(a)) directs the Environmental Quality Board (EQB) to respond to all comments received from us or any other source.

**1. Section 86.17. Permit and reclamation fees.—  
Clarity; Economic impact.**

Language is added in Paragraph (e)(2) relating to Act 157 of 2012 (Act 157). The EQB explains in the Preamble that this language was added at the request of the Mining Reclamation Advisory Board. We have two concerns. First, Citizens for Pennsylvania's Future commented that the wording of the added language could have the practical effect of eliminating the reclamation fee as a source of revenue. We ask the EQB to review the language added to the regulation, consider amendments and provide further explanation of the purpose of the added language in the Preamble to the final-form regulation.

Second, the added language states "...the need to offset an *increase* in the reclamation fee..." (Emphasis added.) It is our understanding that within several sources of funding available, the fee could be increased and possibly later decreased. Therefore, rather than using the word "increase," we suggest phrasing the regulation as an "adjustment," or similar language suitable to the EQB's intent.

**2. Section 86.162b. Land Reclamation Financial  
Guarantees.—Consistency with statute; Clarity.**

*Paragraph (f)(3)*

The last phrase of Paragraph (3) states "...plus a margin of safety determined by the Department." Section 2 of Act 157, establishing Section 19.2(d)(1) uses slightly different language: "...plus a *reasonable* margin of safety to protect the account from risk of forfeiture." 52 P.S. § 1396.19b(d)(1). (Emphasis added.) We recommend including the statutory language.

*Paragraph (k)(3)*

The paragraphs under Subsection (k) describe what the coal mining operator must demonstrate to be eligible for a Land Reclamation Financial Guarantee. As worded, Paragraph (3) is not clear regarding what the operator must demonstrate. We ask the EQB to review Paragraph (3) for clarity.

*Paragraph (m)(2)*

This paragraph provides a payment schedule. Should this schedule be provided by the Department "in writing"?

JOHN F. MIZNER, Esq.,  
*Chairperson*

[Pa.B. Doc. No. 15-76. Filed for public inspection January 9, 2015, 9:00 a.m.]

## INSURANCE DEPARTMENT

**Application for Domestic Certificate of Authority  
by Pax Health, Inc.**

Pax Health, Inc. has applied for a Certificate of Authority to operate as a stock health insurance company in this Commonwealth. The initial filing was received on December 19, 2014, and was made under The Insurance Company Law of 1921 (40 P.S. §§ 341—1007.15).

Persons wishing to comment on the application are invited to submit a written statement to the Insurance Department (Department) within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Each written statement must include name, address and telephone number of the interested party, identification of the application to which the statement is addressed and a concise statement with sufficient detail to inform the Department of the exact basis of the statement. Written statements should be directed to Cressinda E. Bybee, Company Licensing Division, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557, cbybee@pa.gov.

MICHAEL F. CONSEDINE,  
*Insurance Commissioner*

[Pa.B. Doc. No. 15-77. Filed for public inspection January 9, 2015, 9:00 a.m.]

**Surplus Lines Law; Exempt Commercial Purchaser  
Minimum Qualifying Amounts Adjustment Effective  
January 1, 2015**

Section 1610 of The Insurance Company Law of 1921 (40 P.S. § 991.1610) contains a definition for "exempt commercial purchaser." Within the definition is minimum qualifying amounts for three categories which are to be adjusted beginning January 1, 2015, and every 5 years thereafter. The definition is as follows:

"*Exempt commercial purchaser.*" Any person purchasing commercial insurance that, at the time of placement, meets the following requirements:



(1) The person employs or retains a qualified risk manager to negotiate insurance coverage.

(2) The person has paid aggregate nationwide commercial property and casualty insurance premiums in excess of one hundred thousand (\$100,000) dollars in the immediately preceding twelve (12) months.

(3)(i) The person meets at least one of the following criteria:

(A) The person possesses a net worth in excess of *twenty million (\$20,000,000)* dollars, as adjusted under subparagraph (ii).

(B) The person generates annual revenues in excess of *fifty million (\$50,000,000)* dollars, as adjusted under subparagraph (ii).

(C) The person employs more than five hundred (500) full-time or full-time equivalent employees per individual insured or is a member of an affiliated group employing more than one thousand (1,000) employees in the aggregate.

(D) The person is a not-for-profit organization or public entity generating annual budgeted expenditures of at least *thirty million (\$30,000,000)* dollars, as adjusted under subparagraph (ii).

(E) The person is a municipality with a population in excess of fifty thousand (50,000) persons.

(ii) *Beginning January 1, 2015 and every five years thereafter, the amounts under clauses (A), (B) and (D) shall be adjusted to reflect the percentage change for the five-year period in the Consumer Price Index for All Urban Consumers published by the Bureau of Labor Statistics of the Department of Labor and Industry.*

(Emphasis added.)

Through the coordinated efforts of the National Association of Insurance Commissioners' Surplus Lines Task Force, adjustments have been calculated using Consumer Price Index data for the period September 2009—September 2014. The adjusted minimum qualifying amounts effective January 1, 2015, are as follows:

<i>Subclause</i>	<i>Previous Minimum</i>	<i>Adjusted Minimum Effective January 1, 2015</i>
(A)	\$20,000,000	\$22,040,000
(B)	\$50,000,000	\$55,100,000
(D)	\$30,000,000	\$33,060,000

Questions may be directed to Cressinda Bybee, Office of Corporate and Financial Regulation, 1345 Strawberry Square, Harrisburg, PA 17120, (717) 783-2144, fax (717) 787-8557, cbybee@pa.gov.

MICHAEL F. CONSEDINE,  
*Insurance Commissioner*

[Pa.B. Doc. No. 15-78. Filed for public inspection January 9, 2015, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Conversion Through Merger; Errata Notice

This is to advise all interested parties that the notice published at 45 Pa.B. 120 (January 3, 2015) concerning

the application of Talk America contains an error in the caption. The applicant/joint applicant was incorrectly identified as Talk America, LLC. The correct identity of the applicant/joint applicant is Talk America, Inc. Following is the correct caption:

**A-2014-2459152. Talk America, Inc.** Application of Talk America, Inc. for approval of its Conversion, through Merger, to a Delaware Limited Liability Company.

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 15-79. Filed for public inspection January 9, 2015, 9:00 a.m.]

## PHILADELPHIA PARKING AUTHORITY

### Motor Carrier Stock Transfer Application for Taxicab Service in the City of Philadelphia

Permanent authority to render services as a common carrier in the City of Philadelphia has been filed with the Philadelphia Parking Authority (PPA) Taxicab and Limousine Division (TLD) by the following named applicant at Docket No. A-14-12-02 and published January 10, 2015, in the *Pennsylvania Bulletin*. The 50% shareholder has applied to transfer 50% of the stock of Patiala KPT, Inc. (CPC No. 1027373-01, Medallion P-1491) holder of medallion rights to transport persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return.

**Gurvinder Mathoan 50% Shareholder**, 2301 Church Street, Philadelphia, PA 19124.

Formal protests must be filed in accordance with 52 Pa. Code Part II (relating to Philadelphia Parking Authority). Filings must be made at the offices of the TLD with the Clerk, 2415 South Swanson Street, Philadelphia, PA 19148 by January 25, 2015. Documents filed in support of the application are available for inspection at the TLD office (contact Charles Milstein) between 9 a.m. and 4:30 p.m. Monday to Friday or may be inspected at the business address of the applicant. The protest fee is \$2,500 (certified check or money order payable to PPA).

VINCENT J. FENERTY, Jr.,  
*Executive Director*

[Pa.B. Doc. No. 15-80. Filed for public inspection January 9, 2015, 9:00 a.m.]

## STATE BOARD OF NURSING

**Bureau of Professional and Occupational Affairs v. Louis Covington, RN; File No. 12-51-04572; Doc. No. 0724-51-13**

On October 24, 2014, Louis Covington, RN, license no. RN266306L, of McKeesport, Allegheny County and Sierra Vista, AZ, had his license revoked based on findings he had disciplinary action taken against him by the proper licensing authority of Maryland.

Individuals may obtain a copy of the adjudication by writing to Megan E. Castor, Board Counsel, State Board of Nursing, P. O. Box 2649, Harrisburg, PA 17105-2649.

This order represents the final State Board of Nursing (Board) decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court must serve the Board with a copy of their petition for review. The Board contact for receiving service of appeals is the previously-named Board counsel.

KRISTIN MALADY, BSN, RN,  
*Chairperson*

[Pa.B. Doc. No. 15-81. Filed for public inspection January 9, 2015, 9:00 a.m.]

## STATE BOARD OF VEHICLE MANUFACTURERS, DEALERS AND SALESPERSONS

**In the Matter of the Application for Licensure as a  
Vehicle Salesperson of Manuel L. Berry; Doc.  
No. 1651-60-2014; File No. 14-60-10565**

On November 5, 2014, Manuel L. Berry, last known of Yardley, Bucks County, was denied an application for licensure as a vehicle salesperson due to a criminal conviction of multiple felonies.

Individuals may obtain a copy of the adjudication by writing to Christopher K. McNally, Board Counsel, State Board of Vehicle Manufacturers, Dealers and Salespersons, P. O. Box 2649, Harrisburg, PA 17105-2649.

DAN G. MURPHY, II,  
*Chairperson*

[Pa.B. Doc. No. 15-82. Filed for public inspection January 9, 2015, 9:00 a.m.]

## SUSQUEHANNA RIVER BASIN COMMISSION

### Public Hearing

The Susquehanna River Basin Commission (Commission) will hold a public hearing on January 29, 2015, at 2:30 p.m. at the Pennsylvania State Capitol, Room 8E-B, East Wing, Commonwealth Avenue, Harrisburg, PA. The public hearing will end at 5 p.m. or at the conclusion of public testimony, whichever is sooner. At this public hearing, the Commission will hear testimony on the projects listed in the Supplementary Information section of this notice. The projects are intended to be scheduled for Commission action at its next business meeting, tentatively scheduled for March 5, 2015, which will be noticed separately. The public should take note that this public hearing will be the only opportunity to offer oral

comment to the Commission for the listed projects. The deadline for the submission of written comments is February 9, 2015.

For further information contact Jason Oyler, Regulatory Counsel, (717) 238-0423, Ext. 1312, fax (717) 238-2436.

Information concerning the applications for these projects is available at the Commission Water Resource Portal at [www.srbc.net/wrp](http://www.srbc.net/wrp). Materials and supporting documents are available to inspect and copy in accordance with the Commission's Access to Records Policy at [www.srbc.net/pubinfo/docs/2009-02\\_Access\\_to\\_Records\\_Policy\\_20140115.pdf](http://www.srbc.net/pubinfo/docs/2009-02_Access_to_Records_Policy_20140115.pdf).

### *Supplementary Information*

The public hearing will cover the following projects:

#### *Projects Scheduled for Action*

1. Project Sponsor and Facility: Leonard and Jean Marie Azaravich (Meshoppen Creek), Springville Township, Susquehanna County, PA. Application for renewal and modification to increase surface water withdrawal by an additional 0.251 mgd (peak day), for a total of up to 0.500 mgd (peak day) (Docket No. 20101206).

2. Project Sponsor and Facility: Carrizo (Marcellus), LLC (Mosquito Creek), Karthaus Township, Clearfield County, PA. Application for surface water withdrawal of up to 0.720 mgd (peak day).

3. Project Sponsor and Facility: Chesapeake Appalachia, LLC (Susquehanna River), Braintrim Township, Wyoming County, PA. Application for renewal of surface water withdrawal of up to 3.000 mgd (peak day) (Docket No. 20110303).

4. Project Sponsor and Facility: Chief Oil & Gas, LLC (Martins Creek), Hop Bottom Borough, Susquehanna County, PA. Application for renewal of surface water withdrawal of up to 0.360 mgd (peak day) (Docket No. 20110304).

5. Project Sponsor and Facility: EQT Production Company (West Branch Susquehanna River), Greenwood Township, Clearfield County, PA. Application for surface water withdrawal of up to 0.900 mgd (peak day).

6. Project Sponsor and Facility: Keister Miller Investments, LLC (West Branch Susquehanna River), Mahaffey Borough, Clearfield County, PA. Application for surface water withdrawal of up to 2.000 mgd (peak day).

7. Project Sponsor and Facility: Keystone Clearwater Solutions, LLC (West Branch Susquehanna River), Curwensville Borough, Clearfield County, PA. Application for renewal of surface water withdrawal reduced from originally approved 2.000 mgd (peak day) to up to 1.500 mgd (peak day) (Docket No. 20101204).

8. Project Sponsor and Facility: Linde Corporation (Lackawanna River), Fell Township, Lackawanna County, PA. Application for renewal of surface water withdrawal of up to 0.905 mgd (peak day) (Docket No. 20101207).

9. Project Sponsor and Facility: Samson Exploration, LLC (Plum Grove Cameron 5 Strip Mine Pond), Shippen Township, Cameron County, PA. Application for renewal of surface water withdrawal of up to 0.090 mgd (peak day) (Docket No. 20110308).

10. Project Sponsor and Facility: Shadow Ranch Resort, Inc. (Tunkhannock Creek), Tunkhannock Township, Wyoming County, PA. Application for renewal of surface water withdrawal of up to 0.999 mgd (peak day) (Docket No. 20110310).

11. Project Sponsor and Facility: Shrewsbury Borough, York County, PA. Application for renewal and modification to increase groundwater withdrawal by an additional 0.024 mgd (30-day average), for a total of up to 0.089 mgd (30-day average) from the Blouse Well (Docket No. 19820103).

12. Project Sponsor and Facility: Shrewsbury Borough, York County, PA. Application for renewal of groundwater withdrawal of up to 0.099 mgd (30-day average) from the Smith Well (Docket No. 19811203).

13. Project Sponsor and Facility: Southwestern Energy Production Company (Martins Creek), Brooklyn and Harford Townships, Susquehanna County, PA. Application for renewal of surface water withdrawal of up to 0.997 mgd (peak day) (Docket No. 20110312).

14. Project Sponsor and Facility: SWEPI LP (Cowanisque River), Westfield Township, Tioga County, PA. Application for renewal of surface water withdrawal of up to 0.375 mgd (peak day) (Docket No. 20101203).

15. Project Sponsor and Facility: Warwick Township Municipal Authority, Warwick Township, Lancaster County, PA. Application for groundwater withdrawal of up to 0.288 mgd (30-day average) from Rothsville Well 2.

*Opportunity to Appear and Comment*

Interested parties may appear at the hearing to offer comments to the Commission on any project previously listed. The presiding officer reserves the right to limit oral statements in the interest of time and to otherwise control the course of the hearing. Ground rules will be posted on the Commission's web site, [www.srbc.net](http://www.srbc.net), prior to the hearing for review. The presiding officer reserves the right to modify or supplement these rules at the hearing. Written comments on any project previously listed may also be mailed to Jason Oyler, Regulatory Counsel, Susquehanna River Basin Commission, 4423 North Front Street, Harrisburg, PA. 17110-1788, or submitted electronically through <http://www.srbc.net/pubinfo/publicparticipation.htm>. Comments mailed or electronically submitted must be received by the Commission on or before February 9, 2015, to be considered.

*Authority:* Pub. L. 91-575, 84 Stat. 1509 et seq., 18 CFR Parts 806—808.

*Dated:* December 23, 2014.

ANDREW D. DEHOFF,  
*Executive Director*

[Pa.B. Doc. No. 15-83. Filed for public inspection January 9, 2015, 9:00 a.m.]







