

NOTICES

DEPARTMENT OF BANKING AND SECURITIES

Actions on Applications

The Department of Banking and Securities (Department), under the authority contained in the act of November 30, 1965 (P.L. 847, No. 356), known as the Banking Code of 1965; the act of May 15, 1933 (P.L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P.L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending August 9, 2016.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file his or her comments in writing with the Department of Banking and Securities, Corporate Applications Division, 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, contact the Corporate Applications Division at (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

BANKING INSTITUTIONS

Branch Applications

De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
8-4-2016	PeoplesBank, A Codorus Valley Company York York County	3002 Hempland Road Lancaster Lancaster County	Approved
8-8-2016	Landmark Community Bank Pittston Luzerne County	781 Airport Road Hazle Township Luzerne County	Filed

CREDIT UNIONS

Articles of Amendment

<i>Date</i>	<i>Name and Location of Institution</i>	<i>Action</i>
8-9-2016	TruMark Financial Credit Union Trevose Bucks County Amendment to Article I of the institution's Articles of Incorporation provides for a change in principal place of business from 1000 Northbrook Drive, Trevose, Bucks County to 335 Commerce Drive, Fort Washington, Montgomery County.	Effective

The Department's web site at www.dobs.pa.gov includes public notices for more recently filed applications.

ROBIN L. WIESSMANN,
Secretary

[Pa.B. Doc. No. 16-1433. Filed for public inspection August 19, 2016, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications concern, but are not limited to, discharges regarding industrial, animal or sewage

waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFO). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Waste; Discharge into Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 Individual Permits and Individual Stormwater Construction Permits in Sections IV and VI, the Department, based upon preliminary reviews, has made tentative determinations of proposed effluent limitations and other terms and conditions for the permit applications. In accordance with 25 Pa. Code § 92a.32(d), the proposed discharge of stormwater associated with construction activities will be managed in accordance with the requirements of 25 Pa. Code Chapter 102. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the United States Environmental Protection Agency (EPA) Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on NPDES applications are invited to submit statements to the contact office noted before the application within 30 days from the date of this public notice. Persons wishing to comment on WQM permit applications are invited to submit statements to the office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for public hearings on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications

Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0253731 (Sewage)	Pullman Ronald V Sr STP 1027 Campbells Run Road Carnegie, PA 15106	Beaver County South Beaver Township	Unnamed Tributary of Brush Run (20-B)	Yes
PA0254380 (Sewage)	Ursina Borough STP 418 Park Street Confluence, PA 15424	Somerset County Ursina Borough	Laurel Hill Creek (19-E)	Yes
PA0252921 (Sewage)	4 W Deep Mine Portal STP 103 Corporate Drive Suite 102 Morgantown, WV 26501-4582	Greene County Dunkard Township	Unnamed Tributary to Dunkard Creek (19-G)	Yes

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0240231 (Sewage)	Jack L Shaeffer SRSTP 510 Pittsville Road Kennerdell, PA 16374	Venango County Rockland Township	Shull Run (16-G)	Yes

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0210510 (Sewage)	Jim N I Park STP PO Box 69 11678 Main Street East Springfield, PA 16411-0069	Erie County Springfield Township	Unnamed Tributary to Turkey Creek (15-A)	Yes
PA0101826 (Sewage)	Woodland Meadows MHP 133 Plateau Street Renfrew, PA 16053	Butler County Connoquenessing Township	Unnamed Tributary to Little Connoquenessing Creek (20-C)	Yes

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Non-Waived Permit Applications

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

PA0027316, Sewage, SIC Code 4952, **Lebanon City Authority Lebanon County**, 2321 Ridgeview Road, Lebanon, PA 17042-9431. Facility Name: Lebanon City STP. This existing facility is located in Lebanon City, **Lebanon County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Snitz Creek and Quittapahilla Creek, is located in State Water Plan watershed 7-D and is classified for Migratory Fishes and Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 8 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX Daily Max	6.0	XXX	9.0 Max	XXX
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)						
Nov 1 - Apr 30	1,334	2,001	XXX	20	30	40
May 1 - Oct 31	667	1,000	XXX	10	15	20
Biochemical Oxygen Demand (BOD ₅)						
Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids	2,001	3,002	XXX	30	45	60
Total Suspended Solids						
Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Dissolved Solids	Report	XXX	XXX	Report	XXX	XXX
Fecal Coliform (CFU/100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ultraviolet light transmittance (%)	XXX	XXX	Report	XXX	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	360	XXX	XXX	5.4	XXX	10.8
May 1 - Oct 31	120	XXX	XXX	1.8	XXX	3.6
Total Phosphorus	133	XXX	XXX	2.0	XXX	4
Sulfate, Total	Report	XXX	XXX	Report	XXX	XXX
Chloride	Report	XXX	XXX	Report	XXX	XXX
Bromide	Report	XXX	XXX	Report	XXX	XXX

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Outfall 001.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Concentrations (mg/L)</i>			
	<i>Monthly</i>	<i>Annual</i>	<i>Monthly</i>	<i>Monthly Average</i>	<i>Maximum</i>	<i>Instant. Maximum</i>
Ammonia—N	Report	Report	XXX	Report	XXX	XXX
Kjeldahl—N	Report	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Report	Report	XXX	Report	XXX	XXX
Total Phosphorus	Report	Report	XXX	Report	XXX	XXX
Net Total Nitrogen	Report	146,117	XXX	XXX	XXX	XXX
Net Total Phosphorus	Report	19,482	XXX	XXX	XXX	XXX

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

In addition, the permit contains the following major special conditions:

- The permittee is granted 10,375 lbs/year Total Nitrogen offsets to meet the Net Total Nitrogen cap load.
- Stormwater Requirements
- Pretreatment Program Implementation
- Restrictions on accepting hauled in waste under certain conditions
- High flow management
- WET testing requirements
- Notification of responsible operator
- Emergency chlorination reporting requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

Application No. PA0266337, Concentrated Animal Feeding Operation (CAFO), **Quality Livestock Farm Quest Joint Client (Quality Livestock Swine Farm CAFO)**, 1250 Lincoln Road, Lititz, PA 17543-7313.

Quality Livestock Farm Quest Joint Client has submitted an application for an Individual NPDES permit for a new CAFO known as Quality Livestock Swine Farm CAFO, located in West Lampeter Township, **Lancaster County**.

The CAFO is situated near Unnamed Tributary to Big Spring Run in Watershed 7-J, which is classified for Migratory Fishes and Warm Water Fishes. The CAFO is designed to maintain an animal population of approximately 587.31 animal equivalent units (AEU) consisting of 8,800 Swine. Manure is sent directly to a digester where it is mixed with food process waste the digested manure is then sent to two circular concrete tanks. A release or discharge to waters of the Commonwealth under normal operating conditions is not expected. Normal operating conditions are defined as conditions below a 100-year, 24-hour storm event.

The Department has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations, the Department has made a tentative determination to issue an NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the permit.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The Environmental Protection Agency (EPA) permit waiver provision under 40 CFR 123.24(e) does not apply to this NPDES permit.

PA0086878, Industrial, SIC Code 4952, **Hamburg Municipal Authority**, 61 North Third Street, Hamburg, PA 19526. Facility Name: Hamburg Municipal Authority Water Filtration Plant. This existing facility is located in Windsor Township, **Berks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Industrial Waste.

The receiving stream, Furnace Creek, is located in State Water Plan watershed 3-B and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.065 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Total Monthly</i>	<i>Total Annual</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report Avg Mo	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.23	XXX	0.57
Total Suspended Solids	Report	2,739	XXX	14.0	28.0	35
Total Phosphorus	Report	91	XXX	Report	XXX	XXX
Aluminum, Total	Report	XXX	XXX	1.3	2.0	3.2
Iron, Total	Report	XXX	XXX	2.0	4.0	5.0
Manganese, Total	Report	XXX	XXX	1.0	2.0	2.5

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0013129, Industrial, SIC Code 3315, **Carpenter Tech Corp**, PO Box 14662, Reading, PA 19612-4662. Facility Name: Carpenter Technology Corporation. This existing facility is located in Reading City, **Berks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Industrial Waste.

The receiving stream(s), Schuylkill River, is located in State Water Plan watershed 3-C and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Internal Monitoring Point (IMP) 901 are based on a design flow of 1.45 MGD:

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Temperature (°F)	XXX	XXX	XXX	Report	110	110
Total Suspended Solids	363	726	XXX	30.0	60.0	75
Total Dissolved Solids	Report	XXX	XXX	Report	XXX	XXX
Oil and Grease	181	363	XXX	15.0	30.0	30.0
Ammonia-Nitrogen	457	914	XXX	37.8	75.6	90
Internal Monitoring Pt. Nov 1 - Apr 30	152	305	XXX	12.6	25.2	31.5
Internal Monitoring Pt. May 1 - Oct 31	XXX	Report	XXX	XXX	Report	XXX
Nitrate as N	0.7	1.4	XXX	0.06	0.12	0.15
Chromium, Hexavalent	9.6	21.1	XXX	Report	Report	2
Chromium, Total	1.7	2.5	XXX	0.14	0.21	0.35
Copper, Total	1.7	3.8	XXX	Report	XXX	0.35
Cyanide, Total	9.2	21.7	XXX	Report	Report	1.9
Sulfate, Total	XXX	XXX	XXX	Report	XXX	XXX
Chloride	XXX	XXX	XXX	Report	XXX	XXX
Bromide	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	Report	XXX	XXX	Report	XXX
1,1,1-Trichloroethane	XXX	Report	XXX	XXX	XXX	Report

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Naphthalene Internal Monitoring Point	XXX	Report	XXX	XXX	Report	XXX
1,1-Dichloroethylene Internal Monitoring Point	XXX	Report	XXX	XXX	XXX	Report
Cadmium, Total Internal Monitoring Point	XXX	0.4	XXX	XXX	0.03	0.05
Lead, Total Internal Monitoring Point	XXX	2.9	XXX	XXX	0.24	0.28
Silver, Total Internal Monitoring Point	XXX	0.8	XXX	XXX	0.07	0.1
Tetrachloroethylene Internal Monitoring Point	XXX	Report	XXX	XXX	XXX	Report
Zinc, Total Internal Monitoring Point	XXX	7.1	XXX	XXX	0.58	0.72
Total Toxic Organics Internal Monitoring Point	XXX	4.0	XXX	XXX	0.33	XXX
PCBs Dry Weather Analysis (ng/L) Internal Monitoring Point	XXX	XXX	XXX	XXX	Report	XXX
PCBs Wet Weather Analysis (ng/L) Internal Monitoring Point	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 002, 004, 005, 011, 012, 013, 014, and Internal Monitoring Point (IMP) 902 are as follows:

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Temperature (°F)	XXX	XXX	XXX	XXX	110	110

The design flows at these emergency non-contact cooling water outfalls are as follows: 2.16 MGD for outfall 002, 0.13 MGD for outfall 004, 0.15 MGD for outfall 005, 1.0 MGD for outfall 011, 0.72 MGD for outfall 012, 0.4 MGD for outfall 013, 3.09 MGD for outfall 014, and 0.36 MGD for IMP 902.

The proposed monitoring requirements for stormwater outfalls 015, 016, and 017, based on a design flow of 0 MGD, are as follows:

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Chromium, Hexavalent	XXX	XXX	XXX	XXX	Report	XXX
Copper, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Nickel, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for stormwater outfall 018, based on a design flow of 0 MGD, are as follows:

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
PCBs Wet Weather Analysis (ng/L)	XXX	XXX	XXX	XXX	Daily Max	XXX

In addition, the permit contains the following major special conditions:

- Changes in Chemical Additives and/or usage rates require prior notice and DEP Approval.
- EPA Method 1668A must be used for the analysis of PCBs at outfalls 901 and 018.
- Sampling at Outfalls 015, 016, and 017 can be used as representative of the other stormwater outfalls on site.
- A Preparedness, Prevention, and Contingency (PPC) Plan must be kept up-to-date and on-site.
- Annual inspections of all stormwater outfalls are required.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

PA0008265, Industrial, SIC Code 2611, **Appvion Inc.**, 100 Paper Mill Road, Roaring Spring, PA 16673-1480. Facility Name: Appvion Inc. This existing facility is located in Roaring Spring Borough, **Blair County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Industrial Waste.

The receiving stream(s), Cabbage Creek, Frankstown Branch Juniata River, Halter Creek, Unnamed Tributary to Halter Creek, is located in State Water Plan watershed 11-A and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 4.84 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Dissolved Oxygen	XXX	XXX	5.0	XXX	Max XXX	XXX
Color (Pt-Co Units)						
Upstream Monitoring	XXX	XXX	XXX	Report	Report	XXX
Downstream Monitoring	XXX	XXX	XXX	Report	Report	XXX
Nov 1 - Apr 30	XXX	XXX	XXX	220	440	550
May 1 - Oct 31	XXX	XXX	XXX	190	380	475
Temperature (deg F) (°F)						
Effluent	XXX	XXX	XXX	Report	Report	XXX
Upstream Monitoring	XXX	XXX	XXX	Report	Report	XXX
Downstream Monitoring	XXX	XXX	XXX	Report	Report	XXX
Biochemical Oxygen Demand (BOD ₅)	1,009	2,018	XXX	25	50	62
Chemical Oxygen Demand (COD)						
Influent	XXX	XXX	XXX	Report	Report	XXX
Effluent	XXX	XXX	XXX	Report	Report	XXX
Total Suspended Solids	1,211	2,422	XXX	30.0	60.0	75
Total Dissolved Solids	Report	Report	XXX	Report	Report	XXX
Aluminum, Total	56.5	113.0	XXX	1.4	2.8	3.5
Ammonia-Nitrogen	76.7	153.4	XXX	1.9	3.8	4.8
Sulfate, Total	Report	Report	XXX	Report	Report	XXX
Chloride	Report	Report	XXX	Report	Report	XXX
Bromide	Report	Report	XXX	Report	Report	XXX
Adsorbable Organic Halides (AOX)	323	493	XXX	Report	Report	XXX

The proposed effluent limits for stormwater Outfalls 002 to 013 are based on a design flow of 0 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Daily Maximum</i>	<i>Daily Maximum</i>	
pH (S.U.)						
Other Stormwater	XXX	XXX	XXX	Report	XXX	XXX
Chemical Oxygen Demand (COD)						
Other Stormwater	XXX	XXX	XXX	Report	XXX	XXX
Total Suspended Solids						
Other Stormwater	XXX	XXX	XXX	Report	XXX	XXX
Oil and Grease						
Other Stormwater	XXX	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 101 are based on a design flow of 0 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
Kappa Number (No.)	XXX	XXX	XXX	20	Report	XXX
				Annl Avg		
Color (Pt-Co Units)	XXX	XXX	XXX	Report	Report	XXX
Chloroform	2.2	3.7	XXX	Report	Report	XXX
Pentachlorophenol (µg/L)	XXX	XXX	XXX	XXX	5.0	XXX
2,3,4,6-Tetrachlorophenol (µg/L)	XXX	XXX	XXX	XXX	2.5	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
2,3,7,8-Tetrachlorodibenzofuran (pg/L)	XXX	XXX	XXX	XXX	31.9	XXX
2,3,7,8-Tetrachlorodibenzo-p-dioxin (pg/L)	XXX	XXX	XXX	XXX	10.0	XXX
3,4,5-Trichlorocatechol (µg/L)	XXX	XXX	XXX	XXX	5.0	XXX
2,4,5-Trichlorophenol (µg/L)	XXX	XXX	XXX	XXX	2.5	XXX
3,4,6-Trichlorocatechol (µg/L)	XXX	XXX	XXX	XXX	5.0	XXX
3,4,5-Trichloroguaiacol (µg/L)	XXX	XXX	XXX	XXX	2.5	XXX
3,4,6-Trichloroguaiacol (µg/L)	XXX	XXX	XXX	XXX	2.5	XXX
4,5,6-Trichloroguaiacol (µg/L)	XXX	XXX	XXX	XXX	2.5	XXX
2,4,6-Trichlorophenol (µg/L)	XXX	XXX	XXX	XXX	2.5	XXX
Tetrachlorocatechol (µg/L)	XXX	XXX	XXX	XXX	5.0	XXX
Tetrachloroguaiacol (µg/L)	XXX	XXX	XXX	XXX	5.0	XXX
Trichlorosyringol (µg/L)	XXX	XXX	XXX	XXX	2.5	XXX

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Outfall 001.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Monthly</i>	<i>Annual</i>	<i>Monthly</i>	<i>Monthly Average</i>	<i>Maximum</i>	
Ammonia—N	Report	Report	XXX	Report	XXX	XXX
Kjeldahl—N	Report	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Report	Report	XXX	Report	XXX	XXX
Total Phosphorus	Report	Report	XXX	Report	XXX	XXX
Net Total Nitrogen	Report	61,666	XXX	XXX	XXX	XXX
Net Total Phosphorus	Report	7,367	XXX	XXX	XXX	XXX

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

In addition, the permit contains the following major special conditions:

- Stormwater Requirements
- Chemical Additives usage and reporting requirements
- Best Management Practices(BMPs) and record keeping requirements
- 316(a) Thermal Effluent Limit condition
- WET testing requirements
- Reopener clause for COD
- Chlorine optimization

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

PA0264547, Sewage, SIC Code 8800, **Genevieve Snyder**, 1622 Pin Oak Road, Rimersburg, PA 16248. Facility Name: Genevieve Snyder SRSTP. This proposed facility is located in Madison Township, **Clarion County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP Sewage.

The receiving stream, an Unnamed Tributary to the Redbank Creek, is located in State Water Plan watershed 17-C and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	Report	XXX	XXX

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (CFU/100 ml)	XXX	XXX	XXX	200 Geo Mean	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is in effect.

PA0264521, Sewage, SIC Code 8800. 4952, **Adam J McAvoy**, 3301 W Washington Street, Bradford, PA 16701. Facility Name: Adam J McAvoy SRSTP. This proposed facility is located in Corydon Township, **McKean County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP Sewage.

The receiving stream is an unnamed tributary to Willow Creek, located in State Water Plan watershed 16-B and classified for HQ—CWF, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (CFU/100 ml)	XXX	XXX	XXX	200 Geo Mean	XXX	1,000

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is in effect.

III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401, 484.250.5900.

WQM Permit No. 1516405, Sewage, **HMS Host Corporation**, 6905 Rockledge Drive, Bethesda, MD 20817.

This proposed facility is locate in Wallace Township, **Chester County**.

Description of Action/Activity: Construction and operation of a sewage treatment plant.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. 4305403 A-1, Sewage, **Martha & Nathan Palm**, 134 N Maysville Road, Greenville, PA 16125-8632.

This existing facility is located in West Salem Township, **Mercer County**.

Description of Proposed Action/Activity: Amendment to install a dechlorinator at the Anderson MHP wastewater treatment plant.

WQM Permit No. 2574407 A-3, Sewage, **Middleboro Municipal Authority**, PO Box 189, McKean, PA 16426-0189.

This existing facility is located in McKean Borough, **Erie County**.

Description of Proposed Action/Activity: Amendment for modifications to existing WWTP to rerate plant to 112,000 gpd.

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities

Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.

NPDES Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAI015116005	Philadelphia Water Department 1101 Market Street Philadelphia, PA 19107	Philadelphia	City of Philadelphia	Delaware River WWF-MF Pennypack Creek WWF-MF

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI010916007	Ann's Choice, Inc. 701 Maiden Choice Lane Baltimore, MD 21128	Bucks	Warminster Township	Little Neshaminy Creek WWF-MF
PAI011516020	Penns Grove Holding LLC 1160 State Road Lincoln University, PA 19352	Chester	Upper Oxford Township	Unnamed East Branch Big Elk Creek HQ-TSF-MF
PAI015116006	Philadelphia Museum of Art 2600 Benjamin Franklin Parkway Philadelphia, PA 19130	Philadelphia	City of Philadelphia	Schuylkill River WWF-MF

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Luzerne Conservation District, 325 Smiths Pond Road, Shavertown, PA 18708.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI024016001	PennDOT c/o Mr. Richard Miller 400 North Street, 5th Floor Harrisburg, PA 17120-0041	Luzerne	Ross Township	Shingle Run (HQ-CWF, MF)

Northampton County Conservation District, 14 Gracedale Avenue Greystone Bldg., Nazareth, PA 18064-9211.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI024810010R	Edward Mertz 480 Nolf Road Nazareth, PA 18064	Northampton	Bushkill Township	Bushkill Creek (HQ-CWF, MF)

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, Nathan Crawford, Section Chief, 717.705.4802.

<i>Permit #</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI030616001	PA Department of Transportation, District 5-0 1002 Hamilton Street Allentown, PA 18101-1013	Berks	Maidencreek Township	Willow Creek (Designated Use CWF, MF, Existing Use HQ) EV Wetlands
PAI033616007	Elmer G. & Sara F. Stoltzfus Aaron G. & Linda K. Stoltzfus 1147 Scalpy Hollow Road Drumore, PA 17518	Lancaster	Drumore Township	Fishing Creek (HQ/CW, MF)
PAI034416003	Newton Hamilton Borough PO Box 63 Newton Hamilton, PA 17075	Mifflin	Newton Hamilton Borough	UNT Juniata River (HQ-CWF)

VII. List of NOIs for NPDES and/or Other General Permit Types

PAG-12 CAFOs

CAFO Notices of Intent Received

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Telephone: 717-705-4707.

PAG123740, CAFO, Belview Valley Farms, 458 Gemmill Rd, Delta, PA 17314.

This existing facility is located in Peach Bottom Township, **York County**.

Description of Size and Scope of Proposed Operation/Activity: 632.50 AEU/Beef/Swine.

The receiving stream, Neill Run, is in watershed 7-I, and classified for: TSF.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 100-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the state narrative water quality standards.

PAG123835, CAFO, Ar-Joy Farms, 1600 Althouse Road, Cochranville, PA 19330.

This existing facility is located in West Fallowfield Township, **Chester County**.

Description of Size and Scope of Proposed Operation/Activity: 1,169.75 AEU/Dairy.

The receiving stream, UNT of Muddy Run, is in watershed 7-K, and classified for: TSF.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 25-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the state narrative water quality standards.

STATE CONSERVATION COMMISSION

PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling (717) 787-8821.

Persons wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Persons with a disability who require an auxiliary aid, service, including TDD users or other accommodations to seek additional information should contact the SCC through the Pennsylvania AT&T Relay Service at (800) 654-5984.

APPLICATIONS

NUTRIENT MANAGEMENT PLAN—PUBLIC NOTICE SPREADSHEET

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal/ New</i>
Elvin Nolt 10 Seth Erb Road Richland, PA 17087	Lebanon	47.1	599.14	Swine, Beef, Ponies, Sheep	NA	Renewal
Earl and Joann Ebling 761 Airport Road Bethel, PA 19507	Berks	112.2	140.05	Pullets	N/A	Renewal
Oscar Manbeck 10 Fort Henry Rd Bethel, PA 19507	Berks	677.1	898.68	Swine	N/A	Renewal
Delmar Martin 1375 West Rte 897 Denver, PA	Lancaster	26.1	502.57	Swine/ Broiler	HQ	R
Esbenshade, Inc. 220 Eby Chiques Road Mount Joy, PA 17552	Lancaster	318.1	9,467.64	Layers	NA	R
Hetrickdale Farms 69 Hetrick Road Bernville, PA 19506	Berks	1,928.5	2,725.09	Dairy	NA	Renewal
Brian Eckman 357 Black Barren Road Peach Bottom, PA 17563	Lancaster	82.8	649.77	Swine/ Broilers	NA	R

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal/ New</i>
We Kings Farm 6028 Guitner Road Greencastle, PA 17225	Franklin	212.33	505.16	Poultry	NA	Renewal
Michael Hege 11437 Gehr Road Waynesboro, PA 17268	Franklin	14.1	309.15	Poultry	NA	Renewal

PUBLIC WATER SUPPLY (PWS) PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for PWS permits to construct or substantially modify public water systems.

Persons wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received Under the Pennsylvania Safe Drinking Water Act

Southeast Region: Safe Drinking Water Supply Management Program Manager, 2 East Main Street, Norristown, PA 19401.

Permit No. 4616516, Public Water Supply.

Applicant	Pennsylvania American Water Company
Township	Upper Providence
County	Montgomery
Responsible Official	David R. Kaufman 800 West Hershey Park Blvd. Hershey, PA 17033
Type of Facility	PWS

Consulting Engineer	Ebert Engineering, Inc. P.O. Box 540 4092 Skippack Pike Suite 202 Skippack, PA 19474
Application Received Date	July 18, 2016
Description of Action	Replacement of pumps and motor controls in the existing Black Rock Road Booster Station to increase the capacity of the station.
Permit No. WA-09-1009 , Public Water Supply.	
Applicant	Warminster Municipal Authority
Township	Warminster
County	Bucks
Responsible Official	Timothy D. Hagey 415 Gibson Avenue Warminster, PA 18974
Type of Facility	PWS
Consulting Engineer	CKS Engineers, Inc. 88 South Main Street Doylestown, PA 18901
Application Received Date	October 13, 2015
Description of Action	Modification to the referenced subsidiary water allocation permit application was received by DEP on July 22, 2016. The applicant is now requesting the right to purchase 3,000,000 gallons per day through their interconnection with the North Wales Water Authority.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

**UNDER ACT 2, 1995
PREAMBLE 1**

Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907)

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.302—6026.305) require the Department to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person

proposes to, or has been required to, respond to a release of a regulated substance at a site. A person intending to use the background standard, Statewide health standard, the site-specific standard or intend to remediate a site as a special industrial area shall file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of cleanup standards or receives approval of a special industrial area remediation identified under the act will be relieved of further liability for the remediation of the site for contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the following site, proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified as follows. During this comment period, the municipality may request that the person identified as the remediator of the site develop and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental cleanup program manager in the Department regional office listed before the notice. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.

Walmar Manor Manufactured Home Community Lot 74, 125 Walmar Manor, Dillsburg, PA 17019, Franklin Township, **York County**. EP&S of Vermont, Inc., 1539 Bobali Drive, Harrisburg, PA 17104, on behalf of Walmar MHC, LLC, 1006 Hammock Bend Chapel Hill, NC 27517, submitted a Notice of Intent to Remediate site soils contaminated with No. 2 fuel oil. The site will be remediated to the Residential Statewide Health Standard and remain residential. The Notice of Intent to Remediate was published in the *Patriot News* on June 14, 2016.

Southwest Region: Environmental Cleanup & Brownfield Development Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

2939 & 2959 Fitzsimmons Lane, Municipality of Murrysville, **Westmoreland County**. Bruce E. Dice &

Associates, P.C., 787 Pine Valley Drive, Suite E, Pittsburgh, PA 15239 on behalf of Ronald D. Anderson, Jr., 5901 Bollinger Road, Export, PA 15632 has submitted a Notice of Intent to Remediate (NIR) to meet the residential Statewide Health standard concerning site soils contaminated with # 2 home heating oil from a ruptured underground storage tank. Notice of the NIR was published in the *Tribune-Review* on May 23, 2016.

Norfolk Southern Railway Company—New Brighton Former Derailment Site, 1st Avenue and adjacent to 4th Street and 2nd Avenue, Borough of New Brighton, **Beaver County**. AECOM Technical Services, Inc., 681 Anderson Drive, Foster Plaza, Suite 400, Pittsburgh, PA 15220 on behalf of Norfolk Southern Railway Company, 1200 Peachtree St., NE- Box 13, Atlanta, GA 30309 has submitted a Notice of Intent to Remediate (NIR) to meet the residential & non-residential Statewide Health standards for site soils and groundwater contaminated with methanol, benzene, toluene, ethylbenzene, and xylenes from a train derailment. Notice of the NIR was published in the *Beaver County Times* on February 29, 2016.

Former BBC Brown Boveri Property (formerly-ABB Inc. Product Support, ABB Power T&D Co., ASEA Brown Boveri), 125 Theobald Avenue, South Greensburg Borough, **Westmoreland County**. American Geosciences, Inc., 3925 Reed Blvd., Ste. 400, Murrysville, PA 15668 on behalf of D&R Industrial Center, LLC, 125 Theobald Avenue, Greensburg, PA 15601 has submitted a Notice of Intent to Remediate to meet a combination of Statewide Health and Site-Specific standards concerning: site soils contaminated with polychlorinated biphenyls (PCBs), heavy metals (primarily arsenic, lead and silver); and soil and groundwater contaminated with chlorinated solvents (trichloroethene, 1,1,1-trichloroethane, and related degradation products). Intended future use of the property is nonresidential. Notice of the NIR was published in the *Tribune-Review* on July 26, 2016.

HAZARDOUS WASTE TREATMENT, STORAGE AND DISPOSAL FACILITIES

Applications received under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003) and Regulations to Operate or for the closure and post-closure care of a Hazardous Waste Treatment, Storage or Disposal Facility.

Southwest Regional Office, Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Telephone 412-442-4000.

Permit ID No. PAD004810222. Kelly Run Sanitation, Inc. Kelly Run Sanitation, Inc.—Western Disposal Area, 1500 Hayden Boulevard, Elizabeth, PA 15037. A post-closure permit renewal application for the continued post-closure care of a closed hazardous waste landfill in Forward Township, **Allegheny County** was received in the Regional Office on February 17, 2016 and accepted for technical review on August 4, 2016.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department has developed an “integrated” plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the general public. This approach allows the owner or operator of a

facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities.

Copies of the application, the Department's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate Department Regional Office. Appointments for scheduling a review must be made by calling the appropriate Department Regional Office. The address and phone number of the Regional Office is listed before the application notices.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the Department's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

A person wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if the Department, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when the Department determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate Department Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

PLAN APPROVALS

Plan Approval Applications Received under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Virendra Trivedi, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

36-05158B: Perdue AgriBusiness, LLC (PO Box 1537, Salisbury, MD 21802-1537) on August 1, 2016, for the transfer and use of emission reduction credits (ERCs) associated with the startup and operation of the soybean processing facility approved under Plan Approval No. 36-05158A in Conoy Township, **Lancaster County**.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: James A. Beach, New Source Review Chief—Telephone: 484-250-5920.

46-0040C: National Label Co., Inc. (2025 Joshua Road, Lafayette Hill, PA 19444) for installation of an eight (8) color label gravure press and regenerative thermal oxidizer in Whitmarsh Township, **Montgomery County**. The plan approval is for a non-Title V facility and will consist of an eight (8) station rotogravure printing press with integral natural gas-fired dryers. Air emissions will be routed through a permanent total enclosure to a new regenerative thermal oxidizer (Source ID C03). Post-controlled potential VOC emissions are calculated to be no more than 17.1 tons (including cleanup operations), while projected actual VOC emissions will not exceed 9.2 tons/yr. The plan approval will include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Virendra Trivedi, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

36-03147B: A & M Composting, Inc. (2022 Mountain Road, Manheim, PA 17545) to implement a revised ammonia emission monitoring plan for the sludge composting facility located in Penn Township, **Lancaster County**. The expected potential facility emissions are not expected

to change, and remain at: 6.0 tpy of VOCs and 56.2 tpy of Ammonia. The facility is a State Only facility. DEP's review of the information submitted by the applicant indicates that the air contamination sources will continue to comply with all regulatory requirements pertaining to air contamination sources and the emission of air contaminants including the best available technology requirement (BAT) of 25 Pa. Code §§ 127.1 and 127.12, and 25 Pa. Code § 123.1, Prohibition of certain fugitive emissions, 25 Pa. Code § 123.2, Fugitive particulate matter, and 25 Pa. Code § 123.31, Limitations. Based on these findings, the Department proposes to issue a plan approval for the proposed ammonia emissions monitoring plan. The requirements established in the plan approval may be incorporated into an Operating Permit pursuant to the administrative amendment provisions of 25 Pa. Code § 127.450.

21-05005D: PA Department of Corrections-State Correction Institution-Camp Hill (2500 Lisburn Road, Camp Hill, PA 17011) to install a natural gas/No. 2 oil-fired Nebraska/Cleaver Brooks, model NOS-2AS-67 boiler, rated at 94.7 mmBtus/hr, at the Camp Hill State Correctional Institution in Lower Allen Township, **Cumberland County**. This boiler will replace a similar existing boiler at the site. The potential air emissions from the new boiler are estimated at 34.2 tons of carbon monoxide, 13 tons of nitrogen oxide, 3.1 tons of particulate matter, 0.25 ton of sulfur dioxide, 2.2 tons of volatile organic compounds, and 0.8 ton of HAPs. The facility is a Title V facility. The Plan Approval will also include facility-wide emission limits (100 tpy of NO_x & 50 tpy of VOCs) and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations, including, but not limited to 40 CFR Part 60, Subpart Dc—Standards of Performance for Small Industrial-Commercial-Institutional Steam Generating Units. DEP's review of the information submitted by the applicant indicates that the air contamination sources as constructed or modified will comply with all regulatory requirements pertaining to air contamination sources and the emission of air contaminants including the best available technology requirement (BAT) of 25 Pa. Code § 127.1 and 127.12. Based on these findings, the Department proposes to issue a plan approval for the proposed construction. If, after the project has been implemented, the Department determines that the sources are constructed and operated in compliance with the plan approval conditions and the specification of the application for plan approval, the requirements established in the plan approval may be incorporated into a Title V Operating Permit pursuant to the administrative amendment provisions of 25 Pa. Code § 127.450.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Tom Joseph, P.E., Engineering Manager—Telephone: 412-442-4336.

30-00218C: Bayles Energy, LLC (North Shore Place I, 358 North Shore Dr., Suite 201, Pittsburgh, PA 15212) Notice is hereby given in accordance with 25 Pa. Code §§ 127.44—127.46 that the Department of Environmental Protection (Department) intends to issue Air Quality Plan Approval 30-00218C to allow the construction and initial temporary operation of three (3) 9,708 bhp (7.2 MWs) 4 stroke lean burn Rolls Royce Bergen B-35:40V16AG2 natural gas-fired engine/generator sets, each equipped with both catalytic oxidation and selective catalytic reduction (SCR), at the proposed electric generating station

located in Greene Township, **Greene County**. The facility will also include one (1) 0.64 MMBtu/hour natural gas-fired natural gas line heater, four (4) storage tanks ranging in size from 1,000 gallons to 5,236 gallons, one (1) desiccant dehydration system; and fugitive emissions.

Potential to emit from the facility is estimated to be 16.57 tons of nitrogen oxides (NO_x), 32.28 tons of carbon monoxide (CO), 14.01 tons of particulate matter less than 10 microns in diameter (PM₁₀), 0.5 ton of sulfur dioxide (SO₂), 10.61 tons of volatile organic compounds (VOC), and 5.13 tons of total hazardous air pollutants (HAPs). Best available technology (BAT) for the proposed natural gas-fired engines is lean burn combustion technology, installation and proper operation of catalytic oxidation and SCR, good combustion practices, and proper maintenance and operation.

The authorization is subject to State regulations including 25 Pa. Code §§ 123.1, 123.2, 123.21, 123.31, and 123.41. Federal New Source Performance Standards including 40 CFR Part 60 Subpart JJJJ for spark ignition internal combustion engines and National Emission Standards for Hazardous Air Pollutants including 40 CFR Part 63 Subpart ZZZZ for Stationary Reciprocating Internal Combustion Engines also apply. Plan Approval has been conditioned to ensure compliance with all applicable rules. This includes testing, work practice, monitoring, recordkeeping, and reporting conditions. Once compliance with the Plan Approval is demonstrated, the applicant will subsequently apply for a State Only Operating Permit in accordance with 25 Pa. Code Subchapter F.

The plan approval application, the Department's review memorandum, the proposed plan approval, and other relevant information are available for review by any interested party at the Department's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. To request a review, please contact Phil Bouse at 412.442.4000.

A person may oppose the proposed plan approval by filing a written protest with the Department through Alexander Sandy, Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA, 15222; asandy@pa.gov; or fax 412.442.4194. Each protest or set of written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval (PA-30-00218C), and concise statement of the objections to the plan approval issuance and the relevant facts upon which the objections are based. All comments must be received prior to the close of business 30 days after the date of this publication.

The Department may, in its discretion, hold a fact finding conference or hearing at which the petitioner, and any person who has properly filed a protest as described above, may appear and give testimony; provided, however, that in no event will the Department be required to hold such a conference or hearing.

11-00553A: Starprint Publications, Inc. (722 Dulancey Drive, Portage, PA 15946) Notice is hereby given in accordance with 25 Pa. Code §§ 127.44—127.46 that the Department of Environmental Protection ("Department") intends to modify Air Quality Plan Approval: PA-11-00553A to allow the installation and temporary operation of a catalytic oxidizer for the control of three currently installed printing presses by Starprint Publications, Inc. ("Starprint") at its commercial printing facility (Facility) located in Portage Borough, **Cambria County**. The previously authorized regenerative thermal oxidizer

was not installed and will be removed from this plan approval. This plan approval is also for the temporary operation of the three above-referenced currently installed printing presses at this Facility.

Potential to emit from the Facility is estimated to be 14.66 tons of volatile organic compounds (VOC), 0.42 ton of ethylene glycol, 0.52 ton of total hazardous air pollutants (HAP), 5.49 tons of nitrogen oxides (NO_x), 4.62 tons of carbon monoxide (CO), 0.42 ton of total particulate matter (PM), 0.03 ton of sulfur dioxide (SO₂), and 6,598 tons of carbon dioxide equivalents (CO₂e) per year. Best available technology (BAT) for the operation of heatset web offset lithographic printing presses is satisfied by emissions capture and control by a catalytic oxidizer, use of low VOC content fountain solution and low vapor pressure cleaning solvent, and good work practices. Work practices include operating press dryers at a negative pressure relative to the press room, minimizing the use of manual cleaning solvent, and keeping cleaning solvent and used shop towels in closed containers when not in use. The authorization is subject to State regulations including 25 Pa. Code §§ 123.1, 123.2, 123.31, and 129.67b. Plan Approval has been conditioned to ensure compliance with all applicable rules. This includes emission limitations, monitoring, recordkeeping, reporting, and work practice conditions. Once compliance with the Plan Approval is demonstrated, the applicant will subsequently apply for a State Only Operating Permit in accordance with 25 Pa. Code Subchapter F.

A person may oppose the proposed plan approval by filing a written protest with the Department through Alan Binder via mail to Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222; email to abinder@pa.gov; or fax to 412.442.4194. Additional written comments may also be submitted. Each protest or set of written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval (PA-11-00553A) and a concise statement of the objections to the plan approval issuance and the relevant facts upon which the objections are based.

Starprint's Plan Approval application, the Department's Air Quality Review Memorandum, and the Proposed Air Quality Plan Approval for this project are available for review by any interested party at the Pennsylvania Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. To request a review of the Starprint Plan Approval Application, to receive an electronic copy of the Department's Air Quality Review Memorandum, or to receive an electronic copy of the Department's proposed Air Quality Plan Approval for this project, a person may contact Phil Bouse at pbouse@pa.gov or 412.442.4000.

For additional information you may contact Alan Binder at 412.442.4168.

All comments must be received prior to the close of business 30 days after the date of this publication.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Dave Balog, New Source Review Chief—Telephone: 814-332-6328.

62-176B: New England Wood Pellet LLC (PO Box 532, Jaffrey, NH 03452) for the installation of a 45 MMBtu/hr wood-fired burner and multi-cyclone collector at their facility in Brokenstraw Township, Warren County.

Notice is hereby given pursuant to 25 Pa. Code §§ 127.44(b) and 127.424(b), that the Pennsylvania Department of Environmental Protection (DEP) intends to issue Plan Approval 62-176B to New England Wood Pellet LLC for the installation of a 45 MMBtu/hr wood-fired burner and multi-cyclone collector at their facility in Brokenstraw Township, Warren County. The Plan Approval will subsequently be incorporated into the facility's Operating Permit through an administrative amendment in accordance with 25 Pa. Code § 127.450.

Plan Approval No. 62-176B is for the installation of a 45 mmBtu/hr wood-fired burner and multi-cyclone collector, as replacements for the existing burner and multi-cyclone collector associated with the existing rotary dryer at the facility (Source ID 101). Based on the information provided by the applicant and DEP's own analysis, total emissions from the subject source will not exceed 58 tons of carbon monoxide, 47.7 tons of particulate matter, 30 tons of nitrogen oxides (NO_x), 20 tons of volatile organic compounds (VOC), and 10 tons of sulfur oxides (SO_x) per year.

The Plan Approval will contain testing, monitoring, recordkeeping, and work practice requirements designed to keep the facility operating within all applicable air quality requirements.

Copies of the application, DEP's analysis, and other documents used in the evaluation are available for public inspection between the hours of 8 a.m. and 4 p.m. weekdays at the address shown below. To make an appointment, contact Records Management at 814-332-6340.

Anyone wishing to provide DEP with additional information they believe should be considered may submit the information to the address shown below. Comments must be received by the Department within 30 days of the last day of publication. Written comments should include the name, address, and telephone number of the person submitting comments, identification of the proposed Plan Approval; No. 62-176B and a concise statement regarding the relevancy of the information or any objections to issuance of the Plan Approval.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted on the comments received during the public comment period. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in a local newspaper of general circulation or the *Pennsylvania Bulletin* or by telephone, where the Department determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Christina S. Nagy, Regional Air Quality Manager, Department of Environmental Protection, Northwest Regional Office, 230 Chestnut St., Meadville, PA 16335, 814-332-6940.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter G.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Dave Balog, New Source Review Chief—Telephone: 814-332-6940.

24-00083: Mersen USA, St. Marys—PA Corporation (215 Stackpole Street, Saint Marys, PA 15857-1401) for

renewal of the Title V Operating Permit. The facility is located in the City of Saint Marys, **Elk County**. The facility manufactures Carbon and Graphite Products. The facility's emitting sources include: Billet Unloading Station; Pulverizers; Mills; Crushers Furnaces; Blenders; Sizing Operations; Mixers; Ovens; Graphitizers; Dryers; Machining Operations; Press Jolters; Miscellaneous Sources controlled by baghouses which exhaust outside; Parts Cleaners; Vacuum Hoses; and, Weigh Stations. The facility is a major facility due to potential PM₁₀ (Particulate matter particle size is less than or equal to ten micron) emissions, Carbon Monoxide (CO) emissions, and Sulfur Dioxide (SO_x) emissions more than 100 tons per year. Therefore, the facility is subject to the Title V Operating Permit requirements adopted in 25 Pa. Code Chapter 127, Subchapter G. The facility is also subject to the Compliance Assurance Monitoring Rule (CAM) found in 40 C.F.R. Part 64. Appropriate permit conditions to address the applicable CAM requirements were included in the previous permit. The facility provided the following potential emissions in the permit application: Particulate Matter (PM_{2.5})—10.98 Tons per year (TPY); PM less than ten microns (PM₁₀)—18.40 TPY; Oxides of Sulfur (SO_x)—83.11 TPY; Carbon Monoxide (CO)—205.91 TPY; Oxides of Nitrogen (NO_x)—11.65 TPY; Volatile Organic Compound (VOC)—7.59 TPY; and Hazardous Air Pollutants (HAP) Less than one ton per year.

Intent to Issue Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

46-00108: Highway Materials, Inc. (1750 Walton Road, Blue Bell, PA 19422) for renewal of the State Only Operating Permit for a stone crushing plant located in Marlborough Township, **Montgomery County**. The stone crushing plant comprises five crushers and six screens controlled by wet suppression and/ or baghouses. The sources are subject to the emissions limitations of 25 Pa. Code § 123.1 prohibiting fugitive emissions, particulate matter limitations of 25 Pa. Code § 123.13 and particulate matter and opacity limitations of 40 CFR Section 60.672. Particulate matter limitations for the three baghouses in grains/dscf are: 0.020 (Baghouse C01), 0.014 (Baghouse C02), and 0.04 (Baghouse C03). The newest crusher, Source ID 102A, is subject to the wet suppression system inspections and visible emissions monitoring of 40 CFR Section 60.674. The facility shall remain a synthetic minor facility with the following particulate matter emissions limits in tons/year: 35.69 (PM), 15.32 (PM₁₀), 6.43 (PM_{2.5}). The renewal contains all applicable requirements including monitoring, record-keeping and reporting.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Virendra Trivedi, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

06-03005: Akzo Nobel Coatings, Inc. (150 Columbia Street, Reading, PA 19601) to issue a State Only Operating Permit for the powdered coating manufacturing facility located in the City of Reading, **Berks County**. The potential emissions from the facility are estimated at 74

tpy of particulate matter. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

06-03072: Animal Rescue League of Berks County, Inc. (58 Kennel Road, Birdsboro, PA 19508) to issue a State Only Operating Permit for the Mohnton Shelter located in Cumru Township, **Berks County**. The potential emissions from the facility are estimated at 0.57 ton per year of NO_x and 0.14 ton per year of CO. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR 60 Subpart III.

PLAN APPROVALS

Receipt of Plan Approval Applications and Intent to Issue Plan Approvals, and Intent to Issue Amended Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter B And Subchapter F. These actions may include the administrative amendments of an associated operating permit.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507.

48-00106A: TierPoint, LLC (3864 Courtney Street, Bethlehem, PA 18017) for their facility located in Hanover Twp, **Northampton County**.

In accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a), that the Department of Environmental Protection (DEP) has received and intends to issue a Plan Approval to TierPoint, LLC (3864 Courtney Street, Bethlehem, PA 18017) for their facility located in Hanover Township, Northampton County. This Plan Approval No. 48-00106A will be incorporated into a Synthetic Minor Permit through an administrative amendment at a later date.

Plan Approval No. 48-00106A is for three (3) emergency generators. The company shall be subject to and comply with 25 Pa. Code § 123.31 for malodorous emissions and 25 Pa. Code §§ 127.1 and 127.12 for particulate matter. These limits will meet BAT requirements for this source. The Plan Approval and Operating Permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown in the preceding paragraph. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit No.: 48-00106A and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Ray Kempa, Chief, New Source Review Section, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, Phone 570-826-2511 within 30 days after publication date.

COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); The Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.20a). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department. A copy of the application is available for inspection at the district mining office indicated before each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application and request for Section 401 water quality certification application may be submitted by any person or any officer or head of any Federal, state or local government agency or authority to the Department at the address of the district mining office indicated before each application within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Written comments or objections regarding a mining permit application should contain the name, address and telephone number of persons submitting comments or objections, application number and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

A request for an informal conference or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 or § 86.34, must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

When an NPDES number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. A separate notice will be provided after the draft NPDES permit is prepared.

Coal Applications Received

California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100

30031301 and NPDES No. PA0235610. Dana Mining Company of PA, LLC, (103 Corporate Drive, Suite 102, Morgantown, WV 26501). To revise the NPDES permit for the 4-West Mine in Dunkard, Monongahela, Perry and Whiteley Townships, **Greene County** to add Outfall 007. Receiving Stream: Monongahela River, classified for the following use: WWF, N. The application was considered administratively complete on August 2, 2016. Application received June 8, 2016.

32051601 and NPDES No. PA0236012. Rosebud Mining Company, (301 Market Street, Kittanning, PA 16201). To renew the permit for the Crooked Creek Preparation Plant in Washington Township, **Indiana County** and related NPDES permit. No additional discharges. The application was considered administratively complete on August 2, 2016. Application received February 2, 2016.

11841601 and NPDES No. PA0069143. E. P. Bender Coal Co., Inc., (PO Box 594, Carrolltown, PA 15722). To renew the permit for the Fallentimber Preparation Plant in Reade Township, **Cambria County** and related NPDES permit. Includes renewal of Air Quality GPA/GP12 Authorization. No additional discharges. The application was considered administratively complete on August 5, 2016. Application received February 1, 2016.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900.

Permit No. 5605012 and NPDES No. PA0249751. Sherpa Mining Contractors, Inc., 337 Benny Road, Hooversville, PA 15936, permit renewal for reclamation only of a bituminous surface and auger mine in Shade Township, **Somerset County**, affecting 63.3 acres. Receiving streams: unnamed tributary to Oven Run and unnamed tributary to Stonycreek River classified for the following use: cold water fishes. The first downstream potable water supply intake from the point of discharge is Hooversville Borough Municipal Authority. Application received: June 17, 2016.

Permit No. 56010101 and NPDES No. PA0248924. Rosebud Mining Co., 1117 Shaw Mines Road, Meyersdale, PA 15552, permit renewal for reclamation only of a bituminous surface mine in Elk Lick Township, **Somerset County**, affecting 81.0 acres. Receiving streams: unnamed tributary to Casselman River and unnamed tributaries to Elk Lick Creek classified for the following use: cold water fishes. There are no potable water supply intakes within 10 miles downstream. Application received: July 5, 2016.

Permit No. 32110104 and NPDES No. PA0263303. Simkol Corp., 1005A Bush Road, Saltsburg, PA 15681, permit renewal for the continued operation and restoration of a bituminous surface mine in Young Township, **Indiana County**, affecting 40.5 acres. Receiving streams: Nesbit Run and unnamed tributary to Whiskey Run classified for the following use: cold water fishes. There are no potable water supply intakes within 10 miles downstream. Application received: August 3, 2016.

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

33140106. P. and N. Coal Company, Inc. (P.O. Box 332, Punxsutawney, PA 15767) Revision to an existing bituminous surface mine to add auger mining in Washington Township, **Jefferson County**, affecting 892.4

acres. Receiving streams: Rattlesnake Run and unnamed tributaries to Rattlesnake Run, unnamed tributaries to Wolf Run, and Harveys Run, all classified for the following uses: CWF. There are no potable surface water supply intakes within 10 miles downstream. Application received: August 1, 2016.

Noncoal Applications Received

Effluent Limits—The following effluent limits will apply to NPDES permits issued in conjunction with a noncoal mining permit:

<i>Parameter</i>	<i>30-day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity exceeding acidity* pH*		greater than 6.0; less than 9.0	

* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900.

Permit No. 56090301 and NPDES No. PA02622846. New Enterprise Stone & Lime Co., Inc., P.O. Box 77, New Enterprise, PA 16664, renewal of an NPDES permit in Jefferson Township, **Somerset County**. Receiving stream: unnamed tributary to Kooser Run and unnamed tributaries to Shafer Run (tributaries to Laurel Creek), classified for the following use: high quality cold water fishes. The first downstream potable water supply intake from the point of discharge is Borough of Somerset Municipal Authority surface intake on Laurel Hill Creek 3 miles downstream of the site. Application received: February 17, 2016.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Permit No. 35030801. David B. Ayers, (2798 State Route 11, Hop Bottom, PA 18824), Stage I & II bond release of a quarry operation in Benton Township, **Lackawanna County** affecting 1.0 acre on property owned by Wayne Springer. Application received: July 29, 2016.

Permit No. 7976SM2C11. Eureka Stone Quarry, Inc., (PO Box 249, Chalfont, PA 18914), correction to an existing quarry operation to add 41.5 acres for a total of 172.0 permitted acres and update the reclamation plan in Warrington Township, **Bucks County**, receiving stream: unnamed tributary to Neshaminy Creek, classified for the following uses: trout stock fishes and migratory fishes. Application received: August 1, 2016.

Permit No. 7976SM2C12 and NPDES Permit No. PA0221351. Eureka Stone Quarry, Inc., (PO Box 249, Chalfont, PA 18914), renewal of NPDES Permit for discharge of treated mine drainage from a quarry operation in Warrington Township, **Bucks County** affecting 172.0 acres, receiving stream: unnamed tributary to Neshaminy Creek, classified for the following uses: trout stock fishes and migratory fishes. Application received: August 1, 2016.

Permit No. 6276SM1A1C8 and NPDES Permit No. PA0594571. New Enterprise Stone & Lime Co., Inc. d/b/a Martin Limestone, Inc., (PO Box 550, Blue Ball, PA 17506), renewal of NPDES Permit for discharge of treated mine drainage from a quarry operation in Salisbury Township, **Lancaster County** affecting 93.0 acres, receiving stream: unnamed tributary to Pequea Creek, classified for the following use: HQ—trout stocking fishes. Application received: August 2, 2016.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	
Alkalinity greater than acidity*			

* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The limits for noncoal mining activities as provided in 25 Pa. Code Chapter 77 are pH 6 to 9 and other parameters the Department may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters in this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 563-2112-115, Developing National Pollutant Discharge Elimination System (NPDES) Permits for Mining Activities. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit within 30 days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30 days of this public notice and contain the name, address, telephone number and the interest of the party filing the request, and state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES permit application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. When a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

Coal NPDES Draft Permits

California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.

NPDES No. PA0235610 (Mining Permit No. 30031301), Dana Mining Company of PA, LLC, (103 Corporate Drive, Suite 102, Morgantown, WV 26501). A renewal to the NPDES and mining activity permit for the 4-West Mine in Dunkard, Whiteley, Perry and Monongahela Townships, **Greene County**. Surface Acres Affected 78.0. Receiving stream: Dunkard Creek, classified for the following use: WWF. Dunkard Creek TMDL. Receiving stream: UNT to Meadow Run, classified for the following use: WWF. Dunkard Creek TMDL. Receiving stream: UNT to Glade Run, classified for the following use: WWF. Dunkard Creek TMDL. Receiving stream: Watkins Run, classified for the following use: WWF. Dunkard Creek TMDL. The application was considered administratively complete on July 29, 2016. Application received October 24, 2014.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for coal mining activities.

The facility location of the non-discharge alternatives are listed below:

Outfall 002 discharges to: Dunkard Creek

The proposed effluent limits for *Outfall 002* (Lat: 39° 45' 21" Long: -80° 3' 56") are:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	Report	2.0	-
pH	(S.U.)	6.0	-	9.0	-
				Max	
Iron	(mg/l)	-	1.5	3.0	3.75
Manganese	(mg/l)	-	1.0	2.0	2.5
Aluminum	(mg/l)	-	0.75	0.75	-
Total Suspended Solids	(mg/l)	-	35.0	70.0	90.0
Sulfate	(mg/l)	-	Report	Report	-
Osmotic Pressure	(mos/kg)	-	50.0	100.0	-
Bromide	(mg/l)	-	Report	Report	-
Chloride	(mg/l)	-	Report	Report	-
Total Dissolved Solids	(mg/l)	-	Report	Report	-
Alkalinity, total (as CaCO ₃)	(mg/l)	-	Report	Report	-
Acidity, total (as CaCO ₃)	(mg/l)	-	Report	Report	-
Alkalinity Net, total (as CaCO ₃)	(mg/l)	0.0	-	-	-

The permittee is authorized to discharge during the period from Permit Effective Date through 36 Months After Permit Effective Date.

Outfall 001 discharges to: Dunkard Creek

The proposed effluent limits for *Outfall 001* (Lat: 39° 45' 21" Long: -80° 0' 35") are:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	Report	Report	-
pH	(S.U.)	6.0	-	9.0	-
				Max	
Iron	(mg/l)	-	3.0	6.0	7.5
Manganese	(mg/l)	-	2.0	4.0	5.0
Aluminum	(mg/l)	-	Report	Report	-
Total Suspended Solids	(mg/l)	-	35.0	70.0	90.0
Sulfate	(mg/l)	-	Report	Report	-
Osmotic Pressure	(mos/kg)	-	Report	Report	-
Chloride	(mg/l)	-	Report	Report	-
Total Dissolved Solids	(mg/l)	-	Report	Report	-
Alkalinity, total (as CaCO ₃)	(mg/l)	-	Report	Report	-
Acidity, total (as CaCO ₃)	(mg/l)	-	Report	Report	-
Alkalinity Net, total (as CaCO ₃)	(mg/l)	0.0	-	-	-

The permittee is authorized to discharge during the period from 37 Months After Permit Effective Date through Permit Expiration Date.

Outfall 001 discharges to: Dunkard Creek

The proposed effluent limits for *Outfall 001* (Lat: 39° 45' 21" Long: -80° 0' 35") are:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	Report	Report	-
pH	(S.U.)	6.0	-	9.0	-
				Max	
Iron	(mg/l)	-	3.0	6.0	7.5
Manganese	(mg/l)	-	2.0	4.0	5.0
Aluminum	(mg/l)	-	0.75	0.75	-
Total Suspended Solids	(mg/l)	-	35.0	70.0	90.0
Sulfate	(mg/l)	-	Report	Report	-
Osmotic Pressure	(mos/kg)	-	Report	Report	-
Chloride	(mg/l)	-	Report	Report	-
Total Dissolved Solids	(mg/l)	-	Report	Report	-
Alkalinity, total (as CaCO ₃)	(mg/l)	-	Report	Report	-
Acidity, total (as CaCO ₃)	(mg/l)	-	Report	Report	-
Alkalinity Net, total (as CaCO ₃)	(mg/l)	0.0	-	-	-

Outfall 003 discharges to: Dunkard Creek

The proposed effluent limits for *Outfall 003* (Lat: 39° 45' 39" Long: -80° 1' 30") are:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	Report	Report	-
pH	(S.U.)	6.0	-	9.0 Max	-
Iron	(mg/l)	-	3.0	6.0	7.5
Manganese	(mg/l)	-	2.0	4.0	5.0
Aluminum	(mg/l)	-	0.84	1.67	-
Total Suspended Solids	(mg/l)	-	35.0	70.0	90.0
Sulfate	(mg/l)	-	Report	Report	-
Osmotic Pressure	(mos/kg)	-	Report	Report	-
Chloride	(mg/l)	-	Report	Report	-
Total Dissolved Solids	(mg/l)	-	Report	Report	-
Alkalinity, total (as CaCO ₃)	(mg/l)	-	Report	Report	-
Acidity, total (as CaCO ₃)	(mg/l)	-	Report	Report	-
Alkalinity Net, total (as CaCO ₃)	(mg/l)	0.0	-	-	-

The permittee is authorized to discharge during the period from Permit Effective Date through 36 Months After Permit Effective Date.

Outfall 004 discharges to: Dunkard Creek

The proposed effluent limits for *Outfall 004* (Lat: 39° 45' 15" Long: -80° 2' 48") are:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	Report	Report	-
pH	(S.U.)	6.0	-	9.0 Max	-
Iron	(mg/l)	-	3.0	6.0	7.5
Manganese ^(d)	(mg/l)	-	2.0	4.0	5.0
Aluminum	(mg/l)	-	Report	Report	-
Total Suspended Solids ^(d)	(mg/l)	-	35.0	70.0	90.0
Sulfate	(mg/l)	-	Report	Report	-
Osmotic Pressure	(mos/kg)	-	Report	Report	-
Chloride	(mg/l)	-	Report	Report	-
Total Dissolved Solids	(mg/l)	-	Report	Report	-
Alkalinity, total (as CaCO ₃)	(mg/l)	-	Report	Report	-
Acidity, total (as CaCO ₃)	(mg/l)	-	Report	Report	-
Alkalinity Net, total (as CaCO ₃)	(mg/l)	0.0	-	-	-

The permittee is authorized to discharge during the period from 36 Months After Permit Effective Date through Permit Expiration Date.

Outfall 004 discharges to: Dunkard Creek

The proposed effluent limits for *Outfall 004* (Lat: 39° 45' 15" Long: -80° 2' 48") are:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	Report	Report	-
pH	(S.U.)	6.0	-	9.0 Max	-
Iron	(mg/l)	-	1.5	3.0	3.75
Manganese ^(d)	(mg/l)	-	2.0	4.0	5.0
Aluminum	(mg/l)	-	0.75	0.75	-
Total Suspended Solids ^(d)	(mg/l)	-	35.0	70.0	90.0
Sulfate	(mg/l)	-	Report	Report	-
Osmotic Pressure	(mos/kg)	-	Report	Report	-
Chloride	(mg/l)	-	Report	Report	-
Total Dissolved Solids	(mg/l)	-	Report	Report	-
Alkalinity, total (as CaCO ₃)	(mg/l)	-	Report	Report	-
Acidity, total (as CaCO ₃)	(mg/l)	-	Report	Report	-
Alkalinity Net, total (as CaCO ₃)	(mg/l)	0.0	-	-	-

Outfall 005 discharges to: Dunkard Creek

The proposed effluent limits for *Outfall 005* (Lat: 39° 45' 15" Long: -80° 2' 48") are:

Parameter		Minimum	30-Day Average	Daily Maximum	Instant. Maximum
Flow	(mgd)	-	Report	Report	-
pH	(S.U.)	6.0	-	9.0 Max	-
Iron	(mg/l)	-	3.0	6.0	7.0
Manganese ^(d)	(mg/l)	-	2.0	4.0	5.0
Aluminum	(mg/l)	-	Report	Report	-
Total Suspended Solids ^(d)	(mg/l)	-	35.0	70.0	90.0
Sulfate	(mg/l)	-	Report	Report	-
Osmotic Pressure	(mos/kg)	-	131	262	328
Chloride	(mg/l)	-	Report	Report	-
Total Dissolved Solids	(mg/l)	-	Report	Report	-
Alkalinity, total (as CaCO ₃)	(mg/l)	-	Report	Report	-
Acidity, total (as CaCO ₃)	(mg/l)	-	Report	Report	-
Alkalinity Net, total (as CaCO ₃)	(mg/l)	0.0	-	-	-

The EPA Waiver is not in effect.

NPDES No. PA0235610 (Mining Permit No. 30031301), Dana Mining Company of PA, LLC, (103 Corporate Drive, Suite 102, Morgantown, WV 26501). A revision to the NPDES and mining activity permit for the 4-West Mine in Dunkard, Monongahela, Perry, and Whiteley Townships, **Greene County** to add Outfall 007. Receiving stream: Monongahela River, classified for the following uses: WWF, N. Monongahela River TMDL. The application was considered administratively complete on August 2, 2016. Application received June 8, 2016.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for coal mining activities.

The facility location of the non-discharge alternatives are listed below:

Outfall 007 discharges to: Monongahela River

The proposed effluent limits for *Outfall 007* (Lat: 39° 46' 16" Long: -79° 56' 02") are:

Parameter		Minimum	30-Day Average	Daily Maximum	Instant. Maximum
Flow	(mgd)	-	Report	2.0	-
pH	(S.U.)	6.0	-	9.0 Max	-
Iron	(mg/l)	-	3.0	6.0	7.0
Manganese	(mg/l)	-	2.0	4.0	5.0
Aluminum	(mg/l)	-	0.75	0.75	-
Total Suspended Solids	(mg/l)	-	35.0	70.0	90.0
Sulfate	(mg/l)	-	Report	Report	-
Osmotic Pressure	(mos/kg)	-	Report	Report	-
Bromide	(mg/l)	-	Report	Report	-
Chloride	(mg/l)	-	Report	Report	-
Total Dissolved Solids	(mg/l)	-	Report	Report	-
Alkalinity, total (as CaCO ₃)	(mg/l)	-	Report	Report	-
Acidity, total (as CaCO ₃)	(mg/l)	-	Report	Report	-
Alkalinity Net, total (as CaCO ₃)	(mg/l)	0.0	-	-	-

The EPA Waiver is not in effect.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

NPDES No. PA0237922. (Mining permit no. 17980104), Swisher Contracting, Inc., P.O. Box 1223, Clearfield, PA 16830, revision of an NPDES permit for mine drainage treatment facilities for discharges at monitoring points 02, 30, 31, and 75 (MP02, MP30, MP31, and MP75) in Lawrence Township, **Clearfield County**, affecting 69.0 acres. Receiving stream(s): Moose Creek to West Branch Susquehanna River, classified for the following use(s): CWF, MF. Moose Creek TMDL and West Branch Susquehanna River TMDL. Application received: May 23, 2016.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for coal mining activities.

The outfall(s) listed below discharge to Moose Creek:

Outfall No.	New Outfall (Y/N)
010	Y
011	Y

Outfall 010 (MP02, MP30, MP31T) is a passive treatment system consisting of two (2) anoxic limestone beds and a limestone bed. Outfall 011 (MP75T) is a chemical treatment system consisting of a caustic soda drip and gravity fed settling ponds.

NPDES No. PA0269689 (Mining permit no. 17140102), River Hill Coal Co., Inc., P.O. Box 141, Kylertown, PA 16847 renew of an NPDES permit for bituminous surface coal mining in Burnside Township, **Clearfield County** affecting 127.4 acres. Receiving stream(s): Unnamed Tributaries to Deer Run and Deer Run to the West Branch of the Susquehanna River, classified for the following use(s): CWF. Application received: December 17, 2015.

This proposed mine site also contains or is hydrologically connected to substandard discharges for which there is no responsible party. Pursuant to 25 Pa. Code § 87.201, effluent limits for those discharges will be based upon existing baseline pollution load or the standards found at 25 Pa. Code § 87.102(a) Group A, whichever is least stringent.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for coal mining activities.

The outfall(s) listed below discharge to Unnamed Tributaries to Deer Run and Deer Run:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
TF-01	Y
TF-02	Y
TF-03	Y
TF-04	Y
TF-05	Y
SP-A	Y
SP-B	Y
SP-B1	Y
SP-C	Y
SP-C1	Y
SP-D	Y
SP-E	Y
SP-F	Y

Noncoal NPDES Draft Permits

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900.

NPDES No. PA0213268 (Mining permit No. 31950301), Glass Bagging Enterprises, Inc., P.O. Box 120, Duncansville, PA 16635, renewal of an NPDES permit for a noncoal surface mine site in Hopewell Township, **Huntingdon County**, affecting 55.0 acres. Receiving stream: unnamed tributary to Shy Beaver Creek, classified for the following use: warm water fishes. Application received: February 10, 2016.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for noncoal mining activities.

The outfall listed below discharges to an unnamed tributary to Shy Beaver Creek.

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
001—Sediment Pond	N

NPDES No. PA0238001 (Mining permit No. 31100301), Glass Bagging Enterprises, Inc., P.O. Box 120, Duncansville, PA 16635, renewal of an NPDES permit for a noncoal surface mine site in Hopewell and Liberty Townships, **Huntingdon** and **Bedford Counties**, affecting 16.0 acres. Receiving stream: unnamed tributary to Shy Beaver Creek, classified for the following use: warm water fishes. Application received: February 10, 2016.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for coal mining activities.

The outfall listed below discharges to an unnamed tributary to Shy Beaver Creek.

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
*001—Sediment Pond	N

* Outfall Point 001 located on adjacent permit no. 31950301.

NPDES No. PA0234214 (Mining permit No. 05960302), New Enterprise Stone & Lime Company, Inc., P.O. Box 77, New Enterprise, PA 16664, renewal of an NPDES permit for a noncoal surface mining operation in Snake Spring Valley Township, **Bedford County**, affecting 139.7 acres. Receiving stream: Cove Creek, classified for the following use: Exceptional value, migratory fishes. Application received: May 18, 2016.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for noncoal mining activities.

The outfall listed below discharges to an unnamed tributary to Cove Creek.

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
001—Sediment Pond	N

The proposed effluent limits for the above listed outfall(s) are as follows:

<i>Outfall: 001 (Dry Weather) Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Suspended Solids (mg/l)	N/A	N/A	75.0
Temperature (°F)	72	72	72

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times
Alkalinity must exceed acidity at all times

<i>Outfall: 001 (≤10-yr/24-hr Precipitation Event) Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Suspended Solids (mg/l)	N/A	N/A	0.5

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times
Alkalinity must exceed acidity at all times

NPDES No. PA0595128 (Mining permit no. 6875SM5), New Enterprise Stone & Lime Company, Inc. dba Eastern Industries, Inc., 3724 Crescent Ct West, Suite 200, Whitehall, PA 18052 renewal of an NPDES permit for sandstone quarry in Oliver Township, **Mifflin County**, affecting 57.8 acres. Receiving stream(s): unnamed tributary to Strodes Run, classified for the following use(s): high quality cold water fishes. Application received: July 18, 2016.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for noncoal mining activities.

The outfall(s) listed below discharge to unnamed tributary to Strodes Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
001	N
002	N

The proposed effluent limits for the above listed outfall(s) are as follows:

<i>Outfalls: 001 and 002 Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/l)	3.0	6.0	7.0
Manganese (mg/l)	2.0	4.0	5.0
Total Suspended Solids (mg/l)	10.0	20.0	30.0

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times
Alkalinity must exceed acidity at all times

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the Commonwealth to certify that the involved projects will not violate the sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA, the issuance of a Dam Permit or Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment shall submit comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted before an application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on working days at the office noted before the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications Received under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification under section 401(a) of the FWPCA.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ed Muzic, Section Chief, 717.705.4802.

E05-387: Plenary Walsh Keystone Partners, Hopewell Township, **Bedford County**, U.S. Army Corps of Engineers Baltimore District.

To remove the existing structure and to (1) construct and maintain a 53.0 foot long, 32.0 foot wide concrete spread box beam bridge having an under clearance of 4.70 feet and place R-6 riprap scour protection in Pipers Run (WWF, MF); (2) relocate 288 feet of unnamed tributary to Pipers Run (WWF, MF); (3) temporarily impact 0.01 acre of PEM wetland for temporary access (Latitude 40°05'52", Longitude -78°18'59") for the purpose of replacing a structurally deficient bridge as part of the Public Private Partnership (P3) Rapid Bridge Replace-

ment Program. The project is located along S.R. 1020 (West Cypher Road) in Hopewell Township, Bedford County.

E01-315: Plenary Walsh Keystone Partners, Gettysburg Borough and Straban Township, **Adams County**, U.S. Army Corps of Engineers Baltimore District.

To remove the existing structure and to install and maintain a 111 foot long, 60 foot wide concrete box beam bridge having an under clearance of 9.4 feet over Rock Creek (WWF, MF). The construction will temporarily impact 0.004 acre of Palustrine Emergent Wetland. All impacts are associated with the SR 0030, Lincoln Highway bridge replacement over Rock Creek (Latitude 39°50'4.54", Longitude -77°13'10.87") for the purpose of improving safety standards.

E38-196: Prayers Hospitality, LLC, 265 N. Hershey Road, Harrisburg, PA 17112, in North Lebanon Township, **Lebanon County**, U.S. Army Corps of Engineers Baltimore District.

To place and maintain approximately 450 cubic yards of fill in the floodway of an unnamed tributary to Quitapahilla Creek (TSF, MF) for the purpose of constructing a hotel and its associated parking lot. The project is located at the intersection of East Cumberland Street and North 16th Street (Latitude: 40° 21' 10.4"N; Longitude 76° 23' 8.5"W) in North Lebanon Township, Lebanon County.

Northwest Region: Waterways and Wetlands Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

E25-781, Millcreek Township Sewer Authority, 3608 West 26th Street, Erie, PA 16506. Route 8 Pump Station and Sewer Line Extension, in Millcreek Township, **Erie County**, ACOE Pittsburgh District (Erie South, PA Quadrangle N: 42°, 05', 36"; W: 80°, 00', 19").

To construct a 50 ft diameter equalization tank, forward and excess-flow pump stations, and approximately 4,800 linear feet of gravity sewer line near the intersec-

tion of SR 008 and SR 090. The sewer pipe will cross 4 streams (UNTs Mill Creek) resulting in 158 LF of impact and 5 wetlands resulting in 0.03 ac of permanent impact and 0.23 acre of temporary impact.

E42-370 University of Pittsburgh—Bradford Campus, 300 Campus Drive, Bradford, PA 16701. City of Bradford, **McKean County**, ACOE Pittsburgh District (Bradford, PA Quadrangle N: 41°, 56', 40"; W: -78°, 40', 18").

The project is to construct a new residence hall, demolish an existing one, and expand an existing dining hall on campus. The new residence hall will be constructed in the 100-year floodplain of the West Branch of Tunungwant Creek. The proposed building will be constructed with the first floor elevation 1.5 feet above the 100-year event elevation and will result in approximately 250 cubic yards of floodplain storage being displaced. The reduction in flood plain storage is to be offset by an underground storage facility that is to be constructed.

Northwest Region: Oil and Gas Program Manager, 230 Chestnut Street, Meadville, PA 16335; 814-332-6860.

E24-08-009/E42-08-020, Seneca Resource Corporation, 51 Zents Boulevard Brookeville, PA 15825. D08-U natural gas production well site and associated access road in Jones/Sergeant Townships, **Elk/McKean Counties**, Army Corps of Engineers Pittsburgh District (Wildwood Fire Tower, PA Quadrangle N: 41.603358; W: -78.466618).

The applicant proposes to construct and maintain a natural gas production well pad, valve site, well connect, associated access road and temporary waterline. Water obstructions and encroachments are located only in McKean County. The water obstructions and encroachments are described below. Total permanent linear feet of impact to streams are 81 feet and total permeant impacts to wetlands are 529 square feet (0.01 acre). Temporary impacts to wetlands total 144 square feet (0.003 acre).

To construct and maintain:

<i>Impact No.</i>	<i>Description of Impact</i>	<i>Latitude / Longitude</i>
1	One (1) permanent single span bridge crossing for the well pad access road and a temporary waterline to impact 50 linear feet of stream and 233 square feet of permeant wetland impact.	41.603358 -78.466618
2	One (1) permanent single span bridge crossing for the well pad access road and a temporary waterline to impact 31 linear feet of stream and 296 square feet of permeant wetland impact.	41.602948 -78.466522
3	One (1) 96 square feet of temporary wetland impact for construction of access road.	41.6026 -78.4663
4	One (1) 48 square feet of temporary wetland impact for construction of access road.	41.3036 -78.4664

STORAGE TANKS SITE-SPECIFIC INSTALLATION PERMITS

The following Storage Tank Site-Specific Installation Permit application has been received by the Department of Environmental Protection (Department) and is currently under review. Persons wishing to comment on the proposed permit are invited to submit a statement to the Bureau of Environmental Cleanup and Brownfields, Division of Storage Tanks, PO Box 8762, Harrisburg, PA 17105-8762, within 30 days from the date of this publication. Comments may also be submitted via email to tanks@pa.gov. Comments received within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of the comment and the relevant facts upon which it based.

The following applications have been received for Storage Tank Site-Specific Installation Permits under the authority of the Storage Tank Spill Prevention Act (35 P.S. §§ 6021.304, 6021.504, 6021.1101—6021.1102) and under 25 Pa. Code Chapter 245, Subchapter C.

<i>SSIP Application No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Tank Type</i>	<i>Tank Capacity</i>
16011	Cerner Health Services 51 Valley Stream Parkway Malvern, PA 19355 Attn: George Hockman	Chester	East Whiteland Township	4 ASTs storing diesel fuel	23,895 gallons total

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and NOIs for coverage under General Permits. This notice of final action is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.101) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Wastes; Discharges to Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

Sections I—VI contain actions regarding industrial, animal or sewage wastes discharges, discharges to groundwater, and discharges associated with MS4, stormwater associated with construction activities and CAFOs. Section VII contains notices for parties who have submitted NOIs for Coverage under General NPDES Permits. The approval for coverage under these General NPDES Permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions in each General Permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions in the respective permit. The permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions

Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0035670 (Sewage)	PA DOT Kiskiminetas Township Satellite Maintenance Bldg Bureau of Project Delivery PO Box 3060 Harrisburg, PA 17105-3060	Armstrong County Kiskiminetas Township	Rattling Run (18-B)	Y

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0036307 (Sewage)	Moon Run STP 4200 Campbells Run Road Pittsburgh, PA 15205	Allegheny County Robinson Township	Moon Run (20-G)	Yes
<i>Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401. Phone: 484.250.5970.</i>				
<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0244511A-1 (Sewage)	Mr. John Richardson 177 Creamery Road Coatesville, PA 19320	Chester County West Caln Township	Unnamed Tributary to West Branch Brandywine Creek (3-H)	Y
PA0055751 (Industrial)	Delbar Products Inc. Liquidating Trust P.O. Box 212 Coopersburg, PA 18036	Bucks County Perkasie Borough	Unnamed Tributary to East Branch Perkiomen Creek (3-E)	Y

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

NPDES Permit No. PA0022373, Sewage, SIC Code 4952, **Lakeview Joint Sewer Authority**, PO Box 87, Sandy Lake, PA 16145-0087.

This existing facility is located in Sandy Lake Borough, **Mercer County**.

Description of Existing Action/Activity: Issuance of an NPDES Permit for an existing discharge of treated Sewage.

The following notice reflects changes to the notice published in the January 16, 2016 edition of the *Pennsylvania Bulletin*:

Ultraviolet radiation 4 times/week monitoring was added.

NPDES Permit No. PA0264466, Sewage, SIC Code 8800, **Joseph Frugoli**, 58 North Branch Road, Eldred, PA 16731.

This proposed facility is located in Eldred Township, **McKean County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated Sewage.

III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law

Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

WQM Permit No. 0216400, Sewage, SIC Code 1623, **Allegheny County Park Department**, 542 Forbes Avenue, Pittsburgh, PA 15219-2904.

This proposed facility is located in Elizabeth Township, **Allegheny County**.

Description of Proposed Action/Activity: construction and operation of a wetlands sewage treatment system.

WQM Permit No. WQG02021601, Sewage, **Massaro Dawson A Special Purpose Venture**, One Ninety One Peachtree Tower, 191 Peachtree Street NE, Suite 805 Atlanta, Georgia 30303.

This proposed facility is located in Bethel Park, **Allegheny County**.

Description of Proposed Action/Activity: Installation of a sanitary sewer system to serve the proposed South Hills Village Apartments.

WQM Permit No. 0285406 A-4, Sewage, SIC Code 4952, **Pleasant Hills Authority Allegheny County**, 610 Old Clairton Road, Pittsburgh, PA 15236.

This existing facility is located in South Park Township, **Allegheny County**.

Description of Proposed Action/Activity: Modifications to the Pleasant Hills Sewage Treatment Plant to enable the facility to treat a peak wet weather flow of 25 MGD.

The Pennsylvania Infrastructure Investment Authority (PENNVEST) which administers Pennsylvania's State Revolving Fund has been identified as a possible funding source. The Department's review of the sewage facilities plan revision has not identified any significant environmental impacts resulting from this proposal.

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401, 484.250.5900.

WQM Permit No. 1506409, Sewage, Renewal, **Aqua Pennsylvania Wastewater Inc.**, 762 West Lancaster Avenue, Bryn Mawr, PA 19010.

This proposed facility is located in Thornbury Township, **Chester County**.

Description of Action/Activity: Permit renewal to continue the discharge of up to 0.0075 mgd treated sewage from Sage Hill WWTP.

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.

WQM Permit No. 5215402, Sewage, SIC Code 4952, **PA American Water Co.**, 800 West Hershey Park Drive, Hershey, PA 17033.

This proposed facility is located in Delaware Township, **Pike County**.

Description of Proposed Action/Activity: Marcel Lakes Wastewater Treatment Plant Upgrade (new headworks, new influent pump station) and replacement of existing gravity sewer portion of collection system (new gravity mains and two new pump stations).

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. 3774402 A-1, Sewage, **Neshannock Township Lawrence County**, 3131 Mercer Road, New Castle, PA 16105.

This existing facility is located in Neshannock Township, **Lawrence County**.

Description of Proposed Action/Activity: Upgrade of Maitland Lane, Highland Avenue and Ludwig Road pump stations.

WQM Permit No. 4216401, Sewage, **Joseph Frugoli**, 145 New Road, Churchville, PA 18966-1445.

This proposed facility is located in Eldred Township, **McKean County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions

Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI011508068-R	Mr. Robert Davis 15 Fox Den Road Newark, DE 19711	Chester	Franklin Township	Big Elk Creek HQ-TSF-MF
PAI011516001	Mr. James K. and Ms. Nancy M. Morris 258 North Creek Road Landenberg, PA 19350	Chester	West Bradford Township	Unnamed Tributary to Broad Run EV

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI023916009	Mr. Bryan Rizzo 4588 Jasmine Drive Center Valley, PA 18034	Lehigh	Lower Milford Township	Saucon Creek (CWF, MF), EV Wetlands
PAI023916006	Mariano Rentals TDBA c/o Mr. Martin P. Mariano 72 Edwards Drive Bloomsburg, PA 17815	Lehigh	South Whitehall Township	Little Cedar Creek (HQ-CWF, MF)
PAI024516003	Stroud Township 1211 North 5th Street Stroudsburg, PA 18360	Monroe	Stroud Township	Wigwam Run (HQ-CWF, MF)
PAI024510012(3)	CB H2O, LP PO Box 168 Tannersville, PA 18372	Monroe	Pocono Township	UNT to Pocono Creek (HQ-CWF, MF)
PAI024516004	Pennsylvania Department of Transportation Engineering District 5-0 1002 Hamilton Boulevard Allentown, PA 18101	Monroe	Pocono Township	Scotrun (HQ-CWF, MF) and unnamed tributaries thereof

Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570.327.3574.

Centre County Conservation District: 414 Holmes Avenue, Suite 4, Bellefonte, PA 16823, (814) 355-6817.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI041416002	Mount Nittany Medical Center 1800 East Park Avenue State College, PA 16803	Centre	College Twp	Spring Creek HQ-CWF

Southwest Region: Waterways and Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI050216004	B & B Trust Residences 5950 Sherry Lane Suite 600 Dallas, TX 75225	Allegheny County	Sewickley Heights Borough	UNT to Little Sewickley Creek (HQ-TSF)

Northwest Region: Waterways and Wetlands Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Erie County Conservation District, 1927 Wager Road, Erie, PA 16509.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI062513001(1)	Erie Metropolitan Transit Authority 127 East 14th Street Erie, PA 16503	Erie	City of Erie	Millcreek WWF; MF Presque Isle Bay WWF

VII. Approvals to Use NPDES and/or Other General Permits

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types

PAG-1	General Permit for Discharges from Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated With Construction Activities
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities
PAG-4	General Permit for Discharges from Small Flow Treatment Facilities
PAG-5	General Permit for Discharges from Petroleum Product Contaminated Groundwater Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems (CSO)
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest, or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharges from Hydrostatic Testing of Tanks and Pipelines
PAG-11	General Permit for Discharges from Aquatic Animal Production Facilities
PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)
PAG-14	(To Be Announced)
PAG-15	General Permit for Discharges from the Application of Pesticides

*General Permit Type—PAG-02**Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.*

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Concord Township Delaware County	PAG02002316006	Gary D. and Charles T. Ingram 1126 Laurel Drive West Chester, PA 19380	Green Creek West Branch Chester Creek CWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Radnor Township Delaware County	PAG02002315024 (Phase 3)	Villanova University 800 East Lancaster Avenue Villanova, PA 19085	Unnamed Tributary to Darby Creek CWF-MF Unnamed Tributary to Mill Creek CWF-TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Plymouth Township Montgomery County	PAG02004607108R(1)	Plymouth Hospitality, LLC 265 North Hershey Road Harrisburg, PA 1711	Unnamed Tributary to Plymouth Creek WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
New Hanover Township Montgomery County	PAG02004615082(1)	KTMT Realty, LP 1030 Reed Avenue Suite 100 Wyomissing, PA 19610	Swamp Creek TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Whitpain Township Montgomery County	PAG02004616001	Sean and Kathleen Breen 2740 Butler Pike Plymouth Meeting, PA 19462	Tributary to Stony Creek TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Hatfield Township Montgomery County	PAG02004616061	North Penn School District 630 West Eight Street Lansdale, PA 19446	Skippack Creek TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Lower Merion Township Montgomery County	PAG02004616075	718 Sussex, LLC 151 Cheswold Valley Road Haverford, PA 19041-1185	West Branch Indian Creek WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Horsham Township Montgomery County	PAG02004616025	Philip J. Klauder, Jr. 26 Safe Harbor Drive Ocean City, NJ 08226	Little Neshaminy Creek WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Old Forge Borough Lackawanna County	PAG02003516011	Eagle McClure Hose Company 375 Milwaukee Avenue Old Forge, PA 18518	St. Johns Creek (CWF, MF)	Lackawanna County Conservation District 570-392-3086
Hanover Township Luzerne County	PAG02004016008	Nardone Brothers Baking Company, Inc. 420 Commerce Boulevard Wilkes-Barre, PA 18706	UNT to Warrior Creek (CWF, MF)	Luzerne Conservation District 570-674-7991
Allen Township Northampton County	PAG02004816005	Robert Dwyer Land Trust Properties, Inc. 721 Old State Road Berwyn, PA 19312	Catasauqua Creek (CWF, MF)	Northampton County Conservation District 610-746-1971
Wayne Township Schuylkill County	PAG02005416002	MGM One, LP c/o Mr. Mike Tulio 1030 Reed Avenue Suite 100 Wyomissing, PA 19610	UNT Lower Little Swatara Creek (CWF, MF)	Schuylkill County Conservation District 570-622-3742

NOTICES

5141

*Facility Location:
Municipality &
County*

Permit No.

*Applicant Name &
Address*

*Receiving
Water/Use*

*Contact Office &
Phone No.*

Lenox and Clifford
Townships
Susquehanna
County

ESG00115150001

Mr. Thomas Hutchins
Tennessee Gas Pipeline
Company, LLC
1001 Louisiana Street
Suite 1000
Houston, TX 77002

UNTS to
Tunkhannock Creek
(CWF, MF)
UNTS to Idlewild
Creek
(CWF, MF)
Partners Creek
(CWF, MF)
Nine Partners Creek
(CWF, MF)
Sterling Brook
(CWF, MF)

Susquehanna County
Conservation District
570-278-4600

*Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, Nathan Crawford, Section Chief,
717.705.4802.*

*Facility Location:
Municipality &
County*

Permit No.

*Applicant Name &
Address*

*Receiving
Water/Use*

*Contact Office &
Phone No.*

Monroe, Silver
Spring and Upper
Allen Townships
Cumberland County

PAG02002116020

UGI Utilities
2525 N. 12th Street
Suite 360
Reading, PA 19605

Cedar Run
(CMF, MF)
Trindle Spring Run
(CWF, MF)

Cumberland County
Conservation District
310 Allen Road
Suite 301
Carlisle, PA 17013-9101
(717) 240-7812

Hampden Township
Cumberland County

PAG02002116022

Donald Erwin
1809 Tall Pine Drive
Harrisburg, PA 17110

Sears Run
(WWF)

Cumberland County
Conservation District
310 Allen Road
Suite 301
Carlisle, PA 17013-9101
(717) 240-7812

Silver Spring
Township
Cumberland County

PAG02002116016

Shaffer Trucking, Inc.
400 NW 56th Street
Lincoln, NE 68528

Hogestown Run
(CWF, MF)

Cumberland County
Conservation District
310 Allen Road
Suite 301
Carlisle, PA 17013-9101
(717) 240-7812

Peters Township
Franklin County

PAG02002816017

Eby's Poultry Barn
456 Feaster Road
Chambersburg, PA 17202

UNT Conococheague
Creek
(WWF)

Franklin County
Conservation District
185 Franklin Farm Lane
Chambersburg, PA 17202
(717) 264-5499

Waynesboro
Borough
Franklin County

PAG02002816018

MBT Product & Design
2000 East Main Street
Waynesboro, PA 17268

UNT East Branch
Antietam Creek
(CWF, MF)

Franklin County
Conservation District
185 Franklin Farm Lane
Chambersburg, PA 17202
(717) 264-5499

Washington
Township
Franklin County

PAG02002816008

Tracy Ross
118 Walnut Street
Suite 111
Waynesboro, PA 17268

UNT West Branch
Antietam Creek
(CWF, MF)

Franklin County
Conservation District
185 Franklin Farm Lane
Chambersburg, PA 17202
(717) 264-5499

Antrim Township
Franklin County

PAG02002816015

We King Farms
6028 Guintier Road
Greencastle, PA 17225

UNT Conococheague
Creek
(WWF, MF)

Franklin County
Conservation District
185 Franklin Farm Lane
Chambersburg, PA 17202
(717) 264-5499

Greene Township
Franklin County

PAG02002816016

PA & Southern Railway
Lumber Warehouse
One Gateway Center
Suite 501B
Newton, MA 02458

UNT Conococheague
Creek
(CWF, MF)

Franklin County
Conservation District
185 Franklin Farm Lane
Chambersburg, PA 17202
(717) 264-5499

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Union Township Lebanon County	PAG02003809011R(31)	David A. Colna PAANG 1500 York Road Annville, PA 17003	Qureg Run (WWF)	Lebanon County Conservation District 2120 Cornwall Road Lebanon, PA 17042-9788 (717) 277-5275
Millcreek Township Lebanon County	PAG02003816016	Kervin H. Newswanger 55 North Millbach Road Newmanstown, PA 17073	Mill Creek (TSF)	Lebanon County Conservation District 2120 Cornwall Road Lebanon, PA 17042-9788 (717) 277-5275
Heidelberg Township Lebanon County	PAG02003816018	Clarence M. Weaver 826 North Market Street Myerstown, PA 17067	Mill Creek (TSF)	Lebanon County Conservation District 2120 Cornwall Road Lebanon, PA 17042-9788 (717) 277-5275
<i>Northcentral Region: Watershed Management Program Manager, 208 West Third Street, Williamsport, PA 17701.</i>				
<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Herrick Twp, Bradford Cnty	PAG02000814017(1)	David Kailbourne Rev LNG, LLC 1002 Empson Road Ulysses, PA 16948	Rummerfield Creek, WWF	Bradford County Conservation District Stoll Natural Resource Ctr 200 Lake Rd Ste E Towanda, PA 18848 (570) 265-5539, X 6
Snow Shoe Twp, Centre Cnty	PAG02001416012	First Energy/Penelec 76 South Main Street Akron, OH 44308	North Fork Beech Creek, CWF-MF	Centre County Conservation District 414 Holmes Ave Ste 4 Bellefonte, PA 16823 (814) 355-6817
Falls Creek Borough, Sandy Twp, Clearfield Cnty	PAG02001716003	Falls Creek Borough Municipal Authority 117 Taylor Ave Falls Creek, PA 15840	Wolf Run, CWF Sandy Lick Creek, TSF	Clearfield County Conservation District 511 Spruce St Ste 6 Clearfield, PA 16830 (814) 765-2629
East Chillisquaque Twp, Northumberland Cnty	PAG02004916005	Joseph Miller 734 Young Road Lewisburg, PA 17837	UNT Chillisquaque Creek, WWF-MF	Northumberland County Conservation District 441 Plum Creek Rd Sunbury, PA 17801 (570) 286-7114 ext. 4
Buffalo Twp, Union Cnty	PAG02006016012	John M. Horning 1101 Red Bank Road Mifflinburg, PA 17844	UNT to Buffalo Creek, CWF	Union County Conservation District Union County Government Center 155 N 15th St Lewisburg, PA 17837 (570) 524-3860
Limestone Twp, Union Cnty	PAG02006016014	David Hoover 1451 Beaver Road Mifflinburg, PA 17844	UNT to Penns Creek, CWF-MF	Union County Conservation District Union County Government Center 155 N 15th St Lewisburg, PA 17837 (570) 524-3860

NOTICES

5143

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Kelly Twp, Union Cnty	PAG02006016015	Jay Holthus 210 JPM Road Suite 302 Lewisburg, PA 17837	UNT to Buffalo Creek, WWF	Union County Conservation District Union County Government Center 155 N 15th St Lewisburg, PA 17837 (570) 524-3860

Southwest Region: Regional Waterways & Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office and Phone No.</i>
Pine Township	PAG02000215081-1	Miller Drive Development, LP 424 Timber Lake Drive Venetia, PA 15367	Pine Creek (CWF) and Brush Creek (TSF)	Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 (412) 242-7645
North Fayette Township	PAG02000216060	Herrick Compassionate Funeral Service 951 Cliff Mine Road Imperial, PA 15126	Montour Run (TSF)	Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 (412) 242-7645
Harrison Township	PAG0200021112-1	# 1 Cochran Automotive 4520 William Penn Highway Monroeville, PA 15146	UNT to Little Bull Creek (TSF)	Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 (412) 242-7645
Findlay Township	PAG02000216068	The Buncher Company 1300 Penn Avenue Suite 300 Pittsburgh, PA 15222	Potato Garden Run (WWF)	Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 (412) 242-7645
Bethel Park Borough	PAG02000216028	Lancaster Land, LP/Clover Group 348 Harris Hill Road Williamsville, NY 14221	UNT to Piney Fork (TSF)	Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 (412) 242-7645
North Fayette Township	PAG02000215080-1	Clover Communities North Fayette, LLC 348 Harris Hill Road Williamsville, NY 14221	UNT to North Branch Robinson Run (WWF)	Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 (412) 242-7645
Elizabeth Township	PAG02000216064	Peoples Natural Gas Company, LLC 225 North Shore Drive Pittsburgh, PA 15212	Wylie Run (WWF)	Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 (412) 242-7645
Kittanning Manor Township	PAG02000315006	PennDOT District 10-0, 2550 Oakland Avenue P.O. Box 420 Indiana, PA 15701-3388	Garretts Run (WWF) and Rupp Run (WWF)	Armstrong County Conservation District Armsdale Administration Building Suite B-2 124 Armsdale Road Kittanning, PA 16201 (724) 548-3425

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office and Phone No.</i>
City of Johnstown	PAG02001116014	Melissa Komar 401 Main Street Johnstown, PA 15901-1916	Stonycreek River (WWF), Cherry Run (WWF), and Cheney Run (WWF)	Cambria County Conservation District 401 Candlelight Drive Suite 221 Ebensburg, PA 15931 (814) 472-2120
Brothersvalley Township	PAG02005616006	New Enterprise Stone and Lime Company, Inc. 3912 Brumbaugh Road P.O. Box 77 New Enterprise, PA 16664	Wilson Creek (WWF)	Somerset County Conservation District Somerset County Ag Center 6024 Glades Pike Suite 103 Somerset, PA 15501 (814) 445-4652
Westmoreland County Greensburg City	PAG02006512019 (2)	Seton Hill University One Seton Hill Drive Greensburg, PA 15601	Zellers Run (WWF)	Westmoreland Conservation District 218 Donohoe Road Greensburg, PA 15601 (724) 837-5271
Westmoreland County South Huntingdon Township	PAG02006513037 (1)	Wendell H. Stone Company, Inc. P.O. Box 776 Connellsville, PA 15425	UNT to Youghiogheny River (WWF)	Westmoreland Conservation District 218 Donohoe Road Greensburg, PA 15601 (724) 837-5271
Westmoreland County New Stanton Borough	PAG02006516005	GPI Interim, Inc. 70 Mechanic Street C41-32 Foxboro, MA 02035	UNT to Sewickley Creek (WWF)	Westmoreland Conservation District 218 Donohoe Road Greensburg, PA 15601 (724) 837-5271
Westmoreland County Murrysville Municipality	PAG02006516018	Bruce Conley 6075 Beighley Road Murrysville, PA 15668	Turtle Creek (TSF)	Westmoreland Conservation District 218 Donohoe Road Greensburg, PA 15601 (724) 837-5271
Westmoreland County Unity Township	PAG02006516021	Latrobe Municipal Authority 104 Guerrier Road Latrobe, PA 15650	Loyalhanna Creek (WWF)	Westmoreland Conservation District 218 Donohoe Road Greensburg, PA 15601 (724) 837-5271
Westmoreland County Unity Township	PAG02006516025	Peoples TWP, LLC 1201 Pitt Street Pittsburgh, PA 15221	UNT to Ninemile Run (WWF)	Westmoreland Conservation District 218 Donohoe Road Greensburg, PA 15601 (724) 837-5271
Westmoreland County Sewickley Township	PAG02006516026	Keith Vay 448 Mars Hill Road Irwin, PA 15642	UNT to Little Sewickley Creek (TSF)	Westmoreland Conservation District 218 Donohoe Road Greensburg, PA 15601 (724) 837-5271
Westmoreland County Penn Township	PAG02006516031	Weaver Investments, Inc. 3121 Deerfield Court Murrysville, PA 15669	UNT to Bushy Run (TSF)	Westmoreland Conservation District 218 Donohoe Road Greensburg, PA 15601 (724) 837-5271

*General Permit Type—PAG-3**Facility Location:*

<i>Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Upper Merion Township Montgomery County	PAR800073	Federal Express Corp. 3620 Hacks Cross Rd Building B, 2nd Floor Memphis, TN 38125	Unnamed Tributary to Trout Creek 3-F	DEP Southeast Regional Office Clean Water Program 2 E. Main Street Norristown, PA 19401 484.250.5970
Tredyffrin Township Chester County	PAR110012	Johnson Matthey, Inc. 456 Devon Park Drive Wayne, PA 19087	Unnamed Tributary to Trout Creek 3-F	DEP Southeast Regional Office Clean Water Program 2 E. Main Street Norristown, PA 19401 484.250.5970
Ringtown Borough Schuylkill County	PAR212220	Ringtown Wilbert Vault Works P.O. Box 215 Ringtown, PA 17967	Little Catawissa Creek—5-E CWF/MF	DEP Northeast Regional Office Clean Water Program 2 Public Square Wilkes-Barre, PA 18701-1915 570.826.2511

*General Permit Type—PAG-4**Facility Location:*

<i>Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Greenwood Township Crawford County	PAG041210	Ina B & Michael J Mailliard 694 Sunol Road Cochranton, PA 16314-2222	Unnamed Tributary of Sandy Creek— 16-G	DEP Northwest Regional Office Clean Water Program 230 Chestnut Street Meadville, PA 16335-3481 814.332.6942

*General Permit Type—PAG-10**Facility Location & Municipality*

<i>Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Lebanon County/ Union Township	PAG1032571	UGI Utilities, Inc. 1301 AIP Drive Middletown, PA 17057	UNT to Qureg Run/7-D	DEP—SCRO— Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707

*General Permit Type—PAG-12**Facility Location*

<i>Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
West Beaver Township Snyder County	PAG124839	Robert S. Martin 4227 Ridge Road Beaver Springs, PA 17812-9419	Unnamed Tributary to South Branch Middle Creek—6-A	DEP Northcentral Regional Office Clean Water Program 208 W Third Street Suite 101 Williamsport, PA 17701-6448 570.327.3636

STATE CONSERVATION COMMISSION**NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs**

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

**NUTRIENT MANAGEMENT PLAN
PUBLIC NOTICE SPREADSHEET—ACTIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>AEU's</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Jay & Beth Hess 151 Pequea Creek Rd Conestoga, PA 17516	Lancaster	200	519.07	Swine/ Poultry/ Beef	NA	A
Jay & Jane Bleacher 1175 Breneman Road Conestoga, PA 17516	Lancaster	319	596.25	Swine	HQ	A
Rohrer Dairy Farms, LLC Mike Rohrer 124 Charlestown Road Washington Boro, PA 17582	Lancaster	840	2,472.08	Dairy	NA	A
Bellaire Farms, LLC 225 Oberholtzer Road Elizabethtown, PA 17022	Lancaster	28.6	262.55	Broilers	NA	A
Future Farm LLC Jeffrey Frey 13 Radcliff Road Willow Street, PA 17584	Lancaster	535	595.46	Swine	NA	A
Bleacher Farms, LLC 1206 Breneman Road Conestoga, PA 17516	Lancaster	80.6	465.57	Layers	NA	A
Paul Swanger 150 Kissell Barrick Road Bainbridge PA 17502	Lancaster	8.5	373.3	Swine	NA	A
Spring Valley Dairy, LLC 1577 Auction Road Manheim, PA 17545	Lancaster	196.1	472.06	Dairy/Pullet	NA	A
Jim Hershey 338 Sunnyburn Road Elizabethtown, PA 17022	Lancaster	550	786.51	Broilers	NA	A
Dale Frank 3167 Bossler Road Elizabethtown, PA 17022	Lancaster	600	802.04	Swine/Steer	NA	A
Alan Harnish 3241 Blue Road Road Lancaster, PA 17603	Lancaster	47	578.72	Swine	NA	A
James Charles 3241 Blue Rock Road Lancaster, PA 17603	Lancaster	104.4	297.02	Layer/Swine	NA	A
Dennis J Boop Dennis J Boop Jr. 1555 Swengel Road Mifflinburg, PA 17844	Union	391.4	1,365.7	Swine	NA	New

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act

Southeast Region: Water Supply Management Program Manager, 2 East Main Street, Norristown, PA 19401.

Permit No. 0916509, Public Water Supply.

Applicant	Warrington Township 852 Easton Road Warrington, PA 18976
Township	Warrington
County	Bucks
Type of Facility	PWS
Consulting Engineer	Carroll Engineering Corporation Penn's Greene, Suite 100 949 Easton Road Warrington, PA 18976-1880
Permit to Construct Issued	August 2, 2016

Permit No. 4616512, Public Water Supply.

Applicant	Horsham Water & Sewer Authority 617 Horsham Road Horsham, PA 19044
Township	Horsham
County	Montgomery
Type of Facility	PWS

Consulting Engineer	Gilmore & Associates, Inc. 350 East Butler Avenue New Britain, PA 18901
---------------------	---

Permit to Construct Issued	August 2, 2016
----------------------------	----------------

Permit No. 4616518, Public Water Supply.

Applicant	Pennsylvania American Water Company 800 West Hershey Park Drive Hershey, PA 17033
Township	Upper Providence
County	Montgomery
Type of Facility	PWS
Consulting Engineer	Pennsylvania American Water Company 800 West Hershey Park Drive Hershey, PA 17033
Permit to Construct Issued	July 26, 2016

Operations Permit # 0914512 issued to: **Doylestown Township Municipal Authority**, 425 Wells Road, Doylestown, PA 18901-217, [(PWSID)] Doylestown Township, **Bucks County** on July 27, 2016 for the operation of Central Pumping Station Upgrades facilities approved under construction permit # 0914512.

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Permit No. 0316501, Public Water Supply.

Applicant	Cowanshannock Township Municipal Authority Box 127 NuMine, PA 16244
[Borough or Township]	Cowanshannock Township
County	Armstrong
Type of Facility	Well No. 2
Consulting Engineer	Bankson Engineers, Inc. 267 Blue Run Road Suite 200 Cheswick, PA 15024
Permit to Construct Issued	August 4, 2016

Operations Permit issued to: **Highridge Water Authority**, 17 Maple Avenue, Blairsville, PA 15717, (PWSID # 5650069) Fairfield Township, **Westmoreland County** on August 9, 2016 for the operation of facilities approved under Construction Permit # 6514501MA.

Operations Permit issued to: **Municipal Authority of the City of New Kensington**, 920 Barnes Street, PO Box 577, New Kensington, PA 15068, (PWSID # 5650070) City of New Kensington, **Westmoreland County** on August 9, 2016 for the operation of facilities approved under Construction Permit # 6515507MA.

Operations Permit issued to: **Authority of the Borough of Charleroi**, 3 McKean Avenue, PO Box 211, Charleroi, PA 15022, (PWSID # 5630039) Charleroi Borough, **Washington County** on August 9, 2016 for the operation of facilities approved under Construction Permit # 6316501.

Operations Permit issued to: **Authority of the Borough of Charleroi**, 3 McKean Avenue, PO Box 211,

Charleroi, PA 15022, (PWSID # 5630039) Charleroi Borough, **Washington County** on August 9, 2016 for the operation of facilities approved under Construction Permit # 6316502.

Operations Permit issued to: **Authority of the Borough of Charleroi**, 3 McKean Avenue, PO Box 211, Charleroi, PA 15022, (PWSID # 5630039) Charleroi Borough, **Washington County** on August 4, 2016 for the operation of facilities approved under Construction Permit # 6316505.

Operations Permit issued to: **Pittsburgh Water & Sewer Authority**, Penn Liberty Plaza I, 1200 Penn Avenue, Pittsburgh, PA 15222, (PWSID # 5020038) City of Pittsburgh, **Allegheny County** on August 8, 2016 for the operation of facilities approved under Construction Permit # 0216508MA.

Operations Permit issued to: **Lilly Borough Water Authority**, 417 Cleveland Street, Lilly, PA 15938, (PWSID # 4110046) Lilly Borough, **Cambria County** on August 8, 2016 for the operation of facilities approved under Construction Permit # 1114511MA.

Operations Permit issued to: **Pennsylvania American Water Company**, 800 West Hersheypark Drive, Hershey, PA 17033, (PWSID # 5020039) North Strabane Township, **Washington County** on August 9, 2016 for the operation of facilities approved under Construction Permit # 0214505MA-1.

Operations Permit issued to: **Pennsylvania American Water Company**, 800 West Hersheypark Drive, Hershey, PA 17033, (PWSID # 5020039) Chartiers Township, **Washington County** on August 9, 2016 for the operation of facilities approved under Construction Permit # 0214512MA-1.

Operations Permit issued to: **Pennsylvania American Water Company**, 800 West Hersheypark Drive, Hershey, PA 17033, (PWSID # 5020039) Smith Township, **Washington County** on August 9, 2016 for the operation of facilities approved under Construction Permit # 0214515MA-1.

Operations Permit issued to: **Pennsylvania American Water Company**, 800 West Hersheypark Drive, Hershey, PA 17033, (PWSID # 5020039) Chartiers Township, **Washington County** on August 9, 2016 for the operation of facilities approved under Construction Permit # 0214517MA-1.

Operations Permit issued to: **Pennsylvania American Water Company**, 800 West Hersheypark Drive, Hershey, PA 17033, (PWSID # 5020039) Chartiers Township, **Washington County** on August 9, 2016 for the operation of facilities approved under Construction Permit # 0214518MA-1.

Permit No. 5615508MA, Minor Amendment. Public Water Supply.

Applicant	Somerset County General Authority 300 North Center Avenue Suite 500 Somerset, PA 15501
[Borough or Township]	Jenner Township
County	Somerset
Type of Facility	Jenner Crossroads water storage tank

Consulting Engineer Somerset Planning & Engineering Services, LLC
222 West Main Street
Suite 100
Somerset, PA 15501

Permit to Operate August 2, 2016
Issued

SEWAGE FACILITIES ACT PLAN APPROVAL

Plan Approvals Granted Under the Pennsylvania Sewage Facilities Act (35 P.S. § 750.5)

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Telephone: 717-705-4707.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Logan Township	100 Chief Logan Circle Altoona, PA 16602	Blair

Plan Description: Approval of a revision to the official plan of Logan Township, Blair County. The project is known as Logan Township Sewer Extensions. The plan provides for gravity sewers as the chosen alternative for the expansion of sewer service to the following areas:

- East Hudson Avenue, Irwin Drive, Motel 6 Area, Robin Avenue, Greenwood, Sandy Run, and Knob Land & Poland Avenue—to be installed by May 2023.
- South 10th Avenue & Walnut Street, Newburg, Weaver Street, Spook Hollow, Homewood Drive, and Cashman Road—to be installed by May 2033.
- 39th Street, 35th & 36th Street, Davis Road, Juniata Gap Road (S. Curve Road), North 20th Street & 11th Avenue, Mill Run Road, Kettle Street, Clemson Road, Nelson Road, East End Auto, Buckhorn, and 11th Street—to be installed by May 2043.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

**UNDER ACT 2, 1995
PREAMBLE 2**

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific

standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department regional office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.

Walmar Manor Manufactured Home Community Lot 74, 125 Walmar Manor, Dillsburg, PA 17019, Franklin Township, **York County**. EP&S of Vermont, Inc., 1539 Bobali Drive, Harrisburg, PA 17104, on behalf of Walmar MHC, LLC, 1006 Hammock Bend Chapel Hill, NC 27517, submitted a Final Report to remediate site soils contaminated with No. 2 fuel oil. The Report is intended to document remediation of the site to meet the Residential Statewide Health Standard.

Conestoga River Plaza/Miguel's Nightclub, 902 South Duke Street, Lancaster, PA 17602, City of Lancaster, **Lancaster County**. GCI Environmental Services, 1250 East King Street, Lancaster, PA 17602, on behalf of SACA Development Corp., 453 Lime Street, Suite B, Lancaster, PA 17602, submitted a Final Report concerning remediation of site soils contaminated with Inorganics and SVOCs. The Report is intended to document remediation of the site to meet the Site Specific Standard.

Turkey Hill # 76 Minit Mart, 2101 New Danville Pike, Lancaster, PA 17603, Pequea Township, **Lancaster County**. Letterle & Associates, Inc., 2022 Axemann Road, Suite 201, Bellefonte, PA 16823, on behalf of Keystone Petroleum Equipment, Ltd, 981 Trindle Road West, Mechanicsburg, PA 17055, submitted a Final Report concerning remediation of site soil contaminated with unleaded gasoline. The report is intended to document remediation of the site to meet the Residential Statewide Health Standard.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701.

Vasile, LLC, dba Red, White & Blue, Inc., Lawrence Township, **Clearfield County**. David A. Bogovich, President, Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857, on behalf of Vasile LLC, 236 Andrew Lane, Schaumburg, IL 60193 has submitted a Final Report concerning remediation of site soil contaminated with diesel fuel. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Watsontown Trucking Company, Delaware Township, **Northumberland County**. David A. Bogovich, President, Northridge Group, Inc., P.O. Box 231, North-

umberland, PA 17857, on behalf of Watsontown Trucking Company, 68 Belford Boulevard, Milton, PA 17847 has submitted a Final Report concerning remediation of site soil contaminated with diesel fuel. The report is intended to document remediation of the site to meet the Statewide Health Standard.

V & T Painting, LLC, White Deer Township, **Union County**. David A. Bogovich, President, Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857, on behalf of V & T Painting, LLC, 29585 Gramercy Ct, Farmington Hills, MI 48336 has submitted a Final Report concerning remediation of site soil contaminated with diesel fuel. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Southwest Region: Environmental Cleanup & Brownfield Development Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

2939 & 2959 Fitzsimmons Lane, Municipality of Murrysville, **Westmoreland County**. Bruce E. Dice & Associates, P.C., 787 Pine Valley Drive, Suite E, Pittsburgh, PA 15239 on behalf of Ronald D. Anderson, Jr., 5901 Bollinger Road, Export, PA 15632 has submitted a Final Report concerning site soils contaminated with # 2 home heating oil from a ruptured underground storage tank. Notice of the Final Report was published the *Tribune-Review* on May 23, 2016.

Former LTV Hazelwood Coke Plant—Areas A & B, 4650 Second Avenue, City of Pittsburgh, **Allegheny County**. KU Resources, 22 South Linden Street, Duquesne, PA 15110 on behalf of Almono, L.P., 225 Fifth Avenue, Pittsburgh, PA 15222 and RIDC/RIDC Growth Fund/Almono, 210 Sixth Avenue, Suite 3620, Pittsburgh, PA 15222, has submitted a Final Report concerning the remediation of site soils and groundwater contaminated with metals, volatile & semi-volatile organic compounds and polychlorinated biphenyls. The Final Report is intended to document remediation of the site to meet the Site Specific standard. Notice of the Final Report was published in the *Pittsburgh Post-Gazette* on July 25, 2016.

Almono Site (Eliza Furnace & Monongahela Connecting Railroad Parcels), Second Avenue, City of Pittsburgh, **Allegheny County**. KU Resources, 22 South Linden Street, Duquesne, PA 15110 on behalf of Almono, L.P., 225 Fifth Avenue, Pittsburgh, PA 15222 and RIDC/RIDC Growth Fund, 210 Sixth Avenue, Suite 3620, Pittsburgh, PA 15222, has submitted a Final Report concerning the remediation of site soils and groundwater contaminated with semi-volatile organic compounds and metals. The Final Report is intended to document remediation of the site to meet a combination of Statewide Health and Site Specific standards. Notice of the Final Report was published in the *Pittsburgh Post-Gazette* on July 27, 2016.

Norfolk Southern Railway Company—New Brighton Former Derailment Site, 1st Avenue and adjacent to 4th Street and 2nd Avenue, Borough of New Brighton, **Beaver County**. AECOM Technical Services, Inc., 681 Anderson Drive, Foster Plaza, Suite 400, Pittsburgh, PA 15220 on behalf of Norfolk Southern Railway Company, 1200 Peachtree St., NE- Box 13, Atlanta, GA 30309 has submitted a Final Report concerning the remediation of site soils and groundwater contaminated with methanol, benzene, toluene, ethylbenzene, and xylenes from train derailment. The Final Report is intended to document remediation of the site to meet the residential & non-residential Statewide Health standard. Notice of the Final Report was published in the *Beaver County Times* on February 29, 2016.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department regional office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.

Metropolitan Edison Company North Hanover Substation, Radio Road West of High Street, Hanover, PA 17332, Conewago Township, **Adams County**. Ramboll

Environmental, 4350 North Fairfax Drive, Suite 300, Arlington, VA 22203, on behalf of Miller Chemical & Fertilizer, LLC, 120 Radio Road, Hanover, PA 17332, and FirstEnergy Corporation, P.O. Box 16001, Reading, PA 19612, submitted a Final Report concerning remediation of site soils contaminated with inorganics as a result of fire-fighting activities. The Final Report did not demonstrate attainment of the Residential Statewide Health Standard, and was disapproved by the Department on August 1, 2016.

Plaza 2331, 2331 East Market Street, York, PA 17402, Springettsbury Township, **York County**. Independence Environmental Consulting, LLC, 1750 Kaylor Road, Hummelstown, PA 17036, on behalf of Barbara Elliott, 104 South Ogontz Street, York, PA 17403, submitted a Remedial Investigation and Final Report concerning remediation of site soils and groundwater contaminated with VOCs and chlorinated solvents. The Report was disapproved by the Department on August 3, 2016.

Tate Access Floors, Inc., 52 Springvale Road, Red Lion, PA 17356-0398, Windsor Township, **York County**. Amec Foster Wheeler, 800 North Bell Avenue, Carnegie, PA 15106, on behalf of USG Corporation, P.O. Box 6721, Chicago, IL 60680-6721, submitted a Remedial Investigation and Risk Assessment Report concerning remediation of site soil and groundwater contaminated with chlorinated solvents. The combined report was administratively incomplete and was disapproved by the Department on August 2, 2016.

Southwest Region: Environmental Cleanup & Brownfield Development Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Bay Valley Foods, 1800 River Avenue, City of Pittsburgh, **Allegheny County**. Groundwater & Environmental Services, Inc., 301 Commerce Park Drive, Cranberry Twp., PA 16066 on behalf of Bay Valley Foods, LLC, 2021 Spring Road, Suite 600, Oak Brook, IL 60526 submitted a Remedial Investigation Report/Final Report (RIR/FR) addendum concerning the remediation of site soils and groundwater contaminated with volatile & semi-volatile organic compounds and metals. The RIR/FR demonstrated attainment of the Site Specific standard for soil and groundwater and was approved by the Department on August 4, 2016.

HAZARDOUS WASTE TRANSPORTER LICENSE

Actions on applications for Hazardous Waste Transporter License received under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003) and regulations to transport hazardous waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, PO Box 69170, Harrisburg, PA 17106-9170.

Hazardous Waste Transporter License Issued

Med-Flex, Inc., PO Box 365, Hainesport, NJ 08036. License No. PA-AH 0847. Effective Aug 04, 2016.

Renewal Applications Received

Harold Marcus Limited, 15124 Longwoods Road, Bothwell, ON N0P 1C0. License No. PA-AH 0207. Effective Aug 03, 2016.

Maumee Express, Inc., PO Box 278, Langhorne, PA 19047. License No. PA-AH 0420. Effective Aug 03, 2016.

MUNICIPAL WASTE GENERAL PERMIT

Permit Issued under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Municipal Waste Regulations for a General Permit to Operate Municipal Waste Processing Facilities and the Beneficial Use of Municipal Waste.

Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17106-9170.

General Permit Number WMGM055SW005. Valley LFG, LLC, 680 Andersen Drive, 680 Anderson Drive, Foster Plaza 10, 5th Floor, Pittsburgh, PA 15220. For the processing and beneficial use of: (1) a substitute for high or medium Btu-LFG for natural gas or other fuel; (2) a substitute for natural gas or other fuel to be interconnected with another pipeline for consumer use; and (3) an alternative fuel for the electric generators to produce electricity. This permit was issued by Central Office on June 15, 2016.

Persons interested in reviewing a general permit should be directed to Scott E. Walters at 717-787-7381, Chief, Permits Section, Division of Municipal and Residual Waste, Bureau of Waste Management, P.O. Box 69170, Harrisburg, PA 17106-9170. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984.

General Permit Number WMGM055SW004. Monroeville LFG, LLC, 680 Anderson Drive, Foster Plaza 10, 5th Floor, Pittsburgh, PA 15220. For the processing and beneficial use of: (1) a substitute for high or medium Btu-LFG for natural gas or other fuel; (2) a substitute for natural gas or other fuel to be interconnected with another pipeline for consumer use; and (3) an alternative fuel for the electric generators to produce electricity. This permit was issued by Central Office on June 15, 2016.

Persons interested in reviewing a general permit should be directed to Scott E. Walters at 717-787-7381, Chief, Permits Section, Division of Municipal and Residual Waste, Bureau of Waste Management, P.O. Box 69170, Harrisburg, PA 17106-9170. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Applications deemed administratively complete under the Solid Waste Management Act, the Municipal Waste Planning, Recycling and Waste Reduction Act and Regulations to Operate Solid Waste Processing or Disposal area or Site.

Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200.

Application No. 101712, JG Environmental, LLC, 776 Flory Mill Road Lancaster, PA 17601. An application for permit was submitted for a new municipal waste processing facility located in Manheim Township, **Lancaster County**. The application was deemed administratively complete by the Southcentral Regional Office on July 26, 2016.

The Department will accept comments from the general public recommending revisions to, and approval or denial

of the application during the time that the Department is reviewing the permit application.

Comments concerning the application should be directed to Mr. John Oren, Permits Chief, Waste Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200. Persons interested in obtaining more information about this permit application may contact the Southcentral Regional Office at (717) 705-4706. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2531.

GP3-40-019: R.S. Services (119 Falls Road, Beech Creek, PA 16822) on July 28, 2016, for the construction and operation of a Portable Crushing Operation with watersprays at the Hunlock Sand and Gravel Site located in Hunlock Township, **Luzerne County**.

GP11-40-019: R.S. Services (119 Falls Road, Beech Creek, PA 16822) on July 28, 2016, for the installation and operation of Diesel I/C engines at the Hunlock Sand and Gravel Site located in Hunlock Township, **Luzerne County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Virendra Trivedi, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

GP3-28-03065: David H. Martin Excavating, Inc. (4961 Cumberland Highway, Chambersburg, PA 17202) on August 2, 2016, for the installation and operation of a portable stone crushing plant at the Shale Pit # 8 located in Hamilton Township, **Franklin County**.

GP11-28-03065: David H. Martin Excavating, Inc. (4961 Cumberland Highway, Chambersburg, PA 17202) on August 2, 2016, for the installation and operation of a non-road diesel engine at the Shale Pit # 8 located in Hamilton Township, **Franklin County**.

GP4-67-05114: BAE Systems Land & Armaments LP (1100 Bairs Road, York, PA 17408) on August 4, 2016, for the reactivation of a natural gas-fired burnoff oven, under GP4, at the military equipment manufacturing facility located in West Manchester Township, **York County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Tom Joseph, P.E., Engineering Manager—Telephone: 412-442-4336.

GP1-63-01001: ETC Northeast Pipeline, LLC (101 West Third Street, Williamsport, PA 17701) on August 3, 2016, for the construction and operation of three (3) 40.92 MMBtus/hr natural gas-fired heat medium oil heaters at the proposed Revolution Cryo Plant in Smith Township, **Washington County**.

GP5-63-01001: ETC Northeast Pipeline, LLC (101 West Third Street, Williamsport, PA 17701) on August 3, 2016, for the construction and operation of a proposed natural gas processing plant known as the Revolution Cryo Plant in Smith Township, **Washington County**. Sources include fractionation equipment, 200 MMscfd amine unit controlled by a thermal oxidizer, storage tanks, and fugitive emissions.

Plan Approvals Issued under the Air Pollution Control Act and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Virendra Trivedi, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

67-03018B: Penn-Mar, Inc. (500 Broadway, Hanover, PA 17331) on August 2, 2016, for the modification of the ductwork for the fabric filter which controls emissions from the molding and coring operations at the foundry in Hanover Borough, **York County**. Upon completion of the proposed modifications, the fabric filter will vent directly to atmosphere.

67-05083F: Calpine Mid-Merit, LLC (500 Delaware Avenue, Suite 600, Wilmington, DE 19801) on August 1, 2016, for the upgrade (Upgrade) of the York Energy Center Block 2 Electricity Generation Project's nominally rated power output capacity from 760 MWs to 830 MWs at its existing electric power generation facility located in Peach Bottom Township, **York County**. The additional 70 MWs of nominal electricity will be generated from the steam cycle portion of the Block 2 combined cycle (CC) power plant. The Upgrade consists of the following changes to the sources addressed in P.A. No. 67-05083D (issued on June 15, 2015): Increase each combustion turbines (CT) heat recovery steam generator's (HRSG) natural gas (NG)-fired duct burner's maximum rated heat input capacity from 688 mMBTUs/hr to 820 mMBTUs/hr, and the ability to fire each CT's HRSG's duct burner while the CT is firing ultra-low sulfur diesel (ULSD) fuel oil (duct burner firing during CT NG firing is authorized by P.A. No. 67-05083D).

The York Energy Center Block 2 Electricity Generation Project consists of the following:

1. Two NG/ULSD fuel oil-fired CC combustion turbines (Source IDs 205 and 206) controlled by a selective catalytic reduction (SCR) system (NO_x control) and an oxidation catalyst (CO and VOC control) in series. Dry low NO_x technology will also be employed during NG fuel firing. Water injection technology (NO_x control) will also be employed during ULSD fuel oil firing;
2. One NG-fired auxiliary boiler (Source ID 031);
3. One cooling tower (Source ID 501) controlled by a high efficiency mist eliminator (PM/PM₁₀/PM_{2.5} control);
4. NG piping components (Source ID 502);
5. Circuit breakers (Source ID 503); and
6. Five NG condensate storage tanks and one ULSD fuel oil storage tank (Source ID 504).

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648.

08-00010K: Global Tungsten & Powders Corporation (1 Hawes Street, Towanda, PA 18848) on August 2, 2016, to construct a Niro model DR-300 hard metal grade spray dryer equipped with a 1.3 MMBtu/hr, natural gas-fired burner and for the installation of a Henlex, Inc. model CHE-1000 cyclone and Nomex model DR-300 fabric collector, in series, at its facility in Towanda Borough and North Towanda Township, **Bradford County**. If the Department determines that the source is constructed and operated in compliance with the plan approval conditions and the specifications of the application for Plan Approval 08-00010K, the terms and conditions of the plan approval will subsequently be incorporated via administrative amendment into State Only (Synthetic Minor) Operating Permit 08-00010 in accordance with 25 Pa. Code § 127.450.

57-00006A: Dwight Lewis Lumber Company (P.O. Box A, Hillsgrove, PA 18619) on August 2, 2016, to construct a 6.04 MMBtu/hr Advanced Engineered Systems (AES) model AES-125-15-WF, underfeed stoker, biomass-fired boiler and for the installation of a Zurn MTSA-9CYT-6 multiple cyclone at their facility located in Hillsgrove Township, **Sullivan County**. If the Department determines that the sources are constructed and operated in compliance with the plan approval conditions and the specifications of the application for Plan Approval 57-00006A, the applicant will subsequently apply for a State Only Operating Permit in accordance with 25 Pa. Code Subchapter F.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: James A. Beach, New Source Review Chief—Telephone: 484-250-5920.

09-0024J: Waste Management of PA (1000 New Ford Mill Road) on August 4, 2016, to construct interim and permanent landfill gas collection and treatment systems for the sale and for the on-site use of landfill gas in an engine in Tullytown Borough, **Bucks County**.

23-0108D: Barry Callebaut USA LLC: (903 Industrial Hwy, Eddystone, PA 19022-1531) on August 4, 2016, for the temporary operation of a G.W. Barth Alkalizer ad Roaster # 2 in Eddystone Borough, **Delaware County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Virendra Trivedi, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

34-05001D: AC Products, Inc. (12393 William Penn Highway, Thompsontown, PA 17094) on August 2, 2016, for modification of the wood cabinet surface coating operation in Delaware Township, **Juniata County**. The plan approval was extended.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648.

08-00025A: Richards Funeral Home, Inc. (502 North Keystone Ave., South Waverly, PA 18840-2943) on August 5, 2016, to extend the authorization for the construction of a crematory unit the Northern Bradford Crematory facility located in South Waverly Borough, **Bradford County** to February 2, 2017. The plan approval has been extended.

41-00084A: Panda Patriot, LLC (50 Patriot Lane, Montgomery, PA 17752) on August 8, 2016, to extend the authorization for the construction of the natural gas-fired power plant at their Panda Patriot Generation Plant facility located in Clinton Township, **Lycoming County** to February 5, 2017. The plan approval has been extended.

41-00084B: Panda Patriot, LLC (50 Patriot Lane, Montgomery, PA 17752) on August 8, 2016, to extend the authorization for the construction of the natural gas-fired power plant at their Panda Patriot Generation Plant facility located in Clinton Township, **Lycoming County** to February 5, 2017. The plan approval has been extended.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507.

40-00066: Hazleton Casting Co., Hazleton Plant (PO Box 21, Weatherly, PA 18255) on August 3, 2016, the Department issued a renewal State-Only Natural Minor operating permit for the Steel Foundries manufacturing facility in Hazleton City, **Luzerne County**. The sources consist of shot blasting, grinding booth, sand silos, cut off saws, and sand mixer and reclaimers. The control devices consist of baghouses. The sources are considered minor emission sources of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), total suspended particulate (TSP) and VOC's. The permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Virendra Trivedi, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

29-03001: JLG Equipment Services, Inc. (1 JLG Drive, McConnellsburg, PA 17233-9502) on July 26, 2016, for the lift product and tow truck manufacturing and servicing facility located in Ayr Township, **Fulton County**. The State-Only Permit was renewed.

38-05027: Pennsy Supply, Inc. (1001 Paxton Street, PO Box 3331, Harrisburg, PA 17105-3331) on August 2,

2016, for the batch asphalt plant located in North Annville Township, **Lebanon County**. The State-Only Permit was renewed.

05-03005: Kennametal, Inc. (442 Chalybeate Road, Bedford, PA 15522-8637) on July 26, 2016, for the steel foundry located in Bedford Township, **Bedford County**. The State-Only Permit was renewed.

07-03049: HarbisonWalker Int'l, Inc. (2929 Quarry Road, Claysburg, PA 16625-9739) on July 20, 2016, for the refractory material manufacturing facility located in Greenfield Township, **Blair County**. The State-Only Permit was renewed.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648.

41-00087: Knight Confer Funeral Home, Inc. (1914 Memorial Avenue, Williamsport, PA 17701) on August 4, 2016, issued a State-Only Operating Permit for their facility located in Williamsport, **Lycoming County**. The State-Only Operating Permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Tom Joseph, P.E., Engineering Manager—Telephone: 412-442-4336.

OP-30-00203: Sharp Paving Inc. (P.O. Box 156, 7425 Route 422 Hwy, Shelocta, PA 15774-0156) State-Only Operating Permit renewal issuance date effective August 9, 2016, for their Shelocta Asphalt Paving plant located in Armstrong Township, **Indiana County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Matt Williams, Facilities Permitting Chief at Telephone: 814-332-6940.

33-00107: Beverage Air Corporation (119 Progress Street, Brookville, PA 15825) on August 3, 2016, the Department issued a renewal of the State-Only Operating Permit for the commercial refrigeration equipment manufacturing facility located in Brookville Boro, **Jefferson County**. The sources at the facility include dip coating metallic parts (Source 107), wipe down of sheet metal and metal parts with solvent (Source 101), powder coatings which are baked onto the part in a natural gas-fired curing oven (Source 102), miscellaneous gas usage (Source 031), an emergency natural gas fired generator (Source 103), and a parts washer for the maintenance department (Source 108). The facility is a natural minor. The emergency generator is subject to the requirements of 40 CFR 60 Subpart JJJJ—Standards of Performance for Stationary Spark Ignition Internal Combustion Engines. The renewal permit contains the requirements of Plan Approval 33-107A, emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

10-00288: Bear Metallurgical Manufacturing (679 East Butler Road, Butler, PA 16002-9127) on August 3, 2016, the Department issued the State-Only Operating Permit for the ferroalloy production facility located in Summit Township, **Butler County**. The sources at the facility include the ferroalloy product line controlled by a

baghouse, the ferroalloy co-product line controlled by a baghouse, a remote reservoir parts cleaner, and additional trivial sources. The facility is a natural minor. The potential particulate emissions from the facility after control are 1.02 TPY. The potential VOC emissions from the facility are 0.32 TPY. The renewal permit contains the requirements of Plan Approval 10-307-041A and 10-288A, emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

46-00224: Nationwide Mutual Insurance Company, (355 Maple Ave, Harleysville, PA 19438) on August 1, 2016, to incorporate a change of ownership from Harleysville Mutual Insurance Company to Nationwide Mutual Insurance Company for Lower Salford Township, **Montgomery County**.

46-00032: SPS Technologies LLC (301 Highland Ave, Jenkintown, PA 19046-2630) on August 1, 2016, to incorporate a change of responsible official from Bill Comeau (General Manager) to Blake Ray (VP & General Manager) located in Abington Township, **Montgomery County**.

23-00003: Monroe Energy, LLC (4101 Post Road, Trainer, PA 19061) on August 3, 2016, for the incorporation of Plan Approvals 23-0003S and 23-0003AA into the Title V Operating Permit for their facility located in Trainer Borough, **Delaware County**.

46-00035: GlaxoSmithKline, LLC (709 Swedeland Rd., King of Prussia, PA 19406) on August 5, 2016, for a minor modification the Title V Operating Permit to change the requirements for an engine from emergency use to non-emergency use for their facility located in Upper Merion Township, **Montgomery County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Dave Balog, New Source Review Chief—Telephone: 814-332-6940.

24-00127: National Fuel Gas Supply Lamont Station (6363 Main Street, Williamsville, NY 14221-5887) on August 2, 2016, issued an administrative amendment to the Title V Operating Permit for the facility located in Jones Township, **Elk County**. The amendment incorporates the change in responsible official.

62-00141: National Fuel Gas Supply Roystone Station (6363 Main Street, Williamsville, NY 14221-5887) on August 3, 2016, issued an administrative amendment to the Title V Operating Permit for the facility located in Sheffield Township, **Warren County**. The amendment incorporates the change in responsible official.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); The Clean Streams Law; the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.20a). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to applications will also address the application permitting requirements of the following statutes: the Air Quality Pollution Act (35 P.S. §§ 4001—4014); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1002).

Coal Permits Issued

California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.

30841312 and NPDES No. PA0013790. The Monongalia County Coal Company, (46226 National Road, Saint Clairsville, OH 43950). To transfer the permit for the Monongalia County Mine in Wayne, Jackson and Gilmore Townships, **Greene County** and related NPDES permit from Consolidation Coal Company, Blacksville Mine No. 2 to the Monongalia County Coal Company, Monongalia County Mine. No additional discharges. The application was considered administratively complete on January 8, 2016. Application received August 7, 2015. Permit issued July 29, 2016.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

17100108 and NPDES PA0257362. Waroquier Coal, Company (P.O. Box 128, Clearfield, PA 16830). Permit renewal for continued operation and restoration of a bituminous surface mine located in Beccaria Township, **Clearfield County** affecting 61.0 acres. Receiving stream(s): Dotts Run, Blue Run, and Unnamed Tributaries to Clearfield Creek classified for the following use(s): CWF. There are no potable water supply intakes within 10 miles downstream. Application received: December 21, 2015. Permit issued: July 22, 2016.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Permit No. 40663034C6. Pagnotti Enterprises, Inc., (46 Public Square, Suite 600, Wilkes-Barre, PA 18701), correction to update the operational plan of an existing anthracite surface mine and coal refuse reprocessing operation in Foster Township, **Luzerne County** affecting 347.3 acres, receiving stream: Oley Creek. Application received: December 5, 2014. Correction issued: August 2, 2016.

Permit No. 40663034R6 and NPDES Permit No. PA0225215. Pagnotti Enterprises, Inc., (46 Public Square, Suite 600, Wilkes-Barre, PA 18701), renewal of an existing anthracite surface mine, coal refuse reprocessing operation and NPDES permit for discharge of treated

mine drainage in Foster Township, **Luzerne County** affecting 347.3 acres, receiving stream: Oley Creek. Application received: February 29, 2016. Renewal issued: August 2, 2016.

Permit No. 54890102C8. White Pine Coal Co., Inc., (PO Box 59, Ashland, PA 17921), correction for a pit length variance to an existing anthracite surface mine, coal refuse reprocess, refuse disposal operation and include a GP12 in Reilly, Cass and Foster Townships, **Schuylkill County** affecting 729.78 acres, receiving streams: Muddy Branch and unnamed tributary to Swatara Creek. Application received: April 1, 2016. Correction issued: August 4, 2016.

Permit No. 54-305-036GP12. Michael Coal Company, (PO Box 8, Williamstown, PA 17098), general operating permit to operate a coal preparation plant on White Pine Coal Co., Inc.'s Surface Mining Permit No. 54890102 in Reilly, Cass and Foster Townships, **Schuylkill County**. Application received: April 1, 2016. Permit issued: August 4, 2016.

Permit No. 49871601R5. Calvin V. Lenig Coal Prep & Sales, Inc., (5860 SR 225, Shamokin, PA 17872), renewal of an existing anthracite coal preparation plant operation in Little Mahanoy Township, **Northumberland County** affecting 3.2 acres, receiving streams: Mahanoy Creek and unnamed tributary to Mahanoy Creek. Application received: April 25, 2016. Renewal issued: August 5, 2016.

Permit No. PAM111029R. Calvin V. Lenig Coal Prep & Sales, Inc., (5860 SR 225, Shamokin, PA 17872), renewal of General NPDES Stormwater Permit for stormwater discharges associated with mining activities on Surface Mining Permit No. 49871601 in Little Mahanoy Township, **Northumberland County**, receiving stream: Mahanoy Creek and unnamed tributary to Mahanoy Creek. Application received: April 25, 2016. Permit issued: August 5, 2016.

Permit No. 40150201. Newport Aggregate, Inc., (76 Main Road, Glen Lyon, PA 18617), commencement, operation and restoration of an anthracite coal refuse reprocessing operation in Conyngham and Newport Townships, **Luzerne County** affecting 78.0 acres, receiving stream: Susquehanna River. Application received: November 2, 2015. Permit issued: August 8, 2016.

Permit No. PAM115040. Newport Aggregate, Inc., (76 Main Road, Glen Lyon, PA 18617), General NPDES Stormwater Permit for stormwater discharges associated with mining activities on Surface Mining Permit No. 40150201 in Conyngham and Newport Townships, **Luzerne County**, receiving stream: Susquehanna River. Application received: November 2, 2015. Permit issued: August 8, 2016.

Noncoal Permits Issued

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900.

Permit No. 31000301 and NPDES Permit No. PA00599174, New Enterprise Stone & Lime Co., Inc., P.O. Box 77, New Enterprise, PA 16664, renewal of NPDES Permit, Cromwell Township, **Huntingdon County**. Receiving stream: Shade Creek, classified for the following use: trout stocked fishes. There are no potable water supply intakes within 10 miles downstream. NPDES renewal application received: February 17, 2016. Permit issued: August 2, 2016.

Permit No. 019303032 and NPDES Permit No. PA0223239, Specialty Granules, Inc., 1455 Old Waynesboro Road, Blue Ridge Summit, PA 17214, renewal of NPDES Permit, Hamiltonban Township, **Adams County**. Receiving streams: unnamed tributaries to Toms Creek, classified for the following use: high quality cold water fishes. There are no potable water supply intakes within 10 miles downstream. NPDES renewal application received: March 7, 2014. Permit issued: July 11, 2016.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

17082801. Leslie A. Munn (45 Horseshoe Drive, Penfield, PA 15849). Final bond release for a small industrial minerals surface mine, located in Huston Township, **Clearfield County**. Restoration of 2.0 acres completed. Receiving stream(s): Bennetts Branch. Application received: June 27, 2016. Final bond release approved: August 3, 2016.

New Stanton District Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.

03950301 and NPDES Permit No. PA0201359. Glacial Sand & Gravel Company (P.O. Box 1022, Kittanning, PA 16201). NPDES permit renewal issued for continued mining to an existing noncoal surface mine, located in East Franklin Township, **Armstrong County**, affecting 310 acres. Receiving streams: unnamed tributaries to the Allegheny River. Application received: November 23, 2015. Renewal permit issued: August 2, 2016.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Permit No. 58160806. World for Christ Crusade, Inc., (1005 Union Valley Road, West Milford, NJ 07480), Commencement, operation and restoration of a quarry operation in Dimock Township, **Susquehanna County** affecting 5.0 acres, receiving stream: no discharge to Stevens Creek Watershed and Burdick Creek Watershed. Application received: March 31, 2016. Permit issued: August 4, 2016.

Permit No. PAM116014. World for Christ Crusade, Inc., (1005 Union Valley Road, West Milford, NJ 07480), General NPDES Stormwater Permit for stormwater discharges associated with mining activities on Surface Mining Permit No. 58160806 in Dimock Township, **Susquehanna County**, receiving stream: no discharge to Stevens Creek Watershed and Burdick Creek Watershed. Application received: March 31, 2016. Permit issued: August 4, 2016.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Blasting Permits Issued

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

14164107. Wampum Hardware Company (2856 Stoystown Rd, Friedens, PA 15541). Blasting for residential development in Spring Township, **Centre County** with an expiration date of December 31, 2016. Permit issued: August 8, 2016.

New Stanton District Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.

30164101. Wampum Hardware Co. (636 Paden Road, New Galilee, PA 16141). Blasting activity permit for the construction of the Rough Hollow Pad, to conduct seismic activity located in Washington Township, **Greene County** with an exploration date of December 31, 2016. Blasting permit issued: August 3, 2016.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Permit No. 22160107. Maine Drilling & Blasting, Inc., (P.O. Box 1140, Gardiner, ME 04345), construction blasting for Stray Wind Farms in Lower Paxton Township, **Dauphin County** with an expiration date of July 21, 2017. Permit issued: August 2, 2016.

Permit No. 36164146. Douglas Explosives, Inc., (PO Box 77, Philipsburg, PA 16866), construction blasting for Manheim Sheet Gas Tankhole in Penn Township, **Lancaster County** with an expiration date of December 30, 2016. Permit issued: August 2, 2016.

Permit No. 36164147. Keystone Blasting Service, (15 Hopeland Road, Lititz, PA 17543), construction blasting for Daniel Stoltzfus manure pit in East Lampeter Township, **Lancaster County** with an expiration date of October 30, 2016. Permit issued: August 2, 2016.

Permit No. 36164148. Keystone Blasting Service, (15 Hopeland Road, Lititz, PA 17543), construction blasting for Nolt Services waste storage pit in Ephrata Township, **Lancaster County** with an expiration date of September 30, 2016. Permit issued: August 2, 2016.

Permit No. 36164149. Keystone Blasting Service, (15 Hopeland Road, Lititz, PA 17543), construction blasting for Tru Hotel in East Lampeter Township, **Lancaster County** with an expiration date of December 30, 2016. Permit issued: August 2, 2016.

Permit No. 38164112. Maine Drilling & Blasting, Inc., (P.O. Box 1140, Gardiner, ME 04345), construction blasting at 716 West Main Street in South Annville Township, **Lebanon County** with an expiration date of July 25, 2017. Permit issued: August 2, 2016.

Permit No. 38164113. Keystone Blasting Service, (15 Hopeland Road, Lititz, PA 17543), construction blasting for Curvin Newswenger barn in Millcreek Township, **Lebanon County** with an expiration date of August 30, 2016. Permit issued: August 2, 2016.

Permit No. 45164105. Explosive Services, Inc., (7 Pine Street, Bethany, PA 18431), construction blasting for Eagle Ridge in Smithfield Township, **Monroe County** with an expiration date of July 12, 2017. Permit issued: August 2, 2016.

Permit No. 67164109. Keystone Blasting Service, (15 Hopeland Road, Lititz, PA 17543), construction blasting for Log Cabin Mobile Home Park in Lower Windsor Township, **York County** with an expiration date of August 30, 2016. Permit issued: August 2, 2016.

Permit No. 09164108. Rock Work, Inc., (1257 DeKalb Pike, Blue Bell, PA 19422), construction blasting for 1325 Old Plains Road in Milford Township, **Bucks County** with an expiration date of September 30, 2016. Permit issued: August 5, 2016.

Permit No. 09164109. Rock Work, Inc., (1257 DeKalb Pike, Blue Bell, PA 19422), construction blasting for Pennland Farms in Bedminster Township, **Bucks**

County with an expiration date of December 31, 2016. Permit issued: August 5, 2016.

Permit No. 09164110. Rock Work, Inc., (1257 DeKalb Pike, Blue Bell, PA 19422), construction blasting for a development on Barclay Road in New Britain Township, **Bucks County** with an expiration date of August 30, 2017. Permit issued: August 5, 2016.

Permit No. 36164150. M & J Explosives, LLC, (P.O. Box 1248, Carlisle, PA 17013), construction blasting for Rutters Farm Store 70 in Strasburg Borough, **Lancaster County** with an expiration date of August 2, 2017. Permit issued: August 5, 2016.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.

Permits, Environmental Assessments and 401 Water Quality Certifications Issued:

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southeast Region: Waterway and Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401, Telephone 484-250-5900.

E15-867. The Cutler Group, Inc., 5 Apollo Road, Suite 1, Plymouth Meeting, PA 19462, East Pikeland Township, **Chester County**, ACOE Philadelphia District.

To construct and maintain two outfall structures within the 100-year floodway of an Unnamed Tributary to Sandy Run (HQ, TSF).

The site is located near the intersection of Snyder Avenue and Township Line Road (Phoenixville, PA, Latitude: 40.1493, Longitude: -75.5412).

The issuance of this permit also constitutes approval of a Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

EA46-022. PECO Energy Company, 2301 Market Street, S7-2, Philadelphia, PA 19103, Whitmarsh Township, **Montgomery County**, ACOE Philadelphia District.

To perform water obstruction and encroachment activities within and along approximately 31 linear feet of an unnamed tributary to Sandy Run (Ephemeral, TSF, MF) and within approximately 0.01 acre of an emergent/forested (PEM/PFO) wetland. The proposed activities include remediation involving the excavation of contaminated soils from both the stream and wetland.

The site is located between Pennsylvania Avenue and Station Avenue, Fort Washington, PA 19034 (Ambler, PA USGS Quadrangle, Latitude 40.135234 N"; Longitude -75.210037 W").

The issuance of this permit also constitutes approval of a Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ed Muzic, Section Chief, 717.705.4802.

E36-941: Borough of Marietta, 111 East Market Street, Marietta, PA 17547 in the Borough of Marietta, **Lancaster County**, U.S. Army Corps of Engineers Baltimore District.

To install and maintain a 95 foot long, 10 foot wide, wood and steel bridge, having an under clearance of 13.2 feet above Evans Run (WWF, MF) (Latitude: 40° 03' 16"; Longitude: -76° 33' 42") in the Borough of Marietta, Lancaster County. No wetlands will be impacted. The permit was issued on August 4, 2016.

Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570-327-3636.

E41-674. Transcontinental Gas Pipe Line Company, 99 Farber Road, Princeton, NJ 08540. Muncy Creek Stabilization in Wolf Township, **Lycoming County**, ACOE Baltimore District (Picture Rocks, PA Quadrangle Lat: 41° 16' 13.8"; Long: -76° 42' 56.6").

Transco has applied for a Small Projects-Joint Permit Application to construct, operate and maintain existing gas line along Muncy Creek in Wolf Township, Lycoming County. The project is proposing to conduct maintenance and stabilization activities on two exposed pipelines. The pipelines, Leidy Line "A" and "B," are two of four pipelines at this crossing, and have become exposed in the west side of the channel due to increase erosion of the stream bed and bank. Transco is proposing to install a rock arch weir as a grade control structure. In addition, the exposed pipes will be recoated and streambank protection will be added along the western bank.

The project proposes to have the following impacts:

ID	Stream Name	Chapter 93 Classification	Temporary Impact area Length (LF)	Permanent Impact area Length (LF)		Latitude/ Longitude
Rock Weir	Muncy Creek	TSF, MF	0	240	41° 16' 13.8"	76° 42' 56.6"

The total estimated permanent stream disturbance for the project is approximately 17,535 SF of permanent impacts.

The proposed crossings will not permanently impact cultural or archaeological resources, national/state/local parks, forests recreational areas, landmarks wildlife refuge, or historical sites. Muncy Creek is classified with a designated use of Trout Stocked Fishery (TSF).

E14-566. Moshannon Valley Joint Sewer Authority, 829 N 9th St, Philipsburg, PA 16866-2327. Headworks Project, in Rush Township, **Centre County**, ACOE Baltimore District (Philipsburg, PA Quadrangle N: 40.905528°; W: -78.221094°).

To construct and maintain: 1) a 1,100 square foot (30' 8" x 36' 2") headworks facility building on top of 77 cubic yards of clean earth fill, 2) 83 cubic yards of earthwork cut to create a grass covered depressed area downstream and adjacent to the building to offset the fill from the headwork facility, 3) and approximately 316 linear feet of sewer main placed underground in the right 100-year FEMA mapped flood plain of Moshannon Creek in order

to provide mechanical screening to incoming raw sewage This permit was issued under Section 105.13(e) "Small Projects."

E18-499. Lock Haven University, 112 Facilities Building, 95 West Fourth Street, Lock Haven, PA 17745. Lock Haven University's Foundation Field, in Woodward Township, **Clinton County**, ACOE Baltimore District (Lock Haven, PA Quadrangle N: 41° 08' 57.65"; W: -77° 27' 28.16").

To construct and maintain the following improvements: 1) an underground electrical service from the existing service at the baseball field scoreboard to the site of the new double sided scoreboard; 2) various at-grade concrete pads to provide a stable bases for: an elevated press box, portable shade shelters, a 2-sided score board, a portable press box and portable bleachers; 3) a 41.5 foot long by 12.0 foot wide press box elevated to an elevation of 576.14 feet on eight 6 inch by 6 inch galvanized cross-braced support framing along with a galvanized outside stair case and separated support framing; 4) an at-grade 2 acre gravel parking lot; 5) in-ground placement of four (4)

pipes, the tops of which will be 5 inches below grade. These pipes will be used to temporarily secure goal posts during the games. 6) Modification of previously proposed scoreboards and press box to permanent structures with bottom elevations above the critical elevations; 7) Underground electric and data cabling for press box and 4 foot high portable fence chain link fence (800 LF) located between SR 1001 (Farrandsville Rd) and the West Branch of the Susquehanna River and along both sides of Havenview Drive in the left floodplain of the West Branch of the Susquehanna River, which is a WWF (Warm Water Fishery). This permit was issued under Section 105.13(e) "Small Projects."

E14-568. Fisher Waterwheel, Daniel B. Fisher, 106 Toy Cow Lane, Aaronsburg, PA 16820. Fisher Water Wheel, in, ACOE Baltimore District (Millheim, PA Quadrangle N: 40.904984°; W: -77.403267).

To: construct and maintain: 1) a 30-inch wide by 30-inch long by 12-inch high wedge shaped screened water intake, a flow restrictor plate and one full depth clay trench plug located 15 feet downstream of the intake, 2) bury 1,000 linear feet of 12-inch diameter pipe in the right riparian area, to carry water down gradient to a, 3) 10-foot 5-inch diameter water wheel to pump air inside of a 14-foot wide by 14-foot wide by 13-foot deep enclosed concrete building, with 4) a 15-inch discharge pipe buried for 300 feet to a 5) rock outlet apron in the right floodway of an unnamed tributary of Pine Creek. The pumped air will be used instead of electricity to operate farm machinery. This project proposes to permanently impact 5 linear feet of an unnamed tributary of Pine Creek, which is classified as an Exceptional Value Fishery. This permit was issued under Section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

Southwest Region: Waterways and Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E04-349-A1, Center Township Water Authority, 224 Center Grange Road, Aliquippa, PA 15001, Center Township and Potter Township, **Beaver County**, Pittsburgh ACOE District.

Has been given consent to:

Amend Permit No. E04-349 (which authorized the construction and maintenance of: 1) a temporary dock, pumping facilities and three (3) intake structures within the Ohio River; 2) Two (2) permanent, water intake structures within the Ohio River; 3) a 28' diameter concrete caisson, access drive, parking area, and support facilities, within the floodplain of the Ohio River; 4) multiple utility line crossings of several tributaries to the Ohio River; 5) an outfall structure in the Ohio River; 6) an 18" CPP stormwater outfall structure in a UNT to Rag Run; and 7) the placement and maintenance of fill within the 100-year floodplain of the Ohio River), to:

1. Construct and maintain a 20' diameter, temporary river intake caisson, consisting of sheet piles, on the bank of the Ohio River (WWF, N), to house pumps; and
2. Construct and maintain a temporary, 24" diameter intake pipe, which will extend 110' into the Ohio River, and will have a passive screen with a slot size of 0.1-inch and an intake velocity of 0.5 fps, to withdraw approximately 2.5 million gallons per day (MGD).
3. Place rip-rap along left Ohio River bank.

These temporary structures will be constructed and maintained in place of the previously authorized temporary dock, pumping facilities and three (3) intake structures, in association with the construction of a new surface water treatment facility, to replace the Authority's existing groundwater wells and treatment plant, which serves as a community public water supply. The overall impacts from this project will remain the same, which will cumulatively impact approximately 558' of various watercourses, and is located in and along the Ohio River, approximately 3,420' upstream from where the Beaver Valley Expressway (I-376) crosses over the Ohio River (Beaver, PA USGS 7.5 minute Topographic Quadrangle; Latitude: 40° 40' 51"; Longitude: -80° 19' 7"; Sub-basin: 20G), in Potter Township, Beaver County. (The new treatment plant will be in Center Township, Beaver County).

Northwest Region: Waterways and Wetlands Program Manager, 230 Chestnut Street, Meadville, 16335.

E61-299, Tennessee Gas Company, LLC, 1001 Louisiana Street, Suite 1000, Houston, TX 77002. Excelon Handsome Lake Lateral Project, in Rockland Township, **Venango County**, ACOE Pittsburgh District.

To conduct the following activities associated with the construction of a 1.28 mile, 10 inch diameter natural gas pipeline and meter station from the existing Tennessee Gas Pipeline Line 300 (Kennerdell, PA Quadrangle N: 41°, 18', 17.9"; W: 79°, 47', 54.7") to the Handsome Lake Generating Station (Kennerdell, PA Quadrangle N: 41°, 17', 27.2"; W: 79°, 48', 18.5") in Rockland Township, Venango County:

1. to temporarily impact a total of 0.24 acre of 8 wetland areas for the ROW and installation of 5 pipeline wetland crossings.
2. to permanently convert 0.17 acre of EV PFO wetland to PEM and 0.11 acre of PSS wetland to PEM within the maintained ROW.
3. to temporarily impact 6.9 LF of stream for the installation of 4 pipeline stream crossings (3 of which are <100 acre drainage area) and ROW.

Mitigation for project impacts will occur by enhancing 0.9 acre of existing wetland through a combination of tree/shrub planting and invasive species control at a mitigation site operated by Resource Environmental Solutions (Cambridge Springs PA Quadrangle N: 41°, 50', 26"; W: 80°, 06', 23") in Venango Township, Crawford County.

District Oil and Gas Operations: Eastern Oil & Gas District, 208 West Third Street, Suite 101, Williamsport, PA.

E5929-053: SWEPI LP, 2100 Georgetown Drive, Suite 400, Sewickley, PA 15143, Charleston and Covington Townships, **Tioga County**, ACOE Baltimore District.

To construct, operate, and maintain:

- 1) A temporary road crossing using a wood mat bridge, a 12 inch diameter natural gas gathering line, and a 10 inch diameter waterline impacting 380 square feet of a palustrine emergent (PEM) wetland (Cherry Flats, PA Quadrangle 41°45'10"N, 77°11'34"W);
- 2) A temporary road crossing using a wood mat bridge, a 12 inch diameter natural gas gathering line, and a 10 inch diameter waterline impacting 3,617 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Cherry Flats, PA Quadrangle 41°44'57"N, 77°11'32"W);

3) A temporary road crossing using a 20 foot long, 12 inch diameter corrugated metal pipe, a 12 inch diameter natural gas gathering line, and a 10 inch diameter waterline impacting 61 linear feet of an unnamed tributary to Elk Run (CWF) (Crooked Creek, PA Quadrangle 41°44'09"N, 77°11'25"W);

4) A temporary road crossing using a 20 foot long, 18 inch diameter corrugated metal pipe, a 12 inch diameter natural gas gathering line, and a 10 inch diameter waterline impacting 62 linear feet of an unnamed tributary to Elk Run (CWF) and 877 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Cherry Flats, PA Quadrangle 41°44'03"N, 77°11'08"W);

5) A temporary road crossing using a 20 foot long, 18 inch diameter corrugated metal pipe, a 12 inch diameter natural gas gathering line, and a 10 inch diameter waterline impacting 73 linear feet of an unnamed tributary to Elk Run (CWF) (Cherry Flats, PA Quadrangle 41°43'57"N, 77°11'08"W);

6) A temporary road crossing using a wood mat bridge, a 12 inch diameter natural gas gathering line, and a 10 inch diameter waterline impacting 1,469 square feet of an exceptional value palustrine open water (EV-POW) wetland (Cherry Flats, PA Quadrangle 41°43'42"N, 77°11'03"W);

7) A temporary road crossing using 20 foot long, 42 inch diameter corrugated metal pipes, a 12 inch diameter natural gas gathering line, and a 10 inch diameter waterline impacting 101 linear feet of Elk Run (CWF) (Cherry Flats, PA Quadrangle 41°43'41"N, 77°11'02"W);

8) A temporary road crossing using a wood mat bridge, a 12 inch diameter natural gas gathering line, and a 10 inch diameter waterline impacting 1,481 square feet of a palustrine emergent (PEM) wetland (Cherry Flats, PA Quadrangle 41°43'10"N, 77°10'31"W);

9) A temporary road crossing using a wood mat bridge impacting 202 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Cherry Flats, PA Quadrangle 41°43'06"N, 77°10'34"W).

The project will result in 297 linear feet of temporary stream impacts and 8,026 square feet (0.18 acre) of temporary wetland impacts all for the purpose of install-

ing a natural gas gathering line and associated access roads in Charleston and Covington Township, Tioga County.

E5729-085: Appalachia Midstream Services, LLC, 400 IST Center, Suite 404, Horseheads, NY, 14845; Elkland Township, **Sullivan County**, USACE Baltimore District.

To construct, operate, and maintain:

(1) A temporary road crossing using timber mats and an 8 inch diameter gas line impacting 158 linear feet of an unnamed tributary to Mill Creek (EV) (Overton, PA Quadrangle 41°33'23"N, 76°35'36"W);

(2) A temporary road crossing using timber mats and an 8 inch diameter gas line impacting 6,786 square feet of an exceptional value palustrine forested (EV-PFO) wetland (Overton, PA Quadrangle 41°33'19"N, 76°35'27"W).

The project will result in 6,786 square feet (0.15 acre) of permanent wetland impacts and approximately 158 linear feet of temporary stream impacts for the purpose of installing a well line for Marcellus Shale gas development in Elkland Township, Sullivan County. The permittee will provide 0.32 acre of compensatory mitigation for forested wetland impacts at an offsite location (Overton, PA Quadrangle 41°33'44"N 76°34'31"W) in Elkland Township, Sullivan County.

Northwest Region: Oil and Gas Program Manager, 230 Chestnut Street, Meadville, PA 16335; 814-332-6860.

E24-08-009/E42-08-020, Seneca Resource Corporation, 51 Zents Boulevard Brookeville, PA 15825. D08-U natural gas production well site and associated access road in Jones/Sergeant Townships, **Elk/McKean Counties**, Army Corps of Engineers Pittsburgh District (Wildwood Fire Tower, PA Quadrangle N: 41.603358; W: -78.466618).

The applicant proposes to construct and maintain a natural gas production well pad, valve site, well connect, associated access road and temporary waterline. Water obstructions and encroachments are located only in McKean County. The water obstructions and encroachments are described below. Total permanent linear feet of impact to streams are 81 feet and total permeant impacts to wetlands are 529 square feet (0.01 acre). Temporary impacts to wetlands total 144 square feet (0.003 acre).

To construct and maintain:

<i>Impact No.</i>	<i>Description of Impact</i>	<i>Latitude / Longitude</i>
1	One (1) permanent single span bridge crossing for the well pad access road and a temporary waterline to impact 50 linear feet of stream and 233 square feet of permeant wetland impact.	41.603358 -78.466618
2	One (1) permanent single span bridge crossing for the well pad access road and a temporary waterline to impact 31 linear feet of stream and 296 square feet of permeant wetland impact.	41.602948 -78.466522
3	One (1) 96 square feet of temporary wetland impact for construction of access road.	41.6026 -78.4663
4	One (1) 48 square feet of temporary wetland impact for construction of access road.	41.3036 -78.4664

ENVIRONMENTAL ASSESSMENTS

Southcentral Region: Watershed Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, Ed Muzic, Section Chief, 717.705.4802.

EA22-021: U.S. Fish and Wildlife Service, 110 Radner Road, Suite 101, State College, PA 16801 in Lykens Township, **Dauphin County**, U.S. Army Corps of Engineers Baltimore District.

To construct and maintain a stream restoration project along 1,300 feet of Deep Creek (WWF, MF) including 1) two bankfull benches totaling 158 feet in length; 2) 18 log vanes; and 3) the relocation of 264 feet of stream channel. The project is located at the intersection of SR 225 and Luxemburg Road (Pillow, PA Quadrangle, Latitude 40° 37' 47.1" N, Longitude: 76° 47' 29.2" W) in Lykens Township, Dauphin County. No wetlands will be impacted by this project. The approval for this project was issued August 4, 2016.

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Northcentral Region: Waterways & Wetlands Program Manager, 208 W Third Street, Williamsport, PA 17701.

ESCP 2 # ESG00033160001
Applicant Name Dominion Transmission, Inc.
Contact Person
Address 925 White Oaks Blvd
City, State, Zip Bridgeport, WV 26330
County Jefferson
Township(s) Young Township
Receiving Stream(s) and Classification(s) Painter Run/
CWF

ESCP 2 # ESG00033160001
Applicant Name Dominion Transmission, Inc.
Contact Person
Address 925 White Oaks Blvd
City, State, Zip Bridgeport, WV 26330
County Elk

Township(s) Banezette Township
Receiving Stream(s) and Classification(s) Jack Dent
Branch/HQ, CWF

ESCP 2 # ESG00033160001
Applicant Name Dominion Transmission, Inc.
Contact Person
Address 925 White Oaks Blvd
City, State, Zip Bridgeport, WV 26330
County Clearfield
Township(s) Brady, Union, Huston, Lawrence and Goshen
Twps
Receiving Stream(s) and Classification(s) Dressler Run/
HQ, CWF Coal Run/CWF Medix Run/HQ, CWF
Luthersburg Branch/CWF Limestone Run/CWF
Sugarcamp Run/CWF Little Laurel Run/HQ
Little Medix Run/HQ, CWF Laborde Branch/CWF

Eastern Region: Oil & Gas Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

ESCGP-2 # ESX29-115-16-0014
Applicant Name Williams Field Services Co LLC
Contact Person Matt Anderson
Address 310 SR 92 N
City, State, Zip Tunkhannock, PA 18657
County Susquehanna
Township(s) Brooklyn
Receiving Stream(s) and Classification(s) UNT to Horton
Ck (CWF-MF)

[Pa.B. Doc. No. 16-1434. Filed for public inspection August 19, 2016, 9:00 a.m.]

Availability of Technical Guidance

Technical guidance documents are available on the Department of Environmental Protection's (Department) web site at <http://www.elibrary.dep.state.pa.us/dsweb/HomePage>. The "Technical Guidance Final Documents" heading is the link to a menu of the various Department bureaus where each bureau's final technical guidance documents are posted. The "Technical Guidance Draft Documents" heading is the link to the Department's draft technical guidance documents.

Ordering Paper Copies of Department Technical Guidance

The Department encourages the use of the Internet to view and download technical guidance documents. When this option is not available, persons can order a paper copy of any of the Department's draft or final technical guidance documents by contacting the Department at (717) 787-8727.

In addition, bound copies of some of the Department's documents are available as Department publications. Check with the appropriate bureau for more information about the availability of a particular document as a publication.

Changes to Technical Guidance Documents

Following is the current list of recent changes. Persons who have questions or comments about a particular document should call the contact person whose name and phone number is listed with each document.

Final Technical Guidance Document: New Guidance

DEP ID: 563-2112-001. Title: Beneficial Use of General Permit (GP) Materials at Active Coal Mines. Description: This guidance explains how the Bureau of Mining Programs implements the beneficial use of materials

authorized by a Bureau of Waste Management General Permit for a site covered under a coal mining permit. It clarifies the procedure for obtaining approval from the Department to use these materials for coal mine reclamation and the guidelines for making the approval determination. The guidance was published as draft at 46 Pa.B. 3030 (June 11, 2016). No comments were received. No changes were made to the draft document.

Contact: Questions regarding this technical guidance document should be directed to Sharon Hill at (717) 787-6842 or shill@pa.gov.

Effective Date: Saturday, August 20, 2016.

Final Technical Guidance Document: Substantive Revision

DEP ID: 394-2125-002. *Title:* 4-Log Treatment of Viruses Demonstration Guidance. *Description:* The subject guidance document was developed to help all community water systems and some noncommunity water systems to comply with the Pennsylvania Groundwater Rule that was promulgated on December 26, 2009. The draft document has helped water systems in submitting uniform information for analysis of 4-Log demonstration under the Pennsylvania Groundwater Rule. The compliance dates for community water systems varied by the size of the system and has passed. The document is now used primarily by noncommunity systems on an as needed basis. The revisions include: (1) changes to the titles and form numbers for some of the forms; (2) minor changes to address comment from International Ultraviolet Association (IUA); (3) minor changes to incorporate responses to the comments included in the comment and response document; (4) reference to e-library link for various forms instead of inclusion of those in the guidance document; and (5) inclusion of IUA's comment and response in the comment and response document.

This guidance was published as draft at 41 Pa.B. 307 (January 8, 2011) for a 30-day comment period. Comments were received from IUA and incorporated within the comment and response document. This technical guidance document has been renumbered from 385-2125-001 to reflect a Departmental reorganization.

Contact: Questions regarding this technical guidance document should be directed to David Mittner at (717) 787-9633 or dmittner@pa.gov.

Effective Date: Saturday, August 20, 2016.

PATRICK McDONNELL,
Acting Secretary

[Pa.B. Doc. No. 16-1435. Filed for public inspection August 19, 2016, 9:00 a.m.]

Bid Opportunity

OSM 04(6279)101.1, Abandoned Mine Reclamation Project, Miskita Lake Far SW, South Beaver Township, Beaver County. The principal items of work and approximate quantities include subsurface drains with cleanouts 800 linear feet, grading 502,000 cubic yards,

wetland seed mix 19.5 pounds, channel excavation 1,925 cubic yards, rock lining 1,487 square yards, seeding 43.2 acres and tree planting 3,540 trees.

This bid issues on September 2, 2016, and bids will be opened on September 29, 2016, at 2 p.m. Bid documents, including drawings in PDF format and Auto-Cad Map 3D format, may be downloaded for free beginning on the issue date from the Department of Environmental Protection at www.dep.pa.gov/ConstructionContracts. Bid documents and drawings can also be obtained upon payment of \$22, plus \$8 for postage, which includes sales tax, by calling (717) 787-7820. Auto-Cad Map 3D format drawings can also be purchased on a compact disc (CD) for an additional \$5 per CD. Money will not be refunded. This project is financed by the Federal government under the authority given it by the Surface Mining Control and Reclamation Act of 1977 (act) (30 U.S.C.A. §§ 1201—1328) and is subject to the act and to the Federal grant for this project. Contact the Construction Contracts Section at (717) 787-7820 for more information on this bid.

PATRICK McDONNELL,
Acting Secretary

[Pa.B. Doc. No. 16-1436. Filed for public inspection August 19, 2016, 9:00 a.m.]

Climate Change Action Plan Update

The Department of Environmental Protection (Department) announces that the 2015 Climate Change Action Plan Update (Plan) is now available. The Plan can be accessed through the Public Participation Center on the Department's web site at <http://www.dep.pa.gov/Business/Air/BAQ/ClimateChange/Pages/default.aspx>.

The Pennsylvania Climate Change Act (71 P.S. §§ 1361.1—1361.8) mandates the preparation of an update to the Plan every 3 years. The first update to the Plan was issued in December 2013. With advice from the Climate Change Advisory Committee, the Department has prepared this updated Plan. The updated Plan discusses the reductions in greenhouse gases that have been achieved, provides work plans for additional emission reductions and makes recommendations for legislative action.

Questions regarding the Plan should be directed to Mark Brojakowski at mbrojakows@pa.gov or (717) 772-3429.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact the Department at (717) 772-3429 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

PATRICK McDONNELL,
Acting Secretary

[Pa.B. Doc. No. 16-1437. Filed for public inspection August 19, 2016, 9:00 a.m.]

Proposed Designation Recommendations for the 2015 Ozone Standards; Public Meetings

Ground-level ozone concentrations above the Federal health-based standard are a serious threat to human health. Ozone also causes damage to crops, forests and wildlife. On October 1, 2015, the United States Environmental Protection Agency (EPA) promulgated revised primary and secondary National Ambient Air Quality Standards (NAAQS) for ozone, which were published at 80 FR 65292 (October 26, 2015). The revised primary ozone NAAQS of 70 parts per billion (ppb) will provide increased protection of public health when compared to the 2008 primary NAAQS of 75 ppb. The revised secondary 8-hour ozone NAAQS of 70 ppb is also expected to provide increased protection of forests, crop yield, plants and wildlife when compared to the 2008 secondary 8-hour NAAQS of 75 ppb.

In accordance with section 107(d)(1) of the Clean Air Act (CAA) (42 U.S.C.A. § 7407(d)(1)), the governor of each state must now submit designation recommendations to the EPA by October 1, 2016, within 1 year of the promulgation of a new or revised NAAQS for any pollutant under section 109 of the CAA (42 U.S.C.A. § 7409). The Commonwealth's designation recommendations for the 2015 8-hour ozone NAAQS are based on air quality monitoring data for 2013–2015, demographic information and other criteria, as recommended by the EPA in its February 25, 2016, memorandum pertaining to "Area Designations for the 2015 Revised Ozone National Ambient Air Quality Standards." The EPA expects to make final designations by October 1, 2017.

The Department of Environmental Protection (Department) is seeking public input on the proposed designation recommendations for the 2015 ozone NAAQS. Based on air quality, demographic information and political boundary factors, the Department is proposing to recommend that:

- Allegheny, Armstrong, Beaver, Butler, Washington, Fayette and Westmoreland Counties be designated as a multicounty nonattainment area.
- Indiana County be designated as a single county nonattainment area.
- Lebanon County be designated as a single county nonattainment area.
- Bucks, Chester, Delaware, Montgomery and Philadelphia Counties be designated as a multicounty interstate nonattainment area.

The Department is proposing to recommend that the remainder of this Commonwealth be designated as unclassifiable/attainment as described in the EPA guidance.

This proposal is available on the Department's web site at <http://www.dep.pa.gov/> or through the following list of contact persons. The Department will hold public informational meetings as follows:

August 24, 2016 11 a.m. Juniata River Room 909 Elmerton Avenue Harrisburg, PA	August 25, 2016 11 a.m. Waterfront A 500 Waterfront Drive Pittsburgh, PA	August 26, 2016 11 a.m. Delaware River Room 2 East Main Street Norristown, PA
---	--	---

For more information on the public meetings, contact Roma Monteiro at (717) 787-9702 or rmonteiro@pa.gov. Persons with disabilities who wish to attend a meeting and require an auxiliary aid, service or other accommodation to participate in the proceeding should also contact Roma Monteiro. TDD users may contact the Pennsylvania AT&T Relay Service at (800) 654-5984 to discuss how the Department can best accommodate their needs.

The Department must receive all comments on or by Friday, September 2, 2016. Electronic comments should be submitted using the Department's eComment site at www.ahs.dep.pa.gov/eComment. Written comments can be submitted by e-mail to ecomment@pa.gov or by mail to the Policy Office, Department of Environmental Protection, Rachel Carson State Office Building, P.O. Box 2063, Harrisburg, PA 17105-2063.

PATRICK McDONNELL,
Acting Secretary

[Pa.B. Doc. No. 16-1438. Filed for public inspection August 19, 2016, 9:00 a.m.]

Sewage Advisory Committee Meeting Cancellation

The September 14, 2016, meeting of the Sewage Advisory Committee (Committee) has been cancelled. The next meeting will be scheduled at a date to be determined.

Questions concerning the next scheduled meeting of the Committee can be directed to Nicholas Hong at (717) 705-0485 or nhong@pa.gov. The agenda and meeting materials for the next meeting will be available through the Public Participation tab on the Department of Environmental Protection's (Department) web site at <http://www.dep.pa.gov> (select "Public Participation," then "Advisory Committees," then "Water Advisory Committees," then "Sewage Advisory Committee").

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact the Department at (717) 787-0485 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

PATRICK McDONNELL,
Acting Secretary

[Pa.B. Doc. No. 16-1439. Filed for public inspection August 19, 2016, 9:00 a.m.]

Small Water Systems Technical Assistance Center Board Rescheduled Meeting and Additional Meeting

The August 30, 2016, meeting of the Small Water Systems Technical Assistance Center Board has been rescheduled for Monday, September 12, 2016, at 9 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17105-8467. An additional meeting is also scheduled on Monday, November 14, 2016, at 9 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA.

Questions concerning the rescheduling of the August 30, 2016, meeting or the November 14, 2016, meeting should be directed to Dawn Hissner, Bureau of Safe Drinking Water at dhissner@pa.gov or (717) 772-2189. The agenda and meeting materials will be available through the Public Participation tab on the Department of Environmental Protection's (Department) web site at <http://www.dep.pa.gov> (select "Public Participation," then "Advisory Committees," then "Water Advisory Committees," then "Small Water Systems Technical Assistance Center").

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Dawn Hissner at (717) 772-2189, or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

PATRICK McDONNELL,
Acting Secretary

[Pa.B. Doc. No. 16-1440. Filed for public inspection August 19, 2016, 9:00 a.m.]

Storage Tank Advisory Committee Meeting Cancellation

The September 6, 2016, meeting of the Storage Tank Advisory Committee (Committee) is cancelled. The next meeting is scheduled for December 6, 2016, at 10 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg PA 17105.

Questions concerning the next scheduled Committee meeting can be directed to Charles M. Swokel at (717) 772-5806 or cswokel@pa.gov. The agenda and meeting materials for the December 6, 2016, meeting will be available on the Committee's webpage at <http://www.dep.pa.gov> (select "Public Participation," then "Advisory Committees," then "Cleanup and Brownfields Advisory Committees," then "Storage Tank Advisory Committee").

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact the Department of Environmental Protection (Department) at (717) 772-5806 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

PATRICK McDONNELL,
Acting Secretary

[Pa.B. Doc. No. 16-1441. Filed for public inspection August 19, 2016, 9:00 a.m.]

DEPARTMENT OF GENERAL SERVICES

Lease Office Space to the Commonwealth Luzerne County

Proposers are invited to submit proposals to the Department of General Services to provide the Department of Health with 6,881 usable square feet of office space in Luzerne County. Downtown locations will be considered. For more information on SFP No. 94829, which is due on September 29, 2016, visit www.dgs.pa.gov or contact Erica Dreher, Bureau of Real Estate, (717) 317-5315, edreher@pa.gov.

CURTIS M. TOPPER,
Secretary

[Pa.B. Doc. No. 16-1442. Filed for public inspection August 19, 2016, 9:00 a.m.]

Real Estate for Sale Lawrence County

The Department of General Services (Department) will accept bids for the purchase of the former New Castle Youth Development Center, consisting of 143.34 ± acres of land and 13 buildings totaling 236,444 ± square feet, located at 1745 Frew Mill Road, New Castle, Shenango Township, Lawrence County. Bids are due Tuesday, October 4, 2016. Interested parties wishing to receive a copy of Solicitation No. 94830 should view the Department's web site at www.dgs.pa.gov or call Andrew Lick at (717) 772-8842.

CURTIS M. TOPPER,
Secretary

[Pa.B. Doc. No. 16-1443. Filed for public inspection August 19, 2016, 9:00 a.m.]

Torrance State Hospital; Heating System Study

A study to determine if the Department of Human Services' buildings located at Torrance State Hospital, Torrance should be exempted from the requirements of section 2420 of The Administrative Code of 1929 (71 P.S. § 650) will be performed within the next 90 days. The result from this study may result in the conversion of the Department of Human Services' coal-fired heating system to a fuel other than coal.

For additional information, contact Gary R. Taylor, Director, Bureau of Pre-Construction, Department of General Services, 1800 Herr Street, 2nd Floor, Arsenal Building, Harrisburg, PA 17103, (717) 787-6200, gtaylor@pa.gov.

CURTIS M. TOPPER,
Secretary

[Pa.B. Doc. No. 16-1444. Filed for public inspection August 19, 2016, 9:00 a.m.]

DEPARTMENT OF HEALTH

Ambulatory Surgical Facilities; Requests for Exceptions

The following ambulatory surgical facilities (ASF) have filed requests for exceptions under 28 Pa. Code § 51.33 (relating to requests for exceptions) with the Department of Health (Department), which has authority to license ASFs under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b). The following requests for exception relate to regulations governing ASF licensure in 28 Pa. Code Chapters 51 and 551—571 (relating to general information; and ambulatory surgical facilities), with the exception of 28 Pa. Code § 571.1 (relating to minimum standards). Exception requests related to 28 Pa. Code § 571.1 are listed separately in this notice.

<i>Facility Name</i>	<i>Regulation</i>
Crozer-Keystone Surgery Center at Brinton Lake	28 Pa. Code § 551.21 (relating to criteria for ambulatory surgery)
Crozer-Keystone Surgery Center at Haverford	28 Pa. Code § 551.21 (CPT Codes 47560, 47561, 49320, 49321, 49322, 58672 and 58660)
Tri-State Surgery Center, LLC	28 Pa. Code § 551.21(d) (CPT Code 47562)
Crozer Endoscopy Center	28 Pa. Code § 551.3 (relating to definitions), specifically the definition of "classification levels"
Temple University School of Podiatric Medicine ASC	28 Pa. Code § 553.31(a) (relating to administrative responsibilities)
Delaware Valley Laser Surgery Institute	28 Pa. Code § 553.31(a)
Crozer Endoscopy Center	28 Pa. Code § 555.3 (relating to requirements for membership and privileges)
Crozer-Keystone Surgery Center at Haverford	28 Pa. Code § 555.3
Crozer Endoscopy Center	28 Pa. Code § 567.2 (relating to committee responsibilities)
Crozer-Keystone Surgery Center at Brinton Lake	28 Pa. Code § 567.2
Crozer-Keystone Surgery Center at Haverford	28 Pa. Code § 567.2
Crozer Endoscopy Center	28 Pa. Code § 567.3 (relating to policies and procedures)
Crozer-Keystone Surgery Center at Brinton Lake	28 Pa. Code § 567.3
Crozer-Keystone Surgery Center at Haverford	28 Pa. Code § 567.3

The following ASFs are requesting exceptions under 28 Pa. Code § 571.1. Requests for exceptions under this section relate to minimum standards that ASFs must comply with under the *Guidelines for Design and Construction of Hospitals and Outpatient Facilities (Guidelines)*. The following includes the citation to the section under the *Guidelines* that the ASF is seeking an exception, as well as the publication year of the applicable *Guidelines*.

<i>Facility Name</i>	<i>Guidelines Section</i>	<i>Relating to</i>	<i>Publication Year</i>
Cosmedica King of Prussia	3.1-6.2.4.2	Public toilets	2014
	3.7-3.3.4	Image viewers	2014
	3.7-3.3.5	Medical gas requirements (Table 3.1-3, 3.7-3.3 outpatient operating room)	2014

All requests previously listed are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov. Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously. Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

KAREN M. MURPHY, PhD, RN,
Secretary

[Pa.B. Doc. No. 16-1445. Filed for public inspection August 19, 2016, 9:00 a.m.]

Hospitals; Requests for Exceptions

The following hospitals have filed requests for exceptions under 28 Pa. Code § 51.33 (relating to requests for exceptions) with the Department of Health (Department), which has authority to license hospitals under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b). The following requests for exceptions relate to regulations governing hospital licensure in 28 Pa. Code Chapters 51 and 101—158 (relating to general information; and general and special hospitals), with the exception of 28 Pa. Code § 153.1 (relating to minimum standards). Exception requests related to 28 Pa. Code § 153.1 are listed separately in this notice.

<i>Facility Name</i>	<i>Regulation</i>
St. Luke's Hospital—Monroe Campus	28 Pa. Code § 107.2 (relating to medical staff membership)
Geisinger Medical Center	28 Pa. Code § 107.26(b)(3) (relating to additional committees)
Geisinger Wyoming Valley Medical Center	28 Pa. Code § 107.26(b)(3)
Geisinger—Lewistown Hospital	28 Pa. Code § 107.26(b)(3)
St. Luke's Hospital—Monroe Campus	28 Pa. Code § 107.32 (relating to meetings and attendance)
Endless Mountains Health System	28 Pa. Code § 107.61 (relating to written orders)
Geisinger—Bloomsburg Hospital	28 Pa. Code § 107.61
Pinnacle Health Hospital	28 Pa. Code § 107.61
St. Luke's Hospital—Monroe Campus	28 Pa. Code § 107.61
	28 Pa. Code § 131.22 (relating to treatment orders)

The following hospitals are requesting exceptions under 28 Pa. Code § 153.1. Requests for exceptions under this section relate to minimum standards that hospitals must comply with under the *Guidelines for Design and Construction of Hospitals and Outpatient Facilities (Guidelines)*. The following list includes the citation to the section under the *Guidelines* that the hospital is seeking an exception, as well as the publication year of the applicable *Guidelines*.

<i>Facility Name</i>	<i>Guidelines Section</i>	<i>Relating to</i>	<i>Publication Year</i>
Pinnacle Health Hospitals	2.1-8.5.3.2	Size (TDRs)	2014
UPMC Jameson	2.1-8.5.3.2	Size (TDRs)	2014
Thomas Jefferson University Hospital	2.2-2.10.6.14	Lactation and support spaces	2014
	2.2-2.12.6.14(1)	Lactation and support spaces	2014
Mercy Fitzgerald Hospital	2.2-3.3.4.4(1)(b)(ii)	Phase II recovery room(s)	2014
UPMC Presbyterian Shadyside	2.5-2.2.2.6(2)	Patient toilet rooms	2014
St. Luke's Hospital Bethlehem	3.1-3.6.10	Soiled holding rooms	2014

All requests previously listed are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov. Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously. Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

KAREN M. MURPHY, PhD, RN,
Secretary

[Pa.B. Doc. No. 16-1446. Filed for public inspection August 19, 2016, 9:00 a.m.]

Long-Term Care Nursing Facilities; Requests for Exception

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 201.22(e) (relating to prevention, control and surveillance of tuberculosis (TB)):

The Green Home, Inc.
37 Central Avenue
Wellsboro, PA 16901
FAC ID # 072202

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.28(b) (relating to nurses' station):

Messiah Lifeways at Messiah Village
100 Mount Allen Drive
Mechanicsburg, PA 17055
FAC ID # 910802

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.33(a) (relating to utility room):

Messiah Lifeways at Messiah Village
100 Mount Allen Drive
Mechanicsburg, PA 17055
FAC ID # 910802

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.67(j) (relating to electric requirements for existing and new construction):

Greenleaf Nursing and Convalescent Center
400 South Main Street
Doylestown, PA 18901
FAC ID # 070102

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 211.9(g) (relating to pharmacy services):

Washington County Health Center
36 Old Hickory Ridge Road
Washington, PA 15301
FAC ID # 751102

These requests are on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the address or phone number listed previously, or for speech and/or hearing impaired persons V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

KAREN M. MURPHY, PhD, RN,
Secretary

[Pa.B. Doc. No. 16-1447. Filed for public inspection August 19, 2016, 9:00 a.m.]

Long-Term Care Nursing Facilities; Requests for Exception; Correction

An error occurred in the notice published at 46 Pa.B. 3882 (July 16, 2016). The request for Falling Spring Nursing and Rehabilitation Center was listed incorrectly as a request under 28 Pa. Code § 211.9(g) (relating to pharmacy services). The following notice corrects the version published at 46 Pa.B. 3882 for this facility.

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 201.3 (relating to definitions):

Falling Spring Nursing and Rehabilitation Center
201 Franklin Farm Lane
Chambersburg, PA 17202
FAC ID # 061302

This request is on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the address or phone number listed previously, or for speech and/or hearing impaired persons V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

KAREN M. MURPHY, PhD, RN,
Secretary

[Pa.B. Doc. No. 16-1448. Filed for public inspection August 19, 2016, 9:00 a.m.]

**FISH AND BOAT
COMMISSION****Mentored Youth Fishing Day Program; Panfish**

Acting under the authority of 58 Pa. Code § 65.20 (relating to Mentored Youth Fishing Day Program), the Executive Director has designated September 5, 2016, as a Mentored Youth Fishing Day for panfish in "Panfish Enhancement Lakes" previously designated under 58 Pa. Code § 65.11 (relating to panfish enhancement). This designation under 58 Pa. Code § 65.20 will be effective upon publication of this notice in the *Pennsylvania Bulletin*.

To participate, anglers 16 years of age or older (adult anglers) must possess a valid Pennsylvania fishing license and be accompanied by a youth (less than 16 years of age) who has obtained a mentored youth permit or a voluntary

youth license from the Fish and Boat Commission (Commission). Youth anglers must obtain a 2016 mentored youth permit or a voluntary youth license from the Commission and be accompanied by an adult angler to participate.

There are 19 lakes that are currently managed under panfish enhancement special regulations, with some lakes normally having a minimum size of 7 inches for sunfish, some lakes having a minimum size of 9 inches for crappie and some lakes having a minimum size of 9 inches for yellow perch or a combination of two or three of these fish species with minimum size restrictions on these lakes. On September 5, 2016, there will be no minimum size for panfish, but the daily limits will remain in effect. Other Commonwealth inland regulations will apply. It is unlawful to fish in waters designated as part of the Mentored Youth Fishing Day Program (Program) except in compliance with the requirements of 58 Pa. Code § 65.20 when participating in the Program.

On September 5, 2016, the identified waters will be open to all anglers but only program participants (youth and their mentors) may possess panfish of less than the normal minimum size limits. The "Panfish Enhancement Lakes" included in the Mentored Youth Fishing Day on September 5, 2016, are:

<i>County</i>	<i>Water</i>
Berks	Blue Marsh Reservoir
Cambria	Beaverdam Run Reservoir
Cambria	Hinkston Run Reservoir
Cambria	Wilmore Dam
Centre	Foster Joseph Sayers Lake
Chester	Chambers Lake
Montour	Lake Chillisquaque
Monroe	Bradys Lake
Monroe	Gouldsboro Lake
Pike	Lower Lake (Lower Promised Land Lake)
Pike	Promised Land Lake (Upper Promised Land Lake)
Somerset	Quemahoning Reservoir
Washington	Cross Creek Lake
Washington	Peters Township (Reservoir # 2)
Westmoreland	Bridgeport Reservoir
Westmoreland	Indian Lake
Westmoreland	Lower Twin Lake
Westmoreland	Northmoreland Lake
Westmoreland	Upper Twin Lake

JOHN A. ARWAY,
Executive Director

[Pa.B. Doc. No. 16-1449. Filed for public inspection August 19, 2016, 9:00 a.m.]

Proposed Special Regulation Designations and Redesignations

The Fish and Boat Commission (Commission) has approved guidelines with regard to encouraging public participation on possible changes to the designation of streams, stream sections or lakes for special regulation programs. Under 58 Pa. Code Chapter 65 (relating to special fishing regulations), the Commission designates or redesignates certain streams, stream sections and lakes as being subject to special fishing regulations. These designations and redesignations are effective after Com-

mission approval when they are posted at the site and a notice is published in the *Pennsylvania Bulletin*. Under the Commission's guidelines, a notice concerning the proposed designation or redesignation of a stream, stream section or lake under special regulations ordinarily will be published in the *Pennsylvania Bulletin* before the matter is reviewed by the Commissioners.

At the next Commission meeting on September 26 and 27, 2016, the Commission will consider taking the following actions with respect to waters subject to special fishing regulations under 58 Pa. Code Chapter 65, effective on the dates indicated as follows:

58 Pa. Code § 65.11. Panfish enhancement

The Commission will consider designating the following water as panfish enhancement for crappies, effective upon publication in the *Pennsylvania Bulletin*:

<i>County</i>	<i>Water</i>
Crawford	Pymatuning Reservoir

58 Pa. Code § 65.19. Stocked trout waters open to year-round fishing

The Commission will consider removing the designation as a stocked trout water open to year-round fishing from the following waters, effective on January 1, 2017:

<i>County</i>	<i>Water</i>
Butler	Harbar Acres Lake
Cambria	Duman Lake
Cambria	Lake Rowena
Cumberland	Laurel Lake
Erie	East Basin Pond
Erie	Lake Pleasant
Erie	Upper Gravel Pit
Erie	West Basin Pond
Fayette	Virgin Run Lake
Fulton	Cowans Gap Lake
Potter	Lyman Run Reservoir
Jefferson	Cloe Lake
Lawrence	Bessemer Lake
McKean	Bradford City Number Three Reservoir
Westmoreland	Mammoth Lake

At this time, the Commission is soliciting public input concerning the previous designations and redesignations. Persons with comments, objections or suggestions concerning the designations and redesignations are invited to submit comments in writing to the Executive Director, Fish and Boat Commission, P.O. Box 67000, Harrisburg, PA 17106-7000, within 30 days after publication of this notice in the *Pennsylvania Bulletin*. Comments submitted by facsimile will not be accepted.

Comments also may be submitted electronically by completing the form at www.fishandboat.com/reg comments. If an acknowledgment of electronic comments is not received by the sender within 2 working days, the comments should be retransmitted to ensure receipt. Electronic comments submitted in any other manner will not be accepted.

JOHN A. ARWAY,
Executive Director

[Pa.B. Doc. No. 16-1450. Filed for public inspection August 19, 2016, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Notice of Filing of Final Rulemakings

The Independent Regulatory Review Commission (Commission) received the following regulations. They are scheduled to be considered on the date noted. The Commission's public meetings are held at 333 Market Street, 14th Floor, Harrisburg, PA at 10 a.m. To obtain a copy of the regulation, interested parties should first contact the promulgating agency. If a copy cannot be obtained from the promulgating agency, the Commission will provide a copy or it can be viewed at the Commission's web site at www.irrc.state.pa.us.

<i>Reg. No.</i>	<i>Agency/Title</i>	<i>Received</i>	<i>Public Meeting</i>
16A-6516	Bureau of Professional and Occupational Affairs Schedule of Civil Penalties—Physical Therapists and Physical Therapist Assistants	8/3/16	9/15/16
16A-6515	State Board of Physical Therapy Continuing Education Enforcement	8/3/16	9/15/16
16A-4943	State Board of Medicine Prosthetists, Orthotists, Pedorthists and Orthotic Fitters	8/3/16	9/15/16
4-95	Department of Community and Economic Development Industrial Housing and Components	8/3/16	9/15/16

GEORGE D. BEDWICK,
Chairperson

[Pa.B. Doc. No. 16-1451. Filed for public inspection August 19, 2016, 9:00 a.m.]

INSURANCE DEPARTMENT

Appeal of Linda Booth under the Motor Vehicle Financial Responsibility Law; Catastrophic Loss Benefits Continuation Fund; Doc. No. CF16-07-015

A prehearing telephone conference initiated by the Insurance Department is scheduled for September 27, 2016, at 9:30 a.m. Each party shall provide a telephone number to be used for the telephone conference to the Hearings Administrator on or before September 23, 2016. A hearing date shall be determined, if necessary, at the prehearing telephone conference.

Motions preliminary to those at hearing, protests, petitions to intervene or notices of intervention, if any, must be filed on or before September 12, 2016, with the Hearings Administrator, Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102. Answer to petitions to intervene, if any, shall be filed on or before September 23, 2016.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Donna R. Fleischauer, Human Resources Director at (717) 705-4194.

TERESA D. MILLER,
Insurance Commissioner

[Pa.B. Doc. No. 16-1452. Filed for public inspection August 19, 2016, 9:00 a.m.]

Application for Approval to Acquire Control of HM Casualty Insurance Company

BrickStreet Mutual Insurance Company, a mutual casualty insurance company organized under the laws of the State of West Virginia, has filed an application to acquire control of HM Casualty Insurance Company. The filing was received on August 4, 2016, and was made under the requirements of Article XIV of The Insurance Company Law of 1921 (40 P.S. §§ 991.1401—991.1413).

Persons wishing to comment on this acquisition are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of publication of this notice in the *Pennsylvania Bulletin*. Each written statement must include the name, address and telephone number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient detail and relevant facts to inform the Department of the exact basis of the statement. Written statements should be directed to Steve Yerger, Company Licensing Division, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557, syenger@pa.gov. Comments received will be part of the public record regarding the filing and will be forwarded to the applicant for appropriate response.

TERESA D. MILLER,
Insurance Commissioner

[Pa.B. Doc. No. 16-1453. Filed for public inspection August 19, 2016, 9:00 a.m.]

Application for Approval of a Certificate of Authority as a Preferred Provider Organization that is not a Licensed Insurance Company Submitted by Independence Assurance Company

Independence Assurance Company, a domestic for profit stock corporation, has applied for a Certificate of Authority to operate as a preferred provider organization that is not a licensed insurance company in this Commonwealth. The filing was made under the requirements in the applicable insurance laws, including section 630 of The Insurance Company Law of 1921 (40 P.S. § 764a).

Persons wishing to comment on the application are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address and telephone number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient detail and relevant facts to inform the Department of the exact basis of the statement. Written statements should be directed to Cressinda Bybee, Company Licensing Division, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557, cbybee@pa.gov.

TERESA D. MILLER,
Insurance Commissioner

[Pa.B. Doc. No. 16-1454. Filed for public inspection August 19, 2016, 9:00 a.m.]

Martin Shirman; License Denial; Doc. No. AG16-08-001

The proceeding in this matter will be governed by 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) and 31 Pa. Code Chapter 56 (relating to Special Rules of Administrative Practice and Procedure).

A prehearing telephone conference initiated by this office is scheduled for September 20, 2016, at 9:30 a.m. Each party shall provide the Hearings Administrator a telephone number to be used for the telephone conference on or before September 16, 2016. A date for a hearing shall be determined, if necessary, at the prehearing/settlement conference. If counsel for either party will be representing the participants in these proceedings, counsel shall enter his or her appearance and supply the telephone number on or before September 16, 2016.

At the prehearing telephone conference, the parties shall be prepared to discuss settlement, stipulations, witnesses and the documents anticipated for use at the hearing, estimated time for the hearing, special evidentiary or legal issues and other matters relevant to the orderly, efficient and just resolution of this matter.

Motions preliminary to those at hearing, protests, petitions to intervene or notices of intervention, if any, must be filed on or before September 2, 2016, with the Hearings Administrator, Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102. Answer to petitions to intervene, if any, shall be filed on or before September 16, 2016.

Persons with a disability who wish to attend the previously referenced administrative hearing and require an auxiliary aid, service or other accommodations to participate in the hearing should contact Donna R. Fleischauer, Human Resources Director at (717) 705-4194.

TERESA D. MILLER,
Insurance Commissioner

[Pa.B. Doc. No. 16-1455. Filed for public inspection August 19, 2016, 9:00 a.m.]

Principal Life Insurance Company (TRIP-130669018); Rate Increase Filing for Group LTC Form FR 601

Principal Life Insurance Company is requesting approval to increase the premium 124.8% on 43 certificate holders with the following group LTC form: FR 601.

Unless formal administrative action is taken prior to November 3, 2016, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's (Department) web site at www.insurance.pa.gov. To view these filing notices, hover the cursor over "Consumers" in the blue bar at the top of the webpage then select "Long Term Care Rate Filings" from the drop down menu.

Copies of the filing are also available for public inspection, by appointment, during normal working hours at the Department's Harrisburg office.

Interested parties are invited to submit written comments, suggestions or objections to James Laverty, Actuary, Insurance Department, Insurance Product Regulation and Market Enforcement, Room 1311, Strawberry Square, Harrisburg, PA 17120, jlaverty@pa.gov within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

TERESA D. MILLER,
Insurance Commissioner

[Pa.B. Doc. No. 16-1456. Filed for public inspection August 19, 2016, 9:00 a.m.]

Review Procedure Hearings; Cancellation or Refusal of Insurance

The following insurer has requested a hearing as authorized by the act of June 17, 1998 (P.L. 464, No. 68) (Act 68) in connection with the termination of the insureds' automobile insurance policy. The hearing will be held in accordance with the requirements of Act 68; 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). The administrative hearing will be held in the Insurance Department's regional office in Harrisburg, PA. Failure by the appellant to appear at the scheduled hearing may result in dismissal with prejudice.

The following hearing will be held in the Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102.

Appeal of Metropolitan Property & Casualty Insurance Company; File No. 16-188-198499; Fanetta and Kimmy Eldridge; Doc. No. P16-07-012; September 13, 2016, 10 a.m.

Parties may appear with or without counsel and offer relevant testimony and other relevant evidence, or both. Each party must bring documents, photographs, drawings, claims files, witnesses, and the like, necessary to support the party's case. A party intending to offer documents or photographs into evidence shall bring enough copies for the record and for each opposing party.

In some cases, the Insurance Commissioner (Commissioner) may order that the company reimburse an insured for the higher cost of replacement insurance coverage obtained while the appeal is pending. Reimbursement is available only when the insured is successful on appeal, and may not be ordered in all instances. If an insured wishes to seek reimbursement for the higher cost of replacement insurance, the insured must produce documentation at the hearing which will allow comparison of coverages and costs between the original policy and the replacement policy.

Following the hearing and receipt of the stenographic transcript, the Commissioner will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing, should contact Donna R. Fleischauer, Human Resources Director at (717) 705-4194.

TERESA D. MILLER,
Insurance Commissioner

[Pa.B. Doc. No. 16-1457. Filed for public inspection August 19, 2016, 9:00 a.m.]

LEGISLATIVE REFERENCE BUREAU

Documents Filed But Not Published

The Legislative Reference Bureau (Bureau) accepted the following documents during the preceding calendar month for filing without publication under 1 Pa. Code § 3.13(b) (relating to contents of *Bulletin*). The Bureau will continue to publish on a monthly basis either a summary table identifying the documents accepted during the preceding calendar month under this subsection or a statement that no documents have been received. For questions concerning or copies of documents filed, but not published, call (717) 783-1530.

Governor's Office

Manual No. 210.3—Index of Issuances, Amended July 7, 2016.

Administrative Circular No. 16-11—Revenue Estimates, 2016-17 & 2017-18 Fiscal Years, Dated July 13, 2016.

LAURA CAMPBELL,
Director
Pennsylvania Code and Bulletin

[Pa.B. Doc. No. 16-1458. Filed for public inspection August 19, 2016, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant by September 6, 2016. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

Applications of the following for approval to *begin operating as common carriers for transportation of persons as described under each application.*

A-2016-2550113. Mali Taxi Service, LLC (150 Sleepy Hollow Lane, Lewisburg, Union County, PA 17837) for the right to transport as a common carrier, by motor vehicle, persons in paratransit service, limited to persons whose personal convictions prevent them from owning or operating motor vehicles, between points in Pennsylvania, and return; excluding Allegheny County.

A-2016-2559776. Cynthia Paulino, t/a Ludelea Transportation (220 West Oak Street, Hazleton, Luzerne County, PA 18201) in paratransit service, from points within a 10-air-mile radius of the City of Hazleton, Luzerne County, to points in Pennsylvania, and return.

A-2016-2560547. Richard L. O'Donnell (1123 Henry Lane, Mill Creek, Huntingdon, PA 17060) in paratransit service, between points in the Counties of Mifflin and Huntingdon.

A-2016-2560615. Gary E. McCoy (105 Hickory Grove Road, Watsontown, Northumberland County, PA 17777) in paratransit service, limited to persons whose personal convictions prevent them from owning or operating motor vehicles, between points in Pennsylvania.

Application of the following for the approval of the right and privilege to *discontinue/abandon* operating as *common carriers* by motor vehicle and for cancellation of the certificate of public convenience as described under the application.

A-2016-2560516. Mid-Atlantic Transportation Services, Inc., t/a Mid-Atlantic Express Cab (1300 West Chester Pike, West Chester, Chester County, PA 19382) discontinuance of service and cancellation of its certificate—persons, upon call or demand, in Chester County.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 16-1459. Filed for public inspection August 19, 2016, 9:00 a.m.]

Service of Notice of Motor Carrier Formal Complaints

Formal Complaints have been issued by the Pennsylvania Public Utility Commission. Answers must be filed in accordance with 52 Pa. Code (relating to public utilities). Answers are due September 6, 2016, and must be made with the Secretary, Pennsylvania Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265, with a copy to the First Deputy Chief Prosecutor, Pennsylvania Public Utility Commission.

Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. The New Yellow Cab, LLC; Docket No. C-2016-2556988

COMPLAINT

Now Comes the Bureau of Investigation and Enforcement (I&E) of the Pennsylvania Public Utility Commission (Commission), by its prosecuting attorneys, and files this Complaint against The New Yellow Cab, LLC (Respondent), pursuant to Section 701 of the Public Utility Code, 66 Pa.C.S. § 701. In support of its Complaint, I&E respectfully represents the following:

Parties and Jurisdiction

1. The Pennsylvania Public Utility Commission, with a mailing address of P.O. Box 3265, Harrisburg, PA 17105-3265, is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth pursuant to the Public Utility Code, 66 Pa.C.S. §§ 101, et seq.

2. Complainant is the Commission's Bureau of Investigation and Enforcement and is the entity established by statute to prosecute complaints against public utilities pursuant to 66 Pa.C.S. § 308.2(a)(11).

3. Complainant is represented by:

Stephanie M. Wimer
Prosecutor
Pennsylvania Public Utility Commission
Bureau of Investigation and Enforcement
P.O. Box 3265
Harrisburg, PA 17105-3265
717.772.8839
stwimer@pa.gov

Gina L. Lauffer
Prosecutor
Pennsylvania Public Utility Commission
Bureau of Investigation and Enforcement
P.O. Box 3265
Harrisburg, PA 17105-3265
717.787.8754
ginlauffer@pa.gov

Michael L. Swindler
Deputy Chief Prosecutor
Pennsylvania Public Utility Commission
Bureau of Investigation and Enforcement
P.O. Box 3265
Harrisburg, PA 17105-3265

4. Respondent is The New Yellow Cab, LLC and maintains a principal place of business at 1118 North Third Street, First Floor, Harrisburg, PA 17102, Attention: Carmen Maldonado.

5. Respondent is a "public utility" as that term is defined at 66 Pa.C.S. § 102, as it is engaged in transporting passengers in the Commonwealth of Pennsylvania for compensation.

6. The Commission issued Respondent a certificate of public convenience on or about April 2, 2009, at A-2008-2034920, for call and demand authority.

7. Section 501(a) of the Public Utility Code, 66 Pa.C.S. § 501(a), authorizes and obligates the Commission to execute and enforce the provisions of the Public Utility Code.

8. Section 701 of the Public Utility Code, 66 Pa.C.S. § 701, authorizes the Commission to, inter alia, hear and determine complaints against public utilities for a violation of any law or regulation that the Commission has jurisdiction to administer.

9. Section 3301 of the Public Utility Code, 66 Pa.C.S. § 3301, authorizes the Commission to impose civil penalties on any public utility, or any other person or corporation subject to the Commission's authority, for violation(s) of the Public Utility Code and/or Commission regulations.

10. Respondent, in transporting passengers as a common carrier for compensation, is subject to the power and authority of this Commission pursuant to Section 501(c) of the Public Utility Code, 66 Pa.C.S. § 501(c), which requires a public utility to comply with Commission regulations.

11. Pursuant to the provisions of the applicable Commonwealth statutes and regulations, the Commission has jurisdiction over the subject matter of this complaint and the actions of Respondent related thereto.

Factual Background

12. On or about September 10, 2015, the Commission mailed to Respondent an assessment invoice for the July 1, 2015 to June 30, 2016 Fiscal Year (2015-2016 Fiscal Year) that was based, in part, on Respondent's reported revenues for the 2014 calendar year. Respondent's assessment was \$123.

13. Accompanying the assessment invoice was a notice that informed Respondent that it was obligated to pay the amount listed on the assessment invoice within thirty (30) days or file objections within fifteen (15) days.

14. The 2015-2016 Fiscal Year assessment invoice was mailed to Respondent at 1118 North Third Street, First Floor, Harrisburg, PA 17102, which is the mailing address that Respondent provided to the Commission.

15. The assessment invoice was returned to the Commission by the United States Postal Service (Post Office) as being undeliverable.

16. On May 17, 2016, the Commission mailed the 2015-2016 Fiscal Year assessment invoice again to Respondent by certified mail to Respondent's last known mailing address of 1118 North Third Street, First Floor, Harrisburg, PA 17102.

17. On May 24, 2016, the assessment invoice was returned to the Commission by the Post Office as being undeliverable.

18. On May 24, 2016, the Commission mailed the 2015-2016 Fiscal Year assessment invoice to Respondent by first class mail to Respondent's last known mailing address of 1118 North Third Street, First Floor, Harrisburg, PA 17102.

19. On June 3, 2016, the assessment invoice was returned to the Commission by the Post Office as being undeliverable.

20. On July 12, 2016, Mandy Freas, an accountant in the Assessment Section of the Commission's Bureau of Administrative Services left a voice mail message with Respondent and explained that she is attempting to verify Respondent's mailing address.

21. As of the date of the filing of this Complaint, Respondent had not returned Ms. Freas' phone call.

22. Respondent is obligated to promptly apprise the Commission of changes to its current address pursuant to Section 1.53(d) of the Commission's regulations, 52 Pa. Code § 1.53(d).

23. The Commission was unable to effectively serve the 2015-2016 Fiscal Year assessment invoice upon Respondent due to Respondent's failure to provide the Commission with its current address.

24. Consequently, Respondent failed to pay the amount of its 2015-2016 Fiscal Year assessment invoice.

25. The total outstanding assessment balance for Respondent is \$123.

Violation

26. That Respondent failed to pay its 2015-2016 Fiscal Year assessment and apprise the Commission of a change of address. If proven, this is a violation of Section 510(c) of the Public Utility Code, 66 Pa.C.S. § 510(c), and Section 1.53(d) of the Commission's regulations, 52 Pa. Code § 1.53(d). The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$100.

Wherefore, for all the foregoing reasons, the Pennsylvania Public Utility Commission's Bureau of Investigation and Enforcement respectfully requests that:

(a) Respondent be ordered to pay a total of \$223, which consists of the outstanding assessment balance of \$123 and a total civil penalty of \$100 for the above-described violations;

(b) Respondent be directed to update its address with the Commission; and

(c) If payment of the civil penalty and assessment is not made, the Bureau of Investigation and Enforcement requests that:

(1) the Commission issue an Order to cancel the Certificate of Public Convenience issued to Respondent;

(2) this matter be referred to the Pennsylvania Office of Attorney General for appropriate action; and

(3) the Commission certify automobile registrations to the Pennsylvania Department of Transportation for suspension or revocation.

Respectfully submitted,
Stephanie M. Wimer
Prosecutor

Pennsylvania Public Utility Commission
Bureau of Investigation and Enforcement
P.O. Box 3265
Harrisburg, PA 17105-3265
717.772.8839
stwimer@pa.gov

Date: July 18, 2016

VERIFICATION

I, Mandy Freas, Accountant, Bureau of Administrative Services, Assessment Section, hereby state that the facts above set forth are true and correct to the best of my knowledge, information, and belief and that I expect the Bureau will be able to prove the same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: July 18, 2016

Mandy Freas, Accountant
Assessment Section
Bureau of Administrative Services
PA. Public Utility Commission
P.O. Box 3265
Harrisburg, PA 17105-3265

NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
P.O. Box 3265
Harrisburg, PA 17105-3265

Or, you may efile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor
Pennsylvania Public Utility Commission
Bureau of Investigation and Enforcement
P.O. Box 3265
Harrisburg, PA 17105-3265

Or, emailed to Mr. Swindler at: RA-PCCmplntResp@pa.gov

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by paying the past due assessment and civil penalty within 20 days. Send only a certified check or money order made payable to the "Commonwealth of Pennsylvania" and mailed to:

Rosemary Chiavetta, Secretary
 Pennsylvania Public Utility Commission
 P.O. Box 3265
 Harrisburg, PA 17105-3265

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

G. Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714.

**VEHICLE INSPECTION BUREAU COMPLAINT
 FORM**

**Pennsylvania Public Utility Commission; Bureau of
 Investigation and Enforcement v. Sawink, Inc., d/b/a
 County Cab, PUC # A-00122187;
 Docket No. C-2016-2544676**

COMPLAINT

The Pennsylvania Public Utility Commission is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

Sawink, Inc., d/b/a County Cab
 702 MacDade Blvd
 Collingdale, PA 19023

Inspection Information:
 Location: 69th Street Transportation Center
 Date and Time: 05/11/2016 9:23 a.m.

Vehicle Information:
 Year, Make, Model: 2009 Ford Crown Victoria
 State, Tag: PA, TX49162
 VIN: 2FAHP70V49X127003
 DVCR #: 6425

Authorized Officer Performing Inspection: Anthony J. Bianco # 103

On the date and at the time described on page one of this Complaint, the following violation(s) was disclosed:

52 Pa. Code § 29.318—Failed to have consumer info decal on vehicle. (Taxi) \$50

52 Pa. Code § 29.316(c)—Failed to post rates of fare in taxi. \$50

52 Pa. Code § 29.402(1)—Vehicle equipment inspection standards:

67 Pa. Code Ref § 175.65(a) Any part of a ply or cord exposed in tread or sidewall. Front right tire has 1.5 inch gash in sidewall against rim with ply exposed. \$100

Wherefore, the Bureau of Investigation and Enforcement hereby requests that the Commission fine respondent the sum of \$200.00 for the illegal activity described in this Complaint and order any other remedy as the Commission may deem appropriate.

Respectfully submitted,
 David W. Loucks, Chief
 Motor Carrier Enforcement
 P.O. Box 3265
 Harrisburg, PA 17105-3265

VERIFICATION

I, David W. Loucks, Chief of Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove the same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 05/12/2016

David W. Loucks, Chief
 Motor Carrier Enforcement
 Bureau of Investigation and Enforcement

NOTICE

You must file an Answer within twenty (20) days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Cover Letter for this Complaint and Notice, 52 Pa. Code § 1.56(a). An Answer is a written explanation of circumstances wished to be considered in determining the outcome of the complaint proceeding. The Answer shall raise all factual and legal arguments that you wish to claim in your defense and must include the reference number of this Complaint. Your Answer must be verified and the original shall be mailed to:

Rosemary Chiavetta, Secretary
 Pennsylvania Public Utility Commission
 P.O. Box 3265
 Harrisburg, PA 17105-3265

Or by overnight delivery to:

400 North Street, 2nd Floor
 Harrisburg, PA 17120

Additionally, please serve a copy on:

Michael L. Swindler, Prosecutor
 Bureau of Investigation and Enforcement
 Pennsylvania Public Utility Commission
 P.O. Box 3265
 Harrisburg, PA 17105-3265

If you fail to answer this Complaint within twenty (20) days, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing the penalty proposed in the Complaint.

You may elect not to contest this Complaint by paying the fine proposed in the Complaint by certified check or money order. Payment must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary
 Pennsylvania Public Utility Commission
 P.O. Box 3265
 Harrisburg, PA 17105-3265

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of your payment, the Complaint proceeding shall be closed.

If you file an Answer which admits or fails to deny the allegations of the complaint, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing the penalty proposed in the Complaint.

If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the optional fine set forth in the Complaint.

Alternative formats of this material are available for persons with disabilities by contacting the Compliance Office at (717)-783-3846. Questions on how to respond to this Complaint may also be directed to the Compliance Office.

Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. Xtreme Hauling, LLC; Docket No. C-2016-2551033

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to Xtreme Hauling, LLC, (respondent) is under suspension effective June 05, 2016 for failure to maintain evidence of insurance on file with this Commission.
2. That respondent maintains a principal place of business at 1658 Riverside Dr., Athens, PA 18810.
3. That respondent was issued a Certificate of Public Convenience by this Commission on July 28, 2011, at A-8913724.
4. That respondent has failed to maintain evidence of Liability insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500 and cancellation of the Certificate of Public Convenience.
5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-8913724 for failure

to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,
 David W. Loucks, Chief
 Motor Carrier Enforcement
 Bureau of Investigation and Enforcement
 P.O. Box 3265
 Harrisburg, PA 17105-3265

VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 7/6/2016

David W. Loucks, Chief
 Motor Carrier Enforcement
 Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary
 Pennsylvania Public Utility Commission
 P.O. Box 3265
 Harrisburg, PA 17105-3265

Or, you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor
 Pennsylvania Public Utility Commission
 Bureau of Investigation and Enforcement
 P.O. Box 3265
 Harrisburg, PA 17105-3265

Or, emailed to Mr. Swindler at: RA-PCCmplntResp@pa.gov

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint

by certified check or money order within twenty (20) days of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility
Services
Pennsylvania Public Utility Commission
P.O. Box 3265
Harrisburg, PA 17105-3265

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
P.O. Box 3265
Harrisburg, PA 17105-3265

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this number if you have questions as to why you received this complaint. For those questions you may call 717-783-3847.

**Pennsylvania Public Utility Commission; Bureau of
Investigation and Enforcement v. DPK Properties,
LLC; Docket No. C-2016-2553321**

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to DPK Properties, LLC, (respondent) is under suspension effective May 27, 2016 for failure to maintain evidence of insurance on file with this Commission.

2. That respondent maintains a principal place of business at 116 North 4th Street, Darby, PA 19023-2626.

3. That respondent was issued a Certificate of Public Convenience by this Commission on May 27, 2015, at A-2015-2475376.

4. That respondent has failed to maintain evidence of Cargo and Liability insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500 and cancellation of the Certificate of Public Convenience.

5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-2015-2475376 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,
David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement
P.O. Box 3265
Harrisburg, PA 17105-3265

VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 7/6/2016

David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
P.O. Box 3265
Harrisburg, PA 17105-3265

Or, you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing & Resources tab on the homepage. If

your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor
 Pennsylvania Public Utility Commission
 Bureau of Investigation and Enforcement
 P.O. Box 3265
 Harrisburg, PA 17105-3265

Or, emailed to Mr. Swindler at: RA-PCCmplntResp@pa.gov

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility Services
 Pennsylvania Public Utility Commission
 P.O. Box 3265
 Harrisburg, PA 17105-3265

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary
 Pennsylvania Public Utility Commission
 P.O. Box 3265
 Harrisburg, PA 17105-3265

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this number if you have questions as to why you received this complaint. For those questions you may call 717-783-3847.

Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. Deorio, Dominic J.; Docket No. C-2016-2553452

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to Deorio, Dominic J., (respondent) is under suspension effective May 30, 2016 for failure to maintain evidence of insurance on file with this Commission.

2. That respondent maintains a principal place of business at 336 Veronia Road, West Chester, PA 19380.

3. That respondent was issued a Certificate of Public Convenience by this Commission on September 18, 1998, at A-00115117.

4. That respondent has failed to maintain evidence of Cargo and Liability insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500 and cancellation of the Certificate of Public Convenience.

5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-00115117 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,
 David W. Loucks, Chief
 Motor Carrier Enforcement
 Bureau of Investigation and Enforcement
 P.O. Box 3265
 Harrisburg, PA 17105-3265

VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any

hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 6/29/2016

David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
P.O. Box 3265
Harrisburg, PA 17105-3265

Or, you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor
Pennsylvania Public Utility Commission
Bureau of Investigation and Enforcement
P.O. Box 3265
Harrisburg, PA 17105-3265

Or, emailed to Mr. Swindler at: RA-PCCmplntResp@pa.gov

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility Services
Pennsylvania Public Utility Commission
P.O. Box 3265
Harrisburg, PA 17105-3265

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
P.O. Box 3265
Harrisburg, PA 17105-3265

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of

insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this number if you have questions as to why you received this complaint. For those questions you may call 717-783-3847.

Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. Transcare ML, Inc.; Docket No. C-2016-2557816

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to Transcare ML, Inc., (respondent) is under suspension effective June 24, 2016 for failure to maintain evidence of insurance on file with this Commission.

2. That respondent maintains a principal place of business at 306 West Central Avenue, Paoli, PA 19301.

3. That respondent was issued a Certificate of Public Convenience by this Commission on October 13, 2009, at A-00124163.

4. That respondent has failed to maintain evidence of Liability insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500 and cancellation of the Certificate of Public Convenience.

5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-00124163 for failure to maintain evidence of current insurance on file with the

Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,
David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement
P.O. Box 3265
Harrisburg, PA 17105-3265

VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 7/26/2016

David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
P.O. Box 3265
Harrisburg, PA 17105-3265

Or, you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor
Pennsylvania Public Utility Commission
Bureau of Investigation and Enforcement
P.O. Box 3265
Harrisburg, PA 17105-3265

Or, emailed to Mr. Swindler at: RA-PCCmplntResp@pa.gov

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days

of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility Services
Pennsylvania Public Utility Commission
P.O. Box 3265
Harrisburg, PA 17105-3265

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
P.O. Box 3265
Harrisburg, PA 17105-3265

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this number if you have questions as to why you received this complaint. For those questions you may call 717-783-3847.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 16-1460. Filed for public inspection August 19, 2016, 9:00 a.m.]

Telecommunications Services

A-2016-2547313. Peerless Network of Pennsylvania, LLC. Application of Peerless Network of Pennsylvania, LLC for approval to offer, render, furnish or supply telecommunications services to the public as a competitive local exchange carrier in the service territories of Windstream Pennsylvania, LLC; Windstream Conestoga, Inc.; Windstream D&E, Inc.; Windstream Buffalo Valley, Inc.; Commonwealth Telephone Company d/b/a Frontier Communications Commonwealth Telephone Company; and Marianna-Scenery Hill Telephone Company.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before September 6, 2016. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant. The documents filed in support of the application are available for

inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at www.puc.pa.gov and at the applicant's business address.

Applicant: Peerless Network of Pennsylvania, LLC

Through and By Counsel: Edward A. Yorkgitis, Jr., Esquire, Kelley Drye & Warren, LLP, 3050 K Street NW, Suite 400, Washington, DC 20007

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 16-1461. Filed for public inspection August 19, 2016, 9:00 a.m.]

Transfer of Control

A-2016-2559898. CallCatchers, Inc., d/b/a FreedomVoice, and GoDaddy Operating Company, LLC. Joint application of CallCatchers, Inc., d/b/a FreedomVoice, and GoDaddy Operating Company, LLC for approval of a general rule transfer of control.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before September 6, 2016. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at www.puc.pa.gov and at the applicant's business address.

Applicants: Call Catchers, Inc., d/b/a FreedomVoice; GoDaddy Operating Company, LLC

Through and By:

Call Catchers, Inc.: Eric Thomas, President and CEO, Call Catchers, Inc., 169 Saxony Road, Encinitas, CA 92024; and Michael P. Donahue, Esquire, Keenan P. Adamchak, Esquire, Marashlian & Donahue, PLLC, 1420 Spring Hill Road, Suite 401, Tysons, VA 22102

GoDaddy Operating Co, Inc.: Matthew A. Forkner, Vice President, Deputy General Counsel, GoDaddy, Inc., 14455 North Hayden Road, Scottsdale, AZ 85260; and Jennifer L. Kostyu, Esquire, L. Charles Keller, Esquire, Wilkinson, Barker, Knauer, LLP, 1800 M Street, NW, Suite 800N, Washington, DC 20036

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 16-1462. Filed for public inspection August 19, 2016, 9:00 a.m.]

PHILADELPHIA PARKING AUTHORITY

Request for Bids

The Philadelphia Parking Authority will accept sealed bids for Bid No. 16-19, Install Electric Substation Meters at Philadelphia International Airport, until 2 p.m. on

Monday, September 12, 2016. Information can be obtained from www.philapark.org or call Mary Wheeler at (215) 683-9665.

VINCENT J. FENERTY, Jr.,
Executive Director

[Pa.B. Doc. No. 16-1463. Filed for public inspection August 19, 2016, 9:00 a.m.]

PHILADELPHIA REGIONAL PORT AUTHORITY

Request for Proposals

The Philadelphia Regional Port Authority will accept sealed proposals for Project No. 16-100.S, RFP for Inland Port State of Practice Study, until 2 p.m. on Tuesday, September 20, 2016. Information (including mandatory preproposal information) can be obtained from www.philaport.com under "Our Port," then "Procurement" or call (215) 426-2600.

JEFF THEOBOLD,
Executive Director

[Pa.B. Doc. No. 16-1464. Filed for public inspection August 19, 2016, 9:00 a.m.]

Request for Proposals

The Philadelphia Regional Port Authority will accept sealed proposals for Project No. 16-101.S, RFP for Economic Impact Study, until 2 p.m. on Thursday, September 22, 2016. Information (including mandatory preproposal information) can be obtained from www.philaport.com under "Our Port," then "Procurement" or call (215) 426-2600.

JEFF THEOBOLD,
Executive Director

[Pa.B. Doc. No. 16-1465. Filed for public inspection August 19, 2016, 9:00 a.m.]

Request for Proposals

The Philadelphia Regional Port Authority (PRPA) will accept sealed proposals for Project No. 16-113.S, RFP for PRPA Brand and Enhancement Campaign, until 2 p.m. on Wednesday, October 12, 2016. Information (including mandatory preproposal information) can be obtained from www.philaport.com under "Our Port," then "Procurement" or call (215) 426-2600.

JEFF THEOBOLD,
Executive Director

[Pa.B. Doc. No. 16-1466. Filed for public inspection August 19, 2016, 9:00 a.m.]

Request for Proposals

The Philadelphia Regional Port Authority will accept sealed proposals for Project No. 16-114.P, RFP Design and

Construction Management Services for the Pier 78 Sprinkler Replacement Project, until 2 p.m. on Tuesday, September 20, 2016. Information (including mandatory prebid information) can be obtained from www.philaport.com under "Our Port," then "Procurement" or call (215) 426-2600.

JEFF THEOBOLD,
Executive Director

[Pa.B. Doc. No. 16-1467. Filed for public inspection August 19, 2016, 9:00 a.m.]

PUBLIC SCHOOL EMPLOYEES' RETIREMENT BOARD

Hearing Scheduled

A hearing has been scheduled, as authorized by 24 Pa.C.S. Part IV (relating to Public School Employees' Retirement Code), in connection with the Public School Employees' Retirement System's (System) denial of claimant's request concerning the indicated account.

The hearing will be held before a hearing officer at the Public School Employees' Retirement System, 5 North Fifth Street, Harrisburg, PA 17101:

September 21, 2016 Pammarie Kennedy 1 p.m.
(Disability Retirement)

Persons with a disability who wish to attend the previously listed hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact Lori Koch, Assistant to the Executive Director at (717) 720-4606 to discuss how the System may best accommodate their needs.

Parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The hearing will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). Under 22 Pa. Code § 201.1 (relating to applicability of general rules), procedural matter will be in conformance with 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) unless specific exemption is granted.

GLEN R. GRELL,
Executive Director

[Pa.B. Doc. No. 16-1468. Filed for public inspection August 19, 2016, 9:00 a.m.]

Hearing Scheduled

A hearing has been scheduled, as authorized by 24 Pa.C.S. Part IV (relating to Public School Employees' Retirement Code), in connection with the Public School Employees' Retirement System's (System) denial of claimant's request concerning the indicated account.

The hearing will be held before a hearing officer at the Public School Employees' Retirement System, 5 North Fifth Street, Harrisburg, PA 17101:

October 5, 2016 Courtney M. Henry 1 p.m.
(T-F Membership)

Persons with a disability who wish to attend the previously listed hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact Lori Koch, Assistant to the Executive Director at (717) 720-4606 to discuss how the System may best accommodate their needs.

Parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The hearing will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). Under 22 Pa. Code § 201.1 (relating to applicability of general rules), procedural matter will be in conformance with 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) unless specific exemption is granted.

GLEN R. GRELL,
Executive Director

[Pa.B. Doc. No. 16-1469. Filed for public inspection August 19, 2016, 9:00 a.m.]

STATE BOARD OF MEDICINE

Bureau of Professional and Occupational Affairs v. Jopindar Pal Harika, MD; Doc. No. 0739-49-16

On April 8, 2016, Jopindar Pal Harika, MD, license No. MD030282E, last known of Monroeville, Allegheny County, was automatically suspended for at least 10 years from the date of conviction based on pleading guilty to a felony under The Controlled Substance, Drug, Device and Cosmetic Act (35 P.S. §§ 780-101—780-144).

Individuals may obtain a copy of the final order by writing to Wesley J. Rish, Board Counsel, State Board of Medicine, P.O. Box 69523, Harrisburg, PA 17106-9523.

This final order represents the final State Board of Medicine (Board) decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court must serve the Board with a copy of their petition for review. The Board contact for receiving service of the appeals is the previously-named Board counsel.

ANDREW J. BEHNKE, MD,
Chairperson

[Pa.B. Doc. No. 16-1470. Filed for public inspection August 19, 2016, 9:00 a.m.]

STATE BOARD OF NURSING

Bureau of Professional and Occupational Affairs v. Nina Michelle Newton, LPN; Doc. No. 0781-51-2015

Bureau of Professional and Occupational Affairs v. Stacey Smith Longarini, RN; Doc. No. 1884-51-2015

On October 26, 2015, Stacey Smith Longarini, RN, license No. RN294406L, last known of Reading, Berks County, was issued a notice and order of automatic suspension based on her misdemeanor conviction under The Controlled Substance, Drug, Device and Cosmetic Act (35 P.S. §§ 780-101—780-144).

Individuals may obtain a copy of the automatic suspension by writing to Bridget K. Guilfoyle, Board Counsel, State Board of Nursing, P.O. Box 69523, Harrisburg, PA 17106-9523.

KRISTIN MALADY, BSN, RN,
Chairperson

[Pa.B. Doc. No. 16-1471. Filed for public inspection August 19, 2016, 9:00 a.m.]

On May 5, 2016, Nina Michelle Newton, LPN, license No. PN270160, last known of Ardmore, Delaware and Montgomery Counties, was issued a notice and order of automatic suspension based on her misdemeanor conviction under The Controlled Substance, Drug, Device and Cosmetic Act (35 P.S. §§ 780-101—780-144).

Individuals may obtain a copy of the automatic suspension by writing to Bridget K. Guilfoyle, Board Counsel, State Board of Nursing, P.O. Box 69523, Harrisburg, PA 17106-9523.

KRISTIN MALADY, BSN, RN,
Chairperson

[Pa.B. Doc. No. 16-1472. Filed for public inspection August 19, 2016, 9:00 a.m.]

STATE CONSERVATION COMMISSION

Action on Odor Management Plans for Concentrated Animal Operations and Concentrated Animal Feeding Operations and Volunteers Complying with the Commonwealth's Facility Odor Management Program

The State Conservation Commission has taken the following actions on previously received applications for Odor Management Plans under 3 Pa.C.S. §§ 501—522 (relating to nutrient management and odor management).

Persons aggrieved by any action may appeal under 3 Pa.C.S. § 517 (relating to appealable actions), section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law) to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, so individuals interested in challenging this action should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

Odor Management Plan—Public Notice Spreadsheet—Actions

<i>Ag Operation Name and Address</i>	<i>County/Township</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>New, Amended or Existing</i>	<i>Action Taken</i>
Glendon Horst 255 Millbach Road Newmanstown, PA 17073	Lebanon County/ Millcreek and Heidelberg Townships	0	Broiler	Existing	Rescinded
Brian M. Landis 0 Maxell Drive Quarryville, PA 17566	Lancaster County/ Fulton Township	169.15	Broilers	Amended	Approved
Michael and Corey Wilt 1408 Pointer Road Everett, PA 15537	Bedford County/ East Providence Township	1,426.8	Swine	New	Approved
Lewis Hoover 947 Buffalo Creek Road Mifflinburg, PA 17844	Union County/ Buffalo Township	266.5	Turkey	New	Approved

<i>Ag Operation Name and Address</i>	<i>County/Township</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>New, Amended or Existing</i>	<i>Action Taken</i>
Country View Family Farms, LLC Bivouac Sow Farm 15197 Great Cove Road Big Cove Tannery, PA 17212	Fulton County/ Ayr Township	2,978.55	Swine	Existing	Implementation Extension
Joe L. Miller 2651 State Route 642 Milton, PA 17847	Northumberland County/ East Chillisquaque Township	84	Layers	New	Approved
Melvin L. Bricker—East Dutch Corner Road Farm 0 East Dutch Corner Road McConnellsburg, PA 17233	Fulton County/ Dublin Township	346.8	Turkeys	New	Approved

PATRICK McDONNELL,
Acting Chairperson

[Pa.B. Doc. No. 16-1473. Filed for public inspection August 19, 2016, 9:00 a.m.]

SUSQUEHANNA RIVER BASIN COMMISSION

Commission Meeting

The Susquehanna River Basin Commission (Commission) will hold its regular business meeting on September 8, 2016, at 9 a.m. at The Otesaga Resort Hotel, Ballroom, 60 Lake Street, Cooperstown, NY 13326. Details concerning the matters to be addressed at the business meeting are contained in the Supplementary Information section of this notice.

For further information contact Jason E. Oyler, General Counsel, (717) 238-0423, Ext. 1312, fax (717) 238-2436.

Supplementary Information

The business meeting will include actions or presentations on the following items: (1) informational presentation of interest to the Upper Susquehanna Subbasin area; (2) proposed rescission of the Commission's Information Technology Services Fee Policy; (3) ratification/approval of contracts/grants; (4) release of proposed rulemaking for public comment; (5) notice for Montage Mountain Resorts, LP project sponsor to appear and show cause before the Commission; and (6) Regulatory Program projects, including a request to extend an emergency certificate for Furman Foods, Inc.

Projects and proposed rescission of the Commission's Information Technology Services Fee Policy listed for Commission action are those that were the subject of a public hearing conducted by the Commission on August 4, 2016, and identified in the notice for the hearing, which was published at 81 FR 44407 (July 7, 2016).

The public is invited to attend the Commission's business meeting. Comments on the Regulatory Program projects and proposed rescission of the Commission's Information Technology Services Fee Policy were subject to a deadline of August 15, 2016. Written comments pertaining to other items on the agenda at the business meeting may be mailed to the Susquehanna River Basin Commission, 4423 North Front Street, Harrisburg, PA 17110-1788, or submitted electronically through <http://www.srbcc.net/pubinfo/publicparticipation.htm>. The comments are due to the Commission on or before September 2, 2016. Comments will not be accepted at the business meeting noticed herein.

Authority: Pub.L. 91-575, 84 Stat. 1509 et seq., 18 CFR Parts 806—808.

Dated: August 5, 2016.

ANDREW D. DEHOFF,
Executive Director

[Pa.B. Doc. No. 16-1474. Filed for public inspection August 19, 2016, 9:00 a.m.]