

NOTICES

DELAWARE RIVER BASIN COMMISSION

Public Hearing and Business Meeting

The Delaware River Basin Commission (Commission) will hold a public hearing on Wednesday, August 15, 2018, at the West Trenton Volunteer Fire Company Ballroom, 40 West Upper Ferry Road, West Trenton, NJ. A business meeting will be held the following month on Thursday, September 13, 2018, at the RiverWinds Community Center, 1000 RiverWinds Drive, Thorofare, NJ. The hearing and business meeting are open to the public.

Public hearing. The public hearing on August 15, 2018, will begin at 1:30 p.m. Hearing items subject to the Commission's review include draft dockets for withdrawals, discharges and other projects that could have a substantial effect on the basin's water resources.

Written comments on matters scheduled for hearing on August 15, 2018, will be accepted through 5 p.m. on August 20, 2018. Time permitting, an opportunity for open public comment will be provided upon the conclusion of Commission business at the September 13, 2018, business meeting.

The public is advised to check the Commission's web site periodically prior to the hearing date, as items scheduled for hearing may be postponed if additional time is deemed necessary to complete the Commission's review and items may be added up to 10 days prior to the hearing date. In reviewing docket descriptions, the public is also asked to be aware that project details commonly change in the course of the Commission's review, which is ongoing.

1. *Minersville Sewer Authority, D-1970-201 CP-3.* An application to renew the approval of the existing 1.0 million gallons per day (mgd) Minersville Sewer Wastewater Treatment Plant (WWTP) and its discharge. The WWTP will continue to discharge the treated effluent to the West Branch Schuylkill River at River Mile 92.47—120.4—7.5 (Delaware River—Schuylkill River—West Branch Schuylkill River), by means of Outfall No. 001, in Minersville Borough, Schuylkill County, PA.

2. *Margaretville Village, D-1974-157 CP-3.* An application to renew the approval of a groundwater withdrawal of up to 4.0 million gallons per month (mgm) from the Ball Park Well and the Fair Street Well for public water supply. The requested allocation is a reduction from the docket holder's previously approved total allocation of 18.529 million gallons per 30 days. The wells are screened in unconsolidated sand and gravel in the East Branch Delaware River Watershed within the drainage area of the section of the nontidal Delaware River known as the Upper Delaware, which the Commission has classified as Special Protection Waters, in the Village of Margaretville, Delaware County, NY.

3. *Lehigh County Authority, D-1977-041 CP-4.* An application to renew approval of the docket holder's existing 0.16 mgd Lynn Township WWTP and its discharge. The WWTP will continue to discharge treated effluent to Ontelaunee Creek at River Mile 92.47—86.7—21.5—8.7 (Delaware River—Schuylkill River—Maiden Creek—Ontelaunee Creek) by means of Outfall No. 001, in Lynn Township, Lehigh County, PA.

4. *Borough of Bally, D-1978-019 CP-3.* An application to renew the approval of an existing groundwater with-

drawal of up to 10.02 mgm to supply the applicant's public water supply distribution system from existing Well No. 4. The project well is completed in the Leithsville Formation. The requested allocation is not an increase from the previous allocation. The project is located in the Borough of Bally, Berks County, PA.

5. *Upper Merion Township (Matsunk), D-1987-013 CP-3.* An application to renew the approval of the existing 6.88 mgd Matsunk WWTP and its discharge. The WWTP will continue to discharge treated wastewater effluent to Frog Run, which is a tributary of the Schuylkill River at River Mile 92.47—21.6—0.3 (Delaware River—Schuylkill River—Frog Run) in Upper Merion Township, Montgomery County, PA.

6. *Valley Township, D-1988-031 CP-4.* An application to renew the approval of an existing groundwater withdrawal of up to 4.5 mgm to supply the applicant's public water supply distribution system from existing Wells Nos. V1, V2 and V4. The project wells are completed in Pre-Cambrian gabbroic gneiss. The requested allocation is not an increase from the previous allocation. The project is located in the Brandywine-Christina Watershed in Valley Township, Chester County, PA.

7. *Upper Merion Township (Trout Run), D-1992-051 CP-3.* An application to renew the approval of the existing 6.0 mgd Trout Run WWTP and its discharge. The WWTP will continue to discharge treated wastewater effluent to the Schuylkill River at River Mile 92.47—27.5 (Delaware River—Schuylkill River) in Upper Merion Township, Montgomery County, PA.

8. *Pennsylvania American Water Company (Coatesville), D-1992-064 CP-4.* An application to renew the approval of the existing 7.0 mgd Coatesville WWTP and its discharge. The WWTP will continue to discharge treated sewage effluent to West Branch Brandywine Creek at River Mile 70.7—1.5—20.0—15.5 (Delaware River—Christina River—Brandywine Creek—West Branch Brandywine Creek), in the Borough of South Coatesville, Chester County, PA.

9. *Narrowsburg Water District, D-1992-081 CP-3.* An application to renew the approval of an existing groundwater withdrawal of up to 4.24 mgm from existing Wells Nos. 1 (TTW-1R), 2 and 3 for use in the docket holder's public water system. Wells Nos. 1 and 2 are screened in unconsolidated alluvium and Well No. 3 is completed in the Honesdale Formation in the Peggy Run and Delaware River watersheds within the drainage area of the section of the nontidal Delaware River known as the Upper Delaware, which the Commission has classified as Special Protection Waters in the Town of Tusten, Sullivan County, NY.

10. *Helix Ironwood, LLC, D-1997-045-3.* An application to renew the approval of an existing surface water withdrawal of up to 72.54 mgm to supply water to the applicant's electric generation facility from an existing intake on Pennsy Supply Quarry No. SG-2. The docket will also continue the approval of an existing importation of up to 4.5 mgd of treated effluent from the Susquehanna River Basin and a consumptive use of up to 2.34 mgd from the source in the Delaware River Basin. The requested allocation is not an increase from the previous allocation. The project is located in the Tuplehocken Creek Watershed in South Lebanon Township, Lebanon County, PA.

11. *Aqua Pennsylvania Wastewater, Inc. (Lake Harmony), D-2002-006 CP-4.* An application to renew the

approval of the existing 0.40 mgd Lake Harmony WWTP, its discharge and proposed construction modifications. The proposed upgrades to the WWTP will consist of the following: (a) the installation of a new headworks building with system and pumping equipment upgrades; (b) the installation of an additional Sequencing Batch Reactor unit; and (c) the addition of a new disc cloth filtration unit. The hydraulic design capacity of the WWTP is proposed to increase from 0.40 mgd to 0.50 mgd. The average monthly discharge will remain at 0.40 mgd and continue to discharge treated effluent to Shingle Mill Run, a tributary within the drainage area of the F.E. Walter Reservoir, at River Mile 183.66—83.5—4.9—0.6 (Delaware River—Lehigh River—Tobyhanna Creek—Shingle Mill Run) by means of Outfall No. 001, in Kidder Township, Carbon County, PA. The discharge is located within the drainage area of the section of the nontidal Delaware River known as the Lower Delaware, which the Commission has classified as Special Protection Waters.

12. *Slatington Borough, D-2003-015 CP-3*. An application to renew the approval of the existing 1.5 mgd Slatington Borough WWTP, its discharge and to approve modification to the facility. The proposed modification will convert an existing anaerobic digester unit into an aerobic digester with appurtenant improvements. The WWTP will continue to discharge at a rate of 1.5 mgd to the Lehigh River at River Mile (183.66—33.7) by means of Outfall No. 001, within the drainage area of the section of the nontidal Delaware River known as the Lower Delaware, which the Commission has classified as Special Protection Waters, in Slatington Borough, Lehigh County, PA.

13. *West Bradford Township, D-2004-022 CP-3*. An application to renew the approval of the existing 0.1465 mgd DuPont Property WWTP and its discharge by means of spray irrigation. The WWTP will continue to discharge treated effluent to two spray fields located in the Broad Run Watershed, in West Bradford Township, Chester County, PA.

14. *Hydro Extrusions USA, LLC, D-2005-001-5*. An application to renew the existing discharge from the 0.1 mgd Hydro Extrusions USA industrial wastewater treatment plant (IWTP) and continue the current daily maximum total dissolved solids (TDS) determination of 2,000 milligrams per liter (mg/l). The IWTP will continue to discharge treated process industrial wastewater and noncontact cooling water to the West Branch Schuylkill River at River Mile 92.47—115—0.5 (Delaware River—Schuylkill River—West Branch Schuylkill River), by means of Outfall No. 002, in Cressona Borough, Schuylkill County, PA.

15. *Evergreen Community Power, LLC, D-2008-011-2*. An application to renew the approval of an existing groundwater withdrawal of up to 53.57 mgm to supply water to the applicant's steam turbine power plant from existing Wells Nos. PW2 and PW3 and the consumptive use of up to 1.08 mgd. The project wells are completed in a Cambrian Carbonate Formation. The requested allocation is not an increase from the previous allocation. The project is located in the Schuylkill River Watershed in the City of Reading, Berks County, PA.

16. *Department of Conservation and Natural Resources, D-2013-008 CP-2*. An application to renew the approval of the existing 0.025 mgd Beltzville State Park WWTP and its discharge. The WWTP will continue to discharge treated effluent to Pohopoco Creek, a tributary of the Lehigh River, at River Mile 183.66—40.8—4.9 (Delaware River—Lehigh River—Pohopoco Creek) by means of Outfall No. 001, in Franklin Township, Carbon County,

PA, within the drainage area of the section of the nontidal Delaware River known as the Lower Delaware, which the Commission has classified as Special Protection Waters.

17. *Lehighon Water Authority, D-2014-006 CP-2*. An application to renew the approval of the existing Lehighon Water Authority Water Filtration Plant (WFP) and its discharge. The WFP will continue to treat up to 1.6 mgd and discharge a monthly average of 0.023 mgd treated and filtered backwash to Long Run at River Mile 183.7—44.0—2 (Delaware River—Lehigh River—Long Run) by means of Outfall No. 001, located within the drainage area of the section of the nontidal Delaware River known as the Lower Delaware, which the Commission has classified as Special Protection Waters in Franklin Township, Carbon County, PA.

18. *Green Lane—Marlborough Joint Authority, D-1966-002 CP-2*. An application to renew the approval and upgrade of the existing 0.20 mgd Green Lane—Marlborough Joint Authority WWTP. The upgrade consists of the installation of a new influent splitter box and ultraviolet (UV) light disinfection. The WWTP will remain designed for a flow of 0.2 mgd and will continue to discharge treated effluent to Perkiomen Creek at River Mile 92.47—32.3—19.5 (Delaware River—Schuylkill River—Perkiomen Creek) in Green Lane Borough, Montgomery County, PA.

19. *Merrill Creek Owners Group (MCOG), D-1977-110 CP-19*. An application to update the Docket and Plan of Operation for the Merrill Creek Reservoir in accordance with the Commission's Consumptive Use Policy Resolution No. 2018-5.

20. *Berks County, D-1990-036 CP-2*. An application to renew the approval of the existing 0.50 mgd County of Berks WWTP, its discharge and modifications to its facilities. Proposed modifications will include the following: (a) an upgrade of the existing headworks process with equipment improvements; (b) replacement of existing oxidation equipment; (c) replacement of the existing chlorine disinfection system with UV disinfection; and (d) replacement of the existing sludge dewatering system and appurtenant improvements to its sludge conveyance operations. The WWTP will continue to operate at its current flow and discharge treated effluent to Plum Creek, within the drainage area of the Schuylkill River Watershed at River Mile 92.47—76.8—4.8—0.35 (Delaware River—Schuylkill River—Tulpehocken Creek—Plum Creek) by means of Outfall No. 001, in Bern Township, Berks County, PA.

21. *Pennsylvania American Water Company, D-1997-034 CP-3*. An application to renew the approval of an existing groundwater withdrawal with an increase in allocation from 23.56 mgm to 27.10 mgm for public water supply from existing Wells Nos. 1—7, 9, 10, 10A and 12 completed in the Delaware River Member and Towamensing Member of the Catskill Formation and the Sloat Brook Member and Millrift Member of the Trimmers Formation. The wells are located in the Saw Creek Watershed, within the drainage area of the section of the nontidal Delaware River known as the Middle Delaware, which the Commission has classified as Special Protection Waters, in Lehman Township, Pike County, PA.

22. *Kennett Square Borough, D-1999-017 CP-2*. An application to renew the approval and upgrade of the existing 1.1 mgd Kennett Square Borough WWTP. The upgrade will consist of converting the current oxidation ditch/activated sludge treatment process to a Modified Ludzak-Ettinger treatment process. The WWTP will remain designed to treat an annual average flow of 1.1 mgd

and will continue to discharge treated effluent to the West Branch Red Clay Creek, at River Mile 70.73—10.0—2.6—13.4—3.3 (Delaware River—Christina River—White Clay Creek—Red Clay Creek—West Branch Red Clay Creek) in Kennett Township, Chester County, PA.

23. *New Hanover Township Authority, D-1999-040 CP-4*. An application to renew the approval of the existing 1.925 mgd New Hanover Township Authority WWTP and its discharge, and to approve a TDS determination consisting of an increase in the average monthly TDS effluent limit from 1,000 mg/l to 1,200 mg/l. No modifications to the WWTP facilities are proposed. The WWTP will continue to discharge treated effluent to Swamp Creek at River Mile 92.47—32.3—12.9—4.8 (Delaware River—Schuylkill River—Perkiomen Creek—Swamp Creek) in New Hanover Township, Montgomery County, PA.

24. *Aqua Pennsylvania Wastewater, Inc. (Willistown Woods), D-2000-024-2*. An application to renew the approval and upgrade of the applicant's existing 0.175 mgd Willistown Woods WWTP. The upgrade will consist of converting the existing conventional activated sludge and cloth disc filter treatment system to a membrane bioreactor treatment system, and headworks and appurtenant improvements. The WWTP will remain at 0.175 mgd and will continue to discharge treated effluent to an unnamed tributary (UNT) of Hunters Run at River Mile 83.8—16.5—0.6—0.5 (Delaware River—Ridley Creek—Hunters Run—UNT Hunters Run) in Willistown Township, Chester County, PA.

25. *Lake Bryn Mawr Camp, Inc., D-2017-011-1*. An application to renew the approval of the existing 0.012 mgd Lake Bryn Mawr Camp WWTP and its discharge. The WWTP will continue to discharge treated effluent to a UNT of Big Brook at River Mile 277.9—27.1—4.9—0.8—0.7 (Delaware River—Lackawaxen River—Dyberry Creek—Big Brook—UNT Big Brook), by means of Outfall No. 001, within the drainage area of the section of the nontidal Delaware River known as the Upper Delaware, which the Commission has classified as Special Protection Waters, in Oregon Township, Wayne County, PA.

26. *SPG, Inc., D-2018-002-1*. An application to approve the existing 0.02 Whispering Hollow South Mobile Home Park WWTP, its discharge and proposed modification to its facilities. Proposed modifications include the installation of a new flow equalization tank and installation of new aerobic sludge digestion tank with appurtenant improvements. The WWTP will continue to operate at its current flow and discharge to a UNT of Hokendauqua Creek, at River Mile 183.66—22.5—6.3—0.8 (Delaware River—Lehigh River—Hokendauqua Creek—UNT Hokendauqua Creek) by means of Outfall No. 001, within the drainage area of the section of the nontidal Delaware River known as the Lower Delaware, which the Commission has classified as Special Protection Waters, in Allen Township, Northampton County, PA.

27. *Keystone Anthracite Company, Inc., D-2018-003-1*. An application to approve a total withdrawal of up to 7.452 mgm of surface water from Pond No. 3 Intake and 3.068 mgm from Intake SWW No. 2, a total system allocation of 7.452 mgm, for use in the docket holder's anthracite coal preparation plant. The project withdrawals were formerly operated by South Tamaqua Coal Pockets, Inc. under Commission Certificate of Entitlement No. 256, which was terminated the date that ownership of the facility was transferred to the applicant. The project is located in the Little Schuylkill River Watershed in West Penn Township, Schuylkill County, PA.

Public meeting. The public business meeting on September 13, 2018, will begin at 10:30 a.m. and will include adoption of the minutes of the Commission's June 13, 2018, business meeting, announcement of upcoming meetings and events, a report on hydrologic conditions, reports by the Executive Director and the Commission's General Counsel, and consideration of any items for which a hearing has been completed or is not required.

After all scheduled business has been completed and as time allows, the business meeting will also include up to 1 hour of open public comment.

There will be no opportunity for additional public comment for the record at the September 13, 2018, business meeting on items for which a hearing was completed on August 15, 2018, or a previous date. Commission consideration on September 13, 2018, of items for which the public hearing is closed may result in approval of the item (by docket or resolution) as proposed, approval with changes, denial or deferral. When the Commissioners defer an action, they may announce an additional period for written comment on the item, with or without an additional hearing date, or they may take additional time to consider the input they have already received without requesting further public input. Any deferred items will be considered for action at a public meeting of the Commission on a future date.

Advance sign-up for oral comment. Individuals who wish to comment on the record during the public hearing on August 15, 2018, or to address the Commissioners informally during the open public comment portion of the meeting on September 13, 2018, as time allows, are asked to sign-up in advance through EventBrite. Links to EventBrite for the public hearing and the business meeting are available at drbc.net. For assistance contact Paula Schmitt at paula.schmitt@drbc.nj.gov.

Submitting written comment. Written comment on items scheduled for hearing may be made through SmartComment, the web-based comment system recently introduced by the Commission, a link to which is provided at drbc.net. Use of SmartComment ensures that all submissions are captured in a single location and their receipt is acknowledged. Exceptions to the use of SmartComment are available based on need by writing to the attention of the Commission Secretary, Delaware River Basin Commission, P.O. Box 7360, 25 Cosey Road, West Trenton, NJ 08628-0360. For assistance in using SmartComment contact Paula Schmitt at paula.schmitt@drbc.nj.gov.

Accommodations for special needs. Individuals in need of an accommodation as provided for in the Americans with Disabilities Act who wish to attend the meeting or hearing should contact the Commission Secretary directly at (609) 883-9500, Ext. 203 or through the Telecommunications Relay Services (TRS) at 711, to discuss how the Commission can accommodate their needs.

Additional information and contacts. Additional public records relating to hearing items may be examined at the Commission's offices by appointment by contacting Denise McHugh at (609) 883-9500, Ext. 240. For other questions concerning hearing items, contact David Kovach, Project Review Section Manager, at (609) 883-9500, Ext. 264.

PAMELA M. BUSH,
Secretary

[Pa.B. Doc. No. 18-1199. Filed for public inspection August 3, 2018, 9:00 a.m.]

DEPARTMENT OF BANKING AND SECURITIES

Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending July 24, 2018.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file comments in writing with the Department of Banking and Securities, Corporate Applications Division, 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, contact the Corporate Applications Division at (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

BANKING INSTITUTIONS

Holding Company Acquisitions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
7-20-2018	Emclair Financial Corp. Emlenton Venango County	Filed
	Application for approval to acquire 100% of Community First Bancorp, Inc., Reynoldsville, and thereby indirectly acquire 100% of Community First Bank, Reynoldsville.	

Branch Applications

De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
7-19-2018	Landmark Community Bank Pittston Luzerne County	920 Northern Boulevard South Abington Township Lackawanna County	Filed
7-23-2018	Orrstown Bank Shippensburg Cumberland County	1400 Gilbert Way Lancaster Lancaster County	Filed
7-24-2018	Firsttrust Savings Bank Conshohocken Montgomery County	108 East Marlton Pike Cherry Hill Camden County, NJ	Filed

Branch Relocations

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
7-18-2018	Citizens Bank of Pennsylvania Philadelphia Philadelphia County	<i>To:</i> 106 Isabella Street Pittsburgh Allegheny County <i>From:</i> 540 East Ohio Street Pittsburgh Allegheny County	Approved

CREDIT UNIONS

Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
7-24-2018	TruMark Financial Credit Union Fort Washington Montgomery County	Approved
	Application for approval to merge Philadelphia Mint Federal Credit Union, Philadelphia, with and into TruMark Financial Credit Union, Fort Washington.	

The Department's web site at www.dobs.pa.gov includes public notices for more recently filed applications.

ROBIN L. WIESSMANN,
Secretary

[Pa.B. Doc. No. 18-1200. Filed for public inspection August 3, 2018, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications concern, but are not limited to, discharges regarding industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFO). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Waste; Discharge into Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 Individual Permits and Individual Stormwater Construction Permits in Sections IV and VI, the Department, based upon preliminary reviews, has made tentative determinations of proposed effluent limitations and other terms and conditions for the permit applications. In accordance with 25 Pa. Code § 92a.32(d), the proposed discharge of stormwater associated with construction activities will be managed in accordance with the requirements of 25 Pa. Code Chapter 102. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the United States Environmental Protection Agency (EPA) Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on NPDES applications are invited to submit statements to the contact office noted before the application within 30 days from the date of this public notice. Persons wishing to comment on WQM permit applications are invited to submit statements to the office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for public hearings on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications.

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0033740 (Sewage)	Whispering Hollow South MHP WWTP 139 Country Club Road Northampton, PA 18067-3028	Northampton County Allen Township	Unnamed Tributary to Hokendauqua Creek (2-C)	Yes

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0008354 (Industrial)	Pennsylvania American Water Company Montrose Water Treatment Plant 1799 Jumper Road Wilkes-Barre, PA 18702-8031	Susquehanna County Bridgewater Township	Snake Creek (4-E)	Yes
PA0062383 (Industrial)	3 Springs Water Company 1800 Pine Run Road Laurel Run, PA 18706	Luzerne County Laurel Run Borough	Unnamed Tributary to Pine Creek (5-B)	Yes
PAS122202 (Storm Water)	Nestle Waters NA Bottling Plant 405 Nestle Way Breinigsville, PA 18031-1500	Lehigh County Upper Macungie Township	Iron Run (2-C)	Yes
PAS122203 (Storm Water)	Nestle Waters North America 305 Nestle Way Breinigsville, PA 18031	Lehigh County Upper Macungie Township	Iron Run (2-C)	Yes
PA0032123 (Sewage)	Promised Land State Park RR 1 Box 96 Rt 390 Greentown, PA 18426-9735	Pike County Greene Township	East Branch Wallenpaupack Creek (1-C)	Yes
PA0036765 (Sewage)	Tyler Memorial Hospital 5950 SR 6 Tunkhannock, PA 18657-7905	Wyoming County Tunkhannock Township	Unnamed Tributary to Tagues Creek (4-G)	Yes

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0111601 (Sewage)	Christian Retreat Center 369 CRC Drive East Waterford, PA 17021-9981	Juniata County Lack Township	Tuscarora Creek (12-B)	Yes
PA0247944 (Sewage)	Paradise Elementary School 100 E College Avenue Spring Grove, PA 17362	York County Paradise Township	Unnamed Tributary of Paradise Run (7-F)	Yes
PA0081388 (Sewage)	Windy Brae MHP 14971 Mount Olivet Road Stewartstown, PA 17363-8506	York County North Hopewell Township	Unnamed Tributary of East Branch Codorus Creek (7-H)	Yes
PA0088579 (Sewage)	Felton Borough STP 88 Main Street Felton, PA 17322-9051	York County Felton Borough	North Branch Muddy Creek (7-I)	Yes
PA0083399 (Sewage)	Gettysburg Farm Campground 2 N Riverside Plaza Suite 800 Chicago, IL 60606-2682	York County Dover Township	Conewago Creek (7-F)	Yes

Southwest Regional Office: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0253120 (Industrial)	TCJMA Water Treatment Plant PO Box 758 Fredericktown, PA 15333-0758	Washington County East Bethlehem Township	Monongahela River (19-C)	Yes
PA0046230 (Sewage)	Carmichaels Cumberland Joint Sewer Authority PO Box 304 103 Municipal Road Carmichaels, PA 15320-0304	Greene County Carmichaels Borough	Muddy Creek (19-B)	Yes

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed#)</i>	<i>EPA Waived Y/N?</i>
PA0220779 (Sewage)	Springfield Village MHP PO Box 201 13079 Ridge Road West Springfield, PA 16443-0201	Erie County Springfield Township	Unnamed Tributary to Raccoon Creek (15-A)	Yes
PA0034193 (Sewage)	Lake View CC 8351 Route 89 North East, PA 16428-5233	Erie County North East Township	Sixteenmile Creek (15-A)	Yes
PA0264024 (Sewage)	Hickory Township STP PO Box 44 Endeavor, PA 16322	Forest County Hickory Township	East Hickory Creek (16-F)	Yes

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Non-Waived Permit Applications.

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5970.

PA0052159, Industrial, SIC Code 4941, **Aqua Pennsylvania Inc.**, 762 West Lancaster Avenue, Bryn Mawr, PA 19010-3489. Facility Name: Ridley Creek Water Treatment Plant. This existing facility is located in Middletown Township, **Delaware County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Industrial Waste.

The receiving stream(s), Ridley Creek, is located in State Water Plan watershed 3-G and is classified for High Quality Waters—Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.15 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	Daily Max XXX	6.0 Inst Min	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.2
Total Suspended Solids	XXX	XXX	XXX	30	60	75
Aluminum, Total	XXX	XXX	XXX	4.0	8.0	10
Iron, Total	XXX	XXX	XXX	2.0	4.0	5
Manganese, Total	XXX	XXX	XXX	1.0	2.0	2.5

The proposed effluent limits for Outfall 002 are based on an emergency discharge—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	Daily Max XXX	6.0 Inst Min	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.2
Total Suspended Solids	XXX	XXX	XXX	30	60	75
Aluminum, Total	XXX	XXX	XXX	4.0	8.0	10
Iron, Total	XXX	XXX	XXX	2.0	4.0	5
Manganese, Total	XXX	XXX	XXX	1.0	2.0	2.5

The proposed effluent limits for Outfall 004 are based on an intermittent discharge of 1.0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	DailyMax XXX	6.0 Inst Min	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.2

In addition, the permit contains the following major special conditions:

- A. Acquire Necessary Property Rights
- B. Proper Sludge Disposal
- C. WQM Permits
- D. Applicable BAT if Developed
- E. Chlorine Optimization
- F. TMDL/WLA Requirement
- G. Chemical Additive Condition
Sedimentation Basin Cleaning

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

PA0266345, Industrial, SIC Code 2015, **Keystone Protein Co.**, 154 W Main Street, Fredericksburg, PA 17026-9510. Facility Name: Keystone Protein Fredericksburg. This existing facility is located in Bethel Township, **Lebanon County**.

Description of Existing Activity: The application is for NPDES permit for an existing discharge of treated Industrial Waste.

The receiving stream(s), Elizabeth Run and Little Swatara Creek, are located in State Water Plan watershed 7-D and are classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 3 MGD.—Limits.

- The permit is amended to include a provision in Section C.I.C of the permit to allow nutrient credits for compliance with Chesapeake Bay Cap loads.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

PA0020621, Sewage, SIC Code 4952, **Waynesboro Borough Authority**, PO Box 310, Waynesboro, PA 17268-0310. Facility Name: Waynesboro WWTP. This existing facility is located in Waynesboro Borough, **Franklin County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Unnamed Tributary to East Branch Antietam Creek, is located in State Water Plan watershed 13-C and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 1.6 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	7.0	XXX	9.0 Max	XXX
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.36	XXX	1.17
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	330	530	XXX	25.0	40.0	50
Biochemical Oxygen Demand (BOD ₅)						
Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids	400	600	XXX	30	45	60
Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Ammonia-Nitrogen						
Nov 1 - Apr 30	180	XXX	XXX	13.5	XXX	27
May 1 - Oct 31	60	XXX	XXX	4.5	XXX	9
Copper, Total	XXX	XXX	XXX	0.053	0.132	XXX
					Daily Max	

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Outfall 001.

Parameter	Mass Units (lbs)		Effluent Limitations		
	Monthly	Annual	Monthly Average	Concentrations (mg/L) Maximum	Instant. Maximum
Ammonia—N	Report	Report	Report	XXX	XXX
Kjeldahl—N	Report	XXX	Report	XXX	XXX
Nitrate-Nitrite as N	Report	XXX	Report	XXX	XXX
Total Nitrogen	Report	Report	Report	XXX	XXX
Total Phosphorus	Report	Report	Report	XXX	XXX
Net Total N	Report	29,223	XXX	XXX	XXX
Net Total P	Report	3,896	XXX	XXX	XXX

Sludge use and disposal description and location(s): Class B biosolids are land applied at Gayman’s Grain Storage Farm and the Frank Barr Farm. Sludge is landfilled if site conditions are not favorable for land application.

In addition, the permit contains the following major special conditions:

- Chesapeake Bay nutrients requirements, Stormwater discharge conditions, Solids management for non-lagoon system, Whole Effluent Toxicity, Chlorine Minimization, Notification of designation of responsible operator, Hauled-in waste restriction, and Site-specific Chlorine Demand Study.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

PA0080284, Sewage, SIC Code 6515, **New Oxford MHC LLC**, 524 Meadow Avenue Loop, Banner Elk, NC 28604. Facility Name: New Oxford Mobile Home Village. This existing facility is located in Mount Pleasant Township, **Adams County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Unnamed Tributary to South Branch Conewago Creek, is located in State Water Plan watershed 7-F and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.01885 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Weekly Average		Average Monthly	Maximum	
Nitrate-Nitrite as N	XXX	XXX	XXX	Report Avg Qrtly	XXX	XXX
Nitrate-Nitrite as N (Total Load, lbs) (lbs)	Report Total Qrtly	XXX	XXX	XXX	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report Avg Qrtly	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs)	Report Total Qrtly	XXX	XXX	XXX	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	Report Avg Qrtly	XXX	XXX
Ammonia-Nitrogen (Total Load, lbs) (lbs)	Report Total Qrtly	XXX	XXX	XXX	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report Avg Qrtly	XXX	XXX
Total Kjeldahl Nitrogen (Total Load, lbs) (lbs)	Report Total Qrtly	XXX	XXX	XXX	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report Avg Qrtly	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs)	Report Total Qrtly	XXX	XXX	XXX	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.01885 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	DailyMax XXX	6.0	XXX	9.0	XXX
Dissolved Oxygen	XXX	XXX	Daily Min 5.0	XXX	Daily Max XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.027	XXX	0.089
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)						
Nov 1 - Apr 30	XXX	XXX	XXX	20.0	XXX	40
May 1 - Oct 31	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
Ammonia-Nitrogen				Geo Mean		
Nov 1 - Apr 30	XXX	XXX	XXX	4.5	XXX	9
May 1 - Oct 31	XXX	XXX	XXX	1.5	XXX	3

Sludge use and disposal description and location(s): Liquid sludge hauled-off site to landfill.

In addition, the permit contains the following major special conditions:

- Solids management for non-lagoon system, chlorine minimization, dry stream discharge, notification of designation of responsible operator.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0081710, Sewage, SIC Code 7033, **MHC Circle M LP**, 2 N Riverside Plaza, Suite 800, Chicago, IL 60606-2682. Facility Name: Circle M Campground. This existing facility is located in Pequea Township, **Lancaster County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Conestoga River, is located in State Water Plan watershed 7-J and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.06 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Annual Average</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Report	XXX	XXX	Annl Avg	XXX	XXX
Ammonia-Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen	Report	XXX	XXX	Annl Avg	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.06 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Annual Average</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	Daily Max XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25.0	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Annual Average</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Total Phosphorus	Report	XXX	XXX	2.0	XXX	4
	Avg Mo					

Sludge use and disposal description and location(s): Biosolids disposed under Kline's Services under permit number PA101606. The location of the disposal is in Lancaster County, Rapho Township.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0088781, Industrial, SIC Code 4911, **Calpine Mid Merit, LLC**, 500 Delaware Avenue Suite 600, Wilmington, DE 19801-7406. Facility Name: York Energy Center. This existing facility is located in Peach Bottom Township, **York County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Industrial Waste.

The receiving stream(s), Susquehanna River, is located in State Water Plan watershed 7-I and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 6.01 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
		Daily Max				
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Free Available Chlorine	XXX	XXX	XXX	XXX	0.2	0.5
Temperature (deg F) (°F)	XXX	XXX	XXX	XXX	Report	110
Total Suspended Solids						
Effluent Net	XXX	XXX	XXX	30.0	60.0	75
Total Dissolved Solids	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	Report	Report	XXX	Report	Report	XXX
		Daily Max				
Sulfate, Total	XXX	XXX	XXX	XXX	Report	XXX
Chloride	XXX	XXX	XXX	XXX	Report	XXX
Bromide	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)						
Other Stormwater	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids						
Other Stormwater	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease						
Other Stormwater	XXX	XXX	XXX	XXX	Report	XXX
Copper, Total						
Other Stormwater	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total						
Other Stormwater	XXX	XXX	XXX	XXX	Report	XXX
Nickel, Total						
Other Stormwater	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total						
Other Stormwater	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 100 are based on a design flow of 0.3 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
		Daily Max				

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Suspended Solids Effluent Net	XXX	XXX	XXX	30	100	XXX
Oil and Grease Effluent Net	XXX	XXX	XXX	15	20	30

In addition, the permit contains the following major special conditions:

- Chlorine use at power plant
- No net addition of pollutants for NCCW
- NO PCBs may be discharged
- Cooling tower maintenance chemicals
- Chemical additives
- 316(b) New Facility cooling water intakes
- Industrial stormwater requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

PA0082627, Sewage, SIC Code 8661, **CBM Ministries Inc.**, 3741 Joy El Drive, Greencastle, PA 17225-9001. Facility Name: Camp Joy El. This existing facility is located in Saint Thomas Township, **Franklin County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Back Creek, is located in State Water Plan watershed 13-C and is classified for warm water and migratory fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.01 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Nitrate-Nitrite as N	XXX	Report Daily Max	XXX	XXX	Report Daily Max	XXX
Total Nitrogen	XXX	Report Daily Max	XXX	XXX	Report Daily Max	XXX
Total Kjeldahl Nitrogen	XXX	Report Daily Max	XXX	XXX	Report Daily Max	XXX
Total Phosphorus	XXX	Report Daily Max	XXX	XXX	Report Daily Max	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.01 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report DailyMax	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Daily Min	XXX	9.0 Daily Max	XXX
Dissolved Oxygen	XXX	XXX	5.0 Daily Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25.0	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ammonia-Nitrogen	XXX	XXX	XXX	Report	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

PA0045004, Sewage, SIC Code 4952, **Lake Meade Municipal Authority**, 59 Curtis Drive, East Berlin, PA 17316-9220. Facility Name: Lake Meade STP. This existing facility is located in Reading Township, **Adams County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Mud Run, is located in State Water Plan watershed 7-F and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.35 MGD.—Interim Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly	Minimum	Average Monthly	Maximum	
Copper, Total	Report	XXX	XXX	Report	Report Daily Max	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.35 MGD.—Final Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly	Minimum	Average Monthly	Maximum	
Copper, Total	0.07	XXX	XXX	0.024	0.04 DailyMax	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.35 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Weekly Average	Daily Minimum	Average Monthly	Weekly Average	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0 Daily Max	XXX
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	29.0	43.0	XXX	10.0	15.0	20
Biochemical Oxygen Demand (BOD ₅)						
Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids	29.0	43.0	XXX	10.0	15.0	20
Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ultraviolet light intensity (mW/cm ²)	XXX	XXX	Report	XXX	XXX	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N (Total Load, lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen (Total Load, lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	13.0	XXX	XXX	4.5	XXX	9
May 1 - Oct 31	4.3	XXX	XXX	1.5	XXX	3
Ammonia-Nitrogen (Total Load, lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen (Total Load, lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Phosphorus	5.8	XXX	XXX	2.0	XXX	4
Total Phosphorus (Total Load, lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX

Sludge use and disposal description and location(s): Liquid sludge hauled-off site to Pecks Septic site in South Middleton Township, Cumberland County.

In addition, the permit contains the following major special conditions:

- TRE study, solids management for non-lagoon system, notification of designation of responsible operator, hauled-in waste restriction, and SBR batch discharge condition.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0024350, Sewage, SIC Code 4952, **Dauphin Borough Dauphin County**, PO Box 487, Dauphin, PA 17018-0487. Facility Name: Dauphin Borough STP. This existing facility is located in Dauphin Borough, **Dauphin County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Stony Creek, is located in State Water Plan watershed 7-C and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.2 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Dissolved Oxygen	XXX	XXX	Daily Min 5.0	XXX	Daily Max XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	41.7	66.7	XXX	25	40	50
Biochemical Oxygen Demand (BOD ₅)						
Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids	50	75	XXX	30	45	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ammonia-Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Daily Max Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Daily Max Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Daily Max Report	XXX

Sludge use and disposal description and location(s):

Digested liquid sludge is hauled out to Harrisburg Wastewater Treatment Plant for further treatment and disposal.

In addition, the permit contains the following major special conditions:

- Stormwater Prohibition, Approval Contingencies, Proper Waste/solids Management, Restriction on receipt of hauled in waste under certain conditions and Chlorine minimization requirement.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0247936, Sewage, SIC Code 7033, **Rv Management Services LLC**, PO Box 222178, Carmel, CA 93923. Facility Name: Twin Grove Resort & Campground. This existing facility is located in Union Township, **Lebanon County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Unnamed tributary of Swatara Creek, is located in State Water Plan watershed 7-D and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0292 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Daily Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX Daily Max	6.0	XXX	9.0 Daily Max	XXX
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.25	XXX	0.80
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	16.5	XXX	33
May 1 - Oct 31	XXX	XXX	XXX	5.5	XXX	11
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- Stormwater Prohibition
- Approval Contingencies
- Proper Waste/solids Management
- Collected screenings, slurries, sludges, and solids management
- Chlorine Minimization

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Telephone: 412.442.4000.

PA0026034, Sewage, SIC Code 4952, **Johnstown Redevelopment Authority**, 4th Floor Public Sfty Bldg, Johnstown, PA 15901. Facility Name: Dornick Point WWTP. This existing facility is located in West Taylor Township, **Cambria County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream, Conemaugh River, is in State Water Plan watershed 18-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 12 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX Daily Max	6.0	XXX	9.0 Max	XXX
Dissolved Oxygen	XXX	XXX	4.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	2,502	3,803	XXX	25.0	38.0	50
Biochemical Oxygen Demand (BOD ₅)						
Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Total Suspended Solids Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids	3,002	4,503	XXX	30.0	45.0	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ammonia-Nitrogen						
Nov 1 - Apr 30	Report	XXX	XXX	Report	Report	50
May 1 - Oct 31	1,702	2,602	XXX	17.0	26.0	34
Aluminum, Total	75	XXX	XXX	0.75	1.1	1.5
					Daily Max	
Iron, Total	150	XXX	XXX	1.5	2.3	3
					Daily Max	
Manganese, Total	100	XXX	XXX	1.0	1.5	2
					Daily Max	

The proposed effluent limits for Outfall 001 are based on a design flow of 12 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Total Nitrogen	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report Daily Max	XXX

In addition, the permit contains the following major special conditions:

- Requirement to conduct Chronic Whole Effluent Toxicity Testing
- Permits a discharge through Outfall 101 of storm water from the treatment plant site
- Implement EPA approved Pretreatment Program

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is not in effect.

PA0005037, Industrial, SIC Code 4911, **NRG Homer City Services LLC**, 1750 Power Plant Road, Homer City, PA 15748. Facility Name: Homer City Generating Station. This existing facility is located in Center Township, **Indiana County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste and storm water. This is a revision to draft limits published on July 26, 2014.

The receiving stream(s), Unnamed Tributary to Two Lick Creek, Two Lick Creek, Unnamed Tributary of Blacklick Creek, Cherry Run, Unnamed Tributary to Muddy Run, Blacklick Creek, Unnamed Tributary to Blacklick Creek, and Unnamed Tributary of Two Lick Creek, is located in State Water Plan watershed 18-D and is classified for Cold Water Fishes and Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 4.32 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Total Monthly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)						
Aug 1 - Jun 30	Report	4.32	XXX	XXX	XXX	XXX
Jul 1 - 31	Report	2.736 Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Temperature (°F)						
Aug 1 - Jun 30	XXX	XXX	XXX	XXX	110	XXX
Jul 1 - 31	XXX	XXX	XXX	XXX	85.9	XXX
Total Suspended Solids	XXX	XXX	XXX	15.0	50.0	XXX
Total Dissolved Solids	XXX	XXX	XXX	Report	Report	XXX
Oil and Grease	XXX	XXX	XXX	7.5	10.0	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Total Monthly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Aluminum, Total	XXX	XXX	XXX	0.75	0.75	0.75
Total Aluminum (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
Iron, Total	XXX	XXX	XXX	1.5	3.0	3.75
Total Iron (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
Manganese, Total	XXX	XXX	XXX	1.0	2.0	2.5
Total Manganese (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
Sulfate, Total	XXX	XXX	XXX	Report	Report	XXX
Thallium, Total	XXX	XXX	XXX	Report	Report	XXX
Chloride	XXX	XXX	XXX	Report	Report	XXX
Bromide	XXX	XXX	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 4.32 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Total Monthly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)						
Aug 1 - Jun 30	Report	4.32	XXX	XXX	XXX	XXX
Jul 1 - 31	Report	Daily Max 2.736 Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Temperature (°F)						
Aug 1 - Jun 30	XXX	XXX	XXX	XXX	110	XXX
Jul 1 - 31	XXX	XXX	XXX	XXX	85.9	XXX
Total Suspended Solids	XXX	XXX	XXX	15.0	50.0	XXX
Total Dissolved Solids	XXX	XXX	XXX	Report	Report	XXX
Oil and Grease	XXX	XXX	XXX	7.5	10.0	XXX
Aluminum, Total	XXX	XXX	XXX	0.75	0.75	0.75
Total Aluminum (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
Iron, Total	XXX	XXX	XXX	1.5	3.0	3.75
Total Iron (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
Manganese, Total	XXX	XXX	XXX	1.0	2.0	2.5
Total Manganese (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
Sulfate, Total	XXX	XXX	XXX	Report	Report	XXX
Thallium, Total	XXX	XXX	XXX	0.0021	0.0033	0.0053
Chloride	XXX	XXX	XXX	Report	Report	XXX
Bromide	XXX	XXX	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 4.32 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Total Annual</i>		<i>Annual Average</i>	<i>Daily Maximum</i>	
Free Available Chlorine	XXX	XXX	XXX	0.2	0.5	XXX
Total Aluminum (Total Load, lbs)	XXX	9,869	XXX	XXX	XXX	XXX
Chromium, Total	XXX	XXX	XXX	0.2	0.2	XXX
Total Iron (Total Load, lbs)	XXX	19,739	XXX	XXX	XXX	XXX
Total Manganese (Total Load, lbs)	XXX	13,159	XXX	XXX	XXX	XXX
Zinc, Total	XXX	XXX	XXX	1.0	1.0	XXX

The proposed effluent limits for Internal Monitoring Point 101 are for variable storm water discharges.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	30.0	100.0	XXX
Oil and Grease	XXX	XXX	XXX	15.0	20.0	XXX
Iron, Dissolved	XXX	XXX	XXX	2.0	4.0	XXX
Manganese, Total	XXX	XXX	XXX	2.0	4.0	XXX

The proposed effluent limits for Internal Monitoring Point 201 are based on a design flow of 2.08 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 0.24 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	Report	XXX	XXX	Report
Aluminum, Total	XXX	XXX	XXX	Report	Report	XXX
Iron, Total	XXX	XXX	XXX	Report	Report	XXX
Manganese, Total	XXX	XXX	XXX	Report	Report	XXX

The proposed effluent limits for Internal Monitoring Point 106 are for variable storm water discharges.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Total Annual</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Total Flow (Total Volume, Mgal)	XXX	Report	XXX	XXX	XXX	XXX
Total Precipitation (in)	XXX	Report	XXX	XXX	XXX	XXX
Total Aluminum (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
Total Iron (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
Total Manganese (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX

The proposed effluent limits for Internal Monitoring Point 106 are for variable storm water discharges.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Total Annual</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Total Flow (Total Volume, Mgal)	XXX	Report	XXX	XXX	XXX	XXX
Total Precipitation (in)	XXX	Report	XXX	XXX	XXX	XXX
Total Aluminum (Total Load, lbs)	XXX	321	XXX	XXX	XXX	XXX
Total Iron (Total Load, lbs)	XXX	641	XXX	XXX	XXX	XXX
Total Manganese (Total Load, lbs)	XXX	427	XXX	XXX	XXX	XXX

The proposed effluent limits for Internal Monitoring Point 106 are for variable storm water discharges.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Semi-Annual Total</i>		<i>Semi-Annual Average</i>	<i>Daily Maximum</i>	
Flow (MGD)	XXX	Report Daily Max	XXX	XXX	XXX	XXX
Total Flow (Total Volume, Mgal)	XXX	Report	XXX	XXX	XXX	XXX
Total Precipitation (in)	XXX	Report Total Mo	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	XXX	XXX	XXX	Report
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	Report	Report	XXX
Total Aluminum (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
Iron, Total	XXX	XXX	XXX	Report	Report	XXX
Total Iron (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
Manganese, Total	XXX	XXX	XXX	Report	Report	XXX
Total Manganese (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX

The proposed effluent limits for Internal Monitoring Point 206 are for variable storm water discharges.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Total Monthly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
Total Flow (Total Volume, Mgal)	XXX	Report	XXX	XXX	XXX	XXX
Total Flow (Total Volume, Mgal)	XXX	Report Total Annual	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	Report	Report	XXX
Aluminum, Total	XXX	XXX	XXX	Report	Report	XXX
Total Aluminum (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Total Monthly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Aluminum (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
		Total Annual				
Iron, Total	XXX	XXX	XXX	Report	Report	XXX
Total Iron (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
Total Iron (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
		Total Annual				
Manganese, Total	XXX	XXX	XXX	Report	Report	XXX
Total Manganese (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
Total Manganese (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
		Total Annual				

The proposed effluent limits for Internal Monitoring Point 206 are for variable storm water discharges.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Total Monthly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)						
Internal Monitoring Point	Report	Report	XXX	XXX	XXX	XXX
		Daily Max				
Total Flow (Total Volume, Mgal)	XXX	Report	XXX	XXX	XXX	XXX
Total Flow (Total Volume, Mgal)	XXX	Report	XXX	XXX	XXX	XXX
		Total Annual				
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	Report	Report	XXX
Aluminum, Total	XXX	XXX	XXX	0.75	0.75	0.75
Total Aluminum (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
Total Aluminum (Total Load, lbs)	XXX	2,264	XXX	XXX	XXX	XXX
		Total Annual				
Iron, Total	XXX	XXX	XXX	1.5	3.0	3.75
Total Iron (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
Total Iron (Total Load, lbs)	XXX	4,529	XXX	XXX	XXX	XXX
		Total Annual				
Manganese, Total	XXX	XXX	XXX	1.0	2.0	2.5
Total Manganese (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
Total Manganese (Total Load, lbs)	XXX	3,020	XXX	XXX	XXX	XXX
		Total Annual				

The proposed effluent limits for Internal Monitoring Point 306 are for variable storm water discharges.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Total Monthly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
		Daily Max				
Total Flow (Total Volume, Mgal)	XXX	Report	XXX	XXX	XXX	XXX
Total Flow (Total Volume, Mgal)	XXX	Report	XXX	XXX	XXX	XXX
		Total Annual				
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	Report	Report	XXX
Aluminum, Total	XXX	XXX	XXX	Report	Report	XXX
Total Aluminum (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
Total Aluminum (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
		Total Annual				
Iron, Total	XXX	XXX	XXX	Report	Report	XXX
Total Iron (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
Total Iron (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
		Total Annual				
Manganese, Total	XXX	XXX	XXX	Report	Report	XXX
Total Manganese (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
Total Manganese (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
		Total Annual				

The proposed effluent limits for Internal Monitoring Point 306 are for variable storm water discharges.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Total Monthly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
Total Flow (Total Volume, Mgal)	XXX	Report	XXX	XXX	XXX	XXX
Total Flow (Total Volume, Mgal)	XXX	Report	XXX	XXX	XXX	XXX
		Total Annual				
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	Report	Report	XXX
Aluminum, Total	XXX	XXX	XXX	0.75	0.75	0.75
Total Aluminum (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
Total Aluminum (Total Load, lbs)	XXX	2,789	XXX	XXX	XXX	XXX
		Total Annual				
Iron, Total	XXX	XXX	XXX	1.5	3.0	3.75
Total Iron (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
Total Iron (Total Load, lbs)	XXX	5,580	XXX	XXX	XXX	XXX
		Total Annual				
Manganese, Total	XXX	XXX	XXX	1.0	2.0	2.5
Total Manganese (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
Total Manganese (Total Load, lbs)	XXX	3,721	XXX	XXX	XXX	XXX
		Total Annual				

The proposed effluent limits for Internal Monitoring Point 406 are for variable storm water discharges. - Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Total Annual</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Total Flow (Total Volume, Mgal)	XXX	Report	XXX	XXX	XXX	XXX
Total Aluminum (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
Total Iron (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
Total Manganese (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX

The proposed effluent limits for Internal Monitoring Point 406 are for variable storm water discharges.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Total Annual</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Total Flow (Total Volume, Mgal)	XXX	Report	XXX	XXX	XXX	XXX
Total Aluminum (Total Load, lbs)	XXX	323	XXX	XXX	XXX	XXX
Total Iron (Total Load, lbs)	XXX	646	XXX	XXX	XXX	XXX
Total Manganese (Total Load, lbs)	XXX	431	XXX	XXX	XXX	XXX

The proposed effluent limits for Internal Monitoring Point 406 are for variable storm water discharges.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Semi-Annual Total</i>		<i>Semi-Annual Average</i>	<i>Daily Maximum</i>	
Flow (MGD)	XXX	Report Daily Max	XXX	XXX	XXX	XXX
Total Flow (Total Volume, Mgal)	XXX	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	XXX	XXX	XXX	Report
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease						
Internal Monitoring Point						
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	Report	Report	XXX
Total Aluminum (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
Iron, Total	XXX	XXX	XXX	Report	Report	XXX
Total Iron (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
Manganese, Total	XXX	XXX	XXX	Report	Report	XXX
Total Manganese (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX

The proposed effluent limits for Outfall 013 are for variable storm water discharges.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Total Monthly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
Total Flow (Total Volume, Mgal)	XXX	Report	XXX	XXX	XXX	XXX
Total Flow (Total Volume, Mgal)	XXX	Report	XXX	XXX	XXX	XXX
		Total Annual				
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	Report	Report	XXX
Total Dissolved Solids	XXX	XXX	XXX	Report	Report	XXX
Aluminum, Total	XXX	XXX	XXX	0.75	0.75	0.75
Total Aluminum (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
Total Aluminum (Total Load, lbs)	XXX	1,748	XXX	XXX	XXX	XXX
		Total Annual				
Iron, Total	XXX	XXX	XXX	1.5	3.0	3.75
Total Iron (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
Total Iron (Total Load, lbs)	XXX	3,495	XXX	XXX	XXX	XXX
		Total Annual				
Manganese, Total	XXX	XXX	XXX	1.0	2.0	2.5
Total Manganese (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
Total Manganese (Total Load, lbs)	XXX	2,330	XXX	XXX	XXX	XXX
		Total Annual				

The proposed effluent limits for Internal Monitoring Points 213, 613, and 813 are for variable storm water discharges.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	30	60	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	Report	Report	XXX
Iron, Total	XXX	XXX	XXX	Report	Report	XXX
Manganese, Total	XXX	XXX	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 016 are for variable overflow discharges.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Total Monthly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Temperature (°F)						
Jan 1 - Feb 28	XXX	XXX	XXX	XXX	38	XXX
Mar 1 - 31	XXX	XXX	XXX	XXX	42	XXX
Apr 1 - 15	XXX	XXX	XXX	XXX	48	XXX
Apr 16 - 30	XXX	XXX	XXX	XXX	53	XXX
May 1 - 15	XXX	XXX	XXX	XXX	56	XXX
May 16 - 31	XXX	XXX	XXX	XXX	60	XXX
Jun 1 - 15	XXX	XXX	XXX	XXX	64	XXX
Jun 16 - 30	XXX	XXX	XXX	XXX	68	XXX
Jul 1 - 31	XXX	XXX	XXX	XXX	72	XXX
Aug 1 - 31	XXX	XXX	XXX	XXX	71	XXX
Sep 1 - 15	XXX	XXX	XXX	XXX	67	XXX
Sep 16 - 30	XXX	XXX	XXX	XXX	61	XXX
Oct 1 - 15	XXX	XXX	XXX	XXX	56	XXX
Oct 16 - 31	XXX	XXX	XXX	XXX	52	XXX
Nov 1 - 15	XXX	XXX	XXX	XXX	47	XXX
Nov 16 - 30	XXX	XXX	XXX	XXX	42	XXX
Dec 1 - 31	XXX	XXX	XXX	XXX	40	XXX
Total Suspended Solids	XXX	XXX	XXX	30.0	50.0	50
Total Dissolved Solids	XXX	XXX	XXX	Report	Report	XXX
Oil and Grease	XXX	XXX	XXX	15	20	30
Aluminum, Total	XXX	XXX	XXX	0.75	0.75	0.75
Total Aluminum (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		
	<i>Average Monthly</i>	<i>Total Monthly</i>	<i>Instant. Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Aluminum (Total Load, lbs)	XXX	8	XXX	XXX	XXX	XXX
		Total Annual				
Iron, Total	XXX	XXX	XXX	1.5	3.0	3.75
Total Iron (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
Total Iron (Total Load, lbs)	XXX	16	XXX	XXX	XXX	XXX
		Total Annual				
Manganese, Total	XXX	XXX	XXX	1.0	2.0	2.5
Total Manganese (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
Total Manganese (Total Load, lbs)	XXX	11	XXX	XXX	XXX	XXX
		Total Annual				
Sulfate, Total	XXX	XXX	XXX	Report	Report	XXX
Thallium, Total	XXX	XXX	XXX	0.00024	0.00038	0.0006
Chloride	XXX	XXX	XXX	Report	Report	XXX
Bromide	XXX	XXX	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 017 are for variable storm water discharges.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Total Annual</i>	<i>Instant. Minimum</i>	<i>Average Monthly</i>	<i>Maximum</i>	
Total Flow (Total Volume, Mgal)	XXX	Report	XXX	XXX	XXX	XXX
Total Aluminum (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
Total Iron (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
Total Manganese (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX

The proposed effluent limits for Outfall 017 are for variable storm water discharges.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Total Annual</i>	<i>Instant. Minimum</i>	<i>Average Monthly</i>	<i>Maximum</i>	
Total Flow (Total Volume, Mgal)	XXX	Report	XXX	XXX	XXX	XXX
Total Aluminum (Total Load, lbs)	XXX	327	XXX	XXX	XXX	XXX
Total Iron (Total Load, lbs)	XXX	655	XXX	XXX	XXX	XXX
Total Manganese (Total Load, lbs)	XXX	436	XXX	XXX	XXX	XXX

The proposed effluent limits for Outfall 017 are for variable storm water discharges.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Semi-Annual Total</i>	<i>Instant. Minimum</i>	<i>Semi-Annual Average</i>	<i>Daily Maximum</i>	
Flow (MGD)	XXX	Report	XXX	XXX	XXX	XXX
		Daily Max				
Total Flow (Total Volume, Mgal)	XXX	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	XXX	XXX	XXX	Report
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	Report	Report	XXX
Total Aluminum (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
Iron, Total	XXX	XXX	XXX	Report	Report	XXX
Total Iron (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
Manganese, Total	XXX	XXX	XXX	Report	Report	XXX
Total Manganese (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX

The proposed effluent limits for Outfall 018 are based on a design flow of 2.14 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Total Monthly</i>	<i>Instant. Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
		Daily Max				
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	30.0	70.0	XXX
Oil and Grease	XXX	XXX	XXX	15.0	20.0	30
Aluminum, Total	XXX	XXX	XXX	0.75	0.75	0.75
Total Aluminum (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
(lbs)						
Iron, Total	XXX	XXX	XXX	1.5	3.0	3.75
Total Iron (Total Load, lbs) (lbs)	XXX	Report	XXX	XXX	XXX	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Total Monthly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Manganese, Total	XXX	XXX	XXX	1.0	2.0	2.5
Total Manganese (Total Load, lbs) (lbs)	XXX	Report	XXX	XXX	XXX	XXX
Thallium, Total	XXX	XXX	XXX	0.002	0.002	XXX

The proposed effluent limits for Outfall 018 are based on a design flow of 2.14 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Total Monthly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Aluminum (Total Load, lbs)	XXX	914	XXX	XXX	XXX	XXX
Total Iron (Total Load, lbs)	XXX	Total Annual 1,828	XXX	XXX	XXX	XXX
Total Manganese (Total Load, lbs)	XXX	Total Annual 1,218	XXX	XXX	XXX	XXX

The proposed effluent limits for Outfall 019 are for variable storm water discharges.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Maximum</i>
	<i>Average Monthly</i>	<i>Total Annual</i>		<i>Average Monthly</i>	<i>Maximum Instant.</i>	
Total Flow (Total Volume, Mgal)	XXX	Report	XXX	XXX	XXX	XXX
Total Aluminum (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
Total Iron (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
Total Manganese (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX

The proposed effluent limits for Outfall 019 are for variable storm water discharges.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Total Annual</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Total Flow (Total Volume, Mgal)	XXX	Report	XXX	XXX	XXX	XXX
Total Aluminum (Total Load, lbs)	XXX	34	XXX	XXX	XXX	XXX
Total Iron (Total Load, lbs)	XXX	68	XXX	XXX	XXX	XXX
Total Manganese (Total Load, lbs)	XXX	45	XXX	XXX	XXX	XXX

The proposed effluent limits for Outfall 019 are for variable storm water discharges.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Semi-Annual Total</i>		<i>Semi-Annual Average</i>	<i>Daily Maximum</i>	
Flow (MGD)	XXX	Report Daily Max	XXX	XXX	XXX	XXX
Total Flow (Total Volume, Mgal)	XXX	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	XXX	XXX	XXX	Report
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	Report	Report	XXX
Total Aluminum (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
Iron, Total	XXX	XXX	XXX	Report	Report	XXX
Total Iron (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
Manganese, Total	XXX	XXX	XXX	Report	Report	XXX
Total Manganese (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX

The proposed effluent limits for Outfall 021 are for variable storm water discharges.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Total Annual</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Total Flow (Total Volume, Mgal)	XXX	Report	XXX	XXX	XXX	XXX
Total Aluminum (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
Total Iron (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
Total Manganese (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX

The proposed effluent limits for Outfall 021 are for variable storm water discharges.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Total Annual</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Total Flow (Total Volume, Mgal) (Mgal)	XXX	Report	XXX	XXX	XXX	XXX
Total Aluminum (Total Load, lbs) (lbs)	XXX	192	XXX	XXX	XXX	XXX
Total Iron (Total Load, lbs) (lbs)	XXX	383	XXX	XXX	XXX	XXX
Total Manganese (Total Load, lbs) (lbs)	XXX	256	XXX	XXX	XXX	XXX

The proposed effluent limits for Outfall 021 are for variable storm water discharges.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Semi-Annual Total</i>		<i>Semi-Annual Average</i>	<i>Daily Maximum</i>	
Flow (MGD)	XXX	Report Daily Max	XXX	XXX	XXX	XXX
Total Flow (Total Volume, Mgal)	XXX	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	XXX	XXX	XXX	Report
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	Report	Report	XXX
Total Aluminum (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
Iron, Total	XXX	XXX	XXX	Report	Report	XXX
Total Iron (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
Manganese, Total	XXX	XXX	XXX	Report	Report	XXX
Total Manganese (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX

The proposed effluent limits for Outfall 022 are for variable storm water discharges.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Total Annual</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Total Flow (Total Volume, Mgal)	XXX	Report	XXX	XXX	XXX	XXX
Total Aluminum (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
Total Iron (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
Total Manganese (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX

The proposed effluent limits for Outfall 022 are for variable storm water discharges.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Total Annual</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Total Flow (Total Volume, Mgal)	XXX	Report	XXX	XXX	XXX	XXX
Total Aluminum (Total Load, lbs)	XXX	232	XXX	XXX	XXX	XXX
Total Iron (Total Load, lbs)	XXX	465	XXX	XXX	XXX	XXX
Total Manganese (Total Load, lbs)	XXX	310	XXX	XXX	XXX	XXX

The proposed effluent limits for Outfall 022 are for variable storm water discharges.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Semi-Annual Total</i>		<i>Semi-Annual Average</i>	<i>Daily Maximum</i>	
Flow (MGD)	XXX	Report Daily Max	XXX	XXX	XXX	XXX
Total Flow (Total Volume, Mgal)	XXX	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	XXX	XXX	XXX	Report
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	Report	Report	XXX
Total Aluminum (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
Iron, Total	XXX	XXX	XXX	Report	Report	XXX
Total Iron (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
Manganese, Total	XXX	XXX	XXX	Report	Report	XXX
Total Manganese (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX

The proposed effluent limits for Outfall 023 are for variable storm water discharges.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Total Monthly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
Total Flow (Total Volume, Mgal)	XXX	Report	XXX	XXX	XXX	XXX
Total Flow (Total Volume, Mgal)	XXX	Report	XXX	XXX	XXX	XXX
		Total Annual				
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	35	70	90
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	Report	Report	XXX
Total Aluminum (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
Total Aluminum (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
		Total Annual				
Iron, Total	XXX	XXX	XXX	1.5	3.0	3.75
Total Iron (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
Total Iron (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
		Total Annual				
Manganese, Total	XXX	XXX	XXX	Report	Report	XXX
Total Manganese (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
Total Manganese (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
		Total Annual				

The proposed effluent limits for Outfall 023 are for variable storm water discharges.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Total Monthly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
Total Flow (Total Volume, Mgal)	XXX	Report	XXX	XXX	XXX	XXX
Total Flow (Total Volume, Mgal)	XXX	Report	XXX	XXX	XXX	XXX
		Total Annual				
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	35	70	90
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	0.75	0.75	0.75
Total Aluminum (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
Total Aluminum (Total Load, lbs)	XXX	228	XXX	XXX	XXX	XXX
		Total Annual				
Iron, Total	XXX	XXX	XXX	1.5	3.0	3.75
Total Iron (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
Total Iron (Total Load, lbs)	XXX	457	XXX	XXX	XXX	XXX
		Total Annual				
Manganese, Total	XXX	XXX	XXX	1.0	2.0	2.5
Total Manganese (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
Total Manganese (Total Load, lbs)	XXX	305	XXX	XXX	XXX	XXX
		Total Annual				

The proposed effluent limits for Outfall 025 are for variable storm water discharges.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Total Annual</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Total Flow (Total Volume, Mgal)	XXX	Report	XXX	XXX	XXX	XXX
Total Aluminum (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
Total Iron (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
Total Manganese (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX

The proposed effluent limits for Outfall 025 are for variable storm water discharges.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Total Annual</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Total Flow (Total Volume, Mgal)	XXX	Report	XXX	XXX	XXX	XXX
Total Aluminum (Total Load, lbs)	XXX	27	XXX	XXX	XXX	XXX
Total Iron (Total Load, lbs)	XXX	54	XXX	XXX	XXX	XXX
Total Manganese (Total Load, lbs)	XXX	36	XXX	XXX	XXX	XXX

The proposed effluent limits for Outfall 025 are for variable storm water discharges.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		
	<i>Average Monthly</i>	<i>Semi-Annual Total</i>	<i>Instant. Minimum</i>	<i>Semi-Annual Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	XXX	Report Daily Max	XXX	XXX	XXX	XXX
Total Flow (Total Volume, Mgal)	XXX	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	XXX	XXX	XXX	Report XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	Report	Report	XXX
Total Aluminum (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
Iron, Total	XXX	XXX	XXX	Report	Report	XXX
Total Iron (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
Manganese, Total	XXX	XXX	XXX	Report	Report	XXX
Total Manganese (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX

The proposed effluent limits for Outfall 027 are based on a design flow of 0.14 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		
	<i>Average Monthly</i>	<i>Total Monthly</i>	<i>Instant. Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Temperature (°F)	XXX	XXX	XXX	XXX	XXX	110
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25.0	50.0	XXX
Total Suspended Solids	XXX	XXX	XXX	30.0	100.0	XXX
Total Dissolved Solids	XXX	XXX	XXX	Report	Report	XXX
Osmotic Pressure (mOs/kg)	XXX	XXX	XXX	Report	Report	XXX
Oil and Grease	XXX	XXX	XXX	15.0	20.0	30.0
Aluminum, Total	XXX	XXX	XXX	Report	Report	XXX
Total Aluminum (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
Total Aluminum (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
		Total Annual				
Arsenic, Total	XXX	XXX	XXX	Report	Report	XXX
Beryllium, Total	XXX	XXX	XXX	0.8	1.6	XXX
Boron, Total	XXX	XXX	XXX	Report	Report	XXX
Cyanide, Free	XXX	XXX	XXX	Report	Report	XXX
Iron, Total	XXX	XXX	XXX	Report	Report	XXX
Total Iron (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
Total Iron (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
		Total Annual				
Lead, Total	XXX	XXX	XXX	0.1	0.2	XXX
Manganese, Total	XXX	XXX	XXX	Report	Report	XXX
Total Manganese (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
Total Manganese (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
		Total Annual				
Mercury, Total (ng/L)	XXX	XXX	XXX	Report	Report	XXX
Selenium, Total	XXX	XXX	XXX	0.8	1.6	XXX
Sulfate, Total	XXX	XXX	XXX	Report	Report	XXX
Chloride	XXX	XXX	XXX	Report	Report	XXX
Bromide	XXX	XXX	XXX	Report	Report	XXX
MBAS	XXX	XXX	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 027 are based on a design flow of 0.14 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		
	<i>Average Monthly</i>	<i>Total Monthly</i>	<i>Instant. Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Temperature (°F)	XXX	XXX	XXX	XXX	XXX	110
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25.0	50.0	XXX
Total Suspended Solids	XXX	XXX	XXX	30.0	100.0	XXX
Total Dissolved Solids	XXX	XXX	XXX	24.0	50.0	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Total Monthly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Osmotic Pressure (mOs/kg)	XXX	XXX	XXX	Report	Report	XXX
Oil and Grease	XXX	XXX	XXX	15.0	20.0	30.0
Aluminum, Total	XXX	XXX	XXX	0.75	0.75	0.75
Total Aluminum (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
Total Aluminum (Total Load, lbs)	XXX	4,045	XXX	XXX	XXX	XXX
		Total Annual				
Arsenic, Total	XXX	XXX	XXX	Report	0.004	XXX
Beryllium, Total	XXX	XXX	XXX	0.8	1.6	XXX
Boron, Total	XXX	XXX	XXX	217.0	339.0	542.5
Cyanide, Free	XXX	XXX	XXX	0.59	0.92	1.48
Iron, Total	XXX	XXX	XXX	1.5	3.0	3.75
Total Iron (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
Total Iron (Total Load, lbs)	XXX	8,091	XXX	XXX	XXX	XXX
		Total Annual				
Lead, Total	XXX	XXX	XXX	0.1	0.2	XXX
Manganese, Total	XXX	XXX	XXX	1.0	2.0	2.5
Total Manganese (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
Total Manganese (Total Load, lbs)	XXX	5,395	XXX	XXX	XXX	XXX
		Total Annual				
Mercury, Total (ng/L)	XXX	XXX	XXX	24.0	39.0	XXX
Selenium, Total	XXX	XXX	XXX	Report	0.005	XXX
Sulfate, Total	XXX	XXX	XXX	Report	Report	XXX
Chloride	XXX	XXX	XXX	Report	Report	XXX
Bromide	XXX	XXX	XXX	Report	Report	XXX
MBAS	XXX	XXX	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 029 are for variable storm water discharges.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Total Monthly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
		Daily Max				
Total Flow (Total Volume, Mgal)	XXX	Report	XXX	XXX	XXX	XXX
Total Flow (Total Volume, Mgal)	XXX	Report	XXX	XXX	XXX	XXX
		Total Annual				
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	Report	Report	XXX
Total Dissolved Solids	XXX	XXX	XXX	Report	Report	XXX
Aluminum, Total	XXX	XXX	XXX	0.75	0.75	0.75
Total Aluminum (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
(lbs)						
Total Aluminum (Total Load, lbs)	XXX	872	XXX	XXX	XXX	XXX
		Total Annual				
Iron, Total	XXX	XXX	XXX	1.5	3.0	3.75
Total Iron (Total Load, lbs) (lbs)	XXX	Report	XXX	XXX	XXX	XXX
Total Iron (Total Load, lbs)	XXX	1,745	XXX	XXX	XXX	XXX
		Total Annual				
Manganese, Total	XXX	XXX	XXX	1.0	2.0	2.5
Total Manganese (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
(lbs)						
Total Manganese (Total Load, lbs)	XXX	1,163	XXX	XXX	XXX	XXX
		Total Annual				

The proposed effluent limits for Outfalls 030 and 032 are for variable storm water discharges.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Total Monthly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
		Daily Max				
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	30	60	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	0.75	0.75	0.75
Total Aluminum (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
(lbs)						

Parameters	Mass Units (lbs/day)		Instant. Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Total Monthly		Average Monthly	Daily Maximum	
Total Aluminum (Total Load, lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX
Iron, Total	XXX	XXX	XXX	1.5	3.0	3.75
Total Iron (Total Load, lbs) (lbs)	XXX	Report	XXX	XXX	XXX	XXX
Total Iron (Total Load, lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX
Manganese, Total	XXX	XXX	XXX	1.0	2.0	2.5
Total Manganese (Total Load, lbs) (lbs)	XXX	Report	XXX	XXX	XXX	XXX
Total Manganese (Total Load, lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX

In addition, the permit contains the following major special conditions: a Toxics Reduction Evaluation for new water quality limits at Outfalls 018; a schedule of compliance for new water quality limits at Outfalls 001 and 027; a schedule of compliance for Total Maximum Daily Load limits; requirements for TMDL implementation; compliance reporting requirements for water quality limits below quantitation limits; requirements for chemical additives; requirements applicable to storm water; and requirements pertaining to the facility's Cooling Water Intake Structure pursuant to Section 316(b) of the Clean Water Act including interim Best Technology Available.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is not in effect.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

PA0265586, Industrial Waste, SIC Code 3429, **Spinworks International Corporation**, 10093 West Main Road, North East, PA 16428. Facility Name: Spinworks International. This proposed facility is located in North East Township, **Erie County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of non-contact cooling water.

The receiving stream(s), Unnamed Tributary of Sixteenmile Creek, is located in State Water Plan watershed 15-A and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 004 are based on a design flow of 0.0085 MGD.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly	Minimum	Average Monthly	Maximum	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Daily Min	XXX	9.0 Daily Max	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.2

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is in effect.

PA0095231, Industrial Waste, SIC Code 4941, **Indiana County Municipal Services Authority**, 602 Kolter Drive, Indiana, PA 15701-3570. Facility Name: Arcadia System. This existing facility is located in Montgomery Township, **Indiana County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated filter backwash wastewater.

The receiving stream(s), Unnamed Tributary to Cush Creek, is located in State Water Plan watershed 8-B and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.001 MGD.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly	Minimum	Average Monthly	Maximum	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Daily Min	XXX	9.0 Daily Max	XXX

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60
Aluminum, Total	0.03	XXX	XXX	4.0	XXX	8
Iron, Total	0.02	XXX	XXX	2.0	XXX	4
Manganese, Total	0.01	XXX	XXX	1.0	XXX	2

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is not in effect.

PA0271519, Sewage, SIC Code 8800, **Deborah E Burke**, 250 Tieline Road, Grove City, PA 16127. Facility Name: Deborah Burke SRSTP. This proposed facility is located in Pine Township, **Mercer County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated sewage from a single-family residence.

The receiving stream, Swamp Run, is located in State Water Plan watershed 20-C and is classified for cold water fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

Sludge use and disposal description and location: Anaerobic digestion and disposal in a publicly-owned treatment works.

In addition, the permit contains the following major special conditions:

- Requirement to submit an Annual Maintenance Report
- No stormwater admitted to the treatment system
- Aerobic tank pumping requirement
- Solids handling
- Abandonment of the treatment system (for public sewage)

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is in effect.

III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

WQM Permit No. 0509403, A1, Sewerage, **Bedford Borough**, 244 W. Penn Street, Bedford, PA 15522.

This proposed facility is located in Bedford Borough, **Bedford County**.

Description of Proposed Action/Activity: Seeking amendment approval to enable larger organic loading at the Authority's existing WWTP.

WQM Permit No. WQG02361801, Sewerage, **Lititz Borough**, 7 South Broad Street, Lititz, PA 17543.

This proposed facility is located in Lititz Borough, **Lancaster County**.

Description of Proposed Action/Activity: Seeking permit approval for the construction /operation of proposed sewage pump station for Phase 2 of Warwick Woodlands.

Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

WQM Permit No. 0218408, Sewage, **Castlebrook Development Group, LLC**, 428 Boulevard of the Allies, Suite 100, Pittsburgh, PA 15219.

This proposed facility is located in Center Township & Potter Township, **Beaver County**.

Description of Proposed Action/Activity: The applicant proposes to construct a 400 gpm pump station and 6-inch diameter forcemain to serve The Bluffs at Glade Path Development. Sewage will be conveyed and treated at the Center Township Sanitary Authority's Elkhorn Run WPCP.

WQM Permit No. WQG0211802, Sewage, **East Carroll Township**, 3350 Brick Road, Carrolltown, PA 15722.

This proposed facility is located in East Carroll Township & Patton Borough, **Cambria County**.

Description of Proposed Action/Activity: The applicant proposed to extend sewer service to 50 existing home in East Carroll Township. The project consists of installing approximately 12,900 LF of 8-inch diameter sewer, which will be treated at the Patton Borough STP.

The Pennsylvania Infrastructure Investment Authority (PENNVEST) which administers Pennsylvania's State Revolving Fund has been identified as a possible funding source.

WQM Permit No. 0270416, A-4, Sewage, **Elizabeth Borough Municipal Authority**, 1 Locust Street, Elizabeth, PA 15037-1763.

This existing facility is located in Elizabeth Borough, **Allegheny County**.

Description of Proposed Action/Activity: Installation/Construction of new replacement pump station for EBMA.

The Pennsylvania Infrastructure Investment Authority (PENNVEST) which administers Pennsylvania's State Revolving Fund has been identified as a possible funding source. The Department's review of the sewage facilities plan revision has not identified any significant environmental impacts resulting from this proposal.

WQM Permit No. 0274469, A-7, Sewage, **Allegheny County Sanitary Authority ALCOSAN**, 3300 Preble Avenue, Pittsburgh, PA 15233-1025.

This existing facility is located in Pittsburgh City, **Allegheny County**.

Description of Proposed Action/Activity: Wet Weather Plant Expansion consisting of New East Headworks Facilities, two new primary clarifiers, two new final clarifiers, new Disinfection Facilities, Wet Weather Bypass Control Structure, New Waste Sludge Thickening Facilities, Additional Wet Scrubber Odor Control Facilities and Electrical System Upgrade.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. 1018408, Sewage, **Allegheny Clarion Valley Development Corp**, PO Box 311, Foxburg, PA 16036-0311.

This proposed facility is located in Allegheny Township, **Butler County**.

Description of Proposed Action/Activity: Interim replacement wastewater treatment plant.

IV. NPDES Individual Permit Applications for Stormwater Discharges from MS4.

Northeast Regional Office: Regional Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Telephone: 570.826.2511.

PAI132225, MS4, **Northampton County**, 669 Washington Street, Easton, PA 18042-7499. The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in **Northampton County**. The receiving streams, Unnamed Tributary of Monocacy Creek, Delaware River, Little Bushkill Creek and Catasauqua Creek, are located in State Water Plan watershed 2-C and 1-F and are classified for Cold Water Fishes, Migratory Fishes, High Quality—Cold Water, and Migratory Fish, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

The Department has made a tentative determination to issue the NPDES permit. Written comments on the application and draft permit will be accepted for 30 days following publication of this notice. The period for comment may be extended at the discretion of DEP for one additional 15-day period. You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA waiver is in effect for small MS4s, and is not in effect for large MS4s.

PAI132280, MS4, **Lower Towamensing Township**, 595 Hans Dairy Road, Palmerton, PA 18071. The application is for a new individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Lower Towamensing Township, **Carbon County**. The receiving streams, Unnamed Tributary to Pohopoco Creek, Mill Creek, Fireline Creek, Unnamed Tributary to Mill Creek, Aquashicola Creek, and Lehigh River, are located in State Water Plan watershed 2-B and are classified for Cold Water Fishes, Migratory Fishes, and Trout Stocking, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

The Department has made a tentative determination to issue the NPDES permit. Written comments on the application and draft permit will be accepted for 30 days following publication of this notice. The period for comment may be extended at the discretion of DEP for one additional 15-day period. You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA waiver is in effect for small MS4s, and is not in effect for large MS4s.

PAI132267, MS4, **Middle Smithfield Township**, 147 Municipal Drive, East Stroudsburg, PA 18302. The application is for a new individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Middle Smithfield Township, **Monroe County**. Two of the receiving streams, Sambo Creek and Brodhead Creek, are located in State Water Plan watershed 1-E and are classified for High Quality—Cold Water and Migratory Fish (Brodhead Creek), Cold Water and Migratory Fish (Sambo Creek), as well as

aquatic life, water supply and recreation. The other two receiving streams, Bushkill Creek and the Delaware River, are located in State Water Plan watershed 1-D and are classified for High Quality—Cold Water and Migratory Fish (Bushkill Creek), Warm Water and Migratory Fish (Delaware River), as well as aquatic life, water supply and recreation. The applicant is classified as a small MS4.

The applicant has submitted the following plan(s) with the application to reduce pollutant loads to impaired waters:

- A Pollutant Reduction Plan (PRP)

The Department has made a tentative determination to issue the NPDES permit. Written comments on the application and draft permit will be accepted for 30 days following publication of this notice. The period for comment may be extended at the discretion of DEP for one additional 15-day period. You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA waiver is in effect for small MS4s, and is not in effect for large MS4s.

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities.

Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD150083	Chester Springs Ventures, LLC 911 Tatnall Street Wilmington, DE 19801	Chester	Upper Uwchlan Township	Unnamed Tributary to Pickering Creek HQ-TSF
PAD150077	Pennsylvania Turnpike Commission 700 South Eisenhower Boulevard Middletown, PA 17057	Chester	Upper Uwchlan Township	Marsh Creek HQ-TSF-MF

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Carbon County Conservation District, 5664 Interchange Road, Lehigh, PA 18235.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD130013	PennDOT Engineering District 5-0 Christopher Kufro 1002 Hamilton St Allentown, PA 18101	Carbon	Mahoning Twp Lehigh Boro	Mahoning Creek (CWF, MF) EV Wetlands

Lehigh County Conservation District, 4184 Dorney Park Road, Suite 105, Allentown, PA 18401.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD390093	Big Bear Management Fund c/o 1-A Realty, Inc 7475 Hamilton Blvd PO Box 8 Trexlerstown, PA 18087	Lehigh	Lower Macungie Twp	Little Lehigh Creek (HQ-CWF, MF)

Luzerne Conservation District, 325 Smiths Pond Road, Shavertown, PA 18708.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD400022	White Haven Re, LLC Peter Bio 411 Susquehanna St White Haven, PA 18661	Luzerne	White Haven Boro	UNT to Lehigh River (HQ-CWF, MF)

Monroe County Conservation District, 8050 Running Valley Road, Stroudsburg, PA 18347.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD450057	CB H2O, LP PO Box 168 Tannersville, PA 18372	Monroe	Jackson Twp	UNT to Coolmoor Creek (HQ-CWF, MF)

Pike County Conservation District, 556 Route 402, Suite 1, Hawley, PA 18428.

NPDES

Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAD520014	Pine Hill Partners, LP James Roggio 2178 Loines Ave Merrick, NY 11566	Pike	Westfall Twp	Crawford Branch (HQ-CWF, MF) Cummins Branch (HQ-CWF, MF) Deep Brook (EV, MF) UNT to Delaware River (HQ-CWF, MF)

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, Nathan Phillips, Section Chief, 717.705.4802.

Permit #	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAD500003	PPL Electric Utilities Corporation Two North Ninth Street, GENN4 Allentown, PA 18101-1179	Perry & Cumberland	Carroll & Middlesex Township	Shermans Creek (WWF-HQ) UNTs Shermans Creek (WWF) Spring Run (WWF) UNTs Spring Run (WWF)
PAD210026	Andrew Martin Martin Poultry Operation	Cumberland	South Newton Township	Yellow Breeches Creek (HQ-CWF)

Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222, Dana Drake, Waterways and Wetlands Program Manager, 412-442-4000.

Permit No.	Applicant & Address	County	Municipality	Stream Name
PAD110005	East Carroll Township 3350 Brick Road Carrolltown, PA 15722	Cambria County	East Carroll Township and Patton Borough	Chest Creek (HQ-CWF); Little Chest Creek (CWF)

VII. List of NOIs for NPDES and/or Other General Permit Types.

PAG-12 CAFOs

CAFO Notices of Intent Received.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Telephone: 717-705-4707.

NPDES Permit No. PA0233889 A-1, CAFO, Troester Dairy, 175 Cannon Road, Mifflinburg, PA 17844-7714.

This existing facility is located in Buffalo Township, **Union County**.

Description of size and scope of existing operation/activity: Dairy (Cows, Heifers, Calves, Steers): 2,146.5 AEU.

The receiving stream, Unnamed Tributary of Mill Race, is in watershed 10-C and classified for: Cold Water Fishes and Migratory Fishes.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 25-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the State narrative water quality standards.

NPDES Permit No. PA0229105, CAFO, Amos Newswanger, 158 Miller Road, Lewisburg, PA 17837-7851.

This existing facility is located in Buffalo Township, **Union County**.

Description of size and scope of existing operation/activity: Swine (Grow—Finish), Poultry (Broilers): 470 AEU.

The receiving stream, Muddy Run, is in watershed 10-C and classified for: High Quality—Cold Water, High Quality Waters—Cold Water Fishes, and Migratory Fish.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 25-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no

other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the State narrative water quality standards.

NPDES Permit No. PA0229156, CAFO, **Four Winds Dairy LLC**, 901 Jackson Road, Ulysses, PA 16948-9560.

This existing facility is located in Harrison Township, **Potter County**.

Description of size and scope of existing operation/activity: Dairy (Cows, Heifers, Calves): 2,193.74 AEUs.

The receiving stream, Unnamed Tributary to Cowanesque River, is in watershed 4-A and classified for: Cold Water Fishes and Migratory Fishes.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 25-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the State narrative water quality standards.

Application No. PA0266761, Concentrated Animal Feeding Operation (CAFO), **Metzler J Douglas (Douglas Metzler Poultry CAFO)**, 81 Douts Hill Road, Pequea, PA 17565.

Metzler J Douglas has submitted an application for an Individual NPDES permit for a new CAFO known as Douglas Metzler Poultry CAFO, located in Martic Township, **Lancaster County**.

The CAFO is situated near Tucquan Creek in Watershed 7-K, which is classified for High Quality—Cold Water and Migratory Fish. The CAFO will be designed to maintain an animal population of approximately 412.14 animal equivalent units (AEUs) consisting of 88,000 layers. Manure will be stored in underbarn solid manure storages. A release or discharge to waters of the Commonwealth under normal operating conditions is not expected. Normal operating conditions are defined as conditions below a 100-year, 24-hour storm event.

The Department has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations, the Department has made a tentative determination to issue an NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the permit.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The Environmental Protection Agency (EPA) permit waiver provision under 40 CFR 123.24(e) does not apply to this NPDES permit.

Application No. PA0261726, Concentrated Animal Feeding Operation (CAFO), **Lester Martin (Lester Martin Duck CAFO)**, 415 E Old York Road, Carlisle, PA 17015-9207.

Lester Martin has submitted an application for an Individual NPDES permit for a renewal of an CAFO known as Lester Martin Duck CAFO, located in South Middleton Township, Cumberland County.

The CAFO is situated near Yellow Breeches Creek in Watershed 7-E, which is classified for High Quality—Cold Water and Migratory Fish. The CAFO is designed to maintain an animal population of approximately 135.28 animal equivalent units (AEUs) consisting of 38,000 ducks. Manure is stored in an HDPE-lined lagoon outside of the barn. A release or discharge to waters of the Commonwealth under normal operating conditions is not expected. Normal operating conditions are defined as conditions below a 100-year, 24-hour storm event.

The Department has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations, the Department has made a tentative determination to issue an NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the permit.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The Environmental Protection Agency (EPA) permit waiver provision under 40 CFR 123.24(e) does not apply to this NPDES permit.

MS4 PAG-13 Notices of Intent Received.

Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Waiver Application Submitted (Y/N)</i>	<i>Pollutant Reduction Plan Submitted (Y/N)</i>
PAG136371	Penn State Beaver Campus 100 University Drive Monaca, PA 15061-2764	Monaca Borough Beaver County	Y	N

**STATE CONSERVATION COMMISSION
PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS
FOR NPDES PERMITS FOR CAFOs**

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed

NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling (717) 787-8821.

Persons wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Persons with a disability who require an auxiliary aid, service, including TDD users or other accommodations to seek additional information should contact the SCC through the Pennsylvania AT&T Relay Service at (800) 654-5984.

**ACT 38
NUTRIENT MANAGEMENT PLANS
CAFO PUBLIC NOTICE SPREADSHEET—APPLICATIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>AEU's</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>New or Renewal</i>
Rowe Family Farm Co. David Rowe 216 Pawling Station Rd. Selinsgrove, PA 17870	Snyder	116 Total 57 manure application	622.03	Poultry, Broilers & Swine	NA	Renewal

**PUBLIC WATER SUPPLY (PWS)
PERMITS**

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for PWS permits to construct or substantially modify public water systems.

Persons wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received Under the Pennsylvania Safe Drinking Water Act.

Northeast Region: Safe Drinking Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Application No. 4018517, Construction Permit, Public Water Supply.

Applicant	Hazle Water Depot LLC 3 N Cedar Street Hazelton, PA 18201
Municipality	City of Hazelton
County	Luzerne County
Responsible Official	Mr. Robert Silfa Hazle Water Depot LLC 3 N Cedar Street Hazelton, PA 18201
Type of Facility	BVRB
Consulting Engineer	Mr. David L. Horst, P.E. Alfred Benesch & Co. One South Church St. Suite 300 Hazelton, PA 18201
Application Received Date	June 26, 2018
Description of Action	This project is for installation of a Retail Water Facility system. The Hazle Water Depot receives treated water from Hazelton City Authority (PWS ID # 2408001).

Application No. 4018518, Public Water Supply.

Applicant **Lake Lehman School District**
Ross Elementary School
P.O. Box 38
Lehman, PA 18627

[Township or Borough] Ross Township
Luzerne County

Responsible Official Mr. David Madajewski
Director of Buildings & Grounds
Lake Lehman School District
Ross Elementary School
P.O. Box 38
Lehman, PA 18627

Type of Facility Public Water Supply

Consulting Engineer Mr. Martin J. Gilligan, P.E.
Martin J. Gilligan, LLC
52 Westminster Drive
Dallas, PA 18612

Application Received Date 7/12/2018

Description of Action Proposed corrosion control treatment per the Department's Lead and Copper Regulation.

Application No. 3518504, Public Water Supply.

Applicant **Mr. Terry Fitzsimmons, Owner**
Benton Springs, LLC
241 Brian Lane
Dalton, PA 18414

[Township or Borough] Benton Township
Lackawanna County

Responsible Official Mr. Terry Fitzsimmons, Owner
Benton Springs, LLC
241 Brian Lane
Dalton, PA 18414

Type of Facility Public Water Supply

Consulting Engineer Mr. Patrick J. Ward, PE
Uni-Tec Consulting Engineers, Inc.
2007 Cato Avenue
State College, PA 16801

Application Received Date 7/12/2018

Description of Action Applicant proposes modifications to an existing PWS system to upgrade their water system facilities primarily including new metering pumps and storage.

Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 0618517, Public Water Supply.

Applicant **Hamburg Commerce Park, Inc.**

Municipality Perry Township

County **Berks**

Responsible Official Anthony Scarcia, Authorized Representative
74 West Broad Street
Bethlehem, PA 18018

Type of Facility Public Water Supply

Consulting Engineer Steven G. Lowry, P.E.
Steven G. Lowry & Associates Inc.
3708 Leyland Drive
Mechanicsburg, PA 17050

Application Received: 6/22/2018

Description of Action Construction of a new consecutive water system consisting of a 300,000-gallon elevated water storage tank and distribution system which will receive finished water from the Perry Township Municipal Authority.

Permit No. 0618518, Public Water Supply.

Applicant **Hamburg Commerce Park, Inc**

Municipality Perry Township

County **Berks**

Responsible Official Anthony Scarcia, Authorized Representative
74 West Broad Street
Bethlehem, PA 18018

Type of Facility Public Water Supply

Consulting Engineer Jeremy S. Madaras, P.E.
J.S. Madaras Consulting LLC
250 Indian Lane
Boyertown, PA 19512

Application Received: 6/22/2018

Description of Action Construction of a new water system consisting of one (1) groundwater well rated for 65 gpm, 5-micron cartridge filtration, water softening for hardness removal, sodium hypochlorite disinfection with 4-log treatment of viruses, pH adjustment with sodium hydroxide for general corrosion control, a 750-gallon finished water storage tank, booster pump station, distribution system, and a 300,000-gallon elevated water storage tank. They system is poised to eventually interconnect with the Perry Township Municipal Authority.

Permit No. 6718510, Public Water Supply.

Applicant **Dillsburg Water Authority**

Municipality Carroll Township

County **York**

Responsible Official Sheldon K. Williams, General Manager
P.O. Box 370
98 W Church St
Dillsburg, PA 17019

Type of Facility Public Water Supply

Consulting Engineer Peter Lusardi, P.E.
GHD, Inc.
1240 N. Mountain Rd.
Harrisburg, PA 17112

Application Received: 7/20/2018
 Description of Action A new booster pump station will be constructed to distribute water from Well 7 and the Route 15 standpipe to the entire water service area. Additionally, zinc pyrophosphate will be added at well 7.

Northcentral Region: Safe Drinking Water Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

Application No. 4918506—Construction—Public Water Supply.

Applicant **Aqua PA—Roaring Creek Division**
 Township/Borough Coal Township
 County **Northumberland County**
 Responsible Official Mr. Steven Draus
 204 East Sunbury Street
 Shamokin, PA 17872
 Type of Facility Public Water Supply
 —Construction
 Consulting Engineer Ms. Amanda J. Stank
 GHD Inc.
 1240 North Mountain Road
 Harrisburg, PA 17112
 Application Received July 24, 2018
 Description of Action Authorizes the replacement of existing tri-media filter system with a conventional dual media filter system at the water treatment plant.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907)

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.302—6026.305) require the Department to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. A person intending to use the background standard, Statewide health standard, the site-specific standard or intend to remediate a site as a special industrial area shall file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of cleanup standards or receives approval of a special industrial area remediation identified under the act will be relieved of further liability for the remediation of the site for con-

tamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the following site, proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified as follows. During this comment period, the municipality may request that the person identified as the remediator of the site develop and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental cleanup program manager in the Department regional office listed before the notice. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401.

Furniture Mart USA, 50 Hulmeville Avenue, Pennel Borough, **Bucks County**. David Schantz, Aquaterra Technologies, Inc., 122 South Church Street, West Chester, PA 19382 on behalf of Roger Betesh, Furniture USA Mart, 50 Hulmeville Avenue, Pennel, PA 19047 submitted a Notice of Intent to Remediate. This site has been found to be contaminated with selected metals in soil and groundwater. Proposed future use of the property will be non-residential. The Notice of Intent to Remediate was published in the *Lower Bucks Times* on July 3, 2018.

Taco Bell/Pizza Hut, 121 North MacDade Boulevard, Glenolden Borough, **Delaware County**. Jason Pero, Resource Control Consultants, 10 Lippincott Lane, Unit 1 Mount Holly, NJ 08060 on behalf of Joe DePascale, Summerwood Corporation, 14 Balligomingo Road, Conshohocken, PA 19428 submitted a Notice of Intent to Remediate. The site has been found to have elevated concentrations of volatile organic compounds in soil and groundwater. The Notice of Intent to Remediate was published in the *Digital First Media* on June 11, 2018.

First Blue Bell Cleaners Service, 1734 Dekalb Pike, Whitpain Townships, **Montgomery County**. James Carey, GHD services, Inc., 135 Raritan Center Parkway, Suite 5, Edison, NJ 08837 on behalf of Robert Carson, Regency Blue Bell, L.P. c/o Levin Management Company, 975 US Highway 22 West, North Plainfield, NJ 07060 submitted a Notice of Intent to Remediate. The site has been found to be contaminated with chlorinated solvents which have contaminated the groundwater on the site. The proposed future use of the property will be non-

residential for a commercial property. The Notice of Intent to Remediate was published in the *Digital First Media* on July 9, 2018.

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Black 1H/2H Wellsite, 84 Black Road, Springville Township, **Susquehanna County**. Civil & Environmental Consultants, 333 Baldwin Road, Pittsburgh, PA 15275, on behalf of Cabot Oil & Gas Corporation, 2000 Park Lane, Suite 300, Pittsburgh, PA 15275, submitted a Notice of Intent to Remediate. Groundwater was contaminated by a release of drilling mud. Future use of the site will be residential. The Notice of Intent to Remediate was published in *The Susquehanna County Transcript* on July 18, 2018.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701.

Motor Vehicle Accident Fluid Release near 38 West Lake Glory Road, Catawissa, Locust Township, **Columbia County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857, on behalf of Tom Schreck, 38 West Lake Glory Road, Catawissa, PA 17820, has submitted a Notice of Intent to Remediate site soil contaminated with motor oil, antifreeze and transmission fluid. The applicant proposes to remediate the site to meet the Statewide Health Standard. A summary of the Notice of Intent to Remediate was published in *The Daily Item* on June 30, 2018.

CTC Transit LLC Accident Cleanup, State Route 235, Segment 80-1700, Beaver Springs, Spring Township, **Snyder County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857, on behalf of CTC Transit, LLC, 1342 Sunny Side Road, Crewe, VA 23930-3304, has submitted a Notice of Intent to Remediate site soil contaminated with diesel fuel. The applicant proposes to remediate the site to meet the Statewide Health Standards. A summary of the Notice of Intent to Remediate was published in *The Daily Item* on July 2, 2018.

MyTBIInv 6076 Natural Gas Well Pad, 302 Doan Road, Knoxville, Deerfield Township, **Tioga County**. SWEPI, LP, 150 North Dairy Ashford Road, E1296 C, Houston, TX 77079, has submitted a Notice of Intent to Remediate site soil contaminated with produced water. The applicant proposes to remediate the site to meet Background and Statewide Health Standards. A summary of the Notice of Intent to Remediate was published in the *Wellsboro Gazette* on June 21, 2018.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department has developed an “integrated” plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities.

Copies of the application, the Department’s analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate Department Regional Office. Appointments for scheduling a review must be made by calling the appropriate Department Regional Office. The address and phone number of the Regional Office is listed before the application notices.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the Department’s Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

A person wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if the Department, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when the Department determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate Department Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Alan Binder, P.E., Environmental Engineer Manager—Telephone: 412-442-4168.

PA-03-00244A: Dominion Energy Transmission, Inc. (925 White Oaks Blvd. Bridgeport, WV 26330-6919)

on June 29, 2018, plan approval extension issued, to incorporate the new sources in the pending SOOP application. Plan Approval is extended until January 28, 2019, for their Rural Valley Compressor Station located in Valley Township, **Armstrong County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.

10-079F: BNZ Materials (191 Front Street, Zelienople, PA 16063), for the re-permitting of Kiln # 3 in Zelienople Borough, **Butler County**. This is a Title V facility. The public notice is required for sources required to obtain a Plan Approval in accordance with 25 Pa. Code § 127.44. This plan approval will, in accordance with 25 Pa. Code § 127.450 or § 127.505, be incorporated into the Title V operating permit at a later date.

Plan approval No 10-079F is for the proposed re-permitting of Kiln # 3. The potential emissions are as follows: 9.90 tpy for PM/PM₁₀/PM_{2.5}, 3.65 tpy for NO_x, 4.58 tpy for SO_x, 98.67 tpy for CO, 26.40 tpy for VOC, and 30.4 tpy of CO₂(e). This Plan Approval will contain emission restriction, testing, recordkeeping, work practice standard and additional requirement conditions, which will satisfy the requirements of 25 Pa. Code § 127.12b (pertaining to plan approval terms and conditions) and will demonstrate Best Available Technology (BAT) for the source including, but are not limited to, the following:

- Subject to 25 Pa. Code §§ 123.13 and 123.21
- Emissions shall comply with 25 Pa. Code §§ 123.1, 123.31 and 123.41 for fugitive, odor, and visible emissions respectively.
- No person may permit the emission into the outdoor atmosphere from Kiln # 3 of the following:
 - Total PM: 4.5 #/ton and 9.90 tpy based on a 12-month rolling basis
 - Total PM₁₀: 4.5 #/ton and 9.90 tpy based on a 12-month rolling basis
 - Total PM_{2.5}: 4.5 #/ton and 9.90 tpy based on a 12-month rolling basis
 - SO_x: 2.08 #/ton and 4.58 tpy based on a 12-month rolling basis
 - NO_x: 1.66 #/ton and 3.65 tpy based on a 12-month rolling basis
 - CO: 44.85 #/ton and 98.67 tpy based on a 12-month rolling basis
 - VOC: 12.0 #/ton and 26.4 tpy based on a 12-month rolling basis
 - Fluorides (other than HF): 0.491 #/ton and 1.08 tpy based on a 12-month rolling basis
 - HF: 0.786 #/ton and 1.74 tpy based on a 12-month rolling basis
 - The permittee shall use only natural gas as a fuel for this source.
 - The throughput from the source shall not exceed 4,400 tpy finished brick based on a 12-month rolling total.
 - A stack test shall be conducted within 180 days after plan approval issuance or within twelve (12) to eighteen (18) months (July 31, 2019, to January 31, 2020) prior to the expiration of the facility operating permit thereafter, a stack test for NO_x, CO, VOC, SO_x, HF, Fluoride (other than HF), total PM (both filterable and condensable),

PM₁₀ (both filterable and condensable), and PM_{2.5} (both filterable and condensable) [total PM testing can be used in lieu of PM₁₀ and PM_{2.5} testing] and shall be performed in accordance with the provisions of Chapter 139 of the Rules and Regulations of the Department of Environmental Protection. The stack test shall be performed while the aforementioned source is operating at the maximum or normal rated capacity as stated on the application.

- The permittee shall take a representative sample (0.5 #/ton of clay) from each shipment of clay.
- The permittee shall make a monthly composite sample from all the samples taken in part (a) and test for Fluoride concentration in the clay.
- After 6 months of sampling, the permittee may petition the Department to reduce the sampling frequency if the average Fluoride concentration in the clay does not vary greater than 5% from the Fluoride concentration during the latest stack test for Fluoride emission compliance.
- The Fluoride emission factor developed during the latest stack test for Fluoride emission compliance shall increase proportionally with an increase in Fluoride concentration in the clay above the concentration during testing. This adjusted emission factor shall be used in calculating the monthly and yearly Fluoride emissions.
- All recordkeeping shall commence upon startup of the source/control device. All records shall be kept for a period of five (5) years and shall be made available to the Department upon request.
- The permittee shall maintain a record of all preventive maintenance inspections of the source. These records shall include, at a minimum, the dates of the inspections, the name of the person performing the inspection, any problems or defects identified, any actions taken to correct the problems or defects, and any routine maintenance performed.
- The permittee shall record the following operational data from the source (these records may be done with strip charts recorders, data acquisition systems, or manual log entries):
 - Completion of operational inspection—daily defined as once per calendar day
 - The permittee shall record the following:
 - Gas usage and sawdust usage on a monthly basis and a 12-month rolling total basis
 - Production on a monthly basis and a 12-month rolling total basis
 - Clay throughput on a monthly basis and a 12-month rolling total basis
 - Clay Fluoride concentration from sampling
 - The permittee shall perform a daily operational inspection of the source.
 - All gauges employed shall have a scale such that the expected normal reading shall be no less than twenty percent (20%) of full scale and be accurate within plus or minus two percent (+/- 2%) of full scale reading.
 - The permittee shall maintain and operate the source in accordance with the manufacturer's specifications and in accordance with good air pollution control practices.

In accordance with 25 Pa. Code § 127.44(f)(1), all the pertinent documents regarding this application (applications, review memos, and draft approvals) are also available for review from 8:00 a.m. to 4:00 p.m. at the Meadville Regional DEP office (Air Quality). Appointments for scheduling a review must be made by calling the DEP (814) 332-6340.

In accordance with 25 Pa. Code § 127.44(f)(2), a 30-day comment period, from the date of publication, will exist for the submission of comments. Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to Regional Air Quality Program Manager, Pennsylvania Department of Environmental Protection, 230 Chestnut Street, Meadville, PA 16335-3494 and must contain the name, address and telephone number of the person submitting the comments, identification of the proposed plan approval [10-079F] and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Regional Air Quality Program Manager, 230 Chestnut St., Meadville, PA 16335; Phone (814) 332-6940.

In accordance with 25 Pa. Code § 127.45, a person may oppose the proposed plan approval by filing a written protest with the Department's Northwest Region Air Quality Program Manager.

If a plan approval has not undergone the previously stated public notice process, the change to an operating permit must be treated as a significant modification. In these situations, the Department should follow the procedures described in §§ 127.421 to 127.431 for State only operating permits or §§ 127.521 to 127.524 for Title V operating permits.

Intent to Issue Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507.

40-00116: Tempur Production USA, Inc. (25 Elmwood Road Mountain Top, PA 18707). The Department intends to issue a renewal State-Only Natural Minor Permit for Sealy Mattress located in Wright Township, **Luzerne County**. The sources are considered minor emission sources of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), total suspended particulate (TSP) and VOC's. The proposed permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110.

Contact: Thomas Bianca, Facilities Permitting Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

36-03108: North American Pipe Corp. (88 Newport Road, Leola, PA 17540) for the operation of a poly vinyl chloride (PVC) pipe manufacturing plant in Upper Leacock Township, **Lancaster County**. This is for the renewal of the existing State-only operating permit. Potential VOC air emissions from the facility's ink and cleaning solvents in less than 1.0 tpy, and the particulate matter (PM) emissions associated with pipe manufacturing processes is also less than 1.0 tpy. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Thomas Joseph, P.E., Facilities Permitting Chief—Telephone: 412-442-4336.

32-00390: Neiswonger Construction, Inc. (3756 State Route 981, Saltsburg, PA 15681) Natural Minor Operating Permit is for a limestone processing plant and is located in Young Township, **Indiana County**. The site was formerly owned and operated by Ridge Limestone, Inc. In accordance with 25 Pa. Code §§ 127.424 and 127.425, the Department of Environmental Protection (DEP) has received an application and is providing notice that it intends to issue an Air Quality Operating Permit for the previously-mentioned facility. Sources of emissions consist of a grid-powered, stationary nonmetallic mineral processing plant and fugitive emissions from storage piles and unpaved roads. Emissions at the facility are primarily particulate matter (PM) emissions which are controlled by a water spray system. Emission estimates were provided by the applicant based on the EPA's AP-42 tables. No fuel-fired air contamination sources exist at this site. The facility is required to conduct daily surveys of the site to ensure compliance with visible, fugitive, and malodor emission requirements and maintain records of those surveys. Emissions are projected to be 8.94 tons per year (TPY) PM and 2.59 TPY PM₁₀. The air quality permit includes operation requirements, monitoring requirements, and recordkeeping requirements for the site.

Those who wish to provide the Department with additional written information that they believe should be considered prior to the issuance of the State-Only Operating Permit may submit the information to Bradley Spayd, Air Quality Engineering Trainee, Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Operating Permit (32-00390) and concise statements regarding the relevancy of the information or objections to issuance of the Operating Permit.

A public hearing may be held, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient. Written comments or requests for a public hearing should be directed to Bradley Spayd, Air

Quality Engineering Trainee, at the previous address. For additional information concerning the permit or the issuance procedure, contact Bradley Spayd at the previous address or phone at (412) 442-5227.

All comments must be received prior to the close of business 30 days after the date of this publication.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Matt Williams, Facilities Permitting Chief—Telephone: 814-332-6131.

10-00375: Harmony Castings, LLC (251 Perry Highway, Harmony, PA 16037-9213). The Department is providing notice that they intend to renew a State Only Natural Minor Operating Permit for the aluminum foundry located in Jackson Township, **Butler County**. The facility's primary emission sources include the aluminum casting process, shot blast, and a parts washer. The potential emissions of the primary pollutants from the facility are as follows: 0.72 TPY (tons per year) NO_x, 1.69 TPY CO, 40.45 TPY VOC, 7.38 TPY total HAPs, 7.36 TPY methanol, 4.14 TPY PM₁₀ and PM_{2.5}, and 0.02 TPY SO_x; thus, the facility is a natural minor. Currently, the facility is not subject to 40 CFR Part 63 Subpart ZZZZZZ, because the annual aluminum melt production has been less than 600 tons per year as stated in § 63.11544(a)(4). The renewal permit will contain emission restrictions, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

24-00131: SGL Carbon Corp. (900 Theresia St., Saint Marys, PA 15857-5030). The Department is providing notice that they intend to renew a State Only Natural Minor Operating Permit for the graphite product manufacturing facility located in the City of Saint Marys, **Elk County**. The facility's primary emission sources include natural gas combustion sources, a 9.9 MMBtu/hr natural gas boiler, chemical vapor deposition reactors, machining operations, the special impregnation process, solvent degreasers, a natural gas-fired emergency power generator, graphitization and purification furnaces, and a V.O.G. furnace. The potential emissions of the primary pollutants from the facility are as follows: 4.89 TPY (tons per year) NO_x, 4.06 TPY CO, 25.93 TPY VOC, 1.02 TPY total HAPs, 0.70 TPY HCl, 0.10 TPY HF, 0.12 TPY Cl, 17.58 TPY PM₁₀ and PM_{2.5}, and 0.03 TPY SO_x; thus, the facility is a natural minor. The emergency generator is subject to 40 CFR 63 Subpart ZZZZ, NESHAP for Stationary Reciprocating Internal Combustion Engines. The renewal permit will contain emission restrictions, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

PLAN APPROVALS

Receipt of Plan Approval Applications and Intent to Issue Plan Approvals, and Intent to Issue Amended Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter B And Subchapter F. These actions may include the administrative amendments of an associated operating permit.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Contact: Norman Frederick, P.E., Environmental Engineer Manager—Telephone: 570-826-2409.

54-00090: Riverside Cremation Services, LLC (25 East Main Street Schuylkill Haven, PA 17972) for their facility located in Schuylkill Haven Borough, **Schuylkill County**.

Plan Approval No. 54-00090 is for the modification and operation of a human cremator. This facility is a Non-Title V facility. The company has applied to operate the cremator without interlock system & opening of the primary chamber door during cremation to check and reposition the remains if necessary. The company shall comply with 123.41 for opacity. The company will operate the cremator and maintain the system in accordance with the good engineering practices to assure proper operation of the system. The Plan Approval and Operating permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown in the preceding paragraph. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit No.: 54-00090 and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Ray Kempa, Environmental Group Manager, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, Phone 570-826-2511 within 30 days after publication date.

COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); The Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.20a). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department. A copy of the application is available for inspection at the district mining office indicated before each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application and request for Section 401 water quality certification application may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the address of the district mining office indicated before each application within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Written comments or objections regarding a mining permit application should contain the name, address and telephone number of persons submitting comments or objections, application number and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

A request for an informal conference or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 or § 86.34, must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

When an NPDES number is listed, the mining activity permit application was accompanied by an application for

an individual NPDES permit. A separate notice will be provided after the draft NPDES permit is prepared.

Coal Applications Received

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Permit No. 54860206C24. Rausch Creek Generation, LLC (formerly Westwood Generation, LLC), (978 Gap Street, Valley View, PA 17983), correction to existing anthracite coal refuse reprocessing, refuse disposal and coal ash utilization operation to update the permit boundary from 441.4 acres to 367.4 acres and change the post-mining land use to from woodland to unmanaged natural habitat in Frailey and Porter Townships, **Schuylkill County**, receiving stream: Lower Rausch Creek, classified for the following uses: cold water and migratory fishes. Application received: June 29, 2018.

Permit No. 49080104R and NPDES Permit No. PA0224987. D. Molesevich & Sons Construction Co., Inc., (P.O. Box 12, Mt. Carmel, PA 17851), renewal of an existing anthracite surface mine, coal refuse reprocessing and refuse disposal operation in Mt. Carmel Township, **Northumberland County** affecting 423.0 acres, receiving streams: Quaker Run, Coal Run and South Branch of Roaring Creek, classified for the following use: HQ—cold water fishes. Application received: July 11, 2018.

Noncoal Applications Received

Effluent Limits—The following effluent limits will apply to NPDES permits issued in conjunction with a noncoal mining permit:

Table 2

Parameter	30-day Average	Daily Maximum	Instantaneous Maximum
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity exceeding acidity* pH*		greater than 6.0; less than 9.0	

* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

3076SM13. White Rock Silica Sand Co., Inc. (331 Methodist Road, Greenville, PA 16125). Renewal of NPDES Permit No. PA0207535 in Hempfield Township, **Mercer County**. Receiving streams: Tributary to Shenango River, classified for the following uses: WWF. The first downstream potable water supply intake from the point of discharge is Greenville Municipal Water Authority. Application received: July 16, 2018.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Permit No. 7874SM1A1C11 and NPDES Permit No. PA0612880. New Enterprise Stone & Lime Co., Inc. d/b/a Eastern Industries, Inc., (3912 Brumbaugh Road, New Enterprise, PA 16664), correction to an existing quarry operation to merge 2 other existing permits Nos. 39880301 and 39920301 into this site for a total of 234.09

acres, in North Whitehall Township, **Lehigh County**, receiving stream: Coplay Creek, classified for the following uses: cold water and migratory fishes. Application received: June 20, 2018.

Permit No. 49050301C. Central Builders Supply Company, (P.O. Box 152, Sunbury, PA 17801), correction to an existing quarry operation to update the post-mining land use from cropland (farmland) to unmanage natural habitat and/or unmanaged water impoundment in Point Township, **Northumberland County** affecting 54.0 acres, receiving stream: Susquehanna River, classified for the following use: cold water fishes. Application received: June 29, 2018.

Permit No. 6173SM3A1C. Central Builders Supply Company, (P.O. Box 152, Sunbury, PA 17801), correction to an existing quarry operation to update the post-mining land use from cropland (farmland) to unmanage natural habitat and/or unmanaged water impoundment in Point Township, **Northumberland County** affecting 94.5 acres, receiving stream: Susquehanna River, classified for the following use: cold water fishes. Application received: June 29, 2018.

Permit No. 7974SM2A2C12 and NPDES No. PA0611999. Hanson Aggregates BMC, Inc., (7660 Imperial Way, Allentown, PA 18195), renewal of NPDES Permit for discharge of treated mine drainage from a

quarry operation in Nockamixon Township, **Bucks County** affecting 83.5 acres, receiving stream: Rapp Creek, classified for the following use: exceptional value waters. Application received: July 18, 2018.

Permit No. 22880301C and NPDES No. PA0223948. Rocky Licensing, Corporation, (P.O. 3331, Harrisburg, PA 17105), renewal of NPDES Permit for discharge of treated mine drainage from a quarry operation in Lower Swatara Township, **Dauphin County** affecting 143.10 acres, receiving stream: Swatara Creek, classified for the following use: warm water fishes. Application received: July 17, 2018.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated

with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	

Alkalinity greater than acidity*
*The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The limits for noncoal mining activities as provided in 25 Pa. Code Chapter 77 are pH 6 to 9 and other parameters the Department may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters in this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 563-2112-115, Developing National Pollutant Discharge Elimination System (NPDES) Permits for Mining Activities. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit within 30 days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30 days

of this public notice and contain the name, address, telephone number and the interest of the party filing the request, and state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES permit

application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. When a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

Coal NPDES Draft Permits

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900.

NPDES No. PA0262391 (Mining Permit No. 11070201), Fuel Recovery, Inc., 254 Interpower Drive, Colver, PA 15927, renewal of an NPDES permit for surface mining of coal in Washington Township, **Cambria County**, affecting 87.8 acres. Receiving streams: unnamed tributaries to/and Bear Rock Run and Burgoon Run classified for the following use: cold water fishes. This receiving stream is included in the Kiski-Conemaugh TMDL. Application received: June 11, 2018.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The following outfall discharges to Burgoon Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
001	N

The proposed effluent limits for the previously listed outfall are as follows:

<i>Outfalls: 001 (All Weather Conditions)</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Iron (mg/l)	3.0	6.0	7.0
Manganese (mg/l)	2.0	4.0	5.0
Aluminum (mg/l)	2.0	4.0	5.0
Total Suspended Solids (mg/l)	35	70	90

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.
Alkalinity must exceed acidity at all times.

The following outfalls discharge to unnamed tributaries to/and Bear Rock Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
002	N
003	N
004	N
005	N

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Outfalls: 002, 003, 004, 005 (All Weather Conditions)</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Iron (mg/l)	1.5	3.0	3.7
Manganese (mg/l)	1.0	2.0	2.5
Aluminum (mg/l)	0.75	1.5	1.8
Total Suspended Solids (mg/l)	35	70	90

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.
Alkalinity must exceed acidity at all times.

Noncoal NPDES Draft Permits

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

NPDES No. PA0280615 (Permit No. 20180303). Lakeland Sand & Gravel, Inc. (11203 Ellion Road, Conneaut Lake, PA 16316) New NPDES permit for a large industrial minerals surface mine in Sadsbury Township, **Crawford County**, affecting 24.0 acres. Receiving streams: Unnamed tributary to Mud Run, classified for the following uses: WWF; and unnamed tributary to Conneaut Lake, classified for the following uses: HQ-CWF. TMDL: None. Application received: June 25, 2018.

There will be no discharge from this site.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

NPDES Permit No. PA0612537 on Surface Mining Permit No. 7874SM3. New Enterprise Stone & Lime Co., Inc. d/b/a Eastern Industries, Inc., (3912 Brumbaugh Road, New Enterprise, PA 16664), renewal of an NPDES Permit for a limestone quarry operation in Whitehall Township, **Lehigh County**, affecting 137.6 acres. Receiving stream: Coplay Creek, classified for the following use: cold water fishes. Application received: February 19, 2018.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are BAT limits described previously for noncoal mining activities.

The following outfalls discharge to Coplay Creek.

<i>Outfall No.</i>	<i>New Outfall Y/N</i>	<i>Type</i>
001	No	Pit Sump

The proposed effluent limits for the previously listed outfall are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Total Suspended Solids Discharge (MGD) MDT Only	5.76	35.0	70.0	90.0

¹ The parameter is applicable at all times.

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the Commonwealth to certify that the involved projects will not violate the sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA, the issuance of a Dam Permit or Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment shall submit comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted before an application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on working days at the office noted before the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications Received under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification under section 401(a) of the FWPCA.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Telephone 570-826-2511.

E58-323. Department of Transportation, Engineering District 4-0, 55 Keystone Industrial Park, Dunmore, PA 18512, Oakland Township, Susquehanna County, Army Corps of Engineers, Baltimore District.

To remove an existing structure and to construct and maintain a 12-foot diameter corrugated metal pipe culvert depressed 1 foot below streambed elevation conveying Lewis Creek (CWF, MF).

The project is located at S.R. 1012, Segment 0130, Offset 3040 (Great Bend, PA Quadrangle Latitude: 41° 54' 57.3"; Longitude: -75° 37' 44.5"), in Oakland Township, Susquehanna County.

District Oil & Gas Operations: Eastern Oil & Gas District, 208 West Third Street, Suite 101, Williamsport, PA 17701.

E4129-122: ARD Operating, LLC, 33 West Third Street, Suite 300, Williamsport, PA 17701, Cascade Township, Lycoming County, ACOE Baltimore District.

To construct, operate, and maintain:

1) A 16-inch water pipeline and a timber mat bridge impacting 2,273 square feet of palustrine emergent (PEM) wetland (Bodines, PA Quadrangle 41°24'15"N 76°59'09"W);

2) A 16-inch water pipeline impacting 952 square feet of floodway of an unnamed tributary to West Branch Murray Run (EV) (Bodines, PA Quadrangle 41°24'14"N 76°59'14"W);

3) A 16-inch water pipeline and a timber mat bridge impacting 116 square feet of PEM wetland (Bodines, PA Quadrangle 41°24'56"N 76°58'18"W);

4) A 16-inch water pipeline and a timber mat bridge impacting 13 linear feet of an unnamed tributary to West Branch Murray Run (EV) (Bodines, PA Quadrangle 41°25'05"N 76°58'14"W);

5) A 16-inch water pipeline and a timber mat bridge impacting 2,884 square feet of PEM wetland (Bodines, PA Quadrangle 41°25'08"N 76°58'13"W);

6) A 16-inch water pipeline and a timber mat bridge impacting 12 linear feet of an unnamed tributary to West Branch Murray Run (EV) (Bodines, PA Quadrangle 41°25'09"N 76°58'11"W);

7) A 16-inch water pipeline and a timber mat bridge impacting 13 linear feet of an unnamed tributary to West Branch Murray Run (EV) (Bodines, PA Quadrangle 41°25'10"N 76°58'09"W);

8) A 16-inch water pipeline and a timber mat bridge impacting 1,056 square feet of PEM wetland (Bodines, PA Quadrangle 41°25'11"N 76°58'07"W);

9) A 16-inch water pipeline and a timber mat bridge impacting 24 linear feet of an unnamed tributary to West Branch Murray Run (EV) (Bodines, PA Quadrangle 41°25'14"N 76°58'00"W);

10) A 16-inch water pipeline and a timber mat bridge impacting 892 square feet of PEM wetland (Bodines, PA Quadrangle 41°25'25"N 76°57'41"W);

11) A 16-inch water pipeline and a timber mat bridge impacting 86 square feet of PEM wetland (Bodines, PA Quadrangle 41°25'26"N 76°57'38"W);

12) A 16-inch water pipeline and a timber mat bridge impacting 26 linear feet of unnamed tributaries to East Branch Murray Run (EV) and 969 square feet of PEM wetlands (Bodines, PA Quadrangle 41°25'26"N 76°57'35"W);

13) A 16-inch water pipeline and a timber mat bridge impacting 12 linear feet of an unnamed tributary to East Branch Murray Run (EV) and 610 square feet of PEM wetland (Bodines, PA Quadrangle 41°25'36"N 76°56'49"W);

14) A 16-inch water pipeline impacting 1,942 square feet of floodway of an unnamed tributary to East Branch Murray Run (EV) (Bodines, PA Quadrangle 41°25'38"N 76°56'28"W);

15) A 16-inch water pipeline and a timber mat bridge impacting 14 linear feet of East Branch Murray Run (EV)

and 4,880 square feet of adjacent palustrine emergent (PEM) wetland (Bodines, PA Quadrangle 41°25'38"N 76°56' 27"W);

16) A 16-inch water pipeline and a timber mat bridge impacting 13 linear feet of an unnamed tributary to Slacks Run (HQ-CWF) and 3,155 square feet of adjacent PEM wetland (Bodines, PA Quadrangle 41°26'22"N 76°55'32"W);

17) A 16-inch water pipeline and a timber mat bridge impacting 12 linear feet of an unnamed tributary to Slacks Run (HQ-CWF) (Bodines, PA Quadrangle 41°26'24"N 76°55'31"W).

The project will result in a total of 139 linear feet of stream impacts, 0.07 acre of additional floodway impacts, and 0.39 acre of wetland impacts all for the purpose of installing water pipeline and temporary access roadway for Marcellus well development.

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and NOIs for coverage under General Permits. This notice of final action is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Wastes; Discharges to Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

Sections I—VI contain actions regarding industrial, animal or sewage wastes discharges, discharges to groundwater, and discharges associated with MS4, stormwater associated with construction activities and CAFOs. Section VII contains notices for parties who have submitted NOIs for Coverage under General NPDES Permits. The approval for coverage under these General NPDES Permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions in each General Permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions in the respective permit. The permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions.

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401. Phone: 484.250.5970.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0244589 (Sewage)	Ling Quang Buddhist Temple 821 Ridge Road Telford, PA 18969-1528	Montgomery County Salford Township	Unnamed Tributary to Ridge Valley Creek 3-E	Y
PA0058467 A-1 (Industrial)	The American College 270 S. Bryn Mawr Bryn Mawr, PA 19010	Montgomery County Upper Merion Township	Unnamed Tributary to Trout Creek 3-F	Y
PA0050202 (Storm Water)	National RR Passenger Corp 2955 Market St Box 13 Philadelphia, PA 19104	Philadelphia County City of Philadelphia	Schuylkill River 3-F	Y

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0008346 (Industrial)	PA American Water Susquehanna WTP 1799 Jumper Road Wilkes-Barre, PA 18702-8032	Susquehanna County Harmony Township	East Branch Canawacta Creek (4-E)	Yes
PA0062855 (Industrial)	Mary D Comm Association Water System P.O. Box 115 Mary D, PA 17952-0115	Schuylkill County Schuylkill Township	Unnamed Tributary to Schuylkill River (3-A)	Yes
PA0060704 (Sewage)	Pleasant Valley Manor WWTP 4227 Manor Drive Stroudsburg, PA 18360	Monroe County Hamilton Township	McMichael Creek (01E)	Yes
PA0063592 (Sewage)	Gilberton Borough WWTP 2710 Main Street Mahanoy Plane, PA 17949	Schuylkill County Gilberton Borough	Mahanoy Creek (06B)	Yes

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0020711 (SEW)	Topton Borough 205 S. Callowhill Street Topton, PA 19562	Berks County/ Topton Borough	UNT of Little Lehigh Creek (2-C)	Y
PA0087041 (SEW)	Lake-In-Wood RV Resort 27777 Franklin Road Ste 200 Southfield, MI 48034	Lancaster County/ Brecknock Township	UNT Black Creek (7-J)	Y
PA0014648 (SEW)	Suez Water PA Inc. 4405 N. 6th Street Harrisburg, PA 17110	Dauphin County/ Hummelstown Borough	Swatara Creek (7-D)	Y
PA0024228 (IW)	Hain Pure Protein Corp 2609 Route 22 P.O. Box 10 Fredericksburg, PA 17026	Lebanon County/ Bethel Township	Elizabeth Run, Deep Run, and Beach Run (7-D)	N
PA0248223 (SEW)	Douglas Elasser 83 Douglas Dr. Cocolamus, PA 17014	Juniata County/ Fayette Township	Cocolamus Creek (12-B)	Y
PA0260908 (SEW)	Bethanne Schott 9499 Brogueville Road Felton, PA 17322-7900	York County/ Colerain Township	Carter Creek (7-I)	Y
PA0082368 (SEW)	Abbottstown Paradise Joint Sewer Authority P.O. Box 505 Abbottstown, PA 17301-0505	Adams County/ Hamilton Township	Beaver Creek (7-F)	Y

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0081922 (SEW)	Lewisberry Area Joint Authority P.O. Box 363 Lewisberry, PA 17339-0363	Lewisberry Borough/ York County	to Bennett Run in Watershed(s) 7-F	Y
PA0260169 (CAFO)	Elmer King 3382 B West Newport Road Ronks, PA 17572	Lack Township/ Juniata County	UNT Dougherty Run 12-B	Y

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions.

Bureau of Clean Water: Environmental Program Manager, NPDES Permitting Division, P.O. Box 8774, Harrisburg, PA 17105, Phone: 717.787.8184.

NPDES Permit No. PA0001627, Industrial, SIC Code 4911, **NRG Power Midwest LP**, 151 Porter Street, Springdale, PA 15144-1452.

This existing facility is located in Springdale Borough, **Allegheny County**.

Description of Existing Action/Activity: Issuance of an NPDES Permit for an existing discharge of treated Industrial Waste and stormwater.

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

NPDES Permit No. PA0057029, Industrial, **HP Inc.**, 3390 E Harmony Road, Fort Collins, CO 80528-8903.

This proposed facility is located New Garden Township, **Chester County**.

Description of Action/Activity: Issuance of an NPDES Permit for an existing discharge of treated Industrial waste.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

NPDES Permit No. PA0271381, Sewage, SIC Code 8800, **Christina Dick**, 89 Patterson School Road, Grove City, PA 16127.

This proposed facility is located in Pine Township, **Mercer County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated Sewage.

NPDES Permit No. PA0265659, Sewage, SIC Code 4952, 8800, **Clyde Roberts**, 233 George Junior Road, Grove City, PA 16127.

This proposed facility is located in Findley Township, **Mercer County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated Sewage.

NPDES Permit No. PA0265837, Sewage, SIC Code 8800, **Barbara Hajel**, P.O. Box 169, Knox, PA 16232.

This proposed facility is located in Elk Township, **Clarion County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated Sewage.

NPDES Permit No. PA0271471, Sewage, SIC Code 4952, 8800, **Chad Yohe**, 499 Seaward Avenue, Bradford, PA 16701.

This proposed facility is located in Corydon Township, **McKean County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated Sewage.

NPDES Permit No. PA0271497, Sewage, SIC Code 4952, 8800, **Randall E Reynolds**, 420 Kemmer Road, Summerville, PA 15864.

This proposed facility is located in Limestone Township, **Clarion County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated Sewage.

III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law.

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.

WQM Permit No. 4817402, Sewage, SIC Code 5271, **Spg Inc.**, 139 Country Club Road, Northampton, PA 18067-3028.

This proposed facility is located in Allen Township, **Northampton County**.

Description of Proposed Action/Activity: Upgraded larger Flow Equalization Tank and new Aerobic digester tank.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

WQM Permit No. 0602404, A3, Sewerage, **Berks County**, 633 Court Street, 16th Floor, Reading, PA 19601-4322.

This proposed facility is located in Bern Township, **Berks County**.

Description of Proposed Action/Activity:

This permit approves the modifications/operation of sewage facilities consisting of: a new mechanical screen and washer compactor, with the existing cylindrical screen retained as stand-by unit; two new blower and drives for the EQ tanks, replacing the previous blowers; replacement of diffusers in the EQ tanks; improvements to EQ and oxidation ditch flow

controls; replacement of oxidation ditches' equipment including aerator rotors and drives; replacement of clarifiers' equipment; installation of UV disinfection, 2 units for redundancy and replacement of belt filter press with volute screw press unit, with new sludge feed pump, polymer feed, lime fee and conveyers.

WQM Permit No. 3618201, CAFO, **David W Sweigart III**, 189 Ridge View Road, S Elizabethtown, PA 17022.

This proposed facility is located in Mount Joy Township, **Lancaster County**.

Description of Proposed Action/Activity:

This permit approves the construction and operation of manure storage facilities consisting of:

- Two proposed underbarn manure storages of similar size
- Proposed Leak detection system
- Two underbarn manure storages (existing)
- Two reception pits (existing)
- Slurrystore (existing)
- Two Heifer barn concrete storages (existing) (King)
- Heifer round concrete tank (existing) (Easton)

Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

WQM Permit No. 0471411 A-2, Sewage, SIC Code 4941, 4952, **Monaca Borough**, 806 Lincoln Place, Beaver Falls, PA 15010-4557.

This existing facility is located in Monaca Borough, **Beaver County**.

Description of Proposed Action/Activity: Modifications to the primary clarifier inlet channels as well as primary clarifier chain and flight replacement at the Monaca WWTP.

WQM Permit No. 6576417 A-3, Sewage, SIC Code 4952, **Unity Township Municipal Authority Westmoreland County**, 370 Pleasant Unity Mutual Road, Greensburg, PA 15601-6388.

This existing facility is located in Unity Township, **Westmoreland County**.

Description of Proposed Action/Activity: Removal and replacement of the existing headworks influent raw screen at the Pleasant Unity Water Pollution Control Plant.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. 4318403, Sewage, SIC Code 8800, **Christina Dick**, 89 Patterson School Road, Grove City, PA 16127.

This proposed facility is located in Pine Township, **Mercer County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

WQM Permit No. 4318401, Sewage, **Clyde Roberts**, 1289 Mercer Grove City Road, Mercer, PA 16137-6243.

This proposed facility is located in Findley Township, **Mercer County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

WQM Permit No. 1618402, Sewage, **Barbara Hajel**, P.O. Box 169, Knox, PA 16232.

This proposed facility is located in Elk Township, **Clarion County**.

Description of Proposed Action/Activity: Small Flow Treatment Facility for residence and attached commercial property.

WQM Permit No. 2517201, Industrial, **AAAG-Pennsylvania LLC**, 12141 Route 6, Corry, PA 16407.

This proposed facility is located in Concord Township, **Erie County**.

Description of Proposed Action/Activity: Installation of new drainage tank with grit chamber for existing car wash facility.

WQM Permit No. 4218403, Sewage, **Chad Yohe**, 499 Seaward Avenue, Bradford, PA 16701.

This proposed facility is located in Corydon Township, **McKean County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

WQM Permit No. 1618405, Sewage, **Randall E Reynolds**, 420 Kemmer Road, Summerville, PA 15864.

This proposed facility is located in Limestone Township, **Clarion County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

WQM Permit No. WQG01251801, Sewage, **Randall D Brunner**, 10055 State Road, Cranesville, PA 16410.

This proposed facility is located in Elk Creek Township, **Erie County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

WQM Permit No. WQG01431801, Sewage, **Thomas C Pesci**, 227 Corey Drive, Gibsonia, PA 15044.

This proposed facility is located in Wilmington Township, **Mercer County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

IV. NPDES Stormwater Discharges from MS4 Permit Actions.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Telephone: 717-705-4707.

<i>NPDES Permit No.</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>Receiving Water(s)/Use(s)</i>	<i>TMDL Plan Submitted (Y/N)</i>	<i>Pollutant Reduction Plan Submitted (Y/N)</i>
PAI133526	Middlesex Township Cumberland County 350 N. Middlesex Road Carlisle, PA 17013	Middlesex Township, Cumberland	Hogestown Run, Unnamed Tributary to Wertz Run, and Unnamed Tributary to Conodoguinet Creek/WWF, CWF, and MF	N	Y

VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions.

Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD090015	Thomas H. Crews 242 South Sugan Road New Hope, PA 18938	Bucks	New Hope Borough	Unnamed Tributary to Licking Creek to Unami Creek HQ-TSF
PAD510012	Philadelphia Authority for Industrial Development (PAID) 4747 South Broad Street Building 101 Suite 120 Philadelphia, PA 19112	Philadelphia	City of Philadelphia	Lower Schuylkill Watershed B Management District Zone C WWF-MF
PAD090012	Windy Springs Farm 1845 Myers Road Quakertown, PA 18951	Bucks	Milford Township	Unnamed Tributary to Aquetong Creek HQ-CWF-MF

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Carbon County Conservation District, 5664 Interchange Road, Lehighton, PA 18235.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD130012	Blue Mountain Resort c/o Barbara Green 1660 Blue Mountain Drive Palmerton, PA 18071	Carbon County	Lower Towamensing Township	Aquashicola Creek (HQ-CWF, MF)

Monroe County Conservation District, 8050 Running Valley Road, Stroudsburg, PA 18347.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD450058	Chestnuthill Township P.O. Box 243 Broadsheadville, PA 18322 West End Park & Open Space Commission 578 Evergreen Hollow Road Saylorsburg, PA 18322	Monroe	Chestnuthill Township	UNT to McMichael Creek (EV, MF)

Susquehanna County Conservation District, 88 Chenango Street, Montrose, PA 18801.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD580005	Pentagon Energy, LLC 1600 Ponce de Leon Blvd. Suite 1208 Coral Gables, FL 33134-4096	Susquehanna	New Milford Township	UNT to Salt Lick Creek (HQ-CWF, MF)

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD660001	Mid-Atlantic Interstate Transmission LLC 76 South Main Street Akron, OH 44308	Susquehanna, Wyoming, & Lackawanna	Auburn Township, Meshoppen Township, Washington Township, Lemon Township, Nicholson Township, Clinton Township, Benton Township, North Abington Township, South Abington Township, La Plume Township, Scott Township, Archbald Borough, Blakely Borough	Tributary to West Branch Tinklepaugh Creek (CWF, MF), Tributary to Hull Creek (CWF, MF), Hull Creek (CWF, MF), Leggetts Creek (CWF, MF), Kennedy Creek (CWF, MF), Tributary to Kennedy Creek (CWF, MF), Tributary to South Branch Tunkhannock Creek (CWF, MF), South Branch Tunkhannock Creek (TSF, MF), Tunkhannock Creek (TSF, MF), Tributary to Tunkhannock Creek (CWF, MF), Tributary to Horton Creek (CSF, MF), Horton Creek (CWF, MF), Tributary to Oxbow Creek (CWF, MF), Oxbow Inlet (CWF, MF), Tributary to Oxbow Inlet (CWF, MF), Meade Brood (CWF, MF), Meshoppen Creek (CWF, MF), Tributary to Meshoppen Creek (CWF, MF), Tributary to White Creek (CWF, MF), White Creek (CWF, MF), Riley Creek (CWF, MF), Tributaries to Little Meshoppen Creek (CWF, MF), EV Wetlands

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Nathan Phillips, Section Chief, Telephone 717.705.4802.

<i>Permit #</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD210022 Issued	UGI Utilities, Inc. 2525 North 12th Street Suite 360 P.O. Box 12677 Reading, PA 19612	Cumberland	South Middletown Township & Carlisle Borough	UNT Hogestown Run (CWF, MF) Letort Spring Run (EV, MF)

Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570.327.3574.

Centre County Conservation District: 414 Holmes Avenue, Suite 4, Bellefonte, PA 16823, (814) 355-6817.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD140029	Keystone Payroll 355 Colonnade Blvd C State College, PA 16801	Centre	Benner Twp	UNT-Buffalo Run HQ-CWF

VII. Approvals to Use NPDES and/or Other General Permits.

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types.

PAG-1	General Permit for Discharges from Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated With Construction Activities
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities
PAG-4	General Permit for Discharges from Small Flow Treatment Facilities
PAG-5	General Permit for Discharges from Petroleum Product Contaminated Groundwater Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems (CSO)
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest, or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharges from Hydrostatic Testing of Tanks and Pipelines
PAG-11	General Permit for Discharges from Aquatic Animal Production Facilities
PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)
PAG-14	(To Be Announced)
PAG-15	General Permit for Discharges from the Application of Pesticides

General Permit Type—PAG-02

Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Richland Township Bucks County	PAC090161	W.B. Homes 404 Sumneytown Pike Suite 200 North Wales, PA 19454	Unnamed tributary Tohickon Creek TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Perkasie Borough Bucks County	PAC090174	Peter Zavitsanos 1218 Forest Hill Drive P.O. Box 412 Gwynedd Valley, PA 19437-0412	Unnamed tributary East Branch Perkiomen Creek TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Doylestown Township Bucks County	PAC090146	The County of Bucks 55 East Court Street Doylestown, PA 18901	Unnamed tributary Neshaminy Creek TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Bensalem Township Bucks County	PAC090156	BSV Housing LP 1301 North 31st Street Philadelphia, PA 19121	Poquessing Creek WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Bensalem Township Bucks County	PAC090172	Ivy State Property LLC 35 Field Point Road Greenwich, CT 06830	Neshaminy Creek WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Warminster Township Bucks County	PAC090152	Centennial School District 48 Swan Way Warminster, PA 18974	Unnamed tributary to Southampton Creek TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Tullytown Borough Bucks County	PAC090169	Provco Pinegood Levittown, LLC 975 East Lancaster Avenue Building No. 2 Suite 200 Villanova, PA 19085	Tullytown Borough Bucks County	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
New Britain Township Bucks County	PAC090157	Alex Sharpan 3400 Paper Mill Road Huntingdon Valley, PA 19006	New Britain Township Bucks County	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Hatfield Township Montgomery County	PAC460213	Datalogic USA Inc 959 Terry Drive Eugene, OR 97402	Unionville Tributary WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Upper Hanover Township Montgomery County	PAC460221	ELU Macoby Run LLC 485 Devon Park Drive Suite 106 Wayne, PA 19087	Macoby Run TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
West Norriton Township Montgomery County	PAC460254	Reserve at Stoney Creek LP 950 West Valley Forge Road Blue Bell, PA 19422	Stoney Creek TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Lower Gwynedd Township Montgomery County	PAC460166	Kevin O Flaherty Gwynedd Mercy University 1325 Sumneytown Pike Gwynedd Valley, PA 19437	Unnamed tributary to Trewellyn Creek TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Upper Dublin Township Montgomery County	PAC460144	BT Dreshertown, LP 200 Dryden Road Suite 2000 Dresher, PA 19025	Pine Run TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Lower Salford Township Montgomery County	PAC460180	Indian Valley Faith Fellowship 190 Maple Avenue Harleysville, PA 19438	Unnamed tributary to Indian Creek TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Hatboro Borough Montgomery County	PAC460194	Hatboro-Horsham School District 229 Meetinghouse Road Horsham, PA 19044	Pennypack Creek TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Lower Merion Township Montgomery County	PAC460206	Rosemont College 1400 West Montgomery Avenue Bryn Mawr, PA 19010	Mill Creek TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Horsham Township Montgomery County	PAC460209	BET Investments Inc 200 Dryden Road Suite 2000 Dresher, PA 19025	Pennypack Creek TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Conshohocken Borough Montgomery County	PAC460210	Provco Pineville Fayette LP Two Villanova Center Villanova, PA 19085	Plymouth Creek WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Lower Merion Township Montgomery County	PAC460262	Frank and Antje Scardino 725 Darby Paoli Road Villanova, PA 19085-1008	Schuylkill River WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Upper Gwynedd Township Montgomery County	PAC460096	Cornerstone Premier Homes 601 West Prospect Ave North Wales, PA 19454	Tributary to Skipack Creek TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900

NOTICES

4679

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Upper Gwynedd Township Montgomery County	PAC460096	David Caracausa Cornerstone Premier Homes 601 West Prospect Ave North Wales, PA 19454	Tributary to Skippack Creek TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Upper Providence Township Montgomery County	PAC460067	Upper Providence Township 1286 Black Rock Road Oaks, PA 19456	Unnamed Tributary to Doe Run MF-TSF UNT to Schuylkill River MF-TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Upper Hanover Township Montgomery County	PAC460105	Geryville Storage LLC 224 Cathill Road Sellersville, PA 18703	UNT to Macoby Creek TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Trappe Borough Montgomery County	PAC460195	Damon London Development Group LLC 1217 Fairview Avenue Blue Bell, PA 19422-1819	Donny Brook TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Schwenksville Borough Montgomery County	PAC460186	Hoff Properties LLC 362 Winslow Drive Souderton, PA 18964	Perkiomen Creek TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Limerick Township Montgomery County	PAC460234	Fonciere Linfield LLC 191 South Keim St Suite 108 Pottstown, PA 19464	Unnamed tributary to Schuylkill River WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Pittston Twp Luzerne County	PAC400083	Mericle Oak St, LLC Robert Mericle 100 Baltimore Dr Wilkes-Barre, PA 18702	UNT to Susquehanna River (CWF, MF) UNT to Mill Creek (CWF, MF)	Luzerne County Conservation District 570-674-7991
Butler Twp Luzerne County	PAC400084	Donald Kellner 118 Old Airport Rd Drums, PA 18222	Nescopeck Creek (CWF, MF)	Luzerne County Conservation District 570-674-7991

Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, Nathan Phillips, Section Chief, 717.705.4802.

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Tulpehocken Township, Berks County Issued	PAC060124	Earl Martin 20 Deck Road Richland, PA 17087	UNT # 09939 Little Swatara Creek (CWF)	Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 610.372.4657
Amity Township, Berks County Issued	PAC060135	Dean Rittenhouse High Meadows 3, LP 345 Main St Ste 112 Harleysville, PA 19438	UNT Leaf Creek (WWF, MF)	Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 610.372.4657

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
South Newton Township Cumberland County Issued	PAD210026	Martin Poultry Operation 74 Furnace Hollow Road Shippensburg, PA 17257	Yellow Breeches (HQ, CWF)	Cumberland County Conservation District 310 Allen Road Suite 301 Carlisle, PA 17013-9101 717.240.7812
Lower Paxton Township Dauphin County Issued	PAC220102	Bishop McDevitt School District 1 Crusader Way Harrisburg, PA 17111	Spring Creek—West (CWF, MF)	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100
City of Harrisburg Dauphin County Issued	PAC220108	The Salvation Army 440 W Nyack Road West Nyack, NY 10994	UNT Spring Creek (CWF, MF)	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100
Rapho Township Lancaster County Issued	PAC360259	Ferril Good 597 Cold Spring Road Elizabethtown, PA 17022	Chiques Creek (WWF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
East Earl Township Lancaster County Issued	PAC360261	Ezra Beiler P.O. Box 314 East Earl, PA 17519	Cedar Creek (WWF, MF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
East Lampeter Township Lancaster County Issued	PAC360227	Brendan Johnson 30 Stephanie Lane Darien, CT 06820	UNT Mill Creek (WWF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
West Lampeter Township Lancaster County Issued	PAC360111	Todd Stumpf 1947 Lincoln Highway East Lancaster, PA 17602	UNT Mill Creek (WWF, MF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
Manheim Township Lancaster County Issued	PAC360213	Tom Koch 450A Candlewyck Road Lancaster, PA 17601	Landis Run (WWF, MF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
East Cocalico Township Lancaster County Issued	PAC360267	Jared Weaver 20 Hickory Lane Denver, PA 17517	Little Muddy Creek (TSF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
Warwick Township Lancaster County Issued	PAC360239	Phil Wolgemuth P.O. Box 5026 Lancaster, PA 17606	UNT Bachman Run (TSF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5

Northcentral Region: Watershed Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
State College Boro, Centre Cnty	PAC140043	Foxdale Village Corporation 500 Ease Marylyn Ave State College, PA 16801	Storm Sewer Trib. to Slab Cabin Run CWF, MF	Centre County Conservation District 414 Holmes Ave Ste 4 Bellefonte, PA 16823 (814) 355-6817
College Twp, Centre Cnty	PAG02001408012R(1)	The Village of Canterbury LP 2121 Old Gatesburg Rd State College, PA 16803	UNT-Spring Creek CWF	Centre County Conservation District 414 Holmes Ave Ste 4 Bellefonte, PA 16823 (814) 355-6817
Muncy Twp, Lycoming Cnty	PAC410029	Blaise Alexander Family Partnership LTD PA 10 Alexander Drive Muncy, PA 17756	Turkey Run WWF	Lycoming County Conservation District 542 County Farm Rd Ste 202 Montoursville, PA 17754 (570) 433-3003
Mahoning & Valley Twp, Montour Cnty	PAC470016	Danville Associates P.O. Box 201 Boalsburg, PA 16827	Kase Run CWF Sechler Run CWF	Montour County Conservation District 14 E Mahoning St Danville, PA 17821 (570) 271-1140
Center Twp, Snyder Cnty	PAC550010	Amos Zimmerman 1605 Borough Line Rd Mifflinburg, PA 17844	UNT of Penns Creek CWF, MF	Snyder County Conservation District 403 W Market St Middleburg, PA 17842 (570) 837-3000 X110

General Permit Type—PAG-3

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
New Britain Township Bucks County	PAG030079	Doylestown Waste Recycling 1510 Swamp Road Doylestown, PA 18901	North Branch Neshaminy Creek 2-F	DEP Southeast Regional Office Clean Water Program 2 E. Main Street Norristown, PA 19401 484.250.5970
East Fallowfield Twp Bucks County	PAG030082	Stein Steel Mill Services, Inc. 1929 East Royalton Road Broadview Heights, OH 44147-2867	Sucker Run and Unnamed Tributary to Sucker Run 3-H	DEP Southeast Regional Office Clean Water Program 2 E. Main Street Norristown, PA 19401 484.250.5970
Plum Borough Allegheny County	PAR216158	Wendell H. Stone Company dba Stone & Company, Inc. 606 McCormick Avenue Connellsville, PA 15425	Unnamed Tributary of Thompson Run— 19-A	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive Pittsburgh, PA 15222-4745 412.442.4000

General Permit Type—PAG-4

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Elk Creek Township Erie County	PAG041227	Randall D Brunner 10055 State Road Cranesville, PA 16410	Little Elk Creek— 15-A	DEP Northwest Regional Office Clean Water Program 230 Chestnut Street Meadville, PA 16335-3481 814.332.6942

*Facility Location:
Municipality &
County*Wilmington
Township
Mercer County*Permit No.*
PAG041226*Applicant Name &
Address*
Thomas C Pesci
227 Corey Drive
Gibsonia, PA 15044*Receiving
Water / Use*
Unnamed Stream—
20-A*Contact Office &
Phone No.*
DEP Northwest
Regional Office
Clean Water Program
230 Chestnut Street
Meadville, PA 16335-3481
814.332.6942*General Permit Type—PAG-10**Facility Location &
Municipality*York County/Peach
Glen Township*Permit No.*
PAG103576*Applicant Name &
Address*
CBI Services, LLC
1125 Pikes Peak Road
Delta, PA 17314-9049*Receiving
Water / Use*
UNT Susquehanna
River/WWF & MF*Contact Office &
Phone No.*
DEP—SCRO—
Clean Water Program
909 Elmerton Avenue
Harrisburg, PA 17110
717-705-4707*General Permit Type—PAG-12**Facility Location &
Municipality*East Donegal
Township,
Lancaster County*Permit No.*
PAG123752 A-1*Applicant Name &
Address*
Mitchell Shellenberger
Shelmar Acres LLC
580 Colebrook Road
Mount Joy, PA
17552-9776*Receiving
Water / Use*
Watershed 7-G*Contact Office &
Phone No.*
DEP—SCRO—CW
909 Elmerton Avenue
Harrisburg, PA 17110
717-705-4707*General Permit Type—PAG-13**Facility Location
Municipality &
County*South Coatesville
Borough
Chester County*Permit No.*
PAG130163*Applicant Name &
Address*
South Coatesville
Borough
Chester County
136 Modena Road
Coatesville, PA
19320-4035*Receiving
Water / Use*
Unnamed Tributary
to West Branch
Brandywine Creek
and West Branch
Brandywine
Creek—3-H*Contact Office &
Phone No.*
DEP Southeast
Regional Office
Clean Water Program
2 E Main Street
Norristown, PA 19401
484.250.5970Lower Merion
Township
Montgomery County*Permit No.*
PAG130064*Applicant Name &
Address*
Lower Merion Township
Montgomery County
75 E Lancaster Avenue
Ardmore, PA 19003*Receiving
Water / Use*
Schuylkill River,
Glanraffan Creek,
West Branch Indian
Creek, Unnamed
Tributary to
Schuylkill River,
Gulley Run, Mill
Creek, East Branch
Indian Creek,
Sawmill Run, Cobbs
Creek, Arrowmink
Creek, and Unnamed
Tributary to Trout
Run—3-F and 3-G*Contact Office &
Phone No.*
DEP Southeast
Regional Office
Clean Water Program
2 E Main Street
Norristown, PA 19401
484.250.5970Monroe Township/
Cumberland County*Permit No.*
PAG133573 A-1*Applicant Name &
Address*
Monroe Township
1220 Boiling Springs
Road
Mechanicsburg, PA 17055*Receiving
Water / Use*
Dogwood Run,
Trindle Spring Run,
and Yellow Breeches
Creek Watersheds
7-B and 7-E*Contact Office &
Phone No.*
DEP Southcentral
Regional Office
Clean Water Program
909 Elmerton Avenue
Harrisburg, PA 17110-8200
717.705.4707Mountville
Borough/
Lancaster County*Permit No.*
PAG133533*Applicant Name &
Address*
Mountville Borough
Lancaster County
21 E Main Street
P.O. Box 447
Mountville, PA
17554-1650*Receiving
Water / Use*
Strickler Run and
West Branch Little
Conestoga Creek—
7-J and 7-G*Contact Office &
Phone No.*
DEP Southcentral
Regional Office
Clean Water Program
909 Elmerton Avenue
Harrisburg, PA 17110-8200
717.705.4707

<i>Facility Location Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Heidelberg Township/ Berks County	PAG133504	Heidelberg Township Berks County P.O. Box 241 Robesonia, PA 19551	Unnamed Tributary to Furnace Creek and Unnamed Tributary to Tulpehocken Creek—3-C	DEP Southcentral Regional Office Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110-8200 717.705.4707
Irwin Borough Westmoreland County	PAG136164	Irwin Borough Westmoreland County 424 Main Street Irwin, PA 15642-3440	Brush Creek and Unnamed Tributary to Tinkers Run—19-A	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive Pittsburgh, PA 15222-4745 412.442.4000
Findlay Township Allegheny County	PAG136131	Township of Findlay 1271 Rte 30 P.O. Box W Clinton, PA 15026	N. Fork Montour Run, S. Fork Montour Run, McClarens Run, Raccoon Creek, Potato Garden Run, Raredon Run, & Boggs Run—20-G—TSF and WWF	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive Pittsburgh, PA 15222-4745 412.442.4000

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. The appeal form and the Board’s rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act.

Southeast Region: Water Supply Management Program Manager, 2 East Main Street, Norristown, PA 19401.

Permit No. 1518504, Public Water Supply.

Applicant	Atglen Borough P.O. Box 250 Atglen, PA 19310
Township	West Sadsbury
County	Chester
Type of Facility	PWS
Consulting Engineer	Mr. Homan, P.E. Becker Engineering, LLC 115 Millersville Road Lancaster, PA 17603-4250
Permit to Construct Issued	July 18, 2018

Permit No. 0918504, Public Water Supply.

Applicant	Aqua Pennsylvania, Inc. 762 West Lancaster Avenue Bryn Mawr, PA 19010
Township	Middletown
County	Bucks
Type of Facility	PWS
Consulting Engineer	GHD, Inc. 1240 Mountain Road Harrisburg, PA 17112-1754
Permit to Construct Issued	July 15, 2018

Permit No. 2318502, Public Water Supply.
 Applicant **Crozer-Keystone Health System**
 100 West Sproul Road
 Healthplex Pavillion II
 Springfield, PA 19064
 Township Upper Darby
 County **Delaware**
 Type of Facility PWS
 Consulting Engineer IES
 1720 Walton Road
 Blue Bell, PA 19422
 Permit to Construct Issued June 13, 2018

Operations Permit No. 1518514 issued to: **UMH Properties, Inc.**, 150 Clay Street, Suite 150, Morgantown, WV 26508, **PWS ID # 1150052**, Honey Brook Township, **Chester County**, on June 29, 2018 for the operation of the UHV Valley View Honey Brook MHP Caustic Soda Feed Equipment at Well No. 6 facilities.

Operations Permit No. 0918515 issued to: **Lower Bucks County Joint Municipal Authority**, 7811 New Falls Road, P.O. Box 460, **PWS ID # 1090026**, Tullytown Borough, **Bucks County**, on July 19, 2018 for the operation of the Delaware River Surface Water Source with an Additional 1-Log Cryptosporidium Treatment Requirement.

Northeast Region: Safe Drinking Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Permit No. 4018516MA, Public Water Supply.
 Applicant **PA American Water**
 800 W. Hershey Park Drive
 Hershey, PA 17033
 [Township or Borough] Pittston Township
Luzerne County
 Responsible Official Mr. David Kaufman
 Vice President-Engineering
 Type of Facility Public Water Supply
 Consulting Engineer Mr. Richard Dudek, PE
 PA American Water Company
 2699 Stafford Avenue
 Scranton, PA 18505
 Operation Permit Issued 07/12/2018

Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 3817503, Public Water Supply.
 Applicant **Quentin Water Company**
 Municipality West Cornwall Township
 County **Lebanon**
 Responsible Official William Matthews, Manager
 P.O. Box 243
 Quentin, PA 17083
 Type of Facility The construction of Well No. 4 as a new source-of-supply with sodium hypochlorite disinfection and 4-log contact piping along with manganese treatment and an upgrade to the existing booster pumping station.

Consulting Engineer Randolph S. Bailey, P.E.
 Wm. F. Hill & Assoc., Inc.
 207 Baltimore Street
 Gettysburg, PA 17325
 Permit to Construct Issued 7/20/2018

Permit No. 0618515 MA, Minor Amendment, Public Water Supply.
 Applicant **Spunktown Tavern**
 Municipality Colebrookdale Township
 County **Berks**
 Responsible Official Steve Oswald, Owner
 699 Englesville Road
 Boyertown, PA 19512

Type of Facility Spunktown Tavern (Tavern) has proposed to install two (2) 120-gallon contact tanks in order to provide twenty (20) minutes of chlorine contact time for 4-log treatment of viruses at Entry Point 101 (Well No. 1). The Tavern has an existing sodium hypochlorite feed system which will continue to be utilized.

Consulting Engineer Jeremy S. Madaras, P.E.
 J.S. Madaras Consulting LLC
 250 Indian Lane
 Boyertown, PA 19512
 Permit to Construct Issued 7/6/2018

Operation Permit No. 6718505 MA issued to: **Borough of Hanover (PWS ID No. 7670076)**, Hanover Borough, **York County** on 7/20/2018 for facilities approved under Construction Permit No. 6718505 MA.

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Operations Permit issued to: **Southwestern Pennsylvania Water Authority**, P.O. Box 187, 1442 Jefferson Road, Jefferson, PA 15344, (**PWSID # 5300017**), Washington Township, **Greene County** on July 12, 2018 for the operation of facilities approved under Construction Permit # 3013501WMP9.

Operations Permit issued to: **Southwestern Pennsylvania Water Authority**, P.O. Box 187, 1442 Jefferson Road, Jefferson, PA 15344, (**PWSID # 5300017**), Washington Township, **Greene County** on July 12, 2018 for the operation of facilities approved under Construction Permit # 3017517MA.

Operations Permit issued to: **Kittanning Suburban Joint Water Authority**, 710 Tarrtown Road, Adrian, PA 16210, (**PWSID # 5030043**), East Franklin Township, **Armstrong County** on July 18, 2018 for the operation of facilities approved under Construction Permit # 0317509MA.

Northwest Region: Safe Drinking Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Operation Permit issued to **Summit Township Water Authority, PWSID No. 6250090**, Summit Township, **Butler County**. Permit Number 2514505-MA1 issued July 19, 2018 for the operation of the Moore Road WTP backwash water recycle system. This permit is issued in

response to an operation inspection conducted by the Department of Environmental Protection personnel on July 17, 2018.

Permit No. 2501505-MA2, Public Water Supply.

Applicant **Erie City Water Authority**
 Township or Borough City of Erie
 County **Erie County**
 Type of Facility Public Water Supply
 Consulting Engineer Chad Ellsworth, P.E.
 Richard S Wasielewski WTP
 Sommerheim Drive
 Erie, PA 16505
 Permit to Construct July 19, 2018
 Issued

Permit No. 2594501-MA12, Public Water Supply.

Applicant **Erie City Water Authority**
 Township or Borough City of Erie
 County **Erie County**
 Type of Facility Public Water Supply
 Consulting Engineer Donnell Duncan
 Utility Service Co., Inc.
 1230 Peachtree Street NE
 Ste 1100, 11th Floor
 Atlanta, GA 30309
 Permit to Construct July 19, 2018
 Issued

Permit No. 3718502, Public Water Supply.

Applicant **Pennsylvania American Water Company**
 Township or Borough Jackson Township
 County **Butler County**
 Type of Facility Public Water Supply
 Consulting Engineer Jay Lucas, P.E.
 PA American Water Company
 800 Galley Road
 McMurray, PA 15137
 Permit to Construct July 19, 2018
 Issued

Operation Permit issued to Cornell Abraxas Group Inc., PWSID No. 6270005, Summit Township, **Butler County**. Permit Number 2787501-T2-MA3 issued July 24, 2018 for the operation of the newly renovated 75,000 gal. steel storage tank known as the Abraxas Tank 1. This permit is issued in response to an operation inspection conducted by the Department of Environmental Protection personnel on July 5, 2018.

SEWAGE FACILITIES ACT PLAN DISAPPROVAL

Plan Disapprovals Granted Under the Pennsylvania Sewage Facilities Act (35 P.S. § 750.5).

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Carroll Township	50 Rambo Hill Road Shermans Dale, PA 17090	Perry

Plan Description: The planning exemption for Ryan & Ashley Colledge, DEP Code No. A3-50905-460-2E, APS Id 972220, consisting of one new residential lot using an individual onlot sewage disposal system, is disapproved. The proposed development is located on Fox Hollow Road. This plan is disapproved because the submission does not qualify as an exemption from the requirement to revise the Official Plan because the subdivision proposes the use of onlot sewage disposal systems in an area underlain by carbonate geology as per Chapter 71, Section 71.51(b)(1)(ii).

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Union Township	P.O. Box 5625 Belleville, PA 17004	Mifflin

Plan Description: The planning exemption for Westfield cottages, DEP Code No. A3-44914-129-3E, APS Id 972291, consisting of 55 senior housing cottages and a community center to be served by a Septic Tank Effluent Pumping collection system tributary to the sewage collection, conveyance and treatment facilities of the Municipal Authority of Union Township, is disapproved. The proposed development is located on Crestview Drive. This plan is disapproved because the submission does not qualify as an exemption from the requirement to revise the Official Plan because the subdivision proposes the connection to or an extension of public sewer facilities which require or which must apply for a new or modified permit from DEP under the Pennsylvania Clean Streams Law (CSL) as per Chapter 71, Section 71.51(b)(5).

OBLIGATIONS AND RESPONSIBILITIES OF OWNERSHIP OF A SITE UNDER THE HAZARDOUS SITES CLEAN-UP ACT OF OCTOBER 18, 1988

Proposed Consent Order and Agreement

Bear Creek Area Chemical Site—Spitzer Pines Disposal Area

Fairview Township, Butler County

Pursuant to Section 1113 of the Pennsylvania Hazardous Sites Cleanup Act, Act of October 18, 1988, P.L. 756, No. 108, 35 P.S. §§ 6020.101—6020.1305 (“HSCA”), notice is hereby provided that the Pennsylvania Department of Environmental Protection (“Department”) has agreed to a Consent Order and Agreement with Spitzer Family, LLC (“Agreement”) concerning the Spitzer Pines Disposal Area which is found within the Bear Creek Area Chemical Site in Fairview Township, Butler County (“Site”).

The Site contains at least twenty-four disposal areas where industrial wastes were historically disposed. The industrial wastes have contaminated the surface water, groundwater, soils and sediments at and/or near the Site and such wastes contain “hazardous substances” and “contaminants” as those terms are defined in Section 103 of HSCA, 35 P.S. § 6020.103, including: resorcinol, xylene, benzene, acetone, phenols, formaldehyde, chloromethane, bromomethane, methyl ethyl ketone, carbon disulfide, trichloroethane, ethyl benzene, nickel, lead, chromium, copper, aluminum sulfate, arsenic, meta-benzene disulfonic acid, benzene sulfonic acid, para-phenol sulfonic acid and calcium petronate/KSS.

The Spitzer Family, LLC owns property in Fairview Township, Butler County (“Property”) where the Spitzer Pines Disposal Area is located. Between 2004 and 2009, the Department investigated the nature and extent of contamination at the Property pursuant to its authority

under Section 501(a) of HSCA, 35 P.S. § 6020.501(a), and confirmed that hazardous substances and contaminants were disposed at the Property. The disposal of hazardous substances and contaminants at the Property, and the contamination of the environment with hazardous substances and contaminants at the Property constitute a “release” and a “threat of release” of a hazardous substance, as defined in Section 103 of HSCA, 35 P.S. § 6020.103. Beginning in 2008, the Department and its contractors conducted a cleanup response at the Property which included the excavation and off-site disposal of impacted environmental media. The Department’s cleanup response ended in 2015.

The Agreement sets forth the rights and obligations of the Spitzer Family, LLC pursuant to HSCA for the hazardous substances and the contaminants at the Property and the Site. The specific obligations are described in the Agreement between the Department and the Spitzer Family, LLC and include the following: a consensual lien upon a 67.23-acre portion of the Property currently owned by the Spitzer Family, LLC under Tax Parcel Identification Number 150-1F55-A3D-000 in the amount of \$40,000; and a subordination agreement that gives the Department’s Consensual Lien priority over a precedent mortgage in the Butler County Registry of Deeds. The Agreement also provides for covenants not to sue, and contribution protection for Spitzer Family, LLC against actions under HSCA by other responsible parties in connection with the Site.

The Department will receive and consider comments relating to the Agreement for sixty (60) days from the date of this Public Notice. The Department has the right to withdraw its consent to the Agreement if the comments concerning the Agreement disclose facts or considerations which indicate that the Agreement is inappropriate, improper, or not in the public interest. After the public comment period, the Department’s settlement with the Spitzer Family, LLC shall be effective upon the date that the Department notifies the Spitzer Family, LLC, in writing, that the Agreement is final and effective, and that the Department has filed a response to significant written comments to the Agreement, or that no such comments were received.

The Agreement is available for inspection and copying at the Department’s Northwest Regional Office, 230 Chestnut Street, Meadville, PA 16335. Comments may be submitted, in writing, to 230 Chestnut Street, Meadville, PA 16335, attention Mr. Charles Byham, Solid Waste Supervisor. Mr. Byham can also be reached by telephone: 814-332-6648. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at 800-645-5984.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 2

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at

a site to one of the act’s remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department regional office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401.

Corona Corporation, 820 Main Street, Red Hill Borough, **Montgomery County**. Andrew Markoski, Patriot Environmental Management, LLC, P.O. Box 629, Douglassville, PA 19518 submitted a Remedial Investigation Report concerning remediation of site soil and groundwater contaminated with CVOCs, metals and VOCs. The report is intended to document remediation of the site to meet the Site-Specific Standard.

Laurel Pipe Line Company, L.P., 3398 Garnet Mine Road/3221 Foulk Road, Bethel Township, **Delaware County**. Paul Miller, Environmental Alliance, Inc., 5341 Limestone Road, Wilmington, DE 19808 behalf of Jeff Brudereck, Laurel Pipe Line Company, L.P., Five TEK Park, 9999 Hamilton Boulevard, Breinigsville, PA 18031 submitted a Remedial Investigation/Cleanup Plan concerning remediation of site soil and groundwater contaminated with unleaded gasoline. The report is intended to document remediation of the site to meet the Site-Specific Standard.

448 Maple Avenue, 448 Maple Avenue, Lower Salford Township, **Montgomery County**. Christina Moretti, ATC Group Services, LLC, 3 Terri Lane, Suite 4, Burlington, NJ 09016 on behalf of Andrew Shields, Nationwide Mutual Insurance Company, One Nationwide Plaza, Columbus, OH 43215 submitted a Final Report concerning remediation of site soil contaminated with lead. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Gretz Beverage Company, 700 East Main Street, Norristown Borough, **Montgomery County**. Carl Rinkevich, II, Reliance Environmental Inc., 235 North Duke Street, Lancaster, PA 17602 on behalf of Aaron Muderick TIPCO, LLC, 700 East Main Street, Norristown, PA 19401 submitted a Remedial Investigation Report/Cleanup Plan concerning remediation of site soil and groundwater contaminated with MTBE and other organics. The report is intended to document remediation of the site to meet the Site-Specific Standard.

Jakes Fireworks, 1901 Chichester Avenue, Upper Chichester Township, **Delaware County**. Joseph Diamadi, Jr., Marshall Geoscience, Inc., 170 East First Avenue, Collegetown, PA 19426 on behalf of Eric Easter, MMXVIII Land Company, LLC, 1500 E 27th Terrace, Pittsburgh, KS 66762 submitted a Final Report concerning remediation of site soil contaminated with No. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide Health Standard.

First Blue Bell Cleaners Services, 1734 Dekalb Pike, Whitpain Township, **Delaware County**. James Carey, GHD Services, Inc., 135 Raritan Center Parkway, Suite 5, Edison, NJ 08837 on behalf of Robert Carson, Regency Blue Bell, L.P., c/o Levin Management Corporation, 975 US Highway 22 West, North Plainfield, NJ 07060 submitted a Final Report concerning remediation of site soil contaminated with PCE and TCE. The report is intended to document remediation of the site to meet the Site-Specific Standard.

Northeast Region: Eric Supey, Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

500 Fashion Group, 39 West 21st Street, Northampton Borough, **Northampton County**. Moonstone Environmental, LLC, 1150 Glenlivet Drive, Suite A-23, Allentown, PA 18106, on behalf of Posh Properties No. 33 Northampton Family LP, 2216 Willow Park Road, Bethlehem, PA 18020, submitted a combined Remedial Investigation Report and Final Report concerning remediation at this former garment manufacturing site. Groundwater was contaminated with chlorinated solvents. The report is intended to document remediation of the site to meet Site Specific Standards.

Black 1H/2H Wellsite, 84 Black Road, Springville Township, **Susquehanna County**. Civil & Environmental Consultants, 333 Baldwin Road, Pittsburgh, PA 15275, on behalf of Cabot Oil & Gas Corporation, 2000 Park Lane, Suite 300, Pittsburgh, PA 15275, has submitted a Final Report concerning remediation of a release of drilling mud to groundwater. The report is intended to document remediation of the site to meet Statewide Health Standards.

Ross Property, 210 Reed Road, **Lackawanna County**. Geological & Environmental Associates, 430 West Mountain Road, Plymouth, PA 18651, on behalf of Leonard Ross, 2536 Wulfert Road, Sanibel, FL 33957, submitted a final report concerning remediation of a release of heating oil to soil and groundwater. The report is intended to document remediation of the site to meet Statewide Health Standards.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701.

Crane 1H Unconventional Well Pad, 1517 Coddling Road, Ulster, Smithfield Township, **Bradford County**. Moody and Associates Inc., 685 Broad Street Extension, Suite 1, Waverly, NY 14892, on behalf of EOG Resources Inc, 2639 S. 6th Street, Indiana, PA 15701, has submitted a combined Soil Site Characterization and Remedial Action Completion Report concerning remediation of site soil contaminated with friction reducer. The applicant proposes to remediate the site to meet the Statewide Health Standard.

Motor Vehicle Accident Fluid Release near 38 West Lake Glory Road, Catawissa, Locust Township, **Columbia County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857, on behalf of Tom Schreck, 38 West Lake Glory Road, Catawissa, PA 17820, has submitted a Final Report concerning remediation of site soil contaminated with motor oil, antifreeze and transmission fluid. The applicant proposes to remediate the site to meet the Statewide Health Standard.

CR England Inc. Accident Cleanup, State Route 54W near Sugar Camp Road, Danville, Derry Township, **Montour County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857, on behalf of CR England, Inc., 3701 West 2100 South, Salt Lake City, UT 84120, has submitted a Final Report concerning remediation of site soil contaminated with diesel fuel, motor oil & antifreeze. The applicant proposes to remediate the site to meet the Statewide Health Standard.

National Fuel Gas Midstream Wharton Compressor Station, Wharton Township, **Potter County**. Environmental Remediation & Recovery, Inc., 4250 Route 6N, Edinboro, PA 16412, on behalf of National Fuel Gas Midstream Clermont, LLC, P.O. Box 2081, 1100 State Street, Erie, PA 16512, has submitted a Final Report concerning remediation of site soil and groundwater contaminated with organics. The report is intended to document remediation of the site to meet the Site-Specific Standard.

CTC Transit LLC Accident Cleanup, State Route 235, Segment 80-1700, Beaver Springs, Spring Township, **Snyder County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857, on behalf of CTC Transit, LLC, 1342 Sunny Side Road, Crewe, VA 23930-3304, has submitted a Final Report concerning remediation of site soil contaminated with diesel fuel. The applicant proposes to remediate the site to meet the Statewide Health Standard.

Eclipse Painter Well Pad, 424 Broughton Road, Westfield Township, **Tioga County**. Penn Environmental & Remediation, Inc., 13180 Route 6, Mansfield, PA 16933, on behalf of Eclipse Resources, 2121 Old Gatesburg Road, Suite 100, State College, PA 16803, has submitted a Final Report/Remedial Action Completion Report concerning remediation of site soil contaminated with brine and a red dyed petroleum hydrocarbon Fluid. The applicant proposes to remediate the site to meet the Statewide Health Standard.

MyTBIv 6076 Natural Gas Well Pad, 302 Doad Road, Knoxville, Deerfield Township, **Tioga County**. SWEPI, LP, 12880 Route 6, Wellsboro, PA 16901, has submitted a Final Report concerning remediation of site soil contaminated with produced water. The report is intended to document remediation of the site to meet the Background and Statewide Health Standards.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department regional office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401.

Estate of Robert M. lam and 123 Easton LLC, 123 South Easton Road, Cheltenham, **Montgomery County**. John W. Storb Jr. Storb Environmental Incorporated, 410 North Easton Road, Willow Grove, PA 19090 on behalf of Estate of Robert M. Lam, Fox Rothschild LLP c/o Gerald M. Hatfield Esquire, 2000 Market Street, 20th Floor,

Philadelphia, PA 19103 submitted a Final Report concerning the remediation of site soil contaminated with No. 2 fuel oil. The Final Report demonstrated attainment of the Statewide health standard and was approved by the Department on July 6, 2018.

Righters Ferry Road Site, 609-615 Righter Ferry Road, Lower Merion Township, **Montgomery County**. Craig Herr, PG, RT Environmental Service, Inc., 215 West Church Road, Suite 300, King of Prussia, PA 19406 on behalf of Glen Tomkinson, Footbridge, L.P. & Bridgehead, L.P., 620 Righters Ferry Road, Bala Cynwyd, PA 19904 submitted a Remedial Investigation/Cleanup Plan concerning the remediation of site soil contaminated with PAHs and metals. The Report was approved by the Department on June 13, 2018.

1245 Ridge Avenue, 1245 Ridge Avenue, City of Philadelphia, **Philadelphia County**. Paul White, PG, Brickhouse Environmental, 515 South Franklin Street, West Chester, PA 19382 on behalf of Ryan Reich, 1245 Ridge Avenue, LLC, 9 College Place, Apt 1H, Brooklyn, NY 11201 submitted a Remedial Investigation Report/Cleanup Plan concerning the remediation of site soil and groundwater contaminated with petroleum, lead and 2,4-Dinitrotoluene. The Report was approved by the Department on July 5, 2018.

1220 North Broad Street, 1220 North Broad Street, City of Philadelphia, **Philadelphia County**. Paul White, PG., Brickhouse Environmental, 515 South Franklin Street, West Chester, PA 19382 on behalf of Scott Homel, Regency Del Val, LLC; Regency H.E.L., LLC; Broad Street Regency, LP; SREP Regency Apartments, LLC, T-R, LP, 491 Old York Road, # 200, Jenkintown, PA 19046 submitted a Remedial Investigation Report/Final Report concerning the remediation of site soil and groundwater contaminated with No. 5 fuel oil. The Report was approved by the Department on July 3, 2018.

Toscano Residence, 210 Union Street, Newtown Township, **Bucks County**. Jeremy W. Bolyn, Environmental Maintenance, 1420 Mermaid Lane, Glenside, PA 19038 on behalf of Marie Shepard, 119 Wenger Avenue, Silverdale, PA 18962 submitted a Final Report concerning the remediation of site soil contaminated with No. 2 fuel oil. The Final Report demonstrated attainment of the Statewide health standard and was approved by the Department on July 5, 2018.

Mary Barnes Swim Club Property, 2501 Freedoms Way, Warrington Township, **Bucks County**. Jeremy W. Bolyn, Environmental Maintenance, 1420 East Mermaid Lane, Glenside, PA 19038 on behalf of Barry Luber, Warrington Townships, 852 Easton Road, Warrington, PA 18976 submitted a Final Report concerning the remediation of site soil contaminated with heating oil. The Final Report demonstrated attainment of the Statewide health standard and was approved by the Department on June 20, 2018.

Village Cleaners, 832 North Pottstown Pike, Uwchlan Township, **Chester County**, Richard S. Werner, Environmental Consulting, Inc., 2002 Renaissance Boulevard, Suite 110, on behalf of Dr. Leonard Giunta, Lionville Commercial LLC, 439 South Bolmar Street, West Chester, PA 19382 submitted a Final Report concerning the remediation of site soil contaminated with PCE. The Final Report demonstrated attainment of the Statewide health standard and was approved by the Department on June 19, 2018.

Whitehall Estates, Whitehall Road and Bean Road, Worcester Township, **Montgomery County**. Jeffrey T.

Bauer, P.G., Whitestone Associates, Inc., 1600 Manor Drive, Suite 220, Chalfont, PA 18914 on behalf of Brennan Marion, Whitehall Development Partners, L.P., 1805 Berks Road, Worcester, PA 19490 submitted a Final Report concerning the remediation of site soil contaminated with arsenic, benzo(a)pyrene and benzo(b)fluoranthene. The Final Report demonstrated attainment of the Statewide health standard and was approved by the Department on June 27, 2018.

Warminster Plaza, 606 York Road, Warminster Township, **Bucks County**. Paul Martino, Pennoni Associates, Inc., 1900 Market Street, Suite 300, Philadelphia, PA 19103 on behalf of John Giangulio, Liberty Bell Capital, III, LP, 401 East City Avenue, Suite 812, Bala Cynwyd, PA 19004 submitted a Remedial Investigation Report/Cleanup Plan concerning the remediation of site soil and groundwater contaminated with PCE and related compounds. The Report was approved by the Department on June 28, 2018.

Rohm and Haas Chemical LLC Philadelphia Plant, 5000 Richmond Street, City of Philadelphia, **Philadelphia County**. Susan La Brake, AECOM, 625 West Ridge Pike, Suite E-100, Conshohocken, PA 19428 on behalf of Carl Coker, The Dow Chemical Company, 310 George Patterson Boulevard, Suite 100, Bristol, PA 19007 submitted a Remedial Investigation Report/Risk Assessment Report/Final Report concerning remediation of site soil and groundwater contaminated with VOCs, SVOCs, pesticides, herbicides and metals. The Report was approved by the Department on July 3, 2018.

US Steel Corporation (52-Acre Parcel), One Ben Fairless Drive, Falls Township, **Bucks County**. John A. Garges, GHD, 410 Eagleview Blvd, Suite 110, Exton, PA 19341 on behalf of Michael H. Leon, United States Steel Corporation, 1350 Penn Avenue, Suite 200, Pittsburgh, PA 15222 submitted a Remedial Investigation Report/Final Report concerning the remediation of site soil contaminated with PCBs, VOCs, SVOCs, metals and cyanide. The Report was disapproved by the Department on June 15, 2018.

Center Square Golf Club Property, 2620 Skippack Pike, Worcester Township, **Montgomery County**. Terence A. O'Reilly, PG, Tri State Environmental Management Services, Inc., 368 Dunksferry Road, Bensalem, PA 19020 on behalf of Michael A. Downs, P.E., Toll Mid-Atlantic LP Company, Inc., 250 Gibraltar Road, Horsham, PA 19044 submitted a Remedial Investigation Report/Cleanup Plan/Risk Assessment Report concerning the remediation of site soil contaminated with metals. The Report was approved by the Department on July 6, 2018.

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Weldship Corporation, 225 West 2nd Street, Bethlehem City, **Northampton County**. Synergy Environmental, 155 Railroad Plaza, 1st Floor, Royersford, PA 19468, on behalf of Weldship Corporation, 225 West 2nd Street, Bethlehem, PA 18015, submitted a Final Report concerning remediation of site soils contaminated with Simple Green and kerosene. The report documented remediation of the site to meet residential Statewide Health Standards and was approved by the Department on July 18, 2018.

Friedland Farms Pad 1, 2229 Glenwood Road, **Susquehanna County**. Resource Environmental Management, 50 Maple Street, Montrose, PA 18801, on behalf of Cabot Oil & Gas Corporation, 2000 Park Lane, Suite

300, Pittsburgh, PA 15275, has submitted a Final Report concerning remediation of releases of brine to the soil. The report documented remediation of the site to meet a combination of Statewide Health and Background Standards and was approved by the Department on July 18, 2018.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701.

SWN Production Company, LLC, GU X Seymour Pad, 675 Gage Road, Lawton, Stevens Township, **Bradford County**. Resource Environmental, 50 Maple Street, Montrose, PA 18801, on behalf of SWN Production Company, LLC, 917 State Route 92 North, Tunkhannock, PA 18657, submitted a Final Report concerning remediation of site soils contaminated with diesel fuel. The report demonstrated attainment of the Statewide Health Standard and was approved by the Department on July 11, 2018.

Johnson BRA Pad, Kellogg Road, Towanda, Monroe Township, **Bradford County**. Leidos, Inc., 6310 Allentown Boulevard, Suite 110, Harrisburg, PA 17112, on behalf of Chesapeake Appalachia, LLC, 300 North 2nd Street, 5th Floor, Harrisburg, PA 17101, has submitted a Final Report concerning remediation of site soil contaminated with diesel fuel. The report demonstrated attainment of the Statewide Health Standard and was approved by the Department on July 5, 2018.

Gardens at Millville, 48 Haven Lane, Borough of Millville, **Columbia County**. KU Resources, Inc., 22 South Linden Street, Duquesne, PA 15110, on behalf of Priority Healthcare Group, 99 West Hawthorne Avenue, Suite 508, Valley Stream, NY 11580, submitted a Final Report concerning remediation of site soils contaminated with fuel oil. The report demonstrated attainment of the Statewide Health Standard and was approved by the Department on July 24, 2018.

Savage Well Pad, 200 Millview Mountain Road, Forksville, Elkland Township, **Sullivan County**. Woodard & Curran, 300 Penn Center Boulevard, Suite 800, Pittsburgh, PA 15235, on behalf of Chief Oil & Gas, LLC, 1720 Sycamore Road, Montoursville, PA 17754, submitted a Final Report concerning remediation of site soil contaminated with produced fluid. The report demonstrated attainment of the Background and Statewide Health Standards and was approved by the Department on July 13, 2018.

Eclipse Painter Well Pad, 424 Broughton Road, Westfield Township, **Tioga County**. Penn Environmental & Remediation, Inc., 13180 Route 6, Mansfield, PA 16933, on behalf of Eclipse Resources, 2121 Old Gatesburg Road, Suite 100, State College, PA 16803, has submitted a Final Report/Remedial Action Completion Report concerning remediation of site soil contaminated with brine and a red dyed petroleum hydrocarbon fluid. The report demonstrated attainment of the Statewide Health Standard and was approved by the Department on July 24, 2018.

Southwest Region: Environmental Cleanup & Brownfield Development Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Former Levin Property, Mount Pleasant, **Westmoreland County**. KU Resources, Inc., 22 South Linden Street, Duquesne, PA 15110 on behalf of Borough of Mount Pleasant, 1 Etze Avenue, PA 15666 has submitted

a Final Report concerning the remediation of organic and inorganic compounds detected in soil and groundwater. The Plan was approved by the Department on July 9, 2018 and demonstrated attainment of a site-specific standard for soil and groundwater. The intended future use of the property is non-residential. Public notice was made in the *Tribune-Review* on April 30, 2018.

HAZARDOUS WASTE TRANSPORTER LICENSE

Actions on applications for Hazardous Waste Transporter License received under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003) and regulations to transport hazardous waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P.O. Box 69170, Harrisburg, PA 17106-9170.

New Applications Received

Resource Environmental Management, Inc., 50 Maple Street, Montrose, PA 18801. License No. PA-AH 0875. Effective Jul. 19, 2018.

Renewal Applications Received

Altom Transport, Inc., 1646 Summer Street, Hammond, IN 46320. License No. PA-AH 0693. Effective Jul. 23, 2018.

Biomedical Waste Services, Inc., 7833 Golden Pine Circle, Severn, MD 21144. License No. PA-AH 0753. Effective Jul. 18, 2018.

McVac Environmental Services, Inc., 481 Grand Avenue, New Haven, CT 06513. License No. PA-AH 0801. Effective Jul. 24, 2018.

Page E.T.C., Inc., P.O. Box 1290, Weedsport, NY 13166. License No. PA-AH 0338. Effective Jul. 19, 2018.

Hazardous Waste Transporter License Issued

AWT Environmental Services, P.O. Box 128, Sayreville, NJ 08871. License No. PA-AH 0871. Effective Jul. 18, 2018.

Hazardous Waste Transporter License Reissued

Altom Transport, Inc., 1646 Summer Street, Hammond, IN 46320. License No. PA-AH 0693. Effective Jul. 23, 2018.

Biomedical Waste Services, Inc., 7833 Golden Pine Circle, Severn, MD 21144. License No. PA-AH 0753. Effective Jul. 18, 2018.

McVac Environmental Services, Inc., 481 Grand Avenue, New Haven, CT 06513. License No. PA-AH 0801. Effective Jul. 24, 2018.

Page E.T.C., Inc., P.O. Box 1290, Weedsport, NY 13166. License No. PA-AH 0338. Effective Jul. 19, 2018.

HAZARDOUS WASTE TREATMENT, STORAGE AND DISPOSAL FACILITIES

Notice of Draft Permit prepared under the Solid Waste Management Act and Regulations to Operate a Hazardous Waste Treatment, Storage, or Disposal Facility.

Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Letterkenny Army Depot, Permit Number PA6213820503, 1 Overcash Avenue, Chambersburg, PA 17201.

The Department of Environmental Protection has prepared a Draft Class 2 Permit Modification for RCRA Part B Permit Number PA6213820503 that will allow the operation of a new Flashing Furnace unit to thermally treat outdated small arms munitions at Letterkenny Army Depot's Open Burning/Open Detonation Area.

Persons interested in obtaining more information about the permit application and draft permit may contact the Department's Southcentral Regional Office, Waste Management Program at 717-705-4706. A copy of the permit application, draft permit and statement of basis are available for review at the Department's Southcentral Regional Office. File reviews may be scheduled by calling 717-705-4732. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, 800-654-5984.

All persons wishing to comment on any of the draft permit conditions or the permit application should submit the comments in writing by September 18, 2018 to John Oren, P.E., Permits Section Chief, DEP Southcentral Regional Office, Waste Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110. Comments should include all reasonably available references, factual grounds and supporting material.

HAZARDOUS WASTE TREATMENT, STORAGE & DISPOSAL FACILITIES

Proposed action on an application for a permit under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003) and regulations for the post-closure care of a hazardous waste landfill.

Intent to Renew Permit

Southwest Region: Regional Waste Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Permit No. PAD000739672. United States Steel Corporation, 600 Grant Street, Pittsburgh, PA 15219. Post-closure care of the closed U.S. Steel Corp South Taylor Environmental Park Hazardous Waste Landfill located at 555 Delwar Road, Pittsburgh, PA 15236, West Mifflin Borough, **Allegheny County**. The application for renewal of the permit for continued post-closure care of this hazardous waste landfill is being considered for intent to approve by the Regional Office on August 4, 2018.

Persons wishing to comment on the proposed action are invited to submit a statement to the Regional Office indicated as the office responsible, within 45 days from the date of this public notice. Comments received within this 45-day period will be considered in the formulation of the final determination regarding this application. Responses should include the name, address and telephone number of the writer; and concise statement to inform the Regional Office of the exact basis of any comment and the relevant facts upon which it is based. A public hearing may be held if the Regional Office considers the public response significant.

Following the 45-day comment period and/or public hearing, the Department will make a final determination regarding the proposed permit action. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

RESIDUAL WASTE GENERAL PERMITS

Permit(s) Approved Under the Solid Waste Management Act; the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and the Beneficial Use of Residual Waste other than Coal Ash.

Northeast Region: Regional Solid Waste Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

General Permit Application No. WMGR123NE004. Fluid Recovery Services LLC, P.O. Box 232, 5035 Route 110, Creekside, PA 15732. An application for permit modification to increase the storage capacity, improve treated water quality, change operating hours and have spare treatment capacity at this existing oil and gas liquid waste processing facility located in Lenox Township, **Susquehanna County**. The application was approved by the Regional Office on July 18, 2018.

Persons interested in reviewing the permit may contact Roger Bellas, Environmental Program Manager, Northeast Regional Office, 2 Public Square, Wilkes-Barre, PA 18701-1915 at 570-826-2511. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984.

RESIDUAL WASTE GENERAL PERMITS

Permit(s) Issued Under the Solid Waste Management Act; the Municipal Waste Planning, Recycling and Waste Reduction Act; and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and the Beneficial Use of Residual Waste other than Coal Ash.

Northwest Regional Office: 230 Chestnut Street, Meadville, PA 16335.

General Permit Application No. WMGR089, Mercer Lime and Stone Company, 560 Branchton Road, Slippery Rock, PA 16057. On July 20, 2018 the Department denied coverage under General Permit WMGR089 to provide for beneficial use of Lime Kiln Dust (LKD) as a soil amendment for stabilization/solidification of soils and sludges, treatment of acid mine drainage, as an alkaline activator in cements, grouts for mine reclamation, for roadway subbase stabilization and conditioning, as a filler material or ingredient in various agricultural and construction projects, and as a construction material for non-residential projects. The applicant failed to respond to technical deficiencies in a timely manner. The Determination of Applicability was received by the Department on October 12, 2017.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

Contact: Thomas Bianca, Facilities Permitting Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

GP3-06-03069I: Highway Materials, Inc. (409 Stenton Avenue, Flourtown, PA 19031) on July 17, 2018, for portable nonmetallic mineral processing equipment under GP3 located at the Temple Quarry in Alsace Township, **Berks County**.

GP9-06-03069I: Highway Materials, Inc. (409 Stenton Avenue, Flourtown, PA 19031) on July 17, 2018, for one diesel fuel-fired internal combustion engine under GP9 to power portable nonmetallic mineral processing equipment located at the Temple Quarry in Alsace Township, **Berks County**.

GP11-38-05024A: Pennsy Supply, Inc. (101 Paxton Street, P.O. Box 3331, Harrisburg, PA 17105) on July 17, 2018, for an existing non-road engine, under GP11, at the Prescott Quarry located in South Lebanon Township, **Lebanon County**. The general permit authorization was renewed.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

AG5-59-00001A: UGI Texas Creek, LLC (One Meridian Blvd, Suite 2C01, Wyomissing, PA 19610) on July 19, 2018, for authorization to construct two (2) 1,380 bhp Caterpillar G3516B LE four-stroke ultra-lean-burn compressor engines and one (1) 60 MMscf/day dehydrator unit equipped with a 0.50 MMBtu/hr reboiler burner and for authorization to continue operation of two (2) 1,380 bhp Caterpillar G3516B LE four-stroke ultra-lean-burn compressor engine, one (1) 80 bhp Arrow VRG 380 (4SRB) natural gas fired generator engine, one (1) 60 MMscf/day dehydrator unit equipped with a 0.50 MMBtu/hr reboiler burner and one (1) 15,000-gallon produced water tank pursuant to the General Plan Approval and/or General Operating Permit for Natural Gas Compression and/or Processing Facilities (BAQ-GPA/GP-5) at the Lovell Compressor Station located in Liberty Township, **Tioga County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Alan Binder, P.E., Environmental Engineer Manager—Telephone: 412-442-4168.

GP5-26-00483A (AG5-26-00001A): Range Resources-Appalachia LLC (3000 Town Center Blvd., Canonsburg, PA 15317) on July 19, 2018, to operate previously installed—one (1) natural gas fired Caterpillar compressor engine, Model G3516 LE-4EK03170, 4SLB, rated at 1,340 bhp at 1,400 rpm, equipped with an air fuel ratio controller, no add-on control installed on this unit; one (1) Natco, TEG dehydrator, Model SB12-6, rated at 5.0 MMscfd, and attached to a reboiler rated at 0.25 MMBtu/hr; and four (4) Storage pipeline fluid tanks, each with a capacity of 2,100 gallons. The estimated annual throughput of each of four tanks is 2,100 gallons at their Rumbaugh Compressor Station located in Lower Tyrone Township, **Fayette County**.

GP5-63-01012: EQM Gathering OPCO, LLC (2200 Energy Drive, Canonsburg, PA 15317) on July 18, 2018, to authorize installation and operation of five lean burn, natural gas-fired compressor engines rated at 5,350 bhp and controlled by oxidation catalysts, two tri ethylene glycol dehydrator (including flash tanks and reboilers) rated for 246 MMSCF/day and controlled by enclosed flares, two 8,820 gallon produced water tanks, and twenty-four other miscellaneous storage tanks, pigging operations, and other associated components and exempt

sources at the Pisces Compressor Station, located in East Finley Township, **Washington County**.

Plan Approvals Issued under the Air Pollution Control Act and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Alan Binder, P.E., Environmental Engineer Manager—Telephone: 412-442-4168.

30-00235A APV Renaissance Partners Opco, LLC (232 Chestnut Avenue, Bernardsville, NJ 07924-1704) on July 19, 2018, to construct a 1,127 MW natural gas-fired combined cycle power plant named the Renaissance Energy Center Project in Monongahela Township, **Greene County**.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Alan Binder, P.E., Environmental Engineer Manager—Telephone: 412-442-4168.

PA-11-00533B: Starprint Publication, Inc. (722 Dulancy Drive, Portage, PA 15946-6902) In accordance with 25 Pa. Code §§ 127.44—127.46, the Department of Environmental Protection (DEP) is providing notice that it intends to issue an Air Quality Plan Approval (PA-11-00533B) for the construction and operation of a Printing Press at their Scottdale Facility in Portage Borough, **Cambria County**.

The proposed sources and controls include—One (1) Harris M200 Off-set Lithographic Heat-set Printing Press equipped with a TEC C12 dryer, temperature range 300—400°F, rated at 2.2 MMBtu/hr. The emissions from the process shall be controlled by a catalytic oxidizer (CatOx) rated at 12,000 scfm equipped with a burner rated at 2.06 MMBtu/hr.

The facility wide potential to emit including the new sources with control will be; 0.5 tpy PM₁₀, 5.8 tpy NO_x, 4.6 tpy CO, 16.5 tpy VOC, and 0.6 total HAPs. This project is subject to applicable requirements of 25 Pa. Code Chapters 121—145. The Department has determined that the proposed project satisfies Best Available Technology (“BAT”) requirements. Once compliance with the Plan Approval is demonstrated, the applicant will be required to submit a State Only Operating Permit (“SOOP”) application in accordance with 25 Pa. Code Subchapter F. The proposed Plan Approval includes a limitation on potential emissions, as well as monitoring, record keeping, reporting, work practice, and stack testing requirements.

Starprint Facility’s Plan Approval application, the Department’s Air Quality Review Memorandum, and the Proposed Air Quality Plan Approval for this project are available for review by any interested party at the Pennsylvania Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. To request a review of the plan approval application and all supporting information, a person may contact Thomas Kaminski at thkaminski@pa.gov or 412.442.4097. To receive an electronic copy of the Depart-

ment’s Air Quality Review Memorandum, or to receive an electronic copy of the Department’s proposed Air Quality Plan Approval for this project, a person may contact Jesse Parihar at jparihar@pa.gov, 412.442.4030.

Any person may submit comments, requests for the Department to hold a public hearing, or protests to the plan approval or a proposed condition thereof, by filing such submissions in writing to the Department at the Southwest Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments.

All comments, requests for a public hearing, and protests to a proposed action, shall be filed with the Department within 30 days of the date that notice of the proposed action was published under 25 Pa. Code § 127.424 (relating to public notice). Comments, requests for a public hearing, and protests must include the name, address and telephone number of the person filing the protest, identification of the proposed plan approval issuance being opposed (PA-11-00533B) and a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based.

A public hearing may be held in accordance with 25 Pa. Code § 127.429, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. If a public hearing is held, all persons who have properly filed a protest under 25 Pa. Code § 127.426 may appear and give testimony. The applicant, the protestant and other participants will be notified of the decision to hold a hearing (and the time, place and purpose of such hearing) by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient.

Comments, protests and requests for a public hearing should be directed to Jesse S. Parihar, Air Quality Engineering Specialist, Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. (jparihar@pa.gov, Phone 412.442.4030)

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

Contact: Thomas Bianca, Facilities Permitting Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

28-05002J: Letterkenny Army Depot—US Department of Defense (One Overcash Avenue, Chambersburg, PA 17201) on July 19, 2018, to construct a new AP Rocket Motor Destruction (ARMD) Facility within the Letterkenny Munitions Center ammunition storage area, at the Letterkenny Army Depot in Greene/Letterkenny Townships, **Franklin County**. Air emissions from the ARMD will be controlled by a wet scrubber system, followed by an ADIOX packed bed scrubber tower absorption system. The plan approval was extended.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648.

14-00002S: Graymont (PA), Inc. (965 East College Avenue, Pleasant Gap, PA 16823) was issued an extension to the authorization that permits natural gas use in Kilns No. 6 & 7 from June 16, 2018 to December 13, 2018, to facilitate shake-down of these sources while firing natural gas. The authorization has established NO_x and CO PALs pursuant to 25 Pa. Code § 127.218 and 40 CFR section

52.21(aa). These rotary kilns (Source IDs P408 and P413) are located at their Pleasant Gap plant in Spring Township, **Centre County**. The plan approval has been extended.

08-00057A: Gateway Cogeneration 1, LLC (6219 Squires Court Spring, Texas 77389) on July 23, 2018, to extend the authorization to construct a 128 MW electric power generation station at the Gateway Bradford Plant facility located in Towanda Township, **Bradford County** to January 19, 2019. The plan approval has been extended.

Title V Operating Permits Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter G.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

Contact: Thomas Bianca, Facilities Permitting Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

01-05009: US DOD/Raven Rock Mountain Complex (1155 Defense Pentagon, Washington, DC 20301) on July 16, 2018 for the Raven Rock Mountain Complex located in Liberty Township, **Adams County**. The Title V permit was renewed.

67-05012: Transcontinental Gas Pipe Line Co. (P.O. Box 1396, Houston, TX 77251-1396) on July 18, 2018, for the Station 195 natural gas transmission facility located in Peach Bottom Township, **York County**. The Title V permit was renewed.

01-05042: NRG REMA LLC (1731 Hunterstown Road, Gettysburg, PA 17325) on June 28, 2018, for the Hunterstown Peaking Station located in Straban Township, **Adams County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.

62-00012: NRG REMA LLC/Warren Generating Station (250 Power Plant Drive, P.O. Box F, Shawville, PA 16873). On June 18, 2018, the Department issued a minor operating permit modification to the Title V Operating Permit to incorporate the annual capacity factor of less than 5% for the electric generating unit and presumptive RACT requirements of 25 Pa. Code §§ 129.97(c)(7) and 129.100(d) for the facility located in Conewango Township, **Warren County**.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

23-00108: Barry Callebaut USA LLC (903 Industrial Hwy., Eddystone, PA 19022) On July 13, 2018 for a non-Title V, State-Only, Synthetic Minor Operating Permit for their cocoa bean processing plant in Eddystone Borough, **Delaware County**.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Contact: Norman Frederick, P.E., Environmental Engineer Manager—Telephone: 570-826-2409.

40-00008: Offset Paperback Manufacturing (2211 Memorial Hwy, Dallas, PA 18612) The Department issued, on 7/20/18, a State-Only (Natural Minor) Operating Permit for operation of a book manufacturing facility located in Dallas Borough, **Luzerne County**. The permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

Contact: Thomas Bianca, Facilities Permitting Chief, 717-705-4863, William Weaver, Regional Air Quality Manager, 717-705-4702.

21-05051: PA State System of Higher Education, Shippensburg University (1871 Old Main Drive, Reed Operations Center, Shippensburg, PA 17257-2299) on July 18, 2018, for the boilers and engines at the Shippensburg University located in Shippensburg Borough, **Cumberland County**. The State-only permit was renewed.

31-03004: New Enterprise Stone & Lime Co., Inc. (P.O. Box 77, New Enterprise, PA 16664-0077) on July 13, 2018, for the stone crushing operations at the Tyrone Forge Quarry located in Warriors Mark Township, **Huntingdon County**. The State-only permit was renewed.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Matt Williams, Facilities Permitting Chief at Telephone: 814-332-6940.

10-00331: Butler Memorial Hospital (1 Hospital Way, Butler, PA 16001), on July 16, 2018, the Department issued the renewal of the State-Only Operating Permit of a healthcare institution located in the City of Butler, **Butler County** that operates six (6) gas-fired boilers and six (6) diesel-fueled emergency generators. With PTEs of 45.9, 20.6, 4.24, 1.52, and 1.49 TPY for NO_x, CO, VOC, SO₂, and PM₁₀, respectively, the healthcare institution is a Natural Minor facility for permitting purposes. Permitted to run on fuel oil during gas supply interruptions, the boilers are subject to 25 Pa. Code § 123.22 (Sulfur Compound Emissions, Combustion Units). Under 40 CFR 63 Subpart ZZZZ (NESHAP for Stationary Reciprocating Internal Combustion Engines), two emergency generators are considered new engines and must comply with 40 CFR 60 Subpart IIII (Standards of Performance for Stationary Compression Ignition Internal Combustion Engines) while the other four are considered existing engines and are exempt from 40 CFR 63 Subpart ZZZZ. In this renewal, only minor changes are made in permit requirements. Reporting requirement pursuant to § 123.22(g) is added for the boilers. Provisions of 60 Subpart IIII determined not applicable are removed from the permit. Based on EPA guidance, 63.6640(f) of 63 Subpart ZZZZ is added as an operating hours restriction to ensure that the affected engines can maintain their status as institutional emergency stationary RICE and be exempt from other requirements of the said subpart.

20-00303: Crawford Central School District (11280 Mercer Pike, Meadville, PA 16335-6260). On July 16, 2018, the Department issued a State Only Natural Minor Operating Permit for the Middle and High School located

in the City of Meadville, **Crawford County**. The facility's primary emission sources include the 9.5 MMBtu/hr biomass combustion unit, three natural gas-fired hot water boilers, miscellaneous natural gas usage, and an emergency generator. The potential emissions of the primary pollutants from the facility after permit limitations are as follows: 20.43 TPY NO_x, 24.11 TPY CO, 1.16 TPY VOC, 7.52 TPY PM₋₁₀ and PM_{-2.5}, and 0.88 TPY SO_x; thus, the facility is a natural minor. The biomass boiler is subject to 40 CFR Part 63, Subpart JJJJJ, NESHAP for Industrial, Commercial, and Institutional Boilers Area Sources. The emergency generator is not subject to 40 CFR Subpart ZZZZ, NESHAP for Stationary Reciprocating Internal Combustion Engines, due to the exemption criteria in § 63.6585(f)(3), which includes institutions. The renewal permit contains emission restrictions, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

43-00339: Supreme Manufacturing Inc, (327 Billy Boyd Road, Stoneboro, PA 16153-1701), on July 23, 2018, the Department issued the renewal of the Natural Minor State-Only Operating Permit to a facility which manufactures conveyor systems, storage tanks and hoppers, located in New Vernon Township, **Mercer County**. The primary sources at the facility are blasting operations, coating operations, machining operations and welding operations. Potential emissions for the site are below Title V permitting thresholds for all criteria pollutants. The permit contains emission restrictions, along with monitoring, recordkeeping, work practice and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

46-00046: UTI Holdings, LLC (200 West 7th Ave., Trappe, PA 19426) On July 19, 2018 for an administrative amendment to change the ownership from Accellent, Inc. to UTI Holdings, LLC for their facility located in Trappe Borough, **Montgomery County**. The facility shall continue to do business as Lake Region Medical. The physical location of the plant and all sources identified in the facility's Title V Operating Permit remain unchanged. This Administrative Amendment is issued in accordance with the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code § 127.450.

23-00003: Monroe Energy, LLC (4101 Post Road, Trainer, PA 19061) On July 19, 2018 for an administrative amendment to change the name of the Responsible Official contact for this facility located in Trainer Borough, **Delaware County**. The physical location of the plant and all sources identified in the facility's Title V Operating Permit remain unchanged. This Administrative Amendment is issued in accordance with the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code § 127.450.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

Contact: Thomas Bianca, Facilities Permitting Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

01-05029: Kestrel Acquisitions LLC (C/O Platinum Equity Advisors LLC, 360 N. Crescent Drive, South Bldg., Beverly Hills, CA 90210) on June 28, 2018, for the Hunterstown Generating Station located in Straban Township, **Adams County**. The Title V permit underwent a significant modification to reflect a change of ownership, include presumptive RACT 2 requirements, and replace CAIR requirements with CSAPR requirements.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648.

49-00047: Furman Foods, Inc. (770 Cannery Road, Northumberland, PA 17857) on July 13, 2018, was issued a revised State Only Operating Permit for their Northumberland Cannery located in Point Township, **Northumberland County** for incorporation of an agricultural digester and biogas-fired engine, as well as ancillary equipment which had been constructed pursuant to Plan Approvals 49-00047A and 49-00047B. The facility's main sources include four natural gas/# 2 fuel oil-fired boilers. The State Only Operating Permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Thomas Joseph, P.E., Facilities Permitting Chief—Telephone: 412-442-4336.

11-00516: Siemens Gamesa Renewable Energy Wind, LLC/Gamesa Rotor Blade Manufacturing Facility (100 Commerce Drive, Ebensburg, PA 15931). Administrative Amendment, issued on July 23, 2018, for a change of the Responsible Official and a change in the company name to Siemens Gamesa Renewable Energy Wind, LLC from Gamesa Wind US, LLC. Siemens Gamesa Renewable Energy Wind, LLC manufactures wind turbines. The facility is located in Ebensburg Borough, **Cambria County**. All permitted sources, control devices and conditions remain the same as in the previously issued operating permit.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Matt Williams, Facilities Permitting Chief—Telephone: 814-332-6131.

10-00284: Seneca Landfill Incorporated (P.O. Box 1080, Mars, PA 16046-1080). The Department on July 23, 2018, issued an administrative amendment of the Title V Operating Permit for the facility to incorporate the requirements of Plan Approval 10-284G. The facility is located in Jackson Township, **Butler County**.

37-00307: PSC Metals, LLC New Castle Plant (P.O. Box 310, Slippery Rock, PA 16057-0310). On July 23, 2018, the Department issued an administrative amendment to the State Operating Permit to incorporate the name change, responsible official change, and permit contact change into the permit for the facility located in New Castle City, **Lawrence County**.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); The Clean Streams Law; the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.20a). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to applications will also address the application permitting requirements of the following statutes: the Air Quality Pollution Act (35 P.S. §§ 4001—4014); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1002).

Coal Permits Issued

California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.

32733708 and NPDES No. PA0215503. Rosebud Mining Company, (301 Market Street, Kittanning, PA 16201). To renew the NPDES permit for the Greenwich No. 1 CRDA in Greene Township, **Indiana County** and Susquehanna Township, **Cambria County**. No additional discharges. The application was considered administratively complete on September 1, 2015. Application received: January 19, 2015. Permit issued: July 16, 2018.

03961301 and NPDES No. PA0214787. Rosebud Mining Company, (301 Market Street, Kittanning, PA 16201). To renew the NPDES permit for the Tracy Lynne Mine in Kiskimintas and Parks Townships, **Armstrong County**. No additional discharges. The application was considered administratively complete on February 2, 2017. Application received: August 25, 2016. Permit issued: July 16, 2018.

17841607 and NPDES No. PA0100803. Rosebud Mining Company, (301 Market Street, Kittanning, PA 16201). To renew the NPDES permit for the Bigler Coal Preparation Plant in Bradford Township, **Clearfield County**. No additional discharges. The application was considered administratively complete on April 29, 2016. Application received: November 9, 2015. Permit issued: July 16, 2018.

17941601 and NPDES No. PA0215708. Forcey Coal Inc., (475 Banion Road, Madera, PA 16661). To renew the NPDES permit for the Tipple Operation in Bigler Township, **Clearfield County**. No additional discharges. The application was considered administratively complete on October 30, 2015. Application received: October 30, 2015. Permit issued: July 16, 2018.

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

61120107 and NPDES Permit No. PA0259331. Ben Hal Mining Company (389 Irishtown Road, Grove City, PA 16127) Renewal of an existing bituminous surface mine and associated NPDES permit in Irwin Township, **Venango County**, affecting 62.7 acres. Receiving streams: unnamed tributaries to Scrubgrass Creek. Application received: February 23, 2018. Permit Issued: July 18, 2018.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Permit No. 35910102R5. Silverbrook Anthracite, Inc., (1 Market Street, Laflin, PA 18702), renewal of an existing anthracite surface mine and coal refuse disposal operation in Archbald Borough, **Lackawanna County** affecting 1,000.3 acres, receiving stream: unnamed tributary to Aylesworth Creek. Application received: January 22, 2018. Renewal issued: July 19, 2018.

Permit No. 35910102C7. Silverbrook Anthracite, Inc., (1 Market Street, Laflin, PA 18702), correction of an existing anthracite surface mine to include coal refuse disposal in Archbald Borough, **Lackawanna County** affecting 1,000.3 acres, receiving stream: unnamed tributary to Aylesworth Creek. Application received: January 22, 2018. Renewal issued: July 19, 2018.

Permit No. PAM113022R. Silverbrook Anthracite, Inc., (1 Market Street, Laflin, PA 18702), renewal of General NPDES Stormwater Permit for stormwater discharges associated with mining activities on Surface Mining Permit No. 35910102 in Archbald Borough, **Lackawanna County**, receiving stream: Aylesworth Creek. Application received: January 22, 2018. Renewed issued: July 19, 2018.

Permit PAM111028R. Fox Coal Co., Inc., (212 West Cherry Street, Mt. Carmel, PA 17851), renewal of General NPDES Stormwater Permit for stormwater discharges associated with mining activities on Surface Mining Permit No. 49100101 in Zerbe Township, **Northumberland County**, receiving stream: unnamed tributary to Zebe Run. Application received: May 15, 2017. Renewed issued: July 20, 2018.

Permit No. 54071301R2. Kimmel's Mining, Inc., (P.O. Box 1, Wiconisco, PA 17097), renewal of an existing anthracite underground mine operation in Porter, Williams and Wiconisco Townships, **Schuylkill and Dauphin Counties** affecting 26.4 acres, receiving stream: Wiconisco Creek. Application received: October 13, 2017. Renewal issued: July 20, 2018.

Permit No. 54071301C. Kimmel's Mining, Inc., (P.O. Box 1, Wiconisco, PA 17097), correction of an existing anthracite underground mine operation to update the post-mining land use to unmanaged natural habitat in Porter, Williams and Wiconisco Townships, **Schuylkill and Dauphin Counties** affecting 26.4 acres, receiving stream: Wiconisco Creek. Application received: October 13, 2017. Renewal issued: July 20, 2018.

Permit No. PAM112088R. Kimmel's Mining, Inc., (P.O. Box 1, Wiconisco, PA 17097), renewal of General NPDES Stormwater Permit for stormwater discharges associated with mining activities on Underground Mining Permit No. 54071301 in Porter, Williams and Wiconisco Townships, **Schuylkill and Dauphin Counties**, receiving stream: Wiconisco Creek. Application received: October 13, 2017. Renewed issued: July 20, 2018.

Permit No. 13070101R2. Lehigh Anthracite, LP, (1233 East Broad Street, Tamaqua, PA 18252), renewal of an existing anthracite surface mine operation in Nesquehoning Borough, **Carbon County** affecting 252.3 acres, receiving stream: Nesquehoning Creek. Application received: August 15, 2017. Renewal issued: July 23, 2018.

Permit No. PAM113007R. Lehigh Anthracite, LP, (1233 East Broad Street, Tamaqua, PA 18252), renewal of

General NPDES Stormwater Permit for stormwater discharges associated with mining activities on Surface Mining Permit No. 13070101 in Nesquehoning Borough, **Carbon County**, receiving stream: Nesquehoning Creek. Application received: August 15, 2017. Renewed issued: July 23, 2018.

Noncoal Permits Issued

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

PAM618045. Natural Sand Company, Inc. (4783 Harlansburg Road, Slippery Rock, PA 16057) General NPDES Permit for stormwater discharges associated with mining activities on Surface Mining Permit No. 10082801 in Buffalo Township, **Butler County**. Receiving streams: unnamed tributary to Little Bull Creek. Application received: June 18, 2018. Permit Issued: July 18, 2018.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

08970302 and NPDES PA0237868. Bishop Brothers Construction Company, Inc. (1376 Leisure Drive, Towanda, PA 18848). Renewal for an existing NPDES on a large noncoal surface mining site located in Sheshequin Township, **Bradford County** affecting 187.29 acres. Receiving stream(s): Susquehanna River classified for the following use(s): WWF, MF. Application received: May 17, 2018. Permit issued: July 17, 2018.

New Stanton District Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.

PAM317011. V & B Excavating, LLC (856 County Line Road, Acme, PA 15610-1150). General NPDES permit for stormwater discharge associated with mining activities on an existing small noncoal (Industrial Mineral), Permit No. 65892305, located in Donegal Township, **Westmoreland County** affecting 9.1 acres. Receiving streams: Champion Creek. Application received: September 22, 2017. GP-104 permit issued: July 17, 2018.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Permit No. 58180801. S & S Stone Distributors, (15384 SR 171, Thompson, PA 18465), commencement, operation and restoration of a quarry operation in Liberty Township, **Susquehanna County** affecting 5.0 acres, receiving stream: Snake Creek. Application received: March 1, 2018. Permit issued: July 17, 2018.

Permit No. PAM118007. S & S Stone Distributors, (15384 SR 171, Thompson, PA 18465), General NPDES Stormwater Permit for stormwater discharges associated with mining activities on Surface Mining Permit No. 58180801 in Liberty Township, **Susquehanna County**, receiving stream: Snake Creek. Application received: March 1, 2018. Permit issued: July 17, 2018.

Permit No. 36120301C2 and NPDES Permit No. PA0225266. Allan Myers Materials PA, Inc., (638 Lancaster Avenue, Malvern, PA 19355), renewal of NPDES permit for discharge of treated mine drainage in Manheim & Upper Leacock Townships, **Lancaster County**, receiving stream: unnamed tributary to Conestoga River. Application received: October 27, 2017. Renewal issued: July 18, 2018.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Blasting Permits Issued

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Permit No. 06184106. Rock Work, Inc., (1257 DeKalb Pike, Blue Bell, PA 19422), construction blasting for Spring Valley Village in Washington Township, **Berks County** with an expiration date of December 31, 2018. Permit issued: July 18, 2018.

Permit No. 48184109. American Rock Mechanics, Inc., (7531 Chestnut Street, Zionsville, PA 18092), construction blasting for Heritage Village Phase II in Upper Nazareth Township, **Northampton County** with an expiration date of July 17, 2019. Permit issued: July 19, 2018.

Permit No. 54184101. J Roy's, Inc., (P.O. Box 125, Bowmansville, PA 17507), construction blasting for BRADS Landfill in Blythe Township, **Schuylkill County** with an expiration date of July 13, 2019. Permit issued: July 24, 2018.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.

Permits, Environmental Assessments and 401 Water Quality Certifications Issued:

WATER OBSTRUCTIONS AND ENCROACHMENTS

Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570-327-3636.

E19-311 Amendment, Transcontinental Gas Pipe Line Company, LLC, 2800 Post Oak Blvd, Level 6, Houston, TX 77056, Atlantic Sunrise Pipeline Project, in Greenwood Township, **Columbia County**, ACOE Baltimore District. The pipeline project starts at 0.35 mile south on Hynick Road from the intersection of Hynick Road and SR 118 (Red Rock, PA Quadrangle N: 40°, 17', 2.17"; W: 76°, 18', 48.68") and ends at 0.22 mile north on Happy Valley Road from the intersection with Monroe Drive (Shamokin, PA Quadrangle N: 40°, 50', 23.7"; W: 76°, 30', 27.13")

The amendment consists of the construction, operation and maintenance of an engineered slope stabilization system (Sierrascape Slope Stability System) to stabilize a steep sloping buffer zone along Little Green Creek-TSF; Crossing ID # WW-T16-14003. The Sierrascape system will consist of construction of a bench in the bedrock along the west bank to an elevation of approximately 674.50' and will install a coffer dam that is 5' off of the south side of Little Green Creek stream bank and 90 feet in length to the limit of disturbance. In the area of the trench the contractor will construct a cast-in-place reinforced concrete scour wall dog housed over the product pipe. The concrete wall will bear on and be doweled to bedrock (bottom and sides). The annulus between the doghouse scour wall and the product pipe will be filled with low strength flowable fill. A concrete leveling pad will be poured in place over the scour wall and the benched bedrock. The leveling pad will extend nearly all of the LOD. The leveling pad will be anchored to the scour wall (where over the trench) and the benched bedrock. The first course of Sierrascape wire mesh facing units will be placed along the leveling pad. The first course of the facing units will be filled with concrete, bonded thru dowels to the leveling pad and the underlying bedrock. The wire mesh facing units will be placed sequentially on top of each other and filled with native stone to specified gradation. As the wire mesh facing units are placed and filled a geogrid will be installed west back into the slope. The Sierrascape system will be constructed by a Contractor familiar with the system and overseen by Williams Civil Design and Geotechnical Engineers. Twelve courses of wire mesh facing units will be installed bringing the final wall height to elevation 693.00'. The slope will then be restored to existing grades with native materials. At an elevation 1-foot from the final grade a geotextile separating fabric will be installed and 1-foot of topsoil will be placed and vegetated. The proposed project impacts authorized in previously ap-

proved permit application are associated with a proposed transmission pipeline project extending approximately 195 miles in Pennsylvania between Lennox Township, Susquehanna County, PA and Drumore Township, Lancaster County, PA.

More detailed information regarding this Chapter 105 application related to this proposed project is available in the DEP Northcentral Regional Office. Please contact the DEP Northcentral Region file review coordinator at 570-327-0550 to request a file review of this Chapter 105 application.

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Southwest District: Oil & Gas Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222.

ESCGP-2 # ESX12-003-0001 Renewal
Applicant Name Range Resources—Appalachia, LLC
Contact Person Karl Matz
Address 3000 Town Center Boulevard
City, State, Zip Canonsburg, PA 15317
County Allegheny County
Township(s) Frazer Township
Receiving Stream(s) and Classification(s) Tributary 42480 to Bull Creek (TSF), Bull Creek (TSF), Tributary 42454 to Days Run (WWF) & Days Run (WWF)

ESCGP-2 # ESX11-129-0026 Renewal
Applicant Name XPR Resources
Contact Person David Miller
Address 6000 Town Center Boulevard, Suite 210
City, State, Zip Canonsburg, PA 15317
County Westmoreland County
Township(s) Derry Township
Receiving Stream(s) and Classification(s) UNT McGee Run (CWF) & UNT Stony Run (TSF)

Northwest Region: Oil and Gas Program Manager, 230 Chestnut St., Meadville, PA 16335.

ESCGP-2 # ESG13-019-0047A—West Pad 15
Applicant PennEnergy Resources, LLC
Contact Gregg Stewart
Address 1000 Commerce Drive; Park Place One;
Suite 100
City Pittsburgh State PA Zip Code 15275
County Butler Township(s) Clearfield
Receiving Stream(s) and Classification(s) UNT Buffalo
Creek (HQ-TSF) and UNT North Branch Rough Run
(HQ-TSF)

ESCGP-2 # ESX18-019-0013—Paul Smith Freshwater
Impoundment
Applicant XTO Energy Inc.
Contact Melissa Breitenbach
Address 190 Thorn Hill Road
City Warrendale State PA Zip Code 15086
County Butler Township(s) Jefferson
Receiving Stream(s) and Classification(s) UNT to Thorn
Creek

Eastern Region: Oil & Gas Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

ESCGP-2 # ESX29-015-18-0024
Applicant Name SWN Production Co LLC
Contact Person Nicki Atkinson
Address 917 SR 92 N
City, State, Zip Tunkhannock, PA 18657
County Bradford
Township(s) Stevens
Receiving Stream(s) and Classification(s) Rockwell Creek
(WWF/MF)
Secondary—Wyalusing Ck

ESCGP-2 # ESX29-015-18-0031
Applicant Name SWN Production Co LLC
Contact Person Nicki Atkinson
Address 917 SR 92 N
City, State, Zip Tunkhannock, PA 18657
County Bradford
Township(s) Herrick & Orwell
Receiving Stream(s) and Classification(s) UNT to Rumm-
erfield Ck (WWF/MF); UNT to Johnson Ck (CWF/MF)
Secondary—Rummerfield Ck & Johnson Ck

ESCGP-2 # ESX29-015-18-0026
Applicant Name SWN Production Co LLC
Contact Person Nicki Atkinson
Address 917 SR 92 N
City, State, Zip Tunkhannock, PA 18657
County Bradford
Township(s) Herrick
Receiving Stream(s) and Classification(s) Rummerfield Ck
(WWF/MF)
Secondary—Susquehanna River

ESCGP-2 # ESX29-015-18-0019
Applicant Name SWN Production Co LLC
Contact Person Nicki Atkinson
Address 917 SR 92 N
City, State, Zip Tunkhannock, PA 18657
County Bradford
Township(s) Stevens
Receiving Stream(s) and Classification(s) UNT to Wyalus-
ing Ck (WWF/MF)
Secondary—Wyalusing Ck

ESCGP-2 # ESG29-015-18-0030
Applicant Name Appalachia Midstream Svcs LLC
Contact Person Scott Kinter
Address 400 IST Center, Suite 404

City, State, Zip Horseheads, NY 14845
County Bradford
Township(s) Overton
Receiving Stream(s) and Classification(s) UNT to Lick Ck
(EV/MF); UNT to Mill Ck (EV/MF); UNT to Sugar Run
(EV/MF)
Secondary—Lick Ck, Mill Ck and Sugar Run

ESCGP-2 # ESX29-115-18-0045
Applicant Name Williams Field Svcs Co LLC
Contact Person Matt Anderson
Address 310 SR 29 N
City, State, Zip Tunkhannock, PA 18657-7845
County Susquehanna
Township(s) Brooklyn
Receiving Stream(s) and Classification(s) Dry Ck
(CWF-MF)

ESCGP-2 # ESG29-015-18-0032
Applicant Name Appalachia Midstream Svcs LLC
Contact Person Scott Kinter
Address 400 IST Center, Suite 404
City, State, Zip Horseheads, NY 14845
County Bradford
Township(s) Tuscarora
Receiving Stream(s) and Classification(s) Little Tuscarora
Ck (CWF/MF)
Secondary—Susquehanna River

ESCGP-2 # ESX29-117-18-0021
Applicant Name Eclipse Resources PA LP
Contact Person Steven Lynch
Address 2121 Old Gatesburg Rd, Suite 110
City, State, Zip State College, PA 16803
County Tioga
Township(s) Westfield
Receiving Stream(s) and Classification(s) Mill Ck (TSF);
Crance Brook (CWF)

ESCGP-2 # ESG29-117-18-0016
Applicant Name Seneca Resources Corp
Contact Person Doug Keplar
Address 5800 Corporate Dr, Suite 300
City, State, Zip Pittsburgh, PA 15237
County Tioga
Township(s) Bloss & Covington
Receiving Stream(s) and Classification(s) Sand Run (EV);
Boone Run (CWF)

ESCGP-2 # ESG29-117-18-0014
Applicant Name SWEPI LP
Contact Person Jason Shoemaker
Address 150 N Dair Ashford, E1296E
City, State, Zip Houston, TX 77079
County Tioga
Township(s) Gaines
Receiving Stream(s) and Classification(s) Elk Run (EV);
Lewis Run (HQ-CWF)

SPECIAL NOTICES

Solicitation of Interest for Municipal Waste Disposal Capacity and Optional Integrated Waste and Recycling Program Support; Northampton County

Northampton County, in Northeast Pennsylvania, is updating its County Municipal Waste Management Plan in accordance with the provisions of Pennsylvania Act 101 of 1988, the Municipal Waste Planning, Recycling and Waste Reduction Act. As required in the Act, the County has prepared a Solicitation of Interest (SOI) for the purpose of obtaining 10 year commitments, beginning on January 1, 2021, and continuing through December 31,

2030, with renewal options, for disposal capacity for the municipal waste (MSW) generated within Northampton County during that period. The waste facilities to be considered in the County Plan Update must be permitted and fully available for use prior to January 1, 2021. SOI Respondents are also asked to consider supporting the sustainability of integrated waste and recycling programs in Northampton County. Transfer Stations wishing to be included in the Northampton County Solid Waste Management Plan, who handle MSW from Northampton County, should also request submission requirements from Ashley N. Duncan, whose information follows. To obtain a hard copy or electronic copy of the SOI, e-mail Ashley N. Duncan, PE at aduncan@bartonandloguidice.com. Submittals are due no later than 4 p.m. E.S.T. on Friday August 31, 2018.

[Pa.B. Doc. No. 18-1201. Filed for public inspection August 3, 2018, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Federal Consistency under the Coastal Zone Management Act; Maintenance Dredging at Walnut Creek Marina

This notice is published under section 306(d)(14) of the Federal Coastal Zone Management Act of 1972 (16 U.S.C.A. § 1455(d)(14)), regarding public participation during consistency determinations. The Department of Environmental Protection (Department), Coastal Resources Management Program has received notice that the Fish and Boat Commission (Commission) is proposing to conduct maintenance dredging at the Walnut Creek Marina in Fairview Township, Erie County.

The Commission is seeking reauthorization of a 10-year maintenance dredging permit from the United States Army Corps of Engineers (USACE), Pittsburgh District. The Commission will utilize a hydraulic dredging machine to remove native built-up material from the mooring basin of Walnut Creek Marina. The dredged material will be pumped through piping to a previously approved area along the East Beach down-drift from the marina and below the plane of ordinary high water to allow the material to enter back into the littoral system. The mooring basin will be dredged to an elevation of 567.0 feet to provide a water depth of 5.0 feet throughout the basin to provide a safe passage-way to boaters. The mooring basin will not be expanded laterally in any direction nor will it be dredged below a previously permitted elevation. The Commission will utilize a long-reach excavator to remove native built-up material from a section of the channel of Walnut Creek from the mouth of the marina basin to the mouth of Walnut Creek leading out into Lake Erie. Once the material is removed from the channel, it will be loaded into a dump truck and transported to a previously approved area along the East Beach down-drift from the marina and below the plane of ordinary high water. The material will be dumped and pushed/spread out to allow it to enter back into the littoral system. As with the mooring basin, the channel will be dredged to an elevation of 567.0 feet to provide a

water depth of 5.0 feet throughout the channel to provide a safe passage-way to boaters. The channel will not be widened beyond existing conditions nor will it be dredged below a previously permitted elevation. All dredging activities will be performed in accordance with the previously issued USACE Maintenance Dredging Permit # 87-476-6 and USACE Emergency Dredging Permit # 1987-0003.

This project is subject to Department review for Federal consistency because it is a Federal license and permit activity and will have reasonably foreseeable effects on the Commonwealth's coastal resources or uses.

In accordance with National Oceanic and Atmospheric Administration (NOAA) regulations in 15 CFR Part 930, Subpart D (relating to consistency for activities requiring a Federal license or permit), the Commission has certified that the proposed activity will be conducted in a manner consistent with the applicable enforceable policies of the Commonwealth's NOAA-approved Coastal Resources Management Program. Interested parties may request a copy of the Federal Consistency Certification from the Department contact listed as follows.

Questions regarding this review should be directed to Matthew Walderon, Federal Consistency Coordinator, at RA-Fed_Consistency@pa.gov or (717) 772-2196.

The Department will consider all comments received on or before August 20, 2018, before issuing a final Federal consistency concurrence or objection. Comments, including comments submitted by e-mail, must include the originator's name and address. Comments submitted by facsimile will not be accepted. Commentators are encouraged to submit comments using the Department's eComment system at www.ahs.dep.pa.gov/eComment or by e-mail to ecomment@pa.gov. Written comments may be submitted by mail to the Policy Office, Department of Environmental Protection, 400 Market Street, Harrisburg, PA 17101.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 18-1202. Filed for public inspection August 3, 2018, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Small Water Systems Technical Assistance Center Board Meeting Cancellation

The August 16, 2018, meeting of the Small Water Systems Technical Assistance Center Board has been cancelled. The next regular meeting is scheduled for Thursday, October 18, 2018, beginning at 9 a.m. in the Susquehanna Conference Room, Department of Environmental Protection's Southcentral Regional Office, 909 Elmerton Avenue, Harrisburg, PA.

Questions concerning the October 18, 2018, meeting should be directed to Dawn Hissner, Bureau of Safe Drinking Water, at dhissner@pa.gov or (717) 787-9633. The agenda and meeting materials will be available

through the Public Participation tab on the Department of Environmental Protection's (Department) web site at <https://www.dep.pa.gov>.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Dawn Hissner at (717) 787-9633, or through the Pennsylvania AT&T Relay Service at (800) 654-5984

(TDD users), or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 18-1203. Filed for public inspection August 3, 2018, 9:00 a.m.]

DEPARTMENT OF HEALTH

Decisions on Requests for Exception to Health Care Facility Regulations

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), effective June 6, 1998, the Department of Health (Department) has published in the *Pennsylvania Bulletin* all requests by entities licensed under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b) for exceptions to regulations contained in 28 Pa. Code Part IV, Subparts B—G.

Section 51.33(d) of 28 Pa. Code provides that the Department will publish notice of all approved exceptions on a periodic basis. The Department has determined that it will publish notice of all exceptions, both approved and denied. The following list contains the decisions made on exception requests published in the *Pennsylvania Bulletin* from April 1, 2018, through June 30, 2018. Future publications of decisions on exception requests will appear on a quarterly basis.

Requests for additional information on the exception request and the Department's decision should be made to the relevant division of the Department. Inquiries regarding hospitals, abortion facilities and ambulatory surgical facilities shall be addressed to Garrison E. Gladfelter, Jr., Director, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980. Inquiries regarding long-term care facilities shall be addressed to Susan Williamson, Director, Division of Nursing Care Facilities, Room 528, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816.

Use the following key for abbreviations in the Decision (Dec.*) column.

	DEF=Deferred	DEN=Denied	RJT=Rejected	REV=Revoked	GRAN=Granted
GNNP=Granted/ Not Nec. in Part	GDP=Granted/ Denied in Part	GP=Granted Probationary	GPWC=Granted Prob. w/Cond.	GWC=Granted w/Conditions	GWR=Granted w/Restrictions
GT=Granted Temporary	NN=Not Necessary	AN=Annulled	WD=Withdrawn		

Ambulatory Surgical Facilities

<i>Facility Name</i>	<i>28 Pa. Code Regulation</i>	<i>Relating to</i>	<i>Request Published</i>	<i>Dec.*</i>
Abington Surgical Center, LP	§ 551.22(a)(1)	criteria for performance of ambulatory surgery on pediatric patients	02/17/18	GRAN
AFP Surgery Center	§ 553.31(a)	administrative responsibilities	05/12/18	GWC
	§ 553.31(a)	administrative responsibilities	04/07/18	WD
Ambulatory Surgery Center at Bucks County	§ 567.53	sterilization control	04/28/18	GRAN
Asplundh Surgical Center	§ 153.1	3.7-7.2.2.1 corridor widths	05/12/18	GRAN
Center for the Surgical Arts	§ 51.3(a)	notifications	05/12/18	REJ
Central Penn Endoscopy Center	§ 553.31(a)	administrative responsibilities	05/26/18	GWC
Chambersburg Endoscopy Center	§ 551.3(ii)	definitions, specifically subparagraph (ii) of the definition of "classification levels," regarding Class B facilities PS III patients	04/07/18	GWC
	§ 555.31(a)	anesthesia services (propofol)	04/07/18	GPWC
Children's Hospital of Philadelphia Brandywine Valley Specialty Care and Surgery Center	§ 567.53	sterilization control	04/28/18	GRAN
Children's Surgery Center of Lehigh Valley, LLC	§ 551.22(3)(ii)	criteria for performance of ambulatory surgery on pediatric patients	05/12/18	GWC
The Colonoscopy Center—Lansdale	§ 551.3(ii)	definitions, specifically subparagraph (ii) of the definition of "classification levels," regarding Class B facilities PS III patients	04/28/18	GWC
	§ 555.31(a)	anesthesia services (propofol)	04/28/18	GWC

<i>Facility Name</i>	<i>28 Pa. Code Regulation</i>	<i>Relating to</i>	<i>Request Published</i>	<i>Dec.*</i>
Crozer-Keystone Surgery Center at Brinton Lake	§ 551.21(d)(3)	criteria for ambulatory surgery	07/22/17	GRAN
Delaware Valley Laser Surgery Institute	§ 553.31(a)	administrative responsibilities	02/17/18	GWC
DH Physicians Endoscopy ASC	§ 551.3(ii)	definitions, specifically subparagraph (ii) of the definition of “classification levels,” regarding Class B facilities PS III patients	06/30/18	GWC
	§ 555.31(a)	anesthesia services (propofol)	06/30/18	GWC
Einstein Endoscopy Center—Blue Bell	§ 553.1	principle	05/19/18	GWC
	§ 555.1	principle	05/19/18	GWC
	§ 557.2(a)	plan	05/19/18	GWC
	§ 557.2(b)	plan	05/19/18	GWC
	§ 563.2	organization and staffing	05/19/18	GWC
	§ 567.2	committee responsibilities (environmental services)	05/19/18	GWC
Evangelical Ambulatory Surgical Center, LLC	§ 553.31(a)	administrative responsibilities	05/26/18	GWC
Hanover Surgicenter, LLC	§ 553.31(a)	administrative responsibilities	02/17/18	GWC
Jefferson Endoscopy Center at Bala	§ 551.21(d)(1)	criteria for ambulatory surgery	04/07/18	NN
Lehigh Valley Hospital, Inc. d/b/a Fairgrounds Surgical Center	§ 553.2	ownership (governing body)	01/20/18	RJT
	§ 553.3	governing body responsibilities	01/20/18	RJT
	§ 553.4	other functions (governing body)	01/20/18	RJT
	§ 563.1	principle (medical records)	01/20/18	RJT
	§ 563.2	organization and staffing (medical records)	01/20/18	RJT
LVHN Children’s Surgery Center	§ 551.21(d)(2)	criteria for ambulatory surgery	04/28/18	GWC
Memorial Hospital Outpatient Endoscopy Center	§ 551.3	definitions	06/16/18	RJT
	§ 553.1	principle	06/16/18	RJT
	§ 553.3	governing body responsibilities	06/16/18	RJT
	§ 553.31(a)	administrative responsibilities	06/16/18	RJT
	§ 553.31(b)	administrative responsibilities	06/16/18	RJT
	§ 553.4	other functions	06/16/18	RJT
	§ 555.1	principle	06/16/18	RJT
	§ 555.2	medical staff membership	06/16/18	RJT
	§ 555.3	requirements for membership and privileges	06/16/18	RJT
	§ 555.4	clinical activities and duties of physician assistants and CRNPs	06/16/18	RJT
	§ 557.1	policy	06/16/18	RJT
	§ 557.2	plan	06/16/18	RJT
	§ 557.3	quality assurance and improvement program	06/16/18	RJT
	§ 557.4	quality assurance and improvement committee	06/16/18	RJT
	§ 563.1	principle	06/16/18	RJT
	§ 563.2	organization and staffing	06/16/18	RJT
	§ 567.2(1)	committee responsibilities	06/16/18	RJT

<i>Facility Name</i>	<i>28 Pa. Code Regulation</i>	<i>Relating to</i>	<i>Request Published</i>	<i>Dec.*</i>
	§ 569.1	principle	06/16/18	RJT
Memorial Hospital Outpatient Surgery Center	§ 553.1	principle	06/16/18	RJT
	§ 553.3	governing body responsibilities	06/16/18	RJT
	§ 553.31(a)	administrative responsibilities	06/16/18	RJT
	§ 553.31(b)	administrative responsibilities	06/16/18	RJT
	§ 553.4	other functions	06/16/18	RJT
	§ 555.1	principle	06/16/18	RJT
	§ 555.2	medical staff membership	06/16/18	RJT
	§ 555.3	requirements for membership and privileges	06/16/18	RJT
	§ 555.4	clinical activities and duties of physician assistants and CRNPs	06/16/18	RJT
	§ 557.1	policy	06/16/18	RJT
	§ 557.2	plan	06/16/18	RJT
	§ 557.3	quality assurance and improvement program	06/16/18	RJT
	§ 557.4	quality assurance and improvement committee	06/16/18	RJT
	§ 563.1	principle	06/16/18	RJT
	§ 563.2	organization and staffing	06/16/18	RJT
	§ 567.2(1)	committee responsibilities	06/16/18	RJT
	§ 569.1	principle	06/16/18	RJT
Mid-Atlantic Gastrointestinal Center	§ 553.31(a)	administrative responsibilities	05/12/18	GWC
Mid-Atlantic Gastrointestinal Center II	§ 553.31(a)	administrative responsibilities	05/12/18	GWC
North East Surgery Center	§ 551.21(d)	criteria for ambulatory surgery	06/03/17	REJ
Phoenixville Hospital Ambulatory Surgery Center—Limerick	§ 553.31	administrative responsibilities	05/12/18	DEN
	§ 559.2	director of nursing	05/12/18	DEN
Phoenixville Hospital Ambulatory Surgery Center—Main Line	§ 553.31	administrative responsibilities	05/12/18	DEN
	§ 559.2	director of nursing	05/12/18	DEN
Rhawn Street Endoscopy Center	§ 553.31(a)	administrative responsibilities	04/07/18	GWC
St. Luke's Anderson Ambulatory Surgery Center	§ 551.21(d)(3)	criteria for ambulatory surgery	05/12/18	WD
Turk's Head Surgery Center	§ 569.35(7)	general safety precautions (flammable agents in ASF)	03/17/18	GWC

Hospitals

<i>Facility Name</i>	<i>28 Pa. Code Regulation</i>	<i>Relating to</i>	<i>Request Published</i>	<i>Dec.*</i>
Abington Memorial Hospital	§ 119.11	principle (outpatient facilities)	04/07/18	RJT
	§ 153.1	2.2-3.4.2.1(1)(b) space requirements	04/28/18	GRAN
	§ 153.1	2.2-3.4.2.1(3) door swing	04/28/18	GRAN
Advanced Surgical Hospital, LLC	§ 117.58	exemption for hospitals providing limited emergency services	06/16/18	RJT
Allegheny General Hospital	§ 153.1	2.1-3.2.1.3(3) (table 2.1-4 (station outlets for oxygen, vacuum and medical air systems in hospitals) 2.1-3.2)	06/16/18	DEN
Bradford Regional Medical Center	§ 103.1	principle	06/16/18	GWC
	§ 103.3	bylaws	06/16/18	GWC

<i>Facility Name</i>	<i>28 Pa. Code Regulation</i>	<i>Relating to</i>	<i>Request Published</i>	<i>Dec.*</i>
	§ 103.31	chief executive officer	06/16/18	GWC
	§ 103.4	functions	06/16/18	GWC
	§ 107.1	principle	06/16/18	GWC
	§ 107.11	principle	06/16/18	GWC
	§ 107.25	medical staff executive committee	06/16/18	GWC
	§ 107.31	medical staff meetings	06/16/18	GWC
	§ 146.1	principle	06/16/18	GWC
Children's Hospital of Pittsburgh of UPMC	§ 107.61	written orders	03/17/18	GWC
	§ 153.1	2.1-2.2.5.1(1) hand-washing station in the patient rooms	05/12/18	GRAN
	§ 153.1	2.1-2.2.5.3 hand-washing station in the patient rooms	05/12/18	GRAN
Conemaugh Nason Medical Center	§ 138.15	high-risk cardiac catheterizations	05/26/18	GWC
Corry Memorial Hospital Association d/b/a LECOM Health Corry Memorial Hospital	§ 107.25	medical staff executive committee	02/17/18	DEN
	§ 107.26	additional committees	02/17/18	GWC
Divine Providence Hospital	§ 107.62(a)	oral orders	12/23/17	REJ
	§ 107.62(b)	medical staff by-laws	12/23/17	REJ
	§ 153.1	2.1-8.5.3.2 size	04/28/18	RJT
Eagleview Hospital	§ 153.1	2.6-2.3.2.1 activities of daily living unit	04/07/18	GRAN
Geisinger Jersey Shore Hospital	§ 107.62(a)	oral orders	05/12/18	GWC
	§ 107.62(b)	medical staff by-laws	05/12/18	GWC
Geisinger Lewistown Hospital	§ 107.62(a)	oral orders	03/17/18	GWC
	§ 107.62(b)	medical staff by-laws	03/17/18	GWC
Geisinger Medical Center	§ 107.62(a)	oral orders	04/07/18	GWC
	§ 107.62(b)	medical staff by-laws	04/07/18	GWC
	§ 153.1	2.2-3.4.5.4(1) patient toilet rooms	04/28/18	DEN
	§ 153.1	2.2-3.4.5.4(2) patient toilet rooms	04/28/18	DEN
Geisinger Wyoming Valley Medical Center	§ 107.62(a)	oral orders	05/12/18	GWC
	§ 107.62(b)	medical staff by-laws	05/12/18	GWC
Geisinger-Bloomsburg Hospital	§ 107.26(b)(3)	additional committees (organization of the medical staff)	04/07/18	GWC
	§ 107.62(a)	oral orders	04/28/18	GWC
	§ 107.62(b)	medical staff by-laws	04/28/18	GWC
	§ 107.62(a)	oral orders	05/12/18	GWC
	§ 107.62(b)	medical staff by-laws	05/12/18	GWC
Gettysburg Hospital	§ 153.1	3.1-3.2.2.2(1) area	04/28/18	RJT
	§ 153.1	3.1-3.6.10 soiled holding rooms	04/28/18	REJ
Good Shepherd Rehabilitation Network	§ 153.1	2.6-2.2.2.1(1) capacity	04/28/18	GWC
Hahnemann University Hospital	§ 107.2(b)	medical staff membership	04/07/18	GWC
Highlands Hospital	§ 153.1	2.1-2.4.3 seclusion rooms	04/28/18	GRAN
	§ 153.1	2.1-8.5.3.2 size	04/28/18	GRAN
	§ 153.1	2.5-2.2.2.6(1) patient toilet rooms	04/28/18	GRAN
	§ 153.1	2.5-2.2.2.6(2) patient toilet rooms	04/28/18	GRAN
Holy Redeemer Health System d/b/a Holy Redeemer Hospital	§ 139.12	neonatal care units	03/03/18	GRAN

<i>Facility Name</i>	<i>28 Pa. Code Regulation</i>	<i>Relating to</i>	<i>Request Published</i>	<i>Dec.*</i>
Hospital of the Fox Chase Cancer Center	§ 153.1	2.1-2.6.12 environmental services room	04/28/18	GT
	§ 153.1	3.1-6.2.4.1 public toilets	04/28/18	GT
Hospital of the University of PA	§ 153.1	2.1-5.2.2.1(1)(b) soiled and clean linen-handling areas	04/28/18	GRAN
Jefferson Hospital	§ 153.1	2.1-8.5.3.2 size (TDRs)	04/07/18	GRAN
	§ 153.1	2.2-3.3.2.1 space requirements (operating rooms)	04/07/18	GRAN
	§ 153.1	2.2-3.4.6.16 facilities for processing ultrasound probes	05/12/18	DEN
	§ 153.1	2.2-3.5.2.1 space requirements (interventional imaging procedure rooms)	04/07/18	GRAN
Jefferson Hospital—Brentwood Diagnostic Center	§ 153.1	2.2-3.4.6.10(2) soiled holding	06/16/18	DEN
Jefferson Hospital—JMA Building	§ 153.1	2.1-2.6.1.1(2) hand-washing stations (control desk reception areas)	06/16/18	RJT
	§ 153.1	2.2-3.6.2.3 hand-washing stations	06/16/18	GRAN
	§ 153.1	2.2-3.6.6.10(1) soiled workrooms	06/16/18	DEN
	§ 153.1	2.2-3.6.6.10(2) soiled holding rooms	06/16/18	RJT
	§ 153.1	2.2-3.6.8.1(1) patient waiting areas	06/16/18	RJT
Jefferson Hospital—Waterfront Diagnostic Center	§ 153.1	2.2-3.4.7.1 staff lounges	06/16/18	RJT
	§ 153.1	2.2-3.4.7.2 staff toilets	06/16/18	RJT
Jefferson Hospital—Waterfront Diagnostic Center (EKG Room)	§ 153.1	3.1-3.2.3.2(1) area	06/16/18	GRAN
Jefferson Hospital—Waterfront Diagnostic Center (PFT Room)	§ 153.1	3.1-3.2.3.2(1) area	06/16/18	DEN
Jefferson Hospital (1010 Higbee Drive, Bethel Park)	§ 153.1	2.2-3.4.5.4 patient toilet rooms	05/12/18	GRAN
	§ 153.1	2.2-3.4.6.16 facilities for processing ultrasound probes	05/12/18	DEN
	§ 153.1	3.1-3.8.2 toilet room(s) for patient use	05/12/18	DEN
	§ 153.1	3.1-3.9.8.1 changing rooms or booths	05/12/18	DEN
Jefferson Hospital (1200 Brooks Lane, Jefferson Hills)	§ 153.1	3.1-7.2.2.2(1) ceiling heights	05/12/18	GRAN
Jefferson Hospital (1st Floor, 3722 Brownsville Road, Pittsburgh)	§ 153.1	2.2-3.4.1.2 location	05/12/18	GRAN
	§ 153.1	3.1-7.2.2.2(1) ceiling heights	05/12/18	RJT
Jefferson Hospital (2nd Floor, 3722 Brownsville Road, Pittsburgh)	§ 153.1	3.1-7.2.2.2(1) ceiling heights	05/12/18	GRAN
Jefferson Hospital (Suite 140, 1200 Brooks Lane, Jefferson Hills)	§ 153.1	2.2-3.4.1.2 location	05/12/18	GRAN
Jefferson Hospital (Suite 220, 495 East Waterfront Drive Homestead)	§ 153.1	2.2-3.4.1.2 location	05/12/18	GRAN
	§ 153.1	3.1-7.2.2.2(1) ceiling heights	05/12/18	RJT
Jefferson Hospital (Suite G40, 1200 Brooks Lane, Jefferson Hills)	§ 153.1	2.2-3.4.1.2 location	05/12/18	RJT
	§ 153.1	3.1-7.2.2.2(1) ceiling heights	05/12/18	GRAN
Jefferson Hospital (Suite G60, 1200 Brooks Lane, Jefferson Hills)	§ 153.1	2.2-3.4.1.2 location	05/12/18	GRAN
	§ 153.1	3.1-7.2.2.2(1) ceilings	05/12/18	GRAN
Lankenau Medical Center	§ 153.1	2.2-2.11.1.1(1) location	05/26/18	DEN

<i>Facility Name</i>	<i>28 Pa. Code Regulation</i>	<i>Relating to</i>	<i>Request Published</i>	<i>Dec.*</i>
Lock Haven Hospital	§ 107.62(a)	oral orders	06/16/18	GWC
	§ 107.62(a)	oral orders	04/07/18	RJT
	§ 107.62(b)	medical staff by-laws	04/07/18	RJT
	§ 107.62(b)	medical staff by-laws	06/16/18	GWC
Meadville Medical Center	§ 153.1	2.2-3.4.5.4(1) space requirements (ultrasound facilities)	04/07/18	GRAN
Millcreek Community Hospital	§ 107.25	medical staff executive committee	02/17/18	DEN
	§ 107.26	additional committees	02/17/18	GWC
Nazareth Hospital	§ 107.61	written orders	05/12/18	GWC
	§ 153.1	2.2-2.6.2.6 toilet room or human waste disposal room	05/19/18	GWC
Penn Highlands Brookville	§ 107.12(9)	content of bylaws, rules and regulations	04/28/18	GWC
	§ 107.26(5)	additional committees (in accordance with § 113.5 (relating to pharmacy and therapeutics committees))	04/28/18	GWC
	§ 107.26(6)	additional committees (radiation safety committees)	04/28/18	GWC
	§ 109.2(b)	director of nursing services	04/28/18	GRAN
Penn Highlands Clearfield	§ 107.12(9)	content of bylaws, rules and regulations	04/28/18	GWC
	§ 107.26(5)	additional committees (in accordance with § 113.5)	04/28/18	GWC
	§ 107.26(6)	additional committees (radiation safety committees)	04/28/18	GWC
	§ 109.2(b)	director of nursing services	04/28/18	GRAN
	§ 153.1	2.2-3.4.2.2 control rooms	03/17/18	GRAN
Penn Highlands DuBois	§ 107.12(9)	content of bylaws, rules and regulations	04/28/18	GWC
	§ 107.26(5)	additional committees (in accordance with § 113.5)	04/28/18	GWC
	§ 107.26(6)	additional committees (radiation safety committees)	04/28/18	GWC
	§ 153.1	3.1-3.8.2 toilet room(s) for patient use	06/16/18	GWC
	§ 153.1	3.1-5.5.1.1 number (environmental services rooms)	06/16/18	GWC
Penn Highlands Elk	§ 107.12(9)	content of bylaws, rules and regulations	04/28/18	GWC
	§ 107.26(5)	additional committees (in accordance with § 113.5)	04/28/18	GWC
	§ 107.26(6)	additional committees (radiation safety committees)	04/28/18	GWC
Pennsylvania Hospital of the University of PA Health System— Spruce Street Crisis Response Center	§ 153.1	2.2-3.1.4.3 secure holding rooms	06/16/18	GRAN
	§ 153.1	2.5-2.2.6.14 conference rooms	02/17/18	WD
	§ 153.1	2.5-2.2.6.2 documentation areas	02/17/18	WD
	§ 153.1	2.5-2.2.8.2(2)(b)(i) space requirements (social spaces)	02/17/18	GRAN
Saint Vincent Hospital	§ 153.1	2.2-2.2.2.1(1) capacity	05/12/18	DEN
	§ 153.1	2.2-3.1.6.1(4) administrative center or nurse station	05/19/18	GWC
	§ 153.1	2.2-3.4.6.4(2) pre-procedure patient care and observation space	05/19/18	DEN
Sunbury Community Hospital	§ 107.62(a)	oral orders	06/16/18	GWC
	§ 107.62(a)	oral orders	04/07/18	REJ

<i>Facility Name</i>	<i>28 Pa. Code Regulation</i>	<i>Relating to</i>	<i>Request Published</i>	<i>Dec.*</i>
	§ 107.62(b)	medical staff by-laws	06/16/18	GWC
	§ 107.62(b)	medical staff by-laws	04/07/18	REJ
Thomas Jefferson University Hospital	§ 153.1	2.1-2.2.6.1 general	04/28/18	GWC
	§ 153.1	2.1-2.2.6.1 patient toilet rooms	03/17/18	GT
	§ 153.1	2.1-2.2.6.2 patient toilet rooms in nursing units	04/28/18	GWC
	§ 153.1	2.1-2.2.6.2 patient toilet rooms in nursing units	03/17/18	GT
	§ 153.1	2.1-2.2.6.3 room features	03/17/18	GT
	§ 153.1	2.1-2.2.6.3 room features	04/28/18	GWC
Thomas Jefferson University Hospital—Meadowbrook Neurology	§ 153.1	3.6-3.2.2.1(1) area	04/28/18	DEN
	§ 153.1	3.6-3.2.2.2(2) clearances	04/28/18	DEN
Thomas Jefferson University Hospital—Methodist Endocrinology	§ 153.1	3.1-6.2.4.1 toilets rooms	04/28/18	GRAN
	§ 153.1	3.1-7.2.2.1 corridor widths	04/28/18	GRAN
Thomas Jefferson University Hospital—Women's Primary Care	§ 153.1	3.1-7.2.2.2 ceiling heights	04/28/18	GRAN
Titusville Area Hospital	§ 153.1	2.1-2.4.2.2(4) AII room requirements	03/17/18	DEN
	§ 153.1	2.2-3.1.3.6(2) treatment rooms or areas (single-bed treatment room(s))	03/17/18	GRAN
	§ 153.1	2.2-3.1.3.6(5) treatment rooms or areas (treatment rooms for bariatric patients)	03/17/18	GRAN
	§ 153.1	2.2-3.1.3.6(6) treatment rooms or areas (trauma/resuscitation room(s))	03/17/18	GRAN
Tyrone Regional Health Network	§ 153.1	3.1-3.6.5.1 location (hand-washing stations)	03/17/18	GRAN
	§ 153.1	3.1-3.6.5.3 additional requirements for hand-washing stations that serve multiple patient care stations	03/17/18	GRAN
UPMC Altoona	§ 117.52	minimum requirements for sexual assault emergency services	03/17/18	DEN
UPMC East	§ 153.1	2.1-2.6.8.1 ice making equipment	05/12/18	GRAN
	§ 153.1	2.2-3.3.4.4(1)(b)(ii) phase II recovery room(s) or area	05/12/18	GRAN
	§ 153.1	2.2-3.3.4.6(3) support areas for pre- and postoperative patient care areas	05/12/18	DEN
	§ 153.1	2.2-3.3.4.6(4) support areas for pre- and postoperative patient care areas	05/12/18	DEN
	§ 153.1	2.2-3.3.4.7 support areas for staff	05/12/18	GRAN
	§ 153.1	2.2-3.6.6.10(1) soiled workroom or soiled holding room	05/12/18	DEN
	§ 153.1	2.2-3.6.6.10(2) soiled workroom or soiled holding room	05/12/18	DEN
	§ 153.1	2.2-3.6.6.7(1) pre-procedure patient care area	05/12/18	GRAN
	§ 153.1	2.2-3.6.6.7(2) pre-procedure patient care area	05/12/18	GRAN
UPMC Horizon—Greenville Campus	§ 153.1	2.1-8.5.3.2 size (TDRs)	04/28/18	GRAN
UPMC Horizon—Shenango Campus	§ 153.1	2.1-8.5.3.2 size (TDRs)	04/28/18	GRAN
UPMC Kane	§ 117.52	minimum requirements for sexual assault emergency services	03/17/18	DEN

<i>Facility Name</i>	<i>28 Pa. Code Regulation</i>	<i>Relating to</i>	<i>Request Published</i>	<i>Dec.*</i>
UPMC Presbyterian Shadyside	§ 153.1	2.1-2.4.3.1(2)(a) observation from nursing station	04/28/18	GRAN
	§ 153.1	2.1-2.4.3.9(1)(b) ceiling heights	04/28/18	GRAN
	§ 153.1	2.1-8.5.3.2 size (TDRs)	04/28/18	GRAN
	§ 153.1	2.5-2.2.2.6(1) patient toilet rooms	04/28/18	GRAN
	§ 153.1	2.5-2.2.2.6(2) patient toilet rooms	04/28/18	GRAN
UPMC St. Margaret	§ 153.1	2.1-8.5.3.2 size (TDRs)	04/28/18	GRAN
WellSpan Gettysburg Hospital	§ 138.15	high-risk cardiac catheterizations	05/26/18	GP
WellSpan Good Samaritan Hospital	§ 107.12(11)	content of bylaws, rules and regulations (medical staff bylaws rules and regulations)	04/07/18	GWC
West Penn Hospital	§ 153.1	2.1-3.2.1.3(3) (table 2.1-4 (station outlets for oxygen, vacuum and medical air systems in hospitals) 2.1-3.2)	06/16/18	RJT
Wills Eye Hospital	§ 101.31(7)	hospital requirements	06/16/18	GWC
York Hospital	§ 153.1	2.1-3.2.2.1(2)(a) clearances (space requirements)	03/17/18	GRAN

Nursing Care Facilities

<i>Facility Name</i>	<i>28 Pa. Code Regulation</i>	<i>Relating to</i>	<i>Request Published</i>	<i>Dec.*</i>
Crosslands	§ 205.20(a)	resident bedrooms	04/30/18	GRAN
Hamilton Arms Center	§ 205.25(b)	kitchens	03/31/18	GRAN
Hearthside Rehab Center	§ 205.33	utility rooms	05/26/18	WD
HRH Transitional Care Unit (a d/b/a Entity of Holy Redeemer Health System)	§ 201.22(e) and (j)	prevention, control and surveillance of tuberculosis (TB)	05/26/18	GRAN
Julia Pound Care Center	§ 201.22(e) and (j)	prevention, control and surveillance of tuberculosis (TB)	04/28/18	GRAN
The Lafayette-Redeemer (a d/b/a Entity of HRHS)	§ 201.22(e) and (j)	prevention, control and surveillance of tuberculosis (TB)	04/21/18	GRAN
Laurel Ridge Center	§ 211.9(g)	pharmacy services	04/30/18	GRAN
ManorCare Health Services—North Hills	§ 201.22(d) and (e)	prevention, control and surveillance of tuberculosis (TB)	04/14/18	GRAN
ManorCare Health Services—Elizabethtown	§ 205.20(a)	resident bedrooms	03/24/18	GRAN
Meadow View Nursing Center	§ 201.22(e) and (j)	prevention, control and surveillance of tuberculosis (TB)	04/28/18	GRAN
Mountain View Care and Rehabilitation Center	§ 211.9(g)	pharmacy services	04/14/18	GRAN
Quincy Retirement Community	§ 201.22(e) and (j)	prevention, control and surveillance of tuberculosis (TB)	04/28/18	GRAN
Redstone Highlands Health Care Center	§ 205.36(g)	bathing facilities	04/28/18	GRAN
Southwestern Nursing Care Center	§ 201.22(h)	prevention, control and surveillance of tuberculosis (TB)	04/14/18	GRAN
St. Barnabas Nursing Home	§ 211.9(g)	pharmacy services	04/14/18	GRAN
St. Joseph Manor (a d/b/a Entity of HRHS)	§ 201.22(e) and (j)	prevention, control and surveillance of tuberculosis (TB)	04/21/18	GRAN
Sunbury Community Health and Rehabilitation Center	§ 205.38(b)	toilet facilities	04/07/18	GRAN
Tulip Special Care, LLC	§ 211.9(g)	pharmacy services	04/21/18	GRAN

<i>Facility Name</i>	<i>28 Pa. Code Regulation</i>	<i>Relating to</i>	<i>Request Published</i>	<i>Dec.*</i>
West Hills Health and Rehabilitation Center	§ 205.6(a)	function of building	05/26/18	GRAN
WillowBrooke Court Skilled Care Center at Brittany Pointe Estates	§ 205.67(j) and (k)	electric requirements for existing and new construction	04/30/18	GRAN

Persons with a disability who require an alternative format of this notice (for example, large print, audiotape, Braille) should contact the Division of Acute and Ambulatory Care or the Division of Nursing Care Facilities at the previously referenced address or telephone number; or for speech and/or hearing-impaired persons, call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

RACHEL L. LEVINE, MD,
Secretary

[Pa.B. Doc. No. 18-1204. Filed for public inspection August 3, 2018, 9:00 a.m.]

DEPARTMENT OF HEALTH

Long-Term Care Nursing Facilities; Requests for Exception

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 201.22(h) and (j) (relating to prevention, control and surveillance of tuberculosis (TB)):

Pleasant Acres Nursing & Rehabilitation Center
118 Pleasant Acres Road
York, PA 17402
FAC ID # 250102

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.28(c) (relating to nurses' station):

Spang Crest Manor
945 Duke Street
Lebanon, PA 17042
FAC ID # 193602

These requests are on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed address.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing-impaired persons, call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

RACHEL L. LEVINE, MD,
Secretary

[Pa.B. Doc. No. 18-1205. Filed for public inspection August 3, 2018, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania Eagles Fast Play Game 5036

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 803.11 (relating to powers and duties of the Secretary of Revenue), the Secretary of Revenue hereby provides public notice of the rules for the following lottery game:

1. *Name*: The name of the lottery game is Pennsylvania Eagles (hereinafter "Eagles"). The game number is PA-5036.

2. *Definitions*:

(a) *Authorized Retailer or Retailer*: A person who is properly licensed by the Lottery pursuant to 61 Pa. Code §§ 805.1—805.17.

(b) *Bar Code*: The symbology on the ticket containing certain encrypted validation and accounting data used for identifying winning and losing tickets.

(c) *DOUBLER*: The numbers, letters, symbols or other characters found in the Your Numbers Area printed over the visual representation of a Football that, when matched against "WINNING NUMBERS," determine whether a player doubles the prize shown under the "DOUBLER" play symbol.

(d) *Football*: The visual representation of a Football printed beneath certain play symbols in the Your Numbers Area. When a "DOUBLER" play symbol, which is printed over the visual representation of a Football, matches any "WINNING NUMBER" play symbol, the player wins double the prize shown under the "DOUBLER" play symbol.

(e) *Game Ticket*: A bearer instrument produced through a Lottery Terminal that is the player's record of a play for a Fast Play lottery game and sold by an authorized retailer containing the play and validation data as published in this game notice.

(f) *Lottery Central Computer System*: The computer gaming system on which all Fast Play plays are recorded.

(g) *Lottery Terminal*: A device authorized by the Lottery to function in an interactive mode with the Lottery Central Computer System for the purpose of issuing plays, executing Quick Pick selections, and entering, receiving, and processing lottery transactions, including making purchases, validating plays, transmitting reports, and performing inventory functions.

(h) *Play*: A chance to participate in a particular Fast Play lottery game.

(i) *Play Area*: The area on a ticket which contains one or more play symbols.

(j) *Play Symbol*: A number, letter, symbol, image or other character found in the play area which is used to determine whether a player wins a prize.

(k) *PRIZE*: A non-monetary item, money, or experience that can be won as specified in section 7 (relating to prizes available to be won and determination of prize winners) of this game notice.

(l) *Progressive Top Prize*: The top prize available for this game that begins with a minimum prize amount that grows at a pre-determined rate every time a ticket is purchased, and then resets to the minimum prize amount whenever a top prize winning ticket is sold.

(m) *WINNING NUMBERS*: The numbers, letters, symbols or other characters found in the play area that, when matched against the "YOUR NUMBERS" play symbols and the "DOUBLER" play symbols, determine whether a player wins a prize.

(n) *Winning Ticket*: A game ticket which has been validated and qualifies for a prize.

(o) *Your Numbers Area*: The part of the play area that contains the "YOUR NUMBERS" and "DOUBLER" play symbols.

(p) *YOUR NUMBERS*: The numbers, letters, symbols or other characters found in the Your Numbers Area that, when matched against the "WINNING NUMBERS," determine whether a player wins the prize shown under the "YOUR NUMBERS" play symbol.

3. *Price*: The price of an Eagles ticket is \$5.

4. *Description of the Eagles lottery game*:

(a) The Eagles lottery game is an instant win game printed from a Lottery Terminal. With the exception of the Progressive Top Prize amount, all prizes are predetermined, and the player does not have the ability to select his or her own play symbols. Eagles tickets may be purchased from an authorized retailer or at a Lottery self-service terminal that sells terminal-based Lottery game tickets. Tickets purchased from an authorized retailer shall be printed on-demand at the time of purchase and may not be preprinted by the retailer.

(b) Eagles is played by matching the "YOUR NUMBERS" play symbols and "DOUBLER" play symbols in the play area to the play symbols located in the "WINNING NUMBERS" area. If the matching play symbol is a "YOUR NUMBERS" play symbol, win the prize shown under the matching "YOUR NUMBERS" play symbol. If the matching play symbol is a "DOUBLER" play symbol, printed over a virtual representation of a Football, win double the prize shown under the matching "DOUBLER" play symbol. The Progressive Top Prize cannot be doubled. A bet slip is not used to play this game.

(c) Players can win the prize identified in section 7 (relating to prizes available to be won and determination of prize winners).

(d) An Eagles game ticket cannot be canceled or voided once printed by the Lottery Terminal, even if printed in error.

(e) To purchase a ticket at an authorized retailer, a player must remit the purchase price to the retailer by verbally requesting an Eagles game ticket. The ticket shall be the only valid proof of the bet placed and the only valid receipt for claiming a prize.

(f) To purchase a ticket at a Pennsylvania Lottery self-service terminal, the player must insert into the self-service terminal a dollar amount equal to the total purchase price of an Eagles game ticket and select the Eagles option on the Lottery self-service terminal. The ticket shall be the only valid proof of the bet placed and the only valid receipt for claiming a prize.

5. *Eagles ticket characteristics*:

(a) An Eagles ticket shall contain a play area, the cost of the play, the date the ticket was printed, and a bar code.

(b) *Play Symbols*: Each Eagles ticket play area will contain a "WINNING NUMBERS" area and a Your Numbers Area. The Your Numbers Area consists of "YOUR NUMBERS" play symbols and "DOUBLER" play symbols. The play symbols located in the "WINNING NUMBERS" area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWNIN), 30 (THIRTY), 31 (THYONE), 32 (THYTWO), 33 (THYTHR), 34 (THYFOR), 35 (THYFIV), 36 (THYSIX), 37 (THYSVN), 38 (THYEGT), 39 (THYNIN), and 40 (FORT). The "YOUR NUMBERS" play symbols located in the Your Numbers Area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWNIN), 30 (THIRTY), 31 (THYONE), 32 (THYTWO), 33 (THYTHR), 34 (THYFOR), 35 (THYFIV), 36 (THYSIX), 37 (THYSVN), 38 (THYEGT), 39 (THYNIN), and 40 (FORT). The "DOUBLER" play symbols printed over the visual representation of a Football and located in the Your Numbers Area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWNIN), 30 (THIRTY), 31 (THYONE), 32 (THYTWO), 33 (THYTHR), 34 (THYFOR), 35 (THYFIV), 36 (THYSIX), 37 (THYSVN), 38 (THYEGT), 39 (THYNIN), and 40 (FORT).

(c) *Prize Symbols*: The prize symbols and their captions located in the "YOUR NUMBERS" area are: \$5⁰⁰ (FIV DOL), \$10⁰⁰ (TEN DOL), \$15⁰⁰ (FIFTN), \$20⁰⁰ (TWENTY), \$40⁰⁰ (FORTY), \$50⁰⁰ (FIFTY), \$100 (ONE HUN), \$400 (FOR HUN), \$500 (FIV HUN), \$1,000 (ONE THO), \$5,000 (FIV THO) and PROGRESSIVE (TOP PRIZE).

(d) *Prizes*: The prizes that can be won in this game are: \$5, \$10, \$15, \$20, \$40, \$50, \$100, \$400, \$500, \$1,000, \$5,000 and the Progressive Top Prize. The Progressive Top Prize amount starts at \$50,000 and increases by 25¢ every time an Eagles ticket is purchased. When Progressive Top Prize winning ticket is sold, the Progressive Top Prize resets to \$50,000. A player can win up to 16 times on a ticket.

(e) *Approximate Number of Tickets Available for the Game*: Approximately 2,400,000 tickets will be available for sale for the Eagles lottery game.

6. *Second-Chance Drawing:* The Pennsylvania Lottery will conduct an Eagles Second-Chance Drawing for which non-winning Eagles Fast Play lottery game tickets may be eligible as provided for in section 9.

7. *Prizes available to be won and determination of prize winners:*

(a) All Eagles prize payments will be made as one-time, lump-sum cash payments.

(b) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of PROGRESSIVE (TOP PRIZE) appears in the "PRIZE" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of a "Progressive Top Prize." The amount won under this paragraph is the amount of the Progressive Top Prize, determined by the Lottery Central Computer System, as of the time the winning ticket was purchased. The amount won will be a minimum of \$50,000.

(c) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$5,000 (FIV THO) appears in the "PRIZE" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$5,000.

(d) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$1,000 (ONE THO) appears in the "PRIZE" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(e) Holders of tickets upon which any one of the "DOUBLER" play symbols appears on a Football and matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$500 (FIV HUN) appears in the "PRIZE" area under the matching "DOUBLER" play symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(f) Holders of tickets upon which any one of the "DOUBLER" play symbols appears on a Football and matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$400 (FOR HUN) appears in the "PRIZE" area under the matching "DOUBLER" play symbol, on a single ticket, shall be entitled to a prize of \$800.

(g) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$500 (FIV HUN) appears in the "PRIZE" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$500.

(h) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$400 (FOR HUN) appears in the "PRIZE" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$400.

(i) Holders of tickets upon which any one of the "DOUBLER" play symbols appears on a Football and matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$100 (ONE HUN) appears in the "PRIZE" area under the matching "DOUBLER" play symbol, on a single ticket, shall be entitled to a prize of \$200.

(j) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING

NUMBERS" play symbols and a prize symbol of \$100 (ONE HUN) appears in the "PRIZE" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$100.

(k) Holders of tickets upon which any one of the "DOUBLER" play symbols appears on a Football and matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$50⁰⁰ (FIFTY) appears in the "PRIZE" area under the matching "DOUBLER" play symbol, on a single ticket, shall be entitled to a prize of \$100.

(l) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$50⁰⁰ (FIFTY) appears in the "PRIZE" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$50.

(m) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$40⁰⁰ (FORTY) appears in the "PRIZE" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$40.

(n) Holders of tickets upon which any one of the "DOUBLER" play symbols appears on a Football and matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$20⁰⁰ (TWENTY) appears in the "PRIZE" area under the matching "DOUBLER" play symbol, on a single ticket, shall be entitled to a prize of \$40.

(o) Holders of tickets upon which any one of the "DOUBLER" play symbols appears on a Football and matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$15⁰⁰ (FIFTN) appears in the "PRIZE" area under the matching "DOUBLER" play symbol, on a single ticket, shall be entitled to a prize of \$30.

(p) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$20⁰⁰ (TWENTY) appears in the "PRIZE" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$20.

(q) Holders of tickets upon which any one of the "DOUBLER" play symbols appears on a Football and matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the "PRIZE" area under the matching "DOUBLER" play symbol, on a single ticket, shall be entitled to a prize of \$20.

(r) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$15⁰⁰ (FIFTN) appears in the "PRIZE" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$15.

(s) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the "PRIZE" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$10.

(t) Holders of tickets upon which any one of the "DOUBLER" play symbols appears on a Football and matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$5⁰⁰ (FIV DOL) appears in the

“PRIZE” area under the matching “DOUBLER” play symbol, on a single ticket, shall be entitled to a prize of \$10.

(u) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$5.⁰⁰ (FIV DOL) appears in the “PRIZE” area under the

matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$5.

8. *Number and Description of Prizes and Approximate Chances of Winning:* The following table sets forth the approximate number of winners, amounts of prizes, and approximate chances of winning:

<i>When Any Of Your Numbers Match Any Winning Number, Win Prize Shown Under The Matching Number. Win With:</i>	<i>Win:</i>	<i>Approximate Chances Of Winning Are 1 In:</i>	<i>Approximate No. Of Winners Per 2,400,000 Tickets</i>
\$5	\$5	9.09	264,000
\$5 × 2	\$10	166.67	14,400
\$5 ON FOOTBALL	\$10	16.67	144,000
\$10	\$10	200	12,000
\$5 × 3	\$15	333.33	7,200
(\$5 ON FOOTBALL) + \$5	\$15	28.57	84,000
\$15	\$15	100	24,000
\$10 × 2	\$20	1,000	2,400
(\$5 ON FOOTBALL) + (\$5 × 2)	\$20	200	12,000
\$10 ON FOOTBALL	\$20	181.82	13,200
\$20	\$20	1,000	2,400
\$20 × 2	\$40	1,000	2,400
(\$10 × 3) + (\$5 × 2)	\$40	2,000	1,200
(\$15 × 2) + \$10	\$40	1,000	2,400
\$20 ON FOOTBALL	\$40	1,000	2,400
\$40	\$40	2,000	1,200
\$10 × 5	\$50	1,000	2,400
(\$20 × 2) + \$10	\$50	1,667	1,440
(((\$10 ON FOOTBALL) × 2) + (\$5 × 2)	\$50	1,000	2,400
(\$15 ON FOOTBALL) + \$20	\$50	1,000	2,400
(\$20 ON FOOTBALL) + \$10	\$50	1,000	2,400
\$50	\$50	1,000	2,400
\$50 × 2	\$100	24,000	100
(\$20 × 2) + (\$15 × 2) + (\$10 × 2) + (\$5 × 2)	\$100	24,000	100
(\$40 × 2) + (\$10 × 2)	\$100	24,000	100
(\$15 ON FOOTBALL) + (\$10 ON FOOTBALL) + (\$20 × 2) + (\$5 × 2)	\$100	12,000	200
(((\$20 ON FOOTBALL) × 2) + (\$10 ON FOOTBALL))	\$100	12,000	200
\$50 ON FOOTBALL	\$100	12,000	200
\$100	\$100	24,000	100
\$100 × 4	\$400	60,000	40
(\$50 × 4) + (\$40 × 2) + (\$20 × 2) + (\$15 × 4) + (\$5 × 4)	\$400	60,000	40
(\$100 ON FOOTBALL) + (\$50 ON FOOTBALL) + (\$20 × 2) + (\$15 × 2) + (\$10 × 2) + (\$5 × 2)	\$400	24,000	100
(\$100 ON FOOTBALL) × 2	\$400	24,000	100
\$400	\$400	60,000	40
\$100 × 5	\$500	120,000	20
\$400 + \$100	\$500	120,000	20

<i>When Any Of Your Numbers Match Any Winning Number, Win Prize Shown Under The Matching Number. Win With:</i>	<i>Win:</i>	<i>Approximate Chances Of Winning Are 1 In:</i>	<i>Approximate No. Of Winners Per 2,400,000 Tickets</i>
$(\$50 \times 4) + (\$40 \times 4) + (\$20 \times 4) + (\$15 \times 4)$	\$500	120,000	20
$(\$50 \text{ ON FOOTBALL}) + (\$10 \text{ ON FOOTBALL}) + (\$100 \times 3) + (\$40 \times 2)$	\$500	120,000	20
$(\$50 \text{ ON FOOTBALL}) \times 5$	\$500	120,000	20
$(\$100 \text{ ON FOOTBALL}) + (\$50 \text{ ON FOOTBALL}) + (\$40 \times 3) + (\$20 \times 3) + (\$5 \times 4)$	\$500	120,000	20
$(\$100 \text{ ON FOOTBALL}) \times 2 + (\$50 \text{ ON FOOTBALL})$	\$500	120,000	20
\$500	\$500	120,000	20
$\$500 \times 2$	\$1,000	120,000	20
$(\$100 \times 4) + (\$50 \times 2) + \$500$	\$1,000	120,000	20
$(\$400 \text{ ON FOOTBALL}) + (\$50 \text{ ON FOOTBALL}) + (\$20 \text{ ON FOOTBALL}) + \$50 + \$10$	\$1,000	120,000	20
\$500 ON FOOTBALL	\$1,000	120,000	20
\$1,000	\$1,000	120,000	20
$\$1,000 \times 5$	\$5,000	240,000	10
\$5,000	\$5,000	240,000	10
PROGRESSIVE TOP PRIZE	\$50,000*	120,000	20

When the matching number is on a Football, win DOUBLE the prize shown under the matching number!

*PROGRESSIVE TOP PRIZE: The minimum value of the PROGRESSIVE TOP PRIZE is \$50,000. The PROGRESSIVE TOP PRIZE increases by 25¢ every time a ticket is purchased, and resets to \$50,000 whenever a top prize winning ticket is sold.

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Second-Chance Drawing:* Eagles Second-Chance Drawings (hereafter, "Drawings").

(a) *Qualifying Tickets:* Non-winning PA-5036 Eagles Fast Play tickets (\$5) ("Qualifying Tickets") are eligible for entry into the Drawings.

(b) *Participation and Entry:*

(1) Entrants must be members of the Pennsylvania Lottery VIP Players Club to participate in the Drawings. To join the VIP Players Club, visit <http://www.palottery.state.pa.us/vipplayersclub/login.aspx>. Becoming a VIP Players Club member is free.

(2) To enter the Drawings, entrants must submit the identifying information from at least one Qualifying Ticket via the Drawings' promotional website, available at <http://www.palottery.com>, or the Pennsylvania Lottery's official mobile application during the entry periods. The identifying information from a Qualifying Ticket may be submitted only once into the Eagles Second-Chance Drawings. Validly submitted entries will be applied to the active drawing at the time of successful submission of the entry and will carry forward to the subsequent drawing or drawings. No other method of submission will be accepted. Entries submitted using any other method, including entries mailed or hand-delivered to the Pennsylvania Lottery, are not valid and will be disqualified.

(3) Each entry must be complete and the information supplied by the entrant must be accurate. Incomplete entries cannot be submitted.

(4) Only one claimant per entry allowed.

(5) Entrants must be 18 years of age or older.

(6) Players may submit the identifying information from an unlimited number of Qualifying Tickets into each Drawing.

(c) *Drawings Description:*

(1) The Lottery will conduct three Drawings. Drawing entries are cumulative and are eligible for all Drawings that occur after the entry is made. All time references are Eastern Prevailing Time.

(i) All Drawings entries received after 11:59:59 p.m. August 6, 2018, through 11:59:59 p.m. September 6, 2018, will be entered into Drawing #1, held between September 7, 2018 and September 17, 2018.

(ii) All Drawings entries received after 11:59:59 p.m. August 6, 2018, through 11:59:59 p.m. October 4, 2018, will be entered into Drawing #2, held between October 5, 2018 and October 15, 2018.

(iii) All Drawings entries received after 11:59:59 p.m. August 6, 2018, through 11:59:59 p.m. November 8, 2018, will be entered into Drawing #3, held between November 9, 2018 and November 19, 2018.

(2) The entry periods for the Drawings will be posted to the Pennsylvania Lottery's publically accessible website.

(3) A Qualifying Ticket will receive 5 entries.

(4) Players may review their entries for the Drawings via the Drawings' promotional website.

(d) *Prizes Available to be Won, Determination of Winners, and Odds of Winning:*

(1) The Lottery will conduct three Drawings from among all the entries available to be drawn as described in section 9(c).

(2) The prize entitlements described below are subject to all restrictions and limitations described in section 9(e), or mentioned anywhere else in these rules.

(3) The following prizes shall be awarded for Drawing #1:

(i) The first through the twenty-fifth entries selected from the entries submitted in Drawing #1 will be winning entries, and the entrants who submitted those winning entries shall each be entitled to one Eagles Alumni Event prize. Each Eagles Alumni Event prize includes two tickets to attend a private event at Lincoln Financial Field with three Philadelphia Eagles Legends, and also includes food and non-alcoholic beverage, a behind-the-scenes tour and an autograph session for each ticket holder.

(ii) The twenty-sixth through the forty-fifth entries selected from the entries submitted in Drawing #1 will be winning entries, and the entrants who submitted those winning entries shall each be entitled to one Eagles Insider Event prize. Each Eagles Insider Event prize includes two tickets to attend a private event at NovaCare Complex with three Philadelphia Eagles Players or Legends, and also includes food and non-alcoholic beverage and a behind-the-scenes tour of the Philadelphia Eagles practice facility.

(iii) The forty-sixth through the fifty-fifth entries selected from the entries submitted in Drawing #1 will be winning entries, and the entrants who submitted the winning entries shall each be entitled to one Autographed Replica Jersey prize. Each Autographed Replica Jersey prize includes one autographed replica Philadelphia Eagles jersey signed by a Philadelphia Eagles player to be determined at the team's discretion.

(iv) The fifty-sixth through the sixty-fifth entries selected from the entries submitted in Drawing #1 will be winning entries, and the entrants who submitted the winning entries shall each be entitled to one Autographed Football prize. Each Autographed Football prize includes one autographed football signed by a Philadelphia Eagles player to be determined at the team's discretion.

(4) The following prizes shall be awarded for Drawing #2:

(i) The first through the fiftieth entries selected from the entries submitted in Drawing #2 will be winning entries, and the entrants who submitted the winning entries shall each be entitled to one Regular Season Tickets prize. Each Regular Season Tickets prize includes two tickets and \$30 worth of stadium concession or Pro-Shop credit loaded on each ticket for the Philadelphia Eagles home game against the Washington Redskins to be held on December 3, 2018.

(ii) The fifty-first through the seventy-fifth entries selected from the entries submitted in Drawing #2 will be winning entries, and the entrants who submitted those winning entries shall each be entitled to one Eagles Alumni Event prize. Each Eagles Alumni Event prize includes two tickets to attend a private event at Lincoln Financial Field with three Philadelphia Eagles Legends, and also includes food and non-alcoholic beverage, a behind-the-scenes tour and an autograph session for each ticket holder.

(iii) The seventy-sixth through the ninetieth entries selected from the entries submitted in Drawing #2 will be

winning entries, and the entrants who submitted those winning entries shall each be entitled to one Eagles Insider Event prize. Each Eagles Insider Event prize includes two tickets to attend a private event at NovaCare Complex with three Philadelphia Eagles Players or Legends, and also includes food and non-alcoholic beverage and a behind-the-scenes tour of the Philadelphia Eagles practice facility.

(iv) The ninety-first through the ninety-fifth entries selected from the entries submitted in Drawing #2 will be winning entries, and the entrants who submitted the winning entries shall each be entitled to one Autographed Replica Jersey prize. The Autographed Replica Jersey prize includes one autographed replica Philadelphia Eagles jersey signed by a Philadelphia Eagles player to be determined at the team's discretion.

(v) The ninety-sixth through the one hundredth entries selected from the entries submitted in Drawing #2 will be winning entries, and the entrants who submitted the winning entries shall each be entitled to one Autographed Football prize. The Autographed Football prize includes one autographed football signed by a Philadelphia Eagles player to be determined at the team's discretion.

(5) The following prizes shall be awarded for Drawing #3:

(i) The first through the fiftieth entries selected from the entries submitted in Drawing #3 will be winning entries, and the entrants who submitted the winning entries shall each be entitled to one Regular Season Tickets prize. Each Regular Season Tickets prize includes two tickets and \$30 worth of stadium concession or Pro-Shop credit loaded on each ticket for the Philadelphia Eagles home game against the Houston Texans to be held on December 23, 2018.

(ii) The fifty-first through the seventy-fifth entries selected from the entries submitted in Drawing #3 will be winning entries, and the entrants who submitted those winning entries shall each be entitled to one Eagles Alumni Event prize. Each Eagles Alumni Event prize includes two tickets to attend a private event at Lincoln Financial Field with three Philadelphia Eagles Legends, and also includes food and non-alcoholic beverage, a behind-the-scenes tour and an autograph session for each ticket holder.

(iii) The seventy-sixth through the ninetieth entries selected from the entries submitted in Drawing #3 will be winning entries, and the entrants who submitted those winning entries shall each be entitled to one Eagles Insider Event prize. Each Eagles Insider Event prize includes two tickets to attend a private event at NovaCare Complex with three Philadelphia Eagles Players or Legends, and also includes food and non-alcoholic beverage and a behind-the-scenes tour of the Philadelphia Eagles practice facility.

(iv) The ninety-first through the one hundredth entries selected from the entries submitted in Drawing #3 will be winning entries, and the entrants who submitted the winning entries shall each be entitled to one Autographed Replica Jersey prize. The Autographed Replica Jersey prize includes one autographed replica Philadelphia Eagles jersey signed by a Philadelphia Eagles player to be determined at the team's discretion.

(v) The one hundred first through the one hundred tenth entries selected from the entries submitted in Drawing #3 will be winning entries, and the entrants who submitted the winning entries shall each be entitled to one Autographed Football prize. The Autographed Foot-

ball prize includes one autographed football signed by a Philadelphia Eagles player to be determined at the team's discretion.

(6) The entry deadlines and the number of winning entries to be selected for each Drawing will be posted to the Pennsylvania Lottery's publically accessible website.

(7) The odds of an entry being selected in the Drawings depend upon the number of entries received for the Drawings.

(8) A computer generated randomizer will be used to select the winning entries for the Drawings.

(e) *Prize Claim Procedures:*

(1) Winners of any prize awarded in the Drawings will be contacted by email by the Pennsylvania Lottery to initiate the prize claim procedure.

(2) Winners will have seven calendar days from the date they are notified by the Pennsylvania Lottery, pursuant to section 9(e)(1), to claim their prizes. In order to claim their prizes, winners must respond to the Pennsylvania Lottery's email regarding prize claim procedure, and must submit a properly completed prize claim form within seven calendar days from the date they are notified by the Pennsylvania Lottery, pursuant to section 9(e)(1). Failure to comply with the prize claim requirements as set forth herein, for any reason, shall result in the winner forfeiting his/her right to receive the prize. An alternate winner will be awarded the respective prize, according to Lottery procedure.

(3) By entering a ticket into the Drawing, the entrant agrees to be bound by these rules, the prize claim requirements set forth herein, and expressly waives any claim against the Pennsylvania Lottery for a prize not awarded in conformance with these rules.

(f) *Second-Chance Drawing Restrictions:*

(1) Each winner, his or her respective heirs, legal representatives, and assigns, agree to indemnify, defend, release, and discharge the Pennsylvania Lottery, Philadelphia Eagles, LLC, Eagles Stadium Operator, LLC, and the NFL, as well as their employees, officers, directors and commissioners from and against any loss, claim, damage, suit, or injury arising out of or relating to this promotion. By entering, the winner indemnifies, releases, discharges, and agrees to hold harmless the Pennsylvania Lottery, Philadelphia Eagles, LLC, Eagles Stadium Operator, LLC, and the NFL, as well as their employees, officers, directors and commissioners from unanticipated cancellation, suspension, or postponement of the promotion due to natural disaster, national emergency, or other unforeseen act of God or man. Winners participate solely at their own risk and responsibility.

(2) To be eligible to participate in the Drawings, entrants must have complied with the requirements of these rules.

(3) The Lottery is not responsible for late, lost or misdirected entries not entered into the Drawings. The Lottery is not responsible for entries that are not entered into the Drawings because of incompatible internet browsers, mobile lottery application failure or other technical issues. If a Drawings entry is selected as a winner and rejected or otherwise disqualified during or following the Drawings, the Lottery will select another entry to replace the rejected or otherwise disqualified entry in accordance with these rules and Lottery procedure.

(4) If any discrepancy exists between these rules and any material describing the Drawings, these rules shall govern.

(5) Employees of the Pennsylvania Lottery, MARC Advertising, MUSL, Scientific Games International Inc., MDI Entertainment, LLC, and their subcontractors, or a spouse, child, brother, sister or parent residing as a member of the same household in the principle place of residence of any such person are not eligible to participate in the Drawings. Offer void where prohibited or restricted.

(6) The Pennsylvania Lottery reserves the right, in its sole discretion, to cancel or suspend the Drawings and change these rules if the Drawings cannot be conducted as planned due to errors in these rules or advertising, unauthorized intervention, tampering, fraud, technical errors, viruses, worms, bugs, or any other cause beyond the control of the Pennsylvania Lottery that, in the Pennsylvania Lottery's sole judgment, could corrupt or impair the administration, security, fairness, integrity, or proper conduct of the Drawings.

(7) All entries shall be subject to verification by the Pennsylvania Lottery.

(8) The Pennsylvania Lottery reserves the right, in its sole discretion, to disqualify an entrant found to be tampering with the operation of the Drawings or to be acting in violation of these rules or applicable law.

(9) The Drawings are governed by the laws of the Commonwealth of Pennsylvania. Applicable laws and regulations apply.

(10) Final determination of winners will be made by the Secretary, whose judgment will be final and binding.

(11) A winner is responsible for all taxes arising from or in connection with any prize won.

(12) A player may only win the prize for which they are first selected in each of the Drawings. Subsequent entries, from the same individual, selected in the same Drawing will be disqualified from receiving a prize and a replacement entry will be selected. Any entries disqualified under this subsection will still be carried forward to the subsequent drawing or drawings.

(13) Prizes are not transferrable.

(14) Winners and/or guest(s) must abide by all venue policies. Any promotional partner reserves the right to revoke full or partial prize from any winner or winner's guest who it and/or venue personnel deem may, in their sole discretion, be intoxicated, be a safety risk, have violated any venue policy or law, and/or may bring the promotional partner into disrepute.

(15) The winner is responsible for all costs, expenses and transportation, not specifically included in the prize won in the Drawings, arising from or in connection with any prize won.

(16) Prizes are not redeemable for cash.

(17) If a date is provided for a game or event that is part of a prize described in section 9(d), the date is subject to change at the sole discretion of the Philadelphia Eagles.

(18) If no date is provided for a game or event that is part of a prize described in section 9(d), the date will be determined by the Philadelphia Eagles and will be communicated to the winner by either the Philadelphia Eagles or the Lottery.

(19) In the event the winner is not available on the date of the game or event that is part of a prize described in section 9(d), there will be no extensions or substitu-

tions of prizes and the winner will not receive any reimbursement for the unused prize.

(20) In the event a prize described in section 9(d) is not available, the Lottery may either provide a substitute prize, determined by the Secretary to have an equivalent value to the prize won, or make a cash payment to the winner, in an amount determined by the Secretary to have an equivalent value to the prize won.

(21) The specific seats to be provided as part of any prize described in section 9(d) will be determined at the sole discretion of the Philadelphia Eagles.

(22) The food and non-alcoholic beverage to be provided as part of any prize described in section 9(d) will be selected at the sole discretion of the Philadelphia Eagles.

(23) The Philadelphia Eagles Players and Legends referenced as part of any prize described in section 9(d) will be determined at the sole discretion of the Philadelphia Eagles.

(24) Other restrictions may apply.

10. *Ticket Responsibility:*

(a) A Fast Play lottery game ticket is a bearer document deemed to be owned by the person holding the game ticket, except that if a name is contained on the back of the game ticket, the person so named will, for all purposes, be considered the owner of the game ticket.

(b) The holder of a Fast Play lottery game ticket has the sole responsibility for checking the accuracy and condition of the data printed on the game ticket.

(c) The Commonwealth shall not be responsible for a lost or stolen Fast Play lottery game ticket, or for a Fast Play ticket redeemed by a player in error.

11. *Ticket Validation and Requirements:*

(a) *Valid Fast Play lottery game tickets.* To be a valid Fast Play lottery game ticket, the presented game ticket must meet the following requirements:

(1) The game ticket's bar code shall be present in its entirety.

(2) The game ticket must be intact.

(3) The game ticket may not be mutilated, altered, reconstituted or tampered with.

(4) The game ticket may not be counterfeit or a duplicate of a winning ticket.

(5) The game ticket must have been validly issued.

(6) The game ticket data shall have been recorded on the Lottery Central Computer System and the game ticket data shall match the computer record in every respect.

(7) The game ticket must not be defectively printed or printed or produced in error such that it cannot be processed or validated by the Lottery.

(8) The game ticket must pass other confidential security checks of the Lottery.

(b) *Invalid or defective game tickets:* A game ticket not passing the validation requirements in subsection (a) will be considered invalid and no payment will be made on account of any play recorded thereon. The determination of the Secretary in this regard is final.

12. *Procedures for claiming and payment of prizes:*

(a) A prize may be claimed through an authorized retailer or the Lottery, as provided in this section. A prize must be claimed within 1 year of the sale date of the Fast Play lottery game ticket.

(b) An authorized retailer is authorized to pay prizes of \$2,500 or less. The holder of a game ticket evidencing a winning play representing a prize of \$2,500 or less may be paid by a participating authorized retailer if a proper validation pay ticket was issued by the retailer's Lottery Terminal.

(c) The holder of a game ticket evidencing a winning play representing a prize in excess of \$2,500 may present the game ticket to an authorized retailer, Lottery District Office, or Lottery Headquarters.

(d) The holder of a game ticket evidencing a winning play shall present the ticket, in person, to an authorized retailer, Lottery Headquarters or a Lottery District Office. The retailer or the Lottery will issue payment if:

(1) The game ticket is scanned and the play is validated through the Lottery Terminal or the Lottery Central Computer System;

(2) A claim form is properly and fully completed;

(3) The identification of the claimant is confirmed; and

(4) The winning ticket has not expired, pursuant to this section or section 14 (relating to unclaimed prizes).

(e) The Commonwealth shall not be responsible for a winning play paid in error by an authorized retailer.

(f) In the event a prize described in these rules is not available, the Lottery may either provide a substitute prize, determined by the Secretary to have an equivalent value to the prize won, or make a cash payment to the winner, in an amount determined by the Secretary to have an equivalent value to the prize won.

13. *Funding for prizes:* Moneys will be drawn from the State Lottery Fund, to the extent necessary, to fund the payment of prizes under this section. If this lottery game is terminated for any cause, prize moneys remaining undistributed will remain in the State Lottery Fund and used for purposes otherwise provided for by law.

14. *Unclaimed prizes:* Unclaimed prize money on winning Fast Play lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto for 1 year from the sale date of the winning Fast Play lottery game ticket. If no claim is made within 1 year from the sale date of the winning Fast Play lottery game ticket, the right of a ticket holder to claim the prize represented by that ticket, if any, shall expire.

15. *Purchase and prize restrictions:* A Fast Play lottery game ticket may not be purchased by, and a prize may not be paid, to an officer or employee of the Lottery, Lottery professional services contractors or subcontractors, or to a spouse, child, brother, sister or parent residing in the same household of an officer, employee, contractor or subcontractor who is involved in the production, distribution or operation of systems for the validation or accounting of Fast Play games.

16. *Progressive Top Prize Restrictions:*

(a) An amount of 25¢ from the sale of each Eagles ticket will be accumulated in the Progressive Top Prize pool.

(b) *Prize Amount:* The amount of the Progressive Top Prize at the time a ticket is purchased can only be

verified through the Lottery's Central Computer System. Any advertisement or any materials describing the amount of the Progressive Top Prize are only valid as of the time they are posted. If any discrepancy exists between this notice and any material describing or advertising the Eagles game, this notice and the data contained in the Lottery's Central Computer System shall govern.

(c) The Progressive Top Prize and all other prizes are subject to availability at the time of purchase. The Lottery is not responsible for prizes that are not awarded due to technical issues. In the event of a Progressive Top Prize being reset without the actual sale of a Progressive Top Prize winning ticket, all prize money that had accumulated into the Progressive Top Prize pool (i.e. 25¢ from the sale of each ticket) shall be awarded as part of the next Progressive Top Prize won.

17. *Governing Law:*

(a) By purchasing a ticket, the purchaser agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), this notice, instructions, conditions and final decisions of the Secretary, and procedures established by the Secretary for the conduct of the Eagles lottery game.

(b) Decisions made by the Secretary, including the declaration of prizes and the payment thereof, in interpretation of this notice are final and binding on players and persons making a claim in respect thereof.

18. *Retailer Compensation:*

(a) Authorized retailers may be entitled to compensation as determined by the Lottery.

(b) No authorized retailer or employee of an authorized retailer shall request, demand, or accept gratuities or any compensation other than as provided in subsection (a) in exchange for the performance of duties authorized pursuant to the Lottery retailer's license without the Lottery's prior written authorization.

19. *Retailer Incentive Programs.* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Eagles lottery game tickets.

20. *Retailer Bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania Fast Play lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which he qualifies on a winning ticket. A bonus will be initiated for payment after the Fast Play game ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery Fast Play game ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

21. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Eagles or through normal communications methods.

22. *Applicability:* This notice applies only to the Eagles lottery game announced in this notice.

C. DANIEL HASSELL,
Secretary

[Pa.B. Doc. No. 18-1206. Filed for public inspection August 3, 2018, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania Go Fish Fast Play Game 5038

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 803.11 (relating to powers and duties of the Secretary of Revenue), the Secretary of Revenue hereby provides public notice of the rules for the following lottery game:

1. *Name:* The name of the lottery game is Pennsylvania Go Fish (hereinafter "Go Fish"). The game number is PA-5038.

2. *Definitions:*

(a) *Authorized Retailer or Retailer:* A person who is properly licensed by the Lottery pursuant to 61 Pa. Code §§ 805.1—805.17.

(b) *Bar Code:* The symbology on the ticket containing certain encrypted validation and accounting data used for identifying winning and losing tickets.

(c) *Game Ticket:* A bearer instrument produced through a Lottery Terminal that is the player's record of a play for a Fast Play lottery game and sold by an authorized retailer containing the play and validation data as published in this game notice.

(d) *Lottery Central Computer System:* The computer gaming system on which all Fast Play plays are recorded.

(e) *Lottery Terminal:* A device authorized by the Lottery to function in an interactive mode with the Lottery Central Computer System for the purpose of issuing plays, executing Quick Pick selections, and entering, receiving, and processing lottery transactions, including making purchases, validating plays, and transmitting reports, and performing inventory functions.

(f) *Play:* A chance to participate in a particular Fast Play lottery game.

(g) *Play Area:* The area on a ticket which contains one or more play symbols.

(h) *Play Symbol:* A number, letter, symbol, image or other character found in the play area which is used to determine whether a player wins a prize.

(i) *PRIZE:* A non-monetary item, money, or experience that can be won as specified in section 6 (relating to prizes available to be won and determination of prize winners) of this game notice.

(j) *PRIZE LEGEND:* The area on the ticket that shows a player the corresponding prize that can be won by finding at least six (6) Fish symbols in the "YOUR NUMBERS" area.

(k) *WINNING NUMBERS*: The numbers, letters, symbols or other characters found in the play area that, when matched against the “YOUR NUMBERS” area, determine whether a player wins a prize.

(l) *Winning Ticket*: A game ticket which has been validated and qualifies for a prize.

(m) *YOUR NUMBERS*: The numbers, letters, symbols or other characters found in the play area and generated via quick pick that, when matched against the “WINNING NUMBERS” area, determine whether a player wins a prize.

3. *Price*: The price of a Go Fish ticket is \$1.

4. *Description of the Go Fish lottery game*:

(a) The Go Fish lottery game is an instant win game printed from a Lottery Terminal. All prizes are predetermined, and the player does not have the ability to select his or her own play symbols. Go Fish tickets may be purchased from an authorized retailer or at a Lottery self-service terminal that sells terminal-based Lottery game tickets. Tickets purchased from an authorized retailer shall be printed on-demand at the time of purchase and may not be preprinted by the retailer.

(b) Go Fish has two ways to win a prize. A bet slip is not used to play this game.

(1) *Key Number Match*: Go Fish is played by matching the play symbols located in the “YOUR NUMBERS” area to the play symbols located in the “WINNING NUMBERS” area. A player correctly matching a “YOUR NUMBERS” play symbol to a “WINNING NUMBERS” play symbol wins the prize shown under the matching “YOUR NUMBERS” play symbol.

(2) *Count Up*: Players finding six (6) or more Fish symbols in the “YOUR NUMBERS” portion of the play area will win the corresponding prize shown in the “PRIZE LEGEND.”

(c) Players can win the prize identified in section 6 (relating to prizes available to be won and determination of prize winners).

(d) A Go Fish game ticket cannot be canceled or voided once printed by the Lottery Terminal, even if printed in error.

(e) To purchase a ticket at an authorized retailer, a player must remit the purchase price to the retailer by verbally requesting a Go Fish game ticket. The ticket shall be the only valid proof of the bet placed and the only valid receipt for claiming a prize.

(f) To purchase a ticket at a Pennsylvania Lottery self-service terminal, the player must insert into the self-service terminal a dollar amount equal to the total purchase price of a Go Fish game ticket and selecting the Go Fish option on the Lottery self-service terminal. The ticket shall be the only valid proof of the bet placed and the only valid receipt for claiming a prize.

5. *Pennsylvania Go Fish ticket characteristics*:

(a) A Go Fish ticket shall contain a play area, the cost of the play, the date of sale, and a bar code.

(b) *Play Symbols*: Each Go Fish ticket play area will contain a “WINNING NUMBERS” area and a “YOUR NUMBERS” area. The play symbols located in the “WINNING NUMBERS” area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21

(TWYONE), 22 (TWY TWO), 23 (TWYTHR), 24 (TWYFOR), and 25 (TWYFIV). The play symbols located in the “YOUR NUMBERS” area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWY TWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), Hook symbol, and a Fish symbol.

(c) *Prize Symbols*: The prize symbols and their captions located in the “YOUR NUMBERS” area are: FREE (TICKET), \$1⁰⁰ (ONE DOL), \$2⁰⁰ (TWO DOL), \$4⁰⁰ (FOR DOL), \$5⁰⁰ (FIV DOL), \$10⁰⁰ (TEN DOL), \$20⁰⁰ (TWENTY), \$40⁰⁰ (FORTY), \$100 (ONE HUN), \$500 (FIV HUN) and \$2,500 (TWYFIVHUN).

(d) *Prizes*: The prizes that can be won in this game are: Free \$1 Fast Play Ticket, \$1, \$2, \$4, \$5, \$10, \$20, \$40, \$100, \$500 and \$2,500.

(e) A player can win up to 12 times on a ticket.

(f) *Approximate Number of Tickets Available for the Game*: Approximately 1,200,000 tickets will be available for sale for the Go Fish lottery game.

6. *Prizes available to be won and determination of prize winners*:

(a) All Go Fish prize payments will be made as one-time, lump-sum cash payments.

(b) A winning match using the Fish symbol is entitled only to the highest prize won by the winning combinations described below on each game ticket.

(c) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$2,500 (TWYFIVHUN) appears in the “PRIZE” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$2,500.

(d) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$500 (FIV HUN) appears in the “PRIZE” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$500.

(e) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$100 (ONE HUN) appears in the “PRIZE” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$100.

(f) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$40⁰⁰ (FORTY) appears in the “PRIZE” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$40.

(g) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$20⁰⁰ (TWENTY) appears in the “PRIZE” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$20.

(h) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the “PRIZE” area under the

matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$10.

(i) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols and a prize symbol of \$5.⁰⁰ (FIV DOL) appears in the "PRIZE" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$5.

(j) Holders of tickets upon which eight (8) Fish symbols appear in the "YOUR NUMBERS" area, on a single ticket, shall be entitled to a prize of \$5.

(k) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols and a prize symbol of \$4.⁰⁰ (FOR DOL) appears in the "PRIZE" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$4.

(l) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols and a prize symbol of \$2.⁰⁰ (TWO DOL) appears in the "PRIZE" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$2.

(m) Holders of tickets upon which seven (7) Fish symbols appear in the "YOUR NUMBERS" area, on a single ticket, shall be entitled to a prize of \$2.

(n) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols and a prize symbol of \$1.⁰⁰ (ONE DOL) appears in the "PRIZE" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$1.

(o) Holders of tickets upon which six (6) Fish symbols appear in the "YOUR NUMBERS" area, on a single ticket, shall be entitled to a prize of \$1.

(p) Holders of tickets upon which any of the "WINNING NUMBER" play symbols match any of the "WINNING NUMBERS" play symbols and a prize symbol of FREE (TICKET) appears in the "PRIZE" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of one Go Fish game ticket.

7. *Number and Description of Prizes and Approximate Chances of Winning:* The following table sets forth the approximate number of winners, amounts of prizes, and approximate chances of winning:

<i>When Any Of Your Numbers Match Any Winning Number, Win Prize Shown Under The Matching Number. Win With:</i>	<i>When You Find At Least Six "Fish" Symbols In The Play Area, Win Corresponding Prize Shown In The PRIZE LEGEND Below. Win With:</i>	<i>Win:</i>	<i>Approximate Chances of Winning Are 1 In:</i>	<i>Approximate No. Of Winners Per 1,200,000 Tickets</i>
FREE		FREE \$1 TICKET	10	120,000
	\$1 w/ 6 FISH	\$1	25	48,000
\$1		\$1	50	24,000
\$1 × 2		\$2	333.33	3,600
\$1	\$1 w/ 6 FISH	\$2	58.82	20,400
	\$2 w/ 7 FISH	\$2	58.82	20,400
\$2		\$2	333.33	3,600
\$1 × 4		\$4	1,000	1,200
\$1 × 3	\$1 w/ 6 FISH	\$4	333.33	3,600
\$2	\$2 w/ 7 FISH	\$4	250	4,800
\$4		\$4	1,000	1,200
\$1 × 5		\$5	1,000	1,200
\$1 × 4	\$1 w/ 6 FISH	\$5	333.33	3,600
\$2 + \$1	\$2 w/ 7 FISH	\$5	200	6,000
	\$5 w/ 8 FISH	\$5	166.67	7,200
\$5		\$5	1,000	1,200
\$2 × 5		\$10	1,000	1,200
\$2 × 4	\$2 w/ 7 FISH	\$10	500	2,400
(\$2 × 2) + \$1	\$5 w/ 8 FISH	\$10	500	2,400
\$5	\$5 w/ 8 FISH	\$10	200	6,000
\$10		\$10	1,000	1,200
\$4 × 5		\$20	2,000	600
\$10 × 2		\$20	2,000	600
(\$5 × 2) + (\$4 × 2)	\$2 w/ 7 FISH	\$20	1,000	1,200
\$5 × 3	\$5 w/ 8 FISH	\$20	1,000	1,200

<i>When Any Of Your Numbers Match Any Winning Number; Win Prize Shown Under The Matching Number. Win With:</i>	<i>When You Find At Least Six "Fish" Symbols In The Play Area, Win Corresponding Prize Shown In The PRIZE LEGEND Below. Win With:</i>	<i>Win:</i>	<i>Approximate Chances of Winning Are 1 In:</i>	<i>Approximate No. Of Winners Per 1,200,000 Tickets</i>
\$20		\$20	2,000	600
\$10 × 4		\$40	24,000	50
(\$5 × 2) + (\$4 × 5) + (\$2 × 5)		\$40	24,000	50
(\$10 × 3) + (\$4 × 2)	\$2 w/ 7 FISH	\$40	24,000	50
\$20 + \$10 + \$5	\$5 w/ 8 FISH	\$40	4,000	300
\$40		\$40	24,000	50
\$20 × 5		\$100	12,000	100
(\$20 × 3) + \$40		\$100	12,000	100
(\$40 × 2) + (\$10 × 2)		\$100	12,000	100
\$100		\$100	12,000	100
\$100 × 5		\$500	24,000	50
\$500		\$500	24,000	50
\$2,500		\$2,500	120,000	10

Prizes, including top prizes, are subject to availability at the time of purchase.

8. Ticket Responsibility:

(a) A Fast Play lottery game ticket is a bearer document deemed to be owned by the person holding the game ticket, except that if a name is contained on the back of the game ticket, the person so named will, for all purposes, be considered the owner of the game ticket.

(b) The holder of a Fast Play lottery game ticket has the sole responsibility for checking the accuracy and condition of the data printed on the game ticket.

(c) The Commonwealth shall not be responsible for a lost or stolen Fast Play lottery game ticket, or a Fast Play ticket redeemed by a player in error.

9. Ticket Validation and Requirements:

(a) *Valid Fast Play lottery game tickets.* To be a valid Fast Play lottery game ticket, the presented game ticket must meet the following requirements:

(1) The game ticket's bar code shall be present in its entirety.

(2) The game ticket must be intact.

(3) The game ticket may not be mutilated, altered, reconstituted or tampered with.

(4) The game ticket may not be counterfeit or a duplicate of a winning ticket.

(5) The game ticket must have been validly issued.

(6) The game ticket data shall have been recorded on the Lottery Central Computer System and the game ticket data shall match the computer record in every respect.

(7) The game ticket must not be defectively printed or printed or produced in error such that it cannot be processed or validated by the Lottery.

(8) The game ticket must pass other confidential security checks of the Lottery.

(b) *Invalid or defective game tickets:* A game ticket not passing the validation requirements in subsection (a) will be considered invalid and no payment will be made on account of any play recorded thereon. The determination of the Secretary in this regard is final.

10. Procedures for claiming and payment of prizes:

(a) A prize may be claimed through an authorized retailer or the Lottery, as provided in this section. A prize must be claimed within 1 year of the sale date of the Fast Play lottery game ticket.

(b) An authorized retailer is authorized to pay prizes of \$2,500 or less. The holder of a game ticket evidencing a winning play representing a prize of \$2,500 or less may be paid by a participating authorized retailer if a proper validation pay ticket was issued by the retailer's Lottery Terminal.

(c) The holder of a game ticket evidencing a winning play representing a prize in excess of \$2,500 may present the game ticket to an authorized retailer, Lottery District Office, or Lottery Headquarters.

(d) Pursuant to the preceding paragraphs, the retailer or the Lottery will issue payment if:

(1) The game ticket is scanned and the play is validated through the Lottery Terminal or the Lottery Central Computer System;

(2) A claim form is properly and fully completed;

(3) The identification of the claimant is confirmed; and

(4) The winning ticket has not expired, pursuant to this section or section 12 (relating to unclaimed prizes).

(e) The Commonwealth shall not be responsible for a winning play paid in error by an authorized retailer.

(f) In the event a prize described in these rules is not available, the Lottery may either provide a substitute prize, determined by the Secretary to have an equivalent value to the prize won, or make a cash payment to the winner, in an amount determined by the Secretary to have an equivalent value to the prize won.

11. *Funding for prizes:* Moneys will be drawn from the State Lottery Fund, to the extent necessary, to fund the payment of prizes under this subsection. If this lottery game is terminated for any cause, prize moneys remaining undistributed will remain in the State Lottery Fund and used for purposes otherwise provided for by law.

12. *Unclaimed prizes:* Unclaimed prize money on winning Fast Play lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto for 1 year from the sale date of the Fast Play lottery game ticket. If no claim is made within 1 year from the sale date of the Fast Play lottery game ticket, the right of a ticket holder to claim the prize represented by that ticket, if any, shall expire.

13. *Purchase and prize restrictions:* A Fast Play lottery game ticket may not be purchased by, and a prize may not be paid, to an officer or employee of the Lottery, Lottery professional services contractors or subcontractors, or to a spouse, child, brother, sister or parent residing in the same household of an officer, employee, contractor or subcontractor who is involved in the production, distribution or operation of systems for the validation or accounting of Fast Play games.

14. *Governing Law:*

(a) By purchasing a ticket, the purchaser agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), this notice, instructions, conditions and final decisions of the Secretary, and procedures established by the Secretary for the conduct of the Go Fish lottery game.

(b) Decisions made by the Secretary, including the declaration of prizes and the payment thereof, in interpretation of this notice are final and binding on players and persons making a claim in respect thereof.

15. *Retailer Compensation:*

(a) Authorized retailers may be entitled to compensation as determined by the Lottery.

(b) No authorized retailer or employee of an authorized retailer shall request, demand, or accept gratuities or any compensation other than as provided in subsection (a) in exchange for the performance of duties authorized pursuant to the Lottery retailer's license without the Lottery's prior written authorization.

16. *Retailer Incentive Programs.* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Go Fish lottery game tickets.

17. *Retailer Bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania Fast Play lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which he qualifies on a winning ticket. A bonus will be initiated for payment after

the Fast Play game ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery Fast Play game ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

18. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Go Fish or through normal communications methods.

19. *Applicability:* This notice applies only to the Go Fish lottery game announced in this notice.

C. DANIEL HASSELL,
Secretary

[Pa.B. Doc. No. 18-1207. Filed for public inspection August 3, 2018, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania Steelers Fast Play Game 5037

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 803.11 (relating to powers and duties of the Secretary of Revenue), the Secretary of Revenue hereby provides public notice of the rules for the following lottery game:

1. *Name:* The name of the lottery game is Pennsylvania Steelers (hereinafter "Steelers"). The game number is PA-5037.

2. *Definitions:*

(a) *Authorized Retailer or Retailer:* A person who is properly licensed by the Lottery pursuant to 61 Pa. Code §§ 805.1—805.17.

(b) *Bar Code:* The symbology on the ticket containing certain encrypted validation and accounting data used for identifying winning and losing tickets.

(c) *DOUBLER:* The numbers, letters, symbols or other characters found in the Your Numbers Area printed over the visual representation of a Football that, when matched against "WINNING NUMBERS," determine whether a player doubles the prize shown under the "DOUBLER" play symbol.

(d) *Football:* The visual representation of a Football printed beneath certain play symbols in the Your Numbers Area. When a "DOUBLER" play symbol, which is printed over the visual representation of a Football, matches any "WINNING NUMBER" play symbol, the player wins double the prize shown under the "DOUBLER" play symbol.

(e) *Game Ticket:* A bearer instrument produced through a Lottery Terminal that is the player's record of a play for a Fast Play lottery game and sold by an authorized retailer containing the play and validation data as published in this game notice.

(f) *Lottery Central Computer System:* The computer gaming system on which all Fast Play plays are recorded.

(g) *Lottery Terminal:* A device authorized by the Lottery to function in an interactive mode with the Lottery Central Computer System for the purpose of issuing plays, executing Quick Pick selections, and entering, receiving, and processing lottery transactions, including

making purchases, validating plays, transmitting reports, and performing inventory functions.

(h) *Play*: A chance to participate in a particular Fast Play lottery game.

(i) *Play Area*: The area on a ticket which contains one or more play symbols.

(j) *Play Symbol*: A number, letter, symbol, image or other character found in the play area which is used to determine whether a player wins a prize.

(k) *PRIZE*: A non-monetary item, money, or experience that can be won as specified in section 7 (relating to prizes available to be won and determination of prize winners) of this game notice.

(l) *Progressive Top Prize*: The top prize available for this game that begins with a minimum prize amount that grows at a pre-determined rate every time a ticket is purchased, and then resets to the minimum prize amount whenever a top prize winning ticket is sold.

(m) *WINNING NUMBERS*: The numbers, letters, symbols or other characters found in the play area that, when matched against the "YOUR NUMBERS" play symbols and the "DOUBLER" play symbols, determine whether a player wins a prize.

(n) *Winning Ticket*: A game ticket which has been validated and qualifies for a prize.

(o) *Your Numbers Area*: The part of the play area that contains the "YOUR NUMBERS" and "DOUBLER" play symbols.

(p) *YOUR NUMBERS*: The numbers, letters, symbols or other characters found in the Your Numbers Area that, when matched against the "WINNING NUMBERS," determine whether a player wins the prize shown under the "YOUR NUMBERS" play symbol.

3. *Price*: The price of a Steelers ticket is \$5.

4. *Description of the Steelers lottery game*:

(a) The Steelers lottery game is an instant win game printed from a Lottery Terminal. With the exception of the Progressive Top Prize amount, all prizes are predetermined, and the player does not have the ability to select his or her own play symbols. Steelers tickets may be purchased from an authorized retailer or at a Lottery self-service terminal that sells terminal-based Lottery game tickets. Tickets purchased from an authorized retailer shall be printed on-demand at the time of purchase and may not be preprinted by the retailer.

(b) Steelers is played by matching the "YOUR NUMBERS" play symbols and "DOUBLER" play symbols in the play area to the play symbols located in the "WINNING NUMBERS" area. If the matching play symbol is a "YOUR NUMBERS" play symbol, win the prize shown under the matching "YOUR NUMBERS" play symbol. If the matching play symbol is a "DOUBLER" play symbol, printed over a virtual representation of a Football, win double the prize shown under the matching "DOUBLER" play symbol. The Progressive Top Prize cannot be doubled. A bet slip is not used to play this game.

(c) Players can win the prize identified in section 7 (relating to prizes available to be won and determination of prize winners).

(d) A Steelers game ticket cannot be canceled or voided once printed by the Lottery Terminal, even if printed in error.

(e) To purchase a ticket at an authorized retailer, a player must remit the purchase price to the retailer and verbally request a Steelers game ticket. The ticket shall be the only valid proof of the bet placed and the only valid receipt for claiming a prize.

(f) To purchase a ticket at a Pennsylvania Lottery self-service terminal, the player must insert into the self-service terminal a dollar amount equal to the total purchase price of a Steelers game ticket and select the Steelers option on the Lottery self-service terminal. The ticket shall be the only valid proof of the bet placed and the only valid receipt for claiming a prize.

5. *Steelers ticket characteristics*:

(a) A Steelers ticket shall contain a play area, the cost of the play, the date the ticket was printed, and a bar code.

(b) *Play Symbols*: Each Steelers ticket play area will contain a "WINNING NUMBERS" area and a Your Numbers Area. The Your Numbers Area consists of "YOUR NUMBERS" play symbols and "DOUBLER" play symbols. The play symbols located in the "WINNING NUMBERS" area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN), 30 (THIRTY), 31 (THYONE), 32 (THYTWO), 33 (THYTHR), 34 (THYFOR), 35 (THYFIV), 36 (THYSIX), 37 (THYSVN), 38 (THYEGT), 39 (THYNIN), and 40 (FORT). The "YOUR NUMBERS" play symbols located in the Your Numbers Area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN), 30 (THIRTY), 31 (THYONE), 32 (THYTWO), 33 (THYTHR), 34 (THYFOR), 35 (THYFIV), 36 (THYSIX), 37 (THYSVN), 38 (THYEGT), 39 (THYNIN), and 40 (FORT). The "DOUBLER" play symbols printed over the visual representation of a Football and located in the Your Numbers Area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN), 30 (THIRTY), 31 (THYONE), 32 (THYTWO), 33 (THYTHR), 34 (THYFOR), 35 (THYFIV), 36 (THYSIX), 37 (THYSVN), 38 (THYEGT), 39 (THYNIN), and 40 (FORT).

(c) *Prize Symbols*: The prize symbols and their captions located in the "YOUR NUMBERS" area are: \$5⁰⁰ (FIV DOL), \$10⁰⁰ (TEN DOL), \$15⁰⁰ (FIFTN), \$20⁰⁰ (TWENTY), \$40⁰⁰ (FORTY), \$50⁰⁰ (FIFTY), \$100 (ONE HUN), \$400 (FOR HUN), \$500 (FIV HUN), \$1,000 (ONE THO), \$5,000 (FIV THO) and PROGRESSIVE (TOP PRIZE).

(d) *Prizes*: The prizes that can be won in this game are: \$5, \$10, \$15, \$20, \$40, \$50, \$100, \$400, \$500, \$1,000, \$5,000 and the Progressive Top Prize. The Progressive Top Prize amount starts at \$50,000 and increases by 25¢ every time a Steelers ticket is purchased. When Progress

sive Top Prize winning ticket is sold, the Progressive Top Prize resets to \$50,000. A player can win up to 16 times on a ticket.

(e) *Approximate Number of Tickets Available for the Game:* Approximately 2,400,000 tickets will be available for sale for the Steelers lottery game.

6. *Second-Chance Drawing:* The Pennsylvania Lottery will conduct a Steelers Second-Chance Drawing for which non-winning Steelers Fast Play lottery game tickets may be eligible as provided for in section 9.

7. *Prizes available to be won and determination of prize winners:*

(a) All Steelers prize payments will be made as one-time, lump-sum cash payments.

(b) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of PROGRESSIVE (TOP PRIZE) appears in the "PRIZE" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of a "Progressive Top Prize." The amount won under this paragraph is the amount of the Progressive Top Prize, determined by the Lottery Central Computer System, as of the time the winning ticket was purchased. The amount won will be a minimum of \$50,000.

(c) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$5,000 (FIV THO) appears in the "PRIZE" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$5,000.

(d) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$1,000 (ONE THO) appears in the "PRIZE" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(e) Holders of tickets upon which any one of the "DOUBLER" play symbols appears on a Football and matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$500 (FIV HUN) appears in the "PRIZE" area under the matching "DOUBLER" play symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(f) Holders of tickets upon which any one of the "DOUBLER" play symbols appears on a Football and matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$400 (FOR HUN) appears in the "PRIZE" area under the matching "DOUBLER" play symbol, on a single ticket, shall be entitled to a prize of \$800.

(g) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$500 (FIV HUN) appears in the "PRIZE" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$500.

(h) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$400 (FOR HUN) appears in the "PRIZE" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$400.

(i) Holders of tickets upon which any one of the "DOUBLER" play symbols appears on a Football and

matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$100 (ONE HUN) appears in the "PRIZE" area under the matching "DOUBLER" play symbol, on a single ticket, shall be entitled to a prize of \$200.

(j) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$100 (ONE HUN) appears in the "PRIZE" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$100.

(k) Holders of tickets upon which any one of the "DOUBLER" play symbols appears on a Football and matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$50⁰⁰ (FIFTY) appears in the "PRIZE" area under the matching "DOUBLER" play symbol, on a single ticket, shall be entitled to a prize of \$100.

(l) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$50⁰⁰ (FIFTY) appears in the "PRIZE" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$50.

(m) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$40⁰⁰ (FORTY) appears in the "PRIZE" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$40.

(n) Holders of tickets upon which any one of the "DOUBLER" play symbols appears on a Football and matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$20⁰⁰ (TWENTY) appears in the "PRIZE" area under the matching "DOUBLER" play symbol, on a single ticket, shall be entitled to a prize of \$40.

(o) Holders of tickets upon which any one of the "DOUBLER" play symbols appears on a Football and matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$15⁰⁰ (FIFTN) appears in the "PRIZE" area under the matching "DOUBLER" play symbol, on a single ticket, shall be entitled to a prize of \$30.

(p) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$20⁰⁰ (TWENTY) appears in the "PRIZE" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$20.

(q) Holders of tickets upon which any one of the "DOUBLER" play symbols appears on a Football and matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the "PRIZE" area under the matching "DOUBLER" play symbol, on a single ticket, shall be entitled to a prize of \$20.

(r) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$15⁰⁰ (FIFTN) appears in the "PRIZE" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$15.

(s) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol

of \$10⁰⁰ (TEN DOL) appears in the "PRIZE" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$10.

(t) Holders of tickets upon which any one of the "DOUBLER" play symbols appears on a Football and matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$5⁰⁰ (FIV DOL) appears in the "PRIZE" area under the matching "DOUBLER" play symbol, on a single ticket, shall be entitled to a prize of \$10.

(u) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$5⁰⁰ (FIV DOL) appears in the "PRIZE" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$5.

8. *Number and Description of Prizes and Approximate Chances of Winning:* The following table sets forth the approximate number of winners, amounts of prizes, and approximate chances of winning:

<i>When Any Of Your Numbers Match Any Winning Number, Win Prize Shown Under The Matching Number. Win With:</i>	<i>Win:</i>	<i>Approximate Chances Of Winning Are 1 In:</i>	<i>Approximate No. Of Winners Per 2,400,000 Tickets</i>
\$5	\$5	9.09	264,000
\$5 × 2	\$10	166.67	14,400
\$5 ON FOOTBALL	\$10	16.67	144,000
\$10	\$10	200	12,000
\$5 × 3	\$15	333.33	7,200
(\$5 ON FOOTBALL) + \$5	\$15	28.57	84,000
\$15	\$15	100	24,000
\$10 × 2	\$20	1,000	2,400
(\$5 ON FOOTBALL) + (\$5 × 2)	\$20	200	12,000
\$10 ON FOOTBALL	\$20	181.82	13,200
\$20	\$20	1,000	2,400
\$20 × 2	\$40	1,000	2,400
(\$10 × 3) + (\$5 × 2)	\$40	2,000	1,200
(\$15 × 2) + \$10	\$40	1,000	2,400
\$20 ON FOOTBALL	\$40	1,000	2,400
\$40	\$40	2,000	1,200
\$10 × 5	\$50	1,000	2,400
(\$20 × 2) + \$10	\$50	1,667	1,440
(((\$10 ON FOOTBALL) × 2) + (\$5 × 2)	\$50	1,000	2,400
(\$15 ON FOOTBALL) + \$20	\$50	1,000	2,400
(\$20 ON FOOTBALL) + \$10	\$50	1,000	2,400
\$50	\$50	1,000	2,400
\$50 × 2	\$100	24,000	100
(\$20 × 2) + (\$15 × 2) + (\$10 × 2) + (\$5 × 2)	\$100	24,000	100
(\$40 × 2) + (\$10 × 2)	\$100	24,000	100
(\$15 ON FOOTBALL) + (\$10 ON FOOTBALL) + (\$20 × 2) + (\$5 × 2)	\$100	12,000	200
(((\$20 ON FOOTBALL) × 2) + (\$10 ON FOOTBALL))	\$100	12,000	200
\$50 ON FOOTBALL	\$100	12,000	200
\$100	\$100	24,000	100
\$100 × 4	\$400	60,000	40
(\$50 × 4) + (\$40 × 2) + (\$20 × 2) + (\$15 × 4) + (\$5 × 4)	\$400	60,000	40
(\$100 ON FOOTBALL) + (\$50 ON FOOTBALL) + (\$20 × 2) + (\$15 × 2) + (\$10 × 2) + (\$5 × 2)	\$400	24,000	100
(\$100 ON FOOTBALL) × 2	\$400	24,000	100
\$400	\$400	60,000	40

<i>When Any Of Your Numbers Match Any Winning Number, Win Prize Shown Under The Matching Number. Win With:</i>	<i>Win:</i>	<i>Approximate Chances Of Winning Are 1 In:</i>	<i>Approximate No. Of Winners Per 2,400,000 Tickets</i>
\$100 × 5	\$500	120,000	20
\$400 + \$100	\$500	120,000	20
(\$50 × 4) + (\$40 × 4) + (\$20 × 4) + (\$15 × 4)	\$500	120,000	20
(\$50 ON FOOTBALL) + (\$10 ON FOOTBALL) + (\$100 × 3) + (\$40 × 2)	\$500	120,000	20
(\$50 ON FOOTBALL) × 5	\$500	120,000	20
(\$100 ON FOOTBALL) + (\$50 ON FOOTBALL) + (\$40 × 3) + (\$20 × 3) + (\$5 × 4)	\$500	120,000	20
(((\$100 ON FOOTBALL) × 2) + (\$50 ON FOOTBALL))	\$500	120,000	20
\$500	\$500	120,000	20
\$500 × 2	\$1,000	120,000	20
(\$100 × 4) + (\$50 × 2) + \$500	\$1,000	120,000	20
(\$400 ON FOOTBALL) + (\$50 ON FOOTBALL) + (\$20 ON FOOTBALL) + \$50 + \$10	\$1,000	120,000	20
\$500 ON FOOTBALL	\$1,000	120,000	20
\$1,000	\$1,000	120,000	20
\$1,000 × 5	\$5,000	240,000	10
\$5,000	\$5,000	240,000	10
PROGRESSIVE TOP PRIZE	\$50,000*	120,000	20

When the matching number is on a Football, win DOUBLE the prize shown under the matching number!

*PROGRESSIVE TOP PRIZE: The minimum value of the PROGRESSIVE TOP PRIZE is \$50,000. The PROGRESSIVE TOP PRIZE increases by 25¢ every time a ticket is purchased, and resets to \$50,000 whenever a top prize winning ticket is sold.

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Second-Chance Drawing*: Steelers Second-Chance Drawings (hereafter, "Drawings").

(a) *Qualifying Tickets*: Non-winning PA-5037 Steelers Fast Play tickets (\$5) ("Qualifying Tickets") are eligible for entry into the Drawings.

(b) *Participation and Entry*:

(1) Entrants must be members of the Pennsylvania Lottery VIP Players Club to participate in the Drawings. To join the VIP Players Club, visit <http://www.palottery.state.pa.us/vipplayersclub/login.aspx>. Becoming a VIP Players Club member is free.

(2) To enter the Drawings, entrants must submit the identifying information from at least one Qualifying Ticket via the Drawings' promotional website, available at <http://www.palottery.com>, or the Pennsylvania Lottery's official mobile application during the entry periods. The identifying information from a Qualifying Ticket may be submitted only once into the Steelers Second-Chance Drawings. Validly submitted entries will be applied to the active drawing at the time of successful submission of the entry and will carry forward to the subsequent drawing or drawings. No other method of submission will be accepted. Entries submitted using any other method, including entries mailed or hand-delivered to the Pennsylvania Lottery, are not valid and will be disqualified.

(3) Each entry must be complete and the information supplied by the entrant must be accurate. Incomplete entries cannot be submitted.

(4) Only one claimant per entry allowed.

(5) Entrants must be 18 years of age or older.

(6) Players may submit the identifying information from an unlimited number of Qualifying Tickets into each Drawing.

(c) *Drawings Description*:

(1) The Lottery will conduct three Drawings. Drawing entries are cumulative and are eligible for all Drawings that occur after the entry is made. All time references are Eastern Prevailing Time.

(i) All Drawings entries received after 11:59:59 p.m. August 6, 2018, through 11:59:59 p.m. September 6, 2018, will be entered into Drawing #1, held between September 7, 2018 and September 17, 2018.

(ii) All Drawings entries received after 11:59:59 p.m. August 6, 2018, through 11:59:59 p.m. October 4, 2018, will be entered into Drawing #2, held between October 5, 2018 and October 15, 2018.

(iii) All Drawings entries received after 11:59:59 p.m. August 6, 2018, through 11:59:59 p.m. November 8, 2018, will be entered into Drawing #3, held between November 9, 2018 and November 19, 2018.

(2) The entry periods for the Drawings will be posted to the Pennsylvania Lottery's publically accessible website.

(3) A Qualifying Ticket will receive 5 entries.

(4) Players may review their entries for the Drawings via the Drawings' promotional website.

(d) *Prizes Available to be Won, Determination of Winners, and Odds of Winning:*

(1) The Lottery will conduct three Drawings from among all the entries available to be drawn as described in section 9(c).

(2) The prize entitlements described below are subject to all restrictions and limitations described in section 9(f), or mentioned anywhere else in these rules.

(3) The following prizes shall be awarded for Drawing #1:

(i) The first through the twenty-first entries selected from the entries submitted in Drawing #1 will be winning entries, and the entrants who submitted those winning entries shall each be entitled to one Steelers Suite Tickets prize. Each Steelers Suite Tickets prize includes two Party Suite tickets for the Pittsburgh Steelers home game against the Baltimore Ravens to be held on September 30, 2018.

(ii) The twenty-second through the seventy-first entries selected from the entries submitted in Drawing #1 will be winning entries, and the entrants who submitted those winning entries shall each be entitled to one Steelers Monday Night Practice Event prize. Each Steelers Monday Night Practice Event prize includes two tickets to attend a private event at UPMC Rooney Sports Complex with one Pittsburgh Steelers Player, and also includes food and non-alcoholic beverage and a behind-the-scenes tour of the Pittsburgh Steelers practice facility for each ticket holder, to be held on October 1, 2018.

(iii) The seventy-second and seventy-third entries selected from the entries submitted in Drawing #1 will be winning entries, and the entrants who submitted the winning entries shall each be entitled to one Autographed Replica Jersey prize. Each Autographed Replica Jersey prize includes one autographed replica Pittsburgh Steelers jersey signed by a Pittsburgh Steelers Player to be determined at the team's discretion.

(iv) The seventy-fourth through the seventy-eighth entries selected from the entries submitted in Drawing #1 will be winning entries, and the entrants who submitted the winning entries shall each be entitled to one Autographed Football prize. Each Autographed Football prize includes one autographed football signed by a Pittsburgh Steelers Player to be determined at the team's discretion.

(v) The seventy-ninth entry selected from the entries submitted in Drawing #1 will be a winning entry, and the entrant who submitted the winning entry shall be entitled to one Autographed Helmet prize. The Autographed Helmet prize includes one autographed helmet signed by a Pittsburgh Steelers Player to be determined at the team's discretion.

(vi) The eightieth through the eighty-ninth entries selected from the entries submitted in Drawing #1 will be winning entries, and the entrants who submitted those winning entries shall each be entitled to one Autographed Mini Helmet prize. Each Autographed Mini Helmet prize includes one autographed mini helmet signed by a Pittsburgh Steelers Player to be determined at the team's discretion.

(4) The following prizes shall be awarded for Drawing #2:

(i) The first through the twenty-first entries selected from the entries submitted in Drawing #2 will be winning entries, and the entrants who submitted those winning entries shall each be entitled to one Steelers Suite Tickets

prize. Each Steelers Suite Tickets prize includes two Party Suite tickets for the Pittsburgh Steelers home game against the Cleveland Browns to be held on October 28, 2018.

(ii) The twenty-second through the forty-sixth entries selected from the entries submitted in Drawing #2 will be winning entries, and the entrants who submitted those winning entries shall each be entitled to one Steelers Player Meet & Greet prize. Each Steelers Player Meet & Greet prize includes two tickets to attend a private breakfast with a Pittsburgh Steelers Player at Heinz Field to be held on October 23, 2018.

(iii) The forty-seventh entry selected from the entries submitted in Drawing #2 will be winning entry, and the entrants who submitted the winning entry shall be entitled to one Autographed Replica Jersey prize. The Autographed Replica Jersey prize includes one autographed replica Pittsburgh Steelers jersey signed by a Pittsburgh Steelers Player to be determined at the team's discretion.

(iv) The forty-eighth through the fifty-second entries selected from the entries submitted in Drawing #2 will be winning entries, and the entrants who submitted the winning entries shall each be entitled to one Autographed Football prize. The Autographed Football prize includes one autographed football signed by a Pittsburgh Steelers Player to be determined at the team's discretion.

(v) The fifty-third and fifty-fourth entries selected from the entries submitted in Drawing #2 will be the winning entries, and the entrants who submitted the winning entries shall be entitled to one Autographed Helmet prize. The Autographed Helmet prize includes one autographed helmet signed by a Pittsburgh Steelers Player to be determined at the team's discretion.

(vi) The fifty-fifth through the fifty-ninth entries selected from the entries submitted in Drawing #2 will be winning entries, and the entrants who submitted the winning entries shall each be entitled to one Autographed Mini Helmet prize. Each Autographed Mini Helmet prize includes one autographed mini helmet signed by a Pittsburgh Steelers Player to be determined at the team's discretion.

(5) The following prizes shall be awarded for Drawing #3:

(i) The first through the twenty-fifth entries selected from the entries submitted in Drawing #3 will be winning entries, and the entrants who submitted those winning entries shall each be entitled to one Steelers Player Meet & Greet prize. Each Steelers Player Meet & Greet prize includes two tickets to attend a private breakfast with a Pittsburgh Steelers Player at Heinz Field to be held on December 18, 2018.

(ii) The twenty-sixth through the seventy-fifth entries selected from the entries submitted in Drawing #3 will be winning entries, and the entrants who submitted those winning entries shall each be entitled to one Steelers Monday Night Practice Event prize. Each Steelers Monday Night Practice Event prize includes two tickets to attend a private event at UPMC Rooney Sports Complex with one Pittsburgh Steelers Player, and also includes food and non-alcoholic beverage and a behind-the-scenes tour of the Pittsburgh Steelers practice facility for each ticket holder, to be held on December 3, 2018.

(iii) The seventy-sixth through the seventy-seventh entries selected from the entries submitted in Drawing #3 will be winning entries, and the entrants who submitted

the winning entries shall each be entitled to one Autographed Replica Jersey prize. The Autographed Replica Jersey prize includes one autographed replica Pittsburgh Steelers jersey signed by a Pittsburgh Steelers Player to be determined at the team's discretion.

(iv) The seventy-eighth through the eighty-seventh entries selected from the entries submitted in Drawing #3 will be winning entries, and the entrants who submitted the winning entries shall each be entitled to one Autographed Football prize. The Autographed Football prize includes one autographed football signed by a Pittsburgh Steelers Player to be determined at the team's discretion.

(v) The eighty-eighth and eighty-ninth entries selected from the entries submitted in Drawing #3 will be the winning entries, and the entrants who submitted the winning entries shall be entitled to one Autographed Helmet prize. The Autographed Helmet prize includes one autographed helmet signed by a Pittsburgh Steelers Player to be determined at the team's discretion.

(vi) The ninetieth through the ninety-fourth entries selected from the entries submitted in Drawing #3 will be winning entries, and the entrants who submitted the winning entries shall each be entitled to one Autographed Mini Helmet prize. Each Autographed Mini Helmet prize includes one autographed mini helmet signed by a Pittsburgh Steelers Player to be determined at the team's discretion.

(6) The entry deadlines and the number of winning entries to be selected for each Drawing will be posted to the Pennsylvania Lottery's publically accessible website.

(7) The odds of an entry being selected in the Drawings depend upon the number of entries received for the Drawings.

(8) A computer generated randomizer will be used to select the winning entries for the Drawings.

(e) *Prize Claim Procedures:*

(1) Winners of any prize awarded in the Drawings will be contacted by email by the Pennsylvania Lottery to initiate the prize claim procedure.

(2) Winners will have seven calendar days from the date they are notified by the Pennsylvania Lottery, pursuant to section 9(e)(1), to claim their prizes. In order to claim their prizes, winners must respond to the Pennsylvania Lottery's email regarding prize claim procedure, and must submit a properly completed prize claim form within seven calendar days from the date they are notified by the Pennsylvania Lottery, pursuant to section 9(e)(1). Failure to comply with the prize claim requirements as set forth herein, for any reason, shall result in the winner forfeiting his/her right to receive the prize. An alternate winner will be awarded the respective prize, according to Lottery procedure.

(3) By entering a ticket into the Drawing, the entrant agrees to be bound by these rules, the prize claim requirements set forth herein, and expressly waives any claim against the Pennsylvania Lottery for a prize not awarded in conformance with these rules.

(f) *Second-Chance Drawing Restrictions:*

(1) Each winner, his or her respective heirs, legal representatives, and assigns, agree to indemnify, defend, release, and discharge the Pennsylvania Lottery, Pittsburgh Steelers LLC, PSSI Stadium LLC, and the National Football League, as well as their employees, officers, members, managers, directors and commissioners from and against any loss, claim, damage, suit, or injury

arising out of or relating to this promotion. By entering, the winner indemnifies, releases, discharges, and agrees to hold harmless the Pennsylvania Lottery, Pittsburgh Steelers LLC, PSSI Stadium LLC, and the National Football League, as well as their employees, officers, members, managers, directors and commissioners from unanticipated cancellation, suspension, or postponement of the promotion due to natural disaster, national emergency, or other unforeseen act of God or man. Winners participate solely at their own risk and responsibility.

(2) To be eligible to participate in the Drawings, entrants must have complied with the requirements of these rules.

(3) The Lottery is not responsible for late, lost or misdirected entries not entered into the Drawings. The Lottery is not responsible for entries that are not entered into the Drawings because of incompatible internet browsers, mobile lottery application failure or other technical issues. If a Drawings entry is selected as a winner and rejected or otherwise disqualified during or following the Drawings, the Lottery will select another entry to replace the rejected or otherwise disqualified entry in accordance with these rules and Lottery procedure.

(4) If any discrepancy exists between these rules and any material describing the Drawings, these rules shall govern.

(5) Employees of the Pennsylvania Lottery, MARC Advertising, MUSL, Scientific Games International Inc., MDI Entertainment, LLC, and their subcontractors, or a spouse, child, brother, sister or parent residing as a member of the same household in the principle place of residence of any such person are not eligible to participate in the Drawings. Offer void where prohibited or restricted.

(6) The Pennsylvania Lottery reserves the right, in its sole discretion, to cancel or suspend the Drawings and change these rules if the Drawings cannot be conducted as planned due to errors in these rules or advertising, unauthorized intervention, tampering, fraud, technical errors, viruses, worms, bugs, or any other cause beyond the control of the Pennsylvania Lottery that, in the Pennsylvania Lottery's sole judgment, could corrupt or impair the administration, security, fairness, integrity, or proper conduct of the Drawings.

(7) All entries shall be subject to verification by the Pennsylvania Lottery.

(8) The Pennsylvania Lottery reserves the right, in its sole discretion, to disqualify an entrant found to be tampering with the operation of the Drawings or to be acting in violation of these rules or applicable law.

(9) The Drawings are governed by the laws of the Commonwealth of Pennsylvania. Applicable laws and regulations apply.

(10) Final determination of winners will be made by the Secretary, whose judgment will be final and binding.

(11) A winner is responsible for all taxes arising from or in connection with any prize won.

(12) A player may only win the prize for which they are first selected in each of the Drawings. Subsequent entries, from the same individual, selected in the same Drawing will be disqualified from receiving a prize and a replacement entry will be selected. Any entries disqualified under this subsection will still be carried forward to the subsequent drawing or drawings.

(13) Prizes are not transferrable.

(14) Winners and/or guest(s) must abide by all venue policies. Any promotional partner reserves the right to revoke full or partial prize from any winner or winner's guest who it and/or venue personnel deem may, in their sole discretion, be intoxicated, be a safety risk, have violated any venue policy or law, and/or may bring the promotional partner into disrepute.

(15) The winner is responsible for all costs, expenses and transportation, not specifically included in the prize won in the Drawings, arising from or in connection with any prize won.

(16) Prizes are not redeemable for cash.

(17) If a date is provided for a game or event that is part of a prize described in section 9(d), the date is subject to change at the sole discretion of the Pittsburgh Steelers.

(18) If no date is provided for a game or event that is part of a prize described in section 9(d), the date will be determined by the Pittsburgh Steelers and will be communicated to the winner by either the Pittsburgh Steelers or the Lottery.

(19) In the event the winner is not available on the date of the game or event that is part of a prize described in section 9(d), there will be no extensions or substitutions of prizes and the winner will not receive any reimbursement for the unused prize.

(20) In the event a prize described in section 9(d) is not available, the Lottery may either provide a substitute prize, determined by the Secretary to have an equivalent value to the prize won, or make a cash payment to the winner, in an amount determined by the Secretary to have an equivalent value to the prize won.

(21) The specific seats to be provided as part of any prize described in section 9(d) will be determined at the sole discretion of the Pittsburgh Steelers.

(22) The food and non-alcoholic beverage to be provided as part of any prize described in section 9(d) will be selected at the sole discretion of the Pittsburgh Steelers.

(23) The Pittsburgh Steelers Players and Legends referenced as part of any prize described in section 9(d) will be selected at the sole discretion of the Pittsburgh Steelers.

(24) Other restrictions may apply.

10. *Ticket Responsibility:*

(a) A Fast Play lottery game ticket is a bearer document deemed to be owned by the person holding the game ticket, except that if a name is contained on the back of the game ticket, the person so named will, for all purposes, be considered the owner of the game ticket.

(b) The holder of a Fast Play lottery game ticket has the sole responsibility for checking the accuracy and condition of the data printed on the game ticket.

(c) The Commonwealth shall not be responsible for a lost or stolen Fast Play lottery game ticket, or for a Fast Play ticket redeemed by a player in error.

11. *Ticket Validation and Requirements:*

(a) *Valid Fast Play lottery game tickets.* To be a valid Fast Play lottery game ticket, the presented game ticket must meet the following requirements:

(1) The game ticket's bar code shall be present in its entirety.

(2) The game ticket must be intact.

(3) The game ticket may not be mutilated, altered, reconstituted or tampered with.

(4) The game ticket may not be counterfeit or a duplicate of a winning ticket.

(5) The game ticket must have been validly issued.

(6) The game ticket data shall have been recorded on the Lottery Central Computer System and the game ticket data shall match the computer record in every respect.

(7) The game ticket must not be defectively printed or printed or produced in error such that it cannot be processed or validated by the Lottery.

(8) The game ticket must pass other confidential security checks of the Lottery.

(b) *Invalid or defective game tickets:* A game ticket not passing the validation requirements in subsection (a) will be considered invalid and no payment will be made on account of any play recorded thereon. The determination of the Secretary in this regard is final.

12. *Procedures for claiming and payment of prizes:*

(a) A prize may be claimed through an authorized retailer or the Lottery, as provided in this section. A prize must be claimed within 1 year of the sale date of the Fast Play lottery game ticket.

(b) An authorized retailer is authorized to pay prizes of \$2,500 or less. The holder of a game ticket evidencing a winning play representing a prize of \$2,500 or less may be paid by a participating authorized retailer if a proper validation pay ticket was issued by the retailer's Lottery Terminal.

(c) The holder of a game ticket evidencing a winning play representing a prize in excess of \$2,500 may present the game ticket to an authorized retailer, Lottery District Office, or Lottery Headquarters.

(d) The holder of a game ticket evidencing a winning play shall present the ticket, in person, to an authorized retailer, Lottery Headquarters or a Lottery District Office. The retailer or the Lottery will issue payment if:

(1) The game ticket is scanned and the play is validated through the Lottery Terminal or the Lottery Central Computer System;

(2) A claim form is properly and fully completed;

(3) The identification of the claimant is confirmed; and

(4) The winning ticket has not expired, pursuant to this section or section 14 (relating to unclaimed prizes).

(e) The Commonwealth shall not be responsible for a winning play paid in error by an authorized retailer.

(f) In the event a prize described in these rules is not available, the Lottery may either provide a substitute prize, determined by the Secretary to have an equivalent value to the prize won, or make a cash payment to the winner, in an amount determined by the Secretary to have an equivalent value to the prize won.

13. *Funding for prizes:* Moneys will be drawn from the State Lottery Fund, to the extent necessary, to fund the payment of prizes under this section. If this lottery game is terminated for any cause, prize moneys remaining undistributed will remain in the State Lottery Fund and used for purposes otherwise provided for by law.

14. *Unclaimed prizes:* Unclaimed prize money on winning Fast Play lottery game tickets will be retained by

the Secretary for payment to the persons entitled thereto for 1 year from the sale date of the winning Fast Play lottery game ticket. If no claim is made within 1 year from the sale date of the winning Fast Play lottery game ticket, the right of a ticket holder to claim the prize represented by that ticket, if any, shall expire.

15. *Purchase and prize restrictions:* A Fast Play lottery game ticket may not be purchased by, and a prize may not be paid, to an officer or employee of the Lottery, Lottery professional services contractors or subcontractors, or to a spouse, child, brother, sister or parent residing in the same household of an officer, employee, contractor or subcontractor who is involved in the production, distribution or operation of systems for the validation or accounting of Fast Play games.

16. *Progressive Top Prize Restrictions:*

(a) An amount of 25¢ from the sale of each Steelers ticket will be accumulated in the Progressive Top Prize pool.

(b) *Prize Amount:* The amount of the Progressive Top Prize at the time a ticket is purchased can only be verified through the Lottery's Central Computer System. Any advertisement or any materials describing the amount of the Progressive Top Prize are only valid as of the time they are posted. If any discrepancy exists between this notice and any material describing or advertising the Steelers game, this notice and the data contained in the Lottery's Central Computer System shall govern.

(c) The Progressive Top Prize and all other prizes are subject to availability at the time of purchase. The Lottery is not responsible for prizes that are not awarded due to technical issues. In the event of a Progressive Top Prize being reset without the actual sale of a Progressive Top Prize winning ticket, all prize money that had accumulated into the Progressive Top Prize pool (i.e. 25¢ from the sale of each ticket) shall be awarded as part of the next Progressive Top Prize won.

17. *Governing Law:*

(a) By purchasing a ticket, the purchaser agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), this notice, instructions, conditions and final decisions of the Secretary, and procedures established by the Secretary for the conduct of the Steelers lottery game.

(b) Decisions made by the Secretary, including the declaration of prizes and the payment thereof, in interpretation of this notice are final and binding on players and persons making a claim in respect thereof.

18. *Retailer Compensation:*

(a) Authorized retailers may be entitled to compensation as determined by the Lottery.

(b) No authorized retailer or employee of an authorized retailer shall request, demand, or accept gratuities or any compensation other than as provided in subsection (a) in exchange for the performance of duties authorized pursuant to the Lottery retailer's license without the Lottery's prior written authorization.

19. *Retailer Incentive Programs.* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Steelers lottery game tickets.

20. *Retailer Bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania Fast Play lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described

in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which he qualifies on a winning ticket. A bonus will be initiated for payment after the Fast Play game ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery Fast Play game ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

21. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Steelers or through normal communications methods.

22. *Applicability:* This notice applies only to the Steelers lottery game announced in this notice.

C. DANIEL HASSELL,
Secretary

[Pa.B. Doc. No. 18-1208. Filed for public inspection August 3, 2018, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Applications for Funding under the Section 5310 Program for Fiscal Year 2018-2019

The Department of Transportation, Bureau of Public Transportation, under the authority in section 5310 of the Federal Transit Act (49 U.S.C.A. § 5310), gives notice that it will receive applications for the State-administered Section 5310 Program (Program). The application will open on Monday, August 13, 2018, and is due by the close of business on Friday, August 31, 2018. The application can be found at <https://sportal.dot.pa.gov/Planning/AppReg/BPT-5310/Pages/default.aspx>.

Under this Program, private nonprofit organizations and designated public bodies may apply for Federal capital assistance to pay up to 80% of the purchase cost of new wheelchair accessible small transit vehicles used to provide transportation services for senior citizens and persons with disabilities who cannot be reasonably accommodated by existing transportation providers.

Additional information can be obtained by calling John Levitsky, Bureau of Public Transportation, (717) 787-1206, jlevitsky@pa.gov.

LESLIE S. RICHARDS,
Secretary

[Pa.B. Doc. No. 18-1209. Filed for public inspection August 3, 2018, 9:00 a.m.]

**DEPARTMENT OF
TRANSPORTATION**

**Contemplated Sale of Land No Longer Needed for
Transportation Purposes**

The Department of Transportation (Department), under the Sale of Transportation Lands Act (71 P.S. §§ 1381.1—1381.3), intends to sell certain land owned by the Department.

The following property is available for sale by the Department.

1. Saegertown Borough, Crawford County. This is an uneconomic remnant of parcel 16, 727 Main Street, Saegertown, PA 16433, and contains 1,371 square feet of unimproved land. The estimated fair market value is \$170.

Public agencies are invited to express their interest in purchasing the site within 30 calendar days from the date of publication of this notice to Engineering District 1-0, Right-of-Way Unit, 255 Elm Street, P.O. Box 398, Oil City, PA 16301, Attn: Nathan Lytle.

LESLIE S. RICHARDS,
Secretary

[Pa.B. Doc. No. 18-1210. Filed for public inspection August 3, 2018, 9:00 a.m.]

FISH AND BOAT COMMISSION

Mentored Youth Fishing Program; Catfish

Acting under the authority of 58 Pa. Code § 65.20 (relating to Mentored Youth Fishing Day Program), the Executive Director has designated August 4, 2018, from 6 p.m. to 11 p.m. and August 5, 2018, from sunrise to 11 p.m. as Mentored Youth Fishing Days for catfish. The water included in the Mentored Youth Fishing Days for Catfish Program (Program) on August 4 and 5, 2018, is the Children’s Fishing Pond, Nockamixon State Park, Haycock Township, Bucks County. This designation under 58 Pa. Code § 65.20 will be effective upon publication of this notice in the *Pennsylvania Bulletin*.

To participate, anglers 16 years of age or older (adult anglers) must possess a valid Pennsylvania fishing license and be accompanied by a youth (less than 16 years of age) who has obtained a mentored youth permit or a voluntary youth license from the Fish and Boat Commission (Commission). Youth anglers must obtain a 2018 mentored youth permit or a voluntary youth license from the Commission and accompanied by a licensed adult angler to participate.

Although this water will be open to adult anglers, only youth anglers with a 2018 voluntary youth license or mentored youth permit may possess two catfish (combined species) with no minimum length. Adult anglers are prohibited from possessing catfish. Other Commonwealth inland regulations will apply. It is unlawful to fish in the water designated as part of the Program except in compliance with the requirements of 58 Pa. Code § 65.20 when participating in the Program.

JOHN A. ARWAY,
Executive Director

[Pa.B. Doc. No. 18-1211. Filed for public inspection August 3, 2018, 9:00 a.m.]

GOVERNOR’S OFFICE

Regulatory Agenda

Executive Order 1996-1 requires all agencies under the jurisdiction of the Governor to submit for publication semi-annually an agenda of regulations under development or consideration.

The agendas are compiled to provide members of the regulated community advanced notice of regulatory activity. It is the intention of the Administration that these agendas will serve to increase public participation in the regulatory process.

Agency contacts should be contacted for more information regarding the regulation and the procedure for submitting comments.

This Agenda represents the Administration’s present intentions regarding future regulations. The information provided is current as of July 13, 2018. The nature and complexity of an individual regulation obviously will determine whether and when any particular regulation listed (as well as any considered subsequent to publication of this Agenda) is published.

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
Department of Aging			
No regulations being developed or considered at this time.			
Department of Agriculture			
Agriculture Conservation Easement Purchase Program Regulations 7 Pa. Code Chapter 138e (# 2-192)	September 2018, as Proposed	This regulation will address statutory changes made by Act 61 of 2005 and Act 46 of 2006, and will otherwise update the current regulations.	Douglas Wolfgang (717) 783-3167

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
Pennsylvania Preferred Program Regulations 7 Pa. Code Chapter 107	September 2018, as Proposed	This regulation will establish standards required under the Pennsylvania Preferred Act (3 Pa.C.S. §§ 4601—4611).	Laura England (717) 783-8462
Pennsylvania Vegetable Marketing Program 7 Pa. Code Chapter 104 (# 2-185)	October 2018, as Final	This regulation will update and simplify the process by which the Pennsylvania Vegetable Marketing Program collects “producer charges” to fund its marketing and research efforts from participating Pennsylvania vegetable producers.	William Troxell (717) 694-3596
Rabies Prevention and Control 7 Pa. Code Chapter 16 (# 2-188)	September 2018, as Proposed	The regulation will update current regulations to reflect statutory changes and otherwise update the current regulations.	Nanette Hanshaw, DVM (717) 783-6677
Weights, Measures and Standards 7 Pa. Code Chapter 9 (# 2-187)	October 2018, as Final	The regulation will rescind outdated paperwork requirements relating to the issuance of weighmaster certificates.	Walt Remmert (717) 787-6772
Milk Sanitation 7 Pa. Code Chapter 59a (# 2-191)	September 2018, as Proposed	The regulation will allow PA raw milk cheese producers to produce any raw (unpasteurized) milk cheese where: (1) there is a Federal standard of identity for that cheese; and (2) the standard of identity allows for the production of the standardized cheese from raw milk.	Lydia Johnson (717) 787-4315
<i>Department of Banking and Securities (DOBS)</i>			
No regulations being developed or considered at this time.			
<i>Department of Community and Economic Development (DCED)</i>			
Local Earned Income Tax— Act 32 of 2008 Regulations 12 Pa. Code Chapter 151 (# 4-97)	Summer 2018, as Final	The final regulation interprets and makes specific the provisions of the Local Tax Enabling Act, as provided in Chapter 5 of the act (53 P.S. §§ 6924.501 et seq.). The final regulation establishes procedures to supplement the implementation of the act which will facilitate consolidated collection of local income taxes in this Commonwealth.	Lori Irwin (717) 720-7311
<i>Department of Conservation and Natural Resources (DCNR)</i>			
Conservation of Pennsylvania Native Wild Plants 17 Pa. Code Chapter 45 (# 7B-8)	Summer 2018, as Final	The purpose of the rulemaking is to update the department’s listing of Pennsylvania’s classified plant species. The legal basis for the rulemaking is: Section 7 of the Wild Resource Conservation Act (32 P.S. § 5307); as well as Sections 305 and 313 of the Conservation and Natural Resources Act (71 P.S. §§ 1340.305, 1340.313).	Ellen Shultzabarger (717) 214-3818 Stephen Ekema-Agbaw, Esq. (717) 772-4171
Snowmobile and All-Terrain Vehicle Grants 17 Pa. Code Chapter 53 (# 7B-9)	Summer 2018, as Final	The purpose of this rulemaking is to comply with the Act of July 20, 2016, P.L. 837, No. 97, codified in 75 Pa.C.S. § 7706(b.1) of the Vehicle Code, which mandates this rulemaking. The Act instructs the Dept. to promulgate regulations implementing a grant program using funds from the snowmobile and ATV management restricted accounts, created by the Act.	Alex MacDonald (717) 772-4586 Stephen Ekema-Agbaw, Esq. (717) 772-4171
<i>Department of Corrections (DOC)</i>			
Purchase for Inmates by Family and Friends 37 Pa. Code § 93.4	Fall 2018, as Proposed	Purchase for inmates by family and friends regulations are being revised for clarification and more accurately comport with current standards.	Tracey Tubbs (717) 728-7763

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
Motivational Boot Camps 37 Pa. Code §§ 93.301—93.308	Fall 2018, as Proposed	The Motivational Boot Camp regulations are being revised to conform the statutory references and to reduce costs by eliminating unnecessary mandates.	Tracey Tubbs (717) 728-7763
<i>Department of Drug and Alcohol Programs (DDAP)</i>			
Standards for Licensure of Treatment Facilities 28 Pa. Code Chapter 709 (# 74-3)	Summer 2018, as Proposed	The regulation will be revised to enlarge the amount of time between inspections for the free standing drug and alcohol facilities that, for the last two years, have not had any citations in four critical areas (conduct or omissions that jeopardized the safety of any persons, compromised the quality of treatment provided, violated a client's confidentiality rights or resulted in treatment being provided without informed consent) and have reasonably and timely taken any remedial measure requested by the Department. Act 50 of 2010 authorizes DDAP to modify existing drug and alcohol regulations.	Derrick Pelletier (717) 547-3323
Recovery Home Regulations 28 Pa. Code Chapter _ (new)	Winter 2018, as Proposed	Act 59 of 2017 directs DDAP to establish regulations for recovery houses that receive public funds or referrals. Recovery homes provide support to those suffering from addiction subsequent to leaving inpatient treatment or correctional facilities.	Derrick Pelletier (717) 547-3323
<i>Department of Education (PDE)</i>			
Regulations of the State Board of Private Academic Schools 22 Pa. Code Chapters 51, 53, 55, 57, 59, 61 and 63	Summer 2018, as Proposed	These regulations define the requirements for obtaining licensure as a Private Academic School. The Board is currently in the process of updating the regulations, which were promulgated in 1988. The regulations are promulgated under the authority of the Private Academic Schools Act (24 P.S. §§ 6701 et. seq.).	Matthew Stem (717) 787-2127
Standards for Approved Private Schools 22 Pa. Code Chapter 171, Subchapters A and C	Winter 2018, as Proposed	These standards define the elements of Approved Private Schools and the Chartered Schools (schools for the deaf and blind). This subchapter contains general provisions, which the Department seeks to update to conform to intervening changes in applicable law. The standards are promulgated under the authority of sections 1376 and 1376.1 of the Public School Code of 1949, 24 P.S. §§ 13-1376 and 1376.1.	Alaina Koltash (717) 787-5500
Professional Standards and Practices Commission 22 Pa. Code Chapter 235	Spring 2019, as Proposed	This chapter sets forth the standards for professional practice and conduct applicable to educators. The Commission plans to update this chapter to conform to the 2014 amendments to the Educator Discipline Act (24 P.S. §§ 2070.1a et seq.) and to expound the obligations educators owe to students, colleagues and the profession, with an emphasis on appropriate student-teacher boundaries, electronic communications with students and role model responsibilities. The regulation is promulgated under the authority of sections 5(a)(10) and 5(a)(14) of the Educator Discipline Act (24 P.S. § 2070.5(a)(10) and § 2070.5(a)(14)).	Shane Crosby (717) 787-6576

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
Department of Education	Winter 2018, as Proposed	These regulations will address the possession and use of medical marijuana by students and employees on the grounds of a preschool, primary school and a secondary school. These regulations are promulgated under authority of the Medical Marijuana Act (2016 Pa. Laws 16).	Wallace Rejrat (717) 787-5500
Department of Education	Winter 2018, as Final	This regulation will establish the permanent fees for institutions of higher education to participate in the state authorization reciprocity agreement. These regulations are promulgated under authority granted by the Act 35 of 2016 (24 P.S. § 1-124(b)).	Patricia Landis (717) 783-8228
Regulations of the State Board of Private Licensed Schools 22 Pa. Code Chapter 73	Winter 2018, as Proposed	These regulations define the requirements for obtaining and maintaining licensure as a Private Licensed School. The Board is currently in the process of updating the regulations and establishing outcomes benchmarks. The regulations are promulgated under the authority of the Private Licensed Schools Act (24 P.S. §§ 6501 et. seq.).	Patricia Landis (717) 783-8228
Regulations of Special Education Services and Programs 22 Pa. Code Chapter 14	Summer 2018, as Final-Omitted	This regulation supports Pennsylvania's people with an intellectual disability by updating the language in 22 Pa. Code relating to education by replacing the terms "mentally retarded" and "mental retardation" with the terms "intellectual disability" or "intellectual disabilities." The regulation is promulgated under the authority of Sections 502, 1372, 26-2603-B, of the Public School Code of 1949, as amended, 24 P.S. Sections 5-502, 13-1372, 26-2603-B. Sections 875-101 through 875-503 of the Early Intervention Services System Act, as amended, 11 P.S. Sections 875-101 through 875-503.	Karen Molchanow (717) 787-3787
State Board of Education 22 Pa. Code Chapter 10	Fall 2018, for review and discussion	These regulations establish requirements for memorandums of understanding between school entities and local law enforcement and also include a model memorandum of understanding for voluntary use by school entities. The model memorandum of understanding is to be reviewed and revised, as necessary, on a biennial basis. The regulations are promulgated under the authority of the Public School Code of 1949, 24 P.S. §§ 1302.1-A and 2603-B.	Karen Molchanow (717) 787-3787
State Board of Education 22 Pa. Code Chapter 16	Fall 2018, for review and discussion	These regulations establish requirements for public school districts of the Commonwealth regarding the identification of gifted education students and the delivery of gifted education services. The regulations will be opened for a periodically-required review. The regulations are promulgated under the authority of the Public School Code of 1949, 24 P.S. § 2603-B.	Karen Molchanow (717) 787-3787

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
Regulations of Charter School and Cyber Charter School Services and Programs for Children with Disabilities 22 Pa. Code Chapter 711	Summer 2018, as Final-Omitted	This regulation supports Pennsylvania's people with an intellectual disability by updating the language in 22 Pa. Code relating to education by replacing the terms "mentally retarded" and "mental retardation" with the terms "intellectual disability" or "intellectual disabilities." The regulation is promulgated under the authority of Sections 1701-A through 1732-A, 1749-A(b)(8), 1751-A, of the Public School Code of 1949, as amended, 24 P.S. §§ 17-1701-A through 17-1732-A, 17-1749-A(b)(8), 17-1751-A, and §§ 875-101 through 875-503 of the Early Intervention Services System Act, as amended, 11 P.S. §§ 875-101 through 875-503.	Ann Hinkson-Herrmann (717) 783-6134
State Board of Education 22 Pa. Code Chapter 49	Fall 2018, as Draft Proposed	These regulations establish requirements for certification of professional personnel employed in the public schools of the Commonwealth. The regulations will be open for a periodically-required major review. The regulations are promulgated under the authority of the Public School Code of 1949, 24 P.S. § 2603-B.	Karen Molchanow (717) 787-3787
Regulations of the State Library and Advisory Council on Library Development 22 Pa. Code Chapters 131, 133, 135, 137, 141, 142 and 143	Winter 2018, as Proposed	The Department will be promulgating regulations under the authority of the Public Library Code of 2012, Act 210 of 2012, P.L. 2411. The Department plans to update the regulations (promulgated in 1962) in 2018. These regulations will address the use of the State Library, the Advisory Council on Library Development, general provisions and plans for the use of State Aid, certification of library personnel, library traineeships, use of the state library, grants for public library facilities, and state document depositories.	Jonelle Darr (717) 783-5725
<i>Environmental Hearing Board (EHB)</i>			
Practice and Procedure 25 Pa. Code Chapter 1021 (# 106-13)	Fall/Winter 2018, as Proposed; and Summer 2019, as Final	This proposed rulemaking will make minor revisions to the Board's rules in the following categories: mediation; motions for admission pro hac vice; the inclusion of a table of contents in briefs exceeding 30 pages; and implement other minor corrections to the rules.	Maryanne Wesdock, Senior Assistant Counsel (412) 565-5245
<i>Department of Environmental Protection (DEP)</i>			
Federal Office of Surface Mining (OSM) Program Consistency Updates 25 Pa. Code Chapters 86, 89 and 90 (# 7-532)	Quarter 3, 2018, Publication, as Proposed	This rulemaking proposes to amend Chapter 86 in order to comply with Federal regulatory requirements; to revise (Chapter 89) effluent limits for passive treatment systems to comply with Federal regulations, and to update (Chapter 90) coal refuse site selection regulations to comply with the revised Coal Refuse Disposal Control Act. (Surface Mining Conservation and Reclamation Act)	Bill Allen (717) 783-9580 wallen@pa.gov

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
Noncoal Mining Program Fee Amendments 25 Pa. Code Chapter 77 (# 7-523)	Quarter 3, 2018, EQB Consideration, as Final	This rulemaking increases fees in order to provide the funding for the Noncoal Mining Program, which implements the Noncoal Surface Mining and Conservation and Reclamation Act (NSMCRA). The rulemaking provides more revenue in order to implement the NSMCRA, which requires operators to apply for and maintain active permits and licenses to mine noncoal minerals in Pennsylvania. In administering the noncoal mining program, DEP reviews and issues permits and conducts inspections to assure compliance with the permits and performance standards. (Noncoal Surface Mining Conservation and Reclamation Act, Clean Streams Law)	Bill Allen (717) 783-9580 wallen@pa.gov
Water Supply Replacement 25 Pa. Code Chapters 87 and 88 (# 7-545)	Quarter 4, 2018, EQB Consideration, as Proposed	This rulemaking includes revisions to Chapters 87 and 88, which will clarify what is necessary to meet the coal mine operator's obligation to permanently pay the operation and maintenance costs for replacement water supplies. (Surface Mining Conservation and Reclamation Act)	Sharon Hill (717) 787-6842 shill@pa.gov
Unconventional Well Permit Application Fees 25 Pa. Code Chapter 78a (# 7-542)	Quarter 3, 2018, Publication, as Proposed	This rulemaking proposes amendments to 25 Pa. Code §§ 78a.1 (relating to definitions and 78a.19 (relating to permit application fee schedule). These amendments are necessary to increase fees to support the administration of 58 Pa.C.S. Chapter 32 (related to development) (2012 Oil and Gas Act) by the DEP's Office of Oil and Gas Management. The proposed rulemaking increases the current well permit application fees from \$5,000 for nonvertical unconventional wells and \$4,200 for vertical unconventional wells, to \$12,500 for all unconventional well permit applications to administer the 2012 Oil and Gas Act. (2012 Oil and Gas Act)	Kurt Klapkowski (717) 772-2199 kklapkowski@pa.gov
Environmental Protection Performance Standards for Conventional Oil and Gas Operators 25 Pa. Code Chapter 78 (# 7-539)	Quarter 1, 2019, EQB Consideration, as Proposed	This rulemaking proposes to amend the Oil and Gas regulations applicable to conventional operators (Chapter 78) to update the environmental protection performance standards related to oil and gas activities. (2012 Oil and Gas Act, Clean Streams Law, Solid Waste Management Act, Dam Safety Encroachment Act, Land Recycling and Environmental Remediation Standards Act, Radiation Protection Act, Unconventional Well Report Act, Act 126 of 2014)	Kurt Klapkowski (717) 772-2199 kklapkowski@pa.gov
Safe Drinking Water General Update and Fee Amendments 25 Pa. Code Chapter 109 (# 7-521)	Quarter 3, 2018, Publication, as Final	This rulemaking strengthens turbidity standards for surface water filtration plants, updates and clarifies permitting requirements for new sources, and clarifies source water protection requirements and other sections of Chapter 109. This rulemaking also establishes new annual fees and increases permit fees to supplement state costs for administering the Safe Drinking Water Program. (Pennsylvania Safe Drinking Water Act)	Ed Chescottie (717) 772-2184 echescatti@pa.gov

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
Triennial Review of Water Quality Standards and Updates to Toxics Management Strategy—Statement of Policy 25 Pa. Code Chapters 93 and 16 (# 7-534)	Quarter 1, 2019, EQB Consideration, as Final	This rulemaking revises the Commonwealth's water quality criteria and standards in Chapter 93 and updates the Chapter 16 Statement of Policy to reflect the latest scientific information and Federal guidelines for criteria development, as required by the triennial review requirements in the Federal Clean Water Act. (40 CFR Section 131.20)	Tom Barron (717) 787-9637 tbarron@pa.gov
Water Quality Management Fee Amendments and NPDES Program Fee Amendments 25 Pa. Code Chapters 91 and 92a (# 7-533)	Quarter 3, 2018, EQB Consideration, as Proposed	This rulemaking proposes to amend fees related to water quality management permitting (Chapter 91) and proposes to amend the fee schedule for NPDES permit applications (Chapter 92a). Chapter 91 establishes, among other things, a water quality management (WQM) permitting program for the construction of sewage and industrial waste treatment facilities and for land application of sewage and industrial wastes. DEP began its Chapter 92a annual invoicing and fee collection program in December 2010. Chapter 92a updated the fee schedule for NPDES permit applications for persons to discharge pollutants from point sources into surface waters. In addition, Chapter 92a introduced an annual fee for certain facilities authorized to discharge pollutants by individual NPDES permits. A fee analysis that DEP presented to the EQB in 2014 highlighted that, despite the fee increase in 2010, revenue continues to fall short of expenses, impeding the work of Programs to carry out necessary tasks for protecting water resources in the Commonwealth. (Pennsylvania Clean Streams Law)	Sean Furjanic (717) 787-2137 sefurjanic@pa.gov
Administration of the Storage Tank and Spill Prevention Program 25 Pa. Code Chapter 245 (# 7-530)	Quarter 3, 2018, EQB Consideration, as Final	This rulemaking amends Chapter 245 to strengthen the underground storage tank (UST) requirements by increasing the emphasis on properly operating and maintaining equipment. Currently, UST owners and operators are required to have spill prevention, overfill prevention, and release detection equipment in place, but are not required to periodically verify the functionality of some of that equipment. The amendments included in this rulemaking are expected to result in improvements in the routine operation, maintenance and monitoring of underground storage tanks. This will help to further reduce the number of releases from underground storage tanks and, in turn, protect public health and the environment. Upon promulgation, the final-form regulation will be submitted to the EPA as part of the reapplication for State Program Approval (SPA). The final-form regulation is necessary for DEP to re-apply for SPA and to continue to receive Federal grant funds. (Storage Tank and Spill Prevention Act)	Kris Shiffer (717) 772-5809 kshiffer@pa.gov

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
Radiological Health 25 Pa. Code Chapters 215—221, 223—228, 230, 232 and 240 (# 7-499)	Quarter 3, 2018, IRRC Consideration	This rulemaking proposes to amend Chapters 215—240 to update Computed Tomography and Fluoroscopic regulations; to address new X-ray technology that is not addressed in current regulations; and to include comprehensive updates to the radon regulations to incorporate procedures and protocols that are not addressed in the current regulations. Additional items of clarification are 45-day reporting and application requirements, specifying the number of mitigation firm employees, and numerous changes and additions to the definitions section. (Radiation Protection Act and Radon Certification Act)	John Chipppo (717) 787-2480 jchippo@pa.gov
Control of VOC Emissions from Industrial Cleaning Solvents; General Provisions; Aerospace Manufacturing and Rework; and Additional RACT Requirements for Major Sources of NO _x and VOCs 25 Pa. Code Chapter 129 (# 7-492)	Quarter 3, 2018, Publication, as Final	This rulemaking amends Chapter 129 to adopt requirements to reduce the emissions of volatile organic compounds from industrial cleaning solvents not regulated elsewhere in Chapter 129 or Chapter 130 to meet the Clean Air Act requirements to implement “reasonably available control measures,” including implementation of “reasonably available control technology” (RACT) requirements, for ozone nonattainment areas. The emission limitations and work practice standards are consistent with the recommendations of the EPA included in the Control Techniques Guidelines for industrial cleaning solvents. Upon promulgation, the final-form regulation will be submitted to the EPA for approval as a revision to the State Implementation Plan (SIP). (Air Pollution Control Act)	Susan Hoyle (717) 772-2329 shoyle@pa.gov
Air Quality Fee Schedule Amendments 25 Pa. Code Chapters 127 and 139 (# 7-536)	Quarter 4, 2018, EQB Consideration, as Proposed	This rulemaking proposes to revise existing requirements and fee schedules codified in Chapter 127, Subchapter I to ensure that fees collected are sufficient to cover the costs of administering the air program as required under Section 6.3(a) of the Air Pollution Control Act (35 P.S. § 4006.3(a)). Upon promulgation, the final-form regulation will be submitted to the EPA for approval as a revision to the SIP or the Title V Program Approval, as appropriate. (Air Pollution Control Act)	Susan Hoyle (717) 772-2329 shoyle@pa.gov
Control of Emissions from the Oil and Natural Gas Industry 25 Pa. Code Chapter 129 (# 7-544)	Quarter 1, 2019, EQB Consideration, as Proposed	This rulemaking proposes to establish emission limitations and other requirements codified in 25 Pa. Code Chapter 129 consistent with reasonably available control technology (RACT). The proposed rulemaking would establish RACT requirements for volatile organic compounds and other pollutants from existing oil and natural gas production facilities, compressor stations, processing plants, and transmission stations. (Air Pollution Control Act)	Susan Hoyle (717) 772-2329 shoyle@pa.gov
Water Quality Standard for Manganese 25 Pa. Code Chapters 93 and 96 (# 7-553)	Quarter 2, 2019, EQB Consideration, as Proposed	This rulemaking will propose to address a provision included in Act 40 of 2017. (Administrative Code of 1929, Pennsylvania Clean Streams Law, Federal Clean Water Act)	Tom Barron (717) 787-9637 tbarron@pa.gov

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
Water Quality Standards—Class A Stream Redesignations 25 Pa. Code Chapter 93 (# 7-548)	Quarter 3, 2018, EQB Consideration, as Proposed	The proposed regulatory changes included in this rulemaking are the result of stream evaluations conducted by DEP in response to a submittal of data from the Pennsylvania Fish and Boat Commission (PFBC). In this rulemaking, redesignations rely on § 93.4b(a)(2)(ii) to qualify streams for High Quality (HQ) designations based upon their classifications as Class A wild trout streams. DEP staff conducted an independent review of the trout biomass data in the PFBC's fisheries management reports for streams throughout the Commonwealth to ensure that the HQ criteria were met. Based on these data and appropriate regulatory criteria, DEP developed this package of stream redesignations including HQ stream redesignations in the Delaware, Susquehanna and Ohio River basins. (Section 303(c)(1) of the Federal Clean Water Act)	Tom Barron (717) 787-9637 tbarron@pa.gov
Administration of the Land Recycling Program 25 Pa. Code Chapter 250 (# 7-552)	Quarter 1, 2019, EQB Consideration, as Proposed	The rulemaking proposes to amend 25 Pa. Code Chapter 250 to update the medium specific concentrations (MSCs) established under the Statewide health standard based on the most recent published scientific information. MSCs are concentrations of contaminants in soil and groundwater that are protective of human health and the environment under various exposure scenarios. The regulations identify the formulas DEP must use to calculate MSCs and the sources of the toxicological information. Additional changes to the regulations may be needed to clarify regulatory language, update outdated information, and to make other corrections. DEP is required by § 250.11 to propose appropriate MSC changes based on current scientific information no more than 36 months after the effective date of the most recently promulgated MSCs. (Land Recycling and Environmental Remediation Standards Act)	Troy Conrad (717) 783-9480 tconrad@pa.gov
Revision of Sulfur Limits in No. 2 and Lighter Commercial Fuel Oil 25 Pa. Code § 123.22 (# 7-546)	Quarter 4, 2018, EQB Consideration, as Proposed	This rulemaking proposes to amend 25 Pa. Code § 123.22 to reduce the maximum allowable sulfur content in No. 2 and lighter commercial fuel oil, sold for and used in combustion units, from the current limit of 500 parts per million (ppm) of sulfur to 15 ppm. The rulemaking would require No. 2 fuel oil offered for sale, delivered for use, exchanged in trade or used in Pennsylvania to meet the new sulfur limit. Emissions of sulfur dioxide contribute to the formation of regional haze, which degrades visibility in urban and rural areas and contributes to fine particulate matter. (Air Pollution Control Act)	Susan Hoyle (717) 772-2329 shoyle@pa.gov

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
U.S. Nuclear Regulatory Commission (NRC) Consistency Rule 25 Pa. Code Chapters 215, 217, 230 and 232 (# 7-550)	Quarter 3, 2018, IRRC Consideration	This rulemaking amends Chapters 215, 217, 230 and 232 to exclude specific provisions of Title 10, Chapter 1 (relating to Nuclear Regulatory Commission) of the Code of Federal Regulations (CFR) from incorporation-by-reference in these chapters. The Commonwealth and the NRC entered into an agreement in 2008 in which the Commonwealth agreed to oversee and regulate most types of radioactive materials used in Pennsylvania. As part of that agreement, the Commonwealth's radioactive materials program must remain compatible with NRC's radioactive materials program. The Commonwealth meets this requirement by incorporating the appropriate NRC regulations by reference. The NRC recently identified provisions of 10 CFR that should be excluded from the Commonwealth's incorporation-by-reference. (Radiation Protection Act)	John Chipppo (717) 787-2480 jchippo@pa.gov
Electronic Submission of Air Quality General Plan Approval and General Operating Permit Applications 25 Pa. Code Chapter 127 (# 7-549)	Quarter 3, 2018, EQB Consideration, as Final-Omitted	This final-omitted rulemaking amends 25 Pa. Code § 127.621(b) (relating to application for use of general plan approvals and general operating permits) to add the option of electronic means as authorized by the Department for delivery of applications for air quality general plan approvals (GPA) and general operating permits (GP). (Clean Air Act, Air Pollution Control Act)	Susan Hoyle (717) 772-2329 shoyle@pa.gov
Additional Requirements for Control of Fine Particulate Matter in the Nonattainment New Source Review Program 25 Pa. Code Chapters 121 and 127 (# 7-551)	Quarter 4, 2018, EQB Consideration, as Proposed	This proposed rulemaking would amend Chapter 127, Subchapter E to incorporate Federal requirements issued by the EPA on August 26, 2016, for the regulation of precursor emissions to the formation of particulate matter less than and equal to 2.5 micrometers in diameter (PM _{2.5}). The EPA's final rule requires states with nonattainment areas for PM _{2.5} to amend their new source review (NSR) regulations to include emissions of volatile organic compounds (VOC) and ammonia as PM _{2.5} precursors. See 81 FR 58010. The proposed amendments would limit the emissions of VOC and ammonia as PM _{2.5} precursors for new major sources or major sources being modified in certain counties of this Commonwealth that are designated as nonattainment for the PM _{2.5} National Ambient Air Quality Standard. This proposed rulemaking would also add PM _{2.5} significant impact levels (SIL) to conform with the EPA guidance for SILs published on April 17, 2018. (Air Pollution Control Act)	Susan Hoyle (717) 772-2329 shoyle@pa.gov

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
Control of VOCs from Gasoline Dispensing Facilities (Stage II) 25 Pa. Code § 129.82 (# 7-525)	Quarter 4, 2018, EQB Consideration, as Proposed	This rulemaking proposes to remove the requirement to install new Stage II vapor recovery systems and establish procedures for the decommissioning of existing Stage II vapor recovery systems. Stage II systems that are not decommissioned will be required to still comply with existing Stage II regulatory maintenance requirements. Upon promulgation, the final-form regulation will be submitted to the EPA for approval as a SIP revision. (Air Pollution Control Act)	Susan Hoyle (717) 772-2329 shoyle@pa.gov
<i>Department of General Services (DGS)</i>			
Contract Compliance— Prequalification of Vendors and Nonconstruction Contractors 4 Pa. Code Chapter 68, Subchapter A (# 8-24)	Winter 2018, as Proposed	These regulations should be rescinded since the subject matter of these rules is now covered by the directives management system.	Mary Fox (717) 787-6789 Ed Olivieri (717) 783-3280
Surplus State Property 4 Pa. Code Chapters 41, 43, 45 and 47 (# 8-26)	Winter 2018, as Proposed	These regulations should be rescinded since they are outdated and have been superseded by new Commonwealth procedures as well as the Commonwealth Procurement Code.	Ken Hess (717) 787-4352 Mary Fox (717) 787-6789 Pamela Cross (717) 214-7739
State Metrology Laboratory Fee Schedule 70 Pa. Code Chapter 110 (# 8-27)	Winter 2018, as Proposed	These regulations will increase the fees charged by the State Metrology Laboratory and update the description fields to accurately reflect the Metrology Lab's measurement parameters and ranges.	Ken Hess (717) 787-4352 Mary Fox (717) 787-6789
Commonwealth Buildings 4 Pa. Code Chapters 85, 86 and 87 (# 8-28)	Winter 2018, as Proposed	These regulations (Chapters 85 and 87) and statement of policy (Chapter 86) will be amended to update the procedures for the public to request use of the public areas of the Capitol Complex and the Forum auditorium.	Matthew Bembenick (717) 787-5996 Shawn E. Smith (717) 787-5599 Mary Fox (717) 787-6789 Joseph Gavazzi (717) 346-9781
<i>Department of Health (DOH)</i>			
Health Facilities and Hospitals 28 Pa. Code Chapters 51 and 101—158	February 2019, as Proposed	The Secretary of Health created a task force of hospital industry representatives to review the current hospital regulations and provide recommendations to improve the quality of care in hospitals across the state. The hospital regulations will be updated to reflect those recommendations.	Tanya Leshko (717) 783-2500 Nancy Lescavage (717) 233-4252 Ann Chronister (717) 787-8015
Long Term Care Facilities 28 Pa. Code Chapters 201—211	February 2019, as Proposed	Pennsylvania's long-term care facility licensure regulations were last updated in 1999. Since that time, the clinical complexity of nursing home residents has changed substantially. The Nursing Home Quality Improvement Task Force was commissioned by the Secretary of Health to make recommendations for revisions to the regulations. The long-term care facility regulations will be updated to reflect those recommendations.	Karin Simpson (717) 783-2500 Nancy Lescavage (717) 233-4252 Ann Chronister (717) 787-8015

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
Medical Marijuana Research 28 Pa. Code Chapter 1210	August 2018, as Temporary Regulations	Act 43 of 2018 was enacted on June 22, 2018, amending Chapter 20 of the Medical Marijuana Act, pertaining to Academic Clinical Research Centers and directing the Department to publish temporary regulations within 90 days.	Carol Mowery (717) 783-2500 John Collins (717) 547-3047 Lawrence Clark (717) 547-3058
Communicable and Noncommunicable Diseases, specific to HIV CD4 Counts and Viral Load Results 28 Pa. Code Chapter 27	November 2018, as Proposed	Revise the details of the reportable disease regulations (Chapter 27) to include reporting of all HIV CD4 counts and viral load results by providers and laboratories to provide improved surveillance, detection and treatment of HIV disease and is in line with national standards.	Yvette Kostelac (717) 783-2500 Raphael Barishansky (717) 772-5025 Godwin Obiri (717) 547-3499
Communicable and Noncommunicable Diseases 28 Pa. Code Chapter 27	February 2019, as Proposed	Revise the listing and details associated with the reportable disease regulations (Chapter 27) to include additional and emerging diseases, new laboratory tests, and changes to exclusion policies for individuals with evidence of disease. Changes will allow for alignment with national standards and improve disease surveillance, investigation and response efforts.	Neil Hittinger (717) 783-2500 Raphael Barishansky (717) 772-5025 Sharon Watkins (717) 547-3517
Communicable and Noncommunicable Diseases 28 Pa. Code Chapter 27	February 2019, as Proposed	Revise the details of the reportable disease regulations (Chapter 27) to include reporting of Neonatal Abstinence Syndrome and overdoses.	Neil Hittinger (717) 783-2500 Raphael Barishansky (717) 772-5025 Sharon Watkins (717) 547-3517
<i>Department of Human Services (DHS)</i>			
Outpatient Psychiatric Services and Psychiatric Outpatient Clinics 55 Pa. Code Chapters 1153 and 5200 (# 14-538)	October 2018, as Final	These amendments will update the current regulations to align outpatient psychiatric services with current industry standards and parity requirements and will include provisions for mobile mental health treatment.	Caitlin Palmer (717) 772-4141
Psychiatric Rehabilitation Services 55 Pa. Code Chapter 5231	December 2018, as Proposed	This regulation will amend psychiatric rehabilitation services for individuals 14 years of age and older with serious mental health conditions to support the transition to adulthood, implement an initiative to improve coordination between the child and adult mental health care systems, and amend outdated language throughout.	Caitlin Palmer (717) 772-4141
Intensive Behavioral Health Services 55 Pa. Code Chapters 1155 and 5270 (# 14-546)	August 2018, as Proposed	This regulation will govern the provision of the array of in-home and community-based behavioral health rehabilitation services for children, including services for children with autism spectrum disorder.	Caitlin Palmer (717) 772-4141
Subsidized Child Care Eligibility 55 Pa. Code Chapters 3041 and 3042	October 2018, as Proposed	This regulation will rescind Chapter 3041 and replace it with Chapter 3042 to add requirements imposed by the 2014 Reauthorization of the Child Care Development Block Grant and amend other requirements regarding redetermination, continuation of subsidy during job loss, reporting and verification, financial eligibility, and prioritized groups.	Caitlin Palmer (717) 772-4141

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
Child Day Care Centers, Group Child Care Day Care Homes, Family Child Day Care Homes 55 Pa. Code Chapters 3270, 3280 and 3290 (# 14-542)	October 2018, as Proposed	This regulation will add new requirements imposed by the 2014 Reauthorization of the Child Care Development Block Grant and other requirements, including employment, background checks, training, water safety training, and equipment.	Caitlin Palmer (717) 772-4141
Home and Community-Based Supports and Licensing 55 Pa. Code Chapters 51, 2380, 2390, 6100, 6200, 6400 and 6500 (# 14-540)	November 2018, as Final	This regulation will rescind Chapter 51 and replace it with a new Chapter 6100, which will govern the program, operational and fiscal components of the Office of Developmental Programs' home and community-based waiver programs, State plan services, block grant and base-funded programs and will amend licensing requirements in chapters 2380, 2390, 6200, 6400 and 6500.	Caitlin Palmer (717) 772-4141
Definitions and Requirements 55 Pa. Code Chapters 123 and 133	September 2018, as Proposed	This regulation will allow applicants for and recipients of Temporary Assistance to Needy Families (TANF) to fulfill requirements without a face-to-face interview.	Caitlin Palmer (717) 772-4141
Miscellaneous Changes for Nonpublic and County Nursing Facilities 55 Pa. Code Chapters 1187 and 1189	December 2018, as Proposed	This regulation will amend Chapters 1187 and 1189: to establish the requirement for nursing facilities to subscribe to and monitor the Department's automated notification system; to align with the implementation of Pennsylvania's new managed care program, Community HealthChoices (CHC) and the Commonwealth's currently approved Medicaid State Plan; and to align Chapter 1187, Subchapter B with the new adult benefit package for individuals 21 years of age and older as announced in Medical Assistance Bulletin 99-15-05.	Caitlin Palmer (717) 772-4141
Medical Assistance Manual 55 Pa. Code Chapter 1101.51	September 2018, as Proposed	This regulation will be amended to rescind the outdated "shared space" language at § 1101.51(b)(3) to allow for a more integrated approach to the provision of health care by multi-disciplinary and co-location arrangements.	Caitlin Palmer (717) 772-4141
Medical Marijuana in Facilities 55 Pa. Code Chapters 3270, 3280, 3290, 3800, 5310, 6400 and 6600	November 2018, as Proposed	This regulation will amend Chapters 3270, 3280, 3290, 3800, 5310, 6400 and 6600 as directed by Section 2105 of Act 16 regarding possession and use of medical marijuana in child care centers or other social services centers.	Caitlin Palmer (717) 772-4141
<i>Pennsylvania Insurance Department (PID)</i>			
Medicare Supplement (NAIC Model Regulation update) (# 11-256)	Fall 2018, as Final	Amendments to Chapter 89 based upon NAIC Model amendments.	Bridget E. Burke Regulatory Coordinator (717) 787-2567
Privacy and Opt Out Notices for Financial Information (NAIC Model Regulation update) (# 11-257)	Summer 2018, as Proposed	Amendments to Chapter 146a in accordance with NAIC model regulation # 672 regarding requirements for annual privacy policy notices.	Bridget E. Burke Regulatory Coordinator (717) 787-2567
Health Insurance Reserves (NAIC Model Regulation)	Spring 2019, as Proposed	Amendments to Chapter 84a based upon NAIC Model amendments regarding actuarial reserving requirements.	Bridget E. Burke Regulatory Coordinator (717) 787-2567

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
Producer Licensing Modernization Regulatory Updates	Spring 2019, as Proposed	Repeal of outdated regulations and replacement with a new chapter implementing sections 601-A—699.1-A of the Act (40 P.S. §§ 310.1—310.99a), which will set forth requirements and standards for the operation of a single licensing system for insurance producers in this Commonwealth.	Bridget E. Burke Regulatory Coordinator (717) 787-2567
<i>Department of Labor and Industry (L&I)</i>			
Boiler and Unfired Pressure Vessel Regulations Title 34, Part I, Chapter 3a Bureau of Occupational and Industrial Safety	Spring 2019, as Proposed	Update regulations based on Act 104 of 2013 and adopt certification standards for third party inspection agencies.	Matthew Kegg (717) 783-6304
Flammable and Combustible Liquids Title 34, Part I, Chapters 14 and 14a Bureau of Occupational and Industrial Safety	Winter 2018, as Proposed	Update regulations based on Act 144 of 2012 and adopt requirements for storage and dispensing of compressed natural gas as vehicular fuel.	Matthew Kegg (717) 783-6304
Unemployment Compensation Title 34, Chapter 101 Board of Review	Winter 2018, as Proposed	Update regulation to reflect statutory and operational changes.	Marsha Sajer (717) 787-4186
Services for the Blind and Visually Impaired Currently Title 55, Part IV, Adult Services Manual, Subpart D, Nonresidential Agencies, Facilities and Services, Chapter 2430, Business Enterprises Program, to be moved to Title 34	Winter 2019, as Proposed	Deletion of current regulations and creation of new regulations for the Business Enterprise Program to reflect operational changes, based on the transfer of the program from the Department of Welfare to L&I, Act 15 of 1999.	Joe Strechay (717) 787-7312
Special Rules of Administrative Practice and Procedure Before the Workers' Compensation Appeal Board, Title 34, Part VII, Chapter 111, Workers' Compensation Appeal Board (# 12-105)	Summer 2018, as Proposed	Modernize regulations to reflect judicial best practices in scheduling of oral argument after the parties file briefs and where the appellate issues so warrant.	Steven Loux (717) 783-7838
Minimum Wage Title 34, Part 12, Chapter 231 Bureau of Labor Law Compliance (# 12-106)	Fall 2018, as Proposed	Revise regulations to update the executive, administrative and professional exemptions from the Minimum Wage Act of 1968.	Bryan Smolock (717) 787-0606
Uniform Construction Code Regulations Title 34, Part I, Chapters 401 and 403 Bureau of Occupational and Industrial Safety (# 12-107)	Fall 2018, as Proposed	Update regulations based on the adoption of the 2015 ICC codes by the UCC Review and Advisory Council.	Matthew Kegg (717) 783-6304
Sign Language Interpreter and Transliterators State Registration Act, Act 57 of 2004	January 2019, as Proposed	Update the regulations to ensure the protection of deaf consumers' rights and to increase the number of qualified interpreters in PA.	Melissa Hawkins (717) 783-4912

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
Uniform Construction Code Regulations Title 34, Part I, Chapters 401, 403 and 405 Bureau of Occupational and Industrial Safety	Winter 2018, as Proposed	Update regulations adopting the 2018 ICC accessibility provisions, as required by the PA Construction Code Act.	Matthew Kegg (717) 787-6304
Apprenticeship EEO Regulations Title 34, Chapter 81 Equal Opportunity in Apprenticeship Programs	Winter 2018, as Proposed	Update the PA apprenticeship regulations to align with new Federal EEO regulations.	Eric Ramsay (717) 787-6997
<i>Department of Military and Veterans Affairs (DMVA)</i>			
Veterans' Homes Regulations 43 Pa. Code Chapter 7	Fall/Winter 2018, as Proposed	The Department wishes to promulgate a comprehensive update to its regulations on State Veterans' Homes. The statutory authority for these regulations is section 902(10) of the Military and Veterans Code (51 Pa.C.S § 903(10)). These regulations are out-of-date. They were last updated in 1986. The purpose of the changes to these regulations is to bring them in line with best practices in the long-term care arena.	Elizabeth Pettis (717) 861-8503
<i>Municipal Police Officers' Education and Training Commission (MPOETC)</i>			
Administration of the Municipal Police Officers' Education and Training Program 37 Pa. Code Chapter 203 (# 17-80)	Fall 2018, as Proposed	Title 53 Pa.C.S. § 2164(14) conveys powers and duties to the Municipal Police Officers' Education and Training Commission to make such rules and regulations and to perform such other duties as may be reasonably necessary or appropriate to implement the education and training program for police officers. Omnibus revisions to Chapter 203, which pertains to the certification and training of the Commonwealth's municipal police officers, are necessary to modernize these regulations, as they have not undergone a major revision since 1996. The amendments that will be proposed are the product of an extensive review project that included key stakeholders of the regulated community.	Sergeant Patrick Beaver (717) 705-1749
<i>Pennsylvania Commission on Crime and Delinquency (PCCD)</i>			
Sheriffs' and Deputy Sheriffs' Education and Training Program 37 Pa. Code Chapter 421	Spring 2019, as Proposed	The Deputy Sheriffs' Education and Training Board (Board), an advisory board within the Commission on Crime and Delinquency, plans to amend the regulations at 37 Pa. Code Chapter 421 (relating to Deputy Sheriffs' Education and Training Board) due to statutory changes in Act 114 of 2014 (Act of Jul. 9, 2014, P.L. 1006, No. 114).	Derin Myers (717) 265-8466 Debra Sandifer (717) 265-8517
Preliminary Provisions and Administrative Proceedings of the Commission on Crime and Delinquency 37 Pa. Code Chapters 401 and 407	Spring 2019, as Proposed	The Commission on Crime and Delinquency plans to amend the regulations at 37 Pa. Code Chapter 401 (relating to Preliminary Provisions) and 407 (relating to Administrative Proceedings) pursuant to Section 3(12) of the Act of Nov. 22, 1978 (P.L. 1166, No. 274).	Derin Myers (717) 265-8466 Debra Sandifer (717) 265-8517

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
<i>Pennsylvania Emergency Management Agency (PEMA)</i>			
Act 187 of 2014	Fall 2018, as Proposed	Act 187 of 2014 established the Public Disaster Assistance Grant Program within the Pennsylvania Emergency Management Agency provide grants to political subdivisions and municipal authorities for assistance with repair of disaster-related damage in a disaster emergency area when the damages to public facilities are beyond the financial capabilities of the political subdivision or authority. The Pennsylvania Emergency Management Agency is directed to Promulgate any regulations necessary to implement and administer the program which include: (i) Development of additional procedures or requirements for the submission of grant applications; (ii) Development of procedures to verify adjusted loss; (iii) Development of criteria for the determination of the amount of assistance to be given to a political subdivision or municipal authority; and (iv) Development of a methodology to prioritize projects based on the potential impact to the health and safety of the citizens of the affected community.	Stephen Bekanich (717) 651-2146 Westburn Majors (717) 651-2728
<i>Pennsylvania Infrastructure Investment Authority (PENNVEST)</i>			
Pennsylvania Infrastructure Investment Authority (PENNVEST) Assistance and Clean Water State Revolving Fund 25 Pa. Code §§ 963.1—963.20, including inter alia: 963.12(a)(7) 963.13(c) 963.15(a) 963(15)(c) 963(16) 963.18(c) (# 101-08; # 101-09)	Spring 2019, as Proposed	Revisions under consideration include, inter alia: Amendments to 25 Pa. Code §§ 963.1—963.20 to be consistent with statutory revisions imposed by P.L. 51, No. 16, enacted June 19, 2013, the Federal Water Resources Reform and Development Act of 2014, and guidance revisions implemented by the Department of Environmental Protection, to reflect updates to business practices, and to incorporate any provisions necessary to accommodate for the deletion of 25 Pa. Code § 965 in its entirety, including, but not limited to the following: (1) Delete 25 Pa. Code § 963.12(a)(7) thereby allowing PENNVEST to provide financial assistance (loan and grant) for costs associated with the extraction for profit of minerals or other resources from wastewater or sludge whether the project is sponsored by a public or private actor. (2) Amend 25 Pa. Code § 963.13(c) by revising the section to provide for an amortization of advance funding loans with a term of 59 months of interest only and repayment on principal and interest on the 60th month.	Shawn W. Weis (717) 783-6776

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
		<p>(3) Amend 25 Pa. Code § 963.15(a) by revising the first sentence to provide for a change in the normal loan term to allow 3 years of interest only prior to principal amortization.</p> <p>(4) Amend 25 Pa. Code § 963.15(c)(5) to provide that maximum interest rates on loans shall be determined based upon the unemployment rate for the applicable county in the most recent calendar year for which data has been finalized as of the application cutoff date.</p> <p>(5) Amend 25 Pa. Code § 963.15(c)(6) by revising the sentence to define “bond interest rate” to mean the rate of interest paid by the Commonwealth in its issuance of general obligation bonds immediately preceding the date of the approval of the loan.</p> <p>(6) Amend 25 Pa. Code § 963.16 to provide the parameters of a loan or bond guarantee program to be provided by PENNVEST.</p> <p>(7) Delete 25 Pa. Code § 963.18(c)(2)(iii) to eliminate the requirement for prior written approval of change orders that exceed \$25,000 or 2 percent of the amount of the project’s construction cost, or an aggregate of all change orders that exceed 10 percent of the project’s construction cost.</p>	
<i>Pennsylvania State Police (PSP)</i>			
Training and Minimum Standards Under the Wiretapping and Electronic Surveillance Control Act 37 Pa. Code Chapter 51	Winter 2018, as Proposed	Title 18 Pa.C.S. § 5724 requires the Commissioner of the Pennsylvania State Police (PSP) and the Attorney General to establish a training course for certification related to conducting wiretapping and electronic surveillance. Revisions to Chapter 51 as it relates to officer certification/re-certification and authorization to engage in the conduct of communications interception will be proposed to adjust the training to current technology and operational needs.	Sergeant Patrick Beaver (717) 705-1749
<i>Department of Revenue (DOR)</i>			
Amendments to Local Option Small Games of Chance (SGOC) 61 Pa. Code Chapter 901a	December 2018, as Proposed	The Department is proposing to replace Chapter 901 with a new Chapter 901a as a result of the amendments to the SGOC law. The proposed rulemaking will reorganize and clarify the SGOC regulations as well as incorporate necessary changes to implement Acts 2 and 184 of 2012 and Acts 90 and 92 of 2013.	John Brenner (717) 705-3906
Amendments to Chapter 113, Withholding of Tax (PIT) 61 Pa. Code § 113.4 (# 15-459)	September 2018, as Final	Amendments to Chapter 113 are proposed to reduce the threshold from “250” to “10 or more” for employers’ electronic submission of the Annual Withholding Reconciliation Statements. Additionally, outdated language is being removed from the regulation.	John Brenner (717) 705-3906
Amendments to Realty Transfer Tax (RTT) Regulations 61 Pa. Code Chapter 91	December 2018, as Proposed	Amendments to the RTT regulations are being proposed to improve the clarity and effectiveness of the regulations. Additionally, the proposed amendments will be consistent with Department policy and the language in the RTT statute.	John Brenner (717) 705-3906

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
iLottery Games 61 Pa. Code Chapter 876 (# 15-460)	March 2019, as Proposed	Act 42 of 2017 authorized the Department to promulgate “temporary” regulations for iLottery games, effective for two years upon publication in the <i>Pennsylvania Bulletin</i> . The temporary regulations for iLottery Games were published at 48 Pa.B. 1829 (March 31, 2018) and codified in the June 2018 Supplement to the <i>Pennsylvania Code</i> . The temporary regulations expire on March 31, 2020. The Department will promulgate permanent regulations.	Casey Fenstermaker (717) 346-1860
Department of State (DOS)			
State Architects Licensure Board			
Electronic Seals and Signing 49 Pa. Code Chapter 9 (# 16A-4111)	Spring 2019, as Proposed	The proposed regulations would update existing regulations on seals and set forth standard requirements for electronic seals and electronic signing of design documents. The goal of this proposal is to be consistent with proposed regulations of the State Registration Board for Professional Engineers, Land Surveyors and Geologists and the State Board of Landscape Architects to provide all design professionals with standards that are as consistent as possible with respect to both traditional seals and electronic seals to benefit both the design professionals and their clients.	Amanda Li (717) 783-3397
State Board of Chiropractic			
Chiropractic Specialties 49 Pa. Code Chapter 5 (# 16A-4312)	Spring 2019, as Final	The Chiropractic Practice Act prohibits licensees from holding themselves out as specialists unless they possess a post-graduate certification in that specialty. The rulemaking would prohibit a chiropractor from advertising that the chiropractor holds certification or otherwise is a specialist in a chiropractic specialty unless the chiropractor holds certification or diplomate status from a specialty board recognized by the American Board of Chiropractic Specialties, and other organizations approved by the Board. This proposal protects consumers of chiropractic services who can be misled by advertising of “certifications” that do not truly reflect advanced knowledge, training or skill.	Elizabeth Wecker (717) 783-7155
Government Employee Liability Coverage 49 Pa. Code §§ 5.17(f) and 5.41 (# 16A-4325)	Fall 2018, as Proposed	The Chiropractic Practice Act requires chiropractors to maintain professional liability insurance, including self-insurance. This regulation would permit a licensee who practices exclusively on behalf of the government to meet this requirement by reliance upon the coverage provided under the Federal Tort Claims Act or the Sovereign Immunity Act as administered by the Commonwealth’s Employee Liability Self-insurance Program.	Elizabeth Wecker (717) 783-7155

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
Commissioner of Professional and Occupational Affairs			
Expungement 49 Pa. Code Chapter 43b, §§ 43b.101—43b.103 and 43b.201 (# 16A-060)	Fall 2018, as Proposed	The proposed rulemaking would implement the expungement provisions in the act of February 15, 2018 (P.L. 14, No. 6), which authorizes the Commissioner of Professional and Occupational Affairs to expunge certain disciplinary actions upon application, and to require the applicant to pay a fee to cover all costs associated with the expungement as established by the Commissioner by regulation.	Cynthia Montgomery (717) 783-7200
Bureau of Commissions, Elections and Legislation			
Notaries Public 4 Pa. Code, Part VIII, Subpart C (# 16-59)	Fall 2018, as Proposed	The proposed rulemaking would implement the act of October 9, 2013 (P.L. 609, No. 73), which adopted the Revised Uniform Law on Notarial Acts (RULONA).	Martha Brown (717) 787-6802
State Board of Crane Operators			
Schedule of Civil Penalties 49 Pa. Code Chapter 43b (# 16A-7103)	Fall 2018, as Proposed	The proposed regulation would create a schedule of civil penalties for violations of the Crane Operator Licensure Act and regulations of the State Board of Crane Operators.	Amanda Li (717) 783-1404
State Board of Dentistry			
Anesthesia Update 49 Pa. Code Subchapter E, §§ 33.331—33.342 (# 16A-4621)	Fall 2018, as Proposed	This proposed rulemaking would update the standards for the administration of general anesthesia, deep sedation, moderate sedation, minimal sedation and nitrous oxide/oxygen analgesia in dental offices to conform to and adopt the current standards used by the dental profession.	Lisa Burns (717) 783-7162
Child Abuse Reporting Requirements 49 Pa. Code § 33.250 (# 16A-4626)	Spring 2019, as Final	This proposed regulation would update the Board's existing regulations relating to mandatory reporting of suspected child abuse under the Child Protective Services Law (CPSL) to conform to recent amendments to the CPSL, including the requirement that all applicants and licensees of the State Board of Dentistry obtain required training in child abuse recognition and reporting.	Lisa Burns (717) 783-7162
General Revisions 49 Pa. Code Chapter 33 (# 16A-4628)	Fall 2018, as Proposed	The State Board of Dentistry has undertaken a review of existing regulations with the goal of updating the regulations and eliminating outdated and obsolete provisions. This proposed rulemaking would generally amend, update and clarify the regulations relating to fictitious names, biennial renewal, inactive status, reactivation, licensure by criteria approval, acceptable proof of professional liability insurance, use of titles, advertising, unprofessional conduct, multi-disciplinary professional corporations, exclusion of auxiliary personnel from performing radiological procedures and continuing dental education. It would also implement two new licensure categories: restricted faculty licenses (incorporating into this rulemaking the subject matter from prior Reg. # 16A-4632) and temporary volunteer dental licenses (incorporating into this rulemaking the subject matter from prior Reg. # 16A-4631).	Lisa Burns (717) 783-7162

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
<i>State Registration Board for Professional Engineers, Land Surveyors and Geologists</i>			
Electronic Seals and Signatures 49 Pa. Code Chapter 37 (# 16A-4712)	Fall 2018, as Proposed	The proposed regulations would update existing regulations on seals and set forth standard requirements for electronic seals and electronic signing of design documents. The goal of this proposal is to be consistent with proposed regulations of the State Architects Licensure Board and the State Board of Landscape Architects to provide all design professionals with standards that are as consistent as possible with respect to both traditional seals and electronic seals to benefit both the design professionals and their clients.	Jeannie Bronshtein (717) 783-7049
<i>State Board of Landscape Architects</i>			
Electronic Seals and Signatures 49 Pa. Code Chapter 15 (# 16A-6112)	Fall 2018, as Proposed	The proposed regulations would update existing regulations on seals and set forth standard requirements for electronic seals and electronic signing of design documents. The goal of this proposal is to be consistent with proposed regulations of the State Architects Licensure Board and the State Registration Board for Professional Engineers, Land Surveyors and Geologists to provide all design professionals with standards that are as consistent as possible with respect to both traditional seals and electronic seals to benefit both the design professionals and their clients.	Terrie Kocher (717) 772-8528
<i>State Board of Massage Therapy</i>			
Fees 49 Pa. Code § 20.3 (# 16A-724)	Spring 2019, as Final	Under section 11 of the Massage Therapy Act (63 P.S. § 627.11) the State Board of Massage Therapy is required to support its operations by the revenue it generates from fees, fines and civil penalties. In addition, it provides that the Board shall increase fees if revenue is not sufficient to meet projected expenditures. Under the current fee structure, the Board cannot produce enough revenue to meet projected expenditures. This proposal would increase biennial renewal fees for massage therapists, application fees, and fees for temporary practice permits.	Carol Niner (717) 783-7155
<i>State Board of Medicine</i>			
Practitioners of Oriental Medicine 49 Pa. Code Chapter 16 (# 16A-4956)	Fall 2018, as Proposed	This proposed rulemaking would revise the regulations relating to Practitioners of Oriental Medicine, to reflect the application of herbal therapy for acupuncturists. The rulemaking is in accordance to the Governor's recommendation for occupational licensure reform.	Suzanne Zerbe (717) 787-7768
<i>State Board of Nursing</i>			
Fees 49 Pa. Code Chapter 21 (# 16A-5142)	Fall 2018, as Proposed	This proposed regulation revises initial and biennial renewal fees for applicants and licensees and revises and sets additional fees for nursing education programs.	Cindy Miller (717) 783-7142

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
<i>State Board of Examiners of Nursing Home Administrators</i>			
Continuing Education Requirements 49 Pa. Code § 39.11 (# 16A-6219)	Fall 2018, as Proposed	The proposed regulation amends the biennial continuing education requirement to conform with the Governor's recommendations for licensure reform that were generated by Executive Order 2017-3. The biennial requirement of 48 credit hours will be reduced to 24. Additionally, the rulemaking provides for showing of continued competence where a licensee has been inactive for a period of time.	Chris Stuckey (717) 783-4856
<i>State Board of Optometry</i>			
General Revisions 49 Pa. Code Chapter 23 (# 16A-5213)	Fall 2018, as Proposed	Section 3(b)(14) of the Optometric Practice and Licensure Act (act) gives the Board the authority to promulgate all rules and regulations necessary to carry out the purposes of the act. Section 5(b) of the act provides the minimal requirements for continuing education of 30 hours in a biennial period for licensed optometrists. The Board is proposing amendments to its existing regulations to ensure that clear guidance is given to licensees in prescribing contact lenses, reporting continuing education and the standards for accepting commercial support from the providers of continuing education.	Elizabeth Wecker (717) 783-7155
<i>State Board of Osteopathic Medicine</i>			
Prescribing 49 Pa. Code § 25.218 (# 16A-5330)	Fall 2018, as Proposed	The State Board of Osteopathic Medicine proposes this rulemaking to set forth the minimum acceptable standards of practice that an osteopathic physician or physician assistant licensed by the Board must follow when prescribing, administering or dispensing drugs, including the requirements of the Safe Emergency Prescribing Act (Act 122 of 2016), the provisions of Chapter 52A of Title 35, relating to prescribing opioids to minors, and the provisions of Chapter 51 of Title 35 relating to safe opioid prescription and voluntary non-opioid directives.	Aaron Hollinger (717) 783-4858
<i>State Board of Pharmacy</i>			
Compounding Practices 49 Pa. Code Chapter 27 (# 16A-5419)	Spring 2019, as Final	Through careful review and with input from stakeholders, the State Board of Pharmacy proposes to update its regulations to incorporate developments and improvements in the profession's safe, sterile practices and procedures for the compounding of pharmaceutical products for patients.	Melanie Zimmerman (717) 783-7156
Naloxone Exceptions 49 Pa. Code §§ 27.18 and 27.19 (16A-5431)	Fall 2018, as Final-Omitted	This final-omitted regulation eliminates two regulatory impediments to allow pharmacists to partner with prisons and treatment programs to make Naloxone available to at-risk individuals upon discharge from these facilities.	Melanie Zimmerman (717) 783-7156

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
<i>State Board of Physical Therapy</i>			
Fees 49 Pa. Code § 40.5 (# 16A-6521)	Spring 2019, as Proposed	This proposed rulemaking would amend the Board's regulations so that application fees would be set to recover the cost of processing the application and biennial renewal fees would be reduced, yet would still cover the balance of the Board's cost of operations each biennium.	Michelle Roberts (717) 783-7134
<i>State Board of Podiatry</i>			
Continuing Education 49 Pa. Code § 29.61 (# 16A-4417)	Fall 2018, as Proposed	This proposed rulemaking would reduce the biennial requirement for continuing education, in accordance with the Governor's recommendations for licensure reform; additionally, the rulemaking would provide for the use of distance learning to satisfy the continuing education requirement and provide for exemptions.	Aaron Hollinger (717) 783-4858
<i>State Board of Psychology</i>			
Continuing Education 49 Pa. Code § 41.59 (# 16A-6317)	Spring 2019, as Proposed	The Board, in its effort to continually review the efficacy of its regulations, has again reviewed the continuing education regulations and has determined that amendments are needed to update, revise and clarify the continuing education requirements. This proposed rulemaking would amend the requirements relating to home study, instruction and carry over.	Chris Stuckey (717) 783-7155
Code of Ethics 49 Pa. Code § 41.61 (# 16A-6324)	Spring 2019, as Proposed	This proposed rulemaking will update the Board's Code of Conduct to adopt the American Psychological Association's (APA) Ethical Principles of Psychologists and Code of Conduct and various enumerated APA practice guidelines.	Chris Stuckey (717) 783-7155
<i>State Board of Certified Real Estate Appraisers</i>			
General Revisions for Certified Real Estate Appraisers 49 Pa. Code Chapter 36 (# 16A-7022)	Spring 2019, as Final	This proposed rulemaking updates the Board's regulations to reflect mandated Federal changes made by the Appraisal Qualifications Board of the Appraisal Foundation, which is charged with establishing education and experience requirements for real estate appraisers under the Financial Institutions Reform, Recovery and Enforcement Act of 1989 (FIRREA).	Heidy Weirich (717) 783-4866
Certified Pennsylvania Evaluators 49 Pa. Code Chapter 36 (# 16A-7018)	Fall 2018, as Proposed	The proposed rulemaking would amend the Board's regulations to update provisions relating to signatures and recordkeeping and would reduce the biennial requirement for continuing education for Certified Pennsylvania Evaluators to 20 hours, in accordance with the Governor's recommendations for occupational licensure reform and based upon Executive Order (EO-2017-3) Report on Occupational Licensure.	Heidy Weirich (717) 783-4866

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
<i>State Board of Social Workers, Marriage and Family Therapists and Professional Counselors</i>			
Licensed Bachelor Social Worker 49 Pa. Code Chapter 47 (# 16A-6922)	Spring 2019, as Final	The proposed rulemaking would amend the Board's regulations to implement the act of October 22, 2014 (P.L. 2884, No. 179) (Act 179) which provides for the establishment of a bachelor level social worker's license. The proposal establishes fees, licensure requirements, continuing education requirements and standards of practice for licensed bachelor social workers.	Sandra Matter (717) 783-1389
General Revisions 49 Pa. Code Chapters 47, 48 and 49 (# 16A-6923)	Fall 2018, as Proposed	Beginning in 2012, and culminating with this proposed rulemaking, the Board has undertaken a comprehensive review of its regulations relating to qualifications for licensure, supervision of clinical experience, including the provision of supervision through electronic means, and continuing education. The purpose of this rulemaking is to eliminate outdated provisions, update standards to reflect modern technology and to modernize the Board's processes relating to licensure.	Sandra Matter (717) 783-1389
<i>State Board of Veterinary Medicine</i>			
Licensure of Euthanasia Technicians 49 Pa. Code Chapter 31 (# 16A-5726)	Fall 2018, as Proposed	This proposed rulemaking is necessary to implement the act of October 24, 2012 (P.L. 1452, No. 182) (Act 182 of 2012) which amended the Animal Destruction Method Authorization Law to require the State Board of Veterinary Medicine to register animal welfare organizations and to license euthanasia technicians to permit the organizations to purchase controlled substances and employ euthanasia technicians for the humane euthanasia of small domestic animals.	Michelle Roberts (717) 783-7134
Certified Veterinary Technicians; Veterinary Assistants 49 Pa. Code § 31.39 (# 16A-5727)	Fall 2018, as Proposed	The proposed rulemaking would implement the Governor's recommendation generated from Executive Order 2017-3, and update regulations relating to unlicensed veterinary assistants and certified veterinary technicians. The purpose of this rulemaking is to remove unnecessary burdens to credentialing otherwise qualified applicants.	Michelle Roberts (717) 783-7134
<i>Department of Transportation (DOT)</i>			
Registration Class Stickers 67 Pa. Code Chapter 55	Summer 2018, as Proposed	This rulemaking will delete Chapter 55 and eliminate the issuance of weight class stickers. The elimination of these stickers will result in cost savings to the Department and the regulated community.	Anita Wasko (717) 787-2171 Jeffrey Spotts (717) 787-5299
School Bus Drivers—Physical and Mental Criteria 67 Pa. Code Chapter 71	Fall 2018, as Proposed	This rulemaking will update the medical standards for school bus drivers that have brain disease, cognitive impairment or a mental/emotional disorder.	Kara N. Templeton (717) 787-2977 Jeffrey Spotts (717) 787-5299
Drivers—Physical and Mental Criteria 67 Pa. Code Chapter 83	Fall 2018, as Proposed	This rulemaking will update the medical standards for drivers that have brain disease, cognitive impairment or a mental/emotional disorder.	Kara N. Templeton (717) 787-2977 Jeffrey Spotts (717) 787-5299
Photographic Driver's License 67 Pa. Code Chapter 73	Fall 2018, as Proposed	This rulemaking will update the standards and procedures for initial issuance, renewal, replacement and duplicate issuance of a driver's license.	Kara N. Templeton (717) 787-2977 Jeffrey Spotts (717) 787-5299

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
Identification Cards 67 Pa. Code Chapter 91	Fall 2018, as Proposed	This rulemaking will update the standards and procedures for initial issuance, renewal, replacement and duplicate issuance of a Department issued identification card.	Kara N. Templeton (717) 787-2977 Jeffrey Spotts (717) 787-5299
Vehicle Equipment and Inspection 67 Pa. Code Chapter 175	Fall 2018, as Final	This rulemaking updates vehicle equipment and inspection standards to better reflect current technologies, consistent with recommendations made by the Department's Inspection Advisory Board.	Anita Wasko (717) 787-2171 Jeffrey Spotts (717) 787-5299
Oversize and Overweight Loads and Vehicles 67 Pa. Code Chapter 179	Summer 2018, as Proposed	This rulemaking accommodates the planned implementation of the Automated Permit Routing/Analysis System (APRAS), updates outdated language and ensures references in this chapter are consistent with amendments to 75 Pa.C.S. §§ 4901—4983.	Glenn Rowe, P.E. (717) 783-6479 Jeffrey Spotts (717) 787-5299
Hauling in Excess of Posted Weight Limit 67 Pa. Code Chapter 189	Fall 2018, as Proposed	This rulemaking will update regulations to be consistent with amendments to the Vehicle Code under Act 89 of 2013.	Halley Cole, P.E. (717) 783-6146 Jeffrey Spotts (717) 787-5299
Intrastate Motor Carrier Safety 67 Pa. Code Chapter 231	Summer 2018, as Proposed	This rulemaking is necessary to waive hours of service and other requirements for mass transportation organizations and their drivers, while establishing new requirements consistent with the public interest.	Danielle Spila (717) 787-1208 Jeffrey Spotts (717) 787-5299
Hazardous Material Transportation 67 Pa. Code Chapter 403	Summer 2018, as Final	This rulemaking will remove outdated or superfluous language in the Department's Hazardous Materials regulations and ensure consistency with Federal regulations.	Glenn Rowe, P.E. (717) 783-6479 Jeffrey Spotts (717) 787-5299
Access to and Occupancy of Highways by Driveways and Local Roads 67 Pa. Code Chapter 441	Summer 2018, as Final	The Department will be promulgating a regulation to clarify the application process for highway occupancy permits, including the primary purpose as redefining an owner to reflect all legally cognizable ownership interests.	Richard Roman, P.E. (717) 787-6899 Jeffrey Spotts (717) 787-5299
Access to and Occupancy of Highways by Driveways and Local Roads 67 Pa. Code Chapter 441	Fall 2018, as Proposed	The Department will be promulgating a regulation to rewrite the entire Chapter 441 to include comments received during the promulgation of the Chapter 441 regulation redefining the term "owner."	Richard Roman, P.E. (717) 787-6899 Jeffrey Spotts (717) 787-5299

[Pa.B. Doc. No. 18-1212. Filed for public inspection August 3, 2018, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Action Taken by the Commission

The Independent Regulatory Review Commission met publicly at 10 a.m., Thursday, July 19, 2018, and announced the following:

Action Taken—Regulation Approved:

Department of Community and Economic Development # 4-97: Local Earned Income Tax (adds 12 Pa. Code Chapter 151)

Insurance Department # 11-256: Medicare Supplement Insurance Minimum Standards (amends 31 Pa. Code Chapter 89)

Approval Order

Public Meeting Held
July 19, 2018

Commissioners Voting: George D. Bedwick, Chairperson; John F. Mizner, Esq., Vice Chairperson; W. Russell Faber; Murray Ufberg, Esq.; Dennis A. Watson, Esq.

*Department of Community and Economic Development
Local Earned Income Tax
Regulation No. 4-97 (# 3156)*

On July 20, 2016, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Department of Community and Economic Development (Department). This rulemaking adds 12 Pa. Code Chapter 151. The proposed regulation was pub-

lished in the July 30, 2016 *Pennsylvania Bulletin* with a public comment period ending on August 29, 2016. The final-form regulation was submitted to the Commission on June 1, 2018.

This regulation adds Chapter 151 which addresses local earned income tax general provisions, withholding, tax officer, mediation, procurement and tax collection committees.

We have determined this regulation is consistent with the statutory authority of the Department (53 P.S. §§ 6924.502(c)(2)(iv), 505(k)(1) and (m)(3)(iii) and 508) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

Approval Order

Public Meeting Held
July 19, 2018

Commissioners Voting: George D. Bedwick, Chairperson; John F. Mizner, Esq., Vice Chairperson; W. Russell Faber; Murray Ufberg, Esq.; Dennis A. Watson, Esq.

*Insurance Department
Medicare Supplement Insurance Minimum Standards
Regulation No. 11-256 (# 3189)*

On January 9, 2018, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Insurance Department (Department). This rulemaking amends 31 Pa. Code Chapter 89. The proposed regulation was published in the January 20, 2018 *Pennsylvania Bulletin* with a public comment period ending February 20, 2018. The final-form regulation was submitted to the Commission on June 15, 2018.

This regulation updates the requirements for Medigap plans and establishes an open enrollment period for certain individuals retroactively enrolled in Medicare Part B.

We have determined this regulation is consistent with the statutory authority of the Department (71 P.S. §§ 186 and 412) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

GEORGE D. BEDWICK,
Chairperson

[Pa.B. Doc. No. 18-1213. Filed for public inspection August 3, 2018, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth

have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant by August 20, 2018. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

Application of the following for approval to *begin operating as common carriers for transportation of persons as described under the application.*

A-2018-3003062. Om Jai Parvati, LLC, t/a PA Care Transportation (124 West Oxford Street, Philadelphia, Philadelphia County, PA 19122) for the right to transport as a common carrier, by motor vehicle, persons in paratransit service, from Penn Gardens Adult Day Services in Lansdale, Montgomery County to points in Pennsylvania, and return; and routine and nonroutine nonemergency medical appointments, between points in the Counties of Bucks, Lehigh, Montgomery, Northampton and Philadelphia.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 18-1214. Filed for public inspection August 3, 2018, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Formal Complaints

Formal complaints have been issued by the Pennsylvania Public Utility Commission. Answers must be filed in accordance with 52 Pa. Code (relating to public utilities). Answers are due August 20, 2018, and must be made with the Secretary, Pennsylvania Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265, with a copy to the First Deputy Chief Prosecutor, Pennsylvania Public Utility Commission.

Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. Sunni Buses, LLC; Docket No. C-2018-3002228

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to Sunni Buses, LLC, (respondent) is under suspension effective May 16, 2018 for failure to maintain evidence of insurance on file with this Commission.

2. That respondent maintains a principal place of business at 33 Mill Creek Road, Suite 101, East Stroudsburg, PA 18301.

3. That respondent was issued a Certificate of Public Convenience by this Commission on July 31, 2017, at A-6419826.

4. That respondent has failed to maintain evidence of Liability insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500 and cancellation of the Certificate of Public Convenience.

5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-6419826 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,
David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement
P.O. Box 3265
Harrisburg, PA 17105-3265

VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 5/29/2018

David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
P.O. Box 3265
Harrisburg, PA 17105-3265

Or, you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor
Pennsylvania Public Utility Commission
Bureau of Investigation and Enforcement
P.O. Box 3265
Harrisburg, PA 17105-3265

Or, emailed to Mr. Swindler at: RA-PCCmplntResp@pa.gov

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility Services
Pennsylvania Public Utility Commission
P.O. Box 3265
Harrisburg, PA 17105-3265

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
P.O. Box 3265
Harrisburg, PA 17105-3265

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this num-

ber if you have questions as to why you received this complaint. For those questions you may call 717-783-3847.

**Pennsylvania Public Utility Commission; Bureau of
Investigation and Enforcement v. Kathleen Francis
Parker, t/a Parker K. Tour and Travel;
Docket No. C-2018-3002733**

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to Kathleen Francis Parker, t/a Parker K. Tour and Travel, (respondent) is under suspension effective June 04, 2018 for failure to maintain evidence of insurance on file with this Commission.

2. That respondent maintains a principal place of business at 235 East Thirteenth Street, Berwick, PA 18603.

3. That respondent was issued a Certificate of Public Convenience by this Commission on July 09, 1984, at A-00105173.

4. That respondent has failed to maintain evidence of Bond insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500 and cancellation of the Certificate of Public Convenience.

5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-00105173 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,
David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement
P.O. Box 3265
Harrisburg, PA 17105-3265

VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state

that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 6/19/2018

David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
P.O. Box 3265
Harrisburg, PA 17105-3265

Or, you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor
Pennsylvania Public Utility Commission
Bureau of Investigation and Enforcement
P.O. Box 3265
Harrisburg, PA 17105-3265

Or, emailed to Mr. Swindler at: RA-PCCmplntResp@pa.gov

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility
Services
Pennsylvania Public Utility Commission
P.O. Box 3265
Harrisburg, PA 17105-3265

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
P.O. Box 3265
Harrisburg, PA 17105-3265

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this number if you have questions as to why you received this complaint. For those questions you may call 717-783-3847.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 18-1215. Filed for public inspection August 3, 2018, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Telecommunications

A-2018-3003593. Citizens Telecommunications Company of New York, Inc., Frontier Communications of Breezewood, LLC, Frontier Communications of Canton, LLC, Frontier Communications of Lakewood, LLC, Frontier Communications of Oswayo River, LLC, Frontier Communications of Pennsylvania, LLC and Onvoy, LLC. Joint petition of Citizens Telecommunications Company of New York, Inc., Frontier Communications of Breezewood, LLC, Frontier Communications of Canton, LLC, Frontier Communications of Lakewood, LLC, Frontier Communications of Oswayo River, LLC, Frontier Communications of Pennsylvania, LLC and Onvoy, LLC for approval of an interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Citizens Telecommunications Company of New York, Inc., Frontier Communications of Breezewood, LLC, Frontier Communications of Canton, LLC, Frontier Communications of Lakewood, LLC, Frontier Communications of Oswayo River, LLC, Frontier Communications of Pennsylvania, LLC and Onvoy, LLC, by their counsel, filed on July 24, 2018, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120. Comments are due on or before 10 days after the date of publication of this notice. The documents filed in support of Citizens Telecommunications Company of

New York, Inc., Frontier Communications of Breezewood, LLC, Frontier Communications of Canton, LLC, Frontier Communications of Lakewood, LLC, Frontier Communications of Oswayo River, LLC, Frontier Communications of Pennsylvania, LLC and Onvoy, LLC joint petition are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, at the Commission's web site at www.puc.pa.gov and at the applicant's business address.

The contact person is Robert Marinko, Office of Special Assistants, (717) 783-3930.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 18-1216. Filed for public inspection August 3, 2018, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Telecommunications

A-2018-3003590. Commonwealth Telephone Company, LLC and Onvoy, LLC. Joint petition of Commonwealth Telephone Company, LLC and Onvoy, LLC for approval of an interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Commonwealth Telephone Company, LLC and Onvoy, LLC, by their counsel, filed on July 24, 2018, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120. Comments are due on or before 10 days after the date of publication of this notice. The documents filed in support of Commonwealth Telephone Company, LLC and Onvoy, LLC joint petition are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, at the Commission's web site at www.puc.pa.gov and at the applicant's business address.

The contact person is Robert Marinko, Office of Special Assistants, (717) 783-3930.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 18-1217. Filed for public inspection August 3, 2018, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Transfer of Indirect Control

A-2018-3003554 and A-2018-3003555. Lingo Communications, LLC, Birch Communications of the Northeast, LLC, TNCI Impact, LLC and Matrix Telecom, LLC. Joint application of Lingo Communications, LLC, Birch Communications of the Northeast, LLC, TNCI Impact, LLC and Matrix Telecom, LLC for approval

of the proposed transfer of indirect control of Matrix Telecom, LLC to Lingo Communications, LLC.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before August 20, 2018. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at www.puc.pa.gov and at the applicant's business address.

Joint Applicants: Lingo Communications, LLC; Birch Communications of the Northeast, LLC; TNCI Impact, LLC; Matrix Telecom, LLC

Through and By Counsel: Anthony C. DeCusatis, Esquire, Catherine G. Vasudevan, Esquire, Morgan, Lewis & Bockius, LLP, 1701 Market Street, Philadelphia, PA 19103-2921

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 18-1218. Filed for public inspection August 3, 2018, 9:00 a.m.]

STATE BOARD OF NURSING

**Bureau of Professional and Occupational Affairs v.
Angela M. Patriarca, RN; File No. 17-51-07320;
Doc. No. 1392-51-17**

On June 27, 2018, Angela M. Patriarca, RN, Pennsylvania license No. RN328267L, last known of Modesto, CA, had her registered nurse license placed on probation to run concurrent with the probation imposed on respondent's license by the Board of Registered Nursing for the State of California based on receiving disciplinary action by the proper licensing authority of another state.

Individuals may obtain a copy of the adjudication by writing to Judith Pachter Schulder, Board Counsel, State Board of Nursing, P.O. Box 69523, Harrisburg, PA 17106-9523.

This order represents the final State Board of Nursing (Board) decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court must serve the Board with a copy of their petition for review. The Board contact for receiving service of appeals is the previously-named Board counsel.

LINDA L. KMETZ, PhD, RN,
Chairperson

[Pa.B. Doc. No. 18-1219. Filed for public inspection August 3, 2018, 9:00 a.m.]

STATE REAL ESTATE COMMISSION

**Bureau of Professional and Occupational Affairs v.
Stephen M. Costa; File No. 18-45-02080**

On March 7, 2018, Stephen M. Costa, license No. CO227756L, last known of Malvern, Chester County, was suspended under the Order of the Court of Common Pleas of Chester County dated February 13, 2018, which the court issued under 23 Pa.C.S. § 4355 (relating to denial or suspension of licenses). The suspension is effective immediately.

Individuals may obtain a copy of the order by writing to Cynthia K. Montgomery, Deputy Chief Counsel, State Real Estate Commission, P.O. Box 69523, Harrisburg, PA 17106-9523.

ALEXIS L. BARBIERI, Esq.,
Chairperson

[Pa.B. Doc. No. 18-1220. Filed for public inspection August 3, 2018, 9:00 a.m.]

