

# NOTICES

## DEPARTMENT OF BANKING AND SECURITIES

### Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending August 21, 2018.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file comments in writing with the Department of Banking and Securities, Corporate Applications Division, 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, contact the Corporate Applications Division at (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

### BANKING INSTITUTIONS

#### Branch Applications

#### De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
8-17-2018	Firststrust Savings Bank Conshohocken Montgomery County	108 East Marlton Pike Cherry Hill Camden County, NJ	Approved

### CREDIT UNIONS

No activity.

The Department's web site at [www.dobs.pa.gov](http://www.dobs.pa.gov) includes public notices for more recently filed applications.

ROBIN L. WIESSMANN,  
*Secretary*

[Pa.B. Doc. No. 18-1360. Filed for public inspection August 31, 2018, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Applications, Actions and Special Notices

---

### APPLICATIONS

---

#### THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications concern, but are not limited to, discharges regarding industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFO). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Waste; Discharge into Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 Individual Permits and Individual Stormwater Construction Permits in Sections IV and VI, the Department, based upon preliminary reviews, has made tentative determinations of proposed effluent limitations and other terms and conditions for the permit applications. In accordance with 25 Pa. Code § 92a.32(d), the proposed discharge of stormwater associated with construction activities will be managed in accordance with the requirements of 25 Pa. Code Chapter 102. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the United States Environmental Protection Agency (EPA) Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on NPDES applications are invited to submit statements to the contact office noted before the application within 30 days from the date of this public notice. Persons wishing to comment on WQM permit applications are invited to submit statements to the office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for public hearings on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

#### **I. NPDES Renewal Applications.**

*Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0034118 (Sewage)	Jack Frost STP (a.k.a. Jack Frost Mountain Summit Lodge) PO Box 707 Blakeslee, PA 18610-0707	Carbon County Kidder Township	Porter Run (2-A)	Yes
PAS802208 (Storm Water)	Nestle DistTech Transportation Facility 3003 Turner Street Allentown, PA 18104	Lehigh County Upper Macungie Township	Unnamed Tributary to Cedar Creek (2-C)	Yes
PA0061093 (Sewage)	Monroe Career and Technical Institution 194 Laurel Lake Road Bartonsville, PA 18321	Monroe County Pocono Township	Unnamed Tributary to Pocono Creek (1-E)	Yes
PA0011762 (Industrial)	American Nickeloid 131 Cherry Street Walnutport, PA 18088-1608	Northampton County Walnutport Borough	Lehigh Canal and Lehigh River (2-C)	Yes
PA0065242 (Sewage)	Limeport Village WWTF 7607 Chestnut Hill Church Road Coopersburg, PA 18036-3712	Lehigh County Lower Milford Township	Saucon Creek (2-C)	Yes
PA0064173 (Sewage)	Heisler's Cloverleaf Dairy WWTP 743 Catawissa Road Tamaqua, PA 18252	Schuylkill County Walker Township	Beaver Creek (03A)	Yes
PA0061204 (Sewage)	Lake Harmony WWTP—Aqua PA Wastewater Inc. 762 W Lancaster Avenue Bryn Mawr, PA 19010-3489	Carbon County Kidder Township	Shingle Mill Run (2-A)	Yes

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0088757 (IW)	Mount Union Municipal Authority Singers Gap WTP 9 West Market St. Mount Union, PA 17066-1233	Huntingdon County/ Shirley Township	Springers Gap Run (12-C)	Y
PA0088455 (IW)	Rice Fruit Company 2760 Carlisle Road Gardners, PA 17324-0066	Adams County/ Menallen Township	UNT Opossum Creek (7-F)	Y

*Northcentral Regional Office: Clean Water Program Manager, 208 W. Third Street, Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.3636.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0232378 (Sewage)	Max Showver SRSTP 1625 Sunshine Lane PO Box 144 Tavares, FL 32778-4268	Union County Union Township	West Branch Susquehanna River (10-D)	Yes
PA0228877 (Sewage)	Lazafame SRSTP 15 Stoneybrook Road Orangeville, PA 17859-9017	Columbia County Orange Township	Stony Brook (5-C)	Yes

*Southwest Regional Office: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0098396 (Sewage)	Laurel View Manor MHP STP 600 Laurelview Drive Mt Pleasant, PA 15666	Fayette County Bullskin Township	Unnamed Tributary to Jacobs Creek (19-D)	Yes
PA0217425 (Storm Water)	Pilot Travel Center # 348 205 Wilson Rd Bentleyville, PA 15314-1029	Washington County Bentleyville Borough	Pigeon Creek (19-C)	Yes

*Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0222909 (Sewage)	Kinzua Warren County WWTP 119 Mead Boulevard Clarendon, PA 16313-1119	Warren County Mead Township	Allegheny River (16-B)	Yes
PA0025291 (Sewage)	Southwest Warren County STP 129 Main Street Tidioute, PA 16351-1011	Warren County Tidioute Borough	Allegheny River (16-F)	Yes
PA0238741 (Sewage)	Don W. Neff SRSTP 111 Beach Road Chicora, PA 16025	Butler County Concord Township	Unnamed Tributary to the Connoquenessing Creek (20-C)	Yes
PA0221830 (Sewage)	West Sunbury Borough STP PO Box 202 West Sunbury, PA 16061-0202	Butler County West Sunbury Borough	Unnamed Tributary of South Branch Slippery Rock Creek (20-C)	Yes

## **II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Non-Waived Permit Applications.**

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.*

**PA0082741**, Industrial, SIC Code 4941, **Elizabethtown Area Water Authority Lancaster County**, 211 W Hummelstown Street, Elizabethtown, PA 17022-2079. Facility Name: Elizabethtown Area Water System. This existing facility is located in Mount Joy Township, **Lancaster County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Industrial Waste.

The receiving stream(s), Unnamed Tributary of Conoy Creek, is located in State Water Plan watershed 7-G and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 1.62 MGD.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

**PA0085022**, Sewage, SIC Code 4952, **Conoy Township Lancaster County**, 211 Falmouth Road, Bainbridge, PA 17502-9428. Facility Name: Conoy Township Falmouth STP. This existing facility is located in Conoy Township, **Lancaster County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Unnamed Tributary to Susquehanna River, is located in State Water Plan watershed 7-G and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.025 MGD.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	5.2	8.3	XXX	25	40	50
Biochemical Oxygen Demand (BOD <sub>5</sub> )						
Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids	6.3	9.4	XXX	30	45	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ammonia-Nitrogen						
Nov 1 - Apr 30	4.3	XXX	XXX	21	XXX	42
May 1 - Oct 31	1.4	XXX	XXX	7.0	XXX	21
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus	Report	XXX	XXX	Report	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

**PA0087530**, Sewage, SIC Code 6514, **Paul McAnulty**, 3651 Waggoners Gap Road, Carlisle, PA 17015-9540. Facility Name: McAnulty SRSTP. This existing facility is located in North Middleton Township, **Cumberland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP Sewage.

The receiving stream(s), Unnamed Tributary of Conodoguinet Creek, is located in State Water Plan watershed 7-B and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (MGD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	25.0	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

**PA0087033**, Sewage, SIC Code 6514, **Benuel Blank**, 6350 Mcclays Mill Road, Newburg, PA 17240. Facility Name: Blank SFTF. This existing facility is located in Lurgan Township, **Franklin County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SFTF Sewage.

The receiving stream(s), Unnamed Tributary of Conodoguinet Creek, is located in State Water Plan watershed 7-B and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0008 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (MGD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0008 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5 Avg Mo	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

**PA0008010**, Industrial, SIC Code 2015, **Hain Pure Protein Corp**, 220 N Center Street, Fredericksburg, PA 17026-9723. Facility Name: Hain Pure Protein Poultry Proc Plant. This existing facility is located in Bethel Township, **Lebanon County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Industrial Waste.

The receiving stream(s), Beach Run, is located in State Water Plan watershed 7-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.15 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Dissolved Oxygen	XXX	XXX	Daily Min 7.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.1	XXX	0.33
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	6.2	12.5	XXX	5	10	12.5
Total Suspended Solids	12.5	25	XXX	10	20	25
Oil and Grease	10	17.5	XXX	8.0	14	20

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	400	XXX	XXX
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	103.0	147.0	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	5.0	10	XXX	4.0	8.0	10
May 1 - Oct 31	3.1	6.2	XXX	2.5	5.0	6.25
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	0.63	1.25	XXX	0.5	1.0	1.25

The proposed effluent limits for Outfalls 002 and 003 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- Approval Contingencies
- Chlorine Minimization
- Collected screenings, slurries, sludges, and other solids management
- Stormwater management conditions
- Conditions to implement Best Management Practices

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

**PA0261742**, Sewage, SIC Code 6514, **Samuel J Smith**, 22215 Back Road, Doylesburg, PA 17219. Facility Name: Smith SRSTP. This existing facility is located in Fannett Township, **Franklin County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP Sewage.

The receiving stream(s), Unnamed Tributary of Doylestown Stream, is located in State Water Plan watershed 12-B and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0005 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (MGD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids (Total Load, lbs) (lbs)	XXX	45.69	XXX	XXX	XXX	XXX
		Total Annual				
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

*Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**PA0037974**, Sewage, SIC Code 4952, **Washington Township**, 11800 Edinboro Road, Edinboro, PA 16412-1024. Facility Name: Washington Township Sewer Authority—Kline Rd STP. This existing facility is located in Washington Township, **Erie County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated domestic sewage.

The receiving stream, an Unnamed Tributary to Darrows Creek, is located in State Water Plan watershed 16-A and is classified for warm water fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.08 MGD.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min	XXX	XXX	XXX
			4.0			
Total Residual Chlorine (TRC)	XXX	XXX	Inst Min	0.5	XXX	1.6
			XXX			
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	6.7	10.0	XXX	10.0	15.0	20
Biochemical Oxygen Demand (BOD <sub>5</sub> )						
Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	20	30	XXX	30.0	45.0	60
Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Ammonia-Nitrogen						
Nov 1 - Apr 30	5.0	XXX	XXX	7.5	XXX	15
May 1 - Oct 31	1.6	XXX	XXX	2.5	XXX	5
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Avg Qrtly	XXX	XXX
				Report		
				Avg Qrtly		

Sludge use and disposal description and location: Sludge is hauled off-site for disposal at the McKean Township STP.

In addition, the permit contains the following major special conditions:

- Dry/Intermittent stream discharge
- Chlorine Minimization
- Sludge handling

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is in effect.

### III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law.

*Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.*

**WQM Permit No. 3518403**, Sewage, **PA American Water Co.**, 800 West Hershey Park Drive, Hershey, PA 17033.

This proposed facility is located in Scranton City, **Lackawanna County**.

Description of Proposed Action/Activity: To construct a 218,000 gallon underground storage facility to limit combined sewer overflows at Willow Street and Birch Street.

**WQM Permit No. 4818402**, Sewage, **Bethlehem City Northampton County**, 10 East Church Street, Bethlehem, PA 18018.

This proposed facility is located in Bethlehem City, **Northampton County**.

Description of Proposed Action/Activity: Replacement/upgraded influent Mechanical Fine Screens and screenings/detritus systems at the Bethlehem Wastewater Treatment Plant.

**WQM Permit No. 5418403**, Sewage, **Schuylkill County Municipal Authority**, 221 South Centre Street, Pottsville, PA 17901.

This existing facility is located in Gordon Borough, **Schuylkill County**.

Description of Proposed Action/Activity: This application is for the following upgrades to the Gordon WWTP existing chlorine disinfection system: modification of the existing manual gaseous chlorine disinfection system to a flow paced system; installation of two new effluent flow meters and an automatic control valve; construction of a new residual chlorine treatment building; and installation of a new dechlorination system including a new sodium bisulfite tank. The proposed project is located at the Authority's existing wastewater treatment plant along Airport Road, approximately 0.5 mile southwest of the intersection with Gordon Mountain Road.

*Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.*

**WQM Permit No. 6316200**, Industrial, **Donora Dock LLC**, 11 Lloyd Avenue, Latrobe, PA 15650-1711.

This proposed facility is located in Carroll Township, **Washington County**.

Description of Proposed Action/Activity: Construction of two treatment ponds.

**WQM Permit No. 6571434 A-1**, Sewage, **Westmoreland County Municipal Authority**, PO Box 730, Greensburg, PA 15601.

This existing facility is located in Youngwood Borough, **Westmoreland County**.

Description of Proposed Action/Activity: Sanitary sewer replacement on Depot and North First Streets.

*Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**WQM Permit No. 2572405 A-4**, Sewage, **McKean Township Sewer Authority Erie County**, PO Box 88, McKean, PA 16426-0088.

This existing facility is located in McKean Township, **Erie County**.

Description of Proposed Action/Activity: Construction of effluent dechlorination facilities.

**WQM Permit No. 2518413**, Sewage, **James Schmitz**, 10333 Lake Pleasant Road, Waterford, PA 16441.

This proposed facility is located in Greene Township, **Erie County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

**WQM Permit No. 1012402 A-1**, Sewage, **Slippery Rock Municipal Authority**, PO Box 157, Slippery Rock, PA 16057-0157.

This existing facility is located in Slippery Rock Borough, **Butler County**.

Description of Proposed Action/Activity: Replace existing belt filter sludge press with rotary sludge press.

**WQM Permit No. 2018403**, Sewage, **USA Homeownership Foundation Inc.**, 462 Corona Mall, Suite 102, Corona, CA 92879-1456.

This proposed facility is located in Cussewago Township, **Crawford County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

**WQM Permit No. 6218406**, Sewage, **H Todd & Susan White**, 749 Lafeil Drive, Manchester, MO 63021.

This proposed facility is located in Farmington Township, **Warren County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

---

#### **IV. NPDES Applications for Stormwater Discharges from MS4.**

---

*Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Telephone: 412.442.4000.*

**PAI136145**, MS4, **Castle Shannon Borough**, 3310 McRoberts Road, Castle Shannon, PA 15234-2711. The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Castle Shannon Borough, **Allegheny County**. The receiving streams, Unnamed Tributary to Sawmill Run and Sawmill Run, are located in State Water Plan watershed 20-F and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

The applicant has submitted the following plan with the application to reduce pollutant loads to impaired waters:

- A Total Maximum Daily Load (TMDL) Plan

The Department has made a tentative determination to issue the NPDES permit. Written comments on the application and draft permit will be accepted for 30 days following publication of this notice. The period for comment may be extended at the discretion of DEP for one additional 15-day period. You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA waiver is in effect for small MS4s, and is not in effect for large MS4s.

**PAI136110, MS4, Connellsville City Fayette County**, 110 N Arch Street, Connellsville, PA 15425-3101. The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Connellsville City, **Fayette County**. The receiving streams, Connell Run, Opossum Run, Mounts Creek, Trump Run, and Youghioghny River, is located in State Water Plan watershed 19-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

The Department has made a tentative determination to issue the NPDES permit. Written comments on the application and draft permit will be accepted for 30 days following publication of this notice. The period for comment may be extended at the discretion of DEP for one additional 15-day period. You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA waiver is in effect for small MS4s, and is not in effect for large MS4s.

---

**VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities.**

---

*Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.*

**NPDES**

<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD090026	Chris Sincavage 800 North 2nd Street, PMB 148 Philadelphia, PA 19123	Bucks	Solebury Township	Aquetong Creek HQ-CWF

*Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

*Lehigh County Conservation District, 4184 Dorney Park Road, Suite 105, Allentown, PA 18401.*

**NPDES**

<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD390081	Lower Macungie Twp 3400 Brookside Rd Macungie, PA 18062	Lehigh	Lower Macungie Twp	Little Lehigh Creek (HQ-CWF, MF)
PAD390094	Huntmeadows Estates LP 2288 Meadow Ln Emmaus, PA 18049	Lehigh	Weisenberg Twp	Mill Creek (TSF, MF) UNT to Lyon Creek (HQ-CWF, MF)
PAD390091	Lehigh Valley Health Network 2100 Mack Blvd PO Box 4000 Allentown, PA 18105	Lehigh	Salisbury Twp	Little Lehigh Creek (HQ-CWF, MF)
PAD390084	Harold Sensenig 4301 Harvest Rd Manheim, PA 17545	Lehigh	Lynn Twp	Switzer Creek (HQ-CWF, MF)

*Monroe County Conservation District, 8050 Running Valley Road, Stroudsburg, PA 18347.*

**NPDES**

<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD450017	Brodhead Creek Regional Authority 410 Mill Creek Rd East Stroudsburg, PA 18301	Monroe	Pocono Twp	Pocono Creek (HQ-CWF, MF)
PAD450068	LTS Homes 815 Seven Bridges Rd East Stroudsburg, PA 18301	Monroe	Stroud Twp	Brodhead Creek (HQ-CWF, MF) UNT to Brodhead Creek (HQ-CWF, MF)

*Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, Nathan Phillips, Section Chief, 717.705.4802.*

<i>Permit #</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD360001	206 Rohrerstown Road LP 2450 Marietta Avenue Lancaster, PA 17601	Lancaster	East Hempfield Township	Brubaker Run (WWF, MF)
PAD050004	PA Department of Conservation & Natural Resources	Bedford	Southampton Township	UNT Elk Lick Creek (HQ, CWF) Sweet Root Creek (HQ, CWF)

---

**VII. List of NOIs for NPDES and/or Other General Permit Types.**


---

PAG-12            CAFOs

---

**CAFO Notices of Intent Received.**


---

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Telephone: 717-705-4707.*

**NPDES Permit No. PAG123837 A-1, CAFO, Michael Wilt**, 1408 Pointer Road, Everett, PA 15537.

This existing facility is located in East Providence Township, **Bedford County**.

Description of size and scope of existing operation/activity: Swine (Grow—Finish), Dairy (Cows, Heifers, Calves): 1,630.71 AEUs.

The receiving stream, Unnamed Tributary to Raystown Branch Juniata River, is in watershed 11-D and classified for: Migratory Fishes and Warm Water Fishes.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 25-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the State narrative water quality standards.

**NPDES Permit No. PA0248478, CAFO, Michael Burkholder**, 313 Deka Road, Fleetwood, PA 19522-9068.

This existing facility is located in Richmond Township, **Berks County**.

Description of size and scope of existing operation/activity: Swine (Grow—Finish): 449.5 AEUs.

The receiving stream, Bieber Creek, is in watershed 3-D and classified for: Exceptional Value Waters and Migratory Fish.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 25-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the State narrative water quality standards.

**NPDES Permit No. PAG123878, CAFO, J & L Groff Farms LLC**, 2906 Dettinger Road, Brogue, PA 17309.

This proposed facility is located in Chanceford Township, **York County**.

Description of size and scope of proposed operation/activity: Poultry (Broilers): 469.12 AEUs.

The receiving stream, Mill Branch, is in watershed 7-I and classified for: Migratory Fishes and Warm Water Fishes.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 25-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the State narrative water quality standards.

**Application No. PA0088064, Concentrated Animal Feeding Operation (CAFO), Country View Family Farms LLC (Perry Meadows Farm CAFO)**, 1301 Fulling Mill Road, Middletown, PA 17057.

Country View Family Farms LLC has submitted an application for an Individual NPDES permit for a renewal of a CAFO known as Perry Meadows Farm CAFO, located in Jackson Township, **Perry County**.

The CAFO is situated near Unnamed Tributary to Sherman Creek and Shultz Creek in Watershed 7-A, which is classified for High Quality—Cold Water, High Quality Waters—Cold Water Fishes, and Migratory Fish. The CAFO is designed to maintain an animal population of approximately 1,342.3 animal equivalent units (AEUs) consisting of 2,620 wean to finish swine, 350 sows with litter, 870 gilts, and 8 boars. Manure is sent from the slatted floors to reception pits located underneath the barns. From here, the manure will flow into the two lagoons located on the site. A release or discharge to waters of the Commonwealth under normal operating conditions is not expected. Normal operating conditions are defined as conditions below a 25-year, 24-hour storm event.

The Department has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations, the Department has made a tentative determination to issue an NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the permit.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732. The Environmental Protection Agency (EPA) permit waiver provision under 40 CFR 123.24(e) does not apply to this NPDES permit.

**MS4 PAG-13 Notices of Intent Received.**

*Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Waiver Application Submitted (Y/N)</i>	<i>Pollutant Reduction Plan Submitted (Y/N)</i>
PAG136335	Patterson Heights Borough Beaver County 6th & 7th Avenue Beaver Falls, PA 15010	Patterson Heights Borough, Beaver County	Yes	No

**STATE CONSERVATION COMMISSION**

**PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs**

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling (717) 787-8821.

Persons wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Persons with a disability who require an auxiliary aid, service, including TDD users or other accommodations to seek additional information should contact the SCC through the Pennsylvania AT&T Relay Service at (800) 654-5984.

**ACT 38  
NUTRIENT MANAGEMENT PLANS  
CAFO PUBLIC NOTICE SPREADSHEET—APPLICATIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>AEU's</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>New or Renewal</i>
Benner's Swine Barn LLC 56 Platt Hollow Road Thompstontown, PA 17094	Juniata	574	611.45	Swine	NA	Renewal
Nelson Martin 1850 Horseshoe Pike Annville, PA 17003	Lebanon	314.3	810.47	Swine	NA	Renewal
Stahl Family Farms, LLC 4089 Produce Rd. Selinsgrove, PA 17870	Snyder	102.7 manure application	13.49	Swine/Dairy	NA	Renewal
Randy Weaver 3884 Smaltz Rd Womelsdorf, PA 19567	Berks	87	540.08	Poultry	N/A	Renewal
King Farms 50 Parkside Inn Rd Bernville, PA 19506	Berks	760.8	2,942.20	Poultry	N/A	Renewal

**PUBLIC WATER SUPPLY (PWS) PERMITS**

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for PWS permits to construct or substantially modify public water systems.

Persons wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a

concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

**SAFE DRINKING WATER**

**Applications Received Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).**

*Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**Permit No. 2218507**, Public Water Supply.  
 Applicant **SUEZ Water Pennsylvania Inc**  
 Municipality Susquehanna Township  
 County **Dauphin**  
 Responsible Official John D. Hollenbach, General Manager  
 4211 East Park Circle  
 Harrisburg, PA 17111-0151  
 Type of Facility Public Water Supply  
 Consulting Engineer Jamie R. Shambaugh, P.E.  
 Gannett Fleming, Inc.  
 PO Box 67100  
 Harrisburg, PA 17106-7100  
 Application Received: 8/15/2018  
 Description of Action Maintenance to the existing raw water intake structure including the construction of a new wet well with new pumps, conversion of the old wet well into a grit settling chamber and upgrades to the air scouring system.

**Permit No. 3618515**, Public Water Supply.  
 Applicant **National Water Services Inc**  
 Municipality Lancaster  
 County **Lancaster**  
 Responsible Official Ramon Lorato, General Manager  
 1217 Parkway Drive  
 Santa Fe, NM 87507  
 Type of Facility Public Water Supply

Consulting Engineer Peter N. Hirneisen, P.E.  
 KLM Environmental LLC  
 PO Box 2704  
 Goose Creek, SC 29445  
 Application Received: 8/6/2018  
 Description of Action Installation of a vended water system at the Whole Foods Market Store No. 402 with associated treatment system that uses finished ater from the City of Lancaster as its source of supply.

*Northcentral Region: Safe Drinking Water Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.*

**Application No. 4918507—Construction—Public Water Supply.**  
 Applicant **Aqua Pennsylvania- Roaring Creek Division**  
 Township/Borough Coal Township  
 County **Northumberland County**  
 Responsible Official Mr. Patrick Burke  
 204 East Sunbury Street  
 Shamokin City, PA 17872  
 Type of Facility Public Water Supply  
 Consulting Engineer Mr. Roy S. Rudolph, P.E.  
 GHD, Inc.  
 230 Executive Drive  
 Suite 300  
 Cranberry Township, PA 16066  
 Application Received 08/15/2018  
 Description of Action Authorizes the construction of a new booster pump station (BPS) to replace the existing Burnside Booster Pump Station. The BPS will be located at the existing Burnside BPS site, immediately adjacent to the existing BPS vault.

*Southwest Region: Safe Drinking Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**Application No. 6318502**, Public Water Supply.  
 Applicant **Tri-County Joint Municipal Authority**  
 26 Monongahela Avenue  
 PO Box 753  
 East Bethlehem, PA 15333  
 [Township or Borough] Centerville Borough  
 Responsible Official Vincent Bloom, Board Chairman  
 Tri-County Joint Municipal Authority  
 26 Monongahela Avenue  
 PO Box 753  
 East Bethlehem, PA 15333  
 Type of Facility Water system  
 Consulting Engineer Entech Engineering, Inc.  
 400 Rouser Road  
 Building 2  
 Suite 200  
 Coraopolis, PA 15108

Application Received Date August 6, 2018  
 Description of Action Installation of a mixing system in the Vestaburg water storage tank.

**Application No. 6318503**, Public Water Supply.

Applicant **Tri-County Joint Municipal Authority**  
 26 Monongahela Avenue  
 PO Box 753  
 East Bethlehem, PA 15333

[Township or Borough] North Bethlehem Township

Responsible Official Vincent Bloom, Board Chairman  
 Tri-County Joint Municipal Authority  
 26 Monongahela Avenue  
 PO Box 753  
 East Bethlehem, PA 15333

Type of Facility Water system

Consulting Engineer Entech Engineering, Inc.  
 400 Rouser Road  
 Building 2  
 Suite 200  
 Coraopolis, PA 15108

Application Received Date August 6, 2018

Description of Action Installation of a mixing system and hypochlorite boosting system in the Scenery Hill water storage tank.

**MINOR AMENDMENT**

**Applications Received Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17)**

*Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**Application No. 3018512MA**, Minor Amendment.

Applicant **Southwestern Pennsylvania Water Authority**  
 1442 Jefferson Road  
 Jefferson, PA 15344

[Township or Borough] Morris Township

Responsible Official Timothy Faddis, Manager  
 Southwestern Pennsylvania Water Authority  
 1442 Jefferson Road  
 Jefferson, PA 15344

Type of Facility Water system

Consulting Engineer Bankson Engineers, Inc.  
 267 Blue Run Road  
 Suite 200  
 Cheswick, PA 15024

Application Received Date August 6, 2017

Description of Action Installation of approximately 6,660 feet of 16-inch diameter transmission main (SR 0018 waterline extension).

**Application No. 2618516MA**, Minor Amendment.

Applicant **Albert Gallatin Municipal Authority**  
 PO Box 305  
 Point Marion, PA 15474

[Township or Borough] Springhill Township

Responsible Official Harold Whyel,  
 Secretary-Treasurer  
 Albert Gallatin Municipal Authority  
 PO Box 305  
 Point Marion, PA 15474

Type of Facility Water system

Consulting Engineer McMillen Engineering, Inc.  
 115 Wayland Smith Drive  
 Uniontown, PA 15401

Application Received Date August 8, 2017

Description of Action Replacement of filter media at the water treatment plant.

**WATER ALLOCATIONS**

**Applications received under the Act of June 24, 1939 (P.L. 842, No. 365) (35 P.S. §§ 631—641) relating to the Acquisition of Rights to Divert Waters of the Commonwealth.**

*Southeast Region: Water Supply Management Program Manager, 2 East Main Street, Norristown, PA 19401.*

**WA-09-963-A**, Water Allocations. **Hulmeville Municipal Authority**, 321 Main Street, Hulmeville, PA 19047 Hulmeville Borough, **Bucks County**. Subsidiary Water Allocation renewal for purchase of water from Bucks County Water and Sewer Authority.

**LAND RECYCLING AND ENVIRONMENTAL REMEDIATION**

**UNDER ACT 2, 1995  
 PREAMBLE 1**

**Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).**

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.302—6026.305) require the Department to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. A person intending to use the background standard, Statewide health standard, the site-specific standard or intend to remediate a site as a special industrial area shall file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of cleanup standards or receives approval of a special industrial area remediation identified under the act will be relieved of

further liability for the remediation of the site for contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the following site, proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified as follows. During this comment period, the municipality may request that the person identified as the remediator of the site develop and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental cleanup program manager in the Department regional office listed before the notice. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

*Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401.*

**American Living Concepts of Manayunk LLC**, 165-179 Carson Street/156-166 Conarroe Street, City of Philadelphia, **Philadelphia County**. Michael Christopher, P.G., O'Brien & Gere Engineers, Inc., 301 East Germantown Pike, East Norriton, PA 19401 on behalf of Jack Bienenfeld, American Living Concepts of Manayunk LLC, 828 Red Lion Road, Suite E-1, Philadelphia, PA 19115 submitted a Notice of Intent to Remediate. Soil at the site has been contaminated with the release of PAHs, lead, and arsenic. The intended future use of the property is residential. The Notice of Intent to Remediate was published in *The Philadelphia Inquirer* on July 2, 2018.

**Rohm and Haas Company**, 200 Route 413, Bristol Township, **Bucks County**. David J. Kistner, P. G., AECOM, 625 West Ridge Pike, Suite E-100, Conshohocken, PA 19428 on behalf of Jerome Cibrik, Rohm and Haas Chemicals LLC, P.O. Box 8361, Building 200, South Charleston, WV 25303 submitted a Notice of Intent to Remediate. Soil and groundwater has been contaminated with the release of volatile and semi-volatile organic compounds and metals. There are no current development plans for the Trailer Staging Area, but it is intended to remain non-residential. The Notice of Intent to Remediate was published in the *Advance of Bucks County* on July 8, 2018.

**1801 Bridgetown Pike**, 1801 Bridgetown Pike, Lower Southampton Township, **Bucks County**. Richard S. Werner, Environmental Consulting, Inc., 2002 Renaissance Boulevard, Suite 110, King of Prussia, PA 19406 on behalf of Vincent and Louis Modes, c/o Marte and Toadvine, 344

South Bellevue Avenue, Langhorne, PA 19047 submitted a Notice of Intent to Remediate. Localized petroleum contaminated soil was encountered. The intended future use of the property is for similar commercial uses. The Notice of Intent to Remediate was published in the *Advanced of Bucks County* in July 8, 2018.

**Whitehall Estates**, Whitehall Road and Bean Road, Worcester Township, **Montgomery County**. Jeffrey T. Bauer, P.G., Whitestone Associates, Inc., 1600 Manor Drive, Suite 220, Chalfont, PA 18914 on behalf of Brennan Marion, Whitehall Development Partners, L.P., 1805 Berks Road, Worcester, PA 19490 submitted a Notice of Intent to Remediate. The site was found to be contaminated with arsenic and select semivolatile organics in soil. The proposed future use of the property will be residential. The Notice of Intent to Remediate was published in *The Times Herald* on July 11, 2018.

**Jackson, Cook, Caracappa & Scott, P.C.**, 312 Oxford Valley Road, Falls Township, **Bucks County**. Matthew Mercuri, P.G., Mercuri & Associates, Inc., 2198 Pennsburg Drive, Jamison, PA 18929 on behalf of Joe Crooks, Super Tank & Energy Co LLC, 302 Jefferson Avenue, Bristol, PA 19007 submitted a Notice of Intent to Remediate. Soil has been contaminated with No. 2 fuel oil. The site is currently commercial. The Notice of Intent to Remediate was published in the *Bucks County Courier Times* on July 19, 2018.

**Reichenbach Residence**, 2230 Cloverly Circle, Warwick Township, **Bucks County**. Matthew Mercuri, P.G., Mercuri & Associates, Inc., 2198 Pennsburg Drive, Jamison, PA 18929 on behalf of Joe Crooks, Super Tank & Energy Company, LLC, 6401 Radcliffe Street, Bristol, PA 19007 submitted a Notice of Intent to Remediate. The site has been found to be contaminated with No. 2 fuel oil. The proposed future use of the property will remain residential. The Notice of Intent to Remediate was published in the *Intelligencer* on July 19, 2018.

**3955 Bristol Pike**, 3955 Bristol Pike, Bensalem Township, **Bucks County**. Matthew Mercuri, P.G., Mercuri & Associates, Inc., 2198 Pennsburg Drive, Jamison, PA 18929 on behalf of Joe Crooks, Super Tank & Energy Company, LLC, 6401 Radcliffe Street, Bristol, PA 19007 submitted a Notice of Intent to Remediate. The site has been found to be contaminated with petroleum hydrocarbons which have contaminated soil and groundwater on the site. The proposed future use of the property will be both residential and non-residential. The Notice of Intent to Remediate was published in the *Bucks County Courier Times* on July 19, 2018.

**701 Associates Property**, 616-618 West Lancaster Avenue, Haverford Township, **Delaware County**. John C. Lydzinski, P.G., RT Environmental Services, Inc., 215 West Church Road, King of Prussia, PA 19406-3207 on behalf of Richard D. Orlow, Esquire, Piazza Management Company, 401 South Schuylkill Avenue, Norristown, PA 19403 submitted a Notice of Intent to Remediate. Soil has been contaminated with the release of unleaded gasoline and leaded gasoline. The future use of the property will continue to be commercial. The Notice of Intent to Remediate was published in the *Main Line Times & Suburban of Delaware County* on July 8, 2018.

*Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

**Patricia Griffin Property**, 60 Turkey Ridge Road, Middle Smithfield Township, **Monroe County**. MEA, Inc., 1365 Ackermanville Road, Bangor 18013, on behalf

of Kar-Bill Enterprises, 1901 King Street, East Stroudsburg, PA 18302, submitted a Notice of Intent to Remediate. Soil contamination was caused by a release from an aboveground storage tank that contained heating oil. Future use of the site will be residential. The Notice of Intent to Remediate was published in the *Pocono Record* on July 6, 2018.

*Northwest Region: Environmental Cleanup & Brownfields Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**Community Chevrolet Geo**, 16408 Conneaut Lake Road, Vernon Township, **Crawford County**. Moody & Associates, Inc., 11548 Cotton Road, Meadville, PA 16335, on behalf of KM & T Land Management, 16408 Conneaut Lake Road, Meadville, PA 16335, submitted a Notice of Intent to Remediate. Soil and groundwater contamination was discovered around a below-grade oil water separator and service garage. Site soil has been found to be impacted with bis[2-chloroethyl]ether, n-nitroso-di-n-propylamine and site groundwater with bis[2-ethylhexyl]-phthalate and benzene. The Site-Specific Standard has been selected for remediation. Intended future use of the site is non-residential. The Notice of Intent to Remediate was published in *The Meadville Tribune* on July 2, 2018.

*Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.*

**Rodney & Denise Markle Property**, 114 & 185 Musselman Road, Hanover, PA 17331, West Manheim Township, **York County**. Trimpi Associates, 1635 Old Plains Road, Pennsburg, PA 18073, on behalf of State Farm Insurance, P.O. Box 106169, Atlanta, GA 30348-6169; Rodney and Denise Markle, 114 Musselman Road, Hanover, PA 17331; and Psachyah and Kalilah Lichtenstein, 185 Musselman Road, Hanover, PA 17331, submitted a Notice of Intent to Remediate site soil, groundwater and surface water contaminated with No. 2 fuel oil. The site will be remediated to the Residential Statewide Health Standard. Future use of the site is will continue to be used as residential. The Notice of Intent to Remediate was published in the *Evening Sun* on July 31, 2018.

#### REGISTRATION FOR RESIDUAL WASTE GENERAL PERMITS

**Application(s) Received under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing and/or the Beneficial Use of Residual Waste Other Than Coal Ash.**

*Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Telephone 412-442-4000.*

**General Permit Application No. WMGR123SW031. RES Water- Green, LLC**, 1373 Washington Pike, Suite 100, Bridgeville, PA 15017. A registration for coverage under General Permit No. WMGR123 for processing and beneficial use of oil and gas liquid waste for the RES Water- Greene Facility to be located in Morgan Township, **Greene County**, was received by the Department on June 6, 2018, as modified by subsequent revisions received on July 17, 2018, and deemed administratively complete in the DEP Regional Office on August 10, 2018.

#### DETERMINATION OF APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

**Application(s) for Determination of Applicability received under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other Than Coal Ash.**

*Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**General Permit Application No. WMGR038SC010. HB & T Tires, LLC**, 134 Old Route 26, Everett, PA 15537 in West Providence Township, **Bedford County**. This general permit authorizes the processing, reuse and beneficial use of waste tires, which include whole tires, tire chips, baled tires, tire shreds, and crumb rubber. The permitted beneficial use of whole waste tires, tire chips, baled tires, tire shreds, and crumb rubber is limited to use in recapping, as fuel in boilers or other combustion units, in civil engineering practices, and as an ingredient in or as a commercial product. This application for Determination of Applicability was determined to be complete on August 15, 2018.

Persons interested in obtaining more information about the general permit application may contact Mr. John Oren, P.E., Permits Section Chief, Southcentral Regional Office, Waste Management Program at 717-705-4706. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

#### OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

**Application Received Under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.**

*Southeast Region: Regional Solid Waste Manager, 2 East Main Street, Norristown, PA 19401.*

**Permit Application No. 101497. Great Valley Recycling, Inc.**, 315 West 6th Street, Bridgeport, PA 19405. This permit application is for the ten-year renewal to continue operation under Solid Waste Permit No. 101497 at the Great Valley Recycling transfer station located in Bridgeport Borough, **Montgomery County**. The application was received by the Southeast Regional Office on August 8, 2018.

Comments concerning the application should be directed to the Pennsylvania Department of Environmental Protection ("DEP") Waste Management Program Manager, Southeast Regional Office, 2 East Main Street, Norristown, PA 19401-4915. Persons interested in obtaining more information about the general permit application may contact the Southeast Regional Office by telephone at 484.250.5960. TDD users may contact the DEP through the Pennsylvania AT&T Relay Service, (800) 654.5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

## OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

**Applications deemed administratively complete under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.**

*Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200.*

**Permit No. 300977, Standard Steel, LLC, 500 North Walnut Street, Burnham, PA 17009.**

An application for a permit renewal was submitted by Standard Steel, LLC, for continued operation of the onsite residual waste landfill located in Derry Township, **Mifflin County**. The current permit expires January 3, 2019. This application was deemed administratively complete by the Southcentral Regional Office on August 17, 2018. The Department will accept comments from the general public recommending revisions to, and approval or denial of, the application during the entire time the Department is reviewing the permit application.

Comments concerning the application should be directed to John Oren, Permits Chief, Waste Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200. Persons interested in obtaining more information about this permit application may contact the Southcentral Regional Office at (717) 705-4706. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984.

## AIR QUALITY

### PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department has developed an “integrated” plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities.

Copies of the application, the Department’s analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate Department Regional Office. Appointments for scheduling a review must be made by calling the appropriate Department Regional Office. The address and phone number of the Regional Office is listed before the application notices.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the Department’s Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain

the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

A person wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if the Department, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when the Department determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate Department Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

**Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.**

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.*

*Contact: James A. Beach, New Source Review Chief—Telephone: 484-250-5920.*

**09-0015I: Rohm and Haas Company** (200 Route 413, Bristol, PA 19007) for a change in the Volatile Organic Compound (VOC) emission rate for the Croydon Reactors (Source ID 401 and Source ID 441) at the chemical processing plant located in Bristol Township, **Bucks County**. There are no operational changes and there is no change in annual emissions with this plan approval. Rohm and Haas Company is a major source of VOC emissions and Nitrogen Oxide (NO<sub>x</sub>) emissions. Rohm and Haas Company is an area source for Hazardous Air Pollutants (HAP). The existing facility is currently operating under Title V Operating Permit No. 09-00015. New Source Review and Prevention of Severe Deterioration are not triggered for any criteria pollutant, including Greenhouse Gases for this project. VOC emissions from Source ID 401 and Source ID 441 are reduced using a Catalytic Oxidizer (Control Device C09); Compliance Assurance Monitoring (CAM) requirements of 40 CFR Part 64 apply

to the sources controlled by the Catalytic Oxidizer (Control Device C09) which is already addressed in the Title V Operating Permit. The plan approval will include monitoring, testing, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

**23-0003AD: Monroe Energy, LLC** (4101 Post Road, Trainer, PA 19061) for the installation of a new, two bay LPG Truck Loading Rack located in Trainer Borough, **Delaware County**. The truck loading rack will be used to offload propane from the refinery into tanker trucks and to load and offload n-butane and isobutane. Emissions from the loading rack will be sent to the refinery's main flare (Source ID 103), which utilizes a flare gas recovery system for Volatile Organic Compounds (VOCs) minimization. This project includes fugitive emissions from the proposed truck rack, fugitive piping component emissions from the project, and the installation of a pressurized ethyl mercaptan tank.

The project itself will result in a VOC emission increase of 6.24 tons per year. The 5-year and 10-year contemporaneous emission increase is 30.0 tons VOC and makes this project subject to the requirements of 25 Pa. Code Chapter 127, Subchapter E—New Source Review. Monroe shall apply the Lowest Achievable Emissions Rate (LAER) to this project and must acquire emission reduction credits (ERCs) to offset the contemporaneous net VOC emissions increase. The required ERCs are 39.0 tons VOC, based on a ratio of 1.3:1.

*Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.*

**07-05024A: Zenith Energy Terminals PA Holdings, LLC** (3000 Research Forest Drive, Suite 250, The Woodlands, TX 77381) for an existing bulk gasoline terminal tank, loading rack, and control located in Allegheny Township, **Blair County**. Plan Approval will authorize to install a loading arm to Source 108, Loading Rack, modify Source 110, Tank 106 from fixed roof to internal floating roof (IFR), and construct a vapor combustion unit (VCU) to replace VRU on the Loading Rack. The facility's emissions from this PA will increase the NO<sub>x</sub> emissions by 3.17 tpy and CO emissions by 7.93 tpy. The potential net emissions increase from the IFR tank conversion will be 1.4 tpy of VOC and 0.8 tpy of HAPs. The VCU's emissions rate will be 10 mg of VOC per liter of gasoline loaded. The VOC emissions will be 7.9 tpy with the existing permit limit of 190 mmgpy gasoline. Among other items, the permit conditions will include provisions for Federal 40 CFR 60 Subpart X—Standards of Performance for Bulk Gasoline Terminals, and 40 CFR 63 Subpart BBBBBB—National Emission Standards for Hazardous Air Pollutants for Gasoline Distribution Bulk Terminals, Bulk Plants, and Pipeline Facilities. Review by the Department indicates that the air contamination sources as constructed or modified will comply with all regulatory requirements including the best available technology requirement (BAT) of 25 Pa. Code §§ 127.1 and 127.12. Based on these findings, the Department proposes to issue a plan approval for the proposed construction. If, after the project has been implemented, the Department determines that the sources are constructed and operated in compliance with the plan approval conditions and the specification of the application for plan approval, the

requirements established in the plan approval will be incorporated into a State Only Operating Permit pursuant to the administrative amendment provisions of 25 Pa. Code § 127.450.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

*Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.*

**33-210A: Lost Hills Energy, LLC** (358 North Shore Drive, Suite 201, Pittsburgh PA 15212) for the construction of a 22 MW natural gas-fired electric generating station at their proposed natural minor facility (non-Title V) on Tomato Drive, Ringgold Township, **Jefferson County**.

Notice is hereby given pursuant to 25 Pa. Code §§ 127.44(b) and 127.424(b), that the Pennsylvania Department of Environmental Protection (DEP) intends to issue a plan approval to Lost Hills Energy, LLC, for the construction and initial operation of either five (5) natural gas fired electrical generator engines each capable of producing 4.4 megawatts of electricity, or three (3) natural gas fired electrical generator engines each capable of producing 7.2 megawatts of electricity. A natural gas desiccation system, a line heater, and miscellaneous storage tanks will support the generator engines.

This application was reviewed to evaluate the project's incorporation of Best Available Technology. Emissions from the facility will be controlled through combustion technology, catalytic oxidation, and selective catalytic reduction with urea injection.

Based on the information provided by the applicant and DEP's own analysis, it is estimated that the potential to emit from the facility will total: 13.35 tpy of VOC, 33.15 tpy of CO, 16.85 tpy of NO<sub>x</sub>, and 7 tpy of PM operating five (5) natural gas fired electrical generator engines each capable of producing 4.4 megawatts of electricity, or 10.407 tpy of VOC, 32.067 tpy of CO, 16.314 tpy of NO<sub>x</sub>, and 14.01 tpy of PM operating five (3) natural gas fired electrical generator engines each capable of producing 7.2 megawatts of electricity.

The proposed engines will be subject to 40 CFR 60, Subpart JJJJ (Standards of Performance for Stationary Spark Ignition Internal Combustion Engines), the applicable requirements of which will be contained in the Plan Approval. The Plan Approval will contain additional testing, monitoring, recordkeeping, and work practice requirements designed to keep the facility operating within all applicable air quality requirements.

In accordance with 25 PA Code 127.44(e)(1), all pertinent documents regarding this application (applications, review memos, and draft approvals) are also available for review from 8:00 a.m. to 4:00 p.m. at the Meadville Regional DEP office (Air Quality). Appointments for scheduling a review must be made by calling the DEP (814) 332-6340.

In accordance with 25 PA Code 127.44(e)(2), a 30-day comment period, from the date of publication, will exist for the submission of comments. Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to Regional Air Quality Program Manager, Pennsylvania Department of Environmental Protection, 230 Chestnut Street, Meadville, PA 16335-3494 and must contain name, address and telephone number of the person submitting the

comments; identification of the proposed plan approval [33-210A: Lost Hills Energy, LLC] and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Eric A. Gustafson, 230 Chestnut St., Meadville, PA 16335; Phone (814) 332-6819.

In accordance with 25 PA Code 127.45, a person may oppose the proposed plan approval by filing a written protest with the Department's Northwest Region.

*Department of Public Health, Air Management Services:  
321 University Avenue, Philadelphia, PA 19104.*

*Contact: Edward Wiener, Chief—Telephone: 215-685-9426.*

**AMS IP17-000185:** AMS is proposing to issue a Plan Approval to modify marine loading operations at KMLT—Philadelphia. The following are the modifications incorporated into the Plan Approval.

- Upgrade the loading capabilities of the marine vapor combustion unit (MVCU) to allow the facility to load at each dock simultaneously.

- Upgrade the MVCU to be able to control Fuel Grade ethanol (FGE) or equivalent Volatile Organic Compounds (VOCs) that have a vapor pressure (vp) of 1.57 psi or greater at 60 degrees Fahrenheit. The MVCU was previously designed to control only organic with a true vp below 0.4 psia. The MVCU will continue not to load petroleum distillate with vapor pressures greater than 4 Reid Vapor Pressure (RVP). Uncontrolled marine loading of FGE or equivalent VOCs shall not exceed 10,000,000 gallons per rolling 12-month period.

There will be no potential VOCs emissions increases from marine loading operations as a result of the modifications. The facility is still subject to a 51 ton of VOCs per rolling 12-month period limit per RACT Plan Approval dated 2/2016. The plan approval will contain emission limits, work standard practices, testing, monitoring, recordkeeping, and reporting requirements to ensure operation within all applicable requirements.

Copies of all documents and information concerning this permit are available for review in the offices of Air Management Services, 321 University Ave., Philadelphia, PA 19104-4543 during normal business hours. Persons wishing to review these documents should contact Debra Williams (215-685-7572) at the above address.

Persons wishing to file protest or comments on the above permit must submit the protest or comments within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating permit or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a local newspaper at least thirty days before the hearing.

## OPERATING PERMITS

### **Intent to Issue Title V Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.**

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.*

*Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507.*

**13-00003: Panther Creek Power Operating LLC,** Nesquehoning (4 Denison Rd., Nesquehoning, PA 18240-2242). The Department intends to issue a renewal Title V Operating Permit for the electric generation facility located in Nesquehoning Borough, **Carbon County**. As a major source, the facility is subject to the Title V permitting requirements of the Clean Air Act Amendments as adopted by the Commonwealth under 25 Pa. Code, Chapter 127, Subchapter G.

The main sources at this facility consist of two fluidized bed boilers, ash handling systems, fly ash filter separators, and a diesel fire pump. The sources are controlled by baghouses and fabric filters. These sources have the potential to emit major quantities of regulated pollutants above Title V emission thresholds.

On April 23, 2016, the Pennsylvania Department of Environmental Protection (PADEP) published 25 Pa. Code 129.96—129.100, Additional RACT Requirements for Major Sources of NO<sub>x</sub> and VOC, also known as Reasonably Available Control Technology (RACT) 2. Panther Creek Power Operating LLC, Nesquehoning qualifies as a major source of NO<sub>x</sub> emissions because facility-wide potential NO<sub>x</sub> emissions are above the RACT 2 major source threshold (i.e., 100 tons per year). As a result, the NO<sub>x</sub>-emitting operations at the facility will be subject to the provisions of the RACT 2 rule. The NO<sub>x</sub> emitting sources at the facility are Source ID # 031 and # 032, the Circulating Fluidized Bed (CFB) Boilers. The RACT 2 requirements are included in the proposed TV operating permit.

The proposed Title V Operating Permit shall include emission restrictions, work practice standards and testing, monitoring, recordkeeping, and reporting requirements to ensure compliance with all applicable Federal and State air quality regulations.

**48-00021: Northampton Generating Co LP/Northampton Facility (NGC),** (1 Horwith Drive, Northampton, PA 18067-9728). The Department intends to issue a renewal Title V Operating Permit for the electric generation facility located in Northampton Borough, **Northampton County**. As a major source, the facility is subject to the Title V permitting requirements of the Clean Air Act Amendments as adopted by the Commonwealth under 25 Pa. Code, Chapter 127, Subchapter G.

The main sources at this facility consist of one fluidized bed boiler, ash handling systems, ash storage and loadout, an emergency generator, a diesel boiler emergency feed pump, and a diesel fire pump. The sources are controlled by baghouses and collectors. These sources have the potential to emit major quantities of regulated pollutants above Title V emission thresholds.

On April 23, 2016, the Pennsylvania Department of Environmental Protection (PADEP) published 25 Pa. Code 129.96—129.100, Additional RACT Requirements for Major Sources of NO<sub>x</sub> and VOC, also known as Reasonably Available Control Technology (RACT) 2. Northampton Generating Co LP/Northampton Facility (NGC) qualifies

as a major source of NO<sub>x</sub> emissions because facility-wide potential NO<sub>x</sub> emissions are above the RACT 2 major source threshold (i.e., 100 tons per year). As a result, the NO<sub>x</sub>-emitting operations at the facility will be subject to the provisions of the RACT 2 rule. The NO<sub>x</sub> emitting source at the facility is Source ID # 001, the Circulating Fluidized Bed (CFB) Boiler. The Presumptive RACT 2 requirements are included in the proposed TV operating permit.

The proposed Title V Operating Permit shall include emission restrictions, work practice standards and testing, monitoring, recordkeeping, and reporting requirements to ensure compliance with all applicable Federal and State air quality regulations.

*Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.*

**67-05014: York Group, Inc.** (2880 Blackbridge Road, York, PA 17406) to issue a Title V Operating Permit renewal for its wood casket manufacturing facility located in Manchester Township, **York County**. The actual emissions from the facility in 2017 were reported to be 90.4 tons VOC; 30.3 tons PM<sub>10</sub>; 27.4 tons CO; 22.8 tons NO<sub>x</sub>; 15.4 tons PM<sub>2.5</sub>; 1.1 ton SO<sub>x</sub>; 1.2 ton toluene; 0.6-ton naphthalene; 0.1 ton xylenes; and 2.1 tons total HAPs. The Operating Permit will include emission limits and work practice standards along with testing, monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR Part 63, Subpart JJJJJ—National Emission Standards for Hazardous Air Pollutants for Industrial, Commercial, and Institutional Boilers Area Sources (Source IDs 032 and 033); 40 CFR Part 63, Subpart ZZZZ—National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines (Source ID 501); and the Compliance Assurance Monitoring (CAM) requirements of 40 CFR Part 64 (Source IDs 220, 225, 230, 240, and 260), and a compliance schedule related to RACT 2.

**Intent to Issue Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.**

*Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.*

**36-03142: Haines & Kibblehouse, Inc.** (P.O. Box 196, 2052 Lucon Road, Skippack, PA 19474-0196) to issue a State-Only Operating Permit for the operation of their quarry and stone crushing facility in Brecknock Township, **Lancaster County**. The subject facility has the potential-to-emit 21.4 tpy PM, 7.9 tpy PM<sub>10</sub> and 1.1 tpy PM<sub>2.5</sub>. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR 60, Subpart OOO—Standards of Performance for Nonmetallic Mineral Processing Plants.

**06-03095: DirectLink Technologies Corp.** (2561 Bernville Road, Reading, PA 19605-9611) to issue a State-Only Operating Permit for the operation of a data processing center with six (6) emergency generators in Bern Township, **Berks County**. The subject facility has the potential-to-emit 3.6 tons per year CO, 19.2 tons per year NO<sub>x</sub>, 0.6 ton per year PM<sub>10</sub>, 1.3 ton per year SO<sub>x</sub>, 3.4 tons per year VOC, & 1.0 ton per year of combined HAPs. The Operating Permit will include emission limits and work practice standards along with monitoring and recordkeeping requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 25 Pa. Code §§ 123.13, 123.21 and Chapter 130, Subchapters C and D, and 40 CFR 63, Subpart CCCCC—National Emission Standards for Hazardous Air Pollutants for Source Category: Gasoline Dispensing Facilities.

**06-03079: Interstate Container LLC** (100 Grace Street, Reading, PA 19611) to issue a State Only Operating Permit for the corrugated paper manufacturing plant located in Reading City, **Berks County**. The actual emissions from the facility in 2017 are estimated at 3.95 tons of VOC emissions and less than a ton of other pollutants. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR 63 Subpart ZZZZ and 25 Pa. Code § 129.67b.

**36-05109: OmniMax International, Inc.** (450 Richardson Drive, Lancaster, PA 17603) to issue a State Only Operating Permit for the exterior home products manufacturing facility located in East Hempfield Township, **Lancaster County**. Potential emissions from the facility are estimated at 15 tons of NO<sub>x</sub>, 9 tons of CO, 5 tons of VOC and less than one ton of other pollutants. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR 63 Subpart ZZZZ and 40 CFR 60 Subpart JJJJ.

**38-03035: V & S Lebanon Galvanizing, LLC** (153 Micro Drive, Jonestown, PA 17038) to issue a State Only Operating Permit for the metal coating facility located in Union Township, **Lebanon County**. The potential emissions from the facility are estimated at 6.80 tpy of NO<sub>x</sub>, 5.72 tpy of CO, 4.76 tpy of PM<sub>10</sub>, 0.04 tpy of SO<sub>x</sub>, 0.37 tpy of VOC and 1.47 tpy of HAPs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR Part 63, Subpart ZZZZ—National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines.

**36-05086: Donsco, Inc.** (P.O. Box 2001, Wrightsville, PA 17368) to issue a renewal of the facility's State-Only Operating Permit for the Iron Foundry operations at the Mount Joy plant located in Mount Joy Borough, **Lancaster County**. The subject facility's actual emissions as reported in 2016 are 17.8 tpy of PM<sub>10</sub>, and 5.8 tpy of VOCs. The Operating Permit will include emission limits and work practice standards along with monitoring and recordkeeping requirements to ensure the facility

complies with the applicable air quality regulations. Among other items, the foundry operations are subject to 40 CFR Part 63, Subpart ZZZZZ—Iron and Steel Foundries: National Emission Standards for Hazardous Air Pollutants (NESHAP) for Area Sources.

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.*

*Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648.*

**17-00066: Forum US, Inc.** (PO Box 897, Gainesville, TX 76241-0897); the Department intends to issue a renewal State Only permit for their Clearfield Plant facility located in Lawrence Township, **Clearfield County**. The facility is currently operating under State Only Permit No: 17-00066, issued on February 13, 2013. The facility's sources currently in operation consist of a pressurized paint spray booth (Source ID P101) with natural gas-fired air make-up unit (P102), an open-faced paint spray booth (P103), small natural gas-fired heaters (031), MIG & TIG welding stations (P400), a stress relief oven (P200), two (2) indoor-vented dry abrasive blasting booths (P500 and P500B), two (2) submerged plasma arc cutters (P401), and a plasma pipe cutter (P402). Facility wide Potential to Emit calculations for nitrogen oxides (NO<sub>x</sub>, expressed as NO<sub>2</sub>), carbon monoxide (CO), volatile organic compounds (VOCs), sulfur oxides (SO<sub>x</sub>, expressed as SO<sub>2</sub>), particulate matter (PM), PM<sub>10</sub>, PM<sub>2.5</sub> and hazardous air pollutants (HAPs) are, as follows: NO<sub>x</sub>: 8.2 tons per year (tpy); CO: 8.0 tpy; VOCs: 36.4 tpy; Xylenes: 9.2 tpy; SO<sub>2</sub>: 0.1 tpy; PM/PM<sub>10</sub>/PM<sub>2.5</sub>: 6.2 tpy; HAPs: 14.7 tpy. The paint spray booths, MIG & TIG welding stations, dry abrasive blasting booths and plasma pipe cutter sources are subject to National Emission Standards for Hazardous Air Pollutants Area Source Standards for Nine Metal Fabrication and Finishing Source Categories as codified in 40 CFR Part 63 Subpart XXXXXX. Additionally, the paint spray booths are subject to control of VOC emissions from Miscellaneous Metal Parts Surface Coating Processes as codified in 25 Pa. Code § 129.52d. All applicable air quality regulatory requirements pertaining to the air contaminant sources located at this facility have been incorporated into the renewal permit including testing, monitoring, recordkeeping, reporting and work practice conditions to verify compliance with the applicable requirements. The applicable requirements were derived from 25 Pa. Code Article III Chapters 121—145. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570.327.0550.

**08-00042: Northeast Bradford School District** (526 Panther Lane, Rome, PA 18837) the Department intends to issue a renewal State Only permit for the school district located in Orwell Township, **Bradford County**. The facility's main sources currently in operation consist of a 8.5 MMBtu/hr biomass fired boiler, small No. 2 fuel oil/natural gas fired boilers and an emergency generator. The subject facility has the following potential emissions: 8.23 TPY of CO; 18.34 TPY of NO<sub>x</sub>; 31.37 TPY of SO<sub>x</sub>; 11.13 TPY of PM/PM<sub>10</sub>; 1.94 TPY of VOC and 17,577 TPY of CO<sub>2e</sub>. The Department has determined that the sources at the facility satisfy best available technology (BAT) requirements, pursuant to 25 Pa. Code §§ 127.1 and 127.12, as well as the National Emission Standards for Hazardous Air Pollutants for Industrial, Commercial and Institutional Boiler Area Sources, 40 CFR Part 63

Subpart JJJJJJ 63.11193—63.11237; the National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines, 40 CFR Part 63 Subpart ZZZZ 63.6580—63.6675 and the New Source Performance Standards for Stationary Compression Ignition Internal Combustion Engines, 40 CFR Part 60 Subpart IIII 60.4200—60.4219. All applicable air quality regulatory requirements pertaining to the air contaminant sources located at this facility have been incorporated into the renewal permit including testing, monitoring, recordkeeping, reporting and work practice conditions to verify compliance with the applicable requirements. The applicable requirements were derived from 25 Pa. Code Article III Chapters 121—145. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570.327.0550.

**19-00015: HRI, Inc.** (1750 West College Avenue, State College, PA 16801) the Department intends to issue a renewal State Only permit for the Bloomsburg asphalt plant located in Hemlock Township, **Columbia County**. The facility's main sources include one (1) 250 ton per hour batch asphalt plant. The subject facility has the following potential emissions: 42.93 TPY of CO; 18.90 TPY of NO<sub>x</sub>; 45.90 TPY of SO<sub>x</sub>; 2.65 TPY of PM/PM<sub>10</sub>; 18.03 TPY of VOC; 10,032 TPY of CO<sub>2e</sub> and 2.09 TPY of total HAPs. The Department has determined that the sources at the facility satisfy best available technology (BAT) requirements, pursuant to 25 Pa. Code §§ 127.1 and 127.12, as well as the New Source Performance Standards Subpart I sections 60.90—60.93. All applicable air quality regulatory requirements pertaining to the air contaminant sources located at this facility have been incorporated into the renewal permit including testing, monitoring, recordkeeping, reporting and work practice conditions to verify compliance with the applicable requirements. The applicable requirements were derived from Pa. Code Title 25 Article III Chapters 121—145. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570.327.0550.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

*Contact: Thomas Joseph, P.E., Facilities Permitting Chief— Telephone: 412-442-4336.*

**63-00899: Pleiger Plastic Company** (498 Circle Road, Washington, PA 15301) In accordance with 25 Pa. Code §§ 127.424 and 127.425 the Department of Environmental Protection (DEP) gives notice that they intend to issue a State Only Operating Permit (SOOP) renewal to Pleiger Plastic Company to authorize the production of polyurethane parts including wheels, sheets and other specialty moldings. The facility is located in South Strabane, **Washington County**.

The emission sources at this facility include natural gas-fired units, shot blasting parts, vapor degreasing, molding centrifuges and tables, reactors, and adhesive application. The operations include shot blasting, degassing, mixing, molding and heat curing. The facility wide estimated potential emissions are: 1.26 tpy NO<sub>x</sub>, 5.98 tpy CO, 0.04 tpy SO<sub>x</sub>, 3.39 tpy PM<sub>10</sub>, 9.80 tpy VOC, and 6.84 tpy of HAPs. The proposed SOOP contains emission

restriction, testing, monitoring, recordkeeping, reporting and work practice standards derived from the applicable requirements of 25 Pa. Code Article III, Chapters 121—145, and 40 CFR Part 63, Subpart T—National Emission Standards for Halogenated Solvent Cleaning.

A person may oppose the proposed State Only Operating Permit by filing a written protest with the Department through Noor Nahar via mail to Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222. Each protest or set of written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed State Only Operating Permit (63-00899) and a concise statement of the objections to the Operating Permit issuance and the relevant facts upon which the objections are based.

Pleiger Plastic Company State Only Operating Permit application, the Department's Air Quality Review Memorandum, and the Proposed Air Quality Operating Permit for this facility are available for review by any interested party at the Pennsylvania Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. To request a review of the Pleiger Plastic Company State Only Operating Permit application, to receive an electronic copy of the Department's Air Quality Review Memorandum, or to receive an electronic copy of the Department's proposed air Quality Operating Permit for this facility, a person may contact Noor Nahar at nnahar@pa.gov or 412.442.5225.

All comments must be received prior to the close of business 30 days after the date of this publication.

**11-00289: North American Höganäs** (101 Bridge Street, Johnstown, PA 15902) In accordance with 25 Pa. Code §§ 127.424 and 127.425 the Department of Environmental Protection (DEP) gives notice that they intend to issue a State Only Operating Permit (SOOP) to North American Höganäs to authorize the manufacturing operations of high purity copper and stainless-steel powders and some non-ferrous and ferrous products at their facility located in Johnstown Municipality, Cambria County.

There are three major manufacturing lines at the North American Höganäs High Alloys plant: Electrolytic Iron Production Department, Alloy Department, and Glidcop Department. There are three small emergency generators and various equipment associated with this operation. There are several baghouses, most of them are exhausted indoors and two are exhausted outdoors. The facility wide estimated potential emissions using AP-42 Emission Factors are: 9.83 tpy NO<sub>x</sub>, 8.28 tpy CO, 0.61 tpy SO<sub>x</sub>, 2.90 tpy VOC, 2.85 tpy PM<sub>10</sub> and 1.57 tpy of HAPs.

The proposed SOOP contains emission restriction, testing, monitoring, recordkeeping, reporting and work practice standards derived from the applicable requirements of 25 Pa. Code, Article III, Chapters 121—145, and 40 CFR Part 63 Subpart ZZZZ—National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines.

A person may oppose the proposed State Only Operating Permit by filing a written protest with the Department through Noor Nahar via mail to Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222. Each protest or set of written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed State Only Operating Permit (11-00289) and a concise statement of the

objections to the Operating Permit issuance and the relevant facts upon which the objections are based.

North American Höganäs State Only Operating Permit application, the Department's Air Quality Review Memorandum, and the Proposed Air Quality Operating Permit for this facility are available for review by any interested party at the Pennsylvania Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. To request a review of the North American Höganäs State Only Operating Permit application, to receive an electronic copy of the Department's Air Quality Review Memorandum, or to receive an electronic copy of the Department's proposed air Quality Operating Permit for this facility, a person may contact Noor Nahar at nnahar@pa.gov or 412.442.5225.

All comments must be received prior to the close of business 30 days after the date of this publication.

**56-00100: Highland Tank and Manufacturing Company** (1 Highland Road, Stoystown, PA 15563), for a renewed facility-wide synthetic minor State Only Operating Permit for the operation of a tank manufacturing plant, known as the Stoystown Plant, located in Stoystown Borough, **Somerset County**. The facility contains air contamination sources consisting of welding activities, shot blast units, paint booths and areas, and process and area heaters. Air pollution prevention equipment at the facility includes cartridge collectors. Potential facility emissions are 49 tons of VOC, 16 tons of NO<sub>x</sub>, 11 tons of CO, 4 tons of PM<sub>10</sub>, and 4 tons of PM<sub>2.5</sub>, per year and 9.5 tons of any individual HAP and less than 25 tons of all HAPs, combined. The facility is subject to 40 CFR 63, Subparts A and XXXXXX, and 25 Pa. Code Chapters 121—145. The permit includes emission limitations, and operational, monitoring, reporting and recordkeeping requirements for the facility.

Highland Tank's State Only Operating Permit renewal application, the Department's Air Quality Review Memorandum, and the proposed Air Quality State Only Operating Permit for this project are available for review by any interested party at the Pennsylvania Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. To request a review of the State Only Operating Permit renewal application, to receive an electronic copy of the Department's Air Quality Review Memorandum, or to receive an electronic copy of the Department's proposed Air Quality State Only Operating Permit for this project, a person may contact Thomas Kaminski at thkaminski@pa.gov or 412.442.4000.

Any person may submit comments, requests for the Department to hold a public hearing, or protests to the operating permit or a proposed condition thereof, by filing such submissions in writing to the Department at the Southwest Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments.

All comments, requests for a public hearing, and protests to a proposed action, shall be filed with the Department within 30 days of the date that notice of the proposed action was published under 25 Pa. Code § 127.424 (relating to public notice). Comments, requests for a public hearing, and protests must include the name, address and telephone number of the person filing the protest; identification of the proposed permit issuance being opposed (State Only Operating Permit 56-00100); and a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based.

A public hearing may be held in accordance with 25 Pa. Code § 127.429, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. If a public hearing is held, all persons who have properly filed a protest under 25 Pa. Code § 127.426 may appear and give testimony. The applicant, the protestant and other participants will be notified of the decision to hold a hearing (and the time, place and purpose of such hearing) by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient.

Comments, protests and requests for a public hearing should be directed to Martin L. Hochhauser, P.E., Air Quality Engineer, Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. (mhochhause@pa.gov, fax 412-442-4194)

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

*Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.*

**42-00117: Zippo Manufacturing Company** (401 Congress St, Bradford, PA 16701). The Department is providing notice that they intend to renew a State Only Natural Minor Operating Permit for the Congress Street manufacturing facility located in Bradford Township, **McKean County**. The facility's primary emission sources include miscellaneous natural gas boilers, a plating machine, automatic hoist plating lines (2), a burn off oven, edge buffing and polishing lathes, old and new high polishing buffing machines, an Acme edge buffing machine, emergency generators (4), a centrifugal part washer, a rack coating curing oven, epoxy ovens 1 & 2 (2), miscellaneous natural gas usage, a cold solvent degreaser unit, an R&D cell, and miscellaneous lasers (engraving and powder coating removal). The potential emissions of the primary pollutants from the facility are as follows: 23.78 TPY NO<sub>x</sub>, 18.97 TPY CO, 4.19 TPY VOC, 3.63 TPY PM<sub>10</sub>, 3.51 TPY PM<sub>2.5</sub>, and 0.13 TPY SO<sub>x</sub>; thus, the facility is a natural minor. The facility will also be submitting a plan approval application under a compliance schedule for the installation of the CNC machinery and engraving cell area which is a source of additional VOCs. The facility is subject to 40 CFR 63 Subpart WWWW, National Emission Standards for Hazardous Air Pollutants (NESHAP): Area Source Standards for Plating and Polishing Operations. The plating machine is subject to 40 CFR 63 Subpart N, NESHAP for Chromium Emissions from Hard and Decorative Electroplating and Chromium Anodizing Tanks. The emergency generators are subject to 40 CFR 63 Subpart ZZZZ, NESHAP for Stationary Reciprocating Internal Combustion Engines. The renewal permit will contain emission restrictions, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

*Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104.*

*Contact: Edward Wiener, Chief—Telephone: 215-685-9426.*

**OP18-000025: Lincoln Financial Field** (1 Lincoln Financial Field Way, Philadelphia, PA 19148) for the operation of a stadium and athletic field in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources include fourteen (14) boilers or hot water heaters firing natural gas each rated 19.0

MMBtu/hr or less, two (2) emergency generators firing diesel fuel each rated 1,620 kW or less, and one (1) fire pump firing diesel fuel rated 96.9 kW.

The operating permit will be issued under the 25 Pa. Code, Philadelphia Code Title 3 and Air Management Regulation XIII. Permit copies and other supporting information are available for public inspection at AMS, 321 University Avenue, Philadelphia, PA 19104. For further information, contact Edward Wiener at (215) 685-9426.

Persons wishing to file protest, comments, or request a public hearing on the above operating permit must submit the protest or comments within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating permit or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a local newspaper at least thirty days before the hearing.

## COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); The Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.20a). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department. A copy of the application is available for inspection at the district mining office indicated before each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application and request for Section 401 water quality certification application may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the address of the district mining office indicated before each application within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Written comments or objections regarding a mining permit application should contain the name, address and telephone number of persons submitting comments or objections, application number and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

A request for an informal conference or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 or § 86.34, must contain the name, address and telephone number of the

requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

When an NPDES number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. A separate notice will be provided after the draft NPDES permit is prepared.

#### *Coal Applications Received*

*California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.*

**30841317 and NPDES No. PA0213527. Consol Pennsylvania Coal Company LLC**, (1000 Consol En-

ergy Drive, Canonsburg, PA 15317). To revise the permit for the Enlow Fork Mine in Richhill Township, **Greene County** and South Franklin Township, Washington County and related NPDES permit for the inclusion of the Farmer Lane Tank. This is an existing facility previously permitted by CNX Gas. Surface Acres Proposed: 1.2. No additional discharges. The application was considered administratively complete on August 20, 2018. Application received: June 14, 2018.

#### *Noncoal Applications Received*

*Effluent Limits*—The following effluent limits will apply to NPDES permits issued in conjunction with a noncoal mining permit:

<i>Parameter</i>	<i>Table 2</i>		
	<i>30-day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity exceeding acidity* pH*		greater than 6.0; less than 9.0	

\* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

*Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.*

**3076SM4. Conneaut Lake Sand & Gravel, Inc.** (P.O. Box 233, West Middlesex, PA 16159). Revision to an existing large industrial minerals surface mine to change the post-mining land use from woodlot and pasture to tillable farmland or residential development, unmanaged water impoundment, and unmanaged natural habitat on the Lakeland Aggregates, Inc. (formerly Conneaut Lake Sand & Gravel, Inc.) and Dunbar Asphalt, LLC (formerly Foster Grading Co.) properties in Sadsbury Township, **Crawford County**. Receiving streams: Unnamed tributary to Conneaut Lake, classified for the following uses: HQ CWF. There are no potable surface water supply intakes within 10 miles downstream. Application received: August 13, 2018.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.*

**Permit No. 64910302 and NPDES Permit No. PA0225932. Ron Scull**, (565 Beach Lake Highway, Honesdale, PA 18431), commencement, operation and restoration of a bluestone quarry operation and NPDES permit for discharge of treated mine drainage in Berlin Township, **Wayne County** affecting 41.5 acres, receiving stream: Indian Orchard Brook, classified for the following uses: high quality—cold water fishes and migratory fishes. Application received: July 25, 2018.

**Permit No. 6574SM1 and NPDES Permit No. PA0225941. Pocono Industries, Inc.**, (506 Hickory Valley Road, Stroudsburg, PA 18360), commencement, operation and restoration of a bluestone quarry operation and NPDES permit for discharge of treated mine drainage in Hamilton Township, **Monroe County** affecting 42.4 acres, receiving stream: McMichael Creek, classified for the following use: high quality—migratory fishes. Application received: July 20, 2018.

**Permit No. 49030301C5 and NPDES Permit No. PA0224316. Meckley's Limestone Products, Inc.**, (1543 State Route 225, Herndon, PA 17830), renewal of NPDES Permit for discharge of treated mine drainage from a quarry operation in Lower Mahanoy and Jordan Townships, **Northumberland County** affecting 159.9 acres, receiving stream: Upper Fidler Run, classified for the following use: warm water fishes. Application received: August 6, 2018.

### MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

#### *Effluent Limits for Coal Mining Activities*

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	
Alkalinity greater than acidity*			

\* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

#### *Effluent Limits for Noncoal Mining Activities*

The limits for noncoal mining activities as provided in 25 Pa. Code Chapter 77 are pH 6 to 9 and other parameters the Department may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters in this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 563-2112-115, Developing National Pollutant Discharge Elimination System (NPDES) Permits for Mining Activities. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit within 30 days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30 days of this public notice and contain the name, address, telephone number and the interest of the party filing the request, and state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES permit application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. When a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

#### *Noncoal NPDES Draft Permits*

*Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.*

**NPDES No. PA0280623 (Permit No. 20072801). R. Hunter, Inc.** (15428 Sheets Road, Guys Mills, PA 16327). New NPDES permit for a small industrial minerals surface mine in Steuben Township, **Crawford County**, affecting 10.0 acres. Receiving streams: Muddy Creek, classified for the following uses: HQ-CWF. TMDL: None. Application received: July 31, 2018.

There will be no discharges from this site.

**NPDES No. PA0280631 (Permit No. 62100801). William D. Jackson** (4034 Oil Creek Road, Spartansburg, PA 16434). New NPDES permit for a small industrial minerals surface mine in Spring Creek Township, **Warren County**, affecting 5.0 acres. Receiving streams: Spring Creek, classified for the following uses: HQ-CWF. TMDL: None. Application received: August 1, 2018.

There will be no discharges from this site.

**NPDES No. PA0207535 (Permit No. 3076SM13). White Rock Silica Sand Co., Inc.** (331 Methodist Road, Greenville, PA 16125). Renewal of the existing NPDES permit for a large industrial minerals surface mine in Hempfield Township, **Mercer County**, affecting 40.0 acres. Receiving streams: Unnamed tributary to Shenango River, classified for the following uses: WWF. TMDL: None. Application received: July 16, 2018.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for noncoal mining activities.

The following outfall discharges to unnamed tributary to the Shenango River:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
003	N

The proposed effluent limits for the previously listed outfall is as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH <sup>1</sup> (S.U.)	6.0			9.0
Alkalinity greater than acidity <sup>1</sup>				
Total Suspended Solids (mg/l)		35	70	90

<sup>1</sup> The parameter is applicable at all times.

The following outfall discharges to unnamed tributary to Shenango River:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
001	N

The proposed effluent limits for the previously listed outfall is as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH <sup>1</sup> (S.U.)	6.0			9.0
Alkalinity greater than acidity <sup>1</sup>				
Total Settleable Solids (ml/l)				0.5

**NPDES No. PA0107395 (Permit No. 16860310). Glen-Gery Corporation** (P.O. Box 7001, Wyomissing, PA 19610) Renewal of an existing NPDES permit for a large industrial minerals surface mine in Limestone & Monroe Townships, **Clarion County**, affecting 256.0 acres. Receiving streams: Unnamed tributary to Little Piney Creek and unnamed tributary to Piney Creek, both classified for the following uses: CWF. TMDL: Lower Clarion River. Application received: June 21, 2018.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for noncoal mining activities.

The following outfalls discharge to unnamed tributary to Little Piney Creek:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
TB2	N
TB3	N

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH <sup>1</sup> (S.U.)	6.0			9.0
Iron (mg/l)		3.0	6.0	7.0
Manganese (mg/l)		2.0	4.0	5.0
Aluminum (mg/l)		0.75	0.75	0.75
Alkalinity greater than acidity <sup>1</sup>				
Total Suspended Solids (mg/l)		35	70	90

<sup>1</sup> The parameter is applicable at all times.

The following outfalls discharge to unnamed tributary to Little Piney Creek:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
B	N
D	N

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH <sup>1</sup> (S.U.)	6.0			9.0
Iron (mg/l)		3.0	6.0	7.0
Manganese (mg/l)		2.0	4.0	5.0

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Aluminum (mg/l)		0.75	0.75	0.75
Alkalinity greater than acidity <sup>1</sup>				
Total Suspended Solids (mg/l)		35	70	90

<sup>1</sup> The parameter is applicable at all times.

The following outfall discharges to unnamed tributary to Piney Creek:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
TB4	N

The proposed effluent limits for the previously listed outfall is as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH <sup>1</sup> (S.U.)	6.0			9.0
Iron (mg/l)		2.1	4.2	5.25
Manganese (mg/l)		1.1	2.2	2.75
Aluminum (mg/l)		0.75	0.75	0.75
Alkalinity greater than acidity <sup>1</sup>				
Total Suspended Solids (mg/l)		35	70	90

<sup>1</sup> The parameter is applicable at all times.

The following outfall discharges to unnamed tributary to Piney Creek:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
C	N

The proposed effluent limits for the previously listed outfall is as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH <sup>1</sup> (S.U.)	6.0			9.0
Iron (mg/l)		2.1	4.2	5.25
Manganese (mg/l)		1.1	2.2	2.75
Aluminum (mg/l)		0.75	0.75	0.75
Alkalinity greater than acidity <sup>1</sup>				
Total Suspended Solids (mg/l)		35	70	90

<sup>1</sup> The parameter is applicable at all times.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.*

**NPDES Permit No. PA0225827 on Surface Mining Permit No. 40870302. Pocono Transcrete, Inc.,** (179 Burger Road, Blakeslee, PA 18610), new NPDES Permit for a sand and gravel quarry operation in Foster Township, **Luzerne County**, affecting 106.539 acres. Receiving stream: unnamed tributary to Lehigh River, classified for the following use: HQ—cold water fishes. Application received: January 16, 2018.

Non-discharge BMP's shall be in effect.

**NPDES Permit No. PA0593796 on Surface Mining Permit Nos. 09870301 and 09960301. Warner Company,** (600 Tyburn Road, Morrisville, PA 19607), renewal of an NPDES Permit for a sand and gravel quarry operation in Falls Township, **Bucks County**, affecting 547.1 acres. Receiving stream: Delaware River, classified for the following uses: warm water and migratory fishes. Application received: February 12, 2018.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are BAT limits described above for noncoal mining activities.

The following outfalls discharge to the Delaware River.

<i>Outfall No.</i>	<i>New Outfall Y/N</i>	<i>Type</i>
001	No	Treatment Facility Outfall
002	No	Treatment Facility Outfall

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
pH <sup>1</sup> (S.U.)	6.0			9.0
Total Suspended Solids		35.0	70.0	90.0
Iron (mg/l)		3.0	6.0	7.0
Total Acidity (mg/l)				Report
Total Alkalinity (mg/l)				Report
Net Alkalinity (mg/l)	0.0			

<sup>1</sup> The parameter is applicable at all times.

**NPDES Permit No. PA0595454 on Surface Mining Permit No. 58910301. F.S. Lopke Contracting, Inc.,** (3430 SR 434, Apalachin, NY 13732), renewal of an NPDES Permit for a sandstone quarry operation in Forest Lake, **Susquehanna County**, affecting 204.0 acres. Receiving stream: unnamed tributary to Middle Branch Wyalusing Creek, classified for the following uses: cold water and migratory fishes. Application received: February 22, 2018.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are BAT limits described above for noncoal mining activities.

The following outfall discharges to unnamed tributary to Middle Branch Wyalusing Creek.

<i>Outfall No.</i>	<i>New Outfall Y/N</i>	<i>Type</i>
001	N	Sedimentation Ponds (E & S) Non-process Stormwater

The proposed effluent limits for the previously listed outfall is as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
pH <sup>1</sup> (S.U.)	6.0			9.0
Total Suspended Solids		35.0	70.0	90.0

<sup>1</sup> The parameter is applicable at all times.

**NPDES Permit No. PA0223875 on Surface Mining Permit No. 48980301. Chrin Brothers, Inc.,** (1225 Industrial Drive, Easton, PA 18042), renewal of an NPDES Permit for a dolomite quarry operation in Williams Township, **Northampton County**, affecting 36.8 acres. Receiving stream: unnamed tributary to Lehigh River, classified for the following uses: cold water and migratory fishes. Application received: April 30, 2018.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are BAT limits described above for noncoal mining activities.

The following outfalls discharge to unnamed tributary to Lehigh River.

<i>Outfall No.</i>	<i>New Outfall Y/N</i>	<i>Type</i>
001	No	Stormwater
002	No	Stormwater

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
pH <sup>1</sup> (S.U.)	6.0			9.0
Total Suspended Solids		35.0	70.0	90.0

Alkalinity must exceed acidity at all times.

<sup>1</sup> The parameter is applicable at all times.

## FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the Commonwealth to certify that the involved projects will not violate the sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA, the issuance of a Dam Permit or Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment shall submit comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted before an application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or

conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on working days at the office noted before the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

### Applications Received under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification under section 401(a) of the FWPCA.

#### WATER OBSTRUCTIONS AND ENCROACHMENTS

*Southeast Region: Waterways and Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401, Telephone 484-250-5900.*

**E23-545: DANBRO LP**, 3700 South 26th Street, Philadelphia, PA 19145, Chester Township, **Delaware County**, ACOE Philadelphia District.

To construct, regrade, and maintain approximately 805 LF of an existing drainage channel in and along the unnamed tributary of Chester Creek (WWF) impacting

approximately 0.028 acre of wetland. Work will include the rehabilitation and the construction of series of pools connected by short pipe runs and constructing a culvert from the discharge point of the pool system. The site is located near the intersection of Concord Road and Sunfield Drive (Marcus Hook, PA, USGS Quadrangle Map, Latitude: 39.852270; Longitude: -75.400227).

*Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Telephone 570-826-2511.*

**E64-314. The Association of Property Owners of the Hideout, Inc.**, 640 The Hideout, Lake Ariel, PA 18436, in Salem Township, **Wayne County**, U.S. Army Corps of Engineers, Philadelphia District.

To construct and maintain the following water obstructions and encroachments associated with the Deerfield Lake Stormwater Retrofit project located within The Hideout development: (Lakeville, PA Quadrangle, Latitude: 41°25'45.17"; Longitude: -75°21'52.9").

1) A 0.17-acre fill of PEM wetlands consisting of grading associated with stormwater management facilities.

2) An extension of two (2) existing 15-inch diameter culverts carrying an Unnamed Tributary to Ariel Creek (HQ-CWF, MF) consisting of a 48-inch x 48-inch concrete inlet box and two 9-foot long, 15-inch diameter pipes. This impact will permanently impact 0.004-acre of PEM wetlands.

3) A 0.11-acre fill within the floodway of an Unnamed Tributary to Ariel Creek (HQ-CWF, MF) consisting of grading associated with stormwater management facilities and a wetland mitigation area.

The project is located 0.74 mile north of the intersection of S.R. 3011 (Golf Park Drive) and Chapman Road (Lakeville, PA Quadrangle Latitude: 41° 25' 45.17" Longitude: -75° 21' 52.9") in Salem Township, Wayne County.

*Southwest Region: Waterways and Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222, Dana Drake, Waterways and Wetlands Program Manager, 412-442-4000.*

**E02-1791, Thomas and Tracy Landau**, 751 Pearce Mill Road, Wexford, PA 15090, Pine Township, **Allegheny County**, Pittsburgh ACOE District.

The applicant is proposing to:

1. Construct and maintain a 230-linear foot 18" HDPE pipe stream enclosure conveying an Unnamed Tributary to North Fork Pine Creek (CWF);

2. Relocate 256-linear feet within the above-mentioned stream enclosure;

3. Repair the existing culvert section beneath the existing private drive through the construction of the previously mentioned stream enclosure.

4. Place and maintain R-4 rip-rap outlet protection within the floodway of North Fork Pine Creek (CWF)

For the purpose of providing accelerated erosion protection currently occurring on the applicant's property and to maintain a safe means of access to use their home. The project will permanently impact 256-linear feet of stream channel and 0.03-acre of floodway. Stream restoration is proposed off-site for the impacts associated with the project. The project is located on Pearce Mill Road approximately 3.9 miles from the intersection with PA-910E/Wexford Bayne Road (Mars USGS Topographic Quadrangle, Latitude 40° 38' 19"; Longitude -80° 1' 39"; Sub-basin 18-A; Pittsburgh Corps District) in Pine Township, Allegheny County.

**E02-1793, Charles Thomas**, 4025 Homestead Duquesne Road, West Mifflin, PA 15122, West Mifflin Borough, **Allegheny County**, Pittsburgh ACOE District.

The applicant is proposing to:

1. Construct and maintain a 130-linear foot arch culvert with a span of 10-ft, 8-in and a rise of 6-ft, 11-in in an Unnamed Tributary to Homestead Run (WWF);

2. Place and maintain fill in 0.06 acre of floodway;

3. Place and maintain an outside patio deck within the floodway;

For the purpose of reducing streambank erosion adjacent to Hob Nob—Pearl's Café and expanding their restaurant. This project will permanently impact approximately 136 linear feet of an Unnamed Tributary to Homestead Run and 0.06 acre of floodway. The project will temporarily impact 35 linear feet of an Unnamed Tributary to Homestead Run and 0.01 acre of floodway. The applicant is proposing to provide compensatory mitigation for the impacts associated with the project. The project is located on Homestead Duquesne Road approximately 0.3 mile from the intersection with Vondera Street in West Mifflin, PA. (Pittsburgh East USGS Topographic Quadrangle, Latitude 40° 23' 26.16"; Longitude -79° 53' 37.43"; Sub-basin 19-A; Pittsburgh Corps District) in West Mifflin Borough, Allegheny County.

**E02-1794, City of Pittsburgh/Department of Mobility & Infrastructure**, 414 Grant Street, Room 215B City-County Building, Pittsburgh, PA 15219, City of Pittsburgh, **Allegheny County**; Pittsburgh ACOE District.

The applicant proposes to:

1. Construct and maintain grouted and non-grouted rock bank protection, and the construction of modular concrete jumbo blocks and gabion walls along 955 linear feet of stream.

2. Remove gravel bars and nonnative materials from the stream bed along 1,000 linear feet of stream.

For the purpose of improving bank stability and stream flood conditions. The project will take place within Streets Run (WWF). Due to the aforementioned areas overlapping the project will cumulatively impact 1,000 linear feet of stream.

The project site is located in the Hays neighborhood (Pittsburgh East, PA USGS topographic quadrangle; N: 40°, 23', 02"; W: -79°, 55', 59"; Sub-basin 19A; USACE Pittsburgh District), in The City of Pittsburgh, Allegheny County.

#### ENVIRONMENTAL ASSESSMENTS

*Central Office: Bureau of Waterways Engineering and Wetlands, Rachel Carson State Office Building, Floor 2, 400 Market Street, P.O. Box 8460, Harrisburg, PA 17105-8460.*

**D09-031EA. Mr. Edward Raptosh**, Pennsylvania Department of Conservation and Natural Resources, Bureau of Facility Design and Construction, P.O. Box 8451, Harrisburg, PA 17105, East Rockhill and Haycock Townships, **Bucks County**, USACOE Philadelphia District.

Project proposes to remove the Haskins Dam to eliminate a threat to public safety and to restore approximately 1,100 feet of stream channel to a free-flowing condition. The project is located across Tohickon Creek (TSF, MF) (Quakertown, PA Quadrangle, Latitude: 40.4416; Longitude: -75.2701).

[Pa.B. Doc. No. 18-1361. Filed for public inspection August 31, 2018, 9:00 a.m.]

## ACTIONS

## THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

### FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and NOIs for coverage under General Permits. This notice of final action is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Wastes; Discharges to Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

Sections I—VI contain actions regarding industrial, animal or sewage wastes discharges, discharges to groundwater, and discharges associated with MS4, stormwater associated with construction activities and CAFOs. Section VII contains notices for parties who have submitted NOIs for Coverage under General NPDES Permits. The approval for coverage under these General NPDES Permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions in each General Permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions in the respective permit. The permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

#### I. NPDES Renewal Permit Actions.

*Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0062774 (Storm Water)	Pilot Travel Center 298 Treatment Plant SR 93 and I-80 Drums, PA 18222	Luzerne County Sugarloaf Township	Unnamed Tributary to Nescopeck Creek (5-D)	Yes

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0085332 SEW	Delta Borough P.O. Box 278 101 College Avenue Delta, PA 17314-0278	Delta Borough, York County	Scott Creek in Watershed(s) 7-I	Y

*Southwest Regional Office: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0093181 (Industrial)	Industrial Wastes, LLC Darlington Plant 405 North State Line Rd. Darlington, PA 16115	Beaver County Darlington Township	East Fork Stateline Creek (20-B)	Yes
PA0004685 (Industrial)	Penna Flame Industries Inc. 1856 Route 588 Zelienople, PA 16063-3902	Beaver County Franklin Township	Connoquenessing Creek (20-C)	Yes

*Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0100129 (Sewage)	Seneca Hills Campground 276 Damascus Road Polk, PA 16342-4904	Venango County Victory Township	Sandy Creek (16-G)	Yes
PA0263923 (Sewage)	Brian Alter SRSTP 319 Hannahstown Road Cabot, PA 16023	Butler County Jefferson Township	Sarver Run (18-F)	Yes

## **II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions.**

*Northeast Regional Office: Regional Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Telephone: 570.826.2511.*

**NPDES Permit No. PA0276073**, Sewage, SIC Code 4952, **Lemon Township Tunkhannock Township Joint Municipal Sewer Authority**, 113 Tunkhannock Twp Drive, Tunkhannock, PA 18657.

This proposed facility is located in Tunkhannock Township, **Wyoming County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated Sewage.

*Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**NPDES Permit No. PA0271462**, Sewage, SIC Code 8800, **Bradley Mauersburg**, 132 Glo Min Drive, Pittsburgh, PA 15241.

This proposed facility is located in Elk Township, Clarion County (The draft notice incorrectly listed the facility as being in Clarion Borough, **Clarion County**).

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated Sewage.

## **III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law.**

*Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.*

**WQM Permit No. 1301407-A1**, Sewage, SIC Code 4952, **AQUA Pennsylvania Wastewater, Inc.**, 762 West Lancaster Avenue, Bryn Mawr, PA 19010.

This existing facility is located in Kidder Township, **Carbon County**.

Description of Proposed Action/Activity: Upgrade/modification of the existing 0.400 MGD Lake Harmony Wastewater Treatment Plant. The project generally consists of: adding new influent screening, flow metering and grit removal system within a new prefabricated building, a new influent pump station to accommodate a triplex submersible pumping set, addition of a new sequencing batch reactor (SBR) system, modification to the existing SBRs, addition of a post equalization tank and effluent filter and updated chemical feed systems. There is no proposed increase in organic capacity associated with this project and the existing outfall to Shingle Mill Run will remain unchanged.

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.*

**WQM Permit No. 3418201**, CAFO, **Kurtz Valley Energy LLC**, 396 Dairy Lane, Mifflintown, PA 17059.

This proposed facility is located in Delaware Township, **Juniata County**.

Description of Proposed Action/Activity:

This permit approves the construction and operation of manure storage facilities consisting of:

- HDPE-lined Lagoon (x2)
- Reception Pits (x4)
- Digesters (x2)
- Lagoon Leak Detection System
- Reception Pit Perimeter Drains (x4)

*Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.*

**WQM Permit No. 0218406**, Sewage, SIC Code 4952, **Allegheny County Sanitary Authority ALCOSAN**, 3300 Preble Avenue, Pittsburgh, PA 15233-1025.

This proposed facility is located in Pittsburgh City, **Allegheny County**.

Description of Proposed Action/Activity: Four Mile Run Overflow Rehabilitation and Structure M-29 Outfall. The project is to include repair of culvert pipe, new endwall and flap gate, and lowering of overflow weir to reduce flooding during large rainfall events.

**WQM Permit No. 6397407 A-1**, Sewage, SIC Code 4952, **East Bethlehem Township Municipal Authority Washington County**, P.O. Box 136, Fredericktown, PA 15333-0136.

This existing facility is located in East Bethlehem Township, **Washington County**.

Description of Proposed Action/Activity: Replacement of current chlorine disinfection system with new ultraviolet light disinfection system.

*Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**WQM Permit No. 1618403**, Sewage, **Bradley Mauersburg**, 132 Glo Min Drive, Pittsburgh, PA 15241.

This proposed facility is located in Clarion Borough, **Clarion County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

#### **IV. NPDES Stormwater Discharges from MS4 Permit Actions.**

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Telephone: 717-705-4707.*

<i>NPDES Permit No.</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>Receiving Water(s)/Use(s)</i>	<i>TMDL Plan Submitted (Y/N)</i>	<i>Pollutant Reduction Plan Submitted (Y/N)</i>
PAI133544	Penbrook Borough Dauphin County 150 S 28th Street Harrisburg, PA 17103-1910	Penbrook Borough, Dauphin	Unnamed Tributary to Spring Creek and Unnamed Tributary to Asylum Run/WWF, CWF, and MF	Y	Y

#### **V. NPDES Waiver Stormwater Discharges from MS4 Actions.**

*Southwest Regional Office: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.*

The following waiver applications have been approved for a 5-year period. The Department is issuing waivers for the following MS4s instead of NPDES permit coverage.

<i>NPDES Waiver No.</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Receiving Water(s)/Use(s)</i>
PAG136170	Darlington Township Beaver County 3590 Darlington Road Darlington, PA 16115-2520	Darlington Township, Beaver	Unnamed Tributary to Scott Run/WWF
PAG136301	Bullskin Township Fayette County 178 Shenandoah Road Connellsville, PA 15425-6028	Bullskin Township, Fayette	Mounts Creek, Unnamed Tributary to Mounts Creek, Whites Run, and Irish Run WWF

#### **VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions.**

*Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD460012	Woodspring Suites Philadelphia Plymouth Meeting, LLC 8621 East 21st Street Wichita, KS 67206	Montgomery	Plymouth Township	Unnamed Tributary to Plymouth Creek WWF

## NPDES

Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAD150096	RLD Greystone, LLC 124 Cedar Street Conshohocken, PA 19428	Chester	West Goshen Township	Taylor's Run TSF-MF
PAD150094	Stoltzfus Enterprises, Inc. 23 East Main Street Elverson, PA 19520	Chester	East Nantmeal Township	South Branch of French Creek EV
PAD090030	Rebecca River Road, LLC 190 Witherspoon Street Princeton, NJ 08542	Bucks	New Hope Borough	Aquetong Creek HQ-CWF-MF

*Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

*Lehigh County Conservation District, 4184 Dorney Park Road, Suite 105, Allentown, PA 18401.*

*Carbon County Conservation District, 5664 Interchange Road, Lehighton, PA 18235.*

## NPDES

Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAD390075	PPL Electric Utilities Corporation 2 North Ninth St. Allentown, PA 18101	Lehigh Carbon	Washington Township (Lehigh) East Penn Township, Lower Towamensing Township, Palmerton Borough (Carbon)	Aquashicola Creek (TSF, MF) Lehigh River (TSF, MF) Trout Creek (CWF, MF) EV Wetlands

*Luzerne Conservation District, 325 Smiths Pond Road, Shavertown, PA 18708.*

## NPDES

Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAD400021	PPL Electric Utilities Corporation c/o Colleen Kester Two North 9th Street Allentown, PA 18101-1139	Luzerne County	Butler Township Hazle Township	Hazle Creek (HQ-CWF, MF) Dreck Creek (HQ-CWF, MF) Black Creek (CWF, MF) Pond Creek (HQ-CWF, MF)

*Monroe County Conservation District, 8050 Running Valley Road, Stroudsburg, PA 18347.*

## NPDES

Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAD450038	Exeter Blakeslee Lot 100 Land, LLC 101 West Elm Street, Suite 600 Conshohocken, PA 19428	Monroe	Tobyhanna Township	Tobyhanna Creek (HQ-CWF, MF)
	Exeter Blakeslee Lot 110 Land, LLC 101 West Elm Street, Suite 600 Conshohocken, PA 19428			Goose Run (HQ-CWF, MF)

*Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

*McKean County Conservation District, 17137 Route 6, Smethport, PA 16749, 814-887-4001.*

*Erie County Conservation District, 1927 Wager Road, Erie, PA 16509, 814-825-6403.*

## NPDES

Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAD420004	Bradford Regional Airport 212 Airport Drive Lewis Run, PA 16738	McKean	Lafayette Township	UNT to East Branch Tunungwant Creek HQ-CWF
PAD250001	Major Modification Mid-Atlantic Interstate Transmission LLC 341 White Pond Drive Akron, OH 44320	Erie	North East Township	Twelvemile Creek HQ, CWF, MF

**VII. Approvals to Use NPDES and/or Other General Permits.**

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

**List of NPDES and/or Other General Permit Types.**

PAG-1	General Permit for Discharges from Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated With Construction Activities
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities
PAG-4	General Permit for Discharges from Small Flow Treatment Facilities
PAG-5	General Permit for Discharges from Petroleum Product Contaminated Groundwater Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems (CSO)
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest, or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharges from Hydrostatic Testing of Tanks and Pipelines
PAG-11	General Permit for Discharges from Aquatic Animal Production Facilities
PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)
PAG-14	(To Be Announced)
PAG-15	General Permit for Discharges from the Application of Pesticides

*General Permit Type—PAG-02*

*Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

*Facility Location:*

<i>Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office &amp; Phone No.</i>
Wilkes-Barre City Luzerne County	PAC400075	Wilkes-Barre Hospital Company LLC Robert Stiekes 575 N River St Wilkes-Barre, PA 18764	Susquehanna River (WWF, MF)	Luzerne County Conservation District 570-674-7991
Hazle Twp West Hazleton Boro Luzerne County	PAC400079	PPL Electric Utilities Corp Colleen Kester 2 N 9th St Allentown, PA 18101-1139	Cranberry Creek (CWF, MF) Stony Creek (CWF, MF) Black Creek (CWF, MF)	Luzerne County Conservation District 570-674-7991
Cressona Boro Schuylkill County	PAC540036	Michael Hammer Hydro Extrusion USA LLC 53 Pottsville St Cressona, PA 17929	West Branch Schuylkill River (CWF, MF)	Schuylkill County Conservation District 570-622-3742

*Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, Nathan Phillips, Section Chief, 717.705.4802.*

*Facility Location:*

<i>Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office &amp; Phone No.</i>
Mount Joy Township Adams County Issued	PAC010071	Clair Hoover 1880 Highland Avenue Manheim, PA 17525	Rock Creek (WWF)	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325-3404 717.334.0636

## NOTICES

5539

<i>Facility Location: Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone No.</i>
Broad Top Township Bedford County Issued	PAC050025	Broad Top Township P.O. Box 47 Defiance, PA 16633	Sandy Run (WWF, MF)	Bedford County Conservation District 702 West Pitt Street Suite 4 Bedford, PA 15522 814.623.7900, ext. 4
Marion Township Berks County Issued	PAC060147	Dale Brubaker Dutch Valley Food Distributors, Inc. 7615 Lancaster Avenue Myerstown, PA 17067	UNT Little Swatara (CWF)	Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 610.372.4657
Derry Township Dauphin County Issued	PAC220060	Plenary Walsh Keystone Partners 2000 Cliff Mine Rd Park West 2 3rd FL Pittsburgh, PA 15275	Spring Creek East (WWF)	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100
East Hempfield Township Lancaster County Issued	PAC360299	Kim Brown 6400 W. 105th Street Bloomington, MN 55438	Brubaker Run (WWF, MF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
West Donegal Township Lancaster County Issued	PAC360290	Timber Villa Inc. 112 Timber Villa Elizabethtown, PA 17022	Snitz Creek (WWF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
Rapho Township Lancaster County Issued	PAC360278	Lester Martin 2434 North Colebrook Road Manheim, PA 17545	UNT Brubaker Run (TSF) Brubaker Run (TSF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
East Lampeter Township Lancaster County Issued	PAC360281	Laxmi Inc. 2069 North Reading Road Denver, PA 17517	Mill Creek (WWF, MF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
Swatara Township Lebanon County Issued	PAC380075	John P. Light 689 North Lancaster Street Jonestown, PA 17038	Swatara Creek (WWF, MF) Red Run (WWF, MF)	Lebanon County Conservation District 2120 Cornwall Road Lebanon, PA 17042-9788 717.277.5275
North Londonderry Township Lebanon County Issued	PAC380079	Jeffrey Shireman 1200 Grubb Road Palmyra, PA 17078	UNT Killinger Creek (TSF)	Lebanon County Conservation District 2120 Cornwall Road Lebanon, PA 17042-9788 717.277.5275
Cornwall Borough Lebanon County Issued	PAC380082	Paul Weidman 1 Boyd Street, P.O. Box 125 Cornwall, PA 17016	Snitz Creek (TSF)	Lebanon County Conservation District 2120 Cornwall Road Lebanon, PA 17042-9788 717.277.5275
Millcreek Township Lebanon County Issued	PAC380078	Peter B. Shirk 10 Treeline Drive Newmanstown, PA 17073	UNT Millcreek (TSF, MF)	Lebanon County Conservation District 2120 Cornwall Road Lebanon, PA 17042-9788 717.277.5275

<i>Facility Location: Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone No.</i>
Tyrone Township Perry County Issued	PAC500013	Dominic R. Martin 2888 Shermans Valley Road Loysville, PA 17047	UNT Montour Creek (CWF)	Perry County Conservation District 31 West Main Street P.O. Box 36 New Bloomfield, PA 17068 717.582.8988, ext. 4
Hellam Township York County Issued	PAC670114	John & Linda Holden 327 Campbell Road York, PA 17402	Kreutz Creek (WWF, MF)	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717-840-7430
Dover Township York County Issued	PAC670100	Joel McNaughton Faire Wynd Associates LP 2090 Linglestown Road Suite 104 Harrisburg PA 17110	Fox Run (TSF)	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717-840-7430
North Codorus Township York County Issued	PAC670162	Abraham Gutman Gutman Farm LLC 6311 Greenspring Avenue Baltimore, MD 21209	Codorus Creek (WWF, TSF)	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717-840-7430
Fairview Township York County Issued	PAC670190	Deer Run Associates Neil Barr P.O. Box 719 Mechanicsburg, PA 17055	Fishing Creek (TSF)	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717-840-7430
Chanceford Township York County Issued	PAC670160	J&L Groff Farms, LLC Lloyd Groff 2906 Dettinger Road Brogue, PA 17309	Mill Creek (WWF)	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717-840-7430

*Northcentral Region: Watershed Management Program Manager, 208 West Third Street, Williamsport, PA 17701.*

<i>Facility Location &amp; Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone No.</i>
Ulster Twp, Bradford Cnty	PAC080028	David C. Rauscher D.C. Rauscher, Inc. 1622 NYS Route 414 Waterloo, NY 13165	Susquehanna River—WWF	Bradford County Conservation District Stoll Natural Resource Ctr 200 Lake Rd Ste E Towanda, PA 18848 (570) 265-5539, X 6
Limestone Twp, Montour Cnty	PAC470013	William Betz 26 California Road Watsontown, PA 17777	Limestone Run WWF-MF	Montour County Conservation District 14 E Mahoning St Danville, PA 17821 (570) 271-1140
West Perry Twp, Snyder Cnty	PAC55020	Cherry Hill Dry Kilns 3150 Middle Road Richfield, PA 17086	UNT to Cocolomus Creek TSF	Snyder County Conservation District 403 W Market St Middleburg, PA 17842 (570) 837-3000 X110
Kelly Twp, Union Cnty	PAC600029	McDonald's USA, LLC Lee May 6903 Rockledge Drive Suite 1100 Bethesda, MD 60523	West Branch of the Susquehanna River—WWF	Union County Conservation District Union County Government Center 155 N 15th St Lewisburg, PA 17837 (570) 524-3860

## NOTICES

5541

*Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222, Dana Drake, Waterways and Wetlands Program Manager, 412-442-4000.*

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Phone No.</i>
Marshall Township	PAC020245	Columbia Gas of Pennsylvania 2021 West State Street New Castle, PA 16101	UNTs to Brush Creek (WWF)	Allegheny County Conservation District River Walk Corporate Centre 33 Terminal Way Suite 325b, Pittsburgh, PA 15219 (412) 241-7645
City of Pittsburgh	PAC020255	Synergy Capital, Inc. P.O. Box 245 Ingomar, PA 15127	Monongahela River (WWF)	Allegheny County Conservation District River Walk Corporate Centre 33 Terminal Way Suite 325b, Pittsburgh, PA 15219 (412) 241-7645
Moon Township	PAC020241	Buckeye Partners, LP 5 Tek Park 9999 Hamilton Boulevard Breiningsville, PA 18031	UNT to McClarens Run (TSF)	Allegheny County Conservation District River Walk Corporate Centre 33 Terminal Way Suite 325b, Pittsburgh, PA 15219 (412) 241-7645
Wilkinsburg Borough	PAC020247	Stamm Development, LLC 5182 School Road Export, PA 15632	Nine Mile Run (TSF)	Allegheny County Conservation District River Walk Corporate Centre 33 Terminal Way Suite 325b, Pittsburgh, PA 15219 (412) 241-7645
City of Pittsburgh	PAC020048	Carnegie Mellon University 5000 Forbes Avenue Pittsburgh, PA 15213-3712	Monongahela River (WWF)	Allegheny County Conservation District River Walk Corporate Centre 33 Terminal Way Suite 325b, Pittsburgh, PA 15219 (412) 241-7645
Robinson Township	PAC020256	Duquesne Light Company 2825 New Beaver Avenue Pittsburgh, PA 15233	UNT to Montour Run (TSF)	Allegheny County Conservation District River Walk Corporate Centre 33 Terminal Way Suite 325b, Pittsburgh, PA 15219 (412) 241-7645
City of Pittsburgh	PAC020275	Pressley Ridge 5500 Corporate Drive Suite 400 Pittsburgh, PA 15237	Ohio River (WWF)	Allegheny County Conservation District River Walk Corporate Centre 33 Terminal Way Suite 325b, Pittsburgh, PA 15219 (412) 241-7645

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Phone No.</i>
Pine Township	PAC020268	Pine Development Company 7202 McKnight Road Pittsburgh, PA 15237	UNT to Brush Creek (WWF)	Allegheny County Conservation District River Walk Corporate Centre 33 Terminal Way Suite 325b, Pittsburgh, PA 15219 (412) 241-7645
Penn Hills Township	PAC020039	Pressley Ridge 5500 Corporate Drive Suite 400 Pittsburgh, PA 15237	UNT to Turtle Creek (WWF)	Allegheny County Conservation District River Walk Corporate Centre 33 Terminal Way Suite 325b, Pittsburgh, PA 15219 (412) 241-7645
Mount Lebanon Township	PAC020269	Kossman Development Company 11 Parkway Center Suite 300 Pittsburgh, PA 15220	Painters Run (WWF)	Allegheny County Conservation District River Walk Corporate Centre 33 Terminal Way Suite 325b, Pittsburgh, PA 15219 (412) 241-7645
Aleppo Township	PAC020266	Masonic Village at Sewickley One Masonic Drive Elizabethtown, PA 17022	UNT to Kilbuck Run (CWF)	Allegheny County Conservation District River Walk Corporate Centre 33 Terminal Way Suite 325b, Pittsburgh, PA 15219 (412) 241-7645
North Fayette Township	PAC020211	Township of Pine 400 North Branch Road Oakdale, PA 15071	North Branch of Robinson Run (WWF)	Allegheny County Conservation District River Walk Corporate Centre 33 Terminal Way Suite 325b, Pittsburgh, PA 15219 (412) 241-7645
Baldwin Borough	PAC020248	Borough of Baldwin 3344 Churchview Avenue Baldwin, PA 15227	Lick Run (TSF)	Allegheny County Conservation District River Walk Corporate Centre 33 Terminal Way Suite 325b, Pittsburgh, PA 15219 (412) 241-7645
Hampton Township	PAC020081	Mr. Eugene Ciaverra 3284 Harts Run Road Glenshaw, PA 15116	Little Pine Creek (TSF)	Allegheny County Conservation District River Walk Corporate Centre 33 Terminal Way Suite 325b, Pittsburgh, PA 15219 (412) 241-7645
Hampton Township	PAC020277	Mr. Justin Kaylor 11 Stanwix Street Pittsburgh, PA 15222	Pine Creek (TSF)	Allegheny County Conservation District River Walk Corporate Centre 33 Terminal Way Suite 325b, Pittsburgh, PA 15219 (412) 241-7645

## NOTICES

5543

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office and Phone No.</i>
West Mifflin Borough	PAC020265	Festival Fun Parks, LLC 4800 Kennywood Boulevard West Mifflin, PA 15122	Monongahela River (WWF)	Allegheny County Conservation District River Walk Corporate Centre 33 Terminal Way Suite 325b, Pittsburgh, PA 15219 (412) 241-7645
South Park Township	PAC020263	Mero South Park Ventures, LLC 3895 Stoneridge Lane Dublin, OH 43017	Piney Fork Creek (TSF)	Allegheny County Conservation District River Walk Corporate Centre 33 Terminal Way Suite 325b, Pittsburgh, PA 15219 (412) 241-7645
Coraopolis Borough	PAC020284	Duquesne Light Company 2825 New Beaver Avenue Pittsburgh, PA 15233	Montour Run (TSF)	Allegheny County Conservation District River Walk Corporate Centre 33 Terminal Way Suite 325b, Pittsburgh, PA 15219 (412) 241-7645
Mount Lebanon Township and Scott Township	PAC020278	Saint Clair Hospital 1000 Bower Hill Road Pittsburgh, PA 15243	Scrubgrass Run (WWF)	Allegheny County Conservation District River Walk Corporate Centre 33 Terminal Way Suite 325b, Pittsburgh, PA 15219 (412) 241-7645
Pine Township	PAC020285	Richard Thompson/Mark Hartman 30 Isabella Street Third Floor Pittsburgh, PA 15212	UNT to Wexford Run (CWF)	Allegheny County Conservation District River Walk Corporate Centre 33 Terminal Way Suite 325b, Pittsburgh, PA 15219 (412) 241-7645
Jefferson Hills Borough	PAC020289	A. Betler Construction, Inc. 918 Church Hill Road Venetia, PA 15367	Peters Creek (TSF)	Allegheny County Conservation District River Walk Corporate Centre 33 Terminal Way Suite 325b, Pittsburgh, PA 15219 (412) 241-7645
City of Pittsburgh	PAC020235	City of Pittsburgh Department of Public Works 414 Grant Street, Pittsburgh, PA 15219	Ohio River (WWF)	Allegheny County Conservation District River Walk Corporate Centre 33 Terminal Way Suite 325b, Pittsburgh, PA 15219 (412) 241-7645
North Fayette Township	PAC020274	Clover Communities Robinson, LLC 348 Harris Hill Road Williamsville, NY 14221	UNT to North Branch Robinson Run (WWF)	Allegheny County Conservation District River Walk Corporate Centre 33 Terminal Way Suite 325b, Pittsburgh, PA 15219 (412) 241-7645

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office and Phone No.</i>
Municipality of Monroeville	PAC020198	Beamsley Land Management, LLC 1009 Marquis Place Suite 309 Export, PA 15632	UNT to Abers Creek (TSF)	Allegheny County Conservation District River Walk Corporate Centre 33 Terminal Way Suite 325b, Pittsburgh, PA 15219 (412) 241-7645
Mount Lebanon Township	PAC020259	Mount Lebanon School District 7 Horsman Drive Pittsburgh, PA 15228	UNT to Painters Run (WWF)	Allegheny County Conservation District River Walk Corporate Centre 33 Terminal Way Suite 325b, Pittsburgh, PA 15219 (412) 241-7645
Ross Township	PAC020294	Ross Township 1000 Ross Municipal Drive Pittsburgh, PA 15237	UNT to Jacks Run (WWF)	Allegheny County Conservation District River Walk Corporate Centre 33 Terminal Way Suite 325b, Pittsburgh, PA 15219 (412) 241-7645
West Mifflin Borough	PAC020299	James C. Baker 305 Camp Hollow Road West Mifflin, PA 15122	UNT to Monongahela River (WWF)	Allegheny County Conservation District River Walk Corporate Centre 33 Terminal Way Suite 325b, Pittsburgh, PA 15219 (412) 241-7645
North Fayette Township	PAC020283	Pittsburgh Botanic Garden 799 Pinkerton Run Road Oakdale, PA 15071	Robinson Run (WWF)	Allegheny County Conservation District River Walk Corporate Centre 33 Terminal Way Suite 325b, Pittsburgh, PA 15219 (412) 241-7645
City of Pittsburgh	PAC020169	The Buncher Company 1300 Penn Avenue Suite 300 Pittsburgh, PA 15222	Allegheny River (WWF)	Allegheny County Conservation District River Walk Corporate Centre 33 Terminal Way Suite 325b, Pittsburgh, PA 15219 (412) 241-7645
Municipality of Monroeville	PAC020264	Imamia Organization 351 Old Haymaker Road Suite C Monroeville, PA 15146	Leak Run (WWF) and Thompson Run (WWF)	Allegheny County Conservation District River Walk Corporate Centre 33 Terminal Way Suite 325b, Pittsburgh, PA 15219 (412) 241-7645

*Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

<i>Facility Location: Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone No.</i>
Scott Township, Lawrence County	PAC370025	New Castle (108) DPP, LLC 9010 Overlook Boulevard Brentwood, TN 37027	Slippery Rock Creek CWF	Lawrence County Conservation District 430 Court Street New Castle, PA 16101 724-652-4512

*General Permit Type—PAG-3*

<i>Facility Location &amp; Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone No.</i>
Conewago Township, York County	PAG033580	Monarch Products Co. Inc. 385 Sipe Road York Haven, PA 17370-9219	Unnamed Tributary to Little Conewago Creek in Watershed(s) 7-F	DEP—SCRO— Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707
Newberry Township, York County	PAG033585	Monarch Products Company, Inc. 385 Sipe Road York Haven, PA 17370-9219	Unnamed Tributary to Bennett Run in Watershed(s) 7-F	DEP—SCRO— Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707
Shirley Township, Huntingdon County	PAG033590	AC Products Inc. 12393 William Penn Highway Thompstontown, PA 17094	Juniata River in Watershed(s) 12-C	DEP—SCRO— Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707
Muhlenberg Township, Berks County	PAG033582	Eleni Trading Inc. 77 Witman Road Reading, PA 19605-1226	Unnamed Tributary to Laurel Run in Watershed(s) 3-C	DEP—SCRO— Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707
Aleppo Township Allegheny County	PAG036232	Amazon.com.dedc, LLC Attn: NA Env. Dept. P.O. Box 80842 Seattle, WA 98108-0842	Unnamed Tributary to Ohio River and Unnamed Tributary of Ohio River—20-G	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive Pittsburgh, PA 15222-4745 412.442.4000

*General Permit Type—PAG-7*

*Central Office: Bureau of Clean Water, Rachael Carson State Office Building, 400 Market Street, P.O. Box 8774, Harrisburg, PA 17105-8774. Telephone: 717-705-4090.*

<i>Facility Location &amp; County/Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Site Name &amp; Location</i>	<i>Contact Office &amp; Phone No.</i>
EnviroVentures, Inc. 67 Arena Court Narrowsburg, NY 12764 Sullivan/Tustin	PAG079901	EnviroVentures, Inc. P.O. Box 485 Narrowsburg, NY 12764	EnviroVentures, Inc. 67 Arena Drive Narrowsburg, NY 12764	DEP—Bureau of Clean Water 400 Market Street P.O. Box 8774 Harrisburg, PA 17105-8774. Telephone: 717-787-4090

*General Permit Type—PAG-8*

<i>Facility Location &amp; County/Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Site Name &amp; Location</i>	<i>Contact Office &amp; Phone No.</i>
York County/Conewago Township	PAG083825	Dover Township Wastewater Treatment Plant 851 Groffius Road York, PA 17404	Same	DEP—SCRO—CW 909 Elmerton Ave. Harrisburg, PA 17110 717-705-4707

*General Permit Type—PAG-9*

<i>Facility Location: Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Site Name &amp; Location</i>	<i>Contact Office &amp; Phone No.</i>
W. Chillisquaque Twp, Northumberland County	PAG094836	Mark C. Cromley 69 Campbell Mill Rd. Lewisburg, PA 17837	Mark Cromley Farm Chillisquaque Twp Northumberland County	DEP Northcentral Regional Office Clean Water Program 208 W Third Street Suite 101 Williamsport, PA 17701-6448 570.327.3636

*General Permit Type—PAG-10*

<i>Facility Location &amp; Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone No.</i>
East Donegal Township, Lancaster County	PAG103577	Texas Eastern Transmission LP 890 Winter Street Waltham, MA 02451-1470	Susquehanna River in Watershed(s) 7-G	DEP—SCRO— Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707
Potter Township Beaver County	PAG106214	Shell Pipeline Co. LLP 150 N Dairy Ashford Road Houston, TX 77079-1115	Unnamed Tributary to Raccoon Creek and Raccoon Creek— 20-D	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive Pittsburgh, PA 15222-4745 412.442.4000

*General Permit Type—PAG-13*

<i>Facility Location Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone No.</i>
Boyertown Borough Berks County	PAG133529	Boyertown Borough 100 S Washington Street Boyertown, PA 19512	Unnamed Tributary to Swamp Creek, Ironstone Creek, and Minister Creek—3-D and 3-E	DEP Southcentral Regional Office Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110-8200 717.705.4707
Bern Township Berks County	PAG133531	Bern Township Berks County 1069 Old Bernville Road Reading, PA 19605-9311	Tulpehocken Creek, Schuylkill River, Unnamed Tributary of Schuylkill River, and Unnamed Tributary of Plum Creek—3-B and 3-C	DEP Southcentral Regional Office Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110-8200 717.705.4707
Donora Borough Washington County	PAG136256	Donora Borough 603 Meldon Avenue Donora, PA 15033-1006	UNT to Monongahela River Monongahela River 19-C	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive Pittsburgh, PA 15222-4745 412.442.4000
Wilkins Township Allegheny County	PAG136122	Wilkins Township 110 Pepper Road Turtle Creek, PA 15145-1192	Thompson Run, Sawmill Run, and Chalfant Run—19-A	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive Pittsburgh, PA 15222-4745 412.442.4000

<i>Facility Location Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone No.</i>
Hempfield Township Westmoreland County	PAG136331	Hempfield Township Westmoreland County 1132 Woodward Drive Suite A Greensburg, PA 15601-6416	Brush Creek, Unnamed Tributary to Wilson Run, Sewickley Creek, Slate Creek, Little Sewickley Creek, Jacks Run, and Unnamed Tributary to Little Crabtree Creek—19-D, 19-A, and 18-C	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive Pittsburgh, PA 15222-4745 412.442.4000
City of Aliquippa Beaver County	PAG136334	City of Aliquippa 160 Hopewell Avenue Aliquippa, PA 15001-3545	Ohio River, Unnamed Tributary to Ohio River, and Unnamed Tributary to Logtown Run, Logtown Run 20-G	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive Pittsburgh, PA 15222-4745 412.442.4000
Fairview Township Erie County	PAG138332	Fairview Township Erie County 7471 McCray Road Fairview, PA 16415-2401	Bear Run, Walnut Creek, Unnamed Stream, and Trout Run—15-A	DEP Northwest Regional Office Clean Water Program 230 Chestnut Street Meadville, PA 16335-3481 814.332.6942

## STATE CONSERVATION COMMISSION

### NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

#### NUTRIENT MANAGEMENT PLAN PUBLIC NOTICE SPREADSHEET—ACTIONS

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>AEU's</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Greystone Pork Farm 12950 Forge Road Mercersburg, PA 17236	Franklin	430	807.04	Swine	NA	Approved
Tuscarora Farms 13851 Creek Road Willow Hill, PA 17571	Franklin	15	853.30	Swine	NA	Approved

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>AEU's</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Brechland Farms, LP 3387 Mont Alto Road Fayetteville, PA 17222	Franklin	723	1,400.10	Dairy	NA	Approved

**PUBLIC WATER SUPPLY PERMITS**

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

**SAFE DRINKING WATER**

**Actions taken under the Pennsylvania Safe Drinking Water Act (35 P.S. 721.1-721.17).**

*Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**Permit No. 3417503, Minor Amendment, Public Water Supply.**

Applicant	<b>Juniata MHP, LLC</b>
Municipality	Milford Township
County	<b>Juniata</b>
Responsible Official	Michael S. Geiser, Member 3215 Stein Lane Lewisburg, PA 17837
Type of Facility	Construction of a new treatment building to house existing/relocated treatment, provide disinfection with GWR 4-Log inactivation of viruses and provide modifications to Well No. 1.

Consulting Engineer Larry E. Cox, P.E.  
Cox Engineering  
175 Matamoras Road  
Halifax, PA 17032

Permit to Construct Issued 8/6/2018

**Permit No. 6718508 MA, Minor Amendment, Public Water Supply.**

Applicant	<b>Dillsburg Area Authority</b>
Municipality	Dillsburg Borough
County	<b>York</b>
Responsible Official	Sheldon K. Williams, General Manager P.O. Box 370 98 W Church St Dillsburg, PA 17019

Type of Facility The 2nd Street standpipe will be repainted and minor repairs will be made.

Consulting Engineer Joel Kostelac, P.E.  
GHD Inc  
1240 N Mountain Road  
Harrisburg, PA 17112

Permit to Construct Issued 8/20/2018

**Comprehensive Operation Permit No. 7220015** issued to: **SUEZ Water Pennsylvania (PWS ID No. 7220015)**, Susquehanna Township, **Dauphin County** on 8/6/2018 for the operation of facilities approved under Construction Permit No. 2217511.

**Comprehensive Operation Permit No. 7220040** issued to: **Halifax Area Water and Sewer Authority (PWS ID No. 7220040)**, Halifax Borough, **Dauphin County** on 8/6/2018 for the operation of facilities submitted under Application No. 2213505.

*Northcentral Region: Safe Drinking Water Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.*

**Permit No. 1416502—Operation and 1499505—Partial Cancellation—Public Water Supply.**

Applicant	<b>Eagle Creek, LLC</b>
Township/Borough	Union Township
County	<b>Centre County</b>
Responsible Official	Mr. Scott L. Yocum Eagle Creek, LLC 1375 Martin Street State College, PA 16801
Type of Facility	Public Water Supply—Operation

Consulting Engineer	Mr. Thomas M. Levine, P.E. Levine Engineering, LLC 1108 13 Avenue P.O. Box 429 Altoona, PA 16603-0429
Permit Issued	August 21, 2018
Description of Action	Authorizes operation of the recently installed phosphate chemical feed system for sequestration of iron and manganese. In addition, Permit No. 1499505 is amended to rescind permission to operate the greensand filtration system, including potassium permanganate chemical feed system, which have been physically disconnected from the water system. All other components of the original permit remain valid.
<b>Permit No. 5516501-MA—Partial 2—Public Water Supply.</b>	
Applicant	<b>Selinsgrove Center</b>
Township/Borough	Penn Township
County	<b>Snyder County</b>
Responsible Official	Mr. Anthony Kern, Chief Financial Officer Selinsgrove Center 1000 Route 522 Selinsgrove, PA 17870
Type of Facility	Public Water Supply—Operation
Consulting Engineer	Mr. Michael J. Peleschak Alfred Benesch & Company 400 One Norwegian Plaza Pottsville, PA 17901
Permit Issued	August 20, 2018
Description of Action	Authorizes Selinsgrove Center to operate rehabilitation Water Towers A and D while Water Tower C is being refurbished and demolition of Water Tower B continues.

*Northwest Region: Safe Drinking Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**Operation Permit issued to Aqua PA Inc., PWSID No. 6430054, City of Sharon, Mercer County.** Permit Number 4318501 issued August 17, 2018 for the replacement of Potassium Permanganate with Sodium Permanganate and an additional/alternate Injection location for Chlorine Dioxide at the Shenango WTP. This permit is issued in response to an operation inspection conducted by the Department of Environmental Protection personnel on July 31, 2018.

#### WATER ALLOCATIONS

**Actions taken on applications received under the Act of June 24, 1939 (P.L. 842, No. 365) (35 P.S. § 631—641) relating to the acquisition of rights to divert waters of the Commonwealth.**

*Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**WA 36-654B, Water Allocations. Strasburg Borough Authority (PWS ID No. 7360118), Lancaster County.** The applicant is requesting the right to withdraw 112,500 gallons per day (gpd) from springs known as the “Old Springs,” 112,500 gpd from springs known as the “New Springs,” and 50,000 gpd from springs known as the “Mowrer Springs.” All of these sources are existing for the Authority. Permittee Contact: Harold Wiker, Borough Authority President, Borough of Strasburg, 145 Percision Lane, Strasburg, PA 17579. Consulting Engineer: Jeffrey W. Sweater, P.E., ELA Group Inc, 743 S. Broad Street, Lititz, PA 17543. Permit Issued: 8/21/2018.

*Northwest Region: Water Supply Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**WA16-1001A, Water Allocations. PA American Water, 800 Hershey Park Drive, Hershey, PA 17033, Paint Township, Clarion County.** Modification that the authorized service area is now directly served by PA American Water, Clarion District. The amount of water allocated remains the same, 4.0 million gallons per day on a peak daily basis as withdrawn from Clarion River.

#### SEWAGE FACILITIES ACT PLAN DISAPPROVAL

**Plan Disapprovals Granted Under the Pennsylvania Sewage Facilities Act, Act of January 24, 1966, P.L. 1535, as amended, 35 P.S. § 750.5.**

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

#### Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Tyrone Township	P.O. Box 116 Landisburg, PA 17040	Perry

*Plan Description:* The planning module for Martin Welding, DEP Code No. A3-50928-140-1, APS Id 974625, consisting of 1 commercial lot for a welding shop using an individual onlot sewage disposal system, is disapproved. The proposed development is located at 2888 Shermans Valley Road. This plan is disapproved because the submission does not qualify as an exception to the requirement to revise your Official Sewage Facilities Plan because the proposal is not for individual onlot sewage disposal systems serving detached single family dwellings as per Chapter 71 § 71.55(a). This project may be resubmitted for consideration as a Component 2 planning module.

#### LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

##### UNDER ACT 2, 1995 PREAMBLE 2

**The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).**

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in

environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department regional office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

*Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401.*

**Whitehall Estates**, Whitehall Road and Bean Road, Worcester Township, **Montgomery County**. Jeffery T. Bauer, P.G., Whitestone Associates, Inc., 1600 Manor Drive, Suite 220, Chalfont, PA 18914 on behalf of Brennan Marion, Whitehall Development Partners, L.P., 1805 Berks Road, Worcester, PA 19490 submitted a Final Report concerning remediation of site soil contaminated with arsenic and select semivolatile organics. The report is intended to document remediation of the site to meet the Statewide Health Standard.

**Park 10**, 12th Street and North Main Street, Sellersville Borough, **Bucks County**. Richard S. Werner, P.G., Environmental Consulting, Inc., 2002 Renaissance Boulevard, Suite 110, King of Prussia, PA 19406 on behalf of Robert White, Bucks County Redevelopment Authority, 216 Pond Street, Bristol, PA 19007 submitted a Remedial Investigation Report and Cleanup Plan concerning remediation of site soil and groundwater contaminated with VOCs. The report is intended to document remediation of the site to meet the Site-Specific Standard.

**701 Associates Property**, 616-618 West Lancaster Avenue, Haverford Township, **Delaware County**. John C. Lydzinski, P.G., RT Environmental Services, Inc., 215 West Church Road, King of Prussia, PA 19406-3207 on behalf of Richard D. Orlow, Piazza Management Company, 401 South Schuylkill Avenue, Norristown, PA 19403 submitted a Final Report concerning remediation of site soil contaminated with leaded gasoline and unleaded gasoline. The report is intended to document remediation of the site to meet the Statewide Health Standard.

**510 East Barnard Street**, 510 East Barnard Street, West Chester Borough, **Chester County**. Paul White, P.G., Brickhouse Environmental, 515 South Franklin Street, West Chester, PA 19382 on behalf of Natalie Drury Howell, Sophiscated Way, Inc., 20 Miner Street,

P.O. Box 3125, West Chester, PA 19381 submitted a Final Report concerning remediation of site soil and groundwater contaminated with lead. The report is intended to document remediation of the site to meet the Statewide Health Standard.

**Burke Revocable Living Trust**, 3725 Bristol Road, Doylestown Borough, **Bucks County**. Sean M. Fullmer, Compliance Management International Inc., 1350 Welsh Road, Suite 200, North Wales, PA 194545 on behalf of Elizabeth Burke, 3725 Bristol Road, Doylestown, PA 18901 submitted a Final Report concerning remediation of site soil and groundwater contaminated with No. 2 heating oil. The report is intended to document remediation of the site to meet the Statewide Health Standard.

**Acme Store # 7721**, Starr and Nutt Roads, Borough of Phoenixville, **Chester County**. Michael S. Welsh, P.E., Welsh Environmental Inc., 131 Clearview Drive, Downingtown, PA 19335 on behalf of Adam Lowe, P-Ville Associates, LP, 120 Pennsylvania Avenue, Malvern, PA 19355 submitted a Remedial Investigation Report/Risk Assessment Report/Final Report concerning remediation of site groundwater with tetrachloroethylene. The report is intended to document remediation of the site to meet the Site-Specific Standard.

**Edgmont County Club**, 5180 East Chester Pike, Edgmont Township, **Delaware County**. Michael Shaw, GZA GeoEnvironmental, Inc., 1515 Market Street, Suite 945, Philadelphia, PA 19102 on behalf of Richard Abramo, Code Environmental, 400 Middlesex Avenue, Carteret, NJ 07008 submitted a Final Report concerning remediation of site soil and groundwater contaminated with pesticides. The report is intended to document remediation of the site to meet the Statewide Health Standard.

**1200 Chester Pike**, 1200 Chester Pike, Borough of Sharon Hill, **Delaware County**. Kenny Kim, JK Environmental Services, P.O. Box 509, Lafayette Hill, PA 19444 on behalf of Yassir Eddahir, Casablanca Auto Sales, Inc., 1194 Chester Pike, Sharon Hill, PA 19079 submitted a Final Report concerning remediation of site groundwater contaminated with No. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide Health Standard.

**Wedgewood Gardens**, 890 North Middletown Road, Edgmont Township, **Delaware County**. Joseph Diamadi, Jr., Marshall Geoscience, Inc., 170 East First Avenue, Collegeville, PA 19426 on behalf of Sona Hoplamazian, 4 Hampton Lane, Glen Mills, PA 19342 submitted a Final Report concerning remediation of site soil contaminated with heating oil. The report is intended to document remediation of the site to meet the Statewide Health Standard.

**300 Turner Industrial Way**, 300 Turner Industrial Way, Aston Township, **Delaware County**. Joseph Diamadi, Jr., Marshall Geoscience, Inc., 170 East First Avenue, Collegeville, PA 19426 on behalf of Whitney Bachrach, Aston Investment Associates, 725 Skippack Pike, P.O. Box 1205, Blue Bell, PA 19422 submitted a Final Report concerning remediation of site soil contaminated with heating oil. The report is intended to document remediation of the site to meet the Statewide Health Standard.

*Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

**Boerger Residence**, 1076 Beaver Lake Drive, Paupack Township, **Wayne County**. Bluestone Environmental, 196 Beach Lake Highway, Honesdale, PA 18431,

on behalf of Ron and Roberta Boerger, 79 Earl Street, Westbury, NY 11590 submitted a final report concerning remediation of site soils contaminated with # 2 fuel oil from an underground storage tank. The report is intended to document remediation of the site to meet Statewide Health Standards.

**Patricia Griffin Property**, 60 Turkey Ridge Road, Middle Smithfield Township, **Monroe County**. MEA, Inc., 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Kar-Bill Enterprises, 1901 King Street, East Stroudsburg, PA 18302, submitted a final report concerning remediation of site soils contaminated with heating oil from an aboveground storage tank. The report is intended to document remediation of the site to meet Statewide Health Standards.

*Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.*

**H.B. McClure Fuel Oil Release/Hyle Property**, 6920 Parkway East, Harrisburg, PA 17112, Lower Paxton Township, **Dauphin County**. Environmental Products & Services of Vermont, Inc., 1539 Bobali Drive, Harrisburg, PA 17104, on behalf of H.B. McClure, 600 South 17th Street, P.O. Box 1745, Harrisburg, PA 17105-1745, and Christine Hyle, 6920 Parkway East, Harrisburg, PA 17112, submitted a Final Report concerning site soil contaminated with No. 2 fuel oil. The report is intended to document remediation of the site to meet the Residential Statewide Health Standard.

*Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701.*

**W. Patiala Trucking, LLC Spill**, US Route 15N, near Hepburnville exit, Hepburn Township, **Lycoming County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857, on behalf of W. Patiala Trucking, LLC, 62 White Oak Bend, Churchville, NY 14624, has submitted a Final Report concerning remediation of site soil contaminated with diesel fuel, motor oil & antifreeze. The report is intended to document remediation of the site to meet the Statewide Health Standard.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

### UNDER ACT 2, 1995 PREAMBLE 3

**The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).**

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-

specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department regional office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

*Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401.*

**Whitehall Estates**, Whitehill Road and Bean Road, Worcester Township, **Montgomery County**. Jeffery T. Bauer, P.G., Whitestone Associates, Inc., 160 Manor Drive, Suite 220, Chalfont, PA 18914 on behalf of Brennan Marion, Whitehall Development Partners L.P., 1030 West Germantown Pike, Fairview Village, PA 19409 submitted a Final Report concerning the remediation of site soil contaminated with arsenic and select semivolatile organics. The Final Report demonstrated attainment of the Statewide health standard and was approved by the Department on July 26, 2018.

**Brewerytown Apts., LLC**, 31st and Masters Streets, City of Philadelphia, **Philadelphia County**. Natalie Griffith, REPGS, Inc., 6901 Kingsessing Avenue, Philadelphia, PA 19142 on behalf of Dana Spain, Brewerytown Apartments, LLC, 363 North 13th Street, # 419, Philadelphia, PA 19121 submitted a Final Report concerning the remediation of site soil and groundwater contaminated with tetrachloroethylene. The Final Report demonstrated attainment of the Site-Specific Standard and was approved by the Department on July 30, 2018.

**Dreshertown Plaza**, 1442 Dreshertown Road, Upper Dublin Township, **Montgomery County**. Craig Herr, PG, RT Environmental Services, Inc., 215 West Church Road, King of Prussia, PA 19406-3207 on behalf of Jim Bladel, Dreshertown Plaza, L.P., 1301 Lancaster Avenue, Berwyn, PA 18312 submitted a Remedial Investigation Report/Risk Assessment Report concerning the remediation of site soil and groundwater contaminated with petroleum. The Report was approved by the Department on August 6, 2018.

**Dreshertown Plaza**, 1442 Dreshertown Road, Upper Dublin Township, **Montgomery County**. Craig Herr, PG,

RT Environmental Services, Inc., 215 West Church Road, King of Prussia, PA 19406-3207 on behalf of Jim Bladel, Dreshertown Plaza, L.P., 1301 Lancaster Avenue, Berwyn, PA 18312 submitted a Cleanup Plan concerning the remediation of site soil and groundwater contaminated with petroleum. The Report was disapproved by the Department on August 6, 2018.

**Entenmanns Bakery**, 690 York Road, Warminster Township, **Bucks County**. Michael S. Welsh, Welsh Environmental, Inc., 131 Clearview Drive, Downingtown, PA 19335 on behalf of Eli Kahn, 690 East Lincoln Associates, LLC, 120 Pennsylvania Avenue, Malvern, PA 190355 submitted a Final Report concerning the remediation of site soil and groundwater contaminated with petroleum hydrocarbons. The Report was disapproved by the Department on July 18, 2018.

**Brewertyown 1A**, 3018-3044 West Thompson Street, City of Philadelphia, **Philadelphia County**. Angelo Waters, PE., Urban Engineers, Inc., 530 Walnut Street, Philadelphia, PA 19106 on behalf of Jon Herzog, Westrum Development Company, 1300 Virginia Drive, Suite 215, Fort Washington, PA 19034 submitted a Final Report concerning the remediation of site soil and groundwater contaminated with other organics. The Final Report demonstrated attainment of the site-specific standard and was approved by the Department on July 31, 2018.

**3222-3258 H Street**, 3222-3258 H Street, City of Philadelphia, **Philadelphia County**. Angelo Waters, PE, Urban Engineers, Inc., 530 Walnut Street, Philadelphia, PA 19106 on behalf of Susan Post, Esperanza Health Center, 4417 North 6th Street, Philadelphia, PA 19140 submitted a Remedial Investigation Report/Cleanup Plan concerning the remediation of site soil and groundwater contaminated with PAHs and lead. The Report was approved by the Department on July 10, 2018.

**PECO**, 16 Bald Cypress Lane, Falls Township, **Bucks County**. Bruce Middleman, Stantec Construction Services, Inc., 400 Davis Drive, Suite 400, Plymouth Meeting, PA 19462 on behalf of George Horvat, PECO Energy Company, 2301 Market Streets, S7-2, Philadelphia, PA 19103 submitted a 90-day Final Report concerning the remediation of site soil contaminated with PCBs. The Final Report demonstrated attainment of the Statewide health standard and was approved by the Department on July 11, 2018.

**1200 Washington Avenue**, 1200 Washington Avenue, City of Philadelphia, **Philadelphia County**. Paul Martino, Pennoni Associates, Inc., 1900 Market Street, Suite 300, Philadelphia, PA 19103 on behalf of Jon Herzog, Westrum Development Company, 1300 Virginia Drive, Suite 215, Fort Washington, PA 19034 submitted a Final Report concerning the remediation of site soil and groundwater with VOCs, metals and chlorinated solvents. The Final Report demonstrated attainment of the site-specific standard and was approved by the Department on July 12, 2018.

**Santoro Residence**, 6178 Carversville Road, Solebury Township, **Bucks County**. Eric White, PARS Environmental Inc., 500 Horizon Drive, Suite 540, Robbinsville, PA 08691 on behalf of John Tolleson on behalf of Santoro Trust, 3 Waterfall Lane, Barnegat, NJ 08005 submitted a Final Report concerning the remediation of site soil contaminated with No. 2 fuel oil. The Final Report demonstrated attainment of the Statewide health standard and was disapproved by the Department on July 19, 2018.

**Wawa Store No. 8013**, 2535 Aramingo Avenue, City of Philadelphia, **Philadelphia County**. Geoffrey Kristof,

PG, Aquaterra Technologies, Inc. P.O. Box 744, West Chester, PA 19381 on behalf of Joseph Standen, Jr. PG, Wawa Inc., 260 West Baltimore Pike, Media, PA 19063 submitted a Final Report concerning the remediation of site soil contaminated with lead. The Final Report demonstrated attainment of the site-specific standard and was approved by the Department on August 3, 2018.

**BP Former Marcus Hook Refinery**, 4101 Post Road, Trainer and Marcus Hook Boroughs, **Delaware County**. Iain Bryant, Sovereign Consulting, Inc., 111-A North Gold Drive, Robbinsville, PA 19061 on behalf of Matt Torell, Monroe Energy, LLC, 4101 Post Road, Trainer, PA 19061 submitted a Final Report concerning the remediation of site soil and groundwater contaminated with petroleum hydrocarbons. The Final Report demonstrated attainment of the site-specific standard and was approved by the Department on August 3, 2018.

**78 North Sycamore Avenue**, 78 North Sycamore Avenue, Borough of Clifton Heights, **Delaware County**. Thomas Hippensteal, PG, Environsearch Consultants, Inc., P.O. Box 940, Springhouse, PA 19477 submitted a Final Report concerning the remediation of site soil contaminated with No. 2 fuel oil. The Final Report demonstrated attainment of the Statewide health standard and was approved by the Department on July 30, 2018.

**Kinder Morgan Liquids Terminal LLC**, 330 North Delaware Avenue, City of Philadelphia, **Philadelphia County**. Gregory Connell, Groundwater & Environmental Services, Inc., 440 Creamery Way, Suite 500, Exton, PA 19341 on behalf of Richard Sherman, Kinder Morgan Liquids Terminals LLC, One Terminals Road, Carteret, NJ 07008 submitted a Remedial Investigation Report concerning the remediation of site soil and groundwater contaminated with petroleum. The Report was approved by the Department on July 24, 2018.

*Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.*

**DDSP Small Arms Range/Downgradient Area**, 2001 Normandy Drive, New Cumberland, PA 17070, Fairview Township, **York County**. Plexus-PARS JV, 5510 Cherokee Avenue, Alexandria, VA 22312, on behalf of Defense Logistics Agency, 8725 John J. Kingman Road, Suite 2639, Fort Belvoir, VA 22060-6221, submitted a Final Report concerning remediation of site soil contaminated with inorganics and nitroglycerin from a small arms range. The Final Report did not demonstrate attainment of the Residential Statewide Health Standard, and was disapproved by the Department on August 15, 2018.

*Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701.*

**Crane 1H Unconventional Well Pad**, 1517 Coddling Road, Ulster, Smithfield Township, **Bradford County**. Moody and Associates Inc., 685 Broad Street Extension, Suite 1, Waverly, NY 14892, on behalf of EOG Resources Inc, 2639 S. 6th Street, Indiana, PA 15701, has submitted a combined Soil Site Characterization and Remedial Action Completion Report concerning remediation of site soil contaminated with friction reducer. The report demonstrated attainment of the Statewide Health Standard and was approved on August 10, 2018.

**5 Rivers Logistics, Inc. Diesel Fuel Release**, I-80E at MM 133.6, Kylertown, Cooper Township, **Clearfield County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857, on behalf of 5 Rivers Logistics, Inc., P.O. Box 8346, Elkridge, MD 21075, has submitted a

Final Report concerning site soil contaminated with diesel fuel. The report demonstrated attainment of the Statewide Health Standard and was approved by the Department on August 14, 2018.

**Austin Powder Co. Release**, State Route 53N, Kylertown, Cooper Township, **Clearfield County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857, on behalf of Austin Powder Company, 25800 Science Park Drive, Cleveland, OH 44122, has submitted a Final Report concerning site soil contaminated with diesel fuel, hydraulic fluid and ammonium nitrate solids. The report demonstrated attainment of the Statewide Health Standard and was approved by the Department on August 14, 2018.

**CR England Inc. Accident Cleanup**, State Route 54W near Sugar Camp Road, Danville, Derry Township, **Montour County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857, on behalf of CR England, Inc., 3701 West 2100 South, Salt Lake City, UT 84120, has submitted a Final Report concerning remediation of site soil contaminated with diesel fuel, motor oil & antifreeze. The report demonstrated attainment of the Statewide Health Standard and was approved by the Department on August 7, 2018.

**Tri-County Rural Electric Cooperative**, State Route 144N, Cross Fork, Stewardson Township, **Potter County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857, on behalf of Tri-County Rural Electric Cooperative, P.O. Box 526, Mansfield, PA 16933 has submitted a Final Report concerning site soil contaminated with mineral oil. The report demonstrated attainment of the Statewide Health Standard and was approved by the Department on August 14, 2018.

**CTC Transit LLC Accident Cleanup**, State Route 235, Segment 80-1700, Beaver Springs, Spring Township, **Snyder County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857, on behalf of CTC Transit, LLC, 1342 Sunny Side Road, Crewe, VA 23930-3304, has submitted a Final Report concerning remediation of site soil contaminated with diesel fuel. The report demonstrated attainment of the Statewide Health Standard and was approved by the Department on August 8, 2018.

#### HAZARDOUS WASTE TRANSPORTER LICENSE

**Actions on applications for Hazardous Waste Transporter License received under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003) and regulations to transport hazardous waste.**

*Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P.O. Box 69170, Harrisburg, PA 17106-9170.*

##### *New Applications Received*

**NRC East Environmental Services, Inc.** License No. PA-AH 0876. Effective Aug. 20, 2018.

##### *Renewal Applications Received*

**Innovative Recycling Technologies, Inc.**, 690 North Queens Avenue, Lindenhurst, NY 11757. License No. PA-AH 0849. Effective Aug. 15, 2018.

##### *Hazardous Waste Transporter License Reissued*

**Innovative Recycling Technologies, Inc.**, 690 North Queens Avenue, Lindenhurst, NY 11757. License No. PA-AH 0849. Effective Aug. 15, 2018.

#### REGULATED MEDICAL AND CHEMOTHERAPEUTIC WASTE TRANSPORTER LICENSES

**Actions on applications for Regulated Medical and Chemotherapeutic Waste Transporter License received under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003) and Act 93 of June 28, 1988 (P.L. 525, No. 93) and regulations to transport regulated medical and chemotherapeutic waste.**

*Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P.O. Box 69170, Harrisburg, PA 17106-9170.*

##### *Renewal Applications Received*

**Environmental Transport Group, Inc.**, P.O. Box 296, Flanders, NJ 07836. License No. PA-HC 0023. Effective Aug. 16, 2018.

*Regulated Medical and Chemotherapeutic Waste Transporter Reissued*

**Environmental Transport Group, Inc.**, P.O. Box 296, Flanders, NJ 07836. License No. PA-HC 0023. Effective Aug. 16, 2018.

#### DETERMINATION OF APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

**Determination of Applicability for General Permit Under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other Than Coal Ash.**

*Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**General Permit No. WMGR082SC001. Willow Creek Stoneworks and Supply, LLC**, 9th Street and Rothermel Drive, New Berlinville, PA 19545, Borough of Boyertown, **Berks County**. On June 30, 2016, the Department of Environmental Protection issued General Permit No. WMGR098SC002 to Willow Creek Stoneworks and Supply, LLC for the processing and beneficial use of steel slag, iron slag, and refractory bricks. Following notification from Willow Creek Stoneworks and Supply, LLC that the company is not conducting operations under the general permit, the Department revoked General Permit No. WMGR082SC001 on August 20, 2018.

Persons with questions concerning the revocation of these permits may contact John Oren, P.E., Permits Section Chief, PA DEP Southcentral Regional Office, Waste Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110 or via phone at 717-705-4706. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984.

**General Permit No. WMGR098SC002. Willow Creek Stoneworks and Supply, LLC**, 74 Willow Creek Road, Reading, PA 19605, Ontelaunee Township, **Berks County**. On June 18, 2015, the Department of Environmental Protection issued General Permit No. WMGR098SC002 to Willow Creek Stoneworks and Supply, LLC for the beneficial use of foundry sand and dust. Following notification from Willow Creek Stoneworks and Supply, LLC that the company is not conducting opera-

tions under the general permit, the Department revoked General Permit No. WMGR098SC002 on July 30, 2018.

Persons with questions concerning the revocation of these permits may contact John Oren, P.E., Permits Section Chief, PA DEP Southcentral Regional Office, Waste Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110 or via phone at 717-705-4706. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984.

#### OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

**Permits Issued Under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.**

*Northeast Region: Regional Solid Waste Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

**Permit Application No. 100265. Grand Central Sanitary Landfill, Inc.**, 910 W. Pennsylvania Avenue, Pen Argyl, PA 18072. A permit renewal application for the continued operation of this municipal waste landfill located in Plainfield Township, **Northampton County**. The application was approved by the Regional Office on August 1, 2018.

Persons interested in reviewing the permit may contact Roger Bellas, Regional Waste Management Program Manager, Department of Environmental Protection, Northeast Regional Office, 2 Public Square, Wilkes-Barre, PA 18701-1915 at 570-826-2511. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984.

*Southeast Region: Regional Solid Waste Manager, 2 East Main Street, Norristown, PA 19401.*

**Permit No. 400691. Upper Moreland Hatboro Joint Sewer Authority**, 147 Terwood Road, Willow Grove, PA 19090-1434. This permit application is for the ten-year renewal of Solid Waste Permit No. 400691 for the Upper Moreland-Hatboro Joint Sewer Authority (UMHJSA) Sewage Sludge Incinerator located in Upper Moreland Township, **Montgomery County**. The permit was issued by the Southeast Regional Office on August 8, 2018.

Persons interested in reviewing the general permit may contact the Pennsylvania Department of Environmental Protection ("DEP") Waste Management Program Manager, Southeast Regional Office, 2 East Main Street, Norristown, PA 19401-4915, or by telephone at 484.250.5960. TDD users may contact the DEP through the Pennsylvania AT&T Relay Service, (800) 654.5984.

#### AIR QUALITY

**General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.**

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.*

*Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2531.*

**AG5-58-00001D: Susquehanna Gathering Company I, LLC** (1429 Oliver Road, New Milford, PA 18834) on July 10, 2018 to operate twelve (12) IC Engines, one (1) generator, one (1) dehydrator, and three (3) condensate tanks at their CDP # 1 Natural Gas Compressor Station in New Milford Township, **Susquehanna County**.

**AG5-58-00004A: Susquehanna Gathering Company I, LLC** (1429 Oliver Road, New Milford, PA 18834) on July 12, 2018 to operate twelve (12) IC Engines, one (1) generator, one (1) dehydrator, and three (3) condensate tanks at their CDP # 3 Natural Gas Compressor Station in Jackson Township, **Susquehanna County**.

**GP3-48-023: H & K Group, Inc.** (2052 Lucon Road, Skippack, PA 19474) on August 10, 2018 to construct and operate a Portable Crushing Operation with water sprays at the ABE Materials Easton Quarry in Lower Mount Bethel Township, **Northampton County**.

**GP9-48-023: H & K Group, Inc.** (2052 Lucon Road, Skippack, PA 19474) on August 10, 2018 to install and operate one (1) Diesel I/C engine at the ABE Materials Easton Quarry in Lower Mount Bethel Township, **Northampton County**.

**GP11-40-021: PPL Susquehanna, LLC** (769 Salem Boulevard, Berwick, PA 18603) on August 10, 2018 to operate five (5) Diesel I/C engines at the Susquehanna Steam Electric Station in Salem Township, **Luzerne County**.

*Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.*

**GP14-21-03054A: Hollinger Funeral Home and Crematory, Inc.** (501 North Baltimore Avenue, Mt. Holly Springs, PA 17065) on August 15, 2018 for two (2) existing human crematory units, under GP14, at the facility in Mt. Holly Springs Borough, **Cumberland County**. The general permit authorization was renewed.

**GP14-06-03022B: Perkiomen Animal Hospital, PLLC** (919 Gravel Pike, Palm, PA 18070) on August 17, 2018, for an existing animal crematory under GP14, in Hereford Township, **Berks County**. The general permit authorization was renewed with a new permit number, in conjunction with a change of ownership.

**Plan Approvals Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.**

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.*

*Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507.*

**39-00081B: Insulation Corporation of America** (2571 Mitchell Avenue, Allentown, PA 18103) on June 29, 2018 for an increase in production capacity to a limit of 936,000 pounds of expanded polystyrene per month and a limit on VOC emissions to 47 tons per year at their facility in the City of Allentown, **Lehigh County**.

**48-00110A: Lehigh Valley Animal Crematory Services, Inc.** (326 Main Street, Hellertown, PA 18055) on July 31, 2018 for the installation and operation of two (2) animal remains incinerators at their facility in Hellertown Borough, **Northampton County**.

**Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.**

*Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.*

**36-05001M: Armstrong World Industries, Inc.** (1507 River Road, Marietta, PA 17547) on August 16, 2018, for the replacement/installation of various control devices and equipment on the Prime and Intermediate Line (Source ID 251) and the Tile Finishing Line (Source ID 504) to improve plant hygiene, at the ceiling tile manufacturing facility in East Donegal Township, **Lancaster County**. Specifically, the following items will occur during the project: 1) the replacement of the existing 20,000 cfm internally vented baghouse (Control ID C85) & the 35,000 cfm externally vented baghouse (Control ID D03) with two (2) externally vented 50,000 cfm baghouses, 2) the temporary exhausting of Control ID C85 to the outdoor atmosphere, 3) the installation of four (4) air-knives and additional hoods/pickup points, 4) the replacement of roller conveyors with belt conveyors, 5) the replacement of the existing receiver baghouse with an 830 cfm baghouse, & 6) the replacement of the vacuum feeder stacker and a slice feeder (each equipped with an internally vented fabric filter) with a vacuum stacker and a vacuum feeder both controlled by a 7,063 cfm externally vented baghouse. The plan approval was extended.

**36-05001K: Armstrong World Industries, Inc.** (1507 River Road, Marietta, PA 17547) on August 17, 2018, for the installation of new manufacturing areas at their ceiling tile plant in East Donegal Township, **Lancaster County**. One new manufacturing area will consist of (a) finishing operations which will be controlled by two (2) 50,000 cfm dust collectors, (b) three (3) enclosed paint spray booths, each being controlled by four (4) 3,500 cfm cyclones, (c) one (1) 14.0 MMBtu/hr natural gas fired dryer, and (d) a pneumatic dust transfer system controlled by a 7,500 cfm bin vent filter. The other manufacturing area will consist of ceiling tile detailing equipment and will be controlled by a 20,000 cfm dust collector. The plan approval was extended.

**36-05158A: Perdue AgriBusiness, LLC** (P.O. Box 1537, Salisbury, MD 21802-1537) on August 17, 2018, for the construction and temporary operation of a grain elevator and a soybean oil extraction facility in Conoy Township, **Lancaster County**. The plan approval was extended, with a revised stack test schedule.

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.*

*Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648.*

**41-00088A: Compass Natural Gas Partners LP** (1215 Manor Drive, Suite 302, Mechanicsburg, PA 17055) on August 7, 2018, to extend the authorization for the

construction of the compressed natural gas truck terminal at their Compass-Quaker CNG Truck Terminal facility located in Upper Fairfield Township, **Lycoming County** to February 3, 2019. The plan approval has been extended.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

*Contact: Alan Binder, P.E., Environmental Engineer Manager—Telephone: 412-442-4168.*

**30-00072E: Consol Pennsylvania Coal Company, LLC** (1000 Consol Energy Drive, Canonsburg, PA 15317) plan approval extension effective on August 28, 2018, with expiration on February 28, 2019, for continued temporary operation of air contamination sources and controls associated with the Crabapple Overland Conveyor located in Richhill Township, **Greene County**.

**03-00975C: Armstrong Power, LLC** (2313 State Route 156, Shelocta, PA 15774-3005) plan approval extension effective on August 28, 2018, with expiration on February 28, 2019, for continued temporary operation of air contamination sources and controls at the Armstrong Power Electric Generating Station located in South Bend Township, **Armstrong County**.

**65-00983A: Dominion Transmission, Inc.** (5000 Dominion Boulevard, Glenn Allen, VA 23060) plan approval extension effective on August 28, 2018, with expiration on February 28, 2019, for continued temporary operation of air contamination sources and controls at the Rock Springs Compressor Station located in Salem Township, **Westmoreland County**.

**65-00839B: Texas Eastern Transmission, L.P.** (P.O. Box 1642, Houston, TX 77251) Extension effective August 28, 2018, to extend the period of temporary operation of the Solar Titan 250 turbine rated at 30,000 HP and controlled by an oxidation catalyst authorized under PA-65-00839B the Delmont Compressor Station located in Salem Township, **Westmoreland County**.

**03-00125: Peoples Natural Gas Company, LLC** (1201 Pitt St., Pittsburgh, PA 15221-2029) Plan Approval Extension issuance date effective August 15, 2018, to extend the temporary operation to facilitate the shutdown of sources, at their facility located in Cowanshannon Township, **Armstrong County**.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

*Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.*

**43-182C: Wheatland Tube Co., Council Ave. Plant** (P.O. Box 608, Wheatland, PA 16161) on August 16, 2018, effective August 31, 2018, has issued a plan approval extension for the installation of a cyclone and baghouse in Wheatland Borough, **Mercer County**. This expires February 28, 2019. This is a Title V facility.

**Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.**

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.*

*Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.*

**46-00008: Coopers Creek Chemical Corporation** (884 River Road, West Conshohocken, PA 19428) On August 21, 2018, the Synthetic Minor Operating Permit is being renewed for another five (5) year term. This is a non-Title V, Synthetic Minor facility located in Upper Merion Township, **Montgomery County**

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.*

*Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507.*

**54-00088: Honeywell, Inc.** (98 Westwood Rd, Pottsville, PA 17901-1834) The Department issued, on 8/21/18, a State-Only (Synthetic Minor) Operating Permit renewal for operation of a plastic film and sheet manufacturing facility located in Norwegian Township, **Schuylkill County**. The sources include pellet dryers, film extrusion lines, storage tanks, vacuum pumps, conveying systems, and a parts washer. The permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

**54-00088: Advansix Resins and Chemicals, LLC** (98 Westwood Rd, Pottsville, PA 17901-1834) The Department issued, on 8/21/18, a State-Only (Synthetic Minor) Operating Permit for operation of a plastic film and sheet manufacturing facility located in Norwegian Township, **Schuylkill County**. The sources include hot oil heaters, nylon ovens and dryers, and an extruder. The permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

*Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.*

**38-03003: Bayer Healthcare LLC** (400 W. Stoeber Avenue, Myerstown, PA 17067-1418) on August 7, 2018 for the pharmaceuticals manufacturing facility in Myerstown Borough, **Lebanon County**. The State-only permit was renewed.

**36-03107: Cargill, Inc.** (1088 East Main Street, Mount Joy, PA 17552-9332) on August 13, 2018 for the livestock feed mill located in Mount Joy Borough, **Lancaster County**. The State-only permit was renewed.

**36-03080: Rohrer's Quarry, Inc.** (P.O. Box 365, 70 Lititz Road, Lititz, PA 17543) on August 13, 2018 for the quarry and stone crushing facility in Warwick Township, **Lancaster County**. The State-only permit was renewed.

**22-03076: Bitner Crematory LLC** (2100 Linglestown Road, Harrisburg, PA 17110) on August 13, 2018 for the human crematory at the facility located in Susquehanna Township, **Dauphin County**. The State-only permit was renewed.

**06-03059: Charles Evans Cemetery Company** (1119 Centre Avenue, Reading, PA 19601-1409) on August 7, 2018 for the two human crematory units at the facility in Reading City, **Berks County**. The State-only permit was renewed.

**22-03051: Buse Funeral Home** (9066 Jonestown Road, Grantville, PA 17028) on August 6, 2018 for the

human crematory at the funeral home in East Hanover Township, **Dauphin County**. The State-only permit was renewed.

**06-05156: Century Cabinetry of Leesport, Inc.** (130 East Wall Street, Leesport, PA 19533) on August 14, 2018, for the operation of the wood furniture surface coating facility in Leesport Borough, **Berks County**.

**36-05121: Paradise Custom Kitchens, Inc.** (P.O. Box 278, 3333 Lincoln Highway East, Paradise, PA 17562) on August 14, 2018 for the custom wood cabinetry manufacturing facility in Paradise Township, **Lancaster County**. The State-only permit was renewed.

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.*

*Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648.*

**08-00048: Beaver Dam Energy, LLC** (N. Shore Place I, 358 N. Shore Dr., Ste. 201, Pittsburgh, PA 15212) on August 9, 2018 was issued a State only operating permit for the Beaver Dam Energy electric power generating facility located in Canton Township, **Bradford County**. The State only operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

*Philadelphia: Air Management Services, 321 University Avenue, Philadelphia, PA 19104-4543, Contact: Edward Wiener, Chief, Source Registration at 215-685-9476.*

The City of Philadelphia, Air Management Services (AMS) has intended to issue a Minor State Only Operating Permit for the following facility:

**OP17-000067: DGM Polishing & Finishing** (8301 Torresdale Ave, Philadelphia, PA 19136) for the operation of an electroplating and polishing facility in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources include a decorative hexavalent chrome plating tank.

---

**Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.**

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.*

*Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.*

**46-00167: Parkhouse Operating LLC** (1600 Black Rock Road, Royersford, PA 19468-3109) On August 21, 2018, an Administrative Amendment of the Synthetic Minor Operating Permit issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code § 127.450 for the change of ownership from Parkhouse Nursing and Rehabilitation Center, L.P. to Parkhouse Operating LLC. The amended permit will include monitoring, recordkeeping, and reporting requirements designed to keep the facility within all applicable air quality requirements. The facility is located in Upper Providence Township, **Montgomery County**.

**46-00142: Custom Processing Services LLC**, (461 State Street, East Greenville, PA 18041) On August 17, 2018 for an Administrative Amendment of the Natural Minor Operating Permit issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code

§ 127.450 to incorporate the conditions of Plan Approval 46-0142E for the replacement of an existing dust collector with a new cyclone and new dust collector in series on the Coarse System into their State Only Operating Permit. Custom Processing Services LLC is located in East Greenville Borough, **Montgomery County**. The amended permit will include monitoring, recordkeeping, and reporting requirements designed to keep the facility within all applicable air quality requirements

*Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.*

**06-05023: Bimbo Bakeries USA, Inc.** (640 Park Avenue, Reading, PA 19611-1926) on August 3, 2018, for the commercial bakery located in Reading City, **Berks County**. The State-only permit was administratively amended in order to incorporate the requirements of Plan Approval No. 06-05023A.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

*Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.*

**20-00145: Vitro Flat Glass LLC** (5123 Victory Boulevard, Cochranton, PA 16314). The Department on August 16, 2018, issued an administrative amendment of the Title V Operating Permit for the facility to incorporate the change in responsible official and the change of ownership. The facility was previously owned by Pittsburgh Glass Works LLC. The facility is located in Greenwood Township, **Crawford County**.

## **ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS**

**Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); The Clean Streams Law; the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.20a). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to applications will also address the application permitting requirements of the following statutes: the Air Quality Pollution Act (35 P.S. §§ 4001—4014); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1002).**

### *Coal Permits Issued*

*California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.*

**32140701 and NPDES No. PA0236284. Pennzoil Quaker State Company dba SOPUS Products**, (P.O. Box 4427, Houston, TX 77210). To operate the Helen Mine Acid Mine Drainage Treatment Plant in Blacklick and Center Townships, **Indiana County** and related NPDES permit, for a new post mining water treatment facility. Surface Acres Proposed: 166.4. Unnamed Tribu-

tary of Two Lick Creek, classified for the following use: CWF. The application was considered administratively complete on September 7, 2016. Application received: November 12, 2015. Permit issued: August 6, 2018.

**17041301 and NPDES No. PA0235628. Rosebud Mining Company**, (301 Market Street, Kittanning, PA 16201). To renew the NPDES permit for the Penfield Mine in Huston Township, **Clearfield County**. No additional discharges. The application was considered administratively complete on July 2, 2015. Application received: March 15, 2015. Permit issued: August 3, 2018.

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900.*

**Permit No. 11130102 and NPDES No. PA0269212. E.P. Bender Coal Co., Inc.**, P.O. Box 594, Carrolltown, PA 15722, permit renewal for the continued operation and restoration of a bituminous surface and auger mine in Reade Township, **Cambria County**, affecting 77.0 acres. Receiving streams: Powell Run to Clearfield Creek, classified for the following uses: cold water fishes, warm water fishes. There are no potable water supply intakes within 10 miles downstream. Application received: May 10, 2018. Permit Issued: August 10, 2018.

**Permit No. 11110201 and NPDES No. PA0263265. Fuel Recovery, Inc.**, 254 Interpower Drive, Colver, PA 15927, permit renewal for the continued operation and restoration of a bituminous surface mine in Portage Township, **Cambria County**, affecting 71.4 acres. Receiving streams: unnamed tributary to Bens Creek and Spring Run, classified for the following use: cold water fishes. There are no potable water supply intakes within 10 miles downstream. Application received: June 18, 2018. Permit Issued: August 13, 2018.

*Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.*

**17170103 and NPDES PA0269654. Black Cat Coal, LLC** (446 WM Cemetery Road, Curwensville, PA 16833). Commencement, operation, and restoration of a bituminous coal surface mine located in Bloom Township, **Clearfield County** affecting 35.0 acres. Receiving stream(s): Unnamed Tributary to Anderson Creek and Unnamed Tributary to Bilgers Run classified for the following use(s): CWF. There are no potable water supply intakes within 10 miles downstream. Application received: October 4, 2017. Permit issued: August 9, 2018.

*New Stanton District Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.*

**02860201 and NPDES Permit No. PA0588407. IP Harmor Holdings, LLC** (2929 Allen Parkway, Suite 2200, Houston, TX 77019). NPDES permit renewal issued for continued treatment to an existing bituminous surface mine, located in Harmor Township, **Allegheny County**, affecting 168.3 acres. Receiving streams: Guy's Run. Application received: April 1, 2016. Renewal permit issued: August 17, 2018.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.*

**Permit No. 54851603R6. Carbon & Metal Technologies, LLC**, (821 Westwood Avenue, Staten Island, NY 10314), renewal for reclamation activities only of an existing anthracite preparation plant operation in Hubley Township, **Schuylkill County** affecting 23.6 acres, receiving stream: Pine Creek. Application received: August 30, 2016. Renewal issued: August 15, 2018.

**Permit No. 49970202R4. Susquehanna Coal Company**, (P.O. Box 27, Nanticoke, PA 18634), renewal for

reclamation activities only of an existing anthracite coal refuse reprocessing operation in Mt. Carmel Township, **Northumberland County** affecting 808.1 acres, receiving stream: North Branch Shamokin Creek. Application received: May 12, 2017. Renewal issued: August 15, 2018.

**Permit No. PAM112050R. Susquehanna Coal Company**, (P.O. Box 27, Nanticoke, PA 18634), renewal of General NPDES Stormwater Permit for stormwater discharges associated with mining activities on Surface Mining Permit No. 49970202 in Mt. Carmel Township, **Northumberland County**, receiving stream: North Branch Shamokin Creek. Application received: May 12, 2017. Renewed issued: August 15, 2018.

**Permit No. 54010201R3. Rausch Creek Generation, LLC**, (978 Gap Street, Valley View, PA 17983), renewal and name change from Westwood Generation, LLC of an existing anthracite coal refuse reprocessing operation in Hegins and Porter Townships, **Schuylkill County** affecting 73.6 acres, receiving stream: Good Spring Creek. Application received: January 22, 2018. Renewal issued: August 15, 2018.

**Permit No. PAM113006R. Rausch Creek Generation, LLC**, (978 Gap Street, Valley View, PA 17983), renewal of General NPDES Stormwater Permit for stormwater discharges associated with mining activities on Surface Mining Permit No. 54010201 in Hegins and Porter Townships, **Schuylkill County**, receiving stream: Good Spring Creek. Application received: January 22, 2018. Renewal issued: August 15, 2018.

#### *Noncoal Permits Issued*

*Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.*

**10110303. Allegheny Mineral Corporation** (P.O. Box 1022, Kittanning, PA 16201). Renewal of existing NPDES Permit No. PA0259080 in Washington Township, **Butler County**. Receiving streams: Unnamed tributaries to South Branch Slippery Rock Creek. Application received: April 9, 2018. Permit Issued: August 15, 2018.

*Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.*

**PAM218012. Frederick Saxer**, 34 Jazmine Lane, Wyalusing, PA 18853, hereby approves the Notice of Intent (NOI) submitted for coverage to discharge storm water associated with Small Noncoal Permit 08080803 to the following surface water(s) in Wilmot Township, **Bradford County**. Receiving stream(s): UNT to Sugar Run. Application received: April 27, 2018. Permit Issued: August 9, 2018.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.*

**Permit No. 5278SM2C10 and NPDES Permit No. PA0595764. Hanson Aggregates PA, LLC**, (7660 Imperial Way, Allentown, PA 18195), renewal of an NPDES Permit for discharge of treated mine drainage from a quarry operation in Lake Township, **Wayne County**, receiving stream: unnamed tributary to Middle Creek. Application received: January 25, 2018. Renewal issued: August 16, 2018.

**Permit No. 45170301 and NPDES Permit No. PA0595241. Lehigh Cement Co., LLC**, (7660 Imperial Way, Allentown, PA 18195), commencement, operation and restoration of a quarry operation (replacing SMP Nos. 45900301 and 45172801) and NPDES Permit for discharge of treated mine drainage in Ross Township,

**Monroe County** affecting 283.0, receiving stream: Buckwha Creek. Application received: August 4, 2018. Permit issued: August 20, 2018.

### **ACTIONS ON BLASTING ACTIVITY APPLICATIONS**

**Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.**

#### *Blasting Permits Issued*

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.*

**Permit No. 48184112. Brubacher Excavating, Inc.**, (825 Reading Road, Bowmansville, PA 17507), construction blasting for Majestic Lot 2 in the City of Bethlehem, **Northampton County** with an expiration date of August 8, 2019. Permit issued: August 17, 2018.

### **FEDERAL WATER POLLUTION CONTROL ACT SECTION 401**

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

**Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.**

*Permits, Environmental Assessments and 401 Water Quality Certifications Issued:*

**WATER OBSTRUCTIONS AND ENCROACHMENTS**

*Southeast Region: Waterway and Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401, Telephone 484-250-5900.*

**E15-896. Glenn M. White Land Company, Inc.,** Zachary Drive, West Chester, PA 19382, West Goshen Township, **Chester County**, ACOE Philadelphia District.

To perform the below listed water obstruction and encroachment activities associated with the 901 Little Shiloh Road Project. The breach and removal of an existing man-made open water pond, relocation of an ephemeral stream channel, and the restoration of a stream/wetland corridor within the footprint of the pond to be removed. The proposed project will have 365 linear feet and 1925 square feet of permanent stream impact. The project is located in the floodplain.

The site is approximately at 901 Little Shiloh Road. (West Chester Lat. 39° 57' 10"; Long. 75° 33' 43").

The issuance of this permit also constitutes approval of a Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

*Northeast Regional Office, Waterways and Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, Telephone 570-826-2511.*

**E40-805. Frank M. Henry Associates,** 1575 Wyoming Avenue, Forty Fort, PA 18704, in Harveys Lake Borough, **Luzerne County**, U.S. Army Corps of Engineers, Baltimore District.

To construct and maintain a 352 sq. ft. pile-supported boathouse expansion and a 45 sq. ft. jet ski slip within the basin of Harveys Lake (HQ-CWF). The project is located at Pole 34 along Lakeside Drive (Harveys Lake, PA Quadrangle, Latitude: 41° 21' 43.84"; Longitude: -76° 2' 8.95"). Subbasin 5B.

*Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570-327-3636.*

**E08-503. Borough of Sayre,** 110 West Packer Avenue, Sayre, PA 18840. This project is known as the Diahoga Trail and will begin in the Borough of Athens at the Athens Bridge and continues north along the Susquehanna River ending at the intersection of East Hayden Street & South Higgins Avenue in the Borough of Sayre, **Bradford County**, ACOE Baltimore District. (Sayre, PA Quadrangle N 41° 58' 8.51"; W -76° 30' 49.83").

Sayre Borough has applied for a Small Projects Joint Permit to construct, operate and maintain the trail. The trail's alignment is located within the FEMA detailed floodway and will permanently disturb 161,172 square feet (3.7 acres). The trail grades have been designed to create a balance in the cut & fill for the section within the floodway. There is no loss of available flood storage volume.

Project floodway impacts shall include and be limited to a total of 161,172 square feet of permanent floodway impacts. There are no stream or wetland impacts being proposed.

*Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222, Dana Drake, Waterways and Wetlands Program Manager, 412-442-4000.*

**E65-980, Latrobe Municipal Authority,** 104 Guerrier Road, P.O. Box 88, Latrobe, PA 15650, Unity Township, **Westmoreland County**, Pittsburgh ACOE District.

Has been given consent to:

1. Temporarily excavate approximately 0.80 acre of floodway of Loyalhanna Creek (WWF);
2. Temporarily excavate approximately 4.19 acres of the floodplain of the aforementioned waterway;
3. Place and maintain fill, a 140 ft diameter tank and a building in approximately 2.62 acres of floodplain of the aforementioned waterway;
4. Construct and maintain an outfall within the aforementioned waterway;
5. Permanently impact 0.057 acre of wetland

Mitigation will be restoration of the temporary impacts and creation of 0.11 acre of wetland. The project site is located approximately 1.5 mile northeast of the intersection of Lincoln Highway (Route 30) and Clearview Drive (Route 981) (Latrobe, PA USGS topographic quadrangle; N: 40°, 18', 19"; W: -79°, 22', 54"; Sub-basin 18C; USACE Pittsburgh District), in Unity Township, Westmoreland County.

*Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

**E24-268, Custom Industrial Processing, Inc.,** 336 State Street, Saint Marys, PA 15857. Existing Building Expansion, in Saint Marys, **Elk County**, ACOE Pittsburgh District (Saint Marys, PA Quadrangle N:41.421365°; W:78.592167°).

Permanently impact 0.047 acre of wetlands, and 116 sq. ft. of the floodway of Elk Creek due to placement of riprap for two outfall structures associated with the construction of a building addition, associated utilities, and stormwater management facilities along the north side of S.R. 120 (State Street) approximately 2 miles west of S.R. 255 (St. Marys Quadrangle N: 41°, 25', 16"; W: -78°, 35', 32") in the City of Saint Marys, Elk County.

**E42-379, Keating Township,** 760 Route 46, P.O. Box 103, East Smethport, PA 16730. Phase III Sewer Collection System, in Keating Township, **McKean County**, ACOE Pittsburgh District (Smethport, PA Quadrangle N: 41°, 52', 17"; W: 78°, 25', 28").

Construct by horizontal directional drill, operate and maintain 89 sanitary sewer pipeline stream crossings across Cole Creek, Potato Creek, Tyler Brook, Pierce Brook, and multiple unnamed tributaries, and across 3 wetlands as part of the construction of the Phase III sanitary sewer collection system consisting of a total of 130,780 linear feet of pipeline and associated facilities (41.871389°, -78.424444°) in Keating Township McKean County.

**E42-380, Keating Township,** Gifford Hollow Road, Approximately 400' from Route 6, Gifford Hollow Bridge Replacement, in Keating Township, **McKean County**, ACOE Pittsburgh District (Smethport, PA Quadrangle N: 41°, 48', 42.953"; W: 78°, 24', 30.3579").

Remove the existing structure and to construct and maintain an aluminum box culvert having a span of 12 feet, 11 inches and a rise of 6 feet with a 1-foot buried invert providing 5-foot high clear waterway opening of 53.68 square feet in an unnamed tributary to Potato Creek and impacting less than 0.01 wetlands on a realigned roadway approximately 25 feet downstream to improve sight distance and the intersection with S.R. 6 on Gifford Hollow Road (Smethport, PA Quadrangle N: 41°, 48', 42.953"; W: -78°, 24', 30.3579") in Keating Township, McKean County.

**E25-785, Mid Atlantic Interstate Transmission LLC**, 341 White Pond Dr., A-WAC-B2, Akron, OH 44320. East Erie Substation Expansion Project, in North East Township, **Erie County**, ACOE Pittsburgh District (North East, PA Quadrangle N: 41°, 9', 57.82"; W: 79°, 50', 11.19").

Mid Atlantic Interstate Transmission LLC proposes a major modification to the East Erie Substation Project (E25-785). The substation will be expanded to the east. The project will permanently impact an additional 0.189 acre of Palustrine Emergent Wetland (PEM) and temporarily impact an additional 0.07 acre of Palustrine Emergent Wetland (PEM). The applicant will expand its originally proposed mitigation area from 0.30 acre to approximately 0.44 acre.

**EROSION AND SEDIMENT CONTROL**

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free

pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

*Southwest District: Oil & Gas Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222.*

ESCGP-2 # ESX18-059-0057  
 Applicant Name Rice Midstream Holdings LLC  
 Contact Person Brint Goettel  
 Address 2400 Ansys Drive, Suite 200  
 City, State, Zip Canonsburg, PA 15317  
 County Greene County  
 Township(s) Franklin and Whiteley Townships  
 Receiving Stream(s) and Classification(s) UNTs to Smith Creek (WWF), Smith Creek (WWF), UNTs to Patterson Run (TSF) and Patterson Run (TSF)

ESCGP-2 # ESX13-125-0083 Renewal  
 Applicant Name CNX Gas Company, LLC  
 Contact Person Adam White  
 Address 1000 Consol Energy Drive  
 City, State, Zip Canonsburg, PA 15317  
 County Washington County  
 Township(s) East Finley Township  
 Receiving Stream(s) and Classification(s) UNTs to Enlow Fork (WWF)

ESCGP-2 # ESX13-125-0016 Renewal  
 Applicant Name MarkWest Liberty Midstream & Resources LLC  
 Contact Person Rick Lowry  
 Address 4600 J. Barry Court, Suite 500  
 City, State, Zip Canonsburg, PA 15317  
 County Washington County  
 Township(s) Donegal Township  
 Receiving Stream(s) and Classification(s) UNTs to Dutch Fork Lake (HQ-WWF) and UNTs to Dutch Fork (HQ-WWF)

ESCGP-2 # ESX13-125-0086 Renewal  
 Applicant Name EQT Production Company  
 Contact Person Todd Klaner  
 Address 2400 Ansys Drive, Suite 200  
 City, State, Zip Canonsburg, PA 15317  
 County Washington County  
 Township(s) Carroll Township  
 Receiving Stream(s) and Classification(s) Taylors Run (WWF) and Pigeon Creek (WWF)

ESCGP-2 # ESX14-007-0013 Major Modification  
 Applicant Name Penn Energy Resources, LLC  
 Contact Person Scott Sweder  
 Address 1000 Commerce Drive, Park Place, Suite 400  
 City, State, Zip Pittsburgh, PA 15275  
 County Beaver County  
 Township(s) Marion Township  
 Receiving Stream(s) and Classification(s) UNT to Connoquenessing Creek (WWF) and Connoquenessing Creek (WWF)

*Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222, Dana Drake, Waterways and Wetlands Program Manager, 412-442-4000.*

ESCGP-2 No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
ESG00003180001	Dominion Energy Transmission, Inc. 5000 Dominion Boulevard Glenn Allen, VA 23060	Allegheny County	Plum Borough	UNTs to Little Plum Creek (WWF)

<i>ESCGP-2 No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
ESG0012517007-1	Columbia Gas Transmission 1700 MacCorkle Avenue SE Charleston, WV 25314	Washington County	Robinson Township and Mount Pleasant Township	Robinson Run (WWF) and Little Raccoon Creek (WWF)
<hr/>				
<i>Northwest Region: Oil and Gas Program Manager, 230 Chestnut St., Meadville, PA 16335.</i>				
ESCGP-2 # ESG18-073-0001—North Beaver—Kephart Pipeline	Applicant Hilcorp Energy Company Contact Stephanie McMurray Address 1111 Travis Street City Houston State TX Zip Code 77002 County Lawrence Township(s) North Beaver Receiving Stream(s) and Classification(s) UNT to Hickory Run (TSF)/Hickory Run and UNT to Sugar Creek (HQ-CWF) Honey Creek		County Bradford Township(s) Canton Receiving Stream(s) and Classification(s) UNT to Beech Flats Ck (CWF-MF) Secondary—Beech Flats Ck	
ESCGP-2 # ESG17-031-0003A Windy Oakland Well Pad Major Modification	Applicant Laurel Mountain Production, LLC Contact Joel Hoffman Address 61 McMurray Road, Suite 300 City Pittsburgh State PA Zip Code 15241 County Clarion Township(s) Perry Receiving Stream(s) and Classification(s) UNT to Clarion River/Turkey Run-Clarion River (CWF)		ESCGP-2 # ESG29-081-18-0035 Applicant Name EXCO Resources PA LLC Contact Person Brian Rushe Address 13448 SR 422, Suite 1 City, State, Zip Kittanning, PA 16201 County Lycoming Township(s) Anthony Receiving Stream(s) and Classification(s) Stony Gap Run (HQ-CWF); UNT to Larrys Ck (EV) Secondary—Hoagland Run (HQ-CWF); Larrys Ck (EV)	
<hr/>				
<i>Eastern Region: Oil &amp; Gas Management Program Manager, 208 West Third Street, Williamsport, PA 17701.</i>				
ESCGP-2 # ESG29-081-18-0032	Applicant Name Seneca Resources Corp Contact Person Doug Kepler Address 5800 Corporate Dr, Suite 300 City, State, Zip Pittsburgh, PA 15237 County Lycoming Township(s) Lewis Receiving Stream(s) and Classification(s) Trout Run (HQ-CWF); Hagerman Run (HW-CWF) Secondary—Lycoming Ck (EV)		ESCGP-2 # ESG29-081-18-0034 Applicant Name Seneca Resources Corp Contact Person Doug Kepler Address 5800 Corporate Dr, Suite 300 City, State, Zip Pittsburgh, PA 15237 County Lycoming Township(s) Lewis Receiving Stream(s) and Classification(s) Brown Hollow (HQ-CWF); Sugarcamp Hollow (HQ-CWF); Grays Run (HQ-CWF) Secondary—Grays Run (HQ-CWF); Lycoming Ck (EV)	
<hr/>				
<b>SPECIAL NOTICES</b>				
<hr/>				
<b>Notice of Proposed Revision to the State Implementation Plan for Oxides of Nitrogen, Volatile Organic Compounds, Notice of Public Hearing, and Notice of Intent to Issue Revised Air Quality Operating Permit (42-00158).</b>				
<i>Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.</i>				
<i>Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.</i>				
<b>Georgia Pacific Panel Products—Mount Jewett MDF</b> (149 Temple Drive, Mt Jewett, PA 16740) located in Sergeant Township, <b>McKean County</b> , for approval of a Reasonably Available Control Technology (RACT II) plan.				
The facility has potential emissions of nitrogen oxides (NO <sub>x</sub> ) and volatile organic compounds (VOC) above major source thresholds and is subject to RACT II requirements. Plan approval No 42-158R is for the proposed RACT II conditions for Sources 120M, 121M, 122M, 132M, 133M, 134M, 135M and 124M.				
In accordance with 25 Pa. Code §§ 129.96—129.100, the Department of Environmental Protection (Department) has made a preliminary determination to approve a RACT II plan and an amendment to the State Implementation Plan (SIP) for Georgia Pacific Panel Products—Mount Jewett MDF.				
The proposed SIP revision does not adopt any new regulations. It incorporates the provisions and requirements contained in the amended RACT II approval for the facility, which are intended to satisfy the requirements for the 1997 National Ambient Air Quality Standard (NAAQS) and the 2008 NAAQS for ozone.				

The proposed amendments to the RACT II determination, if finally approved, will be incorporated into the facility operating permit. The relevant RACT II requirements will be submitted to the U.S. Environmental Protection Agency (EPA) as a revision to Pennsylvania's SIP and will remain in effect until replaced pursuant to 40 CFR 51 and approval by the EPA. Requirements that are not part of the RACT II determination will be excluded from the SIP submittal.

The following is a summary of the proposed amendments to the RACT II determination for this facility that will be submitted to the EPA as a SIP revision:

<i>AIMs #</i>	<i>RACT II Requirement</i>
132M & 133M	<ul style="list-style-type: none"> <li>Comply with existing PAL NO<sub>x</sub> limit of 171.14 tpy based on a consecutive 12-month period. Conduct stack testing every 3 years as required by operating permit.</li> </ul>
120M, 121M, 122M, 132M, 133M, 134M & 135M	<ul style="list-style-type: none"> <li>Total VOC emissions shall be less than or equal to 12.09 #/hr and 52.94 tpy based on a consecutive 12-month period and THC (as carbon) shall not exceed 20 ppmvd. Conduct stack testing every 3 years as required by operating permit.</li> </ul>
124M	<ul style="list-style-type: none"> <li>VOC emissions shall be less than or equal to 6.93 #/hr and 30.36 tpy based on a consecutive 12-month period and THC (as carbon) shall not exceed 20 ppmvd. Conduct stack testing every 3 years as required by operating permit.</li> </ul>
120M, 121M, 122M, 132M, 133M, 134M, 135M & 124M	<ul style="list-style-type: none"> <li>In accordance with § 129.100(d), the owner and operator of an air contamination source subject to this section and §§ 129.96—129.99 shall keep records to demonstrate compliance with §§ 129.96—129.99.</li> </ul>
120M, 121M, 122M, 132M, 133M, 134M, 135M & 124M	<ul style="list-style-type: none"> <li>In accordance with § 129.100(i), records shall be retained by the owner or operator for 5 years and made available to the Department or appropriate approved local air pollution control agency upon receipt of a written request from the Department or appropriate approved local air pollution control agency.</li> </ul>
120M, 121M, 122M, 132M, 133M, 134M, 135M & 124M	<ul style="list-style-type: none"> <li>In accordance with § 129.99(g), the emission limit and requirements specified in the plan approval or operating permit issued by the Department or appropriate approved local air pollution control agency under subsection (f) supersede the emission limit and requirements in the existing plan approval or operating permit issued to the owner or operator of the source prior to April 23, 2016, on the date specified in the plan approval or operating permit issued by the Department or appropriate approved local air pollution control agency under subsection (f), except to the extent the existing plan approval or operating permit contains more stringent requirements.</li> </ul>

*Public hearing:*

The hearing will be held on October 10, 2018, at 9 a.m. at the Department of Environmental Protection, Northwest Regional Office, 230 Chestnut Street, Meadville, PA 16335. To register to speak at the hearing, or to inquire if the hearing will be held, contact Melanie Williams (Regional Community Relations Coordinator) at (814) 332-6615. The last day to pre-register to speak at the hearing will be October 3, 2018. If we do not receive any pre-registered speakers by this date, the hearing will be cancelled.

Note that any updates made to any aspect of the hearing, including whether or not a hearing will be held, will be posted online at <http://www.dep.pa.gov/About/Regional/NorthwestRegion/Community-Information/Pages/default.aspx>.

The Department asks that individuals contact Melanie Williams (Regional Community Relations Coordinator) at (814) 332-6615 or monitor our website to determine if a hearing will be held.

Persons wishing to present testimony at the hearing should contact Melanie Williams (Regional Community Relations Coordinator) at (814) 332-6615 at least 1 week in advance of the hearing to reserve a time to present testimony. Oral testimony will be limited to a maximum of 10 minutes per individual and two written copies of the oral testimony are requested. Each organization is requested to designate one witness to present testimony on its behalf. Persons unable to attend the hearing, if it is held, may submit three (3) copies of a written statement and exhibits within 10 days thereafter to Eric Gustafson, Regional Air Quality Program Manager, Department of Environmental Protection, Northwest Regional Office, 230 Chestnut Street, Meadville, PA 16335.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to Eric Gustafson, Regional Air Quality Program Manager, Department of Environmental Protection, 230 Chestnut Street, Meadville, PA 16335. A 30-day comment period from the date of publication in the *Pennsylvania Bulletin* will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed RACT II Operating Permit including the permit number (42-158R) and a concise statement regarding the relevancy of the information or objections to issuance of the proposed RACT II Plan.

All the pertinent documents regarding this application (applications, review memos and draft approvals) are also available for public review from 8 a.m. to 4 p.m. at the Department of Environmental Protection, 230 Chestnut Street, Meadville, PA 16335. Appointments for scheduling a review must be made by calling the Department at (814) 332-6340.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodations to do so should contact Melanie Williams (Regional Community Relations Coordinator) at (814) 332-6615 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

*Northwest Region: Environmental Cleanup & Brownfields Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**OBLIGATIONS AND RESPONSIBILITIES OF OWNERSHIP OF A SITE UNDER THE HAZARDOUS SITES CLEAN-UP ACT OF OCTOBER 18, 1988**

**PUBLIC NOTICE OF PROPOSED CONSENT ORDER AND AGREEMENT**

**PENNSYLVANIA DEPARTMENT OF ENVIRONMENTAL PROTECTION**

**DUPONT NEW CASTLE JUNK SITE**

**CITY OF NEW CASTLE AND UNION TOWNSHIP, LAWRENCE COUNTY**

Under section 1113 of the Pennsylvania Hazardous Sites Cleanup Act, Act of October 18, 1988, P.L. 756, No. 108 (35 P.S. §§ 6020.101—6020.1305) (HSCA), notice is hereby provided that the Department of Environmental Protection (Department) has agreed to a Consent Order and Agreement (Agreement) with Covanta Environmental Solutions, LLC (Covanta) concerning the Dupont New Castle Junk Site (Site). The Site includes, both the Battery Property (including Riverview Parcel 1 and Riverview Parcel 3) and the China Property. The Site covers approximately 49 acres in the City of New Castle and Union Township, Lawrence County. The Site includes all surfaces and subsurface areas where hazardous substances have come to be located.

In the past, lead acid batteries, metal scrap, broken china and other wastes have been disposed at the Site. Some of these wastes contained lead and other “hazardous substances” within the meaning of that term as it is defined in section 103 of HSCA (35 P.S. § 6020.103). These hazardous substances have contaminated the surface water, groundwater, soil and sediments at the Site. The disposal of hazardous substances at the Site, and the contamination of the environment with hazardous substances at the Site constitute a “release” and a “threat of release” of a hazardous substance, as defined in section 103 of HSCA (35 P.S. § 6020.103).

The Department investigated the nature and extent of the contamination at the Site under its authority under, among other things, section 501(a) of HSCA (35 P.S. § 6020.501(a)). In 2002, contractors on behalf of the Department conducted response actions at the Battery Property including the treatment and compaction of the battery waste, placing a soil cover on the treated, compacted battery waste, and constructing a wetland to manage the storm water runoff from the covered waste. In June 2003, the Department approved a Final Post Construction Monitoring and Maintenance Plan for the Battery Property. On July 6, 2017, through an internal corporate reorganization, Riverview Parcel 1, Riverview Parcel 3, and a 0.19-acre adjacent parcel incorporated into Riverview Parcel 3, were transferred from Advanced Waste Services, Inc. to Covanta, as recorded in the Lawrence County Registry of Deeds at Document Numbers 2017-005359 and 2017-005360.

The Agreement concerns the requirements set forth for Covanta at Riverview Parcel 1 and Riverview Parcel 3 at the Site. The specific terms of the requirements are described in the Agreement between the Department and Covanta and include the following: record Department-approved Environmental Covenants that provide for Department access to the parcels; use exclusively the available public water supply system; a “Soil Management and Response Action Plan” to be approved by the Department

prior to any soil disturbance or construction on the parcels; and a yearly report submitted to the Department.

The Department will receive and consider comments relating to the Agreement for 60 days from the date of this Public Notice. The Department has the right to withdraw its consent to the Agreement if the comments concerning the Agreement disclose facts or considerations which indicate that the Agreement is inappropriate, improper or not in the public interest. After the public comment period, the Department’s settlement with Covanta shall be effective upon the date that the Department notifies Covanta, in writing, that the Agreement is final and effective in its present form, and that the Department has filed a response to significant written comments to the Agreement, or that no such comments were received.

The Agreement is available for inspection and copying at the Department’s office at 230 Chestnut Street, Meadville, PA. Comments may be submitted, in writing, to Chris Saber, Project Manager. Chris Saber can be reached at the Department’s Northwest Regional Office, 230 Chestnut Street, Meadville, PA 16335, (814) 332-6648. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 645-5984.

**Notice of Projects under the Environmental Good Samaritan Act**

The Environmental Good Samaritan Act (27 Pa.C.S.A. §§ 8001—8114) provides certain protections and immunities from civil liability for landowners and persons who voluntarily undertake reclamation and abatement projects to address land and water adversely affected by mining or oil or gas extraction or exploration for natural resources and left in an unreclaimed condition or left discharging water pollution. In order for landowners and persons to qualify for immunity, the projects must be approved by the Department.

The following project proposals have been received by the Department of Environmental Protection. A copy of the proposals is available for inspection at the Department’s Northwest Regional Office, 230 Chestnut Street, Meadville, PA 16335 between 9 a.m. and 4 p.m.

Written comments or objections may be submitted by any person or any office or head of any Federal, State or local government agency, or authority to the Department at the same address within 30 days of this publication.

Written comments or objections should contain the name, address and telephone number of the person submitting comments or objections; the proposal identification number; and a statement of sufficient detail to inform the Department of the basis of the comment or objection and the relevant facts upon which it is based.

*Project Proposals Received*

**EGSOG42-0002—Allegheny National Forest, Lot 389.** SV ABS Interests Wetmore Project, 4 Railroad St., St. Marys, PA 15857. SV ABS Interests Wetmore Project is planning to plug an abandoned oil and gas well (API No. 083-57082) located in Wetmore Township, **McKean County** near the East Branch Tionesta Creek. Complete project proposal received 8/09/2018.

[Pa.B. Doc. No. 18-1361. Filed for public inspection August 31, 2018, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Availability of Rebates through the Pennsylvania Alternative Fuels Incentive Grant Program

The Department of Environmental Protection (Department) announces the continued availability of grants to Commonwealth residents under the Pennsylvania's Alternative Fuel Vehicle (AFV) Rebate Program (Program). The Program, administered by the Department through the Alternative Fuels Incentive Grant Program (AFIG), provides rebates to Commonwealth residents to assist individuals with the incremental costs of purchasing an AFV.

To qualify for the rebate, the AFV must be registered in and be operated primarily within this Commonwealth. The rebate will be offered on a first-come, first-served basis in the order in which they are received. Rebate request forms and required documentation must be submitted to the Department no later than 6 months after the vehicle is purchased.

All AFV rebates will be submitted online using the eGrants system. To submit an application, visit <https://www.esa.dced.state.pa.us/Login.aspx>.

Beginning on August 31, 2018, the Department will be altering the rebate amounts for battery electric vehicles (BEV), plug-in hybrid electric vehicles (PHEV) and hydrogen fuel cell vehicles (HFCV) supported by the Program.

- A \$2,000 rebate for BEVs and PHEVs with a battery capacity greater than or equal to 85 kWh.
- A \$2,000 rebate for HFCVs.
- Increase eligible vehicle final purchase price cap from \$50,000 to \$60,000 for HFCVs, BEVs and PHEVs with a battery capacity equal to or greater than 60 kWh.
- A \$1,750 rebate is available for BEVs and PHEVs with a battery capacity less than 85 kWh and equal to or greater than 30 kWh.
- A \$1,000 rebate is available for BEVs and PHEVs with a battery capacity greater than or equal to 10 kWh and less than 30 kWh.
- A \$750 rebate for BEVs and PHEVs with a battery capacity less than 10 kWh.

In addition, one-time preowned AFV with 75,000 miles or less are now eligible to receive a rebate of \$750 with no county restrictions. An additional rebate of \$500 is available on all vehicles if the applicant meets the low-income requirement of a household income that is below 200% of the Federal Income Poverty level.

Finally, leased AFVs are now eligible for a rebate.

The rebate Program offered will be reassessed on June 30, 2019.

The Program guidelines and application instructions as well as an up-to-date listing of rebate availability can be accessed at <http://www.dep.pa.gov/Citizens/Grants/LoansRebates/Alternative-Fuels-Incentive-Grant/Pages/Alternative-Fuel-Vehicles.aspx>. To submit an application, visit <https://www.esa.dced.state.pa.us/Login.aspx>.

PATRICK McDONNELL,  
*Secretary*

[Pa.B. Doc. No. 18-1362. Filed for public inspection August 31, 2018, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Availability of Technical Guidance

Technical guidance documents are available on the Department of Environmental Protection's (Department) web site at <http://www.elibrary.dep.state.pa.us/dsweb/HomePage>. The "Technical Guidance Final Documents" heading is the link to a menu of the various Department bureaus where each bureau's final technical guidance documents are posted. The "Technical Guidance Draft Documents" heading is the link to the Department's draft technical guidance documents.

#### *Ordering Paper Copies of Department Technical Guidance*

The Department encourages the use of the Internet to view and download technical guidance documents. When this option is not available, persons can order a paper copy of any of the Department's draft or final technical guidance documents by contacting the Department at (717) 783-8727.

In addition, bound copies of some of the Department's documents are available as Department publications. Check with the appropriate bureau for more information about the availability of a particular document as a publication.

#### *Changes to Technical Guidance Documents*

Following is the current list of recent changes. Persons who have questions or comments about a particular document should call the contact person whose name and phone number is listed with each document.

#### *Rescission of Technical Guidance*

*DEP ID:* 550-0800-001. *Title:* Pennsylvania's Plan for Addressing Problem Abandoned Wells and Orphaned Wells. *Description:* The Department is rescinding this technical guidance document because it contains dated information. Funding sources, risk-based well scoring criteria, abandoned and orphan well inventories, and completed projects and associated costs have significantly changed since this document was last revised in 2000.

*Contact:* Questions regarding this technical guidance document should be directed to Kurt Klapkowski at [kklapkowski@pa.gov](mailto:kklapkowski@pa.gov) or (717) 783-9893.

*Effective Date:* September 1, 2018

PATRICK McDONNELL,  
*Secretary*

[Pa.B. Doc. No. 18-1363. Filed for public inspection August 31, 2018, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Federal Consistency under the Coastal Zone Management Act; Construction of Groin Structure on Lake Erie Shoreline

This notice is published under section 306(d)(14) of the Federal Coastal Zone Management Act of 1972 (16 U.S.C.A. § 1455(d)(14)), regarding public participation during consistency determinations. The Department of Environmental Protection (Department), Coastal Re-

sources Management Program has received notice that Casey D. Bowes is proposing to construct a groin on the Lake Erie shoreline at 3777 Lake Front Drive, Millcreek Township, Erie County.

The proposed groin structure will be approximately 8 feet wide by 45 feet long and will extend approximately 32 feet lake ward of the ordinary high water elevation line of 573.4 feet, International Great Lakes Datum 1985 of Lake Erie. The top elevation of the groin structure will extend approximately 1.6 feet above the ordinary high water elevation. The groin will extend approximately 7 feet down from the top elevation and be pinned to the depth of shale bedrock. The groin will be constructed of either precast concrete blocks or steel sheet pile with gravel fill and concrete cap. The proposed length of the groin structure was determined by evaluation of the existing groin structures located up-drift and down-drift on adjacent properties. Construction of the groin will require approximately 117 cubic yards of fill to be placed lakeward of the ordinary high water elevation. The groin will be constructed with openings to allow some littoral materials to pass through. As required, a volume, approximately 129 cubic yards, of sand fill will be placed on the up-drift side of the groin. The initial sand fill will utilize sand from excavation for the proposed groin and clean sand fill. The proposed work within Lake Erie will be performed in the dry. Prior to construction of the groin, a temporary sheet pile coffer dam will be installed around the work area. Water entering the work area will be pumped and discharged through pumped water filter bags or equivalent. Construction of the groin will be performed either by equipment located within the dry work area or by equipment stationed upon a floating barge. The proposed project will be performed in accordance with the Joint Application for Pennsylvania Chapter 105 Water Obstruction and Encroachment Permit and United States Army Corps of Engineers Section 404 Permit. The total disturbance area for the project is approximately 2,400 square feet (0.06 acre). Earth disturbances will be limited to excavations of the beach and lake ward to install the groin and anchor to shale below, and for placement of sand fill. Best management practices proposed for these work activities include dry work area, dewatering filter bags and minimal equipment travel within the lake.

This project is subject to Department review for Federal consistency because it is a Federal license and permit activity and will have reasonably foreseeable effects on the Commonwealth's coastal resources or uses.

In accordance with National Oceanic and Atmospheric Administration (NOAA) regulations in 15 CFR Part 930, Subpart D (relating to consistency for activities requiring a Federal license or permit), the applicant has certified that the proposed activity will be conducted in a manner consistent with the applicable enforceable policies of the Commonwealth's NOAA-approved Coastal Resources Management Program. Interested parties may request a copy of the Federal Consistency Certification from the Department contact listed as follows.

Questions regarding this review should be directed to Matthew Walderon, Federal Consistency Coordinator, at RA-Fed\_Consistency@pa.gov or (717) 772-2196.

The Department will consider all comments received on or before September 17, 2018, before issuing a final Federal consistency concurrence or objection. All comments, including comments submitted by e-mail, must include the originator's name and address. Comments submitted by facsimile will not be accepted. Commentators are encouraged to submit comments using the De-

partment's eComment system at [www.ahs.dep.pa.gov/eComment](http://www.ahs.dep.pa.gov/eComment) or by e-mail to [ecomment@pa.gov](mailto:ecomment@pa.gov). Written comments may be submitted by mail to the Policy Office, Department of Environmental Protection, 400 Market Street, Harrisburg, PA 17101.

PATRICK McDONNELL,  
*Secretary*

[Pa.B. Doc. No. 18-1364. Filed for public inspection August 31, 2018, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Long-Term Care Nursing Facilities; Requests for Exception

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 201.22(h) and (j) (relating to prevention, control and surveillance of tuberculosis (TB)):

Lebanon Valley Brethren Home  
1200 Grubb Street  
Palmyra, PA 17078  
FAC ID # 380602

This request is on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, [ra-paexcept@pa.gov](mailto:ra-paexcept@pa.gov).

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed address.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing-impaired persons, call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

RACHEL L. LEVINE, MD,  
*Secretary*

[Pa.B. Doc. No. 18-1365. Filed for public inspection August 31, 2018, 9:00 a.m.]

## DEPARTMENT OF HUMAN SERVICES

### Disproportionate Share Incentive Payments Posted for Cost Reports Ending June 30, 2017

This notice announces that the Department of Human Services (Department) made disproportionate share incentive payments to each qualified nursing facility with an acceptance letter mailed by the Department on or before January 31, 2018, for 12-month MA-11 Cost Reports ending June 30, 2017. Payment information was posted to the

Department's web site at <http://dhs.pa.gov/provider/longtermcarecasemixinformation/disproportionateshareincentivepaymentsdisproportionateshare%20Incentive%20Payments/index.htm>.

#### Appeals

Individuals who wish to appeal must file a written request for a hearing with the Department's Bureau of Hearings and Appeals, 2330 Vartan Way, Second Floor, Harrisburg, PA 17110-9721, within 30 days of the date of publication of this notice. A copy should also be sent to the Department of Human Services, Office of Long-Term Living, Attention: Bureau of Finance, Division of Rate Setting and Auditing, 555 Walnut Street, Forum Place, 8th Floor, P.O. Box 8025, Harrisburg, PA 17105-8025 and to the Department of Human Services, Office of General Counsel, Health and Welfare Building, Third Floor West, P.O. Box 2675, Harrisburg, PA 17105-2675.

Appeals of Medical Assistance providers are governed by 55 Pa. Code Chapter 41 (relating to Medical Assistance provider appeal procedures). Individuals should review those regulations carefully. Among other things, they specify what information individuals must include in the written request for hearing, and how the Bureau of Hearings and Appeals will determine whether the request for hearing was filed on time.

#### Questions or Comments

For questions or comments regarding these payments, contact the Department of Human Services, Office of Long-Term Living, Bureau of Finance, Attention: Vasiliki Avery, (717) 787-1171, RA-PWOLTLNFRates@pa.gov.

TERESA D. MILLER,  
*Secretary*

**Fiscal Note:** 14-NOT-1267. No fiscal impact; (8) recommends adoption.

[Pa.B. Doc. No. 18-1366. Filed for public inspection August 31, 2018, 9:00 a.m.]

## DEPARTMENT OF HUMAN SERVICES

### Payments to Nonpublic and County Nursing Facilities; Supplemental Ventilator Care and Tracheostomy Care Payments for June 2018

This notice announces that the Department of Human Services (Department) made supplemental ventilator care and tracheostomy care payments to qualifying Medical Assistance (MA) nonpublic and county nursing facilities for June 2018.

#### Payment Information

The Department made supplemental ventilator care and tracheostomy care payments to qualifying nonpublic and county nursing facilities. Payment information for the supplemental ventilator care and tracheostomy care payment to each qualified nonpublic and county nursing facility for June 2018 was posted on the Department's web site at <http://www.dhs.pa.gov/provider/longtermcarecasemixinformation/>.

#### Appeals

If a facility wishes to appeal, the facility must file a written request for a hearing with the Department's Bureau of Hearings and Appeals, 2330 Vartan Way,

Second Floor, Harrisburg, PA 17110-9721, within 30 days of the date of the publication of this notice. A copy should be sent to the Department's Office of Long-Term Living, Attention: Bureau of Finance, Division of Rate Setting and Auditing, P.O. Box 8025, Harrisburg, PA 17105-8025 and to the Department's Office of General Counsel, Health and Welfare Building, Third Floor West, P.O. Box 2675, Harrisburg, PA 17105-2675.

Appeals of MA providers are governed by 55 Pa. Code Chapter 41 (relating to Medical Assistance provider appeal procedures). Individuals should review these regulations carefully. Among other things, the regulations specify required information to include in a written request for hearing, and how the Bureau of Hearings and Appeals will determine whether a request for hearing was filed on time.

#### Questions or Comments

For questions or comments regarding these payments, contact the Department of Human Services, Office of Long-Term Living, Bureau of Finance, Attention: Vasiliki Avery, (717) 787-1171, RA-PWOLTLNFRates@pa.gov.

TERESA D. MILLER,  
*Secretary*

**Fiscal Note:** 14-NOT-1266. No fiscal impact; (8) recommends adoption.

[Pa.B. Doc. No. 18-1367. Filed for public inspection August 31, 2018, 9:00 a.m.]

## DEPARTMENT OF REVENUE

### Pennsylvania Cash Connect Fast Play Game 5040

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 803.11 (relating to powers and duties of the Secretary of Revenue), the Secretary of Revenue hereby provides public notice of the rules for the following lottery game:

1. *Name:* The name of the lottery game is Pennsylvania Cash Connect (hereinafter "Cash Connect"). The game number is PA-5040.

2. *Definitions:*

(a) *Authorized Retailer or Retailer:* A person who is properly licensed by the Lottery pursuant to 61 Pa. Code §§ 805.1—805.17.

(b) *Bar Code:* The symbology on the ticket containing certain encrypted validation and accounting data used for identifying winning and losing tickets.

(c) *BOX:* A pre-defined area in the play area that contains the non-monetary item, money, or experience that can be won as specified in section 6 (relating to prizes available to be won and determination of prize winners) of this game notice.

(d) *CASH NUMBERS:* The numbers, letters, symbols or other characters found in the play area that, when matched against the "YOUR NUMBERS" area, determine whether a player wins a prize.

(e) *Game Ticket:* A bearer instrument produced through a Lottery Terminal that is the player's record of a play for a Fast Play lottery game and sold by an authorized retailer containing the play and validation data as published in this game notice.

(f) *Lottery Central Computer System*: The computer gaming system on which all Fast Play plays are recorded.

(g) *Lottery Terminal*: A device authorized by the Lottery to function in an interactive mode with the Lottery Central Computer System for the purpose of issuing plays, executing Quick Pick selections, and entering, receiving, and processing lottery transactions, including making purchases, validating plays, and transmitting reports, and performing inventory functions.

(h) *Play*: A chance to participate in a particular Fast Play lottery game.

(i) *Play Area*: The area on a ticket which contains one or more play symbols.

(j) *Play Symbol*: A number, letter, symbol, image or other character found in the play area which is used to determine whether a player wins a prize.

(k) *Winning Ticket*: A game ticket which has been validated and qualifies for a prize.

(l) *YOUR NUMBERS*: The numbers, letters, symbols or other characters found in the play area and generated via quick pick that, when matched against the "CASH NUMBERS" area, determine whether a player wins a prize.

3. *Price*: The price of a Cash Connect ticket is \$2.

4. *Description of the Cash Connect lottery game*:

(a) The Cash Connect lottery game is an instant win game printed from a Lottery Terminal. All prizes are predetermined, and the player does not have the ability to select his or her own play symbols. Cash Connect tickets may be purchased from an authorized retailer or at a Lottery self-service terminal that sells terminal-based Lottery game tickets. Tickets purchased from an authorized retailer shall be printed on-demand at the time of purchase and may not be preprinted by the retailer.

(b) Cash Connect is played by matching any of the play symbols in the "YOUR NUMBERS" area to any of the play symbols located in the "CASH NUMBERS" area. A player that matches any of the "YOUR NUMBERS" play symbols to any of the "CASH NUMBERS" play symbols wins the prize appearing in the "BOX" where lines from the matching "YOUR NUMBERS" and "CASH NUMBERS" play symbols connect. A bet slip is not used to play this game.

(c) Players can win the prize identified in section 6 (relating to prizes available to be won and determination of prize winners).

(d) A Cash Connect game ticket cannot be canceled or voided once printed by the Lottery Terminal, even if printed in error.

(e) To purchase a ticket at an authorized retailer, a player must remit the purchase price to the retailer by verbally requesting a Cash Connect game ticket. The ticket shall be the only valid proof of the bet placed and the only valid receipt for claiming a prize.

(f) To purchase a ticket at a Pennsylvania Lottery self-service terminal, the player must insert into the self-service terminal a dollar amount equal to the total purchase price of a Cash Connect game ticket and selecting the Cash Connect option on the Lottery self-service terminal. The ticket shall be the only valid proof of the bet placed and the only valid receipt for claiming a prize.

5. *Pennsylvania Cash Connect ticket characteristics*:

(a) A Cash Connect ticket shall contain a play area, the cost of the play, the date of sale, and a bar code.

(b) *Play Symbols*: Each Cash Connect ticket play area will contain a "CASH NUMBERS" area and a "YOUR NUMBERS" area. The play symbols located in the "CASH NUMBERS" and the "YOUR NUMBERS" areas are: 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWY TWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN), and 30 (THIRTY).

(c) *Prize Symbols*: The prize symbols and their captions located in the "YOUR NUMBERS" area are: \$2<sup>00</sup> (TWO DOL), \$4<sup>00</sup> (FOR DOL), \$5<sup>00</sup> (FIV DOL), \$10<sup>00</sup> (TEN DOL), \$20<sup>00</sup> (TWENTY), \$25<sup>00</sup> (TWYFIV), \$40<sup>00</sup> (FORTY), \$50<sup>00</sup> (FIFTY), \$100 (ONE HUN), \$200 (TWO HUN), \$500 (FIV HUN) and \$10,000 (TEN THO).

(d) *Prizes*: The prizes that can be won in this game are: \$2, \$4, \$5, \$10, \$20, \$25, \$40, \$50, \$100, \$200, \$500 and \$10,000.

(e) A player can win up to four times on a ticket.

(f) *Approximate Number of Tickets Available for the Game*: Approximately 1,200,000 tickets will be available for sale for the Cash Connect lottery game.

6. *Prizes available to be won and determination of prize winners*:

(a) All Cash Connect prize payments will be made as one-time, lump-sum cash payments.

(b) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "CASH NUMBERS" play symbols and a prize symbol of \$10,000 (TEN THO) appears in the "BOX" where lines from the matching "YOUR NUMBERS" and "CASH NUMBERS" play symbols connect, on a single ticket, shall be entitled to a prize of \$10,000.

(c) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "CASH NUMBERS" play symbols and a prize symbol of \$500 (FIV HUN) appears in the "BOX" where lines from the matching "YOUR NUMBERS" and "CASH NUMBERS" play symbols connect, on a single ticket, shall be entitled to a prize of \$500.

(d) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "CASH NUMBERS" play symbols and a prize symbol of \$200 (TWO HUN) appears in the "BOX" where lines from the matching "YOUR NUMBERS" and "CASH NUMBERS" play symbols connect, on a single ticket, shall be entitled to a prize of \$200.

(e) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "CASH NUMBERS" play symbols and a prize symbol of \$100 (ONE HUN) appears in the "BOX" where lines from the matching "YOUR NUMBERS" and "CASH NUMBERS" play symbols connect, on a single ticket, shall be entitled to a prize of \$100.

(f) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "CASH NUMBERS" play symbols and a prize symbol of \$50<sup>00</sup> (FIFTY) appears in the "BOX" where lines from the matching "YOUR NUMBERS" and "CASH NUMBERS" play symbols connect, on a single ticket, shall be entitled to a prize of \$50.

(g) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "CASH NUMBERS" play symbols and a prize symbol of \$40.<sup>00</sup> (FORTY) appears in the "BOX" where lines from the matching "YOUR NUMBERS" and "CASH NUMBERS" play symbols connect, on a single ticket, shall be entitled to a prize of \$40.

(h) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "CASH NUMBERS" play symbols and a prize symbol of \$25.<sup>00</sup> (TWYFIV) appears in the "BOX" where lines from the matching "YOUR NUMBERS" and "CASH NUMBERS" play symbols connect, on a single ticket, shall be entitled to a prize of \$25.

(i) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "CASH NUMBERS" play symbols and a prize symbol of \$20.<sup>00</sup> (TWENTY) appears in the "BOX" where lines from the matching "YOUR NUMBERS" and "CASH NUMBERS" play symbols connect, on a single ticket, shall be entitled to a prize of \$20.

(j) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "CASH NUMBERS" play symbols and a prize symbol of \$10.<sup>00</sup> (TEN DOL) appears in the "BOX" where lines from the matching "YOUR NUMBERS" and "CASH NUMBERS" play symbols connect, on a single ticket, shall be entitled to a prize of \$10.

(k) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "CASH NUMBERS" play symbols and a prize symbol of \$5.<sup>00</sup> (FIV DOL) appears in the "BOX" where lines from the matching "YOUR NUMBERS" and "CASH NUMBERS" play symbols connect, on a single ticket, shall be entitled to a prize of \$5.

(l) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "CASH NUMBERS" play symbols and a prize symbol of \$4.<sup>00</sup> (FOR DOL) appears in the "BOX" where lines from the matching "YOUR NUMBERS" and "CASH NUMBERS" play symbols connect, on a single ticket, shall be entitled to a prize of \$4.

(m) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "CASH NUMBERS" play symbols and a prize symbol of \$2.<sup>00</sup> (TWO DOL) appears in the "BOX" where lines from the matching "YOUR NUMBERS" and "CASH NUMBERS" play symbols connect, on a single ticket, shall be entitled to a prize of \$2.

7. *Number and Description of Prizes and Approximate Chances of Winning:* The following table sets forth the approximate number of winners, amounts of prizes, and approximate chances of winning:

<i>When Any Of Your Numbers Match Any Cash Number, Win Prize Shown In the Box Where Those Two Lines Connect. Win With:</i>	<i>Win:</i>	<i>Approximate Chances of Winning Are 1 In:</i>	<i>Approximate No. Of Winners Per 1,200,000 Tickets</i>
\$2	\$2	8.55	140,400
\$2 × 2	\$4	27.4	43,800
\$4	\$4	27.4	43,800
\$5	\$5	35.71	33,600
\$5 × 2	\$10	166.67	7,200
(\$2 × 3) + \$4	\$10	250	4,800
(\$4 × 2) + \$2	\$10	333.33	3,600
\$10	\$10	322.58	3,720
\$10 × 2	\$20	400	3,000
(\$5 × 2) + \$10	\$20	400	3,000
\$20	\$20	500	2,400
(\$5 × 3) + \$10	\$25	2,000	600
(\$10 × 2) + \$5	\$25	2,000	600
\$20 + \$5	\$25	2,000	600
\$25	\$25	3,333	360
\$20 × 2	\$40	2,500	480
(\$5 × 2) + \$20 + \$10	\$40	5,000	240
(\$5 × 3) + \$25	\$40	5,000	240
(\$10 × 2) + \$20	\$40	5,000	240
\$25 + \$10 + \$5	\$40	2,500	480
\$40	\$40	5,000	240
\$25 × 2	\$50	3,000	400
(\$10 × 3) + \$20	\$50	3,000	400
(\$20 × 2) + \$10	\$50	3,000	400

<i>When Any Of Your Numbers Match Any Cash Number, Win Prize Shown In the Box Where Those Two Lines Connect. Win With:</i>	<i>Win:</i>	<i>Approximate Chances of Winning Are 1 In:</i>	<i>Approximate No. Of Winners Per 1,200,000 Tickets</i>
\$40 + \$10	\$50	3,000	400
\$50	\$50	3,000	400
\$50 × 2	\$100	8,000	150
(\$25 × 2) + \$50	\$100	6,000	200
(\$40 × 2) + (\$10 × 2)	\$100	8,000	150
\$100	\$100	8,000	150
\$100 × 2	\$200	60,000	20
(\$50 × 2) + \$100	\$200	60,000	20
\$200	\$200	60,000	20
(\$200 × 2) + (\$50 × 2)	\$500	120,000	10
(\$200 × 2) + \$100	\$500	120,000	10
\$500	\$500	120,000	10
\$10,000	\$10,000	120,000	10

Prizes, including top prizes, are subject to availability at the time of purchase.

**8. Ticket Responsibility:**

(a) A Fast Play lottery game ticket is a bearer document deemed to be owned by the person holding the game ticket, except that if a name is contained on the back of the game ticket, the person so named will, for all purposes, be considered the owner of the game ticket.

(b) The holder of a Fast Play lottery game ticket has the sole responsibility for checking the accuracy and condition of the data printed on the game ticket.

(c) The Commonwealth shall not be responsible for a lost or stolen Fast Play lottery game ticket, or a Fast Play ticket redeemed by a player in error.

**9. Ticket Validation and Requirements:**

(a) *Valid Fast Play lottery game tickets.* To be a valid Fast Play lottery game ticket, the presented game ticket must meet the following requirements:

(1) The game ticket's bar code shall be present in its entirety.

(2) The game ticket must be intact.

(3) The game ticket may not be mutilated, altered, reconstituted or tampered with.

(4) The game ticket may not be counterfeit or a duplicate of a winning ticket.

(5) The game ticket must have been validly issued.

(6) The game ticket data shall have been recorded on the Lottery Central Computer System and the game ticket data shall match the computer record in every respect.

(7) The game ticket must not be defectively printed or printed or produced in error such that it cannot be processed or validated by the Lottery.

(8) The game ticket must pass other confidential security checks of the Lottery.

(b) *Invalid or defective game tickets:* A game ticket not passing the validation requirements in subsection (a) will be considered invalid and no payment will be made on account of any play recorded thereon. The determination of the Secretary in this regard is final.

**10. Procedures for claiming and payment of prizes:**

(a) A prize may be claimed through an authorized retailer or the Lottery, as provided in this section. A prize must be claimed within 1 year of the sale date of the Fast Play lottery game ticket.

(b) An authorized retailer is authorized to pay prizes of \$2,500 or less. The holder of a game ticket evidencing a winning play representing a prize of \$2,500 or less may be paid by a participating authorized retailer if a proper validation pay ticket was issued by the retailer's Lottery Terminal.

(c) The holder of a game ticket evidencing a winning play representing a prize in excess of \$2,500 may present the game ticket to an authorized retailer, Lottery District Office, or Lottery Headquarters.

(d) Pursuant to the preceding paragraphs, the retailer or the Lottery will issue payment if:

(1) The game ticket is scanned and the play is validated through the Lottery Terminal or the Lottery Central Computer System;

(2) A claim form is properly and fully completed;

(3) The identification of the claimant is confirmed; and

(4) The winning ticket has not expired, pursuant to this section or section 12 (relating to unclaimed prizes).

(e) The Commonwealth shall not be responsible for a winning play paid in error by an authorized retailer.

(f) In the event a prize described in these rules is not available, the Lottery may either provide a substitute prize, determined by the Secretary to have an equivalent value to the prize won, or make a cash payment to the winner, in an amount determined by the Secretary to have an equivalent value to the prize won.

**11. Funding for prizes:** Moneys will be drawn from the State Lottery Fund, to the extent necessary, to fund the payment of prizes under this section. If this lottery game is terminated for any cause, prize moneys remaining undistributed will remain in the State Lottery Fund and used for purposes otherwise provided for by law.

**12. Unclaimed prizes:** Unclaimed prize money on winning Fast Play lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto

for 1 year from the sale date of the Fast Play lottery game ticket. If no claim is made within 1 year from the sale date of the Fast Play lottery game ticket, the right of a ticket holder to claim the prize represented by that ticket, if any, shall expire.

13. *Purchase and prize restrictions:* A Fast Play lottery game ticket may not be purchased by, and a prize may not be paid, to an officer or employee of the Lottery, Lottery professional services contractors or subcontractors, or to a spouse, child, brother, sister or parent residing in the same household of an officer, employee, contractor or subcontractor who is involved in the production, distribution or operation of systems for the validation or accounting of Fast Play games.

14. *Governing Law:*

(a) By purchasing a ticket, the purchaser agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), this notice, instructions, conditions and final decisions of the Secretary, and procedures established by the Secretary for the conduct of the Cash Connect lottery game.

(b) Decisions made by the Secretary, including the declaration of prizes and the payment thereof, in interpretation of this notice are final and binding on players and persons making a claim in respect thereof.

15. *Retailer Compensation:*

(a) Authorized retailers may be entitled to compensation as determined by the Lottery.

(b) No authorized retailer or employee of an authorized retailer shall request, demand, or accept gratuities or any compensation other than as provided in subsection (a) in exchange for the performance of duties authorized pursuant to the Lottery retailer's license without the Lottery's prior written authorization.

16. *Retailer Incentive Programs.* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Cash Connect lottery game tickets.

17. *Retailer Bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania Fast Play lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which he qualifies on a winning ticket. A bonus will be initiated for payment after the Fast Play game ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery Fast Play game ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

18. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be

disseminated through media used to advertise or promote Cash Connect or through normal communications methods.

19. *Applicability:* This notice applies only to the Cash Connect lottery game announced in this notice.

C. DANIEL HASSELL,  
Secretary

[Pa.B. Doc. No. 18-1368. Filed for public inspection August 31, 2018, 9:00 a.m.]

## DEPARTMENT OF REVENUE

### Pennsylvania Why Did the Chicken Cross the Road Fast Play Game 5039

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 803.11 (relating to powers and duties of the Secretary of Revenue), the Secretary of Revenue hereby provides public notice of the rules for the following lottery game:

1. *Name:* The name of the lottery game is Pennsylvania Why Did the Chicken Cross the Road (hereinafter "Why Did the Chicken Cross the Road"). The game number is PA-5039.

2. *Definitions:*

(a) *Authorized Retailer* or *Retailer:* A person who is properly licensed by the Lottery pursuant to 61 Pa. Code §§ 805.1—805.17.

(b) *Bar Code:* The symbology on the ticket containing certain encrypted validation and accounting data used for identifying winning and losing tickets.

(c) *Game Ticket:* A bearer instrument produced through a Lottery Terminal that is the player's record of a play for a Fast Play lottery game and sold by an authorized retailer containing the play and validation data as published in this game notice.

(d) *LANE:* A specific, pre-defined area of a game ticket located in the play area that contains play symbols and prize symbols that, when played according to the instructions, determine whether a player wins a prize. Each LANE is played separately, but winning combinations in more than one LANE can be combined to win larger prizes as described in section 6 (relating to prizes available to be won and determination of prize winners).

(e) *Lottery Central Computer System:* The computer gaming system on which all Fast Play plays are recorded.

(f) *Lottery Terminal:* A device authorized by the Lottery to function in an interactive mode with the Lottery Central Computer System for the purpose of issuing plays, executing Quick Pick selections, and entering, receiving, and processing lottery transactions, including making purchases, validating plays, and transmitting reports, and performing inventory functions.

(g) *Play:* A chance to participate in a particular Fast Play lottery game.

(h) *Play Area:* The area on a ticket which contains one or more play symbols.

(i) *Play Symbol:* A number, letter, symbol, image or other character found in the play area which is used to determine whether a player wins a prize.

(j) *PRIZE*: A non-monetary item, money, or experience that can be won as specified in section 6 (relating to prizes available to be won and determination of prize winners) of this game notice.

(k) *WINNING SYMBOLS*: The numbers, letters, symbols or other characters found in the play area that, when matched against each "LANE," determine whether a player wins a prize.

(l) *Winning Ticket*: A game ticket which has been validated and qualifies for a prize.

3. *Price*: The price of a Why Did the Chicken Cross the Road ticket is \$3.

4. *Description of the Why Did the Chicken Cross the Road lottery game*:

(a) The Why Did the Chicken Cross the Road lottery game is an instant win game printed from a Lottery Terminal. All prizes are predetermined, and the player does not have the ability to select his or her own play symbols. Why Did the Chicken Cross the Road tickets may be purchased from an authorized retailer or at a Lottery self-service terminal that sells terminal-based Lottery game tickets. Tickets purchased from an authorized retailer shall be printed on-demand at the time of purchase and may not be preprinted by the retailer.

(b) Why Did the Chicken Cross the Road is played by completely matching all of the play symbols located in any "LANE," in a vertical line, to any of the play symbols in the "WINNING SYMBOLS" area. Players that correctly match all the play symbols for any "LANE" shall win the PRIZE shown for that "LANE" on the other side of the road. A bet slip is not used to play this game.

(c) Players can win the prize identified in section 6 (relating to prizes available to be won and determination of prize winners).

(d) A Why Did the Chicken Cross the Road game ticket cannot be canceled or voided once printed by the Lottery Terminal, even if printed in error.

(e) To purchase a ticket at an authorized retailer, a player must remit the purchase price to the retailer by verbally requesting a Why Did the Chicken Cross the Road game ticket. The ticket shall be the only valid proof of the bet placed and the only valid receipt for claiming a prize.

(f) To purchase a ticket at a Pennsylvania Lottery self-service terminal, the player must insert into the self-service terminal a dollar amount equal to the total purchase price of a Why Did the Chicken Cross the Road game ticket and select the Why Did the Chicken Cross the Road option on the Lottery self-service terminal. The ticket shall be the only valid proof of the bet placed and the only valid receipt for claiming a prize.

5. *Pennsylvania Why Did the Chicken Cross the Road ticket characteristics*:

(a) A Why Did the Chicken Cross the Road ticket shall contain a play area, the cost of the play, the date of sale, and a bar code. Each ticket consists of five "LANE" areas and each "LANE" is played separately.

(b) *Play Symbols*: Each Why Did the Chicken Cross the Road ticket play area will contain a "WINNING SYMBOLS" area and five "LANE" areas. The play symbols located in the "WINNING SYMBOLS" area and the five "LANE" areas are: Bull (BULL) symbol, Cow (COW) symbol, Cat (CAT) symbol, Dog (DOG) symbol, Cowbell (CWBELL) symbol, Turtle (TURTLE) symbol, Pig (PIG) symbol, Corn (CORN) symbol, Goat (GOAT) symbol,

Truck (TRUCK) symbol, Horse (HORSE) symbol, Table (TABLE) symbol, Watermelon (MELON) symbol, Cookie (COOKIE) symbol, Picnic Basket (BASKET) symbol, Milk Jug (MILK) symbol, Sun (SUN) symbol, Barn (BARN) symbol, Tractor (TRACTOR) symbol, Pumpkin (PMPKIN) symbol, Coffee Pot (COFFPT) symbol, Cheese (CHEESE) symbol, Eggs (EGGS) symbol, and a Chicken (CHICKEN) symbol.

(c) *Prize Symbols*: The prize symbols and their captions located in the "LANE" areas are: \$3<sup>00</sup> (THR DOL), \$5<sup>00</sup> (FIV DOL), \$6<sup>00</sup> (SIX DOL), \$9<sup>00</sup> (NIN DOL), \$10<sup>00</sup> (TEN DOL), \$12<sup>00</sup> (TWELV), \$15<sup>00</sup> (FIFTN), \$20<sup>00</sup> (TWENTY), \$30<sup>00</sup> (THIRTY), \$50<sup>00</sup> (FIFTY), \$60<sup>00</sup> (SIXTY), \$90<sup>00</sup> (NINTY), \$100 (ONE HUN), \$300 (THR HUN), \$1,000 (ONE THO), \$2,000 (TWO THO) and \$20,000 (TWY THO).

(d) *Prizes*: The prizes that can be won in this game are: \$3, \$5, \$6, \$9, \$10, \$12, \$15, \$20, \$30, \$50, \$60, \$90, \$100, \$300, \$1,000, \$2,000 and \$20,000.

(e) A player can win up to five times on a ticket.

(f) *Approximate Number of Tickets Available for the Game*: Approximately 1,200,000 tickets will be available for sale for the Why Did the Chicken Cross the Road lottery game.

6. *Prizes available to be won and determination of prize winners*:

(a) All Why Did the Chicken Cross the Road prize payments will be made as one-time, lump-sum cash payments.

(b) Holders of tickets upon which all of the play symbols in any "LANE" match any of the "WINNING SYMBOLS" play symbols and a prize symbol of \$20,000 (TWY THO) appears in the "PRIZE" area for that "LANE" on the other side of the road, on a single ticket, shall be entitled to a prize of \$20,000.

(c) Holders of tickets upon which all of the play symbols in any "LANE" match any of the "WINNING SYMBOLS" play symbols and a prize symbol of \$2,000 (TWO THO) appears in the "PRIZE" area for that "LANE" on the other side of the road, on a single ticket, shall be entitled to a prize of \$2,000.

(d) Holders of tickets upon which all of the play symbols in any "LANE" match any of the "WINNING SYMBOLS" play symbols and a prize symbol of \$1,000 (ONE THO) appears in the "PRIZE" area for that "LANE" on the other side of the road, on a single ticket, shall be entitled to a prize of \$1,000.

(e) Holders of tickets upon which all of the play symbols in any "LANE" match any of the "WINNING SYMBOLS" play symbols and a prize symbol of \$300 (THR HUN) appears in the "PRIZE" area for that "LANE" on the other side of the road, on a single ticket, shall be entitled to a prize of \$300.

(f) Holders of tickets upon which all of the play symbols in any "LANE" match any of the "WINNING SYMBOLS" play symbols and a prize symbol of \$100 (ONE HUN) appears in the "PRIZE" area for that "LANE" on the other side of the road, on a single ticket, shall be entitled to a prize of \$100.

(g) Holders of tickets upon which all of the play symbols in any "LANE" match any of the "WINNING SYMBOLS" play symbols and a prize symbol of \$90<sup>00</sup> (NINTY) appears in the "PRIZE" area for that "LANE" on the other side of the road, on a single ticket, shall be entitled to a prize of \$90.

(h) Holders of tickets upon which all of the play symbols in any "LANE" match any of the "WINNING SYMBOLS" play symbols and a prize symbol of \$60.<sup>00</sup> (SIXTY) appears in the "PRIZE" area for that "LANE" on the other side of the road, on a single ticket, shall be entitled to a prize of \$60.

(i) Holders of tickets upon which all of the play symbols in any "LANE" match any of the "WINNING SYMBOLS" play symbols and a prize symbol of \$50.<sup>00</sup> (FIFTY) appears in the "PRIZE" area for that "LANE" on the other side of the road, on a single ticket, shall be entitled to a prize of \$50.

(j) Holders of tickets upon which all of the "WINNING SYMBOLS" play symbols completely match all of the play symbols in any "LANE," and a prize symbol of \$30.<sup>00</sup> (THIRTY) appears in the "PRIZE" area for that "LANE" on the other side of the road, on a single ticket, shall be entitled to a prize of \$30.

(k) Holders of tickets upon which all of the play symbols in any "LANE" match any of the "WINNING SYMBOLS" play symbols and a prize symbol of \$20.<sup>00</sup> (TWENTY) appears in the "PRIZE" area for that "LANE" on the other side of the road, on a single ticket, shall be entitled to a prize of \$20.

(l) Holders of tickets upon which all of the play symbols in any "LANE" match any of the "WINNING SYMBOLS" play symbols and a prize symbol of \$15.<sup>00</sup> (FIFTEEN) appears in the "PRIZE" area for that "LANE" on the other side of the road, on a single ticket, shall be entitled to a prize of \$15.

(m) Holders of tickets upon which all of the play symbols in any "LANE" match any of the "WINNING SYMBOLS" play symbols and a prize symbol of \$12.<sup>00</sup> (TWELVE) appears in the "PRIZE" area for that "LANE" on the other side of the road, on a single ticket, shall be entitled to a prize of \$12.

(n) Holders of tickets upon which all of the play symbols in any "LANE" match any of the "WINNING SYMBOLS" play symbols and a prize symbol of \$10.<sup>00</sup> (TEN DOLLARS) appears in the "PRIZE" area for that "LANE" on the other side of the road, on a single ticket, shall be entitled to a prize of \$10.

(o) Holders of tickets upon which all of the play symbols in any "LANE" match any of the "WINNING SYMBOLS" play symbols and a prize symbol of \$9.<sup>00</sup> (NINE DOLLARS) appears in the "PRIZE" area for that "LANE" on the other side of the road, on a single ticket, shall be entitled to a prize of \$9.

(p) Holders of tickets upon which all of the play symbols in any "LANE" match any of the "WINNING SYMBOLS" play symbols and a prize symbol of \$6.<sup>00</sup> (SIX DOLLARS) appears in the "PRIZE" area for that "LANE" on the other side of the road, on a single ticket, shall be entitled to a prize of \$6.

(q) Holders of tickets upon which all of the play symbols in any "LANE" match any of the "WINNING SYMBOLS" play symbols and a prize symbol of \$5.<sup>00</sup> (FIVE DOLLARS) appears in the "PRIZE" area for that "LANE" on the other side of the road, on a single ticket, shall be entitled to a prize of \$5.

(r) Holders of tickets upon which all of the play symbols in any "LANE" match any of the "WINNING SYMBOLS" play symbols and a prize symbol of \$3.<sup>00</sup> (THREE DOLLARS) appears in the "PRIZE" area for that "LANE" on the other side of the road, on a single ticket, shall be entitled to a prize of \$3.

7. *Number and Description of Prizes and Approximate Chances of Winning:* The following table sets forth the approximate number of winners, amounts of prizes, and approximate chances of winning:

<i>Match The WINNING SYMBOLS To The Symbols In Each LANE. Match All Six Symbols In Any Vertical LANE, Win PRIZE Shown For That LANE On The Other Side Of The Road. Win With:</i>	<i>Win:</i>	<i>Approximate Chances of Winning Are 1 In:</i>	<i>Approximate No. Of Winners Per 1,200,000 Tickets</i>
\$3	\$3	9.09	132,000
\$5	\$5	16.67	72,000
\$3 × 2	\$6	50	24,000
\$6	\$6	50	24,000
\$3 × 3	\$9	200	6,000
\$6 + \$3	\$9	200	6,000
\$9	\$9	200	6,000
\$5 × 2	\$10	133.33	9,000
\$10	\$10	133.33	9,000
\$5 × 3	\$15	333.33	3,600
(\$3 × 3) + \$6	\$15	303.03	3,960
\$9 + \$6	\$15	303.03	3,960
\$15	\$15	333.33	3,600
\$10 × 2	\$20	1,000	1,200
(\$5 × 2) + \$10	\$20	1,000	1,200
(\$6 × 2) + \$5 + \$3	\$20	1,000	1,200

<i>Match The WINNING SYMBOLS To The Symbols In Each LANE. Match All Six Symbols In Any Vertical LANE, Win PRIZE Shown For That LANE On The Other Side Of The Road. Win With:</i>	<i>Win:</i>	<i>Approximate Chances of Winning Are 1 In:</i>	<i>Approximate No. Of Winners Per 1,200,000 Tickets</i>
\$9 + \$6 + \$5	\$20	666.67	1,800
\$20	\$20	1,000	1,200
\$10 × 3	\$30	1,000	1,200
(\$6 × 2) + \$10 + \$5 + \$3	\$30	1,000	1,200
\$10 + \$9 + \$6 + \$5	\$30	1,000	1,200
\$30	\$30	1,000	1,200
\$30 + \$20	\$50	10,000	120
(\$10 × 2) + \$30	\$50	10,000	120
(\$20 × 2) + \$10	\$50	10,000	120
\$20 + \$12 + \$10 + \$5 + \$3	\$50	10,000	120
\$50	\$50	10,000	120
\$20 × 3	\$60	6,000	200
\$30 + \$12 + \$10 + \$5 + \$3	\$60	6,000	200
\$30 + \$20 + \$10	\$60	6,000	200
\$50 + \$10	\$60	12,000	100
\$60	\$60	12,000	100
\$30 × 3	\$90	6,000	200
(\$20 × 2) + \$50	\$90	6,000	200
\$50 + \$20 + \$9 + \$6 + \$5	\$90	6,000	200
\$50 + \$30 + \$10	\$90	6,000	200
\$90	\$90	6,000	200
\$50 × 2	\$100	24,000	50
(\$10 × 2) + \$50 + \$30	\$100	24,000	50
\$50 + \$30 + \$20	\$100	24,000	50
\$90 + \$10	\$100	24,000	50
\$100	\$100	24,000	50
\$100 × 3	\$300	24,000	50
(\$100 × 2) + \$50 + \$30 + \$20	\$300	24,000	50
\$300	\$300	24,000	50
\$1,000	\$1,000	120,000	10
\$1,000 × 2	\$2,000	120,000	10
\$2,000	\$2,000	120,000	10
\$20,000	\$20,000	120,000	10

Each "LANE" is played separately.

Prizes, including top prizes, are subject to availability at the time of purchase.

8. *Ticket Responsibility:*

(a) A Fast Play lottery game ticket is a bearer document deemed to be owned by the person holding the game ticket, except that if a name is contained on the back of the game ticket, the person so named will, for all purposes, be considered the owner of the game ticket.

(b) The holder of a Fast Play lottery game ticket has the sole responsibility for checking the accuracy and condition of the data printed on the game ticket.

(c) The Commonwealth shall not be responsible for a lost or stolen Fast Play lottery game ticket, or a Fast Play ticket redeemed by a player in error.

9. *Ticket Validation and Requirements:*

(a) *Valid Fast Play lottery game tickets.* To be a valid Fast Play lottery game ticket, the presented game ticket must meet the following requirements:

(1) The game ticket's bar code shall be present in its entirety.

(2) The game ticket must be intact.

(3) The game ticket may not be mutilated, altered, reconstituted or tampered with.

(4) The game ticket may not be counterfeit or a duplicate of a winning ticket.

(5) The game ticket must have been validly issued.

(6) The game ticket data shall have been recorded on the Lottery Central Computer System and the game ticket data shall match the computer record in every respect.

(7) The game ticket must not be defectively printed or printed or produced in error such that it cannot be processed or validated by the Lottery.

(8) The game ticket must pass other confidential security checks of the Lottery.

(b) *Invalid or defective game tickets:* A game ticket not passing the validation requirements in subsection (a) will be considered invalid and no payment will be made on account of any play recorded thereon. The determination of the Secretary in this regard is final.

10. *Procedures for claiming and payment of prizes:*

(a) A prize may be claimed through an authorized retailer or the Lottery, as provided in this section. A prize must be claimed within 1 year of the sale date of the Fast Play lottery game ticket.

(b) An authorized retailer is authorized to pay prizes of \$2,500 or less. The holder of a game ticket evidencing a winning play representing a prize of \$2,500 or less may be paid by a participating authorized retailer if a proper validation pay ticket was issued by the retailer's Lottery Terminal.

(c) The holder of a game ticket evidencing a winning play representing a prize in excess of \$2,500 may present the game ticket to an authorized retailer, Lottery District Office, or Lottery Headquarters.

(d) Pursuant to the preceding paragraphs, the retailer or the Lottery will issue payment if:

(1) The game ticket is scanned and the play is validated through the Lottery Terminal or the Lottery Central Computer System;

(2) A claim form is properly and fully completed;

(3) The identification of the claimant is confirmed; and

(4) The winning ticket has not expired, pursuant to this section or section 12 (relating to unclaimed prizes).

(e) The Commonwealth shall not be responsible for a winning play paid in error by an authorized retailer.

(f) In the event a prize described in these rules is not available, the Lottery may either provide a substitute prize, determined by the Secretary to have an equivalent value to the prize won, or make a cash payment to the winner, in an amount determined by the Secretary to have an equivalent value to the prize won.

11. *Funding for prizes:* Moneys will be drawn from the State Lottery Fund, to the extent necessary, to fund the payment of prizes under this section. If this lottery game is terminated for any cause, prize moneys remaining undistributed will remain in the State Lottery Fund and used for purposes otherwise provided for by law.

12. *Unclaimed prizes:* Unclaimed prize money on winning Fast Play lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto

for 1 year from the sale date of the Fast Play lottery game ticket. If no claim is made within 1 year from the sale date of the Fast Play lottery game ticket, the right of a ticket holder to claim the prize represented by that ticket, if any, shall expire.

13. *Purchase and prize restrictions:* A Fast Play lottery game ticket may not be purchased by, and a prize may not be paid, to an officer or employee of the Lottery, Lottery professional services contractors or subcontractors, or to a spouse, child, brother, sister or parent residing in the same household of an officer, employee, contractor or subcontractor who is involved in the production, distribution or operation of systems for the validation or accounting of Fast Play games.

14. *Governing Law:*

(a) By purchasing a ticket, the purchaser agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), this notice, instructions, conditions and final decisions of the Secretary, and procedures established by the Secretary for the conduct of the Fast Play Why Did the Chicken Cross the Road lottery game.

(b) Decisions made by the Secretary, including the declaration of prizes and the payment thereof, in interpretation of this notice are final and binding on players and persons making a claim in respect thereof.

15. *Retailer Compensation:*

(a) Authorized retailers may be entitled to compensation as determined by the Lottery.

(b) No authorized retailer or employee of an authorized retailer shall request, demand, or accept gratuities or any compensation other than as provided in subsection (a) in exchange for the performance of duties authorized pursuant to the Lottery retailer's license without the Lottery's prior written authorization.

16. *Retailer Incentive Programs.* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Pennsylvania Fast Play Why Did the Chicken Cross the Road lottery game tickets.

17. *Retailer Bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania Fast Play lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which he qualifies on a winning ticket. A bonus will be initiated for payment after the Fast Play game ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery Fast Play game ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

18. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Why Did the Chicken Cross the Road or through normal communications methods.

19. *Applicability:* This notice applies only to the Why Did the Chicken Cross the Road lottery game announced in this notice.

C. DANIEL HASSELL,  
Secretary

[Pa.B. Doc. No. 18-1369. Filed for public inspection August 31, 2018, 9:00 a.m.]

## FISH AND BOAT COMMISSION

### Proposed Special Regulation Designations

The Fish and Boat Commission (Commission) has approved guidelines with regard to encouraging public participation on possible changes to the designation of streams, stream sections or lakes for special regulation programs. Under 58 Pa. Code Chapter 65 (relating to special fishing regulations), the Commission designates or redesignates certain streams, stream sections and lakes as being subject to special fishing regulations. These designations and redesignations are effective after Commission approval when they are posted at the site and a notice is published in the *Pennsylvania Bulletin*. Under the Commission's guidelines, a notice concerning the proposed designation or redesignation of a stream, stream section or lake under special regulations ordinarily will be published in the *Pennsylvania Bulletin* before the matter is reviewed by the Commissioners.

At the next Commission meeting on October 15 and 16, 2018, the Commission will consider taking the following actions with respect to waters subject to special fishing regulations under 58 Pa. Code Chapter 65, effective January 1, 2019.

58 Pa. Code § 65.6. *Delayed harvest artificial lures only areas*

The Commission will consider removing the following water as a delayed harvest artificial lures only area:

County	Water
Blair	Little Juniata River, Section 03

58 Pa. Code § 65.17. *Catch and release lakes*

The Commission will consider adding the following water to the catch and release lakes program:

County	Water
McKean	Bradford City Number Two Reservoir

At this time, the Commission is soliciting public input concerning the previously listed designations. Persons with comments, objections or suggestions concerning the designations are invited to submit comments in writing to the Executive Director, Fish and Boat Commission, P.O. Box 67000, Harrisburg, PA 17106-7000, within 30 days after publication of this notice in the *Pennsylvania Bulletin*. Comments submitted by facsimile will not be accepted.

Comments also may be submitted electronically by completing the form at [www.fishandboat.com/reg](http://www.fishandboat.com/reg) comments. If an acknowledgment of electronic comments is not received by the sender within 2 working days, the comments should be retransmitted to ensure receipt. Electronic comments submitted in any other manner will not be accepted.

JOHN A. ARWAY,  
Executive Director

[Pa.B. Doc. No. 18-1370. Filed for public inspection August 31, 2018, 9:00 a.m.]

## FISH AND BOAT COMMISSION

### Proposed Special Regulation Designations

The Fish and Boat Commission (Commission) has approved guidelines with regard to encouraging public participation on possible changes to the designation of streams, stream sections or lakes for special regulation programs. Under 58 Pa. Code Chapter 65 (relating to special fishing regulations), the Commission designates or redesignates certain streams, stream sections and lakes as being subject to special fishing regulations. These designations and redesignations are effective after Commission approval when they are posted at the site and a notice is published in the *Pennsylvania Bulletin*. Under the Commission's guidelines, a notice concerning the proposed designation or redesignation of a stream, stream section or lake under special regulations ordinarily will be published in the *Pennsylvania Bulletin* before the matter is reviewed by the Commissioners.

At the next Commission meeting on October 15 and 16, 2018, the Commission will consider taking the following action with respect to waters subject to special fishing regulations under 58 Pa. Code Chapter 65, effective January 1, 2019.

58 Pa. Code § 65.19. *Stocked trout waters open to year-round fishing*

The Commission will consider adding the following waters as a stocked trout water open to year-round fishing:

County	Water
Bradford	Cooks Pond
Carbon	Lehigh River, from 1/3 mile upstream of the railroad bridge in Glen Onoko downstream to the confluence with Mauch Chunk Creek
Clearfield	West Branch Susquehanna River, from the mouth of Anderson Creek downriver to State Road 2024 at Porters Bridge

At this time, the Commission is soliciting public input concerning the previously listed designations. Persons with comments, objections or suggestions concerning the designations are invited to submit comments in writing to the Executive Director, Fish and Boat Commission, P.O. Box 67000, Harrisburg, PA 17106-7000, within 30 days after publication of this notice in the *Pennsylvania Bulletin*. Comments submitted by facsimile will not be accepted.

Comments also may be submitted electronically by completing the form at [www.fishandboat.com/regcomments](http://www.fishandboat.com/regcomments). If an acknowledgment of electronic comments is not received by the sender within 2 working days, the comments should be retransmitted to ensure receipt. Electronic comments submitted in any other manner will not be accepted.

JOHN A. ARWAY,  
*Executive Director*

[Pa.B. Doc. No. 18-1371. Filed for public inspection August 31, 2018, 9:00 a.m.]

## HEALTH CARE COST CONTAINMENT COUNCIL

### Meeting Scheduled

The Health Care Cost Containment Council (Council) has scheduled the following meeting: Thursday, September 6, 2018—Council meeting at 10 a.m.

The meeting will be held at 225 Market Street, Suite 400, Harrisburg, PA 17101. The public is invited to attend. Persons who need accommodation due to a disability who wish to attend, should contact René Greenawalt at (717) 232-6787 at least 24 hours in advance so that arrangements can be made.

JOE MARTIN,  
*Executive Director*

[Pa.B. Doc. No. 18-1372. Filed for public inspection August 31, 2018, 9:00 a.m.]

## INDEPENDENT REGULATORY REVIEW COMMISSION

### Action Taken by the Commission

The Independent Regulatory Review Commission met publicly at 10 a.m., Thursday, August 16, 2018, and announced the following:

*Action Taken—Regulation Approved:*

Environmental Quality Board # 7-550: U.S. Nuclear Regulatory Commission (NRC) Consistency Rule (amends 25 Pa. Code Chapters 215, 217, 230 and 232)

Environmental Quality Board # 7-499: Radiological Health (amends 25 Pa. Code Chapters 215—221, 223—228, 230, 232 and 240)

### Approval Order

Public Meeting Held  
August 16, 2018

*Commissioners Voting:* George D. Bedwick, Chairperson; John F. Mizner, Esq., Vice Chairperson; W. Russell Faber; Murray Ufberg, Esq.; Dennis A. Watson, Esq.

*Environmental Quality Board  
U.S. Nuclear Regulatory Commission (NRC)  
Consistency Rule  
Regulation No. 7-550 (# 3208)*

On July 16, 2018, the Independent Regulatory Review Commission (Commission) received this regulation from

the Environmental Quality Board (Board). This rulemaking amends 25 Pa. Code Chapters 215, 217, 230 and 232. Notice of proposed rulemaking was omitted for this regulation; it will become effective upon publication in the *Pennsylvania Bulletin*.

This final-omitted rulemaking brings the Commonwealth into compatibility with the U.S. Nuclear Regulatory Commission (NRC) radioactive materials program. Several provisions of 10 CFR were identified that should be excluded from 25 Pa. Code Chapters 215, 217, 230 and 232 because the provisions can only be implemented by the NRC.

We have determined this regulation is consistent with the statutory authority of the Board (35 P.S. §§ 7110.301 and 7110.302) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

*By Order of the Commission:*

This regulation is approved.

### Approval Order

Public Meeting Held  
August 16, 2018

*Commissioners Voting:* George D. Bedwick, Chairperson; John F. Mizner, Esq., Vice Chairperson; W. Russell Faber; Murray Ufberg, Esq.; Dennis A. Watson, Esq.

*Environmental Quality Board  
Radiological Health  
Regulation No. 7-499 (# 3169)*

On April 21, 2017, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Environmental Quality Board (EQB). This rulemaking amends 25 Pa. Code Chapters 215—221, 223—228, 230, 232 and 240. The proposed regulation was published in the May 13, 2017 *Pennsylvania Bulletin* with a public comment period ending on June 26, 2017. The final-form regulation was submitted to the Commission on July 16, 2018.

This regulation is a general update of existing regulations to reflect the current standards of the industry, accrediting bodies and national organizations.

We have determined this regulation is consistent with the statutory authority of the EQB (71 P.S. § 510-20, 35 P.S. § 7110.302 and 63 P.S. §§ 2012 and 2013) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

*By Order of the Commission:*

This regulation is approved.

GEORGE D. BEDWICK,  
*Chairperson*

[Pa.B. Doc. No. 18-1373. Filed for public inspection August 31, 2018, 9:00 a.m.]

# INDEPENDENT REGULATORY REVIEW COMMISSION

## Notice of Comments Issued

Section 5(g) of the Regulatory Review Act (71 P.S. § 745.5(g)) provides that the Independent Regulatory Review Commission (Commission) may issue comments within 30 days of the close of the public comment period. The Commission comments are based upon the criteria contained in section 5.2 of the Regulatory Review Act (71 P.S. § 745.5b).

The Commission has issued comments on the following proposed regulation. The agency must consider these comments in preparing the final-form regulation. The final-form regulation must be submitted within 2 years of the close of the public comment period or it will be deemed withdrawn.

<i>Reg. No.</i>	<i>Agency/Title</i>	<i>Close of the Public Comment Period</i>	<i>IRRC Comments Issued</i>
# 16A-724	State Board of Massage Therapy Fees 48 Pa.B. 3736 (June 23, 2018)	7/23/18	8/22/18

### State Board of Massage Therapy Regulation # 16A-724 (IRRC # 3203)

#### Fees

August 22, 2018

We submit for your consideration the following comments on the proposed rulemaking published in the June 23, 2018 *Pennsylvania Bulletin*. Our comments are based on criteria in Section 5.2 of the Regulatory Review Act (RRA) (71 P.S. § 745.5b). Section 5.1(a) of the RRA (71 P.S. § 745.5a(a)) directs the State Board of Massage Therapy (Board) to respond to all comments received from us or any other source.

#### 1. Section 20.3. Fees.—Economic or fiscal impacts; Need for the regulation; Reasonableness of requirements, implementation procedures and timetables for compliance.

Under the Massage Therapy Law (Act), the Board is required to support its operations from the revenue it generates from fees, fines and civil penalties. Section (a) states, in part,

“If the revenues raised by the fees, fines and civil penalties imposed under this act are not sufficient to meet expenditures over a two-year period, the [B]oard shall increase those fees by regulation so that projected revenues will meet or exceed projected expenditures.”

63 P.S. § 627.11(a).

Under Section 49 of the Act, initial operating funds were transferred from the Professional Licensure Augmentation Account (PLAA) to the Board to be repaid within three years of the beginning of issuance of licenses. 63 P.S. § 627.49. The current fee schedule in Section 20.3 was established with the Board’s initial rulemaking in 2011 based upon an estimate of the costs of administering the functions of the Board at that time. However, since the Board began issuing licenses in 2011, it has not produced enough revenue to cover its current operating expenses or repay the moneys advanced from the PLAA. In fact, the deficit balance in the Board’s account as of the beginning of Fiscal Year 2017-2018 was over \$1 million.

As required by the Act, the Board proposes to increase several fees, including raising the biennial renewal fee from \$75 to \$200. While we acknowledge the statutory requirement for the Board to increase revenues through fees, fines and civil penalties to cover expenditures, we have several concerns.

Several hundred commenters, particularly those who work part-time, oppose such a significant increase in the license renewal fee for a variety of reasons, such as:

- “While we are categorized as healthcare professionals and conduct ourselves as such, we do not enjoy the same recognition as others in the healthcare field, as most insurance companies do not cover or reimburse massage-related expenditures.”

- “This much of an increase. . . is ridiculous, especially for a certification that requires no formal college degree. I also hold a license in Occupational Therapy, with a required Master’s degree, and that license renewal is only \$65 [biennially].”

- “We licensed massage therapists will be expected to pay more than double what the physical therapists pay and we make significantly lower incomes.”

- “In researching other professional [biennial] renewal fees, whose incomes greatly exceed our profession, \$200 is very close to the fees of chiropractors, dentists, and registered pharmacists.”

- “To renew a nursing license in Pennsylvania is \$65 and their earning potential is much higher.”

- “This increase of \$125 represents about 2.5 percent of my total yearly income from massage. This, of course, does not include costs for classes, ethics, [cardiopulmonary resuscitation] courses, massage supplies and local and federal taxes.”

- “The Board’s assumption that employers pay the licensure fees for therapists is certainly not the norm.”

- “This is a very physical job and increasing the amount of massages done each month to cover this fee is just not doable.”

- “From a hiring perspective, the applicant pool of qualified candidates is already shrinking. . . . If the board continues to make the fees too expensive for massage therapists to renew their licenses, this will create an even bigger shortage of professionals. . . .”

- “The only thing this proposal will do is encourage more people to leave the profession of massage therapy which should not be the goal of the State Board of Massage and will therefore lead to less licensed massage therapists, and consequently less revenue for the State Board in the long run. . . .”

We ask the Board to address the adverse economic impacts that commenters are asserting will result from

this significant license renewal increase, as well as the reasonableness of imposing such a significant increase for license renewal.

Also, we ask the Board to provide additional information related to the PLAA. How much did the Board initially borrow? What is the remaining balance owed to the PLAA?

We ask the Board to explain whether the costs provided by the Board are strictly Board expenses or whether the costs include any Department overhead. Also, the Board should explain how it reconciles its deficit situation with the Department's budget.

The Fee Report Form for Biennial Renewal Fee-Massage Therapy does not include "Fee-Related Activities and Costs" as do the other Fee Report Forms provided by the Board. Without the total estimated cost of Board activities related to biennial renewal fees, how was the proposed fee determined? We ask the Board to provide this information with the final-form regulation.

The Preamble states that the Board raises a majority of its revenue through biennial renewal fees, with a small percentage of revenue coming from application fees, fines and civil penalties. Many commenters raised concerns over the lack of enforcement for unlicensed bodywork shops. We ask the Board to address the issue of enforcement, since fines and civil penalties raise only "a small percentage of revenue." What steps is the Board taking to increase revenue by shifting the burden from licensees to unlicensed individuals through fines and civil penalties?

Additionally, we ask the Board to explain in the Preamble of the final-form regulation why the initial estimate of the costs of administering the functions of the Board resulted in the Board not producing enough revenue to cover its operating expenses or repay the moneys advanced from the PLAA since it began issuing licenses in 2011.

We will review this information to evaluate the economic impacts and reasonableness of the regulation to determine if the regulation is in the public interest.

## 2. RAF and Preamble.—Clarity.

The Board should remove references to Section 11(b) of the Act from the RAF and Preamble of the final-form regulation since this citation references the authority of the Bureau of Professional and Occupational Affairs.

GEORGE D. BEDWICK,  
*Chairperson*

[Pa.B. Doc. No. 18-1374. Filed for public inspection August 31, 2018, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Agency Contract Termination of Andrew Schatz under Act 143; Allstate Insurance Company; Doc. No. AT18-08-016

Andrew Schatz has requested review of an agency contract termination by Allstate Insurance Company under sections 1–6 of The Insurance Department Act of 1921 (40 P.S. §§ 241–246).

A pre-review telephone conference initiated by this office is scheduled for September 27, 2018, at 9:30 a.m. Each party shall provide the Hearings Administrator a telephone number to be used for the telephone conference

on or before September 25, 2018. A date for a review shall be determined, if necessary, at the pre-review conference.

Motions preliminary to those at the review, protests, petitions to intervene or notices of intervention, if any, must be filed on or before September 13, 2018, with the Hearings Administrator, Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102. Answer to preliminary motions, protests, petitions to intervene or notices of intervention, if any, shall be filed on or before September 25, 2018.

Persons with a disability who wish to attend the previously-referenced administrative proceedings and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Joseph Korman, (717) 787-4429, jkorman@pa.gov.

JESSICA K. ALTMAN,  
*Insurance Commissioner*

[Pa.B. Doc. No. 18-1375. Filed for public inspection August 31, 2018, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Genworth Life Insurance Company; Rate Increase Filing for the Choice I LTC Series (GEFA-131601710)

The Genworth Life Insurance Company is requesting approval to increase the premium an aggregate 34.8% on 13,450 policy holders with LTC form 7035.

Unless formal administrative action is taken prior to November 15, 2018, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's (Department) web site at [www.insurance.pa.gov](http://www.insurance.pa.gov) (hover the cursor over the "Consumers" tab, then select "Long Term Care Rate Filings").

Copies of the filing are also available for public inspection, by appointment, during normal working hours at the Department's Harrisburg office.

Interested parties are invited to submit written comments, suggestions or objections to James Laverty, Actuary, Insurance Department, Insurance Product Regulation, Room 1311, Strawberry Square, Harrisburg, PA 17120, [jlaverty@pa.gov](mailto:jlaverty@pa.gov) within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

JESSICA K. ALTMAN,  
*Insurance Commissioner*

[Pa.B. Doc. No. 18-1376. Filed for public inspection August 31, 2018, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Genworth Life Insurance Company; Rate Increase Filing for the PCS II LTC Series (GEFA-131601681)

The Genworth Life Insurance Company is requesting approval to increase the premium an aggregate 34.24% on 5,602 policy holders with LTC forms 7030 and 7032.

Unless formal administrative action is taken prior to November 15, 2018, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's (Department) web site at [www.insurance.pa.gov](http://www.insurance.pa.gov) (hover the cursor over the "Consumers" tab, then select "Long Term Care Rate Filings").

Copies of the filing are also available for public inspection, by appointment, during normal working hours at the Department's Harrisburg office.

Interested parties are invited to submit written comments, suggestions or objections to James Laverty, Actuary, Insurance Department, Insurance Product Regulation, Room 1311, Strawberry Square, Harrisburg, PA 17120, [jlaverty@pa.gov](mailto:jlaverty@pa.gov) within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

JESSICA K. ALTMAN,  
Insurance Commissioner

[Pa.B. Doc. No. 18-1377. Filed for public inspection August 31, 2018, 9:00 a.m.]

A copy of the filing is available on the Insurance Department's (Department) web site at [www.insurance.pa.gov](http://www.insurance.pa.gov) (hover the cursor over the "Consumers" tab, then select "Long Term Care Rate Filings").

Copies of the filing are also available for public inspection, by appointment, during normal working hours at the Department's Harrisburg office.

Interested parties are invited to submit written comments, suggestions or objections to James Laverty, Actuary, Insurance Department, Insurance Product Regulation, Room 1311, Strawberry Square, Harrisburg, PA 17120, [jlaverty@pa.gov](mailto:jlaverty@pa.gov) within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

JESSICA K. ALTMAN,  
Insurance Commissioner

[Pa.B. Doc. No. 18-1379. Filed for public inspection August 31, 2018, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Genworth Life Insurance Company; Rate Increase Filing for the PCS LTC Series (GEFA-131601709)

The Genworth Life Insurance Company is requesting approval to increase the premium an aggregate 46.9% on 2,475 policy holders with LTC forms 7000 and 7020.

Unless formal administrative action is taken prior to November 15, 2018, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's (Department) web site at [www.insurance.pa.gov](http://www.insurance.pa.gov) (hover the cursor over the "Consumers" tab, then select "Long Term Care Rate Filings").

Copies of the filing are also available for public inspection, by appointment, during normal working hours at the Department's Harrisburg office.

Interested parties are invited to submit written comments, suggestions or objections to James Laverty, Actuary, Insurance Department, Insurance Product Regulation, Room 1311, Strawberry Square, Harrisburg, PA 17120, [jlaverty@pa.gov](mailto:jlaverty@pa.gov) within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

JESSICA K. ALTMAN,  
Insurance Commissioner

[Pa.B. Doc. No. 18-1378. Filed for public inspection August 31, 2018, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Genworth Life Insurance Company; Rate Increase Filing for the Pre-PCS LTC Series (GEFA-131601679)

The Genworth Life Insurance Company is requesting approval to increase the premium an aggregate 57.7% on 2,939 policy holders with LTC forms 6484, 50000, 50001, 50003N, 50003P, 60394, 60407, 50020, 50021, 50022, 60491, 60494, 7021, 62100D and 62100R.

Unless formal administrative action is taken prior to November 15, 2018, the subject filing may be deemed approved by operation of law.

## INSURANCE DEPARTMENT

### Highmark, Inc. (HGHM-131605130); Grandfathered Individual CompleteCare Program; Rate Filing

Highmark, Inc. submitted a rate filing to change the premium rates for its Grandfathered Individual CompleteCare Program. The filing proposes a rate increase of 13.1% and will affect approximately 2,249 members. The proposed rate increase will generate an annualized revenue of approximately \$1.9 million and will be effective January 1, 2019.

Unless formal administrative action is taken prior to November 8, 2018, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's (Department) web site at [www.insurance.pa.gov](http://www.insurance.pa.gov) (click on the "Consumers" tab, then under "Resources" select "Product Notices").

A copy of the filing is also available for public inspection, by appointment, during normal working hours at the Department's regional office in Harrisburg.

Interested parties are invited to submit written or e-mail comments, suggestions or objections to Cherri Sanders-Jones, Insurance Department, Insurance Product Regulation, 1311 Strawberry Square, Harrisburg, PA 17120, [csandersjo@pa.gov](mailto:csandersjo@pa.gov) within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

JESSICA K. ALTMAN,  
Insurance Commissioner

[Pa.B. Doc. No. 18-1380. Filed for public inspection August 31, 2018, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Review Procedure Hearings under the Unfair Insurance Practices Act

The following insureds have requested a hearing as authorized by section 8 of the Unfair Insurance Practices Act (act) (40 P.S. § 1171.8) in connection with the company's termination of the homeowners' policy. The hearing will be held in accordance with the requirements of the

act; 2 Pa.C.S. §§ 501—508, 561—588 and 701—704 (relating to Administrative Agency Law); 1 Pa. Code Part II (relating to Administrative Rules of Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). This administrative hearing will be held as follows. Failure by the appellants to appear at the scheduled hearing may result in dismissal with prejudice.

The hearing will be held at the Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102.

Appeal of David D. Angstadt and Kathryn S. Angstadt; Encompass Insurance Company of America; File No. 18-198-225191; Doc. No. P18-08-012; October 4, 2018, 9:30 a.m.

Following the hearing and receipt of the stenographic transcript, the Insurance Commissioner (Commissioner) will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing, should contact Joseph Korman, (717) 787-4429, jkorman@pa.gov.

JESSICA K. ALTMAN,  
*Insurance Commissioner*

[Pa.B. Doc. No. 18-1381. Filed for public inspection August 31, 2018, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Short-Term Limited Duration Insurance—Guidance for Compliance Filings; Notice 2018-08

On August 3, 2018, the Internal Revenue Service, United States Department of the Treasury; Employee Benefits Security Administration, United States Department of Labor; and Centers for Medicare & Medicaid Services, United States Department of Health and Human Services issued a final rule “amend[ing] the definition of short-term, limited-duration insurance for purposes of its exclusion from the definition of individual health insurance coverage.”<sup>1</sup> The 2018 STLDI rule is effective October 2, 2018, and requires that any short-term limited duration insurance (STLDI) policy issued on or after that date display specified notice language.

Under the act of December 22, 2011 (P.L. 614, No. 134)<sup>2</sup> (Act 134), policy forms issued in this Commonwealth are required to be filed with the Insurance Department (Department) prior to use, unless exempted from form filing by the Commissioner.<sup>3</sup> Because no form for STLDI currently approved and in use contains the notice language required by the 2018 STLDI Rule, all STLDI forms intended for use on or after October 2, 2018, must be filed

with the Department, “no less than 45 days, or a shorter period of time as the Department may establish, prior to their effective dates.”<sup>4</sup>

The Department provides this guidance for STLDI forms that have been previously approved by the Department and are compliant with the pre-October 2, 2018, Federal definition of STLDI, for which there is no change to the form other than the addition of the requisite notice language. The pre-October 2, 2018, Federal definition of STLDI specifies that the policy “has an expiration date specified in the contract (taking into account any extensions that may be elected by the policyholder with or without the issuer’s consent) that is less than 3 months after the original effective date of the contract.”<sup>5</sup> Thus, a “pre-October 2, 2018, compliant STLDI form” is a previously approved policy form that has a maximum duration of less than 3 months and is nonrenewable.

If an insurance entity (insurer) seeks to continue marketing and issuing, on or after October 2, 2018, a pre-October 2, 2018, compliant STLDI form, and is not making any changes other than as necessary to add the notice language required by the 2018 STLDI Rule, the policy form will be exempt from the 45-day prior approval filing requirement of Act 134 if the insurer files with the Department the policy form with a Certification executed by an authorized representative of the insurer substantially identical to the Certification form as follows as Attachment A. Attachment A is also available on the Department’s web site at [www.insurance.pa.gov](http://www.insurance.pa.gov).

Policy forms that are not pre-October 2, 2018, compliant STLDI forms, or policy forms that are currently in use but may not have been previously approved or for which the insurer is making changes beyond merely those necessary to add the notice language required by the 2018 STLDI Rule, must comply with the filing requirements of Act 134.

Finally, although the pre-October 2, 2018, compliant STLDI forms subject to this notice may have been previously approved by the Department for use on or after October 2, 2018, those forms, like all STLDI forms used in this Commonwealth, remain subject to, and must comply in all respects with, the Commonwealth’s insurance laws and regulations, and the Department retains its ability to take enforcement actions and seek any available remedy for noncompliant forms.

Questions regarding this notice may be directed to Tracie Gray, Director, Bureau of Accident and Health, Insurance Department, 1311 Strawberry Square, Harrisburg, PA 17120, RA-rateform@pa.gov.

JESSICA K. ALTMAN,  
*Insurance Commissioner*

Attachment A

#### PENNSYLVANIA ISSUER SHORT-TERM LIMITED-DURATION INSURANCE CERTIFICATION FORM

Name of Insurer:  
NAIC #:  
Policy Form #:

#### CERTIFICATION

I hereby certify that the Short-Term Limited-Duration Insurance (STLDI) policy form referenced above and attached hereto:

<sup>1</sup> Short-Term Limited-Duration Insurance Final Rule, 83 FR 38212 (August 3, 2018) (2018 STLDI Rule).

<sup>2</sup> 40 P.S. §§ 3801.301 et seq.

<sup>3</sup> 40 P.S. § 3801.303(a) and (b); see also Notice 2016-01—Revised (46 Pa.B. 2744 (May 28, 2016)).

<sup>4</sup> 40 P.S. § 3801.303(a).

<sup>5</sup> 45 CFR 144.103 (relating to definitions).

(1) Was approved by the Pennsylvania Insurance Department on \_\_\_\_\_ [date];

(2) Complies with the federal definition of STLDI in effect prior to October 2, 2018, being a form that “has an expiration date specified in the contract (taking into account any extensions that may be elected by the policyholder with or without the issuer’s consent) that is less than 3 months after the original effective date of the contract” (45 Fed. Reg. § 144.103, as promulgated at 81 Fed. Reg. 75316 et seq., October 31, 2016) that is, has a maximum duration of less than 3 months and is non-renewable;

and

(2) For which no change is being made to the form other than as necessary to add the notice language required by the 2018 STLDI Rule effective October 2, 2018, 83 Fed. Reg. 38212 et seq. (August 3, 2018).

The information set forth in this Certification, to the best of my knowledge, information and belief, is true, correct, and complete.

Date	Name of Authorized Representative of the Insurer
	Signature of Authorized Representative of the Insurer

[Pa.B. Doc. No. 18-1382. Filed for public inspection August 31, 2018, 9:00 a.m.]

**INSURANCE DEPARTMENT**

**UPMC Health Benefits, Inc. (UPMC-131600582); Individual Major Medical GRIP Value and Goals 2019; Rate Filing**

UPMC Health Benefits, Inc. submitted a rate filing to change the premium rates for its Guaranteed Renewable Individual Product (Value and Goals). The filing proposes a rate increase of 7.29% and will affect approximately 1,535 members. The proposed rate increase will generate an annualized revenue of approximately \$479,000 and will be effective January 1, 2019.

Unless formal administrative action is taken prior to November 8, 2018, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department’s (Department) web site at www.insurance.pa.gov (click on the “Consumers” tab, then under “Resources” select “Product Notices”).

A copy of the filing is also available for public inspection, by appointment, during normal working hours at the Department’s regional office in Harrisburg.

Interested parties are invited to submit written or e-mail comments, suggestions or objections to Rashmi Mathur, Insurance Department, Insurance Product Regulation, 1311 Strawberry Square, Harrisburg, PA 17120, rmathur@pa.gov within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

JESSICA K. ALTMAN,  
*Insurance Commissioner*

[Pa.B. Doc. No. 18-1383. Filed for public inspection August 31, 2018, 9:00 a.m.]

**INSURANCE DEPARTMENT**

**UPMC Health Benefits, Inc. (UPMC-131600692); Individual Major Medical GRIP Savings 2019; Rate Filing**

UPMC Health Benefits, Inc. submitted a rate filing to change the premium rates for its Guaranteed Renewable Individual Product (Savings). The filing proposes a rate increase of 7.29% and will affect approximately 534 members. The proposed rate increase will generate an annualized revenue of approximately \$121,000 and will be effective January 1, 2019.

Unless formal administrative action is taken prior to November 8, 2018, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department’s (Department) web site at www.insurance.pa.gov (click on the “Consumers” tab, then under “Resources” select “Product Notices”).

A copy of the filing is also available for public inspection, by appointment, during normal working hours at the Department’s regional office in Harrisburg.

Interested parties are invited to submit written or e-mail comments, suggestions or objections to Rashmi Mathur, Insurance Department, Insurance Product Regulation, 1311 Strawberry Square, Harrisburg, PA 17120, rmathur@pa.gov within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

JESSICA K. ALTMAN,  
*Insurance Commissioner*

[Pa.B. Doc. No. 18-1384. Filed for public inspection August 31, 2018, 9:00 a.m.]

**PENNSYLVANIA INFRASTRUCTURE INVESTMENT AUTHORITY  
DEPARTMENT OF ENVIRONMENTAL PROTECTION**

**Environmental Assessment Approval for PENNVEST Funding Consideration**

*Scope:* Clean Water and Drinking Water State Revolving Fund Projects for October 17, 2018, Pennsylvania Infrastructure Investment Authority (PENNVEST) Board Meeting Consideration

*Description:* PENNVEST, which administers the Commonwealth’s Clean Water Fund (CWSRF) and Drinking Water State Revolving Fund (DWSRF), is intended to be the funding source for the following projects. The Department of Environmental Protection’s (Department) review of these projects, and the information received in the Environmental Report for these projects, has not identified any significant, adverse environmental impact resulting from any of the proposed projects. The Department hereby approves the Environmental Assessment for each project. If no significant comments are received during this comment period, the Environmental Assessment will be considered approved and funding for the project will be considered by PENNVEST.

To be considered, the Department must receive comments on this approval on or by October 1, 2018. Electronic comments should be submitted using the Department's eComment site at [www.ahs.dep.pa.gov/eComment](http://www.ahs.dep.pa.gov/eComment). Written comments can be submitted by e-mail to [ecomment@pa.gov](mailto:ecomment@pa.gov) or by mail to the Policy Office, Department of Environmental Protection, Rachel Carson State Office Building, P.O. Box 2063, Harrisburg, PA 17105-2063. Use "PENNVEST SRF-Environmental Assessment" as the subject line in written communication.

For more information about the approval of the following Environmental Assessments or the Clean Water and Drinking Water State Revolving Loan Programs contact Richard Wright at [riwright@pa.gov](mailto:riwright@pa.gov) or the Bureau of Clean Water, Department of Environmental Protection, P.O. Box 8774, Harrisburg, PA 17105-8774, (717) 772-4059, or visit the Department's web site at <http://www.dep.pa.gov/Business/Water/CleanWater/InfrastructureFinance/Pages/default.aspx>.

Any comments received during the comment period, along with the Department's comment response document will be available at the Department's web site at <http://www.dep.pa.gov/Business/Water/CleanWater/InfrastructureFinance/Pages/EnvironmentalReview.aspx>.

*CWSRF Projects Being Considered:*

<i>Applicant:</i>	Blacklick Valley Municipal Authority
<i>County:</i>	Indiana and Cambria
<i>Applicant Address:</i>	P.O. Box 272 Twin Rocks, PA 15960

*Project Description:* Proposed construction of sewage treatment plant (STP) sludge dewatering press to replace existing dewatering bag system and sanitary sewers and pump stations No. 5 and No. 6 in the Route 422 area of Blacklick Township. The project includes two sludge dewatering presses, variable frequency drives for existing pump stations Nos. 1—3, two new pump stations (No. 5 and No. 6), 2,200 linear feet of 4-inch polyvinyl chloride (PVC) force main, 1,115 linear feet of 2-inch high-density polyethylene (HDPE) force main, 58,500 linear feet of 8-inch PVC sewer, 4,200 linear feet of 4-inch PVC lateral sewer, 225 manholes, 187 lateral connections to serve 187 existing residences in Blacklick Township. Treatment will be provided at the existing Blacklick Valley Municipal Authority STP (NPDES Permit # PA0218723).

*Problem Description:* Existing residences currently served by onlot septic systems with 48% malfunction rate.

<i>Applicant:</i>	Middle Taylor Township Sewer Authority
<i>County:</i>	Cambria
<i>Applicant Address:</i>	504 Waterfall Drive Johnstown, PA 15906

*Project Description:* Proposed construction of 25,760 linear feet of 8-inch PVC sewers, 1,671 linear feet of 8-inch HDPE sewers, 1,963 linear feet of 4-inch PVC laterals, 904 linear feet of 4-inch HDPE laterals, 150 precast concrete manholes to serve 148 existing residences in Middle Taylor Township—Benshoff Hill Road area and West Taylor Township—Prosser Hollow Road area. Treatment will be provided at the existing City of Johnstown STP (NPDES Permit No. PA0026034).

*Problem Description:* Existing 148 residences currently served by wildcat sewers and malfunctioning onlot systems with over 50% malfunction rate.

<i>Applicant:</i>	Clinton County Sewer Authority
<i>County:</i>	Clinton
<i>Applicant Address:</i>	P.O. Box 453 Lock Haven, PA 17745

*Project Description:* This proposal is located at the Clinton County Sewer Authority Regional Pump Station and consists of the installation of a 16-inch force main under Bald Eagle Creek (to replace an 8-inch cast iron force main) and the replacement of four submersible pumps at the pump station along with associated upgrades.

*Problem Description:* The Clinton County Sewer Authority Regional Pump Station is located upstream of an 8-inch cast iron force main from the 1950s that is near the end of its useful life and creates a bottleneck that causes capacity issues for upstream users. Additionally, when the pumps were previously replaced at this pump station, the change in pump type caused the effective pumping capacities to be reduced below the permitted capacity, contributing additional problems to sewer capacity for upstream users.

<i>Applicant:</i>	Shenango Township Municipal Authority
<i>County:</i>	Mercer
<i>Applicant Address:</i>	155 Campground Road West Middlesex, PA 16159

*Project Description:* This project includes Phases 2 and 3. These phases will result in the extension of the existing sewage collection/conveyance system into Study Areas 2—4 as identified in their approved Act 537 Plan. They will result in the installation of approximately 33,038 feet of 8-inch diameter gravity sewage main, five sewage pump stations and 9,731 feet of 2-inch and 4-inch diameter forcemain. The additional wasteflow created will be treated at Shenango Township Municipal Authority's existing wastewater treatment plant. This project also contains improvements at the wastewater treatment plant which include a new headworks facility and a new ultraviolet disinfection system.

*Problem Description:* These Phase 2 and Phase 3 projects address areas with high rates of onlot septic system malfunctioning and will also provide sewer service to Oakleaf Estates Mobile Home Park which consists of 100 residential equivalent dwelling units, thereby allowing the elimination of their wastewater treatment plant. Study Areas 2—4 will be served by sewers and contain 133 households. A sanitary survey of these Study Areas revealed a 61% confirmed onlot malfunction rate. These systems leach untreated and partially treated wastewater onto the ground surface and into the waters of the Commonwealth. This project will eliminate these malfunctioning sewage systems, thereby improving the areas' water quality. The Shenango Township Municipal Authority is under a Consent Order and Agreement with the Department regarding this project.

*DWSRF Projects Being Considered:*

<i>Applicant:</i>	Worthington-West Franklin Joint Municipal Authority
<i>County:</i>	Armstrong
<i>Applicant Address:</i>	102 West Main Street Worthington, PA 16262

*Project Description:* The proposed project will consist of the installation of 13,000 feet of 2-inch, 6-inch and 8-inch diameter waterline and appurtenances (Craigsville Waterline Extension Project). The project will also add approximately 62 customers in the Craigsville area of West Franklin Township.

*Problem Description:* Residents of the Craigsville area of West Franklin Borough have poor water quality and quantity due to mining in the area, including high levels of iron, manganese, sulfate, total dissolved solids and low pH. Project will improve water quality and quantity within the service area.

PATRICK McDONNELL,  
*Secretary*

*Department of Environmental Protection*

BRION JOHNSON,  
*Executive Director*

*Pennsylvania Infrastructure Investment Authority*

[Pa.B. Doc. No. 18-1385. Filed for public inspection August 31, 2018, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Merger, Water Service and Abandonment of Public Utility Service

**A-2018-3004108 and A-2018-3004109. Aqua Pennsylvania, Inc. and its subsidiary Superior Water Company, Inc.** Joint application of Aqua Pennsylvania, Inc. and its subsidiary Superior Water Company, Inc. for the approval of: (1) the transfer to Aqua Pennsylvania, Inc. through merger of all property of Superior Water Company, Inc. used or useful in the public service; (2) the right of Aqua Pennsylvania, Inc. to begin to offer, render, furnish and supply water service in portions of Douglass, New Hanover, Lower Pottsgrove, Upper Frederick, Upper Pottsgrove and Worcester Townships, Montgomery County, North Coventry Township, Chester County, and Washington Township, Berks County; and (3) the abandonment by Superior Water Company, Inc. of public utility service in portions of Douglass, New Hanover, Lower Pottsgrove, Upper Frederick, Upper Pottsgrove and Worcester Townships, Montgomery County, North Coventry Township, Chester County, and Washington Township, Berks County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before September 17, 2018. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on

the Pennsylvania Public Utility Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov) and at the applicant's business address.

*Applicants:* Aqua Pennsylvania, Inc.; Superior Water Company, Inc.

*Through and By Counsel:* Anthony DeCusatis, Esquire, Morgan, Lewis & Bockius, LLP, 1701 Market Street, Philadelphia, PA 19103-2921; Alexander R. Stahl, Esq., Aqua Services, Inc., Regulatory Counsel, 762 West Lancaster Avenue, Bryn Mawr, PA 19010

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 18-1386. Filed for public inspection August 31, 2018, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Pro Forma Consolidation and Abandonment of Competitive Access Services

**A-2018-3004131, A-2018-3004133, A-2018-3004135 and A-2018-3004136. Crown Castle Fiber, LLC, Crown Castle NG East, LLC, PA-CLEC, LLC, d/b/a Pennsylvania-CLEC, LLC and Sunesys, LLC.** Joint application of Crown Castle Fiber, LLC, Crown Castle NG East, LLC, PA-CLEC, LLC, d/b/a Pennsylvania-CLEC, LLC and Sunesys, LLC for approval of: 1) the pro forma consolidation of Crown Castle NG East, LLC, PA-CLEC, LLC, d/b/a Pennsylvania-CLEC, LLC and Sunesys, LLC into Crown Castle Fiber, LLC; and 2) the abandonment of competitive access services by Crown Castle NG East, LLC, PA-CLEC, LLC, d/b/a Pennsylvania-CLEC, LLC and Sunesys, LLC upon completion of the pro forma consolidation.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before September 17, 2018. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov) and at the applicant's business address.

*Joint Applicants:* Crown Castle Fiber, LLC; Crown Castle NG East, LLC; PA-CLEC, LLC, d/b/a Pennsylvania-CLEC, LLC; Sunesys, LLC

*Through and By Counsel:* Anthony C. DeCusatis, Esquire, Catherine G. Vasudevan, Esquire, Morgan, Lewis & Bockius, LLP, 1701 Market Street, Philadelphia, PA 19103-2921; Tamar E. Finn, Esquire, Brett P. Ferenchak, Esquire, Patricia Cave, Esquire, Morgan, Lewis & Bockius, LLP, 1111 Pennsylvania Avenue, NW, Washington, DC 20004; Fernanda Biehl, Manager, Regulatory Affairs—Fiber, Crown Castle Fiber, 2000 Corporate Drive, Canonsburg, PA 15317

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 18-1387. Filed for public inspection August 31, 2018, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Protests may only be filed in the event that there is evidence that the applicant lacks fitness. Protests based on endangering or impairing operations of an existing carrier will not be honored. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant by September 17, 2018. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

### Applications of the following for approval to begin operating as common carriers for transportation of persons as described under each application.

**A-2017-2603418 (Amended). Epic Journeys, LLC, t/a Epic Journeys** (1122 Camelot Court, Johnstown, Cambria County, PA 15904) in group and party service in vehicles seating 11 to 15 including the driver, from points in Cambria County, to points in Pennsylvania, and return. *Attorney:* Timothy S. Burns, Esq., 104 South Center Street, Suite 315, Ebensburg, PA 15931.

**A-2018-3003985. On Call Trans, LLC** (1006 Sorrel Horse Road, Huntingdon Valley, Montgomery County, PA 19006) in paratransit service, from points in Delaware County, and the City and County of Philadelphia, to points in Pennsylvania, and return. *Attorney:* David Temple, 1600 Market Street, Suite 1320, Philadelphia, PA 19103.

### Application of the following for the approval of the transfer of stock as described under the application.

**A-2018-3003992. E & M Trans, Inc.** (7928 Buist Avenue, Philadelphia, PA 19153) for the approval of the transfer of 23 shares of the capital stock from Ebrahim Nuru to Bahar A. Muktar. *Agent:* Michael Eichert, Estate Brokerage Services, 7102 Frankford Avenue, Philadelphia, PA 19135.

### Application of the following for approval of the beginning of the exercise of the right and privilege of operating motor vehicles as contract carriers for the transportation of household goods as described under the application.

**A-2018-3003994. Atlantic Coast Moving, LLC** (168 Mud Pond Road, Equinunk, Wayne County, PA 18417) for the right to transport, as a common carrier, by motor vehicle, household goods in use, between points in Pennsylvania.

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 18-1388. Filed for public inspection August 31, 2018, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Service of Notice of Motor Carrier Formal Complaints

Formal complaints have been issued by the Pennsylvania Public Utility Commission. Answers must be filed in accordance with 52 Pa. Code (relating to public utilities). Answers are due September 17, 2018, and must be made with the Secretary, Pennsylvania Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265, with a copy to the First Deputy Chief Prosecutor, Pennsylvania Public Utility Commission.

### Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. B'Ling Logistics, LLC, t/a Baseline Transportation; Docket No. C-2018-3003366

#### COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to B'Ling Logistics, LLC, t/a Baseline Transportation, (respondent) is under suspension effective June 23, 2018 for failure to maintain evidence of insurance on file with this Commission.
2. That respondent maintains a principal place of business at 1628 N 18th Street, Allentown, PA 18104.
3. That respondent was issued a Certificate of Public Convenience by this Commission on August 06, 2014, at A-8916542.
4. That respondent has failed to maintain evidence of Liability and Cargo insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500 and cancellation of the Certificate of Public Convenience.
5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-8916542 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may

include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,  
David W. Loucks, Chief  
Motor Carrier Enforcement  
Bureau of Investigation and Enforcement  
P.O. Box 3265  
Harrisburg, PA 17105-3265

#### VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 7/25/2018

David W. Loucks, Chief  
Motor Carrier Enforcement  
Bureau of Investigation and Enforcement

#### NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary  
Pennsylvania Public Utility Commission  
P.O. Box 3265  
Harrisburg, PA 17105-3265

Or, you may eFile your Answer using the Commission's website at [www.puc.pa.gov](http://www.puc.pa.gov). The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor  
Pennsylvania Public Utility Commission  
Bureau of Investigation and Enforcement  
P.O. Box 3265  
Harrisburg, PA 17105-3265

Or, emailed to Mr. Swindler at: RA-PCCmplntResp@pa.gov

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility Services  
Pennsylvania Public Utility Commission  
P.O. Box 3265  
Harrisburg, PA 17105-3265

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary  
Pennsylvania Public Utility Commission  
P.O. Box 3265  
Harrisburg, PA 17105-3265

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this number if you have questions as to why you received this complaint. For those questions you may call 717-783-3847.

### **Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. Brian J. Paul, t/a BJ Paul Trucking; Docket No. C-2018-3003569**

#### COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to Brian J. Paul, t/a BJ Paul Trucking, (respondent) is under suspension effective July 12, 2018 for failure to maintain evidence of insurance on file with this Commission.
2. That respondent maintains a principal place of business at P.O. Box 138, Sunbury, PA 17801.
3. That respondent was issued a Certificate of Public Convenience by this Commission on November 28, 2012, at A-8913831.

4. That respondent has failed to maintain evidence of Liability and Cargo insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500 and cancellation of the Certificate of Public Convenience.

5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-8913831 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,  
David W. Loucks, Chief  
Motor Carrier Enforcement  
Bureau of Investigation and Enforcement  
P.O. Box 3265  
Harrisburg, PA 17105-3265

#### VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 7/25/2018

David W. Loucks, Chief  
Motor Carrier Enforcement  
Bureau of Investigation and Enforcement

#### NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary  
Pennsylvania Public Utility Commission  
P.O. Box 3265  
Harrisburg, PA 17105-3265

Or, you may eFile your Answer using the Commission's website at [www.puc.pa.gov](http://www.puc.pa.gov). The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor  
Pennsylvania Public Utility Commission  
Bureau of Investigation and Enforcement  
P.O. Box 3265  
Harrisburg, PA 17105-3265

Or, emailed to Mr. Swindler at: RA-PCCmplntResp@pa.gov

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility Services  
Pennsylvania Public Utility Commission  
P.O. Box 3265  
Harrisburg, PA 17105-3265

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary  
Pennsylvania Public Utility Commission  
P.O. Box 3265  
Harrisburg, PA 17105-3265

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this number if you have questions as to why you received this complaint. For those questions you may call 717-783-3847.

\_\_\_\_\_

**Pennsylvania Public Utility Commission; Bureau of  
Investigation and Enforcement v. All City  
Transportation, Inc.; Docket No. C-2018-3003713**

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to All City Transportation, Inc., (respondent) is under suspension effective July 21, 2018 for failure to maintain evidence of insurance on file with this Commission.
2. That respondent maintains a principal place of business at 6821 Norwitch Drive, Philadelphia, PA 19153.
3. That respondent was issued a Certificate of Public Convenience by this Commission on March 24, 2002, at A-00118450.
4. That respondent has failed to maintain evidence of Liability insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500 and cancellation of the Certificate of Public Convenience.
5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

*Wherefore*, unless respondent pays the penalty of \$500 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-00118450 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,  
David W. Loucks, Chief  
Motor Carrier Enforcement  
Bureau of Investigation and Enforcement  
P.O. Box 3265  
Harrisburg, PA 17105-3265

VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the

statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 7/31/2018

David W. Loucks, Chief  
Motor Carrier Enforcement  
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary  
Pennsylvania Public Utility Commission  
P.O. Box 3265  
Harrisburg, PA 17105-3265

Or, you may eFile your Answer using the Commission's website at [www.puc.pa.gov](http://www.puc.pa.gov). The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor  
Pennsylvania Public Utility Commission  
Bureau of Investigation and Enforcement  
P.O. Box 3265  
Harrisburg, PA 17105-3265

Or, emailed to Mr. Swindler at: [RA-PCCmplntResp@pa.gov](mailto:RA-PCCmplntResp@pa.gov)

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility  
Services  
Pennsylvania Public Utility Commission  
P.O. Box 3265  
Harrisburg, PA 17105-3265

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary  
Pennsylvania Public Utility Commission  
P.O. Box 3265  
Harrisburg, PA 17105-3265

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of

insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this number if you have questions as to why you received this complaint. For those questions you may call 717-783-3847.

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 18-1389. Filed for public inspection August 31, 2018, 9:00 a.m.]

—————

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Telecommunications

**A-2018-3004026. United Telephone Company of Pennsylvania, d/b/a CenturyLink and PaCLEC Corporation.** Joint petition of United Telephone Company of Pennsylvania, d/b/a CenturyLink and PaCLEC Corporation for approval of an interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

United Telephone Company of Pennsylvania, d/b/a CenturyLink and PaCLEC Corporation, by their counsel, filed on August 15, 2018, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120. Comments are due on or before 10 days after the date of publication of this notice. The documents filed in support of United Telephone Company of Pennsylvania, d/b/a CenturyLink and PaCLEC Corporation's joint petition are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, at the Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov) and at the applicant's business address.

The contact person is Robert Marinko, Office of Special Assistants, (717) 787-1827.

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 18-1390. Filed for public inspection August 31, 2018, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Telecommunications

**A-2018-3004106. Verizon Pennsylvania, LLC and GC Pivotal, LLC, d/b/a Global Capacity.** Joint petition of Verizon Pennsylvania, LLC and GC Pivotal, LLC, d/b/a Global Capacity for approval of Amendment No. 4 to the interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Verizon Pennsylvania, LLC and GC Pivotal, LLC, d/b/a Global Capacity, by their counsel, filed on August 20, 2018, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of Amendment No. 4 to the interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. The documents filed in support of the petition are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, at the Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov) and at the applicant's business address. Copies of the Verizon Pennsylvania, LLC and GC Pivotal, LLC, d/b/a Global Capacity joint petition are on file with the Commission and are available for public inspection.

The contact person is Robert Marinko, Office of Special Assistants, (717) 783-3930.

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 18-1391. Filed for public inspection August 31, 2018, 9:00 a.m.]

—————

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Transfer by Sale

**A-2018-3004192. PECO Energy Company.** Application of PECO Energy Company for approval of the transfer by sale to South Coatesville Borough of street lighting facilities located in Chester County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before September 17, 2018. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov) and at the applicant's business address.

*Applicant:* PECO Energy Company

*Through and By Counsel:* Michael S. Swerling, Esquire, Assistant General Counsel, 2301 Market Street, S23-1, P.O. Box 8699, Philadelphia, PA 19101-8699

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 18-1392. Filed for public inspection August 31, 2018, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Transfer by Sale and Wastewater Service

**A-2018-3004189. Pennsylvania American Water Company.** Application of Pennsylvania American Water Company for approval of: 1) the transfer by sale of substantially all of the Borough of Turbotville's assets, properties and rights related to its wastewater collection and treatment system to Pennsylvania American Water Company; and 2) the right of Pennsylvania American Water Company to begin to offer or furnish wastewater service to the public in the Borough of Turbotville, Northumberland County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before September 17, 2018. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov) and at the applicant's business address.

*Applicant:* Pennsylvania American Water Company

*Through and By Counsel:* Brian A. Ardire, Esquire, Susan Simms Marsh, Esquire, Pennsylvania American Water Company, 800 West Hersheypark Drive, Hershey, PA 17033

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 18-1393. Filed for public inspection August 31, 2018, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Transfer by Sale and Water Service

**A-2018-3004191. Pennsylvania American Water Company.** Application of Pennsylvania American Water Company for approval of: 1) the transfer by sale of substantially all of the Municipal Authority of the Borough of Turbotville's assets, properties and rights related to its water treatment and distribution system to Pennsylvania American Water Company; 2) the right of Pennsylvania American Water Company to begin to offer or furnish water service to the public in the Borough of

Turbotville, Northumberland County; and 3) the right of Pennsylvania American Water Company to begin to offer or furnish water service in a portion of Lewis Township, Northumberland County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before September 17, 2018. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov) and at the applicant's business address.

*Applicant:* Pennsylvania American Water Company

*Through and By Counsel:* Brian A. Ardire, Esquire, Susan Simms Marsh, Esquire, Pennsylvania American Water Company, 800 West Hersheypark Drive, Hershey, PA 17033

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 18-1394. Filed for public inspection August 31, 2018, 9:00 a.m.]

## PHILADELPHIA PARKING AUTHORITY

### Service of Notice of Motor Carrier Applications in the City of Philadelphia

The following permanent authority applications to render service as a common carrier in the City of Philadelphia have been filed with the Philadelphia Parking Authority's (PPA) Taxicab and Limousine Division (TLD). Formal protests must be filed in accordance with 52 Pa. Code Part II (relating to Philadelphia Parking Authority) with the TLD's Office of the Clerk, 2415 South Swanson Street, Philadelphia, PA 19148, no later than September 17, 2018. The nonrefundable protest filing fee is \$5,000 payable to the PPA by certified check or money order. The applications are available for inspection at the TLD between 9 a.m. and 4 p.m., Monday through Friday (contact TLD Director Christine Kirlin, Esq. at (215) 683-9653 to make an appointment) or may be inspected at the business addresses of the respective applicants or attorneys, or both.

**Doc. No. A-18-06-01. William Transportation Co.** (1031 Snyder Avenue, Philadelphia, PA 19148): An application for a medallion taxicab certificate of public convenience (CPC) to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return.

**Doc. No. A-18-06-02. Black Eagle Trans, LLC** (9535 State Road, Apartment B, Philadelphia, PA 19114): An application for a medallion taxicab CPC to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return. *Attorney for Applicant:* Charles Milstein, Esq., 7102 Frankford Avenue, Philadelphia, PA 19135.

**Doc. No. A-18-06-03. Dayane Taxi, LLC** (620 East Annsbury Street, Philadelphia, PA 19120): An application for a medallion taxicab CPC to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return. *Attorney for Applicant:* David R. Alperstein, Esq., 1080 North Delaware Avenue, Suite 505, Philadelphia, PA 19125.

**Doc. No. A-18-06-04. Monarch Trans, Inc.** (7014 Pennsylvania Avenue, Upper Darby, PA 19082): An application for a medallion taxicab CPC to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return.

**Doc. No. A-18-06-05. B. Wassale, Inc.** (43 North State Road, Upper Darby, PA 19082): An application for a medallion taxicab CPC to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return.

SCOTT PETRI,  
*Executive Director*

[Pa.B. Doc. No. 18-1395. Filed for public inspection August 31, 2018, 9:00 a.m.]

## STATE BOARD OF NURSING

**Bureau of Professional and Occupational Affairs v. Mary Rudick Paolucci, LPN; File No. 17-51-03562; Doc. No. 0459-51-18**

On March 12, 2018, Mary Rudick Paolucci, LPN, license No. PN075521L, last known of Sturges, Lackawanna County, had her practical nursing license indefinitely suspended effective April 2, 2018, for violating a previous State Board of Nursing (Board) order requiring her to undergo a mental and physical examination.

Individuals may obtain a copy of the adjudication by writing to Judith Pachter Schulder, Board Counsel, State Board of Nursing, P.O. Box 69523, Harrisburg, PA 17106-9523.

This order represents the final Board decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court must serve the Board with a copy of their petition for review. The Board contact for receiving service of appeals is the previously-named Board counsel.

LINDA L. KMETZ, PhD, RN,  
*Chairperson*

[Pa.B. Doc. No. 18-1396. Filed for public inspection August 31, 2018, 9:00 a.m.]

## STATE HORSE RACING COMMISSION

### Human Ambulance; Standardbred Horse Racing

The State Horse Racing Commission (Commission) provides notice that on July 31, 2018, at its regularly scheduled public meeting, it issued an Order adopting amendments to 58 Pa. Code §§ 185.147 and 185.148 (relating to first aid facilities; and ambulances) regarding the requirement for licensed racing entities to provide and maintain both human and horse ambulances during training and racing times and to provide for a first aid facility on the grounds of the racetrack. The Commission recognizes that horse racing can be a dangerous sport and that a timely and effective response, in the event of a human injury, by highly qualified emergency medical technicians (EMT) with state-of-the-art equipment is vital to the industry. This Order was adopted as a temporary regulation under authority of 3 Pa.C.S. § 9311(h) (relating to State Horse Racing Commission), under Administrative Doc. No. 2018-7.

The general purpose of the Order is to: (1) clarify and update the requirement of licensed racing entities to provide for a human ambulance for participants and patrons during qualifying races and the regular racing program; (2) clarify that the human ambulance shall be staffed by at least two EMTs; and (3) provide for a horse ambulance to be available at all training and racing times to remove injured animals.

This temporary regulation will become effective on September 1, 2018.

The Order and specific provisions have been posted and published on the Commission's web site at <http://www.agriculture.pa.gov/Animals/RacingCommission/commission/Pages/Publications.aspx>. The Commission will also provide copies of the Order upon request directed to (717) 787-5539.

BRETT REVINGTON,  
*Director*

*Bureau of Standardbred Horse Racing*

[Pa.B. Doc. No. 18-1397. Filed for public inspection August 31, 2018, 9:00 a.m.]

## STATE HORSE RACING COMMISSION

### Human Ambulance; Thoroughbred Horse Racing

The State Horse Racing Commission (Commission) provides notice that on July 31, 2018, at its regularly scheduled public meeting, it issued an Order adopting amendments to 58 Pa. Code §§ 163.32 and 165.87 (relating to ambulances) regarding the requirement for licensed racing entities to provide and maintain human ambulances during training and racing times. The Commission recognizes that horse racing can be a dangerous sport and

that a timely and effective response, in the event of a human injury, by highly qualified certified paramedics with state-of-the-art equipment is vital to the industry. This Order was adopted as a temporary regulation under authority of 3 Pa.C.S. § 9311(h) (relating to State Horse Racing Commission), under Administrative Doc. No. 2018-6.

The general purpose of the Order is to: (1) clarify and update the standards for ambulance equipment and supplies consistent with the applicable regulations under the Department of Health (Department); (2) change ambulance staffing to certified paramedics consistent with the applicable regulations under the Department; and (3) clarify that the human ambulance is required to follow the field of jockeys and horses at a safe distance during the running of races.

This temporary regulation will become effective on September 1, 2018.

The Order and specific provisions have been posted and published on the Commission's web site at <http://www.agriculture.pa.gov/Animals/RacingCommission/commission/Pages/Publications.aspx>. The Commission will also provide copies of the Order upon request directed to (717) 787-5539.

THOMAS F. CHUCKAS, Jr.,  
*Director*  
*Bureau of Thoroughbred Horse Racing*

[Pa.B. Doc. No. 18-1398. Filed for public inspection August 31, 2018, 9:00 a.m.]

---

## SUSQUEHANNA RIVER BASIN COMMISSION

### Commission Meeting; Correction

The Susquehanna River Basin Commission (Commission) published a document in 83 FR 39148 (August 8, 2018) concerning its regular business meeting on September 7, 2018, in Binghamton, NY. The document was missing an agenda item.

For further information contact Gwyn Rowland, Manager, Governmental and Public Affairs, (717) 238-0423, Ext. 1316.

### *Correction*

The third column of 83 FR 39148, the "Supplementary Information" caption is corrected to read:

### *Supplementary Information*

The business meeting will include actions or presentations on the following items: (1) informational presentation of interest to the upper Susquehanna River region; (2) release of proposed rulemaking and policies for public comment; (3) revisions to financial instruments and policies; (4) ratification/approval of contracts/grants; (5) a report on delegated settlements; (6) a proposed consumptive use mitigation project located in Conoy Township, Lancaster County, PA; (7) Regulatory Program projects; and (8) Lycoming County Water and Sewer Authority request for a waiver of 18 CFR 806.31(b) (relating to term of approvals).

Regulatory Program projects and the consumptive use mitigation project listed for Commission action are those that were the subject of a public hearing conducted by the Commission on August 2, 2018, and identified in the notice for the hearing, published at 83 FR 31439 (July 5, 2018).

The public is invited to attend the Commission's business meeting. Comments on the Regulatory Program projects and the consumptive use mitigation project were subject to a deadline of August 13, 2018. Written comments pertaining to other items on the agenda at the business meeting may be mailed to the Susquehanna River Basin Commission, 4423 North Front Street, Harrisburg, PA 17110-1788, or submitted electronically through [www.srbc.net/about/meetings-events/business-meeting.html](http://www.srbc.net/about/meetings-events/business-meeting.html). The comments are due to the Commission on or before August 31, 2018. Comments will not be accepted at the business meeting noticed herein.

*Authority:* Pub.L. No. 91-575, 84 Stat. 1509 et seq., 18 CFR Parts 806—808

*Dated:* August 16, 2018

ANDREW D. DEHOFF,  
*Executive Director*

[Pa.B. Doc. No. 18-1399. Filed for public inspection August 31, 2018, 9:00 a.m.]

---

