

NOTICES

DEPARTMENT OF AGING

Pharmaceutical Assistance Advisory Board Virtual Meeting

The Pharmaceutical Assistance Advisory Board will hold a meeting by means of Skype on Wednesday, December 2, 2020, from 8:30 a.m. to 10 a.m. Discussion topics will be: medication therapy management; medication synchronization; PACE opioid use interventions; pharmacy reimbursement issues; 2021 PACE Part D wrap around; and PACE legislative initiatives.

Individuals can join the online meeting at <https://meet.lync.com/pagov/memcdaniel/7WQBHLYP> or by using the Skype Web App at <https://meet.lync.com/pagov/memcdaniel/7WQBHLYP?sl=1>.

Individuals can join by calling 1 (267) 332-8737. The conference ID number is 794922446.

ROBERT TORRES,
Secretary

[Pa.B. Doc. No. 20-1542. Filed for public inspection November 6, 2020, 9:00 a.m.]

DEPARTMENT OF BANKING AND SECURITIES

Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending October 27, 2020.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file comments in writing with the Department of Banking and Securities, Bank Supervision or Credit Union and Trust Supervision (as applicable), 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, for banks (717) 783-8240 and for credit unions and trust companies (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

BANKING INSTITUTIONS

Holding Company Acquisitions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
10-19-2020	William Penn Bancorporation Bristol Pennsylvania	Filed
Application for approval to acquire 100% of William Penn Bank, Bristol, PA.		

Branch Applications

De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
10-22-2020	Middletown Valley Bank Middletown Frederick County, MD	11337 Buchanan Trail East Waynesboro Franklin County, PA	Filed
10-22-2020	InFirst Bank Indiana Indiana County	909 Menoher Boulevard Johnstown Cambria County	Filed

Branch Relocations

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
10-26-2020	The Dime Bank Honesdale Wayne County	<i>To:</i> 1564 Route 507 Greentown Pike County <i>From:</i> 1586 Route 507 Greentown Pike County	Filed

Articles of Amendment

<i>Date</i>	<i>Name and Location of Institution</i>	<i>Action</i>
09-03-2020	Bank of Bird-in-Hand Bird-in-Hand Lancaster County	Effective

Amendment to Article V of the institution's Articles of Incorporation provides for an increase in the authorized number of shares of common stock, par value \$1 per share, from 20 million to 50 million and to authorize 2 million shares of preferred stock, par value \$1 per share, and provide the bank's Board of Directors with the ability to establish classes of preferred stock with differing rights, privileges, preferences, redemption and voting rights.

Articles of Amendment provide for the institution's Articles of Incorporation to be amended and restated in their entirety.

CREDIT UNIONS

No activity.

The Department's web site at www.dobs.pa.gov includes public notices for more recently filed applications.

RICHARD VAGUE,
Acting Secretary

[Pa.B. Doc. No. 20-1543. Filed for public inspection November 6, 2020, 9:00 a.m.]

DEPARTMENT OF BANKING AND SECURITIES

Adjustment to Definition of "Base Figure" in the Loan Interest and Protection Law

The Department of Banking and Securities (Department), as required by the definition of "base figure" in section 101 of the act of January 30, 1974 (P.L. 13, No. 6) (41 P.S. § 101), known as the Loan Interest and Protection Law, is publishing the following notice regarding the inflation-adjusted base figure for the calendar year 2021. The Department has determined that the current base figure of \$260,404 adjusted for annual inflation using the "Consumer Price Index—All Urban Consumers: U.S. All Items 1982-84 = 100" published by the United States Department of Labor Bureau of Labor Statistics results in a base figure of \$263,975. This new base figure will be effective January 1, 2021, for the calendar year 2021.

RICHARD VAGUE,
Acting Secretary

[Pa.B. Doc. No. 20-1544. Filed for public inspection November 6, 2020, 9:00 a.m.]

DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES

Conservation and Natural Resources Advisory Council WebEx Meeting

The Conservation and Natural Resources Advisory Council (Council) to the Department of Conservation and Natural Resources (Department) will hold a WebEx meeting on November 18, 2020, at 10 a.m. The WebEx meeting can be accessed through a link found on the Council's web site prior to the meeting at www.dcnr.pa.gov/cnrac.

Questions concerning this WebEx meeting or agenda items can be directed to Gretchen Leslie at (717) 772-9084. For public comment to be considered at the public meeting, follow instructions on the Council's web site.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Aara Vinsh directly at (717) 787-9306 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

CINDY ADAMS DUNN,
Secretary

[Pa.B. Doc. No. 20-1545. Filed for public inspection November 6, 2020, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a

General Permit. The applications concern, but are not limited to, discharges regarding industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFO). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Waste; Discharge into Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 Individual Permits and Individual Stormwater Construction Permits in Sections IV and VI, the Department, based upon preliminary reviews, has made tentative determinations of proposed effluent limitations and other terms and conditions for the permit applications. In accordance with 25 Pa. Code § 92a.32(d), the proposed discharge of stormwater associated with construction activities will be managed in accordance with the requirements of 25 Pa. Code Chapter 102. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the United States Environmental Protection Agency (EPA) Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on NPDES applications are invited to submit statements to the contact office noted before the application within 30-days from the date of this public notice. Persons wishing to comment on WQM permit applications are invited to submit statements to the office noted before the application within 15-days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for public hearings on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, Email: RA-EPNPDES_SCRO@pa.gov.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0246464 (Sewage)	East Hanover Township Dairy Lane Sewage Treatment Plant 100 Dairy Lane Palmyra, PA 17078	Dauphin County East Hanover Township	Bow Creek (7-D)	Y

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, Phone: 814-332-6942, Email: RA-EPNPDES_NWRO@pa.gov.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0000256 (Industrial)	PA American Water Punxsutawney District 800 Hershey Park Drive P.O. Box 888 Hershey, PA 17003	Jefferson County Gaskill Township	East Branch Mahoning Creek (CWF) (17-D)	Y
PA0273139 (Sewage)	Dennis & Diann Frampton SFTF 246 Devore Drive Meadville, PA 16335-1412	Crawford County East Mead Township	Unnamed Tributary of Woodcock Creek (16-A)	Y
PA0221686 (Storm Water)	Macdonald & Owen Lumber 11424 Route 36 Brookville, PA 15825-8656	Jefferson County Oliver Township	Beaver Run (HQ-CWF) (17-C)	Y

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0273171 (Sewage)	John Kleiner SRSTP 3777 Williams Road Erie, PA 16510-6147	Erie County Harborcreek Township	Unnamed Tributary to Sixmile Creek (CWF, MF) (15-A)	Y

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Non-Waived Permit Applications.

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401, Email: RA-EPNPDES_SERO@pa.gov.

PA0056430, Storm Water, SIC Code 4226, 4613, **Sunoco Partners Marketing & Terminals, LP**, 100 Green Street, Marcus Hook, PA 19061. Facility Name: Fort Mifflin Terminal. This existing facility is located in Tinicum Township, Delaware County.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial stormwater.

The receiving streams, Delaware River and Unnamed Tributary to Delaware River, are located in State Water Plan watershed 3-F and are classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on an average flow of stormwater—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Quarterly</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	Report	XXX	XXX
Oil and Grease	XXX	XXX	XXX	15	XXX	30
Total Recoverable Petroleum Hydrocarbons	XXX	XXX	XXX	15.0	XXX	30.0

The proposed effluent limits for Outfall 002 are based on an average flow of stormwater—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Quarterly</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	Report	XXX	XXX
Oil and Grease	XXX	XXX	XXX	15	XXX	30
Total Recoverable Petroleum Hydrocarbons	XXX	XXX	XXX	15.0	XXX	30.0

Stormwater Outfall 003 is not required to be monitored.

In addition, the permit contains the following major special conditions:

1. Stormwater Outfalls
2. BMPs
3. Routine Inspections
4. PC Plan
5. Stormwater Monitoring
6. Acquire Necessary Property Rights
7. Proper Sludge Disposal

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, Email: RA-EPNPDES_SCRO@pa.gov.

PA0023604, Sewage, SIC Code 4952, **McAlisterville Area Joint Authority Juniata County**, P.O. Box 61, McAlisterville, PA 17049-0061. Facility Name: McAlisterville STP. This existing facility is located in Fayette Township, Juniata County.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Little Lost Creek (TSF), is located in State Water Plan watershed 12-A and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 13 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	Report Inst Min	0.17	XXX	0.56
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25.0	40.0	50
Biochemical Oxygen Demand (BOD ₅)						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
CBOD ₅ (Total Load, lbs) (lbs)	27.0	43.0	XXX	XXX	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids (Total Load, lbs) (lbs)	XXX	XXX	XXX	30.0	45.0	60
Fecal Coliform (CFU/100 ml)	32.0	49.0	XXX	XXX	XXX	XXX
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	XXX
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	XXX
Ammonia-Nitrogen				Geo Mean		
Nov 1 - Apr 30	XXX	XXX	XXX	6.0	XXX	12
May 1 - Oct 31	XXX	XXX	XXX	2.0	XXX	4
Ammonia-Nitrogen (Total Load, lbs) (lbs)						
Nov 1 - Apr 30	6.5	XXX	XXX	XXX	XXX	XXX
May 1 - Oct 31	2.1	XXX	XXX	XXX	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	2.0	XXX	4
(Total Load, lbs) (lbs)	2.1	XXX	XXX	XXX	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 13 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Nitrate-Nitrite as N	XXX	XXX	XXX	Report Semi Avg	XXX	XXX
Nitrate-Nitrite as N (Total Load, lbs) (lbs)	XXX	Report Semi Avg	XXX	XXX	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs)	XXX	Report Semi Avg	XXX	XXX	XXX	XXX
Total Kjeldahl Nitrogen (Total Load, lbs) (lbs)	XXX	XXX	XXX	Report Semi Avg	XXX	XXX
(Total Load, lbs) (lbs)	XXX	Report Semi Avg	XXX	XXX	XXX	XXX

Sludge use and disposal description and location(s): Offsite location.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0021075, Sewage, SIC Code 4952, **Myerstown Borough Lebanon County**, 101 S Railroad Street, Myerstown, PA 17067-1351. Facility Name: Myerstown STP. This existing facility is located in Myerstown Borough, **Lebanon County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Tulpehocken Creek (TSF), is located in State Water Plan watershed 3-C and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 2 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Daily Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)						
Nov 1 - Apr 30	417	667	XXX	25	40	50
May 1 - Oct 31	283	450	XXX	17	27	34
Biochemical Oxygen Demand (BOD ₅)						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Daily Max						
Total Suspended Solids						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Daily Max						
Total Suspended Solids	500	750	XXX	30	45	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ammonia-Nitrogen						
Nov 1 - Apr 30	265	XXX	XXX	15.9	XXX	31.8
May 1 - Oct 31	88	XXX	XXX	5.3	XXX	10.6
Total Phosphorus	16.7	XXX	XXX	1.0	XXX	2
Arsenic, Total	0.718	XXX	XXX	0.043	XXX	0.108
Ultraviolet light dosage (mWsec/cm ²)	XXX	XXX	Report	XXX	XXX	XXX
Total Dissolved Solids	XXX	XXX	XXX	Report	XXX	XXX
Avg Qrtly						
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Avg Qrtly						

Sludge use and disposal description and location(s):

- Digested sludge is dewatered using centrifuge and the dewatered cake is hauled off-site to the Greater Lebanon Refuse Authority Landfill.

In addition, the permit contains the following major special conditions:

- Stormwater Prohibition
- Approval Contingencies
- Proper Waste/Solids Management
- Restriction on receipt of hauled in waste under certain conditions
- WET testing requirements
- Pretreatment Implementation Condition
- Stormwater Conditions

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

PA0009423, Industrial, SIC Code 4941, **Everett Borough Area Municipal Authority Bedford County**, 100 Mechanic Street, Everett, PA 15537-1177. Facility Name: Everett Borough Water System. This existing facility is located in West Providence Township, **Bedford County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Johns Branch (WWF), is located in State Water Plan watershed 11-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of.028 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Nitrate-Nitrite as N	XXX	XXX	XXX	Report Annl Avg	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report Annl Avg	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	Report Annl Avg	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report Annl Avg	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report Annl Avg	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of.028 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX Daily Max	6.0 Inst Min	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.2	XXX	0.9
Total Suspended Solids	XXX	XXX	XXX	30.0	60.0	75
Aluminum, Total	0.35	0.69	XXX	1.48	2.96	3.7
Iron, Total	Report	Daily Max Report	XXX	2.0	4.0	5
Manganese, Total	Report	Daily Max Report	XXX	1.0	2.0	2.5

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0080489, Sewage, SIC Code 5812, **Liberty Truckstop Inc.**, 3298 Susquehanna Trail, Duncannon, PA 17020-7108. Facility Name: Liberty Travel Plz Duncannon. This existing facility is located in Watts Township, **Perry County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Buffalo Creek (WWF), is located in State Water Plan watershed 6-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of.015 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Nitrate-Nitrite as N	XXX	XXX	XXX	Report Avg Qrtly	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report Avg Qrtly	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	Report Avg Qrtly	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report Avg Qrtly	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report Avg Qrtly	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of.015 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX Daily Max	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0 Inst Min	XXX	XXX	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
				Geo Mean		

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0281751 A-1, Concentrated Animal Feeding Operation (CAFO), **Kish View Farm (Kish View Farm CAFO)**, 4733 E Main Street, Belleville, PA 17004-9296.

Kish View Farm has submitted an application for an Individual NPDES permit for CAFO known as Kish View Farm CAFO, located in Union Township, **Mifflin County**.

The CAFO is situated near Unnamed Tributary of Kishacoquillas Creek (HQ-CWF, MF) in Watershed 12-A, which is classified for High Quality—Cold Water and Migratory Fish. The CAFO is designed to maintain an animal population of approximately 1,279.63 animal equivalent units (AEUs) consisting of 650 mature dairy cows, 280 dairy heifers, and 205 dairy calves. Liquid manure passes through a methane digester and is stored in a circular manure storage at the home farm, an earthen lagoon on the Glick Farm, and an underbarn manure storage on the AJ Farm. A release or discharge to waters of the Commonwealth under normal operating conditions is not expected. Normal operating conditions are defined as conditions below a 25-year, 24-hour storm event.

The Department has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations, the Department has made a tentative determination to issue an NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the permit.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The Environmental Protection Agency (EPA) permit waiver provision under 40 CFR 123.24(e) does not apply to this NPDES permit.

PA0267317, Sewage, SIC Code 8800, **Howard G Williamson**, 388 Hollen Road, Tyrone, PA 16686-7316. Facility Name: Howard Williamson Res. This proposed facility is located in Antis Township, **Blair County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Sugar Run (WWF, MF), is located in State Water Plan watershed 11-A and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of.0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	5.0 Inst Min	XXX	XXX	9.0
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

Sludge use and disposal description and location(s): Outfall 001.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Northcentral Region: Regional Clean Water Program Manager, 208 W Third Street, Suite 101, Williamsport, PA 17701-6448, Phone: 570-327-3636, Email: RA-EPNPDES_NCRO@pa.gov.

PA0038865, Sewage, SIC Code 4952, **Zerbe Township Municipal Authority**, 800 Mahanoy Street, Trevorton, PA 17881-1106. Facility Name: Zerbe Township Wastewater Treatment Plant. This existing facility is located in Zerbe Township, **Northumberland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Zerbe Run, is located in State Water Plan watershed 6-B and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.5 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		
	Average Monthly	Weekly Average	Instant. Minimum	Average Monthly	Weekly Average	Instant. Maximum
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)						
Nov 1 - Apr 30	100	150	XXX	24.0	36.0	48
May 1 - Oct 31	50	75	XXX	12.0	18.0	24
Biochemical Oxygen Demand (BOD ₅)						
Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids	125	185	XXX	30.0	45.0	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Nitrate-Nitrite as N (Total Load, lbs) (lbs)	XXX Report Total Mo	XXX XXX	XXX XXX	Report XXX	XXX XXX	XXX XXX
Total Nitrogen (Total Load, lbs) (lbs)	XXX Report Total Mo	XXX XXX	XXX XXX	Report XXX	XXX XXX	XXX XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	43	65	XXX	10.5	15.6	21.3
May 1 - Oct 31	14	21	XXX	3.5	5.2	7.1
(Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Kjeldahl Nitrogen (Total Load, lbs) (lbs)	XXX Report Total Mo	XXX XXX	XXX XXX	Report XXX	XXX XXX	XXX XXX
Total Phosphorus (Total Load, lbs) (lbs)	XXX Report Total Mo	XXX XXX	XXX XXX	Report XXX	XXX XXX	XXX XXX
Copper, Total (ug/L)	0.062	0.096	XXX	14.8	23.1	37
Zinc, Total (ug/L)	Report	Daily Max Report Daily Max	XXX	Report	Daily Max Report Daily Max	XXX
Ultraviolet light dosage (mjoules/cm ²)	XXX	XXX	Report	XXX	XXX	XXX

The proposed monitoring requirements and effluent limits for implementation of Pennsylvania's Chesapeake Bay Watershed Implementation Plan are as follows for Outfall 001.—Limits.

Parameters	Mass Units (lbs)			Concentrations (mg/L)		
	Monthly	Annual	Monthly	Monthly Average	Maximum	Instant. Maximum
Total Nitrogen (Total Load, lbs) (lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX

Parameters	Mass Units (lbs)		Monthly	Concentrations (mg/L)		Instant. Maximum
	Monthly	Annual		Monthly Average	Maximum	
Effluent Net	XXX	7,306 Total Annual Report Total	XXX	XXX	XXX	XXX
Ammonia-Nitrogen (Total Load, lbs) (lbs)	XXX	974 Total Annual	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs)	XXX	974 Total Annual	XXX	XXX	XXX	XXX

*This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

Sludge use and disposal description and location(s): Landfill or other wastewater treatment plant.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is not in effect.

Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Email: RA-EPNPDES_SWRO@pa.gov.

PA0255718, Sewage, SIC Code 8800, **Judith A Whitehead**, 2149 Henry Road, Sewickley, PA 15143. Facility Name: Whitehead Property SRSTP. This proposed facility is located in Sewickley Hills Borough, **Allegheny County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Little Sewickley Creek (HQ-TSF), is located in State Water Plan watershed 20-G and is classified for High Quality Waters—Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0006 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Instant. Minimum	Concentrations (mg/L)		IMAX
	Annual Average	Average Weekly		Annual Average	Maximum	
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000

Sludge use and disposal description and location(s): To be hauled off-site.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law (35 P.S. §§ 691.1—691.1001).

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. WQG01202002, Sewage, **Faron Reckhart**, 21602 Boyle Road, Cochranon, PA 16313.

This proposed facility is located in Fairfield Township, **Crawford County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

IV. NPDES Individual Permit Applications for Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4s).

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401, Email: RA-EPNPDES_SERO@pa.gov.

PAI130059, MS4, **Plumstead Township**, P.O. Box 387, Plumsteadville, PA 18949-0387. The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Plumstead Township, **Bucks County**. The receiving streams, Pine Run (TSF, MF) and Unnamed Tributary to Cabin Run (CWF, MF), are located in State Water Plan watershed 2-D and 2-F and are classified for Migratory Fishes, Cold Water Fishes, and Trout Stocking, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

The applicant has submitted the following plan(s) with the application to reduce pollutant loads to impaired waters:

- A Pollutant Reduction Plan (PRP)
- A Total Maximum Daily Load (TMDL) Plan

The Department has made a tentative determination to issue the NPDES permit. Written comments on the application and draft permit will be accepted for 30 days following publication of this notice. The period for comment may be extended at the discretion of DEP for one additional 15-day period. You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910 or by contacting our regional Records Management unit via e-mail at RA-SERRecordsReview@pa.gov.

The EPA waiver is in effect for small MS4s and is not in effect for large MS4s.

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities.

Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401, Telephone 484-250-5160, Email: ra-epww-sero@pa.gov.

NPDES

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD090058	Quaker Pointe Hotels, LLC 1915 John Fries Highway Quakertown, PA 18951	Bucks County	Milford Township	Molasses Creek HQ-TSF
PAD230048	Griffiths Construction, Inc. 851 Kimberton Road Chester Springs, PA 19425	Delaware County	Edgmont Township	Little Pony Trail Creek HQ-TSF
PAD230046	Sproul Road Developers, LLC One Tower Bridge 100 Front Street Suite 560 West Conshohocken, PA 19428-2871	Delaware County	Marple Township	UNT to Whetstone Run WWF-MF
PAD510077	Broad & Washington, LP 1719 Rittenhouse Square Philadelphia, PA 19103	Philadelphia County	City of Philadelphia	Delaware River WWF-MF

STATE CONSERVATION COMMISSION

PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed (National Pollutant Discharge Elimination System) NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling (717) 787-8821.

Persons wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30-days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact

basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Persons with a disability who require an auxiliary aid, service, including TDD users or other accommodations to seek additional information should contact the SCC through the Pennsylvania AT&T Relay Service at (800) 654-5984.

**ACT 38
NUTRIENT MANAGEMENT PLANS
CAFO PUBLIC NOTICE SPREADSHEET—APPLICATIONS**

<i>Agricultural Operation Name & Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal/ New</i>
Arlin Benner 2100 Glenville Road Cochranville, PA 19330	Chester County	526.3	2,787.5	Dairy	N/A	Amendment

PUBLIC WATER SUPPLY PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for PWS permits to construct or substantially modify public water systems.

Persons wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, 570-826-2511.

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

Application No. 3520505 , Public Water Supply.
Applicant GSP Management Company (Pocono Manor MHP) P.O. Box 677 Morgantown, PA 19543
Township Clifton Township
Responsible Official Lackawanna County
Type of Facility Public Water Supply
Consulting Engineer Mr. James A. Cieri, Sr., P.E. James A. Cieri—Professional Engineer, LLC 914 Mountain Road Harrisburg, PA 17112
Application Received Date October 20, 2020
Description of Action Application proposes the relocation of existing PWS system facilities to a New Wellhouse for Well Nos. 1 and 2 and the relocation of PWS facilities for Well No. 3 to a new Well House. Revisions to 4-Log will be provided in this application submittal. The separate distribution systems for the three wells will also be interconnected as part of this project.

Application No. 6420504 , Public Water Supply.
Applicant Aqua PA, Inc. 762 W. Lancaster Avenue Bryn Mawr, PA 19010
Borough and County Waymart Borough Wayne County
Responsible Official Joseph G. Thurwanger, PE Aqua PA, Inc. 762 W. Lancaster Avenue Bryn Mawr, PA 19010
Type of Facility PWS
Consulting Engineer Daniel J. Hopkins, PE Entech Engineering, Inc. 500 N Center Street Pottsville, PA 17901
Application Received Date September 29, 2020

Description of Action Waymart Water System Well 2 & Well 3 Well House Improvements.

Southwest Region: Safe Drinking Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Permit No. 3020503, Public Water Supply.

Applicant **Southwestern Pennsylvania Water Authority**
1442 Jefferson Road
P.O. Box 187
Jefferson, PA 15344

Township Wayne Township

County **Greene County**

Responsible Official Timothy Faddis
Manager

Type of Facility Water system

Consulting Engineer Bankson Engineers, Inc.
267 Blue Run Road
Suite 200
Cheswick, PA 15024

Application Received Date July 17, 2020

Description of Action Installation of gas chlorination feed equipment at the Kingwood Road Pump Station.

Permit No. 2620506, Public Water Supply.

Applicant **Municipal Authority of Westmoreland County**
124 Park & Pool Road
New Stanton, PA 15672

Township Dunbar Township

County **Fayette County**

Responsible Official John Ashton
Assistant Manager

Type of Facility Water system

Consulting Engineer Gibson-Thomas
Engineering Co., Inc.
1004 Ligonier Street
P.O. Box 853
Latrobe, PA 15650

Application Received Date October 20, 2020

Description of Action Expansion of the Indian Creek Water Treatment Plant from 40 MGD to 50 MGD.

MINOR AMENDMENT

Applications Received Under the Pennsylvania Safe Drinking Water Act.

Southwest Region: Safe Drinking Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Application No. 0420508MA, Minor Amendment.

Applicant **Beaver Falls Municipal Authority**
1425 Eighth Avenue
Beaver Falls, PA 15010

Borough Eastvale Borough

County **Beaver County**

Responsible Official James Riggio
Manager
Beaver Falls Municipal Authority
1425 Eighth Avenue
Beaver Falls, PA 15010

Type of Facility Water system

Consulting Engineer Entech Engineering, Inc.
400 Rouser Road
Building 2, Suite 200
Coraopolis, PA 15108

Application Received Date October 12, 2020

Description of Action Replacement of media in Filters #4 & #5 at the Eastvale Water Treatment Plant.

Application No. 0220522MA, Minor Amendment.

Applicant **Pittsburgh Water and Sewer Authority**
1200 Penn Avenue
Pittsburgh, PA 15222

Township or Borough City of Pittsburgh

County **Allegheny County**

Responsible Official William Pickering
Executive Director

Type of Facility Water system

Consulting Engineer Pittsburgh Water and Sewer Authority
1200 Penn Avenue
Pittsburgh, PA 15222

Application Received Date July 7, 2020

Description of Action New liner and cover over the Highland No. 2 Reservoir.

Application No. 0220522MA, Public Water Supply.

Applicant **Pittsburgh Water and Sewer Authority**
1200 Penn Avenue
Pittsburgh, PA 15222

Township or Borough City of Pittsburgh

County **Allegheny County**

Responsible Official William Pickering
Executive Director

Type of Facility Water system

Consulting Engineer Pittsburgh Water and Sewer Authority
1200 Penn Avenue
Pittsburgh, PA 15222

Application Received Date September 30, 2020

Description of Action Installation of approximately 5,700 feet of waterline (2019 Large Diameter Water Main Improvements Rising Mains 3 and 4 Project).

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent (NOI) to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the background standard, Statewide health standard, the site-specific standard, or who intend to remediate a site as a special industrial area, must file a (NOI) to Remediate with the Department. A NOI to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. A person who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the Act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under Sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the NOI to Remediate is published in a newspaper of general circulation in the area of the site. For the following identified site(s), proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30-days of the following specified date. During this comment period the municipality may request that the following identified person, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of the site.

For further information concerning the content of a NOI to Remediate, please contact the Environmental Cleanup Program Manager in the Department of Environmental Protection Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department of Environmental Protection has received the following Notice(s) of Intent to Remediate:

Southcentral Region: Environmental Cleanup and Brownfields Program Manager; 909 Elmerton Avenue, Harrisburg, PA 17110.

Ay Machine Company, 350 Railroad Avenue, Ephrata, PA 17522, Ephrata Borough, **Lancaster County**. Reliance Environmental, Inc., 235 North Duke Street, Lancaster, PA 17602, on behalf of AY Machine Company, East King Street, Ephrata, PA 17522, submitted a Notice of Intent to Remediate site soil contaminated with No. 2 Fuel Oil. The site will be remediated to the Residential Statewide Health Standard. Future use of the site is to continue to be used for nonresidential purposes. September 9, 2020. The Notice of Intent to Remediate was published in the *LNP* on September 9, 2020.

Northcentral Region: Environmental Program Manager; 208 West Third Street, Williamsport, PA 17701.

Contact: Randy Farmerie, 570-327-3716

Lucas Trucking Project, US Route 15 North at Exit 162, Liberty Township, **Tioga County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857, on behalf of Lucas Trucking Corp, 9657 N Route 220 Highway, Jersey Shore, PA 17740, has submitted a Notice of Intent to Remediate concerning site soil contaminated with diesel fuel. The applicant proposes to remediate the site to meet the Non-Residential Statewide Health Standard. A summary of the Notice of Intent to Remediate was published in the *Daily Item* on August 29, 2020.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department has developed an “integrated” plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities. Copies of the application, the Department’s analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate Department Regional Office. Appointments for scheduling a review must be made by calling the appropriate Department Regional Office. The address and phone number of the Regional Office is listed before the application notices.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the Department’s Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit

number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

A person wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if the Department, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when the Department determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate Department Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

PLAN APPROVALS

Plan Approval Applications Received under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Dave Balog, New Source Review Chief, (814) 332-6328.

25-066J: Accuride Erie, L.P. (1015 East 12th Street, Erie, PA 16503), for the proposed scrubber fan/motor replacement for 7,000 Tons Forge Lines No. 5 (Source 113) and No. 6 (Source 114). The facility is located in Erie City, **Erie County**. This is a State Only facility.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: James Beach, New Source Review Chief, (484) 250-5920.

15-0085C: Lincoln University (1570 Baltimore Pike, Lincoln University, PA 19352-9141) for the permitting of

four (4) 1,500-kW diesel generators and the modification of various boilers and smaller emergency generators, located at an existing Synthetic Minor facility in Lower Oxford Township and Upper Oxford Township, **Chester County**. The four (4) 1,500-kW diesel generators will each be restricted to 100 hours of operation per 12-month rolling period. Through this Plan Approval the various boilers and smaller emergency generators will be subject to new fuel limits or hours of operation to ensure that the facility remains a Synthetic Minor facility. The four (4) 1,500-kW diesel generators, along with two (2) of the smaller diesel-fired generators, will be subject to 40 CFR Part 60, Subpart IIII. The larger boilers (Source IDs 031, 32, and 33A) are subject to 40 CFR Part 60, Subpart Dc. The following are site-wide potential emissions from the campus: NO_x—15.67 TPY; VOC—1.0 TPY; CO—10.19 TPY; PM—1.38 TPY; SO_x—5.05 TPY; and HAP—0.25 TPY. This Plan Approval does not trigger applicability toward NSR or PSD regulations. The plan approval will include limits and restrictions, monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Raymond Kempa, New Source Review Chief, (570) 826-2507.

40-00144A: Ball Metal Beverage Container Corporation (9300 W. 108th Circle, Westminster, CO 80021) for the installation and operation of four beverage can manufacturing lines with baghouse and two regenerative thermal oxidizers (RTOs) to control emissions from the facility to be located in Jenkins Twp., **Luzerne County**. This Plan Approval No. 40-00144A will be incorporated into a State Only Permit through an administrative amendment at a later date.

The Department of Environmental Protection's (Department) review of the information submitted by the Ball Metal Beverage Container Corporation indicates that the air contamination sources to be constructed will comply with all regulatory requirements pertaining to air contamination sources and the emission of air contaminants including 40 CFR Part 60, Subpart WW, 25 Pa. Code § 129.52 Surface Coating process requirements and the best available technology requirement (BAT) of 25 Pa. Code §§ 127.1 and 127.12. The VOC emissions from the facility will not equal or exceed 50 TPY, based on a 12-month rolling sum. The NO_x, Total PM, SO_x, and CO emissions from the facility will not equal or exceed 100 TPY, based on a 12-month rolling sum. The HAPs from the facility must never equal or exceed 10 TPY of any single HAP and must never equal or exceed 25 TPY of all aggregated HAPs, based on a 12-month rolling sum.

The Plan approval and Operating Permit will include testing, monitoring, recordkeeping, and reporting requirements designed to keep the sources operating within all applicable air quality requirements. For further details, contact Ray Kempa at (570) 826-2511 within 30 days after publication date.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711.

Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown in the preceding para-

graph. Each written comment must contain the name, address and telephone number of the person submitting the comment, identification of the proposed permit No. 40-00144A and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Ray Kempa, Chief, New Source Review Section, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711, Phone number 570-826-2511 within 30 days after publication date.

Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Edward Orris, New Source Review Chief, 412.442.4168.

11-00536A: CPV Fairview, LLC (50 Braintree Hill Office Park, Suite 300, Braintree, MA 02184) plan approval extension effective on October 28, 2020, with expiration on April 28, 2021, for continued temporary operation of air contamination sources and controls associated with the CPV Fairview Energy Center located at 2862 William Penn Avenue, Johnstown, PA 15909, in Jackson Township, **Cambria County**.

11-00536B: CPV Fairview, LLC (50 Braintree Hill Office Park, Suite 300, Braintree, MA 02184) plan approval extension effective on October 28, 2020, with expiration on April 28, 2021, for continued temporary operation of air contamination sources and controls associated with the CPV Fairview Energy Center located at 2862 William Penn Avenue, Johnstown, PA 15909, in Jackson Township, **Cambria County**.

63-00922D: Robinson Power Company, LLC (563 Route 18, P.O. Box 127, Burgettstown, PA 15021) on October 23, 2020, to extend the construction period for an additional 18 months. Construction commenced on October 5, 2020, with the pouring of the foundation for the aqueous ammonia tank at the proposed natural gas-fired combined cycle power plant known as the Beech Hollow Energy Facility to be located in Robinson Township, **Washington County**. The new expiration date is March 28, 2022.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001–4015) and 25 Pa. Code Chapter 127, Subchapter G.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Norman Frederick, Facility Permitting Chief, (570) 826-2409.

54-00073: Ingenco Wholesale Power, LLC (2250 Dabney Road, Richmond, VA 23230). The Department intends to issue a renewal of the Title V Operating Permit for electric power services in Pine Grove Township, **Schuylkill County**. As a major source, the facility is subject to the Title V permitting requirements of the Clean Air Act Amendments as adopted by the Commonwealth under 25 Pa. Code Chapter 127, Subchapter G.

The sources consist of eighteen (18) engines. The proposed Title V Operating Permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, (717) 705-4862, Thomas Bianca, New Source Review Chief, (717) 705-4863, or William Weaver, Regional Air Quality Manager, (717) 705-4702.

36-05028: CNH Industrial America LLC (500 Diller Avenue, New Holland, PA 17557) to issue a Title V Operating Permit for the agricultural machinery manufacturing facility located in New Holland Borough, **Lancaster County**. The actual emissions from the facility in 2018 are estimated at 8.7 tons of CO, 9.9 tons of NO_x, 1.4 tons of PM₁₀, 1.2 tons of SO_x and 36.3 tons of VOC. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR 63 Subpart DDDDD, 40 CFR 63 Subpart MMMM, 40 CFR 63 Subpart ZZZZ and 25 Pa. Code § 129.63.

28-05004: Grove US, LLC (1565 Buchanan Trail East, Shady Grove, PA 17256) to issue a Title V Operating Permit for the crane manufacturing facility located in Antrim Township, **Franklin County**. The Title V Operating Permit is undergoing renewal combined with approval of a Reasonably Available Control Technology II (RACT II) plan. The actual emissions from the facility in 2019 year are estimated at 34.37 tons of VOC; 7.36 tons of NO_x; 5.78 tons of CO, and 0.5-ton HAPs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from:

- 25 Pa. Code, § 129.52—Surface coating processes;
- 25 Pa. Code, § 129.52d—Control of VOC emissions from miscellaneous metal parts surface coating processes, miscellaneous plastic parts surface coating processes and pleasure craft surface coatings;
- 25 Pa. Code § 129.62—General standards for bulk gasoline terminals/plants, and small gasoline storage tanks;
- 25 Pa. Code, § 129.63—Degreasing Operations;
- 25 Pa. Code § 129.97—Presumptive RACT requirements, RACT emission limitations and petition for alternative compliance schedule;
- 25 Pa. Code § 129.99—Alternative RACT proposal and petition for alternative compliance schedule;
- 40 CFR Part 63, Subpart ZZZZ—National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines;
- 40 CFR Part 63, Subpart XXXXXX—National Emission Standards for Hazardous Air Pollutants Area Source Standards for Nine Metal Fabrication and Finishing Source Categories;
- 40 CFR Part 60, Subpart IIII—Standards of Performance for Stationary Compression Ignition Internal Combustion Engines;

- 40 CFR Part 60, Subpart JJJJ—Standards of Performance for Stationary Spark Ignition Internal Combustion Engines.

Also, in accordance with 25 Pa. Code §§ 129.91—129.100, the Department has made a preliminary determination to approve a RACT II plan to be submitted as part of the PA State Implementation Plan (SIP) for the Grove facility.

The proposed SIP revision does not adopt any new regulations. It incorporates the provisions and requirements contained in the amended RACT approval for the facility, which are intended to satisfy the requirements for the 1997, 2008 and 2015 National Ambient Air Quality Standards (NAAQS) for ozone.

The proposed RACT II plan, if approved by DEP, will be issued as part of the renewal of the facility's Title V operating permit (28-05004). The relevant RACT II requirements will also be submitted to the U.S. Environmental Protection Agency (EPA) for approval and incorporation into Pennsylvania's State Implementation Plan. Requirements that are not part of the RACT II approval will be excluded from the SIP submittal.

The proposed RACT II requirements for this facility that are proposed to be submitted to the EPA as part of the SIP, are as follows:

001: The permittee shall comply with the following work practices for cleaning materials:

a) Store all VOC-containing cleaning materials and used shop towels in closed containers.

b) Ensure that mixing vessels and storage containers used for VOC-containing cleaning materials are kept closed at all times except when depositing or removing these materials.

c) Minimize spills of VOC-containing cleaning materials and clean-up spills immediately.

d) Convey VOC-containing cleaning materials from one location to another in closed containers or pipes.

e) Minimize VOC emissions from cleaning of application, storage, mixing or conveying equipment by ensuring that equipment cleaning is performed without atomizing the cleaning solvent and all spent solvent is captured in closed containers.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to Tom Bianca, P.E., West Permit Section Chief, Air Quality Program, DEP South-central Regional Office, at tbianca@pa.gov. A 30-day comment period from the date of publication of this notice will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed RACT II Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the proposed RACT II Plan.

Public Hearing: In accordance with Governor Tom Wolf's emergency disaster declaration and based on advice from the Department of Health regarding the mitigation of the spread of the novel coronavirus (COVID-19), a virtual public hearing will be held on December 9, at 10:00 a.m. to accept oral comments on the proposed permit action and the proposed SIP revision. Individuals who wish to observe or present testimony at the informal

conference must contact John Repetz at 717-705-4904 or jrepetz@pa.gov a minimum of 24 hours in advance of the hearing to reserve a time to present testimony. Citizens who register for the event will receive the link and instructions on how to join via email.

Organizations are limited to designating one individual to present verbal comments on their behalf. Verbal comments are limited to 5 minutes for each presenter. Video demonstrations and screen sharing by presenters will not be permitted.

Any persons presenting verbal comments are requested to submit a written copy of their verbal testimony by e-mail to Tom Bianca, P.E., at tbianca@pa.gov, by no later than ten days after the hearing. All pertinent documents related to the proposed DEP action are available for public review contacting Tom Bianca, P.E., at tbianca@pa.gov.

Individuals who are in need of an accommodation for the hearing as provided for in the Americans with Disabilities Act should contact Tom Bianca, P.E., at tbianca@pa.gov or make accommodations through the Pennsylvania AT&T Relay Service at 1-800-654-5984 (TDD).

Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Thomas Joseph, Facilities Permitting Chief, 412.442.4336.

04-00033: BVPV Styrenics, LLC (400 Frankfort Road, Monaca, PA 15061-2212) Administrative Amendment, on October 19, 2020, the Department processed a Change of Ownership from Nova Chemicals, Inc., to BVPV Styrenics, LLC, at the Beaver Valley Facility. This facility manufactures polystyrene and other plastics. The facility is located in Potter Township, **Beaver County**.

Intent to Issue Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief, (484) 250-5920.

15-00094: Metallurgical Products Company (810 Lincoln Avenue, West Chester, PA 19381) for the renewal of the State Only Operating Permit for operation of copper alloying facility located in West Goshen Township, **Chester County**. There are no changes to sources at the facility. The facility's potential to emit for all criteria pollutants after the use of add-on control devices is less than the thresholds applicable to facilities located in the Philadelphia Metropolitan Statistical Area; therefore, the facility is a Synthetic Minor. The renewal permit will include monitoring, recordkeeping and reporting requirements designed to keep the plant operating within all applicable air quality requirements.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Norman Frederick, Facility Permitting Chief, (570) 826-2409.

13-00015: Arfan, Inc., Palmerton Facility (525 Delaware Ave., Palmerton, PA 18071-1910). The Department

intends to issue a renewal State-Only (Natural Minor) Permit for the human crematory facility located in the Borough of Palmerton, **Carbon County**. The primary sources consist of one (1) crematory incinerator. The control device consists of an afterburner. The source is considered a minor emission source of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), total suspended particulate (TSP) and VOC's. The proposed operating permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

40-00101: Pennsy Supply Inc., Pittston West Quarry (2400 Thea Drive, Suite 3A, Harrisburg, PA 17110). The Department intends to issue a renewal State-Only (Synthetic Minor) Permit for the operation of a drum mix asphalt plant and stone manufacturing facility in Jenkins Township, **Luzerne County**. The sources consist of feed bins, screens, belts, conveyors, and a drum mix asphalt plant with wdlf. The control devices are baghouses and a cyclone. The sources are considered minor emission sources of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), total suspended particulate (TSP), and volatile organic compounds (VOC) emissions. The proposed operating permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

40-00108: Pennsy Supply Inc., Pittston Quarry (2400 Thea Drive, Suite 3A, Harrisburg, PA 17110). The Department intends to issue a renewal State-Only (Natural Minor) Permit for the operation of crushed and broken stone mining and quarrying facility in Jenkins Township, **Luzerne County**. The sources consist of primary, secondary, and tertiary crushers, screens, and conveyors. The sources are controlled by a water spray system. The sources are considered minor emission sources of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), total suspended particulate (TSP), and volatile organic compounds (VOC) emissions. The proposed operating permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

54-00062: World Resources Company/dba WRC Proc. Inc. (170 Walnut Ln, Pottsville, PA 17901-8559). The Department intends to issue a renewal State-Only (Natural Minor) Permit for the manufacture of secondary nonferrous metals located in Norwegian Township, **Schuylkill County**. The primary sources are extraction process, thermal concentrating unit, and a fluid bed processor. The control devices are scrubbers. The sources are considered minor emission sources of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), total suspended particulate (TSP), and volatile organic compounds (VOC) emissions. The proposed operating permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

35-00072: UNIMAC-KPS (1001 Moosic Rd., Old Forge, PA 18518-2085). The Department intends to issue a renewal State-Only (Natural Minor) Permit for the manufacture of commercial printing located in Old Forge, **Lackawanna County**. The primary sources consist of

four (4) flexo presses. The sources are considered minor emission sources of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), total suspended particulate (TSP), and volatile organic compounds (VOC) emissions. The proposed operating permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

08-00044: Barefoot Pellets Company (P.O. Box 96, Troy, PA 16947) to issue a renewal State Only Operating Permit for their wood pellet manufacturing facility located in Troy Township, **Bradford County**. The facility is currently operating under State Only Operating Permit 08-00044. The facility's main source is a 20 MMBTU/hr natural gas-fired rotary dryer. The facility has potential emissions of 25.2 TPY of CO; 15.12 TPY of NO_x; 0.14 TPY of SO_x; 39.96 TPY of PM/PM₁₀; 18.07 TPY of VOCs and 2.92 TPY HAPs. The emission limits and work practice standards along with testing, monitoring, recordkeeping and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. These operating permit conditions have been derived from the applicable requirements of 25 Pa. Code Chapters 121—145. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-0550.

18-00023: Hanson Aggregates PA, LLC (7660 Imperial Way, Allentown, PA 18195) to issue a renewal State Only Operating Permit for the Salona Quarry located in Lamar Township, **Clinton County**. The facility is currently operating under State Only Operating Permit 18-00023. The facility's sources include a non-metallic mineral crushing plant consisting of multiple crushers, conveyors and screens, one cold cleaning degreaser, onsite unpaved haul roads and a miscellaneous heater, engines and storage tanks. The facility has potential emissions of 3.08 TPY of CO; 4.95 TPY of NO_x; 0.26 TPY of SO_x; 10.99 TPY of PM/PM₁₀; 4.18 TPY of VOCs; 2.00 TPY of combined hazardous air pollutants; 423 TPY GHGs. Three screens at this plant are subject to 40 CFR 60, Subpart OOO—Standards of Performance for Nonmetallic Mineral Processing Plants. The emission limits and work practice standards along with testing, monitoring, recordkeeping, and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. These operating permit conditions have been derived from the applicable requirements of Title 25 Pa. Code Chapters 121—145, as well as 40 CFR Part 60. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-0550.

55-00011: National Limestone Quarry, Inc. (P.O. Box 397, Middleburg, PA 17842) for the Fremont Quarry

located in Perry Township, **Snyder County**. In accordance with 25 Pa. Code §§ 127.424 and 127.425, the Department of Environmental Protection (DEP) has received an application and intends to issue a renewal of an Air Quality Operating Permit for the previously-mentioned facility. The subject facility has the potential to emit 15.92 TPY of particulate matter with an aerodynamic diameter of less than 10 micron and 0.20 TPY of volatile organic compounds. The Department has determined that the sources at the facility satisfy best available technology (BAT) requirements, pursuant to 25 Pa. Code §§ 127.1 and 127.12. The operating permit will include emission limits and work practice standards along with testing, monitoring, recordkeeping and reporting requirements to ensure the facility complies with all applicable air quality regulations. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-0550.

Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Thomas Joseph, Facilities Permitting Chief, 412.442.4336.

65-01027: Leedsworld, Inc. (400 Hunt Valley Road, New Kensington, PA 15068). In accordance with 25 Pa. Code §§ 127.424 and 127.425 the Department of Environmental Protection (DEP) gives notice that they intend to issue a State Only Operating Permit (SOOP) renewal to Leedsworld, Inc. to authorize the continued operation of their facility located in Upper Burrell and Washington Township, **Westmoreland County**.

The subject facility consists of approximately 200 printing machines, natural gas-fired building heat, and an emergency generator. The facility is a synthetic minor and is not permitted to exceed 50 tons tpy VOC on a 12-month rolling basis. Potential emissions from the facility are provided by the company as followed: 5.96 tpy NO_x, 5.01 tpy CO, 0.04 tpy SO_x, 4.42 tpy PM, 1.25 tpy PM₁₀, 49.91 tpy VOC, 2.46 tpy Toluene, 1.84 tpy Methanol and 5.0 tpy cumulative HAPs. The facility is required to maintain purchases and use records of all inks, solvents, alcohols, and any other product used to contain VOC or HAP on a 12-month rolling basis and must annually report emissions from all emitting sources. The proposed authorization is subject to State and Federal Regulations. The emission restriction, testing, monitoring, recordkeeping, reporting and work practice conditions of the proposed permit have been derived from the applicable requirements of 25 Pa. Code Article III, Chapters 121–145 and Federal Regulations (ZZZZ).

A person may oppose the proposed State Only Operating Permit by filing a written protest with the Department through Noor Nahar via mail to Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222. Each protest or set of written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed State Only Operating Permit (65-01027) and a concise statement of the objections to the Operating Permit issuance and the relevant facts upon which the objections are based.

Leedsworld, Inc. State Only Operating Permit Application, the Department's Air Quality Review Memorandum, and the Proposed Air Quality Operating Permit for this facility are available for review by any interested party at the Pennsylvania Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. To request a review of the Leedsworld, Inc. State Only Operating Permit application, to receive an electronic copy of the Department's Air Quality Review Memorandum, or to receive an electronic copy of the Department's proposed Air Quality Operating Permit for this facility, a person may contact Noor Nahar at nnahar@pa.gov or 412.442.5225.

All comments must be received prior to the close of business 30 days after the date of this publication.

65-00065: Hanson Aggregates BMC, Inc./Lower Burrell Plant (2200 Springfield Pike, Connellsville, PA 15425-6412). On October 21, 2020, the Department issued a Natural Minor Operating Permit renewal for the operation of the facility's air contamination sources consisting of a sand and gravel depot, used for barge unloading, aggregate handling, stockpiling, and shipping via truck. Lower Burrell Plant operates one 200 tph excavator, five 200 tph conveyors, and one 50-gallon parts washer. The facility is limited to 0.04 gr/dscf particulate matter and 500 ppmv sulfur oxides. The proposed operating permit includes conditions relating to applicable emission restrictions, testing, monitoring, recordkeeping, reporting, and work practice standards requirements for each unit located at the facility in Lower Burrell City, **Westmoreland County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Matthew Williams, Facilities Permitting Chief, (814) 332-6940.

10-00401: Commercial Asphalt Supply Fennelton Plant (161 Plain Grove Road Slippery Rock, PA 16057). The Department intends to issue a State Only Operating Permit for the operation of hot mix asphalt plant located in Clearfield Township, **Butler County**. The facility consists of a 400-ton per hour hot mix batch asphalt plant, aggregate storage piles, asphalt storage silos and aggregate handling. The facility has the potential to emit (TPY): 31.2 CO, 6.24 NO_x, 9.04 PM, 0.82 SO_x, 7.68 VOC, and 8,880.00 CO₂. The facility is a natural minor and is subject to State Regulations and Federal Regulations (40 CFR Part 60 Subpart I). The permit includes additional operation requirements, monitoring requirements, and recordkeeping requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

42-00155: MSL Oil & Gas Corp. (Route 219 and Route 59 intersection, Lewis Run, Lafayette, PA 16738). The Department intends to issue the renewal of the State-Only Operating Permit of a natural gas extraction and stripping facility located in Lafayette Township, **McKean County**. Permitted air contamination sources at the facility include an inlet compressor, a refrigerant compressor, an outlet compressor, a glycol dehydration unit, a degreaser unit, and equipment leaks. The glycol dehydration unit is subject to 40 CFR 63 Subpart HH. The compressor engines are subject to 40 CFR 63 Subpart ZZZZ. For permitting purposes, the facility is Natural Minor. No major permit changes are made in this renewal.

PLAN APPROVALS

Receipt of Plan Approval Applications and Intent to Issue Plan Approvals, and Intent to Issue Amended Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B and Subchapter F. These actions may include the administrative amendments of an associated operating permit.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2531.

Plan Approval No. 40-00145A: Notice is hereby given in accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a), that the Department of Environmental Protection (DEP) has received and intends to issue a Plan Approval to **UTZ Quality Foods, LLC** (900 High Street, Hanover Twp., PA 17331) for their facility located in Hanover Twp., **Luzerne County**. This Plan Approval No. 40-00145A will be incorporated into a State Only Permit through an administrative amendment at a later date.

Plan Approval No. 40-00145A is for the installation of a new Kettle Line with baghouse. VOC emissions from the plant will remain under 50 TPY threshold limit, 12-month rolling sum. Total HAP emissions from the facility will be under 25 TPY, 12-month rolling sum. Single HAP emissions will be under 10 TPY, 12-month rolling sum. The company shall be subject to and comply with 25 Pa. Code § 123.31 for malodorous emissions. The company shall be subject to and comply with 25 Pa. Code § 123.13 for particulate emissions. The company shall be subject to and comply with 25 Pa. Code § 123.41 for visible emissions. Emissions from the line will be controlled by the use of a baghouse. These limits will meet BAT requirements for this source. The Plan Approval and Operating permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711.

Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown in the preceding paragraph. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit No. 40-00145A and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Ray

Kempa, Chief, New Source Review Section, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711, Phone 570-826-2511 within 30 days after publication date.

COAL & NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection. A copy of the application is available for inspection at the District Mining Office indicated above each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the address of the District Mining Office indicated above each application within 30-days of this publication, or within 30-days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences).

Written comments or objections related to a mining permit application should contain the name, address and telephone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

Requests for an informal conference, or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 (relating to public hearing-informal conferences) or § 86.34 (relating to informal conferences), must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Where a National Pollutant Discharge Elimination System (NPDES) number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. A separate notice will be provided after the draft NPDES permit is prepared.

Coal Applications Received

Effluent Limits—The following range of effluent limits will apply to NPDES permits issued in conjunction with the associated coal mining activity permit and, in some cases, noncoal mining permits:

Table 1

Parameter	30-Day Average	Daily Maximum	Instantaneous Maximum
Iron (total)	1.5 to 3.0 mg/l	3.0 to 6.0 mg/l	3.5 to 7.0 mg/l
Manganese (total)	1.0 to 2.0 mg/l	2.0 to 4.0 mg/l	2.5 to 5.0 mg/l
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Aluminum (Total)	0.75 to 2.0 mg/l	1.5 to 4.0 mg/l	2.0 to 5.0 mg/l
pH ¹		greater than 6.0; less than 9.0	

Alkalinity greater than acidity¹

¹ The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; and mined areas backfilled and revegetated; and drainage (resulting from a precipitation event of less than or equal to a 1-year 24-hour event) from coal refuse disposal piles.

California District Office: 25 Technology Drive, Coal Center, PA 15423, (724) 769-1100, (Contact: Bonnie Herbert).

Permit No. 30121301 and NPDES Permit No. PA0236195. Consol Pennsylvania Coal Company LLC, 1000 Consol Energy Drive, Suite 100, Canonsburg, PA 15317, to revise the permit and related NPDES Permit for installation of a degas borehole for Harvey Mine in Richhill and Morris Townships, **Greene County**, affecting 2.2 proposed surface acres. No additional discharges. The application was considered administratively complete on October 9, 2020. Application received: August 20, 2020.

Permit No. 03813704 and NPDES Permit No. PA0236403. Consol Mining Company LLC, 1000 Consol Energy Drive, Suite 100, Canonsburg, PA 15317, to renew the permit and related NPDES Permit for Keystone No. 1 Coal Refuse Disposal Area in Plumcreek Township, **Armstrong County**. No additional discharges. The application was considered administratively complete on October 9, 2020. Application received: August 21, 2020.

Permit No. 30841316 and NPDES Permit No. PA0213535. Consol Pennsylvania Coal Company LLC, 1000 Consol Energy Drive, Suite 100, Canonsburg, PA 15317, to revise the permit and related NPDES Permit for installation of four degas boreholes for Bailey Mine & Prep Plant in Richhill and Aleppo Townships, **Greene County**, affecting 19.9 proposed surface acres. No additional discharges. The application was considered administratively complete on October 9, 2020. Application received: August 20, 2020.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200, (Contact: Ashley Smith).

Permit No. 17150101. EnerCorp, Inc., 1310 Allport Cutoff, Morrisdale, PA 16858, permit renewal for reclamation of a bituminous surface coal mine located in Cooper Township, **Clearfield County** affecting 6.8 acres. Receiving stream(s): Crawford Run (CWF, MF), and Moshannon Creek (TSF, MF), classified for the following use(s): CWF, MF, and TSF. There are no potable water supply intakes within 10 miles downstream. Application received: October 19, 2020.

Permit No. 17941601 and NPDES PA0215708. Forcey Coal, Inc., 475 Banion Road, Madera, PA 16661, permit renewal for reclamation only of a coal preparation plant/processing facility located in Bigler Township, **Clearfield County** affecting 11.3 acres. Receiving stream(s): Unnamed tributary to Muddy Run to Muddy Run, classified for the following use(s): CWF. There are no potable water supply intakes within 10 miles downstream. Application received: October 15, 2020.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118, (Contact: Theresa Reilly-Flannery).

Permit No. 54763209R7. Gilberton Coal Company (10 Gilberton Road, Gilberton, PA 17934), renewal of an existing anthracite coal refuse reprocessing and coal refuse disposal operation in Butler Township and Ashland Borough, **Schuylkill County** affecting 109.0 acres. Receiving stream: Mahanoy Creek, classified for the following uses: cold water and migratory fishes. Application received: October 2, 2020.

Permit No. 54763209C3. Gilberton Coal Company (10 Gilberton Road, Gilberton, PA 17934), correction to update the post-mining land use from forestland to unmanaged natural habitat and forestland of an existing anthracite coal refuse reprocessing and coal refuse disposal operation in Butler Township and Ashland Borough, **Schuylkill County** affecting 109.0 acres. Receiving stream: Mahanoy Creek, classified for the following uses: cold water and migratory fishes. Application received: October 2, 2020.

Permit No. 54663021R7. Reading Anthracite Company (P.O. Box 1200, Pottsville, PA 17901), renewal of an existing anthracite surface mine, refuse reprocessing, refuse disposal and coal preparation plant operation in New Castle Township, **Schuylkill County** affecting 693.0 acres. Receiving stream: Mill Creek, classified for the following uses: cold water and migratory fishes. Application received: October 2, 2020.

Permit No. GP12-54663021R2. Reading Anthracite Company (P.O. Box 1200, Pottsville, PA 17901), renewal application to operate a coal preparation plant whose pollution control equipment is required to meet all applicable limitations, terms and conditions of General Permit, BAQ-GPA/GP-12 on Surface Mining Permit No. 54663021 in New Castle Township, **Schuylkill County**. Application received: October 2, 2020.

Noncoal Applications Received

Effluent Limits—The following effluent limits will apply to NPDES permits issued in conjunction with a noncoal mining permit:

Table 2

<i>Parameter</i>	<i>30-day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity exceeding acidity* pH*		greater than 6.0; less than 9.0	

* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900, (Contact: Melanie Ford-Wigfield).

Permit No. 6875SM1 and PAM418025, After the Wire, LLC, 363 Park Drive, Reedsville, PA 17084, permit transfer of a large noncoal (industrial minerals) mine (formerly New Enterprise Stone & Lime Co., Inc.) in Derry Township, **Mifflin County**, affecting 67.6 acres. Receiving stream: unnamed tributary to Kishacoquillas Creek, classified for the following uses: Trout Stocked Fishes, Migratory Fishes. The first downstream potable water supply intake from the point of discharge is Fairview Water Association source 001, 6.25 mi, site ID 796441. Application received: October 15, 2020.

New Stanton District Office: P.O. Box 133, New Stanton, PA 15672, (724) 925-5500, (Contact: Tracy Norbert).

Permit No. 26950401 and NPDES Permit No. PA0201294. Amerikohl Aggregates, Inc., 202 Sunset Drive, Butler, PA 16001. Renewal application received for an existing noncoal surface mine located in Springfield Township, **Fayette County**, affecting 640.0 acres. Receiving stream(s): unnamed tributaries to Clay Run, Clay Run, unnamed tributaries to Buck Run, Sugarcamp Hollow and Buck Run, classified for the following use(s): HQ-CWF, CWF. Application received: October 16, 2020.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118, (Contact: Theresa Reilly-Flannery).

Permit No. 36900302C11 and NPDES Permit No. PA0594784. H & K Group, Inc., (P.O. Box 196, Skippack, PA 19474), renewal of an NPDES permit for discharge of treated mine drainage from a quarry operation in Fulton Township, **Lancaster County** affecting 74.69 acres. Receiving stream: unnamed tributary to Octoraro Creek, classified for the following use: Trout stock fishes. Application received: October 16, 2020.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	

*The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The limits for noncoal mining activities as provided in 25 Pa. Code Chapter 77 are pH 6 to 9 and other parameters the Department may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality-based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters in this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 563-2112-115, Developing National Pollutant Discharge Elimination System (NPDES) Permits for Mining Activities. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit within 30-days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30-days of this public notice and contain the name, address, telephone number and the interest of the party filing the request and state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES permit application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. When a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

Coal NPDES Draft Permits

California District Mining Office: 25 Technology Drive, California Technology Park, Coal Center, PA 15423, (724) 769.1100.

NPDES No. PA0001392 (Mining Permit No. 32713707), Robindale Energy Services, Inc., 224 Grange Hall Road, P.O. Box 228, Armagh, PA 15920, a renewal to the NPDES and mining activity permit for coal refuse disposal activities for No. 24 Refuse Site in Pine Township, **Indiana County**, affecting 77.9 surface acres. Receiving stream(s): Dutch Run; CWF. Kiskiminetas-Conemaugh River Watershed TMDL. The application was considered administratively complete: January 11, 2017. The application was received: August 8, 2016.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

Outfall 001 discharges to: Dutch Run

The proposed effluent limits for *Outfall 001* (Lat: 40° 35' 14" Long: -78° 52' 20") are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to Permit Expiration Date:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.5	3.0	3.8
Manganese	(mg/l)	-	1.0	2.0	2.5
Aluminum	(mg/l)	-	0.75	0.75	0.75
Suspended Solids	(mg/l)	-	35	70	90
pH	(S.U.)	6.0	-	-	9.0
Alkalinity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-
Osmotic Pressure (mOs/kg)	(mg/l)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	-	-	Report
Sulfate	(mg/l)	-	-	-	Report
Chloride	(mg/l)	-	-	-	Report
Bromide	(mg/l)	-	-	-	Report

The EPA Waiver is not in effect (Kiskiminetas-Conemaugh River Watershed TMDL).

Knox District Mining Office: White Memorial Building, P.O. Box 669, Knox, PA 16232-0669, (814) 797.1191.

NPDES No. PA0259675 (Permit No. 10150101), 4 Aces Mining, LLC (1451 Kennerdell Road, Kennerdell, PA 16374), Transfer of an NPDES permit for a bituminous surface mine in Marion Township, **Butler County**, affecting 48.0 acres. Receiving stream(s): Unnamed tributary to Blacks Creek and Blacks Creek classified for the following use(s): CWF. TMDL: None. Application received: August 14, 2020.

The following outfalls discharge to an unnamed tributary to Blacks Creek and Blacks Creek:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
003	N
004	N

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Iron (mg/l)		6.0	7.0	
Manganese (mg/l)		2.0	4.0	5.0
Aluminum (mg/l)		2.0	4.0	5.0
Total Suspended Solids (mg/l)		35.0	70.0	90.0
Alkalinity greater than acidity ¹				

¹ The parameter is applicable at all times.

The following outfalls discharge to an unnamed tributary to Blacks Creek and Blacks Creek:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
001	N
002	N

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Iron (mg/l)		3.0	6.0	7.0
Manganese (mg/l)		2.0	4.0	5.0
Aluminum (mg/l)		2.0	4.0	5.0
Total Suspended Solids (mg/l)		35.0	70.0	90.0
Alkalinity greater than acidity ¹				

¹ The parameter is applicable at all times.

NPDES No. PA0104779 (Permit No. 24880103), Energy Resources, Inc. (c/o Murray Energy Corporation, 46226 Nation Road, Saint Clairsville, OH 43950), revised NPDES permit for a bituminous surface mine in Horton Township, **Elk County**, affecting 541.0 acres. Receiving stream(s): Unnamed tributary to Mead Run classified for the following use(s): CWF. TMDL: Little Toby Creek. Application received: September 14, 2020.

The following outfalls discharge to an unnamed tributary to Mead Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
3TR	N
T12	Y

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Iron (mg/l)		2.34	4.68	5.85
Manganese (mg/l)		2.0	4.0	5.0
Aluminum (mg/l)		0.75	0.75	0.75
Total Suspended Solids (mg/l)		35.0	70.0	90.0
Alkalinity greater than acidity ¹				

¹ The parameter is applicable at all times.

Noncoal NPDES Draft Permits

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342.8200.

NPDES No. PA0257249 (Mining Permit No. 59090301), Signor Brothers Contracting LLC, 30 Poplar Street, P.O. Box 98, Arnot, PA 16911, renewal of an NPDES permit for Noncoal Surface Mine Permit in Bloss Township, **Tioga County** affecting 26.8 acres. Receiving stream: Johnson Creek, classified for the following use(s): Cold Water Fishes (CWF). This receiving stream is included in the Tioga River Watershed TMDL. Application received: August 31, 2020.

The following outfalls discharge to unnamed tributaries to/and Johnson Creek:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>	<i>Type</i>
001 (SBA)	N	Sediment Basin A
002 (SBB)	N	Sediment Basin B
003 (SBA)	N	Sediment Basin C
004 (STD)	N	Sediment Trap D
004 (STA)	N	Sediment Trap A

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Outfalls: 001—005 Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Suspended Solids (mg/l)	35.0	70.0	90.0
Flow (gpm)		Report	

pH (S.U.): Must be between 6.0 and 9.0 standard units.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2522, (570) 621.3118.

NPDES Permit No. PA0223352. Eureka Stone Quarry, Inc. (P.O. Box 249, Chalfont, PA 18914), renewal of NPDES Permit on Noncoal Surface Mining Permit Nos. 7973SM5 & 09030301 in Wrightstown Township, **Bucks County** affecting 158.6 acres. Receiving streams: Neshaminy Creek Watershed, classified for the following uses: warm water and migratory fishes. The first downstream potable water supply intake from the point of discharge is at Oakford, PA. The Department has made a tentative determination to impose effluent limitations, within the ranges specified in Table 1 for the listed parameters in addition to the limits identified in Table 2. Application received: May 24, 2020.

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>	<i>Type</i>		
001	No	Pit Water/Stormwater		
<i>Outfalls: Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Total Alkalinity (as CaCO ₃) (mg/L)			Monitor And Report	
Total Acidity (as CaCO ₃) (mg/L)			Monitor And Report	
Net Alkalinity (mg/L)	0.0			
Total Suspended Solids (mg/L)		11.88	23.76	29.70
Discharge (MGD)		1.1	5.8	
Total Dissolved Solids (mg/L)			Monitor And Report	
Sulfates (mg/L)			Monitor And Report	
Oil and Grease (mg/L)			Monitor And Report	

¹ This Parameter is applicable at all times.

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341), requires the State to certify that the involved projects will not violate the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA 33 U.S.C.A. §§ 1311—1313, 1316 and 1317, as well as relevant State requirements. Persons objecting to approval of a request for certification under Section 401 or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit, or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30-days of the date of this notice, as well as any questions to the office noted above the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed, and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or

conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between the hours of 8:00 AM and 4:00 PM on each working day at the office noted above the application.

If you are a person with a disability and wish to attend the hearing and you require an auxiliary aid, service or other accommodation to participate in the proceedings, please contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Applications Received Under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification Under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

E400220-029. Earth Conservancy, 101 South Main Street, Ashley, PA 18706, in Hanover Township, **Luzerne County**, U.S. Army Corps of Engineers, Baltimore District.

To construct and maintain the following water obstructions and encroachments associated with the Espy Run Stream Restoration Project:

1) A channel change within a 3,000-LF section of Espy Run (CWF, MF) consisting of an 11-foot wide trapezoidal channel having a 3-foot wide streambed underlain with R-5 riprap, erosion matting, topsoil, geotextile, sand, and a clay liner. This channel will have 2:1 side slopes, boulder placement, step pools, and a 100-foot riparian buffer planting area. The purpose of this channel is to interconnect the discharge from the Hanover Reservoir and re-establish the historic Espy Run stream channel that was removed as a result of past mining practices. This is an after-the-fact authorization.

2) A stream crossing of Espy Run (CWF, MF) consisting of a 120-ft wide, 24-ft span, 7-ft high open-bottom concrete arch culvert, R-5 riprap, A-Jacks structures, and concrete wingwalls. This is an after-the-fact authorization.

The project is located approximately 0.4 mile south of the intersection of Middle Road and South Prospect Street (Wilkes-Barre West, PA Quadrangle Latitude: 41° 10' 57.55"; Longitude: -75° 59' 35.27") in Hanover Township, Luzerne County. (Wilkes-Barre West, PA Quadrangle, Latitude: 41°10'57.55"; Longitude: -75°59'35.27").

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

E2103220-022. Silver Spring Township, 8 Flowers Drive, Mechanicsburg, PA 17055. Silver Spring Township, **Cumberland County**, U.S. Army Corps of Engineers Baltimore District.

The applicant proposes to 1.) construct and maintain a 21.0-foot wide boat launch ramp in Conodoguinet Creek (WWF, MF) and its floodway, impacting 70 linear feet of stream and 0.04 acre of floodway; 2) expand and maintain an existing parking lot in the floodway of the Conodoguinet Creek (WWF, MF), impacting 0.06 acre of floodway; 3.) regrade and maintain a bioswale in the floodway of Conodoguinet Creek (WWF, MF), impacting 0.35 acre of floodway; and 4.) regrade and maintain a bioswale in the floodway of Conodoguinet Creek (WWF, MF), impacting 0.29 acre of floodway; and all for the purpose of meeting MS4 responsibilities. The project is located immediately northeast of the intersection of Sample Bridge Road and Glen Eagles Drive (Latitude: 40° 15' 45" N; Longitude: 77° 01' 11") in Silver Spring Township, Cumberland County. No wetlands will be impacted by this project.

E6703220-023. York Township Water and Sewer Authority, 190 Oak Road, Dallastown, PA 17313-9307, York Township, **York County**, U.S. Army Corps of Engineers Baltimore District.

The applicant proposes to: 1) construct and maintain a pump station facility partially within the floodway of an unnamed tributary to East Branch Codorus Creek (CWF, MF), permanently impacting 0.06 acre of floodway; 2) abandon 3,000 linear feet of existing sanitary sewer line in the floodway of an unnamed tributary to East Branch Codorus Creek (CWF, MF); and 3) construct and maintain 2,927 linear feet an 8.0-inch Ductile Iron sewer force main, permanently impacting 75 linear feet of stream channel and 0.01 acre of emergent wetland and temporarily impacting 226 linear feet of stream channel, 1.51 acres of floodway, and 0.26 acre of emergent wetland all along an unnamed tributary to East Branch Codorus Creek (CWF, MF), all for the purpose of replacing an aging sewer line. The project spans between 39° 53' 49.1" N;

-76° 41' 20.8" and 39° 54' 15.2" N; -76° 41' 22.1" in York Township, York County. The 0.01 acre of permanent wetland impact is considered de minimis and no compensatory wetland mitigation is required.

E0103220-024. Susquehanna Area Regional Airport Authority, 1100 Chambersburg Road, PA 17325 in Cumberland Township, **Adams County**, U.S. Army Corps of Engineers Baltimore District.

The applicant proposes to: 1) place and maintain an 80-foot long 18.0-inch diameter culvert extension onto an existing culvert within an a UNT to Marsh Creek (CWF, MF), permanently impacting three emergent wetlands totaling 0.043 acre and temporarily impacting 0.01 acre of emergent wetland for the purpose of constructing a new taxiway, 2) relocate 38.0-linear feet of an a UNT to Marsh Creek (CWF, MF) into a 227.0-foot long 18.0-inch diameter culvert enclosure for the purpose of redirecting flow downstream and alleviating flooding on adjacent properties, 3) place and maintain a 42.0-foot long triple 15.0-inch culvert crossing in an a UNT to Marsh Creek (CWF, MF) for the purpose of a new taxiway, 4) place and maintain a 45.0-foot long dual 15.0-inch culvert crossing in an a UNT to Marsh Creek (CWF, MF), temporarily impacting 0.01 acre of forested wetland, for the purpose of a new taxiway, 5) place and maintain a 45.0-foot long dual 15.0-inch culvert crossing in an a UNT to Marsh Creek (CWF, MF), for the purpose of a new taxiway, 6) place and maintain fill in 0.11 acre of floodway on an a UNT to Marsh Creek (CWF, MF) for the purpose of an expanded aircraft parking apron, and 7) remove an existing pond and restore a 38.0-foot long stream channel within the formerly impounded area for the purpose of removing a wildlife attractant near the airport runway. The overall project is to provide upgrades to the Gettysburg Regional Airport, located along SR 30 in Cumberland Township, Adams County (Latitude: 39.8433, Longitude: -77.2708). Permanent wetland impacts will be 0.043 acre in size which is considered de minimis and no compensatory wetland mitigation is required.

E6703220-025. North Codorus Township, 1986 Stoverstown Road, Spring Grove, PA 17362, in North Codorus Township, **York County**, U.S. Army Corps of Engineers Baltimore District.

The applicant proposes to 1) place and maintain fill in a 161-foot, 4-foot diameter CMP stream enclosure, 2) construct and maintain a 162-foot, 4-foot diameter steel pipe adjacent to the abandoned pipe in an Unnamed Tributary to Codorus Creek (WWF), 3) place and maintain R-7 riprap for scour protection 40 feet downstream of the enclosure, 4) replace and maintain an 18-inch CMP outfall at the stream enclosure outlet in the Unnamed Tributary to Codorus Creek, and 5) temporarily impact 0.037 acre of wetlands from downstream staging area and temporary boring machine pad (Latitude: 39.8768; Longitude: -76.8336). The project is located on Cedar Drive west of the intersection with Cedar Hill Locust in North Codorus Township, York County.

Southwest Region: Dana Drake, Waterways and Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E5605120-026, PennDOT District 9-0, 1620 N. Juniata Street, Hollidaysburg, PA 16648, Stonycreek Township, **Somerset County**; Pittsburgh ACOE District.

The applicant proposes to:

Remove an existing, structurally deficient, reinforced concrete slab bridge, with a normal clear span of 8' and roadway width of 18'.

Construct and maintain a replacement, precast reinforced concrete box culvert, with a 10' clear span and roadway width of 28', having a permanent impact of 112 LF, and temporary impact of 146 LF to an unnamed tributary (UNT) to Stonycreek River (CWF), and a permanent impact to three PEM wetlands, totaling 0.012 acre.

Construct and maintain a relocation of an UNT, adjacent to the structure, having a permanent impact of 187 LF, and a temporary impact of 191 LF to a second a

UNT to Stonycreek River (CWF).

For the purpose of replacing a structurally deficient structure, carrying SR 1007 Section 03B over an a UNT to Stonycreek River.

The project site is located along Lambertsville Road in Shanksville, PA (Stoystown, PA USGS topographic quadrangle; N: 40°, 1', 32.7013"; W: 78°, 54', 44.6771"; Sub-basin 18E; USACE Pittsburgh District), in Stonycreek Township, Somerset County.

STORAGE TANKS

SITE-SPECIFIC INSTALLATION PERMITS

The following Storage Tank Site-Specific Installation Permit application has been received by the Department of Environmental Protection (Department) and is currently under review. Persons wishing to comment on the proposed permit are invited to submit a statement to the Bureau of Environmental Cleanup and Brownfields, Division of Storage Tanks, P.O. Box 8762, Harrisburg, PA 17105-8762, within 30 days from the date of this publication. Comments may also be submitted via email to tanks@pa.gov. Comments received within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of the comment and the relevant facts upon which it is based.

The following applications have been received for Storage Tank Site-Specific Installation Permits under the authority of the Storage Tank Spill Prevention Act (35 P.S. §§ 6021.304, 6021.504, 6021.1101 and 6021.1102) and under 25 Pa. Code Chapter 245, Subchapter C.

SSIP

Application

<i>No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Tank Type</i>	<i>Tank Capacity</i>
20011	Hill Top Energy Center, LLC 278 Thomas Road Carmichaels, PA 15320 Attn: James Ryan	Greene	Cumberland Township	5 ASTs storing hazardous substances and petroleum products	22,000 gallons total

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and NOIs for coverage under General Permits. This notice of final action is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Wastes; Discharges to Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

Sections I—VI contain actions regarding industrial, animal or sewage wastes discharges, discharges to groundwater, and discharges associated with MS4, stormwater associated with construction activities and CAFOs. Section VII contains notices for parties who have submitted NOIs for Coverage under General NPDES Permits. The approval for coverage under these General NPDES Permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions in each General Permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions in the respective permit. The permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel

Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, Email: RA-EPNPDES_SCRO@pa.gov.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0087459 (Sewage) Issued	Country View Village LLP P.O. Box 375 Gap, PA 17527-0375	Perry County Centre Township	Unnamed Tributary to Trout Run (CWF, MF) in Watershed(s) 7-A	Y
PA0085243 (Sewage) Issued	Manns Choice Harrison Township STP 101 Chestnut Street Manns Choice, PA 15550	Bedford County Harrison Township	Raystown Branch Juniata River (TSF) in Watershed(s) 11-C	Y
PA0051861 (Sewage) Issued	Penn Sylvan Nudist Camp 5028 Camp Road Mohnton, PA 19540-7723	Berks County Brecknock Township	Unnamed Tributary of Muddy Creek (HQ-TSF) in Watershed(s) 7-J	Y
PA0083186 (Sewage) Issued	Sideling Hill Turnpike Plaza P.O. Box 8 Middletown, PA 17057-0008	Fulton County Taylor Township	Lick Branch (HQ-CWF) in Watershed(s) 12-C	Y
PA0261017 (Sewage) Issued	Almony Residence 302 Gemmill Road Delta, PA 17314-8867	York County Peach Bottom Township	Peach Bottom Township, York County, to Neill Run (CWF (existing use)) in Watershed(s) 7-I	Y

Northcentral Region: Clean Water Program Manager, 208 W Third Street, Suite 101, Williamsport, PA 17701-6448, Phone: 570.327.3636.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0209155 (Sewage)	Sorge Apartments WWTF 1019 W Front Street Berwick, PA 18603-4509	Columbia County Madison Township	Spruce Run (CWF) (5-C)	Y

Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Email: RA-EPNPDES_SWRO@pa.gov.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N</i>
PA0096172 (Industrial)	McKeesport Water System— Water Treatment Plant 124 Park N Pool Drive New Stanton, PA 15672-2404	Allegheny County McKeesport City	Youghiogheny River (WWF) (19-D)	Y
PA0253197 (Storm Water)	Rollock Co. 3179 Lincoln Highway Stoystown, PA 15563-7919	Cambria County Franklin Borough	Little Conemaugh River (WWF) (18-E)	Y

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0005053 (Industrial)	Closed Warren Generating Station 250 Power Plant Drive Shawville, PA 16873	Warren County Conewango Township	Allegheny River (WWF) (16-B)	Y

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions.

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

NPDES Permit No. PA0051993 A-3, Sewage, **J.H.S. Group LLC**, 1030 N West End Boulevard, Quakertown, PA 18951-4108.

This existing facility is located in Richland Township, **Bucks County**.

Description of Existing Action/Activity: Transfer of an NPDES Permit for an existing discharge of treated sewage.

Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Email: RA-EPNPDES_SWRO@pa.gov.

NPDES Permit No. PA0204811, Storm Water, SIC Code 3089, **North American Profiles USA Inc.**, 1 Contact Place, Delmont, PA 15626-1402.

This existing facility is located in Salem Township, **Westmoreland County**.

Description of Existing Action/Activity: Issuance of an NPDES Permit for an existing discharge of industrial stormwater.

NPDES Permit No. PA0255726, Sewage, SIC Code 4952, **Mount Pleasant Township Municipal Authority**, P.O. Box 411, Hickory, PA 15340-0411.

This proposed facility is located in Mount Pleasant Township, **Washington County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated sewage.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

NPDES Permit No. PA0288683, Sewage, SIC Code 8800, **Joseph Miklosky**, 3044 German Hill Road, Tionesta, PA 16353-7523.

This proposed facility is located in Kingsley Township, **Forest County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated sewage.

NPDES Permit No. PA0288691, Sewage, SIC Code 8800, **Steven J Weed**, 411 Pasadena Drive, Erie, PA 16505-1036.

This proposed facility is located in Washington Township, **Erie County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated sewage.

NPDES Permit No. PA0288489, Sewage, SIC Code 8800, **Terence O'Keefe**, 226 Patterson School Road, Grove City, PA 16127-4938.

This proposed facility is located in Pine Township, **Mercer County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated sewage.

NPDES Permit No. PA0288659, Sewage, SIC Code 8800, **Dennis D Hamilton**, 539 Scott Ridge Road, Harmony, PA 16037-8823.

This proposed facility is located in Forward Township, **Butler County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated sewage.

III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law.

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401, 484.250.5900.

WQM Permit No. 1520405, Sewage, **PA American Water Co.**, 4 Wellington Boulevard, Wyomissing, PA 19610.

This proposed facility is located in Sadsbury Township, **Chester County**.

Description of Proposed Action/Activity: Proposed gravity sewer and pump station with forcemain.

WQM Permit No. 0983426 T-3, Sewage, SIC Code 4952, **J.H.S. Group LLC**, 1030 N West End Boulevard, Quakertown, PA 18951-4108.

This existing facility is located in Richland Township, **Bucks County**.

Description of Proposed Action/Activity: Transfer of WQM permit.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, Email: RA-EPNPDES_SCRO@pa.gov.

WQM Permit No. 0595404 T-1, Sewage, SIC Code 4952, **Donald Miller Residence**, 10300 Raystown Road Saxton, PA 16678.

This facility is located in Liberty Township, **Bedford County**.

Description of Proposed Action/Activity:

This transfer approves the transfer of sewage facilities consisting of: A septic tank, a septic tank effluent dose tank with pump, a sand filter, a chlorinator prior to discharge through the outfall.

Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Email: RA-EPNPDES_SWRO@pa.gov.

WQM Permit No. 5620400, Sewage, SIC Code 8800, **Indian Lake Borough**, 1301 Causeway Drive, Central City, PA 15926.

This proposed facility is located in Indian Lake Borough, **Somerset County**.

Description of Proposed Action/Activity: The Applicant proposes to construct a new SRSTP to serve Lot # 1 in the Pine Cove Subdivision. The SRSTP will discharge to two 2,000-gallon holding tanks and later hauled off-site for final treatment/disposal.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. 2720406, Sewage, SIC Code 8800, **Joseph Miklosky**, 3044 German Hill Road, Tionesta, PA 16353-7523.

This proposed facility is located in Kingsley Township, **Forest County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

WQM Permit No. 2520421, Sewage, SIC Code 8800, **Steven J Weed**, 411 Pasadena Drive, Erie, PA 16505-1036.

This proposed facility is located in Washington Township, **Erie County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

WQM Permit No. 4320408, Sewage, SIC Code 8800, **Terence O'Keefe**, 226 Patterson School Road, Grove City, PA 16127-4938.

This proposed facility is located in Pine Township, **Mercer County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

WQM Permit No. 1020414, Sewage, SIC Code 8800, **Dennis D Hamilton**, 539 Scott Ridge Road, Harmony, PA 16037-8823.

This proposed facility is located in Forward Township, **Butler County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

WQM Permit No. 4320403 A-1, Sewage, SIC Code 8800, **Brandon Persch**, 1171 Barkeyville Road, Grove City, PA 16127.

This existing facility is located in Pine Township, **Mercer County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions.

Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401, Telephone 484-250-5160, Email: ra-epww-sero@pa.gov.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD150158	Bozzuto Development Company 480 East Swedesford Road Suite 110 Wayne, PA 19087	Chester County	Tredyffrin Township	Valley Creek EV
PAD460055	900 River Road, LLC c/o Novaya Foxfield Industrial, LLC 265 Franklin Street Suite 1001 Boston, MA 02110	Montgomery County	Upper Merion Township	Matsunk Creek WWF-MF Schuylkill River WWF-MF
PAD150109	United Sports Training Center 1426 Marshallton Thorndale Road Downingtown, PA 19335	Chester County	West Bradford Township	Unnamed Tributary to Broad Run EV
PAD460040	PennDOT District 6-0 7000 Geerdes Boulevard King of Prussia, PA 19406-1525	Montgomery County	Norristown Municipality East Norriton Township Whitpain Township	Unnamed Tributary to Sawmill Run TSF-MF Unnamed Tributary to East Branch Stony Creek TSF-MF East Branch Stony Creek TSF-MF

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD450108 A-1 Authorization/ Issuance	Tobyhanna Site LLC 619 Iron Street Lehighton, PA 18235	Monroe County	Tobyhanna Township	Indian Run (EV)
PAD480024 A-1 Authorization/ Issuance	Township of Palmer c/o Tom Adams, P.E. 3 Weller Place Palmer, PA 18045	Northampton County	Palmer Township	Bushkill Creek (HQ-CWF, MF)

Southwest Region: Dana Drake, Waterways and Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD630027	Glencannon Homes Association P.O. Box 831 McMurray, PA 15317	Washington County	North Strabane Township	Little Chartiers Creek (HQ-WWF)

Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Erie County Conservation District, 1927 Wager Road, Erie, PA 16509, 814-825-6403.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD250009	RGS Products Inc 455 West 2nd Street Waterford, PA 16441	Erie County	Waterford Borough	Tributary to Trout Run HQ-CWF

Cambria District: Bureau of Abandoned Mine Reclamation Environmental Program Manager, 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1800.

Contact: Patrick M. Webb, P.E., Mining Engineer Manager, 814-472-1800.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD680008	Bureau of Abandoned Mine Reclamation Cambria Office 286 Industrial Park Road Ebensburg, PA 15931-4119	Indiana County	Canoe Township	North Branch Straight Run (HQ-CWF) and Unnamed Tributary to North Branch Straight Run (HQ-CWF)

VII. Approvals to Use NPDES and/or Other General Permits.

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types.

PAG-01	General Permit for Discharges for Stormwater Discharges Associated with Small Construction Activities.
PAG-02	General Permit for Discharges of Stormwater Associated with Construction Activities
PAG-03	General Permit for Discharges of Stormwater from Industrial Activities
PAG-04	General Permit for Discharges from Small Flow Treatment Facilities
PAG-05	General Permit for Discharges from Petroleum Product Contaminated Groundwater Remediation Systems
PAG-06	General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems (CSO)
PAG-07	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-08	General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-08 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-08 General Permit Coverage

PAG-09	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest, or a Land Reclamation Site
PAG-09 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-09 General Permit Coverage
PAG-10	General Permit for Discharges from Hydrostatic Testing of Tanks and Pipelines
PAG-11	General Permit for Discharges from Aquatic Animal Production Facilities
PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)
PAG-14	(To Be Announced)
PAG-15	General Permit for Discharges from the Application of Pesticides

General Permit Type—PAG-02

Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401, Telephone 484-250-5160, Email: ra-epww-sero@pa.gov.

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Municipality & County</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
PAC230002	Folcroft Development Partners, LP 1535 Street Suite 200 Philadelphia, PA 19102	Folcroft Borough Delaware County	Darby Creek WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
PAC230163	WRD Sears L.P. 33 Rock Hill Road Suite 350 Bala Cynwyd, PA 19004	Millbourne Borough Delaware County	Cobbs Creek WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
PAC230139	Upper Darby School District 4611 Bond Avenue Drexel Hill, PA 19026	Upper Darby Township Delaware County	Collen Brook WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
PAC090387	Grand View Health 700 Lawn Avenue Sellersville, PA 18960-1548	West Rockhill Township Bucks County	Unnamed Tributary to East Branch Perkiomen Creek TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
PAC090365	Applebutter V, LLC 5050 Applebutter Road Pipersville, PA 18947	Plumstead Township Bucks County	Unnamed Tributary to Cabin Run CWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
PAC090394	Bristol Township School District 5 Blue Lake Road Levittown, PA 19057-3017	Bristol Township Bucks County	Unnamed Tributary to Mill Creek WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
PAC090387	Grand View Health 700 Lawn Avenue Sellersville, PA 18960-1548	West Rockhill Township Bucks County	Unnamed Tributary to East Branch Perkiomen Creek TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
PAC230020 A-2	BPG Properties, Ltd. 3815 West Chester Pike Newtown Square, PA 19073	Newtown Township County	Foxes Run-CWF, MF and Preston Run-CWF, MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
PAC090398	390 George Patterson Boulevard Associates, LLC One Towner Bridge 100 Front Street Suite 560 West Conshohocken, PA 19428-2897	Bristol Township Bucks County	Mill Creek WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone Number</i>
PAC130019 Authorization/ Issuance	Lehigh Valley Health Network 2100 Mack Blvd P.O. Box 4000 Allentown, PA 18103	Carbon County	Mahoning Township	Mahoning Creek (CWF, MF)	Carbon County Conservation District 5664 Interchange Road Lehigh, PA 18235 610-377-4894
PAC350101 Authorization/ Issuance	Gary Toth 517 Simerell Road South Abington Twp. PA 18411	Lackawanna County	S. Abington Township	UNT to Leggetts Creek (CWF, MF)	Lackawanna County Conservation District 1038 Montdale Road Scott Township, PA 18447 570-382-3086
PAC540092 Authorization/ Issuance	Honeywell Intl Inc. Erin Poremba 98 Westwood Rd Pottsville, PA 17901	Schuylkill County	Norwegian Township	UNT to West Branch Schuylkill River (CWF, MF)	Schuylkill Conservation District 1206 AG Center Drive Pottsville, PA 17901-9733 570-622-3742
PAC540087 Authorization/ Issuance	Cynthia Motter 348 Camp Rd Pine Grove, PA 17963	Schuylkill County	Washington Township	Lower Little Swatara Creek (CWF, MF)	Schuylkill Conservation District 1206 AG Center Drive Pottsville, PA 17901-9733 570-622-3742

Southcentral Region: Waterways and Wetlands Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone Number</i>
PAC070079 Issued	Greenfield Township Municipal Authority 1342 Bedford Street P.O. Box 372 Claysburg, PA 16625	Blair County	Greenfield Township	Smokey Run (CWF, MF) Beaverdam Creek (CWF, MF)	Blair County Conservation District 1407 Blair Street Hollidaysburg, PA 16648 814.696.0877, ext. 5
PAC210213 Issued	Golf Enterprises, Inc. 4400 Deer Path Woods Suite 1 Harrisburg, PA 17110	Cumberland County	Hampden Township	Sears Run (WWF)	Cumberland County Conservation District 310 Allen Road Suite 301 Carlisle, PA 17013-9101 717.240.7812
PAC210205 Issued	JLM Real Estate Investments, LLC 950 East Main Street Schuylkill Haven, PA 17972	Cumberland County	Hopewell Township	UNT Newburg Run (WWF)	Cumberland County Conservation District 310 Allen Road Suite 301 Carlisle, PA 17013-9101 717.240.7812
PAC210221 Issued	Meadowsgreen Developers, LLC 641 Montgomery Avenue Chambersburg, PA 17201	Cumberland County	Southampton Township	Burd Run (CWF)	Cumberland County Conservation District 310 Allen Road Suite 301 Carlisle, PA 17013-9101 717.240.7812
PAC360566 Issued	Michael Nissley 204 Franklin Road Washington Boro, PA 17582	Lancaster County	Manor Township	UNT Stamans Run (WWF, MF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5

NOTICES

6301

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone Number</i>
PAC360535 Issued	701 Stony Battery Road, LLC One Tower Bridge 100 Front Street Suite 560 West Conshohocken, PA 19428	Lancaster County	East Hempfield Township	UNT Chickies Creek (CWF, MF) UNT Swarr Run (WWF, MF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
PAC360516 Issued	Strasburg Rail Road Company Route 741 East P.O. Box 96 Strasburg, PA 17579	Lancaster County	Paradise Township	Pequea Creek (WWF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
PAC360537 Issued	Leon Ray and Doris Burkholder 580 Indiantown Road Ephrata, PA 17522	Lancaster County	West Cocalico Township	UNT Indian Run (TSF, MF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
PAC670131 A-1 Issued	FedEx Ground Package System, Inc. 1000 FedEx Drive Moon Township, PA 15108	York County	Fairview Township	Fishing Creek (TSF, MF)	York County Conservation District 2401 Pleasant Valley Road Suite 101, Room 139 York, PA 17402 717.840.7430
PAG02-0001-13-025 Three amendments Approved May 23, 2019	Insurance Auto Auctions, Inc. Two Westbrook Corporate Center Suite 500 Westchester, IL 60154	Adams County	Latimore Township	UNT Latimore Creek (CWF, MF)	Department of Environmental Protection SCRO Waterways & Wetlands Program 909 Elmerton Avenue Harrisburg, PA 17110-9207 717.705.4802

Northcentral Region: Watershed Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Municipality & County</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
PAC140109 Renew	Witherite Property Management 188 South Main Street Pleasant Gap, PA 16823	Spring Township Centre County	UNT to Logan Branch CWF	Centre County Conservation District 414 Holmes Ave Ste 4 Bellefonte, PA 16823 (814) 355-6817
PAC140108	Precision Acoustic Devices, LLC 2820 E. College Avenue State College, PA 16801	Spring Township Centre County	UNT to Logan Branch	Centre County Conservation District 414 Holmes Ave Ste 4 Bellefonte, PA 16823 (814) 355-6817
PAC140035 A-1 Major Amendment	Waldenheim, LLC 444 E. College Ave #560 State College, PA 16801	Harris Township Centre County	UNT Spring Creek CWF	Centre County Conservation District 414 Holmes Ave Ste 4 Bellefonte, PA 16823 (814) 355-6817

NOTICES

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Municipality & County</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
PAC140110 Renewal	Eric J. Stashak 328 Government Place Williamsport, PA 17701	Harris Township Centre County	UNT Cedar Run CWF	Centre County Conservation District 414 Holmes Ave Ste 4 Bellefonte, PA 16823 (814) 355-6817
PAC170038-1	Francis J. Palo Inc. P.O. Box 368 309 S. 4th Ave Clarion, PA 16214	Bradford Township Clearfield County	Abes Run CWF	Clearfield County Conservation District 511 Spruce St Ste 6 Clearfield, PA 16830 (814) 765-2629
PAC190042	Lions Gate Commons Community 328 Buttonwood St Reading, PA 19601	Scott Township Columbia County	UNT to Kinney Run Fishing Creek	Columbia County Conservation District 702 Sawmill Rd Ste 204 Bloomsburg, PA 17815 (570) 784-1310 X 102
PAC190048	Amanda Nungesser 1167 Ridge Rd Bloomsburg, PA 17815	Scott Township Columbia County	UNT to Fishing Creek	Columbia County Conservation District 702 Sawmill Rd Ste 204 Bloomsburg, PA 17815 (570) 784-1310 X 102
PAC190049	Fox Coal Company 212 W Cherry St Mount Carmel, PA 17851	Conyningham Township Columbia County		Columbia County Conservation District 702 Sawmill Rd Ste 204 Bloomsburg, PA 17815 (570) 784-1310 X 102
PAC190050	Amanda Newswanger 46 Reed Road Danville, PA 17821	Madison Township Columbia County	UNT to Fishing Creek	Columbia County Conservation District 702 Sawmill Rd Ste 204 Bloomsburg, PA 17815 (570) 784-1310 X 102
PAC190051	PennDOT Engineering District 3-0 715 Jordan Ave Montoursville, PA 17754	Mifflin Township Nescopeck Township Nescopeck Bor Columbia County	Susquehanna River	Columbia County Conservation District 702 Sawmill Rd Ste 204 Bloomsburg, PA 17815 (570) 784-1310 X 102
PAC600057	Jeffrey Snyder 5898 New Columbia Rd New Columbia, PA 17856	Kelly and White Deer Township Union County	CWF-MF	Union County Conservation District Union County Government Center 155 N 15th St Lewisburg, PA 17837 (570) 524-3860
PAC605005	Steve Daniels 960 Century Drive Mechanicsburg, PA 17055	Buffalo Township Union County	Limestone Run WWF, MF	Union County Conservation District Union County Government Center 155 N 15th St Lewisburg, PA 17837 (570) 524-3860

NOTICES

6303

Southwest Region: Dana Drake, Waterways and Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222, 412-442-4000.

<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Phone Number</i>
PAC020602	Carnegie Mellon University 5000 Forbes Avenue Pittsburgh, PA 15213-3712	City of Pittsburgh	Monongahela River (WWF)	Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 412-291-8010
PAC020233 A1	The Pennsylvania Turnpike Commission P.O. Box 67676 Harrisburg, PA 17106-7676	Marshall Township	UNT to Brush Creek (WWF)	Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 412-291-8010
PAC020632	CGR Real Estate, LLC 700 River Avenue Suite 316 Pittsburgh, PA 15212-5907	Franklin Park Borough	Fish Run (CWF)	Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 412-291-8010
PAC020533	Elizabeth Township 522 Rock Run Road Elizabeth, PA 15037-2430	Elizabeth Township	Youghiogheny River (WWF)	Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 412-291-8010
PAC020609	Robinson Township 1000 Church Hill Road Pittsburgh, PA 15205	Robinson Township	UNT to Campbells Run (WWF)	Allegheny County Conservation District 33 Terminal Way, Suite 325B Pittsburgh, PA 15219 412-291-8010
PAC020597	Pennsylvania—American Water Company 852 Wesley Drive Mechanicsburg, PA 17055	Collier Township	UNT to Robinson Run (WWF)	Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 412-291-8010
PAC020562	A. Folino Construction, Inc. 109 Dark Hollow Road Oakmont, PA 15139	Penn Hills Township	UNT to Plum Creek (WWF)	Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 412-291-8010
PAC020605	Marshall Trails, LLC 1712 Mount Nebo Road Sewickley, PA 15143	Marshall Township	Pine Creek (CWF)	Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 412-291-8010
PAC020613	Sisters of the Holy Spirit 5246 Clarwin Avenue Pittsburgh, PA 15229	Ross Township	UNT to Girtys Run (WWF)	Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 412-291-8010
PAC020633	Independence Excavating, Inc. 3826 Saxonburg Boulevard Cheswick, PA 15024	Ross Township	Girtys Run (WWF)	Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 412-291-8010

<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Phone Number</i>
PAC020484	Alderman Fill Site 116 Spring Run Road Extension Coraopolis, PA 15108	Findlay Township	UNT to Flaugherty Run (WWF)	Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 412-291-8010
PAC020618	A. M. Rodriguez Associates, Inc. 100 West Station Square Suite 350 Pittsburgh, PA 15219	Penn Hills Township	UNT to Quigley Creek (WWF)	Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 412-291-8010
PAC020637	James M. Quinn Construction Company 4075 Homestead Duquesne Road West Mifflin, PA 15122	Munhall Borough	Homestead Run (WWF)	Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 412-291-8010
PAC020617	Forty-Fourth and Summit Development, LLC 4735 Butler Street Pittsburgh, PA 15201	City of Pittsburgh	Allegheny River (WWF)	Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 412-291-8010
PAC020628	Plum Borough School District 900 Elicker Road Plum, PA 15239	Plum Borough	UNT to Little Plum Creek (WWF)	Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 412-291-8010
PAC020639	Asbury Heights 700 Bower Hill Road Pittsburgh, PA 15234	Mount Lebanon Borough	Scrubgrass Run (WWF)	Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 412-291-8010
PAC040094	Dutch Ridge Associates, LP 4533 Dutch Ridge Road Beaver, PA 15009	Brighton Township	UNT to South Branch Bradys Run (TSF); a UNT to Two Mile Run (WWF)	Beaver County Conservation District 156 Cowpath Road Aliquippa, PA 15001 724-378-1701
PAC110068	RRC Development P.O. Box 100 Loretto, PA 15940	Cambria Township	UNT to South Branch Blacklick Creek (CWF)	Washington County Conservation District 50 Old Hickory Ridge Road Suite 1 Washington, PA 15301 724-206-9446
PAC560047	CriLon Corporation 279 Industrial Park Road Somerset, PA 15501	Somerset Borough	UNT to East Branch of Coxes Creek (TSF)	Somerset County Conservation District Somerset County Ag Center 6024 Glades Pike Suite 103 Somerset, PA 15501 814-445-4652

NOTICES

6305

Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Municipality & County</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
PAC420017	Pennsylvania Electric Company 341 White Pond Drive Akron, OH 44320	Liberty Township McKean County	Skimmer Creek CWF Allegheny River CWF	Mercer County Conservation District 747 Greenville Road Mercer, PA 16137 724-662-2242
PAC030032	Harvest Community Church 143 Reed Road Kittanning, PA 16201	East Franklin Township Armstrong County	UNT to Allegheny River WWF	Armstrong County Conservation District 120 S Grant Avenue Suite 2 Kittanning, PA 16201 724-548-3425
PAC250118	Mr. Roger Richards 230 West 6th Street Erie, PA 16507	Millcreek Township Erie County	UNT Walnut Creek CWF-MF	Erie County Conservation District 1927 Wager Road Erie, PA 16509 814-825-6403

Cambria District: Bureau of Abandoned Mine Reclamation Environmental Program Manager, 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1800.

Contact: Patrick M. Webb, P.E., Mining Engineer Manager, 814-472-1800.

NPDES

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone Number</i>
PAC680039	Glenn O. Hawbaker, Inc. 1952 Waddle Road Suite 203 State College, PA 16803 and Bureau of Abandoned Mine Reclamation Cambria Office 286 Industrial Park Road Ebensburg, PA 15931	Blair County	Antis Township	Little Juniata River (TSF, CWF) and Unnamed Tributary to Little Juniata River (WWF)	Cambria District Office 286 Industrial Park Road Ebensburg, PA 15931 814-472-1800

General Permit Type—PAG-03

Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Email: RA-EPNPDES_SWRO@pa.gov.

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Municipality & County</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
PAG036278	Michael Brothers Hauling, Inc. 901 Horning Road Pittsburgh, PA 15236-2833	Baldwin Borough Allegheny County	Lick Run (TSF)—19-C	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive Pittsburgh, PA 15222-4745 412.442.4000

General Permit Type—PAG-04

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, Email: RA-EPNPDES_SCRO@pa.gov.

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Municipality & County</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
PAG043849 A1 Issued	Donald Miller Residence 10300 Raystown Road Saxton, PA 16678	Liberty Township Bedford County	Unnamed Tributary of Sugar Camp Run (WWF) in Watershed 11-D	SCRO Clean Water Program 717-705-4824

General Permit Type—PAG-08

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, Email: RA-EPNPDES_SCRO@pa.gov.

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Municipality & County</i>	<i>Contact Office & Phone No.</i>
PAG-08-3502	Wyomissing Valley Joint Municipal Authority 701 Old Wyomissing Road Reading, PA 19611 Attn: David Wisser, Authority Manager	City of Reading Berks County	DEP-SCRO 909 Elmerton Ave. Harrisburg, PA 17110 717-705-4707

STATE CONSERVATION COMMISSION

NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. The appeal form and the Board’s rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

**NUTRIENT MANAGEMENT PLAN
CAFO PUBLIC NOTICE SPREADSHEET—ACTIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>AEU’s</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Dennis and Denise Staub Site Address: 904 Germany Road East Berlin, PA 17316 Mailing Address: 352 Fleshman Mill Road New Oxford, PA 17350	Adams County	29	553.28	Turkeys	NA	Approved
R.W. Sauder Inc. Hegins Valley Layer Complex 824 Church Road Hegins, PA 17938	Schuylkill County	1	3,336.78	Poultry—Layers	NA	Approved
Haas Farms, LLC Stephen & Virginia Haas 15 Haas Road Klingerstown, PA 17941	Schuylkill, Northumberland and Dauphin Counties	2,117.8	563.40	Poultry—Layers	NA	Approved

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457,

(717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, 570-826-2511.

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

Permit No. 3396420, Operations Permit Public Water Supply.

Applicant	Nestle Waters North America, Inc. (New Bottling Line 8 & Trucks Addition Project) 305 Nestle Way Breinigsville, PA 18031
Township	Upper Macungie Township
County	Lehigh County
Type of Facility	Bottled Water Facility
Consulting Engineer	Edward E. Davis, P.E. Miller Brothers Construction, Inc. P.O. Box 472 Schuylkill Haven, PA 17972
Permit to Operate Issued	October 16, 2020

Northcentral Region: Safe Drinking Water Program Manager, 208 West Third Street, Williamsport, PA 17701.

Operations Permit issued to: **State College Borough Water Authority**, 1201 West Branch Road, State College, PA 16801, **PWSID No. 4140096**, Ferguson Township, **Centre County** on October 21, 2020, for the operation of facilities approved under **construction permit #1491504-A1**. This permit amends filter plant operating conditions to meet two Treatment Performance Toolbox Options in Appendix B to Subchapter L of 25 Pa. Code Chapter 109 in order to receive a 1-Log Cryptosporidium removal credit.

Operations Permit issued to: **7-Eleven Store #40410**, 8478 Route 104, Mt. Pleasant Mills, PA 17853, **PWSID No. 4550812**, Perry Township, **Snyder County** on October 21, 2020, for the operation of facilities ap-

proved under **construction permit #5520501**. This permit authorizes the operation of a chlorination system for 4-log disinfection and reverse osmosis for TDS (Total Dissolved Solids) reduction at 7-Eleven Store #40410. This approval includes Well No. 1 as a source of supply, 10" Big Blue sediment filter, Culligan Gold 10" Soft Minder water softener, ASV-13.5C Ultraviolet disinfection system, Solenoid valve, Axeon N-2000 Reverse Osmosis Unit and its components, Stenner Pump Classic 85 MHP40 Pump Model, 12.5% Sodium Hypochlorite, HuberPure Calcium Carbonate, two Flex-Lite FLU 120-gallon contact tanks, 6 gpm Dole Flow Control Valve, Norwesco 500-gallon polyethylene storage tank, two Grundfos Scala2 Booster Pumps, Wave Cyber WR-120 Pressure Tank and the distribution system. Note that the entire water system is now approved by a public water supply operation permit under 25 Pa. Code § 109.503 and no longer qualifies for noncommunity approval under § 109.505.

SEWAGE FACILITIES ACT PLAN DISAPPROVAL

Plan Disapprovals Granted Under the Pennsylvania Sewage Facilities Act, Act of January 24, 1966, P.L. 1535, as amended, 35 P.S. § 750.5.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Fermanagh Township	109 Municipal Rd. Mifflintown, PA 17059	Juniata

Plan Description: The planning exemption for the Daniel U. Shetler Subdivision, DEP Code No. A3-34904-178-2E, APS Id 1025089, consisting of two new single-family residential lots each using individual on-lot sewage disposal systems, is disapproved. The proposed development is located on Orwig Drive. This plan is disapproved because it does not qualify as an exemption from the requirement to revise the Official Plan. It does not qualify because the subdivision proposes the use of on-lot sewage disposal systems in an area underlain by carbonate geology as per Chapter 71, Section 71.51(b)(1)(ii).

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

**UNDER ACT 2, 1995
PREAMBLE 2**

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the

cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department regional office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

S. Groover Pad 1, 661 Johnson Pond Road, Montrose, PA 18801, Bridgewater Township, **Susquehanna County**. Resource Environmental Management, 50 Maple Street, Montrose, PA 18801, on behalf of Cabot Oil & Gas Corporation, 2000 Park Lane, Suite 300, Pittsburgh, PA 15275, submitted a Final Report concerning remediation of soil contaminated by a release of recycled water (brine) from a truck. The report is intended to document remediation of the site to meet a combination of Statewide Health and Background Standards.

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Lanchester Center, 5363 Lincoln Highway, Gap, PA 17527, Salisbury Township, **Lancaster County**. Reliance Environmental, Inc., 235 North Duke Street, Lancaster, PA 17603, on behalf of Lanchester Associates, LP, 795 Chestnut Street, P.O. Box 306, and submitted a Final Report concerning remediation of site soil and groundwater contaminated with diesel fuel. The Final Report is intended to document remediation of the site to meet the Residential Statewide Health Standard.

Former Witmer Brothers Garage, 2089 East Lincoln Highway, Lancaster, PA 17602, East Lampeter Township, **Lancaster County**. August Mack Environmental, Inc., 941 Wheatland Avenue, Suite 401, Lancaster, PA 17603, on behalf of Mr. Lloyd Witmer, 122 North Water Street, New Holland, PA 17557, and Ellen M. Witmer, 279 Ridge Road, Ephrata, PA 17522 submitted a Remedial Investigation Report, Cleanup Plan, and Final Report concerning remediation of site groundwater contaminated with No. 2 fuel oil. The combined Report is intended to document remediation of the site to meet the Site-Specific Standard.

Former Star Enterprise (Texaco) Bulk Storage Terminal, 127 Texaco Road, Mechanicsburg, PA 17050, Silver Spring Township, **Cumberland County**. Sovereign Consulting, Inc., 1 Tarby Lane, Oxford, CT 06478, on

behalf of Motiva Enterprises, LLC, P.O. Box, 4540, Houston, TX 77210 and Lucknow Highspire Terminals, P.O. Box 2621, Harrisburg, PA 17105 submitted a Final Report concerning remediation of site soil and groundwater contaminated with petroleum hydrocarbons. The Final Report is intended to document remediation of the site to meet Site-Specific Standard. The report was administratively incomplete and was disapproved by the Department on October 23, 2020.

Northcentral Region: Environmental Program Manager, 208 West Third Street, Williamsport, PA 17701.

Contact: Randy Farmerie, 570-327-3716.

Compressor Station 517, 102 Pole Bridge Road, Jackson Township, **Columbia County**. BL Companies, 2601 Market Place, Suite 350, Harrisburg, PA 17701, on behalf of Transcontinental Gas Pipe Line Co., LLC, 102 Pole Bridge Road, Benton, PA 17814, has submitted a Final Report concerning remediation of site soil contaminated with diesel fuel. The report is intended to document remediation of the site to meet the Residential Statewide Health Standard.

Hybrid Drilling Clean Up Project, Interstate 80 at MM 219.9 E, Danville, Valley Township, **Montour County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857, on behalf of Hybrid Drilling, 37225 Barnesville-Bethesda Road, Barnesville, OH 43713, has submitted a Final report concerning remediation of site soil contaminated with diesel fuel and hydraulic fluid. The report is intended to document remediation of the site to meet the Non-Residential Statewide Health Standard.

Lucas Trucking Project, US Route 15 North at Exit 162, Liberty Township, **Tioga County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857, on behalf of Lucas Trucking Corp, 9657 N Route 220 Highway, Jersey Shore, PA 17740, has submitted a Final Report concerning remediation of site soil contaminated with diesel fuel. The report is intended to document remediation of the site to meet the Non-Residential Statewide Health Standard.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-

specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department regional office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Pinebrook Bible Conference Center, 5339 Pinebrook Road, East Stroudsburg, PA 18360, Stroud Township, **Monroe County**. Boucher & James, 1456 Ferry Road, Building 500, Doylestown, PA 18901, on behalf of Spruce Lake Retreat, 5389 Route 447, Canadensis, PA 18325, submitted a Final Report concerning remediation of soil contaminated by heating oil from an underground storage tank. The report documented remediation of the site to meet Statewide Health Standards and was approved by DEP on October 20, 2020.

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Former Caciolo Residence, 1208 Huffs Church Road, Barto, PA 19504, Hereford Township, **Berks County**. Trimpi Associates, 1635 Old Plains Road, Pennsburg, PA 18073, on behalf of Nationwide Insurance Company, P.O. Box 198, Harleysville, PA 19438, and Tylor and Amanda Moore, 1208 Huffs Church Road, Barto, PA 19504 submitted a Final Report concerning remediation of site soil contaminated with No. 2 fuel oil. The Final Report demonstrated attainment of the Residential Statewide Health Standard and was approved by the Department on October 21, 2020.

Northcentral Region: Environmental Program Manager, 208 West Third Street, Williamsport, PA 17701.

Contact: Randy Farmerie, 570-327-3716.

Bim BRA Pad, 198 Boice Lane, Sugar Run, Wilmot Township, **Bradford County**. Creston Environmental,

LLC, P.O. Box 1373, Camp Hill, PA 17001, on behalf of Chesapeake Appalachia, LLC, 14 Chesapeake Lane, Sayre, PA 18840, has submitted a Final Report concerning remediation of site soil contaminated with Produced Water. The report demonstrated attainment of the Residential Statewide Health Standard and was approved by the Department on October 23, 2020.

X.P.O. Logistics Cleanup Project, US Route 15 at MM 152 Southbound, Trout Run, Cogan House Township, **Lycoming County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857, on behalf of X.P.O. Logistics, 2211 Old Earhart Road, Suite 100, Ann Arbor, MI 48105, has submitted a Final Report concerning site soil contaminated with diesel fuel, motor oil and anti-freeze. The report demonstrated attainment of the Non-Residential Statewide Health Standard and was approved by the Department on October 21, 2020.

Northwest Region: Environmental Cleanup and Brownfields Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

June 2020 D08-O Pad Brine Release, Wellendorf Road, Sergeant Township, **McKean County**. ARM Group, LLC, 1129 West Governor Road, P.O. Box 797, Hershey, PA 17033 on behalf of Highland Field Services, LLC, 5800 Corporate Boulevard, Suite 300, Pittsburgh, PA 15237 has submitted a Final Report concerning the remediation of site soil contaminated with Aluminum, Barium, Boron, Iron, Lithium, Manganese, Selenium, Strontium, Vanadium, Zinc, and Chloride. The Final report demonstrated attainment of the Statewide Health Standard and was approved by the Department on October 23, 2020.

International Paper—South Yard, 1565 East Lake Road, City of Erie, **Erie County**. Wood Environmental & Infrastructure Solutions, Inc., 4600 J Barry Court, Suite 210, Canonsburg, PA 15317 on behalf of Erie Management Group, 1540 East Lake Road, Suite 300, Erie, PA 16511 has submitted a Baseline Environmental Report concerning the remediation of site surface water contaminated with iron. The Final Report demonstrated attainment of the Special Industrial Area Requirements and was approved by the Department on October 23, 2020.

DETERMINATION OF APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

Determination of Applicability for General Permit Issued Under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other Than Coal Ash.

Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

General Permit No. WMGR038SC009A. Edge Rubber Recycling, LLC, 811 Progress Road, Chambersburg, PA 17201, Chambersburg Borough, **Franklin County**. Modification to WMGR038SC009A, which authorizes the processing, reuse, and beneficial use of waste tires, which include whole tires, tire chips, baled tires, tire shreds, and crumb rubber. The permitted processing is limited to

collection, sorting, storage, recapping, cleaning, shredding, chipping, grinding, crumbing, cutting, and baling of waste tires. The permitted beneficial use of the whole waste tires, tire chips, baled tires, tire shreds, and crumb rubber is limited to use in recapping, as fuel in boilers or other combustion units, in civil engineering practices, and as an ingredient in or as a commercial product. This permit modification allows for the addition of a new building and storage areas and decreases the bond amount due to dewasting of crumb rubber (authorized in a concurrent modification to the base WMGR038 permit). The Department issued a modification to the determination of applicability on October 16, 2020. Persons interested in reviewing the general permit may contact John Oren, Permits Section Chief, Waste Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110, 717-705-4706. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984.

General Permit No. WMGR139. Roaring Spring Blank Book Company for the Roaring Spring Biofuel facility located at 231 Cove Lane Road, Suite 3, Roaring Spring, PA 16673, Taylor Township, **Blair County**. A Determination of Applicability under Residual Waste General Permit No. WMGR139 was originally issued to Roaring Spring Blank Book Company on January 3, 2013. This permit authorized the processing of raw materials from pre-consumer manufacturing operations, including paper and polymer-based products, waste grain, textiles, non-halogenated plastics, wood, and packaging materials into use as fuel cubes. On June 10, 2020, the permittee notified the Department of closure of the facility and requested their bond be released and their permit revoked. The Department approved bond release and revoked the permit on October 26, 2020.

Persons interested in reviewing the general permit may contact John Oren, P.E., Permits Section Chief, PADEP Southcentral Regional Office, Waste Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705.4907. TDD users may contact the Department through the Pennsylvania AT&T Relay service, (800) 654-5984.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2531.

GP3-58-045B: F.S. Lopke Contracting Inc. (3430 State Route 434, Apalachin, NY 13732) on October 26, 2020 for the operation of a portable crushing operation with water sprays located at the O'Dell Quarry site in Harford Twp., **Susquehanna County**.

GP9-58-045B: F.S. Lopke Contracting Inc (3430 State Route 434, Apalachin, NY 13732) on October

26, 2020 for the operation of diesel IC engines located at the O'Dell Quarry site in Harford Twp., **Susquehanna County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, (570) 327-3648.

GP4-18-00028A: Truck Lite Co., LLC (786 McElhattan Drive, McElhattan, PA 17748) on October 13, 2020 to authorize the operation of a natural gas-fired burn off oven pursuant to the General Plan Approval and General Operating Permit for Burn Off Ovens (BAQ-GPA/GP-4) at their facility in Wayne Township, **Clinton County**.

AG5-08-00008A: HEP Pennsylvania Gathering, LLC (17806 1H-10W, Suite 210, San Antonio, TX 77032) on October 13, 2020, authorize the continued operation of one (1) 2,275 brake horsepower, Caterpillar model 3608LE lean-burn, natural gas-fired compressor engine, twelve (12) 1,380 brake horsepower Caterpillar model G3516B lean-burn, natural gas-fired compressor engines equipped with Powertherm Company, Inc. model 201 VO-3-200-7114 oxidation catalyst, two (2) 80 million cubic foot per day, Exterran tri-ethylene glycol dehydrators and a 155 brake horsepower, Kohler model 100ERESB, natural gas-fired emergency generator pursuant to the General Plan Approval and/or General Operating Permit for Compression Stations, Processing Plants and Transmission Stations (BAQ-GPA/GP-5) at the White CPF # 1 Compressor Station located in Stevens Township, **Bradford County**.

AG5-08-00009A: HEP Pennsylvania Gathering, LLC (17806 1H-10W, Suite 210, San Antonio, TX 77032) on October 14, 2020, authorize the continued operation of five (5) 1775 bhp Caterpillar model G3606 compressor engines with oxidation catalysts, two (2) 60 MMscf/day dehyds with 1.5 MMBtu/hr reboilers and two (2) 1,380 bhp Caterpillar model G3516 ULB natural-gas-fired compressor engines with oxidation catalysts at the Greenzweig Compressor Station located in Herrick Township, **Bradford County** pursuant to the General Plan Approval and/or General Operating Permit for Compression Stations, Processing Plants and Transmission Stations (BAQ-GPA/GP-5).

Plan Approvals Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2531.

American Zinc Recycling Corp (900 Delaware Avenue, Palmerton, PA 18071-2008) issued on October 22, 2020 to establish lower VOC limits on the kilns at the site located in Palmerton Borough, **Carbon County**.

Versum Materials US, LLC (357 Marian Avenue, Tamaqua, PA 18252) issued on October 21, 2020 for an Arsine Process Line with scrubber at the site located in Rush Twp., **Schuylkill County**.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

36-05069A: Fenner, Inc. (311 West Stiegel Street, Manheim, PA 17545) on October 19, 2020, for the installation of a new fabric coating line at the drive belt manufacturing facility in Manheim Borough, **Lancaster County**. Air emissions from the new fabric coating line will be controlled by a regenerative thermal oxidizer and packed bed scrubber.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920.

46-0221C: Upper Moreland Hatboro Joint Sewer Authority (2875 Terwood Road, Willow Grove, PA 19090-1434) on October 19, 2020 an extension for the modification of an existing emergency generator (Source ID No. 700) as a non-emergency generator. The facility will continue to also use the source as an emergency generator in Upper Moreland Township, **Montgomery County**.

46-0020L: Superior Tube Co Inc. (3900 Germantown Pike, Collegeville, PA 19426-3112) On October 19, 2020 an extension for shakedown period under Plant-wide Applicability Limit, VOC limit of 96.2 tpy, and the increase of VOC emission limit to Source ID No. 149 (Vapor Degreaser #661) in Lower Providence, **Montgomery County**.

46-0035I: GlaxoSmithKline LLC (709 Swedeland Road, King of Prussia, PA 19406-2711) on October 22, 2020 an extension for shakedown period of four natural gas/No. 2 oil fired boilers, one No. 2 oil fired emergency generator engine and one No. 2 fuel oil 29,800 gallon AST in Upper Merion Township, **Montgomery County**.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

06-05158A: Allan Myers, LP (638 Lancaster Avenue, Malvern, PA 19355) on October 21, 2020, for the construction of an asphalt plant on Leesport Avenue in Ontelaunee Township, **Berks County**. The plan approval was extended.

36-05025A: Texas Eastern Transmission LP (5400 Westheimer Court, Houston, TX 77056) on October 21, 2020, for the installation of two (2) new 7,700 HP natural gas-fired turbines equipped with dry low NO_x technology and oxidation catalysts to replace six (6) existing 1,760 HP compressor engines at the Marietta natural gas compressor station located in East Donegal Township, **Lancaster County**. The plan approval was extended.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, (570) 327-3648.

18-00021B: Avery Dennison Performance Polymers (171 Draketown Road, Mill Hall, PA 17751) on October 20, 2020, to extend the authorization to operate their R-100 emulsion reactor at their facility located in Mill Hall, **Clinton County** on a temporary basis until April 19, 2020. The plan approval has been extended.

Title V Operating Permits Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

19-00007: Transcontinental Gas Pipe Line Company, LLC (2800 Post Oak Blvd, Houston, TX 77056) on October 20, 2020, was issued a renewal Title V operating permit for their Compressor Station 517 located in Jackson Township, **Columbia County**. The facility's main sources include five natural gas-fired combustion turbines which are used to drive the compressors at the facility. The Title V operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

53-00004: Dominion Energy Transmission Inc. (120 Tredegar Street, Richmond, VA, 23192) was issued a Title V operating permit on October 22, 2020, for Title V operating permit renewal for operation of their Harrison Transmission Station located in Harrison Township, **Potter County**. The Title V operating permit contains the necessary requirements including monitoring, recordkeeping, and reporting conditions to ensure compliance with applicable Federal and State regulations.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

09-00050: Hanson Aggregates BMC Inc. (7660 Imperial Way, Allentown, PA 18195) on October 26, 2020 for renewal of a State-Only Operating Permit for a hot mix asphalt plant in Wrightstown Township, **Bucks County**.

09-00175: Hanson Aggregates BMC Inc. (7660 Imperial Way, Allentown, PA 18195) on October 26, 2020 for renewal of a State-Only Operating Permit for a nonmetallic mineral processing plant in Wrightstown Township, **Bucks County**.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

28-03044: Tarco Roofing Materials, Inc. (8650 Molly Pitcher Highway, Greencastle, PA 17225-9716) on October 22, 2020, for the asphalt roofing manufacturing facility

located in Antrim Township, **Franklin County**. The State-Only Permit was renewed.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

17-00018: Harmony Area School District (5239 Ridge Road, Westover, PA 16692) was issued a renewal State Only Operating Permit on October 16, 2020, for their facility in Burnside Township, **Clearfield County**. All applicable Federal and state regulatory requirements including appropriate testing, monitoring, recordkeeping, reporting, and work practice to verify compliance are included in the permit.

41-00056: Wenger Feeds, LLC (101 W. Harrisburg Ave., Rheems, PA 17570) on October 20, 2020 was issued a renewal State Only Operating Permit for the Muncy Mill located in Clinton Township, **Lycoming County**. The State Only Operating Permit contains all applicable regulatory requirements including monitoring, record-keeping and reporting conditions.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Matthew Williams, Facilities Permitting Chief—Telephone: 814-332-6940.

25-00037: Joseph McCormick Construction Co., Inc. (1507 Wesley Avenue, Erie, PA 16510-1675), on October 26, 2020, the Department issued the renewal of the State-Only Operating Permit of an asphalt plant located in Wesleyville Borough, **Erie County**. Permitted air contamination sources include a batch hot mix asphalt (HMA) plant and a diesel-powered portable crusher. Subject to requirements established through PA 25-037A, the HMA plant has an annual HMA throughput limit of 480,000 tons, restricting its CO emissions below the 100-TPY major source threshold. For permitting purposes, the facility is Synthetic Minor. In this renewal, the diesel-powered portable crusher is added as a permitted source subject to emission limits pursuant to 25 Pa. Code §§ 123.13 and 123.21 and to operating hours restriction that ensures its engine's exemption from 40 CFR 63 Subpart ZZZZ. With PA 25-037A having language on stack testing, provisions on source test submittals are added to the operating permit.

Philadelphia: Air Management Services, 321 University Avenue, Philadelphia, PA 19104-4543.

Contact: Edward Wiener, Chief, Source Registration at 215-685-9426.

The City of Philadelphia, Air Management Services (AMS) issued an initial Operating Permit for the following facility:

OP19-000032: Springside Chestnut Hill Academy (8000 Cherokee St, Philadelphia, PA 19118) issued on October 21, 2020 for the operation of air emission sources at a school in the City of Philadelphia, **Philadelphia County**. The facility has combined Lower School and Upper School campuses under one campus. The Lower School air emission sources are: three (3) boilers, each rated less than 5 MMBTU/hr and firing natural gas as a

primary fuel or No. 2 oil during periods of natural gas curtailment and one (1) air handling unit rated less than 1 MMBTU/hr firing natural gas. The Upper School air emission sources are: one (1) boiler rated 1.701 MMBTU/hr firing No. 2 oil, one (1) boiler rated 1.04 MMBTU/hr firing natural gas, two (2) boilers, each rated less than 6 MMBTU/hr and firing natural gas as a primary fuel or No. 2 oil during periods of natural gas curtailment, two (2) hot water heaters and two (2) air handling units, each rated less than 1 MMBTU/hr and firing natural gas, and one (1) 168 HP emergency generator firing diesel fuel.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, New Source Review Chief—Telephone: 484-250-5920.

46-00300: GlaxoSmithKline, LLC/Biopharm (893 Schuylkill River Road, West Conshohocken, PA 19428) on October 21, 2020 for an Administrative Amendment, in accordance with 25 Pa. Code § 127.450(a)(2), to change of the Responsible Official Contact from James Crawford, Site Director to Rachel Haddock, Site Director in their Title V Operating Permit for this facility located in Upper Merion Township, **Montgomery County**.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

67-05016: R. H. Sheppard Co., Inc. (1010 Philadelphia Street, Hanover, PA 17331-2038) on October 21, 2020, for the gray and ductile iron foundry located in Hanover Borough, **York County**. The Title V operating permit was administratively amended due to an ownership change.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to such applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

Coal Permits Issued

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200, (Contact: Ashley Smith).

Permit No. 14090102 and NPDES PA0257117. RES Coal LLC, 224 Grange Hall Road, Armagh, PA 15920, permit renewal for continued operation and restoration of a bituminous surface coal mine located in Rush Township, **Centre County** affecting 236.6 acres. Receiving stream(s): Trout Run, Unnamed Tributary to Moshannon Creek classified for the following use(s): CWF. There are no potable water supply intakes within 10 miles downstream. Application received: April 9, 2020. Permit issued: October 22, 2020.

Permit No. 17130103 and NPDES PA0269557. Waroquier Coal Company, P.O. Box 128, Clearfield, PA 16830, permit revision to add 3.4 acres that includes Sediment Pond 2 to the permit boundary, add Sediement Pond 2 to the NPDES permit and reissue the NPDES as a separate permit rather than Part A of the SMP to a bituminous coal surface mine in Lawrence Township, **Clearfield County** affecting 33 acres. Receiving stream(s): Orr's Run, classified for the following use(s): CWF. This receiving stream is included in the West Branch Susquehanna TMDL. Application received: June 25, 2019. Permit issued: October 22, 2020.

New Stanton District Office: P.O. Box 133, New Stanton, PA 15672, 724-925-5500, (Contact: Tracy Norbert).

Permit No. 03090102. Rosebud Mining Company, 301 Market Street, Kittanning, PA 16201. Permit issued for a non-started status three-year renewal to an existing bituminous surface mine located in Plumcreek Township, **Armstrong County**, affecting 25.5 acres. Receiving streams: Plumcreek; classified for the following use: TSF. There is no potable water supply intake within 10 miles of the point of discharge. Permit received: August 31, 2020. Permit issued: October 15, 2020.

Noncoal Permits Issued

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191, (Contact: Cayleigh Boniger).

Permit No. 37202803. S & S Processing, Inc. (P.O. Box 373, West Pittsburgh, PA 16160) commencement, operation and restoration of a small industrial minerals surface mine in Mahoning Township, **Lawrence County** affecting 7.0 acres. Receiving streams: Mahoning River. Application received: July 21, 2020. Permit Issued: October 20, 2020.

Permit No. PAM620006. S & S Processing, Inc. (P.O. Box 373, West Pittsburgh, PA 16160) coverage under General NPDES Permit for stormwater discharges (BMP GP-104) associated with mining activities on **Surface Mining Permit No. 37202803** in Mahoning Township, **Lawrence County**. Receiving streams: Mahoning River. Application received: July 21, 2020. Permit Issued: October 20, 2020.

Permit No. PAM62100302. A.C.A. Sand & Gravel, LLC (8955 Wattsburg Road, Erie, PA 16509) renewal of coverage under General NPDES Permit for stormwater discharges (BMP GP-104) associated with mining activities on **Surface Mining Permit No. 62100302** in Columbus Township, **Warren County**. Receiving streams: Unnamed tributary to Brokenstraw Creek. Application received: August 26, 2020. Permit Issued: October 19, 2020.

Permit No. PAM615009. H & H Materials, Inc. (190 Canon Road, Stoneboro, PA 16153) renewal of coverage under General NPDES Permit for stormwater discharges (BMP GP& # 8209;104) associated with mining activities on **Surface Mining Permit No. 43150301** in Lake Township, **Mercer County**. Receiving streams: Little Shenango River. Application received: August 31, 2020. Permit Issued: October 19, 2020.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200, (Contact: Ashley Smith).

Permit No. PAM219014. Big Woods Land Company, P.O. Box 400, McElhattan, PA 17748, coverage under General NPDES Permit for Stormwater Discharges Associated with Mining Activities (BMP GP-104) on **new Noncoal Permit No. 18192802** located in Pine Creek Township, **Clinton County**. Receiving stream(s): Chatham Run classified for the following use(s): CWF, MF. Notice of Intent for Coverage received: September 6, 2019. Permit issued: October 14, 2020.

Permit No. NPDES No. PA0613819 (Mining Permit No. 6775SM1). National Limestone Quarry, Inc., P.O. Box 397, Middleburg, PA 17842, renewal for an existing NPDES on a large noncoal surface mining site located in Franklin and Beaver Townships, **Snyder County** affecting 97.0 acres. Receiving stream(s): Middle Creek classified for the following use(s): TSF, MF. Application received: April 30, 2020. Permit issued: October 22, 2020.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Blasting Permits Issued

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200, (Contact: Ashley Smith).

Permit No. 14204106. Douglas Explosives, Inc., 2052 Philipsburg-Bigler Highway, Philipsburg, PA 16866, blasting for residential development construction, Rockey Ridge Phase 5, located in Harris Township, **Centre County** with an expiration date of January 1, 2021. Permit issued: October 20, 2020.

Permit No. 08204113. Meshoppen Blasting, Inc., Frantz Road, P.O. Box 127, Meshoppen, PA 18630, blasting for construction of the Chesapeake Coyote Run Gas Well Pad and Access Road located in Tuscarora Township, **Bradford County** with an expiration date of October 20, 2021. Permit issued: October 26, 2020.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118, (Contact: Theresa Reilly-Flannery).

Permit No. 15204105. M3 Explo, LLC (P.O. Box 528, Brownsville, PA 15417), construction blasting for Hill View in Caln Township, **Chester County** with an expiration date of August 10, 2021. Permit issued: October 19, 2020.

Permit No. 46204110. M3 Explo, LLC (P.O. Box 528, Brownsville, PA 15417), construction blasting for Lime-

kiln Phase I in Ambler Borough, **Montgomery County** with an expiration date of October 13, 2021. Permit issued: October 19, 2020.

Permit No. 40204116. Explosive Services, Inc. (7 Pine Street, Bethany, PA 18431), construction blasting for Scranton Craftsman Humboldt Lot 9 in Hazle Township, **Luzerne County** with an expiration date of October 21, 2021. Permit issued: October 20, 2020.

Permit No. 54204103. Maurer & Scott Sales, Inc. (122 Thomas Street, Coopersburg, PA 18036), construction blasting for Northpoint Development Mahanoy Business Park in Mahanoy and Ryan Townships, **Schuylkill County** with an expiration date of October 14, 2022. Permit issued: October 21, 2020.

Permit No. 06204113. Schlouch, Inc. (P.O. Box 69, Blandon, PA 19510), construction blasting for Hamburg Commerce Lot 1 in Perry and Winsor Townships, **Berks County** with an expiration date of October 29, 2021. Permit issued: October 22, 2020.

Permit No. 36204138. Keystone Blasting Service (15 Hopeland Road, Lititz, PA 17543), construction blasting for Joe Rohrer Manure Pit in Strasburg Township, **Lancaster County** with an expiration date of December 30, 2020. Permit issued: October 22, 2020.

Permit No. 15204106. Valley Rock Solutions, LLC (P.O. Box 246, Macungie, PA 18062), construction blasting for Woodlands at Greystone in West Goshen Township, **Chester County** with an expiration date of October 12, 2021. Permit issued: October 23, 2020.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA 33 U.S.C.A. §§ 1311—1313, 1316 and 1317, and that the construction will not violate applicable Federal and State Water Quality Standards.

Any person aggrieved by these actions may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. § 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape

from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the Board within 30-days. You do not need a lawyer to file an appeal with the Board.

Important legal rights are at stake, however, so you should show this notice to a lawyer at once. If you cannot afford a lawyer, you may qualify for free pro bono representation. Call the Secretary to the Board (717) 787-3483 for more information.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.

Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401, Telephone 484-250-5160, E-mail: ra-epww-sero@pa.gov.

Permit No. E4601220-023, Lower Salford Township, 379 Main Street, Harleysville, PA 19438, Lower Salford Township, Montgomery County, ACOE Philadelphia District.

To perform the following water obstruction and encroachment activities associated with the Alderfer Road over West Branch of Skippack Creek Bridge Replacement Project:

1. To remove an existing 26-foot long, 33-foot wide double span concrete slab bridge over West Branch of Skippack Creek (TSF-MF), and in its place, construct and maintain 40-foot long, 50-foot wide single span conventional beam bridge resulting in 40 linear feet (1,307 square feet, 0.030 acre) of permanent watercourse impact, 610 square feet (0.14 acre) of permanent floodway impact, and 0.024 acre of permanent floodplain impact due to channel grading and widening.

2. To widen stream channel and perform grading of stream bank in order to increase hydraulic capacity upstream of proposed bridge resulting in 282 linear feet (4,269 square feet, 0.098 acre) of permanent watercourse impact, 7 linear feet (87 square feet (0.002 acre) of temporary watercourse impact, 5,445 square feet (0.125 acre) of permanent floodway impact, 6,360 square feet (0.146 acre) of temporary floodway impact, 0.215 acre of permanent floodplain impact, and 0.216 acre of temporary floodplain impact due to access and erosion and sediment controls.

3. To remove an existing 18-inch RCP outfall and a 14-inch by 23-inch RCP outfall, and in their place, construct and maintain a 24-inch RCP outfall and an 18-inch outfall resulting in 436 square feet (0.010 acre) of permanent floodway impact. This activity also includes the placement of riprap rock aprons.

4. To excavate fill within a wetland area (Wetland 1, PEM) downstream of the proposed bridge location resulting in 218 square feet (0.005 acre) of permanent wetland impact.

5. To place fill within the floodway of the West Branch of Skippack Creek (TSF-MF) associated with the construction of the roadway embankment resulting in 9,932 square feet (0.228 acre) of permanent floodway impact and 6,403 square feet (0.147 acre) of temporary floodway impact due to construction access and erosion and sediment controls.

Overall, there will be 322 linear feet (5,576 square feet, 0.128 acre) of permanent watercourse impact, 7 linear feet (87 square feet, 0.002 acre) of temporary watercourse impact, 16,422 square feet (0.377 acre) of permanent floodway impact, 12,763 square feet (0.293 acre) of temporary floodway impact and 218 square feet (0.005 acre) of permanent wetland impact. In addition, floodplain impact include 0.37 acre of permanent floodplain impact due to placement of fill, roadway work and outfall work with 0.43 acre of temporary floodplain impact due to access and E&S. This project is located on Alderfer Road approximately 680 feet east of Main Street in Lower Salford Township, Montgomery County (USGS PA Schuylkill; Upper Merion Quadrangle—Latitude: 40.271236 N, Longitude: 75.377743 W). Permit issued October 23, 2020.

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

E3902220-022. Griffin Industrial Realty, Inc., 204 West Newberry Road, Bloomfield, CT 06002, South Whitehall, **Lehigh County**, Army Corps of Engineers Philadelphia District.

To construct and maintain the following water obstructions and encroachments associated with the Chapmans Road Flex Warehouse Facility project.

1. To permanently impact 0.15 acre of isolated PEM wetland (W02A) for the construction of a parking lot.

2. To permanently impact 0.24 acre of EV wetland (W01A) for the widening of an existing roadway, construction of a driveway access crossing and extension of two existing stormwater outfall structures.

3. To construct and maintain a roadway crossing of an a UNT to Jordan Creek (HQ-CWF, MF) and permanently impact 0.03 acre of adjacent EV wetlands (W01B) consisting of 45-foot long, 36-inch diameter, RCP pipe depressed 6-inches below the existing streambed elevation with headwalls and rip rap apron.

4. To construct and maintain three outfall structures to an a UNT to Jordan Creek (HQ-CWF, MF). The first outfall (EW31) consists of an 18-inch RCP pipe with a concrete headwall and rip rap apron. The second outfall (EW34) consists of a 24-inch RCP pipe with a concrete headwall and rip rap apron. The third outfall (EW40) consists of a 15-inch HDPE pipe with a headwall and rip rap apron.

5. To construct and maintain two 30-inch RCP stormwater pipes crossing an a UNT to Jordan Creek (HQ-CWF, MF) and adjacent wetlands.

The project is located at 4741 Chapmans Road (Allentown West, PA Quadrangle Latitude: 40° 36' 30"; Longitude: -75° 34' 25") in South Whitehall Township, Lehigh County.

E4502220-022. Brodhead Creek Regional Authority, 410 Mill Creek Road, East Stroudsburg, PA 18301. Stroud Township, **Monroe County**, Army Corps of Engineers Philadelphia District.

To construct and maintain a permanent rock j-hook structure for re-directing stream flow and managing the deposition of gravel and sediment. This will include perpetual maintenance and removal of accumulated gravel and sediment around the raw water intake structure of the water filtration plant. The structure will also serve as a permanent access ramp for the perpetual maintenance. In addition, gravel bars in the areas immediately upstream of the raw water intake structure will be removed and restored down to the normal stream bed elevation. The project is located at 410 Mill Creek Road (East Stroudsburg, PA Quadrangle Latitude: 41° 1' 4"; Longitude: -75° 12' 6") in Stroud Township, Monroe County.

Southcentral Region: Waterways and Wetlands Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

E2203219-011. SUEZ Water Pennsylvania, Inc. 6310 Allentown Boulevard, Suite 104, Harrisburg, PA 17112, Susquehanna Township, **Dauphin County**, U.S. Army Corps of Engineers Baltimore District.

To construct a 23' x 40' structure permanently impacting approximately 920 sq. ft of the 100-year floodplain of the Susquehanna River (WWF, MF) for the purpose of housing all the equipment required for the new Ultraviolet system. Latitude (40° 16' 39.99" N), Longitude (-76° 53' 46.05" W). Permit issued October 22, 2020.

Northwest Region: Oil and Gas Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

E10-08-220-022, Pine Run Midstream, LLC 1000 Commerce Drive, Park Place One, Suite 400, Pittsburgh, PA 15275. Debbie Lane to W46 Pipeline, in Winfield Township, **Butler County**, ACOE Pittsburgh District, Worthington, PA Quadrangle N: 40°, 46', 08.16"; W: 79°, 42', 34.68".

The project consists of installation of a 1.1-mile-long, 12-inch gathering gas pipeline that will be installed via open trench for the entire length. The proposed project impacts in Butler County include a total of 147 linear feet of permanent impacts, and 32 linear feet of temporary impacts to UNT's of Cornplanter Run (HQ-TSF). Four floodways will be impacted having 0.33 acre of permanent impacts and 0.05 acre of temporary impacts, 0.023 acre of temporary impacts and 0.097 acre of permanent impacts to Palustrine Emergent wetland(s) are also proposed.

Eastern Region: Oil and Gas Management Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

E0829220-022: Chesapeake Appalachia, LLC, 14 Chesapeake Lane, Sayre, PA 18840, Tuscarora Township, **Bradford County**, ACOE Baltimore District.

To construct, operate and maintain:

1. a 24' x 7' and a 24' x 5' concrete box culvert with wingwalls impacting 157 linear feet of Fargo Creek (CWF, MF), impacting 571 square feet of an adjacent Palustrine Forested Wetland and impacting 4,990 square feet of an adjacent Palustrine Emergent Wetland (Laceyville, PA Quadrangle Latitude: 41° 41' 02", Longitude: -76° 08' 48");

2. a temporary road impacting 157 linear feet of Fargo Creek and impacting 1,278 square feet of an adjacent Palustrine Emergent Wetland (Laceyville, PA Quadrangle Latitude: 41° 41' 03", Longitude: -76° 08' 45");

3. a 2.5' x 3.5' concrete box culvert with wingwalls impacting 66 linear feet of an unnamed tributary to

Fargo Creek (CWF, MF) (Laceyville, PA Quadrangle Latitude: 41° 40' 59", Longitude: -76° 08' 43");

4. a permanent access road impacting 179 linear feet, or 10,231 square feet of floodway impacts to an unnamed tributary to Fargo Creek (CWF, MF) (Laceyville, PA Quadrangle Latitude: 41° 40' 59", Longitude: -76° 08' 38");

5. a permanent access road impacting 422 square feet of a Palustrine Emergent Wetland (Laceyville, PA Quadrangle Latitude: 41° 40' 59", Longitude: -76° 08' 37");

6. a temporary timber mat bridge impacting 42 linear feet, or 3,443 square feet of floodway impacts to an unnamed tributary to Fargo Creek (CWF, MF) (Laceyville, PA Quadrangle Latitude: 41° 40' 58", Longitude: -76° 08' 36");

7. a permanent access road impacting 484 linear feet, or 20,691 square feet of floodway impacts to an unnamed tributary to Fargo Creek (CWF, MF) (Laceyville, PA Quadrangle Latitude: 41° 40' 59", Longitude: -76° 08' 34");

8. a 15" Reinforced Concrete Pipe impacting 57 linear feet of an unnamed tributary to Fargo Creek (CWF, MF) and impacting 660 square feet of an adjacent Palustrine Emergent Wetland (Laceyville, PA Quadrangle Latitude: 41° 40' 59", Longitude: -76° 08' 30");

The project will result in 279 linear feet or 2,478 square feet of temporary stream impacts, 64,413 square feet of floodway impacts, 571 square feet of PFO impacts and 7,350 square feet of PEM impacts, all for the purpose of installing a natural gas well pad and permanent access road for Marcellus Shale development in Tuscarora Township, Bradford County. Impacts will be mitigated by on-site creation of 0.133 acre of PSS/PFO wetland and 9,062 square feet (0.21 acre) of riparian forest buffer plantings.

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free

pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Eastern Region: Oil and Gas Management Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

ESCGP-3 # ESG295820037-00
Applicant Name SWN Production Company, LLC
Contact Person Marsha Vogel
Address P.O. Box 12359
City, State, Zip Spring, TX 77391-2359
County Susquehanna County
Township(s) Liberty
Receiving Stream(s) and Classification(s) UNT to Susquehanna River A (CWF/MF), a UNT to Susquehanna River B (CWF/MF)
Secondary: Susquehanna River (WWF/MF), Susquehanna River (WWF/MF)

ESCGP-3 # ESG295820042-00
Applicant Name SWN Production Company, LLC
Contact Person Marsha Vogel
Address P.O. Box 12359
City, State, Zip Spring, TX 77391-2359
County Susquehanna County
Township(s) Jackson
Receiving Stream(s) and Classification(s) Canawacta Creek (CWF, MF), Drinker Creek (CWF, MF)
Secondary: Susquehanna River (WWF), Susquehanna River (WWF)

ESCGP-3 # ESG295820027-00
Applicant Name SWN Production Company, LLC
Contact Person Marsha Vogel
Address P.O. Box 12359
City, State, Zip Spring, TX 77391-2359
County Susquehanna County
Township(s) Franklin
Receiving Stream(s) and Classification(s) Snake Creek (CWF, MF)
Secondary: Susquehanna River (WWF, MF)

ESCGP-3 # ESG294120016-00
Applicant Name Beech Resources, LLC
Contact Person Donald Stevenson
Address 343 Pine Street, Suite 1
City, State, Zip Williamsport, PA 17701
County Lycoming County
Township(s) Lycoming
Receiving Stream(s) and Classification(s) Lycoming Creek (EV);
Secondary: Susquehanna River (WWF)

ESCGP-3 # ESG295820038-00
Applicant Name Cabot Oil & Gas Corporation
Contact Person Kenneth Marcum
Address 2000 Park Lane, Ste 300
City, State, Zip Pittsburgh, PA 15275
County Susquehanna County
Township(s) Harford
Receiving Stream(s) and Classification(s) Butler Creek (CWF-MF), Nine Partners Creek (CWF, MF)
Secondary: Tunkhannock Creek (CWF-MF), Tunkhannock Creek (CWF, MF)

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 2

The Following Plans and Reports Were Submitted Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning plans or reports, please contact the Environmental Cleanup Program Manager in the DEP Regional Office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone DEP through the Pennsylvania AT&T Relay Service at (800) 654-5984.

DEP has received the following plans and reports:

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5960.

Contact: Richard Staron, Professional Geologist Manager.

Stans Svc Ctr, 15-42889, 62 Ridge Rd., Phoenixville, PA 19460, East Pikeland Township, **Chester County**. Synergy Environmental, Inc., 155 Railroad Plaza, Royersford, PA 19468, on behalf of Stan's Auto Service, 62 Ridge Road, Phoenixville, PA 19460 submitted a Remedial Action Completion Plan and Remedial Action Completion Report concerning remediation of soil contaminated with unleaded gasoline. The report is intended to document remediation of the site to meet residential site-specific standards.

PBF Logistics Products Terminals LLC, Facility ID# 51-26277, 6850 Essington Avenue, City of Philadelphia, **Philadelphia County**. Groundwater & Environmental Services, Inc., 440 Creamery Way, Suite 500, Exton, PA 19341, on behalf of PBF Logistics Products Terminals LLC, 6850 Essington Avenue, Philadelphia, PA 19153 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report is intended to document remediation of the site to meet Statewide health and site-specific standards.

Sunoco 0363 4334, 46-41438, 913 Bethlehem Pike, North Wales, PA 19454, Montgomery Township, **Montgomery County**. EnviroTrac Ltd., 602 S. Bethlehem Pike, Suite A2/A3, Ambler, PA 19002, on behalf of Lukoil North America, LLC, 302 Harper Drive, Suite 303, Moorestown, NJ 08057 submitted a Remedial Action Completion Report concerning remediation of soil and

groundwater contaminated with unleaded gasoline. The report is intended to document remediation of the site to meet residential Statewide health and site-specific standards.

Lukoil 69727, 15-35591, 201 Morehall Rd., Malvern, PA 19355, East Whiteland Township, **Chester County**. EnviroTrac Ltd., 602 S. Bethlehem Pike, Suite A2/A3, Ambler, PA 19002, on behalf of Lukoil North America, LLC, 302 Harper Drive, Suite 303, Moorestown, NJ 08057, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report is intended to document remediation of the site to meet residential Statewide health and site-specific standards.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110, 717-705-4705.

Contact: Gregory Bowman, Environmental Group Manager.

Harrisburg Terminal, Storage Tank Facility ID #22-11092, 5140 Paxton Street, Harrisburg, PA 17111-2520, Swatara Township, **Dauphin County**. Piedmont Geologic, 6003-145 Chapel Hill Road, Raleigh, NC 27607, on behalf of Lucknow-Highspire Terminal, LLC, P.O. Box 2621, Harrisburg, PA 17105, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum products. The plan is intended to document the remedial actions for meeting a combination of Statewide Health and Site-Specific Standards.

DISA Petroleum, Storage Tank Facility ID #22-06712, 3801 Walnut Street, Harrisburg, PA 17109, Susquehanna Township, **Dauphin County**. Aquaterra Technologies, Inc., P.O. Box 744, West Chester, PA 19381, on behalf of Walnut Street Enterprise LLC, 103 Nevermore Circle, North Wales, PA 19454, submitted a Remedial Action Plan concerning remediation of groundwater contaminated with petroleum products. The plan is intended to document the remedial actions for meeting the Statewide Health Standard.

Suburban Temple, Storage Tank Facility ID #06-26252, 5365 Allentown Pike, Route 222, Temple, PA 19560, Muhlenberg Township, **Berks County**. Groundwater Sciences Corporation, 2601 Market Street, Suite 310, Harrisburg, PA 17110, on behalf of Suburban Propane, 240 Route 10 West, Whippany, NY 07981, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum products. The report is intended to document attainment of the Site-Specific Standard.

Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6648.

Fueland 209, Storage Tank Facility ID #32-19060, 102 Washington Street, Saltsburg, **Indiana County**. Letterle & Associates, 191 Howard Street, Suite 108, Franklin, PA 16323, on behalf of Superior Petroleum Company, 8199 McKnight Road, Pittsburgh, PA 15237, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with benzene, toluene, ethylbenzene, xylenes, methyl tert-butyl ether, cumene, naphthalene, 1,2,4-trimethylbenzene, and 1,3,5-trimethylbenzene. The plan is intended to document the remedial actions for meeting the Site-Specific Standard.

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 3

**The Department of Environmental Protection Has
Taken Action on The Following Plans and Reports
Under the Storage Tank and Spill Prevention
Act (35 P.S. §§ 6021.101—6021.2104).**

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require DEP to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports.

A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

DEP may approve or disapprove plans and reports submitted. This notice provides DEP's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, please contact the Environmental Cleanup Program Manager in the DEP Regional Office under which the notice of the plan or report appears. If information concerning a report is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone DEP through the Pennsylvania AT&T Relay Service at (800) 654-5984.

DEP has received the following plans and reports:

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5960.

Contact: Richard Staron, Professional Geologist Manager.

Amoco Car Wash, 23-27098, 3100 Edgmont Ave., Parkside Borough, **Delaware County**. Reliance Environmental, Inc., 235 N. Duke St., Lancaster, PA 17602 on behalf of Jagger Investments, LLC, 1770 Oregon Pike, Lancaster, PA 17601 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with leaded and unleaded gasoline. The Remedial Action Completion Report did not demonstrate attainment of residential Statewide health and site-specific standards and was disapproved on October 13, 2020.

Finch Petro, 09-30778, 610 York Rd., Warminster Township, **Bucks County**. RT Environmental Services

Inc., 215 West Church Road, King of Prussia, PA 19046, on behalf of Finch Petroleum, LLC, 610 York Road, Warminster, PA 18974 submitted a Site Characterization Report and Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The Remedial Action Plan was acceptable to meet nonresidential Statewide health standards and was approved by the DEP on October 14, 2020.

Sunoco 0003 1625, 46-40429, 290 S. Gulph Rd., King of Prussia, PA 19406, Upper Merion Township, **Montgomery County**. Groundwater & Environmental Services, Inc., 440 Creamery Way, Suite 500, Exton, PA 19341, on behalf of Evergreen Resources Management Operations, 2 Righter Parkway, Suite 120, Wilmington, DE 19803 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The Remedial Action Completion Report demonstrated attainment of non-residential Statewide health and site-specific standards and was approved on October 16, 2020.

East Falls Gulf, 51-42763, 3503 Midvale Ave., **City of Philadelphia**. Environmental Maintenance Company, 1420 E. Mermaid Lane, Glenside, PA 19038, on behalf of East Falls Gulf Inc., Philadelphia, PA 19129 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum products. The Remedial Action Completion Report demonstrated attainment of residential Statewide health standards and was approved on October 19, 2020.

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Allentown Sunoco, Storage Tank ID# 39-23145, 2255 Lehigh Street, Allentown, PA 18103, Allentown City, **Lehigh County**. Reliance Environmental, 235 North Duke Street, Lancaster, PA 17602, on behalf of HSR, Inc., 101 Parsons Lane, Newtown, PA 18940, submitted a revised, combined Site Characterization Report and Remedial Action Plan concerning remediation of soil contaminated with petroleum. The revised, combined Site Characterization Report and Remedial Action Plan was acceptable to meet Statewide Health Standards and was approved by DEP on October 26, 2020.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110, 717-705-4705.

Contact: Michael Stefanic, P.G.

Pilot Travel Center 245, Storage Tank Primary Facility ID #22-03902, 7961 Linglestown Road, Harrisburg, PA 17112, West Hanover Township, **Dauphin County**. Sovereign Consulting, Inc., 359 Northgate Drive, Suite 400, Warrendale, PA 15086, on behalf of Pilot Travel Centers, LLC, P.O. Box 10146, 5508 Lonas Drive, Knoxville, TN 37939 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum constituents. The Remedial Action Completion Report did not demonstrate attainment of the Statewide Health Standard and was disapproved by DEP on October 7, 2020.

Contact: Gregory Bowman, Environmental Group Manager.

Fawn Grove Bulk Facility, Storage Tank Facility ID #67-13888, 50 Mill Street, Fawn Grove, PA 17321, Fawn Grove Borough, **York County**. Liberty Environmental, Inc., 315 West James Street, Suite 205, Lancaster, PA

17603, on behalf of M&G Fuel Service, 50 Mill Street, Fawn Grove, PA 17352 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum contaminants. The Remedial Action Plan was acceptable to meet the Site-Specific Standard and was approved by the DEP on October 22, 2020.

Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6648.

Yorktown Center, Storage Tank Facility ID #25-55432, 2519 West 12th Street, Millcreek Township, **Erie County**. Apex Companies, LLC, 1600 Commerce Circle, Trafford, PA 15085, on behalf of Yorktown Station, LLC, 1150 Northlake Drive, Cincinnati, OH 45249, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with benzene, toluene, cumene, ethylbenzene, naphthalene, pyrene, benzo(a)anthracene, chrysene, benzo(b)fluoranthene, benzo(a)pyrene, indeno(1,2,3-cd)pyrene, benzo(g,h,i)perylene, and lead. The Remedial Action Completion Report demonstrated attainment of the Statewide Health Standard and was approved by DEP on October 21, 2020.

7 Eleven 35898, Storage Tank Facility ID #37-01190, 2702 Wilmington Road, New Castle, PA 16101, Neshannock Township, **Lawrence County**. AECOM Technical Services, 625 West Ridge Pike, Suite E-100, Conshohocken, PA 19428, on behalf of Mr. Mark Becker, 7 Eleven Inc., P.O. Box 711, Dallas, TX 75521-0711, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with benzene, toluene, ethylbenzene, naphthalene, cumene, total xylenes, 1,2,4-trimethylbenzene (TMB), 1,3,4-TMB and methyl tert-butyl ether. The Remedial Action Completion Report demonstrated attainment of the Site-Specific and Statewide Health Standards and was approved by DEP on October 21, 2020.

SPECIAL NOTICES

WATER MANAGEMENT

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Any person aggrieved by this action may file a petition for review pursuant to Section 19(d) of the Federal Natural Gas Act, 15 U.S.C.A. § 717r(d), with the Office of the Clerk, United States Court of Appeals for the Third Circuit, 21400 U.S. Courthouse, 601 Market Street, Philadelphia, PA 19106-1790 as provided by law. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law. Important legal rights are at stake, so you should show this document to a lawyer promptly.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.

Permits, Environmental Assessments and 401 Water Quality Certifications Issued:

PUBLIC NOTICE OF FINAL STATE WATER QUALITY CERTIFICATION FOR FERC REGULATED PIPELINE PROJECT

State Water Quality Certification Issued by the Commonwealth of Pennsylvania, Department of Environmental Protection Pursuant to Section 401 of the Clean Water Act for the Leidy South Project

Regional Permit Coordination Office: 400 Market Street, Harrisburg, PA 17101, Email: RA-EPREGIONAL PERMIT@pa.gov.

WQ0083219-001, Transcontinental Gas Pipe Line Company, LLC (Transco) (Applicant), 2800 Post Oak Boulevard, Level 11, Houston, TX 77056. Leidy South Project (Project), in Chapman Township and Leidy Township, **Clinton County**; Jordan Township, **Lycoming County**; Clinton Township, **Wyoming County**; Fairmount Township, **Luzerne County**; Orange Township and Jackson Township, **Columbia County**; and Hegins Township, **Schuylkill County**, ACOE Baltimore District. The pipeline portion of this proposed project starts at the Leidy Hub in Clinton County (Latitude: 41.429722°; Longitude: -77.847892°) and proceeds discontinuously to an existing valve near Hilltop Lane (Latitude: 41.365753°; Longitude: -77.674233°), with another section continuing from State Road 2079 in Lycoming County (Latitude: 41.261739°; Longitude: -76.528995°) to the Lycoming County line near Route 118 (Latitude: 41.267467°; Longitude: -76.463275°). The project also includes: the new Compressor Station 607 in Luzerne County (Latitude: 41.299705°; Longitude: -76.22439°); the new Compressor Station 620 in Schuylkill County (Latitude: 40.676298°; Longitude: -76.473615°, no resource impacts); modifications to Compressor Station 610 in Columbia County (Latitude: 41.105032°; Longitude: -76.449796°, no resource impacts); modifications to Compressor Station 605 in Wyoming County (Latitude: 41.577222°; Longitude: -75.804444°, no resource impacts and no earth disturbance); and several pipe yards.

On July 31, 2019, Applicant filed an application with the Federal Energy Regulatory Commission (FERC) under Section 7 of the Natural Gas Act (15 U.S.C.A. § 717f) seeking a certificate of public convenience and necessity to construct and operate its Project (FERC Docket No. CP19-494). The FERC Environmental Assessment for the Project was issued on February 13, 2020. FERC issued the certificate of public convenience and necessity on July 17, 2020. The documents may be viewed on FERC's website at www.ferc.gov (search eLibrary; Docket Search; CP19-494).

On August 23, 2019, Applicant requested a State water quality certification (SWQC) from the Pennsylvania Department of Environmental Protection (PADEP), as required by Section 401 of the Clean Water Act (33 U.S.C.A. § 1341), to ensure that the construction, operation and maintenance of the Project will protect water quality in Pennsylvania consistent with the requirements of State law and the Clean Water Act.

The Project, as proposed, includes approximately 8.7-mile-long, 36-inch discontinuous pipeline, 3.5-mile-long, 42-inch pipeline, two new compressor stations,

modifications at two existing compressor stations, and associated ancillary facilities to transport natural gas from northern and western Pennsylvania to Transco's Zone 6, which includes portions of Pennsylvania, New York, New Jersey, and Maryland. The Project, as proposed, will require approximately 403 acres of earth disturbance. The project will have permanent impacts to 846 linear feet and temporary impacts to 478 linear feet of streams including the Little Muncy Creek (EV, MF), a UNT to Little Muncy Creek (EV, MF), Buck Run (EV, MF), West Branch Little Muncy Creek (EV, MF), a UNT to West Branch Little Muncy Creek (EV, MF), Post Hollow Run (EV, MF), a UNT to Skunk Hollow (HQ-CWF, MF), a UNT to Young Womans Creek (HQ-CWF, MF), Young Womans Creek (HQ-CWF, MF), a UNT to Dark Hollow (EV, MF), a UNT to Paddy Run (EV, MF), Paddy Run (EV, MF), a UNT to Hensel Fork (EV, MF), Hensel Fork (EV, MF), a UNT to Drury Run (EV, MF), and Drury Run (EV, MF). The Project will also have 2.88 acres of permanent impacts, and 2.17 acres of temporary impacts to floodways. The Project will have 3.05 acres of temporary PEM, PSS, and PFO wetland impacts, and 3.24 acres of PEM, PSS, and PFO permanent impacts. In total, the Project will impact 22 streams and 37 wetlands.

PADEP published notice of its proposed SWQC in the *Pennsylvania Bulletin* on September 28, 2019 (49 Pa.B. 5579) and received one comment letter from one public. PADEP has reviewed and considered the comments received. No significant changes to the SWQC were made.

PADEP certifies that the construction, operation and maintenance of the Project complies with the applicable provisions of sections 301—303, 306 and 307 of the Federal Clean Water Act (33 U.S.C.A. §§ 1311—1313, 1316 and 1317). The PADEP further certifies that the construction, operation and maintenance of the Project complies with Pennsylvania water quality standards and the requirements thereof and that the construction, operation and maintenance of the Project will maintain and protect applicable Commonwealth water quality standards provided that the construction, operation and maintenance of the project complies with the following PADEP water quality permitting programs, criteria and conditions established pursuant to Pennsylvania law:

1. Discharge of Hydrostatic Test Water—Applicant shall comply with the National Pollutant Discharge Elimination System (NPDES) permit for the discharge of water from the hydrostatic testing of the pipeline associated with the Project pursuant to Pennsylvania's Clean Streams Law (35 P.S. §§ 691.1—691.1001), 25 Pa. Code Chapter 92a (relating to NPDES permitting, monitoring and compliance), and all other applicable regulations.

The applicant applied for and received a National Pollution Discharge Elimination System (NPDES) Permit, No. PA0207849 from DEP's Clean Water Program, which became effective on August 1, 2020. This permit authorizes water discharge of hydrostatic testing effluent water from the Leidy South Project in Clinton, Lycoming, Luzerne, Columbia, and Schuylkill Counties and includes effluent limitations and requirements for effluent sampling.

2. Erosion and Sediment Control and Stormwater Management—All projects proposing earth disturbance must implement best management practices (BMPs) to protect

and maintain water quality pursuant to Pennsylvania's Clean Streams Law (35 P.S. §§ 691.1—691.1001) and Storm Water Management Act (32 P.S. §§ 680.1—680.17), 25 Pa. Code Chapter 102 (relating to erosion and sediment control), and all other applicable regulations. Applicant shall obtain and comply with an Erosion and Sediment Control Permit(s) for earth disturbance associated with the Project as provided in 25 Pa. Code § 102.5.

3. Water Obstruction and Encroachment Permits—Applicant shall obtain and comply with a Water Obstruction and Encroachment Permit(s) for the construction, operation and maintenance of all stream and wetland crossings associated with the Project pursuant to Pennsylvania's Clean Streams Law, Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), and Flood Plain Management Act (32 P.S. §§ 679.101—679.601.), 25 Pa. Code Chapter 105 (relating to dam safety and waterway management), 25 Pa. Code Chapter 106 (relating to floodplain management), and all other applicable regulations.

4. Other Water Quality Requirements—Applicant shall obtain any other permits, authorizations or approvals required to construct, operate, and maintain the Project from any interstate or international agency as required by an interstate compact or international agreement that has established water quality standards applicable to surface waters of this Commonwealth, including wetlands.

5. Water Quality Monitoring—PADEP retains the right to specify additional studies or monitoring to ensure that water quality in the receiving waters associated with the Project is not adversely impacted by any operational and construction process that may be employed by Applicant.

6. Operation—At all times, Applicant shall properly operate and maintain all Project facilities and systems of treatment and control (and related appurtenances) installed to achieve compliance with the terms and conditions of this SWQC and all required permits, authorizations and approvals. Proper operation and maintenance includes adequate laboratory controls, appropriate quality assurance procedures, and the operation of backup or auxiliary facilities or similar systems installed by Applicant.

7. Inspection—The Project, including all relevant records, are subject to inspection at reasonable hours and intervals by an authorized representative of PADEP or the delegated County Conservation District to determine compliance with this SWQC, including all permits, authorizations or approvals issued to ensure the project shall maintain and protect state water quality standards as required by this SWQC. The Applicant shall provide a copy of this SWQC to an authorized representative conducting an inspection of the Project.

8. Transfer of Projects—If Applicant intends to transfer any legal or equitable interest in the Project or any portion(s) thereof, the Applicant shall provide a copy of this SWQC and copies of any permits, authorizations or approvals obtained to comply with the SWQC upon the prospective transferee of the legal and equitable interest at least thirty (30) days prior to the contemplated transfer and shall simultaneously inform the appropriate PADEP Office of such intent. Notice to PADEP shall

include a transfer agreement signed by the existing and new owners containing a specific date for transfer of responsibility, coverage, and liability under the SWQC and any permits, authorizations and approvals obtained to comply with the SWQC. The new owner shall submit to PADEP a new application form for the SWQC and any permits, authorizations and approvals required to comply with the SWQC signed by the new owner.

Correspondence—All correspondence with and submittals to PADEP concerning this SWQC shall be addressed to the Department of Environmental Protection, Regional Permit Coordination Office, Domenic Rocco, PE, Director, 400 Market Street, Harrisburg, PA 17101, RA-EPREGIONALPERMIT@pa.gov.

9. Reservation of Rights—PADEP may modify, suspend or revoke this SWQC if (i) PADEP becomes aware of new facts about the Project that warrant such action; or (ii) PADEP determines that the Applicant has not complied with the terms and conditions of this certification. PADEP may require additional measures to achieve compliance with any applicable law or regulation.

10. Other Laws—Nothing in this SWQC shall be construed to preclude the institution of any legal action or to relieve Applicant from any responsibilities, liabilities, or penalties established pursuant to any applicable law or regulation.

11. Severability—The provisions of this SWQC are severable and should any provision of this SWQC be declared invalid or unenforceable, the remainder of this SWQC shall not be affected thereby.

Any person aggrieved by this action may file a petition for review pursuant to Section 19(d) of the Federal Natural Gas Act, 15 U.S.C.A. § 717r(d), with the Office of the Clerk, United States Court of Appeals for the Third Circuit, 21400 U.S. Courthouse, 601 Market Street, Philadelphia, PA 19106-1790 as provided by law. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law. Important legal rights are at stake, so you should show this document to a lawyer promptly.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Regional Permit Coordination Office: 400 Market Street, Harrisburg, PA 17101, Email: RA-EPREGIONAL PERMIT@pa.gov.

Transcontinental Gas Pipe Line Company, LLC (Transco), 2800 Post Oak Boulevard, Level 11, Houston, TX 77056. Leidy South Project (Project).

The applicant is proposing the installation and maintenance of approximately 8.7 miles of 36-inch diameter discontinuous pipeline, a 6.3-mile long loop (Hensel Replacement) and a 2.4-mile long loop (Hilltop Loop) in Clinton County; the installation and maintenance of an approximately 3.5 miles of 42-inch diameter pipeline (Benton Loop) in Lycoming County; the construction and maintenance of two new compressor stations in Schuylkill and Luzerne Counties; and upgrades to existing compressor stations in Columbia and Wyoming Counties. The project consists of three Chapter 105 Water Obstruction and Encroachment Permits and one Chapter 102 Erosion and Sediment Control Permit. Below are the Chapter 105

permit applications being reviewed by the Department. There are no water obstructions and encroachments proposed in Schuylkill, Columbia and Wyoming Counties.

E1883219-001. The Clinton County portion of the proposed project (Hensel Replacement and Hilltop Loop) is located in Chapman and Leidy Townships, U.S. Army Corps of Engineers, Baltimore District. The Hensel Replacement pipeline starts at the Leidy Hub (Latitude: 41.429722°; Longitude: -77.847892°) and extends to (Latitude: 41.398853°; Longitude: -77.753725°). The Hilltop Loop pipeline starts at (41.377531°; Longitude: -77.715581°) and continues to an existing valve near Hilltop Lane (Latitude: 41.365753°; Longitude: -77.674233°).

The permit authorizes the construction, operation, and maintenance of water obstructions and encroachments associated with the Clinton County portion of the Leidy South Project. The Clinton County portion consists of two sections, the Hensel Replacement and the Hilltop Loop. The Hensel Replacement includes approximately 6.3 miles of 36-inch pipeline and ancillary facilities. The Hilltop Loop includes approximately 2.4 miles of 36-inch pipeline and ancillary facilities. The proposed project impacts in Clinton County include a total of 213 linear feet of temporary impacts and 587 linear feet of permanent impacts to Post Hollow Run (HQ-CWF, MF), Unnamed Tributary (UNT) to Young Womans Creek (HQ-CWF, MF), Young Womans Creek (HQ-CWF, MF), a UNT to Dark Hollow (EV, MF), a UNT to Paddy Run (EV, MF), Paddy Run (EV, MF), a UNT to Hensel Fork (EV, MF), Hensel Fork (EV, MF), a UNT to Drury Run (EV, MF), Drury Run (EV, MF), and a UNT to Skunk Hollow (HQ-CWF, MF); 2.45 acres of permanent impacts and 1.26 acres of temporary impacts to floodways; 1.60 acres of temporary impacts to PEM, PSS, and PFO wetlands; and 1.72 acres of permanent impacts to PEM, PSS, and PFO wetlands. 1.69 acres of the permanent wetland impacts are to exceptional value wetlands. The permittee is required to compensate for the functional conversion of PFO and PSS wetlands associated with the proposed project impacts by providing 0.73 acre of successful compensatory wetland mitigation (Permittee-Responsible Mitigation) through wetland enhancement at the Chillisquaue Creek Mitigation Site (Latitude: 41.012344°; Longitude: -76.752311°) in Liberty Township, Montour County.

E4183219-001. The Lycoming County portion of the proposed project (Benton Loop) is located in Jordan Township, U.S. Army Corps of Engineers, Baltimore District. The Benton Loop starts near State Road 2079 (Latitude: 41.261739°; Longitude: -76.528995°) and extends to the county line near Route 118 (Latitude: 41.267467°; Longitude: -76.463275°) in Jordan Township, Lycoming County, PA.

The permit authorizes the construction, operation, and maintenance of water obstructions and encroachments associated with the Lycoming County portion of the Leidy South Project. The Lycoming County portion consists of one section, the Benton Loop. The Benton Loop includes approximately 3.5 miles of 42-inch diameter pipeline and ancillary facilities. The proposed project impacts in Lycoming County include a total of 265 linear feet of temporary impacts and 259 linear feet of permanent impacts to Little Muncy Creek (EV, MF), a UNT to Little Muncy Creek (EV, MF), Buck Run (EV, MF), West Branch Little Muncy Creek (EV, MF), and a UNT to West Branch

Little Muncy Creek (EV, MF); 0.43 acre of permanent impacts and 0.91 acre of temporary impacts to floodways; 1.12 acre of temporary impacts to PEM, PSS, and PFO wetlands; and 1.52 acres of permanent impacts to PEM, PSS, and PFO wetland. 1.33 acre of the permanent wetland impacts are to exceptional value wetlands. The permittee is required to compensate for the functional conversion of PFO and PSS wetlands associated with the proposed project impacts by providing 0.21 acre of successful compensatory wetland mitigation (Permittee-Responsible Mitigation) through wetland enhancement at the Chillisquaque Creek Mitigation Site (Latitude: 41.012344°; Longitude: -76.752311°) in Liberty Township, Montour County.

E4083219-001. The Luzerne County portion of the proposed project (Compressor Station 607) is located in Fairmount Township, U.S. Army Corps of Engineers, Baltimore District. Compressor Station 607 is located on the east side of Maransky Road approximately 0.3 mile south of its intersection with SR 0118 (Latitude: 41.299705°; Longitude: -76.22439°) in Fairmount Township, Luzerne County, PA.

The permit authorizes the construction, operation, and maintenance of water obstructions and encroachments associated with the Luzerne County portion of the Leidy

South Project. The Luzerne County portion consists of a new compressor station, Compressor Station 607. The proposed project impacts in Luzerne County include 0.33 acre of temporary impacts to PEM wetlands.

EROSION AND SEDIMENT CONTROL

Regional Permit Coordination Office: 400 Market Street, Harrisburg, PA 17101, Email: RA-EPREGIONAL PERMIT@pa.gov.

ESG830019002-00. The Department of Environmental Protection (Department) provides notice of final action regarding the following Chapter 102, Erosion and Sediment Control Permit Application related to Earth Disturbance Associated with Oil and Gas Exploration, Production, Processing or Treatment Operations or Transmission Facilities. The Leidy South Project proposes the installation and maintenance of approximately 8.7 miles of discontinuous 36-inch pipeline with ancillary facilities in Clinton County; installation and maintenance of approximately 3.5 miles of 42-inch pipeline with ancillary facilities in Lycoming County; the construction and maintenance of two new compressor stations in Schuylkill and Luzerne Counties; and upgrades to existing compressor stations in Columbia and Wyoming Counties. The proposed project will require 403 acres of earth disturbance.

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Counties</i>	<i>DEP Office</i>
ESG830019002-00	Transcontinental Gas Pipe Line Company, LLC c/o Joseph Dean 2800 Post Oak Blvd Level 11 Houston, TX 77056	Clinton Lycoming Luzerne Columbia Schuylkill	Regional Permit Coordination Office

Any person aggrieved by this action may file a petition for review pursuant to Section 19(d) of the Federal Natural Gas Act, 15 U.S.C.A. § 717r(d), with the Office of the Clerk, United States Court of Appeals for the Third Circuit, 21400 U.S. Courthouse, 601 Market Street, Philadelphia, PA 19106-1790 as provided by law. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law. Important legal rights are at stake, so you should show this document to a lawyer promptly.

[Pa.B. Doc. No. 20-1546. Filed for public inspection November 6, 2020, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Availability of Grants through the Electric Cargo Handling Grant Program

The Department of Environmental Protection (Department) announces an opportunity to apply for approximately \$2.5 million in grants offered through the Electric Cargo Handling Grant Program (Program), one of the programs under the Driving PA Forward Initiative. This funding is available for eligible diesel emission reduction projects that will improve air quality and protect public health and the environment by reducing emissions from large forklifts, airport ground support equipment and port cargo handling equipment.

The Department is seeking applications for projects that will replace or repower eligible large forklifts, airport ground support equipment and port cargo handling equipment with electric versions of the equipment. Other restrictions may apply. Public and private entities that own or operate eligible vehicles, engines or equipment

throughout the State should apply. These entities may include airports and port authorities, school districts, municipal authorities, political subdivisions, State agencies, nonprofit entities, corporations, limited liability companies or partnerships incorporated or registered in this Commonwealth, air quality or transportation organizations, and metropolitan or rural planning organizations.

The Department will not reimburse grant recipients for project costs incurred prior to the grant performance period set forth in the applicable grant agreement. The Program guidelines and application instructions are available on the Department's Driving PA Forward webpage at www.depgis.state.pa.us/DrivingPAForward.

A recorded presentation providing an overview of the Program and application process will be available on the Department's Driving PA Forward webpage during the application period. Interested applicants with questions or to request clarification about the presentation or Program documents may contact the Bureau of Air Quality at ra-epvwmitigation@pa.gov or (717) 787-9495.

All applications must be submitted online through the Commonwealth's Electronic Single Application web site at www.esa.decd.state.pa.us/Login.aspx. The Department is

now accepting applications. Applications must be received by 4 p.m. on Friday, March 5, 2021, at which time the Department will review and score applications.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 20-1547. Filed for public inspection November 6, 2020, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Availability of Grants through the Marine and Rail Freight Movers Grant Program

The Department of Environmental Protection (Department) announces an opportunity to apply for approximately \$8.7 million in grants offered through the Marine and Rail Freight Movers Grant Program (Program), one of the new programs under the Driving PA Forward Initiative. This funding is available for eligible diesel emission reduction projects that will improve air quality and protect public health and the environment by reducing emissions from switcher locomotives, ferries and tugboats.

The Department is seeking applications for projects that will: (1) repower or replace diesel-powered, pre-Tier 4 freight switcher locomotives, that operate 1,000 hours or more per year, with any new United States Environmental Protection Agency (EPA) or California Air Resources Board-certified (if required) diesel, alternative fuel or all-electric engine; or (2) repower or upgrade unregulated, Tier 1 or Tier 2, diesel-powered marine engines in ferries or tugboats with an EPA certified remanufactured system or an EPA verified engine upgrade. Other restrictions may apply. Public and private entities that own or operate eligible freight switcher locomotives, ferries or tugboats (towboats) throughout this Commonwealth should apply. These entities may include school districts, municipal authorities, political subdivisions, State agencies, nonprofit entities, corporations, limited liability companies or partnerships incorporated or registered in this Commonwealth, air quality or transportation organizations, and metropolitan or rural planning organizations.

The Department will not reimburse grant recipients for project costs incurred prior to the grant performance period set forth in the applicable grant agreement. The Program guidelines and application instructions are available on the Department's Driving PA Forward webpage at www.depgis.state.pa.us/DrivingPAForward.

A recorded presentation providing an overview of the Program and application process will be available on the Department's Driving PA Forward webpage during the application period. Interested applicants with questions or to request clarification about the presentation or Program documents may contact the Bureau of Air Quality at ra-epvwmitigation@pa.gov or (717) 787-9495.

All applications must be submitted online through the Commonwealth's Electronic Single Application web site at www.esa.dced.state.pa.us/Login.aspx. The Department is

now accepting applications. Applications must be received by 4 p.m. on Friday, March 19, 2021, at which time the Department will review and score applications.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 20-1548. Filed for public inspection November 6, 2020, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Federal Consistency Under the Coastal Zone Management Act; United States Army Corps of Engineers 2020 Nationwide Permit Reissuance

This notice is published under section 306(d)(14) of the Federal Coastal Zone Management Act of 1972 (CZMA) (16 U.S.C.A. § 1455(d)(14)), regarding public participation during consistency determinations. The Department of Environmental Protection (Department), Coastal Resources Management Program has received notice that the United States Army Corps of Engineers (USACE), Baltimore District is proposing to reissue and modify the Nationwide Permits (NWP) (85 FR 57298 (September 15, 2020)).

NWPs authorize certain activities under section 404 of the Clean Water Act (33 U.S.C.A. § 1344) and section 10 of the Rivers and Harbors Act of 1899 (33 U.S.C.A. § 403). The USACE is proposing to reissue its 52 existing NWPs and associated general conditions and definitions, with some modifications. USACE is also proposing to issue five new NWPs. Two of those proposed new NWPs would authorize certain categories of mariculture activities (that is, seaweed and finfish mariculture) that are not authorized by NWP 48. USACE is proposing to divide the current NWP that authorizes utility line activities (NWP 12) into three separate NWPs that address the differences in how different linear projects are constructed, the substances they convey, and the different standards and best management practices that help ensure those NWPs authorize only those activities that have no more than minimal adverse environmental effects.

Specifically, USACE is proposing to modify the current utility line NWP 12 to authorize only oil and natural gas pipeline activities. Two proposed new NWPs would authorize activities associated with the construction, maintenance, repair and removal of electric utility lines/telecommunication lines and utility lines that convey water, sewage and other substances. The fifth proposed new NWP would authorize discharges of dredged or fill material into jurisdictional waters for the construction, expansion and maintenance of water reuse and reclamation facilities. USACE is proposing these modifications to simplify and clarify the NWPs, reduce burdens on the regulated public, and continue to comply with the statutory requirement that these NWPs authorize only activities with no more than minimal individual and cumulative adverse environmental effects. Information regarding the USACE's proposal, including NWP suspensions and regional conditions, is available at www.nab.usace.army.mil/Missions/Regulatory/Public-Notices/Public-Notice-View/Article/2364484/spn-20-62-nationwide-permit-reissuance-request-for-comments.

This activity is subject to Department review for Federal consistency because it is a Federal agency activity and will have reasonably foreseeable effects on this Commonwealth's coastal resources or uses.

In accordance with section 307 of the CZMA (16 U.S.C.A. § 1456) and the National Oceanic and Atmospheric Administration (NOAA) regulations at 15 CFR Part 930, Subpart C (relating to consistency for Federal agency activities), USACE has determined that the proposed reissuance will be conducted in a manner consistent with the applicable enforceable policies of the Commonwealth's NOAA-approved Coastal Resources Management Program. Interested parties may request a copy of the Federal Consistency Determination from the Department contact listed as follows.

Questions regarding this review should be directed to Matthew Walderon, Federal Consistency Coordinator, at RA-Fed_Consistency@pa.gov or (717) 772-2196.

The Department will consider all comments received on or before Monday, November 23, 2020, before issuing a final Federal consistency concurrence or objection. Comments submitted by facsimile will not be accepted. All comments, including comments submitted by e-mail, must include the commentator's name and address. Commentators are encouraged to submit comments using the Department's online eComment tool at www.ahs.dep.pa.gov/eComment or by e-mail to ecomment@pa.gov. Written comments can be mailed to the Department of Environmental Protection, Policy Office, 400 Market Street, P.O. Box 2063, Harrisburg, PA 17105-2063.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 20-1549. Filed for public inspection November 6, 2020, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Solid Waste Advisory Committee Meeting Cancellation

The December 9, 2020, meeting of the Solid Waste Advisory Committee (Committee) is cancelled. The next regular meeting of the Committee has not yet been scheduled. A notice for the next scheduled meeting will be published in a future issue of the *Pennsylvania Bulletin*.

Information will be provided on the Committee's webpage, found through the Public Participation tab on the Department of Environmental Protection's (Department) web site at www.dep.pa.gov (select "Public Participation," then "Advisory Committees," then "Waste Advisory Committees," then "Solid Waste Advisory Committee (SWAC)").

Individuals are encouraged to visit the Committee's webpage to confirm meeting date, time and location prior to each meeting. Questions can be directed to Laura Henry at lahenry@pa.gov or (717) 772-5713.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact the Department at (717) 783-2360 or through the

Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 20-1550. Filed for public inspection November 6, 2020, 9:00 a.m.]

DEPARTMENT OF HEALTH

Long-Term Care Nursing Facilities; Requests for Exception

The following long-term care nursing facilities are seeking exceptions to 28 Pa. Code § 201.22(j) (relating to prevention, control and surveillance of tuberculosis (TB)):

Cumberland Crossings Retirement Community
1 Longsdorf Road
Carlisle, PA 17013
FAC ID # 016502

Frey Village
1020 North Union Street
Middletown, PA 17057
FAC ID # 062102

These requests are on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed address.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing-impaired persons, call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

RACHEL L. LEVINE, MD,
Secretary

[Pa.B. Doc. No. 20-1551. Filed for public inspection November 6, 2020, 9:00 a.m.]

DEPARTMENT OF HEALTH

Pennsylvania Rural Health Redesign Center Authority Board Virtual Meeting

The Pennsylvania Rural Health Redesign Center Authority Board (Board), established under section 302 of the Pennsylvania Rural Health Redesign Center Authority Act (35 P.S. § 449.132), will hold its next

meeting on Monday, November 16, 2020, from 1 p.m. to 3 p.m. The meeting will be held virtually and can be accessed by means of Skype at <https://meet.lync.com/pagov/megpatel/9PJFPSD7> or by using the following call-in information: toll number: +1 (267) 332-8737; conference ID: 198806988#.

The Board is charged with administering the Pennsylvania Rural Health Model (Model) which aims to protect the financial viability of rural hospitals in this Commonwealth through transitioning them from a traditional fee-for-service model to a global budget payment model. The meeting will provide updates on a variety of topics including Model status updates, Federal grant deliverables, global budget methodology and more. It will also discuss current and upcoming activities.

For additional information or for persons with a disability who wish to attend the meeting and require and auxiliary aid, service or other accommodation to do so, contact Emily Roussel, Executive Advisor for Health Innovation, Department of Health, (717) 425-0623, eroussel@pa.gov. For speech and/or hearing-impaired persons, call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

This meeting is subject to cancellation without notice.

RACHEL L. LEVINE, MD,
Secretary

[Pa.B. Doc. No. 20-1552. Filed for public inspection November 6, 2020, 9:00 a.m.]

DEPARTMENT OF LABOR AND INDUSTRY

Current Prevailing Wage Act Debarments

The following contractors have been determined to have intentionally violated the Pennsylvania Prevailing Wage Act (act) (43 P.S. §§ 165-1—165-17). This notice is published for the information and convenience of public bodies subject to the act. Under section 11(e) of the act (43 P.S. § 165-11(e)), no contracts for public work shall be awarded to these contractors, or either one of them, or any firms, corporations or partnerships in which either one of these contractors has an interest, for 3 years after the date of publication in the *Pennsylvania Bulletin*.

<i>Contractor</i>	<i>Address</i>	<i>Date of Debarment</i>
Shipley Bros. Construction, Inc., Frank L. Shipley, and Chris Shipley, individually FEIN # 20-4047875	8037 Rowan Road Cranberry Township, PA 16066	November 7, 2020

W. GERARD OLEKSIK,
Secretary

[Pa.B. Doc. No. 20-1553. Filed for public inspection November 6, 2020, 9:00 a.m.]

DEPARTMENT OF LABOR AND INDUSTRY

Prevailing Wage Appeals Board Virtual Meeting

The Prevailing Wage Appeals Board will hold a public meeting on Tuesday, November 10, 2020, at 10 a.m. The meeting will be held virtually. Individuals may join the meeting by dialing (267) 332-8737. The conference ID number is 871380983.

The Americans with Disability Act contact is Gina Meckley at (717) 558-8543.

W. GERARD OLEKSIK,
Secretary

[Pa.B. Doc. No. 20-1554. Filed for public inspection November 6, 2020, 9:00 a.m.]

Persons wishing to comment on the grounds of public or private interest concerning the surrender are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include the name, address and telephone number of the writer; identification of the application to which the comment is addressed; and a concise statement with sufficient detail to inform the Department of the exact basis of the comment and the relevant facts upon which it is based. Written statements must be e-mailed to Cressinda Bybee, cbybee@pa.gov.

JESSICA K. ALTMAN,
Insurance Commissioner

[Pa.B. Doc. No. 20-1555. Filed for public inspection November 6, 2020, 9:00 a.m.]

INSURANCE DEPARTMENT

Application for Voluntary Surrender of Pennsylvania Certificate of Authority Filed by Circle Medical Assurance Company

Circle Medical Assurance Company, a domestic stock casualty insurance company, has submitted an application for approval to surrender its Insurance Department Certificate of Authority.

PENNSYLVANIA PUBLIC UTILITY COMMISSION

General Rule Transaction Registration of Securities Certificate

A-2020-3022621 and A-2020-3022622. Consolidated Communications of Pennsylvania, LLC and Consoli-

dated Communications Enterprise Services, Inc. Joint application of Consolidated Communications of Pennsylvania, LLC and Consolidated Communications Enterprise Services, Inc. for authority to complete a general rule transaction and registration of securities certificate involving the pledge of assets and stock.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before Monday, November 23, 2020. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available only online for inspection and copying on the Pennsylvania Public Utility Commission's (Commission) web site at www.puc.pa.gov and at the applicant's business address. In accordance with the Commission's Emergency Order at M-2020-3019262, all parties participating in matters pending before the Commission are required to Efile their submissions by opening an Efiling account—free of charge—through the Commission's web site and accepting Eservice.

Applicants: Consolidated Communications of Pennsylvania, LLC; Consolidated Communications Enterprise Services, Inc.

Through and By: Carl R. Shultz, Esquire, Kristine E. Marsilio, Esquire, Eckert Seamans Cherin & Mellott, LLC, 213 Market Street, 8th Floor, Harrisburg, PA 17101, (717) 237-6000, fax (717) 237-6019, cshultz@eckertseamans.com, kmarsilio@eckertseamans.com; Megan Brown, Esquire, Daniel P. Brooks, Esquire, Wiley Rein, LLP, 1776 K Street NW, Washington, DC 20006, MBrown@wiley.law, dbrooks@wiley.law

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 20-1556. Filed for public inspection November 6, 2020, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Protests may only be filed if there is evidence that the applicant lacks fitness. Protests based on endangering or impairing operations of an existing carrier will not be honored. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy served on the applicant by November 23, 2020. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

Applications of the following for approval to begin operating as common carriers for transportation of persons as described under each application.

A-2020-3021917. Laura W. Aftosmis and Johnson D. Wagner Testamentary Trust, t/a Revest Properties, d/b/a Hampton Inn Greensburg (1000 Towne Square Drive, Greensburg, PA 15601) for the right to begin to transport, as a common carrier, by motor vehicle, persons in paratransit service, from the Hampton Inn Greensburg, to points in Westmoreland County, and return.

A-2020-3022419. Shuttle Relay, LLC (325 Chestnut Street, Suite 876, Philadelphia, PA 19106) persons in paratransit service, by motor vehicle, from points in the City and County of Philadelphia, to points in Pennsylvania, and return.

A-2020-3022492. Evangelical Regional Mobile Medical Services, LLC (One Hospital Drive, Lewisburg, Union County, PA 17837) persons in paratransit service, limited to service provided in wheelchair vans and stretcher vans, from points in Northumberland, Snyder and Union Counties, to points in Pennsylvania, and return. *Attorney:* Kenneth R. Stark, 100 Pine Street, P.O. Box 1166, Harrisburg, PA 17101.

Application of the following for approval of the beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of household goods as described under the application.

A-2020-3022317. Khrista Crawley, t/a Tradestorm (P.O. Box 12752, Reading, Berks County, PA 19612) household goods in use, between points within a 150-mile radius of Reading, Berks County, limited to service within this Commonwealth.

Applications of the following for the approval of the right and privilege to discontinue/abandon operating as common carriers by motor vehicle and for cancellation of the certificate of public convenience as described under each application.

A-2020-3022509. Knightlife Limousine, LLC (633 East 29th Street, Erie, Erie County, PA 16504) for the discontinuance and cancellation of its authority, to transport, as a common carrier, by motor vehicle, persons in group and party service, in vehicles seating 11 to 15 passengers, including the driver, from points in Erie County, to points in Pennsylvania, and return; excluding areas under the jurisdiction of the Philadelphia Parking Authority, as described in the original ordering paragraph at Docket A-2019-3013219.

A-2020-3022545. Brelyn Transportation, LLC (2163 North Franklin Street, Philadelphia, Philadelphia County, PA 19122) discontinuance of service and cancellation of its certificate, to transport, as a common carrier, by motor vehicle, at A-2017-2625111, persons in paratransit service, from points in the Counties of Cambria and Philadelphia, to points in Pennsylvania, and return; and from points in the Counties of Cambria and Philadelphia, to State correctional facilities in Pennsylvania, and return.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 20-1557. Filed for public inspection November 6, 2020, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Formal Complaints

Formal complaints have been issued by the Pennsylvania Public Utility Commission. Answers must be filed in accordance with 52 Pa. Code (relating to public utilities). Answers are due November 23, 2020, and must be made with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy to the First Deputy Chief Prosecutor, Pennsylvania Public Utility Commission.

Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. Mjolnir Limited Liability Company; Docket No. C-2020-3019170

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to Mjolnir Limited Liability Company, (respondent) is under suspension effective March 01, 2020 for failure to maintain evidence of insurance on file with this Commission.
2. That respondent maintains a principal place of business at 30 Flick Road, Hadley, PA 16130.
3. That respondent was issued a Certificate of Public Convenience by this Commission on April 02, 2019, at A-8921965.
4. That respondent has failed to maintain evidence of Liability and Cargo insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500.00 and cancellation of the Certificate of Public Convenience.
5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500.00 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-8921965 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,
David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement
400 North Street
Harrisburg, PA 17120

VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: March 11, 2020

David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
400 North Street
Harrisburg, PA 17120

Or, you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor
Pennsylvania Public Utility Commission
Bureau of Investigation and Enforcement
400 North Street
Harrisburg, PA 17120

Or, emailed to Mr. Swindler at: RA-PCCmplntResp@pa.gov

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility Services
 Pennsylvania Public Utility Commission
 400 North Street
 Harrisburg, PA 17120

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary
 Pennsylvania Public Utility Commission
 400 North Street
 Harrisburg, PA 17120

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this number if you have questions as to why you received this complaint. For those questions you may call 717-783-3847.

Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. Edwards, Morgan Thomas, d/b/a Morgan Edwards Excursions; Docket No. C-2020-3014608

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement Prosecutory Staff hereby represents as follows:

1. That Edwards, Morgan Thomas, Respondent, maintains its principal place of business at 2643 Schley Street, Erie, PA 16508.

2. That Respondent was issued a certificate of public convenience by this Commission to broker trips from one point to another in the Commonwealth of Pennsylvania on April 20, 1961, at PUC utility code No. 690800.

3. That PUC Motor Carrier Enforcement Office Manager Kimberly Johnston researched the Respondent on the internet and there was no business name found, no address, no telephone number listed anywhere. A certified

and first-class letter went out on December 4, 2019. The certified letter was returned as not deliverable. The letters included an application to cancel authority. No contact has been made by the carrier and the form has not been returned to the Commission.

4. That Respondent abandoned or discontinued service without having first filed an application with this Commission for abandonment or discontinuance of service.

5. That Respondent, by failing to file an application with this Commission prior to abandoning or discontinuing service, violated 52 Pa. Code § 3.3819(a) and 66 Pa.C.S. § 1102(a)(2). The penalty for this violation is cancellation of the Certificate of Public Convenience.

Wherefore, the Bureau of Investigation and Enforcement Prosecutory Staff hereby requests that the Commission issue an Order which cancels the Certificate of Public Convenience held by Edwards, Morgan Thomas at PUC utility code no. 690800.

Respectfully submitted,
 David W. Loucks, Chief
 Motor Carrier Enforcement
 Bureau of Investigation and Enforcement
 P.O. Box 3265
 Harrisburg, PA 17105-3265

VERIFICATION

I, David W. Loucks, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 03/05/2020

David W. Loucks, Chief
 Motor Carrier Enforcement
 Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within twenty (20) days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Cover Letter for this Complaint and Notice, 52 Pa. Code § 1.56(a). An Answer is a written explanation of circumstances wished to be considered in determining the outcome. The Answer shall raise all factual and legal arguments that you wish to claim in your defense and must include the reference number of this Complaint. Your Answer must be verified and the original shall be mailed to:

Rosemary Chiavetta, Secretary
 Pennsylvania Public Utility Commission
 400 North Street, 2nd Floor
 Harrisburg, PA 17120

Additionally, please serve a copy on:

Michael L. Swindler, Deputy Chief Prosecutor
 Bureau of Investigation and Enforcement
 Pennsylvania Public Utility Commission
 400 North Street, 3rd Floor
 Harrisburg, PA 17120

Or, e-mailed to Mr. Swindler at: RA-PCCmplntResp@pa.gov

B. If you fail to answer this complaint within twenty (20) days, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing a penalty. The penalty could include a

fine, the suspension or revocation of your certificate of public convenience or other remedy.

C. You may elect not to contest this complaint by paying the fine proposed in this Complaint by certified check or money order. Payment must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary
 Pennsylvania Public Utility Commission
 400 North Street, 2nd Floor
 Harrisburg, PA 17120

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of your payment, the complaint proceeding shall be closed.

D. If you file an Answer, which admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing a penalty.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The judge is not bound by the optional fine set forth above.

F. Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714.

Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. BTS Services, Inc.; Docket No. C-2020-3018983

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to BTS Services, Inc., (respondent) is under suspension effective February 20, 2020 for failure to maintain evidence of insurance on file with this Commission.
2. That respondent maintains a principal place of business at 9 Parkside Drive, Hummelstown, PA 17036.
3. That respondent was issued a Certificate of Public Convenience by this Commission on April 27, 2016, at A-6418373.
4. That respondent has failed to maintain evidence of Liability insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500.00 and cancellation of the Certificate of Public Convenience.
5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500.00 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of

insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-6418373 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,
 David W. Loucks, Chief
 Motor Carrier Enforcement
 Bureau of Investigation and Enforcement
 400 North Street
 Harrisburg, PA 17120

VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 3/04/2020

David W. Loucks, Chief
 Motor Carrier Enforcement
 Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary
 Pennsylvania Public Utility Commission
 400 North Street
 Harrisburg, PA 17120

Or, you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor
 Pennsylvania Public Utility Commission
 Bureau of Investigation and Enforcement
 400 North Street
 Harrisburg, PA 17120

Or, emailed to Mr. Swindler at: RA-PCCmplntResp@pa.gov

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility Services
 Pennsylvania Public Utility Commission
 400 North Street
 Harrisburg, PA 17120

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary
 Pennsylvania Public Utility Commission
 400 North Street
 Harrisburg, PA 17120

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this number if you have questions as to why you received this complaint. For those questions you may call 717-783-3847.

Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. Jason E. Kahley, t/a Jason E. Kahley Trucking; Docket No. C-2020-3018810

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to Jason E. Kahley, t/a Jason E. Kahley Trucking, (respondent) is under suspen-

sion effective February 10, 2020 for failure to maintain evidence of insurance on file with this Commission.

2. That respondent maintains a principal place of business at 101 North Main Street, Mifflintown, PA 17059.

3. That respondent was issued a Certificate of Public Convenience by this Commission on August 02, 2013, at A-8915845.

4. That respondent has failed to maintain evidence of Liability and Cargo insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500.00 and cancellation of the Certificate of Public Convenience.

5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500.00 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-8915845 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,
 David W. Loucks, Chief
 Motor Carrier Enforcement
 Bureau of Investigation and Enforcement
 400 North Street
 Harrisburg, PA 17120

VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: February 21, 2020

David W. Loucks, Chief
 Motor Carrier Enforcement
 Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary
 Pennsylvania Public Utility Commission
 400 North Street
 Harrisburg, PA 17120

Or, you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor
 Pennsylvania Public Utility Commission
 Bureau of Investigation and Enforcement
 400 North Street
 Harrisburg, PA 17120

Or, emailed to Mr. Swindler at: RA-PCCmplntResp@pa.gov

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility Services
 Pennsylvania Public Utility Commission
 400 North Street
 Harrisburg, PA 17120

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary
 Pennsylvania Public Utility Commission
 400 North Street
 Harrisburg, PA 17120

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this num-

ber if you have questions as to why you received this complaint. For those questions you may call 717-783-3847.

Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. Ratoskey & Trainor, Inc.; Docket No. C-2020-3018865

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to Ratoskey & Trainor, Inc., (respondent) is under suspension effective February 13, 2020 for failure to maintain evidence of insurance on file with this Commission.

2. That respondent maintains a principal place of business at 240 Flint Hill Road, King of Prussia, PA 19406.

3. That respondent was issued a Certificate of Public Convenience by this Commission on June 08, 2011, at A-8912931.

4. That respondent has failed to maintain evidence of Liability insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500.00 and cancellation of the Certificate of Public Convenience.

5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500.00 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-8912931 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,
 David W. Loucks, Chief
 Motor Carrier Enforcement
 Bureau of Investigation and Enforcement 400 North Street Harrisburg, PA 17120

VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any

hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: February 24, 2020

David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
400 North Street
Harrisburg, PA 17120

Or, you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor
Pennsylvania Public Utility Commission
Bureau of Investigation and Enforcement
400 North Street
Harrisburg, PA 17120

Or, emailed to Mr. Swindler at: RA-PCCmplntResp@pa.gov

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility Services
Pennsylvania Public Utility Commission
400 North Street
Harrisburg, PA 17120

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
400 North Street
Harrisburg, PA 17120

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of

insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this number if you have questions as to why you received this complaint. For those questions you may call 717-783-3847.

Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. D & G Cargo Express, LLC; Docket No. C-2020-3018556

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to D & G Cargo Express, LLC, (respondent) is under suspension effective February 07, 2020 for failure to maintain evidence of insurance on file with this Commission.
2. That respondent maintains a principal place of business at 533 Franklin St., Reading, PA 19611.
3. That respondent was issued a Certificate of Public Convenience by this Commission on February 17, 2016, at A-8918244.
4. That respondent has failed to maintain evidence of Liability and Cargo insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500.00 and cancellation of the Certificate of Public Convenience.
5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500.00 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-8918244 for failure to maintain evidence of current

insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,
David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement
400 North Street Harrisburg, PA 17120

VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: February 18, 2020

David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
400 North Street
Harrisburg, PA 17120

Or, you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor
Pennsylvania Public Utility Commission
Bureau of Investigation and Enforcement
400 North Street
Harrisburg, PA 17120

Or, emailed to Mr. Swindler at: RA-PCCmplntResp@pa.gov

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days

of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility Services
Pennsylvania Public Utility Commission
400 North Street
Harrisburg, PA 17120

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
400 North Street
Harrisburg, PA 17120

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this number if you have questions as to why you received this complaint. For those questions you may call 717-783-3847.

Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. Jefferson Cargo, LLC; Docket No. C-2020-3015297

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to Jefferson Cargo, LLC, (respondent) is under suspension effective December 27, 2019 for failure to maintain evidence of insurance on file with this Commission.

2. That respondent maintains a principal place of business at 4905 Pack Saddle Way, Flower Mound, TX 75028.

3. That respondent was issued a Certificate of Public Convenience by this Commission on August 02, 2018, at A-8921182.

4. That respondent has failed to maintain evidence of Liability and Cargo insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500.00 and cancellation of the Certificate of Public Convenience.

5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500.00 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-8921182 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,
David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement
400 North Street
Harrisburg, PA 17120

VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 01/06/2020

David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
400 North Street
Harrisburg, PA 17120

Or, you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor
Pennsylvania Public Utility Commission
Bureau of Investigation and Enforcement
400 North Street
Harrisburg, PA 17120

Or, emailed to Mr. Swindler at: RA-PCCmplntResp@pa.gov

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility
Services
Pennsylvania Public Utility Commission
400 North Street
Harrisburg, PA 17120

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
400 North Street
Harrisburg, PA 17120

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this number if you have questions as to why you received this complaint. For those questions you may call 717-783-3847.

Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. DDH Trucking, LLC; Docket No. C-2020-3018911

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to DDH Trucking, LLC, (respondent) is under suspension effective February 17, 2020 for failure to maintain evidence of insurance on file with this Commission.
2. That respondent maintains a principal place of business at 2861 W. State St., New Castle, PA 16101.
3. That respondent was issued a Certificate of Public Convenience by this Commission on April 02, 2019, at A-8920217.
4. That respondent has failed to maintain evidence of Liability insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500.00 and cancellation of the Certificate of Public Convenience.
5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500.00 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-8920217 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,
David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement
400 North Street
Harrisburg, PA 17120

VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the

statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: February 28, 2020

David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
400 North Street
Harrisburg, PA 17120

Or, you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor
Pennsylvania Public Utility Commission
Bureau of Investigation and Enforcement
400 North Street
Harrisburg, PA 17120

Or, emailed to Mr. Swindler at: RA-PCCmplntResp@pa.gov

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility Services
Pennsylvania Public Utility Commission
400 North Street
Harrisburg, PA 17120

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
400 North Street
Harrisburg, PA 17120

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this number if you have questions as to why you received this complaint. For those questions you may call 717-783-3847.

—————

Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. Extreme Health Care Services, LLC; Docket No. C-2020-3019975

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to Extreme Health Care Services, LLC, (respondent) is under suspension effective April 29, 2020 for failure to maintain evidence of insurance on file with this Commission.

2. That respondent maintains a principal place of business at 140 South 17th Street, Harrisburg, PA 17104.

3. That respondent was issued a Certificate of Public Convenience by this Commission on September 11, 2013, at A-6415315.

4. That respondent has failed to maintain evidence of Liability insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500.00 and cancellation of the Certificate of Public Convenience.

5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500.00 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certifi-

cate of Public Convenience held by respondent at A-6415315 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,
Kimberly M. Johnston, Acting Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement
400 North Street
Harrisburg, PA 17120

VERIFICATION

I, Kimberly M. Johnston, Acting Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 09/02/2020

Kimberly M. Johnston, Acting
Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
400 North Street
Harrisburg, PA 17120

Or, you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor
Pennsylvania Public Utility Commission
Bureau of Investigation and Enforcement
400 North Street
Harrisburg, PA 17120

Or, emailed to Mr. Swindler at: RA-PCCmplntResp@pa.gov

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regula-

tions and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility Services
Pennsylvania Public Utility Commission
400 North Street
Harrisburg, PA 17120

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
400 North Street
Harrisburg, PA 17120

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this number if you have questions as to why you received this complaint. For those questions you may call 717-783-3847.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 20-1558. Filed for public inspection November 6, 2020, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Telecommunications

A-2020-3022619. Verizon Pennsylvania, LLC and QuantumShift Communications, Inc. Joint petition of Verizon Pennsylvania, LLC and QuantumShift Communications, Inc. for approval of an amended interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Verizon Pennsylvania, LLC and QuantumShift Communications, Inc., by their counsel, filed on October 28, 2020, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an amendment to an

interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120. Comments are due on or before 10 days after the date of publication of this notice. The documents filed in support of Verizon Pennsylvania, LLC and QuantumShift Communications, Inc. joint petition are available for inspection at the Commission's web site at www.puc.pa.gov and at the applicant's business web site.

The contact person is Kathryn Sophy, Director, Office of Special Assistants, (717) 787-1827.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 20-1559. Filed for public inspection November 6, 2020, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Telecommunications

A-2020-3022620. Verizon North, LLC and QuantumShift Communications, Inc. Joint petition of Verizon North, LLC and QuantumShift Communications, Inc. for approval of an amendment to interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Verizon North, LLC and QuantumShift Communications, Inc., by their counsel, filed on October 28, 2020, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an amendment to interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120. Comments are due on or before 10 days after the date of publication of this notice. The documents filed in support of Verizon North, LLC and QuantumShift Communications, Inc. joint petition are available for inspection at the Commission's web site at www.puc.pa.gov and at the applicant's business web site.

The contact person is Kathryn Sophy, Director, Office of Special Assistants, (717) 787-1827.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 20-1560. Filed for public inspection November 6, 2020, 9:00 a.m.]

PHILADELPHIA PARKING AUTHORITY

Service of Notice of Motor Carrier Applications in the City of Philadelphia

The following permanent authority applications to render service as common carriers in the City of Philadelphia have been filed with the Philadelphia Parking Authority's

(PPA) Taxicab and Limousine Division (TLD). Formal protests must be filed in accordance with 52 Pa. Code Part II (relating to Philadelphia Parking Authority) with the TLD's Office of the Clerk, 2415 South Swanson Street, Philadelphia, PA 19148, no later than November 23, 2020. The nonrefundable protest filing fee is \$5,000 payable to the PPA by certified check or money order. The applications are available for inspection at the TLD between 9 a.m. and 4 p.m., Monday through Friday (contact TLD Director Christine Kirlin, Esq. at (215) 683-9653 to make an appointment) or may be inspected at the business addresses of the respective applicants or attorneys, or both.

Doc. No. A-20-10-10. SFT Trans, Inc. (35 Marian Court, Upper Darby, PA 19082): An application for a medallion taxicab certificate of public convenience (CPC) to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return.

Doc. No. A-20-10-11. Tara & Gani, LLC (346 North 42nd Street, Philadelphia, PA 19104): An application for a medallion taxicab CPC to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return.

Doc. No. A-20-10-12. AMCB, LLC (500 Cynthia Avenue, Penn del, PA 19047): An application for a medallion taxicab CPC to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return.

Doc. No. A-20-10-13. OP1 Taxi, LLC (3747 Genesee Drive, Philadelphia, PA 19154): An application for a medallion taxicab CPC to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadel-

phia to points in Pennsylvania, and return. *Attorney for Applicant:* David R. Alperstein, Esq., 314 Cherry Avenue, Voorhees, NJ 08043.

SCOTT PETRI,
Executive Director

[Pa.B. Doc. No. 20-1561. Filed for public inspection November 6, 2020, 9:00 a.m.]

STATE BOARD OF NURSING

Bureau of Professional and Occupational Affairs v. Joann Granato Palladino, RN; Case No. 19-51-000363

On May 3, 2019, Joann Granato Palladino, RN, license No. RN260010L, last known of Philadelphia, Philadelphia County, had her license suspended by the State Board of Nursing (Board) for no less than 3 years, retroactive to January 18, 2019, based on violating the terms of a previous Board order.

Individuals may obtain a copy of the adjudication at www.pals.pa.gov or by writing to Judith Pachter Schuller, Board Counsel, State Board of Nursing, P.O. Box 69523, Harrisburg, PA 17106-9523.

This order represents the final Board decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court must serve the Board with a copy of their petition for review.

ANN M. COUGHLIN, DNP, MBA, MSN, RN,
Chairperson

[Pa.B. Doc. No. 20-1562. Filed for public inspection November 6, 2020, 9:00 a.m.]