

NOTICES

DEPARTMENT OF BANKING AND SECURITIES

Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending December 8, 2020.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file comments in writing with the Department of Banking and Securities, Bank Supervision or Credit Union and Trust Supervision (as applicable), 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, for banks (717) 783-8240 and for credit unions and trust companies (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

BANKING INSTITUTIONS

Branch Applications

De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
11-20-2020	1st Colonial Community Bank Cherry Hill Camden County, New Jersey	440 Linfield Trappe Road Limerick Montgomery County, PA	Filed
12-04-2020	Somerset Trust Company Somerset Somerset County	3 South Broadway Street Frostburg Allegany County, MD	Opened
12-04-2020	InFirst Bank Indiana Indiana County	909 Menoher Boulevard Johnstown Cambria County	Approved
12-04-2020	CNB Bank Clearfield Clearfield County	4001 Rockside Road Seven Hills Cuyahoga County, OH	Approved
12-08-2020	1st Colonial Community Bank Cherry Hill Camden County, New Jersey	440 Linfield Trappe Road Limerick Montgomery County, PA	Approved

Branch Discontinuances

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
11-30-2020	Penn Community Bank Doylestown Bucks County	10 North Main Street Yardley Bucks County	Closed
11-30-2020	Landmark Community Bank Pittston Luzerne County	920 Northern Boulevard Clarks Summit Lackawanna County	Closed
12-04-2020	Luzerne Bank Luzerne Luzerne County	1077 Route 315 Wilkes-Barre Luzerne County	Closed

CREDIT UNIONS

No activity.

The Department's web site at www.dobs.pa.gov includes public notices for more recently filed applications.

RICHARD VAGUE,
Secretary

[Pa.B. Doc. No. 20-1778. Filed for public inspection December 18, 2020, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications concern, but are not limited to, discharges regarding industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFO). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Waste; Discharge into Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 Individual Permits and Individual Stormwater Construction Permits in Sections IV and VI, the Department, based upon preliminary reviews, has made tentative determinations of proposed effluent limitations and other terms and conditions for the permit applications. In accordance with 25 Pa. Code § 92a.32(d), the proposed discharge of stormwater associated with construction activities will be managed in accordance with the requirements of 25 Pa. Code Chapter 102. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the United States Environmental Protection Agency (EPA) Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on NPDES applications are invited to submit statements to the contact office noted before the application within 30-days from the date of this public notice. Persons wishing to comment on WQM permit applications are invited to submit statements to the office noted before the application within 15-days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for public hearings on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications.

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Email: RA-EPNPDES_NERO@pa.gov.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0062537 (Sewage)	East Union Township Wastewater Treatment Plant P.O. Box 245 Sheppton, PA 18248-0245	Schuylkill County East Union Township	Little Tomhicken Creek (CWF, MF) (5-E)	Y

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0052426 (Sewage)	Schnecksville North STP P.O. Box 1488 Skipack, PA 19474	Lehigh County North Whitehall Township	Tributary 3649 to Coplay Creek (CWF/MF) (2-C)	Y
PA0063304 (Industrial)	Blythe Township Municipal Authority Crystal Run WTP 375 Valley Street New Philadelphia, PA 17959-1218	Schuylkill County Cass Township	West Creek (CWF) a.k.a. Crystal Run (3-A)	Y

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, Email: RA-EPNPDES_SCRO@pa.gov.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0082392 (Sewage)	Derry Twp Muni Auth— Southwest STP 670 Clearwater Road Hershey, PA 17033	Dauphin County Derry Township	Swatara Creek/(7-D)	Y
PA0081451 (Sewage)	Red Lion Area School District— Clearview Elementary School 696 Delta Road Red Lion, PA 17356	York County Chanceford Township	West Branch Tom's Creek/(7-I)	Y
PA0267236 (Sewage)	Cornette Res 5196 Shenks Ferry Road Brogue, PA 17309-9044	York County Chanceford Township	Boyd's Run (WWF, MF) (7-I)	Y
PA0021849 (Sewage)	Millerstown Muni Auth 44 N. High St. Millerstown, PA 17602	Perry County Greenwood Township	Tuscarora/Bufalo Creek/12-B	Y

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, Phone: 814-332-6942, Email: RA-EPNPDES_NWRO@pa.gov.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0264041 (Sewage)	Garth Mathe SRSTP 3749 Williams Road Erie, PA 16510-6147	Erie County Harborcreek Township	Unnamed Tributary to Sevenmile Creek (CWF, MF) (15-A)	Y

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Non-Waived Permit Applications.

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401, Email: RA-EPNPDES_SERO@pa.gov.

PA0055468, Sewage, SIC Code 6515, **Hd Holdings LLC**, 506 Gehman Road, Barto, PA 19504-9541. Facility Name: Pleasant Run Trailer Park STP. This existing facility is located in New Hanover Township, **Montgomery County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Deep Creek (TSF, MF), is located in State Water Plan watershed 3-E and is classified for Migratory Fishes and Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0053 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.0
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000
Total Nitrogen	XXX	XXX	XXX	Geo Mean Report	Report Daily Max	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	10.0	XXX	20
Total Phosphorus	XXX	XXX	XXX	4.0	XXX	6

In addition, the permit contains the following major special conditions:

I. Other Requirements

- A. No Stormwater
- B. Necessary Property Rights
- C. Proper Sludge Disposal
- D. Abandon STP when Public Sewer Become Available
- E. Chlorine Minimization
- F. Small Stream Discharge
- G. Notification of Designation of Responsible Operator
- H. Remedial Measures if Public Nuisance
- I. Instantaneous Maximum
- J. Twice per Month Sampling Frequency

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

PA0036412, Sewage, SIC Code 8361, **Tel Hai Retirement Comm**, P.O. Box 190, Honey Brook, PA 19344-0190. Facility Name: Tel Hai Rest Home. This existing facility is located in Honey Brook Township, **Chester County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Two Log Run (HQ-TSF, MF), is located in State Water Plan watershed 3-H and is classified for Mi and High-Quality Waters—Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .07 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
CBOD ₅						
Nov 1 - Apr 30	9.2	XXX	XXX	15.8	XXX	31.6
May 1 - Oct 31	4.6	XXX	XXX	7.9	XXX	15.8
BOD ₅						
Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	12.8	XXX	XXX	22	XXX	44
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000
Ultraviolet light transmittance (%)	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	13.8	XXX	XXX	23.6	XXX	47.2
Ammonia-Nitrogen						
Nov 1 - Apr 30	4.0	XXX	XXX	6.9	XXX	13.8
May 1 - Oct 31	1.3	XXX	XXX	2.3	XXX	4.6
Total Kjeldahl Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus						
Nov 1 - Mar 31	0.9	XXX	XXX	2.0	XXX	4
Apr 1 - Oct 31	0.9	XXX	XXX	1.5	XXX	3

In addition, the permit contains the following major special conditions:

1. No Stormwater
2. Sludge Disposal Requirement
3. Abandon STP When Municipal Sewers Available
4. Notification of Designation of Operator
5. Water Quality Management permit
6. Change in Ownership
7. 2/Month Monitoring Requirement
8. Visual Inspection for Tank Overflows
9. No Debris through Toilets or Drains
10. Maintenance and Logs for Calibration of Meters and Gauges
11. TRC monitoring

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is not in effect.

PA0020532, Sewage, SIC Code 4952, **Upper Montgomery Joint Authority**, 1100 Mensch Dam Road, Pennsburg, PA 18073. Facility Name: Upper Montgomery Joint Authority STP. This existing facility is located in Upper Hanover Township, **Montgomery County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Green Lane Reservoir (Perkiomen Creek) (TSF), is located in State Water Plan watershed 3-E and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 2 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	Inst Min XXX	0.5	XXX	1.2
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)						
Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	417	667	XXX	25	40	50
Biochemical Oxygen Demand (BOD ₅)					Wkly Avg	
Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	500	750	XXX	30	45	60
Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	167	XXX	XXX	10.0	XXX	20
Total Phosphorus	8.34	XXX	XXX	0.5	XXX	1

The proposed effluent limits for Outfall 001 are based on a design flow of 2 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Dissolved Solids	16,680	33,360	XXX	1,000.0	2,000.0	2,500
Copper, Total	Avg Qrtly XXX	Daily Max XXX	XXX	Avg Qrtly Report	Report	XXX
Iron, Dissolved	XXX	XXX	XXX	Avg Qrtly Report	Report	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Toxicity, Chronic - Ceriodaphnia Survival (TUc)	XXX	XXX	XXX	XXX	Report	XXX
Toxicity, Chronic - Ceriodaphnia Reproduction (TUc)	XXX	XXX	XXX	XXX	Report	XXX
Toxicity, Chronic - Pimephales Survival (TUc)	XXX	XXX	XXX	XXX	Report	XXX
Toxicity, Chronic - Pimephales Growth (TUc)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for stormwater Outfalls 002—006 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	Report Inst Min	XXX	XXX	Report
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Iron, Dissolved	XXX	XXX	XXX	XXX	Report	XXX

Sludge use and disposal description and location(s): Sewage sludge is used for land application under General Permit PAG—08 in Farms in Berks County and also sent to Pioneer Crossing Landfill for disposal.

In addition, the permit contains the following major special conditions:

- Proper disposal of sludges, slurries, and other solids
- TRC minimization in effluent
- Notification of the designation of the responsible operator
- Operations and Maintenance Plan
- High Flow Management Plan
- WET requirements
- Requirement applicable to Stormwater Outfalls

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is not in effect.

PA0012424, Industrial, SIC Code 2851, **McAdoo & Allen Inc.**, 201 South Hellertown Avenue, Quakertown, PA 18951-1768. Facility Name: Quaker NCCW & SW System. This existing facility is located in Quakertown Borough, **Bucks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Beaver Run (TSF, MF), is located in State Water Plan watershed 2-D and is classified for Migratory Fishes and Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 003, Outfall 004 and Monitoring Point MP 106 are based on a design flow of .0264 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	Daily Min XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Temperature (deg F) (°F)	XXX	XXX	XXX	XXX	XXX	110

The proposed effluent limits for Outfalls 005 and 010 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
pH (S.U.)	XXX	XXX	XXX	XXX	XXX	Report
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	XXX	Report
Total Suspended Solids	XXX	XXX	XXX	XXX	XXX	Report
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	XXX	Report
Total Phosphorus	XXX	XXX	XXX	XXX	XXX	Report
Aluminum, Total	XXX	XXX	XXX	XXX	XXX	Report
Iron, Total	XXX	XXX	XXX	XXX	XXX	Report
Lead, Total	XXX	XXX	XXX	XXX	XXX	Report
Zinc, Total	XXX	XXX	XXX	XXX	XXX	Report

In addition, the permit contains the following major special conditions:

- Proper disposal of screenings, slurries, sludges and other solids
- Temperature requirements for receiving stream
- Discharge located in Special Protection Waters
- Requirements applicable to stormwater outfalls

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Email: RA-EPNPDES_NERO@pa.gov.

PA0021580, Sewage, SIC Code 4952, **Catasauqua Borough**, 90 Bridge Street, Catasauqua, PA 18032. Facility Name: Catasauqua Borough WWTF. This existing facility is located in Catasauqua Borough, **Lehigh County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, the Lehigh River (TSF/MF), is located in State Water Plan watershed 2-C and is classified for Trout Stocking and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 2.25 MGD.

Parameters	Mass Units (lbs/day)		Instant. Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	XXX	XXX	1.2
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	469	750	XXX	25.0	40.0	50.0
Biochemical Oxygen Demand (BOD ₅)						
Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids	563	844	XXX	30.0	45.0	60.0
Total Suspended Solids Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	375	XXX	XXX	20.0	XXX	40.0
May 1 - Oct 31	150	XXX	XXX	8.0	XXX	16.0
Total Kjeldahl Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus	Report	XXX	XXX	Report	XXX	XXX
Total Dissolved Solids	Report	XXX	XXX	Report	XXX	XXX
Copper, Total	Avg Qrtly Report	XXX	XXX	Avg Qrtly Report	XXX	XXX

Sludge use and disposal description and location(s): As per the most recently submitted Sewage Sludge/Biosolids Production and Disposal supplemental DMR form (for September 2020), biosolids are hauled to Grand Central Landfill by Waste Management.

In addition, the permit contains the following major special conditions:

- POTW Pretreatment Program Implementation
- Solids Management
- Whole Effluent Toxicity (WET)

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is not in effect.

Southcentral Region: Regional Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, Phone: 717-705-4800, Email: RA-EPNPDES_SCRO@pa.gov.

PA0020664, Sewage, SIC Code 4952, **Middletown Water Joint Venture LLC**, 9 W. 57th Street, Suite 4200, New York, NY 10019. Facility Name: Middletown Borough WWTP. This existing facility is located in Middletown Borough, **Dauphin County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Susquehanna River (WWF), is located in State Water Plan watershed 7-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 2.2 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	Daily Min XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	459	734	XXX	25.0	40.0	50
Biochemical Oxygen Demand (BOD ₅)						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids	550	826	XXX	30.0	45.0	60
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
(Total Load, lbs) (lbs)	Report	XXX	XXX	XXX	XXX	XXX
Total Nitrogen	Total Mo XXX	XXX	XXX	Report	XXX	XXX
(Total Load, lbs) (lbs)	Report	XXX	XXX	XXX	XXX	XXX
(Total Load, lbs) (lbs)	Total Mo Report	XXX	XXX	XXX	XXX	XXX
Effluent Net	Total Mo XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	Report	XXX	XXX	XXX	XXX	XXX
(Total Load, lbs) (lbs)	Total Mo Report	XXX	XXX	XXX	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
(Total Load, lbs) (lbs)	Report	XXX	XXX	XXX	XXX	XXX
Total Phosphorus	Total Mo 37	XXX	XXX	2.0	XXX	4
(Total Load, lbs) (lbs)	Report	XXX	XXX	XXX	XXX	XXX
	Total Mo					

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
(Total Load, lbs) (lbs) Effluent Net	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Nitrogen (lbs) Effluent Net	XXX	40,182 Total Annual	XXX	XXX	XXX	XXX
Total Nitrogen (lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX
Ammonia (lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX
Total Phosphorus (lbs) Effluent Net	XXX	5,358 Total Annual	XXX	XXX	XXX	XXX
Total Phosphorus (lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX

Sludge use and disposal description and location(s):

- Sludge is thickened in a rotary drum thickener prior to aerobic digestion through an Autothermal Thermophillic Aerobic Digestion (ATAD) process. The digested product is dewatered through a centrifuge to produce Class A biosolids for land application on Agricultural fields.

In addition, the permit contains the following major special conditions:

- Stormwater Prohibition
- Approval Contingencies
- Proper Waste/Solids Management
- Restriction on receipt of hauled in waste under certain conditions
- WET testing requirements
- Stormwater Conditions

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Email: RA-EPNPDES_SWRO@pa.gov.

PA0027146, Sewage, SIC Code 4952, **Ambridge Borough Municipal Authority**, 600 11th Street, Ambridge, PA 15003-2377. Facility Name: Ambridge Borough STP. This existing facility is located in Ambridge Borough, **Beaver County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), named Ohio River and Unnamed Tributary to Ohio River (WWF), are located in State Water Plan watershed 20-G and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 2.56 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Total Nitrogen	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report Daily Max	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 2.56 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min Report	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	Inst Min XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	533.7	811.3	XXX	25	40	50
Biochemical Oxygen Demand (BOD ₅)						
Raw Sewage Influent	Report	Report	XXX	Report	Report	XXX
Total Suspended Solids	640.5	960.7	XXX	30	45	60
Raw Sewage Influent	Report	Report	XXX	Report	Report	XXX
Fecal Coliform (No./100 ml)						
Nov 1 - Mar 31	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
Apr 1 - Oct 31	XXX	XXX	XXX	200 Geo Mean	XXX	400
Ammonia-Nitrogen	533.7	XXX	XXX	25	XXX	XXX

Sludge use and disposal description and location(s): Bruener landfill.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is not in effect.

III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law (35 P.S. §§ 691.1—691.1001).

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401, 484.250.5900.

WQM Permit No. 4620408, Sewage, **Lower Salford Township Authority**, 57 Main Street, Harleysville, PA 19438-2515.

This proposed facility is located in Lower Salford Township, **Montgomery County**.

Description of Action/Activity: Sewer line realignment.

WQM Permit No. WQG02092013, Hilltown Township Water and Sewer Authority, 316 Highland Road, Sellersville, PA 18960-2816.

This proposed facility is located in Hilltown Township, **Bucks County**.

Description of Action/Activity: Propose force main grinder pump system as part of a 5-lot residential subdivision.

WQM Permit No. WQG02232014, Sewage, **Rose Hill Developers, L.P.**, 1 Raymond Drive, Havertown, PA 19083.

This proposed facility is located in Chester Heights Borough, **Delaware County**.

Description of Action/Activity: Construction and operation of a grinder pump and force main.

WQM Permit No. 1520408, Sewage, **Oxford Area Sewer Authority**, P.O. Box 380, Chester, PA 19363-0380.

This proposed facility is located in Oxford Borough, **Chester County**.

Description of Action/Activity: Construction and operation of a pumping station and force main.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

WQM Permit No. 0116201, Amendment, Industrial Waste, **Rice Fruit Company**, 2760 Carlisle Road, Gardners, PA 17324.

This proposed facility is located in Menallen Township, **Adams County**.

Description of Proposed Action/Activity: Seeking permit approval for amendments at the Rice Fruit Packaging Plant.

WQM Permit No. 3120404, Sewerage, **Julian DiGilio**, 12048 Guyer Road, Petersburg, PA 16669.

This proposed facility is located in Jackson Township, **Huntingdon County**.

Description of Proposed Action/Activity: Seeking permit approval for the construction/operation of a single residence sewage treatment plant to serve their home.

WQM Permit No. 3412401, Sewerage, **Thompsontown Municipal Authority**, P.O. Box 154, Thompsontown, PA 17094.

This proposed facility is located in Thompsontown Borough, **Juniata County**.

Description of Proposed Action/Activity: Seeking permit approval for a rerate.

WQM Permit No. WQG02362003, Sewerage, **East Donegal Sewer Authority**, 190 Rock Point Road, Marietta, PA 17547.

This proposed facility is located East Donegal Township, **Lancaster County**.

Description of Proposed Action/Activity: Seeking permit approval for the construction/operation of sewers to serve Bridle Path at Village Square Section 3.

Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

WQM Permit No. 0471209 A-1, Sewage, SIC Code 2821, **BVPV Styrenics LLC**, 400 Frankfort Road, Monaca, PA 15061-2212.

This existing facility is located in Potter Township, **Beaver County**.

Description of Proposed Action/Activity: Installation of an ultraviolet light disinfection system to replace sodium hypochlorite as the primary means of sewage disinfection.

IV. NPDES Individual Permit Applications for Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4s).

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401, Email: RA-EPNPDES_SERO@pa.gov.

PAI130005, MS4, **Franconia Township**, 671 Allentown Road, Telford, PA 18969-0128. The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Franconia Township, **Montgomery County**. The receiving streams, East Branch Perkiomen Creek (TSF, MF), Unnamed Tributary to West Branch Neshaminy Creek (WWF, MF), Skippack Creek (TSF, MF), and Indian Creek (TSF, MF), are located in State Water Plan watershed 3-E and 2-F and are classified for Migratory Fishes, Warm Water Fishes, and Trout Stocking, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

The applicant has submitted the following plan with the application to reduce pollutant loads to impaired waters:

- A Total Maximum Daily Load (TMDL) Plan/Pollutant Reduction Plan (PRP)

The Department has made a tentative determination to issue the NPDES permit. Written comments on the application and draft permit will be accepted for 30 days following publication of this notice. The period for comment may be extended at the discretion of DEP for one additional 15-day period. You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910 or by contacting our regional Records Management unit via e-mail at RA-SERecordsReview@pa.gov.

The EPA waiver is in effect for small MS4 and is not in effect for large MS4s.

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities.

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

Lehigh County Conservation District, 4184 Dorney Park Road, Suite 105, Allentown, PA 18401, 610-391-9583.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD390187	Allentown Parking Authority 603 West Linden St. Allentown, PA 18101	Lehigh County	City of Allentown	Jordan Creek (TSF, MF) Little Lehigh Creek (HQ-CWF, TSF, MF)
PAD390184	6776 Hamilton, LLC 6776 Albright Ave. Allentown, PA 18104	Lehigh County	Lower Macungie Township	UNT to Little Lehigh Creek (HQ-CWF, MF)

Southcentral Region: Waterways & Wetlands Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD360066	PPL Electric Utilities Corporation 2 North Ninth Street GENN4 Allentown, PA 18101-1179	Lancaster County	East Drumore Township Eden Township Colerain Township Bart Township Sadsbury Township	Stewart Run (HQ-CWF, MF) UNTs Stewart Run (HQ-CWF, MF) UNTs South Fork Big Beaver Creek (TSF, MF) Bowery Run (HQ-CWF, MF) UNTs Bowery Run (HQ-CWF, MF) West Branch Octoraro Creek (HQ-CWF, MF) UNTs West Branch Octoraro Creek (HQ-CWF, MF) Valley Run (TSF, MF) UNTs Valley Run (TSF, MF) Knott Run (HQ-CWF, MF) UNTs Knott Run (HQ-CWF, MF)
PAD060046	Colebrookdale Woods, LLC 3801 Germantown Pike Collegeville, PA 19423	Berks County	Colebrookdale Township	UNTs Ironstone Creek (TSF) Ironstone Creek (TSF)

Southwest Region: Dana Drake, Waterways and Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD020037	Allegheny Valley Joint Sewer Authority P.O. Box 158 Cheswick, PA 15024	Allegheny County	Harmar Township Springdale Township Springdale Borough Cheswick Borough	Allegheny River (WWF)
PAD300012	CNX Gas Company, LLC 1000 Consol Energy Drive Canonsburg, PA 15317	Greene County	Center Township	Lightner Run (HQ-WWF)
PAD300013	CNX Gas Company, LLC 1000 Consol Energy Drive Canonsburg, PA 15317	Greene County	Morris Township	Bates Fork (HQ-WWF); UNT to Bates Fork (HQ-WWF)

Central Office: Bureau of Abandoned Mine Reclamation, 400 Market Street, 13th Floor, P.O. Box 69205, Harrisburg, PA 17106-9205.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD690001	PADEP—Bureau of Abandoned Mine Reclamation Full Gospel Church AML Site Greenbrier Road Dunbar, PA 15431	Fayette County	Stewart Township	Tribs. to Bruner Run & Jonathan Run/EV Opossum Creek Youghiogheny Watershed

Regional Permit Coordination Office: 400 Market Street, Harrisburg, PA 17101, Email: RA-EPREGIONALPERMIT@pa.gov.

Allegheny County Conservation District: 33 Terminal Way, Suite 325B, Pittsburgh, PA 15219-1216, (412) 241-7645.

NPDES Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAD020036	Pennsylvania Turnpike Commission 700 S Eisenhower Blvd Middletown, PA 17057	Allegheny County	West Mifflin Borough and City of Duquesne	Thompson Run (WWF), Tributary to Monongahela River (WWF), Monongahela River (WWF)

**STATE CONSERVATION COMMISSION
PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS
FOR NPDES PERMITS FOR CAFOs**

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed (National Pollutant Discharge Elimination System) NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling (717) 787-8821.

Persons wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30-days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Persons with a disability who require an auxiliary aid, service, including TDD users or other accommodations to seek additional information should contact the SCC through the Pennsylvania AT&T Relay Service at (800) 654-5984.

**ACT 38
NUTRIENT MANAGEMENT PLANS
CAFO PUBLIC NOTICE SPREADSHEET—APPLICATIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal/ New</i>
Jason Wenger 5376 Elizabethtown Road Manheim, PA 17545	Lancaster County	166	529.39	Dairy/Swine	NA	Renewal
Walnut Run Farms Carl & John Myer 292 Elm Road Lititz, PA 17543	Lancaster County	1,200	1.62	Dairy	NA	Renewal
Cedar Hill Poultry 120 Harbold-Altland Rd Wellsville, PA 17365	York County	19.5	417.44	Poultry	NA	New

PUBLIC WATER SUPPLY PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for PWS permits to construct or substantially modify public water systems.

Persons wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations

regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be pub-

lished in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, 570-826-2511.

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

Application No. 3520504, Public Water Supply.

Applicant	Aqua Pennsylvania Inc. 1 Aqua Way White Have, PA 18661
Township and County	Roaring Brook Township Lackawanna County
Responsible Official	Mr. Karl Stephens Regional Manager Northeast & Central Operations Aqua Pennsylvania Inc. 1 Aqua Way White Have, PA 18661
Type of Facility	Public Water Supply
Consulting Engineer	Mr. Daniel J Hopkins, P.E. Project Engineer 201 Penn Street P.O. Box 32 Reading, PA 19603
Application Received	September 29, 2020
Description of Action	Elmbrook Water System Jonslea and Wilcrest Well House Improvements

Application No. 4520507, Public Water Supply.

Applicant	PA American Water (Fernwood Tank) 852 Wesley Drive Mechanicsburg, PA 17055
Township and County	Middle Smithfield Township Monroe County
Responsible Official	Mr. Bruce Aiton Vice President—Engineering
Type of Facility	Public Water Supply
Consulting Engineer	Mr. Daniel J Hopkins, P.E. Project Engineer 201 Penn Street P.O. Box 32 Reading, PA 19603
Application Received	November 12, 2020

Description of Action	Replacement of existing storage tank with new 0.50 MG tank
-----------------------	--

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent (NOI) to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the background standard, Statewide Health Standard, the site-specific standard, or who intend to remediate a site as a special industrial area, must file a (NOI) to Remediate with the Department. A NOI to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. A person who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the Act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under Sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the NOI to Remediate is published in a newspaper of general circulation in the area of the site. For the following identified site(s), proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30-days of the following specified date specified. During this comment period the municipality may request that the following identified person, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of the site.

For further information concerning the content of a NOI to Remediate, please contact the Environmental Cleanup Program Manager in the Department of Environmental Protection Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department of Environmental Protection has received the following Notice(s) of Intent to Remediate:

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

First National Bank Montrose, 281 Church Street, Montrose, PA 18801, Montrose Borough, **Susquehanna County**. Geological & Environmental Associates Inc., 430 West Mountain Road, Plymouth, PA 18651, on behalf of First National Bank, 2591 Park Center Boulevard, State College, PA 16801, submitted a Notice of Intent to Remediate. Soil was contaminated by a release of petroleum from an underground storage tank. Future use of the site will be nonresidential. The Notice of Intent to Remediate was published in *The Susquehanna County Independent* on November 4, 2020.

Shields Compressor Station, 322 Hunsinger Road, Dimock, PA 18816, Dimock Township, **Susquehanna County**. Aptim Environmental & Infrastructure LLC, 500 Penn Center, Suite 1000, Pittsburgh, PA 15235, on behalf of Williams Field Services Company LLC, 10 SR29 N, Tunkhannock, PA 18657, submitted a Notice of Intent to Remediate. Soil was contaminated by a release of produced water, natural gas condensate, lubricating oil, and glycols. Future use of the site will be nonresidential. The Notice of Intent to Remediate was published in *The Susquehanna County Independent* on November 25, 2020.

Dennis Russo Property, 1417 Derhammer Street, Easton, PA 18040, Forks Township, **Northampton County**. United Environmental Services, P.O. Box 701, Schuylkill Haven, PA 17972, on behalf of Dennis Russo, 1417 Derhammer Street, Easton, PA 18040, submitted a Notice of Intent to Remediate. Soil and groundwater were contaminated by a release of heating oil from an aboveground storage tank. Future use of the site will be residential. The Notice of Intent to Remediate was published in *The Express Times* on September 16, 2020.

Northcentral Region: Environmental Cleanup and Brownfields Program Manager, 208 West Third Street, Williamsport, PA 17701.

Woolrich Mill and Treatment Plant Properties, 2 Mill Street, Woolrich, PA 17779, Pine Creek Township, **Clinton County**. Mountain Research, LLC, 825 25th Street, Altoona, PA 16601, on behalf of Woolrich Incorporated, LLC, 2 Mill Street, Woolrich, PA 17779, has submitted a Notice of Intent to Remediate concerning remediation of site soil and groundwater contaminated with volatile organic compounds. The applicant proposes to remediate the site to meet the Site-Specific Standard. A summary of the Notice of Intent to Remediate was published in *The Lock Haven Express* on October 8, 2020.

Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401.

2739-2747 North 5th Street & 2746-2754 North Orkney Streets, 2739-2747 North 5th Street & 2746-2754 North Orkney Streets, Philadelphia, PA 19133, City of Philadelphia, **Philadelphia County**. John Filoon, REPSG, Inc., 6901 Kingsessing Avenue, Suite 201, Philadelphia, PA 19142 on behalf of Maria Gonzalez, Hispanic Association of Contractors and Enterprises (HACE), 167 West Allegheny Avenue, Suite 200, Philadelphia, PA 19140 submitted a Notice of Intent to Remediate. Soil was impacted with metals and PAHs. The site is currently planned to be redeveloped for residential use. The

proposed cleanup standard for the site is Site-Specific Standard. The Notice of Intent to Remediate was published in *The Philadelphia Daily News* on September 28, 2020.

601 Spruce Street, 601 West Spruce Street, Perkasio, PA 18944, Perkasio Borough, **Bucks County**. Mark Fortna, Penn E&R, Inc., 2755 Bergey Road, Hatfield, PA 19440 on behalf of James Cassidy, 601 Spruce Street Investment Partners, LLC, 270 West Walnut Lane, Philadelphia, PA 19144 submitted a Notice of Intent to Remediate. Site soil has been found to be impacted with VOCs and inorganics. The intended future use of the property is residential. The proposed cleanup standard for the site is Site-Specific Standard/Statewide Health Standard. The Notice of Intent to Remediate was published in *The Perkasio News Herald* on September 20, 2020.

Glen Riddle Junction, 250 Martins Lane, Media, PA 19063, Middletown Township, **Delaware County**. Mark Schaeffer, Stantec Consulting Services, Inc., 1060 Andrew Drive, Suite 140, West Chester, PA 19380 on behalf of Brad Fish, Energy Transfer, 100 Green Street, Marcus Hook, PA 19061 submitted a Notice of Intent to Remediate. The site soil has been found to be contaminated with leaded gasoline. The proposed future use of the property will be non-residential for use as a petroleum pipeline transfer station. The proposed cleanup standard for the site is Statewide Health Standard. The Notice of Intent to Remediate was published in *The Philadelphia Daily News* on September 23, 2020.

(Revised) 1315 Grant Avenue, 1315 Grant Avenue, Woodlyn, PA 19094, Ridley Township, **Delaware County**. Michael Gonshor, PG, Roux Associates, Inc., 402 Heron Drive, Logan Township, NJ 08085 on behalf of Charles J. Catania, Jr., Catania Engineering Associates, Inc., 520 West MacDade Boulevard, Milmont Park, PA 19033 submitted a Notice of Intent to Remediate. Groundwater and soil at the site have been found to be contaminated with leaded gasoline. The proposed future use of this site will remain residential. The proposed cleanup standard for the site is Statewide Health Standard. The original Notice of Intent to Remediate was published in *The Delaware County Times* on March 5, 2018.

(Revised) 580 East Lancaster Avenue, 576 and 580 East Lancaster Avenue, Berwyn, PA 19312, Easttown Township, **Chester County**. Michael S. Welsh, P.E., Welsh Environmental, Inc., 131 Clearview Drive, Downingtown, PA 19335 on behalf of David Della Porta, Berwyn Owner, LLC, 775 Lancaster Avenue, Suite 210, Villanova, PA 19075 submitted a Notice of Intent to Remediate. Soil and groundwater have been contaminated with benzene, chlorobenzene and MTBE. The proposed future use is residential. The proposed cleanup standard for the site is Site-Specific Standard. The original Notice of Intent to Remediate was published in *The Daily Local News* on February 8, 2019.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department has developed an "integrated" plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its

application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities. Copies of the application, the Department's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate Department Regional Office. Appointments for scheduling a review must be made by calling the appropriate Department Regional Office. The address and phone number of the Regional Office is listed before the application notices.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the Department's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

A person wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if the Department, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when the Department determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate Department Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the Regional Office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Edward Orris, New Source Review Chief, 412.442.4168.

11-00258A: Texas Eastern Transmission LP (224 Texas Lane, Lilly, PA 15938-5703). Notice is hereby given in accordance with 25 Pa. Code §§ 127.44—127.46 that the Department of Environmental Protection (Department) intends to issue Air Quality Plan Approval 11-00258A for installation of two (2) Solar, 18,100 HP, Titan 130 natural gas-fired compressor turbines at the Lilly Compressor Station located in Cresson Township, **Cambria County**. These new turbines will replace four (4) turbines. The turbines will be built with SoLoNO_x dry low NO_x (DLN) technology for the control of NO_x and equipped with oxidation catalysts for the control of CO, VOCs, and organic hazardous air pollutants (HAPS). The facility is also replacing the current 445 bhp emergency generator (Source ID 106) with a Waukesha VGF24GL 585 hp, natural gas, emergency generator. The project will also include the installation of two (2) fuel gas heaters, each rated at 1.212 MMBtu/hr heat input, two (2) space heaters rated at 0.105 MMBtu/hr and 0.110 MMBtu/hr, three (3) separator vessels each rated less than 200 gallons used to collect pipeline liquids, one (1) 1,880 gallons pipeline liquids tank, one (1) 3,550 gallons oil tank, and one (1) 12,690 gallons oily water tank.

Potential to emit from the facility after installation of the new sources and controls will be:

Table 1: Facility Wide Potential to Emit

<i>Air Contaminant</i>	<i>Emission Rate (tpy)</i>
Nitrogen Oxides (NO _x)	52.0
Carbon Monoxide (CO)	40.0
Total Particulate Matter (PM)	10.0
Particulate Matter Less Than 10 Microns in Diameter (PM ₁₀)	10.0
Particulate Matter Less Than 2.5 Microns In Diameter (PM _{2.5})	10.0
Sulfur Oxides (SO _x)	21.0
Volatile Organic Compounds (VOC)	44.0
Hazardous Air Pollutants (HAP)	4.0
Formaldehyde (HCHO)	1.0
Carbon Dioxide Equivalents (CO _{2e})	194,500

The facility will be a State Only facility upon completion of the project. The authorization is subject to State regulations including 25 Pa. Code §§ 123.1, 123.2, 123.31, and 123.41, Federal New Source Performance Standards including 40 CFR Part 60 Subpart KKKK—Standards of Performance for Stationary Combustion Turbines and 40 CFR Part 60 Subpart JJJJ—Standards of Performance for Stationary Spark Ignition Internal Combustion Engines. This plan Approval has been conditioned to ensure compliance with all applicable rules. This includes emissions restrictions, operational restrictions, testing, monitoring, recordkeeping, reporting, and work practice requirements. The Department has determined that the proposed facility satisfies Best Available Technology ("BAT") requirements. Once compliance with the Plan

Approval is demonstrated, the applicant will be required to submit a State Only Operating Permit (SOOP) application in accordance with 25 Pa. Code Subchapter F.

The Plan Approval Application, the Department's Air Quality Review Memorandum, and the proposed Air Quality Plan Approval for this project are available for review by any interested party at the Department's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. A file review can be scheduled through the DEP's website at <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx>.

A person may oppose the proposed plan approval by filing a written protest with the Department through Melissa Jativa, Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222, mjativa@pa.gov, or fax 412.442.4194. Each protest or set of written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval (PA-11-00258A), and a concise statement of the objections to the plan approval issuance and the relevant facts upon which the objections are based.

A public hearing may be held, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone or email, where the Department determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Edward F. Orris, Environmental Engineer Manager, Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222 or by email to eorris@pa.gov.

All comments must be received prior to the close of business 30 days after the date of this publication.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, (717) 705-4862, Thomas Bianca, New Source Review Chief, (717) 705-4863, or William Weaver, Regional Air Quality Manager, (717) 705-4702.

06-05081: Delaware County Solid Waste Authority (583 Longview Road, Boyertown, PA 19512) for operation of a municipal solid waste landfill at the Rolling Hills Landfill in Earl Township, **Berks County**. The facility's actual emissions as reported for the year 2019 were estimated at 11.4 tons of CO, 11.3 tons of NO_x, 21.4 tons of PM₁₀, 3.4 tons of SO_x, and 2.3 tons of VOCs. The renewal of the Title V Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR 60, Subpart WWW—Standards of Performance for Municipal Solid Waste Landfills.

Intent to Issue Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Norman Frederick, Facility Permitting Chief, (570) 826-2409.

13-00015: Arfan, Inc., Palmerton Facility (525 Delaware Ave., Palmerton, PA 18071-1910). The Department intends to issue a renewal State-Only (Natural Minor) Permit for the human crematory facility located in the Borough of Palmerton, **Carbon County**. The primary sources consist of one (1) crematory incinerator. The control device consists of an afterburner. The source is considered a minor emission source of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), total suspended particulate (TSP) and VOC's. The proposed operating permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

40-00101: Pennsy Supply Inc., Pittston West Quarry (2400 Thea Drive, Suite 3A, Harrisburg, PA 17110). The Department intends to issue a renewal State-Only (Synthetic Minor) Permit for the operation of a drum mix asphalt plant and stone manufacturing facility in Jenkins Township, **Luzerne County**. The sources consist of feed bins, screens, belts, conveyors, and a drum mix asphalt plant with wdlf. The control devices are baghouses and a cyclone. The sources are considered minor emission sources of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), total suspended particulate (TSP), and volatile organic compounds (VOC) emissions. The proposed operating permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

40-00108: Pennsy Supply Inc., Pittston Quarry (2400 Thea Drive, Suite 3A, Harrisburg, PA 17110). The Department intends to issue a renewal State-Only (Natural Minor) Permit for the operation of crushed and broken stone mining and quarrying facility in Jenkins Township, **Luzerne County**. The sources consist of primary, secondary, and tertiary crushers, screens, and conveyors. The sources are controlled by a water spray system. The sources are considered minor emission sources of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), total suspended particulate (TSP), and volatile organic compounds (VOC) emissions. The proposed operating permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

54-00062: World Resources Company/dba WRC Proc. Inc. (170 Walnut Ln, Pottsville, PA 17901-8559). The Department intends to issue a renewal State-Only (Natural Minor) Permit for the manufacture of secondary nonferrous metals located in Norwegian Township, **Schuylkill County**. The primary sources are extraction process, thermal concentrating unit, and a fluid bed processor. The control devices are scrubbers. The sources are considered minor emission sources of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), total suspended particulate (TSP), and volatile organic compounds (VOC) emissions. The proposed operating permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeep-

ing, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

35-00072: UNIMAC-KPS (1001 Moosic Rd., Old Forge, PA 18518-2085). The Department intends to issue a renewal State-Only (Natural Minor) Permit for the manufacture of commercial printing located in Old Forge, **Lackawanna County**. The primary sources consist of four (4) flexo presses. The sources are considered minor emission sources of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), total suspended particulate (TSP), and volatile organic compounds (VOC) emissions. The proposed operating permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

52-00001: Columbia Gas Transmission/Milford Township Compressor Station (1700 MacCorkle Ave SE, Charleston, WV 25314-1518). The Department intends to issue a renewal of the State-Only (Natural) Minor operating permit for a natural gas transmission facility located in Milford Township, **Pike County**. The sources consist of compressor engines (turbines) and a generator. The sources are considered minor emission sources of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), total suspended particulate (TSP) and VOC's. The proposed operating permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

48-00001: Columbia Gas Transmission/Easton Compressor Station (1700 MacCorkle Ave SE, Charleston, WV 25314-1518). The Department intends to issue a renewal of the State-Only (Natural) Minor operating permit for a natural gas transmission facility located in Forks Township, **Northampton County**. The sources consist of reciprocating engines and turbines and a generator. The sources are considered minor emission sources of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), total suspended particulate (TSP) and VOC's. The proposed operating permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, (717) 705-4862, Thomas Bianca, New Source Review Chief, (717) 705-4863, or William Weaver, Regional Air Quality Manager, (717) 705-4702.

36-03120: Esbenschade Mills (220 Eby Chiques Road, Mount Joy, PA 17552) for an animal feed processing facility located in Rapho Township, **Lancaster County**. This is for renewal of the existing State-Only Permit. Potential emissions from the facility are estimated at 10.0 tpy of PM. Among other items, the conditions include provisions derived from 40 CFR Part 63 Subpart DDDDDDD—National Emission Standards for Hazardous Air Pollutants for Area Sources: Prepared Feeds Manufacturing and 40 CFR 63 Subpart ZZZZ—National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

19-00010: Wise Foods, Inc. (228 Raseley Street, Berwick, PA 18603) for their Wise Foods Berwick plant located in Berwick Borough, **Columbia County**. The facility is currently operating under the State Only Operating Permit 19-00010. The facility's main sources include three (3) potato chip manufacturing lines, nine (9) related snack food manufacturing lines, 71 combustion units and six (6) process ovens. The facility has potential emissions of 89.25 tons per year of nitrogen oxides, 77.60 tons per year of carbon monoxide, 54.64 tons per year of sulfur oxides, 36.96 tons per year of particulate matter, 10.60 tons per year of volatile organic compounds, and 1.15 tons per year of total hazardous air pollutants (HAPs) while burning natural gas fuel at the facility. The facility has taken synthetic minor restriction to limit the air emissions at the site. No major emission or equipment changes are being proposed by this action at the site. The emergency generators are subject to 40 CFR Part 63, Subpart ZZZZ—National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines. The emission limits, throughput limitations and work practice standards along with testing, monitoring, recordkeeping and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. These operating permit conditions have been derived from the applicable requirements of Title 25 Pa. Code Chapters 121—145, as well as 40 CFR Parts 60, 63 and 98. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-0550.

Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Thomas Joseph, Facilities Permitting Chief, 412.442.4336.

04-00218: NF & M International, Inc. (1729 Pennsylvania Avenue, Monaca, PA 15061). In accordance with 25 Pa. Code §§ 127.424 and 127.425 the Department of Environmental Protection (DEP) gives notice that they intend to issue a State Only Operating Permit (SOOP) renewal to NF & M International to authorize the continued operation of their plant located in the Monaca Borough, **Beaver County**.

NF & M International, Inc., is a producer of titanium bar and billet products for the aerospace market and a manufacturer of small-diameter precision tolerance bar and seam free coil products for aerospace fastener, automotive and medical applications. The facility consists of two 10 MMBtu/hr natural gas fired annealing furnaces, various abrasive grinders, saws, sanders, torch cutter, shot blaster, and acid pickling operation with scrubbers. There are four baghouses to control particulate emissions. This facility has the potential to emit 14.96 tons per year of NO_x, 0.06 ton per year of SO_x, 12.76 tons per year of PM₁₀, 0.03 ton per year of VOCs, 0.02 ton per year of Hydrofluoric acid, 0.044 ton per year of Nitric acid and 0.01 ton per year of Sulfuric acid.

The proposed authorization is subject to State Regulations. The emission restriction, testing, monitoring,

recordkeeping, reporting and work practice conditions of the proposed permit have been derived from the applicable requirements of 25 Pa. Code Article III, Chapters 121–145.

A person may oppose the proposed State Only Operating Permit by filing a written protest with the Department through Noor Nahar via mail to Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222. Each protest or set of written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed State Only Operating Permit (04-00218) and a concise statement of the objections to the Operating Permit issuance and the relevant facts upon which the objections are based.

NF & M International, Inc. State Only Operating Permit Application, the Department's Air Quality Review Memorandum, and the Proposed Air Quality Operating Permit for this facility are available for review by any interested party at the Pennsylvania Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. To request a review of the NF & M International, Inc. State Only Operating Permit application, to receive an electronic copy of the Department's Air Quality Review Memorandum, or to receive an electronic copy of the Department's proposed air Quality Operating Permit for this facility, a person may contact Noor Nahar at nnahar@pa.gov or 412.442.5225.

All comments must be received prior to the close of business 30 days after the date of this publication.

65-00163: PA Department of Human Services (P.O. Box 111, SR 1014, Torrance, PA 15779). In accordance with 25 Pa. Code §§ 127.441 and 127.425, the Department is providing notice that they intend to issue an initial, facility-wide, State Only Operating Permit for the continued operation of a boiler house at a hospital, known as the Torrance State Hospital, located in Derry Township, **Westmoreland County**.

The semiconductor finishing plant contains air contamination sources consist of four, 14.6 through 33.5 MMBtu/hr, natural gas and backup fuel oil-fired, steam generating boilers, fourteen, {five, LPG-fueled (112-bhp total) and nine, diesel (1,300-bhp total)} emergency engines, and # 2 fuel oil tanks. The facility was previously a Title V source, but removed its coal-fired boilers, reducing its potential emissions below major source thresholds.

Annual potential emissions are 40.2 tons of CO, 27.7 tons of NO_x, 4.1 tons of PM₁₀, 4.1 tons of PM_{2.5}, 3.4 tons of VOC, 1.2 tons of SO₂, and 0.8 ton of all HAPs combined. Sources at the Torrance State Hospital are subject to 40 CFR Part 60, Subpart A—General Provisions, and 40 CFR Part 60, Subpart Dc—Standards of Performance for Small Industrial-Commercial-Institutional Steam Generating Units. Sources are also subject to 25 Pa. Code Chapters 121–145. The permit includes emission limitations and testing, operational, monitoring, reporting, and recordkeeping requirements for the plant.

The application, the DEP's Review Memorandum, and the proposed permit are available for public review during normal business hours at DEP's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. A file review can be scheduled through the DEP's website at <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx>.

Those who wish to provide the Department with additional written information that they believe should be considered prior to the issuance of this Title V Operating Permit may submit the information to Martin L. Hochhauser, P.E., Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222. Each written comment must contain the name, address, and telephone number of the person submitting the comments, identification of the proposed Operating Permit (specify Operating Permit SOOP-65-00163) and concise statements regarding the relevancy of the information or objections to issuance of the Operating Permit.

All comments must be received prior to the close of business 30 days after the date of this publication. In accordance with 25 Pa. Code § 127.428, prior to issuing an operating permit, the Department may hold a fact-finding conference or hearing at which the petitioner, and a person who has properly filed a protest under § 127.426 (relating to filing protests) may appear and give testimony. The Department is not required to hold a conference or hearing. The applicant, the protestant and other participants will be notified of the time, place, and purpose of a conference or hearing, in writing or by publication in a newspaper or the *Pennsylvania Bulletin*, unless the Department determines that notification by telephone will be sufficient.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Matthew Williams, Facilities Permitting Chief, (814) 332-6940.

43-00304: Greenville Veterinary Clinic (409 E. Jamestown Road, Greenville, PA 16125). The Department intends to issue the renewal of the State Only Operating Permit for the animal crematory located in West Salem Township, **Mercer County**. The primary sources at the facility are a 1.5 million Btu/hr. animal cremator rated at 75 lbs/hr and a 25W natural gas fueled emergency generator. The facility is a Natural Minor. Potential emissions for all pollutants are below the major source thresholds. The renewal permit contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

Philadelphia: Air Management Services, 321 University Avenue, Philadelphia, PA 19104-4543.

Contact: Edward Wiener, Chief, Source Registration at 215-685-9426.

The City of Philadelphia, Air Management Services (AMS) intends to issue a renewal Minor State Only Operating Permit (SMOP) for the following facility:

OP20-000031: The Vanguard Group, Inc. (2000 Kubach Road, Philadelphia, PA 19116) for the operation of an office building facility in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources include four (4) 2,340 horsepower diesel emergency generators.

The operating permit will be issued under 25 Pa. Code, Philadelphia Code Title 3 and Air Management Regulation XIII. Permit copies and other supporting information are available for public inspection at AMS, 321 University Avenue, Philadelphia, PA 19104. For further information, contact Edward Wiener at (215) 685-9426.

Persons wishing to file protest, comments, or request a public hearing on the previously listed operating permit must submit the protest, comments, or public hearing request within 30 days from the date of this notice. Any

protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating permit or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a local newspaper at least thirty days before the hearing.

PLAN APPROVALS

Receipt of Plan Approval Applications and Intent to Issue Plan Approvals, and Intent to Issue Amended Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B and Subchapter F. These actions may include the administrative amendments of an associated operating permit.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Norman Frederick, Facility Permitting Chief, (570) 826-2409.

40-00143A: Notice is hereby given in accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a), that the Department of Environmental Protection (DEP) has received and intends to issue a Plan Approval to **Bekaert Corporation** (165 New Commerce Blvd., Wilkes-Barre, PA 18706) for installation of a steel wire drawing process with fabric collector to remove soap dust at their manufacturing facility to be located in Hanover Township, **Luzerne County**.

The Department of Environmental Protection's (Department) review of the information submitted by Bekaert Corporation indicates that the wire drawing process to be constructed will comply with all regulatory requirements pertaining to air contamination source and the emission of air contaminants including 25 Pa. Code § 123.41 for visible emissions and the best available technology requirement (BAT) of 25 Pa. Code §§ 127.1 and 127.12. Proposed fabric collector will collect 99% of particulate emissions generated from the steel wire drawing process operations before discharging into atmosphere. The use of baghouse capable of removing 99% of emissions meets Department's BAT criteria for this type of process. The company will operate the sources and maintain the system in accordance with the good engineering practices to assure proper operation of the system. The Plan Approval and Operating permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

The facility is a State Only facility. If the Department determines that the process is constructed and operated in compliance with the plan approval conditions and the specification of the application for Plan Approval 40-00143A, the requirements established in the plan approval will be incorporated into State Only Operating Permit 40-000143 pursuant to the administrative amendment provisions of 25 Pa. Code § 127.450.

All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northeast Regional Office, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915. Appointments for scheduling a review must be made by calling 570-826-2511.

Any person(s) wishing to provide DEP with additional information, which they believe should be considered

prior to the issuance of this permit, may submit the information to the address shown in the preceding paragraph. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit No. 40-00143A and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Ray Kempa, Environmental Engineer Manager, New Source Review Section, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, Phone 570-826-2511 within 30 days after publication date.

COAL & NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection. A copy of the application is available for inspection at the District Mining Office indicated above each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the address of the District Mining Office indicated above each application within 30-days of this publication, or within 30-days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences).

Written comments or objections related to a mining permit application should contain the name, address and telephone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

Requests for an informal conference, or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 (relating to public hearing-informal conferences) or § 86.34 (relating to in-

formal conferences), must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Where a National Pollutant Discharge Elimination System (NPDES) number is listed, the mining activity

permit application was accompanied by an application for an individual NPDES permit. A separate notice will be provided after the draft NPDES permit is prepared.

Coal Applications Received

Effluent Limits—The following range of effluent limits will apply to NPDES permits issued in conjunction with the associated coal mining activity permit and, in some cases, noncoal mining permits:

Table 1

Parameter	30-Day Average	Daily Maximum	Instantaneous Maximum
Iron (total)	1.5 to 3.0 mg/l	3.0 to 6.0 mg/l	3.5 to 7.0 mg/l
Manganese (total)	1.0 to 2.0 mg/l	2.0 to 4.0 mg/l	2.5 to 5.0 mg/l
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Aluminum (Total)	0.75 to 2.0 mg/l	1.5 to 4.0 mg/l	2.0 to 5.0 mg/l
pH ¹		greater than 6.0; less than 9.0	
Alkalinity greater than acidity ¹			

¹ The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; and mined areas backfilled and revegetated; and drainage (resulting from a precipitation event of less than or equal to a 1-year 24-hour event) from coal refuse disposal piles.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200, (Contact: Ashley Smith).

Permit No. 17850127. King Coal Sales, Inc., P.O. Box 712, Philipsburg, PA 16866. Permit renewal for reclamation only of a bituminous surface and auger mine located in Morris Township, **Clearfield County** affecting 233.0 acres. Receiving stream(s): Alder Run classified for the following use(s): CWF. There are no potable water supply intakes within 10 miles downstream. Application received: November 20, 2020.

Permit No. 17070106 and NPDES PA0256528. Junior Coal Contracting, Inc., 2330 Six Mile Road, Philipsburg, PA 16866. Permit renewal for continued operation and restoration of a bituminous surface and auger coal mine located in Decatur Township, **Clearfield County** affecting 245.6 acres. Receiving stream(s): Unnamed Tributary to Big Run and Big Run classified for the following use(s): CWF. There are no potable water supply intakes within 10 miles downstream. Application received: November 20, 2020.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118, (Contact: Theresa Reilly-Flannery).

Permit No. 54930102C3 and NPDES Permit No. PA0223492. Rausch Creek Coal Mining Good Spring, LLC, 978 Gap Street, Valley View, PA 17983, correction to an existing anthracite surface mine operation to add 5.0 acres for a total of 564.3 acres in Porter Township, **Schuylkill County**. Receiving stream: East Branch Rausch Creek, classified for the following use: cold water fishes. Application received: October 8, 2020.

Permit No. 54803203R6 and NPDES Permit No. PA0123862. Rausch Creek Fuel, Inc., 978 Gap Street, Valley View, PA 17983, renewal of an existing anthracite coal refuse reprocessing operation in Hegins Township, **Schuylkill County** affecting 76.0 acres. Receiving stream: East Branch Rausch Creek, classified for the following use: cold water fishes. Application received: October 19, 2020.

Noncoal Applications Received

Effluent Limits—The following effluent limits will apply to NPDES permits issued in conjunction with a noncoal mining permit:

Table 2

Parameter	30-day Average	Daily Maximum	Instantaneous Maximum
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity exceeding acidity* pH*		greater than 6.0; less than 9.0	

* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900, (Contact: Melanie Ford-Wigfield).

Permit No. 34200801, Dryhouse Stoneworks, 30 Walnut Grove Lane, Belleville, PA 17004, commencement, operation, and restoration of a small noncoal (industrial minerals) operation in Beale Township, **Juniata County**, affecting 5.0 acres, receiving stream(s): unnamed tributary to Doyle Run. Application received: December 1, 2020.

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191, (Contact: Cayleigh Boniger).

Permit No. 25100303. McDonald Sand & Gravel, Inc., 11425 Neiger Road, Girard, PA 16417, renewal of existing NPDES Permit No. PA0258997 in Springfield Township, **Erie County**. Receiving stream(s): Unnamed tributary to Crooked Creek, classified for the following use(s): HQ-CWF. There are no potable surface water supply intakes within 10 miles downstream. Application received: November 16, 2020.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118, (Contact: Theresa Reilly-Flannery).

Permit No. 7475SM4C11 and NPDES Permit No. PA0121592. Lehigh Cement Co., LLC, 7600 Imperial Way, Allentown, PA 18195, correction to increase the discharge rate of Point 001 from 0.59 MGD to 2.63 MGS on an existing NPDES permit for discharge of treated mine drainage from a quarry operation in Upper and Lower Nazareth Townships, **Northampton County** affecting 255.0 acres. Receiving stream: tributary 03394 to East Branch Monocacy Creek. Application received: October 19, 2020.

Permit No. 58070854. Michael E. Stanton, 109 Terrytown Road, Wyalusing, PA 18853, Stage I & I bond release of a quarry operation in Rush Township, **Susquehanna County** affecting 2.0 acres on land owned by Michael E. Stanton. Application received: November 9, 2020.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	
Alkalinity greater than acidity*			

*The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The limits for noncoal mining activities as provided in 25 Pa. Code Chapter 77 are pH 6 to 9 and other parameters the Department may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters in this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 563-2112-115, Developing National Pollutant Discharge Elimination System (NPDES) Permits for Mining Activities. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit within 30-days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30-days of this public notice and contain the name, address, telephone number and the interest of the party filing the request and state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES permit application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. When a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

Coal NPDES Draft Permits

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472.1900.

NPDES No. PA0213136 (Mining Permit No. 56950105) Marquise Mining Corp., P.O. Box 338, Blairsville, PA 15717, permit renewal for reclamation only of a bituminous surface mine in Stonycreek Township, **Somerset County** affecting 245 acres. Receiving streams: unnamed tributaries to Wells Creek and unnamed tributaries to the Stonycreek River classified for following use: cold water fishes. Application received: November 17, 2020.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The following outfall discharges to: unnamed tributaries to Wells Creek and unnamed tributaries to the Stonycreek River.

Outfalls: (All Weather Conditions) Parameter	Outfall Nos.	New Outfall (Y/N)	
	005	N	
	30-Day Average	Daily Maximum	Instant. Maximum
Iron (mg/l)	1.5	3.0	3.7
Manganese (mg/l)	1.0	2.0	2.5
Aluminum (mg/l)	.75	1.5	1.8
Total Suspended Solids (mg/l)	35.0	70.0	90.0
Osmotic Pressure (milliosmoles/kg)	50.0	50.0	50.0

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342.8200.

NPDES No. PA0243515 (Mining Permit No. 17030109), **Tamberlin Brothers Coal Company**, P.O. Box 1419, Clearfield, PA 16830 renewal of an NPDES permit for a surface coal mine in Huston Township, **Clearfield County**, affecting 75.2 acres. Receiving stream(s): Grapevine Run and Heath Run, classified for the following use(s): CWF. The receiving streams are included in the Bennett Branch Sinnemahoning Creek Watershed TMDL. Application received: June 22, 2020.

The following outfalls discharge to Grape Run:

Outfall Nos.	New Outfall (Y/N)	Type
001	N	Treatment (TF-F)
002	N	Treatment (TF-G)
003	N	Treatment (TF-H)
004	N	Treatment (TF-I)
006	N	Sedimentation (SP-A)
007	N	Sedimentation (SP-C)

The following outfalls discharge to Heath Run:

Outfall Nos.	New Outfall (Y/N)	Type
008	N	Sedimentation (SP-D)
009	N	Sedimentation (SP-E)

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Outfall(s): 001—004 (All Weather Conditions)</i> <i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/l)	3.0	6.0	7.0
Manganese (mg/l)	2.0	4.0	5.0
Aluminum (mg/l)	2.0	4.0	5.0
Total Suspended Solids (mg/l)	35.0	70.0	90.0
Sulfate (mg/L)			Monitor & Report
Flow (gpm)			Monitor & Report
Temperature (°C)			Monitor & Report
Specific Conductivity (µmhos/cm)			Monitor & Report

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.

Alkalinity must exceed acidity at all times.

<i>Outfalls: 006—009 (Dry Weather Conditions)</i> <i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/l)	3.0	6.0	7.0
Manganese (mg/l)	2.0	4.0	5.0
Aluminum (mg/l)			Monitor & Report
Total Suspended Solids (mg/l)	35.0	70.0	90.0
Sulfate (mg/L)			Monitor & Report
Flow (gpm)			Monitor & Report
Temperature (°C)			Monitor & Report
Specific Conductivity (µmhos/cm)			Monitor & Report

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.

Alkalinity must exceed acidity at all times.

<i>Outfalls: 006—009 (≤10-yr/24-hr Precip. Event)</i> <i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/l)	N/A	N/A	7.0
Total Settleable Solids (ml/l)	N/A	N/A	0.5
Sulfate (mg/L)			Monitor & Report
Flow (gpm)			Monitor & Report
Temperature (°C)			Monitor & Report
Specific Conductivity (µmhos/cm)			Monitor & Report

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.

Alkalinity must exceed acidity at all times.

Outfalls: 006—009 (>10-yr/24-hr Precip. Event)

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.

Alkalinity must exceed acidity at all times.

NPDES No. PA0243477 (Mining Permit No. 17030106), Waroquier Coal Company, P.O. Box 128, Clearfield, PA 16830, permit renewal of an NPDES permit for a coal surface mine in Beccaria Township, **Clearfield County**, affecting 244.0 acres. Receiving stream(s): Unnamed tributary to/and Dotts Hollow, classified for the following use(s): Cold Water Fishes (CWF). Application received: September 4, 2020.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The following outfalls discharge to an unnamed tributary to/and Dotts Hollow:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>	<i>Type</i>
001 (F)	N	Treatment
002 (G)	N	Treatment
003 (H)	N	Treatment
004 (I)	N	Treatment
005 (J)	N	Treatment
006 (A)	N	Sediment
007 (B)	N	Sediment
008 (C)	N	Sediment
009 (D)	N	Sediment
010 (E)	N	Sediment

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Outfalls: 001 and 003—005 (All Discharges)</i> <i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/l)	3.0	6.0	7.0
Manganese (mg/l)	2.0	4.0	5.0
Aluminum (mg/l)	2.0	4.0	5.0
Total Suspended Solids (mg/l)	35.0	70.0	90.0

<i>Outfalls: 001 and 003—005 (All Discharges)</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Sulfate (mg/L)		Monitor & Report	
Flow (gpm)		Monitor & Report	
Temperature (°C)		Monitor & Report	
Specific Conductivity (µmhos/cm)		Monitor & Report	

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.
Alkalinity must exceed acidity at all times.

<i>Outfalls: 005, 006 and 008—010 (Dry Weather)</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Iron (mg/l)	3.0	6.0	7.0
Manganese (mg/l)	2.0	4.0	5.0
Total Suspended Solids (mg/l)	35.0	70.0	90.0
Aluminum (mg/l)		Monitor & Report	
Sulfate (mg/L)		Monitor & Report	
Flow (gpm)		Monitor & Report	
Temperature (°C)		Monitor & Report	
Specific Conductivity (µmhos/cm)		Monitor & Report	

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.
Alkalinity must exceed acidity at all times.

<i>Outfalls: 005, 006 and 008—010 (≤10-yr/24-hr Precip. Event)</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Iron (mg/l)	N/A	N/A	7.0
Total Settleable Solids (ml/l)	N/A	N/A	0.5
Sulfate (mg/L)		Monitor & Report	
Flow (gpm)		Monitor & Report	
Temperature (°C)		Monitor & Report	
Specific Conductivity (µmhos/cm)		Monitor & Report	

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.
Alkalinity must exceed acidity at all times.

Outfalls: 005, 006 and 008—010 (>10-yr/24-hr Precip. Event)
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.
Alkalinity must exceed acidity at all times.

<i>Outfalls: 002, 007 (All Discharges)</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Iron (mg/l)	3.0	6.0	7.0
Manganese (mg/l)	2.0	4.0	5.0
Aluminum (mg/l)	1.4	2.8	3.5
Total Suspended Solids (mg/l)	35.0	70.0	90.0
Sulfate (mg/L)		Monitor & Report	
Flow (gpm)		Monitor & Report	
Temperature (°C)		Monitor & Report	
Specific Conductivity (µmhos/cm)		Monitor & Report	

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.
Alkalinity must exceed acidity at all times.

NPDES No. PA0215694 (Mining Permit No. 17851501), RES Coal LLC, 51 Airport Road, Clearfield, PA 16830 renewal of an NPDES permit for a coal preparation facility and tipple in Boggs Township, **Clearfield County** affecting 50.4 acres. Receiving stream(s): Clearfield Creek and Long Run, classified for the following use(s): WWF and CWF, respectively. The receiving streams are included in the Clearfield Creek Watershed TMDL. Application received: July 24, 2020.

The following outfalls discharge to Clearfield Creek:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>	<i>Type</i>
001	N	Treatment (SB-3)
005	N	Sedimentation (SB-4)

The following outfalls discharge to Long Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>	<i>Type</i>
004	N	Sedimentation (ST-3)
006	N	Sedimentation (SB-5)

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Outfall(s): 001 and 005 (All Weather Conditions)</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Iron (mg/l)	1.5	3.0	3.7

<i>Outfall(s): 001 and 005 (All Weather Conditions)</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Manganese (mg/l)	1.0	2.0	2.5
Aluminum (mg/l)	0.75	0.75	0.75
Total Suspended Solids (mg/l)	35.0	70.0	90.0
Sulfate (mg/L)			Monitor & Report
Flow (gpm)			Monitor & Report
Temperature (°C)			Monitor & Report
Specific Conductivity (µmhos/cm)			Monitor & Report
Osmotic Pressure			Monitor & Report
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Outfall(s): 004 and 006 (All Weather Conditions)</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Iron (mg/l)	3.0	6.0	7.0
Manganese (mg/l)	1.0	2.0	2.5
Aluminum (mg/l)	0.75	0.75	0.75
Total Suspended Solids (mg/l)	35.0	70.0	90.0
Sulfate (mg/L)			Monitor & Report
Flow (gpm)			Monitor & Report
Temperature (°C)			Monitor & Report
Specific Conductivity (µmhos/cm)			Monitor & Report
Osmotic Pressure			Monitor & Report
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

Noncoal NPDES Draft Permits

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2522, (570) 621.3118.

NPDES Permit No. PA0013731. Gill Quarries, Inc. (P.O. Box 187, Fairview Village, PA 19409), renewal of NPDES Permit on Surface Mine Permit No. 8073SM5 in East Norriton Township, **Montgomery County** affecting 38.31 acres. Receiving stream: unnamed tributary to Stony Creek to Schuylkill River Watershed classified for the following uses: trout stocking, migratory and warm water fishes. The first downstream potable water supply intake from the point of discharge is at Norristown on the Schuylkill River. The Department has made a tentative determination to impose effluent limitations, within the ranges specified in Table 1. Application received: February 3, 2020.

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>	<i>Type</i>		
001	No	Stormwater		
SP02	No	Groundwater/Stormwater		
<i>Outfalls:</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>	
<i>Parameter</i>	<i>Minimum</i>			
pH ¹ (S.U.)	6.0		9.0	
Total Alkalinity (as CaCO ₃) (mg/L)			Monitor And Report	
Total Acidity (as CaCO ₃) (mg/L)			Monitor And Report	
Net Alkalinity (mg/L)	0.0			
Total Suspended Solids (mg/L)	35.0	70.0	90.0	
Discharge (MGD) SP0 ₂	0.5	0.5		
Total Dissolved Solids (mg/L)			Monitor And Report	
Sulfates (mg/L)			Monitor And Report	
Chloride (mg/L)			Monitor And Report	
Oil and Grease (mg/L)			Monitor And Report	
Turbidity (NTU) Outfall SP0 ₂	40.0	80.0	100.0	

¹ This Parameter is applicable at all times.

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341), requires the State to certify that the involved projects will not violate the applicable provisions of Sections 301—303, 306 and 307 of the

FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), as well as relevant State requirements. Persons objecting to approval of a request for certification under Section 401 or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit, or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30-days of the date of this notice, as well as any questions to the office noted above the application. Comments should contain the name, address and telephone number of the person commenting,

identification of the certification request to which the comments or objections are addressed, and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between the hours of 8:00 AM and 4:00 PM on each working day at the office noted above the application.

If you are a person with a disability and wish to attend the hearing and you require an auxiliary aid, service or other accommodation to participate in the proceedings, please contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Applications Received Under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification Under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401, Telephone 484-250-5160, E-mail: ra-epww-sero@pa.gov.

Permit No. E4601220-042, PECO Energy Company, 2301 Market Street, N3-3, Philadelphia, PA 19103, Lower Merion Township, **Montgomery County**, ACOE Philadelphia District.

To construct and maintain approximately 295 LF of a 24-inch diameter steel gas main along Righters Mill Road. An approximately 90 LF section of a 24-inch diameter steel gas main will be installed via jack and bore beneath the Mill Creek (TSF-MF) within a 30-inch diameter steel casing associated with the damaged 16-inch gas line. An emergency permit (EP4620027) was authorized for the installation of a 12-inch diameter temporary bypass steel gas main, and the cut and capping of the existing 16-inch, leaking gas main. The area is within the National Register listed Mill Creek Historic District.

The site is located at 30 Righters Mill Road (Norristown, PA USGS Quadrangle, Latitude: 40.031434; Longitude: -75.269531) in Lower Merion Township, Montgomery County.

Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

E3902220-031. West Hills (Hillwood) Partners, LP, 5050 W. Tilghman Street, Suite 435, Allentown, PA 18104, in Weisenberg Township, **Lehigh County**, U.S. Army Corps of Engineers, Philadelphia District.

To construct and maintain a stream restoration project with dam removal in a 517-foot reach of a UNT to Lyon Creek (HQ-CWF, MF) using natural stream channel design techniques to create a natural stream corridor. Work will include re-grading of the channel, re-grading floodplain, establishment of riparian buffers, and the placement of in-stream structures including random boulder

placement, rock cross vanes, live stake plantings and constructed riffles. The project is located on the right of Seipstown Road approximately 0.2 mile after the intersection with Golden Key Road (Topton, PA Quadrangle Latitude: 40° 35' 12" Longitude: -75° 42' 18") in the Weisenberg Township, Lehigh County.

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

E3603220-028. Ephrata Township, 265 Akron Road, Ephrata, PA 17522, Ephrata Township, **Lancaster County**, U.S. Army Corps of Engineers Baltimore District.

To install and maintain 1.) 25 boulder deflectors in Cocalico Creek (WWF, MF); 2.) 3 muddills totaling 105 feet in length in Cocalico Creek (WWF, MF); 3.) construct and maintain 643 feet of boulder wall in Cocalico Creek (WWF, MF); 4.) excavate and maintain 2 floodplain benches in the floodway of Cocalico Creek (WWF, MF) permanently impacting 0.61 acre of floodway; 5.) construct and maintain a 17.0-foot long by 10.0-foot wide fishing pier in Cocalico Creek (WWF, MF); 6.) install and maintain an 8.0-foot long by 16.0-foot wide boat launch in Cocalico Creek (WWF, MF); 7.) grade and maintain a trail and parking lot in the floodway of Cocalico Creek (WWF, MF) permanently impacting 0.80 acre of floodway; and 8.) construct and maintain a rain garden in the floodway of Cocalico Creek (WWF, MF), impacting 0.002 acre of floodway, for the purposes of restoring Cocalico Creek and increasing recreational opportunities for the public. The project is located approximately 500 feet southwest of the intersection of W. Mohlers Church Road and E. Trout Run Road (Latitude: 401917° N; Longitude: 76.1691°W) in Ephrata Township, Lancaster County. No wetlands will be impacted by this project.

Southwest Region: Dana Drake, Waterways and Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E1105120-025, PennDOT District 9-0, 1620 North Juniata Street, Hollidaysburg, PA 16648, Reade Township, **Cambria County**; Baltimore ACOE District.

The applicant is proposing to:

Remove an existing, single span, slab bridge, having a normal clear span of 16.2', minimum underclearance of 4.22', and clear roadway width of 23'.

Construct and maintain a replacement, single cell, precast box culvert with end sections, having a normal clear span of 18', a minimum underclearance 4', and clear roadway width of 39'.

For the purpose of replacing a deficient structure. The project will have a permanent impact of 85 LF, and temporary impact of 137 LF to Sandy Run (HQ-CWF) (MF). The project will also have a total, permanent impact of 0.061 acre, and total, temporary impact of 0.160 acre, to four PEM wetlands.

The project site is located along Glendale Valley Boulevard, between Van Ormer Road and State Park Road (Blandburg, PA USGS topographic quadrangle; N: 40°, 39', 59.3366"; W: -78°, 29', 36.9435"; Sub-basin 08C; USACE Baltimore District), in Reade Township, Cambria County.

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT
FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and NOIs for coverage under General Permits. This notice of final action is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Wastes; Discharges to Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

Sections I—VI contain actions regarding industrial, animal or sewage wastes discharges, discharges to groundwater, and discharges associated with MS4, stormwater associated with construction activities and CAFOs. Section VII contains notices for parties who have submitted NOIs for Coverage under General NPDES Permits. The approval for coverage under these General NPDES Permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions in each General Permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions in the respective permit. The permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions.

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401, Phone: 484.250.5970.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0244538 (Industrial)	Buckmans, Inc. 105 Airport Road Pottstown, PA 19464-3438	Montgomery County Limerick Township	Possum Hollow Run (WWF, MF) 3-D	Y
PA0056642 (Storm Water)	Meenan Oil Company 8301 Lansdowne Avenue Upper Darby, PA 19082-5408	Delaware County Upper Darby Township	Naylor's Run (WWF, MF) (3-G)	Y
PA0058921 (Storm Water)	JDM Materials Upper Southampton Plant 851 County Line Road Huntingdon Valley, PA 19006-1111	Bucks County Upper Southampton Township	Unnamed Tributary to Southampton Creek (TSF, MF) (3-J)	Y
PA0058971 (Storm Water)	Langhorne Plant 851 County Line Road Huntingdon Valley, PA 19006-1111	Bucks County Middletown Township	Mill Creek (WWF) (2-E)	Y

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Email: RA-EPNPDES_NERO@pa.gov.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N</i>
PA0031267 (Sewage)	Hegins-Hubley Elementary School 110 West Main Street Valley View, PA 17983-9423	Schuylkill County Hegins Township	Pine Creek (CWF, MF) (6-C)	Y
PA0061662 (Sewage)	Arrowhead Sewer 961 Arrowhead Drive Pocono Lake, PA 18347-7856	Monroe County Coolbaugh Township	Lehigh River (HQ-CWF) (2-A)	Y

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, Email: RA-EPNPDES_SCRO@pa.gov.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N</i>
PA0085570 (Industrial)	Millersburg Borough Water System 101 West Street Millersburg, PA 17061-1363	Dauphin County Upper Paxton Township	Wiconisco Creek (WWF) Watershed(s) 6-C	Y
PA0009326 (Industrial)	Motts Juice Proc Plant Aspers 45 Aspers North Road Aspers, PA 17304-9486	Adams County Menallen Township	Opossum Creek (TSF) Watershed(s) 7-F	N
PA0082201 A-1 (Sewage)	The York Water Co. 130 East Market Street York, PA 17401-1219	Franklin County Letterkenny Township	Conodoguinet Creek (WWF) Watershed(s) 7-B	Y
PA0267139 (Sewage)	Lapp Valley Farms Development 245 Mentzer Road New Holland, PA 17557-9507	Lancaster County Leacock Township	Unnamed Tributary to Pequea Creek (CWF, MF) Watershed(s)7-K	Y
PA0086894 A-1 (Sewage)	Country View Manor Community, LLC P.O. Box 66 East Berlin, PA 17316-0066	York County Washington Township	Unnamed Tributary to Red Run in Watershed(s) 7-F	Y

Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Email: RA-EPNPDES_SWRO@pa.gov.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N</i>
PA0216721 (Sewage)	Meerhoff Sf STP 1118 Old Route 31 Mount Pleasant, PA 15666-8867	Westmoreland County Mount Pleasant Township	Unnamed tributary to Jacobs Creek (WWF) (18-E)	Y

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0239160 (Sewage)	McCalmont Township WWTP P.O. Box 255 127 Firehouse Lane Anita, PA 15711-0255	Jefferson County McCalmont Township	Elk Run (CWF) (17-D)	Y
PAS228302 (Storm Water)	Northwest Hardwoods Endeavor Facility 17403 PA Route 666 Endeavor, PA 16322	Forest County Hickory Township	East Hickory Creek (HQ-CWF) (16-F)	Y

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions.

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

NPDES Permit No. PA0244775, Industrial, **PA American Water Co.**, 852 Wesley Drive, Mechanicsburg, PA 17055-4436.

This existing facility is located in Norristown Borough, **Montgomery County**.

Description of Existing Action/Activity: Issuance of an NPDES Permit for an existing discharge of treated industrial.

Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Email: RA-EPNPDES_SWRO@pa.gov.

NPDES Permit No. PA0255734, Sewage, SIC Code 8800, **Lost Warrior Bison Ranch Ltd**, 222 Longsite Drive # 43, Uniontown, PA 15401.

This proposed facility is located in East Huntingdon Township, **Westmoreland County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated sewage.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

NPDES Permit No. PA0288772, Sewage, SIC Code 8800, **Calvary Baptist Church Independent of Center Road**, P.O. Box 175, Linesville, PA 16424-0175.

This proposed facility is located in Conneaut Township, **Crawford County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated sewage.

NPDES Permit No. PA0288624, Sewage, SIC Code 5411, **Route 36 LLC**, 530 Spring Avenue, Dubois, PA 15801-1554.

This proposed facility is located in Washington Township, **Clarion County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated sewage.

NPDES Permit No. PA0288667, Sewage, SIC Code 8800, **Braden Shaffer**, 2550 Quance Road, McKean, PA 16426-2130.

This proposed facility is located in McKean Township, **Erie County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated sewage.

NPDES Permit No. PA0288721, Sewage, SIC Code 8800, **Amanda Ritchey**, 478 Huntley Road, Bear Lake, PA 16402-3710.

This proposed facility is located in Freehold Township, **Warren County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated sewage.

III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law.

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401, 484.250.5900.

WQM Permit No. 0920405, Sewage, **David Aichenbaum**, 135 Valley Park Road, Phoenixville, PA 19460.

This proposed facility is located in Schuylkill Township, **Chester County**.

Description of Proposed Action/Activity: Single family residence STP on 2.63 acres bisected by a stream.

WQM Permit No. 1520407, Sewage, **West Chester Borough Chester County**, Goose Creek Wastewater Treatment Plant, West Chester, PA 19382.

This proposed facility is located in East Bradford Township, **Chester County**.

Description of Proposed Action/Activity: Installation of 3 new tertiary disk filters, a filter feed pump station a wet well and a filter effluent chamber.

Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, Email: RA-EPNPDES_SCRO@pa.gov.

WQM Permit No. WQG02222003, Sewage, SIC Code 4952, **Lower Swatara Township Municipal Authority Dauphin County**, 1499 Spring Garden Drive, Middletown, PA 17057-3271.

This proposed facility is located in Lower Swatara Township, **Dauphin County**.

Description of Proposed Action/Activity: To construct a low-pressure sewer to extend sewer services to a proposed Wilsbach Distribution facility located on 1977 Oberlin Road in Lower Swatara Township.

WQM Permit No. 0695404 A-3, Sewage, SIC Code 4952, **Bally Borough**, 425 Chestnut Street, Bally, PA 19503-9614.

This facility is located in Bally Borough, **Berks County**.

Description of Proposed Action/Activity:

This amendment approves the modification of sewage facilities consisting of:

The installation of two Blue-White Industries FlexFlo peristaltic metering pumps on top of Gemini2 storage tanks and associated piping for the purpose of converting the existing gas chlorine disinfection system to a liquid gas chlorine disinfection system.

WQM Permit No. 2895401 T-1, Sewage, SIC Code 4952, **The York Water Co.**, 130 East Market Street, York, PA 17401-1219.

This facility is located in Letterkenny Township, **Franklin County**.

Description of Proposed Action/Activity:

This (permit/transfer) approves the (operation/transfer) of sewage facilities consisting of:

A pretreatment comminutor, aerated equalization tank, extended activated sludge trains (2), clarifiers and UV disinfection.

WQM Permit No. 3620402, Sewage, SIC Code 0241, **Old Rd Realty LLC**, 245 Mentzer Road, New Holland, PA 17557-9507.

This proposed facility is located in Leacock Township, **Lancaster County**.

Description of Proposed Action/Activity: Construction of a small flow treatment facility for sewage.

WQM Permit No. 3617202 A-1, CAFO, SIC Code 0241, **Carl G & John G Myer**, 292 Elm Road, Lititz, PA 17543-9450.

This existing facility is located in Penn Township, **Lancaster County**.

Description of Proposed Action/Activity:

Walnut Run Farms CAFO is an existing dairy operation based in Penn Township, Lancaster County. The operation holds a PAG-12 permit (NPDES Permit No. PAG123790) including 830 Mature Dairy Cows, 260 Dairy Heifers, and 200 Dairy Calves totaling 1,380.36 AEUs on 1,161.6 spreadable acres with an animal density of 1.18 AEU/Acre. Walnut Run Farms currently holds a WQM permit (No. 3617202) and submitted an application for a WQM permit modification for its proposed circular concrete manure storage structure.

Walnut Run Farms is proposing to build a second Circular Concrete Manure Storage Structure in the crop field south of the Existing Circular Storage # 1. The proposed Circular Concrete Structure # 2 has been sized to provide additional manure storage volume for the dairy operation, as current manure storage facilities on the farm provide less than six months of storage duration. The total operational volume with the addition of the proposed storage will be 3.45 MG.

WQM Permit No. 6796405, Sewage, SIC Code 4952, **Country View Manor Community, LLC**, P.O. Box 66, East Berlin, PA 17316-0066.

This proposed facility is located in Washington Township, **York County**.

Description of Proposed Action/Activity:

This transfer approves the transfer of sewage facilities consisting of:

Equalization, aeration, clarification, chlorination, dechlorination, flow metering, post aeration, and sludge handling units. The facility was designed to serve 20 existing mobile homes and 30 more anticipated connections.

Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Email: RA-EPNPDES_SWRO@pa.gov.

WQM Permit No. 6371403 A-1, Sewage, SIC Code 8249, **Western Area Career & Technology Center**, 688 Western Avenue, Canonsburg, PA 15317-1477.

This existing facility is located in Chartiers Township, **Washington County**.

Description of Proposed Action/Activity: Construction and operation of a new 500-gallon chlorine contact tank with a tablet chlorinator and a tablet dechlorinator and the addition of post-aeration to the existing sewage treatment plant.

WQM Permit No. 0420401, Sewage, SIC Code 4952, **Center Township Sanitary Authority**, 224 Center Grange Road, Aliquippa, PA 15001-1421.

This proposed facility is located in Center Township, **Beaver County**.

Description of Proposed Action/Activity: expansion and upgrade of the Upper Moon Run interceptor.

WQM Permit No. WQG02042001, Sewage, SIC Code 4952, **Bradys Run Sanitary Authority**, 2326 Darlington Road, Beaver Falls, PA 15010-1357.

This proposed facility is located in Chippewa Township, **Beaver County**.

Description of Proposed Action/Activity: construction of sewers and pump station for the Chippewa Trails subdivision.

WQM Permit No. 6520403, Sewage, SIC Code 8800, **Lost Warrior Bison Ranch Ltd**, 222 Longsite Drive # 43, Uniontown, PA 15401.

This proposed facility is located in East Huntingdon Township, **Westmoreland County**.

Description of Proposed Action/Activity: Installation of a Singulair Bio-Kinetic Model 960-500 treatment tank utilizing extended aeration process, Hydro-Kinetic Bio-Film Reactor, and Model at 1,500 UV disinfection system. The Singulair treatment tank consists of flow equalization, pretreatment, aeration, clarification, and tertiary filtration.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. WQG01202001, Sewage, SIC Code 8800, **Calvary Baptist Church Independent of Center Road**, P.O. Box 175, Linesville, PA 16424-0175.

This proposed facility is located in Conneaut Township, **Crawford County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

WQM Permit No. 1620405, Sewage, SIC Code 5411, **Route 36 LLC**, 530 Spring Avenue, Dubois, PA 15801-1554.

This proposed facility is located in Washington Township, **Clarion County**.

Description of Proposed Action/Activity: Small Flow Treatment Facility.

WQM Permit No. 2520418, Sewage, SIC Code 8800, **Braden Shaffer**, 2550 Quance Road, McKean, PA 16426-2130.

This proposed facility is located in McKean Township, **Erie County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

WQM Permit No. 6220406, Sewage, SIC Code 8800, **Amanda Ritchey**, 478 Huntley Road, Bear Lake, PA 16402-3710.

This proposed facility is located in Freehold Township, **Warren County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

IV. NPDES Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4) Individual Permits Issued.

Northwest Regional Office: Regional Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, Telephone: 814.332.6942.

<i>NPDES Permit No.</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>Receiving Water(s)/Use(s)</i>	<i>TMDL Plan Submitted (Y/N)</i>	<i>Pollutant Reduction Plan Submitted (Y/N)</i>
PAI138301	Millcreek Township Erie County 3608 W 26th Street Erie, PA 16506-2059	Millcreek Township Erie County	Unnamed Stream (CWF, MF) and Walnut Creek (CWF, MF)/CWF and MF	N	Y

VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions.

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD480121 Issued	Sullivan Trail LLC 642 Washington Avenue Haddonfield, NJ 08033	Northampton County	Forks Township	Bushkill Creek (HQ-CWF, MF)

Southcentral Region: Waterways & Wetlands Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110 (717) 705-4802.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD060043 Issued	Gateway West Housing Associates, LP 726 Yorklyn Road Suite 150 Hockessin, DE 19707	Berks County	City of Reading	Schuylkill River (WWF, MF)
PAD010008 Issued	E. Frank Buck Jr. and Loni Z. Buck 2080 Mummasburg Road Gettysburg, PA 17325	Adams County	Franklin Township	UNT Marsh Creek (CWF, MF) UNT Mummasburg Run (CWF, MF) Wetlands EV wetlands

VII. Approvals to Use NPDES and/or Other General Permits.

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types.

PAG-01	General Permit for Discharges for Stormwater Discharges Associated with Small Construction Activities.
PAG-02	General Permit for Discharges of Stormwater Associated with Construction Activities
PAG-03	General Permit for Discharges of Stormwater from Industrial Activities
PAG-04	General Permit for Discharges from Small Flow Treatment Facilities
PAG-05	General Permit for Discharges from Petroleum Product Contaminated Groundwater Remediation Systems
PAG-06	General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems (CSO)
PAG-07	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-08	General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-08 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-08 General Permit Coverage
PAG-09	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest, or a Land Reclamation Site

PAG-09 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-09 General Permit Coverage
PAG-10	General Permit for Discharges from Hydrostatic Testing of Tanks and Pipelines
PAG-11	General Permit for Discharges from Aquatic Animal Production Facilities
PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)
PAG-14	(To Be Announced)
PAG-15	General Permit for Discharges from the Application of Pesticides

General Permit Type—PAG-02

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone Number</i>
PAC400167 Authorization/ Issuance	EURO Foods Inc. Al Augustine 2008 SR 940 Hwy Freeland, PA 18224-3202	Luzerne County	Foster Twp	Black Creek (CWF, MF)	Luzerne Conservation District 325 Smiths Pond Road Shavertown, PA 18708 570-674-7991
PAC520004 Authorization/ Issuance	Mark Strouse 149 Kokolias Ln Matamoras, PA 18336	Pike County	Westfall Twp	Delaware River (WWF, MF)	Pike County Conservation District 556 Route 402 Suite 1 Hawley, PA 18428 570-226-8220

Southcentral Region: Waterways and Wetlands Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone Number</i>
PAC060288 Issued	Landen Bernheiser 606 Court Street Reading, PA 19610	Berks County	Ontelaunee Township	Maiden Creek (WWF, MF)	Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 610.372.4657
PAC060272 Issued	Vernon Nolt 203 Oak Lane Bernville, PA 19506	Berks County	Jefferson Township	UNT Little Northkill Creek (CWF, MF) Wetlands	Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 610.372.4657
PAC060279 Issued	John Bohman PennDOT 1002 Hamilton Street Allentown, PA 18101	Berks County	Ruscombmanor Township	Manatawny Creek (CWF, MF)	Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 610.372.4657
PAC060296 Issued	The Hankin Group 707 Eagleview Boulevard Exton, PA 19341	Berks County	Caernarvon Township	Tributary 07810 Conestoga River (WWF)	Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 610.372.4657

NOTICES

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone Number</i>
PAC060297 Issued	Lee Williams 1590 Canary Road Quakertown, PA 18951	Berks County	Washington Township	Swamp Creek (CWF, MF)	Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 610.372.4657
PAC070081 Issued	Fred Imler P.O. Box 836 Duncansville, PA 16635	Blair County	Allegheny Township	UNT Gillans Run (CWF, MF)	Blair County Conservation District 1407 Blair Street Hollidaysburg, PA 16648 814.696.0877, ext. 5
PAC220218 A-2 Issued	DHK, D&H Lot, LLC 6259 Reynolds Mill Road Seven Valleys, PA 17360-8844	Dauphin County	Lower Swatara Township	UNT Susquehanna River (WWF, MF)	Department of Environmental Protection Southcentral Regional Office 909 Elmerton Avenue Harrisburg, PA 17110 717.705.4802
PAC280054 A-1 Issued	NP Greencastle III, LLC 4825 NW 41st Street Suite 500 Riverside, MO 64150	Franklin County	Antrim Township	UNT Conococheague Creek (WWF)	Franklin County Conservation District 185 Franklin Farm Lane Chambersburg, PA 17202 717.264.5499
PAC670434 Issued	Inch & Company Construction 2950 Lewisberry Road York, PA 17406	York County	Jacobus Borough	UNT East Branch Codorus Creek (CWF)	York County Conservation District 2401 Pleasant Valley Road Suite 101 Room 139 York, PA 17402 717.840.7430
PAC670345 Issued	DCM Development Company 584 Grandview Road Lewisberry, PA 17339	York County	Newberry Township	UNT Fishing Creek (TSF)	York County Conservation District 2401 Pleasant Valley Road Suite 101 Room 139 York, PA 17402 717.840.7430
PAC670413 Issued	AFW Development, Inc. 2760 Charlestown Road Lancaster, PA 17603	York County	Dover Township	Fox Run (TSF)	York County Conservation District 2401 Pleasant Valley Road Suite 101 Room 139 York, PA 17402 717.840.7430

Southwest Region: Dana Drake, Waterways and Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222, 412-442-4000.

<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Municipality and County</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Phone Number</i>
PAC040082	Harmony Ridge Real Estate, LP 1280 Breitenstein Road Ambridge, PA 15003	Harmony Township Beaver County	Ohio River (WWF)	Beaver County Conservation District 156 Cowpath Road Aliquippa, PA 15001 724-378-1701

NOTICES

7233

<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Municipality and County</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Phone Number</i>
PAC560046	Municipal Authority of the Borough of Somerset 347 West Main Street Somerset, PA 15501	Somerset Borough and Somerset Township Somerset County	East and West Branches of Coxes Creek (TSF); Parson Run (WWF)	Somerset County Conservation District Somerset County Ag Center 6024 Glades Pike Suite 103 Somerset, PA 15501 814-445-4652

Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Facility Location: Municipality & County</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
PAC320044	Highridge Water Authority 17 Maple Avenue Blairsville, PA 15717	Burrell Township Indiana County	Blacklick Creek and UNT CWF	Indiana County Conservation District 280 Indian Springs Road Suite 124 Indiana, PA 15701 724-471-4751
PAC320045	PA American Water Company 852 Wesley Drive Mechanicsburg, PA 17055	White Township Indiana County	Two Lick Creek CWF	Indiana County Conservation District 280 Indian Springs Road Suite 124 Indiana, PA 15701 724-471-4751

General Permit Type—PAG-03

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Email: RA-EPNPDES_NERO@pa.gov.

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Municipality & County</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
PAG032266 (Storm Water)	Old Dominion Freight Line, Inc.—SCR 500 Old Dominion Way Thomasville, NC 27360-8923	Luzerne County Pittston Township	Collins Creek (CWF, MF) (5-A)	Northeast Region Clean Water Program Manager 2 Public Square Wilkes-Barre, PA 18701-1915

General Permit Type—PAG-08 (SSN)

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, Email: RA-EPNPDES_SCRO@pa.gov.

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Municipality & County</i>	<i>Contact Office & Phone No.</i>
PAG07 PAG08 WMGR099 PABIS9903	Synagro 1605 Dooley Rd. P.O. Box B Whiteford, MD 21160 Facility Location: Brenneman—Wilson Farm 109 Wilson Drive Williamsburg, PA 16693	Catharine Township Blair County	DEP—SCRO—Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110-8200 717-705-4707
PAG07 PAG08 WMGR099 PABIS9903	Synagro 1605 Dooley Rd. P.O. Box B Whiteford, MD 21160 Facility Location: Brenneman Brothers 1 Farm 8073 Fox Run Road Williamsburg, PA 16693	Catharine Township Blair County	DEP—SCRO—Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110-8200 717-705-4707

Permit No.	Applicant Name & Address	Municipality & County	Contact Office & Phone No.
PAG07	Synagro	Catharine Township	DEP—SCRO—Clean Water Program
PAG08	1605 Dooley Rd.	Blair County	909 Elmerton Avenue
WMGR099	P.O. Box B		Harrisburg, PA 17110-8200
PABIS9903	Whiteford, MD 21160		717-705-4707
	Facility Location:		
	Brenneman Brothers 2 Farm		
	1455 Yellow Springs Drive		
	Williamsburg, PA 16693		

General Permit Type—PAG-13

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, Email: RA-EPNPDES_SCRO@pa.gov.

Permit No.	Applicant Name & Address	Municipality & County	Receiving Water/Use	Contact Office & Phone No.
PAG133592	Denver Borough MS4 501 Main Street Denver, PA 17517-1427	Lancaster County Denver Borough	Cocalico Creek (WWF, MF) and Little Cocalico Creek (TSF, MF) (7-J)	DEP Southcentral Regional Office Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110-8200 717-705-4918

STATE CONSERVATION COMMISSION

NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

NUTRIENT MANAGEMENT PLAN CAFO PUBLIC NOTICE SPREADSHEET—ACTIONS

Agricultural Operation Name and Address	County	Total Acres	AEU's	Animal Type	Special Protection Waters (HQ or EV or NA)	Approved or Disapproved
Ridge View Farms John & David Sweigart 189 Ridge View Road South Elizabethtown, PA 17022	Lancaster County	379.6	1,980.62	Swine/Dairy	NA	Approved

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717)

787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, 570-826-2511.

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

Permit No. 3480055, Operations Permit: Public Water Supply.

Applicant **Pennsylvania American Water Company (PAWC) Stony Garden WTP (Sodium Permanganate Feed System)**
852 Wesley Drive Mechanicsburg, PA 17055

Township Hamilton Township

County **Monroe County**

Type of Facility PWS

Consulting Engineer Mr. Eric J. Keller, P.E.
Project Manager Engineer PAWC
852 Wesley Drive Mechanicsburg, PA 17055

Permit to Operate Issued November 18, 2020

Permit No. 3480050, Operations Permit Public Water Supply.

Applicant **Easton Suburban Water Authority (West Reservoir Cover & Liner Replacement Project)**
3700 Hartley Avenue Easton, PA 18043

City City of Easton

County **Northampton County**

Type of Facility PWS

Consulting Engineer Mr. Samuel Wood, P.E.
Gannett Fleming, Inc.
P.O. Box 67100
Harrisburg, PA 17106

Permit to Operate Issued November 18, 2020

Permit No. 4520504, Public Water Supply.

Applicant **Brodhead Creek Regional Authority (Eagle Valley Booster Pump Station)**
410 Mill Creek Road East Stroudsburg, PA 18301

Municipality East Stroudsburg Borough

County **Monroe County**

Type of Facility Public Water Supply

Consulting Engineer Michael J. McCarey, P.E.
Carroll Engineering Corporation
949 Easton Road Warrington, PA 18976

Permit to Construct Issued December 4, 2020

Northcentral Region: Safe Drinking Water Program Manager, 208 West Third Street, Williamsport, PA 17701.

Operations Permit issued to: **SCI Rockview**, 1 Rockview Place, P.O. Box A, Bellefonte, PA 16823, **PWSID No. 1419502**, Benner Township, **Centre County** on December 3, 2020 for the operation of facilities approved under construction permit # 1419502. This permit authorizes SCI Rockview—PA Department of Corrections to operate water softening units in a 24 ft. x 40 ft. building adjacent to Forestry Camp, along Reservoir Road, north of water filtration plant, to reduce the hardness in the water from the filtration plant prior to distribution.

Operations Permit issued to: **Pennsylvania American Water Company**, 852 Wesley Drive, Mechanicsburg, PA 17055, **PWSID No. 4490023**, Milton Borough, **Northumberland & Union Counties** on December 3, 2020 for the operation of facilities approved under construction permit # 4920508MA. This permit authorizes Pennsylvania American Water Company to operate the seven new individual and combined filter turbidimeters at Milton and White Deer Water Treatment Plants and the new amperometric entry point chlorine analyzer at White Deer Water Treatment Plant.

WATER ALLOCATIONS

Actions taken on applications received under the Act of June 24, 1939 (P.L. 842, No. 365) (35 P.S. §§ 631—641) relating to the Acquisition of Rights to Divert Waters of the Commonwealth.

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, 570-826-2511.

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

WA45-1002, Water Allocation, **Borough of East Stroudsburg**, P.O. Box 303, 24 Analomink Street, East Stroudsburg, PA 18301, **Monroe County**. This permit grants the right to purchase up to 1.2 million gallons per day (MGD), based on a daily average in a peak month, from the Brodhead Creek Regional Authority (BCRA) for a limited time period during the construction of the

Middle Dam Rehabilitation Project located in the Borough of East Stroudsburg, Monroe County.

SEWAGE FACILITIES ACT PLAN DISAPPROVAL

Plan Disapprovals Granted Under the Pennsylvania Sewage Facilities Act, Act of January 24, 1966, P.L. 1535, as amended, 35 P.S. § 750.5.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Plan Location:

<i>Township</i>	<i>Township Address</i>	<i>County</i>
Huston Township	1230 Piney Creek Road Martinsburg, PA 16662	Blair County

Plan Description: The planning module for the Fred Metz Subdivision, DEP Code No. A3-07914-167-2, APS Id 1023451, consisting of a residential subdivision of two new building lots using on-lot sewage systems with denitrification and wells, is disapproved. The proposed development is located at 237 Metz Lane, Martinsburg, Pennsylvania. This plan is disapproved because the applicant proposes to use a denitrification system not approved by the Department of Environmental Protection for use in Pennsylvania.

BIOSOLIDS INDIVIDUAL PERMITS (PABIG, SSN AND PABIS)

The Department of Environmental Protection has taken the following actions on the previously received individual permit applications for the land application of treated sewage sludge (biosolids).

<i>Permit No.</i>	<i>Applicant Name & Address</i>
PABIG4802	McGuire's Septic Service (McGuire's Pit) 678 Hornbrook Road Towanda, PA 18848

<i>Township & County</i>
Sheshequin Township Bradford County

*Contact Office &
Telephone No.*

DEP—NCRO
208 W 3rd St.
Suite 101
Williamsport, PA 17701
(570) 327-0528

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 2

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the

Any person aggrieved by these actions may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. Section 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge this action, the appeal must reach the board within 30-days. A lawyer is not needed to file an appeal.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board (717) 787-3483 for more information.

Northcentral Region: Clean Water Program Manager, 208 West Third Street, Williamsport, PA 17701.

cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department Regional Office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southeast Region: Environmental Cleanup & Brownfields Program Manager, 2 East Main Street, Norristown, PA 19401.

Folcroft West Business Park, 701A, 701B, 701C Ashland Avenue and 801 Carpenters Crossing, Folcroft Borough, PA 19032, Folcroft Borough, **Delaware County**. Michael Edelman, TRC Environmental Corporation, 1801 Market Street, Suite 1380, Philadelphia, PA 19103 on behalf of Brian Coyle, Henderson Ashland Carpenters Crossing Associates LLC (Ashland I, II, and IV) and Henderson Ashland Three Associates LLC (Ashland III), 112 Chesley Drive, Suite 200, Media, PA 19032 submitted a Final Report concerning remediation of site groundwater contaminated with chlorinated solvent compounds including perchloroethylene, trichloroethylene, cis-1,2 dichloroethylene and vinyl chloride. The report is intended to document remediation of the site to meet the Site-Specific Standard.

2500-2530 Welsh Road, 2500-2530 Welsh Road, Philadelphia, PA 19152, City of Philadelphia, **Philadelphia County**. Richard S. Werner, P.G., Environmental Consulting, Inc., 2002 Renaissance Boulevard, Suite 110, King of Prussia, PA 19406 on behalf of Peter Clelland, BET Investments, Inc., 200 Dryden Road, Suite 200, Dresher, PA 19025 submitted a Remedial Investigation Report/Cleanup Plan concerning remediation of site groundwater contaminated with PCE. The report is intended to document remediation of the site to meet the Site-Specific Standard.

2400 Market Street Release Area, 2400 Market Street, Philadelphia, PA 19103, City of Philadelphia, **Philadelphia County**. Mark Reisig, Tetra Tech, Inc., 1560 Broadway, Suite 1400, Denver, CO, 80202 on behalf of Payton Michael, CenturyLink Communications, LLC d/b/a Lumen Technologies Group, 1025 Eldorado Boulevard 23-203, Broomfield, CO, 80021 submitted a Final Report concerning remediation of site soil and groundwater contaminated with diesel fuel. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Wyeth-West Chester, 611 East Nields Street, West Chester, PA 19380, West Chester Borough, **Chester County**. Daniel P. Sheehan, PE, Arcadis U.S., Inc., 824 East Market Street, Suite 820, Wilmington, DE, 19801 on behalf of Eli Kahn, 611 East Nield Street, LLC, 120 Pennsylvania Avenue, Malvern, PA 19355 submitted a Final Report concerning remediation of site groundwater contaminated with VOCs and TCE. The report is intended to document remediation of the site to meet the Site-Specific Standard.

Glen Riddle Junction, 250 Martins Lane, Media, PA 19063, Middletown Township, **Delaware County**. Mark Schaeffer, Stantec Consulting Services, Inc., 1060 Andrew Drive, Suite 140, West Chester, PA 19380 on behalf of Brad Fish, Energy Transfer, 100 Green Street, Marcus Hook, PA 19061 submitted a Final Report concerning remediation of site soil contaminated with unleaded gasoline. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Oxford Former MGP Site, 402 South Street, Borough of Oxford, PA 19363, Oxford Borough, **Chester County**. Bryan Sladky, PG, Silar Services, Inc., 1851 French Creek Road, Denver, PA 17517 on behalf of Gordon G. Araujo, Jr., 1 UGI Drive, Denver, PA 17517 submitted a Final Report concerning remediation of site soil and groundwater contaminated with chlorinated solvents, PAHs and

diesel fuel. The report is intended to document remediation of the site to meet the Site-Specific/Statewide Health Standards.

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Dennis Russo Property, 1417 Derhammer Street, Easton, PA 18040, Forks Township, **Northampton County**. United Environmental Services, P.O. Box 701, Schuylkill Haven, PA 17972, on behalf of Dennis Russo, 1417 Derhammer Street, Easton, PA 18040, submitted a Final Report concerning remediation of soil and groundwater contaminated by a release of heating oil from an aboveground storage tank. The report is intended to document remediation of the site to meet Statewide Health Standards.

Silberline Manufacturing Company—Lansford Plant, 201 East Dock Street, Lansford, PA 18232, Lansford Borough, **Carbon County**, Hydro-Terra Group, 7420 Derry Street, Harrisburg, PA 17111, on behalf of Silberline Manufacturing Company LLC, 130 Lincoln Drive, Tamaqua, PA 18252, submitted a Final Report concerning remediation of site soil and groundwater contaminated due to releases of # 6 fuel oil and volatile organic compounds at the site. The report is intended to document remediation of the site to meet Site-Specific Standards.

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Love's Travel Stop 366, 20-22 Old Forge Road, Jonestown, PA 17038, Union Township, **Lebanon County**. United Environmental Services, Inc., P.O. Box 701, Schuylkill Haven, PA 17972, on behalf of Love's Travel Stops and Country Stores, Inc., P.O. Box 26210, Oklahoma City, OK 73126, submitted a Final Report concerning remediation of site soil contaminated with diesel fuel. The Final Report is intended to document remediation of the site to meet the Residential Statewide Health Standard.

United Parcel Service (UPS) Altoona Center, 3042 Route 764, Duncansville, PA 16635, Allegheny Township, **Blair County**. Arcadis, U.S., Inc., 2410 Paces Ferry Road, Suite 400, Atlanta, GA 30339, on behalf of United Parcel Service, 55 Glenlake Parkway, Atlanta, GA 30328, submitted a Final Report concerning remediation of site soil and groundwater contaminated with No. 2 fuel oil. The Final Report is intended to document remediation of the site to meet the Residential Statewide Health and Site-Specific Standards.

Northcentral Region: Environmental Cleanup and Brownfields Program Manager, 208 West Third Street, Williamsport, PA 17701.

Peter's Sandblasting Heating Oil Release, 280 W. Brown Street, Lock Haven, PA 17745, Castanea Township, **Clinton County**. McKee Environmental, Inc., 86 Quartz Drive, Bellefonte, PA 16823, on behalf of Peter's Sandblasting, 280 W. Brown Street, Lock Haven, PA 17745, has submitted a Final Report concerning remediation of site groundwater contaminated with heating oil. The report is intended to document remediation of the site to meet the Residential Statewide Health Standard.

Hydro Recovery Blossburg Facility Release, 10 Boone Run Road, Blossburg, PA 16912, Blossburg

Borough, **Tioga County**. Penn Environmental & Remediation, 13180 Route 6, Mansfield, PA 16933, on behalf of Hydro Recovery, LP, 34 Northeast Drive, Hershey, PA 17033, has submitted a Final Report concerning remediation of site soil contaminated with Hydraulic Stimulation Fluid. The report is intended to document remediation of the site to meet the Residential Statewide Health Standard.

Northwest Region: Environmental Cleanup and Brownfields Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

NWREC Transformer Release Great Lakes Case & Cabinet, 4193 Route 6N, Edinboro, PA 16412, Washington Township, **Erie County**. Environmental Remediation & Recovery, Inc., 4250 Route 6N, Edinboro, PA 16412, on behalf of Northwestern Rural Electric Company Association, 22534 Highway 86, Cambridge Springs, PA 16403 has submitted a Final Report concerning remediation of site soil contaminated with 1,2,4-Trimethylbenzene, 1,3,5-Trimethylbenzene, Polychlorinated Biphenyls (PCB)-1016, PCB-1221, PCB-1232, PCB-1242, PCB-1248, PCB-1254, and PCB-1260. The report is intended to document remediation of the site to meet the Statewide Health Standard.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to

be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department Regional Office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Stofanek Custom Cabinetry, 176 Nazareth Pike, Bethlehem, PA 18020, Lower Nazareth Township, **Northampton County**. Crawford Environmental Services, 20 Cardinal Drive, Birdsboro, PA 19508, on behalf of Arphil Properties LLC, 176 Nazareth Pike, Bethlehem, PA 18020, submitted a Final Report concerning remediation of soil contaminated by heating oil from an underground storage tank. The Final Report was not acceptable to meet Statewide Health Standards and was disapproved by DEP on December 1, 2020.

S. Groover Pad 1, 661 Johnson Pond Road, Montrose, PA 18801, Bridgewater Township, **Susquehanna County**. Resource Environmental Management, 50 Maple Street, Montrose, PA 18801, on behalf of Cabot Oil & Gas Corporation, 2000 Park Lane, Suite 300, Pittsburgh, PA 15275, submitted a Final Report concerning remediation of soil contaminated by a release of recycled water (brine) from a truck. The report documented remediation of the site to meet combination of Statewide Health and Background Standards and was approved by DEP on December 3, 2020.

Cosklo Property, 840 Church Street, Clifford, PA 18421, Clifford Township, **Susquehanna County**. Joseph Jannick, 221 Airport Road, Clifford, PA 18421, on behalf of Edward Cosklo, 251 Airport Road, Clifford, PA 18421, submitted a revised Final Report concerning remediation of soil contaminated by heating oil from an aboveground storage tank. The report demonstrated attainment of the Statewide Health Standards and was approved by DEP on December 7, 2020.

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Clean Enterprises, 315 West State Street, Quarryville, PA 17566, Quarryville Borough, **Lancaster County**. Reliance Environmental, Inc., 235 North Duke Street, Lancaster, PA 17602, on behalf of Stoner-Wade Ford, Inc., 415 West Fourth Street, Quarryville, PA 17566, and GEN 2 3 LLC, 315 West State Street, P.O. Box 664, Quarryville, PA 17566 submitted Remedial Investigation and Cleanup Plan concerning remediation of site soil and groundwater contaminated with historical dry cleaning operations. The combined Report was disapproved by the Department on November 30, 2020.

Former North American Communications Property, 141 NAC Drive, Duncansville, PA 16635, Blair

Township, **Blair County**. KU Resources, 22 South Linden Street, Duquesne, PA 15110, on behalf of Former North American Communications Property, 141 NAC Drive, Duncansville, PA 16635, submitted a Baseline Environmental Report concerning remediation of soil and groundwater contaminated by a historic release of chlorinated solvents. The Report for this Special Industrial Area site demonstrated attainment of a site-specific standard and was approved by the Department on December 1, 2020.

Klugh/Beck Residence, 6340 Lemon Street, East Petersburg, PA 17520, East Petersburg Borough, **Lancaster County**. August Mack Environmental, Inc., 941 Wheatland Avenue, Suite 401, Lancaster, PA 17603, on behalf of Nationwide Insurance, P.O. Box 182067, Columbus, OH 43218, submitted a Final Report concerning remediation of site soil contaminated with heating oil. The Final Report demonstrated attainment of the Residential Statewide Health Standard and was approved by the Department on December 3, 2020.

Stadium Row Development and Philhaven Behavioral Health, 812 and 816 North Prince Street, Lancaster, PA 17603, City of Lancaster, **Lancaster County**. ECS Mid-Atlantic, 52-6 Grumbacher Road, York, PA 17406, on behalf of Stadium Row, LLC, 729 East Orange Street, Lancaster, PA 17602, Second Strong and Detweiler, LLC, 812 Prince Street, Lancaster, PA 17603, and Stadium Row, LLC, 816 North Prince Street, Lancaster, PA 17603 submitted a Remedial Investigation, Risk Assessment, and Cleanup Plan concerning remediation of site soil contaminated with benzene and metals. The combined Report was approved by the Department on December 4, 2020.

Northcentral Region: Environmental Cleanup and Brownfields Program Manager, 208 West Third Street, Williamsport, PA 17701.

Compressor Station 517, 102 Pole Bridge Road, Benton, PA 17814, Jackson Township, **Columbia County**. BL Companies, 2601 Market Place, Suite 350, Harrisburg, PA 17701, on behalf of Transcontinental Gas Pipe Line Co., LLC, 102 Pole Bridge Road, Benton, PA 17814, has submitted a Final Report concerning remediation of site soil contaminated with diesel fuel. The report demonstrated attainment of the Residential Statewide Health Standard and was approved by the Department on December 1, 2020.

RESIDUAL WASTE GENERAL PERMITS

Permit(s) Issued Under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and the Beneficial Use of Residual Waste other than Coal Ash.

Northcentral Region: Regional Solid Waste Manager, 208 West Third Street, Williamsport, PA 17701.

General Permit No. WMGR038NC010. S & J Recycling, Inc., 3576 Old Route 15, New Columbia, PA 17856, White Deer Township, **Union County**. Minor Modifica-

tion application to increase the maximum tonnage of tires on site to 150 tons, adding a third shredder, and building an overhang roof to protect roll offs from weather. The permit was issued by DEP Northcentral Regional Office on November 19, 2020.

Persons interested in reviewing the permit may contact Lisa D. Houser, P.E., Environmental Engineer Manager, Williamsport Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. 570-327-3752. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Permit(s) Issued Under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Northcentral Region: Regional Solid Waste Manager, 208 West Third Street, Williamsport, PA 17701.

Permit No. 101568. University Area Joint Authority, 1576 Spring Valley Road, State College, PA 16801, College Township, **Centre County**. Renewal of solid waste permit number 101568 for the operation of the Spring Creek Composting Facility. The permit was issued by the Northcentral Regional Office on December 1, 2020.

Persons interested in reviewing the permit may contact Lisa D. Houser, P.E., Environmental Engineer Manager, Williamsport Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701, 570-327-3752. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920.

GP14-09-0152: Donald R. Kreider, V.M.D (1501 2nd Street Pike, Southampton, PA 18966) on December 2, 2020 for an animal crematory located in Upper Southampton Township, **Bucks County**.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2531.

GP9-39-014: Neuber Environmental Services, Inc. (1100 Grosser Road, Suite C, Gilbertsville, PA 19525) on December 2, 2020, for the construction and operation of Internal Combustion Engines at the facility located in Allentown City, **Lehigh County**.

GP3-39-014: Neuber Environmental Services, Inc. (1100 Grosser Road, Suite C, Gilbertsville, PA 19525) on December 2, 2020, for the construction and operation of a portable stone crushing plant at the facility located in Allentown City, **Lehigh County**.

Plan Approvals Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, (570) 327-3648.

49-00065C: Polar Tech Industries, Inc. (1017 West Valley Avenue, Elysburg, PA 17824) on December 1, 2020, to extend the authorization to modify an expandable polystyrene foam processing operation at their facility located in Ralpho Township, **Northumberland County** to May 29, 2021. The plan approval has been extended.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Norman Frederick, Facility Permitting Chief—Telephone: 570-826-2409.

40-00109: Gruma Corporation (15 Elmwood Avenue, Mountain Top, PA 18707). The Department issued, on December 7, 2020, a State-Only Operating Permit for operation of sources at a tortilla manufacturing facility in Wright Township, **Luzerne County**. The sources include press lines, die-cut lines, toasting ovens, chip-fry line, and ink printers. Control devices include a mist eliminator and thermal oxidizer. The operating permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

55-00003: Susquehanna University (514 University Ave., Selinsgrove, PA 17870) on December 3, 2020 was issued a renewal State Only Operating Permit for their campus located in Selinsgrove Borough, **Snyder County**. The State Only Operating Permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

55-00004: William Penn Cabinetry, LLC (401 E. Front St., P.O. Box 112, Freeburg, PA 17827) on December 8, 2020 was issued a State Only Operating Permit for their Freeburg Plant located in Freeburg Borough, **Snyder County**. The State Only Operating Permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Thomas Joseph, Facilities Permitting Chief, 412.442.4336.

65-00979: Laurel Mountain Midstream Operating, LLC (Park Place Corporate Center 2, 2000 Commerce Drive, Pittsburgh, PA 15275). On December 4, 2020, the Department issued an initial State Only Synthetic Minor

Operating Permit for operation of the Herminie Compressor Station located in South Huntingdon Township, **Westmoreland County**. The emission sources covered by this operating permit will include two (2) Caterpillar Model G3516B, natural gas-fired compressor engines, 1,380 bhp at 1,400 rpm; controlled by oxidation catalysts and regulated by automatic air/fuel ratio controllers, one (1) Caterpillar Model G3512LE, natural gas-fired compressor engine, 810 bhp at 1,200 rpm; controlled by oxidation catalyst and regulated by automatic air/fuel ratio controller, one Caterpillar Model G3612LE, natural gas-fired compressor engine, 3,550 bhp at 1,000 rpm; controlled by oxidation catalyst and regulated by automatic air/fuel ratio controller, one (1) Cummins Model QSB7-G6, diesel-fired emergency generator engine, 282 bhp at 1,800 rpm, one (1) tri-ethylene glycol (TEG) dehydrator, rated at 35 MMscf/day controlled by an enclosed combustor rated at 4.0 MMBtu/hr, one (1) TEG dehydrator, rated at 150 MMscf/day, controlled by an enclosed combustor rated at 6.18 MMBtu/hr, two (2) natural gas-fired reboilers rated at 0.50 and 2.67 MMBtu/hr, five (5) produced water storage tanks with 1,728 barrel (bbl) total capacity, truck loadout activities, pigging activities, plant fugitives, startup/shutdown/maintenance emissions, pneumatic devices, engine crank case emissions, and venting/blowdowns. The facility is subject to the applicable requirements of 25 Pa. Code Article III, Chapters 121—145. The final Operating Permit includes emission limitations, monitoring, work practice standards, reporting, and recordkeeping requirements for the facility.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Matthew Williams, Facilities Permitting Chief—Telephone: 814-332-6940.

10-00344: Fannie's Friends Inc. Animal Crematory (352 Railroad Street, Evans City, PA 16033). On November 12, 2020, the Department issued a Natural Minor State Only Operating Permit for the operation of two natural gas incinerators located in Evans City Borough, **Butler County**. The subject facility consists of one 150 lb/hr animal incinerator, B&L Cremation System propane-fired rated at 0.3 MMBtu/hr primary chamber and 1.0 MMBtu/hr secondary chamber and one 130 lb/hr animal incinerator, B&L Cremation System propane-fired rated at 0.3 MBtu/hr primary chamber and 1.0 MMBtu/hr secondary chamber. The potential emissions are 1.2 tpy NO_x and less than 1.0 tpy for all other criteria pollutants. The facility is subject to State Regulations. The permit includes additional operation requirements, monitoring requirements, and recordkeeping requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

Philadelphia: Air Management Services, 321 University Avenue, Philadelphia, PA 19104-4543.

Contact: Edward Wiener, Chief, Source Registration at 215-685-9426.

The City of Philadelphia, Air Management Services (AMS) issued on December 1, 2020 a renewal Synthetic Minor Operating Permit for the following facility:

OP17-000054: T.D.P.S Materials (3870 N. 2nd Street, Philadelphia, PA 19140), for a block and asphalt paving mixture manufacturing facility in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources include the following:

- One (1) 300 ton/hr hot mix asphalt drum plant with an 85 MMBtu/hr burner firing natural gas, propane, or No. 2 oil.

- One (1) 32,053 scf/min baghouse to control emissions from the hot mix asphalt drum plant.
- One (1) concrete crushing plant consisting of a 400 ton/hr concrete crusher with a 100-brake horsepower (bhp) screener diesel engine for and a 475 bhp crusher diesel engine.
- Fugitive emissions from material handling and vehicle operations.

The City of Philadelphia, Air Management Services (AMS) issued an Operating Permit Renewal for the following facility:

OP20-000023: AT&T Corporation (500 S 27th Street, Philadelphia, PA 19146) issued on December 4, 2020 for the operation of air emission sources at a telephone communications company in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources are: six (6) 1072.8 HP turbine emergency generators firing kerosene fuel and one (1) 1,676.25 HP emergency generator firing diesel fuel.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

07-05003: Norfolk Southern Railway Co. (200 North 4th Avenue, Altoona, PA 16601-6702) on December 1, 2020, for the Juniata Locomotive Shops facility located in Logan Township, **Blair County**. The Title V permit administratively amended to incorporate the provisions of Plan Approval No. 07-05003E.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

55-00005: Wood Mode, LLC (One Second St., Kreamer, PA 17833) issued a revised Title V operating permit on December 8, 2020, to include additional sealers for use in the company's emissions averaging program at its Kreamer wood kitchen cabinet manufacturing facility located in Middlecreek Township, **Snyder County**. This revised Title V operating permit contains all applicable regulatory requirements including monitoring, record-keeping, and reporting conditions.

Operating Permits Denied, Terminated, Suspended or Revoked under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.431 and 127.461.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Matthew Williams, Facilities Permitting Chief—Telephone: 814-332-6940.

25-00124: Lindy Paving Erie (2340 2nd Ave, Pittsburgh, PA 15219). On December 3, 2020, the Synthetic Minor Operating Permit was revoked for the facility located in Erie City, **Erie County**. This Permit was

revoked because the facility is no longer operational, and the facility has applied for Emission Reduction Credits.

61-00191: WS Packaging Group (1642 DeBence Drive, Franklin, PA 16323). On November 23, 2020, the Synthetic Minor Operating Permit was revoked for the facility located in Sandy Creek Township, **Venango County**. This Permit was revoked because the sources were shut down and only building heat remains with a total heat input of 5.8 MMBtu/hr heat input. Individual heating units are each exempt from plan approval and operating permit.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to such applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

Coal Permits Issued

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200, (Contact: Ashley Smith).

Permit No. 17940122 and NPDES PA0219851. Waroquier Coal Company, P.O. Box 128, Clearfield, PA 16830. Permit renewal for reclamation only of a bituminous surface coal mine in Greenwood Township, **Clearfield County** affecting 120.2 acres. Receiving stream(s): Watts Creek classified for the following use(s): CWF/HQ. This receiving stream is included in the Clearfield Creek Watershed TMDL. Application received: July 22, 2020. Permit issued: November 24, 2020.

Noncoal Permits Issued

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900, (Contact: Melanie Ford-Wigfield).

Permit No. 28130301. David H. Martin Excavating, Inc., 4961 Cumberland Highway, Chambersburg, PA 17202, permit revision to change the post-mining land use from Agricultural to Industrial/Commercial/Solar Electrical Facility or Agricultural on a noncoal surface mine in Hamilton Township, **Franklin County** affecting 67.2 acres. Receiving streams: unnamed tributaries to East Branch Conococheague Creek classified for the following use: warm water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: July 31, 2020. Permit issued: December 3, 2020.

Permit No. 28130302. RA Hill, Inc., 1364 Lincoln Way East, Chambersburg, PA 17202, permit revision to change the post-mining land use from Agricultural to Industrial/Commercial/Solar Electrical Facility or Agricultural on a large noncoal operation in Hamilton Township, **Franklin County** affecting 52.39 acres. Receiving streams: unnamed tributary to Conococheague Creek classified for the following use: warm water fishes. There are no potable water supply intakes within 10 miles downstream. Application received: July 31, 2020. Permit issued: December 3, 2020.

Permit No. PAM415004-GP104. R.A. Hill, Inc., 1364 Lincoln Way East, Chambersburg, PA 17202. Renew coverage under the General NPDES Permit for Stormwater Discharges Associated with Mining Activities (BMP GP-104) on Noncoal Permit No. 28130302 located in Hamilton Township, **Franklin County**. Receiving streams: unnamed tributary to Conococheague Creek classified for the following uses: warm water fishes. There are no potable water supply intakes within 10 miles downstream. Notice of Intent for Coverage received: July 27, 2020. Approved: December 3, 2020.

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191, (Contact: Cayleigh Boniger).

Permit No. 25992805. Raymond D. Showman & Sons, Inc. (12851 Route 86, Edinboro, PA 16412). Final bond release for a small noncoal mining operation in Washington Township, **Erie County**. Restoration of 2.5 acres completed. Receiving stream(s): Unnamed tributary to Conneauttee Creek. Application received: September 14, 2020. Final bond release approved: September 28, 2020.

Permit No. 62042801. Raymond C. Shield (1493 North Main Street, Russell, PA 16345). Final bond release for a small noncoal mining operation in Pine Grove Township, **Warren County**. Restoration of 1.0 acre completed. Receiving stream(s): Akeley Run. Application received: September 21, 2020. Final bond release approved: November 24, 2020.

Permit No. 25072802. Edinger Trucking & Snow Removal (11511 Route 8, Wattsburg, PA 16442). Final bond release for a small noncoal mining operation in Greene Township, **Erie County**. Restoration of 3.0 acres completed. Receiving stream(s): Unnamed tributary to East Branch LeBoeuf Creek. Application received: September 28, 2020. Final bond release approved: November 6, 2020.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200, (Contact: Ashley Smith).

Permit No. PAM220005-GP104. Bishop Brothers Construction Co., Inc., 1376 Leisure Drive, Towanda, PA 18848. Coverage under the General NPDES Permit for Stormwater Discharges Associated with Mining Activities (BMP GP-104) on **Noncoal Permit No. 08122502** located in Sheshequin Township, **Bradford County**. Receiving stream(s): Horn Brook classified for the following use(s): WWF, MF. There are no potable water supply intakes within 10 miles downstream. Notice of Intent for Coverage received: August 1, 2020. Permit issued: November 24, 2020.

Permit No. PAM214005-GP104. Robert D. Confer, 359 Mill Street Ext., Howard, PA 16841. Extension. Renew coverage under the General NPDES Permit for Stormwater Discharges Associated with Mining Activities (BMP GP-104) on **Noncoal Permit No. 14140801** located

in Burnside Township, **Centre County**. Receiving stream(s): Moshannon Creek classified for the following use(s): CWF, MF. There are no potable water supply intakes within 10 miles downstream. Notice of Intent for Coverage received: August 20, 2020. Permit issued: November 24, 2020.

Permit No. PAM215004-GP104. North Star Leasing Inc. DBA North Star Stone, P.O. Box 322, Meshoppen, PA 18630. Renew coverage under the General NPDES Permit for Stormwater Discharges Associated with Mining Activities (BMP GP-104) on **Noncoal Permit No. 08152501** located in Asylum Township, **Bradford County**. Receiving stream(s): Durell Creek and Susquehanna River Watershed classified for the following use(s): WWF, MF. There are no potable water supply intakes within 10 miles downstream. Notice of Intent for Coverage received: August 19, 2020. Permit issued: November 24, 2020.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), and that the construction will not violate applicable Federal and State Water Quality Standards.

Any person aggrieved by these actions may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. Section 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the Board within 30-days. You do not need a lawyer to file an appeal with the Board.

Important legal rights are at stake, however, so you should show this notice to a lawyer at once. If you cannot afford a lawyer, you may qualify for free pro bono representation. Call the Secretary to the Board (717) 787-3483 for more information.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

E5402220-023. Minersville Sewer Authority, 2 East Sunbury Street, Minersville, PA 17954, Branch Township, **Schuylkill County**, U.S. Army Corps of Engineers, Philadelphia District.

To fill and maintain a 0.006-acre area within the floodplain of the West Branch of the Schuylkill River (CWF, MF) consisting of a 23-foot long, 13-foot wide concrete pad and a 15-foot wide, 5.5-foot wide, 8.5-foot high emergency generator. This activity will result in a 50 ft³ of new fill within the floodplain. The project is located directly west of the existing Minersville Sewer Authority Wastewater Treatment Plant building, approximately 0.38 mile south of the intersection of Pottsville-Minersville Highway (S.R. 901) and East Sunbury Street (Swatara Hill, PA Quadrangle Latitude: 40° 41' 9", Longitude: -76° 15' 20") in Branch Township, Schuylkill County.

Southcentral Region: Waterways and Wetlands Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

E0103220-022. Clayton C. Tock, 20627 Lewins Court, Sterling, VA 20165. Mt. Joy Township, **Adams County**, U.S. Army Corps of Engineers, Baltimore District.

To construct and maintain two (2) additions onto two (2) existing docks, now totaling 544.0 square feet and 138.0 square feet, and to construct and maintain a 190.0 lineal foot sea wall, to stabilize the existing lake bank. The project is located at 84 Meade Drive in Mount Joy Township, Adams County (Latitude: 39.8065, Longitude: -77.1910). Permit issued December 9, 2020.

Southwest Region: Dana Drake, Waterways and Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E6505220-022, PA Game Commission, 2001 Elmerston Avenue, Harrisburg, PA 17110; Saint Clair Township, **Westmoreland County**, Pittsburgh ACOE District.

Has been given consent to:

Remove an existing ford crossing and construct, operate, and maintain a replacement 14 LF wide by 35 LF long single span bridge over Poplar Run (HQ-CWF).

The purpose of the project serves to provide a dependable crossing location for PGC officials to access areas of SGL # 42 and for habitat improvement.

Permanent project impacts are 14 linear feet to the watercourse and 0.016 acre to the floodway. The project site is located at 700 Sugar Run Road, New Florence, PA 15944 (Rachelwood, PA USGS topographic quadrangle; N: 40°, 22', 17"; W: -79°, 01', 59"; Sub-basin 18D; USACE Pittsburgh District), in Saint Clair Township, Westmoreland County.

Eastern Region: Oil and Gas Management Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

E0829220-028: Chesapeake Appalachia, LLC, 14 Chesapeake Lane, Sayre, PA 18840, Overton Township, **Bradford County**, ACOE Baltimore District.

To construct, operate and maintain:

1. a 16-inch diameter temporary waterline impacting 69 square feet of a Palustrine Forested Wetland (Overton, PA Quadrangle, Latitude: 41.584684°, Longitude: -76.535727°);

2. a 16-inch diameter temporary waterline and a timber mat bridge impacting 3,360 square feet of a Palustrine Emergent Wetland (Overton, PA Quadrangle, Latitude: 41.584751°, Longitude: -76.533859°);

3. a 16-inch diameter temporary waterline impacting 18 linear feet of Level Branch (EV, MF) (Overton, PA Quadrangle, Latitude: 41.583788°, Longitude: -76.527309°);

4. a 16-inch diameter temporary waterline and a timber mat bridge impacting 20 linear feet of an unnamed tributary to Level Branch (EV, MF) (Overton, PA Quadrangle, Latitude: 41.583411°, Longitude: -76.526462°);

5. a 16-inch diameter temporary waterline and a timber mat bridge impacting 520 square feet of a Palustrine Emergent Wetland (Overton, PA Quadrangle, Latitude: 41.582627°, Longitude: -76.524008°);

6. a 16-inch diameter temporary waterline impacting 12 linear feet of an unnamed tributary to Level Branch (EV, MF) (Overton, PA Quadrangle, Latitude: 41.582495°, Longitude: -76.523584°);

7. a 16-inch diameter temporary waterline impacting 613 square feet of a Palustrine Emergent Wetland (Overton, PA Quadrangle, Latitude: 41.582186°, Longitude: -76.523156°);

8. a 16-inch diameter temporary waterline and a timber mat bridge impacting 2,160 square feet of a Palustrine Emergent Wetland (Overton, PA Quadrangle, Latitude: 41.581158°, Longitude: -76°520505°).

9. a 16-inch diameter temporary waterline and a timber mat bridge impacting 1,220 square feet of a Palustrine Emergent Wetland (Overton, PA Quadrangle, Latitude: 41.579657°, Longitude: -76°519491°).

The project will result in 50 linear feet and 326 square feet of temporary stream impacts, 7,873 square feet (0.18 acre) of temporary PEM wetland impacts and 69 square feet (0.001 acre) of temporary PFO wetlands impacts, all for the purpose of establishing a temporary water supply for Marcellus well development in Overton Township, Bradford County.

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*

unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Eastern Region: Oil and Gas Management Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

ESCGP-3 # ESG296619001-01
 Applicant Name Appalachia Midstream Services, LLC
 Contact Person Adam Weightman
 Address 30351 Route 6
 City, State, Zip Wysox, PA 18854
 County Wyoming County
 Township(s) Forkston & North Branch
 Receiving Stream(s) and Classification(s) Douglas Hollow (CWF, MF), UNT to North Branch Mehoopany Creek (CWF, MF), Farr Hollow (CWF, MF)
 Secondary: North Branch Mehoopany Creek (CWF, MF), Mehoopany Creek (CWF, MF), North Branch Mehoopany Creek (CWF, MF)

ESCGP-3 # ESG295820040-00
 Applicant Name SWN Production Company, LLC
 Contact Person Afton R. Sterling
 Address 917 State Route 92 North
 City, State, Zip Tunkhannock, PA 18657
 County Susquehanna County
 Township(s) Silver Lake
 Receiving Stream(s) and Classification(s) UNT to McCormick (CWF/MF, NRT, EV), Laurel Lake Creek (CWF/MF, NRT)
 Secondary: Laurel Lake Creek (CWF/MF, NRT), Silver Creek (CWF/MF, NRT, EV)

ESCGP-3 # ESG291820003-00
 Applicant Name STL Resources, LLC
 Contact Person Seth Rodriguez
 Address 12300 Perry Highway, Ste 308
 City, State, Zip Wayne, PA 15090
 County Clinton County
 Township(s) Grugan & Gallagher
 Receiving Stream(s) and Classification(s) Deep Hollow (HQ-CWF, MF), Davis Cabin Hollow (HQ-CWF, MF)
 Secondary: Wildcat Hollow (HQ-CWF, MF), Wildcat Hollow (HQ-CWF, MF)

ESCGP-3 # ESG29-023-15-0008 (Renewal)
 Applicant Name NFG Midstream Clermont, LLC
 Contact Person Dale Smith
 Address 1100 State Street
 City, State, Zip Erie, PA 16501-1912
 County Cameron County
 Township(s) Shippen
 Receiving Stream(s) and Classification(s) Cherry Run (EV), Billy Buck Run (EV), UNT to Elk Fork (EV)
 Secondary: Driftwood Branch Sinnemahoning Creek (EV), Driftwood Branch Sinnemahoning Creek (EV), Elk Fork (EV)

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 2

The following plans and reports were submitted under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning plans or reports, please contact the Environmental Cleanup Program Manager in the DEP Regional Office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the DEP through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5960.

Contact: Richard Staron, Professional Geologist Manager.

Souderton Fuels 67425, 46-23960, 303 Harleysville Pike, PA 18964, Franconia Township, **Montgomery County**. Antea USA, Inc., 535 Route 38, Suite 203, Cherry Hill, NJ 08002, on behalf of Getty Properties Corp., Two Jericho Plaza, Suite 110, Wing C, Jericho, NY 11753 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report is intended to document remediation of the site to meet residential Statewide health standards.

Amoco Car Wash, 23-27098, 3100 Edgemont Ave., Parkside, PA 19013, Parkside Borough, **Delaware County**. Reliance Environmental, Inc., 235 N. Duke St., Lancaster, PA 17602 on behalf of Jagger Investments, LLC, 1770 Oregon Pike, Lancaster, PA 17601 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with leaded and unleaded gasoline. The report is intended to docu-

ment remediation of the site to meet residential State-wide health and site-specific standards.

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Atlantic Oil & Heating Company, Storage Tank ID # 13-14253, Blakeslee Boulevard, Lehigh, PA 18235, Lehigh Township, **Carbon County**. MEA 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Pipeline Petroleum, Inc., P.O. Box 159, Macungie, PA 18062, has submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with fuel oil. The Remedial Action Plan is intended to document the remedial actions for meeting the Site-Specific Standards.

Northcentral Region: Environmental Cleanup & Brownfields Program, 208 West Third Street, Suite 101, Williamsport, PA 17701, 570-327-3636.

Contact: Randy Farmerie, Environmental Program Manager.

Coudersport Service Center, Storage Tank Facility ID # 53-18399, 200 S. Main St., Coudersport, PA 16915, Coudersport Borough, **Potter County**. Mobile Environmental Analytical, Inc., 1365 Ackermanville Rd., Bangor, PA 18013, on behalf of Coudersport Service Center, 200 S. Main St., Coudersport, PA 16915, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report is intended to document remediation of the site to meet the Site-Specific Standard.

Tressler's Midway Gulf, Storage Tank Facility ID # 18-03809, 5817 Nittany Valley Road, Lamar, PA 16848, Porter Township, **Clinton County**. Keystone Environmental, Health and Safety, Services, Inc., 1111 12th Ave, Altoona, PA 16601, on behalf of Mr. John F. Tressler, Jr., 5817 Nittany Valley Road, Lamar, PA 16848, submitted a Remedial Action Completion Report Addendum concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report is intended to document remediation of the site to meet the Site-Specific Standard.

Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6648.

Contact: Kim Bontrager, Clerk Typist 3.

Vennards Crossroads Convenience, Storage Tank Facility ID # 32-81802, 4895 Lucerne Road, Indiana, PA 15701-6001, White Township, **Indiana County**. Cribbs & Associates, Inc., P.O. Box 44, Delmont, PA 15626, on behalf of Mr. Richard Vennard, 5190 White Oak Drive, Indiana, PA 15701-9479, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with benzene, toluene, ethylbenzene, xylenes, methyl tert-butyl ether, cumene, naphthalene, 1,2,4-trimethylbenzene, and 1,3,5-trimethylbenzene. The plan is intended to document the remedial actions for meeting the Statewide Health Standard.

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 3

The DEP has taken action on the following plans and reports under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101–6021.2104).

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports.

A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

The DEP may approve or disapprove plans and reports submitted. This notice provides the DEP's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, please contact the Environmental Cleanup Program Manager in the DEP Regional Office under which the notice of the plan or report appears. If information concerning a report is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the DEP through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The DEP has received the following plans and reports:

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5960.

Contact: Richard Staron, Professional Geologist Manager.

Embodys Sunoco, 46-24044, 1435 E. High St., Pottstown, PA 19464, Pottstown Borough, **Chester County**. Coventry Environmental Associates, P.O. Box 224, Saint Peters, PA 19470, on behalf of Embodys Sunoco, 1435 E. High St., Pottstown, PA 19464 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with diesel fuel and unleaded gasoline. The Remedial Action Completion Report demonstrated attainment of residential Statewide health standard and was approved by the DEP on December 3, 2020.

Mobil Oil 15 Dax, 15-43629, 638 E. Gay St., West Chester Borough, **Chester County**. Arcadis U.S., Inc., 6041 Wallace Road Ext., Suite 300, Wexford, PA15090, on behalf of ExxonMobil Environmental & Property Solutions, 875 West Poplar Avenue, Suite 23, # 353, Collierville, TN 38017, submitted a Remedial Action Plan concerning remediation of soil and groundwater contami-

nated with petroleum products. The report did not demonstrate attainment of site-specific standards and was disapproved by the DEP on December 7, 2020.

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Sunoco 0363 5232, Storage Tank ID # 48-24150, 868 Nazareth Pike, Nazareth, PA 18064, Lower Nazareth Township, **Northampton County**. EnviroTrac, 176 Thorn Hill Road, Warrendale, PA 15086, on behalf of Evergreen Resources, LLC, 2 Righter Parkway, Suite 120, Wilmington, DE 19803, has submitted a combined Remedial Action Plan and Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with gasoline. The report demonstrated attainment of a combination of Site Specific and Statewide Health Standards and was approved by DEP on December 2, 2020.

Salisbury Township School District Bus Garage, Storage Tank ID # 39-07828, 1700 Gaskill Avenue, Allentown, PA 18103, Salisbury Township, **Lehigh County**. Aquaterra Technologies, 901 South Bolmar Street, Suite A, West Chester, PA 19382, on behalf of Salisbury Township School District, 1140 Salisbury Road, Allentown, PA 18103, has submitted a combined Remedial Action Plan and Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with gasoline. The report demonstrated attainment of Site Specific Standards and was approved by DEP on December 4, 2020.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110, 717-705-4705.

Contact: Cherie Campbell, Soil Scientist.

Martin Paving, Storage Tank Facility ID # 36-61945, 531 East 28th Division Highway, Lititz, PA 17543, Elizabeth Township, **Lancaster County**. Crawford Environmental Services, LLC, 20 Cardinal Drive, Birdsboro, PA 19508, on behalf of Martin Paving, Inc., 531 East 28th Division Highway, Lititz, PA 17543 submitted a Remedial Action Plan concerning remediation of soil contaminated with petroleum. The Remedial Action Plan was acceptable to meet the Nonresidential Statewide Health Standard and was approved by DEP on December 10, 2020.

Northcentral Region: Environmental Cleanup & Brownfields Program, 208 West Third Street, Suite 101, Williamsport, PA 17701, 570-327-3636.

Contact: Randy Farmerie, Environmental Program Manager.

Curwensville Tire, Storage Tank Facility ID # 17-71861, 222 Filbert Street, Curwensville, PA 16833, Pike Township, **Clearfield County**. Tetra Tech, on behalf of Mr. John F. Tressler, Jr., 5817 Nittany Valley Road, Lamar, PA 16848, submitted a Remedial Action Completion Report Addendum concerning remediation of soil contaminated with unleaded gasoline. The Remedial Action Completion Report demonstrated attainment of the Site-Specific Standard and was approved by DEP on November 9, 2020.

SPECIAL NOTICES

WATER MANAGEMENT

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

PUBLIC NOTICE OF FINAL STATE WATER QUALITY CERTIFICATION FOR FERC REGULATED PIPELINE PROJECT

State Water Quality Certification Issued by the Commonwealth of Pennsylvania, Department of Environmental Protection Pursuant to Section 401 of the Clean Water Act for the FM 100 Project.

Regional Permit Coordination Office: 400 Market Street, Harrisburg, PA 17101, Email: RA-EPREGIONAL PERMIT@pa.gov.

WQ0083219-002, National Fuel Gas Supply Corporation, 1100 State Street, Erie, PA 16512. FM 100 Project (Project), in **Cameron, Clearfield, Clinton, Elk, McKean, and Potter Counties**, Baltimore and Pittsburgh Corps Districts. The proposed project involves modernization of a portion of the existing pipeline system, and abandonment of aging infrastructure. The modernization portion of the project starts in Sergeant Township, McKean County (Latitude: 41.70265°; Longitude: -78.500103°) and ends in Allegany Township, Potter County (Latitude: 41.886014°; Longitude: -77.950358°). The abandonment portion of the project starts in Huston Township, Clearfield County (Latitude: 41.219814°; Longitude: -78.559042°) and ends in Portage Township, Potter County (Latitude: 41.589831°; Longitude: -78.058392°).

On July 18, 2019, Applicant filed an application with the Federal Energy Regulatory Commission (FERC) under Section 7 of the Natural Gas Act (15 U.S.C.A. § 717f) seeking a certificate of public convenience and necessity to construct and operate its Project (FERC Docket No. CP19-491-000). The FERC Environmental Assessment for the Project, which was issued on February 7, 2020, may be viewed on FERC's website at www.ferc.gov (search eLibrary; Docket Search; CP19-491-000).

On November 21, 2019, Applicant requested a state water quality certification (SWQC) from the Pennsylvania Department of Environmental Protection (PADEP), as required by Section 401 of the Clean Water Act (33 U.S.C.A. § 1341), to ensure that the construction, operation and maintenance of the Project will protect water quality in Pennsylvania consistent with the requirements of State law and the Clean Water Act.

Applicant is proposing the installation and maintenance of an approximately 29.5-mile-long, 20-inch diameter pipeline (Line YM58), a 0.4 mile 12-inch diameter pipeline (extension of existing Line KL), and a 1.4-mile-long 24-inch diameter pipeline loop (YM 224) and appurtenant facilities in various municipalities within Clinton County, McKean County and Potter County for the purpose of transportation of natural gas. Applicant is also proposing to abandon in place approximately 44.9 miles of 12-inch diameter steel natural gas pipeline and appurtenant facilities in various municipalities within Cameron County, Clearfield County, Elk County and Potter County. The Project, as proposed, will require approximately 555.8 acres of earth disturbance, and the following impacts to streams, floodways, and wetlands:

Cameron County: 1.32 acres of floodway impacts to Driftwood Branch Sinnemahoning Creek (TSF, MF) and

Bennett Branch Sinnemahoning Creek (WWF, MF); 0.02 acre of temporary impacts to PSS wetlands.

Clearfield County: 1.68 acres of floodway impacts to Bennett Branch Sinnemahoning Creek (CWF, MF), Tributaries to Bennett Branch Sinnemahoning Creek (CWF, MF), Laurel Run (HQ-CWF, MF); 0.22 acre of temporary impacts to PEM and PSS wetlands.

Elk County: 5 feet of temporary impacts Medix Run (HQ-CWF, MF) and a tributary to Medix Run (HQ-CWF, MF); 0.05 acre of floodway impacts; 0.11 acres of temporary impacts to PEM wetlands.

McKean County: total of 1,062 feet of impacts to Tributaries to Wernway Hollow (HQ-CWF, MF), Tributary to Browns Mill Hollow Run (HQ-CWF), Robbins Brook and tributaries thereof (HQ-CWF), Donley Fork (HQ-CWF), Potato Creek (TSF), tributaries to Potato Creek (CWF), Coalbed Hollow (HQ-CWF), Bemis Hollow (HQ-CWF) and tributaries thereof, Allegheny Portage Creek (CWF) and tributaries thereof, Allegheny River (CWF) and tributaries thereof, Tributary to Benson Hollow (CWF), Coleman Creek (CWF) and tributaries thereof, Tributary to Jordan Hollow (CWF), Tributaries to Red Mill Brook (CWF), Tributaries to Irons Hollow (CWF), Tributaries to Robbins Brook (HQ-CWF), Tributaries to Walcott Brook (CWF), Tributary to Fishing Creek (CWF), Tributaries to Warner Brook (HQ-CWF); 21.113 acres of floodway impacts; 13.783 acres of temporary impacts to PEM, PSS and PFO wetlands; and 1.744 acres of permanent impacts to PEM, PSS and PFO wetlands.

Potter County: total 282 feet of impacts to Jordan Hollow (CWF) and tributaries thereof, Ernst Hollow (CWF), Sartwell Creek (CWF) and tributaries thereof, Baker Hollow (CWF), Fishing Creek (CWF) and tributaries thereof, East Branch Fishing Creek (HQ-CWF) and tributary thereof, Whitney Creek (EV) and tributaries thereof, 4.113 acres of floodway impacts; 1.087 acres of temporary impacts to PEM, PSS and PFO wetlands; and 0.139 acre of permanent impacts to PEM, PSS, and PFO wetlands.

PADEP published notice of its proposed SWQC in the *Pennsylvania Bulletin* on April 18, 2020 (50 Pa.B. 2082) and received one comment letter from one public entity. PADEP has reviewed, evaluated, and carefully considered the comments received during the review of the water quality certification request. The comments did not result in substantive changes to the final certification.

PADEP certifies that the construction, operation and maintenance of the Project complies with the applicable provisions of sections 301—303, 306 and 307 of the Federal Clean Water Act (33 U.S.C.A. 1311—1313, 1316 and 1317). The PADEP further certifies that the construction, operation and maintenance of the Project complies with Pennsylvania water quality standards and that the construction, operation and maintenance of the Project will maintain and protect applicable Commonwealth water quality standards provided that the construction, operation and maintenance of the project complies with the following PADEP water quality permitting programs, criteria and conditions established pursuant to Pennsylvania law:

1. *Discharge of Hydrostatic Test Water*—Applicant shall obtain and comply with a National Pollutant Discharge Elimination System (NPDES) permit(s) for the discharge of water from the hydrostatic testing of the pipeline associated with the Project pursuant to Pennsylvania's Clean Streams Law (35 P.S. §§ 691.1—691.1001),

25 Pa. Code Chapter 92a (relating to NPDES permitting, monitoring and compliance), and all other applicable regulations.

2. *Erosion and Sediment Control and Stormwater Management*—All projects proposing earth disturbance must implement best management practices (BMPs) to protect and maintain water quality pursuant to Pennsylvania's Clean Streams Law (35 P.S. §§ 691.1—691.1001) and Storm Water Management Act (32 P.S. §§ 680.1—680.17), 25 Pa. Code Chapter 102 (relating to erosion and sediment control), and all other applicable regulations. Applicant shall obtain and comply with an Erosion and Sediment Control Permit(s) for earth disturbance associated with the Project as provided in 25 Pa. Code § 102.5.

3. *Water Obstruction and Encroachment Permits*—Applicant shall obtain and comply with a Water Obstruction and Encroachment Permit(s) for the construction, operation and maintenance of all stream and wetland crossings associated with the Project pursuant to Pennsylvania's Clean Streams Law, Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), and Flood Plain Management Act (32 P.S. §§ 679.101—679.601), 25 Pa. Code Chapter 105 (relating to dam safety and waterway management), 25 Pa. Code Chapter 106 (relating to floodplain management), and all other applicable regulations.

4. *Other Water Quality Requirements*—Applicant shall obtain any other permits, authorizations or approvals required to construct, operate, and maintain the Project from any interstate or international agency as required by an interstate compact or international agreement that has established water quality standards applicable to surface waters of this Commonwealth, including wetlands.

5. *Water Quality Monitoring*—PADEP retains the right to specify additional studies or monitoring to ensure that water quality in the receiving waters associated with the Project is not adversely impacted by any operational and construction process that may be employed by Applicant.

6. *Operation*—At all times, Applicant shall properly operate and maintain all Project facilities and systems of treatment and control (and related appurtenances) installed to achieve compliance with the terms and conditions of this SWQC and all required permits, authorizations and approvals. Proper operation and maintenance includes adequate laboratory controls, appropriate quality assurance procedures, and the operation of backup or auxiliary facilities or similar systems installed by Applicant.

7. *Inspection*—The Project, including all relevant records, are subject to inspection at reasonable hours and intervals by an authorized representative of PADEP or the delegated County Conservation District to determine compliance with this SWQC, including all permits, authorizations or approvals issued to ensure the project shall maintain and protect state water quality standards as required by this SWQC. The Applicant shall provide a copy of this SWQC to an authorized representative conducting an inspection of the Project.

8. *Transfer of Projects*—If Applicant intends to transfer any legal or equitable interest in the Project or any portion(s) thereof, the Applicant shall provide a copy of this SWQC and copies of any permits, authorizations or approvals obtained to comply with the SWQC upon the prospective transferee of the legal and equitable interest at least thirty (30) days prior to the contemplated transfer and shall simultaneously inform the appropriate

PADEP Office of such intent. Notice to PADEP shall include a transfer agreement signed by the existing and new owners containing a specific date for transfer of responsibility, coverage, and liability under the SWQC and any permits, authorizations and approvals obtained to comply with the SWQC. The new owner shall submit to PADEP a new application form for the SWQC and any permits, authorizations and approvals required to comply with the SWQC signed by the new owner.

9. *Correspondence*—All correspondence with and submittals to PADEP concerning this SWQC shall be addressed to the Department of Environmental Protection, Regional Permit Coordination Office, Domenic Rocco, PE, Director, 400 Market Street, Harrisburg, PA 17101, RA-EPREGIONALPERMIT@pa.gov.

10. *Reservation of Rights*—PADEP may modify, suspend or revoke this SWQC if (i) PADEP becomes aware of new facts about the Project that warrant such action; or (ii) PADEP determines that the Applicant has not complied with the terms and conditions of this SWQC. PADEP may require additional measures to achieve compliance with any applicable law or regulation.

11. *Other Laws*—Nothing in this SWQC shall be construed to preclude the institution of any legal action or to relieve Applicant from any responsibilities, liabilities, or penalties established pursuant to any applicable law or regulation.

12. *Severability*—The provisions of this SWQC are severable and should any provision of this SWQC be declared invalid or unenforceable, the remainder of the SWQC shall not be affected thereby.

Any person aggrieved by this action may file a petition for review pursuant to Section 19(d) of the Federal Natural Gas Act, 15 U.S.C.A. § 717r(d), with the Office of the Clerk, United States Court of Appeals for the Third Circuit, 21400 U.S. Courthouse, 601 Market Street, Philadelphia, PA 19106-1790 as provided by law. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law. Important legal rights are at stake, so you should show this document to a lawyer promptly.

[Pa.B. Doc. No. 20-1779. Filed for public inspection December 18, 2020, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Federal Consistency Under the Coastal Zone Management Act; National Performance Standards for Discharges Incidental to the Normal Operation of a Commercial Vessel

This notice is published under section 306(d)(14) of the Federal Coastal Zone Management Act of 1972 (CZMA) (16 U.S.C.A. § 1455(d)(14)), regarding public participation during consistency determinations. The Department of Environmental Protection (Department), Coastal Resources Management Program has received notice that the United States Environmental Protection Agency (EPA) is proposing National performance standards for discharges incidental to the normal operation of a commercial vessel.

On October 26, 2020, the EPA proposed regulations under the Clean Water Act (CWA) (33 U.S.C.A. §§ 1251—

1376), as amended by the Vessel Incidental Discharge Act (VIDA) of 2018, to establish National performance standards for discharges incidental to the normal operation of primarily commercial vessels (85 FR 67818 (October 26, 2020)). The proposed rule would establish National standards for primarily nonmilitary and nonrecreational vessels 79 feet in length and above, into the waters of the United States or the waters of the contiguous zone. The proposed National standards of performance were developed in coordination with the United States Coast Guard (USCG). The EPA contends that the proposed standards, once finalized and implemented through corresponding USCG regulations addressing implementation, compliance and enforcement, would reduce the discharge of pollutants from vessels and streamline the current patchwork of Federal, state and local vessel discharge requirements.

Additionally, the EPA is proposing procedures for states to follow if they choose to petition the EPA to issue an emergency order, to review any standard of performance, regulation or policy, to request additional requirements with respect to discharges in the Great Lakes, or to apply to the EPA to prohibit one or more types of vessel discharges proposed for regulation in the rulemaking into specified waters to provide greater environmental protection. The proposed rule would establish general and specific technology-based discharge standards of performance for approximately 82,000 domestic and international nonmilitary, nonrecreational vessels operating in the waters of the United States or the waters of the contiguous zone. Discharges from commercial vessels have been regulated under section 402 of the CWA (33 U.S.C.A. § 1342) regarding the National Pollutant Discharge Elimination System permitting regime through the 2013 Vessel General Permit (VGP).

The VIDA is intended to transfer authority for establishing discharge requirements for commercial vessels from the VGP permitting program to the new uniform national regulation-based program under section 312(p) of the CWA (33 U.S.C.A. § 1322(p)). With certain exceptions, VIDA requires that the proposed standards be at least as stringent as the general requirements contained in the 2013 VGP. Section 312(p) of the CWA, captioned “uniform national standards for discharges incidental to normal operation of vessels,” directs the EPA to promulgate performance standards that apply consistently throughout the country to the regulated vessel discharges covered by the proposed VIDA rule. Among Congress’ purposes in enacting the VIDA is to provide for uniform, environmentally sound standards and requirements for the management of discharges. The approach does not allow for state-specific distinctions in the development of the technology-based standards. The EPA has further determined that the proposed rule is a de minimis Federal activity because the requirements in the proposed rule are not significantly different than those established under the 2013 VGP. Vessels are already required to meet the requirements of the 2013 VGP, and the EPA expects that the proposed changes in the rule from the VGP requirements will not generate significant, new or different coastal effects. The EPA expects that any direct or indirect coastal effects resulting from the proposed rule will be environmentally beneficial.

This activity is subject to Department review for Federal consistency because it is a Federal agency activity and will have reasonably foreseeable effects on the Commonwealth’s coastal resources or uses.

In accordance with section 307 of the CZMA (16 U.S.C.A. § 1456) and the National Oceanic and

Atmospheric Administration (NOAA) regulations at 15 CFR Part 930, Subpart C (relating to consistency for Federal agency activities), the EPA has determined that the proposed activity will be conducted in a manner consistent with the applicable enforceable policies of the Commonwealth's NOAA-approved Coastal Resources Management Program. Interested parties may request a copy of the Federal Consistency Determination from the Department contact listed as follows.

Questions regarding this review can be directed to Matthew Walderon, Federal Consistency Coordinator, at RA-Fed_Consistency@pa.gov or (717) 772-2196.

The Department will consider all comments received on or before Monday, January 4, 2021, before issuing a final Federal consistency concurrence or objection. Comments submitted by facsimile will not be accepted. All comments, including comments submitted by e-mail, must include the commentator's name and address. Commentators are encouraged to submit comments using the Department's online eComment tool at www.ahs.dep.pa.gov/eComment or by e-mail to ecomment@pa.gov. Written comments can be mailed to the Department of Environmental Protection, Policy Office, 400 Market Street, P.O. Box 2063, Harrisburg, PA 17105-2063.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 20-1780. Filed for public inspection December 18, 2020, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Residual Waste General Permit WMGR123; Base Permit Renewal with Revisions

Under the authority of the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003) and the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904), the Department of Environmental Protection (Department) is providing notice of the renewal of General Permit No. WMGR123 with revisions. This revised general permit will take effect Monday, January 4, 2021. This general permit authorizes permittees to process, transfer and beneficially use oil and gas liquid waste to develop or hydraulically fracture an oil or gas well. The revisions to WMGR123 consist of the following:

- Clarification to the proposed definitions for “processing,” “transfer” and “oil and gas liquid waste.”
- Minor updates to clarify the difference between a “unit” which pertains to structures used to contain de-wasted oil and gas liquid waste, and a “facility” which pertains to an operation that processes or transfers oil and gas liquid waste.
- Minor updates to terminology referencing de-wasted material and oil and gas liquid waste.

- Removal of proposed conditions that allowed for WMGR123 permittees processing oil and gas liquid waste to meet Appendix A limits for de-wasting to request a reduced sampling and analysis frequency and reduced parameter list.

- Addition of standard language that would allow for clearances provided by the Pennsylvania Natural Heritage Program to be considered during a Pennsylvania Natural Diversity Inventory (PNDI) review.

- Addition of language that would allow Radiation Protection Actions Plans to be maintained in an electronic format on sites where an office or building is not located onsite, provided the plan is available at the facility at all times, and to allow for electronic copies of the plan to be provided to the Department upon request.

- Addition of language to allow all records that are required to be maintained by permittees to be maintained in either hard copy or an electronic format.

- Inclusion of minor updates to references to the Oil and Gas Act (58 Pa.C.S. 2301—3504 (relating to oil and gas)).

- Inclusion of a minor clarification to Condition C.22., relating to inspection requirements for WMGR123 operations located on a well pad that are not actively processing or transferring (storing) oil and gas liquid waste.

- Addition of two conditions that would require Department notification of the beginning of construction activities and certification of equipment installation at WMGR123 operations prior to processing or transfer, as requested by regional office staff.

- Addition of Condition C.27 that states permittees are not authorized to use open-top storage tanks or any other air contamination sources under the terms of WMGR123 unless the facility demonstrates that the open top tanks or sources are in compliance with 25 Pa. Code Subpart C, Article III (relating to air resources), pertaining to air emissions.

- Addition of Condition E.3. that would require permittees to immediately notify the Department in the event that the maximum volume of processed and unprocessed oil and gas liquid waste utilized in approved bonding calculations are exceeded.

Persons interested in reviewing the general permit may contact Chris Solloway at csolloway@pa.gov, (717) 787-7381 or Environmental Group Manager, Permits Section, Division of Municipal and Residual Waste, Bureau of Waste Management, P.O. Box 69170, Harrisburg, PA 17106-9170.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Chris Solloway at (717) 787-7381 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 20-1781. Filed for public inspection December 18, 2020, 9:00 a.m.]

DEPARTMENT OF HEALTH

Ambulatory Surgical Facilities; Requests for Exceptions

The following ambulatory surgical facilities (ASF) have filed requests for exceptions under 28 Pa. Code § 51.33 (relating to requests for exceptions) with the Department of Health (Department), which has authority to license ASFs

under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b). The following requests for exceptions relate to regulations governing ASF licensure in 28 Pa. Code Chapters 51 and 551—571 (relating to general information; and ambulatory surgical facilities).

<i>Facility Name</i>	<i>Regulation and relating to</i>
Bucks County Surgical Suites	28 Pa. Code § 551.21(d)(1) (relating to criteria for ambulatory surgery)
Evangelical Ambulatory Surgical Center, LLC	28 Pa. Code § 551.22(4) (relating to criteria for performance of ambulatory surgery on pediatric patients)
Geisinger Medical Center Outpatient Surgery Woodbine	28 Pa. Code § 551.21(d)(1)
Integrated Surgical Institute	28 Pa. Code § 551.21(d)(1)
Penn Highlands Dubois Surgery Center	28 Pa. Code § 567.53 (1) (relating to sterilization control)
Penn Medicine Radnor Surgery Center	28 Pa. Code § 569.35(7) (relating to general safety precautions)
UPMC West Mifflin Outpatient Surgery Center	28 Pa. Code § 569.35(7)
Western Pa Surgery Center	28 Pa. Code § 551.21(d)(1)

The previously listed requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163 or ra-paexcept@pa.gov. Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed address. Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, or for speech and/or hearing-impaired persons, call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

RACHEL L. LEVINE, MD,
Secretary

[Pa.B. Doc. No. 20-1782. Filed for public inspection December 18, 2020, 9:00 a.m.]

DEPARTMENT OF HEALTH

Decisions on Requests for Exceptions to Health Care Facility Regulations

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), effective June 6, 1998, the Department of Health (Department) has published in the *Pennsylvania Bulletin* all requests by entities licensed under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b), for exceptions to regulations contained in 28 Pa. Code Part IV Subparts B—G.

Section 51.33(d) of 28 Pa. Code provides that the Department will publish notice of all approved exceptions on a periodic basis. The Department has determined that it will publish notice of all exceptions, both approved and denied. The following list contains the decisions made on exception requests published in the *Pennsylvania Bulletin* for the month of November 2020. Future publications of decisions on exception requests will appear on a periodic basis.

Requests for additional information on the exception request and the Department's decision should be made to the relevant division of the Department. Inquiries regarding hospitals, abortion facilities and ambulatory surgical facilities shall be addressed to Garrison E. Gladfelter, Jr., Director, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980. Inquiries regarding long-term care facilities shall be addressed to Susan Williamson, Director, Division of Nursing Care Facilities, Room 528, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816.

Hospitals

<i>Facility Name</i>	<i>28 Pa. Code Regulation</i>	<i>Dec. Date</i>	<i>Decision</i>
AHN Emerus Westmoreland, LLC	§ 153.1(a) (relating to minimum standards) 2.1-4.3.2.2(1) and (2) sinks	11/15/2020	Granted
The Hospital of the University of Pennsylvania	§ 149.3 (relating to facilities)	11/15/2020	Granted w/Conditions

<i>Facility Name</i>	<i>28 Pa. Code Regulation</i>	<i>Dec. Date</i>	<i>Decision</i>
Lower Bucks Hospital	§ 153.1(a) 2.2-3.4.2.5(1)(a) system component room	11/06/2020	Granted
Millcreek Community Hospital	§ 153.1(a) 2.2-2.12.4.3 seclusion rooms	11/15/2020	Granted
	§ 153.1(a) 2.5-2.2.10.2(1) and (2) social spaces	11/09/2020	Granted
	§ 153.1(a) 2.5-2.2.10.2(3) social spaces	11/09/2020	Granted w/Conditions
	§ 153.1(a) 2.5-2.2.8.16(1) and (2) consultation room(s)	11/15/2020	Granted
	§ 153.1(a) 2.5-2.2.8.18 space for group therapy	11/15/2020	Granted
Penn Highlands Huntingdon	§ 153.1(a) 1.2-6.4.2.2 design response for accommodations for patients of size	11/06/2020	Granted
	§ 153.1(a) 2.1-2.10.2.1 door openings	11/06/2020	Granted
	§ 153.1(a) 2.1-2.10.2.2 door openings	11/06/2020	Granted
	§ 153.1(a) 2.1-3.2.1.2(2)(a)(i) and (ii) and (b)(ii) space requirements	11/06/2020	Granted
Saint Christopher's Hospital For Children	§ 107.61 (relating to written orders) regarding medical orders)	11/09/2020	Granted w/Conditions
Suburban Community Hospital	§ 153.1(a) 2.2-2.6.2.2(2) and (3)(b) space requirements	11/15/2020	Granted
	§ 153.1(a) 2.2-2.6.2.6(1)(a)-(b) toilet room or human waste disposal room	11/15/2020	Granted
UPMC Pinnacle Hospitals	§ 153.1(a) 2.1-3.8.7.3(1) hand-washing station	11/07/2020	Granted
UPMC Presbyterian Shadyside	§ 153.1(a) 2.2-2.6.2.2(3) space requirements	11/09/2020	Granted
Wilkes-Barre General Hospital	§ 153.1(a) 2.2-3.4.2.2(2)(a) space requirements	11/06/2020	Granted

Nursing Care Facilities

<i>Facility Name</i>	<i>28 Pa. Code Regulation</i>	<i>Dec. Date</i>	<i>Decision</i>
Cumberland Crossings Retirement Community	§ 201.22(j) (relating to prevention, control and surveillance of tuberculosis (TB))	11/23/2020	Granted
Elk Haven Nursing Home	§ 211.9(g) (relating to pharmacy services)	11/16/2020	Granted
Frey Village	§ 201.22(j) (relating to prevention, control and surveillance of tuberculosis (TB))	11/23/2020	Granted
The Williamsport Home	§ 201.22(e) (relating to prevention, control and surveillance of tuberculosis (TB))	11/16/2020	Granted

Persons with a disability who require an alternative format of this notice (for example, large print, audiotope, Braille) should contact the Division of Acute and Ambulatory Care or the Division of Nursing Care Facilities at the previously referenced address or telephone number, or for speech and/or hearing-impaired persons, call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

RACHEL L. LEVINE, MD,
Secretary

[Pa.B. Doc. No. 20-1783. Filed for public inspection December 18, 2020, 9:00 a.m.]

DEPARTMENT OF HEALTH

Home Health Agencies; Requests for Exception

The following home health agencies are seeking exceptions to 28 Pa. Code § 601.31 (relating to acceptance of patients, plan of treatment and medical supervision):

Excelsa Health Home Care and Hospice
501 West Otterman Street
Greensburg, PA 15601
LIC # 709005

Omni Home Care
221 Hospital Drive
Suite 2
Tyrone, PA 16686
LIC # 77960501

OSS Health at Home
1873 Powder Mill Road
York, PA 17402
LIC # 04870501

These requests are on file with the Department of Health (Department). Persons may receive a copy of a

request for exception by requesting a copy from the Department of Health, Division of Home Health, Forum Place, Suite 701, 555 Walnut Street, Harrisburg, PA 17101, (717) 783-1379, fax (717) 787-3188, ra-communityprogramlicensure@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed address.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing-impaired persons, call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

RACHEL L. LEVINE, MD,
Secretary

[Pa.B. Doc. No. 20-1784. Filed for public inspection December 18, 2020, 9:00 a.m.]

DEPARTMENT OF HEALTH

Hospitals; Requests for Exceptions

The following hospital has filed requests for exceptions under 28 Pa. Code § 51.33 (relating to requests for exceptions) with the Department of Health (Department), which has authority to license hospitals under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b). The following request for exceptions relates to regulations governing hospital licensure in 28 Pa. Code Chapters 51 and 101—158 (relating to general information; and general and special hospitals).

<i>Facility Name</i>	<i>Regulation and relating to</i>
West Penn Hospital	28 Pa.B. § 138.15 (relating to high-risk cardiac catheterizations)

The following hospitals have filed requests for exceptions under 28 Pa. Code § 153.1 (relating to minimum standards). Requests for exceptions under this section relate to minimum standards that hospitals must comply with under the *Guidelines for Design and Construction of Hospitals and Outpatient Facilities—2014 Edition*, or *Guidelines for Design and Construction of Hospitals—2018 Edition*, *Guidelines for Design and Construction of Outpatient Facilities—2018 Edition*. The following list includes the citation to the section under the *Guidelines* that the hospital is seeking an exception.

<i>Facility Name</i>	<i>FGI Guidelines Section and relating to</i>	<i>Yr¹</i>
Clarion Hospital	2.1-2.8.9.2(1)—(6) features	18
	2.1-2.9.2.1 staff toilet room	18
	2.1-2.9.2.2 staff toilet room	18
	2.1-2.9.2.3 staff toilet room	18
	2.1-2.9.3.1 staff storage facilities	18
	2.1-3.4.2.1 patient care station design	18
	2.2-2.9.3.2(3) space requirements	18
	2.2-2.9.11.8(2)(a)-(b) support areas for the cesarean delivery suite	18
	2.2-3.1.3.2(5) and (7) entrance	18
	2.2-3.1.3.4(1)(a)—(c) public waiting area	18
	2.2-3.1.3.6(6)(a)(i)—(iii) treatment room or area	18
	2.2-3.1.3.6(8) human decontamination room	18
	2.2-3.1.4.2(1) airborne infection isolation (AII) room	18
	2.2-3.1.8.14 environmental services room(s)	18
Conemaugh Memorial Medical Center	2.2-3.3.1.1(1)-(2) location and layout	18
	2.2-3.10.2.2(1)(b) space requirements	18
Jefferson Hospital	2.2-3.10.2.2(2)(a)—(c) space requirements	18
	2.6-2.2.2.2(1) space requirements	18
	2.6-2.2.2.2(2)(a) space requirements	18
Reading Hospital	2.6-2.2.2.7(2)(c) and (d) patient bathing facilities	18
	2.2-2.8.10.2(1)(a)—(e) parent/infant room(s)	18

¹ 2018 Year FGI Regulations for Outpatient Facilities are indicated by “-O.”

The previously listed requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, or ra-paexcept@pa.gov. Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the

previously listed address. Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or for speech and/or hearing impaired persons, call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

RACHEL L. LEVINE, MD,
Secretary

[Pa.B. Doc. No. 20-1785. Filed for public inspection December 18, 2020, 9:00 a.m.]

DEPARTMENT OF HEALTH

Long-Term Care Nursing Facilities; Requests for Exception

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.6(a) (relating to function of building):

Roosevelt Rehabilitation and Healthcare Center
7800 Bustleton Avenue
Philadelphia, PA 19152
FAC ID # 210102

This request is on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed address.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing-impaired persons, call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

RACHEL L. LEVINE, MD,
Secretary

[Pa.B. Doc. No. 20-1786. Filed for public inspection December 18, 2020, 9:00 a.m.]

DEPARTMENT OF MILITARY AND VETERANS AFFAIRS

Determination of Need; Disabled Veterans' Real Estate Tax Exemption

Under 51 Pa.C.S. § 8904 (relating to duty of commission), the State Veterans' Commission (Commission) fixes uniform and equitable standards for the determination of need for certain disabled veterans and their unmarried surviving spouses to qualify for an exemption from real estate taxes on their principal dwellings. In so doing, the Commission was required by law to apply a rebuttable

presumption that an applicant with annual income of \$75,000 or less has a need for the exemption.

Section 8904 of 51 Pa.C.S. further provides that, beginning on January 1, 2009, the Commission will adjust the annual income level qualifying for the rebuttable presumption in an amount equal to the change in the Consumer Price Index for the preceding 2 years. Adjustments were made to the annual income level that became effective on January 1, 2009, 2011, 2013, 2015, 2017 and 2019.

During the 2-year period from November 1, 2018, until October 31, 2020, the Consumer Price Index (All Urban Consumers/Seasonally Adjusted) increased by a total of 2.90%. Accordingly, beginning January 1, 2021, the Commission will apply a rebuttable presumption that an applicant for the Disabled Veterans' Real Estate Tax Exemption Program with an annual income of \$95,279 or less may have a need for the exemption. Applicants whose annual income exceed \$95,279 may attempt to rebut the presumption that they do not need the exemption from real estate tax on their principal dwelling by submitting expenditure documentation that they believe demonstrates their need.

In applying the \$95,279 annual income level, the Office of Veterans' Affairs will follow the following approach when determining the effective date of the exemption:

Applications pending on December 31, 2020, which are determined to demonstrate need based on eligibility criteria applicable on or before that date, shall be effective based on the date of application in accordance as provided by 43 Pa. Code § 5.25 (relating to effective date of exemption).

Applications pending on December 31, 2020, which did not demonstrate need when applying the prior annual rebuttable presumption income level, but which are eligible under the revised income level applicable on January 1, 2021, shall be effective as of January 1, 2021, unless the presumption is rebutted.

Applications filed with the local boards for assessment and revision of taxes or similar board or agency on or after January 1, 2021, shall be effective based on the date of application as provided by 43 Pa. Code § 5.25.

Applicants who were denied certificates of need prior to January 1, 2021, but who believe they qualify after that date, may reapply with the effective date of any exception being based on the date of the new application as provided by 43 Pa. Code § 5.25 unless the presumption is rebutted.

MARK J. SCHINDLER,
Major General, PAARNG
Acting Adjutant General

[Pa.B. Doc. No. 20-1787. Filed for public inspection December 18, 2020, 9:00 a.m.]

FISH AND BOAT COMMISSION

Proposed Exemptions to Allow for the Continued Stocking of Class A Stream Sections

The Fish and Boat Commission (Commission) intends to consider at its meeting on January 25 and 26, 2021, whether to allow trout stocking to continue on each of the Class A wild trout streams listed as follows. Under 58 Pa. Code § 57.8a (relating to Class A wild trout streams), the Executive Director will obtain approval of the Commission prior to granting permission to stock a Class A wild trout stream under 58 Pa. Code § 71.4 (relating to stocking of designated waters).

On September 30, 2014 (effective January 1, 2015), the Statement of Policy at 58 Pa. Code § 57.8a was amended to require the Executive Director to obtain approval from the Commission prior to granting permission to stock a Class A wild trout stream section. Following the update to 58 Pa. Code § 57.8a, staff developed internal decision-making criteria to allow continued Commission stocking of a limited number of Class A wild trout stream sections. Subsequently, 13 stream sections that support strong Class A wild Brown Trout populations were officially designated as Class A wild trout streams during the 2015–2017 timeframe following updated wild trout surveys, and stocking was continued. The stream sections where stocking continued are heavily fished waters in high-density human population centers of a size and character that can support a fishery featuring both stocked and wild trout components.

Historically, there have been very few streams where stocking of trout following Class A designation was considered and warranted. However, there are rare cases, beyond the current 13 stocked Class A wild trout stream sections, where a stocking exemption should be considered. To account for these rare circumstances, staff developed additional decision-making criteria to consider internal and external requests for continued stocking of newly designated Class A wild trout streams. These criteria provide staff direction to guide decisions when unusual situations arise but do not automatically result in continued stocking when criteria are met, as most Class A stream sections are best managed solely for wild trout with no stocking. They offer a mechanism for transparent, timely and consistent consideration of requests to continue the stocking of newly designated Class A wild trout streams. These criteria, listed as follows, can also be found in the *Operational Guidelines for the Management of Trout Fisheries in Pennsylvania Waters, 5th edition* anticipated to be released in December 2020 and available at www.fishandboat.com.

1. Pre-existing youth fishing derbies and special use areas that were properly permitted by the Commission and have a history of more than one past occurrence.

2. Pre-existing private stockings on private property on recently designated (that is, within 1 year of posting in the *Pennsylvania Bulletin*) Class A stream sections that have been closed to public angling at the time of Class A designation and at least since 2010. Historic stockings need to be verifiable by documentation, stocking records and have a history of more than one past occurrence.

3. Stream sections stocked by the Commission, a cooperative nursery or a private group, or both, or individual, the year prior to Class A designation, have a history of more than one past occurrence, and meet the following sub-criteria.

a) The stream section was stocked with adult trout during the year immediately prior to its designation as a Class A wild trout stream.

b) Angler use (anglers/mile of stream) in the stream section equals or exceeds the Statewide 50th percentile of angler use for the opening weekend of trout season as documented by Commission staff, or the stream section is a special regulation area under 58 Pa. Code Chapter 65 (relating to special fishing regulations) that was stocked by the Commission the year immediately prior to its designation as a Class A wild trout stream.

c) The trout species to be stocked are not the same species as the primary component of the wild trout population.

d) The stocking numbers and frequency will not exceed those of the year prior to the Class A designation.

4. Previously received an exemption or a Special Activities Permit from the Commission between 2010 and the present to allow for continued stocking of a Class A wild trout stream section. If the exemption was time-limited and not renewed before expiration, it will be considered a new request and a determination will be made according to other exemption criteria.

Exemptions to the prohibition of stocking hatchery trout into Class A wild trout stream sections will be granted only under rare circumstances. Consideration is only given to requests for continued stocking in stream sections within 1 year of the section being designated as Class A and posted in the *Pennsylvania Bulletin*; however, entities that previously received an exemption or a Special Activities Permit from the Commission between 2010 and the present to allow for continued stocking are eligible for consideration. Should an exemption be granted, the Commission will determine the species of trout, number of trout and frequency of stocking consistent with stocking strategies and historical stocking rates of the stream section to minimize impacts to the Class A wild trout population. All stocking provisions will be communicated in writing by the Commission to the entity receiving the exemption for continued stocking on Class A designated waters. Stocking exemptions will be valid for no more than 5 years at which time the need for continuance may be evaluated.

To date, Commission staff have identified 13 potential exemptions to 58 Pa. Code § 57.8a that meet the criteria to consider the continuance of trout stocking at 12 Class A stream sections. Of these 13 potential exemptions, 10 are associated with youth fishing derbies that occur on a small portion of the stream section. The general exemption classification, stream name, stream section, county and commissioner district are listed as follows.

Youth fishing derbies

- Beaver Run (Section 01), Clearfield County, Commissioner District 3
- Freeman Run (Section 03), Potter County, Commissioner District 3
- McElhattan Creek (Section 02), Clinton County, Commissioner District 3
- Yellow Creek (Section 02), Bedford County, Commissioner District 4
- Letort Spring Run (Section 03), Cumberland County, Commissioner District 6 (two events)
- Laurel Run (Section 02), Berks County, Commissioner District 8

- Unnamed tributary to Tulpehocken Creek (Womelsdorf) (Section 02), Berks County, Commissioner District 8

- Wyomissing Creek (Section 03), Berks County, Commissioner District 8

General fishing derbies (adult and youth participants)

- Kishacoquillas Creek (Section 05), Mifflin County, Commissioner District 4

Children/Disabled Fishing Areas

- Marvin Creek (Section 01), McKean County, Commissioner District 3

Previous stocking exemption granted

- Cross Fork (Section 03), Potter County, Commissioner District 3

- Warriors Mark Run (Section 01), Huntingdon County, Commissioner District 4

Persons with comments, objections or suggestions concerning the additions are invited to submit comments in writing to the Executive Director, Fish and Boat Commission, P.O. Box 67000, Harrisburg, PA 17106-7000, within 30 days after publication of this notice in the *Pennsylvania Bulletin*. Comments also may be submitted electronically by completing the form at www.fishandboat.com/regcomments. If an acknowledgment of electronic comments is not received by the sender within 2 working days, the comments should be retransmitted to ensure receipt. Electronic comments submitted in any other manner will not be accepted.

TIMOTHY D. SCHAEFFER,
Executive Director

[Pa.B. Doc. No. 20-1788. Filed for public inspection December 18, 2020, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Actions Taken by the Commission

The Independent Regulatory Review Commission met publicly at 10 a.m., Thursday, December 3, 2020, and announced the following:

Actions Taken—Regulations Approved:

Department of Labor and Industry # 12-113: Emergency Backdating (amends 34 Pa. Code, Part II, Chapter 65.43a)

State Board of Dentistry # 16A-4633: Public Health Dental Hygiene Practitioner Practice Sites (amends 49 Pa. Code § 33.205b)

Approval Order

Public Meeting Held
December 3, 2020

Commissioners Voting: George D. Bedwick, Chairperson; John F. Mizner, Esq., Vice Chairperson; John J. Soroko, Esq.; Murray Ufberg, Esq.; Dennis A. Watson, Esq.

*Department of Labor and Industry—
Emergency Backdating;
Regulation No. 12-113 (# 3276)*

On October 27, 2020, the Independent Regulatory Review Commission (Commission) received this regula-

tion from the Department of Labor and Industry. This rulemaking amends 34 Pa. Code, Part II, Chapter 65.43a. Notice of proposed rulemaking was omitted for this regulation. Governor Tom Wolf certified the regulation as necessary to meet an emergency on October 23, 2020. This regulation became effective upon publication in the *Pennsylvania Bulletin* on November 7, 2020.

This regulation permits backdating of unemployment compensation applications and claim filings, delayed by the COVID-19 pandemic, for up to 52 weeks. This rulemaking limits the availability of such extended filing to the period from March 6, 2020 through the end of the current “period of high unemployment” as defined in the Unemployment Compensation Law 43 P.S. § 815(a.1)(2).

We have determined this regulation is consistent with the statutory authority of the Department (43 P.S. § 761(a)) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

Approval Order

Public Meeting Held
December 3, 2020

Commissioners Voting: George D. Bedwick, Chairperson; John F. Mizner, Esq., Vice Chairperson; John J. Soroko, Esq.; Murray Ufberg, Esq.; Dennis A. Watson, Esq.

*State Board of Dentistry—
Public Health Dental Hygiene Practitioner Practice Sites;
Regulation No. 16A-4633 (# 3228)*

On March 12, 2019, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the State Board of Dentistry (Board). This rulemaking amends 49 Pa. Code § 33.205b. The proposed regulation was published in the March 23, 2019 *Pennsylvania Bulletin* with a public comment period ending on April 22, 2019. The final-form regulation was submitted to the Commission on October 29, 2020.

This final-form regulation adds locations where public health dental hygiene practitioners may practice in order to expand access to dental hygiene services, oral health education and referrals to dentists. These locations include medical offices and clinics in dental health professional shortage areas, drug and alcohol treatment facilities, and facilities licensed and regulated by the Department of Health and the Department of Human Services.

We have determined this regulation is consistent with the statutory authority of the Board (63 P.S. §§ 122(o) and 130j(b)(10)) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

GEORGE D. BEDWICK,
Chairperson

[Pa.B. Doc. No. 20-1789. Filed for public inspection December 18, 2020, 9:00 a.m.]

INSURANCE DEPARTMENT

Alleged Violation of Insurance Laws; H2O Works, Inc.; Doc. No. SC20-12-002

Notice is hereby given of the Order to Show Cause issued on December 8, 2020, by the Deputy Insurance Commissioner in the previously-referenced matter. Violations of the following are alleged: section 611-A(1), (13) and (20) of The Insurance Department Act of 1921 (40 P.S. § 310.11(1), (13) and (20)).

The respondent shall file a written answer to the Order to Show Cause within 30 days of the date of issue. If respondent files a timely answer, a formal administrative hearing shall be held in accordance with 2 Pa.C.S. §§ 501—588 (relating to Administrative Agency Law), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure), 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure) and other relevant procedural provisions of law.

Answers, motions preliminary to those at hearing, protests, petitions to intervene or notices of intervention, if any, must be filed in writing with the Hearings Administrator, Insurance Department, Administrative Hearings Office, 901 North 7th Street, Harrisburg, PA 17102, ra-hearings@pa.gov.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing, contact Domenica Dean, Agency ADA Coordinator, at (717) 705-4194.

JESSICA K. ALTMAN,
Insurance Commissioner

[Pa.B. Doc. No. 20-1790. Filed for public inspection December 18, 2020, 9:00 a.m.]

INSURANCE DEPARTMENT

Alleged Violation of Insurance Laws; Paul Dean Manchester; Doc. No. SC20-12-003

Notice is hereby given of the Order to Show Cause issued on December 8, 2020, by the Deputy Insurance Commissioner in the previously-referenced matter. Violations of the following are alleged: sections 611-A(1), (2), (8) and (20) and 678-A(a) of The Insurance Department Act of 1921 (40 P.S. §§ 310.11(1), (2), (8) and (20) and 310.78(a)).

The respondent shall file a written answer to the Order to Show Cause within 30 days of the date of issue. If respondent files a timely answer, a formal administrative hearing shall be held in accordance with 2 Pa.C.S. §§ 501—588 (relating to Administrative Agency Law), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure), 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure) and other relevant procedural provisions of law.

Answers, motions preliminary to those at hearing, protests, petitions to intervene or notices of intervention, if any, must be filed in writing with the Hearings Administrator, Insurance Department, Administrative Hearings Office, 901 North 7th Street, Harrisburg, PA 17102, ra-hearings@pa.gov.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing, contact Domenica Dean, Agency ADA Coordinator, at (717) 705-4194.

JESSICA K. ALTMAN,
Insurance Commissioner

[Pa.B. Doc. No. 20-1791. Filed for public inspection December 18, 2020, 9:00 a.m.]

INSURANCE DEPARTMENT

Alleged Violation of Insurance Laws; Philip Gabriel Mendez; Doc. No. SC20-12-004

Notice is hereby given of the Order to Show Cause issued on December 8, 2020, by the Deputy Insurance Commissioner in the previously-referenced matter. Violations of the following are alleged: section 6(a)(12) and (13) of the act of December 20, 1983 (P.L. 260, No. 72) (63 P.S. § 1606(a)(12) and (13)), known as the Public Adjuster Licensing Law.

The respondent shall file a written answer to the Order to Show Cause within 30 days of the date of issue. If respondent files a timely answer, a formal administrative hearing shall be held in accordance with 2 Pa.C.S. §§ 501—588 (relating to Administrative Agency Law), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure), 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure) and other relevant procedural provisions of law.

Answers, motions preliminary to those at hearing, protests, petitions to intervene or notices of intervention, if any, must be filed in writing with the Hearings Administrator, Insurance Department, Administrative Hearings Office, 901 North 7th Street, Harrisburg, PA 17102, ra-hearings@pa.gov.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing, contact Domenica Dean, Agency ADA Coordinator, at (717) 705-4194.

JESSICA K. ALTMAN,
Insurance Commissioner

[Pa.B. Doc. No. 20-1792. Filed for public inspection December 18, 2020, 9:00 a.m.]

LEGISLATIVE REFERENCE BUREAU

Documents Filed But Not Published

The Legislative Reference Bureau (Bureau) accepted the following documents during the preceding calendar month for filing without publication under 1 Pa. Code § 3.13(b) (relating to contents of *Bulletin*). The Bureau will continue to publish on a monthly basis either a summary table identifying the documents accepted during the preceding calendar month under this subsection or a statement that no documents have been received. For

questions concerning or copies of documents filed, but not published, call (717) 783-1530.

Executive Board

Resolution No. CB-20-024, Dated November 17, 2020. Authorizing the collective bargaining agreement between the FOP # 114 (Fish and Boat) and the Commonwealth, effective 7/1/2020.

Governor's Office

Management Directive No. 105.05—Use of the Determination of Tax-Exempt Category for Capital Projects Form, Amended November 2, 2020.

DUANE M. SEARLE,
Director
Pennsylvania Code and Bulletin

[Pa.B. Doc. No. 20-1793. Filed for public inspection December 18, 2020, 9:00 a.m.]

PENNSYLVANIA INFRASTRUCTURE INVESTMENT AUTHORITY

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Environmental Assessment Approval for PENNVEST Funding Consideration

Scope: Clean Water and Drinking Water State Revolving Fund Projects for January 20, 2021, Pennsylvania Infrastructure Investment Authority (PENNVEST) Board meeting consideration

Description: PENNVEST, which administers the Commonwealth's Clean Water State Revolving Fund (CWSRF) and Drinking Water State Revolving Fund (DWSRF), is intended to be the funding source for the following projects. The Department of Environmental Protection's (Department) review of these projects, and the information received in the Environmental Report for these projects, has not identified any significant, adverse environmental impact resulting from any of the proposed projects. The Department hereby approves the Environmental Assessment for each project. If no significant comments are received during this comment period, the Environmental Assessment will be considered approved and funding for the project will be considered by PENNVEST.

To be considered, the Department must receive comments on this approval on or by Tuesday, January 19, 2021. Electronic comments should be submitted using the Department's eComment tool at www.ahs.dep.pa.gov/eComment. Written comments can be submitted by e-mail to ecomment@pa.gov or by mail to the Policy Office, Department of Environmental Protection, Rachel Carson State Office Building, P.O. Box 2063, Harrisburg, PA 17105-2063. Use "PENNVEST SRF-Environmental Assessment" as the subject line in written communication.

For more information about the approval of the following Environmental Assessments or the Clean Water and Drinking Water State Revolving Loan Programs contact Richard Wright at riwright@pa.gov or the Bureau of Clean Water, Department of Environmental Protection, P.O. Box 8774, Harrisburg, PA 17105-8774, (717)

772-4059, or visit the Department's web site at www.dep.pa.gov/Business/Water/CleanWater/InfrastructureFinance/Pages/default.aspx.

Any comments received during the comment period, along with the Department's comment and response document will be available on the Department's web site at www.dep.pa.gov/Business/Water/CleanWater/InfrastructureFinance/Pages/EnvironmentalReview.aspx.

Upon approval, the full list of approved projects and their costs can be found in a press release on PENNVEST's web site at www.pennvest.pa.gov.

CWSRF Projects Being Considered:

<i>Applicant:</i>	Brown Township Municipal Authority
<i>County:</i>	Mifflin
<i>Applicant Address:</i>	7748 State Route 655 Reedsville, PA 17084

Project Description: This project consists of constructing a new 60-foot diameter circular final clarifier, modifying yard piping and existing tanks to split flow between clarifiers and installing a new utility water pump system.

Problem Description: The existing rectangular clarifiers are permitted as backup clarifiers. However, due to lack of continual service, age and maintenance needs, the backup clarifiers can only be used for very short periods of time when emergency conditions require the existing circular clarifier to be out of service. Redundancy and improved operational reliability are needed.

<i>Applicant:</i>	Franklin Township Supervisors
<i>County:</i>	Lycoming
<i>Applicant Address:</i>	61 School Lane P.O. Box 85 Lairdsville, PA 17742

Project Description: The project consists of constructing 8,500 linear feet of gravity sewers, 41 manholes, a pumping station and 1,800 linear feet of force main that will send sewage to a new 25,000-gallon per day (gpd) sequencing batch reactor sewage treatment plant. The plant will discharge to Little Muncy Creek, a cold-water fishery. The treatment technology selected will minimize the credits that must be purchased to comply with the Chesapeake Bay Tributary Strategy, reducing long-term operation and maintenance costs.

Problem Description: The Village of Lairdsville in Franklin Township is a documented needs area due to malfunctioning onlot systems combined with small lot sizes and unsuitable soils. A sanitary survey of 36 of the 64 properties was conducted in the proposed service area, finding five malfunctions, a 13.8% malfunction rate. Additionally, 12 of the surveyed properties were determined to have substandard onlot systems.

<i>Applicant:</i>	Perry Township
<i>County:</i>	Mercer
<i>Applicant Address:</i>	1096 Fredonia Road P.O. Box 69 Hadley, PA 16130

Project Description: The proposed project includes the construction of 42,500 linear feet of pressure sewer mains and pressure service laterals, 118 simplex grinder pumps,

one duplex grinder pump, one triplex grinder pump and a 46,000-gpd extended aeration wastewater treatment plant.

Problem Description: This project addresses sewage needs for the Hadley and Camp Perry areas of Perry Township that are currently served by onlot systems. These are the more heavily developed areas within the Township with an onlot malfunction rate of approximately 86% including a wildcat sewer which has seven homes connected. The recommended solution is a new wastewater treatment plant and low-pressure sewer system for the Hadley and Camp Perry areas. These onlot systems leach untreated and partially treated wastewater onto the ground surface and into the waters of this Commonwealth. This project will eliminate the malfunctioning sewage systems thereby improving the areas water quality.

<i>Applicant:</i>	City of Philadelphia
<i>County:</i>	Philadelphia
<i>Applicant Address:</i>	1101 Market Street 2nd Floor Philadelphia, PA 19107

Project Description: The City of Philadelphia, Philadelphia Water Department (PWD) has developed a long-term control plan that includes conveying additional combined sewer overflow (CSO) to the City's Northeast Water Pollution Control Plant for treatment. CSO is a combination of sanitary sewage and stormwater that historically has overflowed to the Delaware River untreated. As part of this effort, the PWD is undergoing a major construction project to build a conduit to bypass primary treated effluent around the secondary treatment process. The bypassed flow will be disinfected. The other part of this major infrastructure improvement project is the design and construction of new preliminary treatment facilities consisting of screening and grit removal in advance of existing primary sedimentation. The combination of these two major infrastructure improvements will provide the PWD with the facilities necessary to treat additional CSO flow and comply with the Department's June 1, 2011, Consent Order and Agreement and the United States Environmental Protection Agency's (EPA) September 21, 2012, Administrative Order for Compliance on Consent.

Problem Description: The City of Philadelphia, PWD is under a Consent Order and Agreement with the Department for violations under the Clean Streams Law and under an Administrative Order for Compliance on Consent with the EPA for violations under the Clean Water Act (33 U.S.C.A. §§ 1251—1388).

DWSRF Projects Being Considered:

<i>Applicant:</i>	Altoona Water Authority — Bellwood Water Treatment Facility Improvements
<i>County:</i>	Blair
<i>Applicant Address:</i>	900 Chestnut Avenue Altoona, PA 16601-4496

Project Description: The proposed project consists of the following components: new raw water metering, new

ozone generation and injection system, new membrane microfiltration units, new ultraviolet disinfection system, upgraded chemical feed system and miscellaneous upgrades regarding the building structure.

Problem Description: The existing facilities at the Bellwood Water Treatment Plant are over 24 years old and most of the existing equipment is at the end of its useful life. A total of 23 plant production interruptions have been recorded since 2010 which is considered excessive for plants that are designed for uninterrupted service. In addition, the plant and operation staff have a difficult time treating high turbidity water.

<i>Applicant:</i>	Altoona Water Authority— Bellwood Dam Upgrades
<i>County:</i>	Blair
<i>Applicant Address:</i>	900 Chestnut Avenue Altoona, PA 16601-4496

Project Description: The Altoona Water Authority is proposing to construct a new spillway, parapet wall, valve vault, access roads and appurtenant structures as permitted by the Department's Dam Safety Program. Additionally, a new reservoir intake structure and aeration system will be constructed as permitted by the Department's Safe Drinking Water Program.

Problem Description: The existing Bellwood Dam was constructed in 1902 and has undergone multiple modifications, the latest being in 1946. The Department's Bureau of Waterways Engineering and Wetlands, Dam Safety Program conducted an inspection and reported that the spillway capacity is severely deficient and need attention. In addition, the dam does not have an upstream intake structure for controlled water withdrawals, nor does it have a means to shutoff water if the 115-year old intake pipe leaks through the dam.

<i>Applicant:</i>	Middleburg Municipal Authority
<i>County:</i>	Snyder
<i>Applicant Address:</i>	13 North Main Street Middleburg, PA 17842

Project Description: Middleburg Municipal Authority proposes to install a 290,000-gallon concrete contact tank, a new meter building and a 163,000-gallon standpipe tank. The scope also includes replacing approximately 10,000 linear feet of water mains, three water meters with new electromagnetic flow meters, five turbidimeters, filter media and its underlying porous plate and recoating the three filter units. The standpipe storage tank and water mains will be in Middleburg Borough, while the water filtration plant rehabilitation and concrete contact tank construction will be in Franklin Township.

Problem Description: The water distribution system is prone to line failures as it contains old cast iron and asbestos cement pipe that have exceeded their useful lives. Customers on the north side of the service area and in higher elevations have experienced low water pressure issues. Well # 3 cannot be put online due to a hydraulic restriction at the old reservoir. In addition, the Middleburg Municipal Authority is under a Consent

Order and Agreement with the Department to install alarm and automatic shutdown capabilities at the water treatment plant.

PATRICK McDONNELL,
Secretary
Department of Environmental Protection

BRION JOHNSON,
Executive Director
Pennsylvania Infrastructure Investment Authority

[Pa.B. Doc. No. 20-1794. Filed for public inspection December 18, 2020, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Natural Gas Service

A-2020-3023178. Columbia Gas of Pennsylvania, Inc. Application of Columbia Gas of Pennsylvania, Inc. for approval of the abandonment of natural gas service to one residential premise located in Centre County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before Monday, January 4, 2021. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available only online for inspection and copying on the Pennsylvania Public Utility Commission's (Commission) web site at www.puc.pa.gov and at the applicant's business address. In accordance with the Commission's Emergency Order at M-2020-3019262, all parties participating in matters pending before the Commission are required to Efile their submissions by opening an Efiling account—free of charge—through the Commission's web site and accepting Eservice.

Applicant: Columbia Gas of Pennsylvania, Inc.

Through and By Counsel: Theodore J. Gallagher, Esquire, 121 Champion Way, Suite 100, Canonsburg, PA 15317, tjgallagher@nisource.com

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 20-1795. Filed for public inspection December 18, 2020, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Policy Proceeding—Utilization of Storage Resources as Electric Distribution Assets; Doc. No. M-2020-3022877

The Pennsylvania Public Utility Commission (PUC or Commission) continues to work diligently to ensure electric distribution companies (EDCs) transition toward a future which accommodates evolving needs of customers with increased reliability and resiliency. Presently, eight of the eleven EDCs have an approved long-term infrastructure improvement plan (LTIIP) that facilitates

achievement of these goals.¹ Further, the overriding goal during this transition is to ensure that customer rates remain affordable.

As technology and customer needs change, utilities change distribution systems to accommodate the public convenience, safety, and system reliability. Variables in this venture that were once nascent are now ubiquitous. Case in point, increases in behind-the-meter generation resources, such as solar arrays and microturbines, are increasingly challenging utilities to meet customer needs and transition from a one-directional centralized grid to a bi-directional distributed grid. Another variable in this regard is the increased utilization of the distribution grid to fuel electric vehicles.

Further, variables that threaten reliability and have always existed are now even more prevalent. Think no further than increases in major weather occurrences such as thunderstorms, floods, hurricanes, derechos and ice storms. EDCs have seen significant negative impacts to reliability due to increased severe weather, as documented in our most recent Electric Service Reliability in Pennsylvania Report.²

This sea change in the circumstances brings unique and new challenges to electric distribution companies. These come first in the form of potentially lower capacity utilization through increased peak demand. Second, such circumstances make ensuring reliability and resiliency more challenging than ever.

However, advances in technology appear to offer the potential to utilize novel resources which provide affordable customer rates and better utility service. In this regard, the Commission is interested in exploring policies which can allow electric utilities the opportunity to substitute conventional distribution upgrades with alternatives that may provide sound economic investments. Of specific focus here is the Commission's interest in exploring the viability of utility investment in electric storage as a distribution asset utilized for the purposes of enhancing or maintaining reliability. As electricity storage cost economics persistently improve, discussion of this subject matter is timely. Exploring this topic is warranted since utilization of batteries on the distribution grid, in appropriate circumstances, may offer an option to foster reliability that will have a less significant rate impact than other more conventional utility restoration or improvement investments.

To that end, the Commission wishes to start a proceeding to inform the Commission on utilities' and other stakeholders' positions regarding this topic. It is the Commission's hope that the information solicited in this proceeding can guide any potential future regulatory policies related to utilization of electric storage within electric utility distribution resource planning. To commence this process, the Commission specifically seeks responses to the inquiries identified in the attached list.

Interested parties are invited to submit written comments for inclusion in the record with the Secretary of the Commission within thirty (30) days of publication in the *Pennsylvania Bulletin*. Comments shall be filed consistent with the Commission's July 27, 2020 Secretarial Letter. Modification to Filing and Service Requirements Emergency Order, Docket No. M-2020-3019262 (Secretarial Letter issued July 27, 2020). Pursuant to this Secretarial

¹ Pike County Light & Power's LTIIP Petition is currently being reviewed by the Commission and, if approved, would make nine of the eleven EDCs with an approved LTIIP.

² The report may be downloaded here: https://www.puc.pa.gov/General/publications_reports/pdf/Electric_Service_Reliability2019.pdf.

Letter, all filings are to be made by e-filing or by electronic mail. This information can be found on the Commission's website at www.puc.state.pa.us/efiling/default.aspx.

The contact persons for this matter are Assistant Counsel Aspasia V. Staevska, (717) 425-7403, astaevska@pa.gov, Joe Cardinale, (717) 787-5558, jcardinale@pa.gov in the Law Bureau; Eric Matheson, (717) 346-3863, ematheson@pa.gov in the Office of the Executive Director; and Fixed Utility Financial Analyst David Edinger, (717) 787-3512, dedinger@pa.gov in the Bureau of Technical Utility Services.

ROSEMARY CHIAVETTA,
Secretary

**Questions for Comment in the Policy Proceeding—
Utilization of Storage Resources as Electric
Distribution Assets; Doc. No. M-2020-3022877**

1. What applications can electric storage provide as a distribution asset for utilities that would facilitate improved reliability and resiliency?

2. What are the defining characteristics of electric storage used for distribution asset planning as distinguished from generation resources? What thresholds, if any, would classify electric storage as a generation resource and therefore outside permitted distribution ratemaking and recovery?

3. Is it prudent for utilities to include electric storage in their distribution resource planning and, if so, where and under what circumstances? Further, is it appropriate for utilities to include such investments in rate base?

[Pa.B. Doc. No. 20-1796. Filed for public inspection December 18, 2020, 9:00 a.m.]

**PENNSYLVANIA PUBLIC
UTILITY COMMISSION**

Proposed Changes in Indirect Control

A-2020-3023204 and A-2020-3023205. Lingo Communications, LLC, Lingo Communications of the Northeast, LLC, Matrix Telecom, LLC and B. Riley Principal Investments, LLC. Joint application of Lingo Communications, LLC, Lingo Communications of the Northeast, LLC, Matrix Telecom, LLC and B. Riley Principal Investments, LLC for approval of proposed changes in indirect control of Lingo Communications of the Northeast, LLC and Matrix Telecom, LLC to B. Riley Principal Investments, LLC.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before Monday, January 4, 2021. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available only online for inspection and copying on the Pennsylvania Public Utility Commission's (Commission) web site at www.puc.pa.gov and at the applicant's business address. In accordance with the Commission's Emergency Order at M-2020-3019262, all parties participating in matters pending before the Commission are required to Efile their submissions by opening an Efiling account—free of charge—through the Commission's web site and accepting Eservice.

Joint Applicants: Lingo Communications, LLC; Lingo Communications of the Northeast, LLC; Matrix Telecom, LLC; B. Riley Principal Investments, LLC

Through and By Counsel: Susan E. Bruce, Esquire, Kenneth R. Stark, Esquire, McNeese Wallace & Nurick, LLC, 100 Pine Street, P.O. Box 1166, Harrisburg, PA 17108-1166, (717) 237-5254, fax (717) 260-1666, sbruce@mcneese.com, kstark@mcneese.com; Cherie R. Kiser, Esquire, Angela F. Collins, Esquire, Cahill Gordon & Reindel, LLP, 1990 K Street, NW, Suite 950, Washington, DC 20006, (202) 862-8900, fax (212) 269-5420, ckiser@cahill.com, acollins@cahill.com

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 20-1797. Filed for public inspection December 18, 2020, 9:00 a.m.]

**PENNSYLVANIA PUBLIC
UTILITY COMMISSION**

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Protests may only be filed if there is evidence that the applicant lacks fitness. Protests based on endangering or impairing operations of an existing carrier will not be honored. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy served on the applicant by January 4, 2021. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

Applications of the following for approval to begin operating as common carriers for transportation of persons as described under each application.

A-2020-3022112. Someguyandhisar, LLC (P.O. Box 3791, 3607 Poplar Street, Erie, Erie County, PA 16508) for the right to begin to transport, as a common carrier, by motor vehicles, persons in paratransit service, between points in the Counties of Butler, Crawford, Erie, Lawrence, Mercer, Venango and Warren.

A-2020-3023052. Here 4U Transport, LLC (753 Burmont Road, Drexel Hill, Delaware County, PA 19026) persons in paratransit service, limited to transportation to and from medical appointments, between points in the Counties of Delaware and Montgomery, and the City and County of Philadelphia.

A-2020-3023127. Hamburg Emergency Medical Services, Inc. (P.O. Box 186, Hamburg, Berks County, PA 19526) for the right to begin to transport, as a common carrier, by motor vehicle, persons in paratransit service in wheelchair and stretcher vans, from points in the Counties of Berks, Lehigh and Schuylkill, to points in Pennsylvania, and return. *Attorney:* Christina M. Mellott, Es-

quire, Page, Wolfberg & Wirth, LLC, 5010 East Trindle Road, Suite 202, Mechanicsburg, PA 17050.

A-2020-3023150. Tucked with Care, LLC (2349 Mill Street, Aliquippa, Beaver County, PA 15001) for the right to begin to transport, as a common carrier, by motor vehicles, persons in paratransit service, between points in the Counties of Allegheny, Beaver, Butler, Fayette, Lawrence, Washington and Westmoreland to points in Pennsylvania, and return.

Application of the following for the approval of the right and privilege to *discontinue/abandon* operating as *common carriers* by motor vehicle and for cancellation of the certificate of public convenience as described under the application.

A-2020-3023095. Steel Street Tours, LLC (3519 Southwood Drive, Easton, Northampton County, PA 18045) for the discontinuance and cancellation of its authority, to transport, as a common carrier, by motor vehicle, persons, in group and party service, in vehicles seating 11 to 15 passengers, including the driver, between points in the City of Bethlehem, located in Northampton and Lehigh Counties, as originally described in the original ordering paragraph at Docket No. A-2012-2292244.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 20-1798. Filed for public inspection December 18, 2020, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Formal Complaints

Formal complaints have been issued by the Pennsylvania Public Utility Commission. Answers must be filed in accordance with 52 Pa. Code (relating to public utilities). Answers are due January 4, 2021, and must be made with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy to the First Deputy Chief Prosecutor, Pennsylvania Public Utility Commission.

Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. Mildred Transit Corp; Docket No. C-2020-3019944

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to Mildred Transit Corp, (respondent) is under suspension effective March 21, 2020 for failure to maintain evidence of insurance on file with this Commission.

2. That respondent maintains a principal place of business at 45 E. City Ave. # 382, Bala Cynwyd, PA 19004.

3. That respondent was issued a Certificate of Public Convenience by this Commission on April 04, 2019, at A-6420850.

4. That respondent has failed to maintain evidence of Liability insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500.00 and cancellation of the Certificate of Public Convenience.

5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500.00 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-6420850 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,
Kimberly M. Johnston, Acting Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement
400 North Street
Harrisburg, PA 17120

VERIFICATION

I, Kimberly M. Johnston, Acting Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 09/02/2020

Kimberly M. Johnston, Acting
Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
400 North Street
Harrisburg, PA 17120

Or, you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor
 Pennsylvania Public Utility Commission
 Bureau of Investigation and Enforcement
 400 North Street
 Harrisburg, PA 17120

Or, emailed to Mr. Swindler at: RA-PCCmplntResp@pa.gov

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility
 Services
 Pennsylvania Public Utility Commission
 400 North Street
 Harrisburg, PA 17120

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary
 Pennsylvania Public Utility Commission
 400 North Street
 Harrisburg, PA 17120

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this number if you have questions as to why you received this complaint. For those questions you may call 717-783-3847.

**Pennsylvania Public Utility Commission; Bureau of
 Investigation and Enforcement v. Altrans Travel
 and Tours, Inc.; Docket No. C-2020-3020288**

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to Altrans Travel and Tours, Inc., (respondent) is under suspension effective May 21, 2020 for failure to maintain evidence of insurance on file with this Commission.

2. That respondent maintains a principal place of business at 303 Grayson Drive, Clarks Green, PA 18411.

3. That respondent was issued a Certificate of Public Convenience by this Commission on July 19, 2010, at A-00107517.

4. That respondent has failed to maintain evidence of Liability insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500.00 and cancellation of the Certificate of Public Convenience.

5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500.00 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-00107517 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,
 Kimberly M. Johnston, Acting Chief
 Motor Carrier Enforcement
 Bureau of Investigation and Enforcement
 400 North Street
 Harrisburg, PA 17120

VERIFICATION

I, Kimberly M. Johnston, Acting Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I under-

stand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: September 15, 2020

Kimberly M. Johnston, Acting
Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
400 North Street
Harrisburg, PA 17120

Or, you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor
Pennsylvania Public Utility Commission
Bureau of Investigation and Enforcement
400 North Street
Harrisburg, PA 17120

Or, emailed to Mr. Swindler at: RA-PCCmplntResp@pa.gov

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility
Services
Pennsylvania Public Utility Commission
400 North Street
Harrisburg, PA 17120

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
400 North Street
Harrisburg, PA 17120

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this number if you have questions as to why you received this complaint. For those questions you may call 717-783-3847.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 20-1799. Filed for public inspection December 18, 2020, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Telecommunications

A-2020-3023208. Commonwealth Telephone Company, d/b/a Frontier Communications Commonwealth Telephone Company, LLC and Comcast Phone of Pennsylvania, LLC. Joint petition of Commonwealth Telephone Company, d/b/a Frontier Communications Commonwealth Telephone Company, LLC and Comcast Phone of Pennsylvania, LLC for approval of an amendment to interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Commonwealth Telephone Company, d/b/a Frontier Communications Commonwealth Telephone Company, LLC and Comcast Phone of Pennsylvania, LLC, by their counsel, filed on December 7, 2020, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an amendment to interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120. Comments are due on or before 10 days after the date of publication of this notice. The documents filed in support of Commonwealth Telephone Company, d/b/a Frontier Communications Commonwealth Telephone Company, LLC and Comcast Phone of Pennsylvania, LLC joint petition are available for inspection at the Commission's web site at www.puc.pa.gov and at the applicant's business web site.

The contact person is Kathryn Sophy, Director, Office of Special Assistants, (717) 787-1827.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 20-1800. Filed for public inspection December 18, 2020, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Telecommunications

A-2020-3023218. Commonwealth Telephone Company, d/b/a Frontier Communications Commonwealth Telephone Company, LLC and Comcast Business Communications, LLC. Joint petition of Commonwealth Telephone Company, d/b/a Frontier Communications Commonwealth Telephone Company, LLC and Comcast Business Communications, LLC for approval of an amendment to interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Commonwealth Telephone Company, d/b/a Frontier Communications Commonwealth Telephone Company, LLC and Comcast Business Communications, LLC, by their counsel, filed on December 7, 2020, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an amendment to interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120. Comments are due on or before 10 days after the date of publication of this notice. The documents filed in support of Commonwealth Telephone Company, d/b/a Frontier Communications Commonwealth Telephone Company, LLC and Comcast Business Communications, LLC joint petition are available for inspection at the Commission's web site at www.puc.pa.gov and at the applicant's business web site.

The contact person is Kathryn Sophy, Director, Office of Special Assistants, (717) 787-1827.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 20-1801. Filed for public inspection December 18, 2020, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Telecommunications

A-2020-3023219. Frontier Communications of Pennsylvania, LLC, Frontier Communications of Breezewood, LLC and Comcast Phone of Pennsylvania, LLC. Joint petition of Frontier Communications of Pennsylvania, LLC, Frontier Communications of Breezewood, LLC and Comcast Phone of Pennsylvania, LLC for approval of an amendment to interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Frontier Communications of Pennsylvania, LLC, Frontier Communications of Breezewood, LLC and Comcast Phone of Pennsylvania, LLC, by their counsel, filed on December 7, 2020, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an amendment to interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania

Public Utility Commission, 400 North Street, Harrisburg, PA 17120. Comments are due on or before 10 days after the date of publication of this notice. The documents filed in support of Frontier Communications of Pennsylvania, LLC, Frontier Communications of Breezewood, LLC and Comcast Phone of Pennsylvania, LLC joint petition are available for inspection at the Commission's web site at www.puc.pa.gov and at the applicant's business web site.

The contact person is Kathryn Sophy, Director, Office of Special Assistants, (717) 787-1827.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 20-1802. Filed for public inspection December 18, 2020, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Telecommunications

A-2020-3023222. Frontier Communications of Breezewood, LLC, Frontier Communications of Pennsylvania, LLC and Comcast Business Communications, LLC. Joint petition of Frontier Communications of Breezewood, LLC, Frontier Communications of Pennsylvania, LLC and Comcast Business Communications, LLC for approval of an amendment to interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Frontier Communications of Breezewood, LLC, Frontier Communications of Pennsylvania, LLC and Comcast Business Communications, LLC, by their counsel, filed on December 7, 2020, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an amendment to interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120. Comments are due on or before 10 days after the date of publication of this notice. The documents filed in support of Frontier Communications of Breezewood, LLC, Frontier Communications of Pennsylvania, LLC and Comcast Business Communications, LLC joint petition are available for inspection at the Commission's web site at www.puc.pa.gov and at the applicant's business web site.

The contact person is Kathryn Sophy, Director, Office of Special Assistants, (717) 787-1827.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 20-1803. Filed for public inspection December 18, 2020, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Transfer of Control

A-2020-3023192 and A-2020-3023193. Radiate Holdings, LP, RCN Telecom Services (Lehigh), LLC, RCN

Telecom Services of Philadelphia, LLC and Stonepeak Associates IV, LLC. Joint application of Radiate Holdings, LP, RCN Telecom Services (Lehigh), LLC, RCN Telecom Services of Philadelphia, LLC and Stonepeak Associates IV, LLC for approval of a transfer of control.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before Monday, January 4, 2021. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available only online for inspection and copying on the Pennsylvania Public Utility Commission's (Commission) web site at www.puc.pa.gov and at the applicant's business address. In accordance with the Commission's Emergency Order at M-2020-3019262, all parties participating in matters pending before the Commission are required to Efile their submissions by opening an Efiling account—free of charge—through the Commission's web site and accepting Eservice.

Joint Applicants: Radiate Holdings, LP; RCN Telecom Services (Lehigh), LLC; RCN Telecom Services of Philadelphia, LLC; Stonepeak Associates IV, LLC

Through and By Counsel: Edward A. Yorkgitis, Jr., Winifred R. Brantl, Kelley Drye & Warren, LLP, 3050 K Street, NW, Suite 400, Washington, DC 20007, (202) 945-6649, fax (202) 342-8451, cyorkgitis@kelleydrye.com, wbrantl@kelleydrye.com; Michael Nilsson, Harris, Wiltshire & Grannis, LLP, 1919 M Street, NW, Suite 800, Washington, DC 20036, (202) 730-1334, mnilsson@hwglaw.com

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 20-1804. Filed for public inspection December 18, 2020, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Transfer of Indirect Control

A-2020-3021995. Access Point, Inc. Application of Access Point, Inc. for approval of the transfer of indirect control to GTT Americas, LLC nunc pro tunc.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities)

on or before Monday, January 4, 2021. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available only online for inspection and copying on the Pennsylvania Public Utility Commission's (Commission) web site at www.puc.pa.gov and at the applicant's business address. In accordance with the Commission's Emergency Order at M-2020-3019262, all parties participating in matters pending before the Commission are required to Efile their submissions by opening an Efiling account—free of charge—through the Commission's web site and accepting Eservice.

Applicants: Access Point, Inc.; GTT Americas, LLC

Through and By: Sharon Thomas, Consultant, Inteserra Consulting Group, Inc., 151 Southhall Lane, Suite 450, Maitland, FL 32751, (407) 740-3031, stomas@inteserra.com; Tony Hansel, VP, Deputy General Counsel, GTT Communications, 7900 Tysons One Place, Suite 1450, McLean, VA 22102, tony.hansel@gtt.net

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 20-1805. Filed for public inspection December 18, 2020, 9:00 a.m.]

STATE ATHLETIC COMMISSION

Public Meetings for 2021

The State Athletic Commission (Commission) of the Department of State announces its schedule for regular meetings to be held at least once every 2 months in 2021 under 5 Pa.C.S. § 103 (relating to duties of commission). All meetings will be held at 11 a.m. in Room 303, North Office Building, Harrisburg, PA 17120. These meetings are open to the public and are scheduled as follows:

February 24, 2021
April 28, 2021
June 23, 2021
August 25, 2021
October 27, 2021
December 15, 2021

Individuals with questions regarding these meetings should contact the Commission at (717) 787-5720.

GREGORY P. SIRB,
Executive Director

[Pa.B. Doc. No. 20-1806. Filed for public inspection December 18, 2020, 9:00 a.m.]

