

NOTICES

DEPARTMENT OF BANKING AND SECURITIES

Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending June 29, 2021.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file comments in writing with the Department of Banking and Securities, Bank Supervision or Credit Union and Trust Supervision (as applicable), 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, for banks (717) 783-8240 and for credit unions and trust companies (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

BANKING INSTITUTIONS

Branch Applications

De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
06-29-2021	William Penn Bank Levittown Bucks County	191 West State Street Doylestown Bucks County	Approved
06-29-2021	First Commonwealth Bank Indiana Indiana County	Southwest Intersection of East Broad Street and Hamilton Road Whitehall Franklin County, OH	Approved

Branch Relocations

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
06-17-2021	Wayne Bank Honesdale Wayne County	<i>To:</i> 223-225 Main Street Penn Yan Yates County, NY <i>From:</i> 100 Main Street Penn Yan Yates County, NY	Filed
06-22-2021	The Fidelity Deposit and Discount Bank Dunmore Lackawanna County	<i>To:</i> 44 East Broad Street Bethlehem Northampton County <i>From:</i> 2 West Broad Street Bethlehem Northampton County	Filed

Branch Discontinuances

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
06-25-2021	Univest Bank and Trust Company Souderton Montgomery County	191 West State Street Doylestown Bucks County	Closed

CREDIT UNIONS

No activity.

The Department's web site at www.dobs.pa.gov includes public notices for more recently filed applications.

RICHARD VAGUE,
Secretary

[Pa.B. Doc. No. 21-1082. Filed for public inspection July 9, 2021, 9:00 a.m.]

DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES

Proposed Exchange of Property

The Department of Conservation and Natural Resources (Department), acting through the Bureau of Forestry (Bureau), and Alan Metzler are proposing to negotiate an exchange of property interests in Milford Township, Juniata County and Brown and Armagh Townships, Mifflin County.

The exchange would involve approximately 135 acres currently owned by Alan Metzler which is adjoining the Tuscarora State Forest. The Bureau intends to trade 118 acres in the Rothrock State Forest, which is bounded on its southern boundary by Alan Metzler. Alan Metzler is a partial owner of the tract that fully borders these State forest lands to the north. This parcel is a small narrow, peninsula of public lands that is surrounded by private lands and does not provide great opportunity for the public. The land to be acquired is surrounded on two sides by the Tuscarora State Forest and is adjacent to the Karl Guss State Forest Picnic Area. It is one of three tracts in an interior warrant completely surrounded by State forest. The only access to this tract is by State forest roads. The exchange will further consolidate public ownership of this forested landscape and is consistent with the Bureau's land acquisition goals.

As is the policy of the Department, the public is hereby notified of this exchange. A 30-day period for public inquiry or comment will be in effect beginning July 10, 2021, and ending August 8, 2021. Oral or written comments or questions concerning this proposed exchange may be addressed to Tom Stahl, Planning Section, Bureau of Forestry, P.O. Box 8552, Harrisburg, PA 17105-8552, thstahl@pa.gov, (717) 772-0268. Oral or written comments will become part of the official document used in the final decision process. Written documents are also available regarding the proposed land exchange by request.

If, in the duration of the 30-day comment period, a significant amount of public concern develops, the Secretary of the Department may schedule a public informational meeting.

CINDY ADAMS DUNN,
Secretary

[Pa.B. Doc. No. 21-1083. Filed for public inspection July 9, 2021, 9:00 a.m.]

DEPARTMENT OF EDUCATION

Tuition Calculation for Alcohol Recovery Schools

Under section 1405-A of the Public School Code of 1949 (code) (24 P.S. § 14-1405-A), the Department of Education (Department) has calculated the tuition rate for use in the alcohol recovery school identified by the Department.

The 2018-2019 final adjusted per-student tuition rate was calculated by multiplying the tuition rate legislated under section 1405-A of the code (\$20,000) by the percentage change in the Consumer Price Index (CPI) for the 12-month period ending September 30, 2017, of 2.2%.

The Department has established a 2018-2019 final adjusted per-student tuition rate of \$20,400 for the alcohol recovery school identified by the Department.

The 2019-2020 final adjusted per-student tuition rate was calculated by multiplying the 2018-2019 preliminary adjusted per-student tuition rate (\$20,440) by the CPI for the 12-month period ending September 30, 2018, of 2.3%.

The Department has established a 2019-2020 final adjusted per-student tuition rate of \$20,900 for the alcohol recovery school identified by the Department.

The 2020-2021 final adjusted per-student tuition rate was calculated by multiplying the 2019-2020 preliminary adjusted per-student tuition rate (\$20,910.12) by the CPI for the 12-month period ending September 30, 2019, of 1.7%.

The Department has established a 2020-2021 final adjusted per-student tuition rate of \$21,300 for the alcohol recovery school identified by the Department.

The 2021-2022 final adjusted per-student tuition rate was calculated by multiplying the 2020-2021 preliminary adjusted per-student tuition rate (\$21,265.59) by the CPI for the 12-month period ending September 30, 2020, of 1.4%.

The Department has established a 2021-2022 final adjusted per-student tuition rate of \$21,600 for the alcohol recovery school identified by the Department.

NOE ORTEGA,
Secretary

[Pa.B. Doc. No. 21-1084. Filed for public inspection July 9, 2021, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS UNDER THE CLEAN STREAMS LAW AND FEDERAL CLEAN WATER ACT

This notice provides information about persons who have applied to the Department of Environmental Protection (DEP) for a new, renewed, or amended NPDES or WQM permit, or a permit waiver for certain stormwater discharges, or have

submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications and NOIs concern, but are not limited to, effluent discharges from sewage treatment facilities and industrial facilities to surface waters or groundwater; stormwater discharges associated with industrial activity (industrial stormwater), construction activity (construction stormwater), and municipal separate storm sewer systems (MS4s); the application of pesticides; the operation of Concentrated Animal Feeding Operations (CAFOs); and the construction of sewage, industrial waste, and manure storage, collection and treatment facilities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). More information on the types of NPDES and WQM permits that are available can be found on DEP's website (visit www.dep.pa.gov and select Businesses, Water, Bureau of Clean Water, Wastewater Management, and NPDES and WQM Permitting Programs).

<i>Section</i>	<i>Category</i>
I	Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received
II	Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs
III	Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity

Section I identifies the following applications and NOIs that have been received by DEP:

- Individual and General WQM Permit Applications Received—DEP provides a 15-day public comment period for Individual WQM Permit Applications for new and reissued permits. There is no public comment period for General WQM Permit NOIs.
- General NPDES Permit NOIs Received—There is no public comment period for General NPDES NOIs received.
- All Transfer and Minor Amendment Applications/NOIs Received—Transfer and Minor Amendment Applications/NOIs received for Individual and General WQM Permits and Individual and General NPDES Permits are identified but do not have public comment periods. DEP provides a 15-day public comment period for Individual WQM Permit Applications for amendments.

Additional information on these applications and NOIs may be reviewed by generating the “Applications and NOIs without Comment Periods Report” or, for Individual WQM Permit Applications, the “Applications Received with Comment Periods Report” on DEP's website at www.dep.pa.gov/CWPublicNotice.

Section II identifies individual NPDES permit applications received and draft permits issued by DEP relating to sewage, industrial waste, industrial stormwater, MS4s, pesticides and CAFOs. A 30-day public comment period applies to these applications, except when a site-specific water quality criterion is used to establish effluent limitations, in which case a 45-day public comment period applies. The period for comment may be extended at the discretion of the Department for one additional 15-day period. Additional information, including links to draft permits and fact sheets that explain the basis for DEP's tentative determinations may be reviewed by generating the “Applications Received with Comment Periods Report” on DEP's website at www.dep.pa.gov/CWPublicNotice. Notification of 15-day extensions for comment will be provided in the “Applications Received with Comment Periods Report” (Comments column).

Section III provides notice of applications and draft individual permits for stormwater discharges associated with construction activities. Where indicated, DEP has made tentative determinations, based on preliminary review, to issue permits subject to proposed effluent limitations consisting of best management practices identified in the erosion and sediment control (E&S) plans and post-construction stormwater management (PCSM) plans submitted with the applications, as well as other terms and conditions based on the permit applications. A 30-day public comment period applies to these applications.

Applications and NOIs may be reviewed at the DEP office that received the application or NOI. Contact information for each DEP office for Sections I & II is listed as follows. Contact information for Section III is available within the table. Members of the public are encouraged to use DEP's website to obtain additional information as previously discussed.

Comments received within the appropriate comment periods for WQM and NPDES permit applications will be retained by DEP and considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform DEP of the exact basis of a comment and the relevant facts upon which it is based.

DEP office contact information to review applications and NOIs in Sections I & II and to submit comments for those application and NOIs, when applicable, is as follows:

DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484.250.5910. Email: RA-EPNPDES_SERO@pa.gov.

DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570.826.5472. Email: RA-EPNPDES_NERO@pa.gov.

DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717.705.4732. Email: RA-EPNPDES_SCRO@pa.gov.

DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570.327.3693. Email: RA-EPNPDES_NCRO@pa.gov.

DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412.442.4286. Email: RA-EPNPDES_SWRO@pa.gov.

DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814.332.6340. Email: RA-EPNPDES_NWRO@pa.gov.

DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717.787.5017. Email: RA-EPNPDES_Permits@pa.gov.

DEP will also accept requests or petitions for public hearings on applications. The request or petition must indicate the interest of the party filing and the reasons why a hearing is warranted. A hearing will be held if the Department determines that there is a significant public interest. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. DEP will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

I. Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received.

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
0821801	Joint DEP/PFBC Pesticides Permit	New	Perkins Nancy 33 Perkins Lane Rome, PA 18837-7895	Orwell Township Bradford County	NCRO
1413802	Joint DEP/PFBC Pesticides Permit	Renewal	Penn State Golf Courses 1523 W College Avenue State College, PA 16801-2716	Ferguson Township Centre County	NCRO
1513845	Joint DEP/PFBC Pesticides Permit	Renewal	White Manor CC 831 Providence Road Malvern, PA 19355-3407	Willistown Township Chester County	SERO
1521821	Joint DEP/PFBC Pesticides Permit	New	Mellott Gregg 220 Sullivan Road Avondale, PA 19311-9356	London Grove Township Chester County	SERO
1521822	Joint DEP/PFBC Pesticides Permit	New	Bowers David 204 Buttonwood Road Landenberg, PA 19350-9396	New Garden Township Chester County	SERO
1521823	Joint DEP/PFBC Pesticides Permit	New	Friedland Michael 1200 Daisy Point Road Pottstown, PA 19465-8714	South Coventry Township Chester County	SERO
2021804	Joint DEP/PFBC Pesticides Permit	New	Robert Pruskowski 26411 Lippert Road Cochranon, PA 16314-7457	Wayne Township Crawford County	NWRO
4521802	Joint DEP/PFBC Pesticides Permit	New	Sunset Hill Shooting Range 2282 PA-314 Henryville, PA 18332	Pocono Township Monroe County	NERO
4521803	Joint DEP/PFBC Pesticides Permit	New	Sunset Hill Shooting Range 2282 PA-314 Henryville, PA 18332	Pocono Township Monroe County	NERO
4621817	Joint DEP/PFBC Pesticides Permit	New	Henkles Rod 345 Stenton Avenue Plymouth Meeting, PA 19462-1221	Whitemarsh Township Montgomery County	SERO
4821805	Joint DEP/PFBC Pesticides Permit	New	Moore Township 2491 Community Drive Bath, PA 18014-8841	Moore Township Northampton County	NERO
4821806	Joint DEP/PFBC Pesticides Permit	New	Moore Township 2491 Community Drive Bath, PA 18014-8841	Moore Township Northampton County	NERO
NOEXSC284	No Exposure Certification	Renewal	Utz Quality Foods, LLC 900 High Street Hanover, PA 17331-1639	Hanover Borough York County	SCRO
NOEXSC285	No Exposure Certification	Renewal	Utz Quality Foods, LLC 900 High Street Hanover, PA 17331-1639	Conewago Township Adams County	SCRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG048338	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Transfer	Rikki May & Timothy Quinn 882 Hull Road Waterford, PA 16441-9021	Waterford Township Erie County	NWRO
PAG049128	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Transfer	Donna & Ryan Irish 4501 E Stancliff Road McKean, PA 16426-1938	McKean Township Erie County	NWRO
PAG123667	PAG-12 NPDES General Permit for CAFOs	Renewal	Lehman Jay M 3140 Orville Lane Manheim, PA 17545-9411	Wayne Township Dauphin County	SCRO
PAG123769	PAG-12 NPDES General Permit for CAFOs	Renewal	Hetrickdale Farms 69 Hetrick Road Bernville, PA 19506-8909	Jefferson Township Berks County	SCRO
PAG123886	PAG-12 NPDES General Permit for CAFOs	Amendment	Eric Newswanger 107 Awol Road Jonestown, PA 17038	Union Township Lebanon County	SCRO
6006402	Sewage Land Application Individual WQM Permit	Transfer	Hidden Valley RV Park, LLC 2093 Philadelphia Pike # 1932 Claymont, DE 19703-2424	Mifflinburg Borough Union County	NCRO
2595414	Sewage Treatment Facilities Individual WQM Permit	Transfer	Rikki May & Timothy Quinn 882 Hull Road Waterford, PA 16441-9021	Waterford Township Erie County	NWRO
4696413	Sewage Treatment Facilities Individual WQM Permit	Amendment	Lansdale Borough Montgomery County One Vine Street Lansdale, PA 19446-3601	Lansdale Borough Montgomery County	SERO
5621401	Sewage Treatment Facilities Individual WQM Permit	New	Indian Lake Borough Somerset County 7785 Lincoln Highway Central City, PA 15926-7500	Indian Lake Borough Somerset County	SWRO
6221406	Sewage Treatment Facilities Individual WQM Permit	New	Jennifer & Michael Cameron 2450 E 5th Avenue Warren, PA 16365-8419	Glade Township Warren County	NWRO
6586418	Sewage Treatment Facilities Individual WQM Permit	Amendment	Franklin Township Municipal Sanitary Authority Westmoreland County 3001 Meadowbrook Road Murrysville, PA 15668-1627	Murrysville Borough Westmoreland County	SWRO
WQG018335	WQG-01 WQM General Permit	Transfer	Donna & Ryan Irish 4501 E Stancliff Road McKean, PA 16426-1938	McKean Township Erie County	NWRO
WQG02022102	WQG-02 WQM General Permit	New	North Versailles Township Sanitary Authority 100 Atlantic Avenue McKeesport, PA 15132-3807	McKeesport City Allegheny County	SWRO

II. Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs.

Northcentral Regional Office

PA0232751, Sewage, SIC Code 4952, **Potter Township Centre County**, 124 Short Road, Spring Mills, PA 16875-9326. Facility Name: Potters Mills Central Treatment System. This existing facility is located in Potter Township, **Centre County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Sinking Creek (CWF, MF), is located in State Water Plan watershed 6-A and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.014 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Report	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	2.91	XXX	XXX	25.0	XXX	50.0
Biochemical Oxygen Demand (BOD ₅)	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	3.50	XXX	XXX	30.0	XXX	60.0
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Ultraviolet light intensity (µw/cm ²)	XXX	XXX	Report	XXX	XXX	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
(Total Load, lbs) (lbs)	Report	XXX	XXX	XXX	XXX	XXX
	Total Mo					
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
(Total Load, lbs) (lbs)	Report	XXX	XXX	XXX	XXX	XXX
	Total Mo					
Ammonia-Nitrogen	Report	XXX	XXX	Report	XXX	XXX
(Total Load, lbs) (lbs)	Report	XXX	XXX	XXX	XXX	XXX
	Total Mo					
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
(Total Load, lbs) (lbs)	Report	XXX	XXX	XXX	XXX	XXX
	Total Mo					
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
(Total Load, lbs) (lbs)	Report	XXX	XXX	XXX	XXX	XXX
	Total Mo					
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	Report	XXX

The proposed monitoring requirements and effluent limits for implementation of Pennsylvania's Chesapeake Bay Watershed Implementation Plan are as follows for Outfall 001.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Monthly</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Monthly</i>	<i>Annual</i>		<i>Monthly Average</i>	<i>Maximum</i>	
Total Nitrogen (Total Load, lbs) (lbs)	XXX	Report	XXX	XXX	XXX	XXX
Effluent Net	XXX	Total Annual	XXX	XXX	XXX	XXX
		0				
		Total Annual				
Ammonia-Nitrogen (Total Load, lbs) (lbs)	XXX	Report	XXX	XXX	XXX	XXX
		Total Annual				
Total Phosphorus (Total Load, lbs) (lbs)	XXX	0	XXX	XXX	XXX	XXX
Effluent Net		Total Annual				
Total Phosphorus (Total Load, lbs) (lbs)	XXX	Report	XXX	XXX	XXX	XXX
		Total Annual				

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is not in effect.

Northeast Regional Office

PA0023558, Sewage, SIC Code 4952, **Ashland Borough Columbia & Schuylkill County**, 401 S 18th Street, Ashland, PA 17921-1748. Facility Name: Ashland Borough Wastewater Treatment Plant (WWTP). This existing facility is located in Ashland Borough, **Schuylkill County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Mahanoy Creek (WWF, MF), is located in State Water Plan watershed 6-B and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 1.30 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Dissolved Oxygen	XXX	XXX	Report Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	1.00	XXX	2.00
Ammonia-Nitrogen May 1 - Oct 31	Report	Report	XXX	Report	Report	XXX
4,6-dinitro-o-cresol (ug/L)	Report	Report	XXX	Report	Report	XXX
3,4-Benzofluoranthene (ug/L)	Report	Report	XXX	Report	Report	XXX
Bis(2-Ethylhexyl) Phthalate (ug/L)	Report	Report	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 1.30 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Dissolved Oxygen	XXX	XXX	4.0 InstMin	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.50	XXX	1.63
Ammonia-Nitrogen May 1 - Oct 31	Report	Report	XXX	11.30	22.60	22.60
4,6-dinitro-o-cresol (ug/L)	0.14	0.20	XXX	13.0	19.7	31.6
3,4-Benzofluoranthene (ug/L)	0.003	0.0005	XXX	0.030	0.047	0.076
Bis(2-Ethylhexyl) Phthalate (ug/L)	0.11	0.17	XXX	9.7	15.7	24.3

The proposed effluent limits for Outfall 001 are based on a design flow of 1.30 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	271	434	XXX	25.0	40.0	50.0
BOD ₅ Minimum % Removal (%)	Report Min Mo Avg	XXX	XXX	XXX	XXX	XXX
Total Suspended Solids	325	488	XXX	30.0	45.0	60.0
Total Suspended Solids Minimum % Removal (%)	Report Min Mo Avg	XXX	XXX	XXX	XXX	XXX
Fecal Coliform (No./100 ml) Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Nitrate-Nitrite as N (Total Load, lbs) (lbs)	XXX Report Total Mo	XXX XXX	XXX XXX	Report XXX	XXX XXX	XXX XXX
Total Nitrogen (Total Load, lbs) (lbs)	XXX Report Total Mo	XXX XXX	XXX XXX	Report XXX	XXX XXX	XXX XXX
Ammonia-Nitrogen Nov 1 - Apr 30 (Total Load, lbs) (lbs)	Report Report Total Mo	Report Daily Max XXX	XXX XXX	Report XXX	Report Daily Max XXX	XXX XXX
Total Kjeldahl Nitrogen (Total Load, lbs) (lbs)	XXX Report Total Mo	XXX XXX	XXX XXX	Report XXX	XXX XXX	XXX XXX
Total Phosphorus (Total Load, lbs) (lbs)	Report Report Total Mo	XXX XXX	XXX XXX	Report XXX	XXX XXX	XXX XXX
Aluminum, Total (ug/L)	8.13	8.13 Daily Max	XXX	750.0	750.0 Daily Max	750.0

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Cadmium, Total (ug/L)	Report	Report Daily Max	XXX	Report	Report Daily Max	XXX
Copper, Total (ug/L)	Report	Report Daily Max	XXX	Report	Report Daily Max	XXX
Iron, Dissolved (ug/L)	3.25	6.50 Daily Max	XXX	300.0	600.0 Daily Max	750.0
Iron, Total (ug/L)	16.3	19.7 Daily Max	XXX	1500.0	1819.0 Daily Max	3,750.0
Lead, Total (ug/L)	Report	Report Daily Max	XXX	Report	Report Daily Max	XXX
Manganese, Total (ug/L)	10.8	14.4 Daily Max	XXX	1,000.0	1326.0 Daily Max	2,500.0
Zinc, Total (ug/L)	Report	Report Daily Max	XXX	Report	Report Daily Max	XXX

The proposed effluent limits for Stormwater Outfall 011 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	XXX	XXX	100.0
Oil and Grease	XXX	XXX	XXX	XXX	XXX	30.0
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	XXX	Report
Iron, Total	XXX	XXX	XXX	XXX	XXX	Report

The proposed effluent limits for Internal Monitoring Point/Outfall 101 are based on a design flow of NA MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Biochemical Oxygen Demand (BOD ₅) Raw Sewage Influent	Report	Report	XXX	Report	Report	XXX
Total Suspended Solids Raw Sewage Influent	Report	Report	XXX	Report	Report	XXX

The proposed monitoring requirements and effluent limits for implementation of Pennsylvania's Chesapeake Bay Watershed Implementation Plan are as follows for Outfall 001.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Monthly</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Monthly</i>	<i>Annual</i>		<i>Monthly Average</i>	<i>Maximum</i>	
Total Nitrogen (Total Load, lbs) (lbs) Effluent Net	XXX	23,744 Total Annual	XXX	XXX	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX
Ammonia-Nitrogen (Total Load, lbs) (lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX
Effluent Net	XXX	3,166 Total Annual	XXX	XXX	XXX	XXX

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

In addition, the permit contains the following major special conditions:

- Chesapeake Bay Nutrient Requirements; Schedule of Compliance (Ammonia-N; Dissolved Oxygen; Total Residual Chlorine); CSO Conditions; Solids Management; WQBELs for Toxics (4,6-Dinitro-o-cresol; 3,4-Benzofluoranthene; Bis (2-Ethylhexyl) Phthalate); Whole Effluent Toxicity (WET); WQBELs Below Quantitation Limits; Requirements Applicable to Stormwater Outfalls; Stormwater prohibition (separated sewers); Necessary property rights; Residuals management; Chlorine Minimization; High Flow Management Plan; and Changes to Stream/Discharge

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is not in effect.

PA0061719, Sewage, SIC Code 4952, **Aqua Pennsylvania Wastewater, Inc. (APW)**, 762 West Lancaster Avenue, Bryn Mawr, PA 19010-3489. Facility Name: Aqua Pennsylvania Wastewater, Inc. Pinecrest WWTP. This existing facility is located in Tobyhanna Township, **Monroe County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Beaver Creek (HQ-CWF, MF), is located in State Water Plan watershed 2-A and is classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.1 MGD.

(From Permit Effective Date to Date Upgrade to 0.35 MGD Plant is Complete)

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	7.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.10	XXX	0.24
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	42.0	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	125	XXX	XXX	30.0	XXX	60.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Ammonia-Nitrogen	7.5	XXX	XXX	Geo Mean 9.0	XXX	18.0
Nov 1 - Apr 30						
May 1 - Oct 31	2.5	XXX	XXX	3.0	XXX	6.0
Nitrate-Nitrite as N	58.4	XXX	XXX	14.0	XXX	28.0
Total Phosphorus	4.2	XXX	XXX	1.0	XXX	2.0
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen	Report	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.35 MGD.

(From Date Upgrade to 0.35 MGD Plant is Complete to Date Upgrade to 0.5 MGD Plant is Complete)

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	7.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.06	XXX	0.18
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	42.0	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	125	XXX	XXX	30.0	XXX	60.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Ammonia-Nitrogen	19.3	XXX	XXX	Geo Mean 6.6	XXX	12.9
Nov 1 - Apr 30						
May 1 - Oct 31	6.4	XXX	XXX	2.2	XXX	4.3
Nitrate-Nitrite as N	58.4	XXX	XXX	14.0	XXX	28.0
Total Phosphorus	4.2	XXX	XXX	1.0	XXX	2.0
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen	Report	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.5 MGD.

(From Date Upgrade to 0.5 MGD Plant is Complete to Permit Expiration Date)

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	7.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.04	XXX	0.14
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	42.0	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	125	XXX	XXX	30.0	XXX	60.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Ammonia-Nitrogen	23.8	XXX	XXX	Geo Mean 5.7	XXX	11.4
Nov 1 - Apr 30						
May 1 - Oct 31	7.9	XXX	XXX	1.9	XXX	3.8
Nitrate-Nitrite as N	58.4	XXX	XXX	14.0	XXX	28.0
Total Phosphorus	4.2	XXX	XXX	1.0	XXX	2.0
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen	Report	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 001 are based on design flows of 0.1 MGD, 0.35 MGD, and 0.5 MGD.

(From Permit Effective Date to Permit Expiration Date)

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Quarterly</i>	<i>Maximum</i>	
E. Coli (No./100 ml)	XXX	XXX	XXX	Report	XXX	XXX

In addition, the permit contains the following major special conditions:

- Solids Management
- Effluent Limitations Schedule

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northwest Regional Office

PA0025755, Sewage, SIC Code 4952, **Freeport Borough**, 414 Market Street, Freeport, PA 16229-1122. Facility Name: Freeport Borough STP. This existing facility is located in Freeport Borough, **Armstrong County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage. This application also increases the discharge flow from 0.35 MGD to 0.60 MGD. This is a second draft of this NPDES permit renewal.

The receiving streams, the Buffalo Creek (TSF) and the Allegheny River (WWF), are located in State Water Plan watershed 18-F and are classified for Warm Water Fishes and Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.35 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen						
Interim	XXX	XXX	Report Inst Min	XXX	XXX	XXX
Final	XXX	XXX	4.0	XXX	XXX	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Total Residual Chlorine (TRC)						
Interim	XXX	XXX	XXX	1.0	XXX	1.6
Final	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	73.0	109.5	XXX	25.0	37.5	50
Total Suspended Solids	87.6	131.4	XXX	30.0	45.0	60
Biochemical Oxygen Demand (BOD ₅)	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent						
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Geo Mean				XXX	XXX	Report
E. Coli (No./100 ml)	XXX	XXX	XXX	Report	Report	XXX
Ammonia-Nitrogen	Report	Report	XXX	Report	Report	XXX
Nov 1 - Apr 30						
May 1 - Oct 31	35.0	52.5	XXX	12.0	18.0	24
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Daily Max				Daily Max		
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
Daily Max				Daily Max		

The proposed effluent limits for Outfall 001 are based on a design flow of 0.60 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 4.0	XXX	XXX	XXX
Ultraviolet light intensity ($\mu\text{w}/\text{cm}^2$)	XXX	XXX	Inst Min XXX	Report	Report	XXX
Daily Max				Daily Max	Daily Max	
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	125.1	187.6	XXX	25.0	37.5	50
Total Suspended Solids	150.1	225.1	XXX	30.0	45.0	60
Biochemical Oxygen Demand (BOD ₅)	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent						
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Geo Mean				XXX	XXX	Report
E. Coli (No./100 ml)	XXX	XXX	XXX	Report	Report	XXX
Ammonia-Nitrogen	Report	Report	XXX	Report	Report	XXX
Nov 1 - Apr 30						
May 1 - Oct 31	60.0	90.0	XXX	12.0	18.0	24
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Daily Max				Daily Max		
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
Daily Max				Daily Max		

Sludge use and disposal description and location(s): Sludge is disposed of at an approved landfill.

In addition, the permit contains the following major special conditions:

- Maximizing Treatment at the Existing POTW
- Combined Sewer Overflows
- Compliance Schedule for Dissolved Oxygen (DO)
- Compliance Schedule for Total Residual Chlorine (TRC)
- Solids Management

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

PA0289281, Sewage, SIC Code 8800, **Barbara & William Burdette**, 1148 Hartford Road, Sharpsville, PA 16150-9657. Facility Name: Barbara & William Burdette SRSTP. This proposed facility is located in South Pymatuning Township, **Mercer County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to McCullough Run (WWF), is located in State Water Plan watershed 20-A and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

PA0289299, Sewage, SIC Code 8800, **Kevin Durst**, 256 Windswept Drive, North East, PA 16428-3454. Facility Name: Kevin Durst SRSTP. This proposed facility is located in North East Township, **Erie County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Stream (CWF, MF), is located in State Water Plan watershed 15-A and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

PA0289361, Sewage, SIC Code 4952, 8800, **Jake Serbic & Marie Clark**, 2435 Carlisle Road, Transfer, PA 16154-8559. Facility Name: Jake Serbic & Marie Clark SRSTP. This proposed facility is located in South Pymatuning Township, **Mercer County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Chestnut Run (WWF), is located in State Water Plan watershed 20-A and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

PA0104370, Industrial, SIC Codes 3600, 3674, 3676, 3679, and 3699, **Arete QIS, LLC**, 103 Bridge Street, Ridgway, PA 15853-7605. Facility Name: Quality Components. This existing facility is located in Ridgway Township, **Elk County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream, the Elk Creek (CWF), is located in State Water Plan watershed 17-A and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0037 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Temperature (deg F) (°F)	XXX	XXX	XXX	Report	XXX	XXX

In addition, the permit contains the following major special conditions:

- Requirements Applicable to Stormwater Outfalls

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

PA0289426, Sewage, SIC Code 4952, 8800, **Erika Cialella**, 13 E Oakwood Way, New Castle, PA 16105-1205. Facility Name: Erika Cialella SRSTP. This proposed facility is located in Neshannock Township, **Lawrence County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Neshannock Creek (TSF), is located in State Water Plan watershed 20-A and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0006 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

PA0289469, Sewage, SIC Code 8800, **Matthew Carbin**, 432 Route 422 E, Butler, PA 16002-1086. Facility Name: Matthew Carbin SRSTP. This proposed facility is located in Summit Township, **Butler County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Bonnie Brook (WWF), is located in State Water Plan watershed 20-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0005 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

PA0289523, Sewage, SIC Code 4952, 8800, **Robert Schweikert**, 324 Wallrose Heights Road, Baden, PA 15005-2710. Facility Name: Robert Schweikert SRSTP. This proposed facility is located in Clarion Township, **Clarion County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Clarion River (CWF), is located in State Water Plan watershed 17-B and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

PA0289558, Sewage, SIC Code 4952, 8800, **Karen & Matthew Kerr**, 7323 New Road, Edinboro, PA 16412-3609. Facility Name: Karen & Mathew Kerr SRSTP. This proposed facility is located in Franklin Township, **Erie County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Little Elk Creek (CWF, MF), is located in State Water Plan watershed 15-A and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	Report	XXX	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Southcentral Regional Office

PA0008541, Industrial, SIC Code 3585, **Johnson Controls, Inc.**, 631 S Richland Avenue, York, PA 17403-3445. Facility Name: Johnson Controls Manufacturing Grantley Plant. This existing facility is located in Spring Garden Township, **York County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Codorus Creek (WWF), is located in State Water Plan watershed 7-H and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfalls # 003, 006, & 007 are based on a design flow of 0.003 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Temperature (°F)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0027022, Sewage, SIC Code 4952, **Altoona Water Authority**, 900 Chestnut Avenue, Altoona, PA 16601-4617. Facility Name: Altoona Westerly STP. This existing facility is located in Altoona City, **Blair County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Beaverdam Branch (TSF) is located in State Water Plan 11-A and is classified Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 10.8 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
CBOD ₅	1,801	2,702	XXX	20	30	40
BOD ₅	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent					Max	
Total Suspended Solids	2,702	4,053	XXX	30	45	60
Raw Sewage Influent					Wkly Avg	
Fecal Coliform (No./100 ml)	Report	Report	XXX	Report	XXX	XXX
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	Geo Mean XXX	XXX	Report
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
(Total Load, lbs) (lbs)	Report	XXX	XXX	XXX	XXX	XXX
Total Nitrogen	Total Mo					
(Total Load, lbs) Effluent Net	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen (Total Load, lbs)	Report	XXX	XXX	XXX	XXX	XXX
(lbs)	Total Mo					
Ammonia-Nitrogen	360	XXX	XXX	4.0	XXX	8
Nov 1 - Apr 30						
May 1 - Oct 31	180	XXX	XXX	2.0	XXX	4

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Ammonia-Nitrogen (Total Load, lbs)	Report	XXX	XXX	XXX	XXX	XXX
Total Kjeldahl Nitrogen (Total Load, lbs)	Total Mo XXX	XXX	XXX	Report XXX	XXX	XXX
Total Phosphorus (Total Load, lbs)	Report Total Mo XXX	XXX	XXX	Report XXX	XXX	XXX
Effluent Net	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Aluminum, Total	Report	Report	XXX	Report	Report	XXX
Arsenic, Total	Report	Report	XXX	Report	Report	XXX
Boron, Total	Report	Report	XXX	Report	Report	XXX
Copper, Total	Report	Report	XXX	Report	Report	XXX
Cyanide, Free	0.64	1.00	XXX	0.007	0.011	XXX
Iron, Dissolved	Report	Report	XXX	Report	Report	XXX
Iron, Total	Report	Report	XXX	Report	Report	XXX
Lead, Total	Report	Report	XXX	Report	Report	XXX
Nickel, Total	Report	Report	XXX	Report	Report	XXX
Zinc, Total	Report	Report	XXX	Report	Report	XXX

The proposed monitoring requirements and effluent limits for implementation of Pennsylvania's Chesapeake Bay Watershed Implementation Plan are as follows for Outfall 001.—Limits.

Parameters	Mass Units (lbs/day)		Monthly	Concentrations (mg/L)		Instant. Maximum
	Monthly	Annual		Monthly Average	Maximum	
Total Nitrogen (Total Load, lbs)	XXX	164,381	XXX	XXX	XXX	XXX
Effluent Net		Total Annual				
Total Nitrogen (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
Effluent Net		Total Annual				
Ammonia-Nitrogen (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
Effluent Net		Total Annual				
Total Phosphorus (Total Load, lbs)	XXX	21,918	XXX	XXX	XXX	XXX
Effluent Net		Total Annual				
Total Phosphorus (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
Effluent Net		Total Annual				

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

- The permittee is authorized to use 2,475 lbs/year as Total Nitrogen (TN) offsets toward compliance with the Annual Net TN mass load limitations (Cap Loads)

In addition, the permit contains the following major special conditions:

- Stormwater prohibition, approval contingencies, solids management, restriction on receipt of hauled in waste under certain conditions, WET testing requirements, stormwater conditions, combined sewer overflow condition, and pretreatment program implementation

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

PA0036269, Sewage, SIC Code 4952, **Stewartstown Borough Authority York County**, 6 North Main Street, Stewartstown, PA 17363-4132. Facility Name: Stewartstown STP. This existing facility is located in Stewartstown Borough, **York County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Ebaughs Creek (CWF, MF), is located in State Water Plan watershed 7-I and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .625 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Specific Conductance (µmhos/cm)	XXX	XXX	XXX	XXX	Report	XXX
May 1 - Oct 31						
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	130	209	XXX	25	40	50
Nov 1 - Apr 30						
May 1 - Oct 31	78	115	XXX	15	22	30
Biochemical Oxygen Demand (BOD ₅)	Report	Report Daily Max	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	156	235	XXX	30	45	60
Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Ultraviolet light transmittance (%)	XXX	XXX	Report	XXX	XXX	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
(Total Load, lbs) (lbs)	Report	XXX	XXX	XXX	XXX	XXX
Total Nitrogen	Total Mo					
(Total Load, lbs) (lbs)	XXX	XXX	XXX	Report	XXX	XXX
Effluent Net	Report	XXX	XXX	XXX	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs)	Total Mo					
	Report	XXX	XXX	XXX	XXX	XXX
Ammonia-Nitrogen	Total Mo					
Nov 1 - Apr 30	44	XXX	XXX	8.5	XXX	17
May 1 - Oct 31	17	XXX	XXX	3.5	XXX	7
(Total Load, lbs) (lbs)	Report	XXX	XXX	XXX	XXX	XXX
Total Kjeldahl Nitrogen	Total Mo					
(Total Load, lbs) (lbs)	XXX	XXX	XXX	Report	XXX	XXX
	Report	XXX	XXX	XXX	XXX	XXX
Total Phosphorus	Total Mo					
(Total Load, lbs) (lbs)	10.4	XXX	XXX	2.0	XXX	4
	Report	XXX	XXX	XXX	XXX	XXX
Effluent Net	Total Mo					
	Report	XXX	XXX	XXX	XXX	XXX
	Total Mo					

The proposed effluent limits for Outfall 001 are based on a design flow of .625 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Copper, Total	Report	XXX	XXX	Report	XXX	XXX
	Semi Avg			Daily Max		
Lead, Total	Report	XXX	XXX	Report	XXX	XXX
	Semi Avg			Daily Max		
Zinc, Total	Report	XXX	XXX	Report	XXX	XXX
	Semi Avg			Daily Max		

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

Southwest Regional Office

PA0254941, Sewage, SIC Code 8811, **Crowe, John P**, 306 Konter Road, Coraopolis, PA 15108-9213. Facility Name: Crowe SRSTP. This existing facility is located in Moon Township, **Allegheny County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream, Unnamed Tributary to Flaugherty Run (WWF), is located in State Water Plan watershed 20-G and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Annual Average</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Daily Maximum</i>	
Flow (MGD)	0.0004	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

PA0255891, Sewage, SIC Code 8800, **Consol PA Coal Co. LLC**, 1000 Consol Energy Drive, Canonsburg, PA 15317-6506. Facility Name: Consol PA Coal Vaneal Rd Properties SRSTP. This proposed facility is located in South Franklin Township, **Washington County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary of Tenmile Creek (TSF), is located in State Water Plan watershed 19-B and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	Annl Avg XXX	XXX	6.0 Inst Min XXX	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
TSS (Load, lbs/mo or lbs/year)	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

III. Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity.

<i>Application Number</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAD230012 A-10	Amendment	City of Philadelphia Division of Aviation (DOA) Terminal D-E Philadelphia International Airport Third Floor Philadelphia, PA 19153	Tinicum Township Delaware County	SERO
PAD510012 A-10	Amendment	Philadelphia Authority for Industrial Development Dylan Langley 4747 South Broad Street Building 101 Suite 120 Philadelphia, PA 19112	City of Philadelphia Philadelphia County	SERO
PAD510205	New	Philadelphia Energy Solutions Refinery and Marketing, LLC 3144 W. Passyunk Avenue Philadelphia, PA 19145-5208	City of Philadelphia Philadelphia County	SERO

<i>Application Number</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAD460068	New	River Homes, LLC 5 Great Valley Parkway Suite 210 Malvern, PA 19355-2418	Whitemarsh Township Montgomery County	SERO
PAD510206	New	BP Bridesburg, LLC Jim Marshall One Gatehall Drive Suite 201 Parsippany, NJ 07054	City of Philadelphia Philadelphia County	SERO
PAD640027	New	Pennsylvania Fish and Boat Commission Gerald Woomer 595 E Rolling Ridge Drive Bellefonte, PA 16823-9620	Mt Pleasant Township Wayne County	NERO
PAD520032	New	Aikolai USA One, LLC 105 Kahr Avenue Greeley, PA 18425	Blooming Grove Township Pike County	NERO
PAD450049 A-1	Major Amendment	Four Seasons at Camelback, LP 700 South Henderson Road King of Prussia, PA 19046	Pocono Township Monroe County	NERO
PAD520035	Renewal	Nemanie Village, Inc. Attn: Peter Helms P.O. Box 77 Hawley, PA 18428	Palmyra Township Pike County	NERO
PAD480141 A-1	Major Amendment	Barnsdale Associates, LLC Angie V. Brong, Partner 221 W. Langhorne Avenue Bethlehem, PA 18017	Freemansburg Borough Bethlehem Township Northampton County	NERO
PAD400042	New	Lake Lehman School District 1237 Market Street Lehman, PA 18627	Lehman Township Luzerne County	NERO
PAD500014	New	Hoover Bros Real Estate, LLC 3255 Pleasant Valley Road Elliotsburg, PA 17024	Saville Township Perry County	SCRO
PAD550005	New PAG-02 Individual Permit	PennDOT—CSVT Thruway Linear Roadway project Selinsgrove, PA 17870	Monroe Township Shamokin Dam Borough Snyder County	NCRO

STATE CONSERVATION COMMISSION

PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed (National Pollutant Discharge Elimination System) NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling (717) 787-8821.

Persons wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30-days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Persons with a disability who require an auxiliary aid, service, including TDD users or other accommodations to seek additional information should contact the SCC through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

**ACT 38
NUTRIENT MANAGEMENT PLANS
CAFO PUBLIC NOTICE SPREADSHEET—APPLICATIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal/New</i>
Christopher Wine Furnace Hill Farm 258 Albright Road Newmanstown, PA 17073	Lebanon	10	425.76	Swine	NA	Renewal
Quality Livestock Company, LLC 1177 Gypsy Hill Road Lancaster, PA 17602	Lancaster	95	604.31	Swine	NA	Renewal
Makin Bacon, LLC Gary, Darla, Timothy Kelley 650 Beers Road Granville Summit, PA 16926	Bradford	141.1 (owned but rented out) 1 acre utilized for AEU calc	726.9	Swine	CWF	Renewal
Reinford Farm's Inc. 505 Cedar Grove Road Mifflintown, PA 17059	Juniata	1,252.56	1,679.00	Dairy	NA	Renewal
Kevin Martin 288 Shartlesville Road Bernville, PA 19506	Berks	42	394.95	Poultry	NA	Renewal

PUBLIC WATER SUPPLY PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for PWS permits to construct or substantially modify public water systems.

Persons wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Southeast Region: Water Supply Management Program Manager, 2 East Main Street, Norristown, PA 19401.

Permit No. 1521511, Public Water Supply.

Applicant	Hotel Du Village 2535 River Road New Hope, PA 18938
Township	Solebury
County	Chester
Type of Facility	PWS
Consulting Engineer	J.S. Madaras Consulting, Inc. 250 Indian Lane Boyertown, PA 19512
Permit to Construct Issued	June 24, 2021

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, 570-826-2511.

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

Application No. 1321503, Public Water Supply.

Applicant	Mahoning Manor Estates Homeowner's Association 125 Manor Lane Lehighton, PA 18235
Township and County	Mahoning Township Carbon County

Responsible Official Mr. Donnie Kunkle
Manager
Mahoning Manor Estates
Homeowner's Association
125 Manor Lane
Lehighton, PA 18235

Type of Facility PWS

Consulting Engineer Mr. Anthony J. Koval, P.E.
Nittany Engineering
2836 Earlstown Rd.
Centre Hall, PA 16828

Application Received Date June 8, 2021

Description of Action The purpose of this project is to Activate Well # 5 to produce 7 gpm (safe yield capacity of source) from a pumping level 280 feet below top of casing and a pump setting 300 feet below top of casing; installation of four inch diameter submersible pump with controls to stop pumping when pumping level approaches 293.6 feet below top of casing; installation of pitless adaptor including one inch conduit down to top of pump for water level measurement; installation of chlorine contact piping sized to provide required 4-log disinfection before flow reaches distribution system; installation of chemical feed for chlorination.

Application No. 1321504, Public Water Supply.

Applicant **Wen—Lehighton, LLC**
P.O. Box 1158
Marshalls Creek, PA 18335

Township and County Mahoning Township
Carbon County

Responsible Official Mr. Kevin Jones
Wen—Lehighton, LLC
P.O. Box 1158
Marshalls Creek, PA 18335

Type of Facility PWS

Consulting Engineer Thomas G. Pullar, P.E.
Earth-Res Group, Inc.
6912 Old Easton Rd.
Pipersville, PA 18947

Application Received Date June 15, 2021

Description of Action The applicant proposes the installation of a water softener with a capacity of 17 gpm.

Application No. 1321502, Public Water Supply.

Applicant **Blue Ridge Real Estate**
5 Blue Ridge Court
Kidder Township, PA 18610

Township and County Kidder Township
Carbon County

Responsible Official Mr. Bruce Beaty
President
Blue Ridge Real Estate
5 Blue Ridge Court
Kidder Township, PA 18610

Type of Facility PWS

Consulting Engineer Harry E. Garman, P.E.
Barry Isett & Associates
85 South Route 100
Allentown, PA 18106

Application Received Date June 17, 2021

Description of Action The purpose of this project is to design and construct treatment facilities for Well 2.

**LAND RECYCLING AND
ENVIRONMENTAL REMEDIATION
UNDER ACT 2, 1995
PREAMBLE 1**

**Acknowledgment of Notices of Intent to Remediate
Submitted Under the Land Recycling and Environmental
Remediation Standards Act (35 P.S.
§§ 6026.101—6026.908).**

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent (NOI) to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the background standard, Statewide health standard, the site-specific standard, or who intend to remediate a site as a special industrial area, must file a (NOI) to Remediate with the Department. A NOI to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. A person who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the Act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under Sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the NOI to Remediate is published in a newspaper of general circulation in the area of the site. For the following identified site(s), proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30-days of the following specified date. During this comment period the municipality may request that the following identified person, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of the site.

For further information concerning the content of a NOI to Remediate, please contact the Environmental

Cleanup Program Manager in the Department of Environmental Protection Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

The Department of Environmental Protection has received the following Notice(s) of Intent to Remediate:

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Warner's Central Garage, 10 Hudsonale Street, Weatherly, PA 18255, Weatherly Borough, **Carbon County**. Barry Isett & Associates, 1170 Highway 315, Wilkes-Barre, PA 18702, on behalf of Mauch Chunk Trust Company, 1111 North Street, P.O. Box 289, Jim Thorpe, PA 18229, submitted a Notice of Intent to Remediate. Soil was contaminated with lead and hydrocarbons from historic fill. Future use of the site will be residential. The Notice of Intent to Remediate was published in *The Standard Speaker* on June 18, 2021.

Walker/Krohn Property, 2222 Kemmerer Street, Bethlehem, PA 18017, Bethlehem City, **Northampton County**. Keystone Consulting Engineers, 2870 Emrick Boulevard, Bethlehem, PA 18020, on behalf of Anne Walker, 2222 Kemmerer Street, Bethlehem, PA 18017, submitted a Notice of Intent to Remediate. Soil was contaminated by a release of heating oil from an underground storage tank. Future use of the site will be residential. The Notice of Intent to Remediate was published in *The Express Times* on June 17, 2021.

Cottrell Property, 4197 East Lake Road, New Milford, PA 18834, New Milford Township, **Susquehanna County**. Resource Environmental Management, 50 Maple Street, Montrose, PA 18801, on behalf of Charles Cottrell, 4197 East Lake Road, New Milford, PA 18834, submitted a Notice of Intent to Remediate. Soil was contaminated by a release of heating oil from an aboveground storage tank. Future use of the site will be residential. The Notice of Intent to Remediate was published in *The Susquehanna County Independent* on May 12, 2021.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Application(s) Received Under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Northwest Region: Christina Wilhelm, Regional Solid Waste Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Permit Application No. 101592. Tri-County Transfer Station, 159 TCI Park Drive, Grove City, PA 16127, Pine Township, **Mercer County**. A permit renewal application was submitted to the Department to allow for another ten years of operation. The application was received by the Northwest Regional Office on June 8, 2021.

Comments concerning the application should be directed to Christina Wilhelm, Program Manager, Northwest Regional Office, 230 Chestnut Street, Meadville, PA

16335. Persons interested in obtaining more information about the general permit application may contact the Northwest Regional Office, 814-332-6848. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department has developed an "integrated" plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities. Copies of the application, the Department's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate Department Regional Office. Appointments for scheduling a review must be made by calling the appropriate Department Regional Office. The address and phone number of the Regional Office is listed before the application notices.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the Department's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

A person wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if the Department, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when the Department determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate Department Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure

that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the Regional Office listed before the application. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, (717) 705-4862, Thomas Bianca, New Source Review Chief, (717) 705-4863, or William Weaver, Regional Air Quality Manager, (717) 705-4702.

67-03187A: Penn Mar Recycling Co., Inc. (14 Onion Blvd., Shrewsbury, PA 17361) for the installation of a United Group AS-1000 aluminum sweat furnace at the facility located in Shrewsbury Borough, **York County**. The sweat furnace is equipped an integral afterburner. The expected potential emissions from this project are as follows: 1.35 tpy CO; 2.33 tpy NO_x; and less than 1 tpy of PM₁₀, SO_x, VOC, and HAPs. The Department of Environmental Protection's (DEP's) review of the information submitted by the company indicates that the air contamination sources will comply with all regulatory requirements, including monitoring, recordkeeping, and reporting requirements, and pertaining to air contamination sources and the emission of air contaminants including the best available technology requirement (BAT) of 25 Pa. Code §§ 127.1 and 127.12. The facility is also subject to 40 CFR 63 Subpart RRR—National Emission Standards for Hazardous Air Pollutants for Secondary Aluminum Production. DEP proposes to issue a plan approval for the proposed installation. If DEP determines that the sources are constructed and operated in compliance with the plan approval conditions and the specifications of the application for plan approval, the applicant will subsequently apply for an Operating Permit in accordance with 25 Pa. Code Chapter 127, Subchapter F.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Thomas Joseph, Facilities Permitting Chief, 412.442.4336.

TVOP-65-00053: Dura Bond (P.O. Box 518, 2658 Puckety Drive, Export, PA 15632). In accordance with 25 Pa. Code §§ 127.424, 127.425 and 127.521, the Department of Environmental Protection (DEP) is providing notice that it intends to issue a Title V Operating Permit renewal to Dura-Bond Steel Corporation for their facility located in Export Borough, **Westmoreland County**.

Dura Bond is a specialty fabricator and coater of steel pipe and metal products. The primary operations at this facility include shot blasting, sand blasting, coating, and fabrication. The steel pipes and other metal products are cleaned by sandblasting or shot blasting. After cleaning, the materials are coated in the spray area using airless spray guns. Materials are then placed in the day down area for drying and curing. Sometimes, they are forced cured using portable natural gas heaters. Fabrication work is done in a separate building. It includes typical machine shop/metal fabrication equipment such as grinders, welding stations, saws, torching, etc. There are several baghouses to control particulate emissions.

The pollutants of concern from this facility are VOCs and HAPs from the coating and cleaning operations. The overall facility's potential VOC emission is limited to 92 tons per 12 consecutive month period. The facility's maximum HAPs and PM₁₀ emissions estimated to be respectively 45.66 tons per year and 23.62 tons per year. Other insignificant emissions are NO_x, SO_x, and CO from the use of natural gas fired heaters. Dura Bond is major for HAPs and subject to 40 CFR 63, Subpart Mmmm. The proposed TVOP renewal contains emission restriction, testing, monitoring, recordkeeping, reporting and work practice standards derived from the applicable requirements of 25 Pa. Code Article III, Chapters 121—145 and 40 CFR 63, Subpart Mmmm.

Copies of the application, DEP's analyses and other documents used in the evaluation of the application are available for public review during normal business hours at the Department's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Appointments for scheduling a review must be made by calling 412-442-4000.

Any person may submit comments, a request for the Department to hold a public hearing, or a protest to the operating permit or a proposed condition thereof, by filing such submissions in writing with the Department at the Southwest Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments.

All requests for a public hearing, and all protests to a proposed action, shall be filed with the Department within 30 days of the date that notice of the proposed action was published under 25 Pa. Code § 127.521(b) (relating to public notice). A protest must include the name, address and telephone number of the person filing the protest, identification of the proposed permit issuance being opposed (Operating Permit TV-65-00053) and a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based.

A public hearing may be held in accordance with 25 Pa. Code § 127.429, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. If a public hearing is held, all persons who have properly filed a protest under 25 Pa. Code § 127.426 may appear and give testimony. The applicant, the protestant and other participants will be notified of the decision to hold a hearing (and the time, place and purpose of such hearing) by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient.

Written comments, protests and requests for a public hearing should be directed to Noor Nahar, Air Quality

Engineer, Department of Environmental Protection, Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222.

Intent to Issue Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief, (484) 250-5920.

09-00184: Doylestown Hospital (595 West State Street, Doylestown, PA 18901), for renewal of a State Only Operating Permit in Doylestown Township, **Bucks County**. The facility operates four (4) dual-fired boilers, one (1) natural gas 1.6 MW cogeneration unit, one (1) natural gas fired electric generator for peak shaving purposes, four (4) emergency diesel electric generators, and two (2) emergency diesel fire pumps. Doylestown Hospital is categorized as a synthetic minor facility for NO_x emissions with a site-wide limit of 24.9 tons per year. There have been no changes to any of the existing sources and there are no new sources being added under this renewal and the permittee shall continue to comply with all existing requirements. The permit includes monitoring, recordkeeping and reporting requirements designed to address all applicable air quality requirements.

Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEROPUBCOM@pa.gov.

15-00150: The Vanguard Group, Inc. (1041 West Valley Rd, Valley Forge, PA) located in Tredyffrin Township, **Chester County**. This action is to renew a State-Only Operating Permit. The permit is for a total of seven (7) existing, previously exempted diesel-fired emergency generator sets. The permit will include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEROPUBCOM@pa.gov.

46-00127: Verizon Pennsylvania, LLC (1050 Virginia Drive, Fort Washington, PA 19034) located in Upper Dublin Township, **Montgomery County** for the renewal of their Air Quality State Only Operating Permit. This facility is located in an office building and provides telephone dial tone to the surrounding areas. Verizon owns and operates two emergency generators that are used to supply power to the facility in emergency situations when electric power from their utility provider is interrupted. Verizon has previously been classified as a synthetic minor facility for NO_x emissions.

Verizon has requested to be reclassified as a natural minor facility based on EPA memorandum "Calculating Potential to Emit (PTE) for Emergency Generators" dated September 6, 1995. EPA recommends that the potential to emit (PTE) be determined based upon an estimate of the maximum number of hours the generator could expect to operate for emergency situations only when the electric

power supply is interrupted. EPA believes that 500 hours is an appropriate default assumption which is the default that Verizon is requesting to use to be reclassified as a natural minor. The EPA memorandum addresses only emergency generators with the generator engines being the only emitting sources at a facility.

The operating permit limits each engine to an annual limit of 500 hours per year. With this limitation the facilities PTE for NO_x is 17.80 tons per year which is below the major facility threshold of 25.00 tons per year. The Department has reclassified Verizon's Fort Washington Facility from a synthetic minor to a natural minor. The operating permit also contains monitoring, recordkeeping and work practice standard conditions designed to keep the facility operating within all applicable air quality requirements.

Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEROPUBCOM@pa.gov.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, (717) 705-4862, Thomas Bianca, New Source Review Chief, (717) 705-4863, or William Weaver, Regional Air Quality Manager, (717) 705-4702.

36-03203: RLB Ventures, Inc. dba Bench Dogs (10 Industrial Way, Denver, PA 17512) to issue a State-Only Operating Permit for the operation of three (3) spray booths & silk screening operations in East Cocalico Township, **Lancaster County**. Potential emissions from the facility are estimated to be 11.7 tpy VOC, 1.3 tpy of a single HAP (toluene) and 5.2 tpy of combined HAPs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

36-05111: Lippert Components, Inc. (3501 County Road 6 East, Elkhart, IN 46514) to issue a State-Only Operating Permit renewal for their mobile home chassis manufacturing facility in Brecknock Township, **Lancaster County**. The actual VOC emissions are estimated to be less than 2.7 tpy and potential VOC emissions are limited to less than 50 tpy. The Operating Permit will include emission limits and work practice requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 25 Pa. Code §§ 129.52 and 129.52d.

36-05163: Parker Hannifin Corporation (3649 Hempland Road, Lancaster, PA 17601) to issue a State Only Operating Permit renewal for the diesel locomotive filter manufacturing plant located in West Hempfield Township, **Lancaster County**. The majority of the emissions emitted from the operations at the facility are in the form of volatile organic compounds (VOCs). The facility's potential emissions are 12.9 tpy of VOCs, 7.3 tpy of NO_x, and 6.1 tpy of CO. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the permit renewal includes those provisions derived from 40 CFR 63, Subpart ZZZZ—National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines.

36-03115: Pennsy Supply, Inc. (2400 Thea Drive, Suite 3A, Harrisburg PA 17110) to issue a renewal of the State-Only Operating Permit for the stone crushing operations at the Landisville Quarry in West Hempfield Township, **Lancaster County**. The facility's potential-to-emit PM is approximately 27.2 tpy. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR 60, Subpart OOO—Standards of Performance for Nonmetallic Mineral Processing Plants.

Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Thomas Joseph, Facilities Permitting Chief, 412.442.4336.

11-00533: Starprint Publications, Inc. (722 Dulancy Drive, Portage, PA 15946-6902). The Department intends to issue a State Only Operating Permit for the printing facility located in Portage Township, **Cambria County**. The sources at the facility include natural gas fueled dryers, 3 printing presses, heat set ink, controlled by a thermal oxidizer. The facility is a Natural Minor. The potential emissions from the facility are as follows: 12.996 tpy VOC; 4.53 tpy CO; 5.731 tpy NO_x; 0.423 tpy PM₁₀; 0.032 tpy SO₂; 0.423 tpy TSP; 0.151 tpy 2-butoxyethanol; 0.424 tpy ethylene glycol; 0.575 tpy Total HAPs. The permit contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act. Contact for this permit renewal is Northwest Region, Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481. Contact: Matthew Williams, Facilities Permitting Chief, 814.332.6940.

56-00149: Somerset Area School District—Eagle View/Maple Ridge Elementary Schools (645 S. Columbia Ave., Somerset, PA 15501-2513). In accordance with 25 Pa. Code §§ 127.424, 127.425 and 127.521, the Department is providing notice of intent to issue a synthetic minor State Only Operating Permit for the operation of air contamination sources at Maple Ridge Elementary School and Eagle View Elementary School located in Somerset Township, **Somerset County**.

Somerset Area School District operates four boilers, operable on coal or natural gas, and two natural gas-fired emergency generators. The facility is limited to 2,150 tons per year of coal usage. Coal sulfur content is limited to 2.3% and ash content to 10%. Each emergency generator is limited to 500 hours of operation per 12-consecutive month period. This facility has a potential to emit 12.1 tons of NO_x, 13.6 tons of CO, 1.5 tons of VOCs, 99.4 tons of SO_x, and 6.8 tons of PM₁₀ based on the Federally enforceable operating limits. The proposed operating permit includes conditions relating to applicable emission restrictions, testing, monitoring, recordkeeping, reporting, and work practice standards requirements for each unit.

The application, DEP's Review Memorandum, and the proposed permit are available for public review during normal business hours at DEP's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. A file review can be scheduled through the DEP's website at <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx> or by contacting Tom Joseph, Facilities Permitting Chief, directly.

Those who wish to provide the Department with additional written information that they believe should be

considered prior to the issuance of the State-Only Operating Permit may submit the information to Tom Joseph, Facilities Permit Chief, Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Operating Permit (56-00149) and concise statements regarding the relevancy of the information or objections to issuance of the Operating Permit.

All comments must be received prior to the close of business 30 days after the date of this publication. A public hearing may be held in accordance with 25 Pa. Code § 127.429, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. If a public hearing is held, all persons who have properly filed a protest under 25 Pa. Code § 127.426 may appear and give testimony. The Department is not required to hold a conference or hearing. The applicant, the protestant, and other participants will be notified of the decision to hold a hearing (and the time, place and purpose of such hearing) by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient. Written comments or requests for a public hearing should be directed to Tom Joseph, Facilities Permit Chief, at the previously listed address.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Matthew Williams, Facilities Permitting Chief, (814) 332-6940.

25-00456: Keystone Foundry Division (944 W 12th St, Erie, PA 16501-1515). The Department is providing notice that they intend to renew a State Only Natural Minor Operating Permit for operation of the Keystone Foundry Division facility owned by United Brass Works located in the City of Erie, **Erie County**. The facility's primary emission sources include five (5) electric induction furnaces, molding and grinding operations, an emergency power generator engine, and miscellaneous natural gas combustion. The potential emissions of the primary pollutants from the facility are as follows: 4.28 TPY (tons per year) NO_x, 2.54 TPY CO, 0.09 TPY VOC, 17.74 TPY PM₁₀ and PM_{2.5}, and 0.02 TPY SO_x; thus, the facility is a natural minor. The facility is subject to 40 CFR 63 Subpart ZZZZZZ, NESHAP for Nonferrous Foundries Area Sources. The emergency generator engine is subject to 40 CFR 63 Subpart ZZZZ, NESHAP for Stationary Reciprocating Internal Combustion Engines. The renewal permit will contain emission restrictions, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

Philadelphia: Air Management Services, 321 University Avenue, Philadelphia, PA 19104-4543.

Contact: Edward Wiener, Chief, Source Registration at 215-685-9426.

The City of Philadelphia, Air Management Services (AMS) intends to issue a renewal Synthetic Minor State Only Operating Permit for the following facility:

OP20-000057: Thomas Jefferson University & Hospital (214 South 11th Street, Philadelphia, PA 19107), for the operation of air emission sources in a hospital, in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources are eighteen (18) emergency generators firing diesel fuel, of which two (2) rated 1,415

HP, two (2) rated 1,341 HP, three (3) rated 1,274 HP, four (4) rated 1,073 HP, one (1) rated 1,005.8 HP, and six (6) rated less than or equal to 670.5 HP. The changes made as part of the renewal includes the following:

- In Table A1—Facility Inventory List, added the serial no. for some of the emergency generators.
- Updated Section B: General Conditions, and Section C: Facility Wide Conditions to the current AMS versions.
- In Section D: Source Specific Requirements:
 - Updated Condition D.1.(b)(6) to specify that the Plan Approval exemption applies only to emergency generators that were permitted using an installation permit.
 - Updated Condition D.2.(a)(4)(i) to update the definition of emergencies.
 - Updated Condition D.2.(a)(5)(iii) to update the links to check the AQI forecast during ozone season.
 - Updated the monitoring requirements in Section D.4 and recordkeeping requirements in Section D.5.

The operating permit will be issued under 25 Pa. Code, Philadelphia Code Title 3 and Air Management Regulation XIII. Permit copies and other supporting information are available for public inspection at AMS, 321 University Avenue, Philadelphia, PA 19104. For further information, contact Edward Wiener at (215) 685-9426.

Persons wishing to file protest, comments, or request a public hearing on the previously listed operating permit must submit the protest, comments, or request for public hearing within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating permit or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a local newspaper at least thirty days before the hearing.

The City of Philadelphia, Air Management Services (AMS) intends to issue an Initial Natural Minor Operating Permit for operation of air pollution sources at the following facility:

OP21-000003: Hotel Palomar Philadelphia (117 S. 17th Street, Philadelphia, PA 19103) for the operation of hotel, in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources include five (5) water heaters firing natural gas each rated less than 3 MMBtu/hr, one (1) emergency generator and one (1) fire pump firing diesel fuel rated 335 HP and 290 HP respectively. The operating permit will contain operating, monitoring, recordkeeping, and reporting requirements to ensure operation within all applicable requirements.

The operating permit will be issued under 25 Pa. Code, Philadelphia Code Title 3 and Air Management Regulation XIII. Permit copies and other supporting information are available for public inspection at AMS, 321 University Avenue, Philadelphia, PA 19104. For further information, contact Edward Wiener at (215) 685-9426.

Persons wishing to file protest, comments, or request a public hearing on the previously listed operating permit must submit the protest, comments or request for public hearing within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating

permit or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a local newspaper at least thirty days before the hearing.

COAL & NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection. A copy of the application is available for inspection at the District Mining Office indicated above each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the address of the District Mining Office indicated above each application within 30-days of this publication, or within 30-days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences).

Written comments or objections related to a mining permit application should contain the name, address and telephone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

Requests for an informal conference, or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 (relating to public hearing-informal conferences) or § 86.34 (relating to informal conferences), must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Where a National Pollutant Discharge Elimination System (NPDES) number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. A separate notice will be provided after the draft NPDES permit is prepared.

Coal Applications Received

Effluent Limits—The following range of effluent limits will apply to NPDES permits issued in conjunction with the associated coal mining activity permit and, in some cases, noncoal mining permits:

Table 1

Parameter	30-Day Average	Daily Maximum	Instantaneous Maximum
Iron (total)	1.5 to 3.0 mg/l	3.0 to 6.0 mg/l	3.5 to 7.0 mg/l
Manganese (total)	1.0 to 2.0 mg/l	2.0 to 4.0 mg/l	2.5 to 5.0 mg/l
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Aluminum (Total)	0.75 to 2.0 mg/l	1.5 to 4.0 mg/l	2.0 to 5.0 mg/l
pH ¹		greater than 6.0; less than 9.0	

Alkalinity greater than acidity¹

¹ The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; and mined areas backfilled and revegetated; and drainage (resulting from a precipitation event of less than or equal to a 1-year 24-hour event) from coal refuse disposal piles.

California District Office: 25 Technology Drive, Coal Center, PA 15423, (724) 769-1100, (Contact: Bonnie Herbert).

Permit No. 32140701 and NPDES Permit No. PA0001767. Pennzoil Quaker State Company dba SOPUS Products, P.O. Box 4548, Houston, TX 77210 to revise the permit and related NPDES permit to redirect clean perennial stream flow and surface stormwater runoff for Helen Mine Acid Mine Drainage Treatment Plant in Center and Blacklick Townships, **Indiana County**. No additional discharges. The application was considered administratively complete on May 27, 2021. Application received: January 7, 2021.

Permit No. 56841328 and NPDES Permit No. PA0033677. Rosebud Mining Company, 301 Market Street, Kittanning, PA 16201 to revise the permit and related NPDES permit to redevelop the existing Berkey Shaft for access to the Upper Freeport Coal Seam for Mine 78 in Paint Township, **Somerset County** and Adams and Richland Townships, **Cambria County** affecting 10.0 proposed surface acres. No additional discharges. The application was considered administratively complete on May 28, 2021. Application received: February 25, 2021.

Permit No. 02841304 and NPDES Permit No. PA0236497. Tesone Land Company, 8961 Conference Drive, Suite 1, Fort Myers, FL 33919 to renew the permit and related NPDES permit for Allegheny Mine and Preparation Plant in Fawn Township, **Allegheny County**. No additional discharges. The application was considered administratively complete on June 17, 2021. Application received: February 17, 2021.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900, (Contact: Melanie Ford-Wigfield).

Permit No. 56130107 and NPDES No. PA0269484. Coal Loaders, Inc., 210 East Main Street, Ligonier, PA 15658, permit renewal of a bituminous surface & auger mine in Jenner Township, **Somerset County**, affecting 312.1 acres. Receiving streams: unnamed tributaries to/and Two Mile Run classified for the following use: cold water fishes. The first downstream potable water supply intake from the point of discharge is the Quemahoning Reservoir for the Cambria-Somerset authority. Application received: June 22, 2021.

Permit No. 56100101 and NPDES No. PA0262951. PBS Coals, Inc., 1576 Stoystown Road, P.O. Box 260, Friedens, PA 15541, permit renewal for the continued operation and restoration of a bituminous surface mine in Paint Township, **Somerset County** affecting 117 acres. Receiving streams: unnamed tributaries to/and Stonycreek River classified for the following uses: cold water fishes and warm water fishes. There are no potable water supply intakes within 10 miles downstream. Application received: June 22, 2021.

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191, (Contact: Cayleigh Boniger).

Permit No. 33140105 and NPDES No. PA0259527. Original Fuels, Inc., P.O. Box 343, Punxsutawney, PA 15767, renewal of an existing bituminous surface mine and associated NPDES permit in Perry and Young Townships, **Jefferson County**, affecting 441.5 acres. Receiving stream(s): Rose Run, unnamed tributaries to Mahoning Creek, and Mahoning Creek, classified for the following use(s): WWF, CWF. There are no potable surface water supply intakes within 10 miles downstream. Application received: May 12, 2021.

Permit No. 33150103. P. and N. Coal Company, Inc., 680 Old Route 119 Hwy N, Indiana, PA 15701, renewal of an existing bituminous surface mine in Winslow Township, **Jefferson County**, affecting 109.6 acres. Receiving streams: Unnamed tributary to Soldier Run, classified for the following use(s): CWF. There are no potable surface water supply intakes within 10 miles downstream. This renewal is issued for reclamation only. Application received: May 28, 2021.

Permit No. 10920112 and NPDES No. PA0211401. State Industries, Inc., P.O. Box 1022, Kittanning, PA 16201, renewal of an existing bituminous surface mine and associated NPDES permit in Concord Township, **Butler County**, affecting 22.6 acres. Receiving streams: Unnamed tributaries to Bear Creek, classified for the following uses: CWF. There are no potable surface water supply intakes within 10 miles downstream. Application received: June 10, 2021.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200, (Contact: Ashley Smith).

Permit No. 17101601 and NPDES No. PA0236055. Victor, LLC, 3056 Washington Avenue, P.O. Box 128, Clearfield, PA 16830. Permit renewal for continued operation of the Victor Tipple coal preparation plant whose pollution control equipment is required to meet all applicable limitations, terms and conditions of General Permit, BAQ-GPA/GP-12 and

related NPDES permit in Greenwood Township, **Clearfield County**. Surface Acres Proposed 25.56. Receiving Streams: West Branch of Susquehanna River, classified for the following use(s): Warm Water Fishes. Application received: June 18, 2021.

Noncoal Applications Received

Effluent Limits—The following effluent limits will apply to NPDES permits issued in conjunction with a noncoal mining permit:

Parameter	Table 2		
	30-day Average	Daily Maximum	Instantaneous Maximum
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity exceeding acidity* pH*		greater than 6.0; less than 9.0	

* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900, (Contact: Melanie Ford-Wigfield).

Permit No. 21050301 and NPDES No. PA0224456, JR Zimmerman Enterprises, LLC, 35 Ridge Road, Newville, PA 17241, renewal of an NPDES permit, located in North Newton Township, **Cumberland County**. Receiving stream: unnamed tributary to Green Spring Creek classified for the following uses: cold water fishes. There are no potable water supply intakes within 10 miles downstream. Application received: June 22, 2021.

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191, (Contact: Cayleigh Boniger).

Permit No. 10020306. Allegheny Mineral Corporation, P.O. Box 1022, Kittanning, PA 16201, renewal of NPDES Permit No. PA0242250 in Worth Township, **Butler County**. Receiving stream(s): Slippery Rock Creek, classified for the following use(s): CWF. There are no potable surface water supply intakes within 10 miles downstream. Application received: May 13, 2021.

Permit No. 10010310. Allegheny Mineral Corporation, P.O. Box 1022, Kittanning, PA 16201, renewal of NPDES Permit No. PA0241962 in Mercer and Pine Townships, **Butler County**. Receiving stream(s): Unnamed tributary to Swamp Run, classified for the following use(s): CWF. There are no potable surface water supply intakes within 10 miles downstream. Application received: May 13, 2021.

Permit No. 10070304. Glacial Sand & Gravel Company, P.O. Box 1022, Kittanning, PA 16201, renewal of NPDES Permit No. PA0258466 in Worth Township, **Butler County**. Receiving stream(s): Unnamed tributaries to Black Run, classified for the following use(s): CWF. There are no potable surface water supply intakes within 10 miles downstream. Application received: May 13, 2021.

Permit No. 37020306. The East Fairfield Coal Company, P.O. Box 217, North Lima, OH 44452, renewal of NPDES No, PA0259241 in North Beaver Township, **Lawrence County**. Receiving stream(s): Honey Creek, classified for the following use(s): CWF. There are no potable surface water supply intakes within 10 miles downstream. Application received: June 14, 2021.

New Stanton District Office: P.O. Box 133, New Stanton, PA 15672, (724) 925-5500, (Contact: Tracy Norbert).

Permit No. 03142001 and NPDES Permit No. PA0278211. Britt Energies, Inc., P.O. Box 515, 5450 Ferguson Road, Indiana, PA 15701-0515. NPDES renewal application for continued mining to an existing large noncoal surface and underground mine, located in South Bend Township, **Armstrong County**, affecting 84.5 acres. Receiving streams: Crooked Creek, classified for the following use: WWF. There is no potable water supply intake within 10 miles downstream from the point of discharge. Renewal application received: June 21, 2021.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118, (Contact: Theresa Reilly-Flannery).

Permit No. 7874SM2C3. New Enterprise Stone & Lime Co., Inc., 3912 Brumbaugh Road, New Enterprise, PA 16664, depth correction of a quarry operation to mine from 175 feet MSL to 75 feet MSL in North Whitehall Township, **Lehigh County** affecting 234.09 acres. Receiving stream: Coplay Creek, classified for the following uses: cold water and migratory fishes. Application received: June 8, 2021.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	
Alkalinity greater than acidity*			

* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The limits for noncoal mining activities as provided in 25 Pa. Code Chapter 77 are pH 6 to 9 and other parameters the Department may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters in this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 563-2112-115, Developing National Pollutant Discharge Elimination System (NPDES) Permits for Mining Activities. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit within 30-days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30-days of this public notice and contain the name, address, telephone number and the interest of the party filing the request and state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES permit application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. When a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

Coal NPDES Draft Permits

Knox District Mining Office: White Memorial Building, P.O. Box 669, Knox, PA 16232-0669, (814) 797.1191.

NPDES No. PA0104779 (Permit No. 24880103). Keystone Land Resources, Inc. 46226 National Road, St. Clairsville, OH 43950, transfer of an NPDES permit of a bituminous surface mine in Horton Township, **Elk County**, affecting 541.0 acres. Receiving stream(s): Unnamed tributary to Mead Run, classified for the following use(s): CWF. TMDL: Little Toby Creek. Application received: December 8, 2020.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in the permit are the BAT limits described previously for coal mining activities.

The following outfall discharges to Unnamed tributary to Mead Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
3TR	N

The proposed effluent limits for the previously listed outfall are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Iron (mg/l)		2.34	4.68	5.85
Manganese (mg/l)		2.0	4.0	5.0
Aluminum (mg/l)		0.75	0.75	0.75
Total Suspended Solids (mg/l)		35.0	70.0	90.0
Alkalinity greater than acidity ¹				

¹ The parameter is applicable at all times.

Noncoal NPDES Draft Permits

Knox District Mining Office: White Memorial Building, P.O. Box 669, Knox, PA 16232-0669, (814) 797.1191.

NPDES No. PA0242250 (Permit No. 10020306). Allegheny Mineral Corporation, P.O. Box 1022, Kittanning, PA 16201, renewal of an NPDES permit for a large industrial minerals surface mine in Worth Township, **Butler County**, affecting 241.2 acres. Receiving stream(s): Unnamed tributaries to Slippery Rock Creek and Slippery Rock Creek, classified for the following use(s): CWF. TMDL: None. Application received: May 13, 2021.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for noncoal mining activities.

The following outfalls discharge to Unnamed tributaries to Slippery Rock Creek and Slippery Rock Creek:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
005	N
006	N

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Iron (mg/l)		3.0	6.0	7.0
Manganese (mg/l)		2.0	4.0	5.0
Total Suspended Solids (mg/l)		35.0	70.0	90.0
Osmotic Pressure (milliosmoles/kg)				50.0
Alkalinity greater than acidity ¹				

¹ The parameter is applicable at all times.

The following outfalls discharge to Unnamed tributaries to Slippery Rock Creek and Slippery Rock Creek:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
001	N
002	N
003	N
004	N
007	N

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Iron (mg/l)		3.0	6.0	7.0
Manganese (mg/l)		2.0	4.0	5.0
Total Suspended Solids (mg/l)		35.0	70.0	90.0
Osmotic Pressure (milliosmoles/kg)				50.0
Alkalinity greater than acidity ¹				

¹ The parameter is applicable at all times.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342.8200.

NPDES No. PA0206229 (Mining Permit No. 14900301), Glenn O. Hawbaker, Inc., 1952 Waddle Road, State College, PA 16803, renewal of an NPDES permit for non-coal surface mining in Spring Township, **Centre County**, affecting 260.6 acres. Receiving stream(s): Logan Branch, classified for the following use(s): Cold Water Fishes (CWF). Application received: May 19, 2021.

The following outfalls discharge to Logan Branch:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>	<i>Type</i>
001	N	Treatment Basin 1
002	N	Sedimentation Pond A
003	N	Sedimentation Pond B
004	N	Sedimentation Pond C
005	N	Sedimentation Pond A/B
006	N	Sedimentation Pond D
007	N	Pit Sump

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Outfalls: 001—007 (All Weather Conditions)</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Flow (gpm or MGD)		Monitor Only	
pH (S.U.): Must be between 6.0 and 9.0 standard units.			

NPDES No. PA0257656 (Mining Permit No. 53112802), Stanley, Gary, & Dave Goodwin dba Goodwin & Sons, 1815 US Rt 6 W, Roulette, PA 16746, renewal of an NPDES permit for Small Noncoal Mining site in Roulette Township, **Potter County**, affecting 13.9 acres. Receiving stream(s): Upper Allegheny River, classified for the following use(s): Cold Water Fishes. Application received: January 22, 2021.

The following outfall discharges to Upper Allegheny River:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>	<i>Type</i>
001	N	Treatment Pond DP1

The proposed effluent limits for the previously listed outfall are as follows:

<i>Outfalls: 001 (All Weather Conditions)</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Flow (gpm)	Report	Report	Report
Iron	3.0	6.0	7.0
pH (S.U.): Must be between 6.0 and 9.0 standard units.			

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2522, (570) 621.3118.

NPDES Permit No. PA0594466. Naceville Materials, 350 South Main Street, Suite 207, Doylestown, PA 18901, renewal of Individual NPDES Permit associated with noncoal mining activities on SMP No. 09890301 in West Rock Hill, **Bucks County**, affecting 100.63 acres. Receiving stream: unnamed tributary to Ridge Valley Creek, classified for the following uses: HQ—trout stocking and migratory fishes. The first downstream potable water supply intake from the point of discharge is Aqua PA Main System, Perkiomen Creek. The Department has made a tentative determination to impose effluent limitations, within the ranges specified in Table 2. Application received: June 6, 2019.

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>	<i>Type</i>
001	N	TFO

<i>Outfalls:</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instantaneous</i>
<i>Parameter</i>	<i>Minimum</i>	<i>Maximum</i>	<i>Maximum</i>
pH (S.U.)	6.0		9.0
Total Suspended Solids (mg/L)		35.0	90.0
Acidity (mg/L)	Report		
Alkalinity (mg/L)	Report		
Net Alkalinity (mg/L)	0.0		
Flow (MGD)		0.5	

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341), requires the State to certify that the involved projects will not violate the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), as well as relevant State requirements. Persons objecting to approval of a request for certification under Section 401

or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit, or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30-days of the date of this notice, as well as any questions to the office noted above the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed, and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in

writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between the hours of 8:00 AM and 4:00 PM on each working day at the office noted above the application.

If you are a person with a disability and wish to attend the hearing and you require an auxiliary aid, service or other accommodation to participate in the proceedings, please contact the specified program. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Applications Received Under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification Under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401, Telephone 484.250.5160, E-mail: ra-epww-sero@pa.gov.

Permit No. E4601121-012, Pennsylvania Department of Transportation (PennDOT), Engineering District 6-0, 7000 Geerdes Boulevard, King of Prussia, PA 19406, Lower Providence Township, **Montgomery County**, ACOE Philadelphia District.

PennDOT is proposing to perform the following water obstruction and encroachment activities for the reconstruction of Park Avenue (S.R. 4004) and Eagleville Road (S.R. 4006) associated with the overall Crawford Road (T-324), Eagleville Road (S.R. 4006), and Park Avenue (S.R. 4004) Realignment Project:

1. To remove a 28-inch by 40-inch CMP pipe culvert on Park Avenue (S.R. 4004) carrying an unnamed tributary to Mine Run (TSF-MF, S3), and in its place, construct and maintain a 46-foot long, 48-inch by 76-inch HERCP culvert resulting in 46 linear feet (430 square feet, 0.010 acre) of permanent watercourse impact and 140 linear feet (1,526 square feet, 0.035 acre) of temporary watercourse impact. In addition, 13,452 square feet (0.309 acre) of permanent floodway impact and 7,194 square feet (0.165 acre) of temporary floodway impact as result of construction activities associated with roadway reconstruction, proposed grading, and access.

2. To construct and maintain an 18-inch RCP outfall within the floodway of an unnamed tributary to Mine Run (TSF-MF, S2) resulting in 30 square feet (0.001 acre) of permanent floodway impact and is associated with grading and construction of a stormwater facility. This also includes the placement of riprap rock apron.

3. To remove a 29-foot wide, 16-foot long, single-span reinforced concrete slab bridge on Park Avenue (S.R. 4004) over Mine Run (TSF-MF, S1), and in its place, construct and maintain a 61-foot long, 18-foot by 11-foot precast concrete box culvert resulting in 152 linear feet (2,851 square feet, 0.065 acre) of permanent watercourse impact and 74 linear feet (1,419 square feet, 0.033 acre) of temporary watercourse impact. In addition, there will be a total of 16,077 square feet (0.369 acre) of permanent

floodway impact, 5,927 square feet (0.136 acre) of temporary floodway impact, 12,739 square feet (0.292 acre) of permanent floodplain impact, and 3,656 square feet (0.084 acre) of temporary floodplain impact due to roadway reconstruction/alignment changes, construction of stormwater facilities, grading, and access.

4. To construct and maintain an 18-inch RCP outfall within the floodway of Mine Run (TSF-MF, S1) resulting in 30 square feet (0.001 acre) of permanent floodway impact and is associated with grading and construction of a stormwater facility. This also includes the placement of riprap rock apron.

A water obstruction and encroachment permit (PADEP Permit No. E4601221-013) is also associated with the overall reconstruction/realignment of the intersection for the township-owned culvert (T-324 Crawford Road) and stream realignment. This project is located in Lower Providence Township, Montgomery County (USGS PA Collegeville Quadrangle—Latitude: 40.13376 N, Longitude: 75.42597 W).

Permit No. E4601221-013, Lower Providence Township, 100 Parklane Drive, Eagleville, PA 19403, Lower Providence Township, **Montgomery County**, ACOE Philadelphia District.

Lower Providence Township is proposing to perform the following water obstruction and encroachment activities for the reconstruction of Crawford Road (T-324) associated with the overall Crawford Road (T-324), Eagleville Road (S.R. 4006), and Park Avenue (S.R. 4004) Realignment Project:

1. To construct and maintain a new 64-foot long, 18-foot by 11-foot precast concrete box culvert carrying Mine Run (TSF-MF, S1) resulting in 58 linear feet (754 square feet, 0.018 acre) of permanent watercourse impact due to the placement of the culvert. In addition, there will be 31,268 square feet (0.719 acre) of permanent floodway impact, 9,021 square feet (0.208 acre) of temporary floodway impact, 18,983 square feet (0.436 acre) of permanent floodplain impact, and 6,879 square feet (0.185 acre) of temporary floodplain impact due to roadway reconstruction/realignment, construction of stormwater facilities, grading, and access. The construction and maintenance of a retaining wall is also included with this activity is located immediately upstream of the culvert left wingwall.

2. To relocate and realign Mine Run (TSF-MF, S1) due to the placement of the previously stated culvert and realignment of Crawford Road (T-324) resulting in 272 linear feet (5,052 square feet, 0.116 acre) of permanent watercourse impact and 20 linear feet (523 square feet, 0.012 acre) of temporary watercourse impact.

3. To temporarily impact an unnamed tributary to Mine Run (TSF-MF, S2) in order to construct the new Crawford Road culvert resulting in 40 linear feet (247 square feet, 0.006 acre) of temporary watercourse impact and 1,169 square feet (0.027 acre) of temporary floodway impact due to access and E&S BMPs.

4. To construct and maintain an 18-inch RCP outfall within the floodway of Mine Run (TSF-MF, S1) resulting in 30 square feet (0.001 acre) of permanent floodway impact and is associated with grading and construction of a stormwater facility. This also includes the placement of riprap rock apron.

5. To relocate, construct, and maintain a sewer line relocation resulting in 41 linear feet (871 square feet, 0.020 acre) of permanent watercourse impact and 2,744 square feet (0.063 acre) of temporary floodway impact.

A water obstruction and encroachment permit (PADEP Permit No. E4601121-012) is also associated with the overall reconstruction/realignment of the intersection for the Pennsylvania Department of Transportation Engineering District 6-0. This project is located in Lower Providence Township, Montgomery County (USGS PA Collegeville Quadrangle—Latitude: 40.13376 N, Longitude: 75.42597 W).

Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570-327-3636.

E0804221-009. Aqua Pennsylvania, Inc., 139 Center Street, Sayre, PA 18840. Cabinet Works Water Main Replacement in Athens Township, **Bradford County**, ACOE Baltimore District (Sayre, PA Quadrangle; Latitude: 41° 59' 19"; Longitude: -76° 34' 42").

To construct approximately 1,200 ft. of 12-inch ductile iron pipe (DIP) water main line that will be supplying residences along King Lane in Athens Township. The proposed main replacement will require the crossing of a wetland along UNT Chemung River (WWF-MF).

The proposed impact of a PEM wetland is 0.44 acre. The crossing method to be used for the wetland crossing is open-cut trenching. Permanent and temporary impacts for the wetland are proposed as part of this project.

The total disturbed area along the watercourses is 0.05 acre.

A PNDI search determined no species of concern to be present.

E1904221-001. Borough of Berwick, 1800 N. Market Street, Berwick, PA 18603. Heights Road Crossing in Berwick Borough, **Columbia County**, ACOE Baltimore District (Berwick, PA Quadrangle; Latitude: 41° 04' 19"; Longitude: -76° 14' 43").

This project involves the replacement of a culvert crossing that carries Heights Road, a gravel road, over Glen Brook (HQ-CWF) in the Borough of Berwick, Columbia County. Heights Road extends into Briar Creek Township, where it is closed to traffic from the opposite direction. This crossing is therefore the only access to properties across Glen Brook and no other practical alternative is available.

The total disturbed area along the watercourse is 0.02 acre. Proposed wetland impacts are 0.002 acre.

A PNDI search determined no species of concern to be present.

E0603220-033. UGI Utilities, 1 UGI Drive, Denver, PA 17517. Chapel Hill Pipeline Exposure in Spring Township, **Berks County**, ACOE Philadelphia District (Sinking Spring, PA Quadrangle; Latitude: 40° 15' 59"; Longitude: -76° 02' 10").

To restore protective cover to the exposed portion of an 8" gas line. The pipeline is approximately 4-ft in length and rests on the streambed of UNT Little Muddy Creek (TSF). The placement of repair materials to restore

protective cover will raise the streambed approximately 4". To ensure aquatic life passage, the proposed activities incorporate a gradual increase in streambed elevation.

The total disturbed area along the watercourse is 0.02 acre.

A PNDI search determined possible bog turtle habitat to be present. An Avoidance Measure is proposed by the applicant. Wetlands have been delineated and marked on site.

Northwest Region: Waterways and Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.

E4306221-001. Greenville Borough, 125 Main Street, Greenville, PA 16125. Riverside Park Parking Lot, in Greenville Borough, **Mercer County**, ACOE Pittsburgh District (Greenville West, PA Quadrangle N: 41.409354°; W: -80.392279°).

To construct a parking lot involving grading and fill affecting an area measuring approximately 360 feet wide by 150 feet long by approximately 2 feet high and disturbing a total of approximately 1.3 acres within the FEMA 100-year flood plain of the Shenango River at Riverside Park along Alan Avenue north of SR 358. The project has associated NPDES Construction Stormwater PAG-02 and Chapter 105 BWEW GP-04/GP-05 authorizations through the Mercer County Conservation District.

E3206121-001, PADOT, Engineering District 10-0, 2550 Oakland Avenue, Indiana, PA 15701. SR 0954 Section 457 Windows Bridge, in West Mahoning Township, **Indiana County**, ACOE Pittsburgh District (Plumville, PA Quadrangle N: 40°, 51', 50.50"; W: 79°, 09', 45.17").

To remove the existing structure and to construct and maintain a 45'-10 3/4" long precast concrete box culvert having a span of 14'-0" and a rise of 6'-6" (5'-6" effective with baffles) on SR 0954, Section 457, Segment 0620 over UNT Little Mahoning Creek in West Mahoning Township, Indiana County resulting in 82 linear feet of permanent stream impacts and 74 linear feet of additional temporary stream impacts, and 0.077-ac of permanent wetland impacts and 0.173-ac of temporary wetland impacts to accommodate roadway fill slope adjustments. Permanent wetland impacts will be mitigated by debiting from the existing Indiana County wetland bank owned by the applicant.

ENVIRONMENTAL ASSESSMENTS

Northeast Regional Office: Environmental Program Manager, 2 Public Square, 5th Floor, Wilkes-Barre, PA 18701, 570-826-2511.

EA-4011-2-21-001. Pennsylvania Department of Environmental Protection, Bureau of Abandoned Mine Reclamation, Wilkes-Barre Office, 2 Public Square, 5th Floor, Wilkes-Barre, PA 18701. Abandoned Mine Land Reclamation Project, in Hazle Township, **Luzerne County**, Baltimore ACOE District.

The applicant proposes to backfill an abandoned surface mine, which includes a total of 19 acres of dangerous pile and embankment. The project will include the backfilling of 0.65 acre of open water that has developed within the open surface mine pit. (40° 54' 47.67" N; 76° 0' 31.789" W).

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT
FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department has taken the following actions on previously received applications for new, amended, and renewed NPDES and WQM permits, applications for permit waivers, and NOIs for coverage under General Permits, as listed in the following tables. This notice of final action is published in accordance with 25 Pa. Code Chapters 91, 92a, and 102 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). The official file for each listed action can be reviewed at the DEP or delegated county conservation district (CCD) office identified in the table for the action. DEP/CCD office contact information is listed as follows for Section I and is contained within the table for Section II. Additional information for permits issued under 25 Pa. Code Chapters 91 and 92a, including links to Individual NPDES and WQM Permits, may be reviewed by generating the “Final Actions Report” on DEP’s website at www.dep.pa.gov/CWPUBLICNOTICE.

DEP office contact information to review official files relating to the final actions in Section I. is as follows:

DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484.250.5910. Email: RA-EPNPDES_SERO@pa.gov.

DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570.826.5472. Email: RA-EPNPDES_NERO@pa.gov.

DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717.705.4732. Email: RA-EPNPDES_SCRO@pa.gov.

DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570.327.3693. Email: RA-EPNPDES_NCRO@pa.gov.

DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412.442.4286. Email: RA-EPNPDES_SWRO@pa.gov.

DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814.332.6340. Email: RA-EPNPDES_NWRO@pa.gov.

DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717.787.5017. Email: RA-EPNPDES_Permits@pa.gov.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. The appeal form and the Board’s rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. Final Actions on NPDES and WQM Permit Applications and NOIs for Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs.

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0273023	Industrial Stormwater Individual NPDES Permit	Issued	Reed Oil Co. 511 Montgomery Avenue New Castle, PA 16102-1111	Sadsbury Township Crawford County	NWRO
2516201	Industrial Waste Individual WQM Permit	Issued	Shearers Foods, LLC 821 State Route 97 Waterford, PA 16441-2843	Waterford Township Erie County	NWRO
3796201	Industrial Waste Individual WQM Permit	Issued	Dairy Farmers of American Inc. 800 W Tampa Street Springfield, MO 65802	Wilmington Township Lawrence County	NWRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
6709201	Industrial Waste Individual WQM Permit	Issued	Pixelle Specialty Solutions, LLC 228 S Main Street Spring Grove, PA 17362-1000	Spring Grove Borough York County	SCRO
6710201	Industrial Waste Individual WQM Permit	Issued	Pixelle Specialty Solutions, LLC 228 S Main Street Spring Grove, PA 17362-1000	Spring Grove Borough York County	SCRO
1413802	Joint DEP/PFBC Pesticides Permit	Issued	Penn State Golf Courses 1523 W College Avenue State College, PA 16801-2716	Ferguson Township Centre County	NCRO
1513845	Joint DEP/PFBC Pesticides Permit	Issued	White Manor CC 831 Providence Road Malvern, PA 19355-3407	Willistown Township Chester County	SERO
1521821	Joint DEP/PFBC Pesticides Permit	Issued	Mellott Gregg 220 Sullivan Road Avondale, PA 19311-9356	London Grove Township Chester County	SERO
1521822	Joint DEP/PFBC Pesticides Permit	Issued	Bowers David 204 Buttonwood Road Landenberg, PA 19350-9396	New Garden Township Chester County	SERO
1521823	Joint DEP/PFBC Pesticides Permit	Issued	Friedland Michael 1200 Daisy Point Road Pottstown, PA 19465-8714	South Coventry Township Chester County	SERO
1521824	Joint DEP/PFBC Pesticides Permit	Issued	Linden Hall HOA 200 Valley Road Suite 203 Mt Arlington, NJ 07856-1320	East Whiteland Township Chester County	SERO
2021804	Joint DEP/PFBC Pesticides Permit	Issued	Robert Pruskowski 26411 Lippert Road Cochranton, PA 16314-7457	Wayne Township Crawford County	NWRO
2521808	Joint DEP/PFBC Pesticides Permit	Issued	Michael Haggerty 284 Niagara Drive Erie, PA 16507	Erie City Erie County	NWRO
3515804	Joint DEP/PFBC Pesticides Permit	Issued	Lake Loretta Sportsmans Club 51 Loretta Drive Jefferson Township, PA 18436-5025	Jefferson Township Lackawanna County	NERO
4515807	Joint DEP/PFBC Pesticides Permit	Issued	Coleman Don 177 Woodhill Road Newtown, PA 18940-2509	Barrett Township Monroe County	NERO
4521802	Joint DEP/PFBC Pesticides Permit	Issued	Sunset Hill Shooting Range 2282 PA-314 Henryville, PA 18332	Pocono Township Monroe County	NERO
4521803	Joint DEP/PFBC Pesticides Permit	Issued	Sunset Hill Shooting Range 2282 PA-314 Henryville, PA 18332	Pocono Township Monroe County	NERO
4621817	Joint DEP/PFBC Pesticides Permit	Issued	Henkles Rod 345 Stenton Avenue Plymouth Meeting, PA 19462-1221	Whitemarsh Township Montgomery County	SERO
4821805	Joint DEP/PFBC Pesticides Permit	Issued	Moore Township 2491 Community Drive Bath, PA 18014-8841	Moore Township Northampton County	NERO
4821806	Joint DEP/PFBC Pesticides Permit	Issued	Moore Township 2491 Community Drive Bath, PA 18014-8841	Moore Township Northampton County	NERO
5021801	Joint DEP/PFBC Pesticides Permit	Issued	Coleen & Don Heistand P.O. Box 282 Landisburg, PA 17040-0282	Tyrone Township Perry County	SCRO

NOTICES

3795

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
5816803	Joint DEP/PFBC Pesticides Permit	Issued	Dream Lake Homeowners 2192 School Road New Milford, PA 18834-7599	Harford Township Susquehanna County	NERO
6414807	Joint DEP/PFBC Pesticides Permit	Issued	Camp Watonka P.O. Box 127 Hawley, PA 18428	Palmyra Township Wayne County	NERO
PAI133502	MS4 Individual NPDES Permit	Issued	Shillington Borough Berks County 2 E Lancaster Avenue P.O. Box 247 Shillington, PA 19607-0247	Shillington Borough Berks County	SCRO
PAI133503	MS4 Individual NPDES Permit	Issued	Spring Township Berks County 2850 Windmill Road Sinking Spring, PA 19608	Spring Township Berks County	SCRO
PAI133504	MS4 Individual NPDES Permit	Issued	West Reading Borough Berks County 500 Chestnut Street West Reading, PA 19611-1452	West Reading Borough Berks County	SCRO
PAI133506	MS4 Individual NPDES Permit	Issued	Wyomissing Borough Berks County 22 Reading Boulevard Wyomissing, PA 19610-2038	Wyomissing Borough Berks County	SCRO
PA0011657	Major Industrial Waste Facility < 250 MGD Individual NPDES Permit	Issued	Vicinity Energy Philadelphia, Inc. 2600 Christian Street Philadelphia, PA 19146	Philadelphia City Philadelphia County	SERO
PA0008435	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	BIF III Holtwood, LLC 126 Lambertson Lane Hawley, PA 18428	Martic Township Lancaster County	SCRO
PA0032751	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	PA DOT Maintenance & Operations Bureau 400 North Street 6th Floor Harrisburg, PA 17120-0206	Deer Creek Township Mercer County	NWRO
PA0032760	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	PA DOT Maintenance & Operations Bureau 400 North Street Floor 6 Harrisburg, PA 17120	Deer Creek Township Mercer County	NWRO
PA0084123	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Penn Township Municipal Authority Perry County 100 Municipal Building Road Duncannon, PA 17020-1130	Penn Township Perry County	SCRO
PA0101320	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Titusville Estates, LLC 21321 Campbell Road Titusville, PA 16354-9606	Oil Creek Township Crawford County	NWRO
PA0020222	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Weaverland Valley Authority 4610 Division Highway East Earl, PA 17519	Terre Hill Borough Lancaster County	SCRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0052426	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Allied Utility Service Inc. P.O. Box 1488 Skippack, PA 19474-1488	North Whitehall Township Lehigh County	NERO
PA0084701	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Penn Township Municipal Authority Perry County 102 Municipal Building Road Duncannon, PA 17020-1130	Penn Township Perry County	SCRO
PA0252531	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Independence Cross Creek Joint Sewer Authority P.O. Box 156 34 Campbell Street Avella, PA 15312-0156	Cross Creek Township Washington County	SWRO
NNOEXNC34	No Exposure Certification	Issued	Boral Building Products 112 Industrial Parkway Elkland, PA 16920-1457	Elkland Borough Tioga County	NCRO
NOEXSC257	No Exposure Certification	Issued	Fed Express Corp 3620 Hacks Cross Road Building B 2nd Floor Memphis, TN 38125-8800	Allegheny Township Blair County	SCRO
NOEXSC358	No Exposure Certification	Issued	ACV Environmental Service, Inc. 1500 Rahway Avenue Avenel, NJ 07001-2200	Newberry Township York County	SCRO
NOEXSW206	No Exposure Certification	Issued	Allegheny Petro Products, Co. 2911 Duss Avenue Ambridge, PA 15003-1476	Ambridge Borough Beaver County	SWRO
PAG034842	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Waste Management of PA, Inc. 2560 Clyde Avenue State College, PA 16801-7507	College Township Centre County	NCRO
PAG043725	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Fortson Lottie M & Herr Fenise L 2512 River Road Bainbridge, PA 17502-9487	Conoy Township Lancaster County	SCRO
PAG123820	PAG-12 NPDES General Permit for CAFOs	Issued	Jarred Vanderplate Farm CAFO 2590 Shumaker Road Manheim, PA 17545-9417	Rapho Township Lancaster County	SCRO
1500421	Sewage Land Application Individual WQM Permit	Issued	Upper Uwchlan Township Municipal Authority 140 Pottstown Pike Chester Springs, PA 19425-9516	Upper Uwchlan Township Chester County	SERO
1503410	Sewage Land Application Individual WQM Permit	Issued	Aqua Pennsylvania Wastewater, Inc. 762 West Lancaster Avenue Bryn Mawr, PA 19010-3402	Newlin Township Chester County	SERO
2021406	Sewage Treatment Facilities Individual WQM Permit	Issued	James & Tabatha Volle 3598 Fallen Drive Jamestown, PA 16134-3412	West Shenango Township Crawford County	NWRO
2521404	Sewage Treatment Facilities Individual WQM Permit	Issued	Angel & Matthew Laitres 8879 Williams Road North East, PA 16428-5605	Greenfield Township Erie County	NWRO
2521408	Sewage Treatment Facilities Individual WQM Permit	Issued	Miriam & Scott Crossman 9711 Oliver Road McKean, PA 16426-1849	McKean Township Erie County	NWRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
3600401	Sewage Treatment Facilities Individual WQM Permit	Issued	Fortson Lottie M & Herr Fenise L 2512 River Road Bainbridge, PA 17502-9487	Conoy Township Lancaster County	SCRO
3617403	Sewage Treatment Facilities Individual WQM Permit	Issued	Weaverland Valley Authority 4610 Division Highway East Earl, PA 17519	Terre Hill Borough Lancaster County	SCRO
3903401	Sewage Treatment Facilities Individual WQM Permit	Issued	Upper Saucon STP 5500 Camp Meeting Road Center Valley, PA 18034-9444	Upper Saucon Township Lehigh County	NERO
4621405	Sewage Treatment Facilities Individual WQM Permit	Issued	Roth Robert 908 Kulp Drive Perkiomenville, PA 18071	New Hanover Township Montgomery County	SERO
6121401	Sewage Treatment Facilities Individual WQM Permit	Issued	Balas Joyce 1007 Columbia Avenue Grove City, PA 16127-1309	Cornplanter Township Venango County	NWRO
2502405	Sewer Extensions and Pump Stations Individual WQM Permit	Issued	Union City Borough Municipal Authority Erie County 22 N Main Street Union City, PA 16438-1324	Union Township Erie County	NWRO
PA0245291	Single Residence STP Individual NPDES Permit	Issued	Roth Robert 908 Kulp Drive Perkiomenville, PA 18071	New Hanover Township Montgomery County	SERO
PA0289043	Single Residence STP Individual NPDES Permit	Issued	Angel & Matthew Laitres 8879 Williams Road North East, PA 16428-5605	Greenfield Township Erie County	NWRO
PA0289116	Single Residence STP Individual NPDES Permit	Issued	Balas Joyce 1007 Columbia Avenue Grove City, PA 16127-1309	Cornplanter Township Venango County	NWRO
PA0289230	Single Residence STP Individual NPDES Permit	Issued	James & Tabatha Volle 3598 Fallen Drive Jamestown, PA 16134-3412	West Shenango Township Crawford County	NWRO
PA0289264	Single Residence STP Individual NPDES Permit	Issued	Miriam & Scott Crossman 9711 Oliver Road McKean, PA 16426-1849	McKean Township Erie County	NWRO
PA0034011	Small Flow Treatment Facility Individual NPDES Permit	Issued	Bedford Materials Co., Inc. 7676 Allegheny Road Manns Choice, PA 15550-8967	Napier Township Bedford County	SCRO
PA0261441	Small Flow Treatment Facility Individual NPDES Permit	Issued	Playful Pups Retreat, LLC 850 Milton Grove Road N Elizabethtown, PA 17022-8495	Mount Joy Township Lancaster County	SCRO

II. Final Actions on PAG-02 General NPDES Permit NOIs and Individual NPDES Permit Applications for Construction Stormwater.

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC090459	PAG-02 General Permit	Issued	Bristol Township Recycling, Inc. 2301 Byberry Road Bensalem, PA 19020-2938	Bristol Township Bucks County	SERO
PAC090389 A-1	PAG-02 General Permit	Issued	Woodbury Grove Investors, LP 370 East Maple Avenue Suite 101 Langhorne, PA 19047-2838	Northampton Township Bucks County	SERO

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC090172 A-1	PAG-02 General Permit	Issued	3750 State Road, LLC c/o LBA RVI-Company XXXVI, LLC 353 N. Clark Street Suite 1825 Chicago, IL 60654-4733	Bensalem Township Bucks County	SERO
PAC090475 Prior NPDES # PAG02000914009(1) Renewal Only	PAG-02 General Permit	Issued	Penn Color, Inc. 400 Old Dublin Pike Doylestown, PA 18901-2399	Doylestown Township Bucks County	SERO
PAD090074	Individual NPDES	Issued	Jesse Rambo 2980 Shirley Lane P.O. Box 313 Springtown, PA 18081-0313	Springfield Township Bucks County	SERO
PAD460050	Individual NPDES	Issued	SEPTA 1234 Market Street Philadelphia PA 19107-3780	City of Philadelphia Philadelphia County	SERO
PAC390151	PAG-02 General Permit	Issued	Patriot American Parkway Parking Lot Expansion 1200 Liberty Ridge Drive Wayne, PA 19087	Hanover Township Lehigh County	Lehigh County Conservation District 4184 Dorney Park Road Suite 105 Allentown, PA 18401 610-391-9583
PAD130030	Individual NPDES	Issued	Albrightsville DG, LLC 361 Summit Boulevard Birmingham, AL 35243	Penn Forest Township Carbon County	NERO
PAC400201	PAG-02 General Permit	Issued	Lofts at Sand Spring, LLC Mike Tuskes 4511 Falmer Drive Bethlehem, PA 18020	Butler Township Luzerne County	Luzerne Conservation District 325 Smiths Pond Road Shavertown, PA 18708 570-674-7991
PAD390190	Individual NPDES	Issued	County of Lehigh 17 S. 7th St. Allentown, PA 18101	South Whitehall Township Lower Macungie Township Lehigh County	NERO
PAD400038	Individual NPDES	Issued	Luzerne County Transportation Authority LCTA Fixed Route Services 315 Northampton Street Kingston, PA 18704	City of Wilkes-Barre Luzerne County	NERO
PAC400193	PAG-02 General Permit	Issued	Susquehanna Data, LLC Dustin Wertheimer 600 Hamilton Street Allentown, PA 18101	Salem Township Luzerne County	Luzerne Conservation District 325 Smiths Pond Road Shavertown, PA 18708 570-674-7991
PAD670010 A-1	Individual NPDES	Issued	New View Corporation P.O. Box 6218 Harrisburg, PA 17112	Fairview Township York County	SCRO
PAD670047	Individual NPDES	Issued	Fairview Crossroads 217 Highland Terrace Way Boiling Springs, PA 17007	Fairview Township York County	SCRO
PAD440012	Individual NPDES	Issued	JLM Real Estate Investments, LLC 950 East Main Street P.O. Box 472 Schuylkill Haven, PA 17972-0472	Granville Township Mifflin County	SCRO

NOTICES

3799

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC010172	PAG-02 General Permit	Issued	UTZ Quality Foods, Inc. 350 Kindig Lane Hanover, PA 17331	Conewago Township Adams County	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325-3404 717.334.0636
PAC010173	PAG-02 General Permit	Issued	Weaver Auto 5670 Hanover Road Hanover, PA 17331	Straban Township Adams County	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325-3404 717.334.0636
PAC060342	PAG-02 General Permit	Issued	Dr. Yooson Kim 3411 Main Street Morgantown, PA 19543	Caernarvon Township Berks County	Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 610.372.4657
PAC060341	PAG-02 General Permit	Issued	Stephen J. Stoltzfus, Jr. 2025 Valley Road Morgantown, PA 19543	Caernarvon Township Berks County	Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 610.372.4657
PAC060339	PAG-02 General Permit	Issued	Matt Cochran 4 Dennison Road Nesquehoning, PA 18240	Tilden Township Berks County	Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 610.372.4657
PAC210244	PAG-02 General Permit	Issued	Banner of Truth Building Trust Fund 63 East Louthier Street Carlisle, PA 17013	South Middleton Township Cumberland County	Cumberland County Conservation District 310 Allen Road Suite 301 Carlisle, PA 17013-9101 717.240.7812
PAC210176 A-1	PAG-02 General Permit	Issued	Glenpoint, LLC 227 Granite Run Drive Lancaster, PA 17601	Silver Spring Township Cumberland County	Cumberland County Conservation District 310 Allen Road Suite 301 Carlisle, PA 17013-9101 717.240.7812
PAC210243	PAG-02 General Permit	Issued	Upper Allen Township 100 Gettysburg Pike Mechanicsburg, PA 17055	Upper Allen Township Cumberland County	Cumberland County Conservation District 310 Allen Road Suite 301 Carlisle, PA 17013-9101 717.240.7812

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC210237	PAG-02 General Permit	Issued	Brindle Development Associates, LLC 700 Ayers Avenue Lemoyne, PA 17043	Monroe Township Cumberland County	Cumberland County Conservation District 310 Allen Road Suite 301 Carlisle, PA 17013-9101 717.240.7812
PAC210069 A-1	PAG-02 General Permit	Issued	Terraces at Shepherdstown, LLC 1454 Baltimore Street Suite A Hanover, PA 17331	Upper Allen Township Cumberland County	Cumberland County Conservation District 310 Allen Road Suite 301 Carlisle, PA 17013-9101 717.240.7812
PAC210240	PAG-02 General Permit	Issued	Golf Enterprises, Inc. 4400 Deer Path Road Suite 201 Harrisburg, PA 17110	Hampden Township Cumberland County	Cumberland County Conservation District 310 Allen Road Suite 301 Carlisle, PA 17013-9101 717.240.7812
PAC340036	PAG-02 General Permit	Issued	Scott Bardell 1243 Pfoutz Valley Road Millerstown, PA 17062	Delaware Township Juniata County	Juniata County Conservation District 146 Stoney Creek Drive Suite 4 Mifflintown, PA 17059-8709 717.436.8953, ext. 5
PAC340016 R	PAG-02 General Permit	Issued	Juniata County Agricultural Society 305 West Eighth Street Port Royal, PA 17082	Port Royal Borough Juniata County	Juniata County Conservation District 146 Stoney Creek Drive Suite 4 Mifflintown, PA 17059-8709 717.436.8953, ext. 5
PAC340037	PAG-02 General Permit	Issued	Andrew Hoover 155 Mayapple Lane Mifflintown, PA 17059	Milford Township Juniata County	Juniata County Conservation District 146 Stoney Creek Drive Suite 4 Mifflintown, PA 17059-8709 717.436.8953, ext. 5
PAC360625	PAG-02 General Permit	Issued	Samuel Lapp 154 Barr Road New Providence, PA 17560	Providence Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
PAC360607	PAG-02 General Permit	Issued	Adam Blevins 6 East Fourth Street Quarryville, PA 17566	East Drumore Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
PAC360367 A-9	PAG-02 General Permit	Issued	Houston Run Properties, LLC 1324 Main Street East Earl, PA 17519	Salisbury Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5

NOTICES

3801

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC360561	PAG-02 General Permit	Issued	Steve Blount 559 Diamond Drive Lebanon, PA 17042	East Donegal Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
PAC360591	PAG-02 General Permit	Issued	BST Reamstown Properties, LLC 196 North Reamstown Road Denver, PA 17517	East Cocalico Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
PAC360608	PAG-02 General Permit		Countryside Rest 2096 Mine Road Paradise, PA 17562	Bart Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
PAC140117	PAG-02 General Permit	Issued	Geisinger Clinic 199 Scenery Drive State College, PA 16801	College Township Centre County	Centre County Conservation District 414 Holmes Ave Suite 4 Bellefonte, PA 16823-1400
PAC140081 A-1	PAG-02 General Permit	Issued	S&A Custom Built Homes, Inc. Steeplechase Drive Pleasant Gap, PA 16823	Spring Township Centre County	Centre County Conservation District 414 Holmes Avenue Suite 4 Bellefonte, PA 16823-1400
PAC250121	PAG-02 General Permit	Issued	Erie Western Port Authority 1 Holland Street Erie, PA 16507	Erie City Erie County	Erie County Conservation District 1927 Wager Road Erie, PA 16509 814-825-6403
PAC330030	PAG-02 General Permit	Issued	SimonCRE JC Palm, LLC 6900 East 2nd Street Scottsdale, AZ 85251	Brookville Borough Jefferson County	Jefferson County Conservation District 1514 Route 28 Brookville, PA 15825 814-849-7463
PAC250132	PAG-02 General Permit	Issued	Plyler Entry Systems 8850 Fry Road McKean, PA 16426	McKean Township Erie County	Erie County Conservation District 1927 Wager Road Erie, PA 16509 814-825-6403
PAD670028 A-1	Individual	Issued	Dover Township 2480 West Canal Street Dover, PA 17315	Dover Township York County	BCW
PAC690009	New	Issued	PA DEP—Bureau of Abandoned Mine Reclamation 400 Market Street 13th Floor P.O. Box 69205 Harrisburg, PA 17106-9205	Buffington Township East Wheatfield Township Indiana County Blacklick Township Cambria County	Bureau of Abandoned Mine Reclamation 400 Market Street 13th Floor P.O. Box 69205 Harrisburg, PA 17106-9205 (717)783-2267

**STATE CONSERVATION COMMISSION
NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES
PERMITS FOR CAFOs**

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Hamilton Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. The appeal form and the Board’s rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

**NUTRIENT MANAGEMENT PLAN
CAFO PUBLIC NOTICE SPREADSHEET—ACTIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>AEU's</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Andrew Hoover 155 Mayapple Lane Mifflintown, PA 17059	Juniata	14.0	235.43	Poultry Broilers	NA	Approved
Eric Newswanger 107 Awol Road Jonestown, PA 17038	Lebanon	64.8	407.95	Broiler/ Beef	NA	Approved

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. The appeal form and the Board’s rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, 570-826-2511.

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

Action, Permit No. 4819506, Construction Permit, Public Water Supply.

Applicant	Heritage Village Water Company (LURRS) 499 Riverview Drive Walnutport, PA 18088
Municipality	Lehigh Township
County	Northampton

Type of Facility Public Water Supply
 Consulting Engineer Charlie Liu, P.E.
 BCM Engineers
 920 Germantown Pike
 Suite 200
 Plymouth Meeting, PA 19462

Permit to Construct June 24, 2021
 Issued

Description of Action New 100,000 gallon finished water standpipe to serve the Heritage Village and Northwoods residential developments.

Permit No. 2660027, Operation Permit, Public Water Supply.

Applicant **White Whale Real Estate, LLC**
 1001 Jesse Road
 Plymouth, PA 18651

Municipality Monroe Township
 County **Wyoming**

Type of Facility Public Water Supply—Permit Transfer

Consultant N/A

Permit Issued June 24, 2021

Permit No. 4821502MA, Public Water Supply.

Applicant **Pennsylvania American Water Company—Berry Hollow System**
 852 Wesley Drive
 Mechanicsburg, PA 17055

[Borough or Township] Lower Mt. Bethel Township
 County **Northampton**

Type of Facility PWS

Consulting Engineer Mr. Jeremy Nelson, P.E.
 Engineering Project Manager
 Pennsylvania American Water Company
 2699 Stafford Avenue
 Scranton, PA 18505

Permit to Construct June 24, 2021
 Issued

Permit No. 3540014, Operations Permit, Public Water Supply.

Applicant **Kline Township Municipal Authority**
 8 East Market Street
 McAdoo, PA 18237

[Borough or Township] Kline Township
 County **Schuylkill**

Type of Facility PWS

Consulting Engineer Karen C. Pollock, P.E.
 Systems Design Engineering, Inc.
 1032 James Drive
 Leesport, PA 19533

Permit to Operate June 22, 2021
 Issued

Permit No. 4021503MA, Public Water Supply.

Applicant **Pennsylvania American Water Company—Nesbitt WTP**
 852 Wesley Drive
 Mechanicsburg, PA 17055

[Borough or Township] Spring Brook Township
 County **Luzerne**

Type of Facility PWS

Consulting Engineer Maureen V. Coleman, P.E.
 Pennsylvania American Water Company
 2699 Stafford Avenue
 Scranton, PA 18505

Permit to Construct June 22, 2021
 Issued

SEWAGE FACILITIES ACT PLAN APPROVAL

Plan Approvals Granted Under the Pennsylvania Sewage Facilities Act, Act of January 24, 1966, P.L. 1535, as amended, 35 P.S. § 750.5.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Plan Location:

<i>Township</i>	<i>Township Address</i>	<i>County</i>
Franklin Township	P.O. Box 309 Cashtown, PA 17310	Adams

Plan Description:

Approval of a revision to the official plan of Franklin Township, Adams County. The project is known as Alan D. Mahone. The plan provides for a Small Flow Treatment Facility (SFTF) proposal to replace cesspools serving three mobile homes on 6.18 acres. Two of the mobile homes will be removed and replaced by a new single-family residential dwelling with total estimated sewage flows of 400 gpd. The third mobile home will be gutted of the kitchen and bedrooms in order to create a den for lounging. The bathroom in this structure will also be connected to the proposed SFTF, which will discharge to Clear Run. The proposed development is located at 3465 Old Route 30 in Franklin Township, Adams County. The Department's review of the plan revision has not identified any significant impacts resulting from this proposal. The DEP Code Number for this planning module is A3-01914-415-3s and the APS Id is 1037078. Permits for on lot sewage disposal systems must be obtained in the name of the property owner.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 2

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated

substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department Regional Office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office. TDD users may telephone the Department through the Hamilton Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Walker/Krohn Property, 2222 Kemmerer Street, Bethlehem, PA 18017, Bethlehem City, **Northampton County**. Keystone Consulting Engineers, 2870 Emrick Boulevard, Bethlehem, PA 18020, on behalf of Anne Walker, 2222 Kemmerer Street, Bethlehem, PA 18017, submitted a Final Report concerning remediation of soil contaminated by heating oil from an underground storage tank. The report is intended to document remediation of the site to meet Statewide health standards.

Cottrell Property, 4197 East Lake Road, New Milford, PA 18834, New Milford Township, **Susquehanna County**. Resource Environmental Management, 50 Maple Street, Montrose, PA 18801, on behalf of Charles Cottrell, 4197 East Lake Road, New Milford, PA 18834, submitted a submitted a Final Report concerning remediation of soil contaminated by heating oil from an aboveground storage tank. The report is intended to document remediation of the site to meet Statewide health standards.

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Former Garden State Tannery Site, 16 South Franklin Street, Fleetwood, PA 19522, Borough of Fleetwood, **Berks County**. BL Companies, 4242 Carlisle Pike, Suite 260, Camp Hill, PA 17011, on behalf of Borough of Fleetwood, 110 West Arch Street, Suite 104, Fleetwood, PA 19522, submitted a Final Report concerning remediation of site groundwater contaminated with petroleum

products. The Final Report is intended to document remediation of the site to meet the site-specific standard.

Silk Mill Properties, Inc., 2400 Eighth Avenue, Altoona, PA 16602, City of Altoona, **Blair County**. Mountain Research, LLC, 825 25th Street, Altoona, PA 16601, on behalf of Grappone Law Offices, 411 South Logan Boulevard, Altoona, PA 16602 submitted a Final Report concerning remediation of site groundwater contaminated with chlorinated solvents. The Final Report is intended to document remediation of the site to meet the site-specific standard.

1325 Fruitville Pike, Lancaster, PA 17601, Manheim Township, **Lancaster County**. ECS Mid-Atlantic, LLC, 52-6 Grumbacher Road, York, PA 17406, on behalf of Fruitville Pike Partners, 209 Pinetree Way, Lancaster, PA 17601 submitted a Remedial Investigation, Risk Assessment, Cleanup Plan and Final Report concerning remediation of site groundwater contaminated with lead. The combined Report is intended to document remediation of the site to meet the site-specific standard.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department Regional Office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office. TDD users may telephone the Department through the Hamilton Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Clay's Service Center (Former Exxon Station # 23303), 138 West Main Street, Mechanicsburg, PA 17019, Mechanicsburg Borough, **Cumberland County**. Arcadis, Inc., 310 Seven Fields Boulevard, Suite 210, Seven Fields, PA 16046, on behalf of ExxonMobil, Environmental & Property Solutions, 875 West Poplar Avenue, Suite 23, # 353, and James Clay, Clay's Service Center, 138 Main Street, Mechanicsburg, PA 17019 submitted a Final Report concerning remediation of site soil and groundwater contaminated with petroleum products. The Final Report demonstrated attainment of the site-specific standard and was approved by the Department on June 16, 2021.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Permit(s) Issued Under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Northcentral Region: Regional Solid Waste Manager, 208 West Third Street, Williamsport, PA 17701.

Permit No. 300610. JELD-WEN, Inc., 825 Shiner Road, Towanda, PA 18848, Wysox Township, **Bradford County**. This permit renewal is for the JELD-WEN, Inc. Class III Residual Waste Landfill. The permit was issued by DEP Northcentral Regional Office on June 22, 2021.

Persons interested in reviewing the general permit applications may contact Lisa D. Houser, P.E., Environmental Engineer Manager, Williamsport Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701, (570) 327-3752. TDD users may contact the Department through the Pennsylvania Relay service, (800) 654-5984.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920.

GP9-15-0036: Terra Technical Services, LLC (1818 West Strasburg Road, West Bradford, PA 19320) on June 24, 2021 for the operation of one (1) diesel engine

(Source ID 106A) used in supporting the operation of a portable non-metallic processing plant operating under GP3-15-0080, Crusher 2 (Source ID 103) located in Township, **Chester County**. Source ID 106A replaces Source ID 106 under GP9-15-0035.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Contact: Raymond Kempa New Source Review Chief—Telephone: 570-826-2531.

GP3-39-017: Tamco Construction, Inc. (539 East Dark Hollow Road, Pipersville, PA 18947) on June 24, 2021, for the construction and operation of a portable stone crushing plant at the facility located in Emmaus Borough, **Lehigh County**.

GP9-39-017: Tamco Construction, Inc. (539 East Dark Hollow Road, Pipersville, PA 18947) on June 24, 2021, for the construction and operation of a I C Engine at the facility located in Emmaus Borough, **Lehigh County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

GP1-22-03067A: Milton Hershey School (1201 Homestead Lane, P.O. Box 830, Hershey, PA 17033) on June 23, 2021, for two existing natural gas-fired boilers, 16.3 MMBtu each, under GP1, at the Hotel Road campus of the Milton Hershey School located in Derry Township, **Dauphin County**. The general permit authorization was renewed.

Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Edward Orris, New Source Review Chief, 412.442.4168.

GP3-26-00565C: AEC Services Company, LLC (525 Plymouth Road, Suite 320, Plymouth Meeting, PA 19462) on June 24, 2021, to allow the construction and operation of one crusher rated at 450 tph, one Grinder, two vibratory machines, one shredder screen machine, one McCloskey vibratory machine, and 19 conveyors at their Saint Surface Quarry located in Dunbar Township, **Fayette County**.

GP9-26-00565B: AEC Services Company, LLC (525 Plymouth Road, Suite 320, Plymouth Meeting, PA 19462) on June 24, 2021, to allow the construction and operation of one Caterpillar diesel engine rated at 129.4 bhp and two previously authorized engines i.e. (one Cummins diesel engine rated at 520 bhp and one Isuzu diesel engine rated at 34 bhp) at their Saint Surface Quarry located in Dunbar Township, **Fayette County**.

GP5-30-00232C: EQM Poseidon Midstream, LLC (2200 Energy Dr., Canonsburg, PA 15317-1001) on June 24, 2021, to allow the continued operation of a natural gas production facility which contains 5 Caterpillar engines each rated at 2,370 bhp, two Cummins engine rated at 380 bhp, one TEG rated at 225 MMscfd, three storage tanks etc. at their existing Pettit Compressor Site located in Center Township, **Greene County**. This is a renewal of the GP-5 authorization.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920.

09-0244: MM Metals USA, LLC (4000 Chemical Road, Plymouth Meeting, PA 19462) on June 25, 2021 for a minor modification to the plan approval for the installation of a new low-carbon ferrochrome alloy manufacturing facility to be located in Falls Township, **Bucks County**. Post-control Particulate Matter (PM), Volatile Organic Compound (VOC), Nitrogen Oxide (NO_x), and Hazardous Air Pollutant (HAP) emissions are less than major source thresholds for the Philadelphia Metropolitan Area; the facility is classified as a Natural Minor Facility. The requirements of 40 CFR Part 63 Subpart RRR apply to the melt furnace operating as part of Aluminum Production. The melt furnace is classified as a Group 1 Furnace and is subject to the dioxins/furans-related requirements of Subpart RRR. The general opacity requirements of 40 CFR Part 63 Subpart YYYYYY apply to the plasma furnace. The minor modification addresses a change to the control device used to reduce particulate matter emissions from the ferrochrome furnace exhaust and slag tapping operations. There is no increase in facility-wide emissions from the modification, and the chromite ore drier baghouse has sufficient capacity to handle the exhaust from the metal and slag tapping operations. The minor modification of the plan approval is issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code § 127.462 with additional authority from 25 Pa. Code § 127.14(c)(3). The minor modification of the plan approval includes monitoring, testing, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

15-0081B: Johnson Matthey, Inc. (1401 King Road, West Chester, PA 19386-1467) on June 23, 2021, to allow modification to the existing Vertical Wet Scrubbers, (Nitric-Scrubbers) (Source ID: C02) controlling the Acid Metal Stripping Room (source ID: 102) to ensure compliance with the allowable limits for HCl and HNO₃ and to require only one scrubber unit to operate at any given time, in West Whiteland Township, **Chester County**.

09-0240: Mazza Iron & Steel, LLC (60 Solar Drive, Fairless Hills, PA 119030). On June 23, 2021, this plan approval authorizes installation and temporary operation of 6 New Natural Gas Emergency Generators: 1. One Cummins Model No. C80 N6, 80 kW, 2. Three Cummins Model No. C110 N6, 100 kW, 3. One Cummins Model No. GFBC, 250 kW, 4. One Caterpillar Model DG125-2, 125 kW in, Falls Township, **Bucks County**.

23-0034: Villanova University, (800 E Lancaster Avenue, Villanova, PA 19085-1603) on June 23, 2021 for the temporary operation of six (6) natural gas emergency engines at their location in Radnor Township, **Delaware County**.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

67-05016H: RH Sheppard Co., Inc. (101 Philadelphia Street, Hanover, PA 17331) on June 25, 2021, for the modification of the Sinto and Disa Sand Preparation Lines, which includes the construction of two new sand mixers, two new bucket elevators, two new shutoff hoppers, five new belt conveyors, a new compactability tester, and the installation of a new baghouse at the facility located in Hanover Borough, **York County**. The plan approval was extended.

Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Edward Orris, New Source Review Chief, 412.442.4168.

63-00538: Dynamet, Inc. (195 Museum Road, Washington, PA 15301-6135) on June 23, 2021, for the continued temporary operation of the chemical mill for pickling of titanium products controlled by two (2) scrubbers at the Arden Facility located in Chartiers Township, **Washington County**. The new expiration date is December 28, 2021.

Title V Operating Permits Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Matthew Williams, Facilities Permitting Chief—Telephone: 814-332-6940.

27-00015: Tennessee Gas Pipeline, Co., LLC, Compressor Station 307 Marienville (44264 Route 66, Marienville, PA 16239), on June 23, 2021, the Department issued the renewal Title V Operating Permit of a natural gas compressor station located in Howe Township, **Forest County**. Permitted air contamination sources at the station are six natural gas-fueled compressor engines, two natural gas-fueled emergency generators, a natural gas-fired boiler, two degreaser units, several natural gas-fueled space heaters and hot water heaters, and various fugitive emissions sources. In this renewal, major permit changes made are the following: addition of monthly Audio, Visual, & Olfactory (AVO) inspections for fugitive emissions from various components onsite; incorporation of various fugitive emissions sources as permitted sources for emission inventory reporting purposes; addition of source test submittals for engines subject to stack testing pursuant to 25 Pa. Code §§ 129.96 through 129.100 (RACT II); addition of a compliance schedule on construction, completion and compliance demonstration for the RACT II Case-by-Case NO_x control device for one engine; removal of semiannual NO_x portable testing established under RACT I as this testing is replaced by the 5-year stack testing pursuant to RACT II; and removal of requirements associated with the projected actual emissions, which were incorporated in 2010 under the authority of 25 Pa. Code § 127.203a.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

21-05066: Martins Creek, LLC (600 Hamilton Street, Suite 600, Allentown, PA 18101-2400) on June 23, 2021, for the West Shore Combustion Turbine Generator site located in Lower Allen Township, **Cumberland County**. The State-Only Permit was renewed.

Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Thomas Joseph, Facilities Permitting Chief, 412.442.4336.

30-00097: Pennsylvania Department of Corrections (1920 Technology Parkway, Mechanicsburg, PA 17050). In accordance with 25 Pa. Code § 127.441 and 25 Pa. Code § 127.425, the Department is providing notice that, on April 28, 2021, DEP issued a renewed, State only Operating Permit to Pennsylvania Department of Corrections for the continued operation of a boiler house at a prison, known as SCI Greene, located in Franklin Township, **Greene County**.

The primary sources at the boiler house are five boilers and two emergency engines. Three boilers (Boilers 1, 2, and 6), with rated Heat Inputs of 45.0 MMBtu/hr, 45.0 MMBtu/hr, 20.67 MMBtu/hr, only burn natural gas. The other two boilers (Boilers 4 and 5), with rated Heat Inputs of 4.18 MMBtu/hr, each, are natural gas-fired with distillate oil backup. The facility also contains two, 745-bhp, emergency, diesel generator engines.

No emission or equipment changes have been approved by this action. Emission sources at the facility are subject to 40 CFR Part 60, Subpart A—General Provisions, 40 CFR Part 60, Subpart Dc—Standards of Performance for Small Industrial-Commercial-Institutional Steam Generating Units, 40 CFR Part 60, Subpart JJJJ—Standards of Performance for Stationary Spark Ignition Internal Combustion Engines, and 25 Pa. Code Chapters 121—145. The permit includes emission limitations, and operational, monitoring, reporting, and recordkeeping requirements for the facility. The emission restriction, monitoring, recordkeeping, reporting, and work practice conditions of the SOOP have been derived from the applicable requirements of 40 CFR Part 60, Subpart A, 40 CFR Part 60, Subpart Dc, and Pa. Code Title 25 Article III, Chapters 121—145.

56-00119: West Salisbury Foundry & Machine Co., Inc. (P.O. Box 541, Salisbury, PA 15558-0541) on June 24, 2021, an Air Quality State only Operating Permit (SOOP) renewal to West Salisbury Foundry & Machine to authorize the operation of a traditional iron job-shop foundry producing iron castings for general industry. The facility is located in Elk Lick Township, **Somerset County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Matthew Williams, Facilities Permitting Chief—Telephone: 814-332-6940.

20-00263: The TAPCO Tube Company (10748 South Water Street, Meadville, PA 16335). On June 22, 2021, the Department issued the renewal of the State only Operating Permit for the steel tube manufacturing facility located in West Mead Township, **Crawford County**. The sources at the facility include a dip coating operation, a powder coating operation, 2 clear coating lines, 30 natural gas fueled space heaters for building heat, 2 scarfing & remetallization operations, and 3 parts washers. The facility is a Natural Minor. The potential emissions from the facility are as follows: VOCs, 49.9 tpy; CO, < 1 tpy; NO_x, < 1 tpy; SO₂, < 1 tpy; PM, < 1 tpy; any single HAP 9.9 tpy; and all combined HAPs 24.9 tpy.

The permit contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

25-00931: PA Department of Corrections/Albion SCI (10745 Route 18, Albion, PA 16475-0002). On June 22, 2021, the Department issued the renewal State only Synthetic Minor Operating Permit for the State Correctional Institute located in Conneaut Township, **Erie County**. The facility's primary emission sources include five boilers, two emergency power generators, a parts washer, and miscellaneous natural gas combustion. The potential emissions of the primary pollutants from the facility are as follows: 99.00 TPY (tons per year) NO_x, 33.59 TPY CO, 9.07 TPY VOC, 1.14 TPY total HAPs, 3.42 TPY filterable PM₁₀, 3.41 TPY filterable PM_{2.5}, and 4.84 TPY SO_x. The facility is a synthetic minor, taking limits on natural gas and fuel oil usage to maintain a NO_x emission limit of 99.00 TPY. The existing 33.4 mmBtu/hr hot water boiler and a new 33.5 mmBtu/hr boiler are subject to 40 CFR 60 Subpart Dc, Standards of Performance for Small Industrial-Commercial-Institutional Steam Generating Units. The new 33.5 mmBtu/hr boiler and a new 14.644 mmBtu/hr boiler are also subject to GP-1 requirements, which includes emission restrictions. None of the boilers are subject to 40 CFR 63 Subpart JJJJJJ, NESHAP for Industrial, Commercial, and Institutional Boilers Area Sources, as they have taken hours of operation limits on usage of fuel oil. The renewal permit contains emission restrictions, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

43-00319: Sharon Tube Co., Church St. Plant (20 Church St., Wheatland, PA 16161). On June 23, 2021, the Department issued the renewal State-only Operating Permit of a steel pipe and tube manufacturing facility located in Wheatland Borough, **Mercer County**. Permitted air contamination sources at the facility are annealing furnaces, inert gas generators, cold immersion oil dip tanks, boilers, tube dryers, emergency generators, heaters, and parts washers. Established through PA 43-319C and D, the facility has been subject to a facility-wide and a source-specific VOC restrictions and annual emissions inventory reporting. For permitting purposes, the facility is Natural Minor. In this renewal, the facility-wide VOC restriction is revised to account for the VOC restrictions authorized by PA 43-319D for the cold immersion oil dip tanks and by PA 43-319C for the rest of the permitted sources. For the boilers, a fuel restriction is added to ensure their exemption from § 40 CFR 63 Subpart JJJJJJ. Monitoring and recordkeeping frequency for rust inhibitor usage is changed from daily basis to weekly basis.

62-00035: IA Construction Corporation (P.O. Box 568, Franklin, PA 16323). On June 22, 2021, the Department issued the renewal of the State only Operating Permit for the Warren Hot Mix Asphalt Plant located in Conewango Township, **Warren County**. The facility is a Natural Minor. The primary sources at the facility include a Batch Hot Mix Asphalt Plant with maximum throughput rate of 240 tons asphalt per hour and a Portable Crushing Plant with a maximum throughput of 150 tons of crushed material per hour. The portable crushing plant is powered by a Nonroad diesel-fueled engine. The asphalt plant is restricted to a production limit of 495,000 tons of hot asphalt paving materials per year. Reported emissions for 2020 were: 15.03 tons CO; 1.46 tons NO_x; 4.7 tons PM₁₀; 0.00 ton PM_{2.5}; 0.17 ton

SO_x; 0.31 ton VOC; 0.404 ton HAPs; 1,236 tons CO₂; 0.0233 ton methane; and 0.0023 ton nitrous oxide. The renewal permit contains emission restrictions, record-keeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, New Source Review Chief—Telephone: 484-250-5920.

09-00107: Oldcastle APG Northeast, Inc. (1214 Hayes Boulevard, Bristol, PA 19007) on June 25, 2021 Administrative Amendment of the State-only Operating Permit for this facility is issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code § 127.450 for the incorporation of Plan Approval 09-0107A into a Natural Minor Permit in Bristol Township, **Bucks County**.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

36-05149: Burle Corporate Park, LLC (1004 New Holland Avenue, Lancaster, PA 17601-5606) on June 22, 2021, for the boilers and engines at the business park located in Lancaster City, **Lancaster County**. The State-Only Permit was administratively amended in order to reflect a change of ownership.

Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Thomas Joseph, Facilities Permitting Chief, 412.442.4336.

65-00042: Gabriel Performance Products, LLC (408 Manor-Harrison City Road, Harrison City, PA 15636-1102). Administrative Amendment, issued on June 15, 2021, for a change of ownership from Ranbar Electrical Materials to Gabriel Performance Products, LLC. This facility is a specialty resins and coatings manufacturing plant located in Manor Borough, **Westmoreland County**.

De Minimis Emissions Increases Authorized under 25 Pa. Code § 127.449.

Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Edward Orris, New Source Review Chief, 412.442.4168.

26-00547: Pureon, Inc. (1101 Mountain View Drive, Smithfield, PA 15478) the De Minimis increase is for the replacement of a Packed Wet Bed Scrubber for the industrial diamond manufacturing facility located in Georges Township, **Fayette County**. The installation of this source is exempt from plan approval as allowed in 25 Pa. Code § 127.14(a)(8). The Department hereby approves the De Minimis emission increase. The following is the list of De minimis emission increases as required by

25 Pa. Code § 127.449(i). This list includes the De minimis increases since the facility operating permit issuance on February 8, 2006.

- Date: June 24, 2021
- Source: Acid wash process controlled by wet scrubber;
- Increase = 0.08 ton PM₁₀;
- Total reported increases for permit term = 0.08 ton PM₁₀;

Per 25 Pa. Code Section 127.449, total allowable increases for all de minimis emission increases during the permit term shall not exceed 4 tons/source and 20 tons/facility CO; 1 ton/source and 5 tons/facility NO_x; 1.6 tons/source and 8 tons/facility SO_x; 0.6 ton/source and 3 tons/facility PM₁₀; 1 ton/source and 5 tons/facility VOC.

SOOP-30-00106: Equitrans, L.P. (2200 Energy Drive, Canonsburg, PA 15317-1001), per 25 Pa. Code § 127.449(i), this Notice is for the following De Minimis emission increase at the Waynesburg Compressor Station located in Franklin Township, **Greene County**: This project is for the installation and operation of an Envirotherm 24" DVC enclosed combustor, rated at 2 MMBtu/hr with 98% destruction efficiency. The emission increase resulting from this project will not exceed 0.72 tons of CO, 0.86 ton of NO_x, 0.01 ton of SO_x, 0.07 ton of PM₁₀, and 0.05 ton of VOCs per year. The following conditions of this de minimis emission increase will be included in the operating permit:

- The 2 MMBtu/hr enclosed combustor shall operate at all times that the dehydrator unit (Source ID 401) operates.
- The permittee shall operate and maintain the 2 MMBtu/hr combustor in accordance with manufacturers recommended specifications.

The list of De Minimis increases for this facility includes only this project.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to such applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

Coal Permits Issued

California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100, (Contact: Bonnie Herbert).

Permit No. 30841316 and NPDES Permit No. PA0213535. Consol Pennsylvania Coal Company,

LLC, 1000 Consol Energy Drive, Suite 100, Canonsburg, PA 15317, to revise the permit and related NPDES Permit. To revise 2510.0 acres of previously permitted underground and subsidence control boundary from development only mining to longwall mining for Bailey Mine & Prep Plant located in Richhill and Aleppo Townships, **Greene County**. No additional discharges. The application was considered administratively complete on April 1, 2019. Application received: March 5, 2019. Permit issued: January 28, 2021.

Permit No. 56121301 and NPDES Permit No. PA0236152. AK Coal Resources, Inc., 1134 Stoystown Road, Friedens, PA 15541, to revise the permit and related NPDES permit to convert approximately 29.9 acres of forest land to unmanaged natural habitat for North Fork Mine in Jenner Township, **Somerset County**. No additional discharges. The application was considered administratively complete on December 10, 2020. Application received: October 22, 2020. Permit issued: May 7, 2021.

Permit No. 32840701 and NPDES Permit No. PA0092193. Tanoma Coal Company, Inc., 957 Georges Station Road, Suite 900, Greensburg, PA 15601, to renew the permit and related NPDES Permit for Tanoma Refuse Area No. 2 located in Rayne Township, **Indiana County**. No additional discharges. The application was considered administratively complete on November 21, 2019. Application received: November 4, 2019. Permit issued: May 25, 2021.

Permit No. 56961302. RoxCoal, Inc., 1576 Stoystown Road, P.O. Box 149, Friedens, PA 15541, to revise the permit for a land use change from wildlife habitat to unmanaged natural habitat for Miller Deep Mine located in Lincoln and Jenner Townships, **Somerset County**. No discharges. The application was considered administratively complete on August 27, 2020. Application received: July 13, 2020. Permit issued: June 8, 2021.

Permit No. 02733702 and NPDES Permit No. PA0023370. Consol Mining Company LLC, CNX Center, 1000 Consol Energy Drive, Suite 100, Canonsburg, PA 15317, to renew the permit and related NPDES Permit for Renton Refuse Area located in Plum Borough, **Allegheny County**. No additional discharges. The application was considered administratively complete on July 1, 2019. Application received: May 21, 2019. Permit issued: June 8, 2021.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900, (Contact: Melanie Ford-Wigfield).

Permit No. 11850111 and NPDES No. PA0597490. E.P. Bender Coal Company, P.O. Box 594, Carrolltown, PA 15722, NPDES renewal of a permanent long-term treatment of post mining discharges in Dean Township, **Cambria County**, affecting 291.3 acres. Receiving streams: unnamed tributary to Brubaker Run and Brubaker Run classified for the following use: cold water fishes. There are no potable water supply intakes within 10 miles downstream. Application received: February 23, 2021. Permit issued: June 23, 2021.

Permit No. 32051601 and NPDES No. PA0236012. Rosebud Mining Company, 301 Market Street, Kittanning, PA 16201-1504, renewal to the NPDES permit and mining activity permit for the Crooked Creek Preparation Plant in Washington Township, **Indiana County**. Receiving stream: unnamed tributary to Crooked Creek classified for the following use: cold water fishes. There are no

potable water supply intakes within 10 miles downstream. Application received: February 3, 2021. Permit issued: June 24, 2021.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200, (Contact: Ashley Smith).

Permit No. 17880126 and NPDES PA0116599. Waroquier Coal Company, P.O. Box 128, Clearfield, PA 16830. Permit renewal for reclamation only of a bituminous surface coal mine located in Lawrence Township, **Clearfield County** affecting 295.4 acres. Receiving stream(s): Unnamed Tributaries to West Branch Susquehanna River classified for the following use(s): CWF. There are no potable water supply intakes within 10 miles downstream. Application received: July 22, 2020. Permit issued: June 24, 2021.

Permit No. 17813024 and NPDES PA0608777. EnerCorp, Inc., 1310 Allport Cutoff, Morrisdale, PA 16858. Permit renewal for reclamation only of a bituminous surface mine for passive treatment only located in Bradford Township, **Clearfield County** affecting 8.3 acres. Receiving stream(s): Unnamed Tributary to the West Branch of Susquehanna River classified for the following use(s): WWF. There are no potable water supply intakes within 10 miles downstream. Application received: December 14, 2020. Permit issued: June 24, 2021.

Noncoal Permit Issued

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900, (Contact: Melanie Ford-Wigfield).

PAM417024-GP104. Moelan, LLC, 494 Harvest Drive, Rockwood, PA 15557. Renew Coverage General NPDES Permit for Stormwater Discharges Associated with Mining activities on Noncoal Permit No. 56170801 located in Milford Township, **Somerset County**. Receiving stream: Coxes Creek classified for the following use: warm water fishes. There are no potable water supplies located within 10 miles downstream. Notice of Intent for Coverage received: April 27, 2021. Coverage Approved: June 24, 2021.

PAM417018-GP104. Coldsmith Construction Company, Inc., 1555 Coldsmith Road, Shippensburg, PA 17257. Renew Coverage General NPDES Permit for Stormwater Discharges Associated with Mining Activities on Noncoal Permit No. 6476SM26 located in Hamilton Township, **Franklin County**. Receiving stream: Conococheague Creek classified for the following uses: WWF, MF. There are no potable water supplies located within 10 miles downstream. Notice of Intent for Coverage received: March 31, 2021. Coverage Approved June 24, 2021.

PAM417014-GP104. Leonard W. Yenzi, P.O. Box 62, Anita, PA 15711. Renew Coverage General NPDES Permit for Stormwater Discharges Associated with Mining Activities on Noncoal Permit No. 32080801, located in Cherryhill Township, **Indiana County**. Receiving stream: Unnamed Tributary to Two Lick Creek, classified for the following use: cold water fishes. There are no potable water supplies located within 10 miles downstream. Notice of Intent for Coverage received: April 5, 2021. Coverage Approved: June 24, 2021.

PAM417009-GP104. Robert D. McCulloh Excavating & Paving, Inc., 5006 Buchanan Trail West, Greencastle, PA 17225. Renew Coverage General NPDES Permit for Stormwater Discharges Associated with Mining Activities on Noncoal Permit No. 28980301, located in

Montgomery Township, **Franklin County**. Receiving stream: unnamed tributary to Blue Spring Creek to Licking Creek, classified for the following uses: trout stocked fishes, migratory fishes. There are no potable water supplies located within 10 miles downstream. Notice of Intent for Coverage received: May 14, 2021. Coverage Approved: June 24, 2021.

PAM417006-GP104. Kirby W. Kitner Excavating, 7214 Spring Road, New Bloomfield, PA 17068. Renew Coverage General NPDES Permit for Stormwater Discharges Associated with Mining Activities on Noncoal Permit No. 50170801 located in Centre Township, **Perry County**. Receiving stream: Little Juniata Creek classified for the following uses: cold water fishes, migratory fishes. There are no potable water supplies located within 10 miles downstream. Notice of Intent for Coverage received April 12, 2021. Coverage Approved June 24, 2021.

PAM417005-GP104. Bobbi L. Armolt, 6148 Spring Road, Shermansdale, PA 17090. Renew Coverage General NPDES Permit for Stormwater Discharges Associated with Mining Activities on Noncoal Permit No. 50832301 located in Carroll Township, **Perry County**. Receiving stream: Unnamed Tributary to Sherman Creek, classified for the following uses: Warm Water Fishes and Migratory Fishes. There are no potable water supplies located within 10 miles downstream. Notice of Intent for Coverage received: April 5, 2021. Coverage Approved: June 24, 2021.

PAM416008-GP104. P&W Excavating, Inc., P.O. Box 712, McConnellsburg, PA 17233. Renew coverage under the General NPDES Permit for Stormwater Discharges Associated with Mining Activities (BMP GP-104) on Noncoal Permit No. 6577SM3A located in Todd Township, **Fulton County**. Receiving streams: unnamed tributary to Big Cove Creek classified for the following uses: cold water fishes, migratory fishes. There are no potable water supply intakes within 10 miles downstream. Notice of Intent for Coverage received: March 29, 2021. Approved: June 24, 2021.

PAM416002-GP104. Grannas Bros. Stone & Asphalt Co., Inc., P.O. Box 488, Hollidaysburg, PA 16648. Renew coverage under the General NPDES Permit for Stormwater Discharges Associated with Mining Activities (BMP GP-104) on Noncoal Permit No. 07960301 located in Catharine Township, **Blair County**. Receiving streams: unnamed tributary to Frankstown Branch Juniata River and Frankstown Branch Juniata River classified for the following uses: warm water fishes; trout stocked fishes. There are no potable water supply intakes within 10 miles downstream. Notice of Intent for Coverage received: April 5, 2021. Approved: June 24, 2021.

PAM416001-GP104. Daniel L. Harbaugh, Jr., 238 Hammond Hill Road, Fishertown, PA 15539. Renew coverage under the General NPDES Permit for Stormwater Discharges Associated with Mining Activities (BMP GP-104) on Noncoal Permit No. 05160801 located in East St. Clair, **Bedford County**. Receiving streams: Unnamed Tributary to Adams Run to Dunning Creek classified for the following uses: warm water fishes. There are no potable water supply intakes within 10 miles downstream. Notice of Intent for Coverage received: April 12, 2021. Approved: June 24, 2021.

PAM415004-GP104. R.A. Hill, Inc., 1364 Lincoln Way East, Chambersburg, PA 17202. Renew coverage under the General NPDES Permit for Stormwater Discharges Associated with Mining Activities (BMP GP-104) on

Noncoal Permit No. 28130302 located in Hamilton Township, **Franklin County**. Receiving streams: unnamed tributary to Conococheague Creek classified for the following uses: warm water fishes. There are no potable water supply intakes within 10 miles downstream. Notice of Intent for Coverage received: April 8, 2021. Approved: June 23, 2021.

PAM416010-GP104. Glass Bagging Enterprises, Inc., P.O. Box 120, Duncansville, PA 16635. Renew coverage under the General NPDES Permit for Stormwater Discharges Associated with Mining Activities (BMP GP-104) on Noncoal Permit No. 31950301 located in Hopewell Township, **Huntingdon County**. Receiving streams: unnamed tributary to Shy Beaver Creek classified for the following uses: warm water fishes. There are no potable water supply intakes within 10 miles downstream. Notice of Intent for Coverage received: April 23, 2021. Approved: June 23, 2021.

PAM416003-GP104. Glass Bagging Enterprises, Inc., P.O. Box 120, Duncansville, PA 16635. Renew coverage under the General NPDES Permit for Stormwater Discharges Associated with Mining Activities (BMP GP-104) on Noncoal Permit No. 31100301 located in Hopewell & Liberty Townships, **Huntingdon and Bedford Counties**. Receiving streams: unnamed tributary to Shy Beaver Creek classified for the following uses: warm water fishes. The first downstream potable water supply intake from the point of discharge is Lake Raystown Resort. Notice of Intent for Coverage received: April 23, 2021. Approved: June 23, 2021.

PAM415003-GP104. Glass Bagging Enterprises, Inc., P.O. Box 120, Duncansville, PA 16635. Renew Coverage General NPDES Permit for Stormwater Discharges Associated with Mining Activities on Noncoal Permit No. 07152801 located in Frankstown Township, **Blair County**. Receiving stream: Frankstown Branch of the Juniata River classified for the following use: warm water fishes. There are no potable water supply intakes within 10 miles downstream. Application received: April 23, 2021. Coverage Approved: June 23, 2021.

PAM410002-GP104. Terry L Long, 132 Dirt Pushing Drive, Martinsburg, PA 16662. Renew Coverage General NPDES Permit for Stormwater Discharges Associated with Mining Activities on Noncoal Permit No. 07100801 located in North Woodbury Township, **Blair County**. Receiving stream: unnamed tributary to Plum Creek classified for the following uses: warm water fishes, Migratory Fishes. There are no potable water supplies located within 10 miles downstream. Notice of Intent for Coverage received: April 26, 2021. Coverage Approved: June 23, 2021.

PAM413002-GP104. Grannas Brothers Construction Company, Inc., P.O. Box 488, Hollidaysburg, PA 16648. Renew Coverage General NPDES Permit for Stormwater Discharges Associated with Mining Activities on Noncoal Permit No. 4273SM6A2 located in Frankstown Township, **Blair County**. Receiving streams: unnamed tributary to/and Brush Creek to Frankstown Branch of the Juniata River classified for the following uses: warm water fishes, migratory fishes. There are no potable water supplies located within 10 miles downstream. Notice of Intent for Coverage received: April 5, 2021. Coverage Approved: June 22, 2021.

PAM411003-GP104. Snyder Excavating, LLC, 2824 William Penn Ave., Johnstown, PA 15909-3628. Renew Coverage General NPDES Permit for Stormwater Discharges Associated with Mining Activities on Noncoal Permit No. 11110801 located in Jackson Township, **Cambria County**. Receiving stream: unnamed tributary

to Hinckston Run classified for the following use: cold water fishes. There are no potable water supplies located within 10 miles downstream. Notice of Intent for Coverage received: March 30, 2021. Coverage Approved: June 22, 2021.

PAM414003-GP104. Cambria Industrial Metals, Inc., P.O. Box 64430, Washington, DC 20029. Renew Coverage under the General NPDES Permit for Stormwater Discharges Associated with Mining Activities (BMP GP-104) on Noncoal Permit No.11940301 located in East Taylor Township, **Cambria County**. Receiving stream: Hinckston Run classified for the following uses: WWF. There are no potable water supply intakes within 10 miles downstream. Notice of Intent for Coverage received: April 14, 2021. Approved: June 22, 2021.

PAM420004-GP104. Glass Bagging Enterprises, Inc., P.O. Box 120, Duncansville, PA 16635. Renew Coverage under the General NPDES Permit for Stormwater Discharges Associated with Mining Activities (BMP GP-104) on Noncoal Permit No. 07202801 located in Frankstown Township, **Blair County**. Receiving stream: Frankstown Branch of the Juniata River classified for the following uses: WWF. There are no potable water supply intakes within 10 miles downstream. Notice of Intent for Coverage received: April 23, 2021. Approved: June 22, 2021.

PAM419005-GP104. Dryhouse Stoneworks, 30 Walnut Grove Lane, Belleville, PA 17004. Renew Coverage under the General NPDES Permit for Stormwater Discharges Associated with Mining Activities (BMP GP-104) on Noncoal Permit No. 34190801 located in Beale Township, **Juniata County**. Receiving stream(s): unnamed tributary to Doyle Run, classified for the following use(s): CWF, MF. There are no potable water supply intakes within 10 miles downstream. Notice of Intent for Coverage received: April 12, 2021. Approved: June 22, 2021.

PAM419003-GP104. Jay Fulkroad & Sons, Inc., 2736 Free Spring Church Road, McAlisterville, PA 17049. Renew Coverage under the General NPDES Permit for Stormwater Discharges Associated with Mining Activities on Noncoal Permit No. 34860301 located in Fayette Township, **Juniata County**. Receiving stream: unnamed tributary to Delaware Creek classified for the following uses: Trout Stock Fishes and Migratory Fishes. There are no potable water supply intakes within 10 miles downstream. Notice of Intent for Coverage received: May 12, 2021. Coverage Approved: June 22, 2021.

PAM418021-GP104. New Enterprise Stone & Lime Co., Inc., 3912 Brumbaugh Road, New Enterprise, PA 16664. Renew Coverage General NPDES Permit for Stormwater Discharges Associated with Mining Activities on Noncoal Permit No 6477SM3 located in Peters and St. Thomas Townships, **Franklin County**. Receiving stream: unnamed tributary to Back Creek classified for the following uses: Trout Stocked Fishes, Migratory Fishes. There are no potable water supplies located within 10 miles downstream. Notice of Intent for Coverage received: March 30, 2021. Coverage Approved: June 22, 2021.

PAM418020-GP104. Ilene Pontius, 273 Pontius Lane, Loysville, PA 17047. Renew Coverage General NPDES Permit for Stormwater Discharges Associated with Mining Activities on Noncoal Permit No. 50042801 located in Saville Township, **Perry County**. Receiving stream: unnamed tributary to Bixler Run classified for the following uses: cold water fishes, migratory fishes. There are no potable water supplies located within 10 miles downstream. Notice of Intent for Coverage received: May 11, 2021. Coverage Approved: June 22, 2021.

PAM418019-GP104. Abe Warner Excavating, 7597 Old Plank Road, Broad Top, PA 16621. Renew Coverage General NPDES Permit for Stormwater Discharges Associated with Mining Activities on Noncoal Permit No. 31180801 located in Wood Township, **Huntingdon County**. Receiving stream: unnamed tributary to Great Trough Creek, classified for the following uses: trout stocked fishes, migratory fishes. There are no potable water supply intakes within 10 miles downstream. Notice of Intent for Coverage received: April 27, 2021. Coverage Approved: June 22, 2021.

PAM418018-GP104. William A. Smith, 5557 Couchtown Road, Blain, PA 17006. Renew Coverage General NPDES Permit for Stormwater Discharges Associated with Mining Activities on Noncoal Permit No. 50860803 located in Northeast Madison Township, **Perry County**. Receiving stream: unnamed tributary to Bixler Run, classified for the following uses: cold water fishes, Migratory Fishes. There are no potable water supplies located within 10 miles downstream. Notice of Intent for Coverage received: April 13, 2021. Coverage Approved: June 22, 2021.

PAM418016-GP104. Barbara Beers, 1360 Newport Road, Duncannon, PA 17020. General Renew Coverage NPDES Permit for Stormwater Discharges Associated with Mining Activities on Noncoal Permit No. 50850804 located in Miller Township, **Perry County**. Receiving stream: unnamed tributary to Losh Run classified for the following uses: warm water fishes, migratory fishes. There are no potable water supplies located within 10 miles downstream. Notice of Intent for Coverage received: April 17, 2021. Coverage Approved: June 22, 2021.

PAM418015-GP104. Benjamin E. Dum, 44 Meadow Lane, Elliottsburg, PA 17024. Renew Coverage General NPDES Permit for Stormwater Discharges Associated with Mining Activities on Noncoal Permit No. 4-00644-1 located in Spring Township, **Perry County**. Receiving stream: unnamed tributary to Montour Creek classified for the following uses: cold water fishes, migratory fishes. There are no potable water supplies located within 10 miles downstream. Notice of Intent for Coverage received: April 12, 2021. Coverage Approved: June 22, 2021.

PAM418014-GP104. James S. White Jr., 204 Barnyard Boulevard, Lewistown, PA 17044. Renew Coverage General NPDES Permit for Stormwater Discharges Associated with Mining Activities on Noncoal Permit No. 44940801 located in Granville Township, **Mifflin County**. Receiving stream: unnamed tributary to Buck Run classified for the following uses: Trout Stocked Fishes, Migratory Fishes. There are no potable water supplies located within 10 miles downstream. Notice of Intent for Coverage received: May 6, 2021. Coverage Approved: June 22, 2021.

PAM418011-GP104. Bernadette Himmel, 110 Farmhouse Lane, Carrolltown, PA 15722. Renew Coverage General NPDES Permit for Stormwater Discharges Associated with Mining Activities on Noncoal Permit No. SM400629 located in West Carroll Township, **Cambria County**. Receiving stream: unnamed tributary to West Branch Susquehanna River, classified for the following uses: cold water fishes, Migratory Fishes. There are no potable water supplies located within 10 miles downstream. Notice of Intent for Coverage received: April 9, 2021. Coverage Approved: June 21, 2021.

PAM418007-GP104. John H. Goss, 2720 Old Stage Road, Lewistown, PA 17044. Renew Coverage General

NPDES Permit for Stormwater Discharges Associated with Mining Activities on Noncoal Permit No. 44930801 located in Decatur Township, **Mifflin County**. Receiving stream: Hungry Run classified for the following uses: Trout Stocked Fishes, Migratory Fishes. There are no potable water supplies located within 10 miles downstream. Notice of Intent for Coverage received: May 13, 2021. Coverage Approved: June 21, 2021.

PAM418005-GP104. Harold L. Hamilton Sr., 261 Ridge Road, Shippensburg, PA 17257. Renew Coverage General NPDES Permit for Stormwater Discharges Associated with Mining Activities on Noncoal Permit No. 21920802 located in North Newton Township, **Cumberland County**. Receiving stream: Green Spring Creek classified for the following uses: cold water fishes, Migratory Fishes. There are no potable water supplies located within 10 miles downstream. Notice of Intent for Coverage received: April 28, 2021. Coverage Approved: June 21, 2021.

PAM418004-GP104. Donald L. Weller, 14112 Orchard Ridge Road, Hancock, MD 21750. Renew Coverage General NPDES Permit for Stormwater Discharges Associated with Mining Activities on Noncoal Permit No. 28970801 located in Warren Township, **Franklin County**. Receiving stream: Little Cove Creek classified for the following uses: Cold Water Fishes, Migratory Fishes. There are no potable water supplies located within 10 miles downstream. Notice of Intent for Coverage received: April 17, 2021. Coverage approved: June 21, 2021.

PAM418003-GP104. Thomas J. Sheaffer, 67 Sheaffer Farm Lane, New Bloomfield, PA 17068. Renew Coverage General NPDES Permit for Stormwater Discharges Associated with Mining Activities on Noncoal Permit No. 50940802 located in Wheatfield Township, **Perry County**. Receiving stream: Unnamed Tributary to Little Juniata Creek classified for the following uses: Cold Water Fishes, Migratory Fishes. There are no potable water supplies located within 10 miles downstream. Notice of Intent for Coverage received: April 20, 2021. Coverage approved: June 21, 2021.

PAM418002-GP104. James A. Murphy, 9271 Mercersburg Road, Mercersburg, PA 17236. Renew Coverage General NPDES Permit for Stormwater Discharges Associated with Mining Activities on Noncoal Permit No. 28070802 located in Montgomery Township, **Franklin County**. Receiving stream: Unnamed Tributary to Conococheague Creek classified for the following uses: Trout Stocked Fishes, Migratory Fishes. There are no potable water supplies located within 10 miles downstream. Notice of Intent for Coverage received: May 10, 2021. Coverage approved: June 21, 2021.

PAM418001-GP104. James L. Walls Excavating, 5364 Racetrack Road, St. Thomas, PA 17252. Renew Coverage General NPDES Permit for Stormwater Discharges Associated with Mining Activities on Noncoal Permit No. 28950801 located in St. Thomas Township, **Franklin County**. Receiving stream: Campbell Run classified for the following uses: Cold Water Fishes, Migratory Fishes. There are no potable water supplies located within 10 miles downstream. Notice of Intent for Coverage received: March 31, 2021. Coverage approved: June 21, 2021.

PAM417041-GP104. Snokes Excavating & Paving, Inc., 33 East Main Street, Walnut Bottom, PA 17266. Renew Coverage General NPDES Permit for Stormwater Discharges Associated with Mining Activities on Noncoal Permit No. 28992806 located in Southampton Township,

Franklin County. Receiving stream: Unnamed Tributary to Muddy Run classified for the following uses: Warm Water Fishes and Migratory Fishes. There are no potable water supplies located within 10 miles downstream. Notice of Intent for Coverage received: March 2, 2021. Coverage Approved: June 21, 2021.

PAM417042-GP104. Snokes Excavating & Paving, Inc., 33 East Main Street, Walnut Bottom, PA 17266. Renew Coverage General NPDES Permit for Stormwater Discharges Associated with Mining Activities on Noncoal Permit No. 28992804 located in Southampton Township, **Franklin County**. Receiving stream: Muddy Run classified for the following uses: Warm Water Fishes and Migratory Fishes. There are no potable water supplies located within 10 miles downstream. Notice of Intent for Coverage received: March 2, 2021. Coverage Approved: June 21, 2021.

PAM417038-GP104. Rick Eichelberger, Inc., 1381 Flowers Lane, Marysville, PA 17053. Renew Coverage General NPDES Permit for Stormwater Discharges Associated with Mining Activities on Noncoal Permit No. 50010801 located in Rye and Penn Townships, **Perry County**. Receiving stream: Unnamed Tributary to Fishing Creek classified for the following uses: cold water fishes and migratory fishes. There are no potable water supplies located within 10 miles downstream. Notice of Intent for Coverage received: April 22, 2021. Coverage Approved: June 21, 2021.

PAM417035-GP104. Robert H. Snyder, 80 Amity Road, Duncannon, PA 17020. Renew Coverage General NPDES Permit for Stormwater Discharges Associated with Mining Activities on Noncoal Permit No. 50050802 located in Watts Township, **Perry County**. Receiving stream: unnamed tributary to Susquehanna River classified for the following uses: Warm Water Fishes, Migratory Fishes. There are no potable water supplies located within 10 miles downstream. Notice of Intent for Coverage received: May 11, 2021. Coverage Approved: June 21, 2021.

PAM417031-GP104. Danny G. Forrester, 100 Fox Hill Road, Shippensburg, PA 17257. Renew Coverage General NPDES Permit for Stormwater Discharges Associated with Mining Activities on Noncoal Permit No. 21052801 located in Hopewell Township, **Cumberland County**. Receiving stream: Unnamed Tributary to Conodoguinet Creek, classified for the following uses: Warm Water Fishes and Migratory Fishes. There are no potable water supplies located within 10 miles downstream. Notice of Intent for Coverage Received: May 4, 2021. Coverage Approved: June 21, 2021.

PAM417032-GP104. Danny G. Forrester, 100 Fox Hill Road, Shippensburg, PA 17257. Renew Coverage General NPDES Permit for Stormwater Discharges Associated with Mining Activities on Noncoal Permit No. 21052802 located in Hopewell Township, **Cumberland County**. Receiving stream: Unnamed Tributary to Conodoguinet Creek, classified for the following uses: Warm Water Fishes and Migratory Fishes. There are no potable water supplies located within 10 miles downstream. Notice of Intent for Coverage Received: May 4, 2021. Coverage Approved: June 21, 2021.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200, (Contact: Ashley Smith).

PAM217012-GP104. Robert Johnson Flagstone, Inc., 3658 Old Stagecoach Road, Wyalusing, PA 18853. Renew coverage under the General NPDES Permit for

Stormwater Discharges Associated with Mining Activities (BMP GP-104) on Noncoal Permit No. 08172801 located in Tuscarora Township, **Bradford County**. Receiving stream: Unnamed Tributary to Little Tuscarora Creek. There are no potable water supply intakes within 10 miles downstream. Notice of Intent for Coverage received: May 27, 2021. Approval of coverage issued: June 23, 2021.

PAM216026-GP104. Robert Johnson Flagstone, Inc., 3658 Old Stagecoach Road, Wyalusing, PA 18853. Renew coverage under the General NPDES Permit for Stormwater Discharges Associated with Mining Activities (BMP GP-104) on Noncoal Permit No. 08162804 located in Wyalusing and Tuscarora Townships, **Bradford County**. Receiving stream: Unnamed Tributary to Wyalusing Creek. There are no potable water supply intakes within 10 miles downstream. Notice of Intent for Coverage received: May 27, 2021. Approval of coverage issued: June 23, 2021.

PAM216027-GP104. Robert Johnson Flagstone, Inc., 3658 Old Stagecoach Road, Wyalusing, PA 18853. Renew coverage under the General NPDES Permit for Stormwater Discharges Associated with Mining Activities (BMP GP-104) on Noncoal Permit No. 08162805 located in Stevens Township, **Bradford County**. There are no potable water supply intakes within 10 miles downstream. Notice of Intent for Coverage received: May 27, 2021. Approval of coverage issued: June 23, 2021.

Final Bond Release

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191, (Contact: Cayleigh Boniger).

Permit No. 33900802. Fred Whelpley Excavation, 2599 Horizon Drive, Brockway, PA 15824. Final bond release for a small noncoal mining operation in Snyder Township, **Jefferson County**. Restoration of 5.0 acres completed. Receiving stream(s): Unnamed tributary to Little Toby Creek. Application received: April 22, 2021. Final bond release approved: June 14, 2021.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Blasting Permits Issued

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118, (Contact: Theresa Reilly-Flannery).

Permit No. 15214104. Rock Work, Inc., 1257 DeKalb Pike, Blue Bell, PA 19422, construction blasting for Eagle View Lot 1C in Upper Uwchlan Township, **Chester County** with an expiration date of July 1, 2022. Permit issued: February 22, 2021.

Permit No. 40214114. Maine Drilling & Blasting, Inc., P.O. Box 1140, Gardiner, ME 04345, construction blasting for Centerpoint East 11B Lot 45 in Jenkins Township, **Luzerne County** with an expiration date of March 2, 2022. Permit issued: June 23, 2021.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Envi-

ronmental Assessment approval, and requests for Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of Sections 301–303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311–1313, 1316 and 1317), and that the construction will not violate applicable Federal and State Water Quality Standards.

Any person aggrieved by these actions may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. § 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the Board within 30-days. You do not need a lawyer to file an appeal with the Board.

Important legal rights are at stake, however, so you should show this notice to a lawyer at once. If you cannot afford a lawyer, you may qualify for free pro bono representation. Call the Secretary to the Board (717) 787-3483 for more information.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1–693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.

Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401, Telephone 484.250.5160, E-mail: ra-epww-sero@pa.gov.

Permit No. E1501221-004, Aqua Pennsylvania, Inc., 762 West Lancaster Avenue, Bryn Mawr, PA 19010, West Bradford Township, **Chester County**, ACOE Philadelphia District.

To perform the following-listed water obstruction and encroachment activities associated with the Broad Run Road—A65176-873.17 over an Unnamed Tributary (UNT) to Broad Run. The proposed project involves the installation of approximately 3,004 ft of an 8-inch diameter ductile iron pipe (DIP) and 5 ft of a 12-inch diameter DIP water main on Broad Run Road and will cross the UNT to Broad Run (EV, MF) associated with Aqua Pennsylvania, Inc. The project proposes 3.3 sq ft of permanent stream impact and 200 sq ft permanent floodway impact, 750 sq ft of temporary floodway impact and no permanent or temporary wetland impacts. There are no impacts to the floodplain.

The site is approximately located at Broad Run Road, West Chester (Unionville, PA Latitude: 39° 57' 13.4"; Longitude: -75° 42' 39.7") in West Bradford Township, Chester County. Permit issued June 22, 2021.

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

E4002220-026. CAN DO, Inc., One South Church Street, Hazleton, PA 18201, Hazle Township, **Luzerne County**, Army Corps of Engineers Baltimore District.

To construct and maintain the following water obstruction and encroachments associated with the Lot 104 industrial building project in the Humboldt Industrial Park:

1. To fill two (2) wetland areas permanently impacting a total of 0.07 acre of isolated, PEM wetlands for the purpose of constructing a 105,000 sq ft warehouse facility. Wetland mitigation is proposed in a 1:1 ratio on site.

2. To construct and maintain a stream enclosure of a UNT to Cranberry Creek (CWF, MF) consisting of 676-foot long 24-inch diameter SLCPP pipe. The stream enclosure will tie into an existing stream enclosure on Lot 103 to the west. The enclosure is proposing to reconnect this unnamed tributary with the rest of the Cranberry Creek watershed. Prior to this project, this watercourse was lost subsurface to the minepool and did not have a surface connection to Cranberry Creek.

The project is located on Lot 104 in the Humboldt Industrial Park-East, approximately 0.6 mile down Commerce Drive on the right (Conyngham, PA Quadrangle Latitude: 40° 55' 52"; Longitude: -76° 1' 47") in Hazle Township, Luzerne County.

E35-469. Keystone Sanitary Landfill, 249 Dunham Drive, Dunmore, PA 18512. Dunmore & Throop Boroughs, **Lackawanna County**, Army Corps of Engineers Baltimore District.

To fill a De Minimus area of wetlands equal to 0.01 acre for the purpose of developing the Phase 3 Expansion of the Keystone Sanitary Landfill. The project is located at 249 Dunham Drive (Olyphant, PA Quadrangle Latitude: 41° 25' 59"; Longitude: -75° 34' 52") in Dunmore and Throop Boroughs, Lackawanna County.

Southcentral Region: Waterways and Wetlands Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

E3603220-028. Ephrata Township, 265 Akron Road, Ephrata, PA 17522, Ephrata Township, **Lancaster County**, Army Corps of Engineers Baltimore District.

To install and maintain 1.) 25 boulder deflectors in Cocalico Creek (WWF, MF); 2.) 3 mudsills totaling 105 feet in length in Cocalico Creek (WWF, MF); 3.) construct and maintain 643 feet of boulder wall in Cocalico Creek (WWF, MF); 4.) excavate and maintain floodplain benches in the floodway of Cocalico Creek (WWF, MF) permanently impacting 0.61 acre of floodway; 5.) construct and maintain a 17.0-foot long by 10.0-foot wide fishing pier in Cocalico Creek (WWF, MF); 6.) install and maintain an 8.0-foot long by 16.0-foot wide boat launch in Cocalico Creek (WWF, MF); 7.) grade and maintain a trail and parking lot in the floodway of Cocalico Creek (WWF, MF) permanently impacting 0.80 acre of floodway; and 8.) construct and maintain a rain garden in the floodway of Cocalico Creek (WWF, MF) with 8.0-inch SDR underdrain out falling to Cocalico Creek (WWF, MF), impacting 0.002 acre of floodway and 4 linear feet of stream, all for the purposes of restoring

Cocalico Creek and increasing recreational opportunities for the public. This project is located approximately 500 feet southwest of the intersection of West Mohlers Church Road and East Trout Run Road (Latitude: 40.191° N; Longitude: 76.1691° W) in Ephrata Township, Lancaster County. No wetlands will be impacted by this project. Permit issued June 16, 2021.

E2103219-001. Stephen J. Capone, 70 Lindsay Lane, Carlisle, PA 17013. South Middleton Township, **Cumberland County**, U.S. Army Corps of Engineers, Baltimore District.

To construct and maintain a 12-foot wide by 33-foot long steel beam bridge spanning over LeTort Spring Run (EV-HQ, Migratory Fish) for the purpose of gaining vehicle ractor access to all portions of the property. The project is located in South Middleton Township, Cumberland County (Latitude: 40° 10' 22.9"; Longitude: -77° 11' 21.2"). No in-stream or wetland impacts are proposed. Permit issued December 18, 2020.

Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570-327-3636.

E1404221-001: Mark and Olga Levi, 196 Potters Lane, Port Matilda, PA 16870-7199. Barger Fields Subdivision, Patton Township, **Centre County**, U.S. Army Corps of Engineers Baltimore District (Julian, PA Quadrangle; 40° 48' 54.6"; -77° 59' 4.12").

The permittee is authorized to construct and maintain a public road and associated utilities across a UNT Buffalo Run (HQ-CWF) and adjoining wetlands (EV) in order to provide access for 10 proposed single family lots. The project results in 456 sq. ft. of permanent direct wetland impacts, 348 sq. ft. of permanent direct watercourse impacts, and 8,700 sq. ft. of permanent direct floodway impacts.

E0703220-023. Borough of Duncansville, 1146 3rd Avenue, Duncansville, PA 16635, Duncansville Borough and Allegheny Township, **Blair County**, U.S. Army Corps of Engineers Baltimore District. (Hollidaysburg, PA Quadrangle Latitude: 40° 25' 48" N; Longitude: -78° 25' 42" W).

To construct and maintain a bank stabilization project in and along 340 feet of Gillans Run and a UNT to Gillans Run (CWF, MF), including 1.) bank grading 3:1 slope; 2.) install rock toe protection; 3.) install mudsills and log frame deflectors; 4.) remove 150 cubic yards of gravel bar material; 5.) install riparian buffer plantings, all for the purpose of providing phased bank stabilization to Gillans Run. The project is located between 8th Avenue and Vineyard Lane (Latitude: 40° 25' 48" N; Longitude: -78° 25' 42" W) in Duncansville Borough and Allegheny Township, Blair County. No wetlands will be impacted by this project. This permit was issued under Section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the

Pennsylvania Hamilton Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Eastern Region: Oil and Gas Management Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

ESCGP-3 # ESG290821035-00
Applicant Name Chesapeake Appalachia, LLC
Contact Person Eric Haskins
Address 14 Chesapeake Lane
City, State, Zip Sayre, PA 18840-1567
County Bradford
Township(s) Towanda
Receiving Stream(s) and Classification(s) UNT Bailey Run (WWF-MF)
Secondary: Bailey Run (WWF-MF)

ESCGP-3 # ESG290821039-00
Applicant Name Regency Marcellus Gathering, LLC
Contact Person Nicholas J. Bryan
Address 101 West Third Street, 3rd Floor
City, State, Zip Williamsport, PA 17701
County Bradford
Township(s) Leroy Twp
Receiving Stream(s) and Classification(s)
UNT to Thomas Run (EV, MF), UNT to Schrader Creek (EV, MF), UNT to Little Schrader Creek (EV, MF)
Secondary: Schrader Creek (EV, MF), Schrader Creek (EV, MF), Schrader Creek (EV, MF)

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 2

The Following Plans and Reports Were Submitted Under the Storage Tank and Spill Prevention Act (35 P.S. §§-6021.101-6021.2104).

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to

the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning plans or reports, please contact the Environmental Cleanup Program Manager in the DEP Regional Office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone DEP through the Hamilton Relay Service at (800) 654-5984.

DEP has received the following plans and reports:

Northwest Regional Office: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6648.

Contact: Kim Bontrager, Clerk Typist 3.

Kwik Fill M 26, Storage Tank Facility ID # 61-23788, 1500 Riverside Drive, Oil City, PA 16301, Cranberry Township, **Venango County**. Groundwater & Environmental Services, Inc., 301 Commerce Park Drive, Cranberry Township, PA 16066, on behalf of United Refining Company of Pennsylvania, 814 Lexington Avenue, Warren, PA 16385, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline constituents. The plan is intended to document the remedial actions for meeting the Statewide health standard.

BPC 12, Storage Tank Facility ID # 10-14629, 1674 Perry Highway, Portersville, PA 16051, Muddy Creek Township, **Butler County**. Letterle & Associates, Inc., 191 Howard Street, Franklin, PA 16323, on behalf of Reed Oil Company, 511 Montgomery Avenue, P.O. Box 2328, New Castle, PA 16102, submitted a combined Remedial Action Plan and Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with diesel and unleaded gasoline. The report is intended to document remediation of the site to meet the nonresidential Statewide health standard and site-specific standard.

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 3

The Department of Environmental Protection (DEP) Has Taken Action on the Following Plans and Reports Under the Storage Tank and Spill Prevention Act (35 P.S. §§-6021.101-6021.2104).

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require DEP to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the

remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

DEP may approve or disapprove plans and reports submitted. This notice provides DEP's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, please contact the Environmental Cleanup Program Manager in the DEP Regional Office under which the notice of the plan or report appears. If information concerning a report is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone DEP through the Hamilton Relay Service at (800) 654-5984.

DEP has received the following plans and reports:

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Atlantic Motors, Storage Tank ID # 54-50468, 52 South Lehigh Street, Frackville, PA 17931, Frackville Borough, **Schuylkill County**. B&B Diversified Enterprises, P.O. Box 70, Barto, PA 195043, on behalf of Atlantic Motors, Inc., 51 State Road, Barnesville, PA 18214, submitted a combined Site Characterization Report and Remedial Action Plan concerning remediation of soil and groundwater contaminated with gasoline. The report was not acceptable to meet site-specific standards and was disapproved by DEP on June 23, 2021.

Southcentral Regional Office: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110, 717-705-4705.

Contact: Michael Stefanic, LPG.

Hutter's Store Inc., Storage Tank Facility ID # 38-60247, 470 Jonestown Road, Jonestown, PA 17038, Union Township, **Lebanon County**. P. Joseph Lehman, Inc., 470 Jonestown Road, Jonestown, PA 17038, on behalf of Hutter's Stores, Inc., 470 Jonestown Road, Jonestown, PA 17038, submitted a Remedial Action Plan concerning remediation of Groundwater contaminated with Petroleum Compounds. The Remedial Action Plan was acceptable to meet the Statewide health standard and was approved by DEP on May 4, 2021.

Northwest Regional Office: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6648.

Contact: Kim Bontrager, Clerk Typist 3.

Leos 3 Car Wash, Storage Tank Facility ID # 25-90615, 2938 West 26th Street, Erie, PA 16506-2502, Millcreek Township, **Erie County**. DMS Environmental Services, LLC, 103 South Spring Street, Bellefonte, PA

16823, on behalf of Mr. James Doleski, 2938 West 26th Street, Erie, PA 16506, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with gasoline. The Remedial Action Plan was acceptable to meet the Statewide health standard and was approved by DEP on June 21, 2021.

Schuylers, Storage Tank Facility ID # 62-11857, 11 Main Street, Sugar Grove, PA 16350, Sugar Grove Borough, **Warren County**. Letterle & Associates, 191 Howard Street, Suite 108, Franklin, PA 16323, on behalf of John E. Schuyler, P.O. Box 277, Sugar Grove, PA 16350-0277 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with benzene, toluene, ethylbenzene, xylenes, MTBE, cumene, naphthalene, 1,2,4 trimethylbenzene and 1,3,5 trimethylbenzene. The Remedial Action Completion Report demonstrated attainment of the Statewide health standard and was approved by DEP on June 25, 2021.

[Pa.B. Doc. No. 21-1085. Filed for public inspection July 9, 2021, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Availability of Technical Guidance

Technical guidance documents (TGD) are available on the Department of Environmental Protection's (Department) web site at www.depgreenport.state.pa.us/elibrary/. The "Technical Guidance Final Documents" heading is the link to a menu of the various Department bureaus where each bureau's final TGDs are posted. The "Technical Guidance Draft Documents" heading is the link to the Department's draft TGDs.

Ordering Paper Copies of Department Technical Guidance

The Department encourages the use of the Internet to view and download TGDs. When this option is not available, persons can order a paper copy of any of the Department's draft or final TGDs by contacting the Department at (717) 783-8727.

In addition, bound copies of some of the Department's documents are available as Department publications. Check with the appropriate bureau for more information about the availability of a particular document as a publication.

Changes to TGDs

Following is the current list of recent changes. Persons who have questions or comments about a particular document should contact the person whose name and phone number are listed with each document.

Final TGD: Minor Revision

DEP ID: 263-0900-022. **Title:** Verification of Emergency Containment Structures for Aboveground Storage Tanks. **Description:** This technical guidance provides information to assist tank owners and professional engineers when determining the adequacy of emergency containment structures and compliance with the technical regulations for aboveground storage tanks. The Department's minor revisions to this guidance document include updated terminology to match language used in regulations and minor formatting changes.

Contact: Questions regarding this TGD can be directed to Danielle Mattive at dmattive@pa.gov or (717) 772-5830.

Effective Date: July 10, 2021

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 21-1086. Filed for public inspection July 9, 2021, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Bid Opportunity

OSM 26(4702)101.1, Abandoned Mine Reclamation Project, Full Gospel Church, Stewart Township, Fayette County. The principal items of work and approximate quantities include: clearing and grubbing, 1 lump sum; grading: grading Area A, 135,900 cubic yards; grading Area B, 44,900 cubic yards; access roadway and parking lot: roadway surface material,

925 square yards; utility pole parking stop, 48 linear feet; tree planting, 13,260 each; furrow ripping, 10 acres; deer fencing, 6,000 linear feet; seeding, 1 acre; and ARRI seeding, 19.5 acre.

This bid issues on June 25, 2021, and bids will be opened on July 22, 2021, at 2 p.m. Bid documents, including drawings in PDF format and AutoCAD Map 3D format, may be downloaded for free beginning on the issue date from the Department of Environmental Protection by going to www.BidExpress.com. This project is financed by the Federal government under the authority given it by the Surface Mining Control and Reclamation Act of 1977 (act) (30 U.S.C.A. §§ 1201—1328) and is subject to the act and to the Federal grant for this project. Small Diverse Business/Veteran Business Enterprise goals have not been set for this project. Contact the Construction Contracts Section at (717) 787-7820 or RA-ConstructionContr@pa.gov for more information on this bid.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 21-1087. Filed for public inspection July 9, 2021, 9:00 a.m.]

DEPARTMENT OF HEALTH

Ambulatory Surgical Facilities; Requests for Exceptions

The following ambulatory surgical facilities (ASF) have filed requests for exceptions under 28 Pa. Code § 51.33 (relating to requests for exceptions) with the Department of Health (Department), which has authority to license ASFs under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b). The following requests for exceptions relate to regulations governing ASF licensure in 28 Pa. Code Chapters 51 and 551—571 (relating to general information; and ambulatory surgical facilities).

Facility Name	Regulation and relating to
Allegheny Health Network Monroeville Surgery Center	28 Pa. Code § 567.53(1) (relating to sterilization control)
Doylestown Hospital Surgery Center	28 Pa. Code § 551.21(d)(2) (relating to criteria for ambulatory surgery)
Einstein Medical Center Montgomery Short Procedure Unit	28 Pa. Code § 551.21(d)(1) and (2)
Evangelical Ambulatory Surgical Center, LLC	28 Pa. Code § 551.21(d)(1) and (2)
US Cardio Washington, LLC	28 Pa. Code § 551.21(d)(1) and (3)
Wexford Surgery Center	28 Pa. Code § 567.53(1)

The following ASF has filed a request for exception under 28 Pa. Code § 571.1 (relating to minimum standards). Requests for exceptions under this section relate to *Guidelines for Design and Construction of Hospitals and of Outpatient Facilities*, as published by the Facility Guidelines Institute (*FGI Guidelines*). The following list includes the citation to the section of the *FGI Guidelines* for which the hospital is seeking an exception and the year of publication.

Facility Name	Guidelines Section and Relating to	Yr ¹
Surgery Center of Allentown, LLC	A2.1-3.2.3.2(1) space requirements	18-O

¹ 2018 Year FGI Regulations were split into 2 books; *Hospitals, and Outpatient Facilities* as indicated by “-O.”

The previously listed requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov. Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed address. Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

ALISON BEAM,
Acting Secretary

[Pa.B. Doc. No. 21-1088. Filed for public inspection July 9, 2021, 9:00 a.m.]

DEPARTMENT OF HEALTH

Decisions on Requests for Exceptions to Health Care Facility Regulations

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), effective June 6, 1998, the Department of Health (Department) has published in the *Pennsylvania Bulletin* all requests by entities licensed under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b), for exceptions to regulations contained in 28 Pa. Code Part IV Subparts B—G.

Section 51.33(d) of 28 Pa. Code provides that the Department will publish notice of all approved exceptions on a periodic basis. The Department has determined that it will publish notice of all exceptions, both approved and denied. The following list contains the decisions made on exception requests published in the *Pennsylvania Bulletin* from May 1, 2021, through June 30, 2021. Future publications of decisions on exception requests will appear on a quarterly basis.

Requests for additional information on the exception request and the Department's decision should be made to the relevant division of the Department. Inquiries regarding hospitals, abortion facilities and ambulatory surgical facilities shall be addressed to Garrison E. Gladfelder, Jr., Director, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980. Inquiries regarding long-term care facilities shall be addressed to Susan Williamson, Director, Division of Nursing Care Facilities, Room 528, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816. Inquiries regarding Home Health agencies should be directed to Linda Chamberlain, Director, Division of Home Health, Forum Place, Suite 701, 555 Walnut Street, Harrisburg, PA 17101, (717) 783-1379.

Ambulatory Surgical Facilities

<i>Facility Name</i>	<i>28 Pa. Code Regulation</i>	<i>Dec. Date</i>	<i>Decision</i>
Doylestown Surgery Center, LLC	§ 551.21(d)(1) (relating to criteria for ambulatory surgery)	06/07/2021	Granted w/Conditions
Eastern Pennsylvania Endoscopy Center, LLC	§ 553.31(a) and (b) (relating to administrative responsibilities)	05/04/2021	Granted Temporary
Geisinger Gastroenterology and Endoscopy Center—Lewistown	§ 553.1 (relating to principle)	05/11/2021	Granted w/Conditions
	§ 555.1 (relating to principle)	05/11/2021	Granted w/Conditions
	§ 555.2 (relating to medical staff membership)	05/11/2021	Granted w/Conditions
	§ 555.3(a)—(f) (relating to requirements for membership and privileges)	05/11/2021	Granted w/Conditions
	§ 555.4(a)—(c) (relating to clinical activities and duties of physician assistants and certified registered nurse practitioners)	05/11/2021	Granted w/Conditions
	§ 557.2(a)—(d) (relating to plan)	05/11/2021	Granted w/Conditions
	§ 557.3(a)—(f) (relating to Quality Assurance and Improvement Program)	05/11/2021	Granted w/Conditions
	§ 563.1 (relating to principle)	05/11/2021	Granted w/Conditions
	§ 563.2(a) and (b) (relating to organization and staffing)	05/11/2021	Granted w/Conditions
Laurel Laser & Surgery Center—Altoona	§ 555.22(a)(1) and (2) (relating to preoperative care)	06/07/2021	Granted w/Conditions
Laurel Laser & Surgery Center, LP	§ 555.22(a)(1) and (2)	06/07/2021	Granted w/Conditions
Nazareth Endoscopy Center, LLC	§ 553.31(a) and (b)	05/04/2021	Granted Temporary

<i>Facility Name</i>	<i>28 Pa. Code Regulation</i>	<i>Dec. Date</i>	<i>Decision</i>
Orthopaedic Surgery Center at Bryn Mawr Hospital	§ 571.1 (relating to minimum standards) A2.1-3.2.3.2(1) space requirements	05/04/2021	Granted
Penn Medicine Lancaster General Health Physicians Center for Spine Care	§ 551.3 (relating to definitions)	05/11/2021	Granted w/Conditions
Physicians' Surgery Center Lancaster General	§ 551.21(d)(1)	05/11/2021	Granted Probationary w/Conditions
Pocono Ambulatory Surgery Center, Limited	§ 551.21(d)(1)	05/12/2021	Granted Probationary w/Conditions
Surgery Center of Lancaster, LP	§ 551.21(d)(1)	06/10/2021	Granted Probationary w/Conditions
UCPA Surgery Center	§ 553.1	06/07/2021	Granted w/Conditions
	§ 555.1	06/07/2021	Granted w/Conditions
	§ 555.3(a)—(f)	06/07/2021	Granted w/Conditions
	§ 555.4(a)—(c)	06/07/2021	Granted w/Conditions
	§ 557.2(a)—(d)	06/07/2021	Granted w/Conditions
	§ 557.3(a)—(f)	06/07/2021	Granted w/Conditions
	§ 563.1	06/07/2021	Granted w/Conditions
	§ 563.2(a) and (b)	06/07/2021	Granted w/Conditions
UPMC Pinnacle Procedure Center	§ 567.53(1) and (2) (relating to sterilization control)	05/12/2021	Granted w/Conditions

Hospitals

<i>Facility Name</i>	<i>28 Pa. Code Regulation</i>	<i>Dec. Date</i>	<i>Decision</i>
The Chambersburg Hospital	§ 153.1(a) (relating to minimum standards) 2.2-2.9.3.2 space requirements	05/14/2021	Granted
Crozer-Chester Medical Center	§ 153.1(a) 2.1-2.3.5.1 patient toilet room	05/14/2021	Granted
Geisinger Jersey Shore Hospital	§ 153.1(a) 2.1-8.4.4 medical gas and vacuum systems	05/11/2021	Granted Temporary
	§ 153.1(a) 2.2-3.4.10.1 patient waiting room or area	05/11/2021	Granted Temporary
Geisinger Medical Center	§ 153.1(a) 2.1-2.4.2.2(3) A.I.I. room requirements	05/11/2021	Granted
	§ 153.1(a) 2.2-2.2.8.15 examination room	05/11/2021	Granted
Jefferson Health—Northeast	§ 153.1(a) 2.2-3.4.2.5(1)(a) system component room	06/21/2021	Granted w/Conditions
Lehigh Valley Hospital—Pocono	§ 107.61 (relating to written orders)	05/11/2021	Granted w/Conditions
The Milton S. Hershey Medical Center	§ 133.21 (relating to facilities)	06/08/2021	Granted w/Conditions
	§ 133.31(a), (b)(7) and (10) (relating to policies and procedures)	06/08/2021	Granted w/Conditions
Monongahela Valley Hospital, Inc.	§ 153.1(a) 2.1-2.4.3 seclusion room	05/14/2021	Granted w/Conditions
	§ 153.1(a) 2.2-2.12.8 support areas for the psychiatric patient care unit	05/14/2021	Granted w/Conditions
	§ 153.1(a) 2.5-2.2.8.16(1) consultation room(s)	05/14/2021	Granted w/Conditions
	§ 153.1(a) 2.5-2.2.10.1 visitor room	05/14/2021	Granted w/Conditions
	§ 153.1(a) 2.5-2.2.10.3 patient laundry facilities	05/14/2021	Granted w/Conditions
	§ 153.1(a) 2.5-7.2.1.1 general	05/19/2021	Granted w/Conditions
	§ 153.1(a) 2.5-7.2.1.2 general	05/19/2021	Granted w/Conditions

<i>Facility Name</i>	<i>28 Pa. Code Regulation</i>	<i>Dec. Date</i>	<i>Decision</i>
Penn Highlands Dubois	§ 153.1(a) 2.1-3.8.8.1(2)(a) general	05/14/2021	Granted
	§ 153.1(a) 2.1-3.10.2.1 patient toilet room(s)	06/07/2021	Granted
	§ 153.1(a) 2.2-3.8.11 clean workroom or work area or clean supply room or area	05/14/2021	Granted
Penn Highlands Tyrone	§ 153.1(a) 2.6-3.1.6 patient toilet room	05/12/2021	Granted
Penn State Health Lancaster Medical Center	§ 153.1(a) 2.1-8.4.2.6(1)(a) drainage systems	06/07/2021	Granted w/Conditions
Saint Luke's Hospital of Bethlehem, Pennsylvania	§ 153.1(a) 2.2-3.4.2.2(2)(a) space requirements	06/10/2021	Granted
Saint Luke's Hospital—Easton Campus	§ 153.1(a) 2.5-2.3.3.1(3) space requirements	06/10/2021	Granted
Temple University Hospital, Inc.	§ 153.1(a) 2.2-3.2.8.1(1) support areas for the observation unit	05/17/2021	Granted w/Conditions
	§ 153.1(a) 2.2-3.4.2.1(3) general	06/10/2021	Granted
	§ 153.1(a) 2.2-3.5.3.2(1)(a)(ii) space requirements	05/17/2021	Granted
	§ 153.1(a) 2.2-3.5.3.2(2) radiosurgery rooms	05/17/2021	Granted
	§ 153.1(a) 2.2-3.5.8.15(1) examination room	05/17/2021	Granted
Uniontown Hospital	§ 107.61	05/12/2021	Granted w/Conditions
UPMC Hamot	§ 153.1(a) 2.2-3.4.2.4(2)(c) other design elements	06/10/2021	Granted w/Conditions
UPMC Kane	§ 117.14(c) (relating to required minimal services)	06/08/2021	Granted w/Conditions
	§ 153.1(a) 2.1-3.2.2.1(1)(a)(ii) general	05/12/2021	Granted
UPMC Pinnacle Hospitals	§ 153.1(a) 2.1-3.4.4.1 phase I post-anesthetic care unit (PACU)	05/12/2021	Granted w/Conditions
	§ 153.1(a) 2.1-3.4.4.2 phase I post-anesthetic care unit (PACU)	05/12/2021	Granted w/Conditions
UPMC Presbyterian Shadyside	§ 153.1(a) 2.1-3.4.2.6(3) space requirements	05/19/2021	Granted
	§ 153.1(a) 2.2-3.3.3.2(1)(b)(i)—(iii) space requirements	06/07/2021	Granted
Waynesboro Hospital	§ 146.2 (relating to isolation procedures)	06/10/2021	Granted
Wellspring York Hospital	§ 153.1(a) 2.2-3.1.4.3(2) secure holding room	05/12/2021	Granted

Nursing Care Facilities

<i>Facility Name</i>	<i>28 Pa. Code Regulation</i>	<i>Dec. Date</i>	<i>Decision</i>
Broad Acres Health and Rehabilitation Center	§ 201.22(h) (relating to prevention, control and surveillance of tuberculosis (TB))	06/05/2021	Granted
Delaware Valley Skilled Nursing and Rehabilitation Center	§ 205.6(a) (relating to function of building)	05/03/2021	Granted
Forestview	§ 205.20(a) (relating to resident bedrooms)	05/22/2021	Granted
Gina J. Merli Veterans Center	§ 201.3 (relating to definitions) specifically the definition of nurse aide	05/15/2021	Granted
Immaculate Mary Center for Rehabilitation and Healthcare	§ 205.6(a)	05/03/2021	Granted

<i>Facility Name</i>	<i>28 Pa. Code Regulation</i>	<i>Dec. Date</i>	<i>Decision</i>
Loyalhanna Care Center	§ 205.36(h) (relating to bathing facilities)	05/03/2021	Granted
Pleasant Ridge Manor West	§ 205.20(a)	04/17/2021	Granted
The Village at Penn State	§ 201.22(e) and (j)	05/22/2021	Granted
Wesley Enhanced Living—Doylestown	§ 201.22(j) and (k)	06/05/2021	Granted

Persons with a disability who require an alternative format of this notice (for example, large print, audiotape, Braille) should contact the Division of Acute and Ambulatory Care or the Division of Nursing Care Facilities at the previously referenced address or telephone number, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

ALISON BEAM,
Acting Secretary

[Pa.B. Doc. No. 21-1089. Filed for public inspection July 9, 2021, 9:00 a.m.]

DEPARTMENT OF HEALTH

Hospitals; Requests for Exceptions

The following hospitals have filed requests for exceptions under 28 Pa. Code § 51.33 (relating to requests for exceptions) with the Department of Health (Department), which has authority to license hospitals under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b). The following requests for exceptions relate to regulations governing hospital licensure in 28 Pa. Code Chapters 51 and 101—158 (relating to general information; and general and special hospitals).

<i>Facility Name</i>	<i>Regulation and relating to</i>
Brandywine Hospital	28 Pa. Code § 103.31 (relating to the chief executive officer)
The Children's Hospital of Philadelphia	28 Pa. Code § 107.62(a) and (b) (relating to oral orders)
The Lancaster General Hospital	28 Pa. Code § 149.3 (relating to facilities)

The following hospitals have filed requests for exceptions under 28 Pa. Code § 153.1 (relating to minimum standards). Requests for exceptions under this section relate to minimum standards that hospitals must comply with under the *Guidelines for Design and Construction of Hospitals and Outpatient Facilities—2014 Edition*, or *Guidelines for Design and Construction of Hospitals—2018 Edition*, *Guidelines for Design and Construction of Outpatient Facilities—2018 Edition*. The following list includes the citation to the section under the *Guidelines* that the hospital is seeking an exception.

<i>Facility Name</i>	<i>FGI Guidelines Section and relating to</i>	<i>Yr¹</i>
Grand View Health	2.1-3.5.8.19(2)(b) facilities for processing ultrasound probes	18-O
Penn Highlands Brookville	2.1-3.4.2.6(2) and (3) other design requirements	18
Penn Highlands Dubois	2.1-3.4.2.2(2)(a) and (b)(iii) space requirements	18
	2.2-3.3.3.2(3) space requirements	18
Penn Highlands Huntingdon	2.1-3.4.2.2(2)(a)(iii) space requirements	18
	2.1-3.4.2.6(1) and (3) other design requirements	18
	2.2-3.3.3.2(1)(a) space requirements	18
	2.2-3.3.3.5(1) and (2) other design requirements	18
	2.2-3.4.2.2(2)(a) space requirements	18
Riddle Memorial Hospital	2.2-3.5.2.3(1)(a) and (b) and (2) support area for the external beam radiation therapy suite	18
Saint Luke's Hospital—Miners Campus	2.2-3.4.1.3(1)(d) radiation protection	18
	2.2-3.4.2.3(2)(a) hand-washing station or hand scrub facilities	18
Saint Vincent Hospital	2.1-8.2 heating, ventilation and air-conditioning (HVAC) systems	18
UPMC Magee-Womens Hospital	2.1-3.5.1.3(1)(d) radiation protection	18-O
	2.1-3.5.2.4(1)(a) and (b) and (2)(b) other design elements	18-O
UPMC Passavant	2.2-3.4.9.1(1) staff lounge	18

Facility Name	FGI Guidelines Section and relating to	Yr ¹
UPMC Presbyterian Shadyside	2.5-3.4.2.2(1) ECT treatment room	18
	2.5-3.4.7.4 communication systems	18

¹ 2018 Year FGI Regulations for Outpatient Facilities are indicated by “-O.”

The previously listed requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov. Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed address. Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or for speech and/or hearing impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

ALISON BEAM,
Acting Secretary

[Pa.B. Doc. No. 21-1090. Filed for public inspection July 9, 2021, 9:00 a.m.]

DEPARTMENT OF HEALTH

Renal Disease Advisory Committee Virtual Public Meeting

The Renal Disease Advisory Committee, established by section 4 of the act of June 23, 1970 (P.L. 419, No. 140) (35 P.S. § 6204), will hold its quarterly virtual public meeting on Friday, July 16, 2021, from 10 a.m. to 12 p.m. by means of conference call. The purpose of the virtual public meeting is to discuss new and ongoing issues relating to treatment of chronic renal disease and the Department of Health’s programs related to care and treatment. To join the call, dial (267) 332-8737 and when prompted, enter the following conference code: 232461136#.

For additional information or for persons with a disability who wish to attend the virtual public meeting and require an auxiliary aid, service or other accommodation to do so contact Tara Trego, Director, Bureau of Family Health, 7th Floor East, Health and Welfare Building, 625 Forster Street, Harrisburg, PA 17120, (717) 772-2762, or for speech and/or hearing impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

This virtual public meeting is subject to cancellation without notice.

ALISON BEAM,
Acting Secretary

[Pa.B. Doc. No. 21-1091. Filed for public inspection July 9, 2021, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Disproportionate Share Payments and Supplemental Hospital Payments to Qualifying Hospitals

The Department of Human Services (Department) is providing final notice of its funding allocation for Fiscal Year (FY) 2020-2021 for several classes of inpatient

disproportionate share hospital (DSH) and supplemental payments to Medical Assistance (MA) enrolled and qualifying inpatient acute care general hospitals. The Department is not otherwise changing the qualifying criteria or payment methodology for these payments.

The Department published notice of its intent to allocate funding for these payments at 51 Pa.B. 1088 (February 27, 2021). The Department increased the funding allocation for one payment that was announced in its notice of intent. DSH payments to critical access and qualifying rural hospitals was increased to an allocation of \$31.198 million in total funds, and this revised funding allocation did appear on the State Plan page submitted to the Centers for Medicare & Medicaid Services and approved on May 24, 2021.

The Department received no comments during the 30-day comment period. The Department will implement the total payment set forth in the notice of intent and as previously noted.

Fiscal Impact

The FY 2020-2021 impact, as a result of the funding allocation for these payments, is \$146.147 million in total funds.

MEG SNEAD,
Acting Secretary

Fiscal Note: 14-NOT-1451. (1) General Fund;

(7) MA—Fee-for-Service; (2) Implementing Year 2020-21 is \$7,686,000; (3) 1st Succeeding Year 2021-22 through 5th Succeeding Year 2025-26 are \$0; (4) 2019-20 Program—\$344,107,000; 2018-19 Program—\$342,544,000; 2017-18 Program—\$477,690,000;

(7) MA—Critical Access Hospitals; (2) Implementing Year 2020-21 is \$12,977,000; (3) 1st Succeeding Year 2021-22 through 5th Succeeding Year 2025-26 are \$0; (4) 2019-20 Program—\$8,850,000; 2018-19 Program—\$10,400,000; 2017-18 Program—\$6,997,000;

(7) MA—Hospital-Based Burn Centers; (2) Implementing Year 2020-21 is \$3,862,000; (3) 1st Succeeding Year 2021-22 through 5th Succeeding Year 2025-26 are \$0; (4) 2019-20 Program—\$3,792,000; 2018-19 Program—\$3,782,000; 2017-18 Program—\$3,782,000;

(7) MA—Obstetric and Neonatal Services; (2) Implementing Year 2020-21 is \$5,815,000; (3) 1st Succeeding

Year 2021-22 through 5th Succeeding Year 2025-26 are \$0; (4) 2019-20 Program—\$2,709,000; 2018-19 Program—\$3,681,000; 2017-18 Program—\$3,681,000;

(7) MA—Academic Medical Centers; (2) Implementing Year 2020-21 is \$20,612,000; (3) 1st Succeeding Year 2021-22 through 5th Succeeding Year 2025-26 are \$0; (4) 2019-20 Program—\$21,092,000; 2018-19 Program—\$24,681,000; 2017-18 Program—\$24,681,000;

(7) MA—Physician Practice Plans; (2) Implementing Year 2020-21 is \$1,742,000; (3) 1st Succeeding Year 2021-22 through 5th Succeeding Year 2025-26 are \$0; (4) 2019-20 Program—\$7,502,000; 2018-19 Program—\$10,071,000; 2017-18 Program—\$10,071,000;

(7) Autism Intervention; (2) Implementing Year 2020-21 is \$392,000; (3) 1st Succeeding Year 2021-22 through 5th Succeeding Year 2025-26 are \$0; (4) 2019-20 Program—\$27,052,000; 2018-19 Program—\$30,842,000; 2017-18 Program—\$27,669,000;

(7) MA—Trauma Centers; (2) Implementing Year 2020-21 is \$7,534,000; (3) 1st Succeeding Year 2021-22 through 5th Succeeding Year 2025-26 are \$0; (4) 2019-20 Program—\$7,397,000; 2018-19 Program—\$8,656,000; 2017-18 Program—\$8,656,000;

(8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 21-1092. Filed for public inspection July 9, 2021, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania 7-11-21® LIVE Instant Lottery Game 1523; Change to Game Rules; Amended Notice

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of changes to the Pennsylvania 7-11-21® LIVE (hereinafter referred to as “7-11-21® LIVE”) instant lottery game rules that were published at 51 Pa.B. 2710 (May 15, 2021).

The Pennsylvania Lottery intends to provide notice of the 7-11-21® LIVE Facebook Live Promotional Event. The Pennsylvania Lottery has added an explanation of the entry procedure, structure and potential prizes awarded in the Promotion. Sections have been renumbered accordingly. The correct version of this document is as follows, with ellipses referring to the existing text as it appeared at 51 Pa.B. 2710—2714:

* * * * *

7. 7-11-21® LIVE Facebook Live Promotional Event: The Pennsylvania Lottery will conduct a 7-11-21® LIVE Facebook Live Promotional Event as provided for in section 10 (hereafter, the “Promotion”).

8. Determination of prize winners:

* * * * *

9. Number and description of prizes and approximate odds:

* * * * *

10. 7-11-21® LIVE Facebook Live Promotional Event: The 7-11-21® LIVE Facebook Live Promotional Event from the Pennsylvania Lottery (hereafter, the “Lottery”), for qualifying entries submitted on the Lot-

tery’s Official Facebook account page during the specified livestream event period, as described below (hereafter, the “Promotion”).

(a) *Qualifying Entries:* Entrants must post a comment during the livestream event that will be held via the Pennsylvania Lottery’s Official Facebook account page.

(b) To receive a qualifying entry, entrants must meet all submission criteria as provided for in these rules.

(c) *Participation and entry:*

(1) Entrants must have a Facebook user account, available at www.facebook.com, in order to view the livestream and enter the Promotion. There is no cost to create a Facebook user account. There is no cost or purchase required to enter the Giveaway. This Promotion is in no way sponsored, endorsed, or associated with Facebook, Inc.

(2) To enter the Promotion, entrants must submit at least one eligible comment during the livestream period within the Live Video on the Lottery’s official Facebook account page, as directed during the Promotion. No other method of submission will be accepted. Entries submitted using any other method, including entries mailed or hand-delivered to the Pennsylvania Lottery, are not valid and will be disqualified. Additionally, comments made in the Discussion Box, anywhere else on the Lottery’s official Facebook account page, or through direct message are not valid and will be disqualified.

(3) Participants may submit an eligible comment at any point during the livestream. Once the livestream concludes, at approximately 7:32:00 p.m. July 11, 2021, as further described in section 10(d)(2)(i), no further entries shall be accepted.

(4) Any comment containing spam links, offensive language, personal attacks, incessant similar posting, or as otherwise determined by the Lottery to be inappropriate in nature, shall be deemed an ineligible comment and the entrant submitting the comment may be disqualified from the Promotion.

(5) Eligible entries will be entered into the Lottery’s drawing for the cash prize value determined during the livestream, as further described in section 10(d)(4).

(6) Only one claimant per entry allowed.

(7) Entrants must be 18 years of age or older.

(8) Entrants must be physically present within the geographical boundaries of the Commonwealth of Pennsylvania at the time an entry is made into the Promotion.

(9) If a comment is withdrawn or changed at any time during the Promotion, this may result in disqualification from the Promotion. Entrants do so at their own risk.

(d) *Promotion description:*

(1) Lottery will conduct one drawing from among all the valid entries received during the entry period as described in section 10(d)(2)(i), after the livestream has concluded.

(2) The Promotion will consist of two Cash Prize Selection Stages and one Participant Entry Stage, as described below. All time references are Eastern Prevailing Time.

(i) Valid entries received posted to the Live Video on the Lottery’s Official Facebook account page during the Promotion, as further described in section 10(c)(2), from approximately 7:11:00 p.m. on July 11, 2021, through approximately 7:32:00 p.m. on July 11, 2021, will be

entered into one Cash Prize drawing, to be held between July 11, 2021, and July 16, 2021.

(ii) The entry period for the Promotion will be posted to the Lottery's Promotional web site.

(iii) Each entrant may receive up to one (1) entry in the Promotion by posting an eligible comment to the Live Video on the Lottery's official Facebook account page, as further described in section 10(c)(2), during the Promotion. Any comments posted after each participant's first valid comment will not award additional entries.

(iv) The Promotion livestream will be broadcast to multiple lottery jurisdictions, with each lottery jurisdiction having its own prize pool for its own promotion. Winners in the Lottery's Promotion shall be drawn solely from eligible participants, as verified by Lottery in accordance with these rules, and shall be paid from the Lottery's prize pool.

(3) *During Prize Selection Stage 1 of the Promotion:*

(i) The Host of the Promotion shall draw four envelopes from a mixing cage containing 50 sealed envelopes, where each envelope contains one of three possible cash prize values, while participants view the livestream.

(ii) *The following table sets forth the number of envelopes containing each cash prize value found within the mixing cage:*

<i>Prize Value:</i>	<i># Of Appearances In 50 Sealed Envelopes:</i>
\$77	35
\$777	10
\$7,777	5

(iii) The Host of the Promotion will select four sealed envelopes from the mixing cage at random, while participants view the livestream.

(4) *During Prize Selection Stage 2 of the Promotion:*

(i) The Host of the Promotion shall direct all participants viewing the livestream to participate in an interactive poll and vote for one of the four sealed envelopes that was selected from the mixing cage in Prize Selection Stage 1, as described in section 10(d)(3). Voting will be done via an interactive poll on the Lottery's official Facebook account page during the livestream. Participants may only vote one time, but participants may change their vote until the timer runs out. The envelope that receives the most votes from among all participants in all participating lottery jurisdictions will display on the livestream.

(ii) Once the Prize Selection Stage 2 voting period has concluded, the Host of the Promotion shall select the envelope that received the greatest number of votes from the interactive poll and open that envelope, revealing the cash prize value contained therein.

(iii) In the event of a tied vote during Prize Selection Stage 2, the host will empty the mixing cage from Prize Selection Stage 1 and place those sealed envelopes tied for the highest number of votes into the mixing cage. After the mixing cage has randomized the sealed envelopes, the host shall select one of the sealed envelopes and open that envelope to reveal the cash prize value contained therein.

(iv) The cash prize value selected during Stage 2 shall be the value of all cash prizes awarded to Promotion winners.

(e) *Prizes available to be won, determination of winners, and odds of winning:*

(1) The prize entitlements described as follows are subject to all restrictions and limitations described in section 10(g), or those mentioned anywhere else in these rules.

(2) Subject to final determination of eligibility by the Lottery, the first through the fortieth entries selected will be winning entries and the entrants who submitted the winning entries shall each be entitled to a cash prize equal to the value determined during the Giveaway livestream, less applicable income tax withholding where appropriate.

(3) The odds of winning depend upon the total number of qualifying entries received.

(4) A computer-generated randomizer will be used to select the Promotion winners.

(f) *Delinquent Support Offset:* If the Department of Human Services, pursuant to 23 Pa.C.S.A. § 4308, the Department of Revenue or the Administrative Office of Pennsylvania Courts, pursuant to 72 P.S. § 215, determines that a Promotion winner is a delinquent support obligor as provided in 23 Pa.C.S.A. § 4308 or 72 P.S. § 215, the amount of any arrearages shall be deducted from cash prizes greater than \$2,500. After the delinquent support obligation is met, the Promotion winner will receive the remaining portion of the cash prize money, if any, which shall be fulfilled according to Lottery procedure.

(g) *Promotion restrictions:*

(1) To be eligible to participate in the Promotion, entrants must have complied with the requirements of these rules and Lottery procedure.

(2) The Lottery is not responsible for late, lost or misdirected entries not entered into the Promotion. The Lottery is not responsible for entries that are not entered into the Promotion because of incompatible internet browsers, mobile Lottery application failure or other technical issues.

(3) An entrant may only win the prize for which the entrant is first selected.

(4) If an entry is selected as a winner and rejected or otherwise disqualified during or following the Promotion livestream, the Lottery will select another entry to replace the rejected or otherwise disqualified entry in accordance with these rules and Lottery procedures.

(5) If any discrepancy exists between these rules and any material describing the Promotion, these rules shall govern.

(6) Employees of the Pennsylvania Lottery, 9 Rooftops Marketing, LLC (formerly known as MARC USA, LLC), MUSL, Scientific Games International, Inc., MDI Entertainment, LLC, and their subcontractors, or a spouse, child, brother, sister or parent residing as a member of the same household in the principle place of residence of any such person are not eligible to participate in the drawing. Offer void where prohibited or restricted.

(7) The Pennsylvania Lottery reserves the right, in its sole discretion, to cancel or suspend the Promotion and change these rules if the drawing cannot be conducted as planned due to errors in these rules or advertising, unauthorized intervention, tampering, fraud, technical errors, viruses, worms, bugs, or any other cause beyond the control of the Pennsylvania Lottery that, in the Pennsylvania Lottery's sole judgment, could corrupt or

impair the administration, security, fairness, integrity, or proper conduct of the Promotion.

(8) All entrants in the Lottery’s prize selection shall be subject to verification by the Pennsylvania Lottery.

(9) The Pennsylvania Lottery reserves the right, in its sole discretion, to disqualify an entrant found to be tampering with the operation of the Promotion or to be acting in violation of these rules or applicable law.

(10) The Promotion is governed by the laws of the Commonwealth of Pennsylvania. Applicable laws and regulations apply.

(11) Promotion winners shall be initially contacted by the Lottery in a manner determined by Lottery, using the Facebook platform. Promotion winners will have 15 business days from the prize selection date to return completed claim forms to the Lottery. At the close of business on the 15th business day following the drawing date, the prize will be forfeited, and an alternate winner will be awarded the respective prize, according to Lottery procedure. Alternates will have 15 business days to return the completed claim forms to the Lottery.

(12) Final determination of winners will be made by the Secretary, whose judgment will be final and binding.

(13) A prize awarded in the Promotion to a person who dies before receiving the prize shall be paid according to 61 Pa. Code § 811.16 (relating to prizes payable after death of a prize winner).

(14) A winner is responsible for all taxes arising from or in connection with any prize won.

(15) Prizes are not transferrable.

(16) Other restrictions may apply.

* * * * *

11. *Retailer incentive awards:*

* * * * *

12. *Retailer bonus:*

* * * * *

13. *Unclaimed prize money:*

* * * * *

14. *Governing law:*

* * * * *

15. *Termination of the game:*

* * * * *

C. DANIEL HASSELL, Secretary

[Pa.B. Doc. No. 21-1093. Filed for public inspection July 9, 2021, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Highly Automated Vehicle Advisory Committee Teleconference Meeting

The Highly Automated Vehicle Advisory Committee will hold a Microsoft Teams teleconference meeting on Wednesday, July 21, 2021, between 1 p.m. and 3:30 p.m. Attendees from the public should RSVP to the following e-mail address to receive call-in information. For more information or to RSVP, contact Mark C. Kopko, Director,

Office of Transformational Technology, (717) 783-1903, markopko@pa.gov.

YASSMIN GRAMIAN, Secretary

[Pa.B. Doc. No. 21-1094. Filed for public inspection July 9, 2021, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

State Transportation Innovation Council Virtual Meeting

The State Transportation Innovation Council will hold its business meeting on Wednesday, July 21, 2021, from 9:30 a.m. to 11 a.m. over Microsoft Teams. For more information, including an agenda and registration, contact Anja Walker, (717) 425-6288, anjwalker@pa.gov. To call into the meeting, dial (267) 332-8737 and enter 298551001# as the meeting code.

YASSMIN GRAMIAN, Secretary

[Pa.B. Doc. No. 21-1095. Filed for public inspection July 9, 2021, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Transportation Advisory Commission Virtual Conference Call Meeting

The Transportation Advisory Commission will hold a virtual conference call meeting on Thursday, July 15, 2021, starting at 1 p.m. The virtual conference call meeting will be held by means of Microsoft Teams. The dial-in number is (267) 332-8737. The conference ID is 301 975 324#.

For more information, contact the Office of the State Transportation Commission, (717) 787-2913, RA-PennDOTSTC@pa.gov.

YASSMIN GRAMIAN, Secretary

[Pa.B. Doc. No. 21-1096. Filed for public inspection July 9, 2021, 9:00 a.m.]

ENVIRONMENTAL HEARING BOARD

Fish and Boat Commission v. Department of Environmental Protection; EHB Doc. No. 2020-102-L

The Fish and Boat Commission has appealed the issuance by the Department of Environmental Protection of NPDES Permit No. PA0040835 for a discharge from the Bellefonte State Fish Hatchery located in Benner Township, Centre County.

A hearing on the appeal has been scheduled to begin at 10 a.m. on December 7, 2021. The hearing will be conducted at the Harrisburg offices of the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA. Changes to the hearing schedule may be found on the Environmental Hearing Board’s (Board) web site at http://ehb.courtapps.com.

The appeal is filed with the Board. The notice of appeal, and other filings related to the appeal, may be reviewed by any interested person through the Board's web site at <http://ehb.courtapps.com>. If information concerning this notice is required in an alternative form, contact the Secretary to the Board at (717) 787-3483. TDD users may telephone the Board through the Pennsylvania Hamilton Relay Center at (800) 654-5984.

THOMAS W. RENWARD,
Chairperson

[Pa.B. Doc. No. 21-1097. Filed for public inspection July 9, 2021, 9:00 a.m.]

INSURANCE DEPARTMENT

Pennsylvania 2020 Private Passenger Automobile Data Call

The Insurance Department (Department) is conducting its annual Private Passenger Automobile Data Call (previously referred to as the "Act 6 Data Call"). The purpose of this data call is to monitor the private passenger automobile insurance marketplace in this Commonwealth.

The 2020 data call letter, instructions and templates are available on the Department's web site at www.insurance.pa.gov (select "Companies," then "Industry Activity," then "Data Calls" under "Product and Rate Activity").

Additionally, the Department sent e-mail notification of this data call to all companies licensed to write motor vehicle liability insurance in this Commonwealth.

Insurance companies with Pennsylvania private passenger automobile direct written premium in 2020 are required to complete Parts 1 and 2. Data for more than one insurance company may not be combined into a single submission. This information is to be submitted to the Department no later than October 15, 2021.

Insurance companies with no Pennsylvania private passenger automobile direct written premium in 2020 are required to submit only Part 2. This is to be submitted to the Department no later than October 15, 2021.

Consistent with previous data calls, the Department will consider the data submitted as proprietary and handle the data accordingly. See the instructions for additional information regarding the completion of the individual parts.

Completed data call files should be submitted by e-mail to Dennis Sloand at desloand@pa.gov.

The Department appreciates the companies' cooperation with this important study. Individuals who have questions should contact Dennis Sloand, Bureau of Property and Casualty Insurance, (717) 214-1927, desloand@pa.gov.

JESSICA K. ALTMAN,
Insurance Commissioner

[Pa.B. Doc. No. 21-1098. Filed for public inspection July 9, 2021, 9:00 a.m.]

MILK MARKETING BOARD

Sunshine Meetings for Fiscal Year 2021-2022

<i>Date</i>	<i>Time</i>	<i>Room</i>
Wednesday, August 11, 2021	1 p.m.	Room 202—Agricultural Building Harrisburg, PA 17110
Wednesday, September 1, 2021	1 p.m.	Room 309—Agricultural Building Harrisburg, PA 17110
Wednesday, October 6, 2021	1 p.m.	Room 309—Agricultural Building Harrisburg, PA 17110
Wednesday, November 3, 2021	1 p.m.	Room 202—Agricultural Building Harrisburg, PA 17110
Wednesday, December 1, 2021	1 p.m.	Room 309—Agricultural Building Harrisburg, PA 17110
Wednesday, January 5, 2022	1 p.m.	Room 309—Agricultural Building Harrisburg, PA 17110
Wednesday, February 2, 2022	1 p.m.	Room 309—Agricultural Building Harrisburg, PA 17110
Wednesday, March 2, 2022	1 p.m.	Room 309—Agricultural Building Harrisburg, PA 17110
Wednesday, April 6, 2022	1 p.m.	Room 309—Agricultural Building Harrisburg, PA 17110
Wednesday, May 4, 2022	1 p.m.	Room 309—Agricultural Building Harrisburg, PA 17110
Wednesday, June 1, 2022	1 p.m.	Room 309—Agricultural Building Harrisburg, PA 17110

CAROL HARDBARGER,
Secretary

[Pa.B. Doc. No. 21-1099. Filed for public inspection July 9, 2021, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Intercompany Restructuring

A-2021-3026774 and A-2021-3026775. Aqua Pennsylvania, Inc. and Aqua Pennsylvania Wastewater, Inc. Joint application of Aqua Pennsylvania, Inc. and Aqua Pennsylvania Wastewater, Inc. for approval of intercompany restructuring.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before July 26, 2021. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available only online for inspection and copying on the Pennsylvania Public Utility Commission's (Commission) web site at www.puc.pa.gov and at the applicant's business address. In accordance with the Commission's Emergency Order at M-2020-3019262, all parties participating in matters pending before the Commission are required to eFile their submissions by opening an eFiling account—free of charge—through the Commission's web site and accepting eService.

Applicants: Aqua Pennsylvania, Inc.; Aqua Pennsylvania Wastewater, Inc.

Through and By Counsel: Michael W. Hassell, Esquire, Nicholas A. Stobbe, Esquire, Post & Schell, PC, 17 North Second Street, 12th Floor, Harrisburg, PA 17101-1601, (717) 731-1970, fax (717) 731-1985, mhassell@postschell.com, nstobbe@postschell.com; Mary McFall Hopper, Esquire, Aqua Pennsylvania, Inc., Aqua Pennsylvania Wastewater, Inc., 762 Lancaster Avenue, Bryn Mawr, PA 19010, (610) 645-1170, mmhopper@aquaamerica.com

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 21-1100. Filed for public inspection July 9, 2021, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Intercompany Restructuring

A-2021-3026794 and A-2021-3026796. Peoples Natural Gas Company, LLC and Peoples Gas Company, LLC. Joint application of Peoples Natural Gas Company, LLC and Peoples Gas Company, LLC for approval of intercompany restructuring.

Formal protests and petitions to intervene must be filed in accordance with 52 of the Pa. Code (relating to public utilities) on or before July 26, 2021. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available only online for inspection and copying on the Pennsylvania Public Utility Commission's (Commission) web site at www.puc.pa.gov and at the applicant's business address. In accordance with the Commission's Emergency Order at M-2020-3019262, all parties participating in matters

pending before the Commission are required to eFile their submissions by opening an eFiling account—free of charge—through the Commission's web site and accepting eService.

Applicants: Peoples Natural Gas Company, LLC; Peoples Gas Company, LLC

Through and By Counsel for: Michael W. Hassell, Esquire, Michael W. Gang, Esquire, Nicholas A. Stobbe, Esquire, Post & Schell, PC, 17 North Second Street, 12th Floor, Harrisburg, PA 17101-1601, (717) 731-1970, fax (717) 731-1985, mhassell@postschell.com, mgang@postschell.com, nstobbe@postschell.com; William H. Roberts, II, Esquire, Peoples Service Company, LLC, 375 North Shore Drive, Pittsburgh, PA 15212, (412) 473-3915, William.h.roberts@peoples-gas.com

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 21-1101. Filed for public inspection July 9, 2021, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Recalculation of the Pennsylvania Telecommunications Relay Service Surcharge

Public Meeting held
June 17, 2021

Commissioners Present: Gladys Brown Dutrieuille, Chairperson; David W. Sweet, Vice Chairperson; John F. Coleman, Jr.; John F. Coleman, Jr.

Recalculation of the Pennsylvania Telecommunications Relay Service Surcharge; M-2021-3023544; M-00900239

Order

By the Commission:

In accordance with our May 29, 1990 Order at Docket No. M-00900239 establishing the Pennsylvania Telecommunications Relay Service (TRS or Relay)¹ and surcharge funding mechanism (TRS surcharge) and subsequent Commission orders and legislation,² we have completed the annual recalculation of the TRS surcharge as it will apply August 1, 2021,³ through June 30, 2022. The TRS surcharge rate for residential and business access lines shall be set at \$0.04 per month.

Background

The annual TRS surcharge recalculation is dependent on data from several sources. Local Exchange Carriers (LECs⁴) submit annual wireline access line counts pursuant to 52 Pa. Code § 63.37. The traditional relay provider,

¹ Additional information on TRS may be found at http://www.puc.pa.gov/utility_industry/telecommunications/telecommunications_relay_service.aspx.

² See Act 34 of 1995, 35 P.S. §§ 6701.1–6701.4 (the statutory provisions were amended by Act 181 of 2002 to be more inclusive of persons with disabilities), establishing the Telecommunication Device Distribution Program (TDDP) to be funded by the TRS surcharge and which codified Relay and use of the TRS surcharge funding mechanism; and Act 174 of 2004, 35 P.S. § 6701.3a, which established the Print Media Access System Program (PMASP) which may be funded in part or in whole by the TRS surcharge. PMASP is a reading service for persons with certain vision-related physical disabilities. The law is now called the "Universal Telecommunications and Print Media Access Act."

³ This effective date is intended to allow carriers sufficient time to make the necessary systems changes to accommodate the reduction in the surcharge and to file the necessary tariff supplements. These tariff supplements may be filed to become effective on one day's notice.

⁴ LECs include both incumbent and competitive local exchange carriers.

Hamilton Relay, Inc.,⁵ submitted the estimated minutes of use and charges for July 1, 2021, through June 30, 2022. Hamilton Telephone Company d/b/a Hamilton Telecommunications submitted the estimated minutes-of-use report for the Captioned Telephone Relay Service⁶ (CTRS). The Office of Vocational Rehabilitation (OVR), Department of Labor and Industry, submitted the 2021-2022 TDDP budget and the 2021-2022 PMASP budget. The surcharge also funds TRS Advisory Board activities and Fund administration costs. U.S. Bank,⁷ the Fund Administrator, provided a statement of the financial status of the Fund.⁸

Calculation for 2021-2022

Combined residential and business wireline access lines reported by LECs for 2020 and adjusted for Centrex lines are estimated to be 4,054,485. Based upon the number of access lines, projected TRS program costs (Relay, CTRS, TDDP, and PMASP), anticipated Pennsylvania TRS Advisory Board⁹ expenses, TRS Fund administration costs, and the financial status of the TRS Fund, the 2021-2022 TRS surcharge rate for residential and business access lines will be reduced from the current rate of \$0.08 per month to \$0.04 per month.

This new rate is a reduction to the current rate and will require the LECs to file tariff supplements. These tariff supplements may be filed to become effective on one day's notice. All TRS surcharge revenues shall continue to be remitted to the Fund Administrator.¹⁰

Effective August 1, 2021, the TRS monthly surcharge allocation for each fund account will be as follows:¹¹

	<i>2021-2022 Monthly Surcharge Percentage</i>	
	<i>Residence %</i>	<i>Business %</i>
Relay	65.0	65.0
TDDP	30.0	30.0
PMASP	<u>5.0</u>	<u>5.0</u>
Total Percentage	100.0	100.0

Operations for 2021-2022

We shall continue our active oversight of the operations of the Pennsylvania Telecommunications Relay Service. Further, in accordance with 35 P.S. §§ 6701.3a & 4, we shall continue to collaborate with OVR and its TDDP administrator¹² to ensure adequate funding for distribution of TDDP equipment to qualified Pennsylvanians.

⁵ Hamilton Relay, Inc. (Hamilton) holds the TRS Certificate of Public Convenience to provide TRS throughout the Commonwealth of Pennsylvania. The Commission approved Hamilton's Application by order entered December 4, 2014, at Docket No. A-2014-2447601.

⁶ Hamilton Telecommunications, an affiliate of Hamilton Relay, provides CTRS services.

⁷ As a result of mergers, acquisitions, and name changes, Fund administration has been handled by Hamilton Bank (1990), CoreStates Bank N.A. (1995), First Union National Bank (1999), Wachovia Bank, N.A. (2002), and U.S. Bank Institutional Trust & Custody (2006).

⁸ Separate accounts are maintained for the portions of the surcharge allocated to Relay, TDDP, and PMASP. TRS Advisory Board expenses, CTRS, and outreach activities are funded from the Relay account; TRS Fund administration costs are drawn from each respective account.

⁹ The Pennsylvania TRS Advisory Board was established pursuant to Commission Order entered May 29, 1990. The TRS Advisory Board's By-Laws and quarterly meeting schedule can be found at: http://www.puc.pa.gov/utility_industry/telecommunications/telecommunications_relay_service/trs_advisory_board.aspx.

¹⁰ U.S. Bank Institutional Trust & Custody, Attn: Mark Conte, Liberty Building, 50 S. 16th Street, Suite 2000, Philadelphia, PA 19103. Remittances are payable to the "PA Relay Service Fund" and designated for Relay. Bank wire instructions can be found on the remittance form.

¹¹ The TRS surcharge appears as a single line item on customers' bills but actually has three components (Relay, TDDP traditional and the Wireless Expansion Initiative, and PMASP).

¹² As of January 1, 2007, the TDDP is administered by Pennsylvania's Initiative on Assistive Technology, Institute on Disabilities, Temple University.

Further, we shall continue to assist OVR in its mission to ensure adequate funding for PMASP.

Audits

On August 3, 2020, the Commission's Bureau of Audits began an audit of the TDDP and PMASP at Docket No. D-2020-3020696. The audit covers the twelve-month periods ended June 30, 2019; June 30, 2018; and June 30, 2017. The audit report is expected to be released later this year. The Bureau of Audits plans to initiate another audit of the TRS in 2022.

Service of Order

Due to the Governor's Proclamation of Disaster Emergency that was issued in response to the COVID-19 pandemic, service by the Commission on parties is exclusively electronic. See Re: Suspension of Regulatory and Statutory Deadlines; Modification to Filing and Service Requirements, emergency order, Docket No. M-2020-3019262 (Order entered March 20, 2020). As this order does change the TRS surcharge rate, we shall e-serve a copy on every LEC in the Commonwealth in addition to each Relay service provider, the Office of Vocational Rehabilitation, the Office of Consumer Advocate, the Office of Small Business Advocate, the Pennsylvania Telephone Association, and the Fund Administrator. Additionally, we will publish the order in the *Pennsylvania Bulletin* and on the Commission's website.

Conclusion

The Commission has completed the annual recalculation of the TRS surcharge rate. The TRS surcharge rate for residential and business access lines to be applied beginning August 1, 2021, through June 30, 2022, will be set at \$0.04 per month. All LECs are required to file a tariff supplement with the Secretary of the Commission to implement the new TRS surcharge rate. These tariff supplements may be filed to become effective on one day's notice; *Therefore,*

It Is Ordered That:

1. For the period of August 1, 2021, through June 30, 2022, the TRS surcharge rate for residential and business access lines shall be set at \$0.04 per month, unless the Commission takes further action to revise the TRS surcharge rate prior to June 30, 2022.

2. All local exchange carriers are directed to use the attached blank remittance form to remit the monthly TRS surcharge collections to the Fund Administrator. The blank remittance form shall be posted to the Commission's web site. All local exchange carriers are required to collect and remit the TRS surcharge revenue with the completed remittance form monthly by the 20th of each month.

3. A copy of this Order be served upon all local exchange carriers, Hamilton Telephone Company d/b/a Hamilton Telecommunications, Hamilton Relay, Inc., U.S. Bank Institutional Trust & Custody, the Office of Vocational Rehabilitation in the Department of Labor and Industry, the Office of Consumer Advocate, the Office of Small Business Advocate and the Pennsylvania Telephone Association.

4. A copy of this Order be published in the *Pennsylvania Bulletin*.

5. A copy of this Order be posted to the Commission's website.

ROSEMARY CHIAVETTA,
Secretary

ORDER ADOPTED: June 17, 2021

ORDER ENTERED: June 24, 2021

REMITTANCE FORM FOR MONTHLY TRS SURCHARGE COLLECTIONS

Effective August 1, 2021 through June 30, 2022

M-2021-3023544

All local exchange carriers are required to collect and remit the TRS surcharge revenue monthly, by the 20th of each month using the following format for the monthly remittance:

Pennsylvania TRS Surcharge

For the Month Ending _____

Number of Residential access lines _____
 × \$0.04 per line _____
 Allocated:
 TRS Relay 65.0 percent _____
 TDDP 30.0 percent _____
 PMASP 5.0 percent _____
 Number of Business access lines _____
 × \$0.04 per line _____
 Allocated:
 TRS Relay 65.0 percent _____
 TDDP 30.0 percent _____
 PMASP 5.0 percent _____
 Total Remittance _____

Make check payable to: Pennsylvania TRS Fund

Mail Report and payment to: U.S. Bank Institutional Trust & Custody Attn: Mark Conte Liberty Building 50 S. 16th Street, Suite 2000 Philadelphia, PA 19103	Wire Instructions: BANK U.S. Bank N.A ADDRESS 60 Livingston Avenue, St Paul MN, 55107-2292 ABA 091 000 022 BNF ITC Depository South & East ACCOUNT 173 103 781 832 OBI PA Relay ATTN: Mark Conte Email remittance form to: Danielle.clay1@usbank.com cc mark.conte@usbank.com
---	---

Remittance for:
 Company Name: _____
 Utility Code: _____
 Contact Person: _____
 Voice Phone Number: (____) _____ FAX: (____) _____
 E-mail address _____

Authorized Signature: _____ Date: _____

Please direct any questions regarding the TRS Surcharge remittance to Mr. Eric Jeschke at (717) 783-3850 or ejeschke@pa.gov.

[Pa.B. Doc. No. 21-1102. Filed for public inspection July 9, 2021, 9:00 a.m.]

**PENNSYLVANIA PUBLIC
UTILITY COMMISSION**

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission (Commission). Formal protests, petitions to intervene and answers must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before July

26, 2021. Filings must be made electronically through eFiling to the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy served on the applicant by July 26, 2021. In accordance with the Commission's Emergency Order at M-2020-3019262, all parties participating in matters pending before the Commission are required to eFile their submissions by opening an eFiling account and accepting eService. Individuals can sign up for a free eFiling account with the Secretary of the Commission through the Commission's eFiling system at <https://www.puc.pa.gov/efiling/Default.aspx>. A protest shall indicate whether it applies to the temporary authority application,

the permanent authority application, or both. Protests may only be filed if there is evidence that the applicant lacks fitness. Protests based on endangering or impairing operations of an existing carrier will not be honored. The documents filed in support of the application are only available for inspection through the Commission's web site at www.puc.pa.gov by searching under the previously listed docket number or by searching the applicant's web site.

Applications of the following for approval to begin operating as common carriers for transportation of persons as described under each application.

A-2021-3025449. Braden Scott Kennedy, t/a Here-2-There Taxi (137 West 3rd Street, Oil City, Venango County, PA 16301) for the right to begin to transport, as a common carrier, by motor vehicle, persons in paratransit service, between points in the Counties of Allegheny, Beaver, Butler, Clarion, Crawford, Erie, Forest, Lawrence, Mercer, Venango, Warren and Westmoreland.

A-2021-3026393. Rowe Transportation Group, LLC (546 Hollow Road, Darlington, PA 16115) to transport, as a motor common carrier, persons in group and party service in vehicles seating 11 to 15, from points in the Counties of Allegheny, Beaver, Butler, Lawrence and Washington to points in Pennsylvania, and return.

Application of the following for approval of the beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of household goods as described under the application.

A-2021-3025266. McGrory Moving and Junk Removal Limited Liability Company (944 Maple Avenue, Glenolden, Delaware County, PA 19036) for the right to begin to transport, as a common carrier, by motor vehicle, household goods in use, between points in Pennsylvania.

Applications of the following for the approval of the right and privilege to discontinue/abandon operating as common carriers by motor vehicle and for cancellation of the certificate of public convenience as described under each application.

A-2021-3025062. Melvin Martin and Norene H. Martin (410 Sheephill Road, Newmanstown, PA 17073) discontinuance of service and cancellation of its certificate for the right to begin to transport, as a common carrier, by motor vehicle, persons in paratransit service, between points in the County of Lancaster, and from points in said county, to points in Pennsylvania, and return; limited to persons whose personal convictions prevent them from owning or operating motor vehicles.

A-2021-3025234. Rodriguez Transportation, LLC (222 West Birch Street, Hazleton, PA 18201) discontinuance of service and cancellation of its certificate for the right to begin to transport, as a common carrier, by motor vehicle, persons in paratransit service, from within 3 statute air miles of the boundaries of the City of Hazleton, and the Township of Hazle, Luzerne County, to points in Pennsylvania, and return.

A-2021-3025337. Gold Cross Limousine of PA, Inc. (26 Sexton Street, Struthers, OH 44471) for the discontinuance and cancellation of the right to transport, as a common carrier, by motor vehicle, persons, in group and party service, in vehicles seating 11 to 15 passengers, including the driver, between points in the Counties of

Lawrence and Mercer, and from points in said counties to points in Pennsylvania, and return; excluding service that is under the jurisdiction of the Philadelphia Parking Authority, as originally issued at Docket A-00107205, F.3. *Attorney: John A. Pillar, 150 Green Commons Drive, Pittsburgh, PA 15243.*

A-2021-3025338. Gold Cross Limousine of PA, Inc. (26 Sexton Street, Struthers, OH 44471) for the discontinuance and cancellation of the right to transport, as a common carrier, by motor vehicle, persons in limousine service, between points in Pennsylvania. *Attorney: John A. Pillar, 150 Green Commons Drive, Pittsburgh, PA 15243.*

A-2021-3025408. Country Road Transportation, LLC (205 Mail Route Road, Sinking Spring, Berks County, PA 19608) for the discontinuance and cancellation of its right to transport, as a common carrier, by motor vehicle, persons in paratransit service, limited to wheelchair and stretcher van services, between points in the Counties of Berks and Lancaster, as originally approved at Docket A-2020-3019587.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 21-1103. Filed for public inspection July 9, 2021, 9:00 a.m.]

—————
**PENNSYLVANIA PUBLIC
UTILITY COMMISSION**
Telecommunications

A-2021-3026787. Verizon North, LLC and FirstLight Fiber, Inc. Joint petition of Verizon North, LLC and FirstLight Fiber, Inc. for approval of an amendment to interconnection agreement and amendment under section 252(e) of the Telecommunications Act of 1996.

Verizon North, LLC and FirstLight Fiber, Inc., by their counsel, filed on June 23, 2021, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an amendment to interconnection agreement and amendment under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement. Filings must be made electronically through eFiling with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120. Comments are due on or before 10 days after the date of publication of this notice. The documents filed in support of Verizon North, LLC and FirstLight Fiber, Inc. joint petition are available for inspection at the Commission's web site at www.puc.pa.gov and at the applicant's business web site.

The contact person is Kathryn Sophy, Director, Office of Special Assistants, (717) 787-1827.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 21-1104. Filed for public inspection July 9, 2021, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Transfer of Sale

A-2021-3026800. PPL Electric Utilities Corporation. Application of PPL Electric Utilities Corporation for approval of the transfer by sale of real property and facilities located at 178 Industrial Road, Frackville, West Mahanoy Township, Schuylkill County to Praveen Patel and Karan Patel, under 66 Pa.C.S. § 1102(a)(3) (relating to enumeration of acts requiring certificate).

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before July 26, 2021. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available only online for inspection and copying on the Pennsylvania Public Utility Commission's (Commission) web site at www.puc.pa.gov and at the applicant's business address. In accordance with the Commission's Emergency Order at M-2020-3019262, all parties participating in matters pending before the Commission are required to eFile their submissions by opening an eFiling account—free of charge—through the Commission's web site and accepting eService.

Applicant: PPL Electric Utilities Corporation

Through and By Counsel for: Kimberly A. Klock, Esquire, Michael J. Shafer, Esquire, PPL Services Corporation, Office of General Counsel, Two North Ninth Street, Allentown, PA 18101, (610) 774-5696, (610) 774-2599, fax (610) 774-4102, kklock@pplweb.com, mishafer@pplweb.com

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 21-1105. Filed for public inspection July 9, 2021, 9:00 a.m.]

PUBLIC SCHOOL EMPLOYEES' RETIREMENT BOARD

Hearing Scheduled

A hearing has been scheduled, as authorized by 24 Pa.C.S. Part IV (relating to Public School Employees' Retirement Code), in connection with the Public School Employees' Retirement System's (System) denial of claimant's request concerning the indicated account.

The hearing will be held before a hearing examiner at the Public School Employees' Retirement System, 5 North Fifth Street, Harrisburg, PA 17101:

November 1—5, 2021	Account of Community College of Philadelphia (System Membership)	9 a.m.
--------------------	--	--------

Persons with a disability who wish to attend the previously listed hearing and require an auxiliary aid, service or other accommodation to attend the proceeding should contact the Appeal Docket Clerk, Julie Vitale, at (717) 720-4888 to discuss how the System may best accommodate their needs.

Parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The hearing will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). Under 22 Pa. Code § 201.1 (relating to applicability of general rules), procedural matters will be in conformance with 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) unless specific exemption is granted.

GLEN R. GRELL,
Executive Director

[Pa.B. Doc. No. 21-1106. Filed for public inspection July 9, 2021, 9:00 a.m.]

SUSQUEHANNA RIVER BASIN COMMISSION

Actions Taken at June Meeting

As part of its regular business meeting held on June 17, 2021, from Harrisburg, PA, the Susquehanna River Basin Commission (Commission) approved the applications of certain water resources projects, and took additional actions, as set forth in the Supplementary Information as follows.

The business meeting was held on June 17, 2021.

For further information contact Jason E. Oyler, General Counsel and Secretary, (717) 238-0423, Ext. 1312, fax (717) 238-2436, joyler@srbc.net. Regular mail inquiries may be sent to the Susquehanna River Basin Commission, 4423 North Front Street, Harrisburg, PA 17110-1788. Also see the Commission web site at www.srbc.net.

Supplementary Information

In addition to the actions taken on projects identified in the summary previously specified and the listings as follows, the following items were also presented or acted upon at the business meeting: (1) election of Commission officers for Fiscal Year (FY) 2022; (2) reconciliation of the budget for FY 2022; (3) ratification of two grant amendments; (4) adoption of a newly revised Comprehensive Plan for the Water Resources of the Susquehanna River Basin for 2021 through 2041; (5) adoption of the 2022—2024 Water Resources Program; and (6) adoption of a resolution regarding environmental justice.

Project Applications Approved

1. Project Sponsor and Facility: ARD Operating, LLC (West Branch Susquehanna River), Piatt Township, Lycoming County, PA. Modification to update flow protection rates to be in accordance with current Low Flow Protection Policy No. 2012-01 (Docket No. 20120601).

2. Project Sponsor: CAN DO, Inc. Project Facility: Humbolt Industrial Park, Hazle Township, Luzerne County, PA. Applications for renewal of groundwater withdrawals (30-day averages) of up to 0.187 mgd from Humbolt Well 1, up to 0.187 mgd from Humbolt Well 3, up to 0.230 mgd from Humbolt Well 7, up to 0.144 mgd from Humbolt Well 8, and up to 0.230 mgd from Humbolt Well 9 (Docket No. 19960501).

3. Project Sponsor and Facility: Geneva Farm Golf Course, Inc., Dublin District, Harford County, MD. Application for renewal of consumptive use of up to 0.099 mgd (30-day average) (Docket No. 199110104).

4. Project Sponsor and Facility: Greenfield Township Municipal Authority, Greenfield Township, Blair County, PA. Application for groundwater withdrawal of up to 0.499 mgd (30-day average) from Well PW-4.

5. Project Sponsor and Facility: PPG Operations, LLC (West Branch Susquehanna River), Goshen Township, Clearfield County, PA. Application for surface water withdrawal of up to 3.000 mgd (peak day).

6. Project Sponsor and Facility: Quarryville Borough Authority, Quarryville Borough, Lancaster County, PA. Application for renewal of groundwater withdrawal of up to 0.250 mgd (30-day average) from Well 2 (Docket No. 19931102).

7. Project Sponsor and Facility: SUEZ Water Owego-Nichols, Inc., Village of Owego and Town of Owego, Tioga County, NY. Applications for groundwater withdrawals (30-day averages) of up to 0.880 mgd from Well 1, up to 1.115 mgd from Well 3, and up to 0.710 mgd from Well 4.

8. Project Sponsor: Weaverland Valley Authority. Project Facility: Blue Ball Water System, East Earl Township, Lancaster County, PA. Application for groundwater withdrawal of up to 0.144 mgd (30-day average) from Well 4 as well as recognizing historic withdrawals from Wells 1—3.

Commission-Initiated Project Approval Modifications

9. Project Sponsor and Facility: Municipal Authority of the Borough of Mansfield, Richmond Township, Tioga County, PA. Conforming the grandfathered amount with the forthcoming determination for a withdrawal from Webster Reservoir up to 0.311 mgd (30-day average) (Docket No. 20130609).

10. Project Sponsor and Facility: Williamsport Municipal Water Authority, Williamsport City, Lycoming County, PA. Conforming the grandfathered amounts with the forthcoming determination for withdrawals (30-day averages) from Well 3 up to 0.940 mgd, from Well 4 up to 0.940 mgd, from Well 5 up to 2.141 mgd, from Well 6 up to 0.687 mgd, from Well 7 up to 2.254 mgd, from Well 8 up to 0.987 mgd, from Well 9 up to 0.800 mgd, from Mosquito Creek up to 6.833 mgd, and from Hagermans Run up to 4.926 mgd (Docket No. 20110628).

Project Approval Tabled

11. Project Sponsor and Facility: Pennsylvania State University, College Township, Centre County, PA. Applications for renewal of groundwater withdrawal of up to 0.960 mgd (30-day average) from Well UN-37 and consumptive use of up to 0.960 mgd (peak day) (Docket No. 19890106-1).

Project Withdrawn

12. Project Sponsor and Facility: Beech Resources, LLC (Lycoming Creek), Lycoming Township, Lycoming County, PA. Application for surface water withdrawal of up to 1.500 mgd (peak day).

Project Terminated

13. Project Sponsor and Facility: City of Aberdeen, Harford County, MD. Modifications to extend the approval term of the consumptive use, surface water withdrawal, and out-of-basin diversion approval (Docket No. 20021210) to allow additional time for evaluation of the continued use of the source for the Aberdeen Proving Ground-Aberdeen Area.

Authority: Pub.L. No. 91-575, 84 Stat. 1509 et seq., 18 CFR Parts 806—808

Dated: June 24, 2021

ANDREW D. DEHOFF,
Executive Director

[Pa.B. Doc. No. 21-1107. Filed for public inspection July 9, 2021, 9:00 a.m.]

SUSQUEHANNA RIVER BASIN COMMISSION

Projects Approved for Consumptive Uses of Water

The Susquehanna River Basin Commission (Commission) has approved by rule the following list of projects from May 1, 2021, through May 31, 2021.

For further information contact Jason E. Oyler, General Counsel and Secretary, (717) 238-0423, Ext. 1312; fax (717) 238-2436, joyler@srbc.net. Regular mail inquiries may be sent to the Susquehanna River Basin Commission, 4423 North Front Street, Harrisburg, PA 17110-1788.

Supplementary Information

This notice lists the projects, described as follows, receiving approval for the consumptive use of water under the Commission's approval by rule process set forth in 18 CFR 806.22(f) (relating to standards for consumptive uses of water) for the time period previously specified:

Water Source Approval—Issued Under 18 CFR 806.22(f):

1. LPR Energy, LLC; Pad ID: Snow Shoe 2; ABR-201011007.R2; Snow Shoe Township, Centre County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: May 4, 2021.

2. LPR Energy, LLC; Pad ID: Snow Shoe 4; ABR-201011042.R2; Snow Shoe Township, Centre County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: May 4, 2021.

3. Chief Oil & Gas, LLC; Pad ID: PMG Annie Drilling Pad # 1; ABR-201103015.R2; Springville Township, Susquehanna County, PA; Consumptive Use of Up to 2.0000 mgd; Approval Date: May 4, 2021.

4. XTO Energy, Inc.; Pad ID: PA Tract B1H; ABR-201104023.R2; Chapman Township, Clinton County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: May 4, 2021.

5. Frontier Natural Resources, Inc.; Pad ID: Winner 1; ABR-201101027.R2; West Keating Township, Clinton County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: May 5, 2021.

6. Diversified Oil & Gas, LLC; Pad ID: Lundy Well Pad; ABR-201103010.R2; Gamble Township, Lycoming County, PA; Consumptive Use of Up to 3.0000 mgd; Approval Date: May 5, 2021.

7. Range Resources—Appalachia, LLC; Pad ID: Gulf USA # 63H Drilling Pad; ABR-201103043.R2; Snow Shoe Township, Centre County, PA; Consumptive Use of Up to 1.0000 mgd; Approval Date: May 5, 2021.

8. SWN Production Company, LLC; Pad ID: Broughton; ABR-201012001.R2; Morris Township, Tioga County, PA; Consumptive Use of Up to 7.50000 mgd; Approval Date: May 7, 2021.

9. Pennsylvania General Energy Company, LLC; Pad ID: COP Tract 293 Pad F; ABR-201105001.R2; Cummings Township, Lycoming County, PA; Consumptive Use of Up to 3.0000 mgd; Approval Date: May 7, 2021.

10. Cabot Oil & Gas Corporation; Pad ID: GeigerK P1; ABR-202105001; Bridgewater Township, Susquehanna County, PA; Consumptive Use of Up to 5.0000 mgd; Approval Date: May 7, 2021.

11. M4 Energy, LLC; Pad ID: Triana-Young Pad A; ABR-201100677.R2; Hector Township, Potter County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: May 10, 2021.

12. Range Resources—Appalachia, LLC; Pad ID: Shipman, James Unit # 1H-# 2H Drilling Pad; ABR-201104014.R2; Lewis Township, Lycoming County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: May 10, 2021.

13. Range Resources—Appalachia, LLC; Pad ID: Null, Eugene Unit # 2H-# 7H Drilling Pad; ABR-201104011.R2; Lewis Township, Lycoming County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: May 10, 2021.

14. Chesapeake Appalachia, LLC; Pad ID: Hess; ABR-201105004.R2; Rome Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: May 11, 2021.

15. Chesapeake Appalachia, LLC; Pad ID: Ramblinrose; ABR-201105003.R2; Tuscarora Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: May 11, 2021.

16. Chief Oil & Gas, LLC; Pad ID: SGL-12 M NORTH UNIT PAD B; ABR-202105002; Leroy Township, Bradford County, PA; Consumptive Use of Up to 2.5000 mgd; Approval Date: May 11, 2021.

17. Chesapeake Appalachia, LLC; Pad ID: Lomison, Inc.; ABR-201105023.R2; Burlington Township, Bradford

County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: May 27, 2021.

18. Chesapeake Appalachia, LLC; Pad ID: LRJ; ABR-201105011.R2; Rush Township, Susquehanna County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: May 27, 2021.

19. SWN Production Company, LLC; Pad ID: Sadecki Well Pad; ABR-201105020.R2; Liberty Township, Susquehanna County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: May 27, 2021.

20. Chesapeake Appalachia, LLC; Pad ID: Karp; ABR-201105027.R2; Lemon Township, Wyoming County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: May 31, 2021.

21. SWN Production Company, LLC; Pad ID: Mitchell Well Pad; ABR-201105026.R2; Franklin Township, Susquehanna County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: May 31, 2021.

Approvals By Rule—Issued Under 18 CFR 806.22(f)—Revocation:

1. Seneca Resources Company, LLC; Pad ID: Hector 2; ABR-201605004; Hector Township, Potter County, PA; Revocation Date: May 24, 2021.

2. Seneca Resources Company, LLC; Pad ID: Swingle 591; ABR-201012018.R2; Richmond Township, Tioga County, PA; Revocation Date: May 24, 2021.

3. Seneca Resources Company, LLC; Pad ID: Costanzo 818; ABR-201006112.R1 Chatham Township, Tioga County, PA; Revocation Date: May 25, 2021.

Authority: Pub.L. No. 91-575, 84 Stat. 1509 et seq., 18 CFR Parts 806—808

Dated: June 24, 2021

ANDREW D. DEHOFF,
Executive Director

[Pa.B. Doc. No. 21-1108. Filed for public inspection July 9, 2021, 9:00 a.m.]

