

NOTICES

DEPARTMENT OF BANKING AND SECURITIES

Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending January 3, 2023.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file comments in writing with the Department of Banking and Securities, Bank Supervision or Credit Union and Trust Supervision (as applicable), 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, for banks (717) 783-8240 and for credit unions and trust companies (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

BANKING INSTITUTIONS

Branch Applications

Branch Discontinuances

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
01-01-2023	Somerset Trust Company Somerset Somerset County	232 North Pittsburgh Street Connellsville Fayette County	Action

Articles of Amendment

<i>Date</i>	<i>Name and Location of Institution</i>	<i>Action</i>
01-03-2023	Northwest Bank Warren Warren County Amendment to Article 7 of the institution's Articles of Incorporation provides to expand the states that satisfy the residency requirement for a majority of the Board of Directors to Pennsylvania, New York, Ohio and Indiana. Articles of Amendment provide for the institution's Articles of Incorporation to be amended and restated in their entirety.	Approved

CREDIT UNIONS

No activity.

The Department's web site at www.dobs.pa.gov includes public notices for more recently filed applications.

RICHARD VAGUE,
Secretary

[Pa.B. Doc. No. 23-50. Filed for public inspection January 13, 2023, 9:00 a.m.]

DEPARTMENT OF BANKING AND SECURITIES

Maximum Lawful Rate of Interest for Residential Mortgages for the Month of February 2023

The Department of Banking and Securities (Department), under the authority contained in section 301 of the act of January 30, 1974 (P.L. 13, No. 6) (41 P.S. § 301), determines that the maximum lawful rate of interest for residential mortgages for the month of February 2023, is 6 1/4%.

The interest rate limitations under the Commonwealth's usury statute were pre-empted to a great extent by Federal law, the Depository Institutions Deregulation and Monetary Control Act of 1980 (Pub.L. No. 96-221). Further pre-emption was instituted with the signing of Pub.L. No. 96-399, which overrode State interest rate

limitations on any individual who finances the sale or exchange of residential real property which the individual owns and which the individual occupies or has occupied as his principal residence.

Each month the Department is required by State law to compute and announce the ceiling rate on residential mortgages in this Commonwealth. This maximum rate is determined by adding 2.50 percentage points to the yield rate on long-term government bonds as published by the Federal Reserve Board or the United States Treasury, or both. The latest yield rate on long-term government securities is 3.72 to which was added 2.50 percentage points for a total of 6.22 that by law is rounded off to the nearest quarter at 6 1/4%.

RICHARD VAGUE,
Secretary

[Pa.B. Doc. No. 23-51. Filed for public inspection January 13, 2023, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS UNDER THE CLEAN STREAMS LAW AND FEDERAL CLEAN WATER ACT

This notice provides information about persons who have applied to the Department of Environmental Protection (DEP) for a new, renewed, or amended NPDES or WQM permit, or a permit waiver for certain stormwater discharges, or have submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications and NOIs concern, but are not limited to, effluent discharges from sewage treatment facilities and industrial facilities to surface waters or groundwater; stormwater discharges associated with industrial activity (industrial stormwater), construction activity (construction stormwater), and municipal separate storm sewer systems (MS4s); the application of pesticides; the operation of Concentrated Animal Feeding Operations (CAFOs); and the construction of sewage, industrial waste, and manure storage, collection and treatment facilities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). More information on the types of NPDES and WQM permits that are available can be found on DEP's website (visit www.dep.pa.gov and select Businesses, Water, Bureau of Clean Water, Wastewater Management, and NPDES and WQM Permitting Programs).

Section *Category*

- | | |
|-----|--|
| I | Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received |
| II | Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs |
| III | Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity |

Section I identifies the following applications and NOIs that have been received by DEP:

- Individual and General WQM Permit Applications Received—DEP provides a 15-day public comment period for Individual WQM Permit Applications for new and reissued permits. There is no public comment period for General WQM Permit NOIs.
- General Chapter 92a NPDES Permit NOIs Received—There is no public comment period for General NPDES NOIs received.
- All Transfer and Minor Amendment Applications/NOIs Received—Transfer and Minor Amendment Applications/NOIs received for Individual and General WQM Permits and Individual and General NPDES Permits, excluding PAG-01 and PAG-02, are identified but do not have public comment periods. DEP provides a 15-day public comment period for Individual WQM Permit Applications for amendments.

Additional information on these applications and NOIs may be reviewed by generating the “Applications and NOIs without Comment Periods Report” or, for Individual WQM Permit Applications, the “Applications Received with Comment Periods Report” on DEP's website at www.dep.pa.gov/CWPublicNotice.

Section II identifies individual NPDES permit applications received and draft permits indicating DEP's tentative determination relating to sewage, industrial waste, industrial stormwater, MS4s, pesticides and CAFOs. A 30-day public comment period applies to these applications and draft permits, except when a site-specific water quality criterion is used to establish effluent limitations, in which case a 45-day public comment period applies. The period for comment may be extended at the discretion of DEP for one additional 15-day period. Additional information, including links to draft permits and fact sheets that explain the basis for DEP's tentative determinations may be reviewed by generating the “Applications Received with Comment Periods Report” on DEP's website at www.dep.pa.gov/CWPublicNotice. Notification of 15-day extensions for comment will be provided in the “Applications Received with Comment Periods Report” (Comments column).

Section III provides notice of applications and draft individual permits for stormwater discharges associated with construction activities. Where indicated, DEP has made tentative determinations, based on preliminary review, to issue permits subject to proposed effluent limitations consisting of best management practices identified in the erosion and sediment control (E&S) plans and post-construction stormwater management (PCSM) plans submitted with the applications, as well as other terms and conditions based on the permit applications. A 30-day public comment period applies to these applications.

Applications, NOIs and draft permits, where applicable, may be reviewed at the DEP office that received the application or NOI. Members of the public are encouraged to use DEP's website to obtain additional information as discussed above.

Comments received within the appropriate comment periods for WQM and NPDES permit applications will be retained by DEP and considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform DEP of the exact basis of a comment and the relevant facts upon which it is based.

DEP office contact information to review applications and NOIs and to submit comments for those applications, when applicable, is as follows:

DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484-250-5910. Email: RA-EPNPDES_SERO@pa.gov for permits in Sections I & II; RA-EPWW-SERO@pa.gov for permits in Section III.

DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570-826-5472. Email: RA-EPNPDES_NERO@pa.gov for permits in Sections I & II; RA-EPWW-NERO@pa.gov for permits in Section III.

DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717-705-4732. Email: RA-EPNPDES_SCRO@pa.gov for permits in Sections I & II; RA-EPWW-SCRO@pa.gov for permits in Section III.

DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570-327-3693. Email: RA-EPNPDES_NCRO@pa.gov for permits in Sections I & II; RA-EPWW-NCRO@pa.gov for permits in Section III.

DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412-442-4286. Email: RA-EPNPDES_SWRO@pa.gov for permits in Sections I & II; RA-EPWW-SWRO@pa.gov for permits in Section III.

DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814-332-6078. Email: RA-EPNPDES_NWRO@pa.gov for permits in Sections I & II; RA-EPWW-NWRO@pa.gov for permits in Section III.

DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-787-5017. Email: RA-EPNPDES_Permits@pa.gov.

DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.

DEP will also accept requests or petitions for public hearings on applications. The request or petition must indicate the interest of the party filing and the reasons why a hearing is warranted. A hearing will be held if DEP determines that there is a significant public interest. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. DEP will postpone its final determination until after a public hearing is held.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

I. Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received.

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
0213801	Joint DEP/PFBC Pesticides Permit	Renewal	Lake Macleod POA 543 Macleod Drive Gibsonia, PA 15044-8962	Pine Township Allegheny County	SWRO
1013806	Joint DEP/PFBC Pesticides Permit	Amendment	Cranberry Township Butler County 2525 Rochester Road Cranberry Township, PA 16066	Cranberry Township Butler County	NWRO
1022804	Joint DEP/PFBC Pesticides Permit	New	Kimberly Ann Frederick 437 Three Degree Road Renfrew, PA 16053-1223	Penn Township Butler County	NWRO
2619800	Joint DEP/PFBC Pesticides Permit	Renewal	Deer Lake Improvement Association P.O. Box 112 Chalk Hill, PA 15421	Wharton Township Fayette County	SWRO
3622805	Joint DEP/PFBC Pesticides Permit	New	Lancaster County Hawk Valley Estates 165 East Valley Road Denver, PA 17517-9128	Brecknock Township Lancaster County	SCRO
PA0022209	Major Sewage Facility with CSOs Individual NPDES Permit	Amendment Minor	Bedford Borough Municipal Authority 244 W Penn Street Bedford, PA 15522-1226	Bedford Borough Bedford County	SCRO

NOTICES

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
0273422	Major Sewage Treatment Facility Individual WQM Permit	Amendment	Moon Township Municipal Authority Allegheny County 1700 Beaver Grade Road Suite 200 Moon Township, PA 15108-3193	Moon Township Allegheny County	SWRO
5984401	Major Sewage Treatment Facility Individual WQM Permit	Amendment	Wellsboro Borough Municipal Authority Tioga County 14 Crafton Street Wellsboro, PA 16901-1508	Wellsboro Borough Tioga County	NCRO
PA0080586	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	DEP-Initiated Minor Amendment	Morton Building, Inc. 3370 York Road Gettysburg, PA 17325-8258	Straban Township Adams County	SCRO
5670401	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Transfer	Roof Garden MHC, LLC 1199 Lancaster Avenue Berwyn, PA 19312-1341	Somerset Township Somerset County	SWRO
NOEXNC177	No Exposure Certification	New	Stellant System 1035 Westminster Drive Williamsport, PA 17701-3911	Loyalsock Township Lycoming County	NCRO
NOEXNE044	No Exposure Certification	New	Metkote Laminated Products, Inc. 1151 Union Street Taylor, PA 18517-1614	Taylor Borough Lackawanna County	NERO
NOEXSC177	No Exposure Certification	Renewal	Dairiconcepts 8190 Presidents Drive Hummelstown, PA 17036-8619	Swatara Township Dauphin County	SCRO
NOEXSC295	No Exposure Certification	Transfer	Johnson & Johnson Consumer, Inc. 1838 Colonial Village Lane Lancaster, PA 17601-6700	East Lampeter Township Lancaster County	SCRO
NOEXSC391	No Exposure Certification	New	Myerstown Real Estate, LLC 33 Glenola Drive Leola, PA 17540-1902	Jackson Township Lebanon County	SCRO
NOEXSC392	No Exposure Certification	New	Amazon Com Service, LLC P.O. Box 80842 Seattle, WA 98108-0842	Altoona City Blair County	SCRO
PAR233524	PAG-03 NPDES General Permit for Industrial Stormwater	Transfer	Johnson & Johnson Consumer, Inc. 400 W Lincoln Avenue Lititz, PA 17543-8701	Lititz Borough Lancaster County	NCRO
PAR208312	PAG-03 NPDES General Permit for Industrial Stormwater	Transfer	Kawneer Co., Inc. 71 Progress Avenue Cranberry Township, PA 16066-3596	Cranberry Township Butler County	NWRO
PAG123938	PAG-12 NPDES General Permit for CAFOs	New	Ziegler Nelson L 1660 N State Route 934 Annville, PA 17003-8535	North Annville Township Lebanon County	SCRO
PAG123939	PAG-12 NPDES General Permit for CAFOs	New	Joe Jurgielewicz & Son Ltd 189 Cheese Lane Hamburg, PA 19526-8057	Napier Township Bedford County	SCRO
PAG123940	PAG-12 NPDES General Permit for CAFOs	New	Burkholder Ryan 200 Farm Lane Millerstown, PA 17062-9330	Greenwood Township Perry County	SCRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG132294	PAG-13 NPDES General Permit for MS4s	Renewal	East Bangor Borough Northampton County 204 Bray Street East Bangor, PA 18013-2204	East Bangor Borough Northampton County	NERO
PAG133608	PAG-13 NPDES General Permit for MS4s	Renewal	PA State University 3000 Ivyside Park Altoona, PA 16601	Altoona City Blair County	SCRO
PAG134817	PAG-13 NPDES General Permit for MS4s	Renewal	Briar Creek Township Columbia County 150 Municipal Road Berwick, PA 18603-5221	Briar Creek Township Columbia County	NCRO
0698401	Pump Stations Individual WQM Permit	Amendment	Spring Township 2850 Windmill Road Sinking Spring, PA 19608-1668	Spring Township Berks County	SCRO
3822402	Pump Stations Individual WQM Permit	New	North Cornwall Township Lebanon County 320 South 18th Street Lebanon, PA 17402	North Cornwall Township Lebanon County	SCRO
4036073	Sewer Extensions Individual WQM Permit	Transfer	Wyoming Valley Sanitary Authority 1000 Wilkes-Barre Street Hanover Township, PA 18706-5244	Larksville Borough Luzerne County	NERO
PA0255807	Single Residence STP Individual NPDES Permit	Transfer	Aguglia Gayle 811 Blackburn Road Sewickley, PA 15143	Sewickley Heights Borough Allegheny County	SWRO
0220403	Single Residence Sewage Treatment Plant Individual WQM Permit	Transfer	Aguglia Gayle 811 Blackburn Road Sewickley, PA 15143	Sewickley Heights Borough Allegheny County	SWRO

II. Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs.

Northcentral Regional Office

PA0113484, Sewage, SIC Code 2451, **Robinson William E, Jr**, 16064 Route 6, Mansfield, PA 16933-9199. Facility Name: Robinson Home Park Development. This existing facility is located in Richmond Township, **Tioga County**.

Description of Existing Activity: The application is for NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to North Elk Run (CWF), is located in State Water Plan watershed 4-A and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .016 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
Ammonia-Nitrogen				Geo Mean		
Nov 1 - Apr 30	XXX	XXX	XXX	15	XXX	30
May 1 - Oct 31	XXX	XXX	XXX	5	XXX	10

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is in effect.

Northcentral Regional Office

PA0232939, Sewage, SIC Code 4952, **Hunter A & Rachel Guenot**, 122 Bucktail Lane, Moshannon, PA 16859-9305. Facility Name: Hunter A & Rachel Guenot. This existing facility is located in Burnside Township, **Centre County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SFTF sewage.

The receiving stream(s), Unnamed Tributary to Sevenmile Run (CWF, MF), is located in State Water Plan watershed 8-D and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0006 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX
				Geo Mean		

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is in effect.

Northcentral Regional Office

PA0009024, Industrial, SIC Code 3339, **Global Tungsten & Powders Corp.**, 1 Hawes Street, Towanda, PA 18848-2134. Facility Name: Global Tungsten & Powders Corp. This existing facility is located in North Towanda Township, **Bradford County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Susquehanna River, is located in State Water Plan watershed 4-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.5424 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
			Inst Min			
Total Suspended Solids	258.7	540.6	XXX	Report	Report	142.85
Total Dissolved Solids	Report	135,790	XXX	Report	Report	XXX
Total Dissolved Solids	119,157	XXX	XXX	XXX	XXX	XXX
	Annl Avg					
Ammonia-Nitrogen	1,407.3	3,199.7	XXX	Report	Report	777
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
Cobalt, Total	Report	Report	XXX	Report	Report	XXX
Copper, Total	5.28	13.80	XXX	Report	Report	3.8
Fluoride, Total	214.7	377.8	XXX	Report	Report	118.5
Lead, Total	1.18	2.55	XXX	Report	Report	0.65
Molybdenum, Total	323	646.1	XXX	Report	Report	178.3
Nickel, Total	18.09	40.81	XXX	Report	Report	9.97
Sulfate, Total	Report	Report	XXX	Report	Report	XXX
Zinc, Total	3.83	9.31	XXX	Report	Report	2.1
Acrylamide (ug/L)	0.6	0.93	XXX	132.0	206.0	330
Chloride	Report	Report	XXX	Report	Report	XXX
Bromide	Report	Report	XXX	Report	Report	XXX

The proposed reporting requirements for Outfalls 002—004 are as follows:

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
		Daily Max				

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Dissolved Solids	XXX	XXX	XXX	Report	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Copper, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Molybdenum, Total	XXX	XXX	XXX	XXX	Report	XXX
Nickel, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed monitoring requirements and effluent limits for implementation of Pennsylvania's Chesapeake Bay Watershed Implementation Plan are as follows for Outfall 001.—Limits.

Parameters	Mass Units (lbs/day)		Monthly	Concentrations (mg/L)		Instant. Maximum
	Monthly	Annual		Monthly Average	Maximum	
Ammonia—N	Report	Report	XXX	Report	XXX	XXX
Kjeldahl—N	Report	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Report	Report	XXX	Report	XXX	XXX
Total Phosphorus	Report	Report	XXX	Report	XXX	XXX
Net Total Nitrogen	XXX	600,515	XXX	XXX	XXX	XXX
Net Total Phosphorus	XXX	1,577	XXX	XXX	XXX	XXX

The proposed monitoring requirements for implementation of Pennsylvania's Chesapeake Bay Watershed Implementation Plan are as follows for Outfalls 002—004.

Parameters	Mass Units (lbs/day)		Monthly	Concentrations (mg/L)		Instant. Maximum
	Monthly	Annual		Monthly Average	Maximum	
Total Nitrogen (lbs/year)	Report Annl Avg	XXX	XXX	Report Annl Avg	XXX	XXX
Total Phosphorus (lbs/year)	Report Annl Avg	XXX	XXX	Report Annl Avg	XXX	XXX

*This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is not in effect.

Northcentral Regional Office

PA0232840, Industrial, NAICS Code 221112, **Renovo Energy Center, LLC**, 12011 Sunset Hills Road, Suite 110, Reston, VA 20190-5919. Facility Name: Renovo Energy Center. This existing facility is located in Renovo Borough, **Clinton County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), West Branch Susquehanna River, is located in State Water Plan watershed 9-B and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.395 MGD.—Limits.

Parameters	Mass Units (lbs/day)		IMIN	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.2	XXX	0.5
Temperature (deg F) (°F)	XXX	XXX	XXX	XXX	110	XXX
Total Suspended Solids	95	325	XXX	30.0	100.0	125
Osmotic Pressure (mOs/kg)	XXX	XXX	XXX	580.0	905.0	1,451

Parameters	Mass Units (lbs/day)		IMIN	Concentrations (mg/L)		IMAX
	Average	Daily		Average	Daily	
	Monthly	Maximum		Monthly	Maximum	
Oil and Grease	XXX	XXX	XXX	15.0	20.0	30
Aluminum, Total (ug/L)	3.7	5.77	XXX	1,123.0	1,751.0	2,806
Copper, Total	Report	Report	XXX	Report	Report	XXX
PCBs, Total (ug/L)	XXX	XXX	XXX	XXX	XXX	1.75

The proposed reporting limits for Outfalls 002 and 003 are as follows:

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average	Average		Average	Daily	
	Monthly	Weekly		Monthly	Maximum	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Manganese, Total	XXX	XXX	XXX	XXX	Report	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is not in effect.

Northwest Regional Office

PA0092185, Sewage, SIC Code 6515, **Brady Hills MHC, LLC**, 316 West 2nd Street, Suite 1104, Los Angeles, CA 90012. Facility Name: Brady Hills MHP. This existing facility is located in Brady Township, **Butler County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, the Big Run (CWF), is located in State Water Plan watershed 20-C and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.04 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average	Average		Average	Maximum	
	Monthly	Weekly		Monthly	Maximum	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Dissolved Oxygen	XXX	XXX	Daily Min 4.0	XXX	Daily Max XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.2	XXX	0.65
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25.0	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	Geo Mean XXX	XXX	Report
Total Nitrogen	XXX	XXX	XXX	Report Annl Avg	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	11.7	XXX	23.4
May 1 - Oct 31	XXX	XXX	XXX	3.9	XXX	7.8
Total Phosphorus	XXX	XXX	XXX	Report Annl Avg	XXX	XXX
Aluminum, Total	XXX	XXX	XXX	Report Annl Avg	XXX	XXX
Iron, Total	XXX	XXX	XXX	Report Annl Avg	XXX	XXX
Manganese, Total	XXX	XXX	XXX	Report Annl Avg	XXX	XXX

In addition, the permit contains the following major special conditions:

- Solids Management

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0263885, Sewage, SIC Code 8800, **Cherrie & Thomas Peffer**, 4162 State Route 488, Portersville, PA 16051-3728. Facility Name: Cherrie & Thomas Peffer SRSTP. This existing facility is located in Perry Township, **Lawrence County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Camp Run, is located in State Water Plan watershed 20-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0292737, Sewage, SIC Code 8800, **Paula Larsen**, 558 Clay Furnace Road, Sharpsville, PA 16150-3402. Facility Name: Paula Larsen SRSTP. This proposed facility is located in Clark Borough, **Mercer County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Magargee Run, is located in State Water Plan watershed 20-A and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Southcentral Regional Office

PA0266531, Sewage, SIC Code 8811, **Fred Curtis**, 1561 Weisstown Road, Boyertown, PA 19512. Facility Name: Fred Curtis Res. This existing facility is located in Colebrookdale Township, **Berks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Swamp Creek (TSF, MF), is located in State Water Plan watershed 3-E and is classified for Trout Stocking and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (MGD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	5.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southcentral Regional Office

PA0291749, Storm Water, SIC Code 4953, **Divert, Inc.**, 23 Bradford Street, Concord, MA 01742-2971. Facility Name: Divert, Inc. This proposed facility is located in Mechanicsburg Borough, **Cumberland County**.

Description of Proposed Activity: The application is for an NPDES permit for a discharge of stormwater with industrial activity.

The receiving stream(s), Trindle Spring Run (CWF, MF), is located in State Water Plan watershed 7-B and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfalls 001—003:

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- Stormwater Outfalls and Authorized Non-Stormwater Discharges
- Best Management Practices (BMPs), Including Applicable BMPs from Appendix C from the PAG-03 (Effective 9/24/16 and Currently Administratively Extended)
- Routine Inspections
- Preparedness, Prevention, and Contingency (PPC) Plan
- Stormwater Monitoring Requirements (Including Benchmarks for pH, TSS, and Oil and Grease)
- Other Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southeast Regional Office

PA0020460, Sewage, SIC Code 4952, **Pennridge Wastewater Treatment Authority**, 180 Maple Avenue, Sellersville, PA 18960-0031. Facility Name: Pennridge WWTP. This existing facility is located in West Rockhill Township, **Bucks County**.

Description of Existing Activity: The application is for an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), East Branch Perkiomen Creek (TSF, MF), is located in State Water Plan watershed 3-E and is classified for Trout Stocking and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 4.325 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Dissolved Oxygen	XXX	XXX	5.0 Inst Min	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)						
Nov 1 - Apr 30	900	1,440	XXX	25	40 Wkly Avg	50
May 1 - Oct 31	541	830	XXX	15	23 Wkly Avg	30
Carbonaceous Biochemical Oxygen Demand (CBOD ₅) Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Biochemical Oxygen Demand (BOD ₅) Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Total Suspended Solids Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	721	1082	XXX	20	30 Wkly Avg	40
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
May 1 - Sep 30	XXX	XXX	XXX	200.0 Geo Mean	XXX	1,000
Ultraviolet light transmittance (%)	XXX	XXX	Report	XXX	XXX	XXX
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	325	XXX	XXX	9.0	XXX	18
May 1 - Oct 31	108	XXX	XXX	3.0	XXX	6
Total Phosphorus						
Nov 1 - Apr 30	72	XXX	XXX	2.0	XXX	4
May 1 - Oct 31	54	XXX	XXX	1.5	XXX	3

The proposed effluent limits for Outfall 001 are based on a design flow of 4.325 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Dissolved Solids	XXX	XXX	XXX	Report Avg Qrtly	XXX	XXX
Copper, Total	XXX	XXX	XXX	Report Avg Qrtly	XXX	XXX
Cyanide, Free	XXX	XXX	XXX	Report Avg Qrtly	XXX	XXX
Zinc, Total	XXX	XXX	XXX	Report Avg Qrtly	XXX	XXX
Toxicity, Chronic - Ceriodaphnia Survival (TUc)	XXX	XXX	XXX	XXX	2.56	XXX
Toxicity, Chronic - Ceriodaphnia Reproduction (TUc)	XXX	XXX	XXX	XXX	2.56	XXX
Toxicity, Chronic - Pimephales Survival (TUc)	XXX	XXX	XXX	XXX	2.56	XXX
Toxicity, Chronic - Pimephales Growth (TUc)	XXX	XXX	XXX	XXX	2.56	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Daily Maximum</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	Report	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	Report	XXX	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	XXX	XXX	XXX	Report	XXX	XXX
Oil and Grease	XXX	XXX	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Daily Maximum</i>	<i>Daily Maximum</i>	
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
Iron, Dissolved	XXX	XXX	XXX	Report	XXX	XXX

In addition, the permit contains the following major special conditions:

- Optimization of chlorine dosage
- Notification of designation of responsible operator
- Maintain facility O&M plan
- Hauled in waste restriction
- Dry stream discharge
- POTW pretreatment program implementation
- Solids management for non-lagoon system
- Copper BLM study requirement
- WETT
- Requirements applicable to stormwater outfalls
- DRBC Fecal coliform 10% rule
- Prohibition on receipt of unconventional oil and gas wastewater
- TQLs for toxic pollutants

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is not in effect.

Southeast Regional Office

PA0026468, Sewage, SIC Code 4952, **Lower Bucks County Joint Municipal Authority**, 7811 New Falls Road, Levittown, PA 19055-1014. Facility Name: Lower Bucks WWTP. This existing facility is located in Bristol Township, **Bucks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Delaware River (WWF, MF), is located in State Water Plan watershed 2-E and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 10 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 2.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.2
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	1,607	2,410	XXX	20.0	30.0	40
Carbonaceous Biochemical Oxygen Demand (CBOD ₅) Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Biochemical Oxygen Demand (BOD ₅) Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
CBOD ₅ Minimum % Removal (%) Percent Removal	XXX	XXX	XXX	88.50 Min Mo Avg	XXX	XXX
Total Suspended Solids Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	2,500	3,700	XXX	30.0	45.0 Wkly Avg	60

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	200	XXX	1,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Ultraviolet light intensity (mW/cm ²)	XXX	XXX	Report	XXX	XXX	XXX
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	1,668	XXX	XXX	20.0	XXX	40
Total Phosphorus	Report	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 10 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Dissolved Solids	XXX	XXX	XXX	1,000.0	2,000.0	2,500
Copper, Total	Report Avg Qrtly	Report Daily Max	XXX	Avg Qrtly Report Avg Qrtly	Report	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 10 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
PCBs Dry Weather Analysis (pg/L)	XXX	XXX	XXX	XXX	Report	XXX
Toxicity, Chronic - Ceriodaphnia Survival (TUc)	XXX	XXX	XXX	XXX	Report	XXX
Toxicity, Chronic - Ceriodaphnia Reproduction (TUc)	XXX	XXX	XXX	XXX	Report	XXX
Toxicity, Chronic - Pimephales Survival (TUc)	XXX	XXX	XXX	XXX	Report	XXX
Toxicity, Chronic - Pimephales Growth (TUc)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Iron, Dissolved	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 003 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Iron, Dissolved	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- No stormwater shall be admitted to sanitary sewers
- Proper disposal of screenings, slurries, sludges and other solids
- Optimize chlorine dosages used for disinfection to minimize TRC in effluent
- Notification of designation of responsible operator must be submitted to DEP
- Permittee shall develop and maintain operations & maintenance (O & M) plan
- Permittee shall report operation of UV disinfection system daily
- Pretreatment program implementation
- Whole Effluent Toxicity (WET) requirements
- Requirements applicable to Stormwater Outfalls
- PCB PMP Plan and monitoring requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is not in effect.

Southeast Regional Office

PA0244589, Sewage, SIC Code 4952, **Linh Quang Buddhist Temple**, 821 Ridge Road, Telford, PA 18969-1528. Facility Name: Linh Quang Buddhist Temple. This existing facility is located in Salford Township, **Montgomery County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SFTF sewage.

The receiving stream(s), Unnamed Tributary to Ridge Valley Creek (HQ-TSF), is located in State Water Plan watershed 3-E and is classified for High Quality Waters—Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .000705 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
Flow (GPD)	705	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min Report	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	10.0	15.0	20
Total Suspended Solids	XXX	XXX	XXX	10.0	15.0	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000
Nitrate-Nitrite as N	XXX	XXX	XXX	Geo Mean Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	30.0	XXX	60
Ammonia-Nitrogen	XXX	XXX	XXX	5.0	XXX	10
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

Southwest Regional Office

PA0003824, Industrial, SIC Code 2899, **Nalco Production, LLC**, 125 Nalco Way, Ellwood City, PA 16117-4129. Facility Name: Nalco Ellwood City Plant (North & South Plant). This existing facility is located in Franklin Township, **Beaver County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of non-contact cooling water and stormwater.

The receiving stream(s), Connoquenessing Creek (WWF), is located in State Water Plan watershed 20-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for IMP 101 are based on a design flow of 0.34 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	1.0	XXX
Temperature (deg F) (°F)	XXX	XXX	XXX	XXX	XXX	110

The proposed effluent limits for Outfall 005, 006, 013, 014 and 016—018 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

III. Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity.

<i>Application Number</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAD230068	New	B9 Ridge Owner LLC 4401 Ridge Road Trainer, PA 19061-5000	Trainer Borough Lower Chichester Township Delaware County	SERO
PAD060074	New	Aaron Roche 8620 Hensingersville Road Macungie, PA 18062	Longswamp Township Berks County	SCRO
PAD050011 A-1	Major Amendment	IEA 8177 US-220 Bedford, PA 15522	Cumberland Valley Township Bedford Township Bedford County	SCRO
PAD390052	Renewal	Nestle Purina PetCare Company 2050 Pope Road Allentown, PA 18104	South Whitehall Township Lehigh County	NERO
PAD640035	New	Stark Bartron III P.O. Box 150 Tunkhannock, PA 18657	Waymart Borough Wayne County	NERO
PAD480185	New	Ronca Development, LLC 541 Apollo Drive Bethlehem, PA 18017	City of Bethlehem Northampton County	NERO

<i>Application Number</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAD460077	New	Toll Mid-Atlantic L.P. Company, Inc. Skippack Pike SR 0073 Bethel Road SR 3006, and PA Northeast Extension I476 Lansdale, PA 19446-5923	Worcester Township Montgomery County	SERO

**STATE CONSERVATION COMMISSION
PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS
FOR NPDES PERMITS FOR CAFOs**

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed (National Pollutant Discharge Elimination System) NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling 717-787-8821.

Individuals wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30-days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Individuals in need of accommodations should contact the SCC through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

**ACT 38
NUTRIENT MANAGEMENT PLANS
CAFO PUBLIC NOTICE SPREADSHEET—APPLICATIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal / New</i>
The Barley Farms Jeffrey Barley 862 Donerville Road Millersville, PA 17551	Lancaster County	405	355.57	Pullets/ Steers	NA	Renewal
Jason Wenger 5376 Elizabethtown Road Manheim, PA 17545	Lancaster County	144	529.39	Dairy/ Swine	NA	Renewal
Rushtown Poultry LLC 970 Rushtown Road Danville, PA 17821	Northumberland County	34.9	1,757.96	Layer	NA	Renewal
Buffalo Valley Farmstead Inc. 269 Meeting House Lane Lewisburg, PA 17837	Union County	1,058.3	759.78	Swine/ Poultry	NA	Renewal

PUBLIC WATER SUPPLY PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for Public Water Supply (PWS) permits to construct or substantially modify public water systems.

Individuals wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30-days of this public notice. Comments received within this 30-day comment period

will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of Environmental Protection (DEP) the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, DEP will make a final determination regarding the proposed permit. Notice of

this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

SAFE DRINKING WATER

Application(s) Received Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Northwest Region: Safe Drinking Water Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Pam Yoder Clerical Assistant, 814-332-6899.

Application No. 0322502, Construction, Public Water Supply.

Applicant	Cowanshannock Township Municipal Authority
Address	P.O. Box 27 NuMine, PA 16244
Municipality	Cowanshannock Township
County	Armstrong County
Responsible Official	Peter Catanese Chairman Cowanshannock Township Municipal Authority P.O. Box 27 NuMine, PA 16244
Consulting Engineer	George R. Hart P.E. Bankson Engineers, Inc. 267 Blue Run Road Suite 200 Cheswick, PA 15024
Application Received	December 22, 2022
Description	Sagamore Well No. 3 (new source), disinfection and iron/manganese treatment.

Application No. 1623501, Construction, Public Water Supply.

Applicant	West Freedom Water Association
Address	2891 Rt. 368 Parker, PA 16049
Municipality	Perry Township
County	Clarion County
Responsible Official	Tammy Barlett Secretary West Freedom Water Association 2891 Rt. 368 Parker, PA 16049
Consulting Engineer	Gregg Del Principe, P.E. 650 Shenango Stop Road New Castle, PA 16101
Application Received	January 3, 2023

Description	WTP Upgrades—iron filters, water softeners and reverse osmosis treatment, chemical feed upgrades and back-up power installation.
-------------	--

WATER ALLOCATIONS

Application(s) Received Under the Act of June 24, 1939 (P.L. 842, No. 365) (35 P.S. §§ 631—641) Relating to the Acquisition of Rights to Divert Waters of the Commonwealth.

Northwest Region: Safe Drinking Water Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Pam Yoder Clerical Assistant, 814-332-6899.

WA 25-63E, Water Allocations. **Erie City Water Authority**, 240 West 12th Street, Erie, PA 16501, City of Erie, **Erie County**. To service all or portions of the City of Erie, Greene Township, Harborcreek Township, Lawrence Park Township, McKean Borough, McKean Township, Summit Township, Wesleyville Borough and Bulk Water Sales for Resale to Summit Township Water Authority and Fairview Township Water Authority (District 1), all within Erie County. Water Allocation renewal to continue to withdraw a total daily maximum of 62 MGD from Lake Erie through the Richard S. Wasielewski WTP 56 MGD and Chestnut WTP (Lake Intake 1) 32 MGD. Application received: January 3, 2023.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 1

Acknowledgment of Notice(s) of Intent to Remediate Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent (NOI) to Remediate. An acknowledgment of the receipt of a NOI to Remediate is used to identify a site where an individual proposes to, or has been required to, respond to a release of a regulated substance at a site. Individuals intending to use the background standard, Statewide health standard, the site-specific standard, or who intend to remediate a site as a special industrial area, must file a NOI to Remediate with DEP. A NOI to Remediate filed with DEP provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. An individual who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the Act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by DEP. Furthermore, an individual shall not be subject to citizen suits or other contribution actions brought by responsible individuals not participating in the remediation.

Under Sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period

for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the NOI to Remediate is published in a newspaper of general circulation in the area of the site. For the site(s) identified below, proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30-days of the date specified below. During this comment period the municipality may request that the individual identified below, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of the site.

For further information concerning plans or reports, please contact the Regional Office Program Manager listed above the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The DEP has received the following Notice(s) of Intent to Remediate.

Northeast Region: Environmental Cleanup & Brown-fields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Prem Ventures (Shavertown Shell), Primary Facility ID # **780259**, 125 North Memorial Highway, Shavertown, PA 18708, Kingston Township, **Luzerne County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013 on behalf of Prem Ventures LLC, 799 Coon Road, Wyoming, PA 18644, submitted a Notice of Intent to Remediate. Soil and groundwater were contaminated by a release of gasoline. The Notice of Intent to Remediate was published in *The Citizens Voice* on December 23, 2022. Application received: December 28, 2022.

MUNICIPAL WASTE GENERAL PERMITS

Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Municipal Waste Regulations for a General Permit to Operate Municipal Waste Processing Facilities and/or the Beneficial Use of Municipal Waste.

Central Office: Waste Management Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-787-7381.

Contact: Jason Dunham, Environmental Group Manager.

WMGM066NE002. Re-Match USA, Inc., 92 Progress Avenue, Tamaqua, PA 16335, Rush Township, **Schuylkill County**. This application is for a Determination of Applicability (DOA) for municipal waste general permit, WMGM066, to authorize the processing of artificial turf fields to separate the constituents (sand, crumb rubber and artificial grass) for beneficial use. Application received: October 25, 2022.

Comments or questions concerning the application should be directed to 717-787-7381, Central Office, Rachel Carson State Office Building, 400 Market Street, Harris-

burg, PA 17101, 717-787-7381. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

RESIDUAL WASTE GENERAL PERMITS

Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other than Coal Ash.

Northwest Region: Waste Management Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Christina S. Wilhelm, Regional Solid Waste Program Manager; 814-332-6848.

WMGR163NW001. Shawmut Grade PW Facility, Shawmut Grade Road, Wilcox, PA 15870, Sergeant Township, **McKean County**. General Permit Application Registration (WMGR163) for loading/unloading areas, aboveground produced water storage tanks, associated piping and appurtenances within secondary containment for the storage and transfer of liquid waste. Application received: December 22, 2022. Deemed administratively complete: December 27, 2022.

Comments or questions concerning the application should be directed to Christina S. Wilhelm, Regional Solid Waste Program Manager, 814-332-6848, Northwest Region, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

DETERMINATION OF APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for Determination of Applicability for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other than Coal Ash.

Southwest Region: Waste Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Waste Management Program Manager.

WMGR101SW005, DRB Construction, Inc., 4179 William Flynn Highway, Allison Park, PA 15101, Shaler Township, **Allegheny County**. This application is for a determination of applicability under general permit WMGR101 for the processing and beneficial use of steel slag, iron slag, and refractory bricks that were co-disposed with slag, reclaimed asphalt pavement materials (RAP) in quantities greater than 10 cubic yards and uncontaminated brick, block and concrete from sidewalk and highway projects as a construction material at the

DRB Concrete Recycling Center, located at 1114 William Flynn Highway, Glenshaw, PA 15116. Application received: December 13, 2022. Deemed administratively complete: December 28, 2022.

Comments or questions concerning the application should be directed to RA-EP-EXTUPLSWRO@pa.gov, Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department of Environmental Protection (DEP) has developed an integrated plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for DEP, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The DEP received applications for Plan Approvals or Operating Permits from the following facilities. Copies of the application, DEP's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate DEP Regional Office. Appointments for scheduling a review must be made by calling the appropriate DEP Regional Office. The address and telephone number of the Regional Office is listed before the application notices.

Individuals wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the DEP's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

Any individual wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if DEP, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when DEP determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate DEP Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be sub-

mitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

PLAN APPROVALS

Application(s) Received for Plan Approval(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B That May Have Special Public Interest. These Plan Approval Applications are in Review and No Decision on Disposition Has Been Reached.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Dave Balog, New Source Review Chief, 814-332-6328.

25-00383B: Erie Hard Chrome, Inc., 1570 East 12th Street, Erie, PA 16511, City of Erie, **Erie County**. Application received: November 14, 2022.

The Department has received the following plan approval application for the construction and initial operation of replacement plating processes and control devices at their facility.

Notice of Intent to Issue Plan Approval(s) and Notice of Intent to Issue or Amend Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These Actions May Include the Administrative Amendments of an Associated Operating Permit.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

36-03221A: CK Manufacturing LLC, 330 Millwood Road, Lancaster, PA 17603, Pequea Township, **Lancaster County**. Application received: September 21, 2022. For their light-duty truck body and barn stall railings coating booth. Actual VOC emissions are approximately 5.0 tons per year and potential VOC emissions are about 33.7 tons per year. The facility is a State Only facility. DEP's review of the information submitted by the applicant indicates that the air contamination sources as constructed or modified will comply with all regulatory requirements pertaining to air contamination sources and the emission of air contaminants including the best available technology requirement (BAT) of 25 Pa. Code §§ 127.1 and 127.12. Based on these findings, the Department proposes to issue a plan approval for the proposed construction. If, after the project has been implemented, the Department determines that the sources are constructed and operated in compliance with the plan approval conditions and the specification of the application for plan approval, the requirements established in the

plan approval may be incorporated into an Operating Permit pursuant to the provisions of 25 Pa. Code Chapter 127.

OPERATING PERMITS

Notice of Intent to Issue Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

17-00062, DuBois Regional Medical Center, 100 Hospital Avenue, Dubois, PA 15801, City of DuBois, **Clearfield County**. Application received: October 31, 2022. For the State Only Operating Permit renewal authorization regarding their sources in City of DuBois, Clearfield County. The sources associated with this facility are comprised of three (3) gas-fired boilers, each rated at approximately 20 MMBtu/hr and with No. 2 fuel oil firing capability that are associated with Source ID 031, multiple smaller gas-fired boilers and other natural gas-fired combustion sources associated with Source IDs 032, 033A, 035 and 036, and multiple new and existing diesel fired emergency generator engines associated with Source IDs P102 and P103, along with trivial sources including the above ground fuel storage tanks in service for some of the above sources. The type and quantity of pollutants estimated on a facility-wide potential emissions basis are, as follows: 3.1 tpy of PM/PM₁₀; <1 tpy of SO₂; 24.8 tpy of NO_x; 16.2 tpy of CO; 7.7 tpy of VOC; and 1.3 TPY of HAP. There were minor changes including new sources constructed at this facility during permit term. The renewal permit incorporates the changes from application, along with the applicable regulatory requirements. The emergency engines associated with Source ID P102 are subject to the Federal National Standards of Performance as codified in 40 CFR Part 60 Subpart IIII, and the other ones associated with Source ID P103 are subject to the National Emission Standards for Hazardous Air Pollutants as codified in 40 CFR Part 63 Subpart ZZZZ. Moreover, the Source ID 031 boilers are subject to fuel usage monitoring and recordkeeping provisions within the Federal National Standards of Performance as codified in 40 CFR Part 60 Subpart Dc, as well as operational limits on firing No. 2 fuel oil in order to continue to maintain gas-fired unit exemption status pursuant to 40 CFR Part 63 Subpart JJJJJ(6J). The renewal permit incorporates all applicable Federal and state regulatory requirements, including the appropriate testing, monitoring, recordkeeping, reporting, work practice and any other conditions necessary to verify compliance. The conditions are established pursuant to the applicable air quality regulatory provisions under Article III of 25 Pa. Code Chapters 121 and 145, relating to Air Resources. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the PA DEP's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-3636.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Norman Frederick, Facility Permitting Chief, 570-826-2409.

54-00031, Lehigh Valley Hospital/Schuylkill, 700 E Norwegian St., Pottsville, PA 17901, City of Pottsville, **Schuylkill County**. Application received: November 8,

2022. The Department intends to issue a renewal Operating Permit for this hospital. The operating permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Matthew Williams, Facilities Permitting Chief, 814-332-6940.

33-00016, NAC Carbon Products, Inc., Elk Run Avenue, Punxsutawney, PA 15767, Punxsutawney Borough, **Jefferson County**. Application received: April 1, 2022. The Department is providing notice that they intend to renew a State Only Natural Minor Operating Permit for the small diameter carbon product facility. The primary sources at the facility include a main and an auxiliary boiler for space heating, the grinding, screening, mixing, molding, baking, and graphitizing processes, and a solvent degreaser. Potential emissions are as follows: 13.35 TPY total suspended particulate, 0.91 TPY PM₁₀ and PM_{2.5}, 21.86 TPY NO_x, 14.62 TPY CO, 4.18 TPY VOC, 0.07 TPY SO_x; thus, the facility is a natural minor. The renewal permit will contain emission restrictions, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

25-00279, Associated Spring Barnes Group, 226 South Center Street, Corry, PA 16407, City of Corry, **Erie County**. Application received: January 26, 2022. The Department intends to renew the State Operating Permit for Barnes Group, Inc., Associated Spring plant. The facility manufactures wire springs and other small metal parts, primarily for the automotive industry. The sources at the facility include 2 natural gas fueled space heating boilers, 2 natural gas fueled process boilers, 2 air handlers, an oiling process, dip coating, spray coating, grinding, natural gas fueled bluing and drawing ovens, natural gas fueled miscellaneous ovens, parts washers, and a natural gas fueled emergency generator. The facility is a Natural Minor. The potential emissions from the facility are as follows, 6.1235 tpy PM; 1.02413 tpy PM₁₀; 1.02413 tpy PM_{2.5}; 0.08077 tpy SO_x; 13.4746 tpy NO_x; 28.31643 tpy VOC; 11.31869 tpy CO; and 2.4467 tpy all HAPs combined. The renewal permit contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.

50-03004, Tuscarora Hardwoods, Inc., 2240 Shermans Valley Road, Elliottsburg, PA 17024, Spring Township, **Perry County**. Application received: November 11, 2022. To issue a State Only Operating Permit for a biomass boiler at its facility. Potential air emissions from the facility are estimated at 26.4 tpy NO_x, 72.0 tpy CO, 26.4 tpy PM₁₀, 3.0 tpy SO_x, and 2.61 tpy VOCs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies

with the applicable air quality regulations. Among other items, the conditions include provisions for Federal 40 CFR 60 Subpart Dc—Standards of Performance for Small Industrial-Commercial-Institutional Steam Generating Units and 40 CFR 63 Subpart JJJJJJ—NESHAPS for Industrial, Commercial, and Institutional Boilers Area Sources.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

36-05008, Tyson Poultry, Inc., 403 South Custer Avenue, New Holland, PA 17557, Earl Township and New Holland Borough, **Lancaster County**. Application received: May 25, 2022. To issue a State Only Operating Permit renewal for the poultry slaughtering and processing plant. The facility's reported 2021 emissions include 13.92 tpy of NO_x, 9.72 tpy of CO, 7.83 tpy of PM₁₀, 0.4 tpy of SO_x, 10.04 tpy of VOCs and 3.55 tpy of HAPs. The Operating Permit will include emission limits and work practice standards along with monitoring, record-keeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 25 Pa. Code § 129.63a, 40 CFR Part 60—Subpart Dc, 40 CFR Part 60—Subpart IIII, and 40 CFR Part 63—Subpart ZZZZ.

**COAL & NONCOAL MINING
ACTIVITY APPLICATIONS**

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21).

Mining activity permits issued in response to such applications are also subject to applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (DEP). A copy of the application is

available for inspection at the District Mining Office indicated above each application. Requests for 401 Water Quality Certifications are included in individual application only if noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application may be submitted by any person or any officer or head of any Federal, State or Local Government Agency or Authority to DEP at the address of the District Mining Office indicated above each application within 30-days of this publication, or within 30-days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences). Such comments or objections should contain the name, address and phone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform DEP on the basis of comment or objection and relevant facts upon which it is based.

In addition, requests for an informal conference, or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 (relating to public hearing-informal conferences) or § 86.34 (relating to informal conferences), must also contain a brief summary of the issues to be raised by the requestor at the conference and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Where a National Pollutant Discharge Elimination System (NPDES) number is listed, the mining activity permit application is associated with an application for an NPDES permit. A separate notice will be provided for the draft NPDES permit.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Coal Applications

Effluent Limits—The following range of effluent limits (Table 1) will apply to NPDES permits issued in conjunction with the associated coal mining activity permit. Additional effluent limits will be listed as part of the publication of the draft NPDES permit.

Table 1

Parameter	30-Day Average	Daily Maximum	Instantaneous Maximum
Iron (total)	1.5 to 3.0 mg/l	3.0 to 6.0 mg/l	.5 to 7.0 mg/l
Manganese (total)	1.0 to 2.0 mg/l	2.0 to 4.0 mg/l	2.5 to 5.0 mg/l
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Aluminum (Total)	0.75 to 2.0 mg/l	1.5 to 4.0 mg/l	2.0 to 5.0 mg/l
pH must always be greater than 6.0; less than 9.0.			
Alkalinity must always be greater than acidity.			

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.

Contact: Melanie Ford-Wigfield, 814.472.1900, ra-epcambria@pa.gov.

Mining Permit No. 32120106. P&N Coal Co., Inc., 680 Old Route 119 Highway North, Indiana, PA 15701, Banks Township, **Indiana County**. Permit renewal for reclamation only of a bituminous surface mine affecting 196.0 acres. Receiving stream: unnamed tributaries to South Branch Bear Run and unnamed tributary to Brady Run classified for the following use: CWF. Application received: December 27, 2022.

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

Contact: Cayleigh Boniger, Clerical Supervisor 2, 814-797-0824.

Mining Permit No. 33180101. P. & N. Coal Company, Inc., 680 Old Route 119 Highway North, Indiana, PA 15701, Rose Township and Clover Township, **Jefferson County**. Renewal of an existing bituminous surface mine. Application received: December 27, 2022.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

Contact: Cassie Stanton, Clerical Assistant 2.

Mining Permit No. 17980104. NPDES No. PA0237922. Swisher Contracting, Inc., P.O. Box 1223, Clearfield, PA 16830, Lawrence Township, **Clearfield County**. Permit renewal application for a bituminous surface coal mine and associated NPDES permit affecting 84.0 acres. This renewal application is for reclamation only with the continued operation and maintenance of mine drainage water treatment systems. The renewal does not contain revisions to the existing operation. Receiving stream(s): Moose Creek classified for the following use(s): CWF, MF. Application received: December 13, 2022. Accepted: December 28, 2022.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

Mining Permit No. 40663027. Jeddo-Highland Coal Company, 144 Brown Street, Yatesville, PA 18640, Hazle Township, **Luzerne County**. Correction to add ash placement areas, an ash source and decrease the permit acres from 470.0 to 187.4 acres of an anthracite surface mine and coal refuse disposal operation. Receiving stream: Black Creek, classified for the following uses: CWF, MF. Application received: December 22, 2022.

Noncoal Applications

Effluent Limits—The following Table 2 effluent limits apply to NPDES permits issued in conjunction with a noncoal mining permit. Additional effluent limits will be listed as part of the publication of the draft NPDES permit.

Table 2

<i>Parameter</i>	<i>Average</i>	<i>30-day Maximum</i>	<i>Daily Maximum</i>	<i>Instantaneous</i>
Suspended solids		10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity must always exceed acidity.				
pH must always be greater than 6.0; less than 9.0.				

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.

Contact: Melanie Ford-Wigfield, 814.472.1900, ra-epcambria@pa.gov.

Mining Permit No. 01930301. NPDES No. PA0595591. New Enterprise Stone & Lime Co., Inc., P.O. Box 77, New Enterprise, PA 16664, Hamiltonban Township, **Adams County**. Renewal of NPDES permit affecting 141.0 acres. Receiving streams: Middle Creek classified for the following uses: CWF-MF. Application received: December 21, 2022.

Mining Permit No. 4074SM12. NPDES No. PA0599352. New Enterprise Stone & Lime Co., Inc., P.O. Box 77, New Enterprise, PA 16664, Jefferson Township, **Somerset County**. Renewal of NPDES permit affecting 317.0 acres. Receiving streams: unnamed tributary to Kooser Run classified for the following use: HQ-CWF. Application received: December 27, 2022.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed National Pollutant Discharge Elimination System (NPDES) permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (DEP) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH must always be greater than 6.0; less than 9.0.			
Alkalinity must always be greater than acidity.			

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The limits for noncoal mining activities as provided in 25 Pa. Code § 77.522 are pH 6 to 9 and other parameters DEP may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

Coal NPDES Draft Permits

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

Contact: Cassie Stanton, Clerical Assistant 2, 814-342-8101.

NPDES No. PA0257630. Mining Permit No. 17110105. RES Coal, LLC, 51 Airport Road, Clearfield, PA 16830. Renewal of an NPDES permit for discharge of water resulting from a bituminous surface coal mine in Girard Township, **Clearfield County**, affecting 233.9 acres. Receiving stream: Bald Hill Run, classified for the following use: CWF. Application received: November 29, 2022.

The following outfalls discharge to Bald Hill Run:

<i>Outfall No.</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
001	Existing	Treatment Basin 1	Intermittent
002	Existing	Treatment Basin 2	Intermittent
003	Existing	Treatment Basin 3	Intermittent
004	Existing	Treatment Basin 4	Intermittent
005	Existing	Sediment Pond A	Precipitation Induced
006	Existing	Sediment Pond B	Precipitation Induced
007	Existing	Sediment Pond C	Precipitation Induced
008	Existing	Sediment Pond D	Precipitation Induced
009	Existing	Sediment Pond E	Precipitation Induced
010	Existing	Sediment Pond F	Precipitation Induced

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Outfalls: 001—004 (All Discharges)</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Iron (mg/L)	3.0	6.0	7.0
Manganese (mg/L)	2.0	4.0	5.0
Aluminum (mg/L)		Report	
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Sulfate (mg/L)		Report	
Flow (gpm)		Report	
Temperature (°C)		Report	
Specific Conductivity (µmhos/cm)		Report	

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.
Alkalinity must exceed acidity at all times.

<i>Outfalls: 005—010 (Dry Weather Discharges)</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Iron (mg/L)	3.0	6.0	7.0
Manganese (mg/L)	2.0	4.0	5.0
Aluminum (mg/L)		Report	
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Sulfate (mg/L)		Report	
Flow (gpm)		Report	
Temperature (°C)		Report	
Specific Conductivity (µmhos/cm)		Report	

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.
Alkalinity must exceed acidity at all times.

Outfalls: 005—010 (Discharges after ≤10-yr/24-hr Precip. Event)
Parameter

	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/L)	N/A	N/A	7.0
Total Settleable Solids (mL/L)	N/A	N/A	0.5
Sulfate (mg/L)		Report	
Flow (gpm)		Report	
Temperature (°C)		Report	
Specific Conductivity (µmhos/cm)		Report	

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.
 Alkalinity must exceed acidity at all times.

Outfalls: 005—010 (Discharges after >10-yr/24-hr Precip. Event)

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.
 Alkalinity must exceed acidity at all times.

Noncoal NPDES Draft Permits

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

Contact: Cayleigh Boniger, Clerical Supervisor 2, 814-797-0824.

NPDES No. PA0227609. Mining Permit No. 16970307. Terra Works, Inc., 49 South Sheridan Road, Clarion, PA 16214, Beaver Township, Licking Township and Richland Township, **Clarion County**. Renewal of an NPDES permit. Application received: November 9, 2022.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for noncoal mining activities.

The following treated wastewater outfalls discharge to unnamed tributaries to Turkey Run:

<i>Outfall Number</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate: MGD</i>
001	Existing	SWO	0.492
002	Existing	SWO	0.214
003	Existing	TFO	0.072

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Iron (mg/l)		2.7	5.4	6.7
Manganese (mg/l)		1.8	3.6	4.5
Aluminum (mg/l)		0.75	0.75	0.75
Total Suspended Solids (mg/l)		35.0	70.0	90.0
Osmotic Pressure (milliosmoles/kg)				50.0
Alkalinity greater than acidity ¹				

¹The parameter is applicable at all times.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

NPDES Permit No. PA0225665. Mining Permit No. 39880302. Coplay Aggregates, Inc., 5101 Beekmanstown Road, Whitehall, PA 18052, Whitehall Township, **Lehigh County**. Application received: July 1, 2022.

Renew an NPDES permit affecting 21.49 acres. Receiving stream: Abandoned water-filled pit to Coplay Creek, classified for the following use: CWF.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for noncoal mining activities.

The following treated wastewater outfalls discharge to abandoned water-filled pit:

<i>Outfall Number</i>	<i>New or existing</i>	<i>Type</i>	<i>Discharge Rate</i>
001DIS	Existing	TFO	0.25 MDG

The proposed effluent limits for the previously listed outfall are as follows:

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
pH	6.0			9.0
Total Suspended Solids (mg/L)		35.0	70.0	90.0
Flow (MGD)			1.296	
Acidity, Total (mg/L)				Report
Alkalinity, Total (mg/L)				Report
Net Alkalinity (mg/L)	0.0			

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection (DEP). Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341), requires the State to certify that the involved projects will not violate the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), as well as relevant State requirements. Individuals objecting to approval of a request for certification under Section 401 or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit, or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30-days of the date of this notice, as well as any questions to the office noted above the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed, and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The DEP may schedule a fact-finding hearing or an informal conference in response to comments if deemed necessary. Maps, drawings and other data pertinent to the certification request are available for inspection between the hours of 8:00 a.m. and 4:00 p.m. on each working day at the office noted above the application.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

WATER OBSTRUCTIONS AND ENCROACHMENTS

Applications Received Under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification Under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Eastern District: Oil and Gas Management Program, 208 West Third Street, Williamsport, PA 17701-6448.

Contact: RA-EPEASTERNNOGPRG@pa.gov.

E5929222-010. Delmar Midstream LLC, 2620 Egypt Road, Norristown, PA 19403, Delmar Township and Shippen Township, **Tioga County**. U.S. Army Corps of Engineers Baltimore District. Application received: October 19, 2022.

To construct, operate, and maintain:

1) A temporary road crossing using timber mats and an 8-inch diameter waterline impacting 861 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Tiadaghton, PA Quadrangle 41.689267°, -77.421011°);

2) A temporary road crossing using timber mats and an 8-inch diameter waterline impacting 105 linear feet of an unnamed tributary to West Branch Stony Fork (EV) (Tiadaghton, PA Quadrangle 41.689242°, -77.418436°);

3) A temporary road crossing using timber mats and an 8-inch diameter waterline impacting 50 linear feet of an unnamed tributary to West Branch Stony Fork (EV) (Tiadaghton, PA Quadrangle 41.689242°, -77.413078°);

4) A temporary road crossing using timber mats and an 8-inch diameter waterline impacting 7,438 square feet of an exceptional value palustrine emergent (EV-PEM) wetland and 50 linear feet of West Branch Stony Fork (EV) (Tiadaghton, PA Quadrangle 41.688639°, -77.410156°).

The project will result in 155 linear feet of temporary stream impacts and 8,299 square feet (0.191 acre) of temporary wetland impacts all for the purpose of installing a natural gas pipeline in Delmar and Shippen Township, Tioga County.

Northcentral Region: Waterways & Wetlands Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Jake Carson, Project Manager, 570-327-3565.

E4104122-016. Pennsylvania Department of Transportation Engineering District 3-0, P.O. Box 218, Montoursville, PA 17754-0218, McIntyre Township, **Lycoming County**. U.S. Army Corps of Engineers Baltimore District. Application received: December 28, 2022.

PA DOT Engineering District 3-0 proposes a stream restoration project on Lycoming Creek along SR 0014, north of Ralston. The project was authorized under Emergency Permit EP4104122-001 PA DOT, therefore the project has already been completed. Lycoming Creek has been severely eroded along the right streambank and created a gravel bar along the left streambank. The project will utilize a temporary diversion and temporary channel to convey the stream during construction. The project will not require a temporary conveyance of traffic. The project will remove approximately 550 LF of gravel bar and utilize the material to rebuild the right bank out approximately 10 Ft. The project will utilize 17 multi-log deflectors and approximately 600 LF of Grouted R-8 Rip Rap to permanently stabilize the right bank of Lycoming Creek. The project will restore the channel bank to pre-eroded conditions. The project does not propose any jurisdictional wetlands impacts. Lycoming Creek is classified as an Exceptional Value Stream by 25 Pa. Code Chapter 93 Water Quality Standards and listed as a Stocked and Wild Trout Stream by PA Fish and Boat Commission. Latitude: 41° 32' 47", Longitude: -76° 57' 43".

Contact: Pete Geanacopoulos, Project Manager, 570-327-3701.

E1904222-005. Town of Bloomsburg, 301 East Second Street, Bloomsburg, PA 17815, City of Bloomsburg, **Columbia County**. U.S. Army Corps of Engineers Baltimore District. Application received: December 13, 2022.

The Town of Bloomsburg is proposing to reconstruct and maintain a section of UNT to Fishing Creek (WWF-MF), installing natural grade control structures, permanent plunge pools and erosion control aprons to prevent future streambed erosion. Latitude: 41° 00' 33.9", Longitude: -76° 26' 59.4".

Contact: Stephen Kardohely, Project Manager, 814-342-8216.

E1804222-004. Aaron and Nicole Yohm, 404 Sunnyside Rd., Newmanstown, PA 17073, Green Township, **Clinton County**. U.S. Army Corps of Engineers Baltimore District. Application received: December 20, 2022.

Aaron and Nicole Yohn are proposing to install and maintain a permanent bank-to-bank bridge over Pepper Run for permanent private access to their property on the west side of the stream. This project was initially authorized and installed under a GP-8 in September 2022. At that time, approximately 2,300 sq. ft. of earth disturbance occurred along the stream and within the floodway. An additional 10,000 sq. ft. of earth disturbance occurred to construct the access roadway into the crossing site and on the far side of the stream. No new disturbance will occur as part of this permit action. The bridge is a single span 30-foot-long x 12-foot-wide steel beam with a timber deck on precast foundations. There are no anticipated adverse impacts to waters of the U.S. or aquatic resources from this crossing project. No wetlands will be impacted. The drainage area at the crossing site is 1.93 square miles. Pepper Run is listed in 25 Pa. Code Chapter 93 designation as a High Quality, Cold Water Fishery (HQ-CWF) with Migratory Fish (MF). Latitude: 41° 2' 46.90", Longitude: -76° 19' 41.59".

Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: RA-EPWW-NERO@pa.gov.

E3502122-013. Pa Department of Transportation, Eng District 4-0, 55 Keystone Industrial Park, Dunmore, PA 18512, Moscow Borough, **Lackawanna County**. U.S. Army Corps of Engineers Baltimore District. Application received: December 11, 2022.

To authorize the following water obstructions and encroachments associated with the SR 0690 Section D50 Project: 1. To remove the existing structure and to construct and maintain a 60' wide single span box culvert carrying SR 0690 across Van Brunt Creek (HQ-CWF, MF) having an 20' normal clear span and a 7.5' minimum underclearance and to construct and maintain appurtenant structure features. 2. To permanently impact 0.03 acre of EV wetlands for roadway embankment grading associated with the structure replacement. 3. To construct and maintain an outfall in the floodway of Van Brunt Creek (HQ-CWF) consisting of an 18" pipe and riprap protection. The project is located along SR 0690 Section D50 Segment 0100, Offset 1236, approximately 0.90 mile east of the SR 0690/SR 0380 intersection, Moscow, PA Quadrangle Latitude: 41.338398; Longitude: -75.541150.

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Sage Saum, Clerical Assistant 2, 717-705-4992.

E0603222-005. Duke Realty Limited Partnership, 161 Washington Street, Suite 1020, Conshohocken, PA 19428, Maxatawny Township, **Berks County**. U.S. Army Corps of Engineers Baltimore District. Application received: June 21, 2022.

To remove 1). An existing culvert at the existing Hottenstein Road crossing of the UNT to Mill Creek (TSF/MF). The existing portion of Hottenstein Road that crosses the culvert is to be permanently removed. The impact proposes 35 LF of disturbance to the watercourse

of the UNT to Mill Creek and 0.003 acre to a palustrine emergent exceptional value wetlands (Wetland V). 2). The proposed re-alignment of Hottenstein Road crosses the UNT to Mill Creek (TSF/MF) and impacts to a palustrine emergent exceptional value wetlands (Wetland Q). The crossing of Wetland Q will be made with an 83-foot long, 36" diameter, reinforced concrete pipe, embedded 6' below existing grade at the inverts. This impact proposes 0.208 acre of disturbance to a palustrine emergent exceptional value wetlands (Wetland Q). 3). A culvert is proposed at the location of the proposed re-aligned Hottenstein Road crossing of the UNT to Mill Creek (TSF/MF). The crossing of the UNT to Mill Creek will be made with a 76-foot long, 4.7' high by 18.0' wide open bottom culvert. This impact proposes 122 LF of disturbance to the watercourse of the UNT to Mill Creek. 4). A 6" diameter sanitary sewer force main is proposed from the proposed on-site sanitary sewer pump station to an existing intermediate pump station owned by the Maxatawny Township Municipal Authority. The majority of this run will be along Route 222 and at a point this force main will cross approximately 1 foot below an existing storm culvert, which conveys flow of a UNT to Sacony Creek (CWF/MF). This impact proposes 9 LF of disturbance to the watercourse of the UNT of Sacony Creek. The project is located in Maxatawny Township, Berks County. Latitude: 40.359799°N, Longitude: -75.750572°W.

Southeast Region: Waterways & Wetlands Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Elaine Henderson, Clerical Assistant 3, 484-250-5157.

E4601222-024. KRE Acquisition Corp, 520 US Highway 22, P.O. Box 6872, Bridgewater, NJ 08807, Conshohocken Borough and Whitmarsh Township, **Montgomery County**. U.S. Army Corps of Engineers Philadelphia District. Application received: December 7, 2022.

KRE Acquisition Corp is proposing the following water obstruction and encroachment activities associated with 401/433 Washington Street Apartments along the Schuylkill River (WWF, MF): 1) Construction of a 598-unit residential apartment complex including excavation of fill for Act 2 requirements and a walking trail. There is no fill proposed in the floodway. 2) Construction of a stormwater outfall. Proposed work includes 5 acres of permanent floodway impact and no wetland impacts. The site is located near the intersection of Elm and Washington Streets (Norristown, PA USGS Map) in the Borough of Conshohocken and Whitmarsh Township. Latitude: 40.071293°, Longitude: -75.297286°.

E5101222-016. Woods Grove Capital, LLC, 15 Woods Grove Road, Westport, CT 06880, City of Philadelphia, **Philadelphia County**. U.S. Army Corps of Engineers Philadelphia District. Application received: October 5, 2022.

Woods Grove Capital, LLC, is proposing to perform the following water obstruction and encroachment activities associated with the construction of a 40,165 sq ft warehouse. Activities associated with the warehouse site development: 1) To fill wetland area (Wetland A PEM) for site development resulting in 197 linear feet (13,456 sq ft, 0.309 acre) of permanent wetland impact. 2) To fill

wetland area (Wetland B PEM) for site development resulting in 95 linear feet (4,818 sq ft, 0.11 acre) of permanent wetland impact. This project is located at 13000 McNulty Road, Philadelphia (USGS PA Beverly Quadrangle) in the City of Philadelphia, Philadelphia County. Latitude: 40.110240°, Longitude: -74.981106°.

ENVIRONMENTAL ASSESSMENTS

Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: RA-EPWW-NWRO@pa.gov.

EA1006222-002. BioMost Inc., 434 Spring Street Ext, Mars, PA 16046, Washington Township, **Butler County**. U.S. Army Corps of Engineers Pittsburgh District. Application received: November 21, 2022.

The SR 81 Passive Treatment System Rehabilitation project involves the rehabilitation and expansion of an existing treatment system for the abatement of abandoned mine drainage. Construction will include installing a sludge pond upgradient of the existing treatment system, removing iron sludge from existing settling ponds and wetlands, adding a second Anoxic Limestone Drain within the footprint of the settling pond, and enhancing the "natural wetland by installing z-pile moat and a distribution berm to prevent short circuiting from flooding by Slippery Rock Creek (Trout Approved Waters, CWF). Rock lined spillways and channels will be constructed to convey flows between the components of the passive treatment system. Wetland plantings will be conducted following construction to provide rapid establishment of dense and diverse vegetation. This treatment system has been operation for 20 years and is in need of repair. This project will result in the permanent impact of .22 acre to palustrine emergent wetland. Latitude: 41.098889°, Longitude: -79.859167°.

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Sage Saum, Clerical Assistant 2, 717-705-4992.

EA3803222-005. Doc Fritchey Chapter Trout Unlimited, P.O. Box 227, Palmyra, PA 17078, Cornwall Borough, **Lebanon County**. U.S. Army Corps of Engineers Baltimore District. Application received: December 17, 2023.

To conduct a stream restoration along 1,105 feet of an unnamed tributary to Snitz Creek (TSF, MF) including 1.) the relocation and maintenance of 384 feet of stream; 2.) the grading and maintenance of 1,164 feet of streambank (left and right banks); 3.) the construction and maintenance of 1,462 linear feet of bankfull benches; 4.) the construction and maintenance of twelve riffles totaling 311 feet in length; 5.) the construction and maintenance of twelve boulder runs; 6.) the construction and maintenance of a 20.0-foot by 10.0-foot temporary timber bridge; 7.) the installation and maintenance of nine rock outcrops; 8.) the placement and maintenance of fill in 120 linear feet of an unnamed tributary to an unnamed tributary to Snitz Creek (TSF, MF); and 9.) the excavation and maintenance of 2.22 acres of floodway along an unnamed tributary to Snitz Creek (TSF, MF), all for the purposes of improving instream habitat and water quality. The project is located immediately downstream of

Culvert Street (Latitude: 40° 17' 11.45" N; Longitude: 76° 24' 41.50" W) in Cornwall Borough, Lebanon County. No wetlands will be impacted by this project.

EROSION AND SEDIMENT CONTROL

The following parties have applied for an Erosion and Sediment Control Permit (ESCP) for an earth disturbance activity associated with either a road maintenance or timber harvesting operation.

Unless otherwise indicated, on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection (DEP) proposes to issue a permit to discharge, subject to certain limitations set forth in the permit conditions. These proposed determinations are tentative. Limitations are provided as erosion and sediment control best management practices (BMPs) which restrict the rate and quantity of sediment discharged.

Individuals wishing to comment on the proposed permit are invited to submit a statement to the appropriate DEP Regional Office listed above the application within 30-days of this public notice. Comments reviewed within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address, and telephone number of the writer and a concise statement to inform DEP of the exact basis of a comment and relevant facts upon which it is based. A public hearing may be held after consideration of comments received by the appropriate DEP Regional Office during the 30-day public comment period.

Following the 30-day comment period, the appropriate Regional Office Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, including the erosion and sediment control plan for the earth disturbance activity are on file and may be inspected at the office identified in this notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Applications Received Under Sections 5 and 402 of the Clean Streams Law (35 P.S. §§ 691.5 and 691.402).

Northwest Region: Oil and Gas Management Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Kate Hogue, Clerical Supervisor 2, 814-332-6860.

ESCGP-3 # ESCGP#3

Applicant Name Olympus Energy LLC

Contact Person Brian Dillemath

Address 501 Technology Drive, Suite 1200

City, State, Zip Canonsburg, PA 15317

Township(s) Forward Township and Elizabeth Township
County Allegheny County

Receiving Stream(s) and Classification(s) Monongahela
River WWF; Perry Mill Run WWF; Fallen Timber Run
WWF

Application received: August 10, 2022

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department of Environmental Protection (DEP) has taken the following actions on previously received applications for new, amended, and renewed National Pollutant Discharge Elimination System (NPDES) and Water Quality Management (WQM) permits, applications for permit waivers, and Notice of Intent (NOIs) for coverage under General Permits, as listed in the following tables. This notice of final action is published in accordance with 25 Pa. Code Chapters 91, 92a, and 102 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). The official file for each listed action can be reviewed at the DEP or delegated County Conservation District (CCD) office identified in the table for the action. DEP/CCD office contact information is listed as follows for Section I and is contained within the table for Section II. Additional information for permits issued under 25 Pa. Code Chapters 91 and 92a and Individual permits under 25 Pa. Code Chapter 102, including links to Individual Chapter 92a NPDES and WQM Permits, may be reviewed by generating the “Final Actions Report” on DEP’s website at www.dep.pa.gov/CWPublicNotice.

DEP office contact information to review official files relating to the final actions in Section I is as follows:

DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484-250-5910. Email: RA-EPNPDES_SERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SERO@pa.gov for Chapter 102 permits.

DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570-826-5472. Email: RA-EPNPDES_NERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NERO@pa.gov for Chapter 102 permits.

DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717-705-4732. Email: RA-EPNPDES_SCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SCRO@pa.gov for Chapter 102 permits.

DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570-327-3693. Email: RA-EPNPDES_NCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NCRO@pa.gov for Chapter 102 permits.

DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412-442-4286. Email: RA-EPNPDES_SWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SWRO@pa.gov for Chapter 102 permits.

DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814-332-6078. Email: RA-EPNPDES_NWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NWRO@pa.gov for Chapter 102 permits.

DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-787-5017. Email: RA-EPNPDES_Permits@pa.gov.

DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law).

The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law. For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board. Individuals who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information. The appeal form and the Board’s rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. Important legal rights are at stake, however, so individuals should contact a lawyer at once.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

For actions taken on applications for pipelines that are regulated by the Federal Energy Regulatory Commission (FERC).

Any person aggrieved by this action may challenge it in an appropriate legal forum. The State and Federal courts are currently split on whether the proper forum to challenge a Department permit, authorization or approval for a facility or activity subject to the Federal Natural Gas Act, 15 U.S.C.A. §§ 717 et seq., is the United States Court of Appeals for the Third Circuit or the Pennsylvania Environmental Hearing Board. See *Delaware Riverkeeper Network v. Sec’y, Dep’t of Env’tl. Prot.*, 833 F.3d 360 (3d Cir. 2016); *Delaware Riverkeeper Network v. Sec’y, Dep’t of Env’tl. Prot.*, 903 F.3d 65 (3d Cir.

2018), cert. denied, 139 S. Ct. 1648, 203 L. Ed. 899 (2019) and *Cole v. Dep't. of Env'tl. Prot.*, 1577 C.D. 2019 WL 2420667 (Pa. Cmwlth Ct. June 15, 2021) (Pet. for Allowance of Appeal pending); *West Rockhill Twp. v. Dep't of Env'tl. Prot.*, No. 1595 C.D. 2019 WL 2426014 (Pa. Cmwlth. June 15, 2021) (Pet. for Allowance of Appeal pending).

I. Final Action(s) on NPDES and WQM Permit Application(s) and NOIs for Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides, CAFOs and Individual Construction Stormwater.

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAD400055	Chapter 102 Individual NPDES Permit	Issued	Northeastern Storage, LLC 59 Brown Street Mountain Top, PA 18707-1124	Fairview Township Luzerne County	NERO
PAD480023	Chapter 102 Individual NPDES Permit	Issued	Tatamy Farms LP 4511 Falmer Drive Bethlehem, PA 18020-9796	Tatamy Borough Northampton County	NERO
PAD510210	Chapter 102 Individual NPDES Permit	Issued	5000 Richmond Holdings, LLC 2 Park Avenue New York, NY 10016-5675	Philadelphia City Philadelphia County	SERO
PA0284793	Industrial Stormwater Individual NPDES Permit	Issued	Glassport Scrap, LLC 40 Allegheny Square Glassport, PA 15045-1649	Glassport Borough Allegheny County	SWRO
0113820	Joint DEP/PFBC Pesticides Permit	Issued	Saltzman Charles 622 Chestnut Hill Road Aspers, PA 17304-9425	Tyrone Township Adams County	SCRO
0213801	Joint DEP/PFBC Pesticides Permit	Issued	Lake Macleod POA 543 Macleod Drive Gibsonia, PA 15044-8962	Pine Township Allegheny County	SWRO
0922817	Joint DEP/PFBC Pesticides Permit	Issued	Luciano Inna 4280 Erica Drive Doylestown, PA 18902-1793	Doylestown Borough Bucks County	SERO
1521815	Joint DEP/PFBC Pesticides Permit	Issued	Chester County Parks 382 County Park Road Pottstown, PA 19465	West Fallowfield Township Chester County	SERO
2113803	Joint DEP/PFBC Pesticides Permit	Issued	Davenport Stephen 2900 Arcona Road Mechanicsburg, PA 17055-5907	Upper Allen Township Cumberland County	SCRO
2619800	Joint DEP/PFBC Pesticides Permit	Issued	Deer Lake Improvement Association P.O. Box 112 Chalk Hill, PA 15421	Wharton Township Fayette County	SWRO
2822803	Joint DEP/PFBC Pesticides Permit	Issued	Treat Jo 14660 Lower Horse Valley Road Orrstown, PA 17244-9427	Letterkenny Township Franklin County	SCRO
3618802	Joint DEP/PFBC Pesticides Permit	Issued	Hufford Larry P.O. Box 4174 Harrisburg, PA 17111	East Cocalico Township Lancaster County	SCRO
3813817	Joint DEP/PFBC Pesticides Permit	Issued	Simpson William 2570 Emma Road Lebanon, PA 17046-1407	North Lebanon Township Lebanon County	SCRO
3822801	Joint DEP/PFBC Pesticides Permit	Issued	Alden Place 100 Freeman Drive Lebanon, PA 17042-9005	Cornwall Borough Lebanon County	SCRO
4613826	Joint DEP/PFBC Pesticides Permit	Issued	Bryemere Holdings, LLC P.O. Box 2021 Warren, MI 48090	Upper Merion Township Montgomery County	SERO
6722807	Joint DEP/PFBC Pesticides Permit	Issued	Bob and Patricia Alexander 1100 Pleasant Grove Road York Haven, PA 17370-8700	Newberry Township York County	SCRO

NOTICES

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0026875	Major Sewage Facility >= 5 MGD Individual NPDES Permit	Issued	Hanover Borough York County 44 Frederick Street Hanover, PA 17331-3501	Hanover Borough York County	SCRO
PA0026557	Major Sewage Facility with CSOs Individual NPDES Permit	Issued	Sunbury City Municipal Authority Northumberland County 462 S 4th Street Sunbury, PA 17801-3134	Sunbury City Northumberland County	NCRO
PA0034886	Minor Industrial Waste Facility with ELG Individual NPDES Permit	Issued	ST Products, LLC d/b/a Small Tube Products P.O. Box 1017 200 Oliphant Drive Duncansville, PA 16635-1017	Allegheny Township Blair County	SCRO
PA0027634	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	PA American Water Co. 852 Wesley Drive Mechanicsburg, PA 17055	Lower Makefield Township Bucks County	SERO
PA0239046	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	JMS Manufacturing, LLC 417 Thorn Street Suite 300 Sewickley, PA 15143-1509	Ridgway Township Elk County	NWRO
PA0262072	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	Knouse Foods Cooperative, Inc. 53 East Hanover Street P.O. Box 807 Biglerville, PA 17307	Huntington Township Adams County	SCRO
PA0032352	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Williamsport Area School District 1400 W 3rd Street Williamsport, PA 17701-7898	Hepburn Township Lycoming County	NCRO
PA0033057	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Nolt Henry W 455b Middle Creek Road Lititz, PA 17543-7303	Londonderry Township Dauphin County	SCRO
PA0080586	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Morton Bldg, Inc. 3370 York Road Gettysburg, PA 17325-8258	Straban Township Adams County	SCRO
PA0083488	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Stonebridge Health & Rehab Center 102 Chandra Drive Duncannon, PA 17020-9745	Penn Township Perry County	SCRO
PA0094099	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Camp Peniel of Meyersdale, Inc. 620 Main Street Berlin, PA 15530-1346	Greenville Township Somerset County	SWRO
PA0094536	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Allegiance Rehab Center, Inc. 1427 Frankstown Road Sidman, PA 15955-4611	Croyle Township Cambria County	SWRO

NOTICES

415

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0203777	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Ductmate Ind. 1502 Industrial Drive Monongahela, PA 15063-9753	Forward Township Allegheny County	SWRO
4305402	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Reorganized Church of Jesus Christ of Latter Day St. 9017 Chillicothe Road Temple Grove Business Office Kirtland, OH 44094-9261	Delaware Township Mercer County	NWRO
09324-S	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Allegiance Rehab Center, Inc. 1427 Frankstown Road Sidman, PA 15955-4611	Croyle Township Cambria County	SWRO
NOEXNW066	No Exposure Certification	Issued	Handsome Lake Energy, LLC 173 Cornplanter Lane Kennerdell, PA 16374-4935	Rockland Township Venango County	NWRO
NOEXNW175	No Exposure Certification	Issued	Flexcut Tool Co., Inc. 8105 Hawthorne Drive Erie, PA 16509-4653	Summit Township Erie County	NWRO
NOEXNW220	No Exposure Certification	Issued	Deist Ind, LLC 3547 Perry Highway Hadley, PA 16130-2325	Sandy Creek Township Mercer County	NWRO
NOEXSE116	No Exposure Certification	Issued	Air Liquide Healthcare America Corp 6141 Easton Road Plumsteadville, PA 18949	Plumstead Township Bucks County	SERO
PAR608311	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	AIM Recycling Erie, LLC 1431 East Avenue Erie, PA 16503-1570	Erie City Erie County	NWRO
PAG136233	PAG-13 NPDES General Permit for MS4s	Waived	Scalp Level Borough Cambria County 422 Main Street Windber, PA 15963-1017	Scalp Level Borough Cambria County	SWRO
PAG136286	PAG-13 NPDES General Permit for MS4s	Waived	Ferndale Borough Cambria County 109 Stanton Street Johnstown, PA 15905	Ferndale Borough Cambria County	SWRO
PAG136409	PAG-13 NPDES General Permit for MS4s	Waived	Coal Center Borough Washington County P.O. Box 292 Coal Center, PA 15423-0292	Coal Center Borough Washington County	SWRO
5609402	Sewage Treatment Facilities Individual WQM Permit	Issued	Camp Peniel of Meyersdale, Inc. 620 Main Street Berlin, PA 15530-1346	Greenville Township Somerset County	SWRO
1322401	Sewer Extensions Individual WQM Permit	Issued	Lower Towamensing Township Carbon County 595 Hahns Dairy Road Palmerton, PA 18071-5419	Lower Towamensing Township Carbon County	NERO
1422401	Sewer Extensions Individual WQM Permit	Issued	ORD Sewer Authority 235 Skips Lane Osceola Mills, PA 16666-1753	Decatur Township Clearfield County	NCRO
PA0245445	Single Residence STP Individual NPDES Permit	Issued	Formica Michael 24 Meng Road Schwenksville, PA 19473-1729	Lower Frederick Township Montgomery County	SERO

NOTICES

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0261475	Single Residence STP Individual NPDES Permit	Issued	Broad Top Township Bedford County 124 Hitchens Road Defiance, PA 16633-9002	Broad Top Township Bedford County	SCRO
PA0266361	Single Residence STP Individual NPDES Permit	Issued	Stephens Jennifer D 53 Sassafras Lane Delta, PA 17314-7000	Peach Bottom Township York County	SCRO
PA0291293	Single Residence STP Individual NPDES Permit	Issued	Staley Matthew 946 McEwen Road Sligo, PA 16255-2120	Monroe Township Clarion County	NWRO
PA0291340	Single Residence STP Individual NPDES Permit	Issued	McDeavitt David 418 Deer Run Road Slippery Rock, PA 16057-2940	Slippery Rock Township Butler County	NWRO
PA0291358	Single Residence STP Individual NPDES Permit	Issued	McDeavitt David 418 Deer Run Road Slippery Rock, PA 16057-2940	Slippery Rock Township Butler County	NWRO
PA0291374	Single Residence STP Individual NPDES Permit	Issued	Belinda and Scott Dentler 5831 Harborgreene Road Erie, PA 16510-5268	Greene Township Erie County	NWRO
1022417	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	McDeavitt David 418 Deer Run Road Slippery Rock, PA 16057-2940	Slippery Rock Township Butler County	NWRO
1022418	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	McDeavitt David 418 Deer Run Road Slippery Rock, PA 16057-2940	Slippery Rock Township Butler County	NWRO
1622404	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Staley Matthew 946 McEwen Road Sligo, PA 16255-2120	Monroe Township Clarion County	NWRO
2522435	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Belinda and Scott Dentler 5831 Harborgreene Road Erie, PA 16510-5268	Greene Township Erie County	NWRO
4622407	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Formica Michael 24 Meng Road Schwenksville, PA 19473-1729	Lower Frederick Township Montgomery County	SERO
6716402	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Stephens Jennifer D 53 Sassafras Lane Delta, PA 17314-7000	Peach Bottom Township York County	SCRO
WQG02252203	WQG-02 WQM General Permit	Issued	Summit Township Sewer Authority Erie County 68 Port Access Road Erie, PA 16507-2204	Erie City Erie County	NWRO

II. Final Action(s) on PAG-01 and PAG-02 General NPDES Permit NOIs.

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC090531 A-1	PAG-02 General Permit	Issued	The Dow Chemical Company 200 Route 413 Bristol, PA 19007	Bristol Township Bucks County	Bucks County Conservation District 1456 Ferry Road Doylestown, PA 18901-5550 215-345-7577 x110 RA-EPNPDES_SERO@ pa.gov
PAC140042 A-3	PAG-02 General Permit	Issued	SunCap Property Group, LLC 6101 Carnegie Blvd Suite 180 Charlotte, NC 28209	Benner Township Centre County	Centre County Conservation District 414 Holmes Avenue Suite 4 Bellefonte, PA 16823-1400 814 355-6817
PAC170015-01	PAG-02 General Permit	Issued	Atlas Pressed Metals 125 Tom Mix Drive DuBois, PA 15801	City of DuBois Clearfield County	Clearfield County Conservation District 6395 Clearfield- Woodland Highway Suite 2 Clearfield, PA 16830-1923 814-765-2629
PAC600096	PAG-02 General Permit	Issued	Philip Kurtz 1560 Church Road Mifflinburg, PA 17844	West Buffalo Township Union County	Union County Conservation District 155 N 15th Street Lewisburg, PA 17837 570 524-3860
PAC090546	PAG-02 General Permit	Issued	Warrington Easton, LLC 4 Caufield Place Suite 102 Newtown, PA 18940	Warrington Township Bucks County	Bucks County Conservation District 1456 Ferry Road Doylestown, PA 18901-5550 215-345-7577 x110 RA-EPNPDES_SERO@ pa.gov
PAC2100094A-1	PAG-02 General Permit	Issued	Hertzler Road Associates, LP 4400 Deer Path Road Suite 1 Harrisburg, PA 17110	Upper Allen Township Cumberland County	Cumberland County Conservation District 310 Allen Road Suite 301 Carlisle, PA 17013 717-240-7812
PAC210284	PAG-02 General Permit	Issued	Mihail Malinov 2509 Mill Road Mechanicsburg, PA 17055	Upper Allen Township Cumberland County	Cumberland County Conservation District 310 Allen Road Suite 301 Carlisle, PA 17013 717-240-7812
PAC200091	PAG-02 General Permit	Issued	Giant Eagle Inc. 101 Kappa Drive Pittsburgh, PA 15238	Vernon Township Crawford County	Crawford County Conservation District 21742 German Road Meadville, PA 16335 814-763-5269
PAC100280	PAG-02 General Permit	Issued	Woodland Reserve LP 361 Mars Valencia Road Mars, PA 16046	Jackson Township Butler County	Butler County Conservation District 120 Hollywood Drive Suite 201 Butler, PA 16001 724-284-5270

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC200065A2	PAG-02 General Permit	Issued	Hillandale Gettysburg LP 3910 Oxford Road Gettysburg, PA 17325	East Fallowfield Township Crawford County	Crawford County Conservation District 21742 German Road Meadville, PA 16335 814-763-5269
PAC010215	PAG-02 General Permit	Issued	Interchange Storage 4652 US 6 West Ulysses, PA 16948	Cumberland Township Cumberland County	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325 717-334-0636

**STATE CONSERVATION COMMISSION
NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS
FOR NPDES PERMITS FOR CAFOs**

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. The appeal form and the Board’s rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at 717-787-3483 for more information.

**NUTRIENT MANAGEMENT PLAN
CAFO PUBLIC NOTICE SPREADSHEET—ACTIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Reu-Hel Farms 638 Railroad Road Mohrsville, PA 19541	Berks County	531.8	572.07	Dairy/ Ducks	NA	Approved

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania*

Bulletin unless the appropriate statute provides a different time period. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. The appeal form and the Board’s rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsyl-

vania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information.

SAFE DRINKING WATER

Actions Taken Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Northeast Region: Safe Drinking Water Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Terri Yench, Clerical Assistant 2, 570-830-3048.

Operation Permit No. 3480072, Public Water Supply.

Applicant	Gap View MHC, LLC
Address	1199 Lancaster Avenue Suite 100 Berwyn, PA 19312
Municipality	Lehigh Township
County	Northampton County
Consulting Engineer	Nathan Jameson Gap View MHC, LLC 1199 Lancaster Avenue Suite 100 Berwyn, PA 19312
Application Received	October 14, 2022
Permit Issued	December 27, 2022
Description	Permit Transfer

Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Joseph M. Mattucci, Program Manager, 717.705.4708.

Operation Permit No. 0722507 MA, Minor Amendment, Public Water Supply.

Applicant	Altoona Water Authority
Address	900 Chestnut Avenue Altoona, PA 16601
Municipality	Logan Township
County	Blair County
Consulting Engineer	Michael Sinisi, P.E. Altoona Water Authority 900 Chestnut Avenue Altoona, PA 16601
Application Received	October 17, 2022
Permit Issued	December 23, 2022
Description	The rehabilitation of the existing 0.35 MG "Super High" Water Storage Tank.

Operation Permit No. 0722508 MA, Minor Amendment, Public Water Supply.

Applicant	Altoona Water Authority
Address	900 Chestnut Avenue Altoona, PA 16601

Municipality	Blair Township
County	Blair County
Consulting Engineer	Michael Sinisi, P.E. Altoona Water Authority 900 Chestnut Avenue Altoona, PA 16601
Application Received	December 17, 2022
Permit Issued	December 24, 2022
Description	The rehabilitation of the existing 3.0 MG Duncansville Water Storage Tank.

Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Wade Cope, P.E., Environmental Engineer, 717-705-4708.

NCWSA Construction Permit 7210356. PWSID No. **7210356. American Islamic Cultural Center**, 18 Blue Marlin Way, Mechanicsburg, PA 17050, Silver Spring Township, **Cumberland County**. Application received: October 27, 2022. Permit Issued: December 23, 2022. New system and treatment, including a well, pressure tank, flow meter, cartridge filtration, UV unit, and flow control.

Construction/Operation Permit 2122511 MA. PWSID No. **7210322. Cumberland Valley School District**, 6746 Carlisle Pike, Mechanicsburg, PA 17050, Monroe Township, **Cumberland County**. Application received: November 16, 2022. Permit Issued: December 23, 2022. Replace the existing Well No. 1 submersible well pump at Monroe Elementary School.

Operation Permit 3061106. PWSID No. **3061106. Wagner Farms Partnership**, 490 Hunter Road, Oley, PA 19547, Oley Township, **Berks County**. Application received: December 16, 2022. Permit Issued: January 3, 2023. Comprehensive operation permit for operation of equipment installed under Construction Permit No. 0621523, as well as transfer in ownership from Oley Turnpike Dairy, Inc. to Wagner Farms Partnership.

Southwest Region: Safe Drinking Water Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Renee Diehl, Program Manager, ra-epsdsw@pa.gov.

Operation Permit 5026048-T4-A1. PWSID No. **5026048. DS Services of America, Inc.**, 45 West Noblestown Road, Carnegie, PA 15106, Collier Township, **Allegheny County**. Application received: August 15, 2022. Permit Issued: September 8, 2022. The removal of Entry Point No. 105 (Distilled with Minerals and Fluoride).

Operation Permit 5026467-153. PWSID No. **5046467. GW Services, Inc.**, 2615 Temple Heights Drive, Oceanside, CA 92056. Application received: March 31, 2022. Permit Issued: October 31, 2022. Deactivating Entry Point No. 153, (vending machine located at the Giant Eagle at 1600 W State Route 65).

Operation Permit 5026467-182. PWSID No. **4116467. GW Services, Inc.**, 2615 Temple Heights Drive, Oceanside, CA 92056. Application received: October 17,

2022. Permit Issued: October 31, 2022. Deactivating Entry Point No. 182, (vending machine located at the Save A Lot at 346 Sheridan Street).

Operation Permit 5026566-101. PWSID No. **5026566.** **National Water Services, LLC**, 1217 Parkway Drive, Santa Fe, NM 87507, City of Pittsburgh, **Allegheny County**. Application received: October 3, 2022. Permit Issued: November 15, 2022. Deactivating Entry Point No. 101 (RO) (vending machine located at Whole Foods Market # 152 at 5880 Centre Avenue.

Operation Permit 5026566-102. PWSID No. **5026566.** **National Water Services, LLC**, 1217 Parkway Drive, Santa Fe, NM 87507, City of Pittsburgh, **Allegheny County**. Application received: October 3, 2022. Permit Issued: November 15, 2022. Deactivating Entry Point No. 102 (Distilled) (vending machine located at Whole Foods Market # 152 at 5880 Centre Avenue.

Operation Permit 5026566-105. PWSID No. **5026566.** **National Water Services, LLC**, 1217 Parkway Drive, Santa Fe, NM 87507, City of Pittsburgh, **Allegheny County**. Application received: October 3, 2022. Permit Issued: November 15, 2022. Deactivating Entry Point No. 105 (RO-pH) (vending machine located at Whole Foods Market # 152 at 5880 Centre Avenue.

SEWAGE FACILITIES ACT PLAN DISAPPROVAL

Plan Disapprovals Granted Under the Pennsylvania Sewage Facilities Act, Act of January 24, 1966, P.L. 1535, as Amended, 35 P.S. § 750.5.

Southwest Region: Clean Water Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Brenden Valko, Sewage Planning Specialist, 412-442-4116.

Plan Location:

Municipality	Address	County
New Sewickley Township	233 Miller Road Rochester, PA 15074	Beaver County

Plan Description:

The Meadow Crest Development, 04943-22-025. The proposed development consists of a 250 EDU residential development with a Private Wastewater Treatment Facility.

HAZARDOUS SITES CLEAN-UP UNDER THE ACT OF OCTOBER 18, 1988

Proposed Settlement Under the Comprehensive Environmental Response, Compensation, and Liability Act and the Hazardous Sites Cleanup Act

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Charline Bass, 484-250-5787.

Naval Air Station Joint Reserve Base (NASJRB) Willow Grove and Biddle Air National Guard Base (Biddle ANGB), Route 611 and County Line Road, Horsham, PA 19040, Horsham Township, **Montgomery County**.

Under the authority of the Comprehensive Environmental Response, Compensation, and Liability Act of 1980, as amended (42 U.S.C.A. §§ 9601—9675) (CERCLA) and/or the Hazardous Sites Cleanup Act, as amended (35 P.S. §§ 6020.101—6020.1305) (HSCA), the United States Environmental Protection Agency Region

III (EPA), the Pennsylvania Department of Environmental Protection (Department), the United States Department of the Navy (Navy), and the United States Air Force (Air Force) (collectively “the Parties”) are proposing to enter into a settlement to amend a Federal Facility Agreement (FFA), CERCLA Docket Number: CERC-03-2005-0038FF, that the Parties entered into on June 27, 2005.

The 2005 Defense Base Closure and Realignment Commission’s (BRAC) final and Congressionally-approved recommendations closed NASJRB Willow Grove. The Navy continues to hold real property accountability for NASJRB Willow Grove pending BRAC property disposal. In 2009 and 2011, 45 acres of excess NASJRB Willow Grove property was transferred to the Air Force for use by the Horsham Air Guard Station (HAGS), which was renamed Biddle Air National Guard Base (Biddle ANGB) on January 13, 2021. The Air Force continues to hold real property accountability for Biddle ANGB, which includes the 162-acres former Willow Grove Air Reserve Station (WGARS) in addition to the 45 acres of excess NASJRB Willow Grove property transferred to the Air Force in 2009 and 2011. The United States Air National Guard (ANG), a component of the Air Force, is responsible for the day-to-day operations of Biddle ANGB.

The proposed amendment to the FFA would enable the Air Force and ANG to comply with applicable provisions of CERCLA and the Resource Conservation and Recovery Act (RCRA) and bring all restoration activities, including but not limited to those related to per- and poly-fluorinated alkyl substances (PFAS), including, but not limited to, perfluorooctanoic acid (PFOA) and perfluorooctane sulfonate (PFOS), on and/or attributable to Biddle ANGB under the FFA.

Under section 1113 of HSCA (35 P.S. § 6020.1113), the Department is publishing notice of this proposed amendment to the FFA and is providing a 60-day period for public comment commencing with the date of this publication. Copies of the FFA and the proposed amendment are available for public review at: <https://www.111attackwing.ang.af.mil/click> on the “COMMUNITY/ENVIRO” dropdown menu located towards the bottom of the page). Written comments may be submitted by mail or email to: Colin Wade, Environmental Protection Specialist, Department of Environmental Protection, 2 East Main Street, Norristown, PA 19401/cowade@pa.gov and/or Sarah Kloss, Remedial Project Manager, U.S. EPA, Region III, 1600 JFK Blvd., Philadelphia, PA 19103/kloss.sarah@epa.gov. Further information or a copy of the FFA and/or the proposed amendment to the FFA can be obtained by contacting Mr. Wade at cowade@pa.gov or (484) 250-5722 or Brian Glass, Assistant Counsel, Office of Chief Counsel, at briaglass@pa.gov or (484) 250-5870.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

**UNDER ACT 2, 1995
PREAMBLE 2**

The Following Plans and Reports Were Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and

reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The Department has received the following plans and reports.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

D. Lauer Pad 1, Primary Facility ID # **862138**, 3057 Garrison Road, Springville, PA 18844, Springville Township, **Susquehanna County**. Resource Environmental Management, 50 Maple Street, Montrose, PA 18801, on behalf of Coterra Energy, Inc., 2000 Park Lane, Suite 300, Pittsburgh, PA 15275, submitted a Final Report concerning remediation of soil contaminated with diesel. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

DPH Well Pad, Primary Facility ID # **861090**, 258 Deer Park Lane, Mehoopany, PA 18629, Windham Township, **Wyoming County**. Creston Environmental, P.O. Box 1373, Camp Hill, PA 17001, on behalf of Chesapeake Appalachia LLC, 14 Cheasapeake Lane, Sayre, PA 18840, submitted a Final Report concerning remediation of soil contaminated with ethylene glycol. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

Prem Ventures (Shavertown Shell), Primary Facility ID # **780259**, 125 North Memorial Highway, Shavertown, PA 18708, Kingston Township, **Luzerne County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Prem Ventures LLC, 799 Coon Road, Wyoming, PA 18644, submitted a Final Report concerning remediation of soil and groundwater contaminated with gasoline. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Environmental Cleanup & Brownfields Program Manager, 717-705-4705.

Former Village Greens Golf Course, Primary Facility ID # **705749**, 3901 Penn Avenue, Sinking Spring, PA 19608, Sinking Spring Borough, **Berks County**. Liberty Environmental, Inc., 505 Penn Street, Suite 400, Reading, PA 19601, on behalf of Sinking Spring Associates, LLC, 300 Water Street, Suite 300, Wilmington, DE 19801-5037, submitted a Cleanup Plan concerning remediation of soil and groundwater contaminated with Arsenic and Various Pesticides. The Cleanup Plan is intended to document remediation of the site to meet the site-specific standards.

1501 North George Street, Primary Facility ID # **830589**, 1501 North George Street, York, PA 17404, Manchester Township, **York County**. Liberty Environmental, Inc., 505 Penn Street, Suite 400, Reading, PA 19601, on behalf of George Street Investors, LLC, P.O. Box 429, Conshohocken, PA 19428, submitted a Final Report concerning remediation of soil and groundwater contaminated with Leaded and Unleaded Gasoline Compounds. The Final Report is intended to document remediation of the site to meet the site-specific standards.

15 Railroad Avenue, LLC, Primary Facility ID # **860238**, 15 Railroad Avenue, Newville, PA 17241-1514, Newville Borough, **Cumberland County**. ECS Mid-Atlantic, LLC, 52-6 Grumbacher Road, York, PA 17406, on behalf of Pyramid Reality Group, LP, 3250 Fox Run Drive, Allentown, PA 18103, submitted a Final Report concerning remediation of soil contaminated with Lead and Arsenic. The Final Report is intended to document remediation of the site to meet the site-specific standards.

MTS Bethel Properties/Berman Truck Group, Primary Facility ID # **848790**, 175 Legion Drive, Bethel, PA 19507, Bethel Township, **Berks County**. Compliance Plus Services, Inc., 240 Gibraltar Road, Suite 100, Horsham, PA 19044, on behalf of Berman Truck Group, 83 Ashley Way, Leesport, PA 19533, submitted a Final Report concerning remediation of soil and groundwater contaminated with Heating Oil. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Kam Miseikyte, Clerical Assistant 2, 412-442-4091.

Hussey Copper, Primary Facility ID # **854095**, 100 Washington Street, Leetsdale, PA 15056, Leetsdale Borough, **Allegheny County**. Wood Environment & Infrastructure, 437 Grant Street, Suite 918, Pittsburgh, PA 15219, on behalf of Libertas Copper, 100 Washington Street, Leetsdale, PA 15056, submitted a Final Report concerning remediation of soil and groundwater contaminated with aluminum, arsenic, barium, cadmium, chromium III, copper, lead, mercury, nickel, selenium, silver, zinc, volatile organics, semi-volatile organics and polychlorinated biphenyls. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 3

The Department Has Taken Action on the Following Plans and Reports Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The DEP may approve or disapprove plans and reports submitted. This notice provides DEP's decision and, if relevant, the basis for disapproval.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The DEP has received the following plans and reports.

Northcentral Region: Environmental Cleanup & Brownfields Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Lisa Hensel, Clerical Assistant 2, 570-327-3653.

Schmidt Baking Company Project, Primary Facility ID # **859250**, US Route 15 at MM 148N, Trout Run, PA 17771, Lewis Township, **Lycoming County**. EnviroServe, Inc., 254 Reitz Avenue, Winfield, PA 17889, on behalf of

Schmidt Baking Company, Inc., 7801 Fitch Lane, Baltimore, MD 21231, submitted a Final Report concerning remediation of soil contaminated with diesel fuel and transmission fluid. The Final Report demonstrated attainment of the Statewide health standards. Approved: November 30, 2022.

Jads 25HC on the Jads Pad, Primary Facility ID # **862407**, 1800 Grandpop Trail, Monroeton, PA 18832, Monroe Township, **Bradford County**. Creston Environmental, LLC, P.O. Box 1373, Camp Hill, PA 17001, on behalf of Chesapeake Appalachia, LLC, 14 Chesapeake Lane, Sayre, PA 18840, submitted a Final Report concerning remediation of soil contaminated with diesel fuel. The Final Report demonstrated attainment of the Statewide health standards. Approved: December 15, 2022.

Thomas Kitchen Property, Primary Facility ID # **850480**, 6850 Hiday Church Road, Bloomsburg, PA 17815, South Centre Township, **Columbia County**. DMS Environmental Services, LLC, 103 South Spring Street, Bellefonte, PA 16823, on behalf of Thomas Kitchen, P.O. Box 183, Laporte, PA 18626, submitted a combined Remedial Investigation Report/Cleanup Plan/Final Report concerning remediation of soil contaminated with No. 2 fuel oil. The Report demonstrated attainment of the site-specific standards. Approved: December 27, 2022.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

23 Church Lane, Primary Facility ID # **860423**, 23 Church Lane, Orwigsburg, PA 17961, West Brunswick Township, **Schuylkill County**. EFI Global, 11 Commerce Way, Suite A, Totowa, NJ 07512, on behalf of Ross Hermany, 23 Church Lane, Orwigsburg, PA 17961, submitted a Final Report concerning remediation of soil contaminated with diesel. The Final Report demonstrated attainment of the Statewide health standards. Approved: December 27, 2022.

530 Milford Street, Primary Facility ID # **858081**, 530 Milford Street, Easton, PA 18045, Palmer Township, **Northampton County**. Barry Isett & Associates, 85 South Route 100, Allentown, PA 18106, on behalf of Brookside Commercial Construction, 823 Third Street, Whitehall, PA 18052, submitted a Risk Assessment/Remedial Investigation/Final Report concerning remediation of soil contaminated with arsenic from historic site operations. The Report demonstrated attainment of the site-specific standards. Approved: December 28, 2022.

Bethlehem Commerce Center Site—Majestic Parcel Lot S, Primary Facility ID # **682648**, 3551 Commerce Center Boulevard, Bethlehem, PA 18015, City of Bethlehem, **Northampton County**. Ramboll Americas Engineering Solutions, Inc., 751 Arbor Way, Suite 200, Blue Bell, PA 19422, on behalf of Commerce Construction Co. LP, 13191 Crossroads Parkway North, 6th Floor, Industry, CA 91746, submitted a Final Report concerning remediation of soil contaminated with Boron, Thallium, Lead, Iron, Benzo(a)pyrene, Benzo(a)anthracene, Benzene, Naphthalene, Dibenz(a,h)anthracene, and Tetrachloroethene from historic industrial operations. The Final Report demonstrated attainment of the site-specific standards. Approved: January 3, 2023.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Environmental Cleanup & Brownfields Program Manager, 717-705-4705.

Homes at Thackston Park Phase 2, Primary Facility ID # **854009**, 300-342 West College Avenue, York, PA 17401, City of York, **York County**. Element Environmental Solutions, Inc., 61 Willow Street, P.O. Box 921, Adamstown, PA 19501, on behalf of Cone, Inc., 31 South Broad Street, York, PA 17403, submitted a Remedial Investigation Report/Cleanup Plan concerning remediation of soil contaminated with Fill containing certain Metals. The Report demonstrated attainment of the Statewide health and site-specific standards. Approved: December 19, 2022.

Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Kam Miseikyte, Clerical Assistant 2, 412-442-4091.

Nine Mile Run Phase III, Primary Facility ID # **624451**, Commercial and Goodman Streets, Pittsburgh, PA 15218, City of Pittsburgh, **Allegheny County**. Civil & Environmental Consultants, Inc., 700 Cherrington Parkway, Moon Township, PA 15108, on behalf of Urban Development Authority of Pittsburgh, 412 Boulevard of the Allies, Suite 901, Pittsburgh, PA 15219, submitted a Remedial Investigation Report/Risk Assessment Report/Cleanup Plan concerning remediation of soil and groundwater contaminated with arsenic, iron, manganese, thallium, and vanadium. The Report did not demonstrate attainment of the site-specific standards. Issued a technical deficiency letter: December 23, 2022.

Mojo Compressor Station, Primary Facility ID # **862141**, 1415 Amity Ridge Road, Washington, PA 15311, Amwell Township, **Washington County**. SE Technologies, LLC, 500 Mosites Way, Pittsburgh, PA 15205, on behalf of Equitrans Midstream, 2200 Energy Drive, Canonsburg, PA 15317, submitted a Final Report concerning remediation of soil contaminated with ethylene glycol. The Final Report demonstrated attainment of the Statewide health standards. Approved: December 29, 2022.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Actions(s) Taken on Permit(s) Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101–6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101–4000.1904); and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southwest Region: Waste Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Waste Management Program Manager.

100281. Greenridge Reclamation, LLC, 234 Landfill Road, Scottdale, PA 15683, East Huntingdon Township, **Westmoreland County**. Permit renewal for continued operation of the Greenridge Reclamation Landfill until October 5, 2024. Application received: March 8, 2022. Permit issued: December 30, 2022.

Persons interested in reviewing the permit may contact Regional Files (412-442-4100), Southwest Region,

400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

AIR QUALITY

Actions(s) Taken on General Plan Approval(s) and Operating Permit(s) Usage Authorized Under the Air Pollution Control Act (35 P.S. §§ 4001–4015) and 25 Pa. Code Chapter 127 to Construct, Modify, Reactivate or Operate Air Contamination Sources and Associated Air Cleaning Devices.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Shailesh Patel, Air Quality Engineer, 570-826-2341.

GP14-003: Heller Funeral Home, LLC, 633 East Third Street, Nescopeck, PA 18635, Nescopeck Borough, **Luzerne County**. For the construction and operation of a crematory controlled by an after burner at the facility. Application received: December 16, 2022. Issued: December 28, 2022.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.

GP13-67-05123: York Materials Group, LLC, 950 Smile Way, York, PA 17404, Jackson Township, **York County**. For the Thomasville Batch Asphalt Plant, under GP13, at the facility. The general permit authorization was renewed. Application received: November 30, 2022. Issued: December 27, 2022.

GP3-28-03075: Scott's Hauling & Excavating, Inc., 1462 North Franklin Street, Chambersburg, PA 17202, Saint Thomas Township, **Franklin County**. For portable nonmetallic mineral crushing equipment, under GP3, at the Saint Thomas Development Quarry. Application received: December 6, 2022. Issued: December 30, 2022.

GP9-28-03075: Scott's Hauling & Excavating, Inc., 1462 North Franklin Street, Chambersburg, PA 17202, Saint Thomas Township, **Franklin County**. For two diesel engines to power portable nonmetallic mineral crushing equipment, under GP9, at the Saint Thomas Development Quarry. Application received: December 6, 2022. Issued: December 30, 2022.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: James Beach, New Source Review Chief, 484-250-5920.

GP3-09-0168: Eureka Stone Quarry, Inc., 800 Lower State Rd, Chalfont, PA 18914, Warrington Township, **Bucks County**. A general permit for a Portable Nonmetallic Mineral Processing Plant. Application received: November 14, 2022. Issued: December 27, 2022.

GP9-09-0127: Eureka Stone Quarry, Inc., 800 Lower State Rd, Chalfont, PA 18914, Warrington Township, **Bucks County**. A general permit for three diesel-fired internal combustion engines. Application received: November 14, 2022. Issued: December 27, 2022.

GP3-09-0167: Eureka Stone Quarry Inc., 800 Lower State Rd., Chalfont, PA 18914, Wrightstown Township, **Bucks County**. A general permit for a portable nonmetallic mineral processing plant. Application received: November 8, 2022. Issued: December 29, 2022.

GP9-09-0126: Eureka Stone Quarry Inc., 800 Lower State Rd., Chalfont, PA 18914, Wrightstown Township, **Bucks County**. A general permit for a Diesel or No. 2 Fuel-fired Internal Combustion Engine. Application received: November 8, 2022. Issued: January 29, 2023.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Thomas Joseph, P.E., Facilities Permitting Chief, 412-442-4336.

GP3-65-01134: R.S. Services, 119 Falls Road, Beech Creek, PA 16822, Donegal Township, **Westmoreland County**. For authorization to use GP-3 to construct and operate portable nonmetallic mineral processing equipment at the New Enterprise Stone & Lime Company, Inc., Bakersville IV Quarry. Application received: October 3, 2022. Authorized: December 29, 2022.

GP5A-30-00813 (AG5A-30-00012A): CNX Gas Company, LLC, 1000 Consol Energy Drive, Canonsburg, PA 15317, Richhill Township, **Greene County**. For authorization under GP-5A to construct and/or operate sources and controls associated with natural gas production operations at its Majorsville 18 Well Pad. Application received: September 14, 2022. Authorized: December 28, 2022.

GP11-65-01134: R.S. Services, 119 Falls Road, Beech Creek, PA 16822, Donegal Township, **Westmoreland County**. For authorization to use GP-11 to construct and operate nonroad diesel engines associated with portable nonmetallic mineral processing equipment at the New Enterprise Stone & Lime Company, Inc., Bakersville IV Quarry. Application received: October 3, 2022. Authorized: December 29, 2022.

Actions(s) Taken on Plan Approval(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and Regulations in 25 Pa. Code Chapter 127, Subchapter B Relating to Construction, Modification and Reactivation of Air Contamination Sources and Associated Air Cleaning Devices.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

08-00010R: Global Tungsten & Powders Corp., 1 Hawes Street, Towanda, PA 18848, Towanda Borough, **Bradford County**. For the installation of a new dust collector and HEPA filter to replace the previously installed dust collector and HEPA filter on the existing Calciner # 4 (Source ID P218) at the Towanda Facility. Application received: July 19, 2022. Issued: December 8, 2022.

08-00010S: Global Tungsten & Powders Corp., 1 Hawes Street, Towanda, PA 18848, Towanda Borough, **Bradford County**. For the installation of a new dust collector and HEPA filter to replace the previously installed cyclone collector and wet scrubber on the existing Calciner # 5 (Source ID P219) at the Towanda Facility. Application received: July 19, 2022. Issued: December 8, 2022.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Shailesh Patel, Air Quality Engineer, 570-826-2341.

48-00022C: Ardent Mill, LLC, 4888 S Delaware Drive, Martins Creek, PA 18063, Lower Mount Bethel Township, **Northampton County**. For the installation and operation of additional particulate emission control devices and a new organic feed bin with particulate emission control device at the existing grain processing facility operating at Lower Mount Bethel Twp., Northampton County. Application received: September 12, 2022. Issued: December 29, 2022.

Plan Approval Revision(s) Issued Including Extension(s), Minor Modification(s) and Transfer(s) of Ownership Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

08-00017A: Northern Tier Solid Waste Authority, 86 PPL Road, Danville, PA 17821, West Burlington Township, **Bradford County**. The facility was issued a plan approval extension to allow additional time to incorporate the plan approval into Operating Permit and to permit continued operation of the western expansion waste cells (Source ID P200) for their municipal waste landfill. The plan approval has been extended for an additional 180 days. Application received: December 11, 2022. Revised: December 21, 2022.

18-00030C: First Quality Tissue, LLC, 904 Woods Avenue, Lock Haven, PA 17745, Castanea Township, **Clinton County**. The facility was issued a plan approval extension to June 28, 2023, for the temporary operation of the paper towel and tissue manufacturing operation authorized under the plan approval while the source awaits confirmation of compliance demonstration. Application received: December 16, 2022. Extension: December 28, 2022.

18-00030D: First Quality Tissue, LLC, 904 Woods Avenue, Lock Haven, PA 17745, Castanea Township, **Clinton County**. The facility was issued a plan approval extension to June 28, 2023, for the temporary operation of the paper towel and tissue manufacturing operation authorized under the plan approval while the source awaits confirmation of compliance demonstration. Application received: December 16, 2022. Extension: December 28, 2022.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: David Balog, New Source Review Chief, 814-332-6940.

03-00975D: Armstrong Power, LLC, South Bend Facility, 2313 State Route 156, Shelocta, PA 15774, South Bend Township, **Armstrong County**. The Department has issued a plan approval extension to allow DEP's Source Testing section more time to review pending stack test reports prior to plan approval roll-in. This is a Title V facility. Application received: November 30, 2022. Issued: December 23, 2022. Expiration date: June 30, 2023.

37-00008C: Ellwood City Forge, 600 Commercial Avenue, Ellwood City, PA 16117, Ellwood City Borough, **Lawrence County**. The Department has issued a plan approval extension to allow the facility more time to conduct stack testing. This is a State Only facility. Application received: October 5, 2022. Issued: December 23, 2022. Expiration date: June 30, 2023.

42-00011C: International Waxes, Inc., 45 Route 446, Smethport, PA 16749, Keating Township, **McKean County**. The Department has issued a plan approval extension to allow for additional time for project shakedown activities. This is a Title V facility. Application received: November 7, 2022. Issued: December 23, 2022. Expiration date: June 30, 2023.

43-00310H: Top Gun Investment Corp II, NLMK Pennsylvania, LLC, 15 Roemer Boulevard, Farrell, PA 16121, City of Farrell, **Mercer County**. The Department has issued a plan approval extension to allow more time for walking beam furnace project shakedown activities. This is a Title V facility. Application received: December 14, 2022. Issued: December 20, 2022. Expiration date: June 30, 2023.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.

28-05002Q: Letterkenny Army Depot, One Overcash Avenue, Chambersburg, PA 17201, Greene Township and Letterkenny Township, **Franklin County**. For the construction of two replacement paint stripping tanks in Building 377 at the Letterkenny Army Depot. The two paint stripping tanks to be constructed in Building 377 will replace two existing paint stripping tanks in Building 370. The plan approval was extended. Application received: December 13, 2022. Issued: December 28, 2022.

28-05002S: Letterkenny Army Depot, One Overcash Avenue, Chambersburg, PA 17201, Letterkenny Township, **Franklin County**. For the permanent shutdown and removal of the Regenerative Thermal Oxidizer (RTO), which has functioned as a VOC control device for four coating booths operating inside Building 350, and for the rework of the ventilation system for the coating booths at the Letterkenny Army Depot. The plan approval also revised the facility's existing PAL provisions. The plan approval was extended. Application received: December 13, 2022. Issued: December 28, 2022.

05-03022A: Cronimet Specialty Metals USA, Inc., 172 Friendship Village Road, Bedford, PA 15522, Bedford Township, **Bedford County**. For the construction of four burnoff ovens and two tungsten carbide cleaning lines at the metals recovery and recycling facility. The plan approval was extended. Application received: December 8, 2022. Issued: December 30, 2022.

67-05092I: Starbucks Coffee Company, 3000 Espresso Way, York, PA 17406, East Manchester Township, **York County**. For the installation of a new roasting train to replace the existing Roasting Train No. 3 and new chaff press cartridge collector to supplement the existing fabric collector at the facility located in East Manchester Township, York County. The new roasting train will include the following equipment: two preheaters, two roasters, two cooling trays, two destoners, two regenerative thermal oxidizers (RTO), and four cyclones. The following existing equipment will be removed: two roasters, two cooling trays, two catalytic oxidizers, and

two cyclones. The plan approval was extended. Application received: December 23, 2022. Issued: December 30, 2022.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

06-05081C: Delaware County Solid Waste Authority, 583 Longview Road, Boyertown, PA 17604, Earl Township, **Berks County**. For the construction of a lateral expansion to the Rolling Hills Landfill. The plan approval was extended. Application received: November 28, 2022. Issued: December 23, 2022.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: James Beach, New Source Review Chief, 484-250-5920.

23-0003Z: Monroe Energy, LLC, 4101 Post Road, Trainer, PA 19061, Trainer Borough, **Delaware County**. An extension for the construction of 3 new cooling towers at the Trainer Refinery. Application received: December 6, 2022. Issued: December 27, 2022.

23-0003AC: Monroe Energy, LLC, 4101 Post Road, Trainer, PA 19061, Trainer Borough, **Delaware County**. An extension for the operation of an Ultra-Low Sulfur Gasoline Production facility. Application received: December 6, 2022. Issued: December 27, 2022.

46-0296A: Amazon Services, LLC, 2455 Boulevard of the Generals, Norristown, PA 19403-3661, West Norriton Township, **Montgomery County**. An extension for a modification to allow the decommissioning of the RTO and to allow the temporary operation (shakedown) of six of the ten Sublimation printers. Application received: November 7, 2022. Issued: December 29, 2022.

46-0026K: Global Pkg Inc., 209 Brower Avenue, Oaks, PA 19456, Upper Providence Township, **Montgomery County**. An extension of a plan approval to install and operate a solvent based 8-station flexographic printing press and having natural gas dryers. The air emissions will be captured by a permanent total enclosure around the press and will be routed to two existing RTOs for destruction. Application received: November 8, 2022. Issued: December 29, 2022.

23-0223: LCP Generation Partners, LP, 1701 N Radnor Chester Road, Ste 101, Radnor, PA 19087-5281, Radnor Township, **Delaware County**. An extension for the installation and temporary operation of a 2 MW combined heat and power (CHP) system. Application received: December 19, 2022. Issued: December 29, 2022.

09-0240: Mazza Iron & Steel, LLC, 60 Solar Drive, Fairless Hills, PA 19030, Falls Township, **Bucks County**. An extension for an addition of a portable electric low speed pre-shredder (Stallion 2500) to the equipment and configuration of the non-ferrous metals processing line at this location. Application received: November 18, 2022. Issued: December 29, 2022.

46-0045: PECO Energy Co., 300 Front St., Bldg. 3, West Conshohocken, PA 19428, West Conshohocken Borough, **Montgomery County**. An extension for the installation of four new Uniflux/Exotherm heaters to replace the five existing Vaporizers at their gas plant. Application received: November 15, 2022. Issued: December 29, 2022.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Thomas Joseph, P.E., Facilities Permitting Chief, 412-442-4336.

PA-30-00072N: Consol Pennsylvania Coal Company, LLC, 275 Technology Drive, Suite 101, Canonsburg, PA 15317, Richhill Township, **Greene County**. For plan approval extension to authorize continued temporary operation of sources and controls associated with the Omnis Material Handling project. Application received: December 6, 2022. Effective: December 28, 2022.

PA-30-00072N: Consol Pennsylvania Coal Company, LLC, 275 Technology Drive, Suite 101, Canonsburg, PA 15317, Richhill Township, **Greene County**. For plan approval minor modification to update the EPA mailing address, update the facility contact person, and to reflect that temporary operation of sources and controls associated with the Omnis Material Handling project commenced on July 19, 2022. Application received: December 1, 2022. Effective: December 20, 2022.

Title V Operating Permit(s) Issued Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Thomas Joseph, P.E., Facilities Permitting Chief, 412-442-4336.

65-00173: Alleima Precision Tube, LLC, 220 Franklin Street, Scottdale, PA 15683, Scottdale Borough, **Westmoreland County**. A Title V Operating Permit renewal was issued to Alleima Precision Tube for their facility. Application received: March 7, 2022. Issued: December 27, 2022.

Operating Permit(s) for Non-Title V Facilities Issued Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

14-00036: Gensimore Trucking, Inc., P.O. Box 5210, Pleasant Gap, PA 16823-5210, Spring Township, **Centre County**. Issued a State Only Operating Permit renewal for operation of their cement and other materials blending plant and sources within this facility, located in Spring Township, Centre County. All applicable Federal and State regulatory requirements, including appropriate testing, monitoring, recordkeeping, reporting, and work practice are included in the Operating Permit to verify compliance. Application received: August 31, 2022. Issued: December 19, 2022.

41-00043: HRI, Inc., 1750 West College Avenue, State College, PA 16801, City of Williamsport, **Lycoming County**. Was issued a State Only Operating Permit renewal for operation of their Williamsport hot mix asphalt plant located in the City of Williamsport, Lycoming County. All applicable Federal and State regulatory requirements, including appropriate testing, monitoring, recordkeeping, reporting, and work practice are included in the Operating Permit to verify compliance. Application received: June 17, 2022. Issued: December 22, 2022.

14-00027: HRI, Inc., 1750 West College Avenue, State College, PA 16801, Marion Township, **Centre County**. Was issued a State Only Operating Permit renewal for operation of their Curtin Gap hot mix asphalt plant located in the Marion Township, Centre County. All applicable Federal and State regulatory requirements, including appropriate testing, monitoring, recordkeeping, reporting, and work practice are included in the Operating Permit to verify compliance. Application received: June 17, 2022. Issued: December 22, 2022.

59-00035: Empire Pipeline, Inc., 6363 Main Street, Williamsville, NY 14221, Jackson Township, **Tioga County**. The facility was issued an initial State Only (Natural Minor) Operating Permit. The Operating Permit contains all necessary requirements including monitoring, recordkeeping, and reporting conditions to ensure compliance with applicable Federal and State regulations. Application received: September 12, 2022. Permit issued: December 29, 2022.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.

07-05046: Norfolk Southern Railway Co., 200 N 4th Avenue, Altoona, PA 16601, Logan Township, **Blair County**. For the Juniata Locomotive Shops facility. Application received: May 4, 2022. Issued: December 23, 2022.

67-05080: York Building Products Co., Inc., P.O. Box 1708, York, PA 17405-1708, Jackson Township, **York County**. For the stone crushing operations at the Thomasville Quarry. The State-Only permit was renewed. Application received: January 24, 2022. Issued: December 28, 2022.

05-03003: Chestnut Ridge School District, 3281 Valley Road, Fishertown, PA 15539-9643, East Saint Clair Township, **Bedford County**. For the boilers at the middle school facility. The State-Only permit was renewed. Application received: February 17, 2022. Issued: December 27, 2022.

05-03004: Chestnut Ridge School District, 3281 Valley Road, Fishertown, PA 15539-9643, East Saint Clair Township, **Bedford County**. For the boilers at the high school and elementary school facilities. The State-Only permit was renewed. Application received: February 17, 2022. Issued: December 27, 2022.

21-05040: New Enterprise Stone & Lime Co., Inc., P.O. Box 2009, Chambersburg, PA 17201, Southampton Township, **Cumberland County**. For the stone crushing and road asphalt manufacturing operations at the Shipensburg Quarry. The State-Only permit was renewed. Application received: December 8, 2021. Issued: December 20, 2022.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

06-03114: WER Corp. dba Aluminum Alloys, 4601 Penn Avenue, Reading, PA 19608-9707, Lower Heidelberg Township, **Berks County**. For the non-ferrous foundry. The State-Only permit was renewed. Application received: March 30, 2022. Issued: December 21, 2022.

36-05087: Morgan Truck Body LLC dba Morgan Corp., 111 Morgan Way, P.O. Box 588, Morgantown, PA 19543, Ephrata Borough, **Lancaster County**. For the truck body manufacturing facility. The State-Only permit was renewed. Application received: July 19, 2022. Issued: December 19, 2022.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief, 484-250-5920.

46-00014: Knoll, Inc., 1235 Water Street, East Greenville, PA 18041, Upper Hanover Township, **Montgomery County**. This action is for the renewal of a synthetic minor Operating Permit. Knoll, Inc. is an office furniture manufacturing plant. Application received: February 22, 2022. Issued: December 29, 2022.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Thomas Joseph, P.E., Facilities Permitting Chief, 412-442-4336.

11-00258: Texas Eastern Transmission, LP, 224 Texas Road, Lilly, PA 15938, Cresson Township, **Cambria County**. The Department issued a natural minor State Only Operating Permit for a natural gas compressor station. The Operating Permit includes conditions relating to applicable emission restrictions, testing, monitoring, recordkeeping, reporting, and work practice standards requirements at their facility located in Cresson Township, Cambria County. Application received: March 7, 2022. Issued: December 27, 2022.

Operating Permit Revisions Issued Including Administrative Amendments, Minor Modifications or Transfer of Ownership Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.

07-03048: Chimney Rocks Animal Rest & Crematory, LLC, 524 Chimney Rocks Road, Hollidaysburg, PA 16648-3530, Blair Township, **Blair County**. For the animal crematory. The State-Only permit was administratively amended to reflect a change of ownership. Application received: December 5, 2022. Issued: December 21, 2022.

Operating Permit(s) Denied, Terminated, Suspended or Revoked Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.431 and 127.461.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

17-00030: Clearfield Machine Company, P.O. Box 992A, Clearfield, PA 16830, Clearfield Borough, **Clearfield County**. For termination of the Air Quality Operating Permit for their plant in Clearfield Borough, Clearfield County. State Only Permit 17-00030 is terminated. Application received: December 9, 2022. Revoked: December 27, 2022.

60-00003: Pilling's FRP, 2525 Old Route 15, New Columbia, PA 17856, White Deer Township, **Union County**. The facility has received a determination of exemption from plan approval and Operating Permit. Consequently, the Department has determined that the

facility qualifies for exemption from a facility-wide Operating Permit and therefore State Only Operating Permit 60-00003 is hereby terminated. The facility must still comply with all applicable requirements of 25 Pa. Code Chapters 121—145 including recordkeeping to demonstrate compliance with exemption conditions. Application received: October 13, 2022. Revoked: December 29, 2022.

ACTIONS ON COAL AND NONCOAL APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the National Pollutant Discharge Elimination System (NPDES) permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to such applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1103). Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Noncoal Permits

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.

Contact: Melanie Ford-Wigfield, 814.472.1900, rae@pcambria@pa.gov.

Mining Permit No. 7573SM1. NPDES No. PA0592722. New Enterprise Stone & Lime Co., Inc., P.O. Box 77, New Enterprise, PA 16664, Dickinson Township, **Cumberland County**. Renewal of NPDES permit affecting 256.1 acres. Receiving streams: Mountain Creek classified for the following uses: CWF-MF. Application received: August 3, 2022.

Mining Permit No. 01870301. NPDES No. PA0593931. Vulcan Construction Materials, LLC, 875 Oxford Avenue, Hanover, PA 17331, Oxford, Berwick & Conewago Townships, **Adams County**. Renewal of NPDES permit. Receiving streams: unnamed tributaries to South Branch Conewago Creek (locally known as Slagle Run and North Stream) classified for the following use: WWF and MF. Application received: June 6, 2022.

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

Contact: Cayleigh Boniger, Clerical Supervisor 2, 814-797-0824.

Mining Permit No. 62990303. Allegheny Aggregate, Inc., P.O. Box 38, Pittsfield, PA 16340, Pittsfield Township, **Warren County**. Revision to an existing large industrial minerals surface mine to add 19.5 acres to the permit boundary, for a total of 128.1 acres. Application received: February 17, 2022. Issued: December 29, 2022.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Action(s) Taken on Application(s) Under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting Activity Performed as Part of a Coal or Noncoal Mining Activity will be Regulated by the Mining Permit for that Coal or Noncoal Mining Activity.

Blasting Permits

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

Permit No. 35224110. Wampum Hardware Co., 636 Paden Road, New Galilee, PA 16141, Olyphant Borough, **Lackawanna County.** Blasting for Earth Mover Dolph Mine Fire. Application received: November 14, 2022. Permit issued: December 29, 2022. Expiration date: December 31, 2024.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department of Environmental Protection (DEP) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, DEP has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), and that the construction will not violate applicable Federal and State Water Quality Standards.

Individuals aggrieved by these actions may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. § 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Environmental Hearing Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. The appeal form and the Board’s rules of practice and procedure are also available in braille or on audiotape

from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the Board within 30-days. You do not need a lawyer to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so you should show this notice to a lawyer at one. If you cannot afford a lawyer, you may qualify for free pro bono representation. Call the Secretary to the Board 717-787-3483 for more information.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Action(s) Taken on Application(s) for the Following Activities Filed Under The Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and the Clean Streams Law and Notice of Final Action for Certification Under Section 401 of the FWPCA.

Eastern District: Oil and Gas Management Program, 208 West Third Street, Williamsport, PA 17701-6448.

Contact: RA-EPEASTERNOGPRG@pa.gov.

E5829222-011. Chesapeake Appalachia LLC, 14 Chesapeake Lane, Sayre, PA 18840-1567, Auburn Township, **Susquehanna County.** U.S. Army Corps of Engineers Baltimore District. Application received: August 22, 2022. Issued: December 30, 2022.

This project seeks after-the-fact authorization in accordance with the Consent Decree Chesapeake Appalachia, LLC entered into with the U.S. Environmental Protection Agency and the PA Department of Environmental Protection on May 20, 2021. As previously referenced, Water Obstruction and Encroachment (WOEP) Application E5829222-011 Chesapeake Appalachia, LLC (Chesapeake) has applied for an Individual—Joint Permit to construct, operate and maintain 1.411 acres of permanent impacts to on-site wetlands. All impacts are associated with the White Sus Pad construction in 2009.

There are no stream and floodway impacts associated with this after-the-fact authorization. The project will result in a total of 61,463 SF (1.411 acres) of permanent wetland impacts.

WETLAND IMPACT TABLE:

<i>Resource Name</i>	<i>Municipality Quadrangle</i>	<i>Activity</i>	<i>Cow. Class</i>	<i>Listed Trout</i>	<i>Impact Length Temp. (LF)</i>	<i>Impact Area Temp. (SF)</i>	<i>Impact Length Perm. (LF)</i>	<i>Impact Area Perm. (SF)</i>	<i>Lat. Long.</i>
W-RCL-002-P1	Auburn Auburn Center	Fill	PEM	None			154	13,939	41.719545° 76.063538°
W-RCL-002-P2	Auburn Auburn Center	Fill	PEM	None			320	45,651	41.719729° 76.063013°

Resource Name	Municipality Quadrangle	Activity	Cow. Class	Listed Trout	Impact Length Temp. (LF)	Impact Area Temp. (SF)	Impact Length Perm. (LF)	Impact Area Perm. (SF)	Lat. Long.
W-RCL-003-P1	Auburn Auburn Center	Fill	PEM	None			32	1,002	41.719791° 76.062320°
W-RCL-003-P2	Auburn Auburn Center	Fill	PEM	None			32	871	41.719826° 76.062227°
TOTAL IMPACTS							538	61,463	

Northcentral Region: Waterways & Wetlands Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Jay Maneval, Water Pollution Biologist 2, 570-327-3765.

E18-501. Renovo Energy Center LLC, 12011 Sunset Hills Road, Suite 110, Reston, VA 20190, Noyes Township, Chapman Township, and Leidy Township, **Clinton County**. U.S. Army Corps of Engineers Baltimore District.

To extend the previously issued Water Obstruction and Encroachment Permit expiring December 31, 2022. The previous permit authorized 17,070 square feet (0.39 acre) of temporary stream impacts, 16,393 square feet (0.38 acre) of permanent stream impacts, 4,252 square feet (0.10 acre) of temporary wetland impacts, and 4,016 square feet (0.09 acre) of permanent conversion wetland impacts all for the purpose of installing natural gas gathering lines, associated access roadways, meter and pressure reducing valve pads, aerial transmission lines, switchyards, intake/discharge line, and power plant facility. Perennial streams (with Aquatic Life Use Designation) found within the study area include: Dry Run (High-Quality Cold Water Fishery), Shintown Run (High-Quality Cold Water Fishery), Drury Run (Cold Water Fishery), Brewery Run (High-Quality Cold Water Fishery), Twomile Run (Trout Stock Fishery), and West Branch Susquehanna River (Warm Water Fishery). This permit also authorized 401 Water Quality Certification. Application received: October 24, 2022. Extension: December 22, 2022.

ENVIRONMENTAL ASSESSMENTS

Central Office: Waterways & Wetlands Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-787-3411.

Contact: 717-772-5988.

D15-377EA. Bilal Baqai, DCNR, 2808 Three Mile Run Road, Perkasie, PA 18944, London Britain Township, **Chester County**. U.S. Army Corps of Engineers Philadelphia District.

The Department of Environmental Protection, Division of Dam Safety (Department) has reviewed and approved the restoration plan to remove the White Clay Creek Preserve Dam to eliminate a threat to public safety and to restore approximately 500 feet of stream channel to a free-flowing condition. The project is located in the West Grove, PA USGIS Quadrangle across White Clay Creek (TSF, MF) Latitude: 39.7514°, Longitude: -75.7777°. Application received: August 31, 2022. Approved: December 27, 2022.

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information.

Eastern District: Oil and Gas Management Program, 208 West Third Street, Williamsport, PA 17701-6448.

Contact: RA-EPEASTERNOPRG@pa.gov.

ESCGP # 3 ESG295922001-01
 Applicant Name Seneca Resources Co, LLC
 Contact Person Benjamin Williams
 Address 51 Zents Blvd
 City, State, Zip Brookville, PA 15825
 Township(s) Covington Township
 County Tioga County
 Receiving Stream(s) and Classification(s) UNT to Tan Creek (CWF), Marvin Creek (CWF)
 Secondary: Tan Creek (CWF), Tioga River (CWF)
 Application received: November 22, 2022
 Issued: December 29, 2022

Northwest Region: Oil and Gas Management Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Kate Hogue Clerical Supervisor, 814-332-6860.

ESCGP # 3 ESG073022018-00
 Applicant Name EQM Gathering Opco, LLC
 Contact Person Kirsten Kiesel
 Address 2200 Energy Drive
 City, State, Zip Canonsburg, PA 15317
 Township(s) Gilmore Township, Jackson Township, Wayne Township
 County Greene County
 Receiving Stream(s) and Classification(s) UNT to Toms Run (WWF); UNT to Hoovers Run (WWF)
 Application received: September 9, 2022
 Issued: December 27, 2022

ESCGP # 3 ESG070222003-00 Heracles Waterline
 Applicant Name Olympus Energy, LLC
 Contact Person Brian Dillemath
 Address 501 Technology Drive, Suite 1200
 City, State, Zip Canonsburg, PA 15317
 Township(s) Forward Township and Elizabeth Township
 County Allegheny County
 Receiving Stream(s) and Classification(s) Monongahela River (WWF); Perry Mill Run (WWF); Fallen Timber Run (WWF)
 Application received: August 10, 2022
 Issued: December 22, 2022

Southwest Region: Oil and Gas Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: D. J. Stevenson, 412-442-4281.

ESCGP # 3 ESG073022020-00
 Applicant Name EQM Gathering Opco, LLC
 Contact Person Kirsten Kiesel
 Address 2200 Energy Drive
 City, State, Zip Canonsburg, PA 15317
 Township(s) Franklin Township
 County Greene County
 Receiving Stream(s) and Classification(s) UNT to Smith Creek (WWF)
 Application received: October 7, 2022
 Issued: December 28, 2022

ESCGP # 3 ESG073019029-02
 Applicant Name DTM Appalachia Gathering, LLC
 Contact Person Paul Corrigan
 Address 1000 Noble Energy Drive, Fifth Floor
 City, State, Zip Canonsburg, PA 15317
 Township(s) Franklin Township, Jefferson Township, Perry Township, Wayne Township, Whiteley Township
 County Greene County
 Receiving Stream(s) and Classification(s) Dunkard Creek (WWF); Rudolph Run (WWF); Sharp Run (WWF); Haynes Run (WWF); Whiteley Creek (TSF); Patterson Run (TSF); Dyers Fork (TSF); Mount Phoebe Run (TSF); Coal Lick Run (WWF); Muddy Creek (WWF); South Fork Tenmile Creek (WWF)
 Application received: October 28, 2022
 Issued: December 28, 2022

ESCGP # 3 ESG073022021-00
 Applicant Name EQM Gathering OPCO, LLC
 Contact Person Kirsten Kiesel
 Address 2200 Energy Drive
 City, State, Zip Canonsburg, PA 15317
 Township(s) Franklin Township
 County Greene County

Receiving Stream(s) and Classification(s) UNT to Smith Creek (WWF); UNT to Laurel Run (WWF); Sugar Run (WWF)

Application received: October 7, 2022
 Issued: December 28, 2022

ESCGP # 3 ESG073020005-02
 Applicant Name EQM Gathering OPCO
 Contact Person Kirsten Kiesel
 Address 2200 Energy Drive
 City, State, Zip Canonsburg, PA 15317
 Township(s) Wayne Township
 County Greene County
 Receiving Stream(s) and Classification(s) Calico Run (WWF); Roberts Run (WWF); Sheppards Run (WWF); UNT to Calico Run (WWF) UNT to Roberts Run (WWF)
 Application received: March 16, 2022
 Issued: December 30, 2022

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 2

The Following Plan(s) and Report(s) Were Submitted Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DEP has received the following plans and reports.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Getty 69261, Storage Tank Facility ID # **39-41527**, 741 North Cedar Crest Boulevard, Allentown, PA 18104, South Whitehall Township, **Lehigh County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Sheha, LLC, 102 West Tilghman Street, Allentown, PA

18102 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with gasoline. The plan is intended to document the remedial actions for meeting site-specific standards.

Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Ellen Roberts.

Kwik Fill M 3, Storage Tank Facility ID # **20-14804**, 270 Main Street, Saegertown, PA 16433, Saegertown Borough, **Crawford County**. GES, 508 Thomson Park Drive, Cranberry Twp, PA 16066, on behalf of United Refining Company, 814 Lexington Ave, Warren, PA 16365 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report is intended to document the remedial actions for meeting residential and nonresidential Statewide health standards.

Country Fair 27, Storage Tank Facility ID # **25-91194**, 2301 Peninsula Drive, Erie, PA 16506, Millcreek Township, **Erie County**. GES, 508 Thomson Park Drive, Cranberry Twp, PA 16066, on behalf of Country Fair, Inc., 2251 E 30th St, Erie, PA 16510 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The plan is intended to document the remedial actions for meeting nonresidential Statewide health standards.

Wayne Pumps, Storage Tank Facility ID # **32-81999**, 1194 Wayne Avenue, Indiana, PA 15701, White Township, **Indiana County**. Mountain Research LLC, 825 25th St, Altoona, PA 16601, on behalf of Wayne Pumps, 4303 West Lake Drive, Cambridge, NE 69022 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with gasoline. The report is intended to document the remedial actions for meeting nonresidential site-specific standards.

Lukes Exxon, Storage Tank Facility ID # **33-22893**, Rt 219 Crenshaw, Brockway, PA 15824, Snyder Township and Delmont, **Jefferson County**. Cribbs & Associates, Inc., P.O. Box 1128, Delmont, PA 15626, on behalf of Lukes Exxon, 3312 Rt 219 Crenshaw, Brockway, PA 15824 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report is intended to document the remedial actions for meeting residential Statewide health standards.

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 3

Action(s) Taken on the Following Plans and Reports Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports.

A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the

remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

DEP may approve or disapprove plans and reports submitted. This notice provides DEP's decision and, if relevant, the basis for disapproval.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DEP has received the following plans and reports.

Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Ellen Roberts.

7 Eleven 36133, Storage Tank Facility ID # **37-90076**, 201 North Street, Ellwood City, PA 16117, Ellwood City Borough, **Lawrence County**. Aecom Technical Services, Inc., 625 West Ridge Pike, Suite E100, Conshohocken, PA 19428, on behalf of 7-Eleven Inc., P.O. Box 711, Loc 0148, Dallas, TX 75221 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum. The report residential demonstrated attainment of the Statewide health standards and was approved by DEP on December 27, 2022.

Country Fair 43, Storage Tank Facility ID # **25-09234**, 3826 Peach Street, Erie, PA 16509, City of Erie, **Erie County**. Arcadis U.S. Inc., 6041 Wallace Road Ext., Suite 300, Wexford, PA 15090, on behalf of Chevron Environmental Management Company, 140 Smith St, Houston, TX 77002 submitted a Combined Remedial Action Plan and Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum. The combined plan and report nonresidential demonstrated attainment of the Statewide health and site-specific standards and was approved by DEP on December 29, 2022.

Former Elg Metals Scrapyard, Storage Tank Facility ID # **43-55436**, Intersection of Crestview Dr & 4th Street, Greenville, PA 16125, Pymatuning Township, **Mercer County**. Environmental Remediation & Recovery, Inc., 4250 Route 6N, Edinboro, PA 16412, on behalf of Greenville Reynolds Development Corporation, 301 Arlington Drive, Greenville, PA 16125 submitted a Combined Remedial Action Plan and Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with kerosene. The combined plan and report nonresidential demonstrated attainment of the Statewide health and site-specific standards and was approved by DEP on December 29, 2022.

Uni Mart 04077, Storage Tank Facility ID # **33-15325**, 512 E Mahoning Street, Punxsutawney, PA 15767, Pymatuning Township, **Jefferson County**. Professional

Service Industries, Inc. (PSI), 1748 33rd Street, Orlando, FL 32839, on behalf of National Retail Property Trust, 450 S. Orange Avenue, Suite 900, Orlando, FL 32801 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum. The report nonresidential demonstrated attainment of the Statewide health standards and was approved by DEP on December 29, 2022.

[Pa.B. Doc. No. 23-52. Filed for public inspection January 13, 2023, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Availability of Technical Guidance

Technical guidance documents (TGD) are available on the Department of Environmental Protection's (Department) web site at www.depgreenport.state.pa.us/elibrary/. The "Technical Guidance Final Documents" heading is the link to a menu of the various Department bureaus where each bureau's final TGDs are posted. The "Technical Guidance Draft Documents" heading is the link to the Department's draft TGDs.

Ordering Paper Copies of Department Technical Guidance

The Department encourages the use of the Internet to view and download TGDs. When this option is not available, persons can order a paper copy of any of the Department's draft or final TGDs by contacting the Department at (717) 783-8727.

In addition, bound copies of some of the Department's documents are available as Department publications. Check with the appropriate bureau for more information about the availability of a particular document as a publication.

Changes to TGDs

Following is the current list of recent changes. Persons who have questions or comments about a particular document should contact the person whose name and phone number are listed with each document.

Final TGD: Minor Revision

DEP ID: 250-4110-001. **Title:** Notices of Violation. **Description:** This TGD establishes a formal methodology to ensure all Department Bureau of Waste Management inspectors across this Commonwealth cite similar violations consistently. This document also ensures that all regulated facilities subject to inspection are notified of violations as soon as possible. Minor changes to this TGD include removal of outdated references and minor grammatical corrections.

Contact: Questions regarding this TGD can be directed to Derek Bartram at dbartram@pa.gov or (717) 787-2693.

Effective Date: January 14, 2023

Final TGD: Minor Revision

DEP ID: 250-4180-302. **Title:** Calculation of Civil Penalties. **Description:** This TGD provides policy and procedure for the calculation of civil penalties so that civil penalties are calculated uniformly within the Department's Bureau of Waste Management. Revisions include removal of outdated references, update to minimum penalty amounts to coincide with regulatory requirements and grammatical corrections.

Contact: Questions regarding this TGD can be directed to Derek Bartram at dbartram@pa.gov or (717) 787-2693.

Effective Date: January 14, 2023

Final TGD: Minor Revision

DEP ID: 250-4000-003. **Title:** Violations Requiring an Extended Time Period to Correct. **Description:** This TGD ensures violations are corrected within 180 days from date of occurrence and that uncorrected violations become the subject of an enforceable document consistently across all Department regions. Minor changes to this TGD include removal of outdated references and minor grammatical corrections.

Contact: Questions regarding this TGD can be directed to Derek Bartram at dbartram@pa.gov or (717) 787-2693.

Effective Date: January 14, 2023

Final TGD: Minor Revision

DEP ID: 250-4000-001. **Title:** Citing Inspection Violations. **Description:** This TGD establishes a uniform methodology and consistency across all Department regions for citing violations within municipal, residual and hazardous waste programs. Minor changes to this TGD include removal of outdated references and minor grammatical corrections.

Contact: Questions regarding this TGD can be directed to Derek Bartram at dbartram@pa.gov or (717) 787-2693.

Effective Date: January 14, 2023

Final TGD: Minor Revision

DEP ID: 250-3120-320. **Title:** Execution of Release Forms by Waste Management Field Inspectors. **Description:** This TGD establishes procedure for Department Bureau of Waste Management employees when asked to sign a waiver of liability or release from liability as a condition to enter the premises for the purpose of conducting an inspection. Minor revisions include formatting and grammatical corrections, and removal of outdated information.

Contact: Questions regarding this TGD can be directed to Derek Bartram at dbartram@pa.gov or (717) 787-2693.

Effective Date: January 14, 2023

RAMEZ ZIADEH, P.E.,
Acting Secretary

[Pa.B. Doc. No. 23-53. Filed for public inspection January 13, 2023, 9:00 a.m.]

DEPARTMENT OF HEALTH

Ambulatory Surgical Facilities; Requests for Exceptions

The following ambulatory surgical facilities (ASF) have filed requests for exceptions under 28 Pa. Code § 51.33 (relating to requests for exceptions) with the Department of Health (Department), which has authority to license ASFs under the Health Care Facilities Act (35 P.S. §§ 448.101–448.904b). The following requests for exceptions relate to regulations governing ASF licensure in 28 Pa. Code Chapters 29, 51 and 551–571 (relating to miscellaneous health provisions; general information; and ambulatory surgical facilities).

<i>Facility Name</i>	<i>Regulation and relating to</i>
Log Surgery Center	28 Pa. Code § 569.35(7) (relating to general safety precautions)
Mountain Laurel Surgery Center, LLC	28 Pa. Code § 555.2 (relating to medical staff membership)
	28 Pa. Code § 555.3(a)—(f) (relating to requirements for membership and privileges)
Muve—West Chester Ambulatory Surgical Center, LLC	28 Pa. Code § 551.21(d)(1) (relating to criteria for ambulatory surgery)
Saint Luke's Anderson Ambulatory Surgery Center	28 Pa. Code § 551.21(d)(1)

The previously listed requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov. Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed address. Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DENISE A. JOHNSON,
Acting Secretary

[Pa.B. Doc. No. 23-54. Filed for public inspection January 13, 2023, 9:00 a.m.]

DEPARTMENT OF HEALTH

Decisions on Requests for Exceptions to Health Care Facility Regulations

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), effective June 6, 1998, the Department of Health (Department) has published in the *Pennsylvania Bulletin* all requests by entities licensed under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b), for exceptions to regulations contained in 28 Pa. Code Part IV Subparts B—G.

Section 51.33(d) of 28 Pa. Code provides that the Department will publish notice of all approved exceptions on a periodic basis. The Department has determined that it will publish notice of all exceptions, both approved and denied. The following list contains the decisions made on exception requests published in the *Pennsylvania Bulletin* from December 1, 2022, through December 31, 2022. Future publications of decisions on exception requests will appear on a quarterly basis.

Requests for additional information on the exception request and the Department's decision should be made to the relevant division of the Department. Inquiries regarding hospitals, abortion facilities and ambulatory surgical facilities shall be addressed to Garrison E. Gladfelter, Jr., Director, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980. Inquiries regarding long-term care facilities shall be addressed to Susan Williamson, Director, Division of Nursing Care Facilities, Room 528, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816. Inquiries regarding Home Health agencies should be directed to Linda Chamberlain, Director, Division of Home Health, Forum Place, Suite 701, 555 Walnut Street, Harrisburg, PA 17101, (717) 783-1379.

Ambulatory Surgical Facilities

<i>Facility Name</i>	<i>28 Pa. Code Regulation</i>	<i>Dec. Date</i>	<i>Decision</i>
East Freedom Surgical Associates, LLC	§ 569.35(7) (relating to general safety precautions)	12/05/2022	Granted w/Conditions
Planned Parenthood Keystone—Lancaster	§ 29.33(6) (relating to requirements for abortion)	12/05/2022	Granted w/Conditions
Saint Vincent Endoscopy Center	§ 553.1 (relating to principle)	12/05/2022	Granted w/Conditions
Saint Vincent Surgery Center of Erie	§ 553.1	12/05/2022	Granted w/Conditions
Surgery Center at Penn Medicine University City	§ 553.31(a) and (b) (relating to administrative responsibilities)	12/13/2022	Granted w/Conditions
UPMC Leader Surgery Center, LLC	§ 553.1	12/05/2022	Granted w/Conditions
	§ 555.1 (relating to principle)	12/05/2022	Granted w/Conditions

<i>Facility Name</i>	<i>28 Pa. Code Regulation</i>	<i>Dec. Date</i>	<i>Decision</i>
	§ 555.3(a)—(f) (relating to requirements for membership and privileges)	12/05/2022	Granted w/Conditions
	§ 555.4(a)—(c) (relating to clinical activities and duties of physician assistants and certified registered nurse practitioners)	12/05/2022	Granted w/Conditions
	§ 557.2(a) (relating to plan)	12/05/2022	Granted w/Conditions
	§ 557.3(a) (relating to Quality Assurance and Improvement Program)	12/05/2022	Granted w/Conditions
	§ 563.1 (relating to principle)	12/05/2022	Granted w/Conditions
	§ 563.2(a) and (b) (relating to organization and staffing)	12/05/2022	Granted w/Conditions
Western PA Surgery Center— Beaver County Branch	§ 571.1 (relating to minimum standards) A2.1-3.2.3.2 space requirements	12/13/2022	Granted

Hospitals

<i>Facility Name</i>	<i>28 Pa. Code Regulation</i>	<i>Dec. Date</i>	<i>Decision</i>
Conemaugh Meyersdale Medical Center	§ 153.1(a) (relating to minimum standards) 2.2-2.2.2.1(2) capacity	12/08/2022	Granted
Meadville Medical Center	§ 153.1(a) 2.9-1.4.1.2 endoscope processing room(s)	12/13/2022	Granted
	§ 153.1(a) 2.9-3.2.2.1 space requirements	12/13/2022	Granted
	§ 153.1(a) 2.9-3.2.2.2(1) space requirements	12/13/2022	Granted
Penn Highlands Dubois	§ 153.1(a) 2.1-3.4.3 pre-procedure patient care room or area	12/08/2022	Granted
	§ 153.1(a) 2.1-3.4.5 phase II recovery room(s) or area	12/08/2022	Granted
Penn Highlands Huntingdon	§ 153.1(a) 2.1-7.2.2.3(3)(a) doors and door hardware	12/08/2022	Granted
Penn State Health Saint Joseph	§ 107.64 (relating to administration of drugs)	12/05/2022	Granted w/Conditions
Saint Luke's Hospital— Upper Bucks Campus	§ 153.1(a) 2.1-8.5.1.4 staff assistance stations	12/13/2022	Granted
	§ 153.1(a) 2.5-8.5.1 call systems	12/13/2022	Granted
Wellspring York Hospital	§ 153.1(a) 2.1-2.2.5.1 location	12/05/2022	Granted
	§ 153.1(a) 2.1-2.2.5.3 renovation	12/05/2022	Granted
	§ 153.1(a) 2.1-8.3.6.2 receptacles in patient care areas	12/05/2022	Granted
	§ 153.1(a) 2.1-8.4.4 medical gas and vacuum systems	12/05/2022	Granted
	§ 153.1(a) 2.2-2.5.2.2(2)(a) and (b) and (3) space requirements	12/05/2022	Granted
	§ 153.1(a) 2.2-2.5.4.2(1) and (2) airborne infection isolation (AII) room	12/05/2022	Granted

Nursing Care Facilities

<i>Facility Name</i>	<i>28 Pa. Code Regulation</i>	<i>Dec. Date</i>	<i>Decision</i>
Mon Valley Care Center	§ 201.22(e) (relating to prevention, control and surveillance of tuberculosis (TB))	12/05/2022	Granted
Southmont of Presbyterian Seniorcare	§ 205.6(a) (relating to function of building)	12/12/2022	Granted

Persons with a disability who require an alternative format of this notice (for example, large print, audiotape, Braille) should contact the Division of Acute and Ambulatory Care or the Division of Nursing Care Facilities at the previously referenced address or telephone number, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DENISE A. JOHNSON,
Acting Secretary

[Pa.B. Doc. No. 23-55. Filed for public inspection January 13, 2023, 9:00 a.m.]

DEPARTMENT OF HEALTH**Hospitals; Requests for Exceptions**

The following hospitals have filed requests for exceptions under 28 Pa. Code § 51.33 (relating to requests for exceptions) with the Department of Health (Department), which has authority to license hospitals under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b). The following requests for exceptions relate to regulations governing hospital licensure in 28 Pa. Code Chapters 51 and 101—158 (relating to general information; and general and special hospitals).

<i>Facility Name</i>	<i>Regulation and relating to</i>
The Children's Hospital of Philadelphia	28 Pa. Code § 127.31(b) (relating to policies and procedures)
Geisinger Wyoming Valley Medical Center	28 Pa. Code § 103.31 (relating to the chief executive officer)
Heritage Valley Kennedy	28 Pa. Code § 51.23 (relating to positron emission tomography)
Hospital of the Fox Chase Cancer Center	28 Pa. Code § 149.3 (relating to facilities)
Penn Highlands Brookville	28 Pa. Code § 135.5 (relating to surgical emergency care)
Phoenixville Hospital	28 Pa. Code § 109.2(b) (relating to director of nursing services)
UPMC Altoona	28 Pa. Code § 107.26(b)(5) (relating to additional committees)
	28 Pa. Code § 113.5(a) (relating to pharmacy and therapeutics committee)
UPMC Bedford	28 Pa. Code § 107.26(b)(5)
	28 Pa. Code § 113.5(a)
UPMC Carlisle	28 Pa. Code § 107.26(b)(5)
	28 Pa. Code § 113.5(a)
UPMC Children's Hospital of Pittsburgh	28 Pa. Code § 107.26(b)(5)
	28 Pa. Code § 113.5(a)
UPMC Cole	28 Pa. Code § 107.26(b)(5)
	28 Pa. Code § 113.5(a)
UPMC East	28 Pa. Code § 107.26(b)(5)
	28 Pa. Code § 113.5(a)
UPMC Hamot	28 Pa. Code § 107.26(b)(5)
	28 Pa. Code § 113.5(a)
UPMC Hanover	28 Pa. Code § 107.26(b)(5)
	28 Pa. Code § 113.5(a)
UPMC Horizon	28 Pa. Code § 107.26(b)(5)
	28 Pa. Code § 113.5(a)
UPMC Jameson	28 Pa. Code § 107.26(b)(5)
	28 Pa. Code § 113.5(a)
UPMC Kane	28 Pa. Code § 107.26(b)(5)
	28 Pa. Code § 113.5(a)
UPMC Lititz	28 Pa. Code § 107.26(b)(5)
	28 Pa. Code § 113.5(a)
UPMC Lock Haven	28 Pa. Code § 107.26(b)(5)
	28 Pa. Code § 113.5(a)
UPMC Magee-Womens Hospital	28 Pa. Code § 107.26(b)(5)
	28 Pa. Code § 113.5(a)
UPMC McKeesport	28 Pa. Code § 107.26(b)(5)
	28 Pa. Code § 113.5(a)
UPMC Memorial	28 Pa. Code § 107.26(b)(5)
	28 Pa. Code § 113.5(a)
UPMC Mercy	28 Pa. Code § 107.26(b)(5)
	28 Pa. Code § 113.5(a)

<i>Facility Name</i>	<i>Regulation and relating to</i>
UPMC Muncy	28 Pa. Code § 107.26(b)(5)
	28 Pa. Code § 113.5(a)
UPMC Northwest	28 Pa. Code § 107.26(b)(5)
	28 Pa. Code § 113.5(a)
UPMC Passavant	28 Pa. Code § 107.26(b)(5)
	28 Pa. Code § 113.5(a)
UPMC Pinnacle Hospitals	28 Pa. Code § 107.26(b)(5)
	28 Pa. Code § 113.3(a) (relating to pharmacist)
UPMC Presbyterian Shadyside	28 Pa. Code § 107.26(b)(5)
	28 Pa. Code § 113.5(a)
UPMC Somerset	28 Pa. Code § 107.26(b)(5)
	28 Pa. Code § 113.5(a)
UPMC Saint Margaret	28 Pa. Code § 107.26(b)(5)
	28 Pa. Code § 113.5(a)
UPMC Wellsboro	28 Pa. Code § 107.26(b)(5)
	28 Pa. Code § 113.5(a)
UPMC Williamsport	28 Pa. Code § 107.26(b)(5)
	28 Pa. Code § 113.5(a)

The following hospitals have filed requests for exceptions under 28 Pa. Code § 153.1 (relating to minimum standards). Requests for exceptions under this section relate to minimum standards that hospitals must comply with under the *Guidelines for Design and Construction of Hospitals—2018 Edition*, *Guidelines for Design and Construction of Outpatient Facilities—2018 Edition* or the *Guidelines for Design and Construction of Hospitals—2022 Edition*, *Guidelines for Design and Construction of Outpatient Facilities—2022 Edition*. The following list includes the citation to the section under the *Guidelines* that the hospital is seeking an exception.

<i>Facility Name</i>	<i>FGI Guidelines Section and relating to</i>	<i>Yr¹</i>
Allegheny General Hospital	2.1-3.2.1.2(2)(b)(ii) single-patient examination/observation room	18-O
The Children's Hospital of Philadelphia	2.2-2.2.4.6(2)(c)(i)—(iv) medical psychiatric room(s)	18
Geisinger Community Medical Center	2.2-3.4.6.2 patient toilet room	18
Penn Highlands Huntingdon	2.1-3.8.7.1 location	18-O
	2.1-8.4.3.2 hand-washing station sinks	18
	2.2-3.1.3.7 patient toilet room	18
Penn Presbyterian Medical Center	2.2-3.5.2.5(1)(c) system component room	22
Saint Luke's Hospital—Anderson Campus	2.2-2.9.8.15(2)(b) examination/treatment room and/or multipurpose diagnostic testing room	18
Saint Luke's Hospital of Bethlehem, Pennsylvania	2.2-3.3.2.2(2)(a)(i) and (b) space requirements	18
Saint Luke's Hospital—Easton Campus	2.2-3.5.2.5(1)(b) system component room	22
Uniontown Hospital	2.1-3.8.12.2(1)(b) soiled workroom	18-O
UPMC Presbyterian Shadyside	2.1-3.2.2.2(2)(a)(i) single-patient exam/observation room	22-O
	2.2-3.8.11 clean workroom/clean work area or clean supply room/clean supply area	22-O
	2.2-3.8.12 soiled holding room	22-O
Warren General Hospital	2.1-3.2.1.2(2)(a)(i) single-patient examination/observation room	18-O

<i>Facility Name</i>	<i>FGI Guidelines Section and relating to</i>	<i>Yr¹</i>
	2.1-5.3.1 environmental services room	18-O
	2.1-6.2.4.1 public toilet room	18-O
	2.1-7.2.2.1(1) corridor width	18-O
	2.2-3.2.1 examination room	18-O
Wellspring Gettysburg Hospital	2.2-3.1.3.6 treatment rooms and areas	22

¹ 2018 Year FGI Regulations for Outpatient Facilities are indicated by “-O.”

² 2022 Year FGI Regulations for Outpatient Facilities are indicated by “-O.”

The previously listed requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov. Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed address. Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or for speech and/or hearing impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DENISE A. JOHNSON,
Acting Secretary

[Pa.B. Doc. No. 23-56. Filed for public inspection January 13, 2023, 9:00 a.m.]

DEPARTMENT OF HEALTH

Long-Term Care Nursing Facilities; Requests for Exception

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 201.22(e) (relating to prevention, control and surveillance of tuberculosis (TB)):

Promedica Skilled Nursing and Rehabilitation
(Huntingdon Valley)
3430 Huntingdon Pike
Huntingdon Valley, PA 19006
FAC ID # 053802

This request is on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed contact information.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or

hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DENISE A. JOHNSON,
Acting Secretary

[Pa.B. Doc. No. 23-57. Filed for public inspection January 13, 2023, 9:00 a.m.]

ENVIRONMENTAL HEARING BOARD

Concerned Citizens of Upper Mount Bethel Township v. Department of Environmental Protection and New Demi Road, LLC, Permittee; EHB Doc. No. 2023-001-CS

Concerned Citizens of Upper Mount Bethel Township has appealed the issuance by the Department of Environmental Protection of NPDES Permit No. PAD480132 A-1 authorizing the discharge of stormwater associated with construction activities in Upper Mount Bethel Township and Portland Borough in Northampton County.

The appeal is filed with the Environmental Hearing Board (Board). The notice of appeal, and other filings related to the appeal, may be reviewed by any interested person through the Board's web site at <http://ehb.courtapps.com>. If information concerning this notice is required in an alternative form, contact the Secretary to the Board at (717) 787-3483. TDD users may telephone the Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984. A date for the hearing on the appeal has not yet been scheduled.

Petitions to intervene in the appeal may be filed with the Board by interested parties under 25 Pa. Code

§ 1021.81 (relating to intervention). Copies of the Board's rules of practice and procedure are available online and upon request from the Board.

THOMAS W. RENWAND,
Chairperson

[Pa.B. Doc. No. 23-58. Filed for public inspection January 13, 2023, 9:00 a.m.]

HOUSING FINANCE AGENCY

Homeowner's Emergency Mortgage Assistance Program; 2023 Rates and Updates

Interest Rate for HEMAP Loans Closed in 2023

Under Section 406-C of the Housing Finance Agency Law (35 P.S. § 1680.406c), the Housing Finance Agency (Agency) is to determine prior to the end of each calendar year the rate of interest for Homeowner's Emergency Mortgage Assistance Program (HEMAP) loans closed in the next calendar year, which rate is not to exceed the rate of interest established by the Department of Banking and Securities under section 301 of the act of January 30, 1974 (P.L. 13, No. 6) (41 P.S. § 301), referred to as the Loan Interest and Protection Law, and referred to commonly as the Usury Law.

The Agency has determined that the rate of interest for HEMAP loans closed during calendar year 2023 shall be 4.25%.

Attorneys' Fees and Costs Reimbursement Rate for HEMAP Loans Closed in 2023

Under 12 Pa. Code §§ 31.201—31.211 (relating to policy statement on Homeowner's Emergency Mortgage Assistance Program), the Agency shall reimburse lenders for reasonable attorneys' fees and reasonable and necessary costs, which are actually incurred by a mortgagee, in beginning or pursuing an action of mortgage foreclosure and which meet the requirements or limitations on the Agency's web site at www.phfa.org. The Agency will reimburse lenders based upon a reasonable hourly rate as may be established by the Agency annually and published by the Agency in the *Pennsylvania Bulletin*.

The Agency has determined the rate of reimbursement of attorneys' fees and costs incurred during the calendar year 2023 shall be \$150 per hour.

Schedule of Updates to the List of Consumer Credit Counseling Agencies for the Year 2023

Under 12 Pa. Code §§ 31.201—31.211, the Agency will annually publish a schedule for updates to the list of

consumer credit counseling agencies required to be attached to the uniform Appendix A notice.

Updates to the list of consumer credit counseling agencies shall occur on the following dates: March 31, 2023; June 30, 2023; September 30, 2023; and December 31, 2023.

This notice shall take effect immediately.

ROBIN L. WIESSMANN,
Executive Director

[Pa.B. Doc. No. 23-59. Filed for public inspection January 13, 2023, 9:00 a.m.]

INSURANCE DEPARTMENT

Alleged Violation of Insurance Laws; Brandon Beckham Aylor; Doc. No. SC23-01-001

Notice is hereby given of the Order to Show Cause issued on January 3, 2023, by the Deputy Insurance Commissioner in the previously-referenced matter. Violations of the following are alleged: section 611-A(1) and (20) of The Insurance Department Act of 1921 (40 P.S. § 310.11(1) and (20)).

The respondent shall file a written answer to the Order to Show Cause within 30 days of the date of issue. If the respondent files a timely answer, a formal administrative hearing shall be held in accordance with 2 Pa.C.S. §§ 501—588 (relating to Administrative Agency Law), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure), 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure) and other relevant procedural provisions of law.

Answers, motions preliminary to those at hearing, protests, petitions to intervene or notices of intervention, if any, must be filed in writing with the Hearings Administrator, Insurance Department, Administrative Hearings Office, 901 North 7th Street, Harrisburg, PA 17102, ra-hearings@pa.gov.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing, contact Joseph Korman, Agency ADA Coordinator, jkorman@pa.gov, (717) 787-4429.

MICHAEL HUMPHREYS,
Acting Insurance Commissioner

[Pa.B. Doc. No. 23-60. Filed for public inspection January 13, 2023, 9:00 a.m.]

INSURANCE DEPARTMENT

Eligible Surplus Lines Insurer List

In accordance with section 1605(b) of The Insurance Company Law of 1921 (40 P.S. § 991.1605(b)), the Insurance Department publishes the most recent Eligible Surplus Lines Insurer List. This list replaces in its entirety the Eligible Surplus Lines Insurer List published at 52 Pa.B. 534 (January 22, 2022).

Written statements must be e-mailed to Lori Rumpf, lrumpf@pa.gov.

Key#	Company Name	Statutory Home Address
133877	ACCELERANT SPECIALTY INSURANCE COMPANY	400 NORTHRIDGE ROAD SUITE 800 SANDY SPRINGS, GA 30350

<i>Key#</i>	<i>Company Name</i>	<i>Statutory Home Address</i>
133965	ACCREDITED SPECIALTY INSURANCE COMPANY	300 W. CLARENDON AVENUE SUITE 240 PHOENIX, AZ 85013
10512	ADMIRAL INSURANCE COMPANY	1209 ORANGE STREET WILMINGTON, DE 19801
10513	ADRIATIC INSURANCE COMPANY	314 EAST THAYER AVENUE BISMARCK, ND 58501
39135	AGENT ALLIANCE INSURANCE COMPANY	3800 SOLLIE ROAD MOBILE, AL 36619
10521	AIG SPECIALTY INSURANCE COMPANY	500 WEST MADISON STREET SUITE 3000 CHICAGO, IL 60661
67489	AIX SPECIALTY INSURANCE COMPANY	1209 ORANGE STREET WILMINGTON, DE 19801-1120
48099	ALLIANZ GLOBAL CORPORATE & SPECIALTY SE	KONIGINASTRASSE 28 MUNICH, Germany D80802
10516	ALLIANZ UNDERWRITERS INSURANCE COMPANY	225 W. WASHINGTON STREET SUITE 1800 CHICAGO, IL 60606
10535	ALLIED WORLD ASSURANCE COMPANY (U.S.) INC.	251 LITTLE FALLS DRIVE SUITE 400 WILMINGTON, DE 19808
10600	ALLIED WORLD SURPLUS LINES INSURANCE COMPANY	425 WEST CAPITOL AVENUE SUITE 1800 LITTLE ROCK, AR 72201-3525
106563	ALLY INTERNATIONAL INSURANCE COMPANY LTD	VICTORIA HALL 11 VICTORIA STREET HAMILTON, Bermuda HM11
10519	AMERICAN EMPIRE SURPLUS LINES INSURANCE COMPANY	1209 ORANGE STREET WILMINGTON, DE 19801
10520	AMERICAN EQUITY INSURANCE COMPANY	20860 N TATUM BOULEVARD SUITE 400 PHOENIX, AZ 85050
131598	AMERICAN FEDERATION INSURANCE COMPANY	19111 DALLAS PARKWAY SUITE 300 DALLAS, TX 75287
127915	AMERICAN INTERNATIONAL GROUP UK LIMITED	THE AIG BUILDING 58 FENCHURCH STREET EC3M4AB LONDON, United Kingdom
107529	AMERICAN NATIONAL LLOYDS INSURANCE COMPANY	ONE MOODY PLAZA GALVESTON, TX 77550
104146	AMERICAN SAFETY INSURANCE COMPANY	3715 NORTHSIDE PARKWAY ATLANTA, GA 30327-2806
10522	AMERICAN WESTERN HOME INSURANCE COMPANY	600 BANK OF OKLAHOMA PLAZA OKLAHOMA CITY, OK 73102
83774	AMTRUST INTERNATIONAL UNDERWRITERS DAC	40 WESTLAND ROW DUBLIN, Ireland 2
10524	APPALACHIAN INSURANCE COMPANY	270 CENTRAL AVENUE JOHNSTON, RI 02919-4949
97477	ARCH INSURANCE (UK) LIMITED	5TH FLOOR PLANTATION PLACE SOUTH 60 GREAT TOWER STREET LONDON, United Kingdom EC3R 5AZ
10587	ARCH SPECIALTY INSURANCE COMPANY	2345 GRAND BOULEVARD SUITE 900 KANSAS CITY, MO 64108

<i>Key#</i>	<i>Company Name</i>	<i>Statutory Home Address</i>
138850	ARDELLIS INSURANCE, LTD.	2801 EAST BELTLINE NE GRAND RAPIDS, MI 49525
128566	ASCOT SPECIALTY INSURANCE COMPANY	10 JEFFERSON BLVD. WARWICK, RI 02888
51442	ASPEN INSURANCE UK LIMITED	30 FENCHURCH STREET LONDON, United Kingdom EC3M 3BD
35611	ASPEN SPECIALTY INSURANCE COMPANY	1709 NORTH 19TH ST. SUITE 3 BISMARCK, ND 58501
22348	ASSICURAZIONI GENERALI S.P.A.	PIAZZA DUCA DEGLI ABRUZZI 2 CASELLA POSTALE N. 538 TRIESTE, Italy 34132
22349	ASSOCIATED ELECTRIC & GAS INSURANCE SERVICES LIMITED	6TH FLOOR, 141 FRONT STREET HAMILTON, Bermuda HM 19
94396	ASSOCIATED INDUSTRIES INSURANCE COMPANY	903 N W 65TH STREET SUITE 300 BOCA RATON, FL 33487-2864
52712	ATAIN INSURANCE COMPANY	2301 E. LAMAR BOULEVARD 5TH FLOOR ARLINGTON, TX 76006
127831	ATEGRITY SPECIALTY INSURANCE COMPANY	CORPORATION CENTER 1209 ORANGE STREET WILMINGTON, DE 19801
41586	ATLANTIC CASUALTY INSURANCE COMPANY	400 COMMERCE COURT GOLDSBORO, NC 27534
127473	AVIVA INSURANCE LIMITED	PITHEAVLIS PERTH, United Kingdom PH2 ONH
134328	AWBURY INSURANCE COMPANY	116 WEST WATER STREET DOVER, DE 19904
64641	AXA XL INSURANCE COMPANY UK LIMITED	20 GRACECHURCH STREET LONDON, United Kingdom 3C3V OBG
59554	AXIS SPECIALTY EUROPE SE	MOUNT HERBERT COURT 34 UPPER MOUNT STREET DUBLIN, Ireland 2
10592	AXIS SURPLUS INSURANCE COMPANY	111 SOUTH WACKER DRIVE SUITE 3500 CHICAGO, IL 60606
133613	AZGUARD INSURANCE COMPANY	39 PUBLIC SQUARE WILKES-BARRE, PA 18703
139623	BENCHMARK SPECIALTY INSURANCE COMPANY	425 WEST CAPITOL AVENUE SUITE 1800 LITTLE ROCK, AR 77201
10584	BERKLEY ASSURANCE COMPANY	11201 DOUGLAS AVENUE URBANDALE, IA 50322
75458	BERKLEY SPECIALTY INSURANCE COMPANY	1209 ORANGE STREET WILMINGTON, DE 19801-1120
63055	BERKSHIRE HATHAWAY INTERNATIONAL INSURANCE LIMITED	8 FENCHURCH PLACE 4TH FLOOR LONDON, United Kingdom ECEM 4AJ
79945	BLACKBOARD SPECIALTY INSURANCE COMPANY	251 LITTLE FALLS DRIVE WILMINGTON, DE 19808
138851	BLITZ INSURANCE, I.I.	270 MUNOZ RIVERIA AVENUE 9TH FLOOR SAN JUAN, PR 00918

<i>Key#</i>	<i>Company Name</i>	<i>Statutory Home Address</i>
116246	BLUE HILL SPECIALTY INSURANCE COMPANY INC.	C/O CT CORPORATION SYSTEM 208 SOUTH LASALLE STREET SUITE 814 CHICAGO, IL 60604
140094	BRICKTOWN SPECIALTY INSURANCE COMPANY	210 PARK AVENUE SUITE 1300 OKLAHOMA CITY, OK 73102
63828	BRIDGEWAY INSURANCE COMPANY	251 LITTLE FALLS DRIVE WILMINGTON, DE 19808
8689	BURLINGTON INSURANCE COMPANY	222 WEST ADAMS STREET CHICAGO, IL 60606
10528	CANAL INDEMNITY COMPANY	400 EAST STONE AVENUE GREENVILLE, SC 29601
75544	CANOPIUS US INSURANCE, INC	C/O THE CORPORATION TRUST COMPANY 1209 ORANGE STREET WILMINGTON, DE 19801
48319	CAPITOL SPECIALTY INSURANCE CORPORATION	1600 ASPEN COMMONS MIDDLETON, WI 53562
63239	CATLIN SPECIALTY INSURANCE COMPANY	C/O THE CORPORATION TRUST COMPANY 1209 ORANGE STREET WILMINGTON, DE 19801
10529	CENTENNIAL CASUALTY COMPANY	2200 WOODCREST PLACE SUITE 200 BIRMINGHAM, AL 35209
135375	CENTERLINE PROPERTY AND CASUALTY INSURANCE COMPANY	6420 BAUM DRIVE KNOXVILLE, TN 37919
10531	CENTURY SURETY COMPANY	550 POLARIS PARKWAY WESTERVILLE, OH 43082
138145	CHAMPLAIN SPECIALTY INSURANCE COMPANY	199 MAIN STREET BURLINGTON, VT 05401
138164	CHAUCER INSURANCE COMPANY DAC	38-39 BAGGOT STREET LOWER DUBLIN, Ireland D02 T938
10532	CHUBB CUSTOM INSURANCE COMPANY	202B HALL'S MILL ROAD WHITEHOUSE STATION, NJ 08889
48123	CHUBB EUROPEAN GROUP SE	LA TOUR CARPE DIEM 31 PLACE DES COROLLES, ESPLENADE NORD COURBEVOIE, France 92400
72782	CINCINNATI SPECIALTY UNDERWRITERS INSURANCE COMPANY (THE)	BRANDYWINE VILLAGE 1807 NORTH MARKET STREET WILMINGTON, DE 19802-4810
45736	CLEAR BLUE SPECIALTY INSURANCE COMPANY	200 SOUTH COLLEGE STREET SUITE 1910 CHARLOTTE, NC 28202
118669	CM VANTAGE SPECIALTY INSURANCE COMPANY	3000 SCHUSTER LANE MERRILL, WI 54452
10533	COLONY INSURANCE COMPANY	8720 STONY POINT PARKWAY SUITE 300 RICHMOND, VA 23235
10534	COLUMBIA CASUALTY COMPANY	151 N. FRANKLIN STREET CHICAGO, IL 60606
138228	CONCERT SPECIALTY INSURANCE COMPANY	2115 8TH AVENUE HELENA, MT 59601
141932	CONCORD SPECIALTY INSURANCE COMPANY	415 S. PIERRE STREET PIERRE, SD 57501

<i>Key#</i>	<i>Company Name</i>	<i>Statutory Home Address</i>
86914	CONIFER INSURANCE COMPANY	550 W. MERRILL STREET, SUITE 200 BIRMINGHAM, MI 48009
131888	CONVEX INSURANCE UK LIMITED	52 LIME STREET LONDON, United Kingdom EC3M 7AF
115462	COVERYS SPECIALTY INSURANCE COMPANY	67 EAST PARK PLACE, SUITE 703 MORRISTOWN, NJ 07960
96047	COVINGTON SPECIALTY INSURANCE COMPANY	c/o NIXON PEABODY LLP 900 ELM STREET MANCHESTER, NH 03101
37372	CRUM & FORSTER SPECIALTY INSURANCE COMPANY	1209 ORANGE STREET WILMINGTON, DE 19801
66658	CUMIS SPECIALTY INSURANCE COMPANY, INC.	2000 HERITAGE WAY WAVERLY, IA 50677
125558	DORCHESTER INSURANCE COMPANY, LTD.	6-7 DRONNINGENS GABE SUITE 202 ST. THOMAS, VI 00802-1520
10541	EMPIRE INDEMNITY INSURANCE COMPANY	BROADWAY EXECUTIVE PARK 9 200 NW 66TH STREET, SUITE 965 OKLAHOMA CITY, OK 73116
63338	ENDURANCE AMERICAN SPECIALTY INSURANCE COMPANY	1209 ORANGE STREET WILMINGTON, DE 19801
94256	ENDURANCE SPECIALTY INSURANCE LTD	WATERLOO HOUSE 90 PITTS BAY ROAD PEMBROKE, Bermuda HM 08
111852	ENDURANCE WORLDWIDE INSURANCE LIMITED	1ST FLOOR, 2 MINSTER COURT MINCING LANE LONDON, United Kingdom EC3R 7BB
127083	ENERGY INSURANCE MUTUAL LIMITED	CHANCERY HOUSE HIGH STREET BRIDGETOWN, Barbados
10543	EVANSTON INSURANCE COMPANY	10275 W. HIGGINS ROAD SUITE 750 ROSEMONT, IL 60018
10544	EVEREST INDEMNITY INSURANCE COMPANY	251 LITTLE FALLS DRIVE WILMINGTON, DE 19808
130365	EVEREST INSURANCE (IRELAND), DAC	HUGUENOT HOUSE, 3RD FL 35-38 ST. STEPHEN'S GREEN DUBLIN, Ireland
130366	EVEREST INTERNATIONAL ASSURANCE, LTD.	SEON PLACE, 4TH FLOOR 141 FRONT STREET P.O. BOX HN845 HAMILTON, Bermuda HM19
134691	EVERSPAN INDEMNITY INSURANCE COMPANY	ONE WORLD TRADE CENTER 41ST FLOOR NEW YORK, NY 10007
10545	EXECUTIVE RISK SPECIALTY INSURANCE COMPANY	202B HALL'S MILL ROAD WHITEHOUSE STATION, NJ 08889
105001	FAIR AMERICAN SELECT INSURANCE COMPANY	ONE LIBERTY PLAZA 165 BROADWAY NEW YORK, NY 10006
126696	FALLS LAKE FIRE AND CASUALTY COMPANY	6131 FALLS OF NEUSE ROAD SUITE 306 RALEIGH, NC 27609
136772	FIDELIS INSURANCE BERMUDA LIMITED	WATERLOO HOUSE 100 PITTS BAY ROAD PEMBROKE, Bermuda HM08
129780	FIDELIS UNDERWRITING LIMITED	LEVEL 42, 22 BISHOPSGATE LONDON, United Kingdom EC2N 4BQ

<i>Key#</i>	<i>Company Name</i>	<i>Statutory Home Address</i>
140458	FIREMAN'S FUND INDEMNITY CORPORATION	247 EAST FRONT STREET TRENTON, NJ 08611
10549	FIRST MERCURY INSURANCE COMPANY	1209 ORANGE STREET WILMINGTON, DE 19801
127476	FITCHBURG MUTUAL INSURANCE COMPANY	222 AMES STREET DEDHAM, MA 02026-1850
133350	FORTEGRA SPECIALTY INSURANCE COMPANY	10151 DEERWOOD PARK BLVD. BLDG. 100, STE. 300 JACKSONVILLE, FL 32256
18477	GEMINI INSURANCE COMPANY	CORPORATION TRUST CENTER 1209 ORANGE STREET WILMINGTON, DE 19801
10552	GENERAL SECURITY INDEMNITY COMPANY OF ARIZONA	2338 W. ROYAL PALM ROAD SUITE J PHOENIX, AZ 85021
10554	GENERAL STAR INDEMNITY COMPANY	1209 ORANGE STREET WILMINGTON, DE 19801
58119	GEOVERA SPECIALTY INSURANCE COMPANY	251 LITTLE FALLS DRIVE WILMINGTON, DE 19808
73754	GNY CUSTOM INSURANCE COMPANY	200 MADISON AVENUE NEW YORK, NY 10016-3904
123319	GOLDEN BEAR INSURANCE COMPANY	1550 WEST FREMONT STREET 2ND FLOOR STOCKTON, CA 95203
10556	GOTHAM INSURANCE COMPANY	59 MAIDEN LANE, 27TH FLOOR NEW YORK, NY 10038
134317	GRAY SURPLUS LINES INSURANCE COMPANY	3601 N. 10 SERVICE ROAD WEST METAIRIE, LA 70002
10514	GREAT AMERICAN E & S INSURANCE COMPANY	THE CORPORATION TRUST COMPANY 1209 ORANGE STREET WILMINGTON, DE 19801
10518	GREAT AMERICAN FIDELITY INSURANCE COMPANY	THE CORPORATION TRUST COMPANY 1209 ORANGE STREET WILMINGTON, DE 19801
10540	GREAT AMERICAN PROTECTION INSURANCE COMPANY	301 EAST FOURTH STREET CINCINNATI, OH 45202
22412	GREAT LAKES INSURANCE SE	KONIGINSTRASSE 107 MUNICH, Germany D80802
100854	GUIDEONE NATIONAL INSURANCE COMPANY	1111 ASHWORTH ROAD WEST DES MOINES, IA 50265-3538
36489	GUILFORD INSURANCE COMPANY	222 WEST ADAMS STREET CHICAGO, IL 60606
10557	GULF UNDERWRITERS INSURANCE COMPANY	ONE TOWER SQUARE HARTFORD, CT 06183
103324	HALLMARK SPECIALTY INSURANCE COMPANY	201 ROBERT S. KERR AVENUE SUITE 600 OKLAHOMA CITY, OK 73102
103749	HAMILTON INSURANCE DAC	4 CRAMPTON AVENUE, BALLSBRIDGE DUBLIN, Ireland 4
139043	HAMILTON SELECT INSURANCE, INC.	251 LITTLE FALLS DRIVE WILMINGTON, DE 19808
126737	HANOVER ATLANTIC INSURANCE COMPANY, LTD. (THE)	11 VICTORIA ST. P.O. BOX HM 1826 HAMILTON, Bermuda HM 11

<i>Key#</i>	<i>Company Name</i>	<i>Statutory Home Address</i>
8157	HARLEYSVILLE INSURANCE COMPANY OF NEW YORK	ONE WEST NATIONWIDE BLVD. COLUMBUS, OH 43215-2220
28076	HDI GLOBAL SPECIALTY SE	PODBIESKISTRASSE 396 HANNOVER, Germany D30659
123955	HDI SPECIALTY INSURANCE COMPANY	161 N. CLARK STREET 48TH FLOOR CHICAGO, IL 60601
121546	HELVETIA GLOBAL SOLUTIONS LTD	AEULESTRASSE 60 9490 VADUZ LIECHTENSTEIN, Lichtenstein
135054	HIGHLANDER SPECIALTY INSURANCE COMPANY	225 WEST WASHINGTON STREET SUITE 2550 CHICAGO, IL 60606
37373	HILLTOP SPECIALTY INSURANCE COMPANY	100 WILLIAM STREET, 5TH FLR. NEW YORK, NY 10038
100960	HOMELAND INSURANCE COMPANY OF DELAWARE	1209 ORANGE STREET WILMINGTON, DE 19801
44169	HOMELAND INSURANCE COMPANY OF NEW YORK	1000 WOODBURY ROAD SUITE 403 WOODBURY, NY 11797
128448	HOMESITE INSURANCE COMPANY OF FLORIDA	1 N. OLD STATE CAPITOL PLAZA SUITE 501 SPRINGFIELD, IL 62701-1323
124435	HOUSING SPECIALTY INSURANCE COMPANY, INC.	148 COLLEGE STREET BURLINGTON, VT 05401
10559	HOUSTON CASUALTY COMPANY	13403 NORTHWEST FREEWAY HOUSTON, TX 77040
75182	HOUSTON SPECIALTY INSURANCE COMPANY	800 GESSNER, SUITE 600 HOUSTON, TX 77024
102374	HSB SPECIALTY INSURANCE COMPANY	ONE STATE STREET HARTFORD, CT 06102-5024
106322	HUDSON EXCESS INSURANCE COMPANY	1209 ORANGE STREET WILMINGTON, DE 19801
10561	ILLINOIS UNION INSURANCE COMPANY	525 WEST MONROE STREET SUITE 700 CHICAGO, IL 60661
10547	INDEPENDENT SPECIALTY INSURANCE COMPANY	160 GREENTREE DRIVE SUITE 101 DOVER, DE 19904
10562	INDIAN HARBOR INSURANCE COMPANY	c/o THE CORPORATION TRUST CO. 1209 ORANGE STREET WILMINGTON, DE 19801
142104	INTERNATIONAL GENERAL INSURANCE COMPANY (UK) LIMITED	FORUM HOUSE 15-18 LIME STREET EC3M 7AN LONDON, United Kingdom
132121	INTERNATIONAL GENERAL INSURANCE COMPANY, LTD.	2 CHURCH STREET HAMILTON, Bermuda HM11
10564	INTERSTATE FIRE & CASUALTY COMPANY	225 WEST WASHINGTON STREET SUITE 1800 CHICAGO, IL 60606
138742	INTREPID SPECIALTY INSURANCE COMPANY	11201 DOUGLAS AVENUE URBANDALE, IA 50322
10596	IRONSHORE SPECIALTY INSURANCE COMPANY	8601 NORTH SCOTTSDALE ROAD SUITE 300 SCOTTSDALE, AZ 85253

<i>Key#</i>	<i>Company Name</i>	<i>Statutory Home Address</i>
119790	ISMIE INDEMNITY COMPANY	20 NORTH MICHIGAN AVENUE SUITE 700 CHICAGO, IL 60602-4811
10546	JAMES RIVER INSURANCE COMPANY	52 EAST GAY STREET COLUMBUS, OH 43215
36855	KINSALE INSURANCE COMPANY	425 W. CAPITOL AVENUE SUITE 1800 LITTLE ROCK, AR 72201
108670	KNIGHT SPECIALTY INSURANCE COMPANY	BRANDYWINE VILLAGE 1807 NORTH MARKET STREET WILMINGTON, DE 19802-4810
130547	KW SPECIALTY INSURANCE COMPANY	501 SILVERSIDE ROAD SUITE 57 WILMINGTON, DE 19809
138045	LAFAYETTE INSURANCE COMPANY	3867 PLAZA TOWER DRIVE BATON ROUGE, LA 70816
80046	LANCASHIRE INSURANCE COMPANY (UK) LIMITED	20 FENCHURCH STREET 29TH FLR. LONDON, United Kingdom EC3M 3BY
75297	LANCASHIRE INSURANCE COMPANY LIMITED	POWERHOUSE 7 PAR-LA-VILLE ROAD HAMILTON, Bermuda HM 11
8967	LANDMARK AMERICAN INSURANCE COMPANY	201 ROBERT KERR AVENUE SUITE 600 OKLAHOMA CITY, OK 73102-4267
10569	LEXINGTON INSURANCE COMPANY	2711 CENTERVILLE ROAD SUITE 400 WILMINGTON, DE 19808
22415	LIBERTY MUTUAL INSURANCE EUROPE SE	5-7, RUE LEON LAVAL L-3372 LEUDELANGE, Luxembourg B 232280
70118	LIBERTY SPECIALTY MARKETS BERMUDA LIMITED	141 FRONT STREET HAMILTON, Bermuda HM19
18457	LIBERTY SURPLUS INSURANCE CORPORATION	175 BERKELEY STREET BOSTON, MA 02117
22416	LLOYD'S, LONDON (UNDERWRITERS AT)	ONE LIME STREET LONDON, United Kingdom EC3M7HA
129637	MAPFRE ESPANA, COMPANIA DE SEGUROS Y REASEGUROS, S.A.	CARRETERA DE POZUELO, MAJADAHONDA 52 EDIFICIO M-II MADRID, Spain 28222
22418	MARINE INSURANCE COMPANY LIMITED	ST MARKS COURT. CHART WAY HORSHAM WEST SUSSEX, United Kingdom RH 12 1XL
22455	MARKEL INTERNATIONAL INSURANCE COMPANY LIMITED	20 FENCHURCH ST. LONDON, United Kingdom EC3M 3AZ
10527	MAXUM INDEMNITY COMPANY	ONE HARTFORD PLAZA HARTFORD, CT 06155
69016	MEDICAL MUTUAL LIABILITY INSURANCE SOCIETY OF MARYLAND	225 INTERNATIONAL CIRCLE HUNT VALLEY, MD 21030
104147	MEDICAL SECURITY INSURANCE COMPANY	700 SPRING FOREST ROAD SUITE 400 RALEIGH, NC 27609
75542	MERCHANTS NATIONAL INSURANCE COMPANY	5 BEDFORD FARMS SUITE 101 BEDFORD, NH 03110
10553	MESA UNDERWRITERS SPECIALTY INSURANCE COMPANY	40 WANTAGE AVENUE BRANCHVILLE, NJ 07890

<i>Key#</i>	<i>Company Name</i>	<i>Statutory Home Address</i>
96043	MID-CONTINENT EXCESS AND SURPLUS INSURANCE COMPANY	301 E. FOURTH STREET CINCINNATI, OH 45202
75518	mitsui sumitomo insurance company (EUROPE) LIMITED	71 FENCHURCH STREET LONDON, United Kingdom EC3M 4BS
129024	MOBILITAS INSURANCE COMPANY	5353 WEST BELL ROAD GLENDALE, AZ 85308
93838	MSIG SPECIALTY INSURANCE USA INC.	560 LEXINGTON AVENUE 20TH FLOOR NEW YORK, NY 10022
10571	MT. HAWLEY INSURANCE COMPANY	9025 N. LINDBERGH DRIVE PEORIA, IL 61615
10572	NAMIC INSURANCE COMPANY, INC.	3601 VINCENNES ROAD INDIANAPOLIS, IN 46268
10573	NATIONAL FIRE & MARINE INSURANCE COMPANY	1314 DOUGLAS STREET SUITE 1400 OMAHA, NE 68102-1944
10574	NAUTILUS INSURANCE COMPANY	7233 E. BUTHERUS DRIVE SCOTTSDALE, AZ 85260
10575	NAVIGATORS SPECIALTY INSURANCE COMPANY	ONE PENN PLAZA 50TH FLOOR NEW YORK, NY 10119-0014
9009	NORCAL SPECIALTY INSURANCE COMPANY	7600 NORTH CAPITAL OF TEXAS HIGHW BUILDING B, SUITE 300 AUSTIN, TX 78731
10576	NORTH AMERICAN CAPACITY INSURANCE COMPANY	650 ELM STREET MANCHESTER, NH 03101-2524
79123	NORTH LIGHT SPECIALTY INSURANCE COMPANY	2775 SANDERS ROAD NORTHBROOK, IL 60062-7127
10577	NORTHFIELD INSURANCE COMPANY	505 5TH AVENUE SUITE 729 DES MOINES, IA 50309
134692	OBSIDIAN SPECIALTY INSURANCE COMPANY	1330 AVENUE OF THE AMERICAS SUITE 23A NEW YORK, NY 10019
22421	OCEAN MARINE INSURANCE COMPANY LIMITED	ST. HELEN'S 1 UNDERSHAFT LONDON, United Kingdom EC3P 3DQ
127475	OKLAHOMA SPECIALTY INSURANCE COMPANY	201 ROBERT S. KERR SUITE 600 OKLAHOMA CITY, OK 73102
10579	OLD REPUBLIC UNION INSURANCE COMPANY	307 NORTH MICHIGAN AVENUE CHICAGO, IL 60601
10566	PACIFIC INSURANCE COMPANY, LIMITED	ONE HARTFORD PLAZA HARTFORD, CT 06155
135242	PALMS INSURANCE COMPANY, LIMITED	42 EDWARD STREET, 2ND FLOOR APO BOX 10193 GEORGETOWN, Cayman Islands
142220	PALMS SPECIALTY INSURANCE COMPANY	251 LITTLE FALLS DRIVE WILMINGTON, DE 19808
132732	PALOMAR EXCESS AND SURPLUS INSURANCE COMPANY	C/O C T CORPORATION SYSTEM 3800 NORTH CENTRAL AVENUE SUITE 460 PHOENIX, AZ 85012
99478	PARTNERRE IRELAND INSURANCE DAC	3RD FLOOR, THE EXCHANGE, GEORGE'S DOCK DUBLIN, Ireland 1

<i>Key#</i>	<i>Company Name</i>	<i>Statutory Home Address</i>
10582	PELEUS INSURANCE COMPANY	8720 STONY POINT PARKWAY SUITE 300 RICHMOND, VA 23235
58179	PENN-PATRIOT INSURANCE COMPANY	526 KING STREET ALEXANDRIA, VA 22314
74667	PRIME INSURANCE COMPANY	ONE SOUTH DEARBORN STREET SUITE 800 CHICAGO, IL 60603
23150	PRINCETON EXCESS AND SURPLUS LINES INSURANCE COMPANY	2711 CENTERVILLE ROAD SUITE 400 WILMINGTON, DE 19808
10537	PROASSURANCE SPECIALTY INSURANCE COMPANY	ONE CHURCH STREET BURLINGTON, VT 05402-1307
117812	PROFESSIONAL SECURITY INSURANCE COMPANY	C/O S. DAVID CHILDERS KUTAK ROCK, LLP 8601 N. SCOTTSDALE ROAD SUITE 300 SCOTTSDALE, AZ 85253-2742
75543	PROTECTIVE SPECIALTY INSURANCE COMPANY	111 CONGRESSIONAL BLVD SUITE 500 CARMEL, IN 46032
138203	QBE EUROPE SA/NV	BOULEVARD DU REGENT 37 BRUSSELS, Belgium 1000
47448	QBE SPECIALTY INSURANCE COMPANY	314 EAST THAYER AVENUE BISMARCK, ND 58501
22449	QBE UK LIMITED	PLANTATION PLACE 30 FENCHURCH STREET LONDON, United Kingdom EC3M 3BD
117810	RADNOR SPECIALTY INSURANCE COMPANY	10330 REGENCY PARKWAY DRIVE SUITE 100 OMAHA, NE 68114
136159	RENAISSANCERE SPECIALTY U.S. LTD.	12 CROW LANE PEMBROKE, Bermuda HM19
70898	REPUBLIC-VANGUARD INSURANCE COMPANY	2390 E. CAMELBACK ROAD PHOENIX, AZ 85016
138061	RICHMOND NATIONAL INSURANCE COMPANY	2 1/2 BEACON STREET CONCORD, NH 03301
10603	ROCKHILL INSURANCE COMPANY	8601 N. SCOTTSDALE ROAD SUITE 300 SCOTTSDALE, AZ 85253
122122	ROCKINGHAM INSURANCE COMPANY	633 EAST MARKET STREET HARRISONBURG, VA 22801
131927	ROCKINGHAM SPECIALTY, INC.	633 EAST MARKET STREET HARRISONBURG, VA 22801
10589	SAFECO SURPLUS LINES INSURANCE COMPANY	62 MAPLE AVENUE KEENE, NH 03431
86970	SAFETY SPECIALTY INSURANCE COMPANY	1832 SCHUETZ ROAD ST. LOUIS, MO 63146
94496	SCOR UK COMPANY LIMITED	10 LIME STREET LONDON, United Kingdom EC3M 7AA
10591	SCOTTSDALE INSURANCE COMPANY	ONE NATIONWIDE PLAZA COLUMBUS, OH 43215
107528	SCOTTSDALE SURPLUS LINES INSURANCE COMPANY	8877 N GAINES CENTER DRIVE SCOTTSDALE, AZ 85258-2108
44276	SENECA SPECIALTY INSURANCE COMPANY	1209 ORANGE STREET WILMINGTON, DE 19801
33514	SIRIUSPOINT INTERNATIONAL INSURANCE CORPORATION	BIRGER JARISGATAN 57B STOCKHOLM, Sweden SE 113 96

<i>Key#</i>	<i>Company Name</i>	<i>Statutory Home Address</i>
139390	SIRIUSPOINT SPECIALTY INSURANCE CORPORATION	ONE WORLD TRADE CENTER 285 FULTON ST., SUITE 47J NEW YORK, NY 10007
137617	SOUTHLAKE SPECIAL INSURANCE COMPANY	1301 SOLANA BLVD. SUITE 2335 WESTLAKE, TX 76262
135796	SPECIALTY BUILDERS INSURANCE COMPANY	2410 PACES FERRY ROAD SUITE 300 ATLANTA, GA 30339
136486	SPINNAKER SPECIALTY INSURANCE COMPANY	555 CONGRESS AVENUE SUITE 500 AUSTIN, TX 78701
10593	ST. PAUL SURPLUS LINES INSURANCE COMPANY	251 LITTLE FALLS DRIVE WILMINGTON, DE 19808
79898	STARR SURPLUS LINES INSURANCE COMPANY	8401 NORTH CENTRAL EXPRESSWAYS, #890 DALLAS, TX 75225
98475	STARSTONE INSURANCE SE	ZOLLSTRASSE 82 9494 SCHAAN LIECHTENSTEIN, Lichtenstein
40659	STARSTONE SPECIALTY INSURANCE COMPANY	1209 ORANGE STREET WILMINGTON, DE 19801-1120
10594	STEADFAST INSURANCE COMPANY	1299 ZURICH WAY SCHAUMBURG, IL 60196
131957	STONEGATE INSURANCE COMPANY	7400 N. CALDWELL AVENUE NILES, IL 60714
134329	SUMMIT SPECIALTY INSURANCE COMPANY	325 N. SAINT PAUL SUITE 900 DALLAS, TX 75201
10590	SUPERIOR SPECIALTY INSURANCE COMPANY	160 GREEN TREE DRIVE SUITE 101 DOVER, DE 19904
133848	SUTTON SPECIALTY INSURANCE COMPANY	201 ROBERT S. KERR AVE. SUITE 600 OKLAHOMA CITY, OK 73102
10550	SWISS RE CORPORATE SOLUTIONS CAPACITY INSURANCE CORPORATION	237 EAST HIGH STREET JEFFERSON CITY, MO 65101-3206
22453	SWISS RE INTERNATIONAL SE	2, RUE EDWARD STEICHEN LUXEMBOURG, Luxembourg L2540
10583	TDC SPECIALTY INSURANCE COMPANY	1500 K STREET, N.W. SUITE 1100 WASHINGTON, DC 20005
134695	TEXAS INSURANCE COMPANY	700 NORTH PEARL, 25TH FLOOR DALLAS, TX 75201
123370	THIRD COAST INSURANCE COMPANY	15200 WEST SMALL ROAD NEW BERLIN, WI 53151
22456	THROUGH TRANSPORT MUTUAL INSURANCE ASSOCIATION LIMITED	VICTORIA PLACE, 5TH FLOOR 31 VICTORIA STREET HAMILTON, Bermuda HM 10
8705	TOKIO MARINE SPECIALTY INSURANCE COMPANY	1807 NORTH MARKET STREET WILMINGTON, DE 19802
10588	TRANSVERSE SPECIALTY INSURANCE COMPANY	2711 CENTERVILLE ROAD SUITE 400 WILMINGTON, DE 19808
10597	TRAVELERS EXCESS AND SURPLUS LINES COMPANY	ONE TOWER SQUARE HARTFORD, CT 06183
37001	TRAVELERS SPECIALTY INSURANCE COMPANY	ONE TOWER SQUARE HARTFORD, CT 06183

<i>Key#</i>	<i>Company Name</i>	<i>Statutory Home Address</i>
126596	TRISURA SPECIALTY INSURANCE COMPANY	210 PARK AVENUE SUITE 1300 OKLAHOMA CITY, OK 73102
54486	TT CLUB MUTUAL INSURANCE LIMITED	90 FENCHURCH STREET LONDON, United Kingdom EC3M 4ST
10598	TUDOR INSURANCE COMPANY	300 KIMBALL DRIVE SUITE 500 PARSIPPANY, NJ 07054
10599	U. S. UNDERWRITERS INSURANCE COMPANY	316 NORTH FIFTH STREET SIXTH FLOOR BISMARCK, ND 58501
64798	UNITED SPECIALTY INSURANCE COMPANY	160 GREENTREE DRIVE SUITE 101 DOVER, DE 19904
135486	UPLAND SPECIALTY INSURANCE COMPANY	5050 QUORUM DRIVE SUITE 700 #473 DALLAS, TX 75254
82097	UTICA SPECIALTY RISK INSURANCE COMPANY	2435 N CENTRAL EXPRESSWAY SUITE 400 RICHARDSON, TX 75080
126299	VANTAGE RISK SPECIALTY INSURANCE COMPANY	104 SOUTH MICHIGAN AVENUE SUITE 600 CHICAGO, IL 60603
125260	VAULT E&S INSURANCE COMPANY	C/O MITCHELL, WILLIAMS, SELIG, GATES & WOODYARD 425 WEST CAPITOL AVENUE SUITE 1800 LITTLE ROCK, AR 72201-3525
10605	VOYAGER INDEMNITY INSURANCE COMPANY	260 INTERSTATE NORTH CIRCLE SE ATLANTA, GA 30339
117811	WATFORD SPECIALTY INSURANCE COMPANY	445 SOUTH STREET, SUITE 15824 P.O. BOX 1988 MORRISTOWN, NJ 07962-1988
10607	WESTCHESTER SURPLUS LINES INSURANCE COMPANY	11575 GREAT OAKS WAY SUITE 200 ALPHARETTA, GA 30022
10610	WESTERN WORLD INSURANCE COMPANY	300 KIMBALL DRIVE SUITE 500 PARSIPPANY, NJ 07054
136213	WESTFIELD SPECIALTY INSURANCE COMPANY	ONE PARK CIRLCE WESTFIELD CENTER, OH 44251
49219	WILSHIRE INSURANCE COMPANY	4200 SIX FORKS ROAD SUITE 1400 RALEIGH, NC 27609
10604	XL SELECT INSURANCE COMPANY	1209 ORANGE STREET WILMINGTON, DE 19801
132647	ZURICH INSURANCE PLC	ZURICH HOUSE BALLSBRIDGE PARK DUBLIN, Ireland D04 E5N4

MICHAEL HUMPHREYS,
Acting Insurance Commissioner

[Pa.B. Doc. No. 23-61. Filed for public inspection January 13, 2023, 9:00 a.m.]

INSURANCE DEPARTMENT

The Prudential Insurance Company of America; Rate Increase Filing for Several LTC Forms (PRUD-133505176); Rate Filing

The Prudential Insurance Company of America is requesting approval to increase the premium an aggregate 27.8% on 796 policy holders of LTC policy forms GRP 98720, GRP 98721 and GRP 98722. These forms are known as the ILTC-1 series. The requested increase only applies to policies issued prior to September 16, 2002.

Unless formal administrative action is taken prior to March 31, 2023, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's web site at www.insurance.pa.gov. To view these filing notices, hover the cursor over the word "Consumers," then select "Pending Long Term Care Rate Filings."

Interested parties are invited to submit written comments, suggestions or objections to Michael Hibbert, Actuarial Associate, Insurance Department, Insurance Product Regulation, Room 1311, Strawberry Square, Harrisburg, PA 17120, mhibbert@pa.gov within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

MICHAEL HUMPHREYS,
Acting Insurance Commissioner

[Pa.B. Doc. No. 23-62. Filed for public inspection January 13, 2023, 9:00 a.m.]

INSURANCE DEPARTMENT

Qualified Unlicensed Reinsurers List

Under section 319.1 of The Insurance Company Law of 1921 (40 P.S. § 442.1), the Insurance Commissioner hereby lists reinsurers not licensed by the Insurance Department (Department) which shall be considered qualified to accept reinsurance from insurers licensed by the Department.

Qualified Unlicensed Reinsurers List

1. 16835 Accredited Specialty Insurance Company, Phoenix, Arizona
2. 26883 AIG Specialty Insurance Company, Chicago, Illinois
3. 21911 Allianz Reinsurance America, Inc., Petaluma, California
4. 10852 Allstate New Jersey Insurance Company, Northbrook, Illinois
5. 37990 American Empire Insurance Company, Cincinnati, Ohio
6. 14673 Aspen Bermuda, Limited, Hamilton, Bermuda
7. 10717 Aspen Specialty Insurance Company, Bismarck, North Dakota
8. 11680 Aspen Insurance UK Limited, London, England
9. 14927 AXIS Specialty Limited, Pembroke, Bermuda
10. 15708 Awbury Insurance Company, Dover, Delaware
11. 98167 Blue Cross Blue Shield of Florida, Jacksonville, Florida
12. 77780 Blue Cross and Blue Shield of Nebraska, Inc., Omaha, Nebraska
13. 27081 Bond Safeguard Insurance Company, Sioux Falls, South Dakota
14. 30511 Castle Key Insurance Company, Northbrook, Illinois
15. 36951 Century Surety Company, Westerville, Ohio
16. 39993 Colony Insurance Company, Richmond, Virginia
17. 27812 Columbia Insurance Company, Omaha, Nebraska
18. 14034 DaVinci Reinsurance Limited, Pembroke, Bermuda
19. 40509 EMC Reinsurance Company, Des Moines, Iowa
20. 35378 Evanston Insurance Company, Rosemont, Illinois
21. 21555 Farm Bureau Mutual Insurance Company of Michigan, Lansing, Michigan
22. 10873 Farmers Reinsurance Company, Woodland Hills, California
23. 37532 Great American E & S Insurance Company, Wilmington, Delaware
24. 41858 Great American Fidelity Insurance Company, Wilmington, Delaware
25. 88340 Hannover Life Reassurance Company of America, Orlando, Florida
26. 10241 Hannover Ruck SE, Hannover, Germany
27. 54828 Highmark West Virginia, Parkersburg, West Virginia
28. 42374 Houston Casualty Company, Houston, Texas
29. 12936 Houston Specialty Insurance Company, Houston, Texas
30. 27960 Illinois Union Insurance Company, Chicago, Illinois
31. 22829 Interstate Fire & Casualty Company, Chicago, Illinois

32. 25445 Ironshore Specialty Insurance Company, Scottsdale, Arizona
33. 22993 Kentucky Farm Bureau Mutual Insurance Company, Louisville, Kentucky
34. 14925 Lancashire Insurance Company, Limited, Hamilton, Bermuda
35. 19437 Lexington Insurance Company, Wilmington, Delaware
36. Lloyd's Underwriters, London, England
37. 10329 Loudoun Mutual Insurance Company, Waterford, Virginia
38. 12324 Mapfre Re, Compania de Reaseguros, S.A., Madrid, Spain
39. 15852 Markel Bermuda Limited, Hamilton, Bermuda
40. 10744 Markel International Insurance Company Limited, London, England
41. 20079 National Fire & Marine Insurance Company, Omaha, Nebraska
42. 41629 New England Reinsurance Corporation, Hartford, Connecticut
43. 31143 Old Republic Union Insurance Company, Chicago, Illinois
44. 88099 Optimum Re Insurance Company, Dallas, Texas
45. 16754 Palomar Excess and Surplus Insurance Company, Phoenix, Arizona
46. 13787 Partner Reinsurance Company Limited, Pembroke, Bermuda
47. 13588 Penn Insurance and Annuity of New York, Brewster, New York
48. 17400 Proassurance Specialty Insurance Company, Burlington, Vermont
49. 88536 Protective Life and Annuity Insurance Company, Birmingham, Alabama
50. 16125 Protucket Insurance Company, Providence, Rhode Island
51. 11515 QBE Specialty Insurance Company, Bismarck, North Dakota
52. 15529 RenaissanceRe Europe AG, New York, New York
53. 14033 Renaissance Reinsurance Limited, Pembroke, Bermuda
54. River Thames Insurance Company Limited, Surrey, England
55. 12318 RiverStone Insurance (UK) Limited, Brighton, England
56. 87017 SCOR Global Life Re Insurance Company of Delaware, Wilmington, Delaware
57. 97071 SCOR Global Life USA Reinsurance Company, Wilmington, Delaware
58. 87572 Scottish Re (US) Inc., Dover, Delaware
59. 41297 Scottsdale Insurance Company, Columbus, Ohio
60. 23388 Shelter Mutual Insurance Company, Columbia, Missouri
61. 26557 Shelter Reinsurance Company, Columbia, Missouri
62. 13604 Starr Surplus Lines Insurance Company, Dallas, Texas
63. 39187 Suecia Insurance Company, Tarrytown, New York
64. 60188 Superior Vision Insurance, Inc., Scottsdale, Arizona
65. 11243 Tokio Marine GRV Re, Inc., Oklahoma City, Oklahoma
66. 19887 Trinity Universal Insurance Company, Dallas, Texas
67. 37982 Tudor Insurance Company, Parsippany, New Jersey
68. 81531 UTIC Insurance Company, Birmingham, Alabama
69. 15635 Validus Reinsurance, Limited, Pembroke, Bermuda
70. 15993 Validus Reinsurance (Switzerland), Limited, Zurich, Switzerland
71. 10172 Westchester Surplus Lines Insurance Company, Alpharetta, Georgia
72. 13196 Western World Insurance Company, Parsippany, New Jersey

MICHAEL HUMPHREYS,
Acting Insurance Commissioner

[Pa.B. Doc. No. 23-63. Filed for public inspection January 13, 2023, 9:00 a.m.]

INSURANCE DEPARTMENT

Review Procedure Hearings; Cancellation or Refusal of Insurance

The following insured has requested a hearing authorized by the act of June 17, 1998 (P.L. 464, No. 68) (Act 68) in connection with the termination of the insured's automobile insurance policy. The hearing will be governed in accordance with the requirements of Act 68; 2 Pa.C.S. §§ 501—508, 561—588 and 701—704 (relating to Administrative Agency Law); 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). This administrative hearing will be held as follows. Failure by the appellant to appear at the scheduled hearing may result in dismissal with prejudice.

The hearing will be held as follows in the Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102.

Appeal of Gary Roccograndi; Liberty Mutual Personal Insurance Company; File No. 22-115-274907; Doc. No. P22-12-014; February 21, 2023, 2 p.m.

Following the hearing and receipt of the stenographic transcript, the Insurance Commissioner (Commissioner) will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing, should contact Joseph Korman, (717) 787-4429, jkorman@pa.gov.

MICHAEL HUMPHREYS,
Acting Insurance Commissioner

[Pa.B. Doc. No. 23-64. Filed for public inspection January 13, 2023, 9:00 a.m.]

PATIENT SAFETY AUTHORITY

Public Meeting

The Patient Safety Authority (Authority), established by section 303 of the Medical Care Availability and Reduction of Error (MCARE) Act (40 P.S. § 1303.303), announces a meeting of the Authority's Board to be held virtually by means of the Authority's webinar platform Zoom on Thursday, January 26, 2023, at 1:30 p.m. and is open to the general public.

There will be Zoom capabilities to attend the Board meeting remotely, so registration is required.

Individuals can register by going to <https://us06web.zoom.us/meeting/register/tZUkd-ivpzgiGtEXQtLs8-809qM5S7yUzD2t>.

After registering, individuals will receive a confirmation e-mail containing information about joining the meeting.

Individuals who are unable to sign in with the previously listed link may dial-in by using the following information:

Meeting ID: 819 0179 3905

Passcode: 6aW49t

One tap mobile:

+1 646 931 3860, 819 0179 3905# US
+1 301 715 8592, 819 0179 3905# US (Washington DC)

Dial by individual's location:

+1 646 931 3860 US
+1 301 715 8592 US (Washington DC)
+1 305 224 1968 US
+1 312 626 6799 US (Chicago)
+1 646 558 8656 US (New York)
+1 719 359 4580 US
+1 720 707 2699 US (Denver)
+1 253 215 8782 US (Tacoma)
+1 346 248 7799 US (Houston)

Meeting ID: 819 0179 3905

Find individual's local number: <https://us06web.zoom.us/j/81901793905>

Individuals with questions regarding this meeting should contact the Authority at (717) 346-0469.

A closed executive session of the Authority's Board of Directors will be held on January 26, 2023, at 1 p.m. by means of Zoom. The purpose of the executive session is for consideration of personnel matters and to engage in nondeliberative informational discussions regarding various actions and matters which have been approved at previous public meetings.

REGINA M. HOFFMAN, MBA, BSN, RN, CPPS,
Executive Director

[Pa.B. Doc. No. 23-65. Filed for public inspection January 13, 2023, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission (Commission). Formal protests, petitions to intervene and answers must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before January 30, 2023. Filings are recommended to be made electronically through eFiling to the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy served on the applicant by January 30, 2023. Individuals can sign up for a free eFiling account with the Secretary of the Commission through the Commission's eFiling system at <https://www.puc.pa.gov/efiling/Default.aspx>. A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Protests may only be filed if there is evidence that the applicant lacks fitness. Protests based on endangering or impairing operations of an existing carrier will not be honored. The documents filed in support of the application are only available for inspection through the Commission's web site at www.puc.pa.gov by searching under the previously listed docket number or by searching the applicant's web site.

Application of the following for approval to begin operating as common carriers for transportation of persons as described under the application.

A-2022-3033575. JSB Transport, LLC (76 Fox Road, Newmanstown, Lebanon County, PA 17073) for the right to begin to transport, as a common carrier, by motor vehicle, persons in paratransit service, limited to persons whose personal convictions prevent them from owning or operating motor vehicles, from points in the Counties of Berks, Lancaster and Lebanon to points in Pennsylvania, and return.

Application of the following for approval of the beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of household goods as described under the application.

A-2022-3036923. 1020 Movers, LLC, d/b/a College Hunks Hauling Junk and Moving (28 East Main Street, New Kingstown, Cumberland County, PA 17072) for the right to begin to transport, as a common carrier, by motor vehicle, household goods in use, between points in Pennsylvania. *Attorney:* Kenneth R. Stark, Esquire, McNees Wallace & Nurick, 100 Pine Street, P.O. Box 1166, Harrisburg, PA 17108-1166.

Application of the following for approval to begin operating as contract carriers for transportation of persons as described under the application.

A-2022-3037325. Ant Transportation, LLC (917 Arch Street, Unit 102, Philadelphia, Philadelphia County, PA 19107) to transport, by motor vehicles, in contract carrier of passenger service, for Friends Senior Care Center, from points in Philadelphia County, to points in Pennsylvania, and return.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 23-66. Filed for public inspection January 13, 2023, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Formal Complaints

Formal complaints have been issued by the Pennsylvania Public Utility Commission. Answers must be filed in accordance with 52 Pa. Code (relating to public utilities). Answers are due January 23, 2023, and must be made with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy to the First Deputy Chief Prosecutor, Pennsylvania Public Utility Commission.

Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. Prism Logistics Co.; Doc. No. C-2022-3032545

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are

prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That Prism Logistics Co., Respondent, maintains a principal place of business at 3437 D Street, Room 208, Philadelphia, PA 19134-1108.

2. On, May 18, 2022, by Commission Secretarial letter, Respondent was issued a certificate of public convenience by this Commission authorizing transportation of property for compensation at PUC utility code no. 8925001. Respondent was further advised "Certificate holder is advised to become familiar with the requirements of 52 Pa. Code. Failure to comply with all applicable requirements may subject the carrier to penalties, including fines suspension of operating rights or cancellation of authority. Title 52 of the *Pennsylvania Code* may be accessed on the World Wide Web at www.pacode.com."

3. Between September 02, 2022, through September 16, 2022, PUC Enforcement Officer Freda Culver attempted several times to contact Respondent by phone but was unable to leave a voicemail due to the voice mailbox being full. A first class and certified letter was sent to Respondent on October 2, 2022, requesting Respondent contact Officer Culver to schedule the safety fitness review within ten days. A third letter was sent to the Respondent on October 31, 2022. The Respondent has failed to contact Officer Culver or the District Office.

4. That Respondent, by failing to achieve a satisfactory evaluation on a safety fitness review, violated 66 Pa. Code § 501(c) and, for failure to maintain adequate, efficient, and safe service and facilities, violated 66 Pa. Code § 1501. The penalty for this violation is cancellation of the certificate held by Respondent with this Commission at utility code 8925001.

Wherefore, the Bureau of Investigation and Enforcement hereby requests that the Commission revoke the certificate of public convenience issued Prism Logistics Co. at PUC utility code no. 8925001.

Respectfully submitted,
Andrew Turriziani, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement
400 North Street
Harrisburg, PA 17120

VERIFICATION

I, Andrew Turriziani, hereby state that the facts above set forth are true and correct to the best of my knowledge, information, and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 18 November 2022

Andrew Turriziani, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within twenty (20) days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Cover Letter for this Complaint and Notice,

52 Pa. Code § 1.56(a). An Answer is a written explanation of circumstances wished to be considered in determining the outcome. The Answer shall raise all factual and legal arguments that you wish to claim in your defense and must include the reference number of this Complaint. Your Answer must be verified, and the original shall be mailed to:

Rosemary Chiavetta, Secretary
 Pennsylvania Public Utility Commission
 400 North Street, 2nd Floor
 Harrisburg, PA 17120

Or you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy.

Additionally, a copy should either be mailed to:

Bureau of Investigation and Enforcement
 Pennsylvania Public Utility Commission
 400 North Street, 2nd Floor
 Harrisburg, PA 17120

Or, e-mailed to: RA-PCCmplntResp@pa.gov

B. If you fail to answer this complaint within twenty (20) days, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing a penalty. The penalty could include a fine, the suspension or revocation of your certificate of public convenience or other remedy.

C. If you file an Answer, which admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing a penalty.

D. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The judge is not bound by the optional fine set forth above.

E. Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714.

ROSEMARY CHIAVETTA,
 Secretary

[Pa.B. Doc. No. 23-67. Filed for public inspection January 13, 2023, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Transfer by Sale

A-2022-3037390 and A-2022-3037393. Fairland Sewer Company, Inc. and Mid Atlantic Utility Group, Inc. Joint application of Fairland Sewer Company, Inc. and Mid Atlantic Utility Group, Inc. for approval of: 1) the transfer by sale of all the wastewater assets of Fairland Sewer Company, Inc. to Mid Atlantic Utility Group, Inc.; 2) the right of Mid Atlantic Utility Group, Inc. to provide wastewater service to the public in a portion of North Whitehall Township, known as Fairland Hills and Parkland Estates, Lehigh County; 3) the adoption by Mid Atlantic Utility Group, Inc. of the existing tariff of Fairland; 4) the abandonment by

Fairland Sewer Company, Inc. of wastewater to the public in a portion of North Whitehall Township, known as Fairland Hills and Parkland Estates, Lehigh County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before Monday, January 30, 2023. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, or on the Pennsylvania Public Utility Commission's (Commission) web site at www.puc.pa.gov with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary from 8 a.m. to 4:30 p.m., Monday through Friday, on the Commission's web site at www.puc.pa.gov and at the applicant's business address. If a filing contains confidential or proprietary material, the filing is required to be submitted by overnight delivery. Large filings containing confidential or proprietary material may be submitted through the Commission's Share Point File system with advanced notice to the Commission prior to submittal.

Applicants: Fairland Sewer Company, Inc.; Mid Atlantic Utility Group, Inc.

Through and By Counsel: Raymond A. Hassey, Esquire, Hassey Legal Services, Attorneys-at-Law, PC, 304 Wilkes-Barre Township Boulevard, Wilkes-Barre, PA 18702, (570) 760-2516, HasseyLegal@aol.com; Timothy P. Polishan, Esquire, Kelley, Polishan and Solfanelli, LLC, 259 South Keyser Avenue, Old Forge, PA 18518, (570) 562-4520 Ext. 102, tpolishan@kpwslaw.com

ROSEMARY CHIAVETTA,
 Secretary

[Pa.B. Doc. No. 23-68. Filed for public inspection January 13, 2023, 9:00 a.m.]

STATE BOARD OF NURSING

Bureau of Professional and Occupational Affairs v. Gloria Asantewah Sasu, RN; Case No. 22-51- 003170

Notice to Gloria Asantewah Sasu, RN:

The Commonwealth of Pennsylvania, Department of State, Bureau of Professional and Occupational Affairs, instituted formal administrative action against you by filing a Memorandum Order before the State Board of Nursing (Board) alleging that your license to practice registered nursing is subject to indefinite suspension and the imposition of costs of investigation based upon your failure to attend a Board ordered mental and physical examination pursuant to Section 14(a)(2) of the Professional Nursing Law (Act), Act of June 22, 1951 (P.L. 317, No. 69), as amended, 63 P.S. § 224(a)(2), and the holding of *Lencovich v. Bureau of Professional and Occupational Affairs*, 829 A.2d 1238 (Pa. Cmwlth. 2003). This notice is being published pursuant to 1 Pa. Code § 33.31 and Rule 430 of the Pennsylvania Rules of Civil Procedure, 231 Pa. Code Rule 430, providing service of process upon you by publication.

Your license to practice registered nursing in the Commonwealth of Pennsylvania was INDEFINITELY SUSPENDED, EFFECTIVE OCTOBER 3, 2022 under Section 14(a)(2) of the Act and you will be responsible for the costs of investigation, including those costs associated with failing to attend the mental and physical examination.

If you wish to defend against the charges in the Order or request a hearing you must do so within twenty days from the date of publication of this notice. The procedure for doing so is explained in the Memorandum Order. You may obtain a copy of the Memorandum Order online or by contacting the Prothonotary for the Department of State, 2601 North Third Street, P.O. Box 2649, Harrisburg, PA 17105-2649; (717) 772-2686.

You have the right to retain an attorney. Although you may represent yourself without an attorney, you are advised to seek the assistance of an attorney. All proceedings before the Board are conducted under the Administrative Agency Law and the General Rules of Administrative Practice and Procedure. If a response and request for

a hearing are not filed within 20 days of publication of this notice, an order making the suspension of your license final will be issued by the State Board of Nursing. The response and any pleadings or other documents related to this matter must be filed with the Prothonotary for the Department of State at the above address. A copy of the response and request for hearing shall also be served on the prosecuting attorney identified in the Memorandum Order.

LINDA L. KMETZ, PhD, RN,
Chairperson

[Pa.B. Doc. No. 23-69. Filed for public inspection January 13, 2023, 9:00 a.m.]

