

# PENNSYLVANIA BULLETIN

Volume 54

Number 24

Saturday, June 15, 2024 • Harrisburg, PA

## Part II

This part contains  
the Notices





# NOTICES

## DEPARTMENT OF AGRICULTURE

### Fertilizer Nutrient Values

The Secretary of Agriculture, under the authority of 3 Pa.C.S. § 6809 (relating to commercial value), establishes the commercial values per pound of nitrogen, available phosphate and soluble potash.

The values are established as follows:

Nitrogen	\$0.71 per pound
Available phosphate	\$0.60 per pound
Soluble potash	\$0.47 per pound

#### Further Information

Further information is available by contacting David Husner, Agronomic Program Specialist, Department of Agriculture, Bureau of Plant Industry, 2301 North Cameron Street, Harrisburg, PA 17110-9408, (717) 772-5216.

#### Effective Date

These commercial values are effective beginning July 1, 2024, and shall remain effective until further notice.

RUSSELL REDDING,  
Secretary

[Pa.B. Doc. No. 24-828. Filed for public inspection June 14, 2024, 9:00 a.m.]

## DEPARTMENT OF AGRICULTURE

### General Quarantine Order; Influenza A Viruses in Ruminants; Exhibition of Dairy Cattle

#### Recitals:

The following recitals set forth and describe the dangerous transmissible disease for which this Quarantine Order is instituted, specify the species of domestic animals affected by and subject to this Quarantine Order, and provides the authority under which this Quarantine Order is established.

A. Influenza A viruses have the potential to mutate and transfer into different host species.

B. The Highly Pathogenic Avian Influenza (HPAI) Eurasian lineage goose/Guangdong H5 clade 2.3.4.4 virus has been confirmed in wild birds and in poultry flocks across the United States in 2024.

C. HPAI has caused substantial loss in the past to the Pennsylvania poultry industry and has caused widespread losses to the poultry industry in states in which poultry have been infected.

D. Certain influenza A viruses, including H5 and H7 viruses, can cause severe disease in poultry and other avian species and have also been identified as a cause of clinical disease in other animals, including dairy cattle and juvenile goats. In March 2024, an H5 influenza A virus was identified as a cause of a multistate outbreak of disease in dairy cattle. Clinical signs in dairy cattle include a decrease in feed consumption, with a simultaneous decrease in rumination and rumen motility; respiratory signs including clear nasal discharge; and subse-

quent acute drop in milk production. Additional clinical signs may include abnormal tacky or loose feces, lethargy, dehydration, and fever. Severely affected cattle may have thicker, concentrated, colostrum-like milk or produce no milk at all. The ability of the H5 influenza A virus to be transmitted between poultry and cattle poses a threat to both the poultry and the cattle industries in Pennsylvania by threatening the safety or quality of the food supply and the economic wellbeing of the domestic animal and allied industries. In addition, H5 and H7 influenza A viruses in ruminants may pose a risk to public health due to their zoonotic potential.

E. Section 2321(a) of the Domestic Animal Law (relating to specific dangerous transmissible diseases) (3 Pa.C.S. § 2321(a)) establishes specific transmissible diseases as dangerous transmissible diseases within the meaning of the Domestic Animal Law.

F. Section 2321(d) of the Domestic Animal Law (relating to designation of additional dangerous transmissible disease through temporary order) provides, “Upon the determination that a transmissible disease not listed in subsection (a) and not designated a dangerous transmissible disease through regulation under subsection (b) presents a danger to public health, to domestic animal health, to the safety or quality of the food supply or to the economic wellbeing of the domestic animal industries, the department shall issue a temporary order proclaiming that transmissible disease to be a dangerous transmissible disease within the meaning of this chapter. . .” (3 Pa.C.S. § 2321(d)).

G. The Department amended a previous Temporary Order Designating Dangerous Transmissible Diseases published in the *Pennsylvania Bulletin* on December 2, 2023 (53 Pa.B. 7373) to include “Influenza A Viruses in Ruminants” as a dangerous transmissible disease. The amended Temporary Order was published in the April 20, 2024, edition of the *Pennsylvania Bulletin* (54 Pa.B. 2098) and such designation was effective immediately upon publication of that edition.

H. Section 2329(a) of the Domestic Animal Law (relating to power to establish and enforce), authorizes the Department to establish a Quarantine Order “Whenever a dangerous transmissible disease. . .exists anywhere within or outside of this Commonwealth, or whenever it is deemed advisable to test or treat any domestic animal upon the reasonable suspicion that it has contracted or been exposed to a dangerous transmissible disease. . .or whenever the testing or treatment of a domestic animal indicates that the domestic animal has been exposed to a dangerous transmissible disease. . .so as to render future accurate testing for recent exposure of that domestic animal to that dangerous transmissible disease. . .impractical or impossible, the department shall have the power to establish and enforce quarantines of any such infected, exposed, contaminated, suspected or susceptible domestic animal. In addition to the aforescribed domestic animals, a quarantine may apply to any goods, products, facilities, containers, vehicles or materials that may carry dangerous transmissible disease. . .and may be applied on or in or against any premises, area or locality as defined in this chapter.” (3 Pa.C.S. § 2329(a)).

I. Section 2329 (related to quarantine) of the Domestic Animal Law (3 Pa.C.S. § 2329) establishes three different types of quarantine orders—Interstate and International

(3 Pa.C.S. § 2329(c)), General (3 Pa.C.S. § 2329(d)) and Special (3 Pa.C.S. § 2329(e))—the Department may impose.

J. Section 2329(d) of the Domestic Animal Law provides specific authority to establish and enforce a general quarantine order “. . . against any area or locality within this Commonwealth for any of the reasons set forth in subsection (a) to prevent a dangerous transmissible disease. . . from being carried into, within, from or out of the area or locality that is subject to the quarantine. A general quarantine order may include any domestic animals, conveyances, containers, goods, products or materials that may carry dangerous transmissible disease. . . and may include any area or locality, including all buildings, structures, premises and equipment located therein.” (3 Pa.C.S.A. § 2329(d)).

*Order:*

With the foregoing recitals incorporated into this General Quarantine Order by reference, the Department hereby establishes a General Quarantine Order (Quarantine Order) related to exhibition requirements for dairy cattle. This General Quarantine Order is established under authority of the Domestic Animal Law, at 3 Pa.C.S. § 2329(d). The terms of this Quarantine Order are as follows:

1. *Definitions*

*Accredited Veterinarian (category II).* A licensed veterinarian approved by the USDA Administrator in accordance with the provisions of 9 CFR (Code of Federal Regulations) Requirements and Standards for Accredited Veterinarians and Suspension or Revocation of Such Accreditation § 161 to perform functions specified in 9 CFR for category II animals (food and fiber animal species; horses; birds; farm-raised aquatic animals; all other livestock species; and zoo animals that can transmit exotic animal diseases to livestock).

*Animal Exhibition.* Any temporary spectacle, display, event, exhibition, or act featuring performing animals including, but not limited to, circuses, pony rides, animal exhibits, weight pull events, and petting zoos. This definition shall exclude permanent zoologic exhibits and Pennsylvania Game Commission menagerie permit holders.

*Animal exhibition grounds.* The premises on which an animal exhibition is conducted.

*Dairy cattle.* Cattle belonging to breeds raised for milk production purposes, or crosses thereof, included in the Genus *Bos*.

*Lactating cattle.* Dairy cattle that are actively producing milk, including those in early, mid, and late phases of the production cycle.

*NAHLN laboratory.* A state or federal laboratory that is part of the United States Department of Agriculture (USDA) National Animal Health Laboratory Network and is approved by the USDA National Veterinary Service Laboratory (NVSL) to perform regulatory testing for avian influenza in bovine tissues or specimens.

*Non-lactating cattle.* Dairy cattle that are not currently producing milk. This includes heifers, male cattle, calves, and dry cows.

*Venue or Fair.* The term shall mean any Fair, show, exhibition, or other such venue within the Commonwealth of Pennsylvania which is sponsored by or receives funding from the Pennsylvania Department of Agriculture or

receives funding pursuant to the Pennsylvania Agricultural Fair Act (act of July 8, 1986, P.L. 437, No. 92) (3 P.S. §§ 1501—1510).

*Veterinarian-Client-Patient Relationship.* A veterinarian-client-patient relationship (VCPR) is defined by the American Veterinary Medical Association as the basis for interaction among veterinarians, their clients, and their patients and is critical to the health of an animal. A VCPR means that all of the following are required:

(a) The veterinarian has assumed the responsibility for making clinical judgments regarding the health of the patient and the client has agreed to follow the veterinarian's instructions.

(b) The veterinarian has sufficient knowledge of the patient to initiate at least a general or preliminary diagnosis of the medical condition of the patient. This means that the veterinarian is personally acquainted with the keeping and care of the patient by virtue of a timely examination of the patient by the veterinarian, or medically appropriate and timely visits by the veterinarian to the operation where the patient is managed.

(c) The veterinarian is readily available for follow-up evaluation or has arranged for the following: veterinary emergency coverage, and continuing care and treatment.

(d) The veterinarian provides oversight of treatment, compliance, and outcome.

(e) Patient records are maintained.

2. *Quarantine Area.* The area covered by this General Quarantine Order is the entire Commonwealth of Pennsylvania.

3. *Prohibitions and requirements for exhibition of dairy cattle.* The prohibitions and requirements as described in section 3.a. and 3.b. will be in effect if a case of influenza A in dairy cattle has been confirmed in the Commonwealth of Pennsylvania and until Pennsylvania has been declared free of influenza A in dairy cattle by the State Animal Health Official.

(a) *Prohibition of exhibition of dairy cattle.*

(1) Dairy cattle from a premises on which dairy animals are showing clinical signs of infection with influenza A virus are prohibited from entering an exhibition. Clinical signs may include a decrease in feed consumption with a simultaneous decrease in rumination and rumen motility; respiratory signs including clear nasal discharge; and subsequent acute drop in milk production. Additional clinical signs may include abnormal tacky or loose feces, lethargy, dehydration, and fever. Severely affected cattle may have thicker, concentrated, colostrum-like milk or produce no milk at all. Animals showing clinical signs compatible with infection must be cleared by the State Animal Health Official.

(2) Dairy cattle which have been on a premises where influenza A virus has been confirmed in dairy cattle are prohibited from entering an exhibition until that premises has been declared free of disease by the State Animal Health Official.

(3) Dairy cattle which have been on a premises where influenza A virus has been confirmed in domestic birds are prohibited from entering an exhibition until that premises has been declared free of disease by the State Animal Health Official.

(4) Dairy cattle which have been on a premises which is located within a three-kilometer area of a premises where influenza A virus has been confirmed in domestic birds are prohibited from entering an exhibition until the

State Animal Health Official has declared that area as free of disease, based on epidemiological investigation and surveillance testing.

(b) *Testing requirements.*

(1) The dairy cattle shall have been part of a biosecure assembled group for a period of at least 30 days prior to the date of sample collection in accordance with subsection (2) below. New dairy cattle may not have been added to the herd or group within the 30-day period preceding the date of sample collection, or after the date of sample collection and before movement.

(2) Individual dairy cattle 18 months of age and older shall be tested within the seven days prior to the date of arrival on the animal exhibition grounds.

i. *Lactating dairy animals*—A milk specimen shall be collected from each lactating dairy cow for testing in accordance with the provisions of this section. Milk specimens shall be collected in a manner that is in accordance with National Veterinary Service Laboratory (NVSL) guidance issued to the testing National Animal Health Laboratory Network (NAHLN) laboratory.

ii. *Non-lactating dairy animals*—Nasal swabs shall be collected from each non-lactating dairy cow for testing in accordance with the provisions of this section. Nasal swabs shall be collected in a manner that is in accordance with NVSL guidance issued to the testing NAHLN laboratory.

(3) Milk specimens and nasal swabs, as required in subsection (2) of this section, shall be collected and submitted by or under the supervision of an accredited veterinarian (category II). The accredited veterinarian collecting or supervising the collection of the diagnostic specimens shall have a veterinarian-client-patient relationship (VCPR) with the owner or caretaker of the animal.

(4) Each specimen or sample collected and submitted under subsection (2) of this section shall be tested for Influenza A virus using polymerase chain reaction (PCR) testing and protocols approved by NVSL.

(5) Testing of all specimens or samples collected and submitted under this Quarantine Order shall be performed at a NAHLN laboratory. The individual specimens shall not be pooled by the accredited veterinarian (category II) or any person other than at the NAHLN laboratory testing the samples.

(6) All dairy cattle arriving at an animal exhibition shall have been tested in accordance with the standards set forth in this Quarantine Order and shall have a negative or not-detected test result. The laboratory test report, or a copy thereof, shall accompany each dairy cow to the animal exhibition and shall be made available to the holder or staff of the animal exhibition and any Department employee.

4. *Exemptions.*

Dairy cattle less than 18 months of age are not required to be tested for influenza A virus prior to exhibition.

5. *Violations and Penalties.*

An animal which fails to meet the requirements of this Quarantine Order shall either be removed from the exhibition grounds or subject to quarantine on the exhibition grounds and testing to meet exhibition requirements.

Any person violating the requirements of this Order shall be subject to enforcement and penalties as are allowed under the provisions of the Domestic Animal Law (3 Pa.C.S.A. § 2301 et seq.), which include revocation of license, criminal prosecution, civil penalties of up to \$10,000 per violation, injunctive relief, or any combination of those penalties.

6. *No Restriction on Further Action by the Department.*

This Quarantine Order shall not be construed as limiting the Department's authority to establish additional quarantine or testing requirements on imported cattle or to limit the Department's authority under the Domestic Animal Law or any other statutes or regulations administered by the Department.

7. *Contact information.*

Questions regarding this Quarantine Order may be directed to the Commonwealth of Pennsylvania, Department of Agriculture, Bureau of Animal Health, 2301 North Cameron Street, Harrisburg, PA 17110 or by telephone at 717-772-2852, or email at RA-ahds@pa.gov.

8. *Effective Date.*

This Quarantine Order in its entirety shall become effective immediately upon signature of the Secretary of the Pennsylvania Department of Agriculture and shall remain in effect unless rescinded or modified by a subsequent Order.

RUSSELL REDDING,  
*Secretary*

[Pa.B. Doc. No. 24-829. Filed for public inspection June 14, 2024, 9:00 a.m.]

## DEPARTMENT OF AGRICULTURE

### Program Requirements for the Very Small Meat and Poultry Processor Reimbursement Grant Program

The Department of Agriculture (Department) hereby provides notice of the standards and requirements for the Very Small Meat and Poultry Processor Reimbursement Grant Program (Program). The Department intends to make no less than \$500,000 available for grants under the Program. Funding is contingent upon 2024-2025 budget appropriations.

The Program is established under authority of 3 Pa.C.S. §§ 10101—10106 (relating to Very Small Meat and Poultry Processor Reimbursement Grant Program). The Program allows the Department to award reimbursement grants for certain eligible costs incurred by a very small meat or poultry processing operation that meets the Federal definition of a “very small establishment.”

This notice establishes the procedures by which grant applications will be solicited, reviewed and awarded for Fiscal Year (FY) 2024-2025.

1. *Program objective.* The Program's objective is to support the development and expansion of current or future very small meat and poultry processing operations in this Commonwealth by offering reimbursement grants to cover the cost associated with obtaining a grant of inspection from the United States Department of Agriculture (USDA) Food Safety Inspection Service (FSIS), opening a new very small meat and poultry processing



operation, expanding the capacity of a current very small meat and poultry processing operation or a combination of those purposes.

2. *Definitions.* The following words and phrases apply to the Program:

*Applicant.* A person applying for a reimbursement grant under the Program.

*Grant cycle.* The period of time from when the Department solicits applications for grants under 3 Pa.C.S. §§ 10101—10106 until final reimbursement.

*Grant of inspection.* An inspection by the USDA FSIS certifying that products at a very small meat and poultry processing operation are produced in accordance with Federal law.

*Person.* An individual, partnership, association, firm, corporation or any other legal entity.

*Secretary.* The Secretary of the Department.

*USDA.* United States Department of Agriculture.

*Very small meat and poultry processing operation.* A person operating under a grant of inspection that meets the definition of “very small establishments” in 9 CFR 381.65(g)(1)(i) (relating to operations and procedures, generally).

3. *Grant program.* Program grants will be reimbursement grants. The following will apply:

a. The amount of reimbursement is based on actual eligible costs submitted by an approved applicant within the grant cycle.

b. Grant reimbursement money shall only be available for eligible costs associated with meeting the requirements to obtain a grant of inspection, opening a new very small meat and poultry processing operation, expanding the capacity of a current very small meat and poultry operation or a combination of those purposes.

c. Grants are limited to no more than \$100,000 per applicant.

d. Grant reimbursement money may not be used to reimburse any portion of an in-kind contribution to an eligible project.

e. Grant money may not be used to pay or reimburse wages or salaries of grant recipient staff.

f. Grant money may not be used to reimburse any portion of the project costs which are being paid or reimbursed under another Federal or state grant program.

g. Grants will only be offered to the extent that funding is made available to the Department. In the event funding is exhausted or otherwise unavailable, the Department will be under no obligation to provide grants. Grant money may be prorated or offered as a percentage of actual costs, as determined by the Department, and set forth in an order by the Secretary, to spread available money to a larger number of eligible applicants.

h. Grant money may only be awarded and distributed to the owner of the eligible very small meat and poultry processing operation. The Department may not assign grant money to a lessee, operator or person other than the owner of the eligible very small meat and poultry processing operation.

4. *Applicant eligibility.* An applicant may apply to receive reimbursement for eligible costs if the applicant is a very small meat and poultry processing operation and is either:

a. Currently operating under a grant of inspection.

b. Upon completion of the approved project, the applicant will obtain a grant of inspection. An applicant must attest to this eligibility requirement under penalty of law to receive reimbursement.

5. *Application procedure.*

a. *Online applications only.* An applicant for a grant under this Program must submit an application through the Commonwealth’s Single Application for Assistance online application system at [www.esa.dced.state.pa.us](http://www.esa.dced.state.pa.us).

b. *Application window.* Applications must be submitted through the Single Application for Assistance online application system between 8 a.m. on June 17, 2024, and 5 p.m. on August 2, 2024. Applications received outside of that application window will not be considered or reviewed.

c. *Application requirements.* An application for a grant under the Program must contain the following information:

i. The applicant’s name, the organization name, a business address and a telephone number.

ii. A list of corporate officers if the applicant is a corporation.

iii. The applicant’s eligibility (describing whether they are currently a USDA-inspected operation or will obtain a grant of inspection by the completion of the proposed project).

iv. A detailed plan to include:

(1) The process being undertaken to meet the requirements necessary to obtain a grant of inspection from USDA FSIS, if applicable.

(2) An outline of the overall project and materials being requested.

(3) A line-item proposed budget.

(4) Individual tasks required to complete the project.

(5) A detailed timeline for completion of project tasks.

(6) A detailed description of equipment or supplies required to complete the project, training, consulting, technical support and other services utilized, as applicable.

(7) A detailed list of costs, including training and equipment costs, as applicable.

(8) An attestation signed by the applicant, stating the applicant is in compliance, or will be in compliance with, the Federal Meat Inspection Act (Pub.L. No. 59-382, 21 U.S.C. §§ 601—695) or Poultry and Poultry Products Inspection Act (Pub.L. No. 85-172, 21 U.S.C. §§ 451—473) upon completion of the approved project to maintain a grant of inspection.

d. *Eligible costs.* The following costs, incurred during the term of the grant cycle in which the grant is awarded, are eligible for reimbursement:

i. Consulting or other technical support services that directly support the development and maintenance of programs required to operate under a grant of inspection.

ii. Professional employee training and educational services and programs that support the development and maintenance of programs to operate under a grant of inspection. If a professional consultant is utilized, reasonable costs may be reimbursed, as determined by the Department.

iii. Up to 85% of the purchase cost of meat or poultry slaughter or processing equipment or supplies. This does not include reimbursement of the costs of planning, erecting, repair or modification of a structure or building or repair or installation of roofing or other physical structure improvements.

iv. The purchase of equipment or supplies directly related to employee safety.

6. *Evaluation of applications.* The Department will review each application and supporting documentation submitted for completeness and accuracy. If an application is found to be incomplete or inaccurate, the Department may request additional documentation and may discontinue further processing of the application until the requested information is received. The Department will evaluate an application on the basis of:

a. The ability of the applicant to complete the stated project within the stated timeline.

b. The ability of the applicant to provide a detailed description of the project and project costs.

c. The potential of the project to provide slaughter or meat or poultry processing capacity and services to this Commonwealth's livestock and poultry producers.

d. The potential of the project to provide availability of Commonwealth-produced meat or poultry products to consumers.

7. *Grant agreement.* After the Secretary approves a grant application, and as a precondition to the Department's release of grant moneys to a successful applicant, the Department and the applicant will execute a written or electronic grant agreement which describes the terms and conditions subject to which the grant is made. The grant agreement will contain and conform to the requirements of this notice and will also contain any special terms and conditions as required by the Secretary. Among the terms of the grant agreement will be a requirement that the grant recipient provide the Department full and complete access to all records relating to the performance

of the project and submit the information as the Department may require. Applicants who wish to view the full terms and conditions of the grant agreement in advance of submitting an application may contact the Department at the address set forth in section 9. Applicants who are unable to agree to the terms and conditions should not apply.

8. *Final reimbursement.* Reimbursement will be based on the approved applicant's completion of the project and submission of the final costs related to expenses and materials in the applicant's approved grant project within the grant cycle. The submission must also include:

a. Documentation of actual expenditures for eligible costs approved in the grant application and invoices evidencing payment of the costs. The documentation may include invoices for hours of training or consultation.

b. Documentation of the completion of the approved project. The documentation may include pictures and dates of training and equipment installation.

c. Documentation demonstrating the very small meat and poultry processing operation is operating under a grant of inspection.

d. A written report related to:

i. The completed project.

ii. The expansion of meat or poultry processing capability.

iii. Expanded services to this Commonwealth's livestock and poultry producers.

iv. An increase to the availability of this Commonwealth's meat or poultry products to consumers.

Documents submitted to the Department under this paragraph should be directed to the Department of Agriculture, Attn: Corinne Elliott, 2301 North Cameron Street, Harrisburg, PA 17110-9408.

9. *Additional information.* Additional information may be obtained from the Department by contacting Corinne Elliott, (717) 787-6041, corielliot@pa.gov.

RUSSELL REDDING,  
Secretary

[Pa.B. Doc. No. 24-830. Filed for public inspection June 24, 2024, 9:00 a.m.]

## DEPARTMENT OF BANKING AND SECURITIES

### Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending June 4, 2024.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, may file comments in writing with the Department, for Bank Supervision, by e-mail to ra-bnbnksbmssnspt@pa.gov or for credit unions, by e-mail to ra-bncusubmissions@pa.gov and trust companies, by e-mail to ra-bntrustsuprvsninq@pa.gov. Comments must be received no later than 30 days from the date that the notice regarding acceptance of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, for banks (717) 783-8240, or for credit unions or trust companies (717) 783-2253.

**NOTICES**

**APPLICATIONS FOR COMMENT**

**BANKING INSTITUTIONS**

No activity.

**CREDIT UNIONS**

No activity.

**OTHER APPLICATION ACTIVITY**

**BANKING INSTITUTIONS**

**Consolidations, Mergers and Absorptions**

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Status</i>
05-30-2024	AmeriServ Financial Bank Johnstown Cambria County	Approved
Application for approval to merge AmeriServ Trust and Financial Services Company, Johnstown, PA, with and into AmeriServ Financial Bank, Johnstown, PA.		

**Branch Applications**

**De Novo Branches**

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Status</i>
06-04-2024	LINKBANK Camp Hill Cumberland County	900 Bestgate Road Annapolis Anne Arundel County, MD	Accepted

**Branch Relocations**

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Status</i>
06-05-2024	The Northern Trust Company Chicago Cook County, IL	<i>To:</i> Two Commerce Square 2001 Market Street Suite 1120 Philadelphia Philadelphia County  <i>From:</i> 2400 Market Street Suite 239 Philadelphia Philadelphia County	Accepted

**Branch Discontinuances**

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Status</i>
05-31-2024	Farmers and Merchants Trust Company of Chambersburg Chambersburg Franklin County	700 East High Street Carlisle Cumberland County (Limited-Service Facility)	Closed
06-03-2024	Community Bank Carmichaels Greene County	1993 South 88 Road Greensboro Greene County	Closed

**CREDIT UNIONS**

No activity.

The Department's web site at [www.dobs.pa.gov](http://www.dobs.pa.gov) includes public notices for more recently filed applications.

WENDY S. SPICHER,  
*Secretary*



## DEPARTMENT OF BANKING AND SECURITIES

### Maximum Lawful Rate of Interest for Residential Mortgages for the Month of July 2024

The Department of Banking and Securities (Department), under the authority contained in section 301 of the act of January 30, 1974 (P.L. 13, No. 6) (41 P.S. § 301), determines that the maximum lawful rate of interest for residential mortgages for the month of July 2024, is 7%.

The interest rate limitations under the Commonwealth's usury statute were pre-empted to a great extent by Federal law, the Depository Institutions Deregulation and Monetary Control Act of 1980 (Pub.L. No. 96-221). Further pre-emption was instituted with the signing of Pub.L. No. 96-399, which overrode State interest rate limitations on any individual who finances the sale or exchange of residential real property which the individual owns and which the individual occupies or has occupied as his principal residence.

Each month the Department is required by State law to compute and announce the ceiling rate on residential mortgages in this Commonwealth. This maximum rate is determined by adding 2.50 percentage points to the yield rate on long-term government bonds as published by the Federal Reserve Board or the United States Treasury, or both. The latest yield rate on long-term government securities is 4.60 to which was added 2.50 percentage points for a total of 7.10 that by law is rounded off to the nearest quarter at 7%.

WENDY S. SPICHER,  
*Secretary*

[Pa.B. Doc. No. 24-832. Filed for public inspection June 14, 2024, 9:00 a.m.]

## DEPARTMENT OF COMMUNITY AND ECONOMIC DEVELOPMENT

### Intent to Apply for Funding; Preservation and Reinvestment Initiative for Community Enhancement

It is the intention of the Department of Community and Economic Development (Department) to apply for funding through the Preservation and Reinvestment Initiative for Community Enhancement (PRICE) notice of funding opportunity through the United States Department of Housing and Urban Development (HUD). The purpose of the funding program is to support manufactured housing and manufactured housing communities. Through the program, funds will be awarded to local governments to rehabilitate existing manufactured housing units and improve critical infrastructure, such as water and sewer systems located within those communities. The application deadline is July 10, 2024, at 11:59 p.m. Note that HUD has extended the initial deadline of June 5, 2024, to July 10, 2024.

A draft version of the application will be available on the Department's web site at <https://dced.pa.gov/housing-and-development/consolidated-plan-annual-plans-reports/>. The Department reserves the right to make minor edits to the application after posting it to the web site.

The Department will be holding a second public hearing to meet the requirement that an in-person meeting be offered. The public hearing will be held on Thursday, June 20, 2024, at 11 a.m. The public are invited to attend either in person at the Department or virtually. For individuals planning on attending in person, the Department's address is Commonwealth Keystone Building, 400 North Street, 4th Floor, Harrisburg, PA 17120.

When arriving, the public should use the entrance on the North Street side of the building and take the public elevators to the 4th floor. After that, individuals will need to check in with the Department's front desk and will be directed to the applicable meeting space.

Individuals who wish to attend virtually, the meeting may be accessed through a computer or mobile device at [https://teams.microsoft.com/l/meetup-join/19%3ameeting\\_NmMxYjMzZjEtOWEzMC00ODI5LWwYmItZTk0ODU4YzY4Mjhl%40thread.v2/0?context=%7b%22Tid%22%3a%22418e2841-0128-4dd5-9b6c-47fc5a9a1bde%22%2c%22Oid%22%3a%222ed73e8d-d048-425b-93cc-055ce4231b52%22%7d](https://teams.microsoft.com/l/meetup-join/19%3ameeting_NmMxYjMzZjEtOWEzMC00ODI5LWwYmItZTk0ODU4YzY4Mjhl%40thread.v2/0?context=%7b%22Tid%22%3a%22418e2841-0128-4dd5-9b6c-47fc5a9a1bde%22%2c%22Oid%22%3a%222ed73e8d-d048-425b-93cc-055ce4231b52%22%7d). The meeting ID is 266 943 339 163. The passcode is k4QAXZ.

Individuals who wish to attend the hearing may join by phone at (267) 332-8737. The conference ID is 915 200 860#.

#### *Public Comments*

The Department invites public comment through a 15-day public comment period, which will begin on June 15, 2024, and end on June 30, 2024, at 4 p.m. Individuals or organizations may provide written comments regarding this draft version of the PRICE application.

Persons with a disability or limited English proficiency, who wish to comment and require an auxiliary aid, service or other accommodation to participate, should contact David Grey, Department of Community and Economic Development, Center for Community and Housing Development, Commonwealth Keystone Building, 400 North Street, 4th Floor, Harrisburg, PA 17120-0225, (717) 214-5341 or TDD (717) 346-0308, to discuss how the Department may best accommodate their needs.

Written comments will be accepted until 4 p.m. on June 30, 2024, and should be sent to David Grey, Department of Community and Economic Development, Center for Community and Housing Development, Commonwealth Keystone Building, 400 North Street, 4th Floor, Harrisburg, PA 17120-0225, [dcedchdpubliccomments@pa.gov](mailto:dcedchdpubliccomments@pa.gov).

RICK SIGER,  
*Secretary*

[Pa.B. Doc. No. 24-833. Filed for public inspection June 14, 2024, 9:00 a.m.]

## DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES

### Wild Resource Conservation Program; Public Hearing

The Department of Conservation and Natural Resources (Department) will hold a public hearing Wednesday, August 7, 2024, to comment on the applications submitted to the Wild Resource Conservation Program for grant funding in Fiscal Year 2024-2025. The hearing will be held from 11 a.m. to 12 p.m. in the 6th Floor

Conference Room, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA.

Questions concerning this hearing can be directed to Ryan Bortnyk, (717) 783-3331, [rbortnyk@pa.gov](mailto:rbortnyk@pa.gov) or Rebecca Bowen, (717) 772-0258, [rebbowen@pa.gov](mailto:rebbowen@pa.gov). Individuals who plan to make comments should contact either Ryan Bortnyk or Rebecca Bowen.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should con-

tact Rebecca Bowen directly at (717) 772-0258 or through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

CINDY ADAMS DUNN,  
*Secretary*

[Pa.B. Doc. No. 24-834. Filed for public inspection June 14, 2024, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Applications, Actions and Special Notices

---

#### APPLICATIONS

---

### THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

### APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS UNDER THE CLEAN STREAMS LAW AND FEDERAL CLEAN WATER ACT

This notice provides information about persons who have applied to the Department of Environmental Protection (DEP) for a new, renewed, or amended NPDES or WQM permit, or a permit waiver for certain stormwater discharges, or have submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications and NOIs concern, but are not limited to, effluent discharges from sewage treatment facilities and industrial facilities to surface waters or groundwater; stormwater discharges associated with industrial activity (industrial stormwater), construction activity (construction stormwater), and municipal separate storm sewer systems (MS4s); the application of pesticides; the operation of Concentrated Animal Feeding Operations (CAFOs); and the construction of sewage, industrial waste, and manure storage, collection and treatment facilities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). More information on the types of NPDES and WQM permits that are available can be found on DEP's website (visit [www.dep.pa.gov](http://www.dep.pa.gov) and select Businesses, Water, Bureau of Clean Water, Wastewater Management, and NPDES and WQM Permitting Programs).

*Section*            *Category*

- |     |  |
|-----|--|
| I   | Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received                                |
| II  | Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs |
| III | Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity  |

Section I identifies the following applications and NOIs that have been received by DEP:

- Individual and General WQM Permit Applications Received—DEP provides a 15-day public comment period for Individual WQM Permit Applications for new and reissued permits. There is no public comment period for General WQM Permit NOIs.
- General Chapter 92a NPDES Permit NOIs Received—There is no public comment period for General NPDES NOIs received.
- All Transfer and Minor Amendment Applications/NOIs Received—Transfer and Minor Amendment Applications/NOIs received for Individual and General WQM Permits and Individual and General NPDES Permits, excluding PAG-01 and PAG-02, are identified but do not have public comment periods. DEP provides a 15-day public comment period for Individual WQM Permit Applications for amendments.

Additional information on these applications and NOIs may be reviewed by generating the “Applications and NOIs without Comment Periods Report” or, for Individual WQM Permit Applications, the “Applications Received with Comment Periods Report” on DEP's website at [www.dep.pa.gov/CWPublicNotice](http://www.dep.pa.gov/CWPublicNotice).

Section II identifies individual NPDES permit applications received and draft permits indicating DEP's tentative determination relating to sewage, industrial waste, industrial stormwater, MS4s, pesticides and CAFOs. A 30-day public comment period applies to these applications and draft permits, except when a site-specific water quality criterion is used to establish effluent limitations, in which case a 45-day public comment period applies. The period for comment may be extended at the discretion of DEP for one additional 15-day period. Additional information, including links to draft permits and fact sheets that explain the basis for DEP's tentative determinations may be reviewed by generating the “Applications Received with Comment Periods Report” on DEP's website at [www.dep.pa.gov/CWPublicNotice](http://www.dep.pa.gov/CWPublicNotice). Notification of 15-day extensions for comment will be provided in the “Applications Received with Comment Periods Report” (Comments column).

Section III identifies individual NPDES permit applications received and draft permits indicating DEP's tentative determination relating to stormwater discharges associated with construction activities. A 30-day public comment period applies to these applications and draft permits. The period for comment may be extended at the discretion of the Department for one additional 15-day period. Additional information may be reviewed by generating the "Applications Received with Comment Periods Report" on DEP's website at [www.dep.pa.gov/CWPublicNotice](http://www.dep.pa.gov/CWPublicNotice).

Applications, NOIs and draft permits, where applicable, may be reviewed at the DEP office that received the application or NOI. Members of the public are encouraged to use DEP's website to obtain additional information as discussed previously.

Comments received within the appropriate comment periods for WQM and NPDES permit applications will be retained by DEP and considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform DEP of the exact basis of a comment and the relevant facts upon which it is based.

DEP office contact information to review applications and NOIs and to submit comments for those applications, when applicable, is as follows:

*DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484-250-5910. Email: RA-EPNPDES\_SERO@pa.gov for permits in Sections I & II; RA-EPWW-SERO@pa.gov for permits in Section III.*

*DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570-826-5472. Email: RA-EPNPDES\_NERO@pa.gov for permits in Sections I & II; RA-EPWW-NERO@pa.gov for permits in Section III.*

*DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717-705-4732. Email: RA-EPNPDES\_SCRO@pa.gov for permits in Sections I & II; RA-EPWW-SCRO@pa.gov for permits in Section III.*

*DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570-327-3693. Email: RA-EPNPDES\_NCRO@pa.gov for permits in Sections I & II; RA-EPWW-NCRO@pa.gov for permits in Section III.*

*DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412-442-4286. Email: RA-EPNPDES\_SWRO@pa.gov for permits in Sections I & II; RA-EPWW-SWRO@pa.gov for permits in Section III.*

*DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814-332-6340. Email: RA-EPNPDES\_NWRO@pa.gov for permits in Sections I & II; RA-EPWW-NWRO@pa.gov for permits in Section III.*

*DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-787-5017. Email: RA-EPNPDES\_Permits@pa.gov.*

*DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.*

DEP will also accept requests or petitions for public hearings on applications. The request or petition must indicate the interest of the party filing and the reasons why a hearing is warranted. A hearing will be held if DEP determines that there is a significant public interest. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. DEP will postpone its final determination until after a public hearing is held.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

### **I. Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received.**

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
1024806	Joint DEP/PFBC Pesticides Permit	New	Middlesex Crossings HOA 2005 Ringold Court Valencia, PA 16059-1120	Middlesex Township Butler County	NWRO
1520812	Joint DEP/PFBC Pesticides Permit	Amendment	Brook Crossing HOA 199 Crossing Boulevard East Fallowfield, PA 19320-4345	East Fallowfield Township Chester County	SERO
3524802	Joint DEP/PFBC Pesticides Permit	New	Donova Nichole 460 Stone Road North Abington Township, PA 18414-8127	North Abington Township Lackawanna County	NERO
3724807	Joint DEP/PFBC Pesticides Permit	New	Janet Carbone 7421 Old Route 422 Portersville, PA 16051-5605	Slippery Rock Township Lawrence County	NWRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
4621821	Joint DEP/PFBC Pesticides Permit	Amendment	Rubin Michael 600 Great Springs Road Bryn Mawr, PA 19010-1702	Lower Merion Township Montgomery County	SERO
5213844	Joint DEP/PFBC Pesticides Permit	Amendment	Gold Key CC Inc. 111 Gold Key Road Milford, PA 18337	Dingman Township Pike County	NERO
5213845	Joint DEP/PFBC Pesticides Permit	Amendment	Gold Key CC Inc. 111 Gold Key Road Milford, PA 18337	Dingman Township Pike County	NERO
5213846A-1	Joint DEP/PFBC Pesticides Permit	Amendment	Gold Key CC Inc. 111 Gold Key Road Milford, PA 18337	Dingman Township Pike County	NERO
5813823	Joint DEP/PFBC Pesticides Permit	Renewal	Idlewild Lake Association P.O. Box 156 Clifford, PA 18413-0156	Clifford Township Susquehanna County	NERO
5813824	Joint DEP/PFBC Pesticides Permit	Renewal	Quarry Hill Farms 136 Gunn Hill Road Nicholson, PA 18446-7799	Clifford Township Susquehanna County	NERO
6421810	Joint DEP/PFBC Pesticides Permit	Amendment	Schoenfeld Steven 361 Stalker Road Equinunk, PA 18417-3522	Damascus Township Wayne County	NERO
6424808	Joint DEP/PFBC Pesticides Permit	New	Lockwood Margaret 218 Mican Road Waymart, PA 18472-3035	Canaan Township Wayne County	NERO
6424809	Joint DEP/PFBC Pesticides Permit	New	Cain Dianne 7 Cindy Court Millstone Township, NJ 08510-7995	Oregon Township Wayne County	NERO
1800403	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Amendment	Western Clinton County Municipal Authority P.O. Box 363 Renovo, PA 17764-0363	Renovo Borough Clinton County	NCRO
3624403	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Amendment	Northwestern Lancaster County Authority 97 N Penryn Road Manheim, PA 17545-9326	Penn Township Lancaster County	SCRO
4606408	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Amendment	PA American Water Co. 852 Wesley Drive Mechanicsburg, PA 17055-4436	Upper Providence Township Montgomery County	SERO
6793404	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Amendment	The York Water Co. 130 E Market Street York, PA 17401-1219	Springfield Township York County	SCRO
NOEX01202	No Exposure Certification	Renewal	Bethlehem Apparatus Co. Inc. 890 Front Street P.O. Box Y Hellertown, PA 18055-1507	Hellertown Borough Northampton County	NERO
NOEX01302	No Exposure Certification	Renewal	Bethlehem Apparatus Co. Inc. 935 Bethlehem Drive Bethlehem, PA 18017	Bethlehem City Northampton County	NERO
PAG030321	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Green Lane Auto Sales & Parts Inc. 3000 Geryville Pike Pennsburg, PA 18073-2607	Marlborough Township Montgomery County	SERO



## NOTICES

3423

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG036157	PAG-03 NPDES General Permit for Industrial Stormwater	Amendment	Chestnut Ridge Foam Inc. 443 Warehouse Drive Latrobe, PA 15650-3573	Derry Township Westmoreland County	SWRO
PAG036582	PAG-03 NPDES General Permit for Industrial Stormwater	New	Joseph B Fay Co. 2 Allegheny Center Nova Tower 2 Suite 800 Pittsburgh, PA 15212-5402	Jefferson Hills Borough Allegheny County	SWRO
PAG038343	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	FedEx Ground Pkg System Inc. Environmental Services 1000 FedEx Drive Moon Township, PA 15108	Jackson Township Butler County	NWRO
PAG038368	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	United Parcel Service Inc. 55 Glenlake Parkway Atlanta, GA 30328-3474	Jackson Township Butler County	NWRO
PAG038412	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Mersen USA GS Corp— St Marys 215 Stackpole Street Saint Marys, PA 15857-1401	Saint Marys City Elk County	NWRO
PAG038499	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Cronimet Specialty Metals USA Inc. 40 Council Avenue Wheatland, PA 16161	Wheatland Borough Mercer County	NWRO
PAG038501	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	M & B Redi Mix Inc. dba Dubrook 15303 Route 322 Clarion, PA 16214-6265	Saint Marys City Elk County	NWRO
PAG041167	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Transfer	Tudor David 1251 Quaker Hill Road Warren, PA 16365-4205	Glade Township Warren County	NWRO
PAG041340	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	Kim & Ron Irwin 2340 Election House Road Cochranton, PA 16314-5136	Fairfield Township Crawford County	NWRO
PAG041347	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	Isenberg William J 105 Arberg Lane Slippery Rock, PA 16057-1801	Mercer Township Butler County	NWRO
PAG041349	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	Sandra & William Tracy 43224 Gilson Ridge Road Titusville, PA 16354-4506	Oil Creek Township Crawford County	NWRO
PAG041353	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	Supports Inc. 21635 Star Route Meadville, PA 16335	Vernon Township Crawford County	NWRO
PAG041361	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	Corey & Maria Ivonne Norman 5564 W Center Road Linesville, PA 16424-7744	Conneaut Township Crawford County	NWRO
PAG041362	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	Miller Alex R 3813 Williams Road Erie, PA 16510-6101	Harborcreek Township Erie County	NWRO
PAG045139	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Transfer	Roscoe Devon E 111 Kennel Lane Port Matilda, PA 16870-8005	Huston Township Centre County	NCRO



<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG045302	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	Morgan Beacker & Mark Gower 50 Shaw Road Williamsport, PA 17701-9707	Loyalsock Township Lycoming County	NCRO
PAG120012	PAG-12 NPDES General Permit for CAFOs	New	Smoker Jay M 301 Glen Run Road Atglen, PA 19310-1626	West Fallowfield Township Chester County	SCRO
PAG122212	PAG-12 NPDES General Permit for CAFOs	Renewal	AG Ventures LLC 345 W High Street Elizabethtown, PA 17022	Salem Township Luzerne County	SCRO
PAG122217	PAG-12 NPDES General Permit for CAFOs	Renewal	Manbeck Dwight 917 Schwartz Valley Road Schuylkill Haven, PA 17972	Wayne Township Schuylkill County	SCRO
PAG123511	PAG-12 NPDES General Permit for CAFOs	Renewal	Goss Timothy R 123 Decatur Road McClure, PA 17841	Decatur Township Mifflin County	SCRO
PAG123562	PAG-12 NPDES General Permit for CAFOs	Renewal	Nolt Cleason 351 Elco Drive Myerstown, PA 17067-2608	Jackson Township Lebanon County	SCRO
PAG123612	PAG-12 NPDES General Permit for CAFOs	Renewal	Nolt John 10190 Mountain Road Port Royal, PA 17082	Turbett Township Juniata County	SCRO
PAG123613	PAG-12 NPDES General Permit for CAFOs	Renewal	Meadow Spring Acres LLC 1871 Smith Station Road Spring Grove, PA 17362-8977	Heidelberg Township York County	SCRO
PAG123791	PAG-12 NPDES General Permit for CAFOs	Renewal	Mike Cassel 259 Auction Road Manheim, PA 17545-9744	Penn Township Lancaster County	SCRO
PAG123792	PAG-12 NPDES General Permit for CAFOs	Renewal	Yippe! Farms LLC 880 Pinkerton Road Mount Joy, PA 17552-9241	Rapho Township Lancaster County	SCRO
PAG123886	PAG-12 NPDES General Permit for CAFOs	Renewal	Eric Newswanger 107 Awol Road Jonestown, PA 17038	Union Township Lebanon County	SCRO
PAG123893	PAG-12 NPDES General Permit for CAFOs	Renewal	Fair Family Farms LLC 3949 Allegheny Road Manns Choice, PA 15550-7816	Harrison Township Bedford County	SCRO
PAG123899	PAG-12 NPDES General Permit for CAFOs	Renewal	Finkbiner Craig D 2452 Free Spring Church Road McAlisterville, PA 17049-8593	Fayette Township Juniata County	SCRO
PAG123923	PAG-12 NPDES General Permit for CAFOs	Renewal	Hissong Farmstead Inc. 7951 Lemar Road Mercersburg, PA 17236-9559	Montgomery Township Franklin County	SCRO
1524405	Pump Stations Individual WQM Permit	New	East Coventry Township Chester County P.O. Box 689 Devon, PA 19333-0689	East Coventry Township Chester County	SERO
4004405	Pump Stations Individual WQM Permit	Amendment	Hazle Township Municipal Authority Luzerne County P.O. Box 502 Harleigh, PA 18225-0502	Hazle Township Luzerne County	NERO
PA0291790	Single Residence STP Individual NPDES Permit	Transfer	Labonte Dustin 14600 Burnt Mill Road Shippensburg, PA 17257-9111	Lurgan Township Franklin County	SCRO
1402402	Single Residence Sewage Treatment Plant Individual WQM Permit	Transfer	Roscoe Devon E 111 Kennel Lane Port Matilda, PA 16870-8005	Huston Township Centre County	NCRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
2823401	Single Residence Sewage Treatment Plant Individual WQM Permit	Transfer	Labonte Dustin 14600 Burnt Mill Road Shippensburg, PA 17257-9111	Lurgan Township Franklin County	SCRO

**II. Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs.**

*Northcentral Regional Office*

**PA0024759**, Sewage, SIC Code 4952, **Curwensville Municipal Authority**, 314 South Street, Curwensville, PA 16833-1237. Facility Name: Curwensville Municipal Authority Wastewater Treatment Plant. This existing facility is located in Curwensville Borough, **Clearfield County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), West Branch Susquehanna River, is located in State Water Plan watershed 8-B and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.8 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min Report	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	165	265	XXX	25.0	40.0	50
Biochemical Oxygen Demand (BOD <sub>5</sub> )	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent		Daily Max				
Total Suspended Solids	200	300	XXX	30.0	45.0	60
Total Suspended Solids Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean	XXX	1,000
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	Geo Mean	XXX	Report
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	XXX	XXX
Nitrate-Nitrite as N (Total Load, lbs) (lbs)	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Total Mo	XXX	XXX	XXX	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs)	Report	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	Total Mo	XXX	XXX	XXX	XXX	XXX
Ammonia-Nitrogen (Total Load, lbs) (lbs)	Report	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen	Total Mo	XXX	XXX	XXX	XXX	XXX
Total Kjeldahl Nitrogen (Total Load, lbs) (lbs)	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus	Total Mo	XXX	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs)	Report	XXX	XXX	Report	XXX	XXX
Copper, Total	0.65	1.02	XXX	0.098	0.15	0.24
Zinc, Total	5.35	Daily Max	XXX	0.8	Daily Max	2
		8.34			1.25	
		Daily Max			Daily Max	

The proposed monitoring requirements and effluent limits for implementation of Pennsylvania's Chesapeake Bay Watershed Implementation Plan are as follows for Outfall 001.—Limits.

Parameters	Mass Units (lbs/day)		Monthly	Concentrations (mg/L)		Instant. Maximum
	Monthly	Annual		Monthly Average	Maximum	
Total Nitrogen (Total Load, lbs) (lbs) Effluent Net	XXX	13,698 Total Annual	XXX	XXX	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX
Ammonia-Nitrogen (Total Load, lbs) (lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs) Effluent Net	XXX	1,826 Total Annual	XXX	XXX	XXX	XXX

\* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is not in effect.

*Northcentral Regional Office*

**PA0113514**, Sewage, SIC Code 4952, **Madison Township, Columbia County**, P.O. Box 620, Millville, PA 17846-0620. Facility Name: Madison Township Hilner Sewer System STP. This existing facility is located in Madison Township, **Columbia County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SFTF sewage.

The receiving stream(s), Unnamed Tributary to Mud Creek (WWF), is located in State Water Plan watershed 10-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.00175 MGD.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly	Minimum	Average Monthly	Maximum	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
Oct 1 - Apr 30				200 Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX		XXX	1,000

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is in effect.

*Northcentral Regional Office*

**PA0233889**, Concentrated Animal Feeding Operation (CAFO), **Troester Dairy (Troester Dairy Union County)**, 175 Cannon Road, Mifflinburg, PA 17844-7714.

Troester Dairy has submitted an application for an Individual NPDES permit for a renewal of an CAFO known as Troester Dairy Union County, located in Buffalo Township, **Union County**.

The CAFO is situated near Unnamed Tributary of Mill Race (CWF, MF) and Unnamed Tributary of Mill Race (CWF) in Watershed 10-C, which is classified for Cold Water Fishes and Migratory Fishes. The CAFO is designed to maintain an animal population of approximately 2,026.95 animal equivalent units (AEUs) consisting of 1,000 dairy cows, 800 heifers, 12 finishing pigs, 9 goat does, 1 goat buck, and 13 goat kids. Manure is stored in 4 various manure storages consisting of concrete tanks and earthen lagoons. A release or discharge to waters of the Commonwealth under normal operating conditions is not expected. Normal operating conditions are defined as conditions below a 100-year, 24-hour storm event.

The Department has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations, the Department has made a tentative determination to issue an NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the permit.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The Environmental Protection Agency (EPA) permit waiver provision under 40 CFR 123.24(e) does not apply to this NPDES permit.

*Northeast Regional Office*

**PA0070386**, Sewage, SIC Code 4952, **Shenandoah Municipal Sewer Authority, Schuylkill County**, 15 W Washington Street, Shenandoah, PA 17976-1708. Facility Name: Shenandoah Municipal Sewer Authority POTW. This existing facility is located in West Mahanoy Township and Shenandoah Borough, **Schuylkill County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Shenandoah Creek (CWF, MF), is located in State Water Plan watershed 6-B and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 2.0 MGD.—Interim Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Daily Maximum	
Dissolved Oxygen	XXX	XXX	Report Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	1.00	XXX	2.00
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	417.0	667.0	XXX	25.0	40.0	50.0
Ammonia-Nitrogen	Report	Report Daily Max	XXX	17.2	34.4	34.4

The proposed effluent limits for Outfall 001 are based on a design flow of 2.0 MGD.—Interim Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Aluminum, Total (ug/L)	Report	Report	XXX	Report	Report	XXX
Copper, Total (ug/L)	Report	Report	XXX	Report	Report	XXX
Dissolved Iron (ug/L)	Report	Report	XXX	Report	Report	XXX
Zinc, Total (ug/L)	Report	Report	XXX	Report	Report	XXX
Acrolein (ug/L)	Report	Report	XXX	Report	Report	XXX
Bis(2-Ethylhexyl)Phthalate (ug/L)	Report	Report	XXX	Report	Report	XXX
Indeno(1,2,3-cd)Pyrene (ug/L)	Report	Report	XXX	Report	Report	XXX
Vinyl Chloride (ug/L)	Report	Report	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 2.0 MGD.—Final Limits.

Parameters	Mass Units (lbs/day)		Instantaneous Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Dissolved Oxygen	XXX	XXX	6.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.07	XXX	0.17
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	166.8	250.2	XXX	10.0	15.0	20.0
Ultraviolet light intensity (µw/cm <sup>2</sup> )	XXX	XXX	Report	XXX	XXX	XXX
Ammonia-Nitrogen	Report	Report	XXX	6.12	12.24	12.24
Nov 1 - Apr 30		Daily Max			Daily Max	
May 1 - Oct 31	Report	Report	XXX	2.04	4.08	4.08
		Daily Max			Daily Max	

The proposed effluent limits for Outfall 001 are based on a design flow of 2.0 MGD.—Final Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Aluminum, Total (ug/L)	12.5	12.8	XXX	750.0	766.0	766.0
Copper, Total (ug/L)	0.18	0.27	XXX	11.1	16.5	16.5
Iron, Dissolved (ug/l)	6.49	10.1	XXX	389.0	607.0	972.0
Zinc, Total (ug/L)	1.83	2.08	XXX	110.0	124.0	124.0

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Acrolein (ug/L)	0.050	0.065	XXX	3.00	3.89	3.89
Bis(2-Ethylhexyl)Phthalate (ug/L)	0.017	0.027	XXX	1.20	1.61	2.58
Indeno(1,2,3-cd)Pyrene (ug/L)	0.00005	0.00008	XXX	0.003	0.005	0.008
Vinyl Chloride (ug/L)	0.001	0.002	XXX	0.064	0.10	0.16

The proposed effluent limits for Outfall 001 are based on a design flow of 2.0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Toxicity, Chronic - Ceriodaphnia Survival (TUc)	XXX	XXX	XXX	XXX	1.29	XXX
Toxicity, Chronic - Ceriodaphnia Reproduction (TUc)	XXX	XXX	XXX	XXX	1.29	XXX
Toxicity, Chronic - Pimephales Survival (TUc)	XXX	XXX	XXX	XXX	1.29	XXX
Toxicity, Chronic - Pimephales Growth (TUc)	XXX	XXX	XXX	XXX	1.29	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 2.0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
BOD <sub>5</sub> Minimum % Removal (%)	Report Min Mo Avg	XXX	Inst Min XXX	XXX	XXX	XXX
Total Suspended Solids	500	750 Wkly Avg	XXX	30.0	45.0 Wkly Avg	60.0
Total Suspended Solids Minimum % Removal (%)	Report Min Mo Avg	XXX	XXX	XXX	XXX	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30	XXX	XXX	XXX	200	XXX	1,000
May 1 - Sep 30	XXX	XXX	XXX	XXX	XXX	Report
E. Coli (No./100 ml)	Report	Report	XXX	Report	Report	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	XXX	XXX	XXX
Nitrate-Nitrite as N (Total Load, lbs) (lbs)	Report Total Mo	Report	XXX	Report	Report	XXX
Total Nitrogen	Report	XXX	XXX	XXX	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Effluent Net						
Total Kjeldahl Nitrogen	Report	Report	XXX	Report	Report	XXX
Total Kjeldahl Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Phosphorus	Report	Report	XXX	Report	Report	XXX
Total Phosphorus (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Effluent Net						
Total Phosphorus (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Cobalt, Total (ug/L)	Report	Report	XXX	Report	Report	XXX
Iron, Total (ug/L)	Report	Report	XXX	Report	Report	3,750.0
Lead, Total (ug/L)	Report	Report	XXX	Report	Report	XXX
Manganese, Total (ug/L)	Report	Report	XXX	Report	Report	XXX
Nickel, Total (ug/L)	Report	Report	XXX	Report	Report	XXX
Carbon Tetrachloride (ug/L)	Report	Report	XXX	Report	Report	XXX
Dichlorobromomethane (ug/L)	Report	Report	XXX	Report	Report	XXX
Chloroform (ug/L)	Report	Report	XXX	Report	Report	XXX
Trichloroethylene (ug/L)	Report	Report	XXX	Report	Report	XXX



The proposed effluent limits for Outfall 001 are based on a design flow of 2.0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Magnesium, Total	Report Avg Qrtly	Report	XXX	Report Avg Qrtly	Report	XXX

The proposed effluent limits for (stormwater) Outfall Nos. 015—020 are based on a design flow of 0 MGD.—Interim Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	XXX	XXX	Report
Oil and Grease	XXX	XXX	XXX	XXX	XXX	30.0
Iron, Total (ug/L)	XXX	XXX	XXX	XXX	XXX	Report

The proposed effluent limits for Raw Sewage Internal Monitor Point/Outfall 101 are based on a design flow of NA MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
Biochemical Oxygen Demand (BOD <sub>5</sub> )	Report	Report	XXX	Report	Report	XXX
Total Suspended Solids	Report	Report	XXX	Report	Report	XXX
Aluminum, Total (ug/L)	Report	Report	XXX	Report	Report	XXX
Iron, Total (ug/L)	Report	Report	XXX	Report	Report	XXX
Iron, Dissolved (ug/L)	Report	Report	XXX	Report	Report	XXX
Manganese, Total (ug/L)	Report	Report	XXX	Report	Report	XXX

In addition, the permit contains the following major special conditions:

- Chesapeake Bay; Schedule of Compliance (CBOD<sub>5</sub>, Ammonia-N, DO, TSS, and TRC), Maximizing Treatment at Existing POTW; Combined Sewer Overflows (CSOs); POTW Pretreatment Program Development and Implementation; Solids Management; WQBELs for Toxic Pollutants; Whole Effluent Toxicity (WET); Requirements Applicable to Stormwater Outfalls; Stormwater Prohibition (Separated Sewer System Sheds); Necessary Property Rights; Residuals Management; Chlorine Minimization; Dry Stream; CSBR Batch Discharge; Responsible Certified Operator and DMR/EDMR Reporting; New WWTP O&M Plan; High Flow Management Plan (HFMP); Quarterly WET Tests for First Year of Permit Term; POTW Operator; Sampling on request; and WQBELs below Quantitation Limits

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is not in effect.

Northeast Regional Office

**PAS232213**, Storm Water, SIC Code 2841, 2842, **Royal Chemical C. Ltd**, 1336 Crowe Road, East Stroudsburg, PA 18301-1105. Facility Name: Royal Chemical Co. Ltd Plant. This existing facility is located in Stroud Township, **Monroe County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial stormwater.

The receiving stream(s), Brodhead Creek (HQ-CWF, MF), is located in State Water Plan watershed 1-E and is classified for aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD (Stormwater).

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 0 MGD (Stormwater).

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- Stormwater Outfalls and Authorized Non-Stormwater Discharges
- Best Management Practices (BMPs)
- Routine Inspections
- Preparedness, Prevention and Contingency (PPC) Plan
- Stormwater Monitoring Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

*Northwest Regional Office*

**PA0103861**, Sewage, SIC Code 6515, **Steve Zoccoli**, 2575 Ben Franklin Highway, Edinburg, PA 16116-4401. Facility Name: Zoccoli MHP. This existing facility is located in Mahoning Township, **Lawrence County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, an Unnamed Tributary to the Shenango River (WWF), is located in State Water Plan watershed 20-A and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.005 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	4.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	25.0	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	Geo Mean	XXX	Report
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	25.0	XXX	50
Nov 1 - Apr 30						
May 1 - Oct 31	XXX	XXX	XXX	9.0	XXX	18
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX

In addition, the permit contains the following major special conditions:

- Solids Management

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

*Northwest Regional Office*

**PA0222429**, Sewage, SIC Code 4932, **Pilot Travel Center LLC**, 5508 Lonas Drive, Knoxville, TN 37909-3221. Facility Name: Pilot Travel Center 081. This existing facility is located at 2010 New Castle Road, Portersville, PA 16051-1206 in Muddycreek Township, **Butler County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Muddy Creek (WWF), is located in State Water Plan watershed 20-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .05 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 4.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	25.0	XXX	50
Nov 1 - Apr 30						
May 1 - Oct 31	XXX	XXX	XXX	20.0	XXX	40
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Ammonia-Nitrogen	XXX	XXX	XXX	Geo Mean	XXX	XXX
Nov 1 - Apr 30				Report		
May 1 - Oct 31	XXX	XXX	XXX	15.0	XXX	30
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Avg Qrtly	XXX	XXX
				Report		
				Avg Qrtly		

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

*Northwest Regional Office*

**PA0271594**, Sewage, SIC Code 8800, **Gail Kline**, 859 Lake Lucy Road, Tionesta, PA 16353-2123. Facility Name: Gail Kline SRSTP. This existing facility is located in Washington Township, **Clarion County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to East Branch Hemlock Creek (EV), is located in State Water Plan watershed 16-E and is classified for Exceptional Value Waters, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	Annl Avg	XXX	6.0	XXX	XXX	9.0
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	Inst Min XXX	10.0	XXX	20.0

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

*Northwest Regional Office*

**PA0295779**, Sewage, SIC Code 4952, **Kay Launer**, 2480 Keller Road, Warren, PA 16365-8717. Facility Name: Kay Launer SFTF. This proposed facility is located in Conewango Township, **Warren County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SFTF sewage.

The receiving stream(s), Scott Run (CWF), is located in State Water Plan watershed 16-B and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0008 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min XXX	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

*Southcentral Regional Office*

**PA0232556**, Concentrated Animal Feeding Operation (CAFO), **Country View Family Farms LLC (Smiling Porker Farm)**, 1301 Fulling Mill Road, Middletown, PA 17507.

Country View Family Farms LLC has submitted an application for an Individual NPDES permit for a renewal of an CAFO known as Smiling Porker Farm, located in Pine Township, **Lycoming County**.

The CAFO is situated near Unnamed Tributary to Hughes Run (EV (existing use)) in Watershed 9-A, which is classified for High Quality—Cold Water and Migratory Fish. The CAFO is designed to maintain an animal population of approximately 3,247.90 animal equivalent units (AEUs) consisting of 5,387 Gestating Sow, 2,360 Swine Grow Finish, 960 Sow and Litter, and 15 Boar. Liquid swine manure is stored onsite in two deep underbarn concrete manure storages. A release or discharge to waters of the Commonwealth under normal operating conditions is not expected. Normal operating conditions are defined as conditions below a 100-year, 24-hour storm event.

The Department has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations, the Department has made a tentative determination to issue an NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the permit.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The Environmental Protection Agency (EPA) permit waiver provision under 40 CFR 123.24(e) does not apply to this NPDES permit.

*Southcentral Regional Office*

**PA0262021**, Concentrated Animal Feeding Operation (CAFO), **Joshua T Akers (Joshua Akers Duck CAFO)**, 590 Church Road, Quarryville, PA 17566-9790.

Joshua T Akers has submitted an application for an Individual NPDES permit for a renewal of an CAFO known as Joshua Akers Duck CAFO, located in East Drumore Township, **Lancaster County**.

The CAFO is situated near Unnamed Tributary to McFarlands Run (HQ-CWF, MF) in Watershed 7-K, which is classified for High Quality—Cold Water and Migratory Fish. The CAFO is designed to maintain an animal population of approximately 113.93 animal equivalent units (AEUs) consisting of 19,000 Duck Starters, 19,000 Duck Finishers, 18 Beef Cow, and 18 Beef Calf. Liquid manure is stored onsite in an HDPE-lined Lagoon. A release or discharge to waters of the Commonwealth under normal operating conditions is not expected. Normal operating conditions are defined as conditions below a 100-year, 24-hour storm event.

The Department has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations, the Department has made a tentative determination to issue an NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the permit.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The Environmental Protection Agency (EPA) permit waiver provision under 40 CFR 123.24(e) does not apply to this NPDES permit.

*Southeast Regional Office*

**PA0052434**, Sewage, SIC Code 4952, **Coventry Crossing Apartments STP**, 3843 West Chester Pike, Newtown Square, PA 19073-2304. Facility Name: Coventry Crossing Apartments STP. This existing facility is located in Chester Heights Borough, **Delaware County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary of West Branch Chester Creek (TSF, MF), is located in State Water Plan watershed 3-G and is classified for Trout Stocking and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .04 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	Inst Min 6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 6.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.04	XXX	0.1
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	6.7	XXX	XXX	20	XXX	40
Nov 1 - Apr 30						
May 1 - Oct 31	3.3	XXX	XXX	10	XXX	20
Total Suspended Solids	3.3	XXX	XXX	10	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	1.7	XXX	XXX	5.1	XXX	10.2
Nov 1 - Apr 30						
May 1 - Oct 31	0.6	XXX	XXX	1.7	XXX	3.4
Total Phosphorus	0.7	XXX	XXX	2.0	XXX	4
Nov 1 - Apr 30						
May 1 - Oct 31	0.3	XXX	XXX	1.0	XXX	2

In addition, the permit contains the following major special conditions:

- No Stormwater
- Necessary Property Rights
- Proper Sludge Disposal
- Abandon STP when Municipal Sewers Available
- Chlorine Minimization
- Small Stream Discharge
- Operator Notification
- Fecal Coliform Reporting
- Solids Management

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

*Southeast Regional Office*

**PA0057789**, Sewage, SIC Code 6712, **BPG Office VI River Park II, LP**, 322 A Street, Wilmington, DE 19801. Facility Name: River Park STP. This existing facility is located in Whitmarsh Township, **Montgomery County**.



Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Schuylkill River (WWF, MF), is located in State Water Plan watershed 3-F and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.015 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> ) Raw Sewage Influent	XXX	XXX	XXX	Report Avg Qrtly	XXX	XXX
Total Suspended Solids Raw Sewage Influent	XXX	XXX	XXX	Report Avg Qrtly	XXX	XXX
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report XXX
Total Nitrogen	XXX	XXX	XXX	Report Avg Qrtly	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report Avg Qrtly	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.015 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	4.0 Inst Min	Report	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.2
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	25.0	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200.0	XXX	1,000.0
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 20.0	XXX	40
Ammonia-Nitrogen	XXX	XXX	XXX	20.0	XXX	40

In addition, the permit contains the following major special conditions:

- No stormwater from pavements, roofs, area ways shall be admitted to sanitary sewers
- Proper disposal of collected screenings, slurries, sludges and other solids
- Permittee shall optimize chlorine dosages to minimize TRC in effluent
- Permittee shall notify DEP of operator in responsible charge
- Permittee shall develop and maintain operations and maintenance (O & M) plan

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

*Southeast Regional Office*

**PA0244031**, Sewage, SIC Code 4952, **Chadds Ford Township Sewer Authority**, 10 Ring Road, Chadds Ford, PA 19317-0628. Facility Name: Turners Mill STP. This existing facility is located in Chadds Ford Township, **Delaware County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Harvey Run (WWF, MF), is located in State Water Plan watershed 3-H and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .21 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Daily Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX

Parameters	Mass Units (lbs/day)		Daily Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	6.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.2
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	17.5	26.0	XXX	10.0	15.0	20
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> ) Raw Sewage Influent	Report	Report	XXX	Report	Report	XXX
Biochemical Oxygen Demand (BOD <sub>5</sub> ) Raw Sewage Influent	Report	Report	XXX	Report	Report	XXX
Total Suspended Solids Raw Sewage Influent	Report	Report	XXX	Report	Report	XXX
Total Suspended Solids	17.5	26.0	XXX	10.0	15.0	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	50 Geo Mean	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Ultraviolet light intensity (mW/cm <sup>2</sup> )	XXX	XXX	Report	XXX	XXX	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	66.7	XXX	XXX	38.0	XXX	76
Ammonia-Nitrogen	7.8	XXX	XXX	4.5	XXX	9
Nov 1 - Apr 30						
May 1 - Oct 31	2.6	XXX	XXX	1.5	XXX	3
Total Kjeldahl Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus	1.75	XXX	XXX	1.0	XXX	2

In addition, the permit contains the following major special conditions:

- I. Other Requirements
  - A. Responsible Operator
  - B. Public Nuisance
  - C. No Stormwater
  - D. Property Rights
  - E. Change of ownership
  - F. TRC Minimization
  - G. Sludge removal
  - H. Act 11
  - I. IMAX limits
  - J. O&M Plan
  - K. Lab Certification
  - L. DRBC Fecal Coliform
  - M. No Hauled-in Wastes

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is not in effect.

*Southeast Regional Office*

**PA0244511**, Sewage, SIC Code 8811, **Melissa & John Richardson**, 177 Creamery Road, Coatesville, PA 19320-1716. Facility Name: Richardson SRSTP. This existing facility is located in West Caln Township, **Chester County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to West Branch Brandywine Creek (HQ-CWF, MF), is located in State Water Plan watershed 3-H and is classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0005 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (MGD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	6.0 Inst Min	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	20.0	XXX	40
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	9.0	XXX	18

In addition, the permit contains the following major special conditions:

- AMR
- DMR
- Depth of sewage
- Tank pumped
- TRC minimization
- No stormwater
- Property rights
- Solid waste disposal
- Municipal sewage facilities
- UV disinfection

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

*Southeast Regional Office*

**PAI130062**, MS4, **Kennett Township, Chester County**, 801 Burrows Run Road, Chadds Ford, PA 19317-9219.

The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in, **Chester County**. The receiving stream(s), Bennetts Run (WWF, MF), East Branch Red Clay Creek (TSF, MF), Unnamed Tributary of Burrows Run (CWF, MF), Unnamed Tributary to Burrows Run (CWF, MF), Bucktoe Creek (TSF, MF), Burroughs Brook (CWF, MF), Craigs Mill Run (WWF, MF), Ring Run (WWF, MF), Unnamed Tributary to East Branch Red Clay Creek (TSF, MF), West Branch Red Clay Creek (TSF, MF), Unnamed Tributary to Burroughs Brook (CWF, MF), Unnamed Tributary to Mill Creek (WWF, MF), Unnamed Tributary to West Branch Red Clay Creek (TSF, MF), Burrows Run (CWF, MF), and Unnamed Tributary of East Branch Red Clay Creek (TSF, MF), is located in State Water Plan watershed 3-I and 3-H and is classified for Trout Stocking, Migratory Fishes, Cold Water Fishes, and Warm Water Fishes, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

The applicant has submitted the following plan(s) with the application to reduce pollutant loads to impaired waters:

- A Total Maximum Daily Load (TMDL) Plan

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA waiver is in effect for small MS4s, and is not in effect for large MS4s.

*Southwest Regional Office*

**PA0094544**, Sewage, SIC Code 4952, **Leskinen Enterprises Inc.**, 151 Tent Church Road, Uniontown, PA 15401-6801. Facility Name: Somerfield South Recreation Area STP. This existing facility is located in Addison Township, **Somerset County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SFTF sewage.

The receiving stream, Youghiogheny River Reservoir (WWF), is located in State Water Plan watershed 19-E and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .00135 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	25.0	XXX	50.0
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000

In addition, the permit contains the following major special conditions:

- A. AMR to DEP
- B. DMR to DEP
- C. Septage and Scum Measurement
- D. Septic Tank Pumping
- E. Chlorine Optimization
- F. No Stormwater Condition
- G. Acquire Necessary Property Rights
- H. Proper Sludge Disposal
- I. Abandon STP if Municipal Sewers Available

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

Southwest Regional Office

**PA0218316**, Sewage, SIC Code 4952, **Dunbar Township Municipal Authority, Fayette County**, 1257 University Drive, Dunbar, PA 15431-0815. Facility Name: Dunbar Township Municipal Authority STP. This existing facility is located in Dunbar Township, **Fayette County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Youghiogheny River (WWF), is located in State Water Plan watershed 19-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.45 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Daily Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Total Nitrogen	XXX	XXX	XXX	Report Daily Max	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report Daily Max	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.45 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Daily Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report

The proposed effluent limits for Outfall 001 are based on a design flow of 0.45 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Daily Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0

Parameters	Mass Units (lbs/day)		Daily Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Dissolved Oxygen	XXX	XXX	5.0 Inst Min	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	93.0	142.0	XXX	25.0	38.0	50
Biochemical Oxygen Demand (BOD <sub>5</sub> ) Raw Sewage Influent	Report	Report	XXX	Report	Report	XXX
Total Suspended Solids	112.0	168.0	XXX	30	45	60
Total Suspended Solids Raw Sewage Influent	Report	Report	XXX	Report	Report	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
Oct 1 - Apr 30	XXX	XXX	XXX	200	XXX	1,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean	XXX	XXX
Ultraviolet light transmittance (%)	XXX	XXX	Report	XXX	XXX	XXX
Ammonia-Nitrogen	93	XXX	XXX	25.0	XXX	50

In addition, the permit contains the following major special conditions:

- None

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

*Southwest Regional Office*

**PA0285293**, Sewage, SIC Code 8800, **Sara Godley**, 226 Rankin Road, Washington, PA 15301-3182. Facility Name: Godley Properties SRSTP. This proposed facility is located in South Strabane Township, **Washington County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary of Little Chartiers Creek (HQ-WWF), is located in State Water Plan watershed 20-F and is classified for High Quality Waters—Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Maximum	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200 Geo Mean	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	15.0	XXX	30.0
Nov 1 - Apr 30	XXX	XXX	XXX	5.0	XXX	10.0
May 1 - Oct 31	XXX	XXX	XXX	5.0	XXX	10.0

In addition, the permit contains the following major special conditions:

Part C

## II. ULTRAVIOLET (UV) DISINFECTION

The UV disinfection contact surface must be cleaned at least monthly to ensure adequate disinfection. The AMR must include the date(s) that the UV contact surface is cleaned.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

*Southwest Regional Office*

**PA0000892**, Industrial, SIC Code 3356, **Westinghouse Electric Co.**, 559 Westinghouse Road, Blairsville, PA 15717-4130. Facility Name: Westinghouse Electric Specialty Metals Plant Blairsville. This existing facility is located in Derry Township, **Westmoreland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.



The receiving stream(s), Conemaugh River (WWF), is located in State Water Plan watershed 18-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for IMP 101 are based on a design flow of 0.09 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	7.5	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	1.0	1.25
Total Suspended Solids	31.9	67.1	XXX	12.0	15.0	18.75
Oil and Grease	19.6	32.7	XXX	10.0	10.0	XXX
Ammonia-Nitrogen	13.8	31.5	XXX	58.6	133.3	166.6
Aluminum, Total	XXX	XXX	XXX	Report	Report	XXX
Chromium, Total	0.0425	0.104	XXX	0.15	0.37	0.46
Cyanide, Total	0.0283	0.0684	XXX	0.08	0.2	0.25
Fluoride, Total	6.23	14.0	XXX	26.4	59.5	74.4
Iron, Total	XXX	XXX	XXX	Report	Report	XXX
Manganese, Total	XXX	XXX	XXX	Report	Report	XXX
Nickel, Total	0.300	0.454	XXX	0.37	0.55	0.69
PFOA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFOS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFBS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
HFPO-DA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for IMP 101 are based on a design flow of 0.09 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	7.5	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	1.0	1.25
Total Suspended Solids	31.9	67.1	XXX	12.0	15.0	18.75
Oil and Grease	19.6	32.7	XXX	10.0	10.0	XXX
Ammonia-Nitrogen	13.8	31.5	XXX	58.6	133.3	166.6
Aluminum, Total	XXX	XXX	XXX	0.75	0.75	XXX
Chromium, Total	0.0425	0.104	XXX	0.15	0.37	0.46
Cyanide, Total	0.0283	0.0684	XXX	0.08	0.2	0.25
Fluoride, Total	6.23	14.0	XXX	26.4	59.5	74.4
Iron, Total	XXX	XXX	XXX	1.5	3.0	XXX
Manganese, Total	XXX	XXX	XXX	1.0	2.0	XXX
Nickel, Total	0.300	0.454	XXX	0.37	0.55	0.69
PFOA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFOS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFBS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
HFPO-DA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for IMP 201 are based on a design flow of 0.0037 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Report	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	25.0	XXX	50.0
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Ultraviolet light transmittance (%)	XXX	XXX	XXX	Report	XXX	Report
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	25.0	XXX	50.0
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
Aluminum, Total	XXX	XXX	XXX	Report	Report	XXX
Iron, Total	XXX	XXX	XXX	Report	Report	XXX
Manganese, Total	XXX	XXX	XXX	Report	Report	XXX

The proposed effluent limits for IMP 201 are based on a design flow of .0037 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	4.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	25.0	XXX	50.0
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Ultraviolet light transmittance (%)	XXX	XXX	XXX	Report	XXX	Report
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	25.0	XXX	50.0
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
Aluminum, Total	XXX	XXX	XXX	Report	Report	XXX
Iron, Total	XXX	XXX	XXX	Report	Report	XXX
Manganese, Total	XXX	XXX	XXX	Report	Report	XXX

The proposed effluent limits for IMP 301 are based on a design flow of 0.0098 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60.0
Oil and Grease	XXX	XXX	XXX	15.0	XXX	30.0
Aluminum, Total	XXX	XXX	XXX	Report	Report	XXX
Iron, Dissolved	XXX	XXX	XXX	XXX	XXX	7.0
Iron, Total	XXX	XXX	XXX	Report	Report	XXX
Manganese, Total	XXX	XXX	XXX	Report	Report	XXX
Trichloroethylene	XXX	XXX	XXX	0.072	XXX	0.144

The proposed effluent limits for Outfall 002:

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Copper, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX
Trichloroethylene (ug/L)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 003:

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Copper, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX
Trichloroethylene (ug/L)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 004:

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Copper, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX
Trichloroethylene (ug/L)	XXX	XXX	XXX	XXX	Report	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is not in effect.

**III. Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity.**

*Southcentral Regional Office*

Applicant: **Ben Metzler**

Applicant Address: 933 Bryansville Road, Delta, PA 17314

Application Number: **PAD670111**

Application Type: New

Municipality/County: Peach Bottom Township, **York County**

Project Site Name: Ben Metzler Ag Operation

Total Earth Disturbance Area (acres): 5.65 acres

Surface Waters Receiving Stormwater Discharges: UNT to Neill Run (CWF) via EV Wetlands

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: New poultry operation with poultry barn, manure storage, egg room, and gravel driveways.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4802.

*Southcentral Regional Office*

Applicant: **US Army Garrison—Carlisle Barricks**

Applicant Address: 330 Engineer Ave, Carlisle, PA 17013

Application Number: **PAD210028 A-4**

Application Type: Major Amendment

Municipality/County: Middlesex Township, North Middleton Township, Carlisle Borough, **Cumberland County**

Project Site Name: Army War College (Root Hall) and Bliss Hall Demolition, Carlisle Barricks, PA

Total Earth Disturbance Area (acres): 3.2 acres

Surface Waters Receiving Stormwater Discharges: Letort Spring Run (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Demolition of Root Hall and Bliss Hall.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4802.

*Southcentral Regional Office*Applicant: **Lis Construction Inc.**

Applicant Address: 601 Penn Avenue, West Reading, PA 19611-1123

Application Number: **PAD060091**

Application Type: New

Municipality/County: Kenhorst Borough, **Berks County**

Project Site Name: Wingate Terrace

Total Earth Disturbance Area (acres): 9.9 acres

Surface Waters Receiving Stormwater Discharges: Angelica Creek (CWF, MF) and Angelica Creek (CWF, MF) via EV Wetlands

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Subdivision with 32 Single Family Homes.

Special Conditions: Wetland Monitoring Criteria

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4802.

*Northeast Regional Office*Applicant: **PNK P1, LLC**

Applicant Address: 17 State Street, Suite 3930, New York, NY 10004-1553

Application Number: **PAD350052**

Application Type: New

Municipality/County: Archbald Borough, **Lackawanna County**

Project Site Name: Valley View Business Park Lot 30

Total Earth Disturbance Area (acres): 29.59 acres

Surface Waters Receiving Stormwater Discharges: UNT to Grassy Island Creek (HQ-CWF, MF), UNT to Laurel Run Creek (CWF, MF) and EV Wetlands

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The project involves the construction of a 346,830 square foot warehouse with site improvements such as stormwater management facilities, utility connections/extensions, parking, retaining walls, landscaping, etc., in Archbald Borough, Lackawanna County, PA.

Special Conditions: Potential Impacts to EV Wetlands. 1. The permittee shall monitor water table elevations daily at each monitoring well identified in the approved PCSM Plan for EV wetlands for a minimum of five years. Reports providing water table elevations shall be submitted to DEP every six months, beginning in (October of the 2nd year of coverage). These reports shall be submitted by October 31st and April 30th each year. All monitoring wells should confirm the presence of a water table no deeper than 12-inches below the ground surface for a period of at least 14 consecutive days during the growing season (April 1—October 1 annually) at a minimum frequency of 3 of the 5 monitoring years, unless a longer timeframe for monitoring is extended by DEP in writing. If a water table is not observed at the previously stated depth and/or for a duration of at least 14 consecutive days in 3 of 5 monitoring years (or in accordance with an alternate monitoring timeframe approved by DEP in writing), the wetland will be considered adversely impacted by the project, unless information and/or data provided to DEP demonstrates otherwise and DEP concurs that the project did not adversely impact the wetland. 2. The permittee shall provide DEP with a running comparison of monitoring data for pre-construction and post-construction monitoring every six months, beginning in (October of the 3rd year after the date of coverage). These monitoring data reports shall be submitted by October 31st and April 30th each year. If the ground water table elevation is found to be lower in post-construction monitoring for the same time period, the wetland will be considered adversely impacted by the project, unless information and/or data provided to DEP demonstrates the cause is unrelated to the project and DEP concurs that the project did not adversely impact the wetland. 3. The permittee shall delineate the boundaries of the EV wetlands in the years (5 years from date of coverage) and (7 years from the date of coverage) using the Army Corps of Engineers' 1987 Wetland Delineation Manual and Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Eastern Mountains and Piedmont Region (Version 2.0). These wetland delineations shall be submitted to DEP on or before April 30th in the 5th year of permit coverage and on or before the permit expiration or termination date of this permit or the 7th year of permit coverage whichever is sooner, unless an

alternate timeframe for submission of these delineations is approved by DEP in writing. Boundaries shall be surveyed and compared to the boundaries outlined on the approved plans. The data shall be submitted to DEP on or before April 30th of each year, beginning in (October of the 3rd year after the date of coverage). If a reduction in size of the wetland of greater than 0.05 acre is observed, the wetland will be considered adversely impacted by the project, unless a clear and unrelated cause of the reduction in size is demonstrated and DEP concurs that the project did not adversely impact the wetland. 4. The permittee shall provide reports identifying plant species in the EV wetlands during the growing season once a year for five years beginning in (April of the 3rd year after the date of coverage). Any observed reduction in the number of different species having a wetland indicator status of (identify indicator status appropriate for the wetland in question) shall be clearly identified in the report. If a reduction is observed, the wetland will be considered adversely impacted by the project unless another clear cause of the reduction in diversity is identified and DEP concurs that the project did not adversely impact the wetland. 5. The permittee shall inspect monitoring wells, including water level loggers, at least monthly to ensure that they are not damaged and are functioning properly. If a damaged or malfunctioning well is identified, DEP shall be contacted immediately in writing, and the well shall be restored to its design specifications within two weeks, unless weather conditions do not permit and/or is otherwise extended in writing by DEP. 6. In the event that the water table falls below the bottom of a monitoring well and the water level logger in that well becomes inoperable, the well shall be inspected at a minimum of once every two weeks and the data logger shall be re-installed once the water table is again observed in the well. 7. DEP may require the monitoring period to be extended to confirm or disprove potential adverse impacts to EV wetlands. DEP will review the monitoring information submitted by the permittee and if DEP determines that the EV wetlands have been adversely impacted, the permittee shall submit to DEP for review and approval a narrative identifying the cause(s) of the impact and plans to correct it within 3 months after DEP has determined that the wetlands have been adversely impacted. If the cause(s) cannot be identified or if correction of the impact is deemed infeasible, the permittee shall submit to DEP for review and approval plans and a schedule to create (identify required mitigation area) acres of (identify the wetland mitigation required) wetlands in or along the floodplain of (identify the receiving stream) or one of its tributaries within 6 months of DEP's determination of an adverse impact, unless an alternate location for wetland creation is approved and/or this deadline is extended in writing by DEP. Construction of the replacement wetlands shall begin no later than one year after DEP's determination of an adverse impact, unless an alternate deadline is established in writing by DEP.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

*Southeast Regional Office*

Applicant: **RCM VIII LLC**

Applicant Address: 171 State Route 173, Suite 201, Asbury, NJ 08802-1365

Application Number: **PAD460089**

Application Type: New

Municipality/County: Horsham Township, **Montgomery County**

Project Site Name: 853 W. County Line Road Warehouse Development

Total Earth Disturbance Area (acres): 28.20 acres

Surface Waters Receiving Stormwater Discharges: Park Creek (WWF-MF), UNT to Park Creek (WWF-MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The proposed development includes the construction of a 100,000 SF warehouse and a 224,000 SF warehouse. Additional improvements include lighting, landscaping, grading, walkways, driveways, utilities, parking and associated items.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 484-250-5910.

*Northeast Regional Office*

Applicant: **178 West Main, LP, c/o Rudy Amelio**

Applicant Address: 1348 Hamilton Street, Allentown, PA 18102

Application Number: **PAD390213 A-3**

Application Type: Renewal & Major Amendment

Municipality/County: Macungie Borough, **Lehigh County**.

Project Site Name: Main Street Commons—Ph II—Major Amendment (Mavis Tire)

Total Earth Disturbance Area (acres): 6.0 acres

Surface Waters Receiving Stormwater Discharges: Swabia Creek (HQ-CWF, MF)



Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Development of an express car wash, commercial storage facility, tire repair facility, extension of cul-de-sac for site, and stormwater controls.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

*Northeast Regional Office*

Applicant: **1600 Freemansburg Associates, LLC**

Applicant Address: 300 Conshohocken State Road, Suite 250, West Conshohocken, PA 19428-3801

Application Number: **PAD480141 A-2**

Application Type: Major Amendment

Municipality/County: Bethlehem Township, Freemansburg Borough, **Northampton County**

Project Site Name: Freemansburg Industrial

Total Earth Disturbance Area (acres): 76.10 acres

Surface Waters Receiving Stormwater Discharges: 1. Nancy Run (HQ-CWF, MF), 2. EV Wetlands

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: This project consists of an 866,350 SF proposed warehouse with associated site improvements, 3 rain gardens, and 2 aboveground detention basins used for capture and reuse.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

*Southcentral Regional Office*

Applicant: **Alleghenyville Mennonite Church**

Applicant Address: 692 Yellow Hill Road, Narvon, PA 17555

Application Number: **PAD060101**

Application Type: New

Municipality/County: Brecknock Township, **Berks County**

Project Site Name: Alleghenyville Mennonite Church

Total Earth Disturbance Area (acres): 7.12 acres

Surface Waters Receiving Stormwater Discharges: Sleepy Hollow (HQ-CWF, MF) and UNT to Muddy Creek (HQ-TSF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Church and associated parking and stormwater facilities.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4802.

*Southcentral Regional Office*

Applicant: **PTV 1373 LLC**

Applicant Address: 400 Penn Center Blvd. Building 4, Suite 1000, Pittsburgh, PA 1523.

Application Number: **PAD060099**

Application Type: New

Municipality/County: Longswamp Township, **Berks County**

Project Site Name: Dollar General—Mertztown, PA

Total Earth Disturbance Area (acres): 2.80 acres

Surface Waters Receiving Stormwater Discharges: Toad Creek (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construction of a 10,640 square foot retail store with parking and site amenities.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4802.

*Southeast Regional Office*

Applicant: **Department of the Navy, Public Works Department Pennsylvania**

Applicant Address: 4921 South Broad Street, Philadelphia, PA 19112

Application Number: **PAD510241**

Application Type: New

Municipality/County: City of Philadelphia, **Philadelphia County**

Project Site Name: Building 77/87 Complex—Philadelphia Navy Yard

Total Earth Disturbance Area (acres): 0.48 acre

Surface Waters Receiving Stormwater Discharges: Delaware River (WWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The Phase 1 project involves the construction of a crash rated perimeter around the Building 77/87 Complex to upgrade the level of protection from selected design basis threats in compliance with DoD/UFC requirements.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 484-250-5910.

*Southeast Regional Office*

Applicant: **Artisan Land Company**

Applicant Address: P.O. Box 689, Devon, PA 19333-0689

Application Number: **PAD150327**

Application Type: New

Municipality/County: East Coventry Township, **Chester County**

Project Site Name: Village at Fricks Lock

Total Earth Disturbance Area (acres): 63.96 acres

Surface Waters Receiving Stormwater Discharges: UNT to Schuylkill River (HQ-TSF, MF), Schuylkill River (WWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construction of 155-lot subdivision and access roads across multiple parcels. Fricks Lock Road will be re-aligned with project.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 484-250-5910.

*Southeast Regional Office*

Applicant: **Endress & Hauser, Inc.**

Applicant Address: 2350 Endress Place, Greenwood, IN 46143

Application Number: **PAD230080**

Application Type: New

Municipality/County: Edgmont Township, **Delaware County**

Project Site Name: Endress & Hauser, Inc. Northeast Regional Center

Total Earth Disturbance Area (acres): 11.6 acres

Surface Waters Receiving Stormwater Discharges: Crum Creek (CWF, MF), Plumsock Run Tributary to Ridley Creek (HQ-TSF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Four undeveloped parcels will be combined into one lot. A warehouse/office building will be constructed on the newly formed lot. The neighboring property with the same owner will have a stormwater basin installed. Improvements associated with the development such as grading, onsite parking, and stormwater management facilities will be completed.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 484-250-5910.

*Southcentral Regional Office*

Applicant: **M21 Capital, LLC**

Applicant Address: 3400 South Blackhorse Road, Parkesburg, PA 19365

Application Number: **PA360002D**

Application Type: New

Municipality/County: Sadsbury Township, and West Sadsbury Township, **Lancaster County** and **Chester County**

Project Site Name: M21 Capital Development

Total Earth Disturbance Area (acres): 3.19 acres

Surface Waters Receiving Stormwater Discharges: Pine Creek (TSF, MF), UNT to Pine Creek (TSF, MF), Pine Creek (TSF, MF) via EV Wetlands and UNT to Pine Creek (TSF, MF) via EV Wetlands

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construction of a commercial shop and private residential dwelling.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4802.

*Southwest Regional Office*

Applicant: **Dustin Bradick**

Applicant Address: 447 Narigon Run Road, Claysville, PA 15323

Application Number: **PAD630074**

Application Type: New

Municipality/County: Independence Township, **Washington County**

Project Site Name: Bradick Estates

Total Earth Disturbance Area (acres): 4.08 acres

Surface Waters Receiving Stormwater Discharges: UNT to Brush Run (HQ-WWF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The construction of a single-family residential home, the planned site will consist of a single-family home, new gravel driveway, and stormwater management facilities.

Special Conditions: This permit does not authorize any obstructions or encroachments to any regulated watercourse or floodway. All permitting required for impacts to regulated watercourses or their floodway are subject to 25 Pa. Code Chapter 105. Appropriate authorization for impacts which require permitting under Chapter 105 must be obtained prior to beginning earth disturbance.

You may review the permit application file by contacting DEP's File Review Coordinator at 412-442-4286.

*Northeast Regional Office*

Applicant: **Navid Hadian**

Applicant Address: 6980 Stella Circle, Coopersburg, PA 18036-9740

Application Number: **PAD390281**

Application Type: New

Municipality/County: Lower Milford Township, **Lehigh County**

Project Site Name: The Ridings at Saucon Creek—Lot 56 and 57

Total Earth Disturbance Area (acres): 7.04 acres

Surface Waters Receiving Stormwater Discharges: Saucon Creek (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: A 9.0-acre property to be developed into two single family dwellings with a shared driveway and all underground utilities.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

*Northeast Regional Office*

Applicant: **PPL Electric Utilities Corporation**

Applicant Address: 1639 Church Road, Allentown, PA 18104

Application Number: **PAD480211**

Application Type: New

Municipality/County: Lower Mount Bethel Township, Plainfield Township, Upper Nazareth Township, Bushkill Township, Washington Township, Stockertown Borough, **Northampton County**

Project Site Name: Martins Creek - Nazareth Rebuild (D2) Project

Total Earth Disturbance Area (acres): 411.6 acres

Surface Waters Receiving Stormwater Discharges: UNT to Shoeneck Creek (WWF, MF), UNT to Bushkill Creek (HQ-CWF, MF), Bushkill Creek (HQ-CWF, MF), UNT to Little Bushkill Creek (HQ-CWF, MF), Little Bushkill Creek (HQ-CWF, MF), UNT to Mud Run (CWF, MF), Martins Creek (HQ-CWF, MF), UNT to Little Martins Creek (CWF, MF), UNT to Oughoughton Creek (CWF, MF), UNT to Delaware River (WWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Removal and replacement of approximately 13.4 miles of existing steel and wooden electric transmission poles and electric transmission lines and the installation of new steel monopole electric transmission poles and electric transmission lines. The project includes 2.4 miles of line removal/retirement and 2.6 miles of maintenance work on existing electric transmission poles.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

## **STATE CONSERVATION COMMISSION**

### **PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs**

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed (National Pollutant Discharge Elimination System) NPDES permits, or Notices of Intent (NOIs) for coverage under a

general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling 717-787-8821.

Individuals wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30-days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Individuals in need of accommodations should contact the SCC through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

**ACT 38**  
**NUTRIENT MANAGEMENT PLANS**  
**CAFO PUBLIC NOTICE SPREADSHEET—APPLICATIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal/New</i>
Benner's Swine Barn LLC 56 Platt Hollow Road Thompsontown, PA 17094	Juniata County	574	611.45	Swine	NA	Renewal
Troester's Dairy 175 Cannon Road Mifflinburg, PA 17844	Union County	985.1	2,321.08	Dairy	HQ	Renewal

**PUBLIC WATER SUPPLY PERMITS**

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for Public Water Supply (PWS) permits to construct or substantially modify public water systems.

Individuals wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30-days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of Environmental Protection (DEP) the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, DEP will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

**SAFE DRINKING WATER**

**Application(s) Received Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).**

*Northcentral Region: Safe Drinking Water Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Nadera Bellows, Clerical Assistant II, 570-327-0551.*

**Application No. 0824501**, Construction, Public Water Supply.

Applicant	<b>Monroe Franklin Elementary School</b>
Address	21209 SR 414 Monroe, PA 18832
Municipality	Monroe Township
County	<b>Bradford County</b>
Responsible Official	Brian Driscoll 410 State Street Towanda, PA 18848
Consulting Engineer	Timothy K Steed 1 Elizabeth Street Towanda, PA 18848
Application Received	May 23, 2024
Description	Update an existing water treatment system to provide the well with necessary treatment—Iron and Manganese treatment.



**Application No. 5924503**, Construction, Public Water Supply.

**Applicant** Mansfield Borough Municipal Authority  
**Address** 14 South Main Street  
 Mansfield, PA 16933  
**Municipality** Mansfield Borough  
**County** Tioga County  
**Responsible Official** Christopher McGann  
 14 South Main Street  
 Mansfield, PA 16933  
**Consulting Engineer** Jimmie Joe Carl  
 9 South Maple Street  
 Corning, NY 14830  
**Application Received** May 30, 2024  
**Description** Removal of Fluoride Feed System.

*Northeast Region: Safe Drinking Water Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Joseph Cherinko, P.E., Environmental Engineer, 570-826-2090.*

**Application No. 5824501**, Construction, Public Water Supply.

**Applicant** Endless Mountains Real Estate Holdings LLC  
**Address** 10543 State Route 29  
 Montrose, PA 18801  
**Municipality** Bridgewater Township  
**County** Susquehanna County  
**Responsible Official** Richard Serfass  
 10543 State Route 29  
 Montrose, PA 18801  
**Consulting Engineer** Michael P. Goodwin  
 12 Frear Hill Road  
 Tunkhannock, PA 18657  
**Application Received** May 8, 2024  
**Description** The applicant proposes to replace the booster pump system and demonstrate 4-log inactivation of viruses.

*Contact: Ryan Fox, Env. Engineering Specialist, 570-826-2533.*

**Application No. 4824501**, Construction, Public Water Supply.

**Applicant** Easton Suburban Water Authority  
**Address** 3700 Hartley Ave.  
 Easton, PA 18045  
**Municipality** City of Easton  
**County** Northampton County  
**Responsible Official** Craig Swinsburg  
 3700 Hartley Ave.  
 Easton, PA 18045  
**Consulting Engineer** Gannett Fleming, Inc.  
 207 Senate Ave.  
 Camp Hill, PA 17011

**Application Received** February 20, 2024  
**Description** Construction of Lower Nazareth Booster Pump Station located on Hecktown Rd.

*Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Daniel J. Cannistraci, Environmental Engineering Specialist.*

**Application No. 0724504**, Construction, Public Water Supply.

**Applicant** Altoona Water Authority  
**Address** 900 Chestnut Avenue  
 Altoona, PA 16601  
**Municipality** Logan Township  
**County** Blair County  
**Responsible Official** Mark A. Perry  
 General Manager  
 900 Chestnut Avenue  
 Altoona, PA 16601

**Consulting Engineer** Gwin, Dobson, & Foreman  
 3121 Fairway Drive  
 Altoona, PA 16602

**Application Received** May 10, 2024  
**Description** This project consists of upgrades to the ozone system and replacement chemical storage tanks at the Horseshoe Curve Water Treatment Facility.

**Application No. 0724505**, Construction, Public Water Supply.

**Applicant** Altoona Water Authority  
**Address** 900 Chestnut Avenue  
 Altoona, PA 16601  
**Municipality** Tyrone Township  
**County** Blair County  
**Responsible Official** Mark A. Perry  
 General Manager  
 900 Chestnut Avenue  
 Altoona, PA 16601

**Consulting Engineer** Gwin, Dobson, & Foreman  
 3121 Fairway Drive  
 Altoona, PA 16602

**Application Received** May 10, 2024  
**Description** This application is for ozone system upgrades at the Kettle Water Treatment Facility.

**WATER ALLOCATIONS**

**Application(s) Received Under the Act of June 24, 1939 (P.L. 842, No. 365) (35 P.S. §§ 631—641) Relating to the Acquisition of Rights to Divert Waters of the Commonwealth.**

*Northcentral Region: Safe Drinking Water Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Nadera Bellows, Clerical Assistance II, 570-327-0551.*

**WA-17-261C**, Water Allocations. **Huston Twp Water Authority**, 11837 Bennetts Valley Hwy, Suite 2, Huston Twp, PA 15849, Huston Township, **Clearfield County**. Subsidiary Water Allocation Application received: May 16, 2024.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995  
PREAMBLE 1

### **Acknowledgment of Notice(s) of Intent to Remediate Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).**

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent (NOI) to Remediate. An acknowledgment of the receipt of a NOI to Remediate is used to identify a site where an individual proposes to, or has been required to, respond to a release of a regulated substance at a site. Individuals intending to use the background standard, Statewide health standard, the site-specific standard, or who intend to remediate a site as a special industrial area, must file a NOI to Remediate with DEP. A NOI to Remediate filed with DEP provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. An individual who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the Act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by DEP. Furthermore, an individual shall not be subject to citizen suits or other contribution actions brought by responsible individuals not participating in the remediation.

Under Sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the NOI to Remediate is published in a newspaper of general circulation in the area of the site. For the following identified site(s), proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30-days of the following specified date. During this comment period the municipality may request that the following identified individual, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved, and commitments, should be directed to the remediator of the site.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The DEP has received the following Notice(s) of Intent to Remediate.

*Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Kam Miseikyte, Clerical Assistant 2, 412-442-4091.*

**Huntsman Advanced Material**, Primary Facility ID # **625187**, 408 Manor-Harrison City Road, Harrison City, PA 15636, Manor Borough, **Westmoreland County**. ERM, Inc., 75 Valley Stream Parkway, Suite 200, Malvern, PA 19355 on behalf of Huntsman Corporation, 408 Manor-Harrison City Road, Harrison City, PA 15636, submitted a Notice of Intent to Remediate. Observations made during a 2020 Phase I environmental site assessment completed as part of a property ownership transfer identified the presence of a tar-like material at several locations near the facility main production area. Subsequent soil sampling completed between 2021 and 2023 to characterize the sub-surface conditions in this area. The results indicated several regulated substances including 1,1,2-trichloroethane, 1,1'-biphenyl, and manganese were present in soil at concentrations marginally exceeding nonresidential soil to groundwater MSCs at three of the 20 overall soil boring locations. The organic compounds also slightly exceeded the PA DEP nonresidential soil to indoor air screening values at two of these locations. The current use of the facility is nonresidential for the manufacture of various products such as varnishes, resins and industrial coatings. The intended future use of the facility will remain consistent with the current use. The Notice of Intent to Remediate was published in *Pittsburgh Tribune Review* on May 13, 2024. Application received: May 10, 2024.

**State Correctional Institution Pittsburgh**, Primary Facility ID # **875541**, 3001 Beaver Avenue, Pittsburgh, PA 15233, City of Pittsburgh, **Allegheny County**. KCI Technologies, Inc., 500 Cherrington Parkway, Suite 210, Moon Township, PA 15108 on behalf of Pennsylvania Department of General Services, 1800 Herr Street, Harrisburg, PA 17215, submitted a Notice of Intent to Remediate. The property covers approximately 21.7 acres with 42 buildings and supporting structures that were formerly used as the Pittsburgh State Correctional Institution. The property is not presently in use, except the site is sometimes used as a film set. The current structures on the property, except for the Main Penitentiary Building and guard towers, are to be demolished. The 5.2 acres to the west of the Main Penitentiary Building may be turned into a public park area. The area to the east of the Main Penitentiary Building is intended for industrial reuse. Some site contamination likely comes from historical chemical use, with metal shops and drycleaning activities formerly occurring at the Penitentiary. Additionally, gravel, coal, brick, and asphalt fill were identified across the site at depths up to 16 feet bgs. Some fill may be contaminated. Soils at the site may have concentrations of manganese and/or lead that exceed the nonresidential Act 2 standard. If future land use incorporates a public park west of the Main Penitentiary Building, then additionally Residential Standards (or site-specific standards) need to be met for arsenic in soil in that area. Groundwater at the site is impacted by tetrachloroethylene (PCE), trichloroethylene (TCE), aluminum, arsenic, iron, and manganese at concentrations exceeding the relevant nonresidential Act 2 standard. Groundwater to the east of the Main Penitentiary Building appears to flow to the north, towards Whitehall Street

and possibly offsite industrial properties. Further investigations are planned. If the property has contaminated offsite groundwater, the area will be characterized and included in the Act 2 site. The presence of PCE and TCE in groundwater may present a vapor intrusion threat to future buildings. The Notice of Intent to Remediate was published in *Pittsburgh Post-Gazette* on May 25, 2024. Application received: May 15, 2024.

#### MUNICIPAL WASTE GENERAL PERMITS

**Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Municipal Waste Regulations for a General Permit to Operate Municipal Waste Processing Facilities and/or the Beneficial Use of Municipal Waste.**

*Central Office: Waste Management Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-787-7381.*

*Contact: Jason Dunham, Environmental Group Manager.*

**WMGR065SC001. Earthcare LLC**, 3311 East Powell Avenue, Evansville, IN 47714. This permit application is for the storage and processing of municipal wastewater sewage sludge (biosolids) from municipal wastewater treatment plants for beneficial use as a fuel at power plants and cement kilns. Processing is limited to drying and gasification. The location of the facility is at 203 Kline Road, Bethel, PA 19507, Bethel Township, Berks County. The proposed modifications to General Permit WMGM065 are to the base general permit to: • authorizes additional uses of residential septage; animal manure/poultry litter; spent hens; animal mortality compost; depackaged food waste; digestate; fats, oils and greases (FOG); spent mushroom substrate; crop waste; perennial grasses; compost; yard waste; and unfinished, uncontaminated clean wood waste for beneficial use as a fuel at power plants, cement kilns or other Department approved combustions units; and • use in specific product as component in the manufacturing process or as a stand along product. The material subsequent to gasification, will hereinafter be referred to as “biochar.” A de-wasting provision will be considered as part of the final modifications to WMGM065. The de-wasting provision would follow the procedures in 25 Pa. Code § 287.7 (relating to determination that a material is no longer a waste), which requires a demonstration that the waste material does not harm or present a threat of harm to public health, safety, welfare, or the environment. The de-wasting provision would be contingent on the biochar meeting product specifications, and the biochar being sold to, distributed to, or under contract with, an end user. Application received: May 22, 2024.

Comments or questions concerning the application should be directed to Jason Dunham, Environmental Group Manager, 717-787-7381, Central Office, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-787-7381. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

#### OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

**Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Regulations to Operate Solid Waste Processing or Disposal Area or Site.**

*Southcentral Region: Waste Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: John Oren, Waste Management, Permits Section Chief, 717-705-4907.*

**100346. F.R.&S. Inc.**, 727 Red Lane Road, Birdsboro, PA 19508, Exeter Township, **Berks County**. Application for Major Permit Modification submitted by F.R.&S., Inc. for expansion of the Pioneer Crossing Landfill (Permit No. 100346). The proposed project will add 41.15 acres of new disposal area and approximately 29.5 years of operational capacity. The total permitted area of the facility would increase from 219 acres to 288.3 acres. Application received: April 26, 2024. Deemed administratively complete: May 29, 2024.

Comments or questions concerning the application should be directed to John Oren, Waste Management Permits Section Chief, (717-705-4907), Southcentral Region, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

**101642. A.J. Blosenski, Inc.**, 13146 Ballantyne Corporate Place, Suite 150, Charlotte, NC 28277, Ruscombmanor Township, **Berks County**. This application is for the reissuance of Permit No. 101642 for Berky's Lot 9 Container and Transfer Station, located at 15 Breezy Park Drive, Fleetwood, PA 19522, from the H&K Group, Inc. to A.J. Blosenski, Inc. due to change in ownership. Application received: April 30, 2024. Deemed administratively complete: June 3, 2024.

Comments or questions concerning the application should be directed to John Oren, Waste Management Permits Section Chief, (717-705-4907), Southcentral Region, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

*Southeast Region: Waste Management Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: Mohamad Mazid, Chief, Technical Services, RA-EPWM-SERO-PERMITS@pa.gov.*

**101226. John R. Savoy Enterprises, Inc.**, 52 Concord Road, Aston, PA 19014, Chester Township, **Delaware County**. This application is for a ten (10) year permit renewal to continue operation at the Savoy C&D Transfer Station, a construction/demolition waste processing and transfer facility, located at 52 Concord Road in Chester Township, Delaware County. Application received: May 30, 2024. Deemed administratively complete: June 4, 2024.



Comments or questions concerning the application should be directed to Waste Management Program Manager, Phone Number 484.250.5960, or by e-mail at RA-EPWM-SERO-PERMIT@pa.gov, Southeast Region, 2 East Main Street, Norristown, PA 19401, 484-250-5900. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

*Southwest Region: Waste Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Waste Program Manager.*

**100663. Kelly Run Sanitation, Inc.**, 1500 Hayden Boulevard, Elizabeth, PA 15037-0333, Forward Township, **Allegheny County**. Application to renew Municipal Waste Permit 100663 for the operation of the Kelly Run Landfill, located at 1500 Hayden Boulevard. Application received: May 17, 2024. Deemed administratively complete: June 3, 2024.

Comments or questions concerning the application should be directed to Regional Files, Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

#### HAZARDOUS WASTE TRANSPORTER LICENSE

**Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); and Hazardous Waste Regulations to Transport Hazardous Waste.**

*Renewal Applications Received*

*Central Office: Waste Management Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-787-7561.*

*Contact: Jonathan Adams.*

**AWT Environmental Services, Inc.**, 32 Birch Street, Old Bridge, NJ 08857. **License No. PA-AH 0871.** Accepted: April 29, 2024.

**Midwest Sanitary Service, Inc.**, P.O. Box 83, Wood River, IL 62095. **License No. PA-AH 0872.** Accepted: April 4, 2024.

**Sustain, LLC**, 4547 Bentwood Road, New Waterford, OH 4445. **License No. PA-AH 0919.** Accepted: May 22, 2024.

**Page ETC, Inc.**, 2758 Trombley Road, Weedsport, NY 13166. **License No. PA-AH 0338.** Accepted: May 6, 2024.

**IWT Transport, Inc.**, 5 Fir Court, Oakland, NJ 07346. **License No. PA-AH 0798.** Accepted: April 22, 2024.

**Tri-County Industries, Inc.**, 159 TCI Park Drive, Grove City, PA 16127. **License No. PA-AH 0820.** Accepted: May 20, 2024.

**Brook Ledge, Inc.**, P.O. Box 56, Oley, PA 19547. **License No. PA-AH 0855.** Accepted: April 29, 2024.

**M.R. Dirt, Inc.**, 21186 RTE 187, Towanda, PA 18848. **License No. PA-AH 0899.** Accepted: April 22, 2024.

**JRP Waste Oil Services, Inc.**, P.O. Box 570, Oxford, PA 19363. **License No. PA-AH 0926.** Accepted: May 6, 2024.

**Radiac Research Corp.**, 261 Kent Avenue, Brooklyn, NY 11249. **License No. PA-AH S007.** Accepted: May 8, 2024.

#### REGULATED MEDICAL AND CHEMOTHERAPEUTIC WASTE TRANSPORTER LICENSE

**Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003) and Act 93 of June 28, 1988 (P.L. 525, No. 93) and Regulations to Transport Regulated Medical and Chemotherapeutic Waste License.**

*Renewal Applications Received*

*Central Office: Waste Management Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-787-7561.*

*Contact: Jonathan Adams.*

**Environmental Waste Minimization, Inc.**, 14 Brick Kiln Ct, Northampton, PA 18067. **License No. PA-HC 0219.** Accepted: April 11, 2024.

#### AIR QUALITY PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department of Environmental Protection (DEP) has developed an integrated plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for DEP, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The DEP received applications for Plan Approvals or Operating Permits from the following facilities. Copies of the application, DEP's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate DEP Regional Office. Appointments for scheduling a review must be made by calling the appropriate DEP Regional Office. The address and telephone number of the Regional Office is listed before the application notices.

Individuals wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the DEP's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

Any individual wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if DEP, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in

the newspaper, the *Pennsylvania Bulletin* or by telephone, when DEP determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate DEP Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

**PLAN APPROVALS**

**Application(s) Received for Plan Approval(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B That May Have Special Public Interest. These Plan Approval Applications are in Review and No Decision on Disposition Has Been Reached.**

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: David Balog, New Source Review Section Chief, 814-332-6328.*

**10-00380D: Mountain Gathering, LLC** 190 Thorn Hill Road, Warrendale, PA 15086, Jefferson Township, **Butler County**. Application received: May 16, 2024.

Applicant submitted a Plan Approval Application to modify emission limits in their operating permit.

*Contact: David G. Balog, P.E., New Source Review Section Chief, 814-332-6328.*

**25-01072A: IRG Erie, Inc.** 1565 East Lake Road, Erie, PA 16533, City of Erie, **Erie County**. Application received: May 3, 2024.

IRG Erie, Inc. is proposing to construct a plastics recycling facility in Erie, PA to transform general plastic recyclables into speciated material.

**PLAN APPROVALS**

**Notice of Intent to Issue Plan Approval(s) and Notice of Intent to Issue or Amend Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These Actions May Include the Administrative Amendments of an Associated Operating Permit.**

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: David Balog, New Source Review Section Chief, 814-332-6328.*

**24-00131AA: SGL Carbon**, 900 Theresia Street, Saint Marys, PA 15857, City of Saint Marys, **Elk County**. Application received: March 8, 2024.

Intent to Issue Plan Approval 24-00131AA: SGL Carbon, LLC (900 Theresia Street, Saint Marys, PA 15857). The Department of Environmental Protection intends to issue a plan approval to SGL Carbon to install three new Chemical Vapor Deposition (CVD) Reactors and three (3) wet scrubbers to control emissions of HCl at their facility located in City of Saint Marys, Elk County SGL is a Natural Minor facility and a manufacturer of graphite products under State Only Permit No. 24-00131. Public notice is required for sources required to obtain a Plan Approval in accordance with 25 Pa. Code § 127.44. SGL seeks approval to install three new Chemical Vapor Deposition (CVD) Reactors (Source IDs 7117—7119) and three (3) wet scrubbers (Source IDs C7117—C7119) to control emissions of HCl. In their analysis, Active Carbon Absorbers and Wet Scrubbers were both found to be efficient and cost effective. However, Active Carbon Absorbers are only effective when dealing with small flows of HCl. SGL also determined that wet scrubbers are the more effective option. Their analysis indicates that these scrubbers will achieve an HCl emission rate of 0.02 lb/hr.

These CVD Reactors process graphite at a rate of 33 lbs/hr and operate 7,488 hours annually. Reactor 17 (Source ID 7112) is an almost identical source utilizing the same emission control technology as the subject sources. The most recent stack test on 17 was used in the emission analysis of the subject sources. The subject sources will have a slightly higher flow of Methyltrichlorosilane (15 kg/hr vs. 12 kg/hr), so the calculations show an ultimate emission of HCl of 0.002875 instead of 0.0023 lb/hr per sources. This increase can still meet the current limits of their existing CVD Reactors in their operating permit. We recommend keeping the same emission limits as the existing reactors of 0.02 lb/hr.

Based on BAT and regulatory criteria the emission limits of 7117—7119 (each) will be:

- 0.04 gr/dscf PM
- 0.02 lbs/hr HCl

Potential emissions from the subject source(s) will be as follows:

	NO <sub>x</sub>	CO	SO <sub>x</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>	VOC	HCl
7117							0.02
7118							0.02
7119							0.02

The Plan Approval will contain testing, recordkeeping, emission restriction, reporting, and work practice requirements designed to keep the facility operating within all applicable air quality requirements.

In accordance with 25 Pa. Code § 127.44(f)(1), all the pertinent documents regarding this application (applications, review memos, and draft approvals) are also available for review from 8:00 a.m. to 4:00 p.m. at the Meadville Regional DEP office (Air Quality). Appointments for scheduling a review must be made by calling the DEP at (814) 332-6940.

In accordance with 25 Pa. Code § 127.44(f)(2), a 30-day comment period, from the date of publication, will exist for the submission of comments. Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to Regional Air



Quality Program Manager, Pennsylvania Department of Environmental Protection, 230 Chestnut Street, Meadville, PA 16335-3494 and must contain the name, address and telephone number of the person submitting the comments, identification of the proposed plan approval (24-00131AA: SGL Carbon, LLC) and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Eric Gustafson, 230 Chestnut St., Meadville, PA 16335; Phone (814) 332-6819. In accordance with 25 Pa. Code § 127.45, a person may oppose the proposed plan approval by filing a written protest with the Department's Northwest Region.

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: James Beach, New Source Review Chief, 484-250-5920.*

**15-0085D: Lincoln University**, 1570 Baltimore Pike, Lincoln University, PA 19532, Lower Oxford Township and Upper Oxford Township, **Chester County**. Application received: April 22, 2024. Plan Approval No. 15-0085D is being revised through a modification to increase the fuel restrictions on Source ID 734A (Misc. No. 2 Fuel Oil-Fired Combustion Sources) and Source ID 736 (Misc. Natural Gas-Fired Combustion Sources). Lincoln University is a Synthetic Minor facility. Combined potential emissions from the two source categories after the increase in fuel restrictions is: NO<sub>x</sub>—4.31 tons per year (TPY); VOC—0.23 TPY; CO—3.56 TPY; PM—0.33 TPY; SO<sub>x</sub>—0.03 TPY; HAP—0.08 TPY. The facility-wide NO<sub>x</sub> limit remains at 24.9 TPY. The Plan Approval will contain monitoring, recordkeeping, and operating conditions designed to keep the facility operating within the allowable emissions and all applicable air quality requirements. Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEROAQPUBCOM@pa.gov.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Sheri Guerrieri, P.E., New Source Review Chief, 412-442-4174.*

**PA-63-01078A: Imperial Landfill Gas Company LLC**, 5087 Junction Road, Lockport, NY 14094, Robinson Township, **Washington County**. Application received: March 22, 2024. Notice is hereby given in accordance with 25 Pa. Code § 127.44 that the Department of Environmental Protection (Department) intends to issue Air Quality Plan Approval 63-01078A to allow the installation and operation of one (1) Spark Ignition, 4 Stroke, Natural Gas-Fired, Rich Burn Engine, rated at 840 BHP equipped with a Non-Selective Catalytic Reduction Device and compressor for the transmission of pipeline quality renewable natural gas. The engine will be located at a new facility in Robinson Township, Washington County at Latitude 40°, 26', 54" N and Longitude 80°, 20', 15.9936" W. The proposed project potential to emit will not exceed

1.62 tons per year of nitrogen oxides (NO<sub>x</sub>), 2.43 tons per year of carbon monoxide (CO), 0.02 ton per year of particulate matter less than 2.5 microns in diameter (PM<sub>2.5</sub>), 0 ton per year of sulfur dioxide (SO<sub>2</sub>), 31.82 tons per year of volatile organic compounds (VOC), 0.06 ton per year of total hazardous air pollutants (HAPs) and 0.06 ton per year of Hexane, the single highest hazardous air pollutant from the project. This authorization is subject to State Emission Standards. This Plan Approval has been conditioned to ensure compliance with all applicable rules. This includes emission restrictions, operational restrictions, testing, monitoring, recordkeeping, reporting and work practice requirements. Once compliance with the Plan Approval is demonstrated, the applicant will be issued an operating permit for continued operation. The Plan Approval Application, the Department's Air Quality Review Memorandum, the proposed Air Quality Plan Approval, and other relevant information for this project are available for review by any interested party at the Department's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. To request a review of the Plan Approval Application, to receive an electronic copy of the Department's Air Quality Review Memorandum, or to receive an electronic copy of the Department's proposed Air Quality Plan Approval for this project, a person may contact the Department at 412-442-4000. A person may oppose the proposed plan approval by filing a written protest with the Department through Christopher Baker, Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222; chrbake@pa.gov; or fax 412.442.4096. Each protest or set of written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval (PA-63-01078A), and a concise statement of the objections to the plan approval issuance and the relevant facts upon which the objections are based. All comments must be received prior to the close of 30 business days after the date of this publication. A public hearing may be held, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notifications is sufficient. Written comments or requests for a public hearing should be directed to Christopher Baker, Air Quality Engineer Trainee, Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222 or by email to chrbake@pa.gov. All comments must be received prior to the close of 30 business days after the date of this publication.

#### OPERATING PERMITS

#### Notice of Intent to Issue Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

*Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.*

**49-00054, Meckley's Limestone Products, Inc.**, P.O. Box 503, Herndon, PA 17830, Mahanoy Township, **Northumberland County**. Application received: November 16, 2023. The Department intends to issue a renewal State Only Operating Permit authorization to permit continued

operation of the existing Herdon plant. The facility's main sources are comprised of a primary and secondary crushing operation consisting of feeders, crushers, conveyors and other associated equipment; a limestone drying operation and a 200-ton per hour asphalt concrete batch plant. The type and quantity of pollutants emitted on a facility-wide basis are, as follows: 31.4 tons/year (tpy) NO<sub>x</sub>; 51.9 tpy CO; 17.2 tpy VOC; 69.8 tpy PM (and PM<sub>10</sub> and PM<sub>2.5</sub>); 80.5 tpy SO<sub>x</sub>; 1.86 tpy HAPs (total); and 33,666 tpy CO<sub>2e</sub>. The renewal operating permit contains all other applicable requirements, including appropriate testing, monitoring, recordkeeping, reporting, work practice and other requirements to verify compliance. The applicable requirements are derived from 25 Pa. Code Article III, Chapters 121 and 145, relating to Air Resources. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the PA DEP's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-3636.

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Norm Frederick 570-826-2409.*

**54-00035, Tredegar Film Prod, Inc.**, 30 Maple Ave, Pottsville, PA 17901-9137, East Norwegian Township, **Schuylkill County**. Application received: November 17, 2023. The Department intends to issue a renewal State-Only (Natural Minor) Permit to manufacture unsupported plastics, film, and sheet facility located in Norwegian Township, Schuylkill County. The primary sources consist of fifteen (15) plastic extrusion lines. The control devices consist of a baghouse. The sources are considered minor emission sources of nitrogen oxide (NO<sub>x</sub>), sulfur oxides (SO<sub>x</sub>), carbon monoxide (CO), total suspended particulate (TSP), and volatile organic compounds (VOC) emissions. The proposed operating permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: Matthew Williams, Facilities Permitting Chief, 814-332-6940.*

**20-00264, Salt Painting, Inc.**, 17918 State Highway 198, Saegertown, PA 16433, Hayfield Township, **Crawford County**. Application received: May 23, 2023. The Department intends to issue the renewal of the State-Only Operating Permit of a facility that provides painting, cleaning, coating and sandblasting services to industrial plants and facilities. Air pollutant-emitting activities covered by this permit are those performed and located at the facility, namely abrasive blasting, surface coating, a curing oven, and a diesel compressor. With PTEs below major source thresholds, the facility has been permitted as Natural Minor. There are no significant changes to this renewal permit.

**37-00181, American Hard Chrome, LLC**, 925 Industrial St, New Castle, PA 16102-1329, City of New Castle, **Lawrence County**. Application received: November 10, 2023. The Department intends to issue the renewal State Only Natural Minor Operating Permit for operation of the hard chrome plating facility. The facility's primary emission sources include miscellaneous natural gas combustion, natural gas-fired space heaters, four (4) chrome plating tanks, and miscellaneous VOC sources. The po-

tential emissions of the primary pollutants from the facility are as follows: 2.194 TPY NO<sub>x</sub>, 0.974 TPY CO, 0.324 TPY VOC, 0.112 TPY total HAPs, 0.001 TPY Chromium, 0.057 TPY filterable PM<sub>10</sub> and PM<sub>2.5</sub>, and 0.013 TPY SO<sub>x</sub>; thus, the facility is a natural minor. The chrome plating tanks are subject to 40 CFR Part 63 Subpart N, the NESHAP for Chromium Emissions from Hard Chromium Electroplating and Chromium Anodizing Tanks. The renewal permit will contain emission restrictions, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

*Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.*

**01-05020, Knouse Foods Cooperative, Inc.**, 53 E. Hanover St., Biglerville, PA 17307, Biglerville Borough, **Adams County**. Application received: February 28, 2024. For the operation of a fruit processing facility. This is for renewal of the existing state-only permit. Potential air emissions from the facility are estimated at 9.69 tpy PM<sub>10</sub>, 56.17 tpy NO<sub>x</sub>, 14.39 tpy CO, 1.04 tpy VOC, 72.09 tpy SO<sub>2</sub>, and less than 1 tpy HAPs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

*Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.*

**38-03028, Brentwood Industries, Inc.—Lebanon Plant**, 2101 Lehman St., Lebanon, PA 17046, West Lebanon Township, **Lebanon County**. Application received: March 12, 2024. For operation of a PVC extrusion and recycling facility. The potential emissions from the facility are 5.06 tpy of VOC and 2.60 tpy of PM. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulation. Among other items, the conditions include 25 Pa. Code § 123.2 for fugitive particulate matter, 25 Pa. Code § 123.31 for malodors and 25 Pa. Code § 123.41 for visible emissions.

**36-05007, Johnson & Johnson Consumer, Inc./Lititz**, 400 W. Lincoln Ave., Lititz, PA 17543, Lititz Borough, **Lancaster County**. Application received: February 28, 2024. For operation of an over-the-counter consumer goods manufacturing facility. The facility actual emissions for 2021 are 5.23 tons of CO, 6.24 tons of NO<sub>x</sub>, 0.47 ton of PM, 0.04 ton of SO<sub>x</sub>, and 6.37 tons of VOC. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include 40 CFR 60, Subpart Dc—Standards of Performance for Small Industrial-Commercial-Institutional Steam Generating Units, 40 CFR 60, Subpart JJJJ—Standards of Performance for Stationary Spark Ignition Combustion Engines and 40 CFR 63, Subpart ZZZZ—National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines.

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: Janine Tulloch-Reid, Facilities Permitting Chief, 484-250-5920.*



**15-00151, Pacer Industries Inc.**, 200 Red Rd, Coatesville, PA 19320, Valley Township, **Chester County**. Application received: August 11, 2023. This action is for a renewal of State Only (Natural Minor) Operating Permit No. 15-00151 for its grinding wheel manufacturing facility. The main sources of air contaminants at the facility are a depolymerized natural rubber (DPR) production process and resin and cork grinding wheel finishing machines. Since its last renewal in April 2019, no significant physical changes have occurred at the facility. Volatile organic compound (VOC) emissions from the DPR production process are controlled by a water-cooled condenser with chiller and a thermal oxidizer before exhausting into the outdoor atmosphere. The DPR production process is subject to a VOC emission concentration restriction of 20 ppmv, dry basis, as methane (7 ppmv, dry basis, as propane), averaged on an hourly basis. Based on the results of a stack test performed in 2017, the potential to emit VOCs from the DPR production process is less than 125 lbs/yr (at less than 10% of the concentration restriction). Particulate matter (PM) emissions from the grinding wheel finishing machines are controlled by a cyclone and dust collector before exhausting into the outdoor atmosphere. The potential to emit PM from the grinding wheel finishing machines is less than 25 lbs/yr. The renewal SOOP will continue to include monitoring, recordkeeping, reporting, and work practice requirements designed to keep the facility operating within all applicable air quality requirements. Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person previously listed in the header. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEROPUBCOM@pa.gov.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Thomas Joseph, P.E., Facilities Permitting Chief, 412-442-4336.*

**63-00641, Regal Industrial Corp.**, P.O. Box 291 98 East First St, Donora, PA 15033, Donora Borough, **Washington County**. Application received: July 19, 2023.

In accordance with 25 Pa. Code §§ 127.424 and 127.425, the Department of Environmental Protection (DEP) is providing notice that it intends to issue a renewal Synthetic Minor State Only Operating Permit (SOOP) for operation of the Donora Plant located in Donora Borough, Washington County.

Air contamination sources at the facility include abrasive blasting operations, industrial surface coating of steel products, and plant paved and unpaved roads. The primary pollutants of concern are volatile organic compounds (VOC) and hazardous air pollutants (HAP) from the surface coating operations. To maintain a synthetic minor operating status, facility emissions are restricted to 45.0 tons of VOC, 9.4 tons of single HAP, and 24.0 tons of combined HAP. The renewal of this operating permit does not authorize any increase in air emissions of any regulated pollutants above previously approved levels. The proposed SOOP contains emission restriction, testing, monitoring, recordkeeping, reporting, and work practice standards derived from the applicable requirements of 25 Pa. Code Article III, Chapters 121—145.

The application, DEP's Review Memorandum, and the proposed permit are available for public review during normal business hours at DEP's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. A file

review can be scheduled through the DEP's website at: <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx>.

To request an electronic copy of the Air Quality Review Memorandum or to receive an electronic copy of the proposed renewal Air Quality Operating Permit for this facility, a person may contact Tom Joseph, P.E., Air Quality Manager, at 412-442-4336.

Any person may submit comments, a request for the DEP to hold a public hearing, or a protest to the proposed operating permit or a condition thereof by submitting the information to Nick Waryanka, P.E., Air Quality Engineer, at the Southwest Regional Office. A 30-day comment period from the date of publication of this notice will exist for the submission of comments. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit (specify Operating Permit 63-00641) and concise statements regarding the relevancy of the information in the proposed permit or objections to issuance of the permit.

A public hearing may be held in accordance with 25 Pa. Code § 127.429, if the DEP, in its discretion, decides that such a hearing is warranted based on the information received. If a public hearing is held, all persons who have properly filed a protest under 25 Pa. Code § 127.426 may appear and give testimony. The applicant, the protestant, and other participants will be notified of the decision to hold a hearing (and the time, place and purpose of such hearing) by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the DEP determines such notification by telephone is sufficient.

#### PLAN APPROVALS

**Receipt of Plan Approval Application(s) and Notice of Intent to Issue Plan Approval(s) and Notice of Intent to Issue or Amend Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B and Subchapter F. These Actions May Include the Administrative Amendments of an Associated Operating Permit.**

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Shailesh Patel, P.E., Environmental Group Manager.*

**40-00145C, UTZ Quality Foods LLC**, 900 High Street, Hanover Twp., PA 17331, Hanover Township, **Luzerne County**. Application received: April 3, 2024. Plan Approval No. 40-00145C is for the installation of a two new Kettle Lines with fryers and demisters (Lines 9 and 10). VOC emissions from the plant will remain under 50 TPY threshold limit, 12-month rolling sum. Total HAP emissions from the facility will be under 25 TPY, 12-month rolling sum. Single HAP emissions will be under 10 TPY, 12-month rolling sum. The company shall be subject to and comply with 25 Pa. Code § 123.31 for malodorous emissions. The company shall be subject to and comply with 25 Pa. Code § 123.13 for particulate emissions. The company shall be subject to and comply with 25 Pa. Code § 123.41 for Visible emissions. These limits will meet BAT requirements for this source. The Plan Approval and Operating permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements. Copies of the application, DEP's analysis and other documents used in the evaluation of

the application are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711. Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown in the preceding paragraph. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit No. 40-00145C and a concise statement regarding the relevancy of the information or objections to the issuance of the permit. A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Shailesh Patel, EEM, New Source Review Section, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711, Phone 570-826-2511 within 30 days after publication date.

**48-00122C, II-VI Advanced Materials LLC**, 2251 Newlins Mill Road, Easton, PA 18045, Palmer Township, **Northampton County**. Application received: April 24, 2024. Plan Approval No. 48-00122C is for the installation and operation of two (2) silicon carbide epitaxial growth reactors. Emissions will be controlled by the use of a scrubber/combustor. VOC emissions from the plant will be under 50 TPY threshold limit, 12-month rolling sum. Total HAP emissions from the facility will be under 25 TPY, 12-month rolling sum. Single HAP emissions will be under 10 TPY, 12-month rolling sum. The company shall be subject to and comply with 25 Pa. Code § 123.31 for malodorous emissions. The company shall be subject to and comply with 25 Pa. Code § 123.13 for particulate emissions. The company shall be subject to and comply with 25 Pa. Code § 123.41 for Visible emissions. The Plan Approval and Operating permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements. Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711. Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown in the preceding paragraph. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit No.: 48-00122C and a concise statement regarding the relevancy of the information or objections to the issuance of the permit. A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Shailesh Patel, Environmental Group Manager, New Source Review Section, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711, Phone 570-826-2511 within 30 days after publication date.

## COAL & NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21).

Mining activity permits issued in response to such applications are also subject to applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (DEP). A copy of the application is available for inspection at the District Mining Office indicated above each application. Requests for 401 Water Quality Certifications are included in individual application only if noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application may be submitted by any person or any officer or head of any Federal, State or Local Government Agency or Authority to DEP at the address of the District Mining Office indicated above each application within 30-days of this publication, or within 30-days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences). Such comments or objections should contain the name, address and phone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform DEP on the basis of comment or objection and relevant facts upon which it is based.

In addition, requests for an informal conference, or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 (relating to public hearing-informal conferences) or § 86.34 (relating to informal conferences), must also contain a brief summary of the issues to be raised by the requestor at the conference and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Where a National Pollutant Discharge Elimination System (NPDES) number is listed, the mining activity permit application is associated with an application for an NPDES permit. A separate notice will be provided for the draft NPDES permit.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

### *Coal Applications*

*Effluent Limits*—The following range of effluent limits (Table 1) will apply to NPDES permits issued in conjunction with the associated coal mining activity permit. Additional effluent limits will be listed as part of the publication of the draft NPDES permit.

Table 1

Parameter	30-Day Average	Daily Maximum	Instantaneous Maximum
Iron (total)	1.5 to 3.0 mg/l	3.0 to 6.0 mg/l	3.5 to 7.0 mg/l
Manganese (total)	1.0 to 2.0 mg/l	2.0 to 4.0 mg/l	2.5 to 5.0 mg/l
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Aluminum (Total)	0.75 to 2.0 mg/l	1.5 to 4.0 mg/l	2.0 to 5.0 mg/l
pH must always be greater than 6.0; less than 9.0.			
Alkalinity must always be greater than acidity.			

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.*

*Contact: RA-EPCAMBRIADMO@pa.gov.*

**Mining Permit No. 32150101. NPDES No. PA0279421. Britt Energies, Inc.,** P.O. Box 515, Indiana, PA 15701, West Wheatfield Township, **Indiana County**. Permit transfer from Amerikohl Mining Inc., 202 Sunset Drive, Butler, PA 16001 for a Post-Mining Discharge Treatment Trust Consent Order and Agreement affecting 3.0 acres. Receiving streams: unnamed tributary to/and Roaring Run to Conemaugh River, classified for the following use: CWF. Application received: June 3, 2024.

*Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.*

*Contact: Cassie Stanton, Clerical Assistant 2.*

**Mining Permit No. 17714022. NPDES No. PA0611034. A. W. Long Coal Company,** 127 Logan Street, Philipsburg, PA 16866, Morris Township, **Clearfield County**. Permit renewal application for a bituminous surface coal mine and associated NPDES permit affecting 149.9 acres. Receiving stream(s): Hawk Run and Moshannon Creek classified for the following use(s): (CWF, TSF). Application received: May 28, 2024. Accepted: June 3, 2024.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.*

*Contact: RA-EPPottsvilleDMO@pa.gov.*

**Mining Permit No. 19960101. NPDES No. PA0226441. City of Philadelphia Trustee,** 1101 Market Street, Suite 2600, Philadelphia, PA 19107, Union, Butler, and Conyngham Townships, **Schuylkill and Columbia Counties**. New NPDES Permit on an Anthracite Coal Refuse Reprocessing & Coal Refuse Disposal operation affecting 876.0 acres. Receiving stream: Big Mine Run, a tributary to Mahanoy Creek, classified for the following use: CWF, MF. Application received: April 22, 2024. Accepted: April 30, 2024.

**Mining Permit No. 40930102. Glenn O. Hawbaker, Inc.,** 1952 Waddle Road, Suite 203, State College, PA 16803-1649, Hazle and Butler Townships, **Luzerne County**. Correction to an anthracite surface mine operation to change the location for the fine refuse catchment area affecting 696 acres. Receiving stream: Jeddo Tunnel Mine Pool to Little Nescopeck Creek, classified for the following uses: CWF, MF. Application received: May 1, 2024. Accepted: May 15, 2024.

#### *Noncoal Applications*

*Effluent Limits*—The following Table 2 effluent limits apply to NPDES permits issued in conjunction with a noncoal mining permit. Additional effluent limits will be listed as part of the publication of the draft NPDES permit.

Table 2

Parameter	30-day Average	Daily Maximum	Instantaneous Maximum
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity must always exceed acidity.			
pH must always be greater than 6.0; less than 9.0.			

*Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.*

*Contact: Alicia Cook, Clerical Assistant 3, 814-343-3328.*

**Mining Permit No. 37070301. NPDES No. PA0258407. 422 Aggregates, LLC,** 3340 U.S. Route 422, New Castle, PA 16101, Slippery Rock Township, **Lawrence County**. Renewal of an NPDES permit associated with a large noncoal mining site. Application received: May 29, 2024.

**Mining Permit No. 10210302. Three Rivers Aggregates, LLC,** 321 Currie Road, Slippery Rock, PA 16057, Worth Township, **Butler County**. Revision to an existing bituminous surface mine to add 20.5 acres. Application received: May 31, 2024.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.*

*Contact: RA-EPPottsvilleDMO@pa.gov.*

**Mining Permit No. 8176SM1. McAvoy Vitriified Brick Company,** P.O. Box 468, Phoenixville, PA 19460-0468, Schuylkill Township, **Chester County**. Correction to a large noncoal mine operation to reduce the 100-foot restricted zone. Application received: May 9, 2024. Accepted: May 15, 2024.

**Mining Permit No. 58242507. NPDES No. PA0226459. Thomas J. Kazmierczak, Sr.,** 1000 Union Street, Taylor, PA 18517-1607, New Milford Township, **Susquehanna County**. New NPDES Permit on a GP105 quarry operation affecting 11.5 acres. Receiving stream: Salt Lick Creek to East Lake Creek, classified for the following uses: HQ-CWF, MF. Application received: April 17, 2024. Accepted: April 30, 2024.



**MINING ACTIVITY NPDES DRAFT PERMITS**

This notice provides information about applications for a new, amended or renewed National Pollutant Discharge Elimination System (NPDES) permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (DEP) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

*Effluent Limits for Coal Mining Activities*

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH must always be greater than 6.0; less than 9.0.			
Alkalinity must always be greater than acidity.			

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

*Effluent Limits for Noncoal Mining Activities*

The limits for noncoal mining activities as provided in 25 Pa. Code § 77.522 are pH 6 to 9 and other parameters DEP may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

*Coal NPDES Draft Permits*

*California District Mining Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.*

*Contact: Bonnie Herbert, Clerical Assistant 3.*

**CORRECTION**—previously published on May 25, 2024

**PA0236624. Mining Permit No. 32221302. Rosebud Mining Company**, 301 Market Street, Kittanning, PA 16201, Pine Township, **Indiana County**. Application received: November 4, 2022. Accepted: December 20, 2022.

A new NPDES and mining activity permit, affecting 94.3 proposed surface acres and 5,366.0 proposed underground acres. Receiving stream(s): Unnamed Tributary to North Branch Blacklick Creek, classified for the following use: CWF. Kiskiminetas-Conemaugh River Watershed TMDL. Application received: November 4, 2022. Application accepted: December 20, 2022.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The proposed effluent limits for Outfall 001 discharging to Unnamed Tributary (# 8) to North Branch Blacklick Creek are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to Permit Expiration Date:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.5	3.0	3.8
Manganese	(mg/l)	-	1.0	2.0	2.5
Aluminum	(mg/l)	-	0.75	0.75	0.75
Suspended Solids	(mg/l)	-	35	70	90
pH	(s.u.)	6.0	-	-	9.0

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Alkalinity, Total as CaCO <sub>3</sub>	(mg/l)	-	-	-	Report
Acidity, Total as CaCO <sub>3</sub>	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-
Total Dissolved Solids	(mg/l)	-	-	-	Report
Sulfate	(mg/l)	-	-	-	Report

The proposed effluent limits for Outfall 002 discharging to Tributary 44555 to North Branch Blacklick Creek are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to Permit Expiration Date:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.5	3.0	3.8
Manganese	(mg/l)	-	1.0	2.0	2.5
Aluminum	(mg/l)	-	0.75	0.75	0.75
Suspended Solids	(mg/l)	-	35	70	90
pH	(s.u.)	6.0	-	-	9.0
Alkalinity, Total as CaCO <sub>3</sub>	(mg/l)	-	-	-	Report
Acidity, Total as CaCO <sub>3</sub>	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-
Total Dissolved Solids	(mg/l)	-	-	-	Report
Sulfate	(mg/l)	-	-	-	Report

The proposed effluent limits for Outfall 003 discharging to Tributary 44555 to North Branch Blacklick Creek are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to Permit Expiration Date:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.5	3.0	3.8
Manganese	(mg/l)	-	1.0	2.0	2.5
Aluminum	(mg/l)	-	0.75	0.75	0.75
Suspended Solids	(mg/l)	-	35	70	90
pH	(s.u.)	6.0	-	-	9.0
Alkalinity, Total as CaCO <sub>3</sub>	(mg/l)	-	-	-	Report
Acidity, Total as CaCO <sub>3</sub>	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-
Total Dissolved Solids	(mg/l)	-	2,000	4,000	5,000
Sulfate	(mg/l)	-	-	-	Report
OP	(mOs/kg)	-	-	-	Report

The EPA Waiver is not in effect.

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.*

*Contact: RA-EPCAMBRIADMO@pa.gov.*

**NPDES No. PA0269361. Mining Permit No. 56130111. Coal Loaders, Inc.,** 210 East Main Street, P.O. Box 556, Ligonier, PA 15658, Stonycreek Township, **Somerset County**. Renewal of an NPDES permit affecting 44.9 acres related to a coal mining activity permit. Receiving stream: Stonycreek, classified for the following use: CWF. The receiving stream is included in the Kiski-Conemaugh TMDL. Application received: March 19, 2024.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

There are no point source discharges remaining on this permit. This mine site contains or is hydrologically connected to substandard discharges for which there is no responsible party. Pursuant to 25 Pa. Code § 87.201, effluent limits for those discharges will be based upon the existing baseline pollution load, or the standards found at 25 Pa. Code § 87.102(a) Group A, whichever is least stringent.

**NPDES No. PA0279919. Mining Permit No. 56230102. Wilson Creek Energy, LLC,** P.O. Box 260, Friedens, PA 15541, Somerset Township, **Somerset County**. New NPDES permit affecting 130.5 acres related to a coal mining activity permit. Receiving stream: unnamed tributary to/and Kimberly Run, classified for the following use: CWF. The receiving streams are included in the Coxes Creek TMDL. Application received: December 5, 2023.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The following outfalls discharge to unnamed tributary to/and Kimberly Run:

<i>Outfall Number</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
001	New	Stormwater	Precipitation Induced
002	New	Stormwater	Precipitation Induced
003	New	Stormwater	Precipitation Induced
004	New	Treatment Facility	Intermittent
005		Treatment Facility	Intermittent

The proposed effluent limits for the previously listed outfalls are as follows:

*Outfalls: 001—005 (All Discharges)*

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
Total Iron (mg/L)	XXX	3.0	6.0	7.0
Total Manganese (mg/L)	XXX	2.0	4.0	5.0
Total Aluminum (mg/L)	XXX	1.6	3.2	4.0
Total Suspended Solids (mg/L)	XXX	35.0	70.0	90.0
pH (S.U.)	6.0	XXX	XXX	9.0
Net Alkalinity (mg/L)	0.0	XXX	XXX	XXX
Total Alkalinity (mg/L)	XXX	XXX	XXX	Report
Total Acidity (mg/L)	XXX	XXX	XXX	Report
Flow (gpm)	XXX	XXX	XXX	Report
Temperature (°C)	XXX	XXX	XXX	Report
Specific Conductance (µmhos/cm)	XXX	XXX	XXX	Report
Sulfate (mg/L)	XXX	XXX	XXX	Report

*Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.*

*Contact: Cassie Stanton, Clerical Assistant 2.*

**NPDES No. PA0243337. Mining Permit No. 17020112. Junior Coal Contracting, Inc.,** 2330 Six Mile Road, Philipsburg, PA 16866, Decatur Township, **Clearfield County.** Application received: January 10, 2024.

Renewal of an NPDES permit for discharge of water resulting from bituminous coal surface mining affecting 230.5 acres. Receiving streams: Big Run, Shimel Run, and an unnamed tributary (UNT 'A') to Moshannon Creek, classified for the following use: CWF. These receiving streams are included in the Moshannon Creek Watershed TMDL.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The following outfalls discharge to Big Run, Shimel Run, or UNT 'A' to Moshannon Creek:

<i>Outfall No.</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
001	Existing	SPA	Precipitation Induced
002	Existing	SPB	Precipitation Induced
004	Existing	SPD	Precipitation Induced
005	Existing	SPE	Precipitation Induced
006	Existing	SPF	Precipitation Induced
007	Existing	SPG	Precipitation Induced
008	Existing	SPH	Precipitation Induced
009	Existing	TP1	Intermittent (pumped)
010	Existing	TP2	Intermittent (pumped)
011	Existing	TP3	Intermittent (pumped)
012	Existing	TP4	Intermittent (pumped)
013	Existing	TP5	Intermittent (pumped)
014	Existing	TP6	Intermittent (pumped)
015	New	TP7	Intermittent (pumped)

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Outfalls: 001 and 004—008 (Dry Weather Discharges)</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
<i>Parameter</i>			
Iron (mg/L)	3.0	6.0	7.0
Manganese (mg/L)	2.0	4.0	5.0
Aluminum (mg/L)	Report		
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Sulfate (mg/L)	Report		
Flow (gpm)	Report		
Temperature (°C)	Report		
Specific Conductivity (µmhos/cm)	Report		
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

<i>Outfalls: 001 and 004—008 (Discharges after ≤10-yr/24-hr Precip. Event)</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
<i>Parameter</i>			
Iron (mg/L)	N/A	N/A	7.0
Total Settleable Solids (mL/L)	N/A	N/A	0.5
Sulfate (mg/L)	Report		
Flow (gpm)	Report		
Temperature (°C)	Report		
Specific Conductivity (µmhos/cm)	Report		
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

*Outfalls: 001 and 004—008 (Discharges after  
>10-yr/24-hr Precip. Event)*

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.  
Alkalinity must exceed acidity at all times.

<i>Outfalls: 002 (All Discharges)</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
<i>Parameter</i>			
Iron (mg/L)	3.0	6.0	7.0
Manganese (mg/L)	2.0	4.0	5.0
Aluminum (mg/L)	2.3	4.6	5.7
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Sulfate (mg/L)		Report	
Flow (gpm)		Report	
Temperature (°C)		Report	
Specific Conductivity (µmhos/cm)		Report	
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

<i>Outfalls: 009—015 (All Discharges)</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
<i>Parameter</i>			
Iron (mg/L)	3.0	6.0	7.0
Manganese (mg/L)	2.0	4.0	5.0
Aluminum (mg/L)	0.75	0.75	0.75
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Sulfate (mg/L)		Report	
Flow (gpm)		Report	
Temperature (°C)		Report	
Specific Conductivity (µmhos/cm)		Report	
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

This site also contains or is hydrologically connected to substandard discharges for which there is no responsible party. Pursuant to 25 Pa. Code Chapter 87, Subchapter F, effluent limits for those discharges will be based upon the existing baseline pollution load, or the standards found at 25 Pa. Code § 87.102(a) Group A, whichever is least stringent.

*Noncoal NPDES Draft Permits*

*Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.*

*Contact: Alicia Cook, Clerical Assistant 3, 814-343-3328.*

**NPDES No. PA0280691. Mining Permit No. 20192801. Meadville Redi-Mix Concrete, Inc.,** P.O. Box 418, Meadville, PA 16335, Summit Township, **Crawford County**. Renewal of an NPDES permit for management of water on a small industrial minerals surface mine affecting 7.0 acres. Receiving stream(s) Inlet Run, classified for the following use(s): HQ-WWF. Application received: March 19, 2024.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.*

*Contact: RA-EPPottsvilleDMO@pa.gov.*

**NPDES Permit No. PA0010235. Mining Permit No. 67870301. York Building Products Co., Inc.,** 950 Smile Way, Suite A, York, PA 17404, City of York and West Manchester Township, **York County**. Application received: September 18, 2023.

Modification of NPDES permit affecting 277.59 acres. Receiving stream: Willis Run, classified for the following use: WWF.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for noncoal mining activities.



The following treated wastewater outfalls discharge to Willis Run:

<i>Outfall Number</i>	<i>New Or Existing</i>	<i>Type</i>	<i>Discharge Rate:</i>
002	Existing	Treatment Facility Outfall	2.16 MGD
003	Existing	Treatment Facility Outfall	1.44 MGD

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
pH <sup>i</sup> (S.U.)	6.0			9.0
Total Alkalinity (as CaCO <sub>3</sub> ) (mg/L)			Monitor And Report	
Total Acidity (as CaCO <sub>3</sub> ) (mg/L)			Monitor And Report	
Net Alkalinity (mg/L)	0.0			
Total Suspended Solids (mg/L)		35.0	70.0	90.0
Discharge (MGD) (Outfall 002)		2.16		4.6
Discharge (MGD) (Outfall 003)		1.44		4.6

<sup>i</sup>This Parameter is applicable at all times

**NPDES Permit No. PA0225924. Mining Permit No. 64182503. Rutledge Unlimited, LLC**, 2495 Hancock Highway, Equinunk, PA 18417, Damascus Township, **Wayne County**. Renewal of an NPDES Permit affecting 11.4 acres. Receiving streams: UNT to Equinunk Creek and Branch Calkins Creek, classified for the following uses: HQ-CWF, MF. The operation does not discharge to the waters of the Commonwealth. Application received: October 3, 2023.

## FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection (DEP). Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341), requires the State to certify that the involved projects will not violate the applicable provisions of Sections 301–303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311–1313, 1316 and 1317), as well as relevant State requirements. Individuals objecting to approval of a request for certification under Section 401 or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit, or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30-days of the date of this notice, as well as any questions to the office noted above the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed, and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The DEP may schedule a fact-finding hearing or an informal conference in response to comments if deemed necessary. Maps, drawings and other data pertinent to the certification request are available for inspection between the hours of 8:00 a.m. and 4:00 p.m. on each working day at the office noted above the application.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

## WATER OBSTRUCTIONS AND ENCROACHMENTS

**Applications Received Under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1–693.27) and Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification Under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).**

*Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: 717-705-4802.*

**E0503224-001. Broad Top Township**, 124 Hitchens Road, P.O. Box 57, Defiance, PA 16633, Broad Top Township, **Bedford County**. U.S. Army Corps of Engineers Baltimore District. Application received: January 19, 2024.

Install, place, and maintain a 77 foot long, 4-inch wide PVC effluent discharge outfall pipe with associated sanitary sewer easement area within a forested exceptional value wetland resulting in 0.04 acre of permanent and 0.02 acre of temporary wetland impact; 2) construct, place, and maintain a 2-foot by 1-foot riprap outfall in the floodway of an Unnamed Tributary to Sherman Valley Run (CWF, MF) resulting in 20 square feet of permanent and 20 square feet of temporary floodway impact; all for the purpose of constructing and installing a residential small flow sewage treatment facility. The project is located at 189 Valley Church Road in Hopewell, Broad Top Township, Bedford County (Latitude: 40.10569; Longitude -78.21406). Permanent wetland loss is less than 0.05 acre and replacement is not required.

**E3803224-001. Darren Zimmerman**, 134 Michters Road, Newmanstown, PA 17073, Jackson Township, **Lebanon County**. U.S. Army Corps of Engineers Philadelphia District. Application received: February 29, 2024.

To install and maintain a 2.0-inch PVC sanitary sewer line under and across exceptional value palustrine emergent/scrub shrub wetlands and an unnamed tributary to Tulpehocken Creek (CWF, MF) via directional bore, all impacting 20.0-linear feet of stream and 0.055 acre of wetlands and all for the purpose of constructing a proposed car wash. The project is located at 651 West Lincoln Avenue (Latitude: 40.367231°N; Longitude: 76.340592°W) in Jackson Township, Lebanon County. Wetland loss will not occur, and replacement is not required.



**E3603224-002. City of Lancaster**, 150 Pitney Road, Lancaster, PA 17401, City of Lancaster, **Lancaster County**. U.S. Army Corps of Engineers Baltimore District. Application received: January 25, 2024.

To construct, install, and maintain 825 linear feet of 12 feet wide pedestrian trail and fence along the floodway and floodplain of Conestoga River (WWF) resulting in 0.6 acre of permanent floodway impact and 2.) to construct and maintain a transformer enclosure resulting in 0.02 acre of permanent floodway impact; all for the purpose of constructing a paved pedestrian walking trail and a protection wall for an existing transformer. The project is located 0.11 mile southeast of the intersection of E Walnut St. and Pleasure Rd (Latitude: 40.050715, Longitude: -76.275825). No wetland impact is proposed with this project.

*Southeast Region: Waterways & Wetlands Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: ra-ep-ww-sero-105@pa.gov.*

**E4601224-010. Perkiomen Township**, 1 Trappe Road, Collegeville, PA 19426, Perkiomen Township, **Montgomery County**. U.S. Army Corps of Engineers Philadelphia District. Application received: March 27, 2024.

Perkiomen Township is proposing to demolish the existing house which is located in and along the 100-year floodplain of Perkiomen Creek (WWF, MF) with total floodplain impact of 0.11 acre. The proposed work will include removing the existing house, existing shed, and retaining wall and to restore the site to be open space. This project is funded by grant from PEMA. An authorization was issued under E4601223-007 last October to demolish five other properties. The house is located at 574 Gravel Pike (Collegeville, PA USGS map) in Perkiomen Township, Montgomery County. Latitude: 40.223841°, Longitude: -75.422774°.

*Contact: ra-ep-ww-sero-105@pa.gov.*

**E2301224-006. Upper Chichester Township**, 8500 Furey Road, Aston, PA 19014, Upper Chichester Township, **Delaware County**. U.S. Army Corps of Engineers Philadelphia District. Application received: May 29, 2024.

Upper Chichester Township is proposing to perform Chapter 106 floodplain restoration activities at 2409 West Colonial Drive which includes 0.09 acre of disturbance within the 100-year floodplain of Spring Run. This activity includes demolition of existing structures, removal of debris, and site restoration and stabilization of all disturbed areas (USGS PA Marcus Hook Quadrangle). Latitude: 39.843396°, Longitude: -75.462584°.

#### DAM SAFETY

*Central Office: Waterways & Wetlands Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-783-5784.*

*Contact: Brian Medellin, Civil Engineer Hydraulic, 717-772-5947.*

**D63-100. Allegheny Energy Supply Company LLC**, 800 Cabin Hill Drive, Greensburg, PA 15601, Union Township, **Washington County**. Application to modify, operate, and maintain Mitchell Sludge Sedimentation Pond Dam, across an unnamed tributary to the Monongahela River, WWF, impacting neither wetlands nor stream for the purpose of installing a new gravity pipeline, modification of the existing discharge structure, and installation of a new weir structure, Latitude: 40.223889°, Longitude: -79.976667°. Application received: April 24, 2023.

*Contact: Ronald Mease, PE, Senior Civil Engineer.*

**D61-020. Pennsylvania Fish and Boat Commission**, 595 Rolling Ridge Drive, Bellefonte, PA 16823-9620, Richland Township, **Venango County**. Application to modify, operate and maintain Kahle Lake Dam (D-061-020) across Mill Creek for the purpose of rehabilitating the dam to comply with the Commonwealth's regulations. The primary modifications include replacement of the existing spillway with a higher capacity labyrinth spillway, and raising the embankment crest elevation 1.2 feet, Latitude: 41.2355°, Longitude: -79.6621°. Application received: April 19, 2023.

#### EROSION AND SEDIMENT CONTROL

The following parties have applied for an Erosion and Sediment Control Permit (ESCP) for an earth disturbance activity associated with either a road maintenance or timber harvesting operation.

Unless otherwise indicated, on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection (DEP) proposes to issue a permit to discharge, subject to certain limitations set forth in the permit conditions. These proposed determinations are tentative. Limitations are provided as erosion and sediment control best management practices (BMPs) which restrict the rate and quantity of sediment discharged.

Individuals wishing to comment on the proposed permit are invited to submit a statement to the appropriate DEP Regional Office listed above the application within 30-days of this public notice. Comments reviewed within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address, and telephone number of the writer and a concise statement to inform DEP of the exact basis of a comment and relevant facts upon which it is based. A public hearing may be held after consideration of comments received by the appropriate DEP Regional Office during the 30-day public comment period.

Following the 30-day comment period, the appropriate Regional Office Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, including the erosion and sediment control plan for the earth disturbance activity are on file and may be inspected at the office identified in this notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

#### Applications Received Under Sections 5 and 402 of the Clean Streams Law (35 P.S. §§ 691.5 and 691.402).

*Southwest District: Oil and Gas Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

*Contact: RA-EPSW-OGSUBMISSION@pa.gov.*

ESCP #	<b>ESP07652400100E</b>
Applicant Name	<b>CNX Midstream Operating Co LL—MAM14 U1</b>

Contact Person	Nicole Miller Project Manager (724) 433-2051 nicolemiller@cnx.com	County	<b>Westmoreland County</b>
Address	0.3 mile east of Marco Rd and Beaver Run Rd	Receiving Stream(s) and Classification(s)	Beaver Run TSF Trib. 42938 to Beaver Run TSF UNTs to Beaver Run TSF Trib. 42945 to Beaver Run TSF UNTs to Trib. 42938 to Beaver Run TSF
City, State, Zip	Apollo, PA 15613	Application received:	May 22, 2024
Township(s)	Bell Township Washington Township		

---

## ACTIONS

---

### THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

#### FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department of Environmental Protection (DEP) has taken the following actions on previously received applications for new, amended, and renewed National Pollutant Discharge Elimination System (NPDES) and Water Quality Management (WQM) permits, applications for permit waivers, and Notice of Intent (NOIs) for coverage under General Permits, as listed in the following tables. This notice of final action is published in accordance with 25 Pa. Code Chapters 91, 92a, and 102 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). The official file for each listed action can be reviewed at the DEP or delegated County Conservation District (CCD) office identified in the table for the action. DEP/CCD office contact information is listed as follows for Section I and is contained within the table for Section II. Additional information for permits issued under 25 Pa. Code Chapters 91 and 92a and Individual permits under 25 Pa. Code Chapter 102, including links to Individual Chapter 92a NPDES and WQM Permits, may be reviewed by generating the “Final Actions Report” on DEP’s website at [www.dep.pa.gov/CWPUBLICNOTICE](http://www.dep.pa.gov/CWPUBLICNOTICE).

DEP office contact information to review official files relating to the final actions in Section I is as follows:

*DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484-250-5910. Email: RA-EPNPDES\_SERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SERO@pa.gov for Chapter 102 permits.*

*DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570-826-5472. Email: RA-EPNPDES\_NERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NERO@pa.gov for Chapter 102 permits.*

*DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717-705-4732. Email: RA-EPNPDES\_SCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SCRO@pa.gov for Chapter 102 permits.*

*DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570-327-3693. Email: RA-EPNPDES\_NCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NCRO@pa.gov for Chapter 102 permits.*

*DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412-442-4286. Email: RA-EPNPDES\_SWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SWRO@pa.gov for Chapter 102 permits.*

*DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814-332-6078. Email: RA-EPNPDES\_NWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NWRO@pa.gov for Chapter 102 permits.*

*DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-787-5017. Email: RA-EPNPDES\_Permits@pa.gov.*

*DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.*

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law).

The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law. For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board. Individuals who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information. The appeal form and the Board’s

rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. Important legal rights are at stake, however, so individuals should contact a lawyer at once.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

For actions taken on applications for pipelines that are regulated by the Federal Energy Regulatory Commission (FERC).

Any person aggrieved by this action may challenge it in an appropriate legal forum. The State and Federal courts are currently split on whether the proper forum to challenge a Department permit, authorization or approval for a facility or activity subject to the Federal Natural Gas Act, 15 U.S.C.A. §§ 717 et seq., is the United States Court of Appeals for the Third Circuit or the Pennsylvania Environmental Hearing Board. See *Delaware Riverkeeper Network v. Sec'y, Dep't of Env'tl. Prot.*, 833 F.3d 360 (3d Cir. 2016); *Delaware Riverkeeper Network v. Sec'y, Dep't of Env'tl. Prot.*, 903 F.3d 65 (3d Cir. 2018), cert. denied, 139 S. Ct. 1648, 203 L. Ed. 899 (2019) and *Cole v. Dep't. of Env'tl. Prot.*, 1577 C.D. 2019 WL 2420667 (Pa. Cmwlth Ct. June 15, 2021) (Pet. for Allowance of Appeal pending); *West Rockhill Twp. v. Dep't of Env'tl. Prot.*, No. 1595 C.D. 2019 WL 2426014 (Pa. Cmwlth. June 15, 2021) (Pet. for Allowance of Appeal pending).

**I. Final Action(s) on NPDES and QM Permit Application(s) and NOIs for Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides, CAFOs and Individual Construction Stormwater.**

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA630010D	Chapter 102 Individual NPDES Permit	Issued	First Energy Corp 76 South Main Street Akron, OH 44308	Buffalo Township Washington County	SWRO
PAD020078	Chapter 102 Individual NPDES Permit	Issued	US Department of Veterans Affairs Medical Center University Drive C Room AN 306 Pittsburgh, PA 15215	Ohara Township Allegheny County	SWRO
PAD070034	Chapter 102 Individual NPDES Permit	Issued	Bl-Diamond LLC d/b/a Ampliform LLC 40 E Montgomery Avenue Ardmore, PA 19003-2421	Greenfield Township Blair County	SCRO
PAD140054	Chapter 102 Individual NPDES Permit	Issued	NVSCRE LLC 1304 Megan Dr. PMB 261 State College, PA 16803-3166	College Township Centre County	NCRO
PAD150331	Chapter 102 Individual NPDES Permit	Issued	Leibowitz Fred 1937 Swedesford Road Malvern, PA 19355-8733	Tredyffrin Township Chester County	SERO
PAD250011	Chapter 102 Individual NPDES Permit	Issued	Fitch YMCA 12600 Abels Road North Springfield, PA 16430-1014	Springfield Township Erie County	NWRO
PAD350041	Chapter 102 Individual NPDES Permit	Issued	PA DOT Engineering District 4-0 55 Keystone Park Scranton, PA 18512	Elmhurst Township Lackawanna County	NERO
PAD360114	Chapter 102 Individual NPDES Permit	Issued	Leonard M Brubacher 582 Lambert Road Narvon, PA 17555-9778	Caernarvon Township Lancaster County	SCRO
PAD390133	Chapter 102 Individual NPDES Permit	Issued	Lehigh County 17 S 7th Street Allentown, PA 18101-2401	South Whitehall Township Lehigh County	NERO
PAD390296	Chapter 102 Individual NPDES Permit	Issued	Parkland School District 1210 Springhouse Road Allentown, PA 18104-2119	Upper Macungie Township Lehigh County	NERO
PAD400069	Chapter 102 Individual NPDES Permit	Issued	Anthracite Scenic Trails Association P.O. Box 212 Dallas, PA 18612-0212	Fairview Township Luzerne County	NERO
PAD400081	Chapter 102 Individual NPDES Permit	Issued	Deangelo Paul 120 Coxe Street Hazleton, PA 18201-7512	Hazleton City Luzerne County	NERO

## NOTICES

3467

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAD450196	Chapter 102 Individual NPDES Permit	Issued	Hollick Lucas G 525 Mace Street Greensburg, PA 15601-4009	Stroud Township Monroe County	NERO
PAD480179	Chapter 102 Individual NPDES Permit	Issued	UGI Utilities Inc. 1 UGI Drive Denver, PA 17517-9039	Bethlehem City Northampton County	NERO
PAD480212	Chapter 102 Individual NPDES Permit	Issued	Bethlehem City Northampton County 10 East Church Street Bethlehem, PA 18018	Bethlehem City Northampton County	NERO
PAD520022	Chapter 102 Individual NPDES Permit	Issued	Raymondskill Properties LLC 550 N Larchmont Boulevard Los Angeles, CA 90004-1318	Dingman Township Pike County	NERO
PAD670105	Chapter 102 Individual NPDES Permit	Issued	Windsor Township York County 1480 Windsor Road Red Lion, PA 17356-9583	Windsor Township York County	SCRO
PA0232874	Industrial Stormwater Individual NPDES Permit	Issued	American Rock Salt Co. LLC P.O. Box 190 Mount Morris, NY 14510-0190	Sandy Township Clearfield County	NCRO
PA0245038	Industrial Stormwater Individual NPDES Permit	Issued	GMA Garnet (USA) Corp 1780 Hughes Landing Suite 725 The Woodlands, TX 77380-1684	Falls Township Bucks County	SERO
PA0245356	Industrial Stormwater Individual NPDES Permit	Issued	The International Paper Co. 4581 Lower Valley Road Atglen, PA 19310-1766	West Sadsbury Township Chester County	SERO
1024806	Joint DEP/PFBC Pesticides Permit	Issued	Middlesex Crossings HOA 2005 Ringold Court Valencia, PA 16059-1120	Middlesex Township Butler County	NWRO
1520812	Joint DEP/PFBC Pesticides Permit	Issued	Brook Crossing HOA 199 Crossing Boulevard East Fallowfield, PA 19320-4345	East Fallowfield Township Chester County	SERO
2224804	Joint DEP/PFBC Pesticides Permit	Issued	Rossmoyne LP 5351B Jaycee Avenue Harrisburg, PA 17112-2938	Lower Paxton Township Dauphin County	SCRO
2524805	Joint DEP/PFBC Pesticides Permit	Issued	National Lime & Stone Co. 1331 Broad Avenue Findlay, OH 45840-2654	Erie City Erie County	NWRO
3624802	Joint DEP/PFBC Pesticides Permit	Issued	Ephrata Borough Lancaster County 124 S State Street Ephrata, PA 17522-2411	Ephrata Borough Lancaster County	SCRO
3724807	Joint DEP/PFBC Pesticides Permit	Issued	Janet Carbone 7421 Old Route 422 Portersville, PA 16051-5605	Slippery Rock Township Lawrence County	NWRO
4621821	Joint DEP/PFBC Pesticides Permit	Issued	Rubin Michael 600 Great Springs Road Bryn Mawr, PA 19010-1702	Lower Merion Township Montgomery County	SERO
5924801	Joint DEP/PFBC Pesticides Permit	Issued	US ACOE Baltimore District 710 Ives Run Lane Tioga, PA 16946-8643	Tioga Township Tioga County	NCRO
5924802	Joint DEP/PFBC Pesticides Permit	Issued	US ACOE Baltimore District 710 Ives Run Lane Tioga, PA 16946-8643	Mansfield Borough Tioga County	NCRO
5924803	Joint DEP/PFBC Pesticides Permit	Issued	US ACOE Baltimore District 710 Ives Run Lane Tioga, PA 16946-8643	Lawrence Township Tioga County	NCRO



<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
1501417	Land Application and Reuse of Sewage Individual WQM Permit	Issued	Nantmeal Warwick Sewer Co. Inc. 26 E Main Street Elverson, PA 19520	Warwick Township Chester County	SERO
3624402	Land Application and Reuse of Sewage Individual WQM Permit	Issued	Panattoni Development Co. Inc. 6059 Allentown Boulevard Suite 127 Harrisburg, PA 17112	East Hempfield Township Lancaster County	SCRO
PAI130002	MS4 Individual NPDES Permit	Waived	Salford Township Montgomery County P.O. Box 54 139 Ridge Road Tylersport, PA 18971-0054	Salford Township Montgomery County	SERO
PAI130026	MS4 Individual NPDES Permit	Issued	Borough of West Chester 401 E Gay Street West Chester, PA 19380-2729	West Chester Borough Chester County	SERO
PAI130078	MS4 Individual NPDES Permit	Issued	Pocopson Township Chester County P.O. Box 1 Pocopson, PA 19366-0001	Pocopson Township Chester County	SERO
PAI133547	MS4 Individual NPDES Permit	Issued	Lititz Borough Lancaster County 315 Clay Road Lititz, PA 17543-9019	Lititz Borough Lancaster County	SCRO
PAI133547	MS4 Individual NPDES Permit	Issued	Warwick Township Lancaster County 315 Clay Road Lititz, PA 17543-9019	Warwick Township Lancaster County	SCRO
PA0004979	Major Industrial Waste Facility < 250 MGD Individual NPDES Permit	Issued	Neville Chemicals Co. 2800 Neville Road Pittsburgh, PA 15225-1496	Neville Township Allegheny County	SWRO
PA0046680	Minor Industrial Waste Facility with ELG Individual NPDES Permit	Issued	Republic Service of PA LLC 4400 Mount Pisgah Road York, PA 17406-8240	Lower Windsor Township York County	SCRO
PA0265781	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	Slippery Rock Municipal Authority 116 Crestview Drive Slippery Rock, PA 16057-0157	Slippery Rock Township Butler County	NWRO
PA0114324	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Demorgan Acres LLC 1104 Dunbar Road Troy, PA 16947-8314	Canton Township Bradford County	NCRO
PA0232971	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Franklin Township Lycoming County P.O. Box 85 Lairdsville, PA 17742-0085	Franklin Township Lycoming County	NCRO
PA0025488	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Avondale Borough Chester County P.O. Box 247 110 Pomeroy Avenue Avondale, PA 19311-0247	Avondale Borough Chester County	SERO



## NOTICES

3469

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
1524402	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Radley Run Mews Sewer Assoc P.O. Box 84 Pocopson, PA 19366-0084	Birmingham Township Chester County	SERO
4424403	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Bratton Township Mifflin County 133 Mountain Lane McVeytown, PA 17051-8429	Bratton Township Mifflin County	SCRO
PAG032292	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	EFS Inc. Ed Spencer Auto Parts 350 Salem Boulevard Berwick, PA 18603-6462	Salem Township Luzerne County	NERO
PAG033525	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	WPTM LLC 14648 Glen Eden Drive Naples, FL 34110-3666	Salisbury Township Lancaster County	SCRO
PAG033597	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Edsal Sandusky Corp 80 Keystone Street Littlestown, PA 17340-1664	Littlestown Borough Adams County	SCRO
PAG033877	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	JLG Ind Inc. 1 JLG Drive McConnellsburg, PA 17233	Antrim Township Franklin County	SCRO
PAG033908	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Morgan Truck Body LLC d/b/a Morgan Corp P.O. Box 588 Morgantown, PA 19543-0588	Caernarvon Township Berks County	SCRO
PAG033946	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	North Metal & Chemicals Co. 609 E King Street York, PA 17403-1721	York City York County	SCRO
PAG034036	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Frito-Lay Inc. 3553 Gillespie Drive York, PA 17404-5803	West Manchester Township York County	SCRO
PAG034940	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Rolling Frito Lay Sales LP 23 Beethoven Street Binghamton, NY 13905-4250	DuBois City Clearfield County	NCRO
PAG034967	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	A & L Wood Inc. 2220 Paradise Church Road Mount Pleasant Mills, PA 17853-8277	Perry Township Snyder County	NCRO
PAG036176	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	BPI Inc. 612 S Trenton Avenue Pittsburgh, PA 15221-3475	Gilpin Township Armstrong County	NWRO
PAG036270	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	E J Bognar Inc. 733 Washington Road Pittsburgh, PA 15228-2022	Big Beaver Borough Beaver County	SWRO
PAG036279	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Brenntag Northeast LLC 1085 Allegheny Avenue Oakmont, PA 15139-1964	Oakmont Borough Allegheny County	SWRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG041162	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Christopher and Dawn Karns 10747 Route 19 N Waterford, PA 16441-5103	Waterford Township Erie County	NWRO
PAG041302	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Rodgers Stephen R 396 Pulaski Road Pulaski, PA 16143	Shenango Township Mercer County	NWRO
PAG041307	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Passinger Mitchell 3390 Egypt Hollow Road Russell, PA 16345-4528	Pine Grove Township Warren County	NWRO
PAG041329	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Diane and Jacob Blarr 1041 Lake Street Girard, PA 16417-1013	Conneaut Township Erie County	NWRO
PAG041362	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Miller Alex R 3813 Williams Road Erie, PA 16510-6101	Harborcreek Township Erie County	NWRO
PAG048457	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Woods Brad 3212 Cobham Park Road Warren, PA 16365-8314	Glade Township Warren County	NWRO
PAG066107	PAG-06 NPDES General Permit for Combined Sewer Systems	Issued	Stowe Township Allegheny County 555 Broadway Avenue McKees Rocks, PA 15136	Stowe Township Allegheny County	SWRO
PAG066120	PAG-06 NPDES General Permit for Combined Sewer Systems	Issued	East Pittsburgh Borough Allegheny County 813 E Pittsburgh Mall East Pittsburgh, PA 15112-1207	East Pittsburgh Borough Allegheny County	SWRO
PAG123539	PAG-12 NPDES General Permit for CAFOs	Issued	Martin Eldwin 12950 Forge Road Mercersburg, PA 17236-9415	Warren Township Franklin County	SCRO
PAG123652	PAG-12 NPDES General Permit for CAFOs	Issued	Stump Dean 48 Rehrersburg Road Richland, PA 17087	Tulpehocken Township Berks County	SCRO
PAG123703	PAG-12 NPDES General Permit for CAFOs	Issued	Stone Chimney Farms LLC 3449 Delta Road Airville, PA 17302-9331	Lower Chanceford Township York County	SCRO
PAG124805	PAG-12 NPDES General Permit for CAFOs	Issued	Groffs Pork and Beans LLC 314 Lamplight Lane Lewisburg, PA 17837-9010	Kelly Township Union County	SCRO
PAG124809	PAG-12 NPDES General Permit for CAFOs	Issued	Hite Brock N 612 Viall Hill Road Towanda, PA 18848	Terry Township Bradford County	SCRO
PAG124821	PAG-12 NPDES General Permit for CAFOs	Issued	Just A Mere Family Farm LLC 3746 Mahantango Creek Road Dalmatia, PA 17017-7235	Lower Mahanoy Township Northumberland County	SCRO
6301408	Pump Stations Individual WQM Permit	Issued	Donegal Township Washington County P.O. Box 310 34 N Liberty Street West Alexander, PA 15376-0310	Donegal Township Washington County	SWRO
6521403	Sewer Extensions Individual WQM Permit	Issued	Delmont Borough Westmoreland County 3001 Meadowbrook Road Murrysville, PA 15668-1627	Murrysville Borough Westmoreland County	SWRO

## NOTICES

3471

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0113123	Single Residence STP Individual NPDES Permit	Issued	Sound Bite Shores LLC 809 Deer Woods Road Kissimmee, FL 34747-4261	Laporte Township Sullivan County	NCRO
PA0238791	Single Residence STP Individual NPDES Permit	Issued	Gardner Rae Kent 4926 Follett Run Road Warren, PA 16365-8559	Conewango Township Warren County	NWRO
PA0264032	Single Residence STP Individual NPDES Permit	Issued	Miller Alex R 3813 Williams Road Erie, PA 16510-6101	Harborcreek Township Erie County	NWRO
PA0264644	Single Residence STP Individual NPDES Permit	Issued	Abbey Libby 2867 Cobham Park Road Warren, PA 16365-8310	Glade Township Warren County	NWRO
PA0272051	Single Residence STP Individual NPDES Permit	Issued	Sunday Lauren 123 Old Route 68 Evans City, PA 16033-7613	Forward Township Butler County	NWRO
PA0272655	Single Residence STP Individual NPDES Permit	Issued	Rock Amber 1210 Sunset Drive Butler, PA 16001-0782	Center Township Butler County	NWRO
PA0285307	Single Residence STP Individual NPDES Permit	Issued	Sines Lori L 1300 Buckstown Road Stoystown, PA 15563-8811	Stonycreek Township Somerset County	SWRO
PA0290165	Single Residence STP Individual NPDES Permit	Issued	Geibel Timothy 5875 Old State Road Edinboro, PA 16412-9703	Franklin Township Erie County	NWRO
PA0295752	Single Residence STP Individual NPDES Permit	Issued	Byers Aaron 5731 Meehl Road North East, PA 16428-4944	North East Township Erie County	NWRO
1019402	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Sunday Lauren 123 Old Route 68 Evans City, PA 16033-7613	Forward Township Butler County	NWRO
2515405	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Miller Alex R 3813 Williams Road Erie, PA 16510-6101	Harborcreek Township Erie County	NWRO
2521434	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Geibel Timothy 5875 Old State Road Edinboro, PA 16412-9703	Franklin Township Erie County	NWRO
2524403	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Byers Aaron 5731 Meehl Road North East, PA 16428-4944	North East Township Erie County	NWRO
5786401	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Sound Bite Shores LLC 809 Deer Woods Road Kissimmee, FL 34747-4261	Laporte Township Sullivan County	NCRO
6297406	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Woods Brad 3212 Cobham Park Road Warren, PA 16365-8314	Glade Township Warren County	NWRO
PA0285242	Small Flow Treatment Facility Individual NPDES Permit	Issued	Swanson Donald L Jr 218 Vic Miller Road Strongstown, PA 15957-3421	Blacklick Township Cambria County	SWRO
PA0295507	Small Flow Treatment Facility Individual NPDES Permit	Issued	Renick Bros Const Co. 434 Grove City Road P.O. Box 94 Slippery Rock, PA 16057-2524	Slippery Rock Township Butler County	NWRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
1023419	Small Flow Treatment Facility Individual WQM Permit	Issued	Renick Bros Const Co. 434 Grove City Road P.O. Box 94 Slippery Rock, PA 16057-2524	Slippery Rock Township Butler County	NWRO
1123402	Small Flow Treatment Facility Individual WQM Permit	Issued	Swanson Donald L Jr 218 Vic Miller Road Strongstown, PA 15957-3421	Blacklick Township Cambria County	SWRO
2504401	Small Flow Treatment Facility Individual WQM Permit	Issued	Christopher and Dawn Karns 10747 Route 19 N Waterford, PA 16441-5103	Waterford Township Erie County	NWRO
WQG01432403	WQG-01 WQM General Permit	Issued	Rodgers Stephen R 396 Pulaski Road Pulaski, PA 16143	Shenango Township Mercer County	NWRO

## II. Final Action(s) on PAG-01 and PAG-02 General NPDES Permit NOIs.

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC400321	PAG-02 General Permit	Issued	Eagle Rock Community Association Jim Sebia 1 Country Club Drive Hazle Township, PA 18202	Hazle Township Luzerne County	Luzerne Conservation District 325 Smiths Pond Road Shavertown, PA 18708 570-674-7991 RA-EPWW-NERO@pa.gov
PAC010266	PAG-02 General Permit	Issued	Pella Corporation 102 Main Street Pella, IA 50219-2198	Straban Township Adams County	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325 717-334-0636
PAC130027	PAG-02 General Permit	Issued	Cedar Realty Investments, LLC c/o George Atiyeh 1102 Fullerton Avenue Allentown, PA 18102	Franklin Township Carbon County	Carbon County Conservation District 5664 Interchange Road Lehighton, PA 18235 610-377-4894 RA-EPWW-NERO@pa.gov
PAC400082	PAG-02 General Permit	Issued	County Line River & Land Company, LLC Charles Medico P.O. Box 1004 Wilkes-Barre, PA 18702-0004	Duryea Borough Old Forge Borough Luzerne County Lackawanna County	Luzerne Conservation District 325 Smiths Pond Road Shavertown, PA 18708 570-674-7991 RA-EPWW-NERO@pa.gov
PAC560028	PAG-02 General Permit	Issued	Mayak Family Trust 5079 Lincoln Highway Stoystown, PA 15563	Quemahoning Township Somerset County	Somerset County Conservation District 6024 Glades Pike Suite 103 Somerset, PA 15501 814-445-4652 SWRO
PAC310034	PAG-02 General Permit	Issued	Stuckey Automotive Huntingdon RE, LLC 899 Plank Road Duncansville, PA 16635	Smithfield Township Huntingdon County	Huntingdon County Conservation District 10605 Raystown Road Suite A Huntingdon, PA 16652 814-627-1626



## NOTICES

3473

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC360769 A-1	PAG-02 General Permit	Issued	Pleasant View Retirement Communities 544 North Penryn Road Manheim, PA 17545	Penn Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361
PAC360953 A-1	PAG-02 General Permit	Issued	Weston Shertzler 105 Garrity Road Millersville, PA 17551	Manor Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361
PAC350069	PAG-02 General Permit	Issued	Blackford Development, Ltd 120 N. Pointe Blvd. # 300 Lancaster, PA 17601	Jessup Borough Lackawanna County	Lackawanna County Conservation District 1027 S. Abington Road South Abington Township, PA 18411 570-382-3086 RA-EPWW-NERO@ pa.gov
PAC350030	PAG-02 General Permit	Issued	Scranton Lackawanna Industrial Building Co. P.O. Box 431 222 Mulberry Street Scranton, PA 18501	Jessup Borough Lackawanna County	Lackawanna County Conservation District 1027 S. Abington Road South Abington Township, PA 18411 570-382-3086 RA-EPWW-NERO@ pa.gov
PAC430116	PAG-02 General Permit	Issued	PTV 1352 LLC 400 Penn Center Boulevard Building 4 Suite 1000 Pittsburgh, PA 15235	Otter Creek Township Mercer County	Mercer County Conservation District 24 Avalon Court Suite 300 Mercer, PA 16137 724-662-2242
PAC430110	PAG-02 General Permit	Issued	Aqua Pennsylvania Inc. 762 Lancaster Avenue Bryn Mawr, PA 19010	City of Sharon Mercer County	Mercer County Conservation District 24 Avalon Court Suite 300 Mercer, PA 16137 724-662-2242
PAC430119	PAG-02 General Permit	Issued	Sharon City School District 215 Forker Boulevard Sharon, PA 16146	City of Sharon Mercer County	Mercer County Conservation District 24 Avalon Court Suite 300 Mercer, PA 16137 724-662-2242
PAC430084A1	PAG-02 General Permit	Issued	Sharon Tube Company 100 Martin Luther King Boulevard Farrell, PA 16121	City of Farrell Mercer County	Mercer County Conservation District 24 Avalon Court Suite 300 Mercer, PA 16137 724-662-2242
PAC560088	PAG-02 General Permit	Issued	Municipal Authority of the Borough of Somerset 347 West Union Street Somerset, PA 15501	Somerset Borough Somerset Township Somerset County	Somerset County Conservation District 6024 Glades Pike Suite 103 Somerset, PA 15501 814-445-4652 SWRO

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC560086A-1	PAG-02 General Permit	Issued	Peoples Natural Gas Company, LLC 3115 Elton Road Johnstown, PA 15904	Lincoln Township and Somerset Township Somerset County	Somerset County Conservation District 6024 Glades Pike Suite 103 Somerset, PA 15501 814-445-4652 SWRO
PAC560089	PAG-02 General Permit	Issued	Municipal Authority of the Borough of Somerset 347 West Union Street Somerset, PA 15501	Somerset Borough and Somerset Township Somerset County	Somerset County Conservation District 6024 Glades Pike Suite 103 Somerset, PA 15501 814-445-4652 SWRO
PAC560090	PAG-02 General Permit	Issued	Peoples Natural Gas Company, LLC 3115 Elton Road Johnstown, PA 15904	Somerset Borough Somerset County	Somerset County Conservation District 6024 Glades Pike Suite 103 Somerset, PA 15501 814-445-4652 SWRO
PAC110120	PAG-02 General Permit	Issued	Saint Francis University 111 Juniper Lane Loretto, PA 15940	Loretto Borough Allegheny Township Cambria County	Cambria County Conservation District 401 Candlelight Drive Suite 221 Ebensburg, PA 15931 814-472-2120 SWRO

**STATE CONSERVATION COMMISSION  
NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR  
NPDES PERMITS FOR CAFOs**

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at 717-787-3483 for more information.

**NUTRIENT MANAGEMENT PLAN  
CAFO PUBLIC NOTICE SPREADSHEET—ACTIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Wenridge Farm LLC Merle Wenger 120 Leiby Road Hamburg, PA 19526	Berks County	11	270.34	Chicken Layers Sheep Cattle	NA	Approved

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Dean Stump 48 Rehrersburg Road Richland, PA 17087	Berks County	16.8	408.42	Poultry Heifers Pigs	NA	Approved
Rich Lindell, Lindell Farms LLC 52087 State Highway Russell, PA 16345	Warren County	1,813.8	1,154.47	Lactating Dairy Cows Freshening Dairy Cows Dry Dairy Cows Springing Heifers Weaned Calves	NA	Approved

**PUBLIC WATER SUPPLY PERMITS**

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. The appeal form and the Board’s rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information.

**SAFE DRINKING WATER**

**Actions Taken Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).**

*Northcentral Region: Safe Drinking Water Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Nadera Bellows, Clerical Assistant II, 570-327-0551.*

**Construction Permit No. 1724502**, Major Amendment, Public Water Supply.

Applicant	<b>Westover Municipal Authority</b>
Address	143 Tannery Road P.O. Box 199 Westover, PA 16692
Municipality	Chest Township
County	<b>Clearfield County</b>
Consulting Engineer	Anthony J Coval 466 South Main Street Montrose, PA 18801
Application Received	March 28, 2024
Permit Issued	May 30, 2024
Description	This permit authorizes development of an additional source of supply, known as Filter Plant Well No. 1 (Test Well No. 2). Associated new treatment facilities will include packed tower aeration for VOC removal and oxidation/sedimentation for iron and manganese removal, followed by treatment via the existing filtration plant.

**Construction Permit No. 1424507MA**, Minor Amendment, Public Water Supply.

Applicant	<b>Benner Township Water Authority—Grove Park Water System</b>
Address	170 Irish Hollow Road Bellefonte, PA 16823
Municipality	Benner Township
County	<b>Centre County</b>
Consulting Engineer	Brian D Shura 1731 North Juniata Street Hollidaysburg, PA 16648
Application Received	March 14, 2024
Permit Issued	May 30, 2024

Description This permit authorizes installation of Xylem-Goulds Model 5SV7GF4F60N duplex booster pumps (44 gpm at 150 TDH), Eaton PowerXL DG1 variable frequency drives (VFDs), and radio telemetry system incorporated with the existing Spring Benner Walker Joint Authority (SBWJA) SCADA alarm system.

**Construction Permit No. 4924504MA**, Minor Amendment, Public Water Supply.

Applicant **Pa American Water Co.—Milton District**

Address 852 Wesley Drive  
Mechanicsburg, PA 17055

Municipality Milton Borough

County **Northumberland County**

Consulting Engineer Eric Keller  
852 Wesley Drive  
Mechanicsburg, PA 17055

Application Received April 17, 2024

Permit Issued May 31, 2024

Description This permit authorizes replacement of one vertical turbine raw water pump at the Milton Filtration Plant.

*Northeast Region: Safe Drinking Water Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Michele Lauer, Clerical Assistant 2, 570-830-3077.*

**Construction Permit No. 5423506**, Major Amendment, Public Water Supply.

Applicant **Tamaqua Area School District**

Address 138 West Broad Street  
Tamaqua, PA 18252

Municipality West Penn Township

County **Schuylkill County**

Consulting Engineer Timothy A. Miller, P.E.  
Keystone Consulting Engineers, Inc.  
5012 Medical Center Circle  
Allentown, PA 18106

Application Received September 12, 2023

Permit Issued March 4, 2024

Description Addition of corrosion control treatment for lead and copper abatement.

**Operation Permit No. 3480053**, Public Water Supply.

Applicant **Pennsylvania American Water Company**

Address 852 Wesley Drive  
Mechanicsburg, PA 17055

Municipality Lower Mount Bethel Township

County **Northampton County**

Consulting Engineer Richard C. Dudek, P.E.  
Pennsylvania American Water Company  
2699 Stafford Ave.  
Scranton, PA 18505

Application Received February 16, 2024

Permit Issued May 15, 2024

Description Berry Hollow Well No. 2 reserve designation.

*Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Joseph Mattucci, Program Manager, 717-705-4931.*

**Construction Permit No. 3623552**, Major Amendment, Public Water Supply.

Applicant **Quarryville Borough Authority**

Address 300 Saint Catherine Street  
Quarryville, PA 17566

Municipality East Drumore Township

County **Lancaster County**

Consulting Engineer Jenna Bishop, P.E.  
108 West Airport Road  
Lititz, PA 17543

Application Received February 7, 2024

Permit Issued May 29, 2024

Description This permit approves the construction of modifications within the pump station at Quarryville Borough Authority. The overall project consists of a pump station retrofit and a standpipe rehabilitation that proposes the following modifications: (1) a new booster pump, (2) a new water meter, (3) a replacement chemical feed pump, (4) piping reconfiguration, and (5) rehabilitation repairs to the 1.0 MG finished water standpipe tank.

*Northcentral Region: Safe Drinking Water Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Nadera Bellows, Clerical Assistant II, 570-327-0551.*

**Operation Permit 4189510-A4**. PWSID No. **4410173**. **Williamsport Municipal Water Authority**, 253 West Fourth Street, Williamsport, PA 17701, City of Williamsport, **Lycoming County**. Application received: April 15, 2024. Permit Issued: May 30, 2024. This permit amendment authorizes flow-weighted CFE turbidity calculations and incorporates revisions to the 1-Log Giardia Inactivation Table into the special conditions.

*Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Daniel J. Cannistraci, Environmental Engineering Specialist.*

**Designation of Water Quality Performance Requirements Permit 3060347**. PWSID No. **3060347**.



**Governor Mifflin School District**, 10 S. Waverly St, Shillington, PA 19607, Brecknock Township, **Berks County**. Application received: January 22, 2024. Permit Issued: May 29, 2024. A comprehensive operation permit designating optimal water quality parameters and requiring the physical disconnection of a nitrate treatment system which is no longer permitted.

**Operation Permit 7500875**. PWSID No. **7500875**. **Dolgencorp, LLC**, 100 Mission Ridge, Goodlettsville, TN 37072, Penn Township, **Perry County**. Application received: May 16, 2024. Permit Issued: May 29, 2024. This action authorizes operation of a nitrate treatment unit at Dollar General Duncannon.

*Contact: Thomas Filip, Environmental Engineer, 717-705-4708.*

**Construction/Operation Permit 3824505 MA**. PWSID No. **7380007**. **Borough of Cornwall**, 44 Rexmont Road, Lebanon, PA 17042, Cornwall Borough, **Lebanon County**. Application received: April 30, 2024. Permit Issued: June 3, 2024. Repainting of the Miners Village Tank No. 1.

**Construction/Operation Permit 0124513 MA**. PWSID No. **7010032**. **Franklin Township Municipal Authority**, P.O. Box 4, Cashtown, PA 17310, Franklin Township, **Adams County**. Application received: April 25, 2024. Permit Issued: June 3, 2024. Replacement of chlorine chemical; feed pumps at Entry Point Nos. 101 and 102.

**Construction/Operation Permit 3824504 MA**. PWSID No. **7380010**. **City of Lebanon Authority**, 2311 Ridgeview Road, Lebanon, PA 17042, Swatara Township, **Lebanon County**. Application received: April 8, 2024. Permit Issued: May 29, 2024. Repainting of the Washwater Tank.

**Operation Permit 7380051**. PWSID No. **7380051**. **Zook Rentals, LLC**, 120 Horst Road, Myerstown, PA 17067, East Hanover Township, **Lebanon County**. Application received: April 3, 2024. Permit Issued: June 4, 2024. Reduction in pH sampling frequency at O'Yes Apartments.

*Contact: Wade Cope, P.E., Environmental Engineer, 717-705-4708.*

**Construction Permit 5024505 MA**. PWSID No. **7500019**. **Duncannon Borough**, 428 North High Street, Duncannon Borough, PA 17020, Duncannon Borough, **Perry County**. Application received: April 15, 2024. Permit Issued: May 30, 2024. Construction permit for an after-the-fact Well No. 4 pump replacement and a proposed sodium hypochlorite chemical feed pump replacement.

*Southwest Region: Safe Drinking Water Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Renee Diehl, Program Manager, ra-epswsdw@pa.gov.*

**Construction/Operation Permit 0224524**. PWSID No. **5020078**. **Findlay Township Municipal Authority**, P.O. Box 409, Clinton, PA 15026, Moon Township, **Allegheny County**. Application received: April 12, 2024. Permit Issued: May 30, 2024. Use of Pennsylvania American Water Company as a new source (PA American Interconnect)

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

### UNDER ACT 2, 1995 PREAMBLE 2

---

**The Following Plans and Reports Were Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).**

---

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The Department has received the following plans and reports.

*Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Eric Supey, Environmental Program Manager.*

**Amcor Well Site**, Primary Facility ID # **854241**, 139 Smurkowski Road, Meshoppen, PA 18630, Meshoppen Township, **Wyoming County**. Creston Environmental, P.O. Box 1373, Camp Hill, PA 17001, on behalf of Chesapeake Appalachia LLC, 14 Chesapeake Lane, Sayre, PA 18840, submitted a Final Report concerning remediation of soil contaminated with production fluid (brine). The Final Report is intended to document remediation of the site to meet the Statewide health standards.

*Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: Charline Bass, Administrative Assistant, 484-250-5787.*

**Philadelphia Union Sports Complex**, Primary Facility ID # **861634**, 2501 Seaport Drive (between Highland Avenue and Commodore Barry Bridge), Chester, PA 19013, City of Chester Philadelphia, **Chester County**. Nevin Diehl, Weston Solutions Inc., 205 Campus Drive, Edison, NJ 08837, on behalf of Dave Debusschere, Keystone Sports and Entertainment LLC, 2501 Seaport Drive, BH, Suite 100, Chester, PA 19013, submitted a Cleanup Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline, lead, other organics, PAHs and PCBs. The Cleanup Plan is intended to document remediation of the site to meet the site-specific standards.

Contact: Charline Bass, Administrative Assistant, 484-250-5787.

**157 East Seven Stars Road**, Primary Facility ID # **863096**, 157 East Seven Stars Road, Phoenixville, PA 19460, East Pikeland Township, **Chester County**. Stephanie Grillo, Groundwater & Environmental Services, Inc., 440 Creamery Way, Suite 500, Exton, PA 19341, on behalf of Harlan Gustafson, Estate of Joyce E. Steimer, Deceased, 114 Airport Road, Pottstown, PA 19464, submitted a Final Report concerning remediation of soil contaminated with naphthalene. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Kam Miseikyte, Clerical Assistant 2, 412-442-4091.

**Former West Hills Par 3**, Primary Facility ID # **862888**, 571 Moon Clinton Road, Coraopolis, PA 15108, Moon Township, **Allegheny County**. American Geosciences, Inc., 3925 Reed Boulevard, Suite 400, Murrysville, PA 15668, on behalf of Airfield Gates Limited Partnership, 5701 Lonetree Boulevard, Suite 311, Rocklin, CA 95765, submitted a Final Report concerning remediation of soil contaminated with arsenic. The Final Report is intended to document remediation of the site to meet the site-specific standards.

**Gibsonia Commons**, Primary Facility ID # **873871**, 5317 William Flynn Highway, Gibsonia, PA 15044, Richland Township, **Allegheny County**. ECS Mid-Atlantic, LLC, 100 East Kensing Drive, Suite 300, Cranberry Township, PA 16066, on behalf of GRHH CSOK LLC, 6263 North Scottsdale Road, Suite 142, Phoenix, AZ 85250, submitted a Final Report concerning remediation of soil and groundwater contaminated with 1,2,4-trimethylbenzene for soil; benzene, 1,2-dichloroethane, naphthalene, 1,1,2-trichloroethane, and 1,2,4-trimethylbenzene for groundwater. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

**EQT Polecat Well Pad**, Primary Facility ID # **874408**, 122 Polecat Hollow Road, Waynesburg, PA 15317, Whiteley Township, **Greene County**. Groundwater & Environmental Services, Inc., 508 Thomson Park Drive, Cranberry, PA 16066, on behalf of EQT Corporation, 400 Woodcliff Drive, Canonsburg, PA 15317, submitted a Final Report concerning remediation of soil contaminated with chloride, aluminum, barium, boron, iron, lithium, manganese, selenium, strontium, vanadium, and zinc. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

**GE Power & Water**, Primary Facility ID # **772272**, 4930 Buttermilk Hollow Road, West Mifflin, PA 15122,

West Mifflin Borough, **Allegheny County**. Arcadis U.S., Inc., 19 West College Avenue, Suite 250, Yardley, PA 19067, on behalf of General Electric Co, 4930 Buttermilk Hollow Road, West Mifflin, PA 15122, submitted a Cleanup Plan concerning remediation of soil and groundwater contaminated with PCBs, 1,1-DCE, 1,2,4-TCB, 1,4-DCB, benzene, cis-1,2-DCE, ethylbenzene, methylene chloride, PCE, toluene, TCE, hexachlorobenzene, arsenic and manganese for soil; PCBs, benzene, PCE, TCE, and VC, benzo(a)pyrene, benzo(b)fluoranthene, benzo(g,h,i)perylene, benzo(k)fluoranthene, bis(2-ethylhexyl)phthalate, chrysene, arsenic, lead, manganese, and vanadium for groundwater. The Cleanup Plan is intended to document remediation of the site to meet the Statewide health and site-specific standards.

**39th & Foster Street Property**, Primary Facility ID # **860332**, 32 39th & 3739 Foster Street, Pittsburgh, PA 15201, City of Pittsburgh, **Allegheny County**. PVE, LLC, 2000 Georgetown Drive, Suite 101, Sewickley, PA 15143, on behalf of Incheon Ventures, LLC, 1212 New York Avenue, Floor 10, Washington, DC 20005, submitted a Remedial Investigation Report/Cleanup Plan concerning remediation of soil and groundwater contaminated with benzo(a)anthracene, benzo(a)pyrene, benzo(a)fluoranthene, benzo(k)fluoranthene, chrysene, dibenz(a,h)anthracene, indeno(1,2,3-cd)pyrene, arsenic, lead for soil; benzo(a)anthracene, benzo(a)pyrene, benzo(a)fluoranthene, benzo(g,h,i)fluoranthene, chrysene, dibenz(a,h)anthracene, and tetrachloroethylene for groundwater. The Remedial Investigation Report/Cleanup Plan is intended to document remediation of the site to meet the site-specific standards.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

### UNDER ACT 2, 1995 PREAMBLE 3

**The Department Has Taken Action on the Following Plans and Reports Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).**

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the



abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The DEP may approve or disapprove plans and reports submitted. This notice provides DEP's decision and, if relevant, the basis for disapproval.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The DEP has received the following plans and reports.

*Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Eric Supey, Environmental Program Manager.*

**100 Benedict Street**, Primary Facility ID # **832085**, 100 Benedict Street, Pittston, PA 18640, City of Pittston, **Luzerne County**. LaBella Associates, 1000 Dunham Drive, Suite B, Dunmore, PA 18512, on behalf of City of Pittston, 35 Broad Street, Pittston, PA 18640, submitted a Final Report concerning remediation of soil and groundwater contaminated with volatile organic compounds, semi-volatile organic compounds, and metals. The Final Report demonstrated attainment of the Statewide health and site-specific standards. Approved: May 29, 2024.

**21 Ridge Street**, Primary Facility ID # **873420**, 21 Ridge Street, Dallas, PA 18612, Dallas Township, **Luzerne County**. Crawford Environmental Services, 20 Cardinal Drive, Birdsboro, PA 19508, on behalf of Karen Nyland, 21 Ridge Street, Dallas, PA 18612, submitted a Final Report concerning remediation of soil contaminated with heating oil. The Final Report demonstrated attainment of the Statewide health standards. Approved: May 29, 2024.

*Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Environmental Cleanup & Brownfields Program Manager, 717-705-4705.*

**Former Hanover Manufactured Gas Plant**, Primary Facility ID # **773478**, 305 North Franklin Street, Hanover, PA 17331, Hanover Borough, **York County**. GEI Consultants, Inc., 100 Campbell Blvd., Suite 103, Exton, PA 19341, on behalf of NiSource/Columbia Gas of PA, 121 Champion Way, Canonsburg, PA 15317, submitted a Remedial Investigation Report/Cleanup Plan concerning remediation of soil and groundwater contaminated with VOCs, SVOCs and Metals. The Report did not demonstrate attainment of the site-specific standards. Issued a technical deficiency letter: May 29, 2024.

**Gift Oil—Tanker Spill**, Primary Facility ID # **857603**, 6867 Boyertown Pike and 1827 Old Swede Road, Douglassville, PA 19518, Amity Township, **Berks County**. Aquaterra Technologies, Inc., 901 South Bolmar Street, Suite 1A, West Chester, PA 19382, on behalf of

Penn Petroleum, Inc., 2314 Farmington Avenue, Boyertown, PA 19512, submitted a Final Report concerning remediation of soil and groundwater contaminated with Diesel Fuel. The Final Report demonstrated attainment of the Statewide health standards. Approved: June 3, 2024.

*Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: Charline Bass, Administrative Assistant, 484-250-5787.*

**Phoenix French Creek Manor**, Primary Facility ID # **804650**, North Main Street, Phoenixville, PA 19460, Phoenixville Borough, **Chester County**. Paul White, ARM Brickhouse, 515 South Franklin Street, West Chester, PA 19382, on behalf of Greg Lingo, Rockwell French Creek TH LP, 126 East State Street, Media, PA 19063, submitted a Final Report concerning remediation of soil contaminated with arsenic, chromium (VI), cobalt, iron, lead, aluminum, antimony, barium, beryllium, cadmium, chromium (III), copper, nickel, silver, thallium, vanadium, zinc, acenaphthene, acenaphthylene, acetophenone, anthracene, benzo(a)pyrene, benzo(a)anthracene, benzo(b)fluoranthene, benzo(g,h,i)perylene, benzo(k)fluoranthene, bis(2-ethylhexyl)phthalate, carbazole, chrysene, dibenz(a,h)anthracene, di-n-butylphthalate, fluoranthene, fluorene, indeno(1,2,3-cd)pyrene, phenanthrene, phenol, and pyrene. The Final Report demonstrated attainment of the Statewide health and site-specific standards. Approved: May 29, 2024.

**5904-08 Germantown Avenue**, Primary Facility ID # **868202**, 5904-08 Germantown Avenue, 15 West Rittenhouse Street, 5900-02 Germantown Avenue and 11 West Rittenhouse Street, Philadelphia, PA 19144, City of Philadelphia, **Philadelphia County**. Douglas Schott, PG, ARM Brickhouse, 515 South Franklin Street, West Chester, PA 19382, on behalf of Mayer Miltz, 5904-08 Germantown Avenue, LLC, 417 Cherry Hill Boulevard, Cherry, NJ 08002, submitted a Remedial Investigation Report/Risk Assessment Report/Cleanup Plan concerning remediation of groundwater contaminated with dry-cleaning solvents. The Report demonstrated attainment of the site-specific standards. Approved: May 30, 2024.

*Contact: Charline Bass, Administrative Assistant, 484-250-5787.*

**Eco-Energy Distribution Philadelphia, LLC**, Primary Facility ID # **777122**, 4099 Columbus Boulevard, Philadelphia, PA 19148, City of Philadelphia, **Philadelphia County**. Jamey Stynchula, PG, GEI Consultants, 18000 Horizon Way, Suite 200, Mount Laurel, NJ 08054, on behalf of Chadwick Conn, Eco-Energy Distribution Philadelphia7, 6100 Tower Circle, Suite 500, Franklin, TN 37067, submitted a Risk Assessment/Final Report concerning remediation of soil contaminated with arsenic, thallium, benzene, cumene, ethylbenzene, MTBE, naphthalene, n-hexane, toluene, 1,2,4-TMB, 1,3,5-TMB, and xylenes. The Final Report demonstrated attainment of the site-specific standards. Approved: May 30, 2024.

**200 West State Street**, Primary Facility ID # **853178**, 200 West State Street, Doylestown, PA 18901, Doylestown Borough, **Bucks County**. Shad Manning, REPSG, Inc., 6901 Kingsessing Avenue, Philadelphia, PA 19142, on behalf of Larry Thomson, Kola, LLC, 16 North Franklin Street, Suite 111, Doylestown, PA 18901, submitted a Final Report concerning remediation of soil contaminated with benzene, toluene, ethylbenzene, xylenes, cumene, 1,2,4-trimethylbenzene (TMB) and 1,3,5-TMB. The Final

Report demonstrated attainment of the site-specific standards. Approved: May 30, 2024.

**114 Forrest Avenue**, Primary Facility ID # **844211**, 114 Forrest Avenue, Narberth, PA 19072, Narberth Borough, **Montgomery County**. Richard D. Trimpi, P.G., Trimpi Associates, Inc., 1635 Old Plains Road, Pennsburg, PA 18073, on behalf of Max Berger, Narberth Associates/123 Coulter Avenue Investors, 308 East Lancaster Avenue, Suite 205, Wynnewood, PA 19096, submitted a Remedial Investigation Report/Risk Assessment/Cleanup Plan/Final Report concerning remediation of soil and groundwater contaminated with benzene, toluene, ethylbenzene, isopropyl benzene, methyl tertiary butyl ether (MTBE), 1,2,4-trimethylbenzene (TMB) and 1,3,5-TMB. The Final Report demonstrated attainment of the Statewide health and site-specific standards. Approved: May 22, 2024.

**114 Forrest Avenue**, Primary Facility ID # **844211**, 114 Forrest Avenue, Narberth, PA 19072, **Montgomery County**. Richard D. Trimpi, P.G., Trimpi Associates, Inc., 1635 Old Plains Road, Pennsburg, PA 18073, on behalf of Max Berger, Narberth Associates/123 Coulter Avenue Investors, 308 East Lancaster Avenue, Suite 205, Wynnewood, PA 19096, submitted a Remedial Investigation Report/Risk Assessment/Cleanup Plan/Final Report concerning remediation of soil and groundwater contaminated with benzene, toluene, ethylbenzene, isopropyl benzene, methyl tertiary butyl ether (MTBE), 1,2,4-trimethylbenzene (TMB) and 1,3,5-TMB. The Final Report demonstrated attainment of the site-specific standards. Approved: May 22, 2024.

**211 Hilltop Road**, Primary Facility ID # **871891**, 211 Hilltop Road, Plymouth Meeting, PA 19462, Plymouth Meeting, **Montgomery County**. Alexander Ostrobrod, Union Technical Group, P.O. Box 8123, Pelham, NY 10803, on behalf of Wanswin Susan Kosak, 211 Hilltop Road, Plymouth Meeting, PA 19462, submitted a Final Report concerning remediation of soil contaminated with heating oil parameters (1,2,4-trimethylbenzene, 1,3,5-trimethylbenzene, benzene, ethylbenzene, isopropyl benzene, MTBE, naphthalene, and toluene). The Final Report demonstrated attainment of the Statewide health standards. Approved: May 22, 2024.

*Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Kam Miseikyte, Clerical Assistant 2, 412-442-4091.*

**CHS Locust Street Medical Building**, Primary Facility ID # **806696**, 315 Locust Street, Johnstown, PA 15901, City of Johnstown, **Cambria County**. Groundwater Sciences Corporation, 2550 Interstate Drive, Suite 303, Harrisburg, PA 17110, on behalf of 1889-CHS Foundation, Inc., 4 Valley Pike, Johnstown, PA 15905, submitted a Final Report concerning remediation of soil and groundwater contaminated with tetrachloroethene. The Final Report did not demonstrate attainment of the background standards. Issued a technical deficiency letter: May 21, 2024.

**EQT Polecat Well Pad**, Primary Facility ID # **874408**, 122 Polecat Hollow Road, Waynesburg, PA 15370, Whiteley Township, **Greene County**. Groundwater & Environmental Services, Inc., 508 Thomson Park Drive, Cranberry, PA 16066, on behalf of EQT Corporation, 400 Woodcliff Drive, Canonsburg, PA 15317, submitted a Final Report concerning remediation of soil contaminated with aluminum, barium, boron, iron, lithium, manganese, sele-

nium, strontium, vanadium, and zinc. The Final Report demonstrated attainment of the Statewide health standards. Approved: May 21, 2024.

**Philips Respironics**, Primary Facility ID # **869535**, 1740 Golden Mile Highway, Monroeville, PA 15146, Monroeville Borough, **Allegheny County**. Haley & Aldrich, Inc., 6500 Rockside Road, Suite 200, Cleveland, OH 44131, on behalf of Philips North America LLC, 15313 West 95th Street, Lenexa, KS 66219, submitted a Remedial Investigation Report/Risk Assessment Report/Cleanup Plan concerning remediation of soil and groundwater contaminated with trichloroethene, cis-1,2-dichloroethene and vinyl chloride. The Report did not demonstrate attainment of the site-specific standards. Issued a technical deficiency letter: May 28, 2024.

#### HAZARDOUS WASTE TRANSPORTER LICENSE

**Action(s) Taken on Hazardous Waste Transporter License Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101–6018.1003); and Hazardous Waste Regulations to Transport Hazardous Waste.**

##### *Transporter License Reissued*

*Central Office:* Waste Management Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-787-7561.

*Contact: Jonathan Adams.*

**AWT Environmental Services, Inc.**, 32 Birch Street, Old Bridge, NJ 08857. **License No. PA-AH 0871**. Application received: April 29, 2024. Effective May 22, 2024.

**Midwest Sanitary Service, Inc.**, P.O. Box 83, Wood River, IL 62095. **License No. PA-AH 0872**. Application received: April 4, 2024. Effective May 22, 2024.

**Sustain, LLC**, 4547 Bentwood Road, New Waterford, OH 44445. **License No. PA-AH 0919**. Application received: May 22, 2024. Effective May 22, 2024.

**Page ETC, Inc.**, 2758 Trombley Road, Weedsport, NY 13166. **License No. PA-AH 0338**. Application received: May 6, 2024. Effective May 28, 2024.

**IWT Transport, Inc.**, 5 Fir Court, Oakland, NJ 07346. **License No. PA-AH 0798**. Application received: April 22, 2024. Effective May 28, 2024.

**Tri-County Industries, Inc.**, 159 TCI Park Drive, Grove City, PA 16127. **License No. PA-AH 0820**. Application received: May 20, 2024. Effective May 28, 2024.

**Brook Ledge, Inc.**, P.O. Box 56, Oley, PA 19547. **License No. PA-AH 0855**. Application received: April 29, 2024. Effective May 28, 2024.

**M.R. Dirt, Inc.**, 21186 RTE 187, Towanda, PA 18848. **License No. PA-AH 0899**. Application received: April 22, 2024. Effective May 28, 2024.

**JRP Waste Oil Services, Inc.**, P.O. Box 570, Oxford, PA 19363. **License No. PA-AH 0926**. Application received: May 6, 2024. Effective May 28, 2024.

**Radiac Research Corp.**, 261 Kent Avenue, Brooklyn, NY 11249. **License No. PA-AH S007**. Application received: May 8, 2024. Effective May 28, 2024.

##### *Transporter License Voluntarily Terminated*

*Central Office:* Waste Management Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-787-7561.

*Contact: Jonathan Adams.*



**Grid Logistics, LLC**, 78 John Miller Way, Kearny, NJ 07032. **License No. PA-AH 0843**. Application received: May 15, 2024. Effective May 15, 2024.

**REGULATED MEDICAL AND  
CHEMOTHERAPEUTIC WASTE TRANSPORTER  
LICENSE**

**Action(s) Taken on Regulated and Chemotherapeutic Waste Transporter License Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); Act 93 of June 28, 1988 (P.L. 525, No. 93); and Regulated Medical and Chemotherapeutic Regulations to Transport Regulated Medical and Chemotherapeutic Waste.**

*Transporter License Reissued*

*Central Office: Waste Management Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-787-7561.*

*Contact: Jonathan Adams.*

**Environmental Waste Minimization, Inc.**, 14 Brick Kiln Ct, Northampton, PA 18067. **License No. PA-HC 0219**. Received on April 11, 2024. Effective May 22, 2024.

**RESIDUAL WASTE GENERAL PERMITS**

**Action(s) Taken on Permit(s) Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other than Coal Ash.**

*Central Office: Waste Management Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-787-7381.*

*Contact: Jason Dunham, Environmental Group Manager.*

**WMGR159SC001. Commonwealth of Pennsylvania's Department of Corrections**, 2500 Lisburn Road, Camp Hill, PA 17011, Lower Allen Township, **Cumberland County**. This general permit authorizes the processing of reclaimed waste coal ash prior to beneficial use and subsequent beneficial use as an ingredient in concrete manufacturing, including the formulation of concrete products. Processing is limited to drying and mechanical sizing of reclaimed waste coal ash. The proposed modifications to General Permit WMR159 have been successfully demonstrated and the base general permit has been modified to add "manufacturing of concrete products" as a new authorized beneficial use of coal ash. Application received: June 9, 2021. Permit modification issued: June 3, 2024.

Persons interested in reviewing the permit may contact Jason Dunham, Environmental Group Manager, 717-787-7381, Central Office, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-787-7381. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

**DETERMINATION OF APPLICABILITY FOR  
RESIDUAL WASTE GENERAL PERMITS**

**Action(s) Taken on Permit(s) Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for Determination of Applicability for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other than Coal Ash.**

*Southcentral Region: Waste Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Carrie A. Fleming, Program Manager.*

**WMGR159SC001. PA Department of Corrections, SCI-Camp Hill**, 2500 Lisburn Road, Camp Hill, PA 17001, Lower Allen Township, **Cumberland County**. This general permit authorizes the processing, by drying and mechanical sizing, of reclaimed waste coal ash prior to beneficial use and beneficial use of reclaimed waste coal ash as an ingredient in concrete manufacturing, including the formulation of concrete products. Application received: June 9, 2021. Permit issued: June 3, 2024.

Persons interested in reviewing the permit may contact John L. Oren, P.E., Permits Chief, Waste Management Program, Southcentral Region, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

*Southeast Region: Waste Management Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: Mohamad Mazid, Chief, Technical Services, E-Mail Address: RA-EPWM-SERO-PERMITS@pa.gov.*

**WMGR081SE019 (Formerly WMGR081D002A). Abington Reldan Metals, LLC, (d/b/a Reldan)**, 550 Old Bordertown Road, Fairless Hills, PA 19030, Falls Township, **Bucks County**. This approval is for the renewal of Determination of Applicability to continue the coverage under the conditions defined within General Permit No. WMGR081 for the beneficial use of waste electronics at the Abington Reldan Metals, LLC—NorthPoint Development facility, located at 550 Old Bordertown Road, Fairless Hills, PA in Falls Township, Bucks County. Application received: October 20, 2023. Renewal of coverage issued: May 30, 2024.

Persons interested in reviewing the permit may contact Waste Management Program Manager, Phone Number 484.250.5960, or by e-mail at RA-EPWM-SERO-PERMITS@pa.gov, Southeast Region, 2 East Main Street, Norristown, PA 19401, 484-250-5900. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

**WMGR081SE018 (Formerly WMGR081D024). ECOvanta, LLC**, 2209 South 58th Street, Philadelphia, PA 19143, City of Philadelphia, **Philadelphia County**. This approval is for the renewal of Determination of Applicability to continue the coverage under the conditions defined within General Permit No. WMGR081 for the beneficial use of waste electronics at the Covanta

4Recovery Philadelphia, LLC, 58th Street Transfer Station facility, located at 2209 South 58th Street in the City and County of Philadelphia. Application received: October 20, 2023. Renewal of coverage issued: May 30, 2024.

Persons interested in reviewing the permit may contact Waste Management Program Manager, Phone Number 484.250.5960, or by e-mail at RA-EPWM-SERO-PERMITTS@pa.gov, Southeast Region, 2 East Main Street, Norristown, PA 19401, 484-250-5900. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

**WMGR081SE014 (Formerly WMGR081D020). eForce Compliance, LLC**, 1229 South Napa Street, Philadelphia, PA 19135, City of Philadelphia, **Philadelphia County**. This approval is for the renewal of Determination of Applicability to continue the coverage under the conditions defined within General Permit No. WMGR081 for the beneficial use of waste electronics at eForce Compliance facility, located at 1229 South Napa Street in the City and County of Philadelphia. Application received: December 19, 2023. Renewal of coverage issued: May 30, 2024.

Persons interested in reviewing the permit may contact Waste Management Program Manager, Phone Number 484.250.5960, or by e-mail at RA-EPWM-SERO-PERMITTS@pa.gov, Southeast Region, 2 East Main Street, Norristown, PA 19401, 484-250-5900. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

**WMGR081SE016 (Formerly WMGR081D008). Elemental, Inc.**, 2371 Church Street, Philadelphia, PA 19124, City of Philadelphia, **Philadelphia County**. This approval is for the renewal of Determination of Applicability to continue the coverage under the conditions defined within General Permit No. WMGR081 for the beneficial use of waste electronics at Elemental, Inc. facility, located at 2371 Church Street, in the City of Philadelphia, Philadelphia County. Application received: October 23, 2023. Renewal of coverage issued: May 30, 2024.

Persons interested in reviewing the permit may contact Waste Management Program Manager, Phone Number 484.250.5960, or by e-mail at RA-EPWM-SERO-PERMITTS@pa.gov, Southeast Region, 2 East Main Street, Norristown, PA 19401, 484-250-5900. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

**WMGR081SE010. Sycamore International, Inc.**, 431 West Baltimore Pike, West Grove, PA 19390, London Grove Township, **Chester County**. This approval is for the renewal of Determination of Applicability to continue the coverage under the conditions defined within General Permit No. WMGR081 for the beneficial use of waste electronics at Sycamore International, Inc. facility, located at 431 West Baltimore Pike in London Grove Township, Chester County. Application received: November 8, 2023. Renewal of coverage issued: May 30, 2024.

Persons interested in reviewing the permit may contact Waste Management Program Manager, Phone Number 484.250.5960, or by e-mail at RA-EPWM-SERO-PERMITTS@pa.gov, Southeast Region, 2 East Main Street, Norristown, PA 19401, 484-250-5900. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

## OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

**Actions(s) Taken on Permit(s) Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Regulations to Operate Solid Waste Processing or Disposal Area or Site.**

*Southeast Region: Waste Management Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: Mohamad Mazid, Chief, Technical Services, E-Mail Address: A-EPWM-SERO-PERMITTS@pa.gov.*

**101699. Waste Management of Fairless, LLC**, 1000 New Ford Mill Road, Morrisville, PA 19067, Falls Township, **Bucks County**. This major permit modification approves the distribution of landfill gas (LFG) from Fairless Landfill to the Waste Management Renewable Energy (WMRE) Fairless RNG Facility (RNG Plant). The Fairless Landfill is a municipal waste landfill located in Falls Township, Bucks County. Application received: June 16, 2023. Issued: May 23, 2023.

Persons interested in reviewing the permit may contact Waste Management Program Manager, Phone Number 484.250.5960, or by e-mail at RA-EPWM-SERO-PERMITTS@pa.gov, Southeast Region, 2 East Main Street, Norristown, PA 19401, 484-250-5900. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

## AIR QUALITY

**Actions(s) Taken on General Plan Approval(s) and Operating Permit(s) Usage Authorized Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to Construct, Modify, Reactivate or Operate Air Contamination Sources and Associated Air Cleaning Devices.**

*Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.*

**AG5-59-00007B: UGI Texas Creek, LLC**, 835 Knitting Mills Way, Wyomissing, PA 19610, Union Township, **Tioga County**. The Department approved authorization for the continued operation of two (2) 1,380 bhp Caterpillar G3516B LE four-stroke ultra-lean-burn compressor engines, one (1) 76 bhp Caterpillar DG60-2 (4SLB) natural gas fired generator engine, one (1) 75 MMscf/day dehydrator unit equipped with a 1.50 MMBtu/hr reboiler burner, one (1) 15,000-gallon produced fluids tank, two (2) oil tanks (each 300-gallon), one 74,000 Btu per hour gas line heater, a pigging station and fugitive emissions from blowdown, gas pneumatic devices, tanker loadout and component leaks pursuant to the General Plan Approval and/or General Operating Permit for Natural Gas Compression Stations, Processing Plants, and Transmission Stations (BAQ-GPA/GP-5) at the Yaggie Compressor Station. Application received: May 16, 2024. Renewal issued: May 30, 2024. New expiration date: May 29, 2029.

**AG5A-08-00018A: SWN Production Company, P.O.** Box 12359, Spring, TX 77391, Stevens Township, **Bradford County**. The Department approved authorization to construct and operate one (1) 1,380 brake-horsepower,



Waukesha model L5749GSI, 4-stroke, rich-burn, natural gas-fired compressor engine and three (3) gas processing units each with a 1.0 million Btu per hour natural gas-fired heater, and to continue operation of one (1) 1,380 brake-horsepower, Caterpillar model G3516J, 4-stroke, lean-burn, natural gas-fired compressor engine, four (4) gas processing units each with a 0.75 million Btu per hour natural gas-fired heater, one (1) 400 barrel/16,800-gallon produced fluids tank, one (1) 210 barrel/8,820-gallon produced fluids tank and fugitive emission sources pursuant to the General Plan Approval and/or General Operating Permit for Unconventional Natural Gas Well Site Operations and Remote Pigging Stations (BAQ-GPA/GP-5A) at the GU-O Marcucci-Jones Well Pad Site. Application received: May 6, 2024. Authorized: May 30, 2024. Expiration date: May 29, 2029.

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.*

**GP1-06-03169A: Reading Medical Development, LP**, 145 North Sixth Street, Suite 1, Reading, PA 19601, City of Reading, **Berks County**. For two existing natural gas-fired boilers, 20.23 MMBtu each, at the St. Joseph Hospital facility. Application received: May 21, 2024. Issued: June 3, 2024.

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: James Beach, New Source Review Chief, 484-250-5920.*

**GP14-23-0122: Pagano Funeral Home**, 3711 Foulk Rd, Garnet Valley, PA 19060-1803, Bethel Township, **Delaware County**. This action is for the issuance of a renewed General Plan Approval and General Operating Permit for the Human Crematory—2MMBtu/hr (Source ID: 101). Application received: May 6, 2024. Issued: May 24, 2024.

**Actions(s) Taken on Plan Approval(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and Regulations in 25 Pa. Code Chapter 127, Subchapter B Relating to Construction, Modification and Reactivation of Air Contamination Sources and Associated Air Cleaning Devices.**

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.*

**05-03024A: Geisel Styer Funeral Home & Cremation Services Inc.**, 3779 Pitt Street, Schellsburg, PA 15559, Schellsburg Borough, **Bedford County**. For the construction and operation of human and animal crematories (one each) at the facility. Application received: February 5, 2024. Issued: June 3, 2024.

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: James Beach, New Source Review Chief, 484-250-5920.*

**09-0210B: Waste Management of Fairless LLC**, Old Bordentown Rd and Steel Rd S, Fairless Hills, PA 19030, Falls Township, **Bucks County**. This action is for an extension of the plan approval for the operation and shakedown of three 5,000 SCFM ultra low emission flares to combust the landfill gas collected from GROWS,

GROWS North, and Fairless Landfills. Application received: April 16, 2024. Issued: May 29, 2024.

**Plan Approval Revision(s) Issued Including Extension(s), Minor Modification(s) and Transfer(s) of Ownership Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.**

*Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.*

**14-00002T: Graymont (PA) Inc.**, 375 Graymont Road, Bellefonte, PA 16823, Spring Township, **Centre County**. The Department issued a 180-day extension to authorize the continued operation of the new bagging and other process equipment associated with Source IDs P311 and P314 at Graymont Bellefonte lime manufacturing facility under the plan approval terms and conditions, until the terms and conditions are incorporated into the facility's Title V Operating Permit. Application received: May 28, 2024. Extension: June 3, 2024. New expiration date: December 7, 2024.

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.*

**28-05002Q: Letterkenny Army Depot**, One Overcash Avenue, Chambersburg, PA 17201, Greene Township and Letterkenny Township, **Franklin County**. For the construction of two replacement paint stripping tanks in Building 377. The two paint stripping tanks to be constructed in Building 377 will replace two existing paint stripping tanks in Building 370. The plan approval was extended. Application received: May 8, 2024. Issued: June 3, 2024.

*Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.*

**06-05096F: Tower Health System—Reading Hospital**, P.O. Box 16052, Reading, PA 19612, West Reading Borough, **Berks County**. For the reactivation of a cogeneration plant at the Reading Hospital. The plan approval was extended. Application received: May 8, 2024. Issued: May 31, 2024.

**36-03202A: US Pipe Fabrication LLC**, 109 Fifth Street, Orlando, FL 32824, Ephrata Township, **Lancaster County**. For a metal pipe coating booth controlled by dry filters, at the pipe manufacturing facility. The plan approval was extended. Application received: May 10, 2024. Issued: May 31, 2024.

**Title V Operating Permit(s) Issued Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.**

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Norm Frederick, 570-826-2409.*

**48-00011: MC Project Co, LLC/Martins Creek**, 6605 Foul Rift Rd., Bangor, PA 18013-4857, Lower Mount Bethel Township, **Northampton County**. The Department issued a minor modification to the Title V Operating Permit for the electrical power generation facility in Lower Mount Bethel Township, Northampton County. As

a major source, the facility is subject to the Title V permitting requirements of the Clean Air Act Amendments as adopted by the Commonwealth under 25 Pa. Code Chapter 127, Subchapter G. The primary emission units at the Martins Creek facility are two (2) natural gas and fuel oil-fired electric generating units—Unit 3 and Unit 4 (Source IDs 033 and 034). The minor modification to the Title V Operating Permit requests 10% capacity factor limits on maintenance heaters 3 and 4 (Source IDs 108 and 109) and the incorporation of Boiler MACT provisions to the permit. The minor modification to the Title V Operating Permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations. Application received: January 17, 2024. Permit modification issued: May 22, 2024.

**Operating Permit(s) for Non-Title V Facilities Issued Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.**

*Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.*

**19-00020: Kawneer Company, Inc.**, 500 East 12th Street, Bloomsburg, PA 17815, City of Bloomsburg, **Columbia County**. The Department issued a renewal State Only (Synthetic Minor) Operating Permit for the Bloomsburg Plant facility. The State Only (Synthetic Minor) Operating Permit contains requirements including monitoring, recordkeeping, and reporting conditions to ensure compliance with applicable Federal and State regulations. Application received: November 17, 2022. Renewal issued: May 31, 2024. New expiration date: May 30, 2029.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: Matthew Williams, Facilities Permitting Chief, 814-332-6940.*

**33-00174: Brownlee Lumber, Inc.**, 2652 Hazen Richardsville Rd, Brookville, PA 15825-7616, Warsaw Township, **Jefferson County**. The Department issued the renewal of the State Only Operating Permit for the facility. The primary sources at the facility are a 125 hp wood boiler and sawmill operations. Emissions for the site are estimated to be 15.7 tpy CO; 5.7 tpy NO<sub>x</sub>; 0.65 tpy SO<sub>x</sub>; 8.0 tpy PM<sub>10</sub>; and 0.44 tpy VOC. The facility is a Natural Minor. The boiler is subject to 40 CFR Part 63 Subpart JJJJJ, the NESHAP for Area Source Boilers. The permit contains emission restrictions, recordkeeping, and work practice requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act. Application received: March 17, 2023. Issued: May 28, 2024.

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.*

**28-03025: Wenger Feeds LLC**, 101 West Harrisburg Avenue, Rheems, PA 17570-0026, Southampton Township, **Franklin County**. For the feed mill. The State-Only permit was renewed. Application received: January 23, 2024. Issued: June 3, 2024.

**28-05047: Johnson Controls, Inc.**, 100 Cumberland Valley Avenue, Waynesboro, PA 17268-1206, Waynesboro Borough, **Franklin County**. For the commercial refrigeration and air conditioning equipment manufacturing facility. The State-Only permit was renewed. Application received: December 21, 2023. Issued: May 30, 2024.

*Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.*

**38-03020: Daedalus Investment, LLC, d/b/a Tech Cast Limited**, 640 S. Cherry St., Myerstown, PA 17067, Myerstown Borough, **Lebanon County**. For operation of a steel foundry facility. The State-Only permit was renewed. Application received: July 31, 2023. Issued: May 28, 2024.

**36-05003: Armstrong World Industries, Inc.**, 2500 Columbia Avenue, P.O. Box 3001, Lancaster, PA 17604-3001, Manor Township, **Lancaster County**. For the Armstrong Corporate Campus and R & D facility. The State-Only permit was renewed. Application received: January 22, 2024. Issued: May 28, 2024.

**06-03063: East Penn Manufacturing Co.**, P.O. Box 147, Lyon Station, PA 19536-0147, Kutztown Borough, **Berks County**. For the automotive wiring and battery accessory manufacturing facility. The State-Only permit was renewed. Application received: June 29, 2023. Issued: June 3, 2024.

**36-03078: HP Acquisition Corporation**, 1780 Rohrerstown Road, Lancaster, PA 17601-2320, East Hempfield Township, **Lancaster County**. For the customized metal foil manufacturing facility. The State-Only permit was renewed. Application received: December 7, 2023. Issued: May 29, 2024.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Thomas Joseph, P.E., Facilities Permitting Chief, 412-442-4336.*

**63-00946: EQT Chap, LLC**, 72 Hill Road, Fredericktown, PA 15333, Deemston Borough, **Washington County**. On May 28, 2024, the Department of Environmental Protection issued a natural minor State-Only Operating Permit to EQT Chap, LLC's Deemston-Wicks Compressor Station located in Deemston Borough, Washington County. This facility is subject to the applicable requirements of 25 Pa. Code, Chapters 121 through 145, and 40 CFR Part 63 Subparts ZZZZ and HH. The air quality Operating Permit includes emission limitations, operating requirements, monitoring requirements, work practice standards, reporting, and recordkeeping requirements for the site. Application received: May 11, 2023. Deemed administratively complete: May 24, 2023.

**Operating Permit Revisions Issued Including Administrative Amendments, Minor Modifications or Transfer of Ownership Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.**

*Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.*

**18-00021: Avery Dennison Performance Polymers**, 171 Draketown Road, Mill Hall, PA 17751, Bald Eagle Township, **Clinton County**. The Department issued a



revised State Only Operating Permit for Avery Dennison Performance Polymers' Mill Hall facility. Revision No. 3 was issued for the incorporation of Plan Approval 18-00021D into State Only Operating Permit NMOP 18-00021. Application received: May 13, 2024. Effective: May 30, 2024. Revised: May 30, 2024.

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: Janine Tulloch-Reid, Facilities Permitting Chief, 484-250-5920.*

**23-00030: Swarthmore College**, 500 College Ave Ste 2, Swarthmore, PA 19081-1306, Swarthmore Borough, **Delaware County**. This amendment incorporates terms and conditions of Plan Approval 23-0030B, which is for the installation of 2 new 2.5-megawatt engines (Source ID 118 and Source ID 119) fired by natural gas to be located at the existing site. Application received: May 9, 2024. Issued: May 28, 2024.

**Operating Permit(s) Denied, Terminated, Suspended or Revoked Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.431 and 127.461.**

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: Matthew Williams, Facilities Permitting Chief, 814-332-6940.*

**03-00050: Creekside Mushrooms Worthington**, 1 Moonlight Drive, Worthington, PA 16262, West Franklin Township, **Armstrong County**. The soil pasteurization and blending are no longer in operation and the facility is no longer a mushroom producing facility. The facility requested the Operating Permit be suspended (revoked). The only remaining source is the diesel fired emergency generator (Source 190) which is exempt based on 25 Pa. Code § 127.14(a)(8) No. 6 because NO<sub>x</sub> emissions are less than 100 lbs/hr, 1000 lbs/day, 2.75 tons per ozone season and 6.6 tons per year on a 12-month rolling basis for the combined engine emissions. Application received: April 3, 2024. Revoked: April 10, 2024.

## ACTIONS ON COAL AND NONCOAL APPLICATIONS

**Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21).** The final action on each application also constitutes action on the National Pollutant Discharge Elimination System (NPDES) permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to such applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1103). Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

### Coal Permits

*California District Mining Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.*

*Contact: Bonnie Herbert, Clerical Assistant 3.*

**Mining Permit No. 02733702. NPDES No. PA0023370. Consol Mining LLC**, 275 Technology Drive, Suite 101, Canonsburg, PA 15317, Plum Borough, **Allegheny County**. To revise the permit and related NPDES permit for installation of pipeline and one (1) new NPDES outfall, affecting 37.0 coal refuse disposal support acres. Receiving stream(s): Allegheny River, classified for the following use: WWF. Application received: April 29, 2022. Accepted: June 30, 2022. Issued: March 21, 2024.

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.*

*Contact: RA-EPCAMBRIADMO@pa.gov.*

**Mining Permit No. 11230101. NPDES No. PA0279901. RES Coal, LLC**, 51 Airport Road, Clearfield, PA 16830, Cresson Township, **Cambria County**. Commencement, operation and restoration of a bituminous surface mine affecting 364.0 acres. Receiving streams: Unnamed Tributary to Bear Rock Run and Unnamed Tributaries to Burgoon Run and Burgoon Run classified for the following use: CWF. Application received: December 5, 2023. Permit issued: May 29, 2024.

**Mining Permit No. 5616-1-1. NPDES No. PA0279510. Coal Loaders, Inc.**, 210 East Main Street, P.O. Box 556, Ligonier, PA 15658, Paint Township, **Somerset County**. Transfer of a bituminous surface and auger mine from Berwind Coal Sales Company, 509 15th Street, Windber, PA 15963 affecting 159.2 acres. Receiving streams: Weaver Run to Seese Run to Paint Creek/Stonycreek River Watershed, classified for the following uses: CWF. Application received: December 26, 2023. Permit issued: May 30, 2024.

### Noncoal Permits

*Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.*

*Contact: Cassie Stanton, Clerical Assistant 2.*

**Mining Permit No. 4773SM2. NPDES No. PA0596680. Heidelberg Materials Northeast, LLC**, 7660 Imperial Way, Allentown, PA 18195, Potter Township, **Centre County**. Renewal of an NPDES permit associated with a large noncoal (industrial minerals) mining site affecting 18.7 acres. Receiving stream(s): Unnamed tributary to Cedar Run classified for the following use(s): CWF, MF. Application received: December 1, 2023. Accepted: January 5, 2024. Issued: June 30, 2024.

**Mining Permit No. 08092805. NPDES GP104 No. PAM219009. Tim Leonard Excavating, LLC**, 284 Patterson Road, Columbia Cross Roads, PA 16914, Springfield Township, **Bradford County**. Permit transfer of a small industrial minerals surface mine from Timothy D. Leonard affecting 5.0 acres. Receiving stream(s): Mill Creek, UNT to Sugar Creek classified for the following use(s): TSF, MF. Application received: November 3, 2023. Issued: May 31, 2024.

**Mining Permit No. GP12-17921603. Greenwood Processing & Loading Complex, LLC**, 1340 Hoyt Road, Curwensville, PA 16833, Greenwood Township, **Clearfield County**. Coverage under GP-12 to operate a coal preparation plant whose pollution control equipment is required to meet all applicable limitations, terms and conditions of General Permit, BAQ-GPA/GP-12 on Surface

Mining Permit No. 17921603. Application received: March 8, 2024. Accepted: March 12, 2024. Issued: June 4, 2024.

**ACTIONS ON BLASTING ACTIVITY APPLICATIONS**

**Action(s) Taken on Application(s) Under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting Activity Performed as Part of a Coal or Noncoal Mining Activity will be Regulated by the Mining Permit for that Coal or Noncoal Mining Activity.**

*Blasting Permits*

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.*

*Contact: RA-EPCAMBRIADMO@pa.gov.*

**Permit No. 56244101. Wampum Hardware Company**, 636 Paden Road, New Galilee, PA 16141-2018, Conemaugh Township, **Somerset County**. Blasting activity permit for Davidsville Landfill with an expiration date of December 31, 2024 Application received: May 24, 2024. Issued: May 28, 2024.

**Permit No. 11244101. Senex Explosives, Inc.**, 710 Millers Run Road, Cuddy, PA 15031-9742, Jackson Township, **Cambria County**. Blasting activity permit for Laurel Highlands Landfill with an expiration date of June 1, 2025. Application received: May 24, 2024. Issued: May 28, 2024.

**Permit No. 07244001. Matthew G. McEntire**, 5733 Westwood Drive, Weldon Spring, MD 63304, Snyder Township, **Blair County**. Blasting activity permit for American Eagle Paper Mill (Boilers). Application received: May 31, 2024. Permit issued: May 31, 2024.

*Eastern District: 208 West Third Street, Williamsport, PA 17701-6448.*

*Contact: RA-EPPottsvilleDMO@pa.gov.*

**Permit No. 40244107. M & J Explosives, LLC**, 104 East Main Street, Carlisle, PA 17015, Hazle Township, **Luzerne County**. Construction blasting for Hazleton Logistics. Application received: April 29, 2024. Permit issued: April 30, 2024. Expiration date: May 30, 2024.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.*

*Contact: RA-EPPottsvilleDMO@pa.gov.*

**Permit No. 36244108. Keystone Blasting Service**, 15 Hopeland Road, Lititz, PA 17543, West Lampeter Township, **Lancaster County**. Construction blasting for Randy Andrews chicken houses. Application received: March 20, 2024. Permit issued: March 27, 2024. Expiration date: May 30, 2024.

**Permit No. 13244101. Maine Drilling & Blasting, Inc.**, P.O. Box 1140, Gardiner, ME 04345, Kidder Township, **Carbon County**. Construction blasting for Blakeslee Route 940 Warehouse. Application received: March 26, 2024. Permit issued: March 28, 2024. Expiration date: March 26, 2025.

**Permit No. 15244102. Rock Work, Inc.**, 1257 Dekalb Pike, Blue Bell, PA 19422, East Brandywine Township, **Chester County**. Construction blasting for Plank Tract residential development. Application received: March 20, 2024. Permit issued: March 28, 2024. Expiration date: April 1, 2025.

**Permit No. 15244103. Valley Rock Solutions, LLC**, P.O. Box 246, Macungie, PA 18062, West Whiteland

Township, **Chester County**. Construction blasting for Whitford Wawa. Application received: March 26, 2024. Permit issued: March 28, 2024. Expiration date: December 31, 2024.

**Permit No. 36244109. J Roy's, Inc.**, P.O. Box 125, Bowmansville, PA 17507, Manheim Township, **Lancaster County**. Construction blasting for Fairfield Inn. Application received: March 27, 2024. Permit issued: April 2, 2024. Expiration date: March 25, 2025.

**Permit No. 36244110. Keystone Blasting Service**, 15 Hopeland Road, Lititz, PA 17543, Warwick Township, **Lancaster County**. Construction blasting for Rohrers Quarry road crossing. Application received: March 27, 2024. Permit issued: April 2, 2024. Expiration date: July 30, 2024.

**Permit No. 36244111. Keystone Blasting Service**, 15 Hopeland Road, Lititz, PA 17543, East Hempfield Township, **Lancaster County**. Construction blasting for Jerry Stone single dwelling. Application received: March 30, 2024. Permit issued: April 2, 2024. Expiration date: July 30, 2024.

**Permit No. 39244103. Pact Construction, Inc.**, P.O. Box 74, Rigoes, NJ 08551, Upper Macungie Township, **Lehigh County**. Construction blasting for Lehigh County Upper Western Lehigh Force Main. Application received: March 24, 2024. Permit issued: April 4, 2024. Expiration date: December 31, 2024.

**Permit No. 38244102. J Roy's, Inc.**, P.O. Box 125, Bowmansville, PA 17507, West Lebanon Township, **Lebanon County**. Construction blasting for Holm Utilities. Application received: April 5, 2024. Permit issued: April 9, 2024. Expiration date: April 8, 2025.

**Permit No. 09244104. Rock Work, Inc.**, 1257 Dekalb Pike, Blue Bell, PA 19422, Middletown Township, **Bucks County**. Construction blasting for Stone Meadow Farm. Application received: May 30, 2024. Permit issued: April 10, 2024. Expiration date: May 1, 2025.

**Permit No. 40244105. Maine Drilling & Blasting, Inc.**, P.O. Box 1140, Gardiner, ME 04345, Hanover Township, **Luzerne County**. Construction blasting for 450 Steward Road Warehouse. Application received: April 9, 2024. Permit issued: April 15, 2024. Expiration date: April 8, 2025.

**Permit No. 38244103. Keystone Blasting Service**, 15 Hopeland Road, Lititz, PA 17543, South Annville Township, **Lebanon County**. Construction blasting for Wynfield at Annville. Application received: April 13, 2024. Permit issued: April 16, 2024. Expiration date: March 30, 2025.

**Permit No. 06244102. Maine Drilling & Blasting, Inc.**, P.O. Box 1140, Gardiner, ME 04345, New Morgan Borough, **Berks County**. Blasting for the Conestoga Landfill. Application received: April 16, 2024. Permit issued: April 17, 2024. Expiration date: April 15, 2025.

**Permit No. 39244104. Valley Rock Solutions, LLC**, P.O. Box 246, Macungie, PA 18062, Lower Macungie Township, **Lehigh County**. Construction blasting for Lehigh Valley West Lot 56. Application received: April 10, 2024. Permit issued: April 17, 2024. Expiration date: December 31, 2024.

**Permit No. 54244102. Rock Work, Inc.**, 1257 Dekalb Pike, Blue Bell, PA 19422, Blythe and New Castle Townships, **Schuylkill County**. Construction blasting for SR61-4M Reconstruction ECMS 96470. Application re-



ceived: April 6, 2024. Permit issued: April 18, 2024. Expiration date: May 1, 2026.

**Permit No. 39244105. Rock Work, Inc.**, 1257 Dekalb Pike, Blue Bell, PA 19422, Coopersburg Borough, **Lehigh County**. Construction blasting for Ashford Preserve. Application received: April 16, 2024. Permit issued: April 19, 2024. Expiration date: May 1, 2025.

**Permit No. 54244103. Maine Drilling & Blasting, Inc.**, P.O. Box 1140, Gardiner, ME 04345, Blythe Township, **Schuylkill County**. Blasting for the Brads Landfill. Application received: April 16, 2024. Permit issued: April 19, 2024. Expiration date: April 15, 2025.

**Permit No. 40244106. Hayduk Enterprises, Inc.**, 257 Riverside Drive, Factoryville, PA 18419, Hazle Township, **Luzerne County**. Construction blasting for commercial development. Application received: April 12, 2024. Permit issued: April 22, 2024. Expiration date: December 31, 2024.

**Permit No. 46244101. Rock Work, Inc.**, 1257 Dekalb Pike, Blue Bell, PA 19422, Upper Providence Township, **Montgomery County**. Construction blasting for Heartfield Development. Application received: April 18, 2024. Permit issued: April 23, 2024. Expiration date: May 1, 2025.

**Permit No. 48244102. Schlouch, Inc.**, 132 Excelsior Drive, Blandon, PA 19510, Allen Township, **Northampton County**. Construction blasting for High Meadows Estates. Application received: April 24, 2024. Permit issued: April 29, 2024. Expiration date: April 24, 2025.

**Permit No. 46244102. Rock Work, Inc.**, 1257 Dekalb Pike, Blue Bell, PA 19422, Lower Frederick Township, **Montgomery County**. Construction blasting for Farm View. Application received: May 2, 2024. Permit issued: May 2, 2024. Expiration date: May 1, 2025.

**Permit No. 67244103. M & J Explosives, LLC**, 104 East Main Street, Carlisle, PA 17015, Manchester Township, **York County**. Construction blasting for Expressway Commons Warehouse. Application received: May 2, 2024. Permit issued: May 30, 2024. Expiration date: October 25, 2024.

**Permit No. 36244112. J Roy's, Inc.**, P.O. Box 125, Bowmansville, PA 17507, Manheim Township, **Lancaster County**. Construction blasting for Parkside Reserve Lots 32-37. Application received: May 1, 2024. Permit issued: May 6, 2024. Expiration date: May 2, 2025.

**Permit No. 67244102. Douglas Explosive Services, LLC**, 2052 Bigler Highway, Phillipsburg, PA 16866, Manheim Township, **York County**. Construction blasting for Susquehanna Trail Project Application received: May 2, 2024. Permit issued: May 8, 2024. Expiration date: December 30, 2024.

**Permit No. 15244104. Rock Work, Inc.**, 1257 Dekalb Pike, Blue Bell, PA 19422, Phoenixville Borough, **Chester County**. Construction blasting for Odessa Development. Application received: May 2, 2024. Permit issued: May 9, 2024. Expiration date: May 30, 2024.

**Permit No. 15244105. Rock Work, Inc.**, 1257 Dekalb Pike, Blue Bell, PA 19422, Phoenixville Borough, **Chester County**. Construction blasting for Trieste Development. Application received: May 2, 2024. Permit issued: May 9, 2024. Expiration date: May 1, 2025.

**Permit No. 35244108. Maine Drilling & Blasting, Inc.**, P.O. Box 1140, Gardiner, ME 04345, Dickson City Borough, **Lackawanna County**. Construction blasting for Wawa Lots 2, 3, 4 and partial Lot 1. Application

received: May 7, 2024. Permit issued: May 9, 2024. Expiration date: May 7, 2025.

**Permit No. 36244113. Maine Drilling & Blasting, Inc.**, P.O. Box 1140, Gardiner, ME 04345, Manheim Township, **Lancaster County**. Construction blasting for Lancaster Airport. Application received: May 9, 2024. Permit issued: May 14, 2024. Expiration date: May 9, 2025.

**Permit No. 48244103. Maine Drilling & Blasting, Inc.**, P.O. Box 1140, Gardiner, ME 04345, Hanover Township, **Northampton County**. Construction blasting for UHS/LVHN Behavioral Health Hospital. Application received: May 14, 2024. Permit issued: May 16, 2024. Expiration date: May 31, 2025.

**Permit No. 46244103. Rock Work, Inc.**, 1257 Dekalb Pike, Blue Bell, PA 19422, Horsham Township, **Montgomery County**. Construction blasting for Waterside Phase 4. Application received: May 9, 2024. Permit issued: May 20, 2024. Expiration date: June 1, 2025.

**Permit No. 39244106. Maine Drilling & Blasting, Inc.**, P.O. Box 1140, Gardiner, ME 04345, Upper Macungie Township, **Lehigh County**. Construction blasting for Lehigh Hills West. Application received: May 14, 2024. Permit issued: May 21, 2024. Expiration date: May 31, 2025.

**Permit No. 22244102. Maine Drilling & Blasting, Inc.**, P.O. Box 1140, Gardiner, ME 04345, City of Harrisburg, **Dauphin County**. Construction blasting for I-83 East Shore Section Reconstruction. Application received: May 21, 2024. Permit issued: May 28, 2024. Expiration date: May 31, 2025.

**Permit No. 36244114. Keystone Blasting Service**, 15 Hopeland Road, Lititz, PA 17543, Earl Township, **Lancaster County**. Construction blasting for Keystone Mills Storage Tank. Application received: May 21, 2024. Permit issued: May 28, 2024. Expiration date: July 30, 2024.

**Permit No. 36244115. Maine Drilling & Blasting, Inc.**, P.O. Box 1140, Gardiner, ME 04345, Manheim Township, **Lancaster County**. Construction blasting for Lancaster Airport. Application received: May 21, 2024. Permit issued: May 28, 2024. Expiration date: May 31, 2025.

**Permit No. 38244104. Keystone Blasting Service**, 15 Hopeland Road, Lititz, PA 17543, North Londonderry Township, **Lebanon County**. Construction blasting for Winding Creek Phase 2. Application received: May 24, 2024. Permit issued: May 28, 2024. Expiration date: May 31, 2025.

**Permit No. 38244105. Keystone Blasting Service**, 15 Hopeland Road, Lititz, PA 17543, Millcreek Township, **Lebanon County**. Construction blasting for Sidney Cleason Nolt Dwelling. Application received: May 27, 2024. Permit issued: May 28, 2024. Expiration date: August 30, 2024.

**Permit No. 49244101. M & J Explosives, LLC**, 104 East Main Street, Carlisle, PA 17015, West Chillisquaque Township, **Northumberland County**. Construction blasting for Rutters 106. Application received: May 15, 2024. Permit issued: May 28, 2024. Expiration date: September 17, 2024.

**Permit No. 15244106. M3 Explo, LLC**, P.O. Box 615, Bowmansville, PA 17507, Caln Township, **Chester County**. Construction blasting for Hills at Thorndale

Woods. Application received: May 23, 2024. Permit issued: May 30, 2024. Expiration date: May 20, 2025.

**Permit No. 15244107. Valley Rock Solutions, LLC,** P.O. Box 246, Macungie, PA 18062, East Brandywine Township, **Chester County.** Construction blasting for Brandywine Walk Phase 2. Application received: May 29, 2024. Permit issued: May 30, 2024. Expiration date: March 31, 2025.

## FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department of Environmental Protection (DEP) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, DEP has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), and that the construction will not violate applicable Federal and State Water Quality Standards.

Individuals aggrieved by these actions may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. § 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Environmental Hearing Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the Board within 30-days. You do not need a lawyer to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so you should show this notice to a lawyer at once. If you cannot afford a lawyer, you may qualify for free pro bono representation. Call the Secretary to the Board 717-787-3483 for more information.

### WATER OBSTRUCTIONS AND ENCROACHMENTS

**Action(s) Taken on Application(s) for the Following Activities Filed Under The Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and the Clean Streams Law and Notice of Final Action for Certification Under Section 401 of the FWPCA.**

*Eastern District: Oil and Gas Management Program, 208 West Third Street, Williamsport, PA 17701-6448.*

*Contact: RA-EPEASTERNOGPRG@pa.gov.*

**E0829224-001. Chesapeake Appalachia LLC,** 14 Chesapeake Lane, Sayre, PA 18840, Herrick Township, **Bradford County.** U.S. Army Corps of Engineers Baltimore District.

Application received: February 15, 2024. Issued: June 3, 2024.

To construct, operate and maintain:

1. a 16-inch diameter temporary waterline and a timber mat bridge impacting 20 linear feet (400 square feet) of an unnamed tributary to Billings Creek (WWF, MF) and 2,400 square feet of floodway impacts (Rome, PA Quadrangle, Latitude: 41.750576°, Longitude: -76.266792°);

2. a 16-inch diameter temporary waterline impacting 4 linear feet (7 square feet) of an unnamed tributary to Billings Creek (WWF, MF), 504 square feet of floodway impacts, and 313 square feet of Palustrine Emergent Wetland (Rome, PA Quadrangle, Latitude: 41.750255°, Longitude: -76.272354°);

3. a 16-inch diameter temporary waterline impacting 8 linear feet (13 square feet) of an unnamed tributary to Billings Creek (WWF, MF) and 253 square feet of floodway impacts (Rome, PA Quadrangle, Latitude: 41.750253°, Longitude: -76.272994°);

4. a 16-inch diameter temporary waterline and a timber mat bridge impacting 6 linear feet (8 square feet) of Billings Creek (WWF, MF), 169 square feet of floodway impacts, 1,973 square feet of Palustrine Emergent Wetland and 11 square feet of a Palustrine Scrub-Shrub Wetland (Wyalusing, PA Quadrangle, Latitude: 41.747502°, Longitude: -76.276206°);

5. a 16-inch diameter temporary waterline and a timber mat bridge impacting 5 linear feet (7 square feet) of an unnamed tributary to Billings Creek (WWF, MF), 895 square feet of floodway impacts, and 423 square feet of Palustrine Emergent Wetland (Wyalusing, PA Quadrangle, Latitude: 41.747063°, Longitude: -76.276581°);

6. a 16-inch diameter temporary waterline impacting 488 square feet of floodways impacts to an unnamed tributary to Billings Creek (WWF, MF) (Wyalusing, PA Quadrangle, Latitude: 41.747285°, Longitude: -76.279580°);

7. a 16-inch diameter temporary waterline and a timber mat bridge impacting 4,135 square feet of a Palustrine Emergent Wetland (Wyalusing, PA Quadrangle, Latitude: 41.747792°, Longitude: -76.284979°);

8. a 16-inch diameter temporary waterline impacting 3,864 square feet of a Palustrine Emergent Wetland (Wyalusing, PA Quadrangle, Latitude: 41.747733°, Longitude: -76.286372°);

The project will result in 43 linear feet (435 square feet) of temporary stream impacts, 4,709 square feet (0.108 acre) of temporary floodway impacts, 10,672 square feet (0.245 acre) of temporary PEM wetland impacts, 11 square feet (0.0002 acre) of temporary PSS wetland impacts, all for the purpose of establishing a temporary water supply for Marcellus well development in Herrick Township, Bradford County.

*Northcentral Region: Waterways & Wetlands Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Pete Geanacopoulos, Project Manager, RA-EPWW-NCRO@pa.gov.*

**E0804224-004. Wyalusing Township,** 2473 Old Stagecoach Road, Wyalusing, PA 18853, Wyalusing Township, **Bradford County.** U.S. Army Corps of Engineers Baltimore District.



Removal of three gravel bars along Wyalusing Creek (WWF, MF). Latitude: 41.729120°, Longitude: -76.236793°. Application received: January 16, 2024. Accepted: March 11, 2024. Approved: May 30,

*Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Michele Lauer, Clerical Assistant 2, 570-830-3077.*

**E5802123-003. PA Department of Transportation, Eng District 4-0,** 55 Keystone Industrial Park, Dunmore, PA 18512, Rush Township, **Susquehanna County.** U.S. Army Corps of Engineers Baltimore District.

To remove the existing structure and to construct and maintain a 52-foot wide pre-cast box culvert with a 13-foot normal clear span and an 8-foot minimum underclearance and to construct and maintain appurtenant structure features. The structure will carry SR 0706 across a tributary to East Branch Wyalusing Creek (CWF, MF). The project is located along SR 0706 Section 552 approximately 1-mile northeast of the SR 0706/3023 intersection (Lawton, PA Quadrangle Latitude: 41.79734°, Longitude: -76.034126°) in Rush Township, Susquehanna County. Latitude: 41.79734°, Longitude: -76.034126°. Application received: November 3, 2023. Issued: May 28, 2024.

**E4802223-010. Tatamy Borough,** 423 Broad Street, Tatamy, PA 18085, Tatamy Borough, **Northampton County.** U.S. Army Corps of Engineers Philadelphia District.

To construct and maintain the following water obstructions/encroachments associated with the Braden Park Trail Extension Project: 1. A 170-foot long by 10-foot wide shared use walking trail extension within the floodplain of the Bushkill Creek (HQ-CWF, MF). 2. A 20-foot by 30-foot pavilion within the floodplain of the Bushkill Creek (HQ-CWF, MF). 3. A 2,000 square foot parking lot expansion/modification within the floodplain of the Bushkill Creek (HQ-CWF, MF) resulting in two additional parking spaces and regrading of existing parking lot sections. The proposed activities will result in a 10 cubic yard reduction in fill to the floodplain of Bushkill Creek (HQ-CWF, MF) due to the proposed grading of the site. The project is located at 3800 Bushkill Drive at the intersection of Uhler Road (Easton, PA Quadrangle Latitude: 40°, 44', 32.7" Longitude: -75°, 14', 54.9") in Tatamy Borough, Northampton County. Application received: November 22, 2023. Issued: May 31, 2024.

**E4502224-003. James Snyder and Rich Luboff,** 1610 Locust Lane, Pocono Lake, PA 18347, Tobyhanna Township, **Monroe County.** U.S. Army Corps of Engineers Philadelphia District.

To construct and maintain a 9-foot-wide by 26-foot-long wooden dock, supported by metal posts within the basin of Locust Lake (EV). To construct and maintain a 7-foot-wide by 8-foot-long raised walkway placed on cinderblocks, to cross an area of wetlands, to access the proposed dock. The project is located at Lot 306, Section H-1 in the Locust Lake Village community (Thornhurst, PA Quadrangle Latitude: 41.144385; Longitude -75.556552) in Coolbaugh Township, Monroe County. Application received: March 6, 2024. Issued: June 3, 2024.

*Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: 717-705-4802.*

**E0103222-001. Joseph A. Myers,** 160 Ram Drive, Hanover, PA 17331, Abbottstown Borough and Berwick Township, **Adams County.** U.S. Army Corps of Engineers Baltimore District.

To 1) construct and maintain a 56.0-foot long 4.0-foot by 14.0-foot open bottomed box culvert roadway crossing with endwalls with an associated 113.0-linear foot stream relocation and an 8.0-inch water line installation in the roadway footprint all across a UNT to Beaver Creek (WWF, MF), permanently impacting 0.20 acre of forested and emergent wetland, 2) to install and maintain an 8.0-inch sanitary sewer line across an Unnamed Tributary to Beaver Creek (WWF, MF), permanently impacting 24 linear feet of stream channel and 0.05 acre of emergent wetland. The purpose of the project is to build a residential housing development. The project is located along Sutton Road in Abbottstown Borough and Berwick Township, Adams County (Latitude: (39.8781); Longitude: (-76.9897)). The project proposes 0.45 acre of on-site wetland creation as compensatory mitigation. Latitude: 39.8781°, Longitude: -76.9897°. Application received: November 18, 2022. Authorized: June 3, 2024.

#### ENVIRONMENTAL ASSESSMENTS

*Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: 717-705-4802.*

**EA3603223-005. East Earl Township,** 4610 Division Highway, East Earl, PA 17519, East Earl Township, **Lancaster County.** U.S. Army Corps of Engineers Baltimore District.

To conduct a stream restoration and stream relocation project along 2,620-feet of Cedar Creek (WWF, MF) including the removal of legacy sediments and an existing agricultural crossing and 1.) the installation and maintenance of 376-feet of rock toe protection 2.) the construction of a 100-foot long by 30-foot wide livestock crossing under General Permit 6 coverage 3.) the construction of a 50-foot by 20-foot temporary stream crossing under General Permit 8 coverage, 4) and the installation of a 3-teir riparian forest buffer, all for the purpose of reconnecting the floodplain by the removal of legacy sediment and stabilizing the streambank. The project is located at 1069 Springville Road in East Earl Township, Lancaster County [Latitude: 40.1176, Longitude: -76.0251]. No wetlands will be impacted by the project. Latitude: 40.1176°, Longitude: -76.0251°. Application received: November 13, 2023. Authorized: May 31, 2024.

#### EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a differ-

ent time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information.

*Eastern District: Oil and Gas Management Program, 208 West Third Street, Williamsport, PA 17701-6448.*

*Contact: RA-EPEASTERNOGPRG@pa.gov.*

ESCGP # 3 **ESG290824006-00**  
 Applicant Name **HEP Pennsylvania Gathering LLC**  
 Contact Person James Townsley, III  
 Address 22024 Route 14  
 City, State, Zip Troy, PA 16947  
 Township(s) Stevens Township  
 County **Bradford County**  
 Receiving Stream(s) and Classification(s) Bennet Creek (WWF, MF)  
 Application received: March 11, 2024  
 Issued: May 28, 2024

ESCGP # 3 **ESG290824001-00**  
 Applicant Name **Chesapeake Appalachia LLC**  
 Contact Person Eric Haskins  
 Address 14 Chesapeake Lane  
 City, State, Zip Sayre, PA 18840  
 Township(s) Asylum Township  
 County **Bradford County**  
 Receiving Stream(s) and Classification(s) Ellis Creek (WWF, MF)  
 Application received: January 3, 2024  
 Issued: May 28, 2024

ESCGP # 3 **ESG295824004-00**  
 Applicant Name **Coterra Energy Inc.**  
 Contact Person Kenneth Marcum  
 Address 2000 Park Lane, Suite 300  
 City, State, Zip Pittsburgh, PA 15275  
 Township(s) Auburn Township  
 County **Susquehanna County**

Receiving Stream(s) and Classification(s) UNT to Riley Creek (CWF, MF)  
 Application received: March 14, 2024  
 Issued: May 30, 2024

*Southwest District: Oil and Gas Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

*Contact: RA-EPSW-OGSUBMISSION@pa.gov.*

ESCGP # 3 **ESX180590038-01**  
 Applicant Name **Greylock Prod LLC—Beacon Well Pad**  
 Contact Person Vincent Scicchitano,  
 vsicchitano@cecinc.com,  
 Address 137 Blakers Ridge Road  
 City, State, Zip Waynesburg, PA 15370  
 Township(s) Greene Township  
 County **Greene County**  
 Receiving Stream(s) and Classification(s) 001. Tributary 41231 to Frosty Run, Ch 93 Class TSF  
 Application received: May 3, 2024  
 Renewal issued: May 29, 2024

ESCGP # 3 **ESG150590007-01**  
 Applicant Name **Rice Drilling B LLC—Strosnider Well Pad**  
 Contact Person Todd Klaner  
 (724) 746-9043  
 TKlaner@eqt.com  
 Address 714 White Ridge Road  
 City, State, Zip Waynesburg, PA 15370  
 Township(s) Franklin Township  
 County **Greene County**  
 Receiving Stream(s) and Classification(s) 1. UNT to Smith Creek, Ch 93 class WWF 2. Smith Creek, Ch 93 Class WWF 3. UNT to Pursley Creek, Ch 93 Class HQ-WWF  
 Application received: March 20, 2024  
 Renewal issued: June 4, 2024

## CORRECTIVE ACTION UNDER ACT 32, 1989

### PREAMBLE 2

**The Following Plan(s) and Report(s) Were Submitted Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).**

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A reme-

dial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DEP has received the following plans and reports.

*Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Eric Supey, Environmental Program Manager.*

**White Haven 940 Plaza**, Storage Tank Facility ID # **40-24918**, 601 Church Street, White Haven, PA 18661, White Haven Borough, **Luzerne County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of White Haven 940 Plaza, LLC, 24 Cotswold Street, Danville, PA 17821, submitted a Remedial Action Plan concerning remediation of groundwater contaminated with petroleum. The plan is intended to document the remedial actions for meeting Statewide health standards.

**Bones Auto Parts**, Storage Tank Facility ID # **40-22861**, 1110 Wilkes-Bare Township Boulevard, Wilkes-Barre, PA 18702, Wilkes-Barre Township, **Luzerne County**. Keystone Environmental Health & Safety Services, 1111 12th Avenue, Altoona, PA 16601, on behalf of EG America, 165 Flanders Road, Westborough, MA 01581, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum. The plan is intended to document the remedial actions for meeting site-specific standards.

*Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: Chris, 724-598-2206.*

**Guttman Oil Co.**, Storage Tank Facility ID # **43-31418**, 3434 Sharon Road, West Middlesex, PA 16159, West Middlesex Borough, **Mercer County**. Apex Companies, LLC, 975 Georges Station Road, Suite 100, Greensburgh, PA 15601, on behalf of Guttman Energy, 200 Speers Street, Belle Vernon, PA 15012, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline, leaded gasoline, and diesel fuel. The plan is intended to document the remedial actions for meeting residential and nonresidential site-specific standards.

*Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Gregory Bowman, Environmental Group Manager, 717-705-4705.*

**Turkey Hill 251**, Storage Tank Facility ID # **36-37954**, 23 Centerville Road, Lancaster, PA 17603, East Hempfield

Township, **Lancaster County**. Kleinfelder, Inc., 51 Dutilh Road, Suite 240, Cranberry Township, PA 16066, on behalf of TH Minit Markets, LLC, 165 Flanders Road, Westborough, MA 01581 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum constituents. The plan is intended to document the remedial actions for meeting nonresidential Statewide health standards.

*Contact: Michael Stefanic, P.G., 717-705-4705.*

**Pensinger's Service Station**, Storage Tank Facility ID # **28-05161**, 123 Path Valley Road, Fort Lougon, PA 17224-0100, Peters Township, **Franklin County**. P. Joseph Lehman, Inc., P.O. Box 419, Hollidaysburg, PA 16648, on behalf of Donald Pensinger, 123 Path Valley Road, Fort Loudon, PA 17224-0100 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with Unleaded Gasoline. The plan is intended to document the remedial actions for meeting nonresidential site-specific standards.

*Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: Richard M. Staron, Professional Geologist Manager, 484-250-5717.*

**Main Line Citgo**, Storage Tank Facility ID # **23-45906**, 700 W Haverford Rd, Bryn Mawr, PA 19010, Haverford Township, **Delaware County**. Claymore Environmental LLC, 650 Germantown Pike, Lafayette Hill, PA 19444, on behalf of Satwinder Multani, 700 E Haverford Road, Haverford, PA 19041 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The plan is intended to document the remedial actions for meeting nonresidential Statewide health standards.

**SEPTA Germantown Garage**, Storage Tank Facility ID # **51-07482**, 6725 Germantown Ave, Philadelphia, PA 19119, City of Philadelphia, **Philadelphia County**. Michael Baker International, Inc., 1818 Market Street, Suite 3100, Philadelphia, PA 19103, on behalf of SEPTA, 1234 Market Street, Philadelphia, PA 19107 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum products. The report is intended to document the remedial actions for meeting residential and nonresidential Statewide health and site-specific standards.

*Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Kam Miseikyte, Clerical Assistant 2, 412-442-4091.*

**Sunoco # 0261-8833**, Storage Tank Facility ID # **02-32313**, 2105 Walnut Street, McKeesport, PA 15132, City of McKeesport, **Allegheny County**. EnviroTrac, Ltd., 176 Thorn Hill Road, Warrendale, PA 15086, on behalf of Evergreen Resource Group, LLC, 2 Righter Parkway, Suite 120, Wilmington, DE 19803 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report is intended to document the remedial actions for meeting nonresidential Statewide health standards.

**Happy Mart**, Storage Tank Facility ID # **02-06684**, 1100 Penn Avenue, Wilkesburg, PA 15221, City of Pittsburgh, **Allegheny County**. Letterle & Associates, Inc., 2859 Oxford Boulevard, Allison Park, PA 15101, on behalf of S&D Oil, Inc., 1100 Penn Avenue, Pittsburgh, PA 15221



submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report is intended to document the remedial actions for meeting nonresidential site-specific standards.

**Pitstop Sunoco**, Storage Tank Facility ID # **65-83808**, 5556 State Route 982, Derry, PA 15627, Derry Township, **Westmoreland County**. Gary C. Calvert, LLC, P.O. Box # 504, Hollidaysburg, PA 16648, on behalf of 4 Kids Rock, Inc., 5556 State Route 982, Derry, PA 15627 submitted a Remedial Action Plan concerning remediation of groundwater contaminated with unleaded gasoline. The plan is intended to document the remedial actions for meeting nonresidential Statewide health standards.

## CORRECTIVE ACTION UNDER ACT 32, 1989

### PREAMBLE 3

---

#### Action(s) Taken on the Following Plans and Reports Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

---

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports.

A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

DEP may approve or disapprove plans and reports submitted. This notice provides DEP's decision and, if relevant, the basis for disapproval.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Household Hazardous Waste Education Grant Award under Section 901 of the Municipal Waste Planning, Recycling and Waste Reduction Act, Act 101 of 1988

The Department of Environmental Protection announces the following grant to Mifflin County under section 901 of the Municipal Waste Planning, Recycling and Waste Reduction Act (Act 101) (53 P.S. § 4000.901) and section 208 of the Small Business and Household Pollution Prevention Program Act (35 P.S. § 6029.208).

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DEP has received the following plans and reports.

*Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Kam Miseikyte, Clerical Assistant 2, 412-442-4091.*

**Honey Bear Mini Mart # 217**, Storage Tank Facility ID # **11-24175**, 3100 Elton Road, Johnstown, PA 15904, Richland Borough, **Cambria County**. Insite Group, Inc., 611 South Irvine Avenue, Sharon, PA 16146, on behalf of Graft Oil Co, 2561 Memorial Boulevard, P.O. Box 899, Connellsville, PA 15425 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The plan was acceptable to meet the residential Statewide health standards and was approved by DEP on May 13, 2024.

*Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: Richard M. Staron, Professional Geologist Manager, 484-250-5717.*

**Star Gas Mart**, Storage Tank Facility ID # **15-30422**, 1762 New London Road, Kemblesville, PA 19347, Franklin Township, **Chester County**. Aquaterra Technologies, Inc., 901 S. Bolmar Street, Suite A, West Chester, PA 19382, on behalf of MNAN Enterprises, LLC, 1514 Red Top Terrace, Perry Hall, MD 21128 submitted a Remedial Action Completion Report concerning remediation of groundwater contaminated with unleaded gasoline. The report demonstrated attainment of the residential Statewide health standards and was approved by DEP on May 30, 2024.

---

## SPECIAL NOTICES

---

### WATER PROGRAMS

---

#### Actions taken under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

---

*Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Susan Wilbur, 717-705-4708.*

**Source Water Protection Program Approval** issued to **Mifflin County Municipal Authority**, 400 Filter Plant Road, Lewistown, PA 17063, PWSID **4440010**, Countywide, **Mifflin County**, on June 4, 2024.

[Pa.B. Doc. No. 24-835. Filed for public inspection June 14, 2024, 9:00 a.m.]



Planning grants are awarded to counties for 80% of approved costs for preparing municipal waste management plans, as required by Act 101, for carrying out related studies, surveys, investigations, inquiries, research and analysis, including those related to siting, environmental mediation, education programs on pollution prevention and household hazardous waste (HHW) and providing technical assistance to small businesses for pollution prevention. Grants may be awarded for feasibility studies and project development for municipal waste processing or disposal facilities, except for facilities for the combustion of municipal waste that are not proposed to be operated for the recovery of energy. Grant awards are predicated on the receipt of recycling fees required by sections 701 and 702 of Act 101 (53 P.S. §§ 4000.701 and 4000.702) and the availability of funds in the Recycling Fund.

Inquiries regarding the grant offering can be directed to Janet Heindel, Department of Environmental Protection, Bureau of Waste Management, Division of Waste Minimization and Planning, Rachel Carson State Office Building, P.O. Box 8472, Harrisburg, PA 17105-8472, at jaheindel@pa.gov or (717) 787-7614.

**Act 101, Section 901 HHW Education Grant**

Region	County	Applicant	Project	Grant
Southcentral	Mifflin	Mifflin County	HHW Education	\$19,785

JESSICA SHIRLEY,  
*Acting Secretary*

[Pa.B. Doc. No. 24-836. Filed for public inspection June 14, 2024, 9:00 a.m.]

**DEPARTMENT OF ENVIRONMENTAL PROTECTION**

**Issuance of Revised General Plan Approval and/or General Operating Permit for Coal-Mine Methane Enclosed Flares (BAQ-GPA/GP-21)**

In accordance with section 6.1(f) of the Air Pollution Control Act (35 P.S. § 4006.1(f) and 25 Pa. Code Chapter 127, Subchapter H (relating to general plan approvals and operating permits), the Department of Environmental Protection (Department) has issued the revised General Plan Approval and/or General Operating Permit for Coal-Mine Methane Enclosed Flares (BAQ-GPA/GP-21) with an effective date of June 15, 2024.

The Department published a notice regarding the availability of the proposed revised GP-21 for public review and comment at 54 Pa.B. 1429 (March 16, 2024), in six newspapers of general circulation and sent to nearby states and the United States Environmental Protection Agency. The public comment period ended on April 29, 2024. The Department prepared a comment and response document that summarizes the comments received.

Applicants may seek authorization to use GP-21 by submitting the General Permit application to the appropriate Department regional office. Applicants must receive the Department's written approval prior to constructing or operating, or both, coal-mine methane enclosed flares authorized under this General Permit. The Department will publish notice of each authorization to use GP-21 in the *Pennsylvania Bulletin*.

A copy of the General Permit with related documents, including the comment and response document and technical support document, can be obtained by contacting David Clark, P.O. Box 8468, Harrisburg, PA 17105, (717) 772-3942, davclark@pa.gov. The documents are

available on the Department's web site at <http://www.dep.greenport.state.pa.us/elibrary/GetFolder?FolderID=3623>.

JESSICA SHIRLEY,  
*Acting Secretary*

[Pa.B. Doc. No. 24-837. Filed for public inspection June 14, 2024, 9:00 a.m.]

**DEPARTMENT OF ENVIRONMENTAL PROTECTION**

**Laboratory Accreditation Advisory Committee Meeting Scheduled**

On Tuesday, November 19, 2024, the Laboratory Accreditation Advisory Committee (Committee) will be holding a meeting at 9 a.m. at the Rachel Carson State Office Building, Room 105, Harrisburg, PA. Individuals may attend the meeting in person or remotely.

Information about Committee meetings, including agendas, meeting materials and in person and remote participation options, will be available on the Committee's webpage, found through the Public Participation tab on the Department of Environmental Protection's (Department) web site at [www.dep.pa.gov](http://www.dep.pa.gov) (select "Public Participation," then "Advisory Committees," then "Laboratory Accreditation," then "Laboratory Accreditation Advisory Committee").

Individuals are encouraged to visit the Committee's webpage to confirm meeting date, time and location prior to each meeting. Questions concerning the Committee can be directed to Annmarie Beach at [anbeach@pa.gov](mailto:anbeach@pa.gov) or (717) 346-8212.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact the Department at (717) 783-2360 or through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

JESSICA SHIRLEY,  
*Acting Secretary*

[Pa.B. Doc. No. 24-838. Filed for public inspection June 14, 2024, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Proposed State Implementation Plan Revision for a Noninterference Demonstration under Section 110(l) of The Clean Air Act to Support Decommissioning Stage II Gasoline Vapor Recovery Requirements and Add Requirements for Gasoline Dispensing Facilities; Public Hearing

The Department of Environmental Protection (Department) is seeking public comment on a noninterference demonstration required under section 110(l) of The Clean Air Act (act) (42 U.S.C. § 7410(l)). The noninterference demonstration is necessary to support the Department's submittal of a final rulemaking amending 25 Pa. Code Chapter 129 (relating to standards for sources) entitled "Control of VOC Emissions from Gasoline Dispensing Facilities (Stage I and Stage II)," published at 52 Pa.B. 1875 (March 26, 2022) as a revision to the Commonwealth's State Implementation Plan (SIP) at 40 CFR 52.2020 (relating to identification of plan). These amendments to Chapter 129, which apply to the five-county Philadelphia area and seven-county Pittsburgh area, provide for the decommissioning of Stage II vapor recovery equipment used at gasoline dispensing facilities and require leak testing to control emissions of volatile organic compounds (VOC) after decommissioning is complete. The noninterference demonstration will also support Allegheny County Health Department's final rulemaking, amending Article XXI, Subpart 1—VOC Sources, "Gasoline Dispensing Facilities—Stage II Control" as a revision to the Commonwealth's SIP. Emissions of VOC are a precursor to the formation of ground-level ozone. Ozone is a criteria pollutant with an associated National Ambient Air Quality Standard (NAAQS).

Section 110(l) of the act, pertaining to plan revisions, provides that the Environmental Protection Agency (EPA) Administrator shall not approve an SIP revision if that revision would interfere with any applicable requirement concerning attainment of an NAAQS and reasonable further progress in attaining an NAAQS or any other applicable requirement of the act. The noninterference demonstration in this proposed SIP revision shows that requiring decommissioning of vacuum assist Stage II vapor recovery systems and allowing decommissioning of all types of Stage II vapor recovery equipment as specified in 25 Pa. Code § 129.82a (relating to requirements to decommission a Stage II vapor recovery system) would satisfy section 110(l) of the act.

The EPA approval of this noninterference SIP revision will allow for the inclusion of revisions to 25 Pa. Code

§§ 121.1, 129.61 and 129.82 (relating to definitions; small gasoline storage tank control (Stage I) control; and control of VOCs from gasoline dispensing facilities (Stage II)) and 25 Pa. Code §§ 129.61a (relating to vapor leak monitoring procedures and other requirements for small gasoline storage tank emission control) and 129.82a, into the Commonwealth's SIP. The Department previously provided a 66-day public comment period that opened September 26, 2020, and closed November 30, 2020, on the proposed amendments. See 50 Pa.B. 5236 (September 26, 2020). The Department will not be accepting public comment on the Stage I and Stage II rulemaking.

This proposed noninterference demonstration that supports the SIP revision is available on the Department's web site at [www.ahs.dep.pa.gov/eComment](http://www.ahs.dep.pa.gov/eComment).

The Department will provide the opportunity for a public hearing to receive comments on the proposed noninterference demonstration. The Department will hold two public hearings to receive comments on the proposed SIP revision. The Department will hold the first hearing on July 15, 2024, at 1 p.m. at the Department of Environmental Protection, Southwest Regional Office, 500 Waterfront Drive, Rooms A and B, Pittsburgh, PA 15222. The second hearing will be held on July 16, 2024, at 1 p.m. at 2 East Main Street, Norristown, PA 19401. Persons wishing to present testimony should contact Amanda Rodriguez at [amarodrigu@pa.gov](mailto:amarodrigu@pa.gov) or (717) 787-7677 no less than 24 hours in advance of the public hearing to reserve a time. Witnesses will be limited to 10 minutes and should provide two written copies of their comments.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceeding should contact Amanda Rodriguez at P.O. Box 8468, Harrisburg, PA 17105, (717) 787-7677, [amarodrigu@pa.gov](mailto:amarodrigu@pa.gov). TDD users may contact the Pennsylvania Hamilton Relay Service at (800) 654-5984 to discuss how the Department can best accommodate their needs.

The Department must receive comments no later than July 16, 2024. Commentators are encouraged to submit comments using the Department's eComment system at [www.ahs.dep.pa.gov/eComment](http://www.ahs.dep.pa.gov/eComment) or by e-mail to [ecomment@pa.gov](mailto:ecomment@pa.gov). Written comments may be submitted to the Policy Office, Department of Environmental Protection, Rachel Carson State Office Building, P.O. Box 2063, Harrisburg, PA 17105-2063. Use "Stage II NID" as the subject line in written communication.

JESSICA SHIRLEY,  
*Acting Secretary*

[Pa.B. Doc. No. 24-839. Filed for public inspection June 14, 2024, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Ambulatory Surgical Facilities; Requests for Exceptions

The following ambulatory surgical facilities (ASF) have filed requests for exceptions under 28 Pa. Code § 51.33 (relating to requests for exceptions) with the Department of Health (Department), which has authority to license ASFs under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b). The following requests for exceptions relate to regulations governing ASF licensure in 28 Pa. Code Chapters 29, 51 and 551—571 (relating to miscellaneous health provisions; general information; and ambulatory surgical facilities).

Facility Name	Regulation
Children's Dental Surgery of Bethlehem	28 Pa. Code § 555.32(a) (relating to administration of anesthesia)

<i>Facility Name</i>	<i>Regulation</i>
Hershey Outpatient Surgery Center, LP	28 Pa. Code § 553.31(a) (relating to administrative responsibilities)
Main Line Surgical Center	28 Pa. Code § 555.31(a) (relating to principle)
Plaza Surgical Center, Inc.	28 Pa. Code § 555.31(a)
UOC Surgical Services, Ltd.	28 Pa. Code § 555.32(a)
UPMC Altoona Surgery Center	28 Pa. Code § 553.1 (relating to principle)
	28 Pa. Code § 553.31(a)

The following ASF has filed a request for exception under 28 Pa. Code § 571.1 (relating to minimum standards). Requests for exceptions under this section relate to *Guidelines for Design and Construction of Hospitals and of Outpatient Facilities*, as published by the Facility Guidelines Institute (FGI *Guidelines*). The following list includes the citation to the section of the FGI *Guidelines* for which the hospital is seeking an exception and the year of publication.

<i>Facility Name</i>	<i>Guidelines Section and relating to</i>	<i>Yr<sup>1,2</sup></i>
UPMC Saint Margaret Harmor Outpatient Center	A2.1-3.2.4.2(1)(c) space requirements	22-O

<sup>1</sup> 2018 Year FGI Regulations for Outpatient Facilities are indicated by “-O.”

<sup>2</sup> 2022 Year FGI Regulations for Outpatient Facilities are indicated by “-O.”

The previously listed requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov. Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed contact information. Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DEBRA L. BOGEN,  
Acting Secretary

[Pa.B. Doc. No. 24-840. Filed for public inspection June 14, 2024, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Decisions on Requests for Exceptions to Health Care Facility Regulations

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), effective June 6, 1998, the Department of Health (Department) has published in the *Pennsylvania Bulletin* all requests by entities licensed under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b), for exceptions to regulations contained in 28 Pa. Code Part IV Subparts B—G.

Section 51.33(d) of 28 Pa. Code provides that the Department will publish notice of all approved exceptions on a periodic basis. The Department has determined that it will publish notice of all exceptions, both approved and denied. The following list contains the decisions made on exception requests published in the *Pennsylvania Bulletin* from May 1, 2024, through May 31, 2024. Future publications of decisions on exception requests will appear on a monthly basis.

Requests for additional information on the exception request and the Department’s decision should be made to the relevant division of the Department. Inquiries regarding hospitals, abortion facilities and ambulatory surgical facilities shall be addressed to Garrison E. Gladfelter, Jr., Director, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980. Inquiries regarding long-term care facilities shall be addressed to Susan Williamson, Director, Division of Nursing Care Facilities, Room 528, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816. Inquiries regarding home care agencies, home care registries and home health care agencies shall be addressed to Linda Chamberlain, Director, Division of Home Health, Forum Place, Suite 701, 555 Walnut Street, Harrisburg, PA 17101, (717) 783-1379.

#### Ambulatory Surgical Facilities

<i>Facility Name</i>	<i>28 Pa. Code Regulation</i>	<i>Dec. Date</i>	<i>Decision</i>
Advanced Center for Surgery, LLC	§ 555.32(a) (relating to administration of anesthesia)	05/09/2024	Granted w/Conditions

<i>Facility Name</i>	<i>28 Pa. Code Regulation</i>	<i>Dec. Date</i>	<i>Decision</i>
Children's Dental Surgery	§ 555.32(a)	05/09/2024	Granted w/Conditions
Huntingdon Valley Surgery Center	§ 553.31(a) (relating to administrative responsibilities)	05/16/2024	Granted w/Conditions
Laurel Laser & Surgery Center, LP	§ 553.4(h) (relating to other functions)	05/09/2024	Granted Temporary
Valley Pain Center	§ 553.31(a)	05/16/2024	Granted w/Conditions

### Hospitals

<i>Facility Name</i>	<i>28 Pa. Code Regulation</i>	<i>Dec. Date</i>	<i>Decision</i>
Allegheny General Hospital	§ 153.1(a) (relating to minimum standards) 2.1-3.2.2.1(1) and (2)(a) space requirements	05/09/2024	Granted
Geisinger Community Medical Center	§ 51.3(b)—(d) (relating to notification)	05/09/2024	Granted w/Conditions
	§ 101.3 (relating to affected institutions)	05/09/2024	Granted w/Conditions
	§ 101.31(5) (relating to hospital requirements)	05/09/2024	Granted w/Conditions
	§ 105.15 (relating to patient identification)	05/09/2024	Granted w/Conditions
	§ 107.64 (relating to administration of drugs)	05/09/2024	Granted w/Conditions
	§ 117.30(3) and (4) (relating to emergency paramedic services)	05/09/2024	Granted w/Conditions
	§ 153.1(a) and (c)	05/09/2024	Granted w/Conditions
Geisinger Medical Center	§ 153.1(a) 2.1-7.2.2.2(1) ceiling height	05/09/2024	Granted Temporary
Lancaster General Hospital, The	§ 153.1(a) 2.1-3.6.2.1(2) exam room	05/16/2024	Granted
Lehigh Valley Hospital—Macungie	§ 107.61 (relating to written orders)	05/09/2024	Granted w/Conditions
	§ 107.62(a) and (b) (relating to oral orders)	05/09/2024	Granted w/Conditions
Meadville Medical Center	§ 153.1(a) 2.2-3.5.2.2(1)(c)(i) space requirements	05/13/2024	Granted
	§ 153.1(a) 2.2-3.5.2.5(1)(b) system component room	05/13/2024	Granted w/Conditions
Penn Highlands Mon Valley	§ 153.1(a) 2.1-7.2.2.2(1) and (2) ceiling height	05/09/2024	Granted
Saint Luke's Hospital of Bethlehem, Pennsylvania	§ 153.1(a) 2.2-3.1.4.3(2)(b)(i) rooms serving behavioral and mental health patients	05/09/2024	Granted
UPMC Lititz	§ 103.31 (relating to the chief executive officer)	05/16/2024	Granted w/Conditions
	§ 109.2(b) (relating to director of nursing services)	05/16/2024	Granted w/Conditions
UPMC Presbyterian Shadyside	§ 153.1(a) 2.2-3.5.2.2(1)(b)(i) space requirements	05/17/2024	Granted
Warren General Hospital	§ 109.2(b)	05/13/2024	Granted

### Nursing Care Facilities

<i>Facility Name</i>	<i>28 Pa. Code Regulation</i>	<i>Dec. Date</i>	<i>Decision</i>
Barclay Friends	§ 201.17 (relating to location)	05/20/2024	Granted
	§ 205.6(a) (relating to function of building)	05/20/2024	Granted
Linden Hall	§ 211.12(f.1)(4) (relating to nursing services)	05/15/2024	Granted
	§ 211.12(f.1)(5)	05/15/2024	Not Necessary
Providence Rehabilitation and Health Center at Mercy Fitzgerald	§ 205.27 (relating to lounge and recreation rooms)	05/20/2024	Granted



Persons with a disability who require an alternative format of this notice (for example, large print, audiotope, Braille) should contact the Division of Acute and Ambulatory Care, the Division of Nursing Care Facilities or the Division of Home Health at the previously referenced address or telephone number, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DEBRA L. BOGEN  
Acting Secretary

[Pa.B. Doc. No. 24-841. Filed for public inspection June 14, 2024, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Hospitals; Requests for Exceptions

The following hospitals have filed requests for exceptions under 28 Pa. Code § 51.33 (relating to requests for exceptions) with the Department of Health (Department), which has authority to license hospitals under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b). The following requests for exceptions relate to regulations governing hospital licensure in 28 Pa. Code Chapters 51 and 101—158 (relating to general information; and general and special hospitals).

<i>Facility Name</i>	<i>Regulation and relating to</i>
Geisinger Medical Center	28 Pa. Code § 51.3(b)—(d) (relating to notification)
	28 Pa. Code § 101.31(5) and (6) (relating to hospital requirements)
	28 Pa. Code § 105.15 (relating to patient identification)
	28 Pa. Code § 107.64 (relating to administration of drugs)
	28 Pa. Code § 117.30(3) and (4) (relating to emergency paramedic services)
	28 Pa. Code § 153.1(a) and (c) (relating to minimum standards)
Lehigh Valley Hospital	28 Pa. Code § 133.21 (relating to facilities)
	28 Pa. Code § 133.31(a) (relating to policies and procedures)
Penn State Health Saint Joseph	28 Pa. Code § 136.11(a) and (b) (relating to director)

The following hospitals have filed requests for exceptions under 28 Pa. Code § 153.1. Requests for exceptions under this section relate to minimum standards that hospitals must comply with under the *Guidelines for Design and Construction of Hospitals—2018 Edition, Guidelines for Design and Construction of Outpatient Facilities—2018 Edition* or the *Guidelines for Design and Construction of Hospitals—2022 Edition, Guidelines for Design and Construction of Outpatient Facilities—2022 Edition*. The following list includes the citation to the section under the *Guidelines* that the hospital is seeking an exception.

<i>Facility Name</i>	<i>FGI Guidelines Section and relating to</i>	<i>Yr<sup>1,2</sup></i>
Allegheny General Hospital	2.2-3.1.3.6(7)(a)(ii) treatment rooms and areas	22
Einstein Medical Center Montgomery	2.1-2.8.6.1 hand scrub facilities	22
Geisinger Community Medical Center	2.2-2.6.1.2(3) location	22
	2.2-2.6.2.2(2)(b) space requirements	22
Independence Health System Butler Memorial Hospital	2.1-2.2.9.3 medical gas and vacuum systems	22
Indiana Regional Medical Center	2.1-3.5.6.2 patient toilet room	22-O
Penn Highlands Connellsville	2.1-2.9.1 staff lounge facilities	22
	2.1-6.2.3.3(1) public toilet room	22-O
	2.5-2.2.8.17 conference room	22
	2.5-2.2.10.2(2)(b)(ii) social spaces	22
Penn Highlands Mon Valley	2.1-3.5.2.3(2)(a) handwashing station or hand scrub facilities	22-O
	2.1-3.5.9.4(1) and (2) staff changing area	22-O
	2.1-3.7.3 pre-procedure patient care room or area	22-O

<i>Facility Name</i>	<i>FGI Guidelines Section and relating to</i>	<i>Yr<sup>1,2</sup></i>
	2.1-3.7.5 phase II recovery room or area	22-O
	2.1-7.2.3.1(6)(a)(ii) flooring and wall bases	22-O
	2.1-7.2.3.3(2)(a)—(c) ceilings	22-O
	2.1-8.2.1.2(1) general	22-O
	2.1-8.4.4 medical gas and vacuum systems	22-O
	2.1-8.5.1 call systems	22-O
Penn Presbyterian Medical Center	2.1-2.4.2.2(1)—(5) aII room requirements	22
	2.1-3.4.4.2 phase I post-anesthetic care unit (PACU)	22
Saint Clair Hospital	2.1-2.4.3.9(1)(c) special design elements	22
Thomas Jefferson University Hospitals, Inc.	2.1-3.2.2.1(2)(a) space requirements	22
	2.1-7.2.2.3(2)(a)(i) doors and door hardware	22
UPMC Somerset	2.1-7.2.2.3(1)(a), (3)(b), (4)(a) and (5)(a)(i) and (ii) doors and door hardware	22-O
Wellspan Chambersburg Hospital	2.2-3.5.6.1(1)(a) ultrasound room	22
Wellspan Ephrata Community Hospital	2.1-8.4.4 medical gas and vacuum systems	22
Wilkes-Barre General Hospital	2.1-2.8.6.1 hand scrub facilities	22

<sup>1</sup> 2018 Year FGI Regulations for Outpatient Facilities are indicated by “-O.”

<sup>2</sup> 2022 Year FGI Regulations for Outpatient Facilities are indicated by “-O.”

The previously listed requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov. Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed contact information. Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or for speech and/or hearing impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DEBRA L. BOGEN,  
*Acting Secretary*

[Pa.B. Doc. No. 24-842. Filed for public inspection June 14, 2024, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Long-Term Care Nursing Facilities; Requests for Exception

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 201.3 (relating to definitions):

The Pavilion at Saint Luke Village  
1000 Stacie Drive  
Hazleton, PA 18201  
FAC ID # 455202

This request is on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile

to the Division at the previously listed contact information.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so, should contact the Division at the previously listed address or phone number, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DEBRA L. BOGEN,  
*Acting Secretary*

[Pa.B. Doc. No. 24-843. Filed for public inspection June 14, 2024, 9:00 a.m.]

## DEPARTMENT OF HUMAN SERVICES

### Availability of Amendment for the Office of Long-Term Living's Home and Community-Based OBRA Waiver

The Department of Human Services (Department) is making available for public review and comment the Office of Long-Term Living's proposed amendment for the OBRA waiver. The proposed amendment will be effective January 1, 2025.

#### *Background*

Whenever substantive changes are made to an approved waiver, the Department must submit an amendment to the Centers for Medicare & Medicaid Services for approval. The Department proposes the following substantive and technical changes to the OBRA waiver:

- Amend the following service definitions:
  - Benefits counseling.
  - Employment skills development.
  - Home adaptations.
  - Personal Emergency Response System.
- Add teleservices to the following services:
  - Cognitive rehabilitation.
  - Counseling services.
- Add the Home and Community-Based Services Consumer Assessment of Healthcare Providers and Systems survey as a patient experience of care/quality of life survey.
- Modify timeframe for filing for an appeal for waiver services to continue.
- Reduce the years of experience needed for structured day habilitation support staff to 2 years.
- Update Appendix G: Participant Safeguards to current process.
- Modify language throughout for better readability.
- Clarify when child abuse clearances are needed for direct care workers.

The proposed OBRA waiver amendment and a summary of all revisions are available for review at <https://www.pa.gov/en/agencies/dhs/departments-offices/otl-info/otl-waiver-amendments-renewals.html> or by contacting the Department's Office of Long-Term Living at (717) 857-3280.

#### *Fiscal Impact*

There is no direct fiscal impact associated with this notice.

#### *Public Comment*

Interested persons are invited to submit written comments regarding the proposed amendment to the Department of Human Services, Office of Long-Term Living, Bureau of Policy Development and Communications Management, Attention: Keeley Anglin—OBRA Waiver Amendment, P.O. Box 8025, Harrisburg, PA 17105-8025. Comments can also be sent to [RA-waiverstandard@pa.gov](mailto:RA-waiverstandard@pa.gov). Use "OBRA Waiver Amendment" as the subject line. Comments received within 30 days will be considered in subsequent revisions to the proposed amendment.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania Hamilton Relay Service by dialing 711 or by using one of the toll-free numbers at (800) 654-5984 (TDD users), (800) 654-5988 (voice users), (844) 308-9292 (Speech-to-Speech) or (844) 308-9291 (Spanish).

VALERIE A. ARKOOSH,  
*Secretary*

**Fiscal Note:** 14-NOT-1635. No fiscal impact; recommends adoption.

[Pa.B. Doc. No. 24-844. Filed for public inspection June 14, 2024, 9:00 a.m.]

## DEPARTMENT OF HUMAN SERVICES

### Availability of Renewal for the Office of Long-Term Living's Home and Community-Based Community HealthChoices Waiver

The Department of Human Services (Department) is making available for public review and comment the Office of Long-Term Living's proposed renewal for the Community HealthChoices (CHC) waiver. The proposed renewal will be effective January 1, 2025. The Department proposes the following substantive and technical changes to the CHC waiver:

- Amend the following service definitions:
  - Benefits counseling.
  - Employment skills development.
  - Home adaptations.
  - Telecare.
- Add teleservices to the following services:
  - Cognitive rehabilitation.
  - Counseling services.
- Add Chore Services as a new waiver service.
- Remove references to the organized health care delivery system and the participant review tool.
- Modify timeframes for developing and implementing person-centered service plans.
- Reduce the years of experience needed for structured day habilitation support staff to 2 years.
- Update Appendix G: Participant Safeguards to the current process.
- Update the quality strategy to current process.
- Modify language throughout for better readability.
- Clarify when child abuse clearances are needed for direct care workers.

#### *Background*

To continue receiving Federal matching funds for Home and Community-Based Services (HCBS) waiver services, the Centers for Medicare & Medicaid Services (CMS) requires that existing HCBS waivers be renewed every 5 years. See 42 CFR 430.25(h)(2)(i) (relating to waivers of State plan requirements). The proposed CHC waiver renewal is to be submitted to CMS by no later than October 3, 2024.

The proposed CHC waiver renewal and a summary of all revisions are available for review at <https://www.pa.gov/en/agencies/dhs/departments-offices/oltl-info/oltl-waiver-amendments-renewals.html> or by contacting the Department’s Office of Long-Term Living at (717) 857-3280.

*Fiscal Impact*

There is no direct fiscal impact associated with this notice.

*Public Comment*

Interested persons are invited to submit written comments regarding the proposed waiver renewal to the Department of Human Services, Office of Long-Term Living, Bureau of Policy Development and Communications Management, Attention: Keeley Anglin—CHC Waiver Renewal, P.O. Box 8025, Harrisburg, PA 17105-8025. Comments may also be submitted to the Department at RA-waiverstandard@pa.gov. Use “CHC Waiver Renewal” in the subject line. Comments received within 30 days will be reviewed and considered for revisions to the proposed waiver renewal.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania Hamilton Relay Service by dialing 711 or by using one of the toll-free numbers at (800) 654-5984 (TDD users), (800) 654-5988 (voice users), (844) 308-9292 (Speech-to-Speech) or (844) 308-9291 (Spanish).

VALERIE A. ARKOOSH,  
*Secretary*

**Fiscal Note:** 14-NOT-1634. No fiscal impact; recommends adoption.

[Pa.B. Doc. No. 24-845. Filed for public inspection June 14, 2024, 9:00 a.m.]

**DEPARTMENT OF  
LABOR AND INDUSTRY**

**Prevailing Wage Appeals Board; Verizon Pennsylvania, LLC and Verizon North, LLC; Doc. No. PWAB-1G-2024**

**Notice to Potential Interested Parties**

This serves to provide notification, under 34 Pa. Code § 213.8(e) (relating to grievances arising from administration of the act), that the Prevailing Wage Appeals Board (Board) received a grievance in the previously referenced matter regarding application of the Pennsylvania Prevailing Wage Act (act) (43 P.S. §§ 165-1—165-17) to broadband expansion work performed by Verizon Pennsylvania, LLC and Verizon North, LLC on Broadband Infrastructure Program projects, as part of the Verizon Statewide Project—PA Group 75, in the counties of Centre, Clearfield, Jefferson, Pike, Somerset and Warren. A copy of this grievance can be obtained by contacting Gina Meckley, Administrative Assistant to the Board, (717) 783-9276, gmeckley@pa.gov.

Persons claiming a right to intervene or an interest of the nature that intervention is necessary or appropriate

to the administration of the act, should file a petition to intervene under 1 Pa. Code §§ 35.27—35.32 (relating to intervention) by Monday, July 1, 2024.

Petitions to intervene shall be filed electronically with Gina Meckley, Administrative Assistant to the Board, at gmeckley@pa.gov. Copies of all petitions to intervene shall be served on counsel of the parties of record as follows:

<i>Verizon Pennsylvania, LLC and Verizon North, LLC</i>	<i>Bureau of Labor Law Compliance</i>
James S. Urban, Esquire Jones Day 500 Grant Street Suite 4500 Pittsburgh, PA 15219 jsurban@jonesday.com	Justin Romano Deputy Chief Counsel Office of Chief Counsel Department of Labor and Industry 651 Boas Street, 10th Floor Harrisburg, PA 17121 jusromano@pa.gov

Answers to petitions to intervene shall be filed electronically with Gina Meckley, Administrative Assistant to the Board, at gmeckley@pa.gov by Thursday, July 11, 2024.

NANCY WALKER,  
*Secretary*

[Pa.B. Doc. No. 24-846. Filed for public inspection July 14, 2024, 9:00 a.m.]

**DEPARTMENT OF  
TRANSPORTATION**

**Receipt of Applications for Funding under the Section 5310 Program Fiscal Year 2024-2025**

The Department of Transportation, Bureau of Public Transportation, under the authority in section 1(d) of the Federal Transit Laws (49 U.S.C. § 5310), gives notice that it will receive applications for the State-administered Section 5310 Program (Program). The application will open on Monday, July 1, 2024, and is due by the close of business on Wednesday, July 31, 2024. The 5310 private nonprofit (PNP) application instructions can be found under 5310 Program Resources at <https://www.penndot.pa.gov/Doing-Business/Transit/InformationandReports/Documents/5310%20Resources/5310%20PNP%20Applicant%20Instructions.pdf>.

Under this Program, PNP organizations and designated public bodies may apply for Federal capital assistance to pay up to 80% of the purchase cost of new wheelchair accessible small transit vehicles used to provide transportation services for senior citizens and persons with disabilities who cannot be reasonably accommodated by existing transportation providers.

Additional Program guidelines and general information on how to apply can be obtained by calling or e-mailing Samuel Plocinski, Bureau of Public Transportation, (717) 214-9757, splocinski@pa.gov.

MICHAEL CARROLL,  
*Secretary*

[Pa.B. Doc. No. 24-847. Filed for public inspection June 14, 2024, 9:00 a.m.]



## DEPARTMENT OF TRANSPORTATION

### State Transportation Commission; 2025 Statewide Transportation Improvement Program Public Comment Period

The State Transportation Commission (Commission), the Department of Transportation (Department) and the Commonwealth's Metropolitan Planning Organization (MPO) and the Rural Planning Organization (RPO) invite the public to review and comment on the draft 2025 Statewide Transportation Improvement Program (STIP). The public comment period for the draft 2025 STIP will be held from June 18, 2024, through July 3, 2024.

The draft 2025 STIP consists of a list of prioritized projects identified for funding by Federal fiscal year and includes Transportation Improvement Programs (TIP) as

adopted by each MPO and RPO, as well as Wayne County, the Interstate Management Program and State-wide Initiatives TIPs.

The draft 2025 STIP will be available from June 18, 2024, through July 3, 2024, at <https://talkpatransportation.com/how-it-works/stip>. Individuals can comment by filling out the online comment form at [TalkPATransportation.com](https://talkpatransportation.com) or by e-mailing [RA-PennDOTSTC@pa.gov](mailto:RA-PennDOTSTC@pa.gov). The public may also call the Department and share their comments at (717) 783-2262. Individuals who have other questions or challenges should contact the Department's Bureau of Equal Opportunity to request help by e-mailing [beodot@pa.gov](mailto:beodot@pa.gov) or calling (717) 787-5891, TTY (711).

MICHAEL CARROLL,  
*Secretary*

[Pa.B. Doc. No. 24-848. Filed for public inspection June 14, 2024, 9:00 a.m.]

## INDEPENDENT REGULATORY REVIEW COMMISSION

### Notice of Filing of Final Rulemaking

The Independent Regulatory Review Commission (Commission) received the following regulation. It is scheduled to be considered on the date noted. The Commission's public meetings are held at 333 Market Street, 14th Floor, Harrisburg, PA at 10 a.m. To obtain a copy of the regulation, interested parties should first contact the promulgating agency. If a copy cannot be obtained from the promulgating agency, the Commission will provide a copy or it can be viewed on the Commission's web site at [www.irrc.state.pa.us](http://www.irrc.state.pa.us).

<i>Previously Disapproved</i>			
<i>Reg. No.</i>	<i>Agency/Title</i>	<i>Received</i>	<i>Public Meeting</i>
16A-66	Bureau of Professional and Occupational Affairs Consideration of Criminal Convictions	06/03/24	06/20/24

GEORGE D. BEDWICK,  
*Chairperson*

[Pa.B. Doc. No. 24-849. Filed for public inspection June 14, 2024, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Application for Approval to Acquire Control of Apollo Mutual Fire Insurance Company

Friends Cove Mutual Insurance Company, a Pennsylvania property and casualty mutual insurance company, has filed an application to acquire control of Apollo Mutual Fire Insurance Company, a Pennsylvania property mutual insurance company. The filing was received on June 3, 2024, and was made under the requirements of Article XIV of The Insurance Company Law of 1921 (40 P.S. §§ 991.1401—991.1414).

Persons wishing to comment on this acquisition are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of publication of this notice in the *Pennsylvania Bulletin*. Each written statement must include the name, address and telephone number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient detail and relevant facts to inform the Department of the exact basis of the statement. Written statements must be e-mailed to Lori Rumpf, [lrumpf@pa.gov](mailto:lrumpf@pa.gov). Comments re-

ceived will be part of the public record regarding the filing and will be forwarded to the applicant for appropriate response.

MICHAEL HUMPHREYS,  
*Insurance Commissioner*

[Pa.B. Doc. No. 24-850. Filed for public inspection June 14, 2024, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Application and Request for a Certificate of Authority to Provide a Continuing Care Retirement Community by Phillipsburg SNF OpCo, LLC

Phillipsburg SNF OpCo, LLC has applied for a Certificate of Authority to operate a Continuing Care Retirement Community at Heritage Ridge Senior Living at Windy Hill in Philipsburg, PA. The initial filing was received on June 4, 2024, and was made under the Continuing-Care Provider Registration and Disclosure Act (40 P.S. §§ 3201—3225).

Persons wishing to comment on the grounds of public or private interest to the issuance of a Certificate of Author-

ity are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address and telephone number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient details to inform the Department of the exact basis of the statement. Written statements should be directed to Steven L. Yerger, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557, syerger@pa.gov.

MICHAEL HUMPHREYS,  
*Insurance Commissioner*

[Pa.B. Doc. No. 24-851. Filed for public inspection June 14, 2024, 9:00 a.m.]

## LEGISLATIVE REFERENCE BUREAU

### Documents Filed But Not Published

The Legislative Reference Bureau (Bureau) accepted the following document during the preceding calendar month for filing without publication under 1 Pa. Code § 3.13(b) (relating to contents of *Bulletin*). The Bureau will continue to publish on a monthly basis either a summary table identifying the documents accepted during the preceding calendar month under this subsection or a statement that no documents have been received. For questions concerning or copies of documents filed, but not published, call (717) 783-1530.

#### *Executive Board*

Resolution No. CB-24-013, Dated April 24, 2024. Authorizes a side letter between the Commonwealth of Pennsylvania and AFSCME regarding an incentive program for certain employees within the Department of Revenue, Bureau of Audits, who obtain and maintain their CPA licensure.

AMY J. MENDELSON,  
*Director*  
*Pennsylvania Code and Bulletin*

[Pa.B. Doc. No. 24-852. Filed for public inspection June 14, 2024, 9:00 a.m.]

## PENNSYLVANIA INFRASTRUCTURE INVESTMENT AUTHORITY DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Environmental Assessment Approvals for PENNVEST Funding Consideration

*Scope:* Clean Water and Drinking Water State Revolving Fund Projects for consideration at the July 17, 2024, meeting of the Pennsylvania Infrastructure Investment Authority (PENNVEST) Board.

*Description:* PENNVEST, which administers the Commonwealth's Clean Water State Revolving Fund (CWSRF) and Drinking Water State Revolving Fund (DWSRF), is

intended to be the funding source for the following projects. The Department of Environmental Protection's (Department) review of these projects, and the information received in the Environmental Report for these projects, has not identified any significant, adverse environmental impact resulting from any of the proposed projects. The Department hereby approves the Environmental Assessment for each project. If no significant comments are received during this comment period, the Environmental Assessments will be considered approved and funding for the projects will be considered by PENNVEST.

To be considered, the Department must receive comments on this approval on or by Monday, July 15, 2024. Comments, including comments submitted by e-mail, must include the commentator's name and address. Commentators are encouraged to submit comments using the Department's online eComment tool at [www.ahs.dep.pa.gov/eComment](http://www.ahs.dep.pa.gov/eComment). Written comments can also be submitted by e-mail to [ecomment@pa.gov](mailto:ecomment@pa.gov) or by mail to the Policy Office, Department of Environmental Protection, Rachel Carson State Office Building, P.O. Box 2063, Harrisburg, PA 17105-2063. Use "PENNVEST SRF-Environmental Assessment" as the subject line in written communication.

Comments received during the comment period, along with the Department's comment and response document will be available on the Department's web site at [www.dep.pa.gov/Business/Water/CleanWater/InfrastructureFinance/Pages/EnvironmentalReview.aspx](http://www.dep.pa.gov/Business/Water/CleanWater/InfrastructureFinance/Pages/EnvironmentalReview.aspx).

Upon approval, the full list of approved projects and their costs can be found in a press release on PENNVEST's web site at [www.pennvest.pa.gov](http://www.pennvest.pa.gov).

For more information about the approval of the following Environmental Assessments or the CWSRF and DWSRF Programs contact Dharmendra Kumar, Bureau of Clean Water, Department of Environmental Protection, P.O. Box 8774, Harrisburg, PA 17105-8774, (717) 772-3377, [dkumar@pa.gov](mailto:dkumar@pa.gov), or visit the Department's web site at [www.dep.pa.gov/Business/Water/CleanWater/InfrastructureFinance/Pages/default.aspx](http://www.dep.pa.gov/Business/Water/CleanWater/InfrastructureFinance/Pages/default.aspx).

#### *CWSRF Projects Being Considered:*

<i>Applicant:</i>	Township of Cranberry
<i>County:</i>	Butler
<i>Applicant Address:</i>	2525 Rochester Road Suite 400 Cranberry Township, PA 16066

*Project Description:* The existing autothermal thermophilic aerobic digestion (ATAD) system at the Brush Creek Wastewater Treatment Facility (WWTF) will be replaced with an anaerobic solids handling system. During the replacement of the solids handling process other ancillary portions of the plant will be repaired/replaced as part of the scope of work. The project consists of constructing two new anaerobic digesters with control building and waste gas flare, installing additional waste sludge holding facilities, demolishing the existing ATAD, installing a new post digestion sludge storage tank, constructing a new solids processing building with two centrifuges and appurtenances and demolishing two existing belt filter presses and appurtenances. The project also includes other ancillary improvements to the influent pump station and primary clarifiers as well as grit handling, existing waste sludge holding and odor control systems.

*Problem Description:* The current ATAD system and additional waste sludge holding facilities at the Brush Creek WWTF are neither efficient nor capable of managing future treatment flows. Cranberry Township has invested significant resources studying the most cost-effective method of not only providing adequate capacity, but also providing a solids handling system to meet both future growth and regulatory requirements.

<i>Applicant:</i>	Windber Area Authority
<i>County:</i>	Somerset
<i>Applicant Address:</i>	1700 Stockholm Avenue Windber, PA 15963

*Project Description:* Windber Area Authority (WAA) owns and operates the Ingleside Sewage Treatment Plant (STP) located in Richland Township, Cambria County. The proposed project includes constructing a new ATAD system, including, but not limited to: two reactor basins; a biofilter basin with scrubber; an equipment building with pumps; blowers; a drum thickener and other necessary appurtenances; associated piping, including proposed 4-inch and 6-inch ductile iron discharge lines; and site work necessary to integrate the new facilities into the existing STP. Also included is replacing the following existing equipment at the Ingleside Sequencing Batch Reactor (SBR) plant: two sludge pumps; the decanter actuator and limit switches at four SBR basins; the effluent water pumping system; fine bubble air diffuser membranes within the four SBR basins and at two sludge aerobic digester tanks; the belt filter press polymer feed system; and upgrades to the SBR plant main control panel. Additive alternate price proposals will be sought for replacement of diffuser holders, air piping and accessories in one of the SBR basins and in one of the aerobic digesters, replacement of the belt filter press and replacement of the emergency power generator.

*Problem Description:* The STP currently utilizes two aerobic digestion tanks and a 1.5-meter belt filter press. Sludge leaving the belt filter press ranges from 10%—14% solids and does not meet the Environmental Protection Agency biosolids classification of Class A or Class B. Therefore, the sludge must be disposed of at a landfill. The rapidly increasing cost to dispose of sludge by landfill has led WAA to the decision of pursuing the addition of an ATAD system for the STP, which is anticipated to achieve a total solids reduction of 40% or greater and process the sludge to achieve Class A designation. WAA could then give away the Class A biosolids instead of disposal by landfill.

<i>Applicant:</i>	Shinglehouse Borough
<i>County:</i>	Potter
<i>Applicant Address:</i>	103 North Pleasant Street Shinglehouse, PA 16748

*Project Description:* Shinglehouse Borough is proposing to demolish the primary clarifier, final clarifier and trickling filter. These will be replaced by a two-channel oxidation ditch process with a pre-anaerobic reactor tank for biological treatment and two new final clarifiers.

*Problem Description:* Shinglehouse Borough provides sewer collection and wastewater treatment to the Borough in Potter County. The existing WWTF was constructed in 1966. The facility's process equipment has

reached the end of its useful life and the current trickling filter treatment process will not reliably meet some of the new effluent limitations.

<i>Applicant:</i>	Martins Community, LLC
<i>County:</i>	Chester
<i>Applicant Address:</i>	25 Randy Lane Cochranville, PA 19330

*Project Description:* Martins Community, LLC proposes to replace the existing aging wastewater treatment plant (WWTP) in West Nottingham Township, Chester County with a new treatment plant adjacent to the existing facility. The proposed treatment plant will provide influent flow equalization, combined carbon oxidation nitrification denitrification, chemical feed for phosphorus precipitation and tertiary filtration followed by ultraviolet disinfection. The proposed plant will provide additional capacity to facilitate operation and to provide for possible future expansion. The plant effluent will be discharged through the existing outfall pipe which conveys effluent to the receiving stream. The existing WWTP will be decommissioned as part of the project.

*Problem Description:* The existing WWTP is aging and the facility is becoming increasingly difficult and costly to maintain.

*DWSRF Projects Being Considered:*

<i>Applicant:</i>	Pennsylvania American Water Company
<i>County:</i>	Washington
<i>Applicant Address:</i>	300 Galley Road McMurray, PA 15317

*Project Description:* The Pennsylvania American Water Company is proposing the Avella Road (State Route (SR) 50) waterline extension project. This project includes installing approximately 35,000 linear feet (LF) of 8-inch ductile iron waterline and all the required appurtenances along SR 50 in Cross Creek, Independence and Mount Pleasant Townships, Washington County. The waterline extension project includes 14 stream crossings impacting Cross Creek, tributaries to Cross Creek and tributaries to South Fork Cross Creek. Cross Creek, South Fork Cross Creek and their tributaries are designated under 25 Pa. Code Chapter 93 (relating to water quality standards) as High Quality Waters, Warm Water Fishes (WWF). The waterline will be installed by the open-cut method and the limit of disturbance is approximately 8.6 acres.

*Problem Description:* The proposed project is necessary to provide public water to several Washington County communities and the Avella Area School District, which relies on a well for all its water needs including fire protection. The addition of a public water system will provide safe drinking water to the community and greatly enhance the Avella Fire Department's ability to fight fire and protect the school district and surrounding areas. A secure and abundant water supply will allow the Avella Fire Department to better focus their efforts on the manpower and equipment necessary to effectively perform their duties.



<i>Applicant:</i>	Pennsylvania American Water Company
<i>County:</i>	Washington
<i>Applicant Address:</i>	300 Galley Road McMurray, PA 15317

*Project Description:* The proposed Old Steubenville Pike and Campbell Road waterline extension project includes the installation of approximately 15,700 LF of 4-inch through 8-inch diameter waterline by open-cut and horizontal directional drill methods and all the required appurtenances in Robinson and Smith Townships, Washington County. Pennsylvania American Water Company would design, permit, finance and construct the replacement of the new waterline. The project area consists of the Department of Transportation and municipal road right-of-ways, as well as seven stream crossings. Project area streams and unnamed tributaries are designated under 25 Pa. Code Chapter 93 for protected use for WWF.

*Problem Description:* The project is necessary to provide public water to several Washington County communities who currently rely on private wells for all their water needs. Many residents have complained of poor water quality or wells running dry and there is often low water pressure. Gaining access to public water supply will greatly enhance the quality of life for the residents of the community affected by this issue.

<i>Applicant:</i>	Mercersburg Water Authority
<i>County:</i>	Franklin
<i>Applicant Address:</i>	113 South Main Street Mercersburg, PA 16667

*Project Description:* This project consists of the construction of two separate water treatment facilities within the Mercersburg Water Authority’s public water system. The first facility will treat water from the existing Zimm Well and the Buck Run Well. This facility will be rated for the full combined capacity of the two wells of approximately 150 gallons per minute (gpm) and will contain systems for caustic soda addition, sodium hypochlorite addition, chlorine contact time, pressure filtration, backwash recycling, finished water booster pumps and orthophosphate addition for general corrosion control. The second facility will treat approximately 150 gpm of water from the new Park Avenue Well and will contain systems for raw water straining, softening, nitrate removal, orthophosphate addition, sodium hypochlorite addition and chlorine contact time. This project also includes construction of a 300,000-gallon finished water storage tank and a 500-gpm booster pump station to deliver water from the new Park Avenue Well treatment facility.

*Problem Description:* The Mercersburg Water Authority entered into a Consent Order and Agreement (COA) with the Department on September 10, 2020, following numerous violations of the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17). The COA required the Mercersburg Water Authority to prepare and submit to the Department an Existing Facilities and Treatment Alternative Study which outlined methods for compliance, the costs of those methods and the Mercersburg Water Authority’s plan for achieving compliance. The two new treatment plants included in this application represent the Mercersburg Water Authority’s chosen methods of

compliance and will allow the Mercersburg Water Authority to provide an adequate supply of safe and potable water to its users.

<i>Applicant:</i>	Johnsonburg Municipal Authority
<i>County:</i>	Elk
<i>Applicant Address:</i>	601 Market Street Johnsonburg, PA 15845

*Project Description:* The proposed project consists of installing a linear waterline from its current terminus, north, along Route 219 to Johnsonburg Elementary School and replacing a waterline on Rose and Grove Streets. The extension includes approximately 9,300 LF of 12-inch waterline, 460 feet of 6-inch waterline along SR 219 and Launer Drive, 46 new 1/4-inch water service connections, 6 new 2-inch water service connections and 1 4-inch water service connection to the Johnsonburg Elementary School. Work on Rose and Grove Streets includes replacing approximately 2,200 LF of antiquated asbestos cement waterline and 52 water service connections in the existing service area.

*Problem Description:* This project is necessary to provide public water to the Johnsonburg Elementary School and surrounding area that experience poor water quality and quantity. The Johnsonburg Elementary School (Public Water System ID 6240304) has experienced repeated violations due to poor water quality. The project also addresses aging infrastructure that is prone to leaks, flow restrictions and water quality issues.

JESSICA SHIRLEY,  
*Acting Secretary*  
*Department of Environmental Protection*  
ROBERT H. BOOS,  
*Executive Director*  
*Pennsylvania Infrastructure Investment Authority*

[Pa.B. Doc. No. 24-853. Filed for public inspection June 14, 2024, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Natural Gas Service

**A-2024-3049308. Columbia Gas of Pennsylvania, Inc.** Application for approval of abandonment of natural gas service by Columbia Gas of Pennsylvania, Inc. to two active residential premises in Greene County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before July 1, 2024. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available only online for inspection and copying on the Pennsylvania Public Utility Commission’s (Commission) web site at [www.puc.pa.gov](http://www.puc.pa.gov) and at the applicant’s business address. Parties to proceedings pending before the Commission must open and use an eFiling account through the Commission’s web site at [www.puc.pa.gov](http://www.puc.pa.gov) or they may submit the filing by overnight delivery to the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA



17120. If a filing contains confidential or proprietary material, the filing is required to be submitted by overnight delivery. Large filings containing confidential or proprietary material may be submitted through the Commission's Share Point File system with advanced notice to the Commission prior to submittal.

*Applicant:* Columbia Gas of Pennsylvania, Inc., 121 Champion Way, Suite 100, Canonsburg, PA 15317

*Through and By Counsel for:* Candis A. Tunilo, Esquire, 800 North Third Street, Suite 204, Harrisburg, PA 17102, ctunilo@nisource.com; Theodore J. Gallagher, Esquire, 121 Champion Way, Suite 100, Canonsburg, PA 15317, tjgallagher@nisource.com

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 24-854. Filed for public inspection June 14, 2024, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission (Commission). Formal protests, petitions to intervene and answers must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before July 1, 2024. Filings are recommended to be made electronically through eFiling to the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy served on the applicant by July 1, 2024. Individuals can sign up for a free eFiling account with the Secretary of the Commission through the Commission's eFiling system at <https://www.puc.pa.gov/efiling/Default.aspx>. A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Protests may only be filed if there is evidence that the applicant lacks fitness. Protests based on endangering or impairing operations of an existing carrier will not be honored. The documents filed in support of the application are only available for inspection through the Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov) by searching under the docket number as follows or by searching the applicant's web site.

#### Applications of the following for approval to *begin operating as common carriers for transportation of persons as described under each application.*

**A-2024-3048200. Time Away Transportation Services, LLC** (102 Friendship Drive, Hawley, Wayne County, PA 18428) for the right to begin to transport, as a common carrier, by motor vehicle, persons on schedule, between the Borough of Honesdale, Wayne County and the Borough of Hawley, Wayne County, upon the following route: beginning at Main Street in the Borough of Honesdale (intersection of 12th Street), head southeast on Main Street, turn left on 4th Street (which then becomes Willow Avenue, which then becomes Texas Palmyra Highway, which then becomes Hudson Street, which then becomes Main Avenue in the Borough of Hawley, all of which are also commonly referred to as US-6 or Route 6) and return to start by the same route until reaching 4th

Street where the route will follow Church Street in the Borough of Honesdale, making a left on 12th Street, followed by another left on Main Street to resume from starting point.

**A-2024-3048367. Driven Your Way, LLC** (80 Quarry Road, Trailer 35, Kutztown, Berks County, PA 19530) for the right to begin to transport, as a common carrier, by motor vehicle, persons in limousine service, between points in Pennsylvania; excluding service that is under the jurisdiction of the Philadelphia Parking Authority.

**A-2024-3049065. Signature Style Limos, LLC** (7415 Alma Street, Floor 1, Philadelphia, PA 19111) in limousine service, from points in the Counties of Chester, Delaware and Montgomery, to points in Pennsylvania, and return; excluding areas under the jurisdiction of the Philadelphia Parking Authority.

#### Application of the following for approval of the *beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of household goods as described under the application.*

**A-2024-3048886. Barnett Unlimited, Inc.** (302 2nd Avenue, Osceola Mills, Clearfield County, PA 16666) for the right to begin to transport, as a common carrier, by motor vehicle, household goods in use, between points in Pennsylvania.

#### Application of the following for approval to *begin operating as contract carriers for transportation of persons as described under the application.*

**A-2024-3048747. Secure Transport, LLC** (3342 Nichols Run Road, Jersey Shore, Lycoming County, PA 17740) to transport persons, in contract carrier service, for the University of Pittsburgh Medical Center, from points in the County of Lycoming, to points in Pennsylvania, and return.

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 24-855. Filed for public inspection June 14, 2024, 9:00 a.m.]

## PHILADELPHIA PARKING AUTHORITY

### Service of Notice of Motor Carrier Applications in the City of Philadelphia

The following permanent authority applications to render service as common carriers in the City of Philadelphia have been filed with the Philadelphia Parking Authority's (PPA) Taxicab and Limousine Division (TLD). Formal protests must be filed in accordance with 52 Pa. Code Part II (relating to Philadelphia Parking Authority) with the TLD's Office of the Clerk, 2415 South Swanson Street, Philadelphia, PA 19148, no later than July 1, 2024. The nonrefundable protest filing fee is \$5,000 payable to the PPA by certified check or money order. The applications are available for inspection at the TLD between 9 a.m. and 4 p.m., Monday through Friday (contact TLD Director Peter Carnival at (215) 683-9653 to make an appointment) or may be inspected at the business addresses of the respective applicants or attorneys, or both.

**Doc. No. A-24-05-08. Bano Taxi, LLC** (18 Heather Road, Upper Darby, PA 19082): An application for a

medallion taxicab certificate of public convenience (CPC) to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return.

**Doc. No. A-24-05-09. Ali Khokhar, Inc.** (604 Addison Way, Warrington, PA 18976): An application for a medallion taxicab CPC to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return.

RICH LAZER,  
*Executive Director*

[Pa.B. Doc. No. 24-856. Filed for public inspection June 14, 2024, 9:00 a.m.]

**PUBLIC SCHOOL EMPLOYEES’  
RETIREMENT BOARD**

**Hearing Scheduled**

A hearing has been scheduled, as authorized by 24 Pa.C.S. Part IV (relating to Public School Employees’ Retirement Code), in connection with the Public School Employees’ Retirement System’s (System) denial of claimant’s request concerning the indicated account.

The hearing will be held before a hearing examiner at the Public School Employees’ Retirement System, 5 North Fifth Street, Harrisburg, PA 17101.

October 9, 2024	Account of Joan Silvestri (Waive Actuarial Reduction)	10 a.m.
-----------------	--	---------

Persons with a disability who wish to attend the previously listed hearing and require an auxiliary aid, service or other accommodation to attend the proceeding should contact the Appeal Docket Clerk at (717) 720-4913 to discuss how the System may best accommodate their needs.

Parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The hearing will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). Under 22 Pa. Code § 201.1 (relating to applicability of general rules), procedural matters will be in conformance with 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) unless specific exemption is granted.

TERRILL J. SANCHEZ,  
*Executive Director*

[Pa.B. Doc. No. 24-857. Filed for public inspection June 14, 2024, 9:00 a.m.]

**STATE CONSERVATION COMMISSION**

**Action on Odor Management Plans for Concentrated Animal Operations and Concentrated Animal Feeding Operations and Volunteers Complying with the Commonwealth’s Facility Odor Management Program**

The State Conservation Commission has taken the following actions on previously received applications for Odor Management Plans under 3 Pa.C.S. §§ 501—522 (relating to nutrient management and odor management).

Persons aggrieved by any action may appeal under 3 Pa.C.S. § 517 (relating to appealable actions), section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law) to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Hamilton Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. The appeal form and the Board’s rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, so individuals interested in challenging this action should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

**Odor Management Plan—Public Notice Spreadsheet—Actions**

<i>Ag Operation Name, Address</i>	<i>County/Township</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>New, Amended or Existing</i>	<i>Action Taken</i>
Shawn Good—Broiler Breeder Farm 426 Reward Road Millerstown, PA 17062	Perry County/ Greenwood Township	176.24	Broiler Breeder	New	Approved
Reinford Farms, Inc.—Home Farm & Cunningham Farm 505 Cedar Grove Road and 988 Cunningham Road Mifflintown, PA 17059	Juniata County/ Walker Township	586.2	Cattle	Amended	Approved

<i>Ag Operation Name, Address</i>	<i>County/Township</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>New, Amended or Existing</i>	<i>Action Taken</i>
Jonas King—Layer Farm 425 Center Road Quarryville, PA 17566	Lancaster County/ East Drumore Township	60.9	Layers	New	Approved
Rushtown Poultry, LLC—Milan Farm 1194 Milan Road Milan, PA 18831	Bradford County/ Smithfield Township	188.4	Layers	New	Approved
Neil Zimmerman—Broiler Farm 204 Warren Road Lewisburg, PA 17837	Union County/ Kelly Township	142.88	Broilers	New	Approved

RUSSELL REDDING,  
*Chairperson*

[Pa.B. Doc. No. 24-858. Filed for public inspection June 14, 2024, 9:00 a.m.]

\_\_\_\_\_

**END OF ISSUE**



































