

PENNSYLVANIA BULLETIN

Volume 54

Number 27

Saturday, July 6, 2024 • Harrisburg, PA

Pages 3773—3896

See Part II page 3867
for the Subject Index for
January—June 2024

Part I

Agencies in this issue

The Courts
Department of Banking and Securities
Department of Education
Department of Environmental Protection
Department of Health
Department of Human Services
Department of Labor and Industry
Department of Transportation
Environmental Quality Board
Independent Regulatory Review Commission
Insurance Department
Pennsylvania Public Utility Commission
Detailed list of contents appears inside.



**Latest Pennsylvania Code Reporter
(Master Transmittal Sheet):**

No. 596, July 2024

CUT ON DOTTED LINES AND ENCLOSE IN AN ENVELOPE

CHANGE NOTICE/NEW SUBSCRIPTION

If information on mailing label is incorrect, please email changes to info@pbulletin.com or mail to:

FRY COMMUNICATIONS, INC.
Attn: *Pennsylvania Bulletin*
800 W. Church Rd.
Mechanicsburg, PA 17055-3198

CUSTOMER NUMBER (6 digit number above name on mailing label)

NAME OF INDIVIDUAL

OFFICE NAME—TITLE

ADDRESS (Number and Street)

(City) (State) (Zip Code)

TYPE OR PRINT LEGIBLY

PENNSYLVANIA



BULLETIN

(ISSN 0162-2137)

The *Pennsylvania Bulletin* is published weekly by Fry Communications, Inc. for the Commonwealth of Pennsylvania, Legislative Reference Bureau, 641 Main Capitol Building, Harrisburg, Pennsylvania 17120, under the policy supervision and direction of the Joint Committee on Documents under 45 Pa.C.S. Part II (relating to publication and effectiveness of Commonwealth documents). The subscription rate is \$87.00 per year, postpaid to points in the United States. Individual copies are \$2.50. Checks for subscriptions and individual copies should be made payable to "*Fry Communications, Inc.*" Periodicals postage paid at Harrisburg, Pennsylvania.

Postmaster send address changes to:

FRY COMMUNICATIONS, Inc.
Attn: *Pennsylvania Bulletin*
800 West Church Road
Mechanicsburg, Pennsylvania 17055-3198
(717) 766-0211 ext. 2340
(800) 334-1429 ext. 2340 (toll free, out-of-State)
(800) 524-3232 ext. 2340 (toll free, in State)

Orders for subscriptions and other circulation matters should be sent to:

Fry Communications, Inc.
Attn: *Pennsylvania Bulletin*
800 West Church Road
Mechanicsburg, Pennsylvania 17055-3198

Copyright © 2024 Commonwealth of Pennsylvania

Editorial preparation, composition, printing and distribution of the *Pennsylvania Bulletin* is effected on behalf of the Commonwealth of Pennsylvania by FRY COMMUNICATIONS, Inc., 800 West Church Road, Mechanicsburg, Pennsylvania 17055-3198.

CONTENTS

THE COURTS

DISCIPLINARY BOARD OF THE SUPREME COURT	
Notice of suspension	3787
LOCAL COURT RULES	
Butler County	
Regional booking fees; AD-10-8-2024	3787
RULES OF CIVIL PROCEDURE	
Proposed adoption of Pa.R.Civ.P. 1850	3780
Proposed adoption of Pa.R.Civ.P. 1960—1964	3785
Proposed amendment of Pa.R.Civ.P. 1930.2	3782

EXECUTIVE AND INDEPENDENT AGENCIES

DEPARTMENT OF BANKING AND SECURITIES	
Notices	
Actions on applications	3788
DEPARTMENT OF EDUCATION	
Notices	
Application by Lackawanna Junior College, d/b/a Lackawanna College, to amend articles of incorpo- ration	3788
DEPARTMENT OF ENVIRONMENTAL PROTECTION	
Notices	
Applications, actions and special notices	3789
Bid opportunity	3840
Federal consistency under the Coastal Zone Man- agement Act; reconstruction and dredging at Pier 6A in the City of Philadelphia	3841
Rescission of technical guidance	3841
Small Business Compliance Advisory Committee meeting cancellation	3841
DEPARTMENT OF HEALTH	
Notices	
Special Pharmaceutical Benefits Program Advisory Council public meeting	3842
Special Supplemental Nutrition Program for Women, Infants and Children (WIC Program); 2024-2025 WIC food list	3842
Special Supplemental Nutrition Program for Women, Infants and Children (WIC Program); WIC Advisory	3847

DEPARTMENT OF HUMAN SERVICES

Notices	
Designated exceptional durable medical equipment ..	3847
Disproportionate share payments and supplemental payments to qualifying hospitals	3848
Medical Assistance Program Fee schedule updates for ophthalmology services	3850
Supplemental payments to qualifying hospitals	3851

DEPARTMENT OF LABOR AND INDUSTRY

Notices	
Uniform Construction Code Review and Advisory Council meeting	3853

DEPARTMENT OF TRANSPORTATION

Notices	
Findings	3853
Highly Automated Vehicle Advisory Committee meeting and public comment	3854

ENVIRONMENTAL QUALITY BOARD

Notices	
Meeting cancellation	3855

INDEPENDENT REGULATORY REVIEW COMMISSION

Notices	
Actions taken by the Commission	3855
Notice of filing of final rulemaking	3857

INSURANCE DEPARTMENT

Notices	
Alleged violation of insurance laws; Donte N. Ster- ling; doc. No. SC24-06-026	3857
Andy Pan; license denial appeal; doc. No. AG24-06-015	3857
Review procedure hearings; cancellation or refusal of insurance (4 documents)	3857, 3858, 3859
Workers' Compensation Security Fund assessment; notice 2024-10	3859

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Notices	
Declaratory order	3859
General rule transaction (3 documents)	3860, 3861
Service of notice of motor carrier applications	3861
Transfer indirect control	3862
Water service	3862
Wastewater service	3863
Wastewater service; telephonic prehearing confer- ence	3863

Available Online at <http://www.pacodeandbulletin.gov>

READER'S GUIDE TO THE PENNSYLVANIA BULLETIN AND THE PENNSYLVANIA CODE

Pennsylvania Bulletin

The *Pennsylvania Bulletin* is the official gazette of the Commonwealth of Pennsylvania. It is published weekly. A cumulative subject matter index is published quarterly.

The *Pennsylvania Bulletin* serves several purposes. It is the temporary supplement to the *Pennsylvania Code*, which is the official codification of agency rules and regulations, Statewide court rules, and other statutorily authorized documents. Changes in the codified text, whether by adoption, amendment, rescission, repeal or emergency action, must be published in the *Pennsylvania Bulletin*.

The following documents are published in the *Pennsylvania Bulletin*: Governor's Executive Orders; Summaries of Enacted Statutes; Statewide and Local Court Rules; Attorney General Opinions; Motor Carrier Applications before the Pennsylvania Public Utility Commission; Applications and Actions before the Department of Environmental Protection; Orders of the Independent Regulatory Review Commission; and other documents authorized by law.

The text of certain documents published in the *Pennsylvania Bulletin* is the only valid and enforceable text. Courts are required to take judicial notice of the *Pennsylvania Bulletin*.

Adoption, Amendment or Repeal of Regulations

Generally an agency wishing to adopt, amend or rescind regulations must first publish in the *Pennsylvania Bulletin* a Proposed Rulemaking. There are limited instances when the agency may omit the proposal step; it still must publish the adopted version.

The Proposed Rulemaking contains the full text of the change, the agency contact person, a fiscal note required by law and background for the action.

The agency then allows sufficient time for public comment before taking final action. A Final Rulemaking must be published in the *Pennsylvania Bulletin* before the changes can take effect. If the agency wishes to adopt changes to the Proposed Rulemaking to enlarge the scope, it must repropose.

Citation to the *Pennsylvania Bulletin*

Cite material in the *Pennsylvania Bulletin* by volume number, a page number and date. Example: Volume 1, *Pennsylvania Bulletin*, page 801, January 9, 1971 (short form: 1 Pa.B. 801 (January 9, 1971)).

Pennsylvania Code

The *Pennsylvania Code* is the official codification of rules and regulations issued by Commonwealth agencies, Statewide court rules and other statutorily authorized documents. The *Pennsylvania Bulletin* is the temporary supplement to the *Pennsylvania Code*, printing changes when they are adopted. These changes are then permanently codified by the *Pennsylvania Code Reporter*, a monthly, loose-leaf supplement.

The *Pennsylvania Code* is cited by title number and section number. Example: Title 10 *Pennsylvania Code* § 1.1 (short form: 10 Pa. Code § 1.1).

Under the *Pennsylvania Code* codification system, each regulation is assigned a unique number by title and section. Titles roughly parallel the organization of Commonwealth government.

How to Find Rules and Regulations

Search for your area of interest in the *Pennsylvania Code*. The *Pennsylvania Code* is available at www.pacodeandbulletin.gov.

Source Notes give the history of regulations. To see if there have been recent changes not yet codified, check the List of *Pennsylvania Code* Chapters Affected in the most recent issue of the *Pennsylvania Bulletin*.

A chronological table of the history of *Pennsylvania Code* sections may be found at www.legis.state.pa.us/cfdocs/legis/CH/Public/pcde_index.cfm.

A quarterly List of *Pennsylvania Code* Sections Affected lists the regulations in numerical order, followed by the citation to the *Pennsylvania Bulletin* in which the change occurred.

The *Pennsylvania Bulletin* is available at www.pacodeandbulletin.gov.

**Subscription Information: (717) 766-0211
General Information and Finding Aids: (717) 783-1530**

Printing Format

Rules, Regulations and Statements of Policy in Titles 1—107 of the Pennsylvania Code

Text proposed to be added is printed in **underscored bold face**. Text proposed to be deleted is enclosed in brackets [] and printed in **bold face**.

Proposed new chapters and sections are printed in regular type to enhance readability. Final rulemakings and statements of policy are printed in regular type.

Ellipses, a series of five asterisks, indicate text that is not amended.

In Proposed Rulemakings and proposed Statements of Policy, existing text corresponds to the official codified text in the *Pennsylvania Code*.

Court Rules in Titles 201—246 of the Pennsylvania Code

Added text in proposed and adopted court rules is printed in **underscored bold face**. Deleted text in proposed and adopted court rules is enclosed in brackets [] and printed in **bold face**.

Proposed new chapters and rules are printed in regular type to enhance readability.

Ellipses, a series of five asterisks, indicate text that is not amended.

Fiscal Notes

Section 612 of The Administrative Code of 1929 (71 P. S. § 232) requires the Governor's Budget Office to prepare a fiscal note for regulatory actions and administrative procedures of the administrative departments, boards, commissions and authorities receiving money from the State Treasury. The fiscal note states whether the action or procedure causes a loss of revenue or an increase in the cost of programs for the Commonwealth or its political subdivisions. The fiscal note is required to be published in the *Pennsylvania Bulletin* at the same time as the change is advertised.

A fiscal note provides the following information: (1) the designation of the fund out of which the appropriation providing for expenditures under the action or procedure shall be made; (2) the probable cost for the fiscal year the program is implemented; (3) projected cost estimate of the program for each of the 5 succeeding fiscal years; (4) fiscal history of the program for which expenditures are to be made; (5) probable loss of revenue for the fiscal year of its implementation; (6) projected loss of revenue from the program for each of the 5 succeeding fiscal years; (7) line item, if any, of the General Appropriation Act or other appropriation act out of which expenditures or losses of Commonwealth funds shall occur as a result of the action or procedures; and (8) recommendation, if any, of the Secretary of the Budget and the reasons therefor.

The omission of an item indicates that the agency text of the fiscal note states that there is no information available with respect thereto. In items (3) and (6) information is set forth for the first through fifth fiscal years, following the year the program is implemented, which is stated. In item (4) information is set forth for the current and two immediately preceding years. In item (8) the recommendation, if any, made by the Secretary of the Budget is published with the fiscal note. "No fiscal impact" means no additional cost or revenue loss to the Commonwealth or its local political subdivision is intended. See 4 Pa. Code Chapter 7, Subchapter R (relating to fiscal notes).

Reproduction, Dissemination or Publication of Information

Third parties may not take information from the *Pennsylvania Code* and *Pennsylvania Bulletin* and reproduce, disseminate or publish information except as provided by 1 Pa. Code § 3.44:

§ 3.44. General permission to reproduce content of Code and Bulletin.

Information published under this part, which information includes, but is not limited to, cross references, tables of cases, notes of decisions, tables of contents, indexes, source notes, authority notes, numerical lists and codification guides, other than the actual text of rules or regulations may be reproduced only with the written consent of the [Legislative Reference] Bureau. The information which appears on the same leaf with the text of a rule or regulation, however, may be incidentally reproduced in connection with the reproduction of the rule or regulation, if the reproduction is for the private use of a subscriber and not for resale. There are no other restrictions on the reproduction of information published under this part, and the Commonwealth hereby consents to a reproduction.

List of Pa. Code Chapters Affected

The following numerical guide is a list of the chapters of each title of the *Pennsylvania Code* affected by documents published in the *Pennsylvania Bulletin* during 2024.

4 Pa. Code (Administration)

Adopted Rules

1	3516
6	7
7	3018

Statements of Policy

9	16, 496, 730, 1334, 2350, 3404
58	1340
68	1340

7 Pa. Code (Agriculture)

Proposed Rules

59a	3318
-----	------

10 Pa. Code (Banking and Securities)

Statements of Policy

19	2092
----	------

12 Pa. Code (Commerce, Trade and Local Government)

Adopted Rules

145	145
-----	-----

22 Pa. Code (Education)

Proposed Rules

4	3353
---	------

25 Pa. Code (Environmental Protection)

Adopted Rules

1021	2776
------	------

Proposed Rules

801	1953
-----	------

28 Pa. Code (Health and Safety)

Statements of Policy

51	148
----	-----

31 Pa. Code (Insurance)

Proposed Rules

37	2492
37a	2492
5001	2993

37 Pa. Code (Law)

Adopted Rules

481	3151
-----	------

40 Pa. Code (Liquor)

Adopted Rules

5	145
---	-----

Proposed Rules

3	722
5	722
9	722
11	722

49 Pa. Code (Professional and Vocational Standards)

Adopted Rules

5	3152
16	2780
18	2780
23	368
36	3157
45	375

Proposed Rules

25	2798
27	1060
31	3618
35	2806
36	3623
40	383

Statements of Policy

16	3162
21	148, 3163
25	3165
41	3167
47	3169
48	3169
49	3169

51 Pa. Code (Public Officers)

Adopted Rules

11	2077
13	2077
15	2077
17	2077
19	2077
21	2077
23	2077
25	2077

52 Pa. Code (Public Utilities)

Statements of Policy

69	1670, 1675, 3036
----	------------------

55 Pa. Code (Human Services)

Statements of Policy

1	148
4210	1956

58 Pa. Code (Recreation)

Adopted Rules

75	1054
97	1056
107	1057
111	1056, 1058
133	1315
135	1316
139	3021
141	1318, 1319, 3030, 3033
617b	1537, 2923
617c	2923
623b	2923
623c	2923
627b	2923
627c	2923
629b	2923
629c	2923
631b	2923
631c	2923
633b	1537, 2923
633c	2923
635b	2923
635c	2923
639b	2923
639c	2923
641b	2923
641c	2923

643b 2923
 643c 2923
 645b 2923
 645c 2923
 647b 2923
 647c 2923
 649b 2923
 649c 2923
 653b 1537, 2923
 653c 2923
 655b 2923
 655c 2923
 657b 2923
 657c 2923
 659b 2923
 659c 2923
 670b 2923
 670c 2923
 674b 1537
 685b 2923
 685c 2923
 687b 2923
 687c 2923
 688b 2923
 688c 2923
 689 2923
 689a 2923
 690 1537

Proposed Rules

65 3523, 3524
 117 3633
 139 1321, 1668
 141 1330, 1332
 147 3035
 603a 2085
 633a 2085
 687a 2085
 812a 2085
 819a 2085

Statements of Policy

603b 2093

61 Pa. Code (Revenue)

Proposed Rules

5 2996
 153 2999

67 Pa. Code (Transportation)

Adopted Rules

171a 719
 171b 719

201 Pa. Code (Rules of Judicial Administration)

Adopted Rules

5 3315

204 Pa. Code (Judicial System General Provisions)

Adopted Rules

71 138, 2219
 81 1946
 207 1525
 303a 1180

Proposed Rules

71 714
 81 1041
 87 1041

207 Pa. Code (Judicial Conduct)

Adopted Rules

1 1296
 3 1297

210 Pa. Code (Appellate Procedure)

Adopted Rules

65 2481

231 Pa. Code (Rules of Civil Procedure)

Adopted Rules

200 138
 Part II 2735

Proposed Rules

1850 3780
 1930 3782
 1960 3785
 Part II 1654

234 Pa. Code (Rules of Criminal Procedure)

Adopted Rules

1 2738
 2 2743
 4 2738
 5 2738, 2743
 10 2743

Proposed Rules

4 919
 7 919
 10 919

237 Pa. Code (Juvenile Rules)

Proposed Rules

1 2061
 16 2065

246 Pa. Code (Minor Court Civil Rules)

Adopted Rules

200 2482
 300 2482, 3147
 500 2482

Proposed Rules

200 2344
 300 714, 2066, 2344
 500 714

249 Pa. Code (Philadelphia Rules)

Unclassified 617, 1181, 3520

252 Pa. Code (Allegheny County Rules)

Unclassified 1181, 2748

255 Pa. Code (Local Court Rules)

Unclassified 11, 12, 13, 14, 139, 140, 355, 361, 366, 617, 618, 716, 717, 955, 959, 1042, 1043, 1044, 1046, 1048, 1052, 1185, 1186, 1187, 1190, 1192, 1193, 1303, 1304, 1307, 1311, 1312, 1313, 1525, 1526, 1528, 1529, 1531, 1532, 1535, 1664, 1665, 1666, 1667, 1813, 1814, 1815, 1816, 1818, 1820, 1821, 1824, 1947, 1948, 1950, 1952, 2069, 2073, 2076, 2221, 2223, 2225, 2347, 2348, 2487, 2488, 2489, 2490, 2753, 2755, 2756, 2757, 2758, 2766, 2768, 2770, 2921, 3150, 3315, 3521, 3616, 3617, 3787

THE COURTS

Title 231—RULES OF CIVIL PROCEDURE

PART I. GENERAL

[231 PA. CODE CH. 1850]

Proposed Adoption of Pa.R.Civ.P. 1850

The Civil Procedural Rules Committee is considering proposing to the Supreme Court of Pennsylvania the adoption of Pa.R.Civ.P. 1850 for the reasons set forth in the accompanying publication report. Pursuant to Pa.R.J.A. 103(a)(1), the proposal is being published in the *Pennsylvania Bulletin* for comments, suggestions, or objections prior to submission to the Supreme Court.

Any report accompanying this proposal was prepared by the Committee to indicate the rationale for the proposed rulemaking. It will neither constitute a part of the rules nor be adopted by the Supreme Court.

Additions to the text of the proposal are bolded and underlined; deletions to the text are bolded and bracketed.

The Committee invites all interested persons to submit comments, suggestions, or objections in writing to:

Karla M. Shultz, Deputy Chief Counsel
Civil Procedural Rules Committee
Supreme Court of Pennsylvania
Pennsylvania Judicial Center
PO Box 62635
Harrisburg, PA 17106-2635
FAX: 717-231-9526
civilrules@pacourts.us

All communications in reference to the proposal should be received by August 30, 2024. E-mail is the preferred method for submitting comments, suggestions, or objections; any e-mailed submission need not be reproduced and resubmitted via mail. The Committee will acknowledge receipt of all submissions.

*By the Civil Procedural
Rules Committee*

MAUREEN MURPHY McBRIDE,
Chair

Annex A

TITLE 231. RULES OF CIVIL PROCEDURE

PART I. GENERAL

CHAPTER 1850. JUDICIAL CHANGE OF NAME

Rule
1850. Judicial Change of Name.

(This is an entirely new rule.)

(Editor's Note: The following rule is proposed to be added and is printed in regular type to enhance readability.)

Rule 1850. Judicial Change of Name.

(a) *Authorization.* This rule governs a change of name authorized pursuant to 54 Pa.C.S. §§ 701 *et seq.*

(b) *Petition.* An individual seeking a change of name shall file a petition in the office of the prothonotary of the county in which the individual resides. If the petitioner is married, the petitioner's spouse may join the petition as a party.

(c) *Content of Petition.* The petition shall set forth:

(1) the intention to change the petitioner's name;

(2) the reason for the name change;

(3) the current residence of the petitioner;

(4) any residence of the petitioner for the five years prior to the date of the petition; and

(5) whether the petitioner intends to file a motion to waive notice and seal the record pursuant to subdivision (f) because the notice and the petition, if made public, would jeopardize the safety of the petitioner or the petitioner's child or ward.

(d) *Fingerprint Card.* A set of the petitioner's fingerprints shall be submitted with the petition. The court shall promptly forward a duplicate copy of the petition and a set of the petitioner's fingerprints to the Pennsylvania State Police for timely processing of the background check required by 54 Pa.C.S. § 702(b).

(e) *Notice and Publication.* Except as provided by subdivision (f), upon filing of the petition, the court shall:

(1) set a date for a hearing on the petition to be held not less than one month nor more than three months after the petition is filed; and

(2) order that notice be given of the filing of the petition and of the date set for the hearing on the petition and that the notice be:

(i) published in two newspapers of general circulation, one of which may be the official paper for the publication of legal notices, in the county where the petitioner resides or a county contiguous to that county; and

(ii) given to any non-petitioning parent of a child whose name may be affected by the proceedings.

(f) *Motion to Waive Notice and Seal the Record.*

(1) A petitioner proceeding under this subdivision shall file a motion to waive notice and seal the record at the same time as or after the filing of the petition.

(2) The motion shall be verified and set forth the reasons the petitioner believes public knowledge of the petition would jeopardize the safety of the petitioner or the petitioner's child or ward.

(3) The court may, but is not required to, schedule a hearing on the motion. The petitioner may request oral argument on the motion. The hearing or oral argument on the motion shall be closed to the public.

(4) In determining the motion, the court shall consider:

(i) the petitioner's safety concerns and whether publication of the notice or public access to the petition would jeopardize the safety of the petitioner or the petitioner's child or ward; and

(ii) the totality of the evidence presented and shall not require evidence of past incidents or future incidents in which safety was or may be jeopardized.

(5) If the court finds that publication of the notice or public access to the petition would jeopardize the safety of the petitioner or the petitioner's child or ward, the court shall enter an order to:

(i) waive the notice required by 54 Pa.C.S. § 701(a.1)(3)(ii);

(ii) set a date for a hearing, which shall be closed to the public, on the petition to be held not less than one month nor more than three months after the petition is filed;

(iii) seal the record; and

(iv) direct the prothonotary to amend the caption on the docket using the initials of the petitioner's name only.

(6) Until the court decides the motion, there shall be no public access to any case record of the petition, motion, or proceeding.

(7) If the motion is denied, the court shall enter an order in accordance with subdivision (e)(2). The petitioner may at any time withdraw the petition without order of court. Upon such withdrawal, all filings shall remain sealed.

(g) *Court Requirements.* For petitions in which the petitioner intends to file a motion pursuant to subdivision (f), each court shall:

(1) designate a judge to adjudicate those petitions;

(2) establish procedures for maintaining the confidentiality of the name of the petitioner and the contents of the petition, motion, and other documents submitted to the court in connection with the petition; and

(3) maintain the confidentiality of the identity of the petitioner and the contents of the petition, motion, and other documents. All court employees assigned to the case shall be instructed as to their confidentiality obligations regarding the proceedings.

(h) *Hearing.* The petitioner shall present to the court:

(1) proof of publication of the notice under subdivision (e)(2) unless the notice has been waived; and

(2) an official search of the proper offices of the county where petitioner resides and of any other county where petitioner has resided within five years prior to filing the petition showing that there are no judgments, decrees of record, or other similar matters against the petitioner.

(i) *Order.* The court may enter an order changing the name as petitioned if the court is satisfied after the hearing that there is no lawful objection to the granting of the petition.

Comment:

This rule provides detailed procedures for how individuals, including, but not limited to, domestic violence victims, crime victims, and persons seeking to change their name related to their gender identity, may request to waive notice of the name change and to seal the filings and proceedings related to the petition because the disclosure could jeopardize the safety of that individual or that individual's child or ward.

The documents filed pursuant to subdivision (f) are not accessible to the public pursuant to Sections 9.0(G) and 10.0(A)(1) of the *Case Records Public Access Policy of the Unified Judicial System*. A detailed list of the documents subject to Sections 9.0(G) and 10.0(A)(1) can be found at <https://www.pacourts.us/public-records/public-records-policies>.

Subdivision (g)(1) is generally intended to require each judicial district to designate one judge who will specialize in processing name change petitions with a request to waive notice and publication under subdivision (c)(5) due to the safety concerns raised by the petitioner. Recognizing that the volume of petitions will vary depending on the judicial district, the subdivision is not intended to preclude the assignment of more than one judge if needed.

Subdivision (h)(2) may be satisfied by a certificate given by a corporation authorized by law to make such a search.

SUPREME COURT OF PENNSYLVANIA CIVIL PROCEDURAL RULES COMMITTEE

PUBLICATION REPORT

Proposed Adoption of Pa.R.Civ.P. 1850

The Civil Procedural Rules Committee is considering recommending the adoption of Pennsylvania Rule of Civil Procedure 1850 relating to the procedure governing name change petitions.

The Committee received a request from the Pennsylvania Bar Association to codify in the Rules of Civil Procedure the name change procedure to address the safety, confidentiality, and consistency concerns that impact transgender persons during the name change process. The rulemaking request sought uniformity in procedure and, if a petitioner seeks to have publication of the notice of name change waived, to establish parameters for making the safety assessment based on the potential impact that publication of notice may have on a petitioner.

Currently, there is no Pennsylvania Rule of Civil Procedure governing name change petitions. Instead, 54 Pa.C.S. §§ 701 *et seq.* sets forth the procedure and requires the filing of a petition in the court of common pleas of the county in which the petitioner resides. The statute specifies certain content to be included in the petition. Further, it directs the court to hold a hearing within one month of the filing of the petition and to order the publication of the notice of filing of the name change petition in two newspapers of general circulation in the county where the petitioner resides. The court must also order the notice to be given to any non-petitioning parent of a child whose name may be affected by the proceedings. The statute permits waiver of the notice if the court finds that the notice would jeopardize the safety of the petitioner or the petitioner's child or ward. Upon such a determination, the court must also then direct the file to be sealed.

In developing this proposal, the Committee observed the rulemaking request would result in a rule providing an exception to the general name change procedure set forth in statute. The Committee believed that the better approach would be to develop a rule governing the procedure for all name change petitions and to include detailed waiver requirements as the exception. In doing so, the rule would provide context for all individuals seeking to change their name rather than having to consult both the statute and a rule. The Committee concluded that expanding the scope of the rule in this manner may also protect other vulnerable populations, such as domestic violence victims or crime victims, who may also benefit from the protections afforded by the rule.

As noted above, 54 Pa.C.S. § 701 sets forth specific procedural requirements for the filing of a name change petition. However, the Committee observed there are procedural gaps in the statute regarding waiver of publication of the notice and for sealing the record. With regard to waiver, the statute does not provide any standard to evaluate a petitioner's perceived safety risk. With regard to sealing the record, the statute provides no standard nor any procedures on how to request sealing. Accordingly, the Committee concluded the rule should fill these procedural gaps, while tracking the procedural language found in 54 Pa.C.S. § 701.

To address those procedural gaps, subdivision (f) of the proposed rule would require a petitioner seeking waiver of notice to file a combined motion to waive notice and to seal the record. The combined motion may be filed with or after the filing of the petition to change name. The motion must be verified and set forth the reasons why the petitioner believes publication will jeopardize the petitioner's safety, or the petitioner's child or ward. The trial court has the option to schedule a hearing on the motion. Additionally, the petitioner may request oral argument. The ability to request oral argument allows the petitioner to inform the judge about the circumstances of the name change. All hearings and oral argument on the motion would be closed to the public. If the motion is granted, the court must enter an order waiving notice and direct the sealing of the record. If the motion is denied, subdivision (f) requires the court to enter an order directing the publication of the notice unless the petitioner elects to withdraw the petition.

To encourage uniformity in the consideration of a petition seeking to waive notice and publication, the proposed rule would impose requirements on each judicial district. One judge in each judicial district would be assigned to adjudicate those petitions. However, recognizing that, in larger judicial districts, the potential volume of petitions may be too burdensome for a single judge, the Comment provides that an additional judge or judges may be assigned if necessary.

In addition, the proposed rule would require each court to establish procedures to maintain the confidentiality of the petition and other documents filed, any motion to waive notice and to seal the record, and the identity of the petitioner. The courts would also be required to instruct court employees in their duty of confidentiality regarding the proceedings.

* * *

Accordingly, the Committee invites all comments, objections, concerns, and suggestions regarding this proposed rulemaking.

[Pa.B. Doc. No. 24-932. Filed for public inspection July 5, 2024, 9:00 a.m.]

Title 231—RULES OF CIVIL PROCEDURE

PART I. GENERAL

[231 PA. CODE CH. 1930]

Proposed Amendment of Pa.R.Civ.P. 1930.2

The Domestic Relations Procedural Rules Committee is considering proposing to the Supreme Court of Pennsylvania the amendment of Pennsylvania Rule of Civil Procedure 1930.2 relating to reconsideration for the reasons set forth in the accompanying publication report. Pursuant to Pa.R.J.A. 103(a)(1), the proposal is being published in the *Pennsylvania Bulletin* for comments, suggestions, or objections prior to submission to the Supreme Court.

Any report accompanying this proposal was prepared by the Committee to indicate the rationale for the proposed rulemaking. It will neither constitute a part of the rules nor be adopted by the Supreme Court.

The Committee invites all interested persons to submit comments, suggestions, or objections in writing to:

Daniel A. Durst, Chief Counsel
Domestic Relations Procedural Rules Committee
Supreme Court of Pennsylvania
Pennsylvania Judicial Center
P.O. Box 62635
Harrisburg, PA 17106-2635
FAX: 717-231-9541
domesticrules@pacourts.us

All communications in reference to the proposal should be received by August 16, 2024. E-mail is the preferred method for submitting comments, suggestions, or objections; any e-mailed submission need not be reproduced and resubmitted via mail. The Committee will acknowledge receipt of all submissions.

*By the Domestic Relations
Procedural Rules Committee*

CAROLYN MORAN ZACK, Esq.,
Chair

Annex A

TITLE 231. RULES OF CIVIL PROCEDURE

PART I. GENERAL

CHAPTER 1930. RULES RELATING TO DOMESTIC RELATIONS MATTERS GENERALLY

(Editor's Note: Rule 1930.2 as printed in 231 Pa. Code reads "Official Note" rather than "Note" and the "Explanatory Comment" text is not codified.)

Rule 1930.2. No Post-trial [**Practice**] **Motion**. Motions for Reconsideration **of Final Orders**.

(a) **Post-Trial Motion**. There shall be no motions for post-trial relief in any domestic relations matter, including Protection of Victims of Sexual Violence or Intimidation matters.

[*Note: See Pa.R.C.P., No. 1957.*]

(b) **A party aggrieved by the decision of the court may file a motion for reconsideration in accordance with Pa.R.A.P. 1701(b)(3). If the court does not grant the motion for reconsideration within the time permitted, the time for filing a notice of appeal will run as if the motion for reconsideration had never been presented to the court.**

Note:

Pennsylvania Rule of Appellate Procedure 903 states that the Notice of Appeal shall be filed within 30 days after the entry of the order from which the appeal is taken, except as otherwise set forth in that rule.

(c) **The court shall render its reconsidered decision within 120 days of the date the motion for reconsideration is granted, except as set forth in subdivision (e). If the court's decision is not rendered within 120 days, the motion shall be deemed denied.**

(d) **If the court does not enter a reconsidered decision within 120 days, the time for filing a notice of appeal will begin to run anew from the date of entry of the reconsidered decision or from the 121st day after the motion for reconsideration was granted.**

(e) **If the court grants the motion for reconsideration and files its order within the 30-day appeal period, the court may issue an order during the applicable 120-day period directing that additional testimony be taken. If the court issues an order for additional testimony, the reconsidered decision**

need not be rendered within 120 days, and the time for filing a notice of appeal will run from the date the reconsidered decision is rendered.]

(b) Motion for Reconsideration. Within 10 days of the entry of a final order, a party aggrieved by the order may file a motion for reconsideration. The motion shall identify the specific issues to be reconsidered by the court. The filing of a motion for reconsideration does not toll the 30-day appeal period pursuant to Pa.R.A.P. 903.

(c) Decision on Motion for Reconsideration. Within 10 days of the filing of a motion, the court shall either:

(1) Deny Reconsideration. A motion for reconsideration may be expressly denied by the court, or it shall be deemed denied if not expressly granted. The time for filing a notice of appeal pursuant to Pa.R.A.P. 903 is not tolled if the motion for reconsideration is denied; or

(2) Grant Reconsideration. If the court expressly grants the motion for reconsideration, the underlying order shall be a non-final, interlocutory order for purposes of appeal that the court may amend or stay until the court has entered a reconsidered final order. The time for filing a notice of appeal pursuant to Pa.R.A.P. 903 begins to run anew from the date of the entry of the reconsidered final order, regardless of whether that decision reaffirms the prior determination of the court.

(3) Deemed Denial. If the court fails to decide the motion for reconsideration within 10 days of the filing of the motion, the motion shall be deemed denied by operation of law. If a motion for reconsideration is denied by operation of law, the prothonotary shall:

(i) enter an order on behalf of the court denying the motion for reconsideration by operation of law; and

(ii) furnish a copy of the order, by mail or personal delivery, to the parties.

(d) Reconsidered Final Order.

(1) Custody Matters. But for extraordinary circumstances, the court shall enter a reconsidered final order in custody matters within 30 days from the date the court expressly granted the motion for reconsideration. If extraordinary circumstances exist, the court shall enter an order identifying those circumstances and a date by which the reconsidered order shall be entered, not more than 90 days thereafter.

(2) Other Matters. The court shall enter a reconsidered decision in all other matters within 90 days from the date the court expressly granted the motion for reconsideration.

Comment:

The filing of a motion for reconsideration does not toll the 30-day appeal period pursuant to Pa.R.A.P. 903. If the court denies the motion or fails to decide the motion within 10 days of the filing of the motion for reconsideration, the party must file a notice of appeal pursuant to Pa.R.A.P. 903 within 30 days of the entry of the original order to preserve their right to an appeal.

See Pa.R.A.P. 108(b) which states that the date of the entry of an order is the day on which the prothonotary makes the notation in the docket that notice of the order has been given as required by Pa.R.Civ.P. 236(b). Pursuant to Pa.R.Civ.P. 236(b), the prothonotary is required to immediately provide written notice of the entry of an order.

A court may expressly grant a motion for reconsideration for the purpose of hearing argument, briefing, or re-opening the record.

See Pa.R.A.P. 1701 for the authority of the trial court after an appeal is taken.

See Pa.R.A.P. 1731(b) regarding supersedeas in domestic relations matters.

If a motion for reconsideration is granted, either before or after a notice of appeal is filed, the trial court shall have jurisdiction pursuant to Pa.R.A.P. 1701(b), until a final reconsidered order is entered.

If a motion for reconsideration is granted, the time for filing an appeal shall begin to run anew from the date of the entry of the reconsidered final order.

Historical Commentary

The following commentary is historical in nature and represents statements of the Committee at the time of rulemaking:

Explanatory Comment—1994

All post-trial practice in domestic relations cases is abolished by this rule. In order to allow the trial court to take a second look at a case before it is appealed to the Superior Court, the rule allows a request for reconsideration to be filed in accordance with Appellate rule 1701(b)(3). The aim of these rules is to ensure that domestic cases are moved as quickly as possible toward a final resolution, and thus the requirement of Appellate Rule 1701 that the motion for reconsideration be filed and granted within the thirty day appeal period is adopted here. If the motion for reconsideration is granted, the time for filing the notice of appeal is tolled. However, if it is not granted, there is no extension of the appeal period, so that the matter proceeds without delay.

If the court grants the motion for reconsideration, it has 120 days in which to enter a reconsidered decision. The appeal period begins to run anew upon the entry of the reconsidered decision, or on the 121st day if the decision is not entered within the 120 day period. The time limit does not apply where the court determines that it is necessary to take additional testimony. In that event, the time for filing a notice of appeal begins to run anew when the reconsidered decision is entered.

**SUPREME COURT OF PENNSYLVANIA
DOMESTIC RELATIONS PROCEDURAL RULES
COMMITTEE**

PUBLICATION REPORT

Proposed Amendment of Pa.R.Civ.P. 1930.2

The Domestic Relations Procedural Rules Committee (Committee) is considering proposing amendment of Pennsylvania Rule of Civil Procedure 1930.2 insofar as that rule relates to reconsideration. Prior proposals have been published for comment at 51 Pa.B. 3597 (July 3, 2021) and 50 Pa.B. 7008 (December 12, 2020).

For three decades, there has been a rules-based prohibition on post-trial motions in “any domestic relations matter,” including proceedings involving protection orders, as governed by Pa.R.Civ.P. 1901—1959. Instead, parties have been permitted to seek reconsideration. Permitting reconsideration is more efficient than awaiting appellate court review, especially if there has been a misappreciation of the record, an erroneous evidentiary ruling, or a new legal authority. Not infrequently, family court proceedings may span several, non-consecutive days. Such proceedings can be emotionally charged with evidence and legal argument often presented by self-represented parties. Even for those learned in the law, the lack of discovery in most types of proceedings can cause an avalanche of unanticipated evidence to enter the record. Because family court proceedings require swift decision making, motions for reconsideration provide a mechanism to again contemplate the application of the facts to the law.

The Committee proposes, through amendment, the rescission and replacement of the reconsideration procedures in Pa.R.Civ.P. 1930.2(b)—(e). The proposal provides for an expedited process, deemed denial of motions for reconsideration, the authority of the court to continue enforceability of a reconsidered order, and guidance on the interplay between reconsideration and an appeal.

Preliminarily, the rule clarifies that the subdivisions pertaining to reconsideration apply only to reconsideration of final orders. The rule would not govern interlocutory orders not appealable as of right. The application only to final orders is inferred in the current rule text and commentary.

Concerning an expedited process, the Committee focused on the overall length of time involving reconsideration. As proposed, subdivision (b) would require a motion for reconsideration to be filed within 10 days of the final order. This would shorten the current 30-day period. Readers would be advised that the filing of a reconsideration motion does not toll the appeal window. This information is reiterated in the first sentence of the Comment to emphasize its importance and to avoid waiver.

Per subdivision (c), the trial court would then have 10 days to decide the motion, or the motion would be deemed denied. A denied or deemed denied motion would not toll the time for filing a notice of appeal. Therefore, the motion for reconsideration would be resolved in 20 days and the party would still have 10 days thereafter to decide whether to appeal.

Pursuant to subdivision (c)(2), if the court expressly grants a motion for reconsideration, the underlying order is then transformed into a non-appealable interlocutory order. That order can remain in effect, be amended, or stayed during the period after the motion for reconsideration is granted. The continued effect of the underlying order is a matter of judicial discretion.

The case law suggests that, when a trial court expressly grants a motion for reconsideration, the underlying order is vacated until the reconsidered decision is entered. *See generally Jackson ex rel. Sanders v. Hendrick*, 746 A.2d 574, 579 (Pa. 2000) (Zappala, J., concurring) (decision to grant reconsideration “has the effect of vacating the original order; until the court enters its decision on reconsideration, the status of the case is as if no order had been entered”); *Barron v. City of Philadelphia*, 754 A.2d 738, 740 (Pa. Cmwlth. 2000) (“when a court enters an order expressly granting reconsideration, it would follow that the order under reconsideration is

effectively vacated”). While there is certainly merit to applying this approach in “episodic litigation” of past harms, family court matters are generally neither episodic nor retrospective in nature.

Family court decisions involving custody and support address both immediate and anticipated needs. Maintaining the *status quo* during reconsideration may not be appropriate in all cases because needs remain unaddressed. Additionally, family law decisions, such as custody orders, often address multiple aspects of physical and legal custody, including schedules and schools. Support orders may simultaneously involve a deviation and the allocation of myriad expenses. For an express grant of a motion for reconsideration to vacate an entire order may be unnecessary if only a discrete aspect of the order warrants reconsideration.

The deemed denial aspect of subdivision (c)(3) is borrowed from the Pennsylvania Rules of Criminal Procedure, *see e.g.*, Pa.R.Crim.P. 608(B), 720(B)(3), and the Pennsylvania Rules of Juvenile Court Procedure, *see e.g.*, Pa.R.J.C.P. 620(D). If a reconsideration motion is deemed denied by operation of law, then the prothonotary is to enter a denial order without prompt by a party. *See* 42 Pa.C.S. § 2737(6). This will bring the rule into compliance with Pa.R.A.P. 108, as well as subdivision (b) of that rule. *See also* Pa.R.Civ.P. 236(b). Additionally, it will keep the case moving.

Subdivision (d) establishes deadlines for the judge to enter a reconsidered order. Subdivision (d)(1) contains a 30-day deadline for custody matters but includes an additional 90 days for “extraordinary circumstances.” Subdivision (d)(2) sets a 90-day deadline for non-custody matters.

The subdivision (d)(1) custody deadline is shorter from what was previously proposed. Custody, unlike other matters, is non-fungible. The Committee was concerned about custody appeals being unduly delayed pending reconsideration. *See also* Pa.R.Civ.P. 1915.4(d) (prompt custody decisions); 30 Pa.B. 6423 (December 16, 2000) (Explanatory Comment accompanying adoption of Pa.R.C.P. 1915.4 stating: “A new rule requiring prompt custody trials was recommended by a special committee established by the Pennsylvania Superior Court. That committee concluded that the interests of children who are the subjects of custody litigation would best be served by a requirement that the litigation be concluded within specific time frames.”). One option considered, but rejected, was to eliminate motions for reconsideration altogether for custody matters. However, that would preclude the trial court from correcting errors and require the lengthier path of appellate review before an error can be corrected, depending on the nature of the error.

As mentioned, the Comment, in part, reiterates what the rule text already provides regarding motions for reconsideration and the 30-day window for a timely appeal. The Comment also states that a court may expressly grant a motion for reconsideration for the purpose of hearing argument, briefing, or re-opening the record. Further, readers are referred to the Pennsylvania Rules of Appellate Procedure for further procedures after an appeal has been taken.

All comments, concerns, and suggestions concerning this rule proposal are welcome.

[Pa.B. Doc. No. 24-933. Filed for public inspection July 5, 2024, 9:00 a.m.]

Title 231—RULES OF CIVIL PROCEDURE

PART I. GENERAL

[231 PA. CODE CH. 1960]

Proposed Adoption of Pa.R.Civ.P. 1960—1964

The Domestic Relations Procedural Rules Committee is considering proposing to the Supreme Court of Pennsylvania the adoption of Pennsylvania Rules of Civil Procedure 1960—1964 to implement the Uniform Family Law Arbitration Act, 42 Pa.C.S. §§ 7371—7398, for the reasons set forth in the accompanying publication report. Pursuant to Pa.R.J.A. 103(a)(1), the proposal is being published in the *Pennsylvania Bulletin* for comments, suggestions, or objections prior to submission to the Supreme Court.

Any report accompanying this proposal was prepared by the Committee to indicate the rationale for the proposed rulemaking. It will neither constitute a part of the rules nor be adopted by the Supreme Court.

The Committee invites all interested persons to submit comments, suggestions, or objections in writing to:

Daniel A. Durst, Chief Counsel
Domestic Relations Procedural Rules Committee
Supreme Court of Pennsylvania
Pennsylvania Judicial Center
P.O. Box 62635
Harrisburg, PA 17106-2635
FAX: 717-231-9541
domesticrules@pacourts.us

All communications in reference to the proposal should be received by August 16, 2024. E-mail is the preferred method for submitting comments, suggestions, or objections; any e-mailed submission need not be reproduced and resubmitted via mail. The Committee will acknowledge receipt of all submissions.

*By the Domestic Relations
Procedural Rules Committee*

CAROLYN MORAN ZACK, Esq.,
Chair

Annex A

TITLE 231. RULES OF CIVIL PROCEDURE

PART I. GENERAL

CHAPTER 1960. PROCEEDINGS UNDER THE UNIFORM FAMILY LAW ARBITRATION ACT

Rule	
1960.	Applicability of Rules to Arbitration.
1961.	Petition for Judicial Relief—Forum.
1962.	Petition for Judicial Relief—Not Specified.
1963.	Petition for Judicial Relief—Compulsion.
1964.	Petition for Judicial Relief—Confirming, Amending, Correcting, or Vacating Award.

(These are entirely new rules.)

(*Editor's Note:* The following rules are proposed to be added and are printed in regular type to enhance readability.)

Rule 1960. Applicability of Rules to Arbitration.

The rules in this chapter shall apply to court proceedings arising from the Uniform Family Law Arbitration Act, 42 Pa.C.S. §§ 7371—7398 (hereinafter “Act”).

Comment:

The Act provides for limited judicial review of arbitration proceedings and awards. Readers are advised to

consult the Act for the permitted bases for review, the timing for seeking review, and the conditions and limits on the scope of review. Petitioners are required to allege sufficient facts and cite the Act with specificity in support of the relief sought. *See* Pa.R.Civ.P. 1962, 1963(c)(1).

Rule 1961. Petition for Judicial Relief—Forum.

A petition for judicial relief, as permitted by the Act, shall be filed in the appropriate forum:

(a) the court in which a proceeding is pending involving a dispute subject to arbitration under the Act; or

(b) if no proceeding is pending, a court with jurisdiction over the parties and the subject matter.

Comment:

See 42 Pa.C.S. § 7377(a).

Rule 1962. Petition for Judicial Relief—Not Specified.

A petition seeking judicial relief not otherwise specified in this Chapter shall conform to the requirements of Pa.R.Civ.P. 1964(a)—(d) and contain a notice substantially in the following form:

To: (Name of Adverse Party)

You are hereby notified to file a written response to the enclosed petition within 20 days from service hereof or an order may be entered against you.

(Party Filing Pleading or the Party's Attorney)

Comment:

This rule is intended to govern petitions, including, but not limited to, those seeking court selection of an arbitrator, objecting to the selection or continued service of an arbitrator, staying arbitration, terminating arbitration, and clarifying, modifying, or enforcing a confirmed award, or consolidating separate arbitrations.

Rule 1963. Petition for Judicial Relief—Compulsion.

(a) *Compulsion by Party.* A party seeking to compel arbitration of an arbitrable claim shall file a petition against the other party.

(b) *Service.* The petition shall be served pursuant to Pa.R.Civ.P. 1930.1 unless the claim has previously been raised and remains pending before the court. Otherwise, the petition shall be served in accordance with Pa.R.Civ.P. 440.

(c) *Contents of Petition.*

(1) The petition shall include an allegation that the claim sought to be reviewed is subject to an agreement to submit these claims to arbitration.

(2) A copy of the arbitration agreement shall be appended to the petition.

(d) *Notice to File Answer.* The petition shall contain a notice substantially in the following form:

Notice to File Answer

The petition attached to this notice asks the court to enforce an agreement to submit claims to arbitration. If you oppose submission of this claim to arbitration, you must file an answer to the petition with the Prothonotary within 20 days of mailing or other service of this notice. If you fail to respond, this case will proceed to arbitration, and you may lose custody, money, property, or other rights important to you.

(e) *No Response or Admission by Responding Party.* If the responding party fails to file a responsive pleading, or files an answer admitting that the claim is subject to arbitration, the moving party may file a *praecipe* directing the prothonotary to enter on the docket a stay of proceedings pending arbitration.

(f) *Denial by Responding Party.* If the responding party files either preliminary objections or an answer denying that the claim is subject to arbitration, the court shall decide any preliminary objections and the petition without delay.

(g) *Compulsion by Party.* A party seeking to compel arbitration of an arbitrable claim for which the other party is not seeking arbitration shall proceed by preliminary objection.

(h) *Court Order.* If the court grants the motion to compel arbitration, the court shall enter an order compelling the parties to proceed with arbitration and staying proceedings pending arbitration.

Rule 1964. Petition for Judicial Relief—Confirming, Amending, Correcting, or Vacating Award.

(a) *Petition.* A party seeking to confirm, amend, correct, or vacate an arbitrator's award shall file a timely petition naming the other party as respondent.

(b) *Docket Number.* If the claim has been raised in a matter stayed pending arbitration, the petition shall be filed on that docket. Otherwise, the petition shall be filed as new action.

(c) *Service.* If the claim has been raised in a matter stayed pending arbitration, the petition shall be served in accordance with Pa.R.Civ.P. 440. Otherwise, the petition shall be served pursuant to Pa.R.Civ.P. 1930.4.

(d) *Contents of Petition.*

(1) The petition shall allege sufficient facts and cite the Act with specificity in support of the relief sought.

(2) A copy of the arbitrator's award shall be appended to the petition.

(e) *Notice to File Answer.* The petition shall contain a notice substantially in the following form:

Notice to File Answer

A party to these proceedings has filed a motion to (confirm/amend/correct/vacate) an arbitration award. If you oppose the motion, you are required to file an answer to the motion within 20 days from the date below setting forth your objections to the motion. If you fail to file an answer, a court order based on the arbitration award may be entered against you without further notice. You may lose custody, money, property, or other rights important to you.

YOU SHOULD TAKE THIS PAPER TO YOUR LAWYER AT ONCE. IF YOU DO NOT HAVE A LAWYER, GO TO OR TELEPHONE THE OFFICE SET FORTH BELOW. THIS OFFICE CAN PROVIDE YOU WITH INFORMATION ABOUT HIRING A LAWYER.

IF YOU CANNOT AFFORD TO HIRE A LAWYER, THIS OFFICE MAY BE ABLE TO PROVIDE YOU WITH INFORMATION ABOUT AGENCIES THAT MAY OFFER LEGAL SERVICES TO ELIGIBLE PERSONS AT A REDUCED FEE OR NO FEE.

(Name)

(Address)

(Telephone Number)

Comment:

The scope of this rule is intended to include temporary awards and unconfirmed awards by an arbitrator.

**SUPREME COURT OF PENNSYLVANIA
DOMESTIC RELATIONS PROCEDURAL RULES
COMMITTEE**

PUBLICATION REPORT

Proposed Adoption of Pa.R.Civ.P. 1960—1964

The Domestic Relations Procedural Rules Committee (Committee) is considering proposing the adoption of Pennsylvania Rules of Civil Procedure 1960—1964 to implement the Uniform Family Law Arbitration Act, 42 Pa.C.S. §§ 7371—7398, insofar as the arbitration process may interface with the court.

While the concept of arbitration is an agreement between the parties to have disputes resolved privately, the Act does involve the court in limited aspects. The court's involvement is generally limited to issues regarding arbitrability, compulsion of arbitration, specific irregularities involving the arbitration process, confirmation of an arbitration award, and enforcement of an award.

The Committee proposes a set of rules providing procedures for seeking the court's involvement. The rules are intended to be general in nature so as not to overreach into the arbitration process or restate portions of the Act. The Committee consulted Pa.R.Civ.P. 1326—1331, which govern arbitration in consumer credit transactions.

As stated in the Comment to Pa.R.Civ.P. 1960, the burden would be on the reader to consult the Act. Pa.R.Civ.P. 1961, concerning forum, instructs a petitioner where to seek judicial action. *See* 42 Pa.C.S. § 7377(a). Pa.R.Civ.P. 1962 pertains to petitions for judicial relief other than those for compulsion, which is governed by Pa.R.Civ.P. 1963, and for confirming, amending, correcting, or vacating an arbitration award, which are governed by Pa.R.Civ.P. 1964. Pa.R.Civ.P. 1962 incorporates by reference the requirements of Pa.R.Civ.P. 1964(a)—(d). All petitions are required to contain a rule-based notice to the other party. Please note the requirement of Pa.R.Civ.P. 1964(d)(1), which requires specific citation of the Act in support of the relief sought. This requirement is intended to avoid the need to reiterate portions of the Act within the rule text or commentary, as well as require that the petition inform the court about the specific part of the Act relied upon for the relief sought.

The rules are intended to respect that the parties have knowingly, intelligently, and voluntarily entered into a contract to have their disputes heard by an arbitrator. At this juncture, it is anticipated that much of a court's involvement will focus on confirmation of awards. The Committee presumes that arbitrators will explain the arbitration process to the parties, including the confirmation process. After some experience is gained through the application of the Act, the Committee can reassess whether additional procedures are necessary.

The Committee discussed whether a petition seeking confirmation of an award can be filed as a "miscellaneous matter" and without an underlying complaint having

been docketed. The Committee specifically seeks input on this aspect of family law arbitration governed by the Act.

All comments, concerns, and suggestions concerning this rule proposal are welcome.

[Pa.B. Doc. No. 24-934. Filed for public inspection July 5, 2024, 9:00 a.m.]

Title 255—LOCAL COURT RULES

BUTLER COUNTY

Regional Booking Fees; AD-10-8-2024

Administrative Order of Court

And Now, this 20th day of June, 2024, on the Court's own motion, the Order of Court under date of August 18, 2009, filed at AD-10-5-2009, relative to Regional Booking fees, is hereby vacated.

Pursuant to Title 42 Pa.C.S.A §§ 1725.5 & 1725.6, on August 18, 2009, the Court established a Booking Center fee of One Hundred Dollars (\$100.00). The Court notes that since the imposition of this fee on August 18, 2009, the costs associated with Booking Centers have risen substantially. Therefore, it is hereby Ordered that the Booking Center fee is increased to One Hundred and Fifty Dollars (\$150.00). This fee shall be assessed against any defendant who meets the requirements of that Title.

It is further Ordered that such assessment shall be levied by the Office of the Clerk of Courts of Butler County, Pennsylvania, as set forth in the Act. Magisterial District Judges shall assess the fee in those cases that are eligible and disposed of at a Magisterial District Court in Butler County, Pennsylvania. This Administrative Order of Court shall take effect thirty (30) days after publication in the *Pennsylvania Bulletin*.

In accordance with Pa.R.J.A. 103(c), the District Court Administrator is Ordered and Directed to:

1. File one (1) copy, via E-mail, of this Administrative Order of Court with the Administrative Office of Pennsylvania Courts.

2. File one (1) paper copy, via mail, of this Administrative Order of Court with the Legislative Reference Bureau for publication in the *Pennsylvania Bulletin*. File one (1) electronic copy, via E-mail, of this Administrative Order of Court with the Legislative Reference Bureau.

3. Publish a copy of this Administrative Order of Court on the Court's website.

4. Distribute a copy of this Administrative Order of Court to all Magisterial District Judges within Butler County, Pennsylvania.

5. Forward one (1) copy of this Administrative Order of Court to the Butler County Law Library.

6. Keep continuously available for public inspection and copying this Administrative Order of Court in the Clerk of Court's Office of Butler County, Pennsylvania.

By the Court

S. MICHAEL YEAGER,
President Judge

[Pa.B. Doc. No. 24-935. Filed for public inspection July 5, 2024, 9:00 a.m.]

DISCIPLINARY BOARD OF THE SUPREME COURT

Notice of Suspension

By Order of the Supreme Court of Pennsylvania dated June 25, 2024, Bruce K. Warren, Jr. (# 89677), whose registered address is in Cherry Hill, NJ, is suspended from the practice of law in this Commonwealth for a period of six months, effective July 25, 2024. In accordance with Rule 217(f), Pa.R.D.E., since this formerly admitted attorney resides outside the Commonwealth of Pennsylvania, this notice is published in the *Pennsylvania Bulletin*.

MARCEE D. SLOAN,
Board Prothonotary

[Pa.B. Doc. No. 24-936. Filed for public inspection July 5, 2024, 9:00 a.m.]

NOTICES

DEPARTMENT OF BANKING AND SECURITIES

Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending June 25, 2024.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, may file comments in writing with the Department, for Bank Supervision, by e-mail to ra-bnbnksbmsnspt@pa.gov or for credit unions, by e-mail to ra-bncusubmissions@pa.gov and trust companies, by e-mail to ra-bntrustsuprvsninq@pa.gov. Comments must be received no later than 30 days from the date that the notice regarding acceptance of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, for banks (717) 783-8240, or for credit unions or trust companies (717) 783-2253.

APPLICATIONS FOR COMMENT

BANKING INSTITUTIONS

No activity.

CREDIT UNIONS

No activity.

OTHER APPLICATION ACTIVITY

BANKING INSTITUTIONS

Branch Applications

Branch Relocations

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Status</i>
06-20-2024	First Commonwealth Bank Indiana Indiana County	<i>To:</i> 654 Philadelphia Street Indiana Indiana County <i>From:</i> 600 Philadelphia Street Indiana Indiana County	Accepted

CREDIT UNIONS

No activity.

The Department's web site at www.dobs.pa.gov includes public notices for more recently filed applications.

WENDY S. SPICHER,
Secretary

[Pa.B. Doc. No. 24-937. Filed for public inspection July 5, 2024, 9:00 a.m.]

DEPARTMENT OF EDUCATION

Application by Lackawanna Junior College, d/b/a Lackawanna College, to Amend Articles of Incorporation

Notice of Opportunity for Hearing and Invitation to Protest

Under 24 Pa.C.S. § 6503(e) (relating to certification of institutions), the Department of Education (Department) will consider the application for approval of a Certificate of Authority for Lackawanna Junior College, d/b/a

Lackawanna College, to amend its articles of incorporation to change their official name to Lackawanna College.

In accordance with 24 Pa.C.S. § 6503(e), the Department will act upon the application without a hearing, unless within 30 days after the publication of this notice in the *Pennsylvania Bulletin* a written request for public hearing is filed with the Department, along with a notice of intervention, a petition to intervene or protest in accordance with 1 Pa. Code §§ 35.23 and 35.24 (relating to protests) or 1 Pa. Code §§ 35.27—35.32 (relating to intervention).

Petitions to intervene, protest and request for hearing shall be filed with the Division of Higher Education, Access and Equity, 607 South Drive, 3E, Harrisburg, PA

17120 on or before the due date prescribed by this notice. Persons wishing to review the application should call (717) 783-6786 or write to the previously listed address to schedule a time for a review.

Persons with a disability who wish to attend the hearing, if held, and require an auxiliary aid, service or other accommodation to participate, should contact the

Division of Higher Education, Access and Equity at (717) 783-6786 to discuss accommodations.

DR. KHALID N. MUMIN,
Secretary

[Pa.B. Doc. No. 24-938. Filed for public inspection July 5, 2024, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS UNDER THE CLEAN STREAMS LAW AND FEDERAL CLEAN WATER ACT

This notice provides information about persons who have applied to the Department of Environmental Protection (DEP) for a new, renewed, or amended NPDES or WQM permit, or a permit waiver for certain stormwater discharges, or have submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications and NOIs concern, but are not limited to, effluent discharges from sewage treatment facilities and industrial facilities to surface waters or groundwater; stormwater discharges associated with industrial activity (industrial stormwater), construction activity (construction stormwater), and municipal separate storm sewer systems (MS4s); the application of pesticides; the operation of Concentrated Animal Feeding Operations (CAFOs); and the construction of sewage, industrial waste, and manure storage, collection and treatment facilities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). More information on the types of NPDES and WQM permits that are available can be found on DEP's website (visit www.dep.pa.gov and select Businesses, Water, Bureau of Clean Water, Wastewater Management, and NPDES and WQM Permitting Programs).

<i>Section</i>	<i>Category</i>
I	Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received
II	Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs
III	Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity

Section I identifies the following applications and NOIs that have been received by DEP:

- Individual and General WQM Permit Applications Received—DEP provides a 15-day public comment period for Individual WQM Permit Applications for new and reissued permits. There is no public comment period for General WQM Permit NOIs.
- General Chapter 92a NPDES Permit NOIs Received—There is no public comment period for General NPDES NOIs received.
- All Transfer and Minor Amendment Applications/NOIs Received—Transfer and Minor Amendment Applications/NOIs received for Individual and General WQM Permits and Individual and General NPDES Permits, excluding PAG-01 and PAG-02, are identified but do not have public comment periods. DEP provides a 15-day public comment period for Individual WQM Permit Applications for amendments.

Additional information on these applications and NOIs may be reviewed by generating the “Applications and NOIs without Comment Periods Report” or, for Individual WQM Permit Applications, the “Applications Received with Comment Periods Report” on DEP's website at www.dep.pa.gov/CWPublicNotice.

Section II identifies individual NPDES permit applications received and draft permits indicating DEP's tentative determination relating to sewage, industrial waste, industrial stormwater, MS4s, pesticides and CAFOs. A 30-day public comment period applies to these applications and draft permits, except when a site-specific water quality criterion is used to establish effluent limitations, in which case a 45-day public comment period applies. The period for comment may be extended at the discretion of DEP for one additional 15-day period. Additional information, including links to draft permits and fact sheets that explain the basis for DEP's tentative determinations may be reviewed by generating the “Applications Received with Comment Periods Report” on DEP's website at www.dep.pa.gov/CWPublicNotice. Notification of 15-day extensions for comment will be provided in the “Applications Received with Comment Periods Report” (Comments column).

Section III identifies individual NPDES permit applications received and draft permits indicating DEP's tentative determination relating to stormwater discharges associated with construction activities. A 30-day public comment period

applies to these applications and draft permits. The period for comment may be extended at the discretion of the Department for one additional 15-day period. Additional information may be reviewed by generating the "Applications Received with Comment Periods Report" on DEP's website at www.dep.pa.gov/CWPublicNotice.

Applications, NOIs and draft permits, where applicable, may be reviewed at the DEP office that received the application or NOI. Members of the public are encouraged to use DEP's website to obtain additional information as discussed previously.

Comments received within the appropriate comment periods for WQM and NPDES permit applications will be retained by DEP and considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform DEP of the exact basis of a comment and the relevant facts upon which it is based.

DEP office contact information to review applications and NOIs and to submit comments for those applications, when applicable, is as follows:

DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484-250-5910. Email: RA-EPNPDES_SERO@pa.gov for permits in Sections I & II; RA-EPWW-SERO@pa.gov for permits in Section III.

DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570-826-5472. Email: RA-EPNPDES_NERO@pa.gov for permits in Sections I & II; RA-EPWW-NERO@pa.gov for permits in Section III.

DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717-705-4732. Email: RA-EPNPDES_SCRO@pa.gov for permits in Sections I & II; RA-EPWW-SCRO@pa.gov for permits in Section III.

DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570-327-3693. Email: RA-EPNPDES_NCRO@pa.gov for permits in Sections I & II; RA-EPWW-NCRO@pa.gov for permits in Section III.

DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412-442-4286. Email: RA-EPNPDES_SWRO@pa.gov for permits in Sections I & II; RA-EPWW-SWRO@pa.gov for permits in Section III.

DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814-332-6340. Email: RA-EPNPDES_NWRO@pa.gov for permits in Sections I & II; RA-EPWW-NWRO@pa.gov for permits in Section III.

DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-787-5017. Email: RA-EPNPDES_Permits@pa.gov.

DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.

DEP will also accept requests or petitions for public hearings on applications. The request or petition must indicate the interest of the party filing and the reasons why a hearing is warranted. A hearing will be held if DEP determines that there is a significant public interest. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. DEP will postpone its final determination until after a public hearing is held.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

I. Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received.

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAD450128	Chapter 102 Individual NPDES Permit	Transfer	MAK Com Properties LLC 425 Carlton Road Suite 2 Mount Pocono, PA 18344-7180	Paradise Township Monroe County	NERO
0524801	Joint DEP/PFBC Pesticides Permit	New	Zimmerman Wildlife 394 Spring Farm Road Martinsburg, PA 16662-8949	Woodbury Township Bedford County	SCRO
2223803	Joint DEP/PFBC Pesticides Permit	Amendment	Milton Hershey School 1201 Homestead Lane Hershey, PA 17033-8818	Derry Township Dauphin County	SCRO
2224805	Joint DEP/PFBC Pesticides Permit	New	Hershey Entertainment & Resorts Co. 27 W Chocolate Avenue Hershey, PA 17033-1671	Derry Township Dauphin County	SCRO

NOTICES

3791

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
4024806	Joint DEP/PFBC Pesticides Permit	New	Nardone John 340 Market Street Suite 200 Kingston, PA 18704-5436	Dallas Township Luzerne County	NERO
5413808	Joint DEP/PFBC Pesticides Permit	Renewal	Curvey Mary F 1713 Arbor View Road Silver Spring, MD 20902-1410	Ryan Township Schuylkill County	NERO
6624801	Joint DEP/PFBC Pesticides Permit	New	Long Douglas 1677 Ruane Avenue Scranton, PA 18508-1731	Tunkhannock Township Wyoming County	NERO
1597405	Land Application and Reuse of Sewage Individual WQM Permit	Renewal	Ludwigs Village Assoc 2918 Conestoga Road Glenmoore, PA 19343	West Vincent Township Chester County	SERO
0806401	Major Sewage Treatment Facility Individual WQM Permit	Amendment	Towanda Borough Municipal Authority Bradford County 724 Main Street Towanda, PA 18848-1616	Towanda Borough Bradford County	NCRO
4909406	Major Sewage Treatment Facility Individual WQM Permit	Amendment	Shamokin & Coal Township Joint Sewer Authority Northumberland County 114 Bridge Street Shamokin, PA 17872-7690	Ralpho Township Northumberland County	NCRO
NNOEXSC28	No Exposure Certification	Renewal	Walmart Stores East LP 702 SW 8th Street Bentonville, AR 72712-6209	Bedford Township Bedford County	SCRO
NOEXNC134	No Exposure Certification	Transfer	Fed Express Corp 3620 Hacks Cross Road Memphis, TN 38125-8800	Fairfield Township Lycoming County	NCRO
NOEXNC154	No Exposure Certification	Transfer	Fed Express Corp 3620 Hacks Cross Road Memphis, TN 38125-8800	Sandy Township Clearfield County	NCRO
NOEXNW106	No Exposure Certification	Renewal	Cue Inc. 11 Leonberg Road Cranberry Township, PA 16066-3601	Cranberry Township Butler County	NWRO
NOEXSC208	No Exposure Certification	Transfer	Fed Express Corp 3620 Hacks Cross Road Memphis, TN 38125-8800	Allegheny Township Blair County	SCRO
NOEXSE224	No Exposure Certification	Transfer	Fed Express Corp 3620 Hacks Cross Road Memphis, TN 38125-8800	Tinicum Township Delaware County	SERO
NOEXSE365	No Exposure Certification	Transfer	Fed Express Corp Environmental Department 3620 Hacks Cross Road Memphis, TN 38125-8800	West Whiteland Township Chester County	SERO
NOEXSW031	No Exposure Certification	Renewal	Keystone Rustproofing Inc. 1901 Drive Thomas Boulevard New Kensington, PA 15068-4306	Arnold City Westmoreland County	SWRO
NOEXSW040	No Exposure Certification	Transfer	Fed Express Corp 3620 Hacks Cross Road Env Dept Memphis, TN 38125-8800	Hunker Borough Westmoreland County	SWRO
PAG030062	PAG-03 NPDES General Permit for Industrial Stormwater	Transfer	Fed Express Corp 3620 Hacks Cross Road Memphis, TN 38125-8800	Upper Merion Township Montgomery County	SERO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG030236	PAG-03 NPDES General Permit for Industrial Stormwater	Transfer	Fed Express Corp Environmental Department 3620 Hacks Cross Road Memphis, TN 38125-8800	Philadelphia City Philadelphia County	SERO
PAG032223	PAG-03 NPDES General Permit for Industrial Stormwater	Transfer	Fed Express Corp Environmental Services 1000 Fedex Drive Moon Township, PA 15108	Pittston Township Luzerne County	NERO
PAG033509	PAG-03 NPDES General Permit for Industrial Stormwater	Transfer	Fed Express Corp 3620 Hacks Cross Road Memphis, TN 38125-8800	Lower Swatara Township Dauphin County	SCRO
PAG033997	PAG-03 NPDES General Permit for Industrial Stormwater	Transfer	Fed Express Corp 3620 Hacks Cross Road Memphis, TN 38125-8800	Fairview Township York County	SCRO
PAG034087	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Baltimore Fabrication 101 N Haven Street Baltimore, MD 21224-1620	Manchester Township York County	SCRO
PAG035048	PAG-03 NPDES General Permit for Industrial Stormwater	New	Prysmian Cables & System USA LLC 409 Reighard Avenue Williamsport, PA 17701-4171	Williamsport City Lycoming County	NCRO
PAG036455	PAG-03 NPDES General Permit for Industrial Stormwater	Transfer	Fed Express Corp 3620 Hacks Cross Road Memphis, TN 38125-8800	Pittsburgh City Allegheny County	SWRO
PAG036585	PAG-03 NPDES General Permit for Industrial Stormwater	New	SPM Oil & Gas PC LLC 155 Industry Road Waynesburg, PA 15370-8063	Franklin Township Greene County	SWRO
PAG041346	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	Brittany Dickson & Trisden Coughlin 3417 Reichert Road Erie, PA 16509-4341	McKean Township Erie County	NWRO
PAG041355	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	Aaron & Kimberly Banach 8325 Mill Street Girard, PA 16417-9339	Platea Borough Erie County	NWRO
PAG041358	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	Anderson Family Realty LP 1 Anderson Plaza Greenville, PA 16125-9443	Sugar Grove Township Mercer County	NWRO
PAG045303	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	Tyler & Makenzie Stugart 5291 Warrensville Road Montoursville, PA 17754-8933	Eldred Township Lycoming County	NCRO
PAG046147	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Transfer	Hayman Shannon 151 Fitzgerald Lane Somerset, PA 15501-4124	Somerset Township Somerset County	SWRO
PAG048895	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Transfer	Free Joseph 27734 Deckards Road Cochranton, PA 16314-8114	Wayne Township Crawford County	NWRO
2509405	Pump Stations Individual WQM Permit	Amendment	Lawrence Park Township Erie County 68 Port Access Road Erie, PA 16507-2204	Erie City Erie County	NWRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
6524402	Pump Stations Individual WQM Permit	New	Morgan John 3682 State Route 31 Suite 2 Donegal, PA 15628-4029	Rostraver Township Westmoreland County	SWRO
PA0273007	Single Residence STP Individual NPDES Permit	Transfer	Heather Wilson & John Arp 1347 Valentine Run Road Russell, PA 16345-3137	Pine Grove Township Warren County	NWRO
PA0287946	Single Residence STP Individual NPDES Permit	Transfer	Baker Joseph 636 Reed Road Corry, PA 16407-3012	Spring Creek Township Warren County	SWRO
PA0291277	Single Residence STP Individual NPDES Permit	Transfer	Dean & Jodi Hushon 4430 Route 59 Lewis Run, PA 16738-3216	Lafayette Township McKean County	NWRO
2003409	Single Residence Sewage Treatment Plant Individual WQM Permit	Transfer	Free Joseph 27734 Deckards Road Cochranton, PA 16314-8114	Wayne Township Crawford County	NWRO
4222405	Single Residence Sewage Treatment Plant Individual WQM Permit	Transfer	Dean & Jodi Hushon 4430 Route 59 Lewis Run, PA 16738-3216	Lafayette Township McKean County	NWRO
5698406	Single Residence Sewage Treatment Plant Individual WQM Permit	Transfer	Hayman Shannon 151 Fitzgerald Lane Somerset, PA 15501-4124	Somerset Township Somerset County	SWRO
6215401	Single Residence Sewage Treatment Plant Individual WQM Permit	Transfer	Heather Wilson & John Arp 1347 Valentine Run Road Russell, PA 16345-3137	Pine Grove Township Warren County	NWRO
6219414	Single Residence Sewage Treatment Plant Individual WQM Permit	Transfer	Baker Joseph 636 Reed Road Corry, PA 16407-3012	Spring Creek Township Warren County	NWRO

II. Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs.

Southcentral Regional Office

PA0029866, Sewage, SIC Code 8211, **Cumberland Valley School District**, 6746 Carlisle Pike, Mechanicsburg, PA 17050-1711. Facility Name: Green Ridge Elementary School. This existing facility is located in Silver Spring Township, **Cumberland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Conodoguinet Creek (WWF, MF), is located in State Water Plan watershed 7-B and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0065 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Daily Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0 Daily Min	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N (Total Load, lbs) (lbs)	Report	XXX	XXX	XXX	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs)	Report	XXX	XXX	XXX	XXX	XXX
	Total Mo					
Ammonia-Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Nov 1 - Apr 30						
May 1 - Oct 31	XXX	XXX	XXX	10.5	XXX	21
Ammonia-Nitrogen (Total Load, lbs) (lbs)	Report	XXX	XXX	XXX	XXX	XXX
	Total Mo					
Total Kjeldahl Nitrogen (Total Load, lbs) (lbs)	Report	XXX	XXX	XXX	XXX	XXX
	Total Mo					
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs)	Report	XXX	XXX	XXX	XXX	XXX
	Total Mo					

The proposed effluent limits for Outfall 001 are based on a design flow of .01 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
		Daily Max				
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
			Daily Min			
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
			Daily Min			
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N (Total Load, lbs) (lbs)	Report	XXX	XXX	XXX	XXX	XXX
	Total Mo					
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs)	Report	XXX	XXX	XXX	XXX	XXX
	Total Mo					
Ammonia-Nitrogen	XXX	XXX	XXX	22.5	XXX	XXX
Nov 1 - Apr 30						
May 1 - Oct 31	XXX	XXX	XXX	7.5	XXX	15
Ammonia-Nitrogen (Total Load, lbs) (lbs)	Report	XXX	XXX	XXX	XXX	XXX
	Total Mo					
Total Kjeldahl Nitrogen (Total Load, lbs) (lbs)	Report	XXX	XXX	XXX	XXX	XXX
	Total Mo					
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs)	Report	XXX	XXX	XXX	XXX	XXX
	Total Mo					

The proposed effluent limits for Outfall 001 are based on a design flow of .01 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report

The proposed monitoring requirements and effluent limits for implementation of Pennsylvania's Chesapeake Bay Watershed Implementation Plan are as follows for Outfall 001.—Interim Limits.

Parameters	Mass Units (lbs/day)		Monthly	Concentrations (mg/L)		Instant. Maximum
	Monthly	Annual		Monthly Average	Maximum	
Total Nitrogen (Total Load, lbs) (lbs) Effluent Net	XXX	Report Total Annual	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs) Effluent Net	XXX	Report Total Annual	XXX	XXX	XXX	XXX

The proposed monitoring requirements and effluent limits for implementation of Pennsylvania's Chesapeake Bay Watershed Implementation Plan are as follows for Outfall 001.—Final Limits.

Parameters	Mass Units (lbs/day)		Monthly	Concentrations (mg/L)		Instant. Maximum
	Monthly	Annual		Monthly Average	Maximum	
Total Nitrogen (Total Load, lbs) (lbs) Effluent Net	XXX	495 Total Annual	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs) Effluent Net	XXX	79 Total Annual	XXX	XXX	XXX	XXX

The proposed monitoring requirements and effluent limits for implementation of Pennsylvania's Chesapeake Bay Watershed Implementation Plan are as follows for Outfall 001.—Limits.

Parameters	Mass Units (lbs/day)		Monthly	Concentrations (mg/L)		Instant. Maximum
	Monthly	Annual		Monthly Average	Maximum	
Total Nitrogen (Total Load, lbs) (lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX
Ammonia-Nitrogen (Total Load, lbs) (lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southcentral Regional Office

PA0247944, Sewage, SIC Code 8211, **Spring Grove Area School District**, 100 E. College Avenue, Spring Grove, PA 17362. Facility Name: Paradise Elementary School. This existing facility is located in Paradise Township, **York County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary of Paradise Run (WWF), is located in State Water Plan watershed 7-F and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	6.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.03	XXX	0.10
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25.0	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N (Total Load, lbs) (lbs)	Report	XXX	XXX	XXX	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs)	Report	XXX	XXX	XXX	XXX	XXX
	Total Mo					
Ammonia-Nitrogen	XXX	XXX	XXX	4.8	XXX	9.9
Nov 1 - Apr 30						
May 1 - Oct 31	XXX	XXX	XXX	1.6	XXX	3.3
Ammonia-Nitrogen (Total Load, lbs) (lbs)	Report	XXX	XXX	XXX	XXX	XXX
	Total Mo					
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen (Total Load, lbs) (lbs)	Report	XXX	XXX	XXX	XXX	XXX
	Total Mo					
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs)	Report	XXX	XXX	XXX	XXX	XXX
	Total Mo					

The proposed effluent limits for Outfall 001 are based on a design flow of .004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southcentral Regional Office

PA0260967, Sewage, SIC Code 6515, **Silver Spring Country Estates**, 508 Elm Street, Fredrick, MD 21701. Facility Name: Silver Spring Country Estates. This existing facility is located in Silver Spring Township, **Cumberland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Conodoguinet Creek (WWF, MF), is located in State Water Plan watershed 7-B and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .013 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Nitrate-Nitrite as N	XXX	Report	XXX	XXX	Report	XXX
		Daily Max			Daily Max	
Total Nitrogen	XXX	Report	XXX	XXX	Report	XXX
		Daily Max			Daily Max	
Total Kjeldahl Nitrogen	XXX	Report	XXX	XXX	Report	XXX
		Daily Max			Daily Max	

The proposed effluent limits for Outfall 001 are based on a design flow of .013 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report

The proposed effluent limits for Outfall 001 are based on a design flow of .013 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Daily Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 5.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	Inst Min XXX	25.0	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean 200	XXX	1,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean XXX	XXX	XXX
Ultraviolet light transmittance (%)	XXX	XXX	Report XXX	4.5	XXX	9
Ammonia-Nitrogen	XXX	XXX	XXX	1.5	XXX	3
Nov 1 - Apr 30				2.0	XXX	4
May 1 - Oct 31	XXX	XXX	XXX			
Total Phosphorus	XXX	XXX	XXX			

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southeast Regional Office

PAI130085, MS4, Hulmeville Borough, Bucks County, 321 Main Street, Hulmeville, PA 19047-5801.

The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Hulmeville Borough, **Bucks County**. The receiving stream(s), Neshaminy Creek (WWF, MF), is located in State Water Plan watershed 2-F and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA waiver is in effect for small MS4s and is not in effect for large MS4s.

Southwest Regional Office

PA0027464, Sewage, SIC Code 4952, Pleasant Hills Authority, Allegheny County, 628 Cochran Mill Road, Clairton, PA 15025-3210. Facility Name: Pleasant Hills Authority STP. This existing facility is located in South Park Township, Allegheny County.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Lick Run (TSF), is located in State Water Plan watershed 19-C and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 5 MGD.—Interim Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
Cadmium, Total (ug/L)	Report	XXX	XXX	Report	Report	XXX
Copper, Total	Report	XXX	XXX	Report	Report	XXX
Cyanide, Free (ug/L)	Report	XXX	XXX	Report	Report	XXX
Mercury, Total (ug/L)	XXX	XXX	XXX	0.052	XXX	0.081

The proposed effluent limits for Outfall 001 are based on a design flow of 5 MGD.—Final Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
Cadmium, Total (ug/L)	0.019	XXX	XXX	0.47	0.70	XXX
Copper, Total	0.75	XXX	XXX	0.018	0.027	XXX
Cyanide, Free (ug/L)	0.17	XXX	XXX	4.04	6.06	XXX
Mercury, Total (ug/L)	0.002	XXX	XXX	0.051	0.076	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 5 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 6.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	1,042.5	1,584.6	XXX	25.0	38.0	50
Nov 1 - Apr 30						
May 1 - Oct 31	834.0	1,251.0	XXX	20.0	30.0	40
Biochemical Oxygen Demand (BOD ₅)	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	1,251.0	1876.5	XXX	30.0	45.0	60
Total Suspended Solids	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent						
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Ammonia-Nitrogen	104.3	158.5	XXX	Geo Mean 2.5	3.8	5
Nov 1 - Apr 30						
May 1 - Oct 31	62.6	95.9	XXX	1.5	2.3	3
Boron, Total	Report	XXX	XXX	Report	Report	XXX
Selenium, Total (ug/L)	Report	XXX	XXX	Report	Report Daily Max	XXX
Zinc, Total (ug/L)	Report	XXX	XXX	Report	Report Daily Max	XXX
Ultraviolet light dosage (mjoules/cm ²)	XXX	XXX	Report	Report	Report Daily Max XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 5 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Manganese, Total	XXX	XXX	XXX	XXX	Report Daily Max	XXX
PFOA (ng/L)	XXX	XXX	XXX	Report	XXX	XXX
PFOS (ng/L)	XXX	XXX	XXX	Daily Max Report	XXX	XXX
PFBS (ng/L)	XXX	XXX	XXX	Daily Max Report	XXX	XXX
HFPO-DA (ng/L)	XXX	XXX	XXX	Daily Max Report Daily Max	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 5 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Avg Qrtly Report Avg Qrtly	XXX	XXX

In addition, the permit contains the following major special conditions:

- Toxics Reduction Evaluation (TRE)

The permittee shall conduct a TRE for the newly developed WQBELs in accordance with DEP's Water Quality Toxics Management Strategy, Appendix C, Permittee Guidance for Conducting a Toxics Reduction Evaluation (TRE) (361-0100-003).

• Pretreatment Program Implementation

The permittee shall operate and implement a POTW pretreatment program in accordance with the Federal Clean Water Act, the Pennsylvania Clean Streams Law, and the Federal General Pretreatment Regulations at 40 CFR Part 403.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

This permit is a Non-EPA Waiver due to pretreatment program requirements and discharge to a TMDL stream.

Southwest Regional Office

PA0219461, Sewage, SIC Code 4952, **Center West Joint Sewer Authority**, 102 East End Road, Brownsville, PA 15417-8636. Facility Name: Center-West STP. This existing facility is located in Centerville Borough, **Washington County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Monongahela River (WWF), is located in State Water Plan watershed 19-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.42 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Instantaneous Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	4.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	85.0	140.0	XXX	25.0	40.0	50
Biochemical Oxygen Demand (BOD ₅)	Report	Report	XXX	Report	Report	XXX
Raw Sewage Influent						
Total Suspended Solids	105.0	155.0	XXX	30.0	45.0	60
Total Suspended Solids Raw Sewage Influent	Report	Report	XXX	Report	Report	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean	XXX	XXX
Ultraviolet light transmittance (%)	XXX	XXX	Report	XXX	XXX	XXX
Ammonia-Nitrogen	Report	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.42 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Instantaneous Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report Daily Max	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

Southwest Regional Office

PA0252522, Sewage, SIC Code 4952, **Somerset Township Municipal Authority**, P.O. Box 247, Somerset, PA 15501-0247. Facility Name: Lavansville STP. This existing facility is located in Somerset Township, **Somerset County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, West Branch Coxes Creek (WWF), is located in State Water Plan watershed 19-F and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .15 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report

The proposed effluent limits for Outfall 001 are based on a design flow of .15 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	4.0 Inst Min	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	31.3	47.6	XXX	25	38	50
Biochemical Oxygen Demand (BOD ₅) Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids	37.6	56.3	XXX	30	45	60
Total Suspended Solids Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
Oct 1 - Apr 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ultraviolet light transmittance (%)	XXX	XXX	Report	XXX	XXX	XXX
Ammonia-Nitrogen	18.8	28.2	XXX	15.0	22.5	30
Nov 1 - Apr 30	6.3	9.4	XXX	5.0	7.5	10
May 1 - Oct 31	6.3	9.4	XXX	5.0	7.5	10

The proposed effluent limits for Outfall 001 are based on a design flow of .15 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Total Nitrogen	XXX	XXX	XXX	Report Daily Max	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report Daily Max	XXX	XXX

In addition, the permit contains the following major special conditions:

- A. No Stormwater
- B. Acquire Necessary Property Rights
- C. Proper Sludge Disposal
- D. Chlorine Optimization
- E. Operator Notification
- F. Hauled-In Waste Restrictions
- G. Solids Management

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

Southwest Regional Office

PA0253804, Sewage, SIC Code, **Goulding Charles M**, 2640 Weinman Road, Wexford, PA 15090-7916. Facility Name: Goulding Properties SRSTP. This existing facility is located in Franklin Park Borough, **Allegheny County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), East Branch Big Sewickley Creek (TSF), is located in State Water Plan watershed 20-G and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0005 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	Annl Avg	XXX	6.0	XXX	XXX	9.0
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	Inst Min XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	Report	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

III. Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity.

Regional Permit Coordination Office

Applicant: **PPL Electric Utilities Corporation**

Applicant Address: 1639 Church Rd, Allentown, PA 18104

Application Number: **PAD360110 A-2**

Application Type: Major Amendment

Municipality/County: East Donegal Township, Mount Joy Township, West Donegal Township, and Elizabethtown Borough, **Lancaster County**

Project Site Name: WHEM-HUMM Rebuild Project

Total Earth Disturbance Area (acres): 38.2 acres

Surface Waters Receiving Stormwater Discharges: Tributary to Susquehanna River (WWF, MF), Susquehanna River (WWF, MF), Tributary to Donegal Creek (CWF, MF), Donegal Creek (TSF, MF), tributary to Conoy Creek (TSF, MF), Conoy Creek (TSF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: PPL Electric Utilities Corporation plans to rebuild part of the existing West Hempfield-Hummelstown Transmission line. The project activities include approximately 13.5 miles of fiber installation, installation of new monopoles, and other associated components. Temporary work pads and construction accesses will be required. All earth disturbance activities will be restored to existing conditions. This portion of the WHEM-HUMM Rebuild will start at the Elizabethtown Tap and end at the East Elizabethtown Substation.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-772-5987.

Northeast Regional Office

Applicant: **Phineyville Road Solar 1, LLC**

Applicant Address: 55 Technology Drive, Suite 102, Lowell, MA 01851

Application Number: **PAD540034**

Application Type: New

Municipality/County: East Union Township, **Schuylkill County**

Project Site Name: 129 Phineyville Road Solar Project

Total Earth Disturbance Area (acres): 39.7 acres

Surface Waters Receiving Stormwater Discharges: 1. UNT to Catawissa Creek (CWF, MF), 2. EV Wetlands

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: This project involves the construction of a 5 MW AC ground-mounted solar energy production facility, an access road adjoining Phineyville Road to the north and to the south.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

Northeast Regional Office

Applicant: **Yelena Gladkov-Kaganovich**

Applicant Address: 2650 Haring Street, Floor 1, Brooklyn, NY 11235

Application Number: **PAD450199**

Application Type: New

Municipality/County: Polk Township, **Monroe County**

Project Site Name: Gladkov 294 Upper Greenhill

Total Earth Disturbance Area (acres): 1.474 acres

Surface Waters Receiving Stormwater Discharges: Pohopoco Creek (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Project area consists of concrete patio area, gravel parking and driveway areas, and site grading of an existing residential property. Proposed storm facilities to address stormwater impacts to the site.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

Northeast Regional Office

Applicant: **Interstate Investment Corporation, c/o Todd Goss**

Applicant Address: 1225 Stephens Road, Warren, MI 48089-2010

Application Number: **PAD390309**

Application Type: New

Municipality/County: Upper Macungie Township, **Lehigh County**

Project Site Name: XPO Logistics—Allentown

Total Earth Disturbance Area (acres): 11.99 acres

Surface Waters Receiving Stormwater Discharges: UNT to Little Lehigh Creek (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The Property is currently developed as a 28,641 square foot warehouse, which is a permitted use by special exception within the LI Zoning District. Crown Enterprises LLC ("Applicant") is seeking to expand the existing warehouse building to provide 19,810 square footage of additional storage space and modify the exterior to add parking and improve circulation on the Property. Stormwater management will be provided by a bioretention MRC BMP, an underground extended detention MRC BMP, water quality inlet filters, soil amendment & restoration, and reforest and revegetation.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

Northeast Regional Office

Applicant: **Verdi Enterprises, LLC, c/o Scott Jensen**

Applicant Address: 4480 Spring Hill Drive, Schnecksville, PA 18078

Application Number: **PAD390306**

Application Type: New

Municipality/County: North Whitehall Township, **Lehigh County**

Project Site Name: 3952 Independence Drive

Total Earth Disturbance Area (acres): 2.07 acres

Surface Waters Receiving Stormwater Discharges: Coplay Creek (CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construction of a proposed 12,500 SF manufacturing facility along with associated parking & loading areas, site utilities and stormwater management facilities.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

Southcentral Regional Office

Applicant: **Commonwealth of Pennsylvania, Department of General Services**

Applicant Address: 1800 Herr Street, Harrisburg, PA 17125

Application Number: **PAD210107**

Application Type: New

Municipality/County: North Middleton Township, **Cumberland County**

Project Site Name: Carlisle Readiness Center

Total Earth Disturbance Area (acres): 22.667 acres

Surface Waters Receiving Stormwater Discharges: Letort Spring Run (HQ-CWF, MF), Conodoguinet Creek (WWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construction of a new armory building.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4802.

Southcentral Regional Office

Applicant: **York Land Development, LLC**

Applicant Address: 4732 Gettysburg Pike, Suite 302, Mechanicsburg, PA 17055

Application Number: **PAD670110**

Application Type: New

Municipality/County: Carroll Township, **York County**

Project Site Name: Dillsburg Warehouse

Total Earth Disturbance Area (acres): 19.95 acres

Surface Waters Receiving Stormwater Discharges: Dogwood Run (CWF) and UNT to Dogwood Run (CWF) via EV Wetlands

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: A 252,000 SF warehouse with on-site parking areas and stormwater management facilities

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4802.

Northcentral Regional Office

Applicant: **Mr. Ryan Lepley**

Applicant Address: 3190 SR 0087, Montoursville, PA 17754

Application Number: **PAD410031**

Application Type: New

Municipality/County: Cascade Township, **Lycoming County**

Project Site Name: Lepley Residence

Total Earth Disturbance Area (acres): 11.0 acres

Surface Waters Receiving Stormwater Discharges: King Run (EV) (MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The construction and maintenance of a single-family home on the North side of Wallis Run Road in Cascade Township. The proposed driveway is to be constructed of dust free compacted gravel. The existing land use is forested, and the proposed land use is forested/residential. The proposed development allows for a majority of the site to remain forested except for the home and access drive. Stormwater volume, rate, and quality requirements will be achieved with an infiltration basin.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 570-327-3693.

Southcentral Regional Office

Applicant: **Mandy D. Carl and Shawn M. Carl**

Applicant Address: P.O. Box 50, Elizabethville, PA 17023

Application Number: **PAD220014**

Application Type: New

Municipality/County: Jefferson and Jackson Townships, **Dauphin County**

Project Site Name: Carl Residence

Total Earth Disturbance Area (acres): 2.56 acres

Surface Waters Receiving Stormwater Discharges: Conleys Creek (HQ-CWF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construction of residential dwelling, Garage and Driveway.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4802.

Southcentral Regional Office

Applicant: **Cubes of Allentown, LLC**

Applicant Address: 37 Wheatland Drive, Myerstown, PA 17067

Application Number: **PAD060102**

Application Type: New

Municipality/County: Richmond Township, **Berks County**

Project Site Name: Cubes of Allentown

Total Earth Disturbance Area (acres): 1.8 acres

Surface Waters Receiving Stormwater Discharges: Moselem Creek (HQ, CWF-MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Storage Units

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4802.

Northeast Regional Office

Applicant: **Hazleton City Authority**

Applicant Address: 400 East Arthur Gardner Parkway, Hazleton, PA 18201

Application Number: **PAD400080**

Application Type: New

Municipality/County: Hazleton City, Hazle Township, **Luzerne County**

Project Site Name: Hazleton City Authority Dreck Creek Pumping Station

Total Earth Disturbance Area (acres): 3.48 acres

Surface Waters Receiving Stormwater Discharges: 1. Dreck Creek (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The project involves upgrades to the pump station with an addition to the pump station building, as well as upgrades to the transmission lines that run from the pump station to the HCA storage pond. Upgrades include a section of new line as well as slip lining existing pipe.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

STATE CONSERVATION COMMISSION

PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed (National Pollutant Discharge Elimination System) NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.shtml> or can be obtained from the SCC at the office address listed or by calling 717-787-8821.

Individuals wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30-days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Individuals in need of accommodations should contact the SCC through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

ACT 38

NUTRIENT MANAGEMENT PLANS

CAFO PUBLIC NOTICE SPREADSHEET—APPLICATIONS

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal/New</i>
DL Rohrer Farms LLC Douglas Rohrer 1728 Bridge Road Lancaster, PA 17602	Lancaster County	995	659.4	Layers	NA	Renewal

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal/New</i>
Clark Oberholtzer 433 Black Barren Road Peach Bottom, PA 17563	Lancaster County	175.3	411.37	Swine	HQ	Renewal
Murmac Farms LLC 2336 Zion Road Bellefonte, PA 16823	Centre County	1,190.2	3,027.6	Dairy	NA	Renewal
Meadow Run Farm 4270 Harvest Road Manheim, PA 17545	Lebanon County	95.6	998.0	Swine	NA	Renewal
Ryan Snyder 6 Snyder Lane Lewistown, PA 17044	Mifflin County	0	792	Swine	NA	Renewal
Arthur Astle 643 Street Road Oxford, PA 19363	Chester County	25.93	1,065.64	Swine	NA	Renewal
LaWayne Ebersol 4970 Sunset Pike Chambersburg, PA 17201	Franklin County	209.2	137.37	Ducks	NA	Renewal
Curtis Brubaker 3038 Beaver Run Road Mifflinburg, PA 17844	Union County	0	633.63	Swine/ Poultry	NA	Renewal
Franklin View Farms LLC Aaron Breneman 1700 Prospect Road Washington Boro, PA 17582	Lancaster County	610	1,759.88	Dairy	NA	Renewal
Dwight Manbeck 917 Schwartz Valley Road Schuylkill Haven, PA 17972	Schuylkill County	150.2	679.17	Swine	NA	Renewal

PUBLIC WATER SUPPLY PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for Public Water Supply (PWS) permits to construct or substantially modify public water systems.

Individuals wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30-days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of Environmental Protection (DEP) the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, DEP will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at

(800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

SAFE DRINKING WATER

Application(s) Received Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Southeast Region: Safe Drinking Water Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Kimberleigh Rivers, Clerical Assistant 2, 484-250-5887.

Application No. 4624512, Construction, Public Water Supply.

Applicant	Telford Borough Authority
Address	50 Penn Avenue Telford, PA 18969
Municipality	Telford Borough
County	Montgomery County
Responsible Official	Kyle Detweiler 50 Penn Avenue Telford, PA 18969
Consulting Engineer	Patrick DiGangi 4259 W. Swamp Road Doylestown, PA 18902
Application Received	June 12, 2024

Description Installation of Granular Activated Carbon (GAC) Filtration System at Well Nos. 1, 3 and 5—7 to treat PFAS.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 1

Acknowledgment of Notice(s) of Intent to Remediate Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent (NOI) to Remediate. An acknowledgment of the receipt of a NOI to Remediate is used to identify a site where an individual proposes to, or has been required to, respond to a release of a regulated substance at a site. Individuals intending to use the background standard, Statewide health standard, the site-specific standard, or who intend to remediate a site as a special industrial area, must file a NOI to Remediate with DEP. A NOI to Remediate filed with DEP provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. An individual who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the Act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by DEP. Furthermore, an individual shall not be subject to citizen suits or other contribution actions brought by responsible individuals not participating in the remediation.

Under Sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the NOI to Remediate is published in a newspaper of general circulation in the area of the site. For the following identified site(s), proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30-days of the following specified date. During this comment period the municipality may request that the following identified individual, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of the site.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The DEP has received the following Notice(s) of Intent to Remediate.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Environmental Cleanup & Brownfields Program Manager, 717-705-4705.

Eagle View Middle School, Primary Facility ID # **876413**, 6746 Carlisle Pike, Mechanicsburg, PA 17050, Silver Spring Township, **Cumberland County**. Reliance Environmental, Inc., 235 North Duke Street, Lancaster, PA 17602 on behalf of Cumberland Valley School District, 6746 Carlisle Pike, Mechanicsburg, PA 17050, submitted a Notice of Intent to Remediate. Notice of Intent to Remediate soil & groundwater contaminated with No. 2 Fuel Oil. The site will be remediated to the Statewide health standard. Future use of the site is residential. The Notice of Intent to Remediate was published in *The Sentinel* on June 6, 2024. Application received: June 11, 2024.

356 Hilltop Drive, Primary Facility ID # **876451**, 356 Hilltop Drive, Ephrata, PA 17522, West Earl Township, **Lancaster County**. Crawford Environmental Services, LLC, 20 Cardinal Drive, Birdsboro, PA 19508 on behalf of Mr. Richard Miller, 356 Hilltop Drive, Ephrata, PA 17522, submitted a Notice of Intent to Remediate. Notice of Intent to Remediate soil contaminated with No. 2 Fuel Oil. The site will be remediated to the Statewide health standard. Future use of the site is residential. The Notice of Intent to Remediate was published in *LNP* on May 13, 2024. Application received: June 11, 2024.

356 Hilltop Drive, Primary Facility ID # **876451**, 356 Hilltop Drive, Ephrata, PA 17522, West Earl Township, **Lancaster County**. Crawford Environmental Services, LLC, 20 Cardinal Drive, Birdsboro, PA 19508 on behalf of Schwanger Bros. & Co., Inc., 500 West Roseville Road, Lancaster, PA 17601, submitted a Notice of Intent to Remediate. Notice of Intent to Remediate soil contaminated with No. 2 Fuel Oil. The site will be remediated to the Statewide health standard. Future use of the site is residential. The Notice of Intent to Remediate was published in *LNP* on May 13, 2024. Application received: June 11, 2024.

DETERMINATION OF APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for Determination of Applicability for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other than Coal Ash.

Southcentral Region: Waste Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Carrie A. Fleming, Program Manager.

WMGR081SC008. Alpha Assembly Solutions, Inc., 4100 6th Avenue, Altoona, PA 16602, City of Altoona, **Blair County**. This is an application for coverage under Residual Waste General Permit WMGR081, which authorizes the processing by disassembling, mechanical processing (by sizing, shaping, separating and volume reduction only), and associated storage prior to reuse or recycling at the processing or transfer facility, of uncon-

taminated and source separated electronic devices. Application received: May 16, 2024. Deemed administratively complete: May 30, 2024.

Questions concerning the application should be directed to John L. Oren, P.E., Permits Chief, Southcentral Region, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department of Environmental Protection (DEP) has developed an integrated plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for DEP, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The DEP received applications for Plan Approvals or Operating Permits from the following facilities. Copies of the application, DEP's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate DEP Regional Office. Appointments for scheduling a review must be made by calling the appropriate DEP Regional Office. The address and telephone number of the Regional Office is listed before the application notices.

Individuals wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the DEP's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

Any individual wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if DEP, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when DEP determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate DEP Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operat-

ing Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

OPERATING PERMITS

Notice of Intent to Issue Title V Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Matthew Williams, Facilities Permitting Chief, 814-332-6940.

33-00033, Owens Illinois Inc.—Owens Brockway Glass Container Plant 18, 1260 Cherry Street, Brockway, PA 15824, Brockway Borough, **Jefferson County**. Application received: January 3, 2023. In accordance with 25 Pa. Code §§ 129.111—129.115 (relating to additional RACT requirements for major sources of NO_x and VOCs for the 2015 ozone NAAQS), the Pennsylvania Department of Environmental Protection (Department, DEP) has made a preliminary determination to approve an RACT III Alternate Proposal for the Owens Illinois Brockway Plant No. 18. The RACT III Alternate Proposal will be issued as a significant modification to the facility's Title V operating permit 33-00033. The RACT III Alternate Proposal incorporates restrictions for the control of emissions of Nitrogen Oxides (NO_x). These restrictions are intended to address the Commonwealth's RACT obligations under section 184 of the Clean Air Act for the 1997, 2008 and 2015 8-hour ozone National Ambient Air Quality Standards. The RACT III Alternate Proposal does not adopt any new regulations. This RACT III Alternate Proposal will be submitted to the United States Environmental Protection Agency (EPA) for approval as a revision to the Commonwealth's State Implementation Plan (SIP). Requirements that are not part of the RACT III Alternate Proposal will be excluded from the SIP revision submittal. In accordance with 25 Pa. Code § 129.113(a), the company proposes a system-wide NO_x averaging plan for its Brockway Plant No. 18 Glass Melting Furnace B (Source ID: 110) and for its Crenshaw Plant No. 19 Glass Furnaces C and D (Source IDs: 103 and 104) to comply with the provisions of Additional RACT Requirements for Major Sources of NO_x and VOCs for the 2015 Ozone NAAQS (referred to as the RACT III Rule) codified at 25 Pa. Code §§ 129.111—129.115. The aggregate limit on all three furnaces will be 4.0 lbs NO_x per ton of glass produced. A 30-day public comment period is provided for persons wishing to file a written protest, objection, comments or additional information, which they believe should be considered prior to the issuance of a permit. The written comments, information, protests or objections may be submitted to Matthew Williams, Environmental Group Manager, Air Quality Program, at 230 Chestnut Street, Meadville, PA 16335, on or before the closing date of this 30-day public comment period. Each written submission must contain the name, address and telephone number of the person submitting the comments, identification of the RACT III significant modification

application, including the permit number, and a concise statement regarding the RACT III Alternate Proposal restriction that the person is commenting on and the relevancy of the information or objections to issuance of the RACT III significant modification. In the event that no one registers for the hearing by July 31, 2024, the hearing will be cancelled. Significant modification of TVOP No. 33-00033 is issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code § 127.462. DEP will hold a public hearing on Wednesday, August 7, 2024 at the Northwest Regional Office, 230 Chestnut Street, Meadville, PA 16335, from 11:00 AM-12:00 PM. The public hearing will be held to accept oral and written testimony on the proposed RACT III alternative compliance plan action and the proposed SIP revision. All comments, whether submitted to DEP in writing or delivered orally at the hearing, shall merit equal consideration. Persons wishing to present testimony at the public hearing should register with Tom Decker, Regional Communications Manager for DEP's Northwest Region, at thomadecke@pa.gov or phone 814.332.6615. Speakers must pre-register in order to testify at the hearing. Registration to testify will close at 5:00 PM on Wednesday, July 31, 2024. Oral testimony at the hearing will be limited to a maximum of 5 minutes per individual. Each organization is requested to designate one witness to present testimony on its behalf and time may not be relinquished to others. A stenographer will be present to record the testimony. DEP requests that presenters bring two copies of written remarks to aid in the transcription of testimony. Persons unable to attend the hearing may submit a written statement and exhibits to DEP, in the same manner as specified previously, within 10 days after the public hearing. All comments, whether submitted to DEP in writing or delivered orally at the hearing, shall merit equal consideration. Should inclement weather postpone the hearing date, this information will be posted at www.dep.pa.gov/About/Regional/NorthwestRegion/Community-Information/Pages/default.aspx. Please contact Tom Decker or monitor our website to determine if a hearing will be held.

33-00002, Owens Illinois Inc.—Owens Brockway Glass Container Plant 19, Route 219, Brockport, PA 15823, Snyder Township, **Jefferson County**. Application received: January 3, 2023. In accordance with 25 Pa. Code §§ 129.111—129.115 (relating to additional RACT requirements for major sources of NO_x and VOCs for the 2015 ozone NAAQS), the Pennsylvania Department of Environmental Protection (Department, DEP) has made a preliminary determination to approve an RACT III Alternate Proposal for the Owens Illinois Crenshaw Plant No. 19. The RACT III Alternate Proposal will be issued as a significant modification to the facility's Title V operating permit 33-00002. The RACT III Alternate Proposal incorporates restrictions for the control of emissions of Nitrogen Oxides (NO_x). These restrictions are intended to address the Commonwealth's RACT obligations under section 184 of the Clean Air Act for the 1997, 2008 and 2015 8-hour ozone National Ambient Air Quality Standards. The RACT III Alternate Proposal does not adopt any new regulations. This RACT III Alternate Proposal will be submitted to the United States Environmental Protection Agency (EPA) for approval as a revision to the Commonwealth's State Implementation Plan (SIP). Requirements that are not part of the RACT III Alternate Proposal will be excluded from the SIP revision submittal. In accordance with 25 Pa. Code § 129.113(a), the company proposes a system-wide NO_x averaging plan for its Brockway Plant No. 18 Glass Melting Furnace B (Source ID: 110) and for its Crenshaw Plant No. 19 Glass

Furnaces C and D (Source IDs: 103 and 104) to comply with the provisions of Additional RACT Requirements for Major Sources of NO_x and VOCs for the 2015 Ozone NAAQS (referred to as the RACT III Rule) codified at 25 Pa. Code §§ 129.111—129.115. The aggregate limit on all three furnaces will be 4.0 lbs NO_x per ton of glass produced. A 30-day public comment period is provided for persons wishing to file a written protest, objection, comments or additional information, which they believe should be considered prior to the issuance of a permit. The written comments, information, protests or objections may be submitted to Matthew Williams, Environmental Group Manager, Air Quality Program, at 230 Chestnut Street, Meadville, PA 16335, on or before the closing date of this 30-day public comment period. Each written submission must contain the name, address and telephone number of the person submitting the comments, identification of the RACT III significant modification application, including the permit number, and a concise statement regarding the RACT III Alternate Proposal restriction that the person is commenting on and the relevancy of the information or objections to issuance of the RACT III significant modification. Significant modification of TVOP No. 33-00002 is issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code § 127.462. DEP will hold a public hearing on Wednesday, August 7, 2024 at the Northwest Regional Office, 230 Chestnut Street, Meadville, PA 16335, from 10:00 AM-11:00 AM. The public hearing will be held to accept oral and written testimony on the proposed RACT III alternative compliance plan action and the proposed SIP revision. All comments, whether submitted to DEP in writing or delivered orally at the hearing, shall merit equal consideration. Persons wishing to present testimony at the public hearing should register with Tom Decker, Regional Communications Manager for DEP's Northwest Region, at thomadecke@pa.gov or phone 814.332.6615. Speakers must pre-register in order to testify at the hearing. Registration to testify will close at 5:00 PM on Wednesday, July 31, 2024. In the event that no one registers for the hearing by July 31, 2024, the hearing will be cancelled. Oral testimony at the hearing will be limited to a maximum of 5 minutes per individual. Each organization is requested to designate one witness to present testimony on its behalf and time may not be relinquished to others. A stenographer will be present to record the testimony. DEP requests that presenters bring two copies of written remarks to aid in the transcription of testimony. Persons unable to attend the hearing may submit a written statement and exhibits to DEP, in the same manner as specified previously, within 10 days after the public hearing. All comments, whether submitted to DEP in writing or delivered orally at the hearing, shall merit equal consideration. Should inclement weather postpone the hearing date, this information will be posted at www.dep.pa.gov/About/Regional/NorthwestRegion/Community-Information/Pages/default.aspx. Please contact Tom Decker or monitor our website to determine if a hearing will be held.

Notice of Intent to Issue Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Matthew Williams, Facilities Permitting Chief, 814-332-6940.

33-00185, Columbia Gas Trans Iowa Comp Sta, 455 Racetrack Rd, Washington, PA 15301-8910, Pine Creek

Township, **Jefferson County**. Application received: November 16, 2023. The Department intends to issue the renewal State Only Natural Minor Operating Permit for operation of compressor station. The facility's primary emission sources include two (2) 1,150 bhp natural gas-fired internal combustion engines controlled by catalytic converters that drive compressor units that pump natural gas through the system. The potential emissions of the primary pollutants from the facility are as follows: 27.69 TPY (tons per year) NO_x, 0.13 TPY CO, 5.23 TPY VOC, 0.01 TPY filterable PM₁₀ and PM_{2.5}, and 0.05 TPY SO_x; thus, the facility is a natural minor. The engines are subject to 40 CFR 63 Subpart ZZZZ, NESHAP for Stationary Reciprocating Internal Combustion Engines, as well as plan approval conditions for emissions, testing, recordkeeping, and work practices. The renewal permit will contain emission restrictions, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

25-00648, NEPA Energy LP, 139 S Lake St, North East, PA 16428-1209, North East Township, **Erie County**. Application received: November 30, 2023. The Department intends to issue the renewal State Only Natural Minor Operating Permit for operation of the facility. The facility produces steam for the nearby Welch's facility, located at 139 South Lake St, North East, PA. The facility's primary emission sources include the two 99 MMBtu/hr boilers and a parts cleaner. The potential emissions of the primary pollutants from the facility are as follows: 52.74 TPY (tons per year) NO_x, 5.48 TPY CO, 5.11 TPY VOC, 1.64 TPY total HAPs, 1.65 TPY filterable PM₁₀ and PM_{2.5}, and 0.52 TPY SO_x; thus, the facility is a natural minor. The boilers are subject to 40 CFR 60 Subpart Dc, Standards of Performance for Small Industrial-Commercial-Institutional Steam Generating Units. The renewal permit will contain emission restrictions, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.

34-03003, Empire Kosher Poultry Inc., 247 Empire Drive, Mifflintown, PA 17059, Walker Township, **Juniata County**. Application received: January 24, 2024. For the operation of a poultry processing facility. This is for renewal of the existing State-Only Permit. Potential air emissions from the facility are estimated at 2.09 tpy PM₁₀, 2.09 tpy PM_{2.5}, 22.00 tpy NO_x, 18.20 tpy CO, 3.61 tpy VOC, 0.41 tpy total HAPs, and 0.16 tpy SO₂. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR Part 60 Subpart Dc and 40 CFR Part 63 Subpart ZZZZ.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

36-05069, Fenner, Inc., 311 West Stiegel Street, Manheim, PA 17545, Manheim Borough, **Lancaster County**. Application received: May 28, 2024. To issue a State-Only Operating Permit renewal for the operation of their drive belt manufacturing facility. The facility's actual emissions for 2023 were reported to be 2.38 tons of VOC, 0.05 ton of

a single HAP (toluene-2,4-diisocyanate), and 0.05 ton of combined HAPs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 25 Pa. Code §§ 129.52 and 129.63 and 40 CFR 60 Subpart JJJJ—Standards of Performance for Stationary Spark Ignition Internal Combustion Engines.

06-05114, Birchcraft Kitchens Inc., 425 Richmond Street, Reading, PA 19605, City of Reading, **Berks County**. Application received: January 2, 2024. To issue a State Only Operating Permit renewal for their wood cabinet manufacturing plant. The estimated actual emissions from the facility from May 2023 to April 2024 are estimated at 0.06 tpy of NO_x, 0.05 tpy of CO, 0.16 tpy of PM₁₀, 7.92 tpy of VOC and 1.95 tpy of HAPs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 25 Pa. Code § 129.52 Surface Coating Processes.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief, 484-250-5920.

23-00077, Delaware County/Fair Acres Complex, 340 N Middletown Rd, Lima, PA 19037-0048, Middletown Township, **Delaware County**. Application received: September 11, 2023. This action is for the renewal of an Air Quality Program, Synthetic Minor, Operating Permit for a facility consisting of geriatric care facility, a juvenile detention facility, an emergency response center, and a crime lab located on adjacent properties. The facility emission points are three (3) units of natural gas and No. 2 fuel oil co-fired boilers, seven (7) units of emergency generator engines, and one (1) unit of gasoline storage tank. Facility-wide potential to emit Nitrogen Oxides (NO_x) emissions are greater than major source threshold for the Southeast Regional Area, and the facility took a facility-wide NO_x emission restriction of 24.9 tons per year; therefore, the facility is classified as a Synthetic Minor for NO_x emissions. The facility-wide emissions in 2023 were: 5.6 tons/yr of NO_x, 0.14 ton/yr of PM₁₀, 0.31 ton/yr of VOC, and 0.04 ton/yr of SO_x. The boilers are subject to the applicable requirements in 40 CFR Part 60 Subpart Dc—Standards of Performance for Small Industrial-Commercial-Institutional Steam Generating Units and 40 CFR Part 63 Subpart JJJJJJ—National Emission Standards for Hazardous Air Pollutants for Industrial, Commercial, and Institutional Boilers; the gasoline storage tank is subject to 40 CFR Part 63 Subpart CCCCCC—National Emission Standards for Hazardous Air Pollutants for Source Category: Gasoline Dispensing Facilities, 25 Pa. Code §§ 129.61 and 129.62. The emergency generator engines are not subject to any Federal regulations. The renewal contains monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements. Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEROAQUBCOM@pa.gov.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Thomas Joseph, P.E., Facilities Permitting Chief, 412-442-4336.

56-00294, New Enterprise Stone and Lime Co., Inc., 1715 Water Level Road, Somerset, PA 15501, Jefferson Township, **Somerset County**. Application received: September 5, 2023. Synthetic Minor State-Only Operating Permit for the New Enterprise Stone & Lime Company/Somerset Blacktop Plant in Jefferson Township, Somerset County. In accordance with 25 Pa. Code §§ 127.424 and 127.425, the Department of Environmental Protection (DEP) has received an application and is providing notice that it intends to issue a renewed, facility-wide, State Only Operating Permit for the previously mentioned facility. Sources of emissions consist of Drum Mix Asphalt Concrete Plant and plant roads. Air pollution prevention equipment at the facility includes cyclone, baghouse, a water truck and a road sweeper. The maximum throughput of the facility is 1,500,000 tons per year. The emissions from this facility shall not exceed the following on a consecutive 12 month rolling average basis: 48.6 tpy NO_x, 99.9 tpy CO, 22.6 tpy SO_x, 1.7 tpy PM₁₀, 5.6 tpy VOCs, 2.4 tpy single HAP and 8.9 tpy all combined HAPs. The air quality operating permit includes emission limitations, operating requirements, monitoring requirements, work practice standards, testing, reporting, and record-keeping requirements for the site. Those who wish to provide the Department with additional written information that they believe should be considered prior to the issuance of the Synthetic Minor State-Only Operating Permit may submit the information to Tom Joseph, Environmental Engineering Manager, Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Operating Permit (56-00294) and concise statements regarding the relevancy of the information or objections to issuance of the Operating Permit. A public hearing may be held, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient. Written comments or requests for a public hearing should be directed to Tom Joseph, Facilities Permit Chief, at the previously listed address. All comments must be received prior to the close of business 30 days after the date of this publication. The application, DEP's Review Memorandum, and the proposed permit are available for public review during normal business hours at DEP's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. A file review can be scheduled through the DEP's website at <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx> and by contacting Thomas Joseph, Environmental Engineering Manager, at 412-442-4336 or tjoseph@pa.gov.

COAL & NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the

Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21).

Mining activity permits issued in response to such applications are also subject to applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (DEP). A copy of the application is available for inspection at the District Mining Office indicated above each application. Requests for 401 Water Quality Certifications are included in individual application only if noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application may be submitted by any person or any officer or head of any Federal, State or Local Government Agency or Authority to DEP at the address of the District Mining Office indicated above each application within 30-days of this publication, or within 30-days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences). Such comments or objections should contain the name, address and phone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform DEP on the basis of comment or objection and relevant facts upon which it is based.

In addition, requests for an informal conference, or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 (relating to public hearing-informal conferences) or § 86.34 (relating to informal conferences), must also contain a brief summary of the issues to be raised by the requestor at the conference and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Where a National Pollutant Discharge Elimination System (NPDES) number is listed, the mining activity permit application is associated with an application for an NPDES permit. A separate notice will be provided for the draft NPDES permit.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Coal Applications

Effluent Limits—The following range of effluent limits (Table 1) will apply to NPDES permits issued in conjunction with the associated coal mining activity permit. Additional effluent limits will be listed as part of the publication of the draft NPDES permit.

Table 1

Parameter	30-Day Average	Daily Maximum	Instantaneous Maximum
Iron (total)	1.5 to 3.0 mg/l	3.0 to 6.0 mg/l	3.5 to 7.0 mg/l
Manganese (total)	1.0 to 2.0 mg/l	2.0 to 4.0 mg/l	2.5 to 5.0 mg/l
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Aluminum (Total)	0.75 to 2.0 mg/l	1.5 to 4.0 mg/l	2.0 to 5.0 mg/l

pH must always be greater than 6.0; less than 9.0.

Alkalinity must always be greater than acidity.

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

Contact: Alicia Cook, Clerical Assistant 3, 814-343-3328.

Mining Permit No. 61120107. NPDES No. PA0259331. Hillside Stone, LLC, 4080 Sandy Lake Road, Sandy Lake, PA 16145, Irwin Township, **Venango County**. Modification of an NPDES permit for a coal surface mining site affecting 62.7 acres. Modification to eliminate the land application area for discharge point 002 and to revise the location and description of discharge point 003 and eliminate the infiltration gallery. Receiving stream(s): Scrubgrass Creek classified for the following use(s): CWF. Application received: June 24, 2024.

Noncoal Applications

Effluent Limits—The following Table 2 effluent limits apply to NPDES permits issued in conjunction with a noncoal mining permit. Additional effluent limits will be listed as part of the publication of the draft NPDES permit.

Table 2

Parameter	30-day Average	Daily Maximum	Instantaneous Maximum
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l

Alkalinity must always exceed acidity.

pH must always be greater than 6.0; less than 9.0.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

Mining Permit No. 40870302. East Point Aggregate, LLC, 925 Harvard Avenue, Bethlehem, PA 18015, Foster Township, **Luzerne County**. Correction of an existing quarry operation to include blasting for extraction of mineral affecting 105.54 acres. Receiving stream: UNT to Lehigh River, classified for the following uses: HQ-CWF, MF, TMDL. Application received: June 6, 2024.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed National Pollutant Discharge Elimination System (NPDES) permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (DEP) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

Parameter	30-Day Average	Daily Maximum	Instantaneous Maximum
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l

pH must always be greater than 6.0; less than 9.0.

Alkalinity must always be greater than acidity.

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The limits for noncoal mining activities as provided in 25 Pa. Code § 77.522 are pH 6 to 9 and other parameters DEP may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

Coal NPDES Draft Permits

California District Mining Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.

Contact: Bonnie Herbert, Clerical Assistant 3.

PA0235407. Mining Permit No. 03991301. Rosebud Mining Company, 301 Market Street, Kittanning, PA 16201, Bethel Township, **Armstrong County**. Application received: February 8, 2021. Accepted: May 13, 2021.

A renewal to the NPDES permit, affecting 120.9 surface acres and 12,646.2 underground acres. Receiving stream(s): Taylor Run, classified for the following use: WWF.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The proposed effluent limits for Outfall 005 discharging to Taylor Run are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to Permit Expiration Date:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (mgd)	-	-	-	Report
Iron (mg/l)	-	3.0	6.0	7.0
Manganese (mg/l)	-	2.0	4.0	5.0
Aluminum (mg/l)	-	2.0	4.0	5.0
Total Suspended Solids (mg/l)	-	35	70	90
Total Dissolved Solids (mg/l)	-	-	-	Report
Sulfate (mg/l)	-	-	-	Report
pH (S.U.)	6.0	-	-	9.0
Alkalinity, total as CaCO ₃ (mg/l)	-	-	-	Report
Acidity, total as CaCO ₃ (mg/l)	-	-	-	Report
Alkalinity, net (mg/l)	0.0	-	-	-

The EPA Waiver is not in effect.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

Contact: Cassie Stanton, Clerical Assistant 2.

NPDES No. PA0609382. Mining Permit No. 17840123. River Hill Coal, Company, Inc., P.O. Box 141, Kylertown, PA 16847, Karthaus Township, **Clearfield County**. Application received: April 30, 2024.

Renewal of an NPDES permit for discharge of water resulting from bituminous coal surface mining. The source of the pit water is the adjacent River Hill Coal Company, Inc. Pottersdale permit. Pit water is pumped from the Pottersdale permit to treatment facility ponds on the reclaimed Hemlock permit. The approved non-discharge infiltration galleries exist on both the Pottersdale and Hemlock permits. Receiving stream: Saltlick Run, classified for the following use: HQ-CWF.

The following outfall requires a non-discharge alternative:

<i>Outfall No.</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
020	Existing	Treatment Facility TF-3H	Intermittent (Pumped)

There is no proposed surface discharge from the previously listed facilities to the receiving stream due to the implementation of Best Management Practices in the form of infiltration galleries. Instantaneous maximum BAT limits will be applied to the outfall effluent entering the infiltration galleries for the protection of the groundwater.

Noncoal NPDES Draft Permits

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov, Theresa Reilly-Flannery.

NPDES Permit No. PA0225924. Mining Permit No. 64230302. Rutledge Unlimited, LLC, 2495 Hancock Highway, Equinunk, PA 18417, Damascus Township, **Wayne County**. Transfer of an NPDES permit from GP105 Permit No. 64182503, affecting 11.4 acres. Receiving stream: UNT to Little Equinunk Creek and North Branch Calkins Creek, classified for the following uses: HQ-CWF, MF. The operation does not discharge to waters of the Commonwealth. Application received: October 3, 2023.

NPDES No. PA0224693. Mining Permit No. 64080301. H & K Group, Inc., P.O. Box 196, 2052 Lucon Road, Skippack, PA 19474, Palmyra Township, **Wayne County**. Renewal of a NPDES permit affecting 79.2 acres. Receiving stream: Unnamed Tributary to Wallenpaupack Creek, classified for the following use: HQ-CWF. Application received: September 11, 2023.

NPDES No. PA0594369. Mining Permit No. 7973SM3. Naceville Materials Joint Venture, 350 South Main Street, Suite 207, Doylestown, PA 18901-4873, Wrightstown Township, **Bucks County**. Renewal of a NPDES permit affecting 60.0 acres. Receiving stream: Mill Creek, classified for the following use: WWF. Application received: October 12, 2023.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for noncoal mining activities.

The following treated wastewater outfalls discharge to Unnamed Tributary to Wallenpaupack Creek:

<i>Outfall Number</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
002	Existing	Treatment Facility Outfall	0.5 MGD

The proposed effluent limits for the previously listed outfall are as follows:

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
pH ⁱ (S.U.)	6.0			9.0
Total Alkalinity (as CaCO ₃) (mg/L)			Monitor And Report	
Total Acidity (as CaCO ₃) (mg/L)			Monitor And Report	
Net Alkalinity (mg/L)	0.0			
Total Suspended Solids (mg/L)		35.0	70.0	90.0
Turbidity (NTU)		40.0	80.0	100.0
Discharge (MGD)		0.5		

ⁱThis Parameter is applicable at all times.

NPDES No. PA0594474. Mining Permit No. 6376SM2. York Building Products Co., Inc., 950 Smile Way, Suite A, York, PA 17404, Jackson Township, **York County**. Renewal of a NPDES permit affecting 341.5 acres. Receiving stream: Little Conewago Creek, classified for the following use: TSF. Application received: September 18, 2023.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for noncoal mining activities.

The following treated wastewater outfalls discharge to Mill Creek:

<i>Outfall Number</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
001	Existing	Treatment Facility Outfall	1.0 MGD

The proposed effluent limits for the previously listed outfall are as follows:

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
pH ⁱ (S.U.)	6.0			9.0
Total Alkalinity (as CaCO ₃) (mg/L)			Monitor And Report	
Total Acidity (as CaCO ₃) (mg/L)			Monitor And Report	
Net Alkalinity (mg/L)	0.0			
Total Suspended Solids (mg/L)		35.0	70.0	90.0
Discharge (MGD)		1.0		

ⁱThis Parameter is applicable at all times.

NPDES No. PA0034690. Mining Permit No. 5777SM4. Barletta Materials & Construction, Inc., P.O. Box 550, Tamaqua, PA 18252, Nescopeck Township, **Luzerne County**. Renewal of a NPDES permit affecting 199.8 acres. Receiving stream: Susquehanna River and Unnamed Tributary to the Susquehanna River, classified for the following uses: WWF, MF, CWF (TMDLs for PCBs, Mercury, Aluminum, and Iron). Application received: December 4, 2023.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for noncoal mining activities.

The following treated wastewater outfalls discharge to Unnamed Tributary to Susquehanna River:

<i>Outfall Number</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
001	Existing	Treatment Facility Outfall	0.13 MGD

The proposed effluent limits for the previously listed outfall are as follows:

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
Flow (MGD)		0.13	1.54	
pH ⁱ (S.U.)	6.0			9.0
Total Alkalinity (as CaCO ₃) (mg/L)			Monitor And Report	
Total Acidity (as CaCO ₃) (mg/L)			Monitor And Report	
Net Alkalinity (mg/L)	0.0			
Total Suspended Solids (mg/L)		35.0	70.0	90.0
Total Iron (mg/L)		3.0	6.0	7.0

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
Total Aluminum (mg/L)		0.75	0.75	0.75
Oil and Grease (mg/L)			Monitor And Report	

ⁱThis Parameter is applicable at all times.

The following limits apply to dry weather discharges from the following stormwater outfalls: 002

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
Flow (MGD)			1.17	
pH ⁱ (S.U.)	6.0			9.0
Total Suspended Solids (mg/L)		35.0	70.0	90.0
Total Acidity (as CaCO ₃) (mg/L)			Monitor And Report	
Total Alkalinity (as CaCO ₃) (mg/L)			Monitor And Report	
Net Alkalinity (mg/L)	0.0			
Oil and Grease (mg/L)			Monitor And Report	

The following alternate discharge limitations apply to discharges from the following stormwater outfalls resulting from precipitation events less than or equal to the 10-year/24-hour precipitation event: 002

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
pH ⁱ (S.U.)	6.0			9.0
Total Settleable Solids (m/L)				0.5
Total Acidity (as CaCO ₃) (mg/L)			Monitor And Report	
Total Alkalinity (as CaCO ₃) (mg/L)			Monitor And Report	
Net Alkalinity (mg/L)	0.0			

ⁱThis Parameter is applicable at all times.

NPDES Permit No. PA0614203. Mining Permit No. 15830602. Allan Myers, LP, d/b/a Allan Myers Materials, 638 Lancaster Avenue, Malvern, PA 19355, Charlestown Township, **Chester County.** Renew an NPDES Permit affecting 87.74 acres. Receiving stream: UNT to Pickering Creek, classified for the following uses: HQ-TSF, MF. Application received: April 5, 2024.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for noncoal mining activities.

The following treated wastewater outfalls discharge to UNT to Pickering Creek:

<i>Outfall Number</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
001	Existing	Quarry Pit Water	0.75 MGD

The proposed effluent limits for the previously listed outfall are as follows:

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
pH ⁱ (S.U.)	6.0			9.0
Total Alkalinity (as CaCO ₃) (mg/L)			Monitor And Report	
Total Acidity (as CaCO ₃) (mg/L)			Monitor And Report	
Net Alkalinity (mg/L)	0.0			
Total Suspended Solids (mg/L)		35.0	70.0	90.0
Discharge (MGD)				
Oil and Grease (mg/L)			Monitor And Report	
Turbidity (NTU)				40.0

ⁱThis Parameter is applicable at all times.

NPDES Permit No. PA0224791. Mining Permit No. 52090301. Dingman's Ferry Stone, Inc., P.O. Box 686, Dingmans Ferry, PA 18328, Delaware Township, **Pike County.** Renew an NPDES Permit affecting 68.2 acres. Receiving stream: UNT to Hornbecks Creek, classified for the following uses: HQ-CWF, MF. Application received: November 7, 2023.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for noncoal mining activities.

The following treated wastewater outfalls discharge to UNT to Hornbecks Creek:

<i>Outfall Number</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
SP1	Existing	Stormwater Outfall	18.0 MDG
SP2	Existing	Stormwater Outfall	2.1 MDG
SP3	Existing	Stormwater Outfall	2.1 MDG

The following limits apply to dry weather discharges from the following stormwater outfalls: SP1—SP3

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Total Suspended Solids (mg/L)		35.0	70.0	90.0
Turbidity (NTU)				40

The following alternate discharge limitations apply to discharges from the following stormwater outfalls resulting from precipitation events less than or equal to the 10-year/24-hour precipitation event: SP1—SP3

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Total Settleable Solids (m/L)				0.5

¹This Parameter is applicable at all times.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection (DEP). Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341), requires the State to certify that the involved projects will not violate the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), as well as relevant State requirements. Individuals objecting to approval of a request for certification under Section 401 or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit, or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30-days of the date of this notice, as well as any questions to the office noted above the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed, and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The DEP may schedule a fact-finding hearing or an informal conference in response to comments if deemed necessary. Maps, drawings and other data pertinent to the certification request are available for inspection between the hours of 8:00 a.m. and 4:00 p.m. on each working day at the office noted above the application.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

WATER OBSTRUCTIONS AND ENCROACHMENTS

Applications Received Under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification Under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Central Office: Bureau of Abandoned Mine Reclamation, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-783-2267.

Contact: Kristina Peacock-Jones, P.E., 717-772-5671.

EA 1710-005. PADEP—Bureau of Abandoned Mine Reclamation, 400 Market Street, Harrisburg, PA 17101,

Cooper Township, **Clearfield County**. U.S. Army Corps of Engineers Baltimore District. Application received: June 18, 2024.

The applicant proposes to backfill an abandoned surface mine, which includes a total of 7,500 linear feet of dangerous highwall, 3,000 liner feet of highwall, and 68.5 acres of associative spoil area. In addition, bat gates will be installed on 6 mine openings. The project will include the backfilling of 0.498 acre of open water that have developed within the open surface mine pit. Latitude: 40° 57', 59.29", Longitude: -78° 06', 35.59".

EA3310-2-24-001. PADEP—Bureau of Abandoned Mine Reclamation, 400 Market Street, Harrisburg, PA 17101, Snyder Township, **Jefferson County**. U.S. Army Corps of Engineers Pittsburgh District. Application received: June 18, 2024.

Proposal to backfill an abandoned surface mine, which includes a total of 1,700 linear feet of dangerous highwall and 18 acres of mine spoil area. The project will include the backfilling of 0.1068 acre of open water that have developed within the open surface mine pit. Latitude: N: 41°, 14', 13", Longitude: W: -78°, 49', 59".

Northcentral Region: Waterways & Wetlands Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: RA-EPWW-NCRO@pa.gov.

E1404224-001. Jodi L Hakes, 126 Randy Lane, State College, PA 16801, College Township, **Centre County**. U.S. Army Corps of Engineers Baltimore District. Application received: May 31, 2024.

Residential boardwalk at 126 Randy Lane, State College, PA to allow homeowners dry, level access to Spring Creek from their home, keeping foot traffic off of the natural floodway to preserve the native plants and minimize erosion. Latitude: 40.818640°, Longitude: -77.821672°.

Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Michele Lauer, Clerical Assistant 2, 570-830-3077.

E5402224-001. Schuylkill River Greenways Association, 140 College Drive, Pottstown, PA 19464, Blythe Township, New Castle Township, Saint Clair Borough, **Schuylkill County**. U.S. Army Corps of Engineers Philadelphia District. Application received: June 4, 2024.

To construct and maintain the following water obstructions and encroachments associated with the Schuylkill River Trail—Mill Creek Section Project: 1) A stream

crossing of Mill Creek (CWF, MF) consisting of a 90-foot span, 10-foot long prefabricated steel pedestrian bridge having a 13-foot underclearance, concrete abutments, a streambank retaining device consisting of an R-8/R-4 riprap apron, and a chain link fence. 2) A fill within 0.06-acre of the floodway of Mill Creek (CWF, MF) consisting of portions of an at-grade 8-foot wide walking trail and parking lot. 3) An extension of an existing stream crossing of a UNT to Mill Creek (CWF, MF) consisting of an 11-ft long, 24-in diameter CMP culvert pipe and a R-riprap apron. 4) An extension of an existing stream crossing of a UNT to Mill Creek (CWF, MF) consisting of a 15-ft long, 12-in diameter CMP culvert pipe and a R-riprap apron. The riprap apron outfall is also located within the floodway of Mill Creek (CWF, MF). 5) A modification of an existing stream crossing of a UNT to Mill Creek (CWF, MF) consisting of grading within the existing roadway to create a 10-foot wide gravel trail. 6) A modification of an existing stream crossing of Wolf Creek (CWF, MF) consisting of grading within the existing roadway to create a 10-foot wide gravel trail. 7) A modification of an existing stream crossing of Mill Creek (CWF, MF) consisting of grading within the existing roadway to create a 10-foot wide gravel trail. 8) A modification of an existing stream crossing of Mill Creek (CWF, MF) consisting of grading within the existing roadway to create a 10-foot wide gravel trail. The project begins in Blythe Township, approximately 0.5 mile east of the Kauffman Reservoir, and terminates directly south of Terry Rich Boulevard in Saint Clair Borough (Pottsville and Shenandoah, PA Quadrangle Latitude: 40°, 44', 3.79"; Longitude: -76°, 11', 54.46") in Blythe Township, New Castle Township, and Saint Clair Borough, Schuylkill County. Latitude: 40°, 44', 3.79", Longitude: -76°, 11', 54.46".

F540224-001. Orwigsburg Borough, 333 South Liberty Street, Orwigsburg, PA 17961-2109, Orwigsburg Borough, **Schuylkill County**. U.S. Army Corps of Engineers Philadelphia District. Application received: June 20, 2024.

To demolish and remove structures located on the following sites in the floodplain of an Unnamed Tributary to Mahannon Creek. Work will include demolition and removal of the residential structures, decks, landscaping, planters, and all other manmade features. Sites will then

be restored and stabilized to open space. The properties were acquired by the municipality as a part of the Orwigsburg Borough Hazard Mitigation Grant Program. 1. 508 West Markey Street, Orwigsburg, PA 17961 (Orwigsburg, PA Quadrangle Latitude: 40°, 39', 21.51"; Longitude: -76°, 6', 19.10"), 2. 510 West Markey Street, Orwigsburg, PA 17961 (Orwigsburg, PA Quadrangle Latitude: 40°, 39', 21.53"; Longitude: -76°, 6', 22.93") Latitude: 40°, 39', 21.51", Longitude: -76°, 6', 19.10".

Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: RA-EPWW-NWRO@pa.gov.

E4206224-002. WB McKean LLC, 150 Monument Road # 300, Bala Cynwyd, PA 19004, Sergeant Township, **McKean County**. U.S. Army Corps of Engineers Pittsburgh District. Application received: June 20, 2024.

The applicant proposes to permanently impact 0.13 acre of Palustrine Emergent Wetland and will permanently impact two ephemeral stream channels totaling 150 linear feet of combined impact for the construction of a natural gas recycling facility for landfill gas. The project is located at 2500 Campbelltown Road, Kane, PA 16735. The applicant has proposed to purchase mitigation credits for the proposed impacts. Latitude: 41.653889°, Longitude: -78.364°.

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: 717-705-4802.

E3403124-001. PennDOT Engineering District 2-0, 70 PennDOT Drive, Clearfield, PA 16803, Turbett Township, **Juniata County**. U.S. Army Corps of Engineers Baltimore District. Application received: May 8, 2024.

To remove existing structure and to (1) install and maintain a 37 foot 0.5 inch 10 foot x 6-foot Box culvert in UNT Juniata (CWF, MF) riprap scour protection and (2) relocate 109 linear feet of UNT Juniata (CWF, MF) for the purpose of improving transportation safety. The project proposes to permanently impact 284 linear feet and temporarily impact 16 linear feet of stream channel. The project is located in Turbett Township, Juniata County, Latitude: 40.5275°, Longitude: -77.3436°.

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department of Environmental Protection (DEP) has taken the following actions on previously received applications for new, amended, and renewed National Pollutant Discharge Elimination System (NPDES) and Water Quality Management (WQM) permits, applications for permit waivers, and Notice of Intent (NOIs) for coverage under General Permits, as listed in the following tables. This notice of final action is published in accordance with 25 Pa. Code Chapters 91, 92a, and 102 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). The official file for each listed action can be reviewed at the DEP or delegated County Conservation District (CCD) office identified in the table for the action. DEP/CCD office contact information is listed as follows for Section I and is contained within the table for Section II. Additional information for permits issued under 25 Pa. Code Chapters 91 and 92a and Individual permits under 25 Pa. Code Chapter 102, including links to Individual Chapter 92a NPDES and WQM Permits, may be reviewed by generating the "Final Actions Report" on DEP's website at www.dep.pa.gov/CWPublicNotice.

DEP office contact information to review official files relating to the final actions in Section I is as follows:

DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484-250-5910. Email: RA-EPNPDES_SERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SERO@pa.gov for Chapter 102 permits.

DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570-826-5472. Email: RA-EPNPDES_NERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NERO@pa.gov for Chapter 102 permits.

DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717-705-4732. Email: RA-EPNPDES_SCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SCRO@pa.gov for Chapter 102 permits.

DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570-327-3693. Email: RA-EPNPDES_NCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NCRO@pa.gov for Chapter 102 permits.

DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412-442-4286. Email: RA-EPNPDES_SWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SWRO@pa.gov for Chapter 102 permits.

DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814-332-6078. Email: RA-EPNPDES_NWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NWRO@pa.gov for Chapter 102 permits.

DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-787-5017. Email: RA-EPNPDES_Permits@pa.gov.

DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law).

The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law. For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board. Individuals who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. Important legal rights are at stake, however, so individuals should contact a lawyer at once.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

For actions taken on applications for pipelines that are regulated by the Federal Energy Regulatory Commission (FERC).

Any person aggrieved by this action may challenge it in an appropriate legal forum. The State and Federal courts are currently split on whether the proper forum to challenge a Department permit, authorization or approval for a facility or activity subject to the Federal Natural Gas Act, 15 U.S.C.A. §§ 717 et seq., is the United States Court of Appeals for the Third Circuit or the Pennsylvania Environmental Hearing Board. See *Delaware Riverkeeper Network v. Sec'y, Dep't of Env'tl. Prot.*, 833 F.3d 360 (3d Cir. 2016); *Delaware Riverkeeper Network v. Sec'y, Dep't of Env'tl. Prot.*, 903 F.3d 65 (3d Cir. 2018), cert. denied, 139 S. Ct. 1648, 203 L. Ed. 899 (2019) and *Cole v. Dep't. of Env'tl. Prot.*, 1577 C.D. 2019 WL 2420667 (Pa. Cmwlth Ct. June 15, 2021) (Pet. for Allowance of Appeal pending); *West Rockhill Twp. v. Dep't of Env'tl. Prot.*, No. 1595 C.D. 2019 WL 2426014 (Pa. Cmwlth. June 15, 2021) (Pet. for Allowance of Appeal pending).

I. Final Action(s) on NPDES and WQM Permit Application(s) and NOIs for Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides, CAFOs and Individual Construction Stormwater.

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA400007D	Chapter 102 Individual NPDES Permit	Issued	PPL Electric Utilities Corp 1639 Church Road Genn 4 Allentown, PA 18104-9342	Exeter Township Luzerne County	NERO
PAD090040	Chapter 102 Individual NPDES Permit	Issued	August Selma LP 705 Mercers Mill Lane West Chester, PA 19382-4101	Springfield Township Bucks County	SERO
PAD150330	Chapter 102 Individual NPDES Permit	Issued	Grogan Invest Properties LP 1595 Paoli Pike West Chester, PA 19380-6167	Willistown Township Chester County	SERO
PAD210109	Chapter 102 Individual NPDES Permit	Issued	Carlisle & 81 Self Storage LLC 718 N Front Street Lemoyne, PA 17043-1023	South Middleton Township Cumberland County	SCRO

NOTICES

3819

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAD230012	Chapter 102 Individual NPDES Permit	Issued	Philadelphia Department of Aviation Terminal E Div of Aviation 3rd Floor Philadelphia, PA 19153	Tinicum Township Delaware County	SERO
PAD260024	Chapter 102 Individual NPDES Permit	Issued	Fayette County Housing Authority 624 Pittsburgh Street Pittsburgh, PA 15401	Washington Township Fayette County	SWRO
PAD390085	Chapter 102 Individual NPDES Permit	Issued	Sundu Enterprises LLC 3552 Old Philadelphia Pike Bethlehem, PA 18015-5316	Allentown City Lehigh County	NERO
PAD390298	Chapter 102 Individual NPDES Permit	Issued	Sheetz Inc. 351 Sheetz Way Claysburg, PA 16625-8346	Bethlehem City Lehigh County	NERO
PAD450016	Chapter 102 Individual NPDES Permit	Issued	DEPG Bartonsville Route 611 Plaza LP 1000 Fayette Street Conshohocken, PA 19428-1562	Stroud Township Monroe County	NERO
PAD450128	Chapter 102 Individual NPDES Permit	Issued	MAK Com Properties LLC 425 Carlton Road Suite 2 Mount Pocono, PA 18344-7180	Paradise Township Monroe County	NERO
PAD450207	Chapter 102 Individual NPDES Permit	Issued	Buy the Load LLC P.O. Box 427 Pocono Summit, PA 18346	Tobyhanna Township Monroe County	NERO
PAD510238	Chapter 102 Individual NPDES Permit	Issued	Crown Point Owner LP 923 15th Street NW Suite 500 Washington, DC 20005-2301	Philadelphia City Philadelphia County	SERO
3513827	Joint DEP/PFBC Pesticides Permit	Issued	Oakford Glen Development Association 9 Oakford Gln Waverly Township, PA 18411-8978	South Abington Township Lackawanna County	NERO
3524802	Joint DEP/PFBC Pesticides Permit	Issued	Donova Nichole 460 Stone Road North Abington Township, PA 18414-8127	North Abington Township Lackawanna County	NERO
4513847	Joint DEP/PFBC Pesticides Permit	Issued	Pocahontas Rod & Gun Club 551 Main Street Stroudsburg, PA 18360	Stroud Township Monroe County	NERO
5813824	Joint DEP/PFBC Pesticides Permit	Issued	Quarry Hill Farms 136 Gunn Hill Road Nicholson, PA 18446-7799	Clifford Township Susquehanna County	NERO
5824801	Joint DEP/PFBC Pesticides Permit	Issued	Longford Lake Association Inc. 725 N Longford Lake Road Brackney, PA 18812-8029	Silver Lake Township Susquehanna County	NERO
6424808	Joint DEP/PFBC Pesticides Permit	Issued	Lockwood Margaret 218 Mican Road Waymart, PA 18472-3035	Canaan Township Wayne County	NERO
6424809	Joint DEP/PFBC Pesticides Permit	Issued	Cain Dianne 7 Cindy Court Millstone Township, NJ 08510-7995	Oregon Township Wayne County	NERO
6613802	Joint DEP/PFBC Pesticides Permit	Issued	Costello Robert 1080 SR 4002 Laceyville, PA 18623-6768	Windham Township Wyoming County	NERO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
6613803	Joint DEP/PFBC Pesticides Permit	Issued	Schultz Jeffrey 5551 Chestnut Street Emmaus, PA 18049-5004	Washington Township Wyoming County	NERO
6613806	Joint DEP/PFBC Pesticides Permit	Issued	Milnes Paul B 104 Jayne Road Tunkhannock, PA 18657-7035	Tunkhannock Township Wyoming County	NERO
PA0025844	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	USHHS CDC 626 Cochrans Mill Road P.O. Box 18070 Pittsburgh, PA 15236-3611	South Park Township Allegheny County	SWRO
PA0033901	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Harold P Newton Jr 112 Timber Village Center Mercer, PA 16137-8991	Lackawannock Township Mercer County	NWRO
PA0024856	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Taylor Township Lawrence County P.O. Box 489 West Pittsburg, PA 16160-0489	Taylor Township Lawrence County	NWRO
PA0088021	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Station Pass LLC 183 Christman Road Lenhartsville, PA 19534-9271	Windsor Township Berks County	SCRO
6501402	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Jones Estates TRC LLC 2310 S Miami Boulevard # 238 Durham, NC 27703-5798	East Huntingdon Township Westmoreland County	SWRO
PAG038468	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Marion Center Supply Inc. 517 Church Street P.O. Box 173 Marion Center, PA 15759-0173	Armstrong Township Indiana County	NWRO
PAG038611	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Day Fred 581 Mill Road Punxsutawney, PA 15767-4639	Winslow Township Jefferson County	NWRO
PAG041326	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Hailee & Timothy Wygant 4956 Sandy Lake Road Carlton, PA 16311-2120	French Creek Township Mercer County	NWRO
PAG122216	PAG-12 NPDES General Permit for CAFOs	Issued	Musser Jairus L 95 Ferebees Road Pine Grove, PA 17963-8200	Washington Township Schuylkill County	SCRO
PAG123706	PAG-12 NPDES General Permit for CAFOs	Issued	Michael Long Sr 39 Reeds Creek Road Annville, PA 17003-8422	East Hanover Township Lebanon County	SCRO
PAG123770	PAG-12 NPDES General Permit for CAFOs	Issued	Noah Light 791 Greble Road Lebanon, PA 17046-7852	Bethel Township Lebanon County	SCRO
PAG123788	PAG-12 NPDES General Permit for CAFOs	Issued	Noah W Kreider & Sons LLP 1461 Lancaster Road Manheim, PA 17545-9768	South Annville Township Lebanon County	SCRO
PAG123843	PAG-12 NPDES General Permit for CAFOs	Issued	Dwayne Nolt 58 E Strack Drive Myerstown, PA 17067-2160	Jackson Township Lebanon County	SCRO

NOTICES

3821

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG123911	PAG-12 NPDES General Permit for CAFOs	Issued	Weaver Arlin 201 Bullshead Road Newville, PA 17241	North Newton Township Cumberland County	SCRO
PAG123937	PAG-12 NPDES General Permit for CAFOs	Issued	Light Jacob 177 Blue Mountain Road Fredericksburg, PA 17026-9352	Bethel Township Lebanon County	SCRO
PA0294403	Single Residence STP Individual NPDES Permit	Issued	Broad Top Township Bedford County 124 Hitchens Road Defiance, PA 16633-9002	Broad Top Township Bedford County	SCRO
0524403	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Broad Top Township Bedford County 124 Hitchens Road Defiance, PA 16633-9002	Broad Top Township Bedford County	SCRO
WQG01432404	WQG-01 WQM General Permit	Issued	Hailee & Timothy Wygant 4956 Sandy Lake Road Carlton, PA 16311-2120	French Creek Township Mercer County	NWRO
02601001	WQG-02 WQM General Permit	Issued	Mifflinburg Borough Union County 120 N 3rd Street Mifflinburg, PA 17844-1134	Mifflinburg Borough Union County	NCRO

II. Final Action(s) on PAG-01 and PAG-02 General NPDES Permit NOIs.

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC220240 A-1	PAG-02 General Permit	Issued	FR Park 283 Logistics Center, LLC 17 E. Gay Street Ste 203 West Chester, PA 19380	Londonderry Township and Conewago Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717-921-8100
PAC220162	PAG-02 General Permit	Issued	Hummelstown F&S Sporting Assoc., Inc. P.O. Box 71 Hummelstown, PA 17036	Derry Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717-921-8100
PAC220428	PAG-02 General Permit	Issued	Dempsey Uniform 335 2nd Street Highspire, PA 17034	Highspire Borough Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717-921-8100
PAC400287	PAG-02 General Permit	Issued	Mericle Construction Inc. Stephen Maakestad 100 Baltimore Drive Wilkes-Barre, PA 18702	Hazle Township Luzerne County	Luzerne Conservation District 325 Smiths Pond Road Shavertown, PA 18708 570-674-7991 RA-EPWW-NERO@pa.gov
PAC010255	PAG-02 General Permit	Issued	FLI-David Hauser, LP 2121 Old Gatesburg Road State College, PA 16803	Cumberland Township Adams County	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325 717-334-0636

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC400308	PAG-02 General Permit	Issued	The Municipality of Butler Township Luzerne County Alan Kost 83 Corporate Drive Drums, PA 18222	Butler Township Luzerne County	Luzerne Conservation District 325 Smiths Pond Road Shavertown, PA 18708 570-674-7991 RA-EPWW-NERO@ pa.gov
PAC670551A-1	PAG-02 General Permit	Issued	Wright Property Management LLC 7 Lewisberry Road New Cumberland, PA 17070	Fairview Township York County	York County Conservation District 2401 Pleasant Valley Rd. Suite 101 Room 139 York, PA 17402 717-840-7430
PAC670318	PAG-02 General Permit	Issued	Exceptional Homes Inc F.D.B.A. AAA Builders 629 Goose Neck Drive Lititz, PA 17543	Newberry Township York County	York County Conservation District 2401 Pleasant Valley Rd. Suite 101 Room 139 York, PA 17402 717-840-7430
PAC670702	PAG-02 General Permit	Issued	Columbia Gas of PA 1600 Colony Road York, PA 17408	East Manchester & Manchester Townships York County	York County Conservation District 2401 Pleasant Valley Rd. Suite 101 Room 139 York, PA 17402 717-840-7430
PAC210335	PAG-02 General Permit	Issued	PA Turnpike Commission 700 S Eisenhower Blvd Middletown, PA 17057	Lower Allen Township Cumberland County	Cumberland County Conservation District 310 Allen Road Suite 301 Carlisle, PA 17013 717-240-7812
PAC210351	PAG-02 General Permit	Issued	East Pennsboro Township 98 South Enola Road Enola, PA 17025	East Pennsboro Township Cumberland County	Cumberland County Conservation District 310 Allen Road Suite 301 Carlisle, PA 17013 717-240-7812
PAC210362	PAG-02 General Permit	Issued	Dickinson College 28 N College Street Carlisle, PA 17013	Carlisle Borough Cumberland County	Cumberland County Conservation District 310 Allen Road Suite 301 Carlisle, PA 17013 717-240-7812
PAC210358	PAG-02 General Permit	Issued	CPY Properties, LLC P.O. Box 374 Boiling Springs, PA 17007	South Middleton Township Cumberland County	Cumberland County Conservation District 310 Allen Road Suite 301 Carlisle, PA 17013 717-240-7812
PAC210366	PAG-02 General Permit	Issued	PPE Property Management 100 Outlook Lane Shippensburg, PA 17257	Shippensburg Township Cumberland County	Cumberland County Conservation District 310 Allen Road Suite 301 Carlisle, PA 17013 717-240-7812

NOTICES

3823

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC210350	PAG-02 General Permit	Issued	Hampden Township 209 South Sporting Hill Road Mechanicsburg, PA 17050	Hampden Township Cumberland County	Cumberland County Conservation District 310 Allen Road Suite 301 Carlisle, PA 17013 717-240-7812
PAC210131	PAG-02 General Permit	Issued	JLG Industries 1 JLG Drive McConnellsburg, PA 17233	Shippensburg Township Cumberland County	Cumberland County Conservation District 310 Allen Road Suite 301 Carlisle, PA 17013 717-240-7812
PAC210124	PAG-02 General Permit	Issued	Berkley LLC 1877 South Federal Highway Ste 304 Boca Raton, FL 33432	Hampden Township Cumberland County	Cumberland County Conservation District 310 Allen Road Suite 301 Carlisle, PA 17013 717-240-7812
PAC210144	PAG-02 General Permit	Issued	Deerfield Development Group, LLC 2121 Old Gatesburg Road Ste 200 State College, PA 16803	Shippensburg Township and Southampton Township Cumberland County	Cumberland County Conservation District 310 Allen Road Suite 301 Carlisle, PA 17013 717-240-7812
PAC150121	PAG-02 General Permit	Issued	DE Storage.com Avondale, LLC 1685 South State Street Dover, DE 19901	New Garden Township Chester County	Chester County Conservation District 674 Unionville Road Suite 105 Kennett Square, PA 19348 610-455-1360 RA-EPNPDES_SERO@ pa.gov
PAC150291 A-1	PAG-02 General Permit	Issued	All County Partnership 3697 Schuylkill Road Spring City, PA 19475	Valley Township Chester County	Chester County Conservation District 674 Unionville Road Suite 105 Kennett Square, PA 19348 610-455-1360 RA-EPNPDES_SERO@ pa.gov
PAC150166	PAG-02 General Permit	Issued	Lindale Village Management, LLC 2846 Main Street Suite 12A Morgantown, PA 19543	Parkside Borough Chester County	Chester County Conservation District 674 Unionville Road Suite 105 Kennett Square, PA 19348 610-455-1360 RA-EPNPDES_SERO@ pa.gov
PAC150160	PAG-02 General Permit	Issued	Craig J & Donna M Novak 114 Carlton Drive Chadds Ford, PA 19317	Kennett Township Chester County	Chester County Conservation District 674 Unionville Road Suite 105 Kennett Square, PA 19348 610-455-1360 RA-EPNPDES_SERO@ pa.gov

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC150206 A-1	PAG-02 General Permit	Issued	Pennhurst Holdings DE, LLC P.O. Box 340 Rockland, DE 19732	East Vincent Township Chester County	Chester County Conservation District 674 Unionville Road Suite 105 Kennett Square, PA 19348 610-455-1360 RA-EPNPDES_SERO@ pa.gov
PAC150121 A-1	PAG-02 General Permit	Issued	DE Storage.com Avondale, LLC 1685 South State Street Dover, DE 19901	New Garden Township Chester County	Chester County Conservation District 674 Unionville Road Suite 105 Kennett Square, PA 19348 610-455-1360 RA-EPNPDES_SERO@ pa.gov
PAC100332	PAG-02 General Permit	Issued	Cashdollar Development LLC 438 Watters Station Road Evans City, PA 16033	Forward Township Butler County	Butler County Conservation District 120 Hollywood Drive Suite 201 Butler, PA 16001 724-284-5270
PAC200108	PAG-02 General Permit	Issued	National Fuel Gas Distribution Corporation 1100 State Street Erie, PA 16501	Conneautville Borough Crawford County	Crawford County Conservation District 21742 German Road Meadville, PA 16335 814-763-5269
PAC460827	PAG-02 General Permit	Issued	PRDC Properties LLC 620 Quarry Road Harleysville, PA 19438-2714	Upper Providence Township Montgomery County	Montgomery County Conservation District 143 Level Road Collegeville, PA 19426-3313 610-489-4506 x 10 RA-EPNPDES_SERO@ pa.gov
PAC460831	PAG-02 General Permit	Issued	Caracausa Acquisitions LP P.O. Box 1055 North Wales, PA 19454-0055	Franconia Township Montgomery County	Montgomery County Conservation District 143 Level Road Collegeville, PA 19426-3313 610-489-4506 x 10 RA-EPNPDES_SERO@ pa.gov
PAC460892	PAG-02 General Permit	Denied	Montgomery Township 1001 Stump Road Montgomeryville, PA 18936-9605	Montgomery Township Montgomery County	Montgomery County Conservation District 143 Level Road Collegeville, PA 19426-3313 610-489-4506 x 10 RA-EPNPDES_SERO@ pa.gov
PAC540152	PAG-02 General Permit	Issued	New Ringgold Land Partners, LLC Seth R Berry 4550 Lena Drive Mechanicsburg, PA 17055	East Brunswick Township Schuylkill County	Schuylkill County Conservation District 1206 AG Center Drive Pottsville, PA 17901 570-622-3742 RA-EPWW-NERO@ pa.gov

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC090257	PAG-02 General Permit	Issued	Cherry Lane, LLC 400 Crossing Drive Bristol, PA 19007-1510	Doylestown Township Bucks County	Bucks County Conservation District 1456 Ferry Road Doylestown, PA 18901-5550 215-345-7577 RA-EPNPDES_SERO@ pa.gov
PAC090687	PAG-02 General Permit	Issued	Woodbury Grove Investors, LP 370 East Maple Avenue Suite 101 Langhorne, PA 19047-2859	Lower Makefield Township Bucks County	Bucks County Conservation District 1456 Ferry Road Doylestown, PA 18901-5550 215-345-7577 RA-EPNPDES_SERO@ pa.gov
PAC090667	PAG-02 General Permit	Issued	The Shetland Group LP 101 Stewart Lane Chalfont, PA 18914-1809	Sellersville Borough Bucks County	Bucks County Conservation District 1456 Ferry Road Doylestown, PA 18901-5550 215-345-7577 RA-EPNPDES_SERO@ pa.gov
PAC090286	PAG-02 General Permit	Issued	Yardley Borough Sewer Authority 56 South Main Street Yardley, PA 19067-1572	Yardley Borough Bucks County	Bucks County Conservation District 1456 Ferry Road Doylestown, PA 18901-5550 215-345-7577 RA-EPNPDES_SERO@ pa.gov
PAC090125 A-1	PAG-02 General Permit	Issued	Bucks County Airport Authority 3879 Old Easton Road P.O. Box 1185 Doylestown, PA 18902	Buckingham Township Bucks County	Bucks County Conservation District 1456 Ferry Road Doylestown, PA 18901-5550 215-345-7577 RA-EPNPDES_SERO@ pa.gov
PAC230256 A-1	PAG-02 General Permit	Issued	Delaware County Intermediate Unit 200 Yale Avenue Morton, PA 19070	Folcroft Borough Delaware County	Delaware County Conservation District Rose Tree Park Hunt Club 1521 N. Providence Road Media, PA 19063 610-892-9484 RA-EPNPDES_SERO@ pa.gov

STATE CONSERVATION COMMISSION
NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR
NPDES PERMITS FOR CAFOs

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and

procedure are also available in Braille or on audiotape from the Secretary of the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at 717-787-3483 for more information.

**NUTRIENT MANAGEMENT PLAN
CAFO PUBLIC NOTICE SPREADSHEET—ACTIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Kish View 4733 E Main Street Belleville, PA 17004	Mifflin County	877.5	1,279.63	Dairy Cow	NA	Approved

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information.

SAFE DRINKING WATER

Actions Taken Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Northcentral Region: Safe Drinking Water Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Nadera Bellows, Clerical Assistant II, 570-327-0551.

Construction Permit No. 4124505, Major Amendment, Public Water Supply.

Applicant	Sandhoo's Inc.—Steam Valley Travel Plaza
Address	165 Lamont Drive Cogan Station, PA 14428
Municipality	Lewis Township
County	Lycoming County
Consulting Engineer	Joseph E Lichty 687 Berkshire Drive State College, PA 16803
Application Received	May 1, 2024
Permit Issued	June 18, 2024
Description	This permit grants permission to upgrade the existing Steam Valley Travel Plaza water system. The project includes removal of the existing One filter, removal of the existing UV unit, addition of a greensand filtration system for iron and manganese removal, and addition of a sodium hypochlorite system for disinfection, oxidation, and 4-log inactivation of viruses.

SEWAGE FACILITIES ACT PLAN APPROVAL

Plan Approvals Granted Under the Pennsylvania Sewage Facilities Act, Act of January 24, 1966, P.L. 1535, as Amended, 35 P.S. § 750.5.

Northcentral Region: Clean Water Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Tom Randis, Clean Water Program Manager, 570-327-0530.

Plan Location:

<i>Municipality</i>	<i>Address</i>	<i>County</i>
Perry Township	18 Hoffman Hill Rd. Mount Pleasant Mills, PA 17853	Snyder County

Plan Description:

Perry Township Municipal Authority Act 537 Sewage Facilities Plan, APS # 1089250. The Plan includes the adoption of an on-lot sewage management program for the township and calls for the township water and sewer authority to construct a new wastewater treatment plant as well as extend public sewerage collection services to 52 additional EDUs in the township, along the State Route 104 corridor. The current wastewater treatment plant is proposed to be replaced with a new sequencing batch reactor-style treatment plant with a permitted average daily flow capacity of 0.100 million gallon. The increase in treatment capacity is proposed to allow public sewerage system expansion and growth.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 2

The Following Plans and Reports Were Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The Department has received the following plans and reports.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Wawa 159, Primary Facility ID # **876454**, 296 Route 940, Blakeslee, PA 18610, Tobyhanna Township, **Monroe County**. Aquaterra Technologies, 901 South Bolmar Street, Suite A, West Chester, PA 19382 on behalf of Wawa, Inc., 260 West Baltimore Pike, Wawa, PA 19063, submitted a Final Report concerning remediation of soil contaminated with used motor oil. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Environmental Cleanup & Brownfields Program Manager, 717-705-4705.

356 Hilltop Drive, Primary Facility ID # **876451**, 356 Hilltop Drive, Ephrata, PA 17522, West Earl Township, **Lancaster County**. Crawford Environmental Services, LLC, 20 Cardinal Drive, Birdsboro, PA 19508 on behalf of Mr. Richard Miller, 356 Hilltop Drive, Ephrata, PA 17522, submitted a Final Report concerning remediation of soil contaminated with No. 2 Fuel Oil. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

356 Hilltop Drive, Primary Facility ID # **876451**, 356 Hilltop Drive, Ephrata, PA 17522, West Earl Township, **Lancaster County**. Crawford Environmental Services, LLC, 20 Cardinal Drive, Birdsboro, PA 19508 on behalf of Schwanger Bros. & Co., Inc., 500 West Roseville Road, Lancaster, PA 17601, submitted a Final Report concerning remediation of soil contaminated with No. 2 Fuel Oil. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

Southwest District: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Thomas Buchan, 412-442-5240.

1700 Island Avenue, Primary Facility ID # **861551**, 1700 Island Avenue, Pittsburgh, PA 15222, City of Pittsburgh, **Allegheny County**. Key Environmental, 200 3rd Avenue, Carnegie, PA 15106 on behalf of Island Avenue Holdings LLC, 2731 North Charles St, Pittsburgh, PA 15214, submitted a Remedial Investigation Report/Cleanup Plan concerning remediation of soil and groundwater contaminated with Tetrochloroethylene, Napthalene. The Remedial Investigation Report/Cleanup Plan is intended to document remediation of the site to meet the special industrial area provision of Act 2.

EQT Lumber Well Pad, Primary Facility ID # **860440**, 454 Martinhill Rd, New Freeport, PA 15352, Springhill Township, **Greene County**. Moody & Associates Inc., 1720 Washington Road, Suite 100, Washington, PA 15301 on behalf of EQT Production Co., 625 Liberty Ave, 17th Floor, Pittsburgh, PA 15222, submitted a Final Report concerning remediation of soil contaminated with Aluminum, Barium, Boron, Iron, Lithium, Manganese, Selenium, Strontium, Vanadium, Zinc. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

Castriota, Primary Facility ID # **727789**, Adrian St, McKees Rocks, PA 15136, McKees Rocks Borough, **Allegheny County**. KU Resources, 22 South Linden Street,

Duquesne, PA 15110 on behalf of North Side Industrial Development Company, Inc., 700 River Avenue, Pittsburgh, PA 15219, submitted a Baseline Workplan concerning remediation of soil and groundwater contaminated with VOCs, SVOCs, PCBs, Metals. The Baseline Workplan is intended to document remediation of the site to meet the special industrial area provision of Act 2.

Huntsman, Primary Facility ID # **625187**, 408 Manor-Harrison City Road, Harrison City, PA 15636, Manor Borough, **Westmoreland County**. Environmental Resource Management, Inc., 75 Valley Stream Parkway, Malvern, PA 19355 on behalf of Huntsman Corporation, 408 Manor-Harrison City Road, Harrison City, PA 15636, submitted a Final Report concerning remediation of soil contaminated with 1, 1, 2-Trichloroethane, 1,1'-Biphenyl, Manganese. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Thomas Buchan P.G., EGM, 412-442-5240.

Duquesne Electric & Manufacturing Company, Primary Facility ID # **861363**, 475 Butler Street, Pittsburgh, PA 15223, Etna Borough, **Allegheny County**. American Geosciences Inc., 3925 Reed Boulevard, Suite 400, Murrysville, PA 15668-1848 on behalf of Duquesne Electric & Manufacturing Co., 475 Butler Street, Pittsburgh, PA 15223, submitted a Final Report concerning remediation of soil and groundwater contaminated with Arochlor 1260, Antimony, Arsenic, Cadmium, and Lead in soils. TCE, Antimony and Arsenic in groundwater. The Final Report is intended to document remediation of the site to meet the site-specific standards.

TMS International LLC, Primary Facility ID # **810836**, 516 Devlar Road, Pittsburgh, PA 15222, West Mifflin Borough, **Allegheny County**. Groundwater Sciences Corporation, 2550 Interstate Drive, Suite 303, Harrisburg, PA 17110 on behalf of TMS International, 1155 Business Center Drive, Suite 200, Horsham, PA 19044, submitted a Remedial Investigation Report concerning remediation of soil and groundwater contaminated with metals, chlorides, and sulfates. The Remedial Investigation Report is intended to document remediation of the site to meet the Statewide health and site-specific standards.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREMABLE 3

The Department Has Taken Action on the Following Plans and Reports Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, docu-

mentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The DEP may approve or disapprove plans and reports submitted. This notice provides DEP's decision and, if relevant, the basis for disapproval.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The DEP has received the following plans and reports.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

6532 Blue Church Road South, Primary Facility ID # **867172**, 6532 Blue Church Road South, Coopersburg, PA 18036, Upper Saucon Township, **Lehigh County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013 on behalf of BQ Basements and Concrete, 106 Park Drive, Montgomeryville, PA 18936, submitted a Final Report concerning remediation of soil contaminated with heating oil. The Final Report demonstrated attainment of the Statewide health standards. Approved: June 24, 2024.

Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Ben, 814-350-5132.

Alexander Roy 1 Well, Primary Facility ID # **874335**, North of Pine Vale Road near Buterbaugh Road intersection, Marion Center, PA 15759, Grant Township, **Indiana County**. Insite Group, Inc., 611 South Irvine Avenue, Sharon, PA 16146 on behalf of T&T Compression, Inc., 31 Hines Street, Clymer, PA 15728, submitted a Final Report concerning remediation of soil and groundwater contaminated with Soil: Aluminum, Barium, Boron, Chloride, Iron, Lithium, Manganese, Strontium, Vanadium, Zinc, and Selenium. The Final Report demonstrated attainment of the Statewide health standards. Approved: June 20, 2024.

Contact: Chris, 724-598-2206.

Powder Mill Works, Primary Facility ID # **625809**, 3000 Howard Drive, New Castle, PA 16102, Mahoning Township and North Beaver Township, **Lawrence County**. Environmental Resource Management, Inc., 75 Valley Stream Parkway, Ste. 200, Malvern, PA 19355 on behalf of Solvary USA, 504 Carnegie Center, Princeton, NJ 08540, submitted a Risk Assessment/Remedial Investigation concerning remediation of soil and groundwater contaminated with Soil: 4-amino-2,6-dinitrotoluene (DNT), 2-amino-4,6-DNT, Aroclor-1260, 1,3-dinitrobenzene (DNB), 2,4-DNT, 2,6-DNT, 2,4,6-trinitrotoluene (TNT), benzo(a)pyrene, arsenic, copper, iron, lead, manganese, mercury and thallium. Groundwater: 1,3,5-trinitrobenzene, 1,3-DNB, 2,4,6-TNT, 2,4-DNT, 2,6-DNT, 2-amino-4,6-DNT, 4-amino-2,6-DNT, 2-nitrotoluene, 3-nitrotoluene, 4-nitrotoluene, hexahydro-1,3,5-trinitro-1,3,5-triazine (RDX), nitrobenzene, p-cresol (4-methylphenol), benzene, antimony, arsenic, cobalt, and manganese. The Report demonstrated attainment of the site-specific standards. Approved: June 24, 2024.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Environmental Cleanup & Brownfields Program Manager, 717-705-4705.

Northwest Elementary School, Primary Facility ID # **804026**, 1315 Old Forge Road, Lebanon, PA 17046, City of Lebanon, **Lebanon County**. Reliance Environmental, Inc., 235 North Duke Street, Lancaster, PA 17602 on behalf of Lebanon School District, 1000 South 8th Street, Lebanon, PA 17042, submitted a Final Report concerning remediation of soil and groundwater contaminated with Arsenic and VOCs. The Final Report did not demonstrate attainment of the Statewide health and site-specific standards. Issued a technical deficiency letter: June 21, 2024.

Southwest District: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Thomas Buchan 412-442-5240.

Shell Polymers Monaca/Former Horsehead Corp Facility, Primary Facility ID # **782002**, 300 Frankfort Road, Monaca, PA 15061, Potter Township, **Beaver County**. Environmental Resource Management, Inc., 75 Valley Stream Parkway, Malvern, PA 19355 on behalf of Shell Chemical Appalachia LLC, 300 Frankfort Road, Monaca, PA 15061, submitted a Final Report concerning remediation of soil and groundwater contaminated with aluminum, arsenic, cadmium, cobalt, iron, lead, manganese, mercury, selenium, and zinc in groundwater; antimony, arsenic, cadmium, lead, manganese, nickel, selenium, silver, thallium, and zinc in soil. The Final Report demonstrated attainment of the site-specific standards. Approved: June 21, 2024.

EQT Mac Well Pad, Primary Facility ID # **874962**, 171 Mooney Ridge Road, Waynesburg, PA 15370, Whiteley Township, **Greene County**. Moody & Associates Inc., 1720 Washington Road, Suite 100, Washington, PA 15301 on behalf of EQT Production Co., 300 Frankfort Road, Monaca, PA 15061, submitted a Final Report concerning remediation of soil contaminated with Brine Constituents: (aluminum, barium, boron, chloride, iron, lithium, manganese, selenium, strontium, vanadium, and zinc). The Final Report demonstrated attainment of the Statewide health standards. Approved: June 21, 2024.

Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Thomas Buchan, 412-442-5240.

Olympus Energy Athena Well Pad, Primary Facility ID # **874966**, 262 Kistler Drive, Export, PA 15632, Washington Township, **Westmoreland County**. Moody & Associates Inc., 1720 Washington Road, Suite 100, Washington, PA 15301 on behalf of Olympus Energy LLC, 501 Technology Drive, Suite 1200, Canonsburg, PA 15317, submitted a Final Report concerning remediation of soil and groundwater contaminated with Benzene, tert-butylbenzene, sec-butylbenzene, cyclohexane, ethylbenzene, isopropylbenzene (Cumene), Naphthalene, Toluene, Total Xylenes, 1,2,4-Trimethylbenzene, 1,3,5-trimethylbenzene, Acenaphthene, Anthracene, Benzo(a)anthracene, Benzo(a)pyrene, Benzo(b)fluoranthene, Benzo(g,h,i)perylene, Biphenyl, Chrysene, Fluoranthene, Flourene, Indeno(1,2,3-cd)pyrene, 2-Methylnaphthalene, Phenanthrene, Pyrene. The Final Report demonstrated attainment of the Statewide health standards. Approved: June 21, 2024.

Former CHS Lot J, Primary Facility ID # **806695**, Corner of Washington Street and Walnut Street, Johnstown, PA 15905, City of Johnstown, **Cambria County**. Groundwater Sciences Corporation, 2601 Market Place Street, Suite 310, Harrisburg, PA 17110 on behalf of 1889 Foundation Inc., 4 Valley Pike, Johnstown, PA 15905, submitted a Risk Assessment/Remedial Investigation/Final Report concerning remediation of soil and groundwater contaminated with: benzene, toluene, ethylbenzene, total xylenes, isopropyl benzene (cumene), naphthalene, methyl tert-butyl ether (MTBE), 1,2,4-trimethylbenzene (124TMB), 1,3,5-trimethylbenzene (135TMB), 1,2-dichloroethane (12DCA/EDC), 1,2-dibromoethane (12DBA/EDB), lead, anthracene, benzo(a)anthracene, benzo(a)pyrene, benzo(b)fluoranthene, benzo(g,h,i)perylene, chrysene, fluorene, indeno(1,2,3-cd)pyrene, phenanthrene, and pyrene. The SHS has been attained in groundwater for the following COCs: toluene, ethylbenzene, total xylenes, cumene, MTBE, 135TMB, 12DCA, 12DBA, lead, anthracene, benzo(a)anthracene, benzo(b)fluoranthene, chrysene, fluorene, indeno(1,2,3-cd)pyrene, phenanthrene, and pyrene. For groundwater: benzene, naphthalene, 124TMB, benzo(a)pyrene, and benzo(g,h,i)perylene, and 2-methylnaphthalene. The Final Report demonstrated attainment of the Statewide health and site-specific standards. Approved: June 21, 2024.

Range Resources Brownlee Kelley Pad, Primary Facility ID # **875077**, 178 Possum Hollow Road, Avella, PA 15312, Hopewell Township, **Washington County**. Envirotrac Ltd., 176 Thorn Hill Road, Warrendale, PA 15086 on behalf of Range Resources, 3000 Town Center Boulevard, Canonsburg, PA 15317, submitted a Final Report concerning remediation of soil contaminated with aluminum, barium, boron, chloride, iron, lithium, manganese, selenium, strontium, vanadium and zinc. The Final Report demonstrated attainment of the Statewide health standards. Approved: June 21, 2024.

Contact: Thomas Buchan P.G., EGM, 412-442-5240.

Olympus Energy Athena Well Pad, Primary Facility ID # **874966**, 262 Kistler Drive, Export, PA 15632, Washington Township, **Westmoreland County**. Moody and Associates, 1720 Washington Road, Suite 100, Washington, PA 15301 on behalf of Olympus Energy LLC, 501 Technology Drive, Suite 1200, Canonsburg, PA 15317, submitted a Final Report concerning remediation of soil

contaminated with VOCs SVOCs PAHs. The Final Report demonstrated attainment of the Statewide health standards. Approved: June 18, 2024.

RESIDUAL WASTE GENERAL PERMITS

Actions(s) Taken on Permit(s) Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other than Coal Ash.

Northeast Region: Waste Management Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Roger Bellas, Environmental Program Manager, 570-826-2201.

WMGR081-NE001. Federal Prison Industries Inc., dba UNICOR, Route 901 and I-81, Minersville, PA 17954, Butler Township, **Schuylkill County**. A permit renewal for continued coverage under General Permit WMGR081 for the processing of electronic waste for beneficial reuse. Application received: October 30, 2023. Permit issued: June 18, 2024.

Persons interested in reviewing the permit may contact Roger Bellas, Environmental Program Manager, 570-826-2201, Northeast Region, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Actions(s) Taken on Permit(s) Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Northwest Region: Waste Management Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Christina S. Wilhelm, Regional Solid Waste Program Manager, 814-332-6848.

Indiana County Municipal Waste Management Plan, Indiana County, 825 Philadelphia Street, Indiana, PA 15701, **Indiana County**. The Indiana County Municipal Waste Management Plan Revision was received and approved which authorizes the County to proceed in implementing the approved plan and in submitting the implementing documents to the Department. Application received: April 22, 2024. Approved: June 21, 2024.

Persons interested in reviewing the permit may contact Christina S. Wilhelm, Regional Solid Waste Program Manager, 814-332-6848, Northwest Region, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

AIR QUALITY

Actions(s) Taken on General Plan Approval(s) and Operating Permit(s) Usage Authorized Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to Construct, Modify, Reactivate or Operate Air Contamination Sources and Associated Air Cleaning Devices.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, (570) 327-3648.

AG5A-18-00001A: Frontier LNG, 301 North Spring Street, Suite 102, Bellefonte, PA 16823, West Keating Township, **Clinton County**. The Department authorized the construction and operation of a liquified natural gas (LNG) production facility consisting of three 1,480 bhp Waukesha model L7042 GSI Waukesha model H24SE, 4SRB, natural-gas-fired generator engines, each equipped with a 3-way reduction catalyst; one 3 MMscf/day glycol dehydrator equipped with a 0.2 MMBtu/hr boiler; one 87 bhp Isuzu model BJ-4JJ1X, four-stroke, diesel-fired emergency engine; two 8,400-gallon produced water tanks, two natural-gas-fired line heaters equipped with one 0.75 MMBtu/hr burners; one truck load-out operation; one open flare with a 10 MMBtu/hr natural-gas-fired burner; venting/blowdowns; and site fugitives, pursuant to the General Plan Approval and/or General Operating Permit for Unconventional Natural Gas Well Site Operations and Remote Pigging Stations (BAQ-GPA/GP-5A) at the Winner 4H Well Pad. Application received: March 7, 2024. Authorized: June 21, 2024. Expiration date: June 20, 2029.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.

GP4-21-03065: RAM Industrial Services LLC, 2850 Appleton Street, Suite D, Camp Hill, PA 17011, Lower Allen Township, **Cumberland County**. For three existing burn-off ovens, under GP4, at the facility. The general permit authorization was renewed. Application received: June 3, 2024. Issued: June 20, 2024.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Sheri Guerrieri, P.E., New Source Review Chief, 412-442-4174.

GP5A-30-00249A/AG5A-30-00016A: CNX Gas Company LLC, 1000 Horizon Vue Drive, Canonsburg, PA 15317, Richhill Township, **Greene County**. On June 20, 2024, the Department authorized CNX Gas Co. LLC the continued operation of: Eight (8) natural gas wells, eight (8) GPUs each rated at 1.75 MMBtu/hr, three (3) produced water tanks, each rated at 400-bbl, one (1) sand separator blow down vessel, one (1) condensate tank 400 bbl, truck loadout operations, one (1) VDU, each rated at 8.75 MMBtu/hr, and pigging operations at RHL-99 well pad located in Richhill Township, Greene County. Application received: May 9, 2024. Authorized: June 20, 2024.

Actions(s) Taken on Plan Approval(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and Regulations in 25 Pa. Code Chapter 127, Subchapter B Relating to Construction, Modification and Reactivation of Air Contamination Sources and Associated Air Cleaning Devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: James Beach, New Source Review Chief, 484-250-5920.

09-0152F: Gelest Inc., 11 Steel Rd E, Morrisville, PA 19067-3613, Falls Township, **Bucks County**. This action is for the extension of a plan approval for the installation of a 1,000-gallon, glass-lined, steel, high-pressure reactor. Application received: April 10, 2024. Issued: June 13, 2024.

Plan Approval Revision(s) Issued Including Extension(s), Minor Modification(s) and Transfer(s) of Ownership Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

18-00030C: First Quality Tissue LLC, 904 Woods Ave, Lock Haven, PA 17745, Castanea Township, **Clinton County**. The Department extended the authorization to operate the sources pursuant to the plan approval, at their Lock Haven Plant. The plan approval has been extended. Application received: June 5, 2024. Revised: June 21, 2024. New expiration date: December 19, 2024.

18-00030D: First Quality Tissue LLC, 904 Woods Ave, Lock Haven, PA 17745, Castanea Township, **Clinton County**. The Department extended the authorization to operate the sources pursuant to the plan approval at their Lock Haven Plant. The plan approval has been extended. Application received: June 5, 2024. Revised: June 21, 2024. New expiration date: December 19, 2024.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Sheri Guerrieri, P.E., New Source Review Chief, 412-442-4174.

63-01004C. Tech Met Inc., 79 E 8th St., Donora, PA 15033, Donora Borough, **Washington County**. This plan approval extension has been issued to ensure the plan approval remains active until it is formally incorporated into the State Only Operating Permit which is processing renewal application. Application received: May 21, 2024. Revised: May 23, 2024.

Title V Operating Permit(s) Issued Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Norm Frederick, 570-826-2409.

58-00001: Tennessee Gas Pipeline Company/Compressor Station 321, 1001 Louisiana Street, Houston, TX 77002, Clifford Township, **Schuylkill County**. The Department issued a renewal Title V Operating Permit

for the natural gas transmission station in Clifford Township, Susquehanna County. As a major source, the facility is subject to the Title V permitting requirements of the Clean Air Act Amendments as adopted by the Commonwealth under 25 Pa. Code Chapter 127, Subchapter G. The primary sources at this facility consist of natural gas solar turbines, a natural gas fired boiler, heating furnaces, and space heaters. The control equipment is SoLoNO_x as a NO_x reduction technology for each turbine. The Title V operating permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations. Application received: May 4, 2023. Renewal issued: June 18, 2024.

Philadelphia: Air Management Services: Air Quality Program, 321 University Avenue, Philadelphia, PA 19104-4543.

Contact: Maryjoy Ulatowski, Chief, Source Registration, 215-685-9476.

OP17-000065: Philadelphia Gas Works—Richmond Plant, 3100 East Venango Street, Philadelphia, PA 19134, City of Philadelphia, **Philadelphia County**. The City of Philadelphia, Air Management Services (AMS) issued a renewal of the Title V/State Operating Permit (TVOP) OP17-000065: Philadelphia Gas Works—Richmond Plant for the operation of a natural gas liquefaction facility in the City of Philadelphia, Philadelphia County. The facility's air emission sources are six (6) LNG vaporizer heaters burning natural gas rated between 91.5 and 96.6 Million British Thermal Units per hour (MMBtu/hr), one (1) LNG boil-off heater burning natural gas rated 5 MMBtu/hr, two (2) solar gas turbine compressors burning natural gas rated 12.53 MMBtu/hr and 11.5 MMBtu/hr, three (3) emergency generators burning natural gas rated 134 Horsepower (HP), 197 HP, and 277 HP, two (2) emergency generators burning diesel rated 1,214 HP each, three (3) fire pumps burning natural gas rated 295 HP each, one (1) Regen Heater burning natural gas rated 9.1 MMBtu/hr, two (2) under-tank heaters burning natural gas rated 1.5 MMBtu/hr each, and storage tanks. Application received: June 24, 2024. Issued: June 20, 2024.

Operating Permit(s) for Non-Title V Facilities Issued Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Norm Frederick, 570-826-2409.

54-00035: Tredegar Film Prod Inc., 30 Maple Ave, Pottsville, PA 17901, Norwegian Township, **Schuylkill County**. The Department issued a renewal State-Only (Natural Minor) Permit to manufacture unsupported plastics, film, and sheet facility located in Norwegian Township, Schuylkill County. The primary sources consist of fifteen (15) plastic extrusion lines. The control devices consist of a baghouse. The sources are considered minor emission sources of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), total suspended particulate (TSP), and volatile organic compounds (VOC) emissions. The operating permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations. Application received: November 17, 2023. Renewal issued: May 29, 2024.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Matthew Williams, Facilities Permitting Chief, 814-332-6940.

61-00122: Seneca Hardwood Lumber, 212 Seneca Hardwood Rd, Cranberry, PA 16319-2526, Rockland Township, **Venango County**. The Department issued the renewal of the State-Only Operating Permit of a sawmill facility. Permitted air emission sources at the facility are two (2) wood-fired boilers, miscellaneous woodworking operations, drying kilns, and a parts washer. With PTEs of approximately 49 TPY CO, 40 TPY NO_x, 22 TPY PM₁₀, 2.0 TPY SO_x, and 2.0 TPY VOC, all below major source thresholds, the facility is Natural Minor. The wood-fired boilers are subject to 40 CFR 63 Subpart JJJJJJ that pertains to NESHAP for Industrial, Commercial, and Institutional Boilers Area Sources. There are no significant changes in this renewal; some minor administrative updates are applied. Application received: January 27, 2023. Issued: June 12, 2024.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.

28-05029: Fayetteville Contractors, Inc., P.O. Box 610, Fayetteville, PA 17222-0610, Antrim Township, **Franklin County**. For the batch asphalt plant. The State-Only Permit was renewed. Application received: January 23, 2024. Issued: June 20, 2024.

01-03012: International Paper Co., 136 East York Street, P.O. Box 808, Biglerville, PA 17307-0808, Biglerville Borough, **Adams County**. For the solid fiber container manufacturing facility. The State-Only Permit was renewed. Application received: November 14, 2023. Issued: June 20, 2024.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

36-03116: Cargill Cocoa & Chocolate, Inc., 200 Chocolate Avenue, Mount Joy, PA 17552-2000, Mount Joy Borough, **Lancaster County**. For the chocolate manufacturing facility. The State-Only Permit was renewed. Application received: January 31, 2024. Issued: June 18, 2024.

36-03048: Hubbard Feeds, Inc., 3349 Hempland Road, Lancaster, PA 17601-1315, East Hempfield Township, **Lancaster County**. For the feed mill. The State-Only Permit was renewed. Application received: October 5, 2023. Issued: June 20, 2024.

22-03052: Hearth & Home Technologies, 352 Mountain House Road, Halifax, PA 17032-9733, Jackson Township, **Dauphin County**. For the residential heating unit manufacturing facility. The State-Only Permit was renewed. Application received: January 29, 2024. Issued: June 20, 2024.

36-03094: Snavely's Mill, Inc., 333 Snavely Mill Road, Lititz, PA 17543-9624, Warwick Township, **Lancaster County**. For the flour mill. The State-Only Permit was renewed. Application received: February 21, 2024. Issued: June 20, 2024.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief, 484-250-5920.

46-00147: NMZ Holdings/Conshohocken Facility, 1301 Conshohocken Rd, Conshohocken, PA 19428-1032, Plymouth Township, **Montgomery County**. This action is for the renewal of a Synthetic Minor Operating Permit for grinding, crushing, milling, and screening of various metal alloys and minerals into fine powders that are then sold for various industrial uses. Application received: December 22, 2023. Issued: June 21, 2024.

09-00064: CRC Industries Inc/Warminster Plant, 885 Louis Dr, Warminster, PA 18974-2820, Warminster Township, **Bucks County**. This action is for the renewal of the State Only Operating Permit for the manufacture of specialty chemicals used in the automotive, marine, electrical and industrial maintenance markets. Application received: September 6, 2023. Issued: June 21, 2024.

46-00114: Profiners Inc., 2299 Amber Dr, Hatfield, PA 19440-1902, Hatfield Township, **Montgomery County**. This action is for the renewal of Natural Minor Operating Permit for a foundry used for the recovery and refining of precious metals. Application received: September 8, 2023. Issued: June 21, 2024.

Operating Permit Revisions Issued Including Administrative Amendments, Minor Modifications or Transfer of Ownership Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief, Telephone: 484-250-5920.

46-00045: PECO Energy Co/West Conshohocken Gas Plant, 2301 Market St, Philadelphia, PA 19101, West Conshohocken Borough, **Montgomery County**. Administrative Amendment of TVOP No. 46-00045 is issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code § 127.450. The Title V operating permit was amended to reflect a change in the Responsible Official. The amended Title V operating permit contains sufficient monitoring, recordkeeping, reporting and work practice standards to keep the facility operating within all applicable air quality requirements. Application received: May 21, 2024. Issued: June 20, 2024.

15-00138: Aqua Pennsylvania Inc./Pickering Water Treatment Plant, 1050 Valley Forge Rd, Phoenixville, PA 19460, Schuylkill Township, **Chester County**. An Administrative Amendment of State-Only Operating Permit No. 15-00138 is issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code § 127.450. This operating permit was amended to incorporate Plan Approval No. 15-0138A into the Operating Permit No. 15-00138. The amended State-Only Operating Permit contains sufficient monitoring, recordkeeping, reporting and work practice standards to keep the facility operating within all applicable air quality requirements. Application received: May 6, 2024. Issued: June 20, 2024.

23-00004: Reworld Delaware Valley LP (fka COVANTA Delaware Valley), 10 Highland Ave, Chester, PA 19013, City of Chester, **Delaware County**. An Administrative Amendment of TVOP No. 23-00004 is issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code § 127.450. The Title V operating permit was amended to reflect a facility name change. The amended Title V operating permit contains sufficient monitoring, recordkeeping, reporting and work practice standards to keep the facility operating within all appli-

cable air quality requirements. Application received: May 28, 2024. Issued: June 20, 2024.

De Minimis Emissions Increases Authorized under 25 Pa. Code § 127.449.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Sheri Guerrieri, P.E., New Source Review Chief, 412-442-4174.

DEM-63-01036A: EQT Production Company, 400 Woodcliff Drive, Canonsburg, PA 15317, East Finley Township, **Washington County**.

On May 21, 2024, EQT Production Company (400 Woodcliff Drive, Canonsburg, PA 15317) submitted a request for a de minimis emission increase at its Ealy

Well Pad located in East Finley Township, Washington County. This Notice is published per 25 Pa. Code § 127.449(i). The well pad contains seven (7) completed, active, horizontal wells, producing natural gas from the Marcellus Shale and ancillary equipment. The project is to construct six (6) new, 400-gallon, storage tanks (Two (2) containing condensate and four (4) containing produced water) as an in-kind replacement for six (6) damaged storage tanks. EQT Production Company will comply with requirements in DEM-63-01036A. Currently operation of the well pad is authorized by GP-5A-63-01036B, authorized on December 6, 2021.

The following table shows emission changes at the well pad since its operation was authorized by GP-5A-63-010536B:

The following list displays the change in potential emissions from the facility.

Action	Date	Source	NO _x	CO	VOC	PM ₁₀	PM _{2.5}	SO ₂	Combined HAPs	CO _{2e}
			(tpy)							
Current Emissions Change										
DEM-63-01036A	5/29/2024	In Kind Replacement of 6 Damaged Storage Tanks	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Sum of Changes TPY			0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Under item Number “36 Source(s) qualifying under § 127.449 as de minimis emission increases” of “Section 127.14(a)(8). Exemptions that do not require the submission of an RFD form” in the Department’s Plan Approval and Operating Permit Exemption List (275-2101-003/July 1, 2021) on Page 8, the change is exempt from requiring Department authorization. However, the upgrade and operation of the equipment are subject to certain requirements for this exemption to be effective. The constructed equipment and these requirements will be incorporated into the general Operating Permit at a later time.

DEM-65-00781A: Kennametal Inc., 1600 Technology Way, Latrobe, PA 15650, Unity Township, **Westmoreland County**. The project to install and operate one (1) new Novatech Pluritank 60 ultrasonic cleaning system. The proposed ultrasonic cleaning system was installed for hard metals tooling. The ultrasonic cleaning system utilizes electrically heated baths of acid and base solutions to chemically clean and rinse the surface of tungsten carbide tooling produced in the facility R&D center. The bath solutions are enclosed in a ventilated enclosure that is connected to the previously installed fume collection system that exhausts to the outdoor atmosphere. Kennametal anticipated use is less than or equal to 414 pounds of Metal Medic 7043 (or equivalent) and 322 pounds of Techniclean MP flex (or equivalent) per year to operate the ultrasonic cleaning system. The Metal Medic contains a maximum of 4% VOC of Diethylene Glycol Monobutyl Ether (DGME). The Techniclean MP Flex contains a maximum of 10% of 2-aminoethanol. PTE VOC emissions calculations assume 100% loss of VOC from the cleaning media. The annual emissions increase from this project which will not exceed 0.024 ton of VOCs qualifies as a de minimis emissions increase pursuant to 25 Pa. Code § 127.449. Per the list of sources qualifying

for exemption under 25 Pa. Code § 127.14(a)(8) in the Department’s Published Notice of Plan Approval and Operating Permit Exemptions (275-2101-003; July 1, 2021), the identified equipment is exempt from plan approval per Item 36—“Sources qualifying under § 127.449 as de minimis emission increases.” In accordance with 25 Pa. Code § 127.449 (g), VOC emissions authorized through this action shall be included in the monitoring, recordkeeping, and reporting requirements of the source. Emission Changes at Kennametal Inc since the SOOP was last renewed on August 19, 2020: 1. eRFD # 8764, Processed September 28, 2020—this request for temporary use alcohol-based binder on a water-based 3D printer for over two weeks experiments (8 experiments, less than 7 hours/experiment) and increase of 0.0001 ton of VOCs at that year. 2. DEM 65-00781A, Current Request for De Minimis Increase—this request for above ultrasonic cleaning system will cause an annual increase of 0.024 ton of VOCs emissions from the facility.

DEM-63-01034A: Range Resources Appalachia, LLC, 3000 Town Center Boulevard, Canonsburg, PA 15317, Donegal Borough, **Washington County**. Project to install one (1) diesel-fired Kohler emergency backup generator rated at 10.1 bhp and two GPU’s each rated at 2.0 MMBtu/hr. The diesel engine shall be used as backup power generation only for air compressor in the event of loss of utility power. The natural gas driven process controllers will be switched to compressed air after installation of the backup generator. The diesel engine will be subject to the fuel specifications as provided in 40 CFR Subpart IIII Part 60.4207 and the emergency backup generator shall not exceed 500 hours of operations per year. Total emissions from this project will not exceed 0.1 tpy of VOC (including HAPs) 0.74 ton of CO, 0.01 ton SO_x, 0.07 ton PM₁₀. Any affected facility installed under

this GP5A will comply with all applicable provisions of 40 CFR Part 60, Subpart IIII. The list of de minimis increases for this facility includes only this project.

ACTIONS ON COAL AND NONCOAL APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21).

The final action on each application also constitutes action on the National Pollutant Discharge Elimination System (NPDES) permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to such applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1103).

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Coal Permits

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

Contact: Cassie Stanton, Clerical Assistant 2.

Mining Permit No. 17813024. NPDES No. PA0608777. EnerCorp, Inc., 1310 Allport Cutoff, Morrisdale, PA 16858, Bradford Township, **Clearfield County**. Modification of an NPDES permit for a bituminous surface mine for passive treatment only site affecting 8.3 acres. A modification to the upper limit PH discharge limitation is proposed. Receiving stream(s): Unnamed Tributary to the West Branch of Susquehanna River classified for the following use(s): WWF. Application received: January 24, 2024. Accepted: January 31, 2024. Issued: June 13, 2024.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

Mining Permit No. 19930101. Burnrite Coal Company, 231 Thomas Road, Elysburg, PA 17824, Conyngham and Mt. Carmel Townships, **Columbia and Northumberland Counties**. Renewal for Reclamation Activities Only of an anthracite surface mine operation affecting 559.1 acres. Receiving stream: North Branch Shamokin Creek, classified for the following uses: CWF, MF. Application received: March 13, 2024. Renewal issued: June 18, 2024.

Noncoal Permits

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPMININGPERMITS@pa.gov.

Mining Permit No. 66232501. Tunnel Hill Quarry, 449 Milwaukee Avenue, Old Forge, PA 18518, Clinton Township, **Wyoming County**. Commencement, operation and restoration of a GP105 quarry operation affecting 10.0 acres. Receiving stream: unnamed tributary to Tunkhannock Creek. Application received: March 17, 2023. Issued: April 24, 2024.

Mining Permit No. 58232514. DH Manufacturing, LLC, 1731 Catlin Lane, Kingsley, PA 18826, Lanesboro Borough, **Susquehanna County**. Commencement, operation and restoration of a GP105 quarry operation affecting 7.0 acres. Receiving Stream: Starrucca Creek. Application received: September 20, 2023. Issued: June 21, 2024.

Mining Permit No. 58222518. Pedro Sanchaz, 1101 Randolph Road, Great Bend, PA 18821, Silver Lake Township, **Susquehanna County**. Commencement, operation and restoration of a GP105 quarry operation affecting 8.5 acres. Receiving stream: UNT to Choconut Creek (No Discharge). Application received: September 6, 2022. Issued: April 26, 2024.

Mining Permit No. 58222518. Pedro Sanchaz, 1101 Randolph Road, Great Bend, PA 18821, Silver Lake Township, **Susquehanna County**. Commencement, operation and restoration of a GP105 quarry operation affecting 8.5 acres. Receiving stream: UNT to Choconut Creek (No discharge). Application received: September 6, 2022. Issued: April 26, 2024.

Mining Permit No. 58232508. CBH Investments, LLC, 946 Williams Road, Montrose, PA 18801, Thompson Township, **Susquehanna County**. Commencement, operation and restoration of a GP105 quarry operation affecting 10.0 acres. Receiving stream: UNT to South Branch Canawacta Creek (no discharge). Application received: May 11, 2023. Issued: June 12, 2024.

Contact: RA-EPPottsvilleDMO@pa.gov.

Mining Permit No. 6575SM5. NPDES Permit No. PA0225789. Heidelberg Materials US Cement, LLC, 7660 Imperial Way, Allentown, PA 18195, Ross Township, **Monroe County**. Renew NPDES Permit for discharge of treated mine drainage on a quarry operation. Receiving stream: Aquashicola Creek, classified for the following uses: HQ-CWF, MF. Application received: August 23, 2023. Renewal issued: June 18, 2024.

Mining Permit No. 64730304. NPDES Permit No. PA0225771. Heidelberg Materials Northeast, LLC, 7660 Imperial Way, Allentown, PA 18195, Dennison Township, **Luzerne County**. Renew NPDES Permit for discharge of treated mine drainage on a quarry operation. Receiving stream: UNT to Wright Creek, classified for the following uses: HQ-CWF, MF. Application received: November 6, 2023. Renewal issued: June 18, 2024.

Mining Permit No. 7775SM10. Heidelberg Materials US Cement, LLC, 7660 Imperial Way, Allentown, PA 18195, Maiden Creek Township, **Berks County**. Depth correction of an existing quarry operation affecting 329.9 acres. Receiving stream: Maiden Creek, classified for the following use: WWF. Application received: August 18, 2023. Issued: June 18, 2024.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Action(s) Taken on Application(s) Under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting Activity Performed as Part of a Coal or Noncoal Mining Activity will be Regulated by the Mining Permit for that Coal or Noncoal Mining Activity.

Blasting Permits

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

Contact: Cassie Stanton, Clerical Assistant 2, 814-342-8101.

Permit No. 14244102. Wampum Hardware Co., 636 Paden Rd., New Galilee, PA 16141, Bellefonte Borough, **Centre County**. Blasting for construction of a Bellefonte Elementary School. Application received: June 19, 2024. Issued: June 21, 2024. Expiration date: December 31, 2024.

New Stanton District Mining Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.

Contact: Tracy Norbert, RA-EPNEWSTANTON@pa.gov.

Permit No. 02244103. Wampum Hardware Company, 636 Paden Road, Cuddy, PA 16141, West Deer Township, **Allegheny County**. Blasting activity permit for the construction of the Rose Ridge Residential Development, with an expiration date of December 31, 2024. Application received: June 18, 2024. Issued: June 18, 2024.

Contact: Tracy Norbert, RA-EPNEWSTANTON@pa.gov.

Permit No. 02244104. Wampum Hardware Company, 636 Paden Road, New Galilee, PA 16141, West Deer Township, **Allegheny County**. Blasting activity permit for construction of the Rose Ridge (2) residential development, with an expiration date of December 31, 2024. Application received: June 20, 2024. Issued: June 20, 2024.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

Permit No. 58244104. Accublast Explosives, LLC, 1727 Catlin Road, Kingsley, PA 18826, Harford Township, **Susquehanna County**. Construction blasting for Joe Squid Warehouse. Application received: June 4, 2024. Permit issued: June 18, 2024. Expiration date: December 31, 2024.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department of Environmental Protection (DEP) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, DEP has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), and that the construction will not violate applicable Federal and State Water Quality Standards.

Individuals aggrieved by these actions may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. Section 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Environmental Hearing Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at 717-787-3483. This

paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the Board within 30-days. You do not need a lawyer to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so you should show this notice to a lawyer at once. If you cannot afford a lawyer, you may qualify for free pro bono representation. Call the Secretary to the Board 717-787-3483 for more information.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Action(s) Taken on Application(s) for the Following Activities Filed Under The Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and the Clean Streams Law and Notice of Final Action for Certification Under Section 401 of the FWPCA.

Eastern District: Oil and Gas Management Program, 208 West Third Street, Williamsport, PA 17701-6448.

Contact: RA-EPEASTERNOPRG@pa.gov.

E0829224-003. Chesapeake Appalachia LLC, 14 Chesapeake Lane, Sayre, PA 18840, Wysox Township, **Bradford County**. U.S. Army Corps of Engineers Baltimore District.

Application received: February 28, 2024. Issued: June 18, 2024.

To construct, operate and maintain:

1. a 16-inch diameter temporary waterline and a timber mat bridge impacting 440 square feet of a Palustrine Emergent Wetland (Rome, PA Quadrangle, Latitude: 41.80581°, Longitude: -76.363222°);

2. a 16-inch diameter temporary waterline and a timber mat bridge impacting 250 square feet of Palustrine Scrub-Shrub Wetland and 7,890 square feet of a Palustrine Emergent Wetland (Rome, PA Quadrangle, Latitude: 41.80581°, Longitude: -76.363222°);

3. a 16-inch diameter temporary waterline and a timber mat bridge impacting 20 linear feet (300 square feet) of an unnamed tributary to Wysox Creek (CWF, MF) and 2,360 square feet of floodway impacts (Rome, PA Quadrangle, Latitude: 41.803318°, Longitude: -76.360137°);

4. a 16-inch diameter temporary waterline and a timber mat bridge impacting 20 linear feet (140 square feet) of an unnamed tributary to Wysox Creek (CWF, MF) and 2,900 square feet of floodway impacts (Rome, PA Quadrangle, Latitude: 41.802847°, Longitude: -76.360142°);

5. a 16-inch diameter temporary waterline impacting 20 linear feet (160 square feet) of an unnamed tributary to Wysox Creek (CWF, MF), 7,440 square feet of floodway impacts, and 40 square feet of Palustrine Emergent Wetland (Rome, PA Quadrangle, Latitude: 41.800713°, Longitude: -76.359131°);

6. a 16-inch diameter temporary waterline impacting 2 linear feet (2 square feet) of an unnamed tributary to

Wysox Creek (CWF, MF), 128 square feet of floodway impacts, (Rome, PA Quadrangle, Latitude: 41.800352°, Longitude: -76.357994°);

7. a 16-inch diameter temporary waterline and a timber mat bridge impacting 2,400 square feet of floodway impacts to an unnamed tributary to Wysox Creek (CWF, MF), and 7,540 square feet of Palustrine Emergent Wetland (Rome, PA Quadrangle, Latitude: 41.798870°, Longitude: -76.357146°);

8. a 16-inch diameter temporary waterline and a timber mat bridge impacting 1,040 square feet of a Palustrine Emergent Wetland (Rome, PA Quadrangle, Latitude: 41.799002°, Longitude: -76.354204°);

9. a 16-inch diameter temporary waterline and a timber mat bridge impacting 840 square feet of floodway impacts to an unnamed tributary to Wysox Creek (CWF, MF), and 2,140 square feet of Palustrine Emergent Wetland (Rome, PA Quadrangle, Latitude: 41.798385°, Longitude: -76.353122°);

10. a 16-inch diameter temporary waterline and a timber mat bridge impacting 20 linear feet (180 square feet) of an unnamed tributary to Wysox Creek (CWF, MF), 2,700 square feet of floodway impacts, and 1,800 square feet of Palustrine Emergent Wetland (Rome, PA Quadrangle, Latitude: 41.798188°, Longitude: -76.351574°);

11. a 16-inch diameter temporary waterline and a timber mat bridge impacting 8,440 square feet of a Palustrine Emergent Wetland (Rome, PA Quadrangle, Latitude: 41.796714°, Longitude: -76.350821°);

12. a 16-inch diameter temporary waterline and a timber mat bridge impacting 2,880 square feet of a Palustrine Emergent Wetland (Rome, PA Quadrangle, Latitude: 41.795139°, Longitude: -76.350832°);

13. a 16-inch diameter temporary waterline impacting 8 linear feet (13 square feet) of an unnamed tributary to Vought Creek (WWF, MF), 128 square feet of floodway impacts, (Rome, PA Quadrangle, Latitude: 41.784365°, Longitude: -76.350365°);

14. a 16-inch diameter temporary waterline impacting 467 square feet of a Palustrine Emergent Wetland (Rome, PA Quadrangle, Latitude: 41.784091°, Longitude: -76.358823°).

The project will result in 80 linear feet (795 square feet) of temporary stream impacts, 18,934 square feet (0.435 acre) of temporary floodway impacts, 32,677 square feet (0.780 acre) of temporary PEM wetland impacts, and 250 square feet (0.006 acre) of temporary PSS wetland impacts, all for the purpose of establishing a temporary water supply for Marcellus well development in Wysox Township, Bradford County.

Southeast Region: Waterways & Wetlands Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: ra-ep-ww-sero-105@pa.gov.

E0901223-012. Northampton Bucks County Municipal Authority, 815 Bustleton Pike, Richboro, PA 18954, Northampton Township, **Bucks County**. U.S. Army Corps of Engineers Philadelphia District.

To construct and maintain the following water obstruction and encroachment activities associated with watermain and sanitary sewer relocation project in and along the floodway and floodplain of Mill Creek (WWF, MF), tributary to Mill Creek (WWF, MF), Ironworks Creek (WWF, MF), and a tributary to Ironworks Creek (WWF, MF) and is to be completed prior to the PennDOT, District 6-0 Buck Road Bridge Replacement Project to be

authorized under a separate permit: 1) Installation of a 16-inch diameter ductile water pipe with a 30-inch diameter casing pipe by direction drill under Mill Creek, resulting in 148 linear feet (6,216 square feet) of permanent watercourse impact, 0.37 acre of permanent floodway impact. This also includes areas for permanent access. An 8-inch diameter sanitary sewer pipe will be installed using direction drilling within the floodway. Temporary impacts associated with this activity include 208 linear feet (8,736 square feet) of watercourse impact and 0.70 acre of temporary floodway impact for temporary construction easement. 2) Installation of a 16-inch diameter ductile water pipe with a 30-inch diameter casing pipe using direction drilling under Ironworks Creek resulting in 68 linear feet (2,244 square feet) of permanent watercourse impact with areas for permanent access and 111 linear feet (3,663 square feet) of temporary watercourse impact for temporary construction easement. 3) Installation of an 8-inch diameter sanitary sewer pipe under an unnamed tributary to Mill Creek using directional drilling resulting in 1 linear foot (3 square feet) of watercourse impact with 25 linear feet (69 square feet) of temporary watercourse impact due to temporary construction easement. 4) Installation of a 16-inch diameter ductile water pipe with a 30-inch diameter casing pipe using direction drilling under an unnamed tributary to Ironworks Creek resulting in 57 linear feet (513 square feet) of permanent watercourse impact with areas for permanent access and 57 linear feet (513 square feet) of temporary impacts due to temporary construction access. Total impacts to floodplain include 1.17 acres of permanent floodplain impact and 3.69 acres of temporary floodplain impact due to temporary construction easement and access. This project is located near the intersection of Buck and Bristol Roads (Burlington, PA USGS Map) in Northampton Township, Bucks County. Latitude: 40.171840°, Longitude: -74.986595°. Application received: November 29, 2023. Permit issued: June 20, 2024.

E0901224-001. Upper Southampton Township, 939 Street Road, Southampton, PA 18966, Upper Southampton Township, **Bucks County**. U.S. Army Corps of Engineers Philadelphia District.

To stabilize and restore the channel of Tributary No. 2 to Mill Creek. Water obstruction and encroachment activities are as follows: 1) To fill/install and maintain rock toe, riffles, and vanes within the stream of Tributary No. 2 to Mill Creek for bank stabilization resulting in (2,990 sq ft, .07 acre) of permanent stream impacts. 2) To fill within the Palustrine Emergent Wetland for regrading of the channel side slope on the south side of the stream resulting in (299 sq ft, .01 acre) of permanent wetland impacts. This project is located near Tamanend Park, 1255 Second Street Pike, Southampton PA 18966, Bucks County (USGS PA Hatboro Quadrangle). Latitude: 40.182977°, Longitude: -75.034797°. Application received: January 3, 2024. Permit issued: June 14, 2024.

Contact: ra-ep-ww-sero-105@pa.gov.

E4601224-011. Lower Providence Township, 100 Parklane Drive, Eagleville, PA 19403, Lower Providence Township, **Montgomery County**. U.S. Army Corps of Engineers Philadelphia District.

Lower Providence Township is proposing to perform Chapter 106 floodplain restoration activities within the floodway and floodplain of the Perkiomen Creek (TSF-MF) at eight (8) properties associated with the demolition and removal of existing homes, accessory structures, foundations, pads, slabs, walkways, driveways, and other site improvements with disturbed areas to be backfilled to

uniform grade with existing surrounding areas. All disturbed areas are to be seeded and stabilized to uniform lawn cover. The properties are listed as follows: 1) 41 and 43 Pechins Mill Road include a total of 0.36 acre of earth disturbance (USGS PA Collegeville Quadrangle—Latitude 40.179890 N, Longitude 75.447270 W and USGS PA Collegeville Quadrangle—Latitude 40.180350 N, Longitude 75.447010 W). 2) 325 Level Road includes 0.69 acre of earth disturbance (USGS PA Collegeville Quadrangle—Latitude 40.156244 N, Longitude 75.455653 W). 3) 3610 Arcola Road includes 0.52 acre of earth disturbance (USGS PA Collegeville Quadrangle—Latitude 40.152767 N, Longitude 75.454668 W). 4) 12 and 14 Indian Head Road include a total of 0.30 acre of earth disturbance (USGS PA Collegeville Quadrangle—Latitude 40.150530 N, Longitude 75.453250 W and USGS PA Collegeville Quadrangle—Latitude 40.150870 N, Longitude 75.452710 W). 5) 151 Tyson Mill Road includes 0.07 acre of earth disturbance (USGS PA Collegeville Quadrangle—Latitude 40.147670 N, Longitude 75.444840 W). 6) 1519 Gertrude Avenue includes 0.23 acre of earth disturbance (USGS PA Collegeville Quadrangle—Latitude 40.115320 N, Longitude 75.467750 W). Latitude: 40.179890°, Longitude: -75.447270°. Application received: April 10, 2024. Permit issued: June 10, 2024.

Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Dana Drake, Program Manager.

E2605223-003. Masontown Municipal Authority, 1 E Church Ave, Masontown, PA 15461, Masontown Borough, **Fayette County**. U.S. Army Corps of Engineers Pittsburgh District.

Application received: June 24, 2024. Issued: June 21, 2024.

The Applicant has been given consent to:

1. Remove an existing 644 lf of 3' x 4' CMP stream enclosure, which conveys an unnamed tributary (UNT) to the Monongahela River (WWF), and to construct and maintain 644 lf of relocated open channel that is 20' wide at top of bank to top of bank and 5' deep with a 5' wide stream bottom.

2. Construct and maintain 18 lf of 36" x 48" CMP pipe to connect the existing upstream stormwater network to the open channel previously mentioned, along with a new, 5' long x 14' wide x 4' tall concrete endwall in the same UNT to the Monongahela River.

3. Construct and maintain a 30 lf of 12" SDR 35 sanitary pipe crossing underneath the previously mentioned stormwater pipe beneath the same UNT to the Monongahela River.

4. Construct and maintain a 4' long by 11' wide by 3.5' tall concrete endwall to an existing stormwater pipe that conveys the UNT that drains into the aforementioned UNT to the Monongahela.

5. To remove 530 lf of existing 12" SDR 35 sanitary pipe, and to construct, operate, and maintain 530 lf of relocated 12" SDR 35 sanitary pipe and associated man-holes parallel to the previously mentioned open channel of a UNT to the Monongahela River.

6. To operate and maintain 109 lf of existing 12" SDR 35 sewer line within the floodway/floodplain of the newly constructed open channel.

For the purpose of reducing the frequency and extent of flooding events in the surrounding area to improve public

health, safety and the environment. The project will cumulatively and permanently impact 682 lf (0.309 ac) of watercourse and 1.255 acres of floodway.

The project site is located between N. Redwood St and N. Liberty Ave (Masontown, PA USGS topographic quadrangle; N: 39°, 84', 90" W: -79°, 91', 20" Sub-basin 19G; USACE Pittsburgh District), in Masontown Borough, Fayette County.

E0205222-017. Harmar Township, 701 Freeport Rd, Cheswick, PA 15024, Harmar Township, **Allegheny County**. U.S. Army Corps of Engineers Pittsburgh District.

Application received: June 21, 2022. Issued: June 21, 2024.

The Applicant has been given consent to:

1. Construct and maintain a streambank stabilization project, along five separate streambank areas of Little Deer Creek (TSF) totaling approximately 650 linear feet (0.391 acre) by re-grading the streambanks to reconnect the stream with its floodplain and planting vegetative riparian buffers on the streambanks extending 35-foot perpendicular in both directions.

2. Construct and maintain two (2) temporary road crossings in Little Deer Creek, each consisting of four (4) 24" SDR Culvert Pipes, for access to complete restoration work at areas # 1, # 2, and # 5.

For the purpose of reducing nutrient, sediment and total phosphorous loading in the watercourse and stabilizing the streambanks from erosive stream velocities to satisfy the MS4 permit requirements. The project will cumulatively and permanently impact 650 lf (0.391 acre) of watercourse and 3.831 acres of floodway. The project will cumulatively and temporarily impact 20 lf (0.012 acre) of watercourse and 0.798 acre of floodway.

The project site is located near the intersection of Rich Hill Road and Jacoby Road (New Kensington West, PA USGS topographic quadrangle; N: 40°, 33', 36"; W: -79°, 50', 03"; Sub-basin 18A; USACE Pittsburgh District), in Harmer Township, Allegheny County.

E0405223-002. Chippewa Township, 2811 Darlington Road, Beaver Falls, PA 15010, Chippewa Township, **Beaver County**. U.S. Army Corps of Engineers Pittsburgh District.

Application received: March 14, 2023. Issued: June 21, 2024.

The Applicant has been given consent to:

1. Remove an existing 36' x 9' pipe arch CMP pipe culvert (Culv 01), and to construct and maintain a replacement, 40' x 15' elliptical CMP, which carries Woodland Rd over Brady Run (TSF).

2. Construct and maintain stream bank stabilization, consisting of R-8 rip-rap, along 44 lf of Brady Run, upstream of Culv 01.

3. Construct and maintain stream bank stabilization by installing R-8 rip-rap along 64 lf of Brady Run, downstream of Culv 01.

4. Remove an existing culvert (Culv 02), consisting of two elliptical CMP 36' x 3' culverts, and to construct and maintain a replacement 40' x 11' elliptical CMP, which carries Woodland Rd over an unnamed tributary (UNT) to Brady Run (TSF).

5. Construct and maintain stream bank stabilization by installing R-8 rip-rap along 32 lf, of a UNT to Brady Run, upstream of Culv 02.

6. Construct and maintain stream bank stabilization by installing R-8 rip-rap along 122 lf, of a UNT to Brady Run, downstream of Culv 02.

7. Remove two existing concrete pads from Brady Run, one near the inlet, the other near the outlet, of Culv 01.

8. Install a step pool of 15' by 15' at a 3' depth within the watercourse of UNT to Brady Run, downstream of Culv 01.

9. Install a step pool of 22' by 20' at a 3' depth within the watercourse of Brady Run, downstream of the aforementioned step pool.

For the purpose of replacing the existing deteriorated culverts and stabilizing the streambed to improve the passage of aquatic life. The project will cumulatively and permanently impact 357 lf of watercourse and 0.292 acre of floodway. The project will cumulatively and temporarily impact 253 lf of watercourse and 0.585 acre of floodway.

The project site is located near the intersection of Constitution Blvd and Woodland Rd (Beaver Falls, PA USGS topographic quadrangle; N: 40°, 45', 33.43" W: -80°, 21', 10.64"; Sub-basin 20B; USACE Pittsburgh District), in Chippewa TWP, Beaver County.

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information.

Eastern District: Oil and Gas Management Program, 208 West Third Street, Williamsport, PA 17701-6448.

Contact: RA-EPEASTERNNOGPRG@pa.gov.

ESCGP#3 **ESG295824002-00**
Applicant Name **Chesapeake Appalachia LLC**
Contact Person Eric Haskins

Address 14 Chesapeake Lane
City, State, Zip Sayre, PA 18840
Township(s) Rush Township
County **Susquehanna County**
Receiving Stream(s) and Classification(s) Deer Lick Creek (CWF, MF)

Application received: January 18, 2024
Issued: June 24, 2024

Northwest Region: Oil and Gas Management Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Kate Hogue, Clerical Supervisor; 814-332-6868.

ESCGP#3 **ESG076524001-00**
Applicant Name **APEX WML Midstream LLC**
Contact Person Tunde Ajayi
Address 6041 Wallace Rd Ext, Ste 100, Bldg 3
City, State, Zip Wexford, PA 15090-7471
Township(s) Sewickley Township
County **Westmoreland County** Receiving Stream(s) and Classification(s) Kelly Run (WWF); UNTS to Little Sewickley Creek (TSF)
Application received: April 25, 2024
Issued: June 24, 2024

Southwest District: Oil and Gas Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: RA-EPSW-OGSUBMISSION@pa.gov.

ESCGP#3 **ESG180590023-02**
Applicant Name **EQM Gathering OPCO LLC—NIPI-H201 Pipeline**
Contact Person Casey Talento, 412-496-2465
Nbush@equitransmidstream.com
Address SR-18 crossing 0.5 mile northeast of SR 231
City, State, Zip Graysville, PA 15337
Township(s) East Findlay Twp, Morris Twp
County **Greene, Washington**
Receiving Stream(s) and Classification(s) UNTS to Long Run, Long Run, UNTs to Enlow Fork, Enlow Fork, UNTs to Browns Creek, UNT to Short Creek/Utmer Ohio-Wheeling, Lower Monogahela. Ch. 93 class (HQ, TSF, WWF)
Application received: June 20, 2024
Renewal issued: June 20, 2024

STORAGE TANKS

SITE-SPECIFIC INSTALLATION PERMITS

The Following Storage Tank Site-Specific Installation Permit(s), Under the Authority of the Storage Tank Spill Prevention Act (35 P.S. §§ 6021.304, 6021.504, 6021.1101 and 6021.1102) and Under 25 Pa.Code Chapter 245, Subchapter C, Have Been Issued by the Bureau of Environmental Cleanup and Brownfields, Director, P.O. Box 8763, Harrisburg, PA 17105-8763.

SSIP Application No. **24003**
Applicant Name **Gordon Terminal Service Company of PA**
Address P.O. Box 313
City, State, Zip McKees Rocks, PA 15136
County **Allegheny County**
Municipality McKees Rocks Borough
Tank Type Three ASTs storing petroleum products
Tank Capacity 1,512,000 gallons total
Application Received May 7, 2024
Permit Issued June 21, 2024

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 2

The Following Plan(s) and Report(s) Were Submitted Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DEP has received the following plans and reports.

Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Lee, 814-332-6127.

Country Fair 32, Storage Tank Facility ID # **25-90141**, 5211 East Lake Road, Erie, PA 16511, Harborcreek Township, **Erie County**. Atlas Technical Consultants, 270 William Pitt Way, Pittsburgh, PA 15238 on behalf of United Refining Company, 11 Bradley Street, Warren, PA 16365, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with Unleaded gasoline. The plan is intended to document the remedial actions for meeting residential Statewide health standards.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Richard M. Staron, Professional Geologist Manager, 484-250-5717.

SMC Lima Sunoco, Storage Tank Facility ID # **23-04437**, 1204 W Baltimore Pike, Lima, PA 19063, Middletown Township, **Delaware County**. Geo-Enviro Consulting & Remediation LLC, 371 Hoes Lane, Suite 200, Piscataway, NJ 08854 on behalf of ARFA Real Estate, 4350 Haddonfield Road, Suite 200, Pennsauken, NJ 08109 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with

unleaded gasoline. The plan is intended to document the remedial actions for meeting nonresidential Statewide health standards.

Lukoil 69218, Storage Tank Facility ID # **51-12152**, 8005 Ogontz Ave., Philadelphia, PA 19150, City of Philadelphia, **Philadelphia County**. EnviroTrac Ltd., 602 S. Bethlehem Pike, Suite A 2 and 3, Ambler, PA 19002 on behalf of Lukoil North America, LLC, 302 Harper Drive, Suite 303, Moorestown, NJ 08057 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The plan is intended to document the remedial actions for meeting nonresidential Statewide health and site-specific standards.

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 3

Action(s) Taken on the Following Plans and Reports Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports.

A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

DEP may approve or disapprove plans and reports submitted. This notice provides DEP's decision and, if relevant, the basis for disapproval.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DEP has received the following plans and reports.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

PSC San Souci, Storage Tank Facility ID # **40-19264**, 21 Main Road, Hanover Township, PA 18706, Hanover Township, **Luzerne County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013 on behalf of Hanover Corner,

Inc., 21 Main Road, Hanover Township, PA 18706 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with gasoline. The report demonstrated attainment of the Statewide health standards and was approved by DEP on June 21, 2024.

Archbald Express Mart, Storage Tank Facility ID # **35-31756**, 377 North Main Street, Archbald, PA 18403, Archbald Borough, **Lackawanna County**. LaBella Associates, 1000 Dunham Drive, Suite B, Dunmore, PA 18512 on behalf of Danyaal, LLC, 176 Teeple Place, South Plainfield, NJ 07080 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with gasoline. The report demonstrated attainment of the site-specific standards and was approved by DEP on June 24, 2024.

Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Jordan, 814-332-6172.

Creekside Mushrooms LTD, Storage Tank Facility ID # **03-07916**, 1 Moonlight Drive, Worthington, PA 16262, West Franklin Township, **Armstrong County**. CORE Environmental Services, Inc., 3960 William Flinn Highway, Suite 100, Allison Park, PA 15101 on behalf of Creekside Mushroom, Ltd, 1 Moonlight Drive, Worthington, PA 16262 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with benzene, toluene, ethylbenzene, xylenes, methyl-tert-butyl ether, cumene (isopropylbenzene), naphthalene, 1,2,4-trimethylbenzene, and 1,3,5-trimethylbenzene. The report demonstrated attainment of the residential Statewide health standards and was approved by DEP on June 21, 2024.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Cherie M. Campbell, Soils Scientist, 717-705-4705.

Speedway 6719, Storage Tank Facility ID # **28-23190**, 1070 Lincoln Way East, Chambersburg, PA 17201-2820, Chambersburg Borough, **Franklin County**. AECOM, 625 West Ridge Pike, Suite E-100, Conshohocken, PA 19428 on behalf of Speedway, LLC, P.O. Box 1500, Springfield, OH 44501 submitted a Remedial Action Completion Report concerning remediation of groundwater contaminated with petroleum constituents. The report demonstrated attainment of the nonresidential Statewide health standards and was approved by DEP on June 25, 2024.

SPECIAL NOTICES

WATER PROGRAMS

Application for National Pollutant Discharge Elimination System (NPDES) Permit for Discharges of Stormwater Associated with Construction Activities.

Southcentral Region: Clean Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: RA-EPWW-SCRO@pa.gov.

This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). More information on the types of NPDES permits that

are available can be found on DEP's website (visit www.dep.pa.gov and select Businesses, Water, Bureau of Clean Water, Stormwater Management, and Construction Stormwater Programs).

The Department of Environmental Protection (DEP) has received an application for an Individual NPDES Permit from the applicant named below to authorize discharges of stormwater associated with construction activities from the project site named below to surface waters of the Commonwealth.

Applicant: HU-Pauls LLC, Glidepath Ventures, LLC, d/b/a Prospect 14

Applicant Address: 40 East Montgomery Avenue, Ardmore, PA 19003

Application Number: **PAD310017**

Project Site Name: HU-Pauls LLC

Project Site Address: T-471 Pauls Road, Alexandria, PA, 16611

Municipality/County: Porter Township, **Huntingdon County**

Total Earth Disturbance Area: 178.76 acres

Surface Waters Receiving Stormwater Discharges: Emma Creek (WWF, MF), UNTs to Emma Creek (WWF, MF), Robinson Run (WWF, MF), UNTs to Robinson Run (WWF, MF) and wetlands.

Project Description: Construction of a photovoltaic solar farm

The Department of Environmental Protection (DEP) has made a tentative decision to deny the application for the Individual NPDES Permit. Interested persons may submit written comments to DEP at the previously listed address for DEP's consideration in taking a final action on the permit application. You may also review the permit application file by contacting DEP's File Review Coordinator at 717.705.4732.

[Pa.B. Doc. No. 24-939. Filed for public inspection July 5, 2024, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Bid Opportunity

OOGM 24-1, Cleaning Out and Plugging 20 Abandoned Permitted/Rule Authorized Class IIR Injection Wells, Highland Township, Elk County. The principal items of work and approximate quantities include the following: clean out and plug 20 abandoned injection wells, estimated to be up to 3,000 feet in depth, to Department of Environmental Protection (Department) specifications; prepare and restore well sites; and mobilize and demobilize plugging equipment.

This bid issues on June 28, 2024, and bids will be opened on August 1, 2024, at 2 p.m. Bid documents may be downloaded for free beginning on the issue date from the Department by going to www.BidExpress.com. A mandatory prebid conference is scheduled for July 17, 2024, at 8 a.m. at 41.534820, -78.914210. Failure to attend the prebid conference will be cause for rejection of the bid.

Contact the Construction Contracts Section at (717) 787-7820 or RA-ConstructionContr@pa.gov for more information on this bid.

JESSICA SHIRLEY,
Acting Secretary

[Pa.B. Doc. No. 24-940. Filed for public inspection July 5, 2024, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Federal Consistency under the Coastal Zone Management Act; Reconstruction and Dredging at Pier 6A in the City of Philadelphia

This notice is published under section 306(d)(14) of the Federal Coastal Zone Management Act of 1972 (CZMA) (16 U.S.C. § 1455(d)(14)), regarding public participation in consistency determinations. The Department of Environmental Protection (Department), Coastal Resources Management Program, has received notice that Rhoads Industries, Inc. (applicant) is proposing to reconstruct Pier 6A and dredge accumulated sediment from its mooring area in the City of Philadelphia (Project).

The applicant proposes to reconstruct Pier 6A, dredge a 35,000 square-foot mooring area and construct mooring structures to accommodate the loading and transport of heavy equipment by barge. The proposed construction aspect of the Project would result in a net fill area of 5,082 square feet, or less than 2,500 cubic yards, within the Delaware River. The applicant contends that any effects to flood storage capacity will be offset by the approximately 13,500 cubic yards of dredging and removal of a roughly 10,600 square-foot portion of a pile-supported, high deck rail pier located outshore of 4501 Richmond Street, in Philadelphia, PA, just upriver of the Betsy Ross Bridge. The dredging would occur within two areas east and south of the newly reconstructed pier resulting in 7,212 square feet and 27,932 square feet, respectively, of permanent watercourse impact with a total of 13,488 cubic feet of dredged material to be removed where dredging previously occurred. The recovered dredge material would be loaded into hopper scows, transported and disposed of at White's Basin in Logan Township, Gloucester County, NJ. The applicant proposes impact pile driving to occur predominantly within dewatered areas following sheet pile cofferdam installation, eliminating impacts from sound or turbidity. The applicant proposes to install sheet piles using a vibratory hammer, which is significantly less impactful than impact pile driving. The applicant further proposes that a turbidity curtain surround the Project area to reduce any potential effects to water quality. The applicant is seeking a Federal authorization from the United States Army Corps of Engineers under section 10 of the Rivers and Harbors Act of 1899 (33 U.S.C. § 403) and section 404 of the Federal Clean Water Act (CWA) (33 U.S.C. § 1344) to perform this work.

This Project is subject to Department review for Federal consistency because it is an activity requiring a Federal license or permit and will have reasonably foreseeable interstate effects on this Commonwealth's coastal resources or uses.

In accordance with section 307 of the CZMA (16 U.S.C. § 1456) and the National Oceanic and Atmospheric Administration (NOAA) regulations at 15 CFR Part 930,

Subpart D (relating to consistency for activities requiring a Federal license or permit), the applicant has certified that the proposed activity will be conducted in a manner consistent with the applicable enforceable policies of the Commonwealth's NOAA-approved Coastal Resources Management Program. Interested parties may request a copy of the Federal Consistency Certification from the Department contact listed as follows.

Questions regarding this review should be directed to Matthew Walderon, Federal Consistency Coordinator, at (717) 772-2196 or RA-Fed_Consistency@pa.gov.

The Department will consider all comments received on or before Sunday, July 21, 2024. Comments submitted by facsimile will not be accepted. Comments, including comments submitted by electronic mail, must include the originator's name and address. Commentators are encouraged to submit comments using the Department's online eComment tool at www.ahs.dep.pa.gov/eComment. Written comments can be submitted by e-mail to ecomment@pa.gov or by mail to the Department of Environmental Protection, Policy Office, 400 Market Street, P.O. Box 2063, Harrisburg, PA 17105-2063.

JESSICA SHIRLEY,
Acting Secretary

[Pa.B. Doc. No. 24-941. Filed for public inspection July 5, 2024, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Rescission of Technical Guidance

DEP ID: 263-3120-002; *Title:* Storage Tank Program Internal Policy on Inspections and Onsite Visits; *Description:* This Technical Guidance Document established an internal policy and uniform procedures for Storage Tank Program third-party inspections, program staff inspections and staff onsite visits, as well as follow-up activities including identifying violations, tracking violations, resolving violations and related enforcement documents. A new internal Standard Operating Procedure document has been created for Storage Tank Program staff rendering this guidance document obsolete.

Contact: Questions regarding this action should be directed to Josh Blanco at (717) 772-5804 or jblanco@pa.gov.

Effective Date: Upon date of publication in the *Pennsylvania Bulletin*.

JESSICA SHIRLEY,
Acting Secretary

[Pa.B. Doc. No. 24-942. Filed for public inspection July 5, 2024, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Small Business Compliance Advisory Committee Meeting Cancellation

The July 24, 2024, meeting of the Small Business Compliance Advisory Committee (Committee) is cancelled. The next Committee meeting is scheduled for Wednesday,

October 23, 2024, at 10 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA. Individuals may attend the meeting in person or remotely. Individuals interested in providing public comments during the meeting are encouraged to sign up in advance by contacting Lucas Hershey at luchershey@pa.gov or (717) 787-7019.

Information on how to join the meeting, as well as agenda and meeting materials, will be available on the Committee's webpage, found through the Public Participation tab on the Department of Environmental Protection's (Department) web site at www.dep.pa.gov (select "Public Participation," then "Advisory Committees," then "Air," then "Small Business Compliance Advisory Committee").

Individuals are encouraged to visit the Committee's webpage to confirm meeting date, time and location prior to each meeting. Questions concerning the October 23, 2024, meeting can be directed to Lucas Hershey at luchershey@pa.gov or (717) 787-7019.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact the Department at (717) 787-9702 or through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users), or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

JESSICA SHIRLEY,
Acting Secretary

[Pa.B. Doc. No. 24-943. Filed for public inspection July 5, 2024, 9:00 a.m.]

DEPARTMENT OF HEALTH

Special Pharmaceutical Benefits Program Advisory Council Public Meeting

The Statewide Special Pharmaceutical Benefits Program (SPBP) Advisory Council, established by the Department of Health (Department) to aid in the carrying out of its Federal grant responsibilities under section 2616 of the Ryan White Comprehensive AIDS Resources Emergency Act of 1990 (42 U.S.C. § 300ff-26), will hold a public teleconference meeting on Thursday, July 25, 2024, from 10 a.m. to 12 p.m. Persons may participate by dialing in by location at (412) 648-8888 or (866) 588-4789. The meeting ID is 776 971 082#. The meeting will begin promptly at 10 a.m. and participants are urged to call in by 9:50 a.m. Attendees can participate in the conference call on location at the Bureau of Communicable Diseases, 625 Forster Street, Harrisburg, PA 17120. In-person participants are asked to RSVP to Sandy Brosius, sabrosius@pa.gov, (717) 547-3419 by close of business on July 22, 2024. Upon arrival, sign in at the front desk in the lobby of the building by 9:45 a.m. to await an escort to the meeting room.

The SPBP Advisory Council will provide program guidance and recommendations to the Department's SPBP in regard to the following: drug formulary; covered lab services; drug utilization review; clinical programs; eligibility; and program management.

For additional information, contact Sandy Brosius, Bureau of Communicable Diseases, Department of Health, Health and Welfare Building, 625 Forster Street, Harrisburg, PA 17120, (717) 547-3419.

Persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other

accommodation to do so should also contact Sandy Brosius, Bureau of Communicable Diseases, Department of Health, Health and Welfare Building, 625 Forster Street, Harrisburg, PA 17120, (717) 547-3419. For persons with speech and/or hearing impairment call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

This meeting is subject to cancellation without prior notice.

DR. DEBRA L. BOGEN,
Acting Secretary

[Pa.B. Doc. No. 24-944. Filed for public inspection July 5, 2024, 9:00 a.m.]

DEPARTMENT OF HEALTH

Special Supplemental Nutrition Program for Women, Infants and Children (WIC Program); 2024-2025 WIC Food List

For the Pennsylvania Special Supplemental Nutrition Program for Women, Infants and Children (WIC or WIC Program), the Department of Health publishes notice of the 2024-2025 WIC Food List that contains the required types of foods and, if applicable, names of the allowable brands of foods for the WIC Program.

Effective October 1, 2024, the 2024-2025 WIC Food List authorizes the following as allowable foods for the purpose of the WIC Program. The current food list can also be located at <https://www.pawic.com>.

Cheese

Regular, reduced fat, low fat or fat free, low cholesterol, low sodium, lactose free or calcium fortified. Cheese must be marked with weight, type and cost. Cheese must be in the form of a block, sliced, shredded, stick or string cheese. Package size must be 8 ounces or 16 ounces.

American (Pasteurized Process)	Cheddar
Cheddarella	Cojack
Colby (Longhorn)	Monterey Jack
Mozzarella	Muenster
Provolone	Swiss

Kosher cheese must be specified on the WIC Benefit Balance.

Not Allowed: Cubed, individually wrapped slices, imported, deli service, cheese foods, imitation cheese, smoked cheese, cheese products or spreads, cheese with added ingredients, organic cheese, cheese packed in water.

Cow's Milk

Fluid milk (pasteurized; 1/2 gallons or gallons), any fat level, allowed as specified on the WIC Benefit Balance. Acidophilus milk allowed. Lactose free, kosher, evaporated (12-ounce cans) or dry milk is allowed, if specified on the WIC Benefit Balance.

Kefir and UHT milk is allowed if a quart of milk is specified on the WIC Benefit Balance.

Not Allowed: Flavored milk, buttermilk, goat's milk, milk with added calcium, protein or plant sterols, vitamin C, omega 3s, organic milk, ultra-filtered milk or milk in glass bottles.

Soy Beverage

32-ounce or 64-ounce: Pacific—Ultra Soy (Original), 8th Continent (Original), Silk (Original—refrigerated or shelf stable), Great Value (Original)

Not Allowed: Any other brand or flavor of soy beverage.

*Yogurt (32-ounce containers)**Whole Fat Yogurts:*

Best Choice—Greek Plain

Best Yet—Greek Plain

Bowl & Basket—Plain

Brown Cow—Plain, Maple, Vanilla

Dannon—Plain, Strawberry, Vanilla

Food Lion—Greek Plain

Giant—Greek Vanilla, Greek Plain

Giant Eagle—Greek Plain

Lucerne—Plain, Vanilla, Greek Plain

Mountain High—Plain, Vanilla, Strawberry

Oikos—Plain

Open Nature—Greek Plain

Pics—Greek Vanilla, Greek Plain, Plain

Tops—Plain

Weis—Probiotic Plain, Greek Plain

Lowfat Yogurts:

Activia—Vanilla

Best Choice—Peach, Strawberry, Strawberry Banana, Vanilla

Best Yet—Plain, Vanilla, Greek Plain

Bowl & Basket—Plain, Strawberry

Dannon—Plain, Vanilla

Food Club—Strawberry, Vanilla

Giant—Greek Vanilla, Plain

LALA—Plain, Mango, Strawberry, Vanilla

Lucerne—Plain, Vanilla, Greek Plain

Open Nature—Greek Plain

Pics—Plain, Vanilla, Greek Vanilla

Tops—Plain, Strawberry

Two Good—Greek Plain

Weis—Plain, Strawberry

Yoplait—Kids (8—4 oz.)—All Flavors

Nonfat Yogurts:

Best Choice—Plain, Greek Plain, Greek Vanilla

Best Yet—Plain

Bowl & Basket—Greek Plain, Greek Strawberry, Greek Vanilla

Dannon—Greek Vanilla

Food Club—Plain, Greek Plain

Food Lion—Plain, Greek Plain, Greek Vanilla

Giant—Plain, Vanilla, Greek Vanilla, Greek Plain

Giant Eagle—Greek Plain, Greek Vanilla

Great Value—Plain

Lucerne—Plain, Greek Plain, Greek Strawberry, Greek Vanilla

Oikos—Plain, Vanilla Bean, Greek Vanilla

Open Nature—Greek Plain, Greek Vanilla

Pics—Plain, Vanilla, Greek Strawberry, Greek Vanilla, Greek Plain

Tops—Plain, Vanilla, Greek Vanilla, Greek Plain

Weis—Greek Plain, Greek Vanilla

Yoplait—GoGurt (1 box* 16—2 oz. tubes or 2 boxes* 8—2 oz. tubes) All flavors except Strawberry/Tropical.

Kosher Nonfat Yogurts:

Gevina—Plain

Givat—Yogolite Coffee, Plain, Strawberry, Vanilla

J&J—Plain

Mehadrin—Plain, Vanilla, Coffee, Greek Cappuccino, Greek Plain, Greek Strawberry, Greek Vanilla

Not Allowed: Organic, Drinkable Yogurts, Yogurts with non-nutritive sweeteners, Yogurts with mix-in-ingredients such as: Granola, Candy pieces, Honey or Nuts.

Tofu

8-ounce or 16-ounce containers:	House Foods—Premium Medium Firm, Firm, Extra Firm
	Nasoya—Organic Super Firm
	Azumaya—Silken, Firm, Extra Firm
	O Organics—Extra Firm Cubed (8 oz.), Super Firm
	Franklin Farms—Extra Firm, Firm, Medium Firm, Soft
	Nature's Soy—Firm, Soft

Not Allowed: Any other brand or type of tofu.

Chicken Eggs

Cartons of 1 dozen. Any brand Grade A or AA Regular: x-large, large, medium or small. Cage free are allowed.

Not Allowed: Specialty eggs such as: vegetarian fed, organic, low cholesterol, fat modified, high in omega 3s, free range or egg substitutes.

Legumes (Beans)

1 pound of dried beans or 15-ounce to 16-ounce cans (canned kidney beans may contain sugar). Organic is allowed. Individuals will be allowed to purchase dried or canned beans based on what is on their WIC benefit balance.

Black beans, black eye peas, garbanzo beans, great northern beans, kidney beans, lima beans, navy beans, pinto beans, butter beans, pink beans, split peas and lentils.

Not Allowed: Canned green or yellow beans, green lima beans, wax beans, added seasonings (spices), sugars, oils, fats, sauces or meats.

*Fruits and Vegetables**Fruits and Vegetables Allowed:*

Any brand is OK. Organic is OK but tends to cost more; individuals will get more items if they select nonorganic.

Fresh: whole or cut, loose or pre-packaged. *Frozen:* plain, bag or box, low sodium OK. *Canned:* water or juice pack only; metal, glass or plastic container, low sodium OK.

Not allowed:

Fresh: salad bar, party platters, fruit baskets, herbs, nuts or peanuts, salad kits with nuts, croutons or dressing, fruits or vegetables with dips, dried fruit, fruit leather or fruit snacks.

Frozen: items with sugar, breading, honey, butter, sauce, cheese, fat, or oil; items with meat, rice or pasta; fries or tater tots; soups.

Canned: items with added meat, fat, oil, rice or pasta; items with added sugar or in syrup; non-nutritive sweeteners; pickled vegetables, sauerkraut or olives; cranberry sauce or pie filling; soups; jarred salsa or pasta sauce; infant or toddler foods or squeezable pouches; products with maraschino cherries; relishes and ketchup.

Juice

Single Strength (48-ounce container, 100% pure juice):

- Apple & Eve—Apple, Cranberry Apple
- Best Yet—Pineapple
- Food Club—Apple
- Freedom's Choice—Apple
- Juicy Juice—All Flavors
- Mott's—Apple, Fruit Punch
- Ruby Kist—Apple, Orange, Pineapple, Grape, White Grape
- Seneca—Apple

Single Strength (64-ounce container, 100% pure juice):

- Apple & Eve—100% juices, Sesame Street Flavors. Not Allowed: "Cranberry Juice and More" items and "Fruitables"
- Campbell's—Tomato, Low Sodium Tomato, Low Sodium V8, V8, Spicy Hot V8
- Juicy Juice—All Flavors
- Langers—All Flavors, except Ruby Red Grapefruit
- Libby's—Pineapple
- Mott's—Apple, Apple Cherry, Apple Mango, Apple White Grape, Sensibles Apple, Fruit Punch
- Northland—Cranberry, Cranberry Grape, Cranberry Raspberry, Cranberry Pomegranate, Cranberry Mango, Pomegranate Blueberry, Blueberry Blackberry Acai
- Ocean Spray—Only 100% juice allowed; juice drinks are not allowed. Apple, Concord Grape, Cranberry Blackberry, Cranberry Cherry, Cranberry Concord Grape, Cranberry Mango, Cranberry Pineapple, Cranberry Pomegranate, Cranberry Raspberry, Cranberry, Cranberry Watermelon, Cranberry Elderberry
- Old Orchard—All flavors except premium flavors and Strawberry Watermelon
- Ruby Kist—Apple, Grape, White Grape, Orange
- Seneca—Apple
- Welch's—Purple, red or white grape juice, white grape peach, white grape cherry

Apple—Always Save, Best Yet, Best Choice, Food Club, Freedoms Choice, Giant, Giant Eagle, Great Value, IGA, Life Everyday, Parade, Pics by Price Chopper, Signature Select, That's Smart, Tops, Tree Top, Wegmans, Weis

Grape—Always Save, Best Yet, Best Choice, Food Club, Freedoms Choice, Giant, Giant Eagle, Great Value,

IGA, Pics by Price Chopper, ShopRite, Signature Select, That's Smart, Tops, Wegmans, Weis

White Grape—Best Yet, Food Club, Giant, Giant Eagle, Great Value, IGA, Pics by Price Chopper, ShopRite, Signature Select, That's Smart, Tops, Wegmans, Weis

Cranberry—Food Lion, Great Value, Signature Select, That's Smart, Weis

Pineapple—Best Yet, Best Choice, Food Lion, Great Value, Pics by Price Chopper

Vegetable—Best Yet, Best Choice, Food Lion, Giant, Great Value, Pics by Price Chopper, Signature Select, That's Smart

Tomato—Best Yet, Best Choice, Food Club, Freedoms Choice, Giant, Great Value, Pics by Price Chopper

Pear—Great Value

Grapefruit—Food Lion, Giant, Great Value, Pics by Price Chopper

Mango—Great Value

Orange—Any brand—Vitamin D and calcium are okay.

Frozen Concentrated (11 1/2-ounce to 12-ounce container, 100% pure juice):

Apple Always Save, Best Choice, Best Yet, Essential Everyday, Food Club, Freedoms Choice, Giant, Giant Eagle, Great Value, Pics by Price Chopper, Red & White, ShopRite, Signature Select, Tipton Grove, Tops, Weis

Orange Always Save, Best Choice, Essential Everyday, Food Club, Freedoms Choice, Giant Eagle, Great Value, Pics by Price Chopper, ShopRite, Signature Select, Tipton Grove, Weis

Grape Food Club, Giant, Giant Eagle, Great Value, Pics by Price Chopper

Pineapple Giant Eagle

White Grape Pics by Price Chopper

Old Orchard All Flavors

Seneca Apple

Not Allowed: Ciders, cocktails, non-nutritive sweeteners, food colorings, added sugar, alcohol, carbonation, fiber, omega 3s, DHA, ARA, beta-carotene, Vitamin A or Vitamin E, organic juice.

Cereal

Adult/Child Cereals:

Cold Cereal 12—36 oz. packages/Hot Cereal 9.8—36 oz. packages

General Mills: Cheerios—Original, Multigrain, Oat Crunch Berry, Veggie Blends Apple Strawberry, Veggie Blends Blueberry Banana

Chex—Wheat, Corn, Rice, Cinnamon, Blueberry

Kix—Original, Honey or Berry Berry

Total—Whole Grain

Wheaties

- Kellogg Co.:* Corn Flakes—Original, Honey Crispix
Frosted Mini Wheats—Original Bite Size and Little Bite All Flavors
Rice Krispies—Regular
Special K—Original, Protein, Touch of Cinnamon
- Malto Meal, bag or box:* Crispy Rice
Frosted Mini Spooners—Original and Strawberry
Original—Hot Wheat Cereal, Coco Wheats
Farina—Hot Wheat
- Cream of Wheat:* Instant—Original, 1 or 2 1/2 minutes, Whole Grain
- Cream of Rice:* Instant, Original
- Post:* Grape-Nuts & Grape-Nut Flakes
Great Grains—Banana Nut Crunch, Crunchy Pecan
Honey Bunches of Oats—Almond, Vanilla, Honey Roasted, Maple & Pecan, Cinnamon Bun
- Quaker Co.:* Instant Grits—Original and Butter
Life—Original, Vanilla
Oatmeal Squares (Cinnamon, Brown Sugar, Honey Nut)
Original Oatmeal—Instant
- Store Brand Cereal:*
- Toasted Oats—Best Choice, Bowl & Basket, Essential Everyday, Food Club, Food Lion, Freedoms Choice, Giant, Giant Eagle, IGA, Pics, Signature Select, That's Smart, Tops, Weis
 - Corn Flakes—Best Choice, Best Yet, Bowl & Basket, Essential Everyday, Food Club, Food Lion, Freedoms Choice, Giant Eagle, Great Value, IGA, Krasdale, Pics, Signature Select, That's Smart, Tops, Weis
 - Crispy Rice—Best Choice, Best Yet, Bowl & Basket, Food Club, Food Lion, Freedoms Choice, Giant Eagle, Great Value, IGA, Krasdale, Pics, Signature Select, That's Smart, Tops, Weis
 - Corn Squares or Corn Biscuits—Best Choice, Bowl & Basket, Food Club, Giant, Great Value
 - Rice Squares or Rice Biscuits—Best Choice, Bowl & Basket, Food Club, Food Lion, Giant, Great Value, Signature Select
 - Frosted Shredded Wheat—Food Club, Giant, Giant Eagle, Great Value, IGA, Pics, Tops, Weis
 - Instant Oatmeal Original—Food Club, Giant, Giant Eagle, IGA, Signature Select
 - Bran/Wheat Flakes—Essential Everyday, Food Club, Giant, Giant Eagle, Great Value, IGA, Pics, That's Smart, Tops, Weis
 - Honey Oats & Flakes w/ Almonds—Food Club, Giant, Giant Eagle, Pics, Weis

Not Allowed: Any other brand, type or size of cereal; organic cereals.

Peanut Butter

16-ounce to 18-ounce containers

Not Allowed: Reduced fat peanut butter, peanut butter spread, peanut butter mixed with jelly, marshmallow, chocolate or honey, organic peanut butter, added omega 3s, DHA, ARA or non-nutritive sweeteners.

Infant Formula

Brand, type and size specified on Benefit Balance.

Infant Foods

Infant Cereal: 8-ounce or 16-ounce container
Rice, oatmeal, barley, whole wheat, multigrain or corn
Organic is allowed.
Brands: Beech Nut, Earth's Best Organic, Gerber

Not Allowed: Cereals with added: fruit, formula, yogurt, DHA or ARA.

Infant Fruits and Vegetables: 2-ounce or 4-ounce containers of 100% fruits or vegetables.

Any single fruit or vegetable, any combination of different fruits and vegetables. Multipacks, variety pack boxes and organic are allowed.

Brands—Beech Nut, Bowl & Basket, Earth's Best Organic, Gerber, Happy Baby Organics, Nature's Promise, O Organics, Once Upon A Farm, Parent's Choice, Tippy Toes

Not Allowed: Added DHA, ARA, salt or sugar, desserts, squeezable pouches or anything mixed with cereal, noodles, rice, meats, yogurt, flour, starches or any other ingredients.

Infant Meats: 2 1/2 ounce containers
Any meat in broth or gravy.
Variety packs are allowed.
Organics are allowed.

Brands—Beech Nut, Earth's Best Organic, Gerber, Happy Baby or Parent's Choice

Not Allowed: Added DHA, ARA, salt or sugar, meat sticks or mixed with cereal, rice, noodles, vegetables, fruit or any other ingredients.

Canned Fish

Chunk Light Tuna, Pink Salmon or Sardines in 3 3/4-ounce, 5-ounce or 6-ounce cans only.

Can be packed in water or oil. Sardines can be flavored, such as in mustard, tomato sauce or lemon.

Not Allowed: Albacore tuna, brisling sardines, red salmon, organic fish.

Whole Grains

16-ounce packages:

Whole Wheat Bread and Rolls

Store Brands 100% Whole Wheat Bread:

Bowl & Basket, Giant, Giant Eagle, Signature Select, Weis

Arnold 100% Whole Wheat Buns
Stone Ground 100% Whole Wheat Bread

Bimbo	100% Whole Wheat Bread
Lewis	100% Whole Wheat Bread, Healthy Life 100% Whole Wheat Bread
Hauswald's	100% Whole Wheat Bread
Gold Medal	100% Whole Wheat Bread
Pepperidge Farms	Very Thin Soft 100% Whole Wheat Bread
Sara Lee	Classic 100% Whole Wheat Bread
Schmidt Old Tyme	100% Whole Wheat Bread
Schwebel's	100% Whole Wheat Bread
Windmill Farms	100% Stoneground Whole Wheat Bread Hamotzie, 100% Stoneground Whole Wheat Bread Mezonot

Not Allowed: Any other package size, brand or type of whole grain products, organic whole grains, whole grains with added omega-3s, dried fruits, seeds, nuts, extra calcium or Vit D.

Tortillas:

Best Choice—Corn Tortillas, Whole Wheat Tortillas
Bowl & Basket—Whole Wheat Tortillas
Food Club—Whole Wheat, White Corn Fajita Style
Food Lion—Whole Wheat Tortillas for Fajitas
Giant—Whole Wheat
Giant Eagle—Soft White Corn, 100% Whole Wheat
Great Value—Whole Wheat Soft Taco
Guerrero—Corn White
IGA—White Corn Tortillas
La Banderita—White Corn, Yellow Corn, 100% Whole Wheat, Fajita Whole Wheat
Mission—Soft Taco Whole Wheat, Yellow Corn Extra Thin, Whole Wheat
Signature Select—Whole Wheat
Tops—Whole Wheat
Weis—Whole Wheat

Whole Grain Brown Rice:

Blue Ribbon, Mahatma, Ben's Original, Goya: Whole Grain Brown Rice

Store Brands: Best Choice, Best Yet, Bowl & Basket, Food Club, Freedoms Choice, Giant, Great Value, IGA, Signature Select, Wegmans, Weis

Oats:

Mom's Best—Natural Quick Oats, Old Fashioned Quick Oats
Quaker Oat Bran

Whole Wheat Pasta 16-ounce

Bowl & Basket	Whole Wheat Spaghetti, Whole Wheat Penne Rigate
Barilla	Whole Wheat Thin Spaghetti, Whole Wheat Linguine, Whole Wheat Spaghetti, Whole Wheat Elbows, Whole Wheat Rotini, Whole Wheat Penne
Essential Everyday	Whole Wheat Thin Spaghetti

Giant	Whole Wheat Elbow Macaroni, Whole Wheat Penne Rigate, Whole Wheat Rotini, Whole Wheat Spaghetti, Whole Wheat Thin Spaghetti
Great Value	Whole Wheat Elbows, Whole Wheat Linguine, Whole-Wheat Penne, Whole-Wheat Spaghetti
Ronzoni	Whole Grain Penne Rigate, Whole Grain Spaghetti, Whole Grain Thin Spaghetti, Whole Grain Rotini or Whole Grain Linguini
Signature Select	Whole Wheat Penne Rigate, Whole Wheat Spaghetti, Whole Wheat Thin Spaghetti
Weis	Whole Wheat Penne Rigate, Whole Wheat Spaghetti, Whole Wheat Angel Hair, or Whole Wheat Rotini

Not Allowed: Organic pasta or pasta with added sugars, fats, oils or salt.

**United States Department of Agriculture (USDA)
Nondiscrimination Statement:**

In accordance with Federal civil rights law and USDA civil rights regulations and policies, the USDA, its agencies, offices and employees and institutions participating in or administering the USDA programs are prohibited from discriminating based on race, color, national origin, sex (including gender identity and sexual orientation), disability, age or reprisal or retaliation for prior civil rights activity in any program or activity conducted or funded by the USDA.

Program information may be made available in languages other than English. Persons with disabilities who require alternative means of communication to obtain program information (for example, Braille, large print, audiotape, American Sign Language), should contact the responsible State or local agency that administers the program or the USDA's TARGET Center at (202) 720-2600 (voice and TTY) or contact the USDA through the Federal Relay Service at (800) 877-8339.

To file a program discrimination complaint, a Complainant should complete a Form AD-3027, USDA Program Discrimination Complaint Form which can be obtained online at https://www.ascr.usda.gov/complaint_filing_cust.html, from any USDA office, or write a letter addressed to the USDA and provide in the letter all of the information requested in the form. To request a copy of the complaint form, call (866) 632-9992. Submit the completed form or letter to the United States Department of Agriculture, Office of the Assistant Secretary for Civil Rights, 1400 Independence Avenue, SW, Washington, DC 20250-9410, fax (202) 690-7442, Program.Intake@usda.gov.

This institution is an equal opportunity provider.

The Pennsylvania WIC program is funded by the USDA. The USDA is an equal opportunity provider.

Persons with a disability who require an alternative format of this listing (for example, large print, audiotape, Braille) should contact the Department of Health, Bureau of WIC, 625 Forster Street, 7th Floor West, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-1289,

or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DEBRA L. BOGEN,
Acting Secretary

[Pa.B. Doc. No. 24-945. Filed for public inspection July 5, 2024, 9:00 a.m.]

DEPARTMENT OF HEALTH

Special Supplemental Nutrition Program for Women, Infants and Children (WIC Program); WIC Advisory

The WIC Advisory will meet on July 9, 2024, from 1 p.m. to 2 p.m. The purpose of this meeting is to collaborate to gather suggestions of strategies for increasing participation and improving the WIC program to better support participants. The Department of Health (Department) will send out the meeting agenda no later than July 3, 2024, at 5 p.m. by e-mail. Individuals interested in receiving a copy of the agenda may send an e-mail to ra-dhwicadvisory@pa.gov requesting to be added to the distribution list.

Individuals can join at <https://bit.ly/3xcLr65>. The meeting ID is 213 085 171 809. The passcode is JAFNiN.

Note: The previously listed link to access the meeting does not include a period; the link ends at 3xcLr65 with no period. If copying/pasting the link, do not copy any period at the end if there is one.

Individuals can also join by calling (267) 332-8737. The phone conference ID is 671 835 53#.

The meeting will be recorded so if individuals choose to attend, they are consenting to being recorded. Individuals should not attend the meeting if they do not wish to be recorded.

This meeting is subject to cancellation without notice.

Questions about the WIC Advisory may be submitted by e-mail to the Department at ra-dhwicadvisory@pa.gov.

Persons with a disability who require an alternative format of this listing (for example, large print, audiotope, Braille) should contact the Department of Health, Bureau of WIC, 625 Forster Street, 7th Floor West, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-1289, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The Pennsylvania WIC program is funded by the United States Department of Agriculture (USDA). The USDA is an equal opportunity provider.

USDA Nondiscrimination Statement:

In accordance with Federal civil rights law and the USDA civil rights regulations and policies, this institution is prohibited from discriminating on the basis of race, color, national origin, sex (including gender identity and sexual orientation), disability, age or reprisal or retaliation for prior civil rights activity.

Program information may be made available in languages other than English. Persons with disabilities who require alternative means of communication to obtain program information (for example, Braille, large print, audiotope, American Sign Language), should contact the

responsible State or local agency that administers the program or the USDA's TARGET Center at (202) 720-2600 (voice and TTY) or contact the USDA through the Federal Relay Service at (800) 877-8339.

To file a program discrimination complaint, a complainant should complete a Form AD-3027, USDA Program Discrimination Complaint Form which can be obtained online at <https://bit.ly/3TRbubk>, from any USDA office, by calling (866) 632-9992 or by writing a letter addressed to the USDA. The letter must contain the complainant's name, address, telephone number and a written description of the alleged discriminatory action in sufficient detail to inform the Assistant Secretary for Civil Rights about the nature and date of an alleged civil rights violation. The completed AD-3027 form or letter must be submitted to the USDA by mail to the United States Department of Agriculture, Office of the Assistant Secretary for Civil Rights, 1400 Independence Avenue, SW, Washington, DC 20250-9410, fax (833) 256-1665 or (202) 690-7442, Program.Intake@usda.gov.

This institution is an equal opportunity provider.

DR. DEBRA L. BOGEN,
Acting Secretary

[Pa.B. Doc. No. 24-946. Filed for public inspection July 5, 2024, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Designated Exceptional Durable Medical Equipment

In accordance with the Department of Human Services' (Department) currently approved State Plan, the Department is required to publish an annual list of exceptional Durable Medical Equipment (DME) by notice in the *Pennsylvania Bulletin* in July of each year for nursing facilities Statewide. Interested persons may petition the Department to consider additions to the exceptional DME list by submitting a written request to the Department. Requests received on or before December 31 will be considered in developing the list for the following July.

During calendar year 2023, the Department received no written requests to add or remove items of DME from the list of exceptional DME. Therefore, this notice makes no changes in either the acquisition cost or the list of qualifying DME.

"Exceptional DME" is defined as DME that has an acquisition cost of \$5,000 or more and is either Specially Adapted DME or other DME that is designated as exceptional DME by the Department annually by notice in the *Pennsylvania Bulletin*.

"Specially Adapted DME" is DME that is uniquely constructed or substantially adapted or modified in accordance with the written orders of a physician for the particular use of one resident, making its contemporaneous use by another resident unsuitable.

The list of exceptional DME that has been designated by the Department is as follows:

(1) *Air fluidized beds*. The pressure relief provided by this therapy uses a high rate of airflow to fluidize fine particulate material (for example, beads or sand) to

produce a support medium that has characteristics similar to liquid. It may have a Gore-Tex cover.

(2) *Powered air flotation bed (low air loss therapy).* A semi-electric or total electric bed with a fully integrated powered pressure-reducing mattress, which is characterized by all of the following:

(a) An air pump or blower with a series of interconnected woven fabric air pillows which provides sequential inflation and deflation of the air cells or a low interface pressure throughout the mattress allowing some air to escape through the support surface to the resident. It may have a Gore-Tex cover.

(b) Inflated cell height of the air cells through which air is being circulated is 5 inches or greater.

(c) Height of the air chambers, proximity of the air chambers to one another, frequency of air cycling (for alternating pressure mattresses) and air pressure provide adequate patient lift, reducing pressure and prevent bottoming out.

(d) A surface designed to reduce friction and shear.

(e) May be placed directly on a hospital bed frame.

(f) Automatically readjusts inflation pressures with change in position of bed (for example, head elevation).

(3) *Augmentative communication devices.* Used by residents who are unable to use natural oral speech as a primary means of communication. The specific device requested must be appropriate for use by the resident and the resident must demonstrate the abilities or potential abilities to use the device selected. Portable devices need to supplement, aid or serve as an alternative to natural speech for residents with severe expressive communication disorders. Nonportable devices may be covered only if required for visual enhancement or physical access needs that cannot be accommodated by a portable device.

(4) *Ventilators (and related supplies).*

(a) Used by residents 21 years of age and older who require full ventilator support for a minimum of 8 hours per day to sustain life.

(b) Used by residents 20 years of age and younger who require ventilator support to sustain life (no minimum time requirement).

Effective Date

This notice is effective upon publication in the *Pennsylvania Bulletin*.

Public Comment

Interested persons are invited to submit petitions for the Department to consider additions to the exceptional DME list or written comments regarding these designated DME items to the Department of Human Services, Office of Long-Term Living, Bureau of Policy Development and Communications Management, Attention: Robyn Kokus, P.O. Box 8025, Harrisburg, PA 17105-8025 or at RA-PWOLTLNFPUBLICCOM@pa.gov. Comments received within 30 days will be reviewed and considered.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania Hamilton Relay Service by calling (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

VALERIE A. ARKOOSH,
Secretary

Fiscal Note: 14-NOT-1623. No fiscal impact; recommends adoption.

[Pa.B. Doc. No. 24-947. Filed for public inspection July 5, 2024, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Disproportionate Share Payments and Supplemental Payments to Qualifying Hospitals

The Department of Human Services (Department) is announcing its intent to allocate funds in Fiscal Year (FY) 2024-2025 to establish new classes of supplemental payments to qualifying hospitals. The Department is also announcing its intent to discontinue certain disproportionate share hospital (DSH) payments and supplemental payments.

Background

On July 4, 2008, the General Assembly enacted Article VIII-E of the Human Services Code (Code) (62 P.S. §§ 801-E—808-E) to authorize the City of Philadelphia (City) to impose, by ordinance, a monetary assessment on the non-Medicare net operating revenue of acute care general hospitals located in the City for purposes of assuring access to hospital and emergency department services. See 62 P.S. §§ 801-E—808-E. The City enacted an ordinance implementing a monetary assessment effective January 1, 2009, and the Hospital Assessment Program (Program) has been in place since that time. The Program generated additional revenues that are used to fund increased payments for Medical Assistance (MA) services in the City. The Program has also generated additional funding to support the City's public health clinics. The Program is set to expire June 30, 2024.

Discussion

If Article VIII-E is reauthorized and the City reenacts an ordinance continuing the monetary assessment, the Program is expected to generate additional funding to support Medicaid payments. To ensure receipt of Federal matching funds for the Medicaid payments made using the Program revenues, the Department will submit a waiver request under 42 CFR 433.68(e) and 433.72 (relating to permissible health care-related taxes; and waiver provisions applicable to health care-related taxes) to the Centers for Medicare & Medicaid Services (CMS). Once the State legislation and City ordinance are enacted and the waiver is approved, the City may impose the assessment in accordance with the Code.

If the Program is reauthorized, the Department intends to use funds generated from the Program for Medicaid Supplemental payments to acute care general hospitals located in a city of the first class as follows:

Inpatient Supplemental Payment for Qualifying Cancer Hospitals

The Department intends to establish a new supplemental payment program to qualifying acute care hospitals that are freestanding cancer treatment hospitals. A hospital is eligible for this supplemental payment if the hospital meets all of the following criteria:

a) The hospital is enrolled in the Pennsylvania (PA) MA Program as a general acute care hospital.

b) The hospital is licensed by the Department of Health (DOH) as of February 1, 2024.

c) The hospital is a Medicare Prospective Payment System-Exempt Cancer Hospital as of February 22, 2024.

d) The hospital is located in a city of the first class (as defined in the *Pennsylvania Manual* (Volume 124)).

Payments will be divided proportionately among qualified hospitals based on each hospital's fee-for-service (FFS) PA MA inpatient acute care days to total FFS PA MA inpatient acute care days for all qualifying hospitals as reported on the FY 2021-2022 MA-336 Medicaid Hospital Cost Report (available to the Department as of December 11, 2023).

Beginning with FY 2024-2025, the Department will allocate an annualized amount of \$7.500 million in total funds (State and Federal) for these supplemental payments, upon approval by CMS.

Inpatient Supplemental Payment for Qualifying Children's Hospitals

The Department intends to establish a new supplemental payment for children's hospitals located in a city of the first class. A hospital is eligible for this additional class of supplemental payments if the hospital meets all of the following criteria:

a) The hospital is enrolled in the PA MA Program as an acute care hospital, licensed by the DOH.

b) The hospital provides acute care inpatient services to patient populations predominately under 18 years of age. A hospital's patient population is predominately under 18 years of age if the hospital's number of discharges for "0—17 Years" is greater than 50% of the hospital's number of "Total" discharges. Discharges are determined from the calendar year 2022 DOH Reports 3-A and 3-B.

c) The hospital is located in a city of the first class (as defined in the *Pennsylvania Manual* (Volume 124)).

The Department will calculate annual payment amounts for each qualifying hospital according to the methodology as follows. Unless otherwise stated, the source of the information is the FY 2018-2019 MA-336 Hospital Cost Report, as available to the Department on June 22, 2021.

1) \$300,000 will be divided equally among qualifying hospitals.

2) A per diem payment equal to \$757.33 multiplied by number of Total MA FFS acute days.

3) The annual amount for qualifying hospitals is equal to the amount calculated in 1) plus the amount calculated in 2).

For FY 2024-2025, the Department will allocate an annualized amount of \$23.661 million in total funds (State and Federal) for these supplemental payments, upon approval by CMS.

Inpatient Supplemental Payment for Qualifying Hospitals with High Birth Rate

The Department intends to establish a new supplemental payment for hospitals with high birth rates located in a city of the first class. A hospital is eligible for this additional class of supplemental payments if the hospital meets all criteria as follows. Unless otherwise stated, the source of information is from the FY 2018-2019 MA-336 Hospital Cost Report on file with the Department as of June 22, 2021.

a) The hospital is located in a city of the first class (as defined in the *Pennsylvania Manual* (Volume 124)) and is enrolled in the PA MA Program as an acute care general hospital, licensed by the DOH.

b) The hospital reported at least 50,000 PA MA inpatient days (FFS and managed care combined).

c) The hospital reported at least 4,000 live births for the period January 1, 2022, to December 31, 2022, according to utilization data available from the DOH as of February 22, 2024.

Payments will be divided proportionately among qualified hospitals based on each hospital's FFS PA MA IP acute care days to total FFS PA MA IP acute care days for all qualifying hospitals.

For FY 2024-2025, the Department will allocate an annualized amount of \$6.245 million in total funds (State and Federal) for these supplemental payments, upon approval by CMS.

Inpatient Supplemental Payment for Qualifying Hospitals with Low-Commercial Payer Rate and over 450 Available Acute Care Beds

The Department intends to establish a new supplemental payment for hospitals located in a city of the first class that have a low-commercial payer rate. The Department will make supplemental payments to qualifying hospitals with greater than the Statewide average of uncompensated care, Medicare share of net patient revenue (NPR) and MA share of NPR.

A hospital is eligible for this additional class of supplemental payments if the hospital meets all criteria as follows. Unless otherwise stated, the source of information is from the Pennsylvania Health Care Cost Containment Council's (PHC4) Financial Analysis 2022 (Volume 1).

a) The hospital is located in a city of the first class (as defined in the *Pennsylvania Manual* (Volume 124)) and enrolled in the PA MA Program as an acute care general hospital, licensed by the DOH.

b) The hospital has at least 450 acute care beds available according to the FY 2018-2019 MA-336 Hospital Cost Report on file with the Department as of June 22, 2021.

c) The hospital's percent of uncompensated care FY 2022 is greater than the Statewide percent of uncompensated care for FY 2022.

d) The hospital's Medicare share of NPR FY 2022 is greater than the Statewide Medicare share of NPR for FY 2022.

e) The hospital's MA share of NPR FY 2022 is greater than the Statewide MA share of NPR for FY 2022.

Payments will be divided proportionately among qualified hospitals based on each hospital's FFS PA MA inpatient acute care days to total FFS PA MA inpatient acute care days for all qualifying hospitals as reported on the FY 2018-2019 MA-336 Hospital Cost Report on file with the Department as of June 22, 2021.

For FY 2024-2025, the Department will allocate an annualized amount of \$7.292 million in total funds (State and Federal) for these supplemental payments, upon approval by CMS.

Inpatient Supplemental Payment for Qualifying Hospitals with Low-Commercial Payer Rate and Negative Trend

The Department intends to establish a new supplemental payment for qualifying acute-care general hospitals

enrolled in the PA MA Program that have a low commercial-payer ratio, a negative trend in their NPR and are located in an area of the Commonwealth with a disproportionate need for MA services.

A hospital is eligible for this additional class of supplemental payments if the hospital meets all criteria listed as follows. Unless otherwise stated, the source of information is the FY 2018-2019 MA-336 Hospital Cost Report available to the Department as of June 22, 2021.

a) The hospital is an acute care general hospital enrolled in the PA MA Program.

b) The hospital is located in a city of the first class, (as defined in the *Pennsylvania Manual* (Volume 124)).

c) The hospital's 3-year average change in NPR for FYs 2019—2022 is negative according to PHC4's FY 2022 Financial Analysis.

d) The hospital's commercial payer ratio, defined as 100% minus the hospital's Medicare share of NPR for FY 2022 (expressed as a percent) minus the hospital's MA share of NPR for FY 2022 (expressed as a percent), is less than 25%, according to PHC4's FY 2022 Financial Analysis.

e) The hospital does not qualify for payment under State Plan Amendment 4.19A, page 21s.

Payments will be divided proportionally among qualifying hospitals based on the percentage of each qualifying hospital's FFS PA MA inpatient days to the total FFS PA MA inpatient days of all qualifying hospitals.

Beginning with FY 2024-2025, the Department will allocate an annualized amount of \$0.725 million in total funds (State and Federal) for these supplemental payments, upon approval by CMS.

Discontinuation of MA Payments

The Department intends to discontinue the following MA DSH and supplemental payments beginning with FY 2024-2025. Subject to approval by CMS, the Department will no longer fund previous amounts for these MA payments:

a) Disproportionate Share Hospital Payment for Enhanced Access to Emergency Services;

b) Emergency Department and Outpatient Access Payments; and

c) Additional Class of Supplemental Payment for Qualifying Hospitals located in counties in which a significant percentage of the county's population is enrolled in the MA Program.

Fiscal Impact

Effective FY 2024-2025, the Department intends to fund \$45.423 million in total funds (State and Federal) for the MA payments identified as newly established in this notice, upon CMS approval.

The notice for intent to allocate additional funding for payments to qualifying hospitals in the City is being published separately.

Public Comment

Interested persons are invited to submit written comments regarding this notice to the Department of Human Services, Office of Medical Assistance Programs, c/o Regulations Coordinator, P.O. Box 2675, Harrisburg, PA 17120, RA-PWMAProgComments@pa.gov. Comments received within 30 days will be reviewed and considered for any subsequent revision of the notice.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

VALERIE A. ARKOOSH,
Secretary

Fiscal Note: 14-NOT-1637. Under section 612 of The Administrative Code of 1929 (71 P.S. § 232), (1) General Fund; (2) Implementing Year 2023-24 is \$0; (3) 1st Succeeding Year 2024-25 through 5th Succeeding Year 2028-29 are \$12,659,000; (4) 2022-23 Program—\$589,137,000; 2021-22 Program—\$644,059,000; 2020-21 Program—\$808,350,000; (7) MA—FFS; (8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 24-948. Filed for public inspection July 5, 2024, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Medical Assistance Program Fee Schedule Updates for Ophthalmology Services

In accordance with 55 Pa. Code § 1150.61(a) (relating to guidelines for fee schedule changes), the Department of Human Services (Department) announces the following updates to the Medical Assistance (MA) Program Fee Schedule for ophthalmology services, effective for dates of service on and after August 1, 2024.

Discussion

The Department is increasing the fees for certain ophthalmology services as follows:

<i>Procedure Code</i>	<i>National Code Description</i>	<i>Modifier</i>	<i>Current MA Fee</i>	<i>New MA Fee</i>
92004	Ophthalmological services: medical examination and evaluation with initiation of diagnostic and treatment program; comprehensive, new patient, 1 or more visits		\$58.77	\$89.90
92012	Ophthalmological services: medical examination and evaluation, with initiation or continuation of diagnostic and treatment program; intermediate, established patient		\$29.41	\$47.90
92014	Ophthalmological services: medical examination and evaluation, with initiation or continuation of diagnostic and treatment program; comprehensive, established patient, 1 or more visits		\$45.28	\$72.26

<i>Procedure Code</i>	<i>National Code Description</i>	<i>Modifier</i>	<i>Current MA Fee</i>	<i>New MA Fee</i>
92015	Determination of refractive state		\$4.50	\$17.60
92235	Fluorescein angiography (includes multiframe imaging) with interpretation and report, unilateral or bilateral		\$45.50	\$152.10
92235	Fluorescein angiography (includes multiframe imaging) with interpretation and report, unilateral or bilateral	TC	\$27.30	\$112.01
92235	Fluorescein angiography (includes multiframe imaging) with interpretation and report, unilateral or bilateral	26	\$18.20	\$40.90

Fiscal Impact

There is minimal fiscal impact associated with the updates of these procedure codes.

Public Comment

Interested persons are invited to submit written comments to the Department of Human Services, Office of Medical Assistance Programs, c/o Regulations Coordinator, P.O. Box 2675, Harrisburg, PA 17120, RA-PWMAProgComments@pa.gov. Comments received within 30 days will be reviewed and considered for any subsequent revision of the MA Program Fee Schedule.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

VALERIE A. ARKOOSH,
Secretary

Fiscal Note: 14-NOT-1639. No fiscal impact; recommends adoption.

[Pa.B. Doc. No. 24-949. Filed for public inspection July 5, 2024, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Supplemental Payments to Qualifying Hospitals

The Department of Human Services (Department) is announcing its intent to allocate funds in Fiscal Year (FY) 2024-2025 to establish new classes of supplemental payments for qualifying hospitals with graduate medical education programs.

Background

On July 4, 2008, the General Assembly enacted Article VIII-E of the Human Services Code (Code) to authorize the City of Philadelphia (City) to impose, by ordinance, a monetary assessment on the non-Medicare net operating revenue of acute care general hospitals located in the City for purposes of assuring access to hospital and emergency department services. See 62 P.S. §§ 801-E—808-E. The City enacted an ordinance implementing a monetary assessment effective January 1, 2009, and the Hospital Assessment Program (Program) has been in place since that time. The Program generated additional revenues that are used to fund increased payments for Medical Assistance (MA) services in the City. The Program has also generated additional funding to support the City's public health clinics. The Program is set to expire June 30, 2024.

Discussion

If Article VIII-E is reauthorized and the City reenacts an ordinance continuing the monetary assessment, the Program is expected to generate additional funding to support Medicaid payments. To ensure receipt of Federal matching funds for the Medicaid payments made using the Program revenues, the Department will submit a waiver request under 42 CFR 433.68(e) and 433.72 (relating to permissible health care-related taxes; and waiver provisions applicable to health care-related taxes)

to the Centers for Medicare & Medicaid Services (CMS). Once the State legislation and City ordinance are enacted and the waiver is approved, the City may impose the assessment in accordance with the Code.

If the Program is reauthorized, the Department intends to use funds generated from the Program for Medicaid Supplemental payments to acute care general hospitals located in a city of the first class as follows:

Inpatient Indirect Medical Education (IME) Payments

The Department intends to establish an Inpatient IME payment program intended to recognize the higher patient care costs of teaching hospitals. A hospital is eligible for Inpatient IME payments if the hospital meets all of the following criteria:

- The hospital is an acute care general hospital enrolled in the Pennsylvania (PA) MA Program.
- The hospital is located in a city of the first class as defined in the *Pennsylvania Manual* (Volume 124).
- The hospital submitted a FY 2021-2022 MA-336 Hospital Cost Report to the Department.
- The hospital's resident-to-bed ratio exceeds 0.0 as reported within CMS' FY 2024 Final Rule Impact File, August 2023.
- The hospital does not provide acute care inpatient services to patient populations predominately under 18 years of age. A hospital's patient population is predominately under 18 years of age if the hospital's number of discharges for "0—17 Years" is greater than 50% of the hospital's number of "Total" discharges. Discharges are determined from the calendar year 2022 Department of Health (DOH) Reports 3-A and 3-B.
- The hospital is not a Medicare Prospective Payment System (PPS) Exempt Cancer Hospital as of February 22, 2024.

The Department will determine each qualifying hospital's annual Inpatient IME payment amount by multi-

plying the amount in 1) as follows by the IME Factor in 2) as follows and by the Adjustment Factor as determined in 3) as follows.

1) The hospital's PA Medicaid managed care inpatient revenues as specified within the hospital's FY 2021-2022 MA-336 Hospital Cost Report as available to the Department on December 11, 2023.

2) $IME\ Factor = 1.35 \times (((1+r)^{0.405}) - 1)$, where r is the eligible hospital's resident-to-bed ratio as reported within CMS' FY 2024 Final Rule Impact File, August 2023.

3) Adjustment Factor

(i) For qualifying hospitals where the product of the amount in 1) previously listed multiplied by the IME Factor in 2) does not exceed \$800,000, the Adjustment Factor is 1.0.

(ii) For qualifying hospitals that do not meet the criteria in 3)(i) and where the product of the amount in 1) previously listed multiplied by the IME Factor in 2) previously listed exceeds 3% of the sum of the hospital's inpatient and outpatient net revenues earned less bad debt, charity care and contractual allowance expenses as filed on the FY 2021-2022 MA-336 Hospital Cost Report as available to the Department on December 11, 2023, the Adjustment Factor is as follows:

a. 0.5 for hospitals having a resident-to-bed ratio as reported within CMS' FY 2024 Final Rule Impact File, August 2023 that exceeds 0.8.

b. 0.35 for all other hospitals.

(iii) For all other qualifying hospitals that do not meet the criteria in 3)(i) or 3)(ii), the Adjustment Factor is 1.0.

Beginning with FY 2024-2025, the Department will allocate an annualized amount of \$184.718 million in total funds (State and Federal) for these Inpatient IME payments, upon approval by CMS.

Outpatient IME Payments

The Department intends to establish an Outpatient IME payment program intended to recognize the higher patient care costs of teaching hospitals. A hospital is eligible for Outpatient IME payments if the hospital meets all of the following criteria:

a) The hospital is an acute care general hospital enrolled in the PA MA Program.

b) The hospital is located in a city of the first class as defined in the *Pennsylvania Manual* (Volume 124).

c) The hospital submitted a FY 2021-2022 MA-336 Hospital Cost Report to the Department.

d) The hospital's resident-to-bed ratio exceeds 0.0 as reported within CMS' FY 2024 Final Rule Impact File, August 2023.

e) The hospital does not provide acute care inpatient services to patient populations predominately under 18 years of age. A hospital's patient population is predominately under 18 years of age if the hospital's number of discharges for "0—17 Years" is greater than 50% of the hospital's number of "Total" discharges. Discharges are determined from the calendar year 2022 PA DOH Reports 3-A and 3-B.

f) The hospital is not a Medicare PPS-Exempt Cancer Hospital as of February 22, 2024.

The Department will determine each qualifying hospital's annual Outpatient IME payment amount by multiplying the amount in 1) as follows by the IME Factor in 2) as follows and by the Adjustment Factor as determined in 3) as follows.

1) The hospital's PA Medicaid (Title XIX) managed care outpatient revenues as specified within the hospital's FY 2021-2022 MA-336 Hospital Cost Report as available to the Department on December 11, 2023.

2) $IME\ Factor = 1.35 \times (((1+r)^{0.405}) - 1)$, where r is the eligible hospital's resident-to-bed ratio as reported within CMS' FY 2024 Final Rule Impact File, August 2023.

3) Adjustment Factor

(i) For qualifying hospitals where the product of the amount in 1) previously listed multiplied by the IME Factor in 2) does not exceed \$800,000, the Adjustment Factor is 1.0.

(ii) For qualifying hospitals that do not meet the criteria in 3)(i) and where the product of the amount in 1) previously listed multiplied by the IME Factor in 2) previously listed exceeds 3% of the sum of the hospital's inpatient and outpatient net revenues earned less bad debt, charity care and contractual allowance expenses as filed on the FY 2021-2022 MA-336 Hospital Cost Report as available to the Department on December 11, 2023, the Adjustment Factor is as follows:

a. 0.5 for hospitals having a Resident to Bed ratio as reported within CMS' FY 2024 Final Rule Impact File, August 2023 that exceeds 0.8.

b. 0.35 for all other hospitals.

(iii) For all other qualifying hospitals that do not meet the criteria in 3)(i) or 3)(ii), the Adjustment Factor is 1.0.

Beginning with FY 2024-2025, the Department will allocate an annualized amount of \$77.186 million in total funds (State and Federal) for these Outpatient IME payments, upon approval by CMS.

Fiscal Impact

The FY 2024-2025 impact, as a result of the funding allocation for these payments is \$261.904 million in total funds (State and Federal), upon approval by CMS.

Public Comment

Interested persons are invited to submit written comments regarding this notice to the Department of Human Services, Office of Medical Assistance Programs, c/o Regulations Coordinator, P.O. Box 2675, Harrisburg, PA 17120, RA-PWMAProgComments@pa.gov. Comments received within 30 days will be reviewed and considered for any subsequent revision of the notice.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

VALERIE A. ARKOOSH,
Secretary

Fiscal Note: 14-NOT-1638. Under section 612 of The Administrative Code of 1929 (71 P.S. § 232), (1) General Fund; (2) Implementing Year 2023-24 is \$0; (3) 1st Succeeding Year 2024-25 through 5th Succeeding Year 2028-29 are \$117,621,000; (4) 2022-23 Program—\$589,137,000; 2021-22 Program—\$644,059,000; 2020-21 Program—\$808,350,000; (7) MA—Fee-for-Service; (8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 24-950. Filed for public inspection July 5, 2024, 9:00 a.m.]

DEPARTMENT OF LABOR AND INDUSTRY

Uniform Construction Code Review and Advisory Council Meeting

The Uniform Construction Code Review and Advisory Council will hold a meeting at 9 a.m. on Thursday, July 25, 2024.

Dial by individual's location:

(929) 205-6099 US (New York)
(301) 715-8592 US (Washington DC)
(312) 626-6799 US (Chicago)
(669) 900-6833 US (San Jose)
(253) 215-8782 US (Tacoma)
(346) 248-7799 US (Houston)

Meeting ID: 361 131 6502

Passcode: 259161

Individuals who do not have the Zoom software may download the software at <https://zoom.us/downloads>. This allows use of the web cam on an individual's computer.

The Americans with Disabilities Act contact is Kristen Gardner at (717) 346-1497.

Questions concerning this meeting may be directed to Kristen Gardner at (717) 346-1497.

NANCY WALKER,
Secretary

[Pa.B. Doc. No. 24-951. Filed for public inspection July 5, 2024, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Findings

Under section 2002 of The Administrative Code of 1929 (71 P.S. § 512) establishing the Department of Transportation (Department), the Director of the Bureau of Design and Delivery, as delegated by the Secretary of Transportation, makes the following written findings:

The Department is planning the following projects. Environmental and Section 4(f) Documentation have been developed for the following identified projects to evaluate the potential environmental impacts caused by these projects. The Section 4(f) documents also serve as the Section 2002 Evaluation. The approved documents are available in the CE/EA Expert System at <https://dominoappsbp.pennndot.pa.gov/ceea/ceeamain.nsf>. The environmental, economic, social and other effects of the proposed projects have been considered. Based upon studies, there is no feasible and prudent alternative to the use of the Section 2002 resources for the proposed projects identified, and all reasonable steps have been taken to minimize the effects.

- **SR 0000, Section 05L—Selinsgrove Borough, Snyder County.**

Project Description: The project is the reconstruction and widening on Industrial Park Road.

Environmental Documents: CE 1b Evaluation approved on March 27, 2024, and a Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Public

Parks, Recreation Areas, Wildlife and/or Waterfowl Refuges, State Forest Land and State Game Land approved on March 20, 2024.

Proposed Use of Section 4(f)/2002 Resource: Approximately 0.042-acre of drainage easement will be required from the approximately 4.54-acres Selinsgrove Borough soccer field which qualifies as a Section 4(f)/2002 resource. Approximately 0.009-acre of right-of-way (ROW) will be required from the approximately 6.33-acres Susquehanna University property which is leased to Selinsgrove Borough for the soccer field, which qualifies as a Section 4(f)/2002 resource.

- **SR 0018, Section 23M—Greenville Borough and Hempfield Township, Mercer County.**

Project Description: The project consists of drainage, pavement and mobility improvements to the existing State Route (SR) 18 corridor from Main Street to Mill Hill Road.

Environmental Documents: CE 1b Reevaluation approved on February 14, 2024, and a Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Historic Properties approved on June 28, 2022.

Proposed Use of Section 4(f)/2002 Resources: Approximately 0.002-acre of ROW will be required from the 46.8-acres Thiel College Historic District, which is determined eligible for listing on the National Register of Historic Places (NRHP).

- **SR 0222, Section 23S—Maxatawny Township, Berks County.**

Project Description: The project involves improvements to the intersection of SR 222 and Long Lane.

Environmental Documents: CE 1b Reevaluation approved on February 21, 2024, and a Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Historic Properties approved on February 13, 2017.

Proposed Use of Section 4(f)/2002 Resources: Approximately 0.04-acre of ROW will be required from the approximately 241.2-acres Hottenstein Rural Historic District, which is determined eligible for listing on the NRHP.

- **SR 0309, Section 12M—South Whitehall Township, Lehigh County.**

Project Description: The project is for reconstruction of the existing interchange of SR 0309 and SR 1002.

Environmental Documents: CE 1b Reevaluation approved on February 21, 2024, and a Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Public Parks, Recreation Areas, Wildlife and/or Waterfowl Refuges, State Forest Land and State Game Land approved on July 22, 2019.

Proposed Use of Section 4(f)/2002 Resources: Approximately 0.784-acre of ROW and 0.0035-acre of utility easement will be required from the 156-acres Lehigh County Sports Field Complex/Cedar Creek Parkway West, which qualifies as a Section 4(f)/2002 resource.

- **SR 0376 Section A62—City of Pittsburgh, Allegheny County.**

Project Description: The project is the replacement of the bridge that carries SR 0376 over Nine Mile Run and Commercial Street.

Environmental Documents: CE 2 Reevaluation, approved on February 21, 2024, and a Nationwide/

Programmatic Section 4(f) Evaluation for Projects that Necessitate the Use of Historic Bridges approved on April 27, 2022.

Proposed Use of Section 4(f)/2002 Resource: The existing structure is determined to be eligible for listing on the NRHP.

• **SR 0915, Section 03B—Wells Township, Fulton County.**

Project Description: The project is the replacement of the existing structure that carries SR 0915 over the unnamed tributary to Laurel Fork.

Environmental Documents: CE 1b Reevaluation approved on January 22, 2024, and a Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Historic Properties approved October 10, 2023.

Proposed Use of Section 4(f)/2002 Resources: Approximately 0.079-acre of ROW, 0.008-acre channel easement, 0.194-acre slope easement and 0.0083-acre drainage easement will be required from the 122-acres Mosebey Farm, which is determined eligible for listing on the NRHP.

• **SR 0453, Section 14B—Tyrone Borough, Blair County.**

Project Description: The project is the replacement of the existing structure that carries SR 0453 over Sink Run.

Environmental Documents: ED 1b Reevaluation approved on February 14, 2024, and a Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Historic Properties approved on May 10, 2022.

Proposed Use of Section 4(f)/2002 Resources: Approximately 0.0037-acre of sidewalk easement will be required from the 16.4-acres Tyrone Borough Historic District, which is determined eligible for listing on the NRHP.

• **SR 2043, Section BBR—Middletown Township, Bucks County.**

Project Description: The project is the replacement of the existing structure that carries SR 2043 over Neshaminy Creek.

Environmental Documents: CE 1b Reevaluation approved on February 22, 2024, and a Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Public Parks, Recreation Areas, Wildlife and/or Waterfowl Refuges, State Forest Land and State Game Land approved on January 14, 2021.

Proposed Use of Section 4(f)/2002 Resources: Approximately 0.07-acre of ROW will be required from the 3.45-acres Periwinkle Park, which qualifies as a Section 4(f)/2002 resource.

• **SR 7046, Section 190—Pottstown Borough, Montgomery County and North Coventry Township, Chester County.**

Project Description: The project is the replacement of the existing structure that carries Keim Street over the Schuylkill River and intersection improvements to Industrial Boulevard and Keim Street.

Environmental Documents: CE 2 Reevaluation approved on February 23, 2024 and a Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Historic Properties approved March 18, 2020, Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Public Parks, Recreation Areas, Wildlife and/or Waterfowl Refuges, State Forest Land and State Game Land approved on March 17, 2020, and

Nationwide/Programmatic Section 4(f) Evaluation or Projects that Necessitate the Use of Historic Bridges approved on March 18, 2020.

Proposed Use of Section 4(f)/2002 Resources: Approximately 0.60-acre of ROW will be required from the Pottstown Conservation and Pottstown Industrial Districts, which are determined eligible for listing on the NRHP. Approximately 0.644-acre of ROW will be required from the 5.0-acres Schuylkill River which is a Pennsylvania Scenic River and a Pennsylvania Water Trail, which qualifies as a Section 4(f)/2002 resource. The existing Keim Street Bridge is determined to be eligible for listing on the NRHP.

• **SR 7301, Section BRG—York City, York County.**

Project Description: The project is the replacement of the existing structure that carries West College Avenue over the Codorus Creek.

Environmental Documents: CE 1b Evaluation approved on January 9, 2024, and two Determinations of Section 4(f) De Minimis Use Section 2002 No Adverse Use Public Parks, Recreation Areas, Wildlife and/or Waterfowl Refuges, State Forest Land and State Game Land, both approved on September 6, 2023, and two Determinations of Section 4(f) De Minimis Use Section 2002 No Adverse Use Historic Properties, both approved on September 29, 2023.

Proposed Use of Section 4(f)/2002 Resources: Approximately 0.03-acre of ROW will be required from the 176-acres Heritage Rail Trail County Park, which qualifies as a Section 4(f)/2002 resource. Approximately 0.01-acre of ROW will be required from the future Thackston Park and Codorus Creek Walking Trail, which qualifies as a Section 4(f)/2002 resource. Approximately 0.10-acre of ROW will be required from the York Historic District West Addition Boundary Increase, which is determined eligible for listing on the NRHP. Approximately 0.06-acre of ROW will be required from the York Historic District, which is listed on the NRHP.

CHRISTINE A. SPANGLER, PE,
Director
Bureau of Design and Delivery

[Pa.B. Doc. No. 24-952. Filed for public inspection July 5, 2024, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Highly Automated Vehicle Advisory Committee Meeting and Public Comment

The Highly Automated Vehicle Advisory Committee (Committee) will hold a meeting to review and consult with the Department of Transportation regarding proposed Committee guidelines and related projects by means of a Microsoft Teams teleconference on Wednesday, July 17, 2024, between 2 p.m. and 4 p.m. Public attendees should RSVP to the following e-mail address to receive call-in information. For more information or to RSVP, contact Kevin Tobias, Administrative Specialist, Transformational Technology, (717) 710-2086, kevtobias@pa.gov.

MICHAEL CARROLL,
Secretary

[Pa.B. Doc. No. 24-953. Filed for public inspection July 5, 2024, 9:00 a.m.]

ENVIRONMENTAL QUALITY BOARD

Meeting Cancellation

The July 9, 2024, meeting of the Environmental Quality Board (Board) is cancelled. The next regular meeting of the Board is tentatively scheduled for Tuesday, August 13, 2024. The meeting will begin at 9 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA. Individuals may attend the meeting in person or remotely.

Information on how to join the meeting, as well as agenda and meeting materials, will be available on the Board's webpage, found through the Public Participation tab on the Department of Environmental Protection's (Department) web site at www.dep.pa.gov (select "Public Participation," then "Environmental Quality Board," then "2024 Meetings").

Individuals are encouraged to visit the Board's webpage to confirm meeting date, time and location prior to each meeting. Questions concerning the August 13, 2024, meeting can be directed to Laura Griffin at laurgriffi@pa.gov or (717) 783-8727.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact the Department at (717) 783-8727 or through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

JESSICA SHIRLEY,
Acting Chairperson

[Pa.B. Doc. No. 24-954. Filed for public inspection July 5, 2024, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Actions Taken by the Commission

The Independent Regulatory Review Commission met publicly at 10 a.m., Thursday, June 20, 2024, and announced the following:

Actions Taken—Regulations Approved:

State Board of Veterinary Medicine # 16A-5726: Euthanasia (amends 49 Pa. Code §§ 31.101—31.115 and 31.121—31.130)

State Board of Crane Operators # 16A-7104: Licensure by Endorsement (amends 49 Pa. Code Sections 6.16 and 6.17)

State Board of Auctioneer Examiners # 16A-6412: Licensure by Endorsement (amends 49 Pa. Code Sections 1.5, 1.27 and 1.28)

Bureau of Professional and Occupational Affairs # 16A-66: Consideration of Criminal Convictions (amends 49 Pa. Code Chapter 43b)

Pennsylvania Public Utility Commission # 57-335: Rulemaking Regarding Hazardous Liquid Public Utility Safety Standards at 52 Pa. Code Chapter 59; Notice of Proposed Rulemaking (amends 52 Pa. Code Chapter 59)

Approval Order

Public Meeting Held
June 20, 2024

Commissioners Voting: George D. Bedwick, Chairperson; John F. Mizner, Esq., Vice Chairperson; John J. Soroko, Esq.; Murray Ufberg, Esq.; Dennis A. Watson, Esq.

*State Board of Veterinary Medicine—
Euthanasia
Regulation No. 16A-5726 (# 3336)*

On March 10, 2022, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the State Board of Veterinary Medicine (Board). This rulemaking amends 49 Pa. Code §§ 31.101—31.115 and 31.121—31.130. The proposed regulation was published in the April 2, 2022 *Pennsylvania Bulletin* with a public comment period ending on May 2, 2022. The final-form regulation was submitted to the Commission on April 29, 2024.

This regulation implements the act of October 24, 2012 (P.L. 1452, No 182) (Act 182) by providing for the licensure of animal protection organizations to purchase and possess drugs for euthanasia, and of euthanasia technicians to administer drugs for euthanasia.

We have determined this regulation is consistent with the statutory authority of the Board (3 P.S. § 328.304 and 63 P.S. §§ 485.5(1) and 485.13(a)) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

Approval Order

Public Meeting Held
June 20, 2024

Commissioners Voting: George D. Bedwick, Chairperson; John F. Mizner, Esq., Vice Chairperson; John J. Soroko, Esq.; Murray Ufberg, Esq.; Dennis A. Watson, Esq.

*State Board of Crane Operators—
Licensure by Endorsement—Crane Operators
Regulation No. 16A-7104 (# 3338)*

On March 10, 2022, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the State Board of Crane Operators (Board). This rulemaking amends 49 Pa. Code Sections 6.16 and 6.17. The proposed regulation was published in the April 2, 2022 *Pennsylvania Bulletin* with a public comment period ending on May 2, 2022. The final-form regulation was submitted to the Commission on April 19, 2024.

This regulation implements Act 41 of 2019 (Act 41) (63 Pa.C.S.A. § 3111) which requires licensing boards and commissions to issue a license, certificate, registration, or permit to an applicant who pays fees established by the board or commission by regulation, provided the applicant meets certain criteria for eligibility. Act 41 also requires boards and commissions that issue provisional licenses, certificates, registrations, or permits to set the expiration of the provisional endorsement license by regulation.

We have determined this regulation is consistent with the statutory authority of the Board (63 Pa.C.S. § 3111; 63 P.S. § 2400.302(5)) and the intention of the General

Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

Approval Order

Public Meeting Held
June 20, 2024

Commissioners Voting: George D. Bedwick, Chairperson; John F. Mizner, Esq., Vice Chairperson; John J. Soroko, Esq.; Murray Ufberg, Esq.; Dennis A. Watson, Esq.

*State Board of Auctioneer Examiners—
Licensure by Endorsement
Regulation No. 16A-6412 (# 3344)*

On May 11, 2022, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the State Board of Auctioneer Examiners (Board). This rulemaking amends 49 Pa. Code Sections 1.5, 1.27 and 1.28. The proposed regulation was published in the May 21, 2022 *Pennsylvania Bulletin* with a public comment period ending on June 20, 2022. The final-form regulation was submitted to the Commission on April 19, 2024.

This regulation implements Act 41 of 2019 (Act 41) (63 Pa.C.S.A. § 3111) which requires licensing boards and commissions to issue a license, certificate, registration, or permit to an applicant who pays fees established by the board or commission by regulation, provided the applicant meets certain criteria for eligibility. Act 41 also requires boards and commissions that issue provisional licenses, certificates, registrations, or permits to set the expiration of the provisional endorsement license by regulation.

We have determined this regulation is consistent with the statutory authority of the Board (63 Pa.C.S. § 3111; 63 P.S. § 734.32) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

Approval Order

Public Meeting Held
June 20, 2024

Commissioners Voting: George D. Bedwick, Chairperson; John F. Mizner, Esq., Vice Chairperson; John J. Soroko, Esq., dissenting; Murray Ufberg, Esq.; Dennis A. Watson, Esq.

*Bureau of Professional and Occupational Affairs—
Consideration of Criminal Convictions
Regulation No. 16A-66 (# 3361)*

On November 4, 2022, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Bureau of Professional and Occupational Affairs (Bureau). This rulemaking amends 49 Pa. Code Chapter 43b. The proposed regulation was published in the November 19, 2022 *Pennsylvania Bulletin* with a public comment period ending on December 19,

2022. At its April 18, 2024 public meeting, the Commission voted to disapprove the final-form regulation. On June 3, 2024, the Department submitted its report containing the revised final-form regulation to the Commission.

This regulation provides for schedules of criminal convictions that may constitute grounds to refuse to issue, suspend, or revoke a license, certificate, registration, or permit for each of the 29 professional and occupational licensing boards/commissions.

We have determined this regulation is consistent with the statutory authority of the Bureau (63 Pa.C.S. § 3117; 71 P.S. §§ 186 and 279.1(a)(7) and (8)) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

Approval Order

Public Meeting Held
June 20, 2024

Commissioners Voting: George D. Bedwick, Chairperson; John F. Mizner, Esq., Vice Chairperson; John J. Soroko, Esq., recusing; Murray Ufberg, Esq.; Dennis A. Watson, Esq.

*Pennsylvania Public Utility Commission—
Rulemaking Regarding Hazardous Liquid Public Utility
Safety Standards at 52 Pa. Code Chapter 59;
Notice of Proposed Rulemaking
Regulation No. 57-335 (# 3330)*

On January 25, 2022, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Pennsylvania Public Utility Commission (PUC). This rulemaking amends 52 Pa. Code Chapter 59. The proposed regulation was published in the February 12, 2022 *Pennsylvania Bulletin* with a public comment period ending on May 12, 2022. The final-form regulation was submitted to the Commission on April 26, 2024.

This final-form regulation establishes construction standards for hazardous liquid public utilities constructing new pipelines and converting, relocating or replacing existing pipelines. It also establishes reporting requirements, operations and maintenance standards, pipeline personnel and land agent qualifications, and corrosion control standards for all hazardous liquid public utilities.

We have determined this regulation is consistent with the statutory authority of the PUC (66 Pa.C.S. §§ 501(b) and 1501) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

GEORGE D. BEDWICK,
Chairperson

[Pa.B. Doc. No. 24-955. Filed for public inspection July 5, 2024, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Notice of Filing of Final Rulemaking

The Independent Regulatory Review Commission (Commission) received the following regulation. It is scheduled to be considered on the date noted. The Commission's public meetings are held at 333 Market Street, 14th Floor, Harrisburg, PA at 10 a.m. To obtain a copy of the regulation, interested parties should first contact the promulgating agency. If a copy cannot be obtained from the promulgating agency, the Commission will provide a copy or it can be viewed on the Commission's web site at www.irrc.state.pa.us.

<i>Final-Omitted Reg. No.</i>	<i>Agency/Title</i>	<i>Received</i>	<i>Public Meeting</i>
13-7	Department of Military and Veterans Affairs Persian Gulf Conflict Veterans' Benefit Program	06/18/24	08/15/24

GEORGE D. BEDWICK,
Chairperson

[Pa.B. Doc. No. 24-956. Filed for public inspection July 5, 2024, 9:00 a.m.]

INSURANCE DEPARTMENT

Alleged Violation of Insurance Laws; Donte N. Sterling; Doc. No. SC24-06-026

Notice is hereby given of the Order to Show Cause issued on June 25, 2024, by the Deputy Insurance Commissioner of the Commonwealth in the previously referenced matter. Violations of the following are alleged: section 6(a)(5), (12) and (13) of the act of December 20, 1983 (P.L. 260, No. 72) (63 P.S. § 1606(a)(5), (12) and (13)), referred to as the Public Adjuster Licensing Law.

The respondent shall file a written answer to the Order to Show Cause within 30 days of the date of issue. If the respondent files a timely answer, a formal administrative hearing shall be held in accordance with 2 Pa.C.S. §§ 501—508 (relating to Administrative Agency Law), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure), 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure) and other relevant procedural provisions of law.

Answers, motions preliminary to those at hearing, protests, petitions to intervene or notices of intervention, if any, must be filed in writing with the Hearings Administrator, Insurance Department, Administrative Hearings Office, 901 North 7th Street, Harrisburg, PA 17102, ra-hearings@pa.gov.

Persons with a disability who wish to attend the previously referenced administrative hearing, and require an auxiliary aid, service or other accommodation to participate in the hearing, contact Joseph Korman, Agency ADA Coordinator, jkorman@pa.gov, (717) 787-4429.

MICHAEL HUMPHREYS,
Insurance Commissioner

[Pa.B. Doc. No. 24-957. Filed for public inspection July 5, 2024, 9:00 a.m.]

INSURANCE DEPARTMENT

Andy Pan; License Denial Appeal; Doc. No. AG24-06-015

Under Article VI-A of The Insurance Department Act of 1921 (40 P.S. §§ 310.1—310.99a), Andy Pan has appealed

the denial of an application for an insurance producer's license. The proceedings in this matter will be governed by 2 Pa.C.S. §§ 501—508, 561—588 and 701—704 (relating to Administrative Agency Law), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure).

A prehearing telephone conference initiated by this office is scheduled for July 31, 2024, at 11 a.m. Each party shall provide the Hearings Administrator a telephone number to be used for the telephone conference on or before July 29, 2024. A date for a hearing shall be determined, if necessary, at the prehearing/settlement conference.

Protests, petitions to intervene or notices of intervention, if any, must be electronically filed on or before July 17, 2024. The e-mail address to be used for the Administrative Hearings Office is ra-hearings@pa.gov. Answers to protests, petitions to intervene or notices of intervention, if any, shall be electronically filed on or before July 29, 2024.

Persons with a disability who wish to attend the previously referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing, contact Joseph Korman, (717) 787-4429, jkorman@pa.gov.

MICHAEL HUMPHREYS,
Insurance Commissioner

[Pa.B. Doc. No. 24-958. Filed for public inspection July 5, 2024, 9:00 a.m.]

INSURANCE DEPARTMENT

Review Procedure Hearings; Cancellation or Refusal of Insurance

The following insured has requested a hearing as authorized by the act of June 17, 1998 (P.L. 464, No. 68) (Act 68) in connection with the termination of the insured's automobile insurance policy. The proceedings will be governed in accordance with the requirements of Act 68; 2 Pa.C.S. §§ 501—508, 561—588 and 701—704 (relating to Administrative Agency Law); 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to

Special Rules of Administrative Practice and Procedure). This administrative hearing will be held in Philadelphia, PA at the following address. Failure by the appellant to appear at the scheduled hearing may result in dismissal with prejudice.

A prehearing telephone conference initiated by this office is scheduled for July 24, 2024, at 10 a.m. Each party shall provide the Hearings Administrator a telephone number to be used for the telephone conference on or before July 22, 2024.

The hearing will be held at the Department of Insurance, c/o Bureau of Hearings and Appeals, 801 Market Street, 4th Floor, Fairmount Hearing Room # 4129, Philadelphia, PA 19107.

Appeal of David Josaphouitch; Nationwide Mutual Insurance Company; File No. 23-115-290542; Doc. No. P24-01-012; August 8, 2024, 9 a.m.

Following the hearing and receipt of the stenographic transcript, the Insurance Commissioner (Commissioner) will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the previously referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing, contact Joseph Korman, (717) 787-4429, jkorman@pa.gov.

MICHAEL HUMPHREYS,
Insurance Commissioner

[Pa.B. Doc. No. 24-959. Filed for public inspection July 5, 2024, 9:00 a.m.]

INSURANCE DEPARTMENT

Review Procedure Hearings; Cancellation or Refusal of Insurance

The following insured has requested a hearing as authorized by the act of June 17, 1998 (P.L. 464, No. 68) (Act 68) in connection with the termination of the insured's automobile insurance policy. The proceedings will be governed in accordance with the requirements of Act 68; 2 Pa.C.S. §§ 501—508, 561—588 and 701—704 (relating to Administrative Agency Law); 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). This administrative hearing will be held in Philadelphia, PA at the following address. Failure by the appellant to appear at the scheduled hearing may result in dismissal with prejudice.

A prehearing telephone conference initiated by this office is scheduled for July 24, 2024, at 11 a.m. Each party shall provide the Hearings Administrator a telephone number to be used for the telephone conference on or before July 22, 2024.

The hearing will be held at the Department of Insurance, c/o Bureau of Hearings and Appeals, 801 Market Street, 4th Floor, Fairmount Hearing Room # 4129, Philadelphia, PA 19107.

Appeal of Mary Jefferson; First Acceptance Insurance Company, Inc.; File No. 24-115-293016; Doc. No. P24-03-024; August 8, 2024, 11 a.m.

Following the hearing and receipt of the stenographic transcript, the Insurance Commissioner (Commissioner) will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the previously referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing, contact Joseph Korman, (717) 787-4429, jkorman@pa.gov.

MICHAEL HUMPHREYS,
Insurance Commissioner

[Pa.B. Doc. No. 24-960. Filed for public inspection July 5, 2024, 9:00 a.m.]

INSURANCE DEPARTMENT

Review Procedure Hearings; Cancellation or Refusal of Insurance

The following insured has requested a hearing as authorized by the act of June 17, 1998 (P.L. 464, No. 68) (Act 68) in connection with the termination of the insured's automobile insurance policy. The proceedings will be governed in accordance with the requirements of Act 68; 2 Pa.C.S. §§ 501—508, 561—588 and 701—704 (relating to Administrative Agency Law); 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). This administrative hearing will be held in Philadelphia, PA at the following address. Failure by the appellant to appear at the scheduled hearing may result in dismissal with prejudice.

A prehearing telephone conference initiated by this office is scheduled for July 26, 2024, at 10 a.m. Each party shall provide the Hearings Administrator a telephone number to be used for the telephone conference on or before July 24, 2024.

The hearing will be held at the Department of Insurance, c/o Bureau of Hearings and Appeals, 801 Market Street, 4th Floor, Fairmount Hearing Room # 4129, Philadelphia, PA 19107.

Appeal of Donovan Adams; Integon General Insurance Corporation; File No. 24-121-295223; Doc. No. P24-05-001; August 8, 2024, 1 p.m.

Following the hearing and receipt of the stenographic transcript, the Insurance Commissioner (Commissioner) will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the previously referenced administrative hearing and require

an auxiliary aid, service or other accommodation to participate in the hearing, contact Joseph Korman, (717) 787-4429, jkorman@pa.gov.

MICHAEL HUMPHREYS,
Insurance Commissioner

[Pa.B. Doc. No. 24-961. Filed for public inspection July 5, 2024, 9:00 a.m.]

INSURANCE DEPARTMENT

Review Procedure Hearings; Cancellation or Refusal of Insurance

The following insured has requested a hearing as authorized by the act of June 17, 1998 (P.L. 464, No. 68) (Act 68) in connection with the termination of the insured's automobile insurance policy. The proceedings will be governed in accordance with the requirements of Act 68; 2 Pa.C.S. §§ 501—508, 561—588 and 701—704 (relating to Administrative Agency Law); 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). This administrative hearing will be held in Philadelphia, PA at the following address. Failure by the appellant to appear at the scheduled hearing may result in dismissal with prejudice.

A prehearing telephone conference initiated by this office is scheduled for July 26, 2024, at 11 a.m. Each party shall provide the Hearings Administrator a telephone number to be used for the telephone conference on or before July 24, 2024.

The hearing will be held at the Department of Insurance, c/o Bureau of Hearings and Appeals, 801 Market Street, 4th Floor, Fairmount Hearing Room # 4129, Philadelphia, PA 19107.

Appeal of Jasmin E. and Daniel Auguste; Erie Insurance Exchange; File No. 24-118-294827; Doc. No. P24-05-021; August 8, 2024, 3 p.m.

Following the hearing and receipt of the stenographic transcript, the Insurance Commissioner (Commissioner) will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the previously referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing, contact Joseph Korman, (717) 787-4429, jkorman@pa.gov.

MICHAEL HUMPHREYS,
Insurance Commissioner

[Pa.B. Doc. No. 24-962. Filed for public inspection July 5, 2024, 9:00 a.m.]

INSURANCE DEPARTMENT

Workers' Compensation Security Fund Assessment; Notice 2024-10

The Insurance Department has determined that no contributions will be required during 2024 to maintain the balance of the Workers' Compensation Security Fund (Fund).

Section 9(1) of the Workers' Compensation Security Fund Act (act) (77 P.S. § 1059(1)) states ". . . If, due to the payment of liabilities or claims, the balance of the fund is reduced below \$500,000,000, the department shall require contributions to maintain the actuarial soundness of the fund and to restore, in a timely manner, the balance of the fund to a level at or above \$500,000,000."

As of the evaluation of December 31, 2023, the balance of the Fund exceeded \$500 million. Therefore, insurers writing workers' compensation insurance in this Commonwealth will not be required to submit contributions to the Fund in 2024.

The act and regulations may be viewed at <https://www.insurance.pa.gov/SpecialFunds/WorkersCompensation/Pages/WCSF.aspx> under "Resources."

MICHAEL HUMPHREYS,
Insurance Commissioner

[Pa.B. Doc. No. 24-963. Filed for public inspection July 5, 2024, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Declaratory Order

P-2024-3049623. Boroughs of Carlisle, Hatboro, Lansdowne, Media, Narberth, State College and Swarthmore. Petition of the Boroughs of Carlisle, Hatboro, Lansdowne, Media, Narberth, State College and Swarthmore for a declaratory order regarding the implementation of community choice aggregation.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before August 5, 2024. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available only online for inspection and copying on the Pennsylvania Public Utility Commission's (Commission) web site at www.puc.pa.gov and at the applicant's business address. Parties to proceedings pending before the Commission must open and use an eFiling account through the Commission's web site at www.puc.pa.gov or they may submit the filing by overnight delivery to the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120. If a filing contains confidential or proprietary material, the filing is required to be submitted by overnight delivery. Large filings containing confidential or proprietary material may be submitted through the Commission's Share Point File system with advanced notice to the Commission prior to submittal.

Applicants: Boroughs of Carlisle, Hatboro, Lansdowne, Media, Narberth, State College and Swarthmore

Through and By Counsel for: C. Baird Brown, Esquire, Principal, eco(n)law, LLC, 230 South Broad Street, 17th Floor, Philadelphia, PA 19102, baird@eco-n-law.net

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 24-964. Filed for public inspection July 5, 2024, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

General Rule Transaction

A-2024-3049628; A-2024-3049631; A-2024-3049632; A-2024-3049633; A-2024-3049634; A-2024-3049635; A-2024-3049636; A-2024-3049637; A-2024-3049638; A-2024-3049639; A-2024-3049640; A-2024-3049641; A-2024-3049642; A-2024-3049643; A-2024-3049648; A-2024-3049649; A-2024-3049650; A-2024-3049651; A-2024-3049652; A-2024-3049653; A-2024-3049654; A-2024-3049655; A-2024-3049656; A-2024-3049657; A-2024-3049658; A-2024-3049659; and A-2024-3049660. Windstream Holdings II, LLC; New Windstream, LLC; Windstream Services, LLC; A.R.C. Networks, Inc.; American Telephone Company, LLC; ATX Licensing, Inc.; Broadview Networks, Inc.; Broadview NP Acquisition Corp.; Business Telecom, LLC; Cavalier Telephone Mid-Atlantic, LLC; Choice One Communications of Pennsylvania, Inc.; CTC Communications Corp.; DeltaCom, LLC; Intellifiber Networks, LLC; LDMI Telecommunications, LLC; Lightship Telcom, LLC; MassComm, LLC; McLeodUSA Telecommunications Services, LLC; PAETEC Communications, LLC; Talk America, LLC; US LEC of Pennsylvania, LLC; Windstream Buffalo Valley, Inc.; Windstream Communications, LLC; Windstream Conestoga, Inc.; Windstream D&E Systems, Inc.; Windstream D&E, Inc.; Windstream KDL, LLC; Windstream New Edge, LLC; Windstream Norlight, LLC; and Windstream Pennsylvania, LLC. General rule transaction application of Windstream Holdings II, LLC; New Windstream, LLC; Windstream Services, LLC; A.R.C. Networks, Inc.; American Telephone Company, LLC; ATX Licensing, Inc.; Broadview Networks, Inc.; Broadview NP Acquisition Corp.; Business Telecom, LLC; Cavalier Telephone Mid-Atlantic, LLC; Choice One Communications of Pennsylvania, Inc.; CTC Communications Corp.; DeltaCom, LLC; Intellifiber Networks, LLC; LDMI Telecommunications, LLC; Lightship Telcom, LLC; MassComm, LLC; McLeodUSA Telecommunications Services, LLC; PAETEC Communications, LLC; Talk America, LLC; US LEC of Pennsylvania, LLC; Windstream Buffalo Valley, Inc.; Windstream Communications, LLC; Windstream Conestoga, Inc.; Windstream D&E Systems, Inc.; Windstream D&E, Inc.; Windstream KDL, LLC; Windstream New Edge, LLC; Windstream Norlight, LLC; and Windstream Pennsylvania, LLC for approval of an internal reorganization.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before Monday, July 22, 2024. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission (Commission) by means of eService on the Commission's web site at www.puc.pa.gov or 400 North Street, 2nd Floor, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available for inspection on the Commission's web site and at the applicant's business address.

Joint Applicants: Windstream Holdings II, LLC; New Windstream, LLC; Windstream Services, LLC; A.R.C. Networks, Inc.; American Telephone Company, LLC; ATX Licensing, Inc.; Broadview Networks, Inc.; Broadview NP Acquisition Corp.; Business Telecom, LLC; Cavalier Telephone Mid-Atlantic, LLC; Choice One Communications of Pennsylvania, Inc.; CTC Communications Corp.; DeltaCom, LLC; Intellifiber Networks, LLC; LDMI Telecommunications, LLC; Lightship Telcom, LLC;

MassComm, LLC; McLeodUSA Telecommunications Services, LLC; PAETEC Communications, LLC; Talk America, LLC; US LEC of Pennsylvania, LLC; Windstream Buffalo Valley, Inc.; Windstream Communications, LLC; Windstream Conestoga, Inc.; Windstream D&E Systems, Inc.; Windstream D&E, Inc.; Windstream KDL, LLC; Windstream New Edge, LLC; Windstream Norlight, LLC; Windstream Pennsylvania, LLC

Through and By Counsel: For Windstream Holdings II, LLC, its licensees and for New Windstream, LLC: Norman J. Kennard, Sarah C. Stoner, Bryce R. Beard, Eckert Seamans Cherin & Mellott, LLC, 213 Market Street, 8th Floor, Harrisburg, PA 17101, (717) 237-6000, fax (717) 237-6019, Nkennard@eckertseamans.com, Sstoner@eckertseamans.com, Bbeard@eckertseamans.com; Nicole Winters, 4005 North Rodney Parham Road, Little Rock, AR 72212, (501) 748-6313, fax (330) 486-3561, Nicole.Winters@windstream.com; Luke C. Platzer, Allison M. Tjemsland, Jenner & Block, LLP, 1099 New York Avenue, NW, Suite 900, Washington, DC 20001, (202) 639-6000, LPlatzer@jenner.com, ATjemsland@jenner.com; For PIMCO: David Keir, Jeff Carlisle, Shannon Sylvester, Lerman Senter, PLLC, 2001 L Street NW, Suite 400, Washington, DC 20036, (202) 429-8970, DKeir@lermansenter.com, JCarlisle@lermansenter.com, SSylvester@lermansenter.com

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 24-965. Filed for public inspection July 5, 2024, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

General Rule Transaction

A-2024-3049689 and A-2024-3049691. Zayo Group, LLC and Zayo Northeast, LLC. Joint application of Zayo Group, LLC and Zayo Northeast, LLC for approval of a general rule transaction.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before July 22, 2024. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission (Commission) by means of eService on the Commission's web site at <https://www.puc.pa.gov/filing-resources/efiling/> or at the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available for inspection on the Commission's web site and at the applicant's business address.

Joint Applicants: Zayo Group, LLC; Zayo Northeast, LLC

Through and By: Catherine G. Vasudevan, Morgan, Lewis & Bockius, LLP, 2222 Market Street, Philadelphia, PA 19103-3007, (215) 963-5000, fax (215) 963-5001, catherine.vasudevan@morganlewis.com; Catherine Wang, Brett P. Ferenchak, Morgan, Lewis & Bockius, LLP, 1111 Pennsylvania Avenue, NW, Washington, DC 20004, (202) 739-3000, fax (202) 739-3001, catherine.wang@morganlewis.com, brett.ferenchak@morganlewis.com; Lauren Lantero, General Counsel, Corporate, Zayo Group,

LLC, 1401 Wynkoop Street, Suite 500, Denver, CO 80202,
lauren.lantero@zayo.com

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 24-966. Filed for public inspection July 5, 2024, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

General Rule Transaction

A-2024-3049708; A-2024-3049715; A-2024-3049716; A-2024-3049718; A-2024-3049719; A-2024-3049720; A-2024-3049721; A-2024-3049722; A-2024-3049724; A-2024-3049725; A-2024-3049727; A-2024-3049728; A-2024-3049735; A-2024-3049736; A-2024-3049738; A-2024-3049739; A-2024-3049740; A-2024-3049741; A-2024-3049742; A-2024-3049743; A-2024-3049744; A-2024-3049745; A-2024-3049746; A-2024-3049747; A-2024-3049748; A-2024-3049749; A-2024-3049751; A-2024-3049753; and A-2024-3049754. Windstream Parent, Inc.; Windstream Holdings II, LLC; Windstream Services, LLC; A.R.C. Networks, Inc.; American Telephone Company, LLC; ATX Licensing, Inc.; Broadview Networks, Inc.; Broadview NP Acquisition Corp.; Business Telecom, LLC; Cavalier Telephone Mid-Atlantic, LLC; Choice One Communications of Pennsylvania, Inc.; CTC Communications Corp.; DeltaCom, LLC; Intellifiber Networks, LLC; LDMI Telecommunications, LLC; Lightship Telcom, LLC; MassComm, LLC; McLeodUSA Telecommunications Services, LLC; PAETEC Communications, LLC; Talk America, LLC; US LEC of Pennsylvania, LLC; Windstream Buffalo Valley, Inc.; Windstream Communications, LLC; Windstream Conestoga, Inc.; Windstream D&E Systems, Inc.; Windstream D&E Inc.; Windstream KDL, LLC; Windstream New Edge, LLC; Windstream Norlight, LLC; Windstream Pennsylvania, LLC; Uniti Group, Inc.; PEG Bandwidth PA, LLC; and Southern Light, LLC. Joint application of Windstream Parent, Inc.; Windstream Holdings II, LLC; Windstream Services, LLC; A.R.C. Networks, Inc.; American Telephone Company, LLC; ATX Licensing, Inc.; Broadview Networks, Inc.; Broadview NP Acquisition Corp.; Business Telecom, LLC; Cavalier Telephone Mid-Atlantic, LLC; Choice One Communications of Pennsylvania, Inc.; CTC Communications Corp.; DeltaCom, LLC; Intellifiber Networks, LLC; LDMI Telecommunications, LLC; Lightship Telcom, LLC; MassComm, LLC; McLeodUSA Telecommunications Services, LLC; PAETEC Communications, LLC; Talk America, LLC; US LEC of Pennsylvania, LLC; Windstream Buffalo Valley, Inc.; Windstream Communications, LLC; Windstream Conestoga, Inc.; Windstream D&E Systems, Inc.; Windstream D&E Inc.; Windstream KDL, LLC; Windstream New Edge, LLC; Windstream Norlight, LLC; Windstream Pennsylvania, LLC; Uniti Group, Inc.; PEG Bandwidth PA, LLC; and Southern Light, LLC for approval of a general rule transaction resulting in an indirect transfer of control.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before Monday, July 22, 2024. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission (Commission) by means of eService on

the Commission's web site at www.puc.pa.gov or at the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available for inspection on the Commission's web site and at the applicant's business address.

Joint Applicants: Windstream Parent, Inc.; Windstream Holdings II, LLC; Windstream Services, LLC; A.R.C. Networks, Inc.; American Telephone Company, LLC; ATX Licensing, Inc.; Broadview Networks, Inc.; Broadview NP Acquisition Corp.; Business Telecom, LLC; Cavalier Telephone Mid-Atlantic, LLC; Choice One Communications of Pennsylvania, Inc.; CTC Communications Corp.; DeltaCom, LLC; Intellifiber Networks, LLC; LDMI Telecommunications, LLC; Lightship Telcom, LLC; MassComm, LLC; McLeodUSA Telecommunications Services, LLC; PAETEC Communications, LLC; Talk America, LLC; US LEC of Pennsylvania, LLC; Windstream Buffalo Valley, Inc.; Windstream Communications, LLC; Windstream Conestoga, Inc.; Windstream D&E Systems, Inc.; Windstream D&E, Inc.; Windstream KDL, LLC; Windstream New Edge, LLC; Windstream Norlight, LLC; Windstream Pennsylvania, LLC; Uniti Group, Inc.; PEG Bandwidth PA, LLC; Southern Light, LLC

Through and By Counsel:

For Joint Applicants: Norman J. Kennard, Sarah C. Stoner, Bryce R. Beard, Eckert Seamans Cherin & Mellott, LLC, 213 Market Street, 8th Floor, Harrisburg, PA 17101, (717) 237-6000, fax (717) 237-6019, Nkennard@eckertseamans.com, Sstoner@eckertseamans.com, Bbeard@eckertseamans.com

For Windstream II, LLC, the Windstream Licensees and Parent: Nicole Winters, 4005 North Rodney Parham Road, Little Rock, AR 72212, (501) 748-6313, fax (330) 486-3561, Nicole.Winters@windstream.com; Luke C. Platzer, Allison M. Tjemsland, Peggy Xu, Jenner & Block, LLP, 1099 New York Avenue, NW, Suite 900, Washington, DC 20001, (202) 639-6000, LPlatzer@jenner.com, ATjemsland@jenner.com, PXu@jenner.com

For Uniti and Uniti Licensees: Russell M. Blau, Ronald W. Del Sesto, Brett P. Ferenchak, Morgan, Lewis & Bockius, LLP, 1111 Pennsylvania Avenue, NW, Washington, DC 20004, (202) 739-3000, Russell.blau@morganlewis.com, ronald.delsesto@morganlewis.com, brett.ferenchak@morganlewis.com; Kelly McGriff, Vice President—Deputy General Counsel, Uniti Group, Inc., 2101 Riverfront Drive, Suite A, Little Rock, AR 72202, kelly.mcgriff@uniti.com; Elliot Greenberg, Elliott Investment Management, LP, 360 Rosemary Avenue, 18th Floor, West Palm Beach, FL 33401, (212) 974-6000, egreenberg@elliottmgmt.com

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 24-967. Filed for public inspection July 5, 2024, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority application for the right to render service as a

common carrier or contract carrier in this Commonwealth has been filed with the Pennsylvania Public Utility Commission (Commission). Formal protests, petitions to intervene and answers must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before July 22, 2024. Filings are recommended to be made electronically through eFiling to the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy served on the applicant by July 22, 2024. Individuals can sign up for a free eFiling account with the Secretary of the Commission through the Commission's eFiling system at <https://www.puc.pa.gov/efiling/Default.aspx>. A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Protests may only be filed if there is evidence that the applicant lacks fitness. Protests based on endangering or impairing operations of an existing carrier will not be honored. The documents filed in support of the application are only available for inspection through the Commission's web site at www.puc.pa.gov by searching under the docket number as follows or by searching the applicant's web site.

Application of the following for approval to begin operating as common carriers for transportation of persons as described under the application.

A-2024-3045516. His Loving Hand Home Care, LLC (610 Old York Road, Suite 400, Jenkintown, Montgomery County, PA 19046) in paratransit service, between points in the Counties of Bucks, Chester, Delaware and Montgomery, and the City and County of Philadelphia.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 24-968. Filed for public inspection July 5, 2024, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Transfer Indirect Control

A-2024-3049630. United Fiber & Data, LLC and Cablevision Lightpath, LLC. Joint application of United Fiber & Data, LLC and Cablevision Lightpath, LLC for authority to transfer indirect control of United Federal Data of Pennsylvania, LLC.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before July 22, 2024. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission (Commission) by means of eService on the Commission's web site at <https://www.puc.pa.gov/filing-resources/efiling/> or at the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available for inspection on the Commission's web site and at the applicant's business address.

Joint Applicants: United Fiber & Data, LLC; Cablevision Lightpath, LLC; United Federal Data of Pennsylvania, LLC

Through and By: Phillip R. Marchesiello, Esquire, Wilkinson Barker Knauer, LLP, 1800 M Street, NW, Suite 800N, Washington, DC 20036, (202) 383-3343, pmarchesiello@wbklaw.com; Christopher Lodge, Chief Ex-

ecutive Officer and Chief Operating Officer, United Federal Data of Pennsylvania, LLC, a wholly owned subsidiary of United Fiber & Data, LLC, 210 York Street, York, PA 17403, (855) 255-5244, chris@ufd.com; Michael Fox, Esquire, Barley Snyder, 100 East Market Street, York, PA 17401, (570) 391-0118, mfox@barley.com; Christopher Yost, Esquire, General Counsel, Cablevision Lightpath, LLC, 1111 Stewart Avenue, Bethpage, NY 11714, christopher.yost@lightpathfiber.com

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 24-969. Filed for public inspection July 5, 2024, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Water Service

A-2024-3049759. Pennsylvania-American Water Company. In the matter of the application of Pennsylvania-American Water Company, under 66 Pa.C.S. § 1102(a) (relating to enumeration of acts requiring certificate), for approval of: (1) the transfer, by sale, of substantially all of the East Dunkard Water Authority's assets, properties and rights related to its water system to Pennsylvania-American Water Company; and (2) the right of Pennsylvania-American Water Company to begin to offer or furnish water service to the public in Dunkard and portions of Cumberland, Greene, Monongahela, Perry and Whiteley Townships, Greene County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before July 22, 2024. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, or on the Pennsylvania Public Utility Commission's (Commission) web site at www.puc.pa.gov, with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Commission's web site at www.puc.pa.gov and at the applicant's business address. If a filing contains confidential or proprietary material, the filing is required to be submitted by overnight delivery. Large filings containing confidential or proprietary material may be submitted through the Commission's Share Point file system with advanced notice to the Commission prior to submittal.

Applicant: Pennsylvania-American Water Company, 852 Wesley Drive, Mechanicsburg, PA 17055

Through and By Counsel for: Elizabeth Rose Triscari, Esquire, Pennsylvania-American Water Company, 852 Wesley Drive, Mechanicsburg, PA 17055, (717) 550-1574, elizabeth.triscari@amwater.com

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 24-970. Filed for public inspection July 5, 2024, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Wastewater Service

A-2024-3049695. The York Water Company. In the matter of the application of The York Water Company, under 66 Pa.C.S. § 1102(a)(1) and (3) (relating to enumeration of acts requiring certificate) for approval of the right of The York Water Company to: (1) acquire certain wastewater facilities of Margarettta MHP, LLC; and (2) begin to offer, render, furnish and supply wastewater service to the public in an additional portion of Lower Windsor Township, York County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before July 22, 2024. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, or on the Pennsylvania Public Utility Commission's (Commission) web site at www.puc.pa.gov, with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Commission's web site at www.puc.pa.gov and at the applicant's business address. If a filing contains confidential or proprietary material, the filing is required to be submitted by overnight delivery. Large filings containing confidential or proprietary material may be submitted through the Commission's Share Point file system with advanced notice to the Commission prior to submittal.

Applicant: The York Water Company, 130 East Market Street, York, PA 17401-1219

Through and By Counsel for: Devin T. Ryan, Esq., Post & Schell, PC, One Oxford Centre, 301 Grant Street, Suite 3010, Pittsburgh, PA 15219, dryan@postschell.com; Michael W. Hassell, Esq., Megan E. Rulli, Esq., Post & Schell, PC, 17 North Second Street, 12th Floor, Harrisburg, PA 17101-1601, mhassell@postschell.com, mrulli@postschell.com

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 24-971. Filed for public inspection July 5, 2024, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Wastewater Service; Telephonic Prehearing Conference

A-2024-3041695. Aqua Pennsylvania Wastewater, Inc. In the matter of the Aqua Pennsylvania Wastewater, Inc., under 66 Pa.C.S. §§ 1102 and 1329 (relating to enumeration of acts requiring certificate; and valuation of acquired water and wastewater systems), application for the acquisition of the Greenville Sanitary Authority wastewater system.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before July 16, 2024. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, or on the Pennsylvania Public Utility Commission's (Commission) web site at www.puc.pa.gov, with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Commission's web site at www.puc.pa.gov and at the applicant's business address. If a filing contains confidential or proprietary material, the filing is required to be submitted by overnight delivery. Large filings containing confidential or proprietary material may be submitted through the Commission's Share Point file system with advanced notice to the Commission prior to submittal.

Applicant: Aqua Pennsylvania Wastewater, Inc., 762 West Lancaster Avenue, Bryn Mawr, PA 19010

Through and By Counsel for: Courtney L. Schultz, Esq., Saul Ewing, LLP, 1500 Market Street, Centre Square West, 38th Floor, Philadelphia, PA 19102, Courtney.schultz@saul.com, (215) 972-7717, fax (215) 972-1839

Telephonic Prehearing Conference

A telephonic prehearing conference on the previously captioned case will be held as follows:

<i>Date:</i>	Wednesday, July 17, 2024
<i>Time:</i>	10 a.m.
<i>Presiding:</i>	Deputy Chief Administrative Law Judge Mark A. Hoyer Administrative Law Judge Alphonso Arnold, III (717) 787-1399 fax (717) 213-6812

To participate in the telephonic prehearing conference, individuals must:

- Dial the following toll-free conference number.
- Enter the following PIN number when instructed to do so.
- Speak the individual's name when prompted and press #.

The telephone system will connect individuals to the telephonic prehearing conference.

Toll-free conference number: (866) 566-0651

PIN Number: 59956427

Accommodation. Individuals who require an accommodation for a disability to participate in this prehearing conference may request one. Call the Scheduling Office at least 5 business days prior to the prehearing conference to submit a request.

Individuals who require an interpreter to participate in the prehearing conference, the Commission will make every reasonable effort to have an interpreter present. Call the Scheduling Office at least 10 business days prior to the prehearing conference to submit a request.

- Scheduling Office: (717) 787-1399
- Persons who are deaf or hearing-impaired may call a Pennsylvania Hamilton Relay Service operator at 711.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 24-972. Filed for public inspection July 5, 2024, 9:00 a.m.]

END OF ISSUE

