

# NOTICES

## DEPARTMENT OF AGRICULTURE

### General Quarantine Order; Equine Infectious Anemia

#### *Recitals.*

A. Equine Infectious Anemia (EIA) is a designated “dangerous transmissible disease” of animals under the provisions in the Domestic Animal Law (3 Pa.C.S.A. §§ 2301—2389), at 3 Pa.C.S.A. § 2321(a)(21) and is defined as an infectious disease of equines caused by a virus.

B. EIA is a noncontagious, infectious disease of equids caused by a RNA virus classified in the *Lentivirus* genus, family Retroviridae. It may also be known as Swamp Fever. Infected animals may exhibit a variety of clinical manifestations from the subclinical case to animals exhibiting signs including fever, depression, muscle weakness, thrombocytopenia, anemia, jaundice, tachycardia, mucous membrane hemorrhages, epistaxis, and collapse. Infection may lead to death. Diagnosis of EIA is based on serologic testing and demonstration of antibodies to the virus in blood.

C. There is no specific treatment for infected animals and there is no vaccine to prevent infection.

D. EIA has been identified throughout the world.

E. All equids infected with EIA virus remain lifelong carriers, and infected animals are usually euthanized.

F. EIA is a regulated disease and the only alternative to euthanasia is permanent isolation through official quarantine of the infected animal, at a distance of at least 200 yards from all other equids.

G. The EIA virus is transmitted predominately between equids via the transfer of blood from infected animals by blood-feeding flying insects, such as mosquitoes and flies. However, all tissues and body fluids should be regarded as potentially infectious, especially during febrile episodes in the infected animal. Foals may be infected in utero. Iatrogenic transmission is also an important method of transmission, through the use of syringes and needles, surgical instruments, dental equipment, and IV sets contaminated with blood from an infected animal, and through transfusion of infective blood or blood products.

H. EIA is of concern to the entire Pennsylvania equine industry. Based on a 2017 survey report by the American Horse Council, Pennsylvania was ranked eighth in the total number of horses in the United States, with a total of over 223,000 horses at the time of the survey. In addition to recreational horse activities, Pennsylvania has a large Thoroughbred and Standardbred racing industry.

I. The agar gel immunodiffusion (AGID) test is the primary official laboratory test for diagnosis of EIA in which precipitates are formed by interaction of EIA antigens and antibodies that diffuse through gel. AGID is the most widely accepted procedure for the diagnosis of EIA and may be referred to as the “Coggins” test. Results are recorded as either positive or negative.

J. The enzyme-linked immunoassay (ELISA) test is an official test for the diagnosis of EIA and detects antibodies against one or more antigens of the EIA virus. Results of ELISA tests can be obtained within a few hours,

compared to the 24 hours minimum required with the AGID test. The ELISA test is considered a screening test and a higher number of false-positive results are expected with ELISA tests than with AGID tests. ELISA test results are recorded as either positive or negative, and samples with positive tests must be subsequently tested using the AGID test.

K. There are currently no USDA FSIS-inspected equid slaughter plants in the United States. There are no slaughter channels in Pennsylvania for equids.

L. The Department, under the edicts established by section 2327 (relating to disease surveillance and detection) of the Domestic Animal Law (3 Pa.C.S.A. § 2327), has the authority and duty to carry out disease surveillance and detection and more specifically to regularly monitor the domestic animal population of this Commonwealth to determine the prevalence and incidence of transmissible diseases or contamination by hazardous substances.

M. The Department, under the provisions set forth at section 2329 of the Domestic Animal Law (3 Pa.C.S.A. § 2329) (related to quarantine) has the authority to establish three different types of quarantine orders—Interstate and International, General, and Special.

N. The Department may establish a Quarantine Order, “Whenever a dangerous transmissible disease...exists anywhere within or outside of this Commonwealth, or whenever it is deemed advisable to test or treat any domestic animal upon the reasonable suspicion that it has contracted or been exposed to a dangerous transmissible disease...or whenever the testing or treatment of a domestic animal indicates that the domestic animal has been exposed to a dangerous transmissible disease...so as to render future accurate testing for recent exposure of that domestic animal to that dangerous transmissible disease...impractical or impossible, the department shall have the power to establish and enforce quarantines of any such infected, exposed, contaminated, suspected or susceptible domestic animal. In addition, to the afore-described domestic animals, a quarantine may apply to any goods, products, facilities, containers, vehicles or materials that may carry dangerous transmissible disease...and may be applied on or in or against any premises, area or locality as defined in this chapter.” (3 Pa.C.S.A. § 2329(a)).

#### *Order.*

With the foregoing recitals incorporated into this Order by reference, the Pennsylvania Department of Agriculture under authority of the Domestic Animal Law, at 3 Pa.C.S.A. § 2329(d) and § 1702 of the Administrative Code of 1929 (71 P.S. § 442), hereby establishes a General Order of Quarantine (Quarantine Order) related to the dangerous transmissible disease Equine Infectious Anemia and with respect to health requirements for equids in the Commonwealth of Pennsylvania. Compliance and assurance of compliance with the provisions and terms of this Quarantine Order shall be the responsibility of all persons, individuals, businesses, and entities subject to its terms. It shall be unlawful for any person to violate any provision or term of this Quarantine Order or any other standards established at section 2329(f) (related to violations of quarantine) of the Domestic Animal Law (3 Pa.C.S.A. § 2329(f)). The terms of this Quarantine Order are as follows:

I. *Quarantine Area.* This Quarantine Order is applicable to the entire Commonwealth of Pennsylvania.

II. *Definitions.*

*AGID*—Agar gel immunodiffusion (AGID) test.

*Category II Accredited Veterinarian*—A veterinarian approved by the USDA Administrator in accordance with the provisions of 9 CFR § 161 (Requirements and Standards for Accredited Veterinarians and Suspension or Revocation of Such Accreditation) to perform functions specified in 9 CFR for Category II animals (food and fiber animal species; horses; birds; farm-raised aquatic animals; all other livestock species; and zoo animals that can transmit exotic animal diseases to livestock).

*ELISA*—Enzyme-linked immunosorbent assay.

*Equid*—A mammal of the horse family (Equidae), which includes horses, zebras, asses, and mules.

*Equine*—A horse or other member of the family Equid.

*Exhibition*—A show or display of animals, including competitions such as rodeos and racing.

III. *General Provisions.*

a. No equid shall be exhibited, shown, sold, exchanged, transferred, leased, bartered or given away unless such animal has been test-negative on an EIA AGID test or ELISA test within the 12 months prior to such exhibition, show, transfer of ownership, or lease and the animal is accompanied by the final laboratory report. Samples must be collected by a Category II Accredited Veterinarian and testing must be completed at a USDA-approved laboratory.

b. A foal under six (6) months of age is exempt from the EIA test requirement if the foal accompanies the test-negative dam.

c. A foal exhibited, shown, sold, exchanged, transferred, bartered or given away to a new owner in the Commonwealth that is not accompanied by its test-negative dam shall be required to have an individual negative EIA AGID test or ELISA test.

d. Any equid found in the Commonwealth of Pennsylvania which violates any of the provisions in this Quarantine Order shall be returned to the premises of origin until all EIA testing requirements are met. If the equid cannot be returned to the premises of origin, it shall be quarantined at a location chosen by the Department.

e. All test reports required under this Quarantine Order shall contain all of the following:

- i. The date of sample collection for the EIA test.
- ii. The type of test completed.
- iii. The date of final laboratory report for the EIA test.
- iv. The laboratory accession number for the EIA test.
- v. The name of the testing laboratory.
- vi. The name of Category II veterinarian who collected the sample.
- vii. The name and description of the equid.
- viii. The official ID of the equid, if applicable.
- ix. The address of the location where the sample was collected.

f. Testing records shall be maintained by the current owner for a minimum of one year and shall be made available to the Department upon request.

g. *Criminal and civil penalties.* The Department may impose those criminal and civil penalties specifically established at section 2383 of the Domestic Animal Law (3 Pa.C.S.A. §§ 2383) for any violation of the provisions of this Quarantine Order.

h. *Civil remedy.* In addition to any other action or remedy sought, the Department may seek any civil remedy, as specifically established at section 2386 of the Domestic Animal Law (3 Pa.C.S.A. § 2386), for any violation of the terms and provisions of this Quarantine Order.

i. This Quarantine Order shall not be construed as limiting the Department's authority to establish additional requirements for equids in or entering the Commonwealth of Pennsylvania or to limit any authority the Department possesses under the Domestic Animal Law or any other Act or Law administered by the Department.

j. This Quarantine Order is effective immediately upon publication in the *Pennsylvania Bulletin*.

k. *Contact information.* Questions regarding this General Quarantine Order may be directed to the Commonwealth of Pennsylvania Department of Agriculture Bureau of Animal Health, 2301 North Cameron Street, Harrisburg, PA 17110 or by telephone at 717-772-2852, or email at RA-ahds@pa.gov.

RUSSELL REDDING,  
*Secretary*

[Pa.B. Doc. No. 24-983. Filed for public inspection July 12, 2024, 9:00 a.m.]

## DEPARTMENT OF AGRICULTURE

### Interstate Quarantine Order; Equine Infectious Anemia

#### *Recitals.*

A. Equine Infectious Anemia (EIA) is a designated "dangerous transmissible disease" of animals under the provisions in the Domestic Animal Law (3 Pa.C.S.A. §§ 2301—2389), at 3 Pa.C.S.A. § 2321(a)(21) and is defined as an infectious disease of equines caused by a virus.

B. EIA is a noncontagious, infectious disease of equids caused by a RNA virus classified in the *Lentivirus* genus, family Retroviridae. It may also be known as Swamp Fever. Infected animals may exhibit a variety of clinical manifestations from the subclinical case to animals exhibiting signs including fever, depression, muscle weakness, thrombocytopenia, anemia, jaundice, tachycardia, mucous membrane hemorrhages, epistaxis, and collapse. Infection may lead to death. Diagnosis of EIA is based on serologic testing and demonstration of antibodies to the virus in blood.

C. There is no specific treatment for infected animals and there is no vaccine to prevent infection.

D. EIA has been identified throughout most of the world.

E. All equids infected with EIA virus remain lifelong carriers, and infected animals are usually euthanized.

F. EIA is a regulated disease and the only alternative to euthanasia is permanent isolation through official quarantine of the infected animal, at a distance of at least 200 yards from all other equids.

G. The EIA virus is transmitted predominately via the transfer of blood from infected animals by blood-feeding flying insects such as mosquitoes and flies between equids. However, all tissues and body fluids should be regarded as potentially infectious, especially during febrile episodes in the infected animal. Foals may be infected in utero. Iatrogenic transmission is also an important method of transmission, through the use of syringes and needles, surgical instruments, dental equipment, and IV sets contaminated with blood from an infected animal, and through transfusion of infective blood or blood products.

H. EIA is of concern to the entire Commonwealth of Pennsylvania (Commonwealth) equine industry. Based on a 2017 survey report by the American Horse Council, the Commonwealth was ranked eighth in the total number of horses in the United States, with a total of over 223,000 horses at the time of the survey. In addition to recreational horse activities, the Commonwealth has a large Thoroughbred and Standardbred racing industry.

I. The agar gel immunodiffusion (AGID) test is the primary official laboratory test for diagnosis of EIA in which precipitates are formed by interaction of EIA antigens and antibodies that diffuse through gel. AGID is the most widely accepted procedure for the diagnosis of EIA and may be referred to as the "Coggins" test. Results are recorded as either positive or negative.

J. The enzyme-linked immunoassay (ELISA) test is an official test for the diagnosis of EIA and detects antibodies against one or more antigens of the EIA virus. Results of ELISA tests can be obtained within a few hours, compared to the 24 hours minimum required with the AGID test. The ELISA test is considered a screening test and a higher number of false-positive results are expected with ELISA tests than with AGID tests. ELISA test results are recorded as either positive or negative and samples with positive tests must be subsequently tested using the AGID test.

K. There are currently no USDA FSIS-inspected equid slaughter plants in the United States. There are no slaughter channels in Pennsylvania for equids.

L. The Department, under the edicts established by section 2327 (relating to disease surveillance and detection) of the Domestic Animal Law (3 Pa.C.S.A. § 2327), has the authority and duty to carry out disease surveillance and detection and more specifically to regularly monitor the domestic animal population of this Commonwealth to determine the prevalence and incidence of transmissible diseases or contamination by hazardous substances.

M. The Department, under the provisions set forth at section 2329 of the Domestic Animal Law (3 Pa.C.S.A. § 2329) (relating to quarantine) has the authority to establish three different types of quarantine orders—Interstate and International, General, and Special.

N. The Department may establish a Quarantine Order, "Whenever a dangerous transmissible disease...exists anywhere within or outside of this Commonwealth, or whenever it is deemed advisable to test or treat any domestic animal upon the reasonable suspicion that it has contracted or been exposed to a dangerous transmissible disease...or whenever the testing or treatment of a domestic animal indicates that the domestic animal has been exposed to a dangerous transmissible disease...so as to render future accurate testing for recent exposure of that domestic animal to that dangerous transmissible disease...impractical or impossible, the department shall

have the power to establish and enforce quarantines of any such infected, exposed, contaminated, suspected or susceptible domestic animal. In addition, to the afore-described domestic animals, a quarantine may apply to any goods, products, facilities, containers, vehicles or materials that may carry dangerous transmissible disease...and may be applied on or in or against any premises, area or locality as defined in this chapter." (3 Pa.C.S.A. § 2329(a)).

#### Order.

With the foregoing recitals incorporated into this Order by reference, the Pennsylvania Department of Agriculture under authority of the Domestic Animal Law, at 3 Pa.C.S.A. § 2329(c) and § 1702 of the Administrative Code of 1929 (71 P.S. § 442), hereby establishes an Interstate Order of Quarantine (Quarantine Order) related to the dangerous transmissible disease Equine Infectious Anemia and with respect to health requirements for equids entering the Commonwealth of Pennsylvania. Compliance and assurance of compliance with the provisions and terms of this Quarantine Order shall be the responsibility of all persons, individuals, businesses, and entities subject to its terms. It shall be unlawful for any person to violate any provision or term of this Quarantine Order or any other standards established at section 2329(f) (related to violations of quarantine) of the Domestic Animal Law (3 Pa.C.S.A. § 2329(f)). The terms of this Quarantine Order are as follows:

I. *Quarantine Area.* This Quarantine Order is applicable to all States, Commonwealths and Territories of the United States of America.

#### II. Definitions.

*AGID*—Agar gel immunodiffusion (AGID) test.

*Category II Accredited Veterinarian*—A veterinarian approved by the USDA Administrator in accordance with the provisions of 9 CFR § 161 (Requirements and Standards for Accredited Veterinarians and Suspension or Revocation of Such Accreditation) to perform functions specified in 9 CFR for Category II animals (food and fiber animal species; horses; birds; farm-raised aquatic animals; all other livestock species; and zoo animals that can transmit exotic animal diseases to livestock).

*ELISA*—Enzyme-linked immunosorbent assay.

*Equid*—A mammal of the horse family (Equidae), which includes horses, zebras, asses, and mules.

*Equine*—A horse or other member of the family Equid.

*Exhibition*—A show or display of animals, including competitions such as rodeos and racing.

*Interstate Health Certificate or Certificate of Veterinary Inspection (ICVI)*—A legible official document, made on a form issued by the chief livestock health official of the state of origin or the United States Department of Agriculture, prepared by an accredited veterinarian of the state of origin certifying the health of the animal described therein, and validated by the chief livestock health official of the state of origin.

#### III. General Provisions.

a. All equids being brought into the Commonwealth shall be accompanied by a valid ICVI, issued within the 30 days prior to the date of arrival in the Commonwealth.

b. All equids being brought into the Commonwealth shall be accompanied by a valid report of a negative EIA AGID or ELISA test performed within the 12 months prior to entry into the Commonwealth, with the exception

of those included under III. g. and equids being transported through the Commonwealth without unloading.

c. Testing must be completed at a USDA-approved laboratory.

d. The ICVI shall specify the following:

- i. The date of sample collection for the EIA test.
- ii. The date of final laboratory report for the EIA test.
- iii. The laboratory accession number for the EIA test.
- iv. The name of the testing laboratory.

e. All test reports required under this Quarantine Order shall contain all of the following:

- i. The date of sample collection for the EIA test.
- ii. The type of test completed.
- iii. The date of final laboratory report for the EIA test.
- iv. The laboratory accession number for the EIA test.
- v. The name of the testing laboratory.
- vi. The name of the Category II veterinarian who collected the sample.
- vii. The name and description of the equid.
- viii. The official ID of the equid, if applicable.
- ix. The address of the location where the sample was collected.

f. Testing records shall be maintained by the current owner for a minimum of one year and shall be made available to the Department upon request.

g. A foal under six (6) months of age is exempt from the EIA test requirement if the foal accompanies the test-negative dam. The foal shall be included on the ICVI provided for the dam. A foal travelling into the Commonwealth for any purpose that is not accompanied by its test-negative dam shall be required to have an individual ICVI and negative EIA test in accordance with III. a. and III. b. above.

h. All equids being brought into the Commonwealth shall meet all other import requirements established under the Department's regulations at Title 7 of the *Pennsylvania Code* (accessible through the following web site address: [www.pacode.com](http://www.pacode.com)), the 2010 Interstate Quarantine Order; Equine Piroplasmiasis (40 Pa.B. 3966), and the 2004 Interstate/International Quarantine Order; Vesicular Stomatitis (34 Pa.B. 3729).

i. Any out of state equid found in the Commonwealth of Pennsylvania, which violates any of the provisions in this Quarantine Order shall be returned to the State, Commonwealth or Territory of origin and shall not be allowed access to the Commonwealth for any purpose including but not limited to exhibition, show, sale, lease, barter, exchange, or transfer through commerce, until the animal meets the import requirements of this Commonwealth. If the equid cannot immediately be returned to the state of origin, the Department shall be notified, and it shall be quarantined at a Department-approved quarantine facility until all import requirements are met or the animal is euthanized. Both of the foregoing options are at the owner's expense.

j. In addition to the other provisions of this Quarantine Order, a permit issued by the Department is required before importing equids from a State, Commonwealth, or Territory wherein a State or Federal quarantine is invoked to prevent the spread of a contagious or infectious disease of equids.

k. *Criminal and civil penalties.* The Department may impose those criminal and civil penalties specifically established at section 2383 of the Domestic Animal Law (3 Pa.C.S.A. § 2383) for any violation of the provisions of this Quarantine Order.

l. *Civil remedy.* In addition to any other action or remedy sought, the Department may seek any civil remedy, as specifically established at section 2386 of the Domestic Animal Law (3 Pa.C.S.A. § 2386), for any violation of the provisions of this Quarantine Order.

m. This Quarantine Order shall not be construed as limiting the Department's authority to establish additional requirements for equids entering the Commonwealth of Pennsylvania or to limit any authority the Department possesses under the Domestic Animal Law or any other Act or Law administered by the Department.

n. This Quarantine Order is effective immediately upon publication in the *Pennsylvania Bulletin*.

o. *Contact information.* Questions regarding this Interstate Quarantine Order may be directed to the Commonwealth of Pennsylvania Department of Agriculture Bureau of Animal Health, 2301 North Cameron Street, Harrisburg, PA 17110 or by telephone at 717-772-2852, or email at RA-ahds@pa.gov.

RUSSELL REDDING,  
Secretary

[Pa.B. Doc. No. 24-984. Filed for public inspection July 12, 2024, 9:00 a.m.]

## DEPARTMENT OF AGRICULTURE

### Order of Quarantine; Box Tree Moth

#### *Recitals.*

A. The Box Tree Moth, *Cydalima perspectalis*, is a new plant pest to the United States. This is a destructive insect to plants in the *Buxus* genus and not widely prevalent or distributed within or throughout the Commonwealth or the United States. This plant pest has been declared an actionable regulatory pest by the United States Department of Agriculture.

B. The Plant Pest Act (act of December 16, 1992, P.L. 1228, No. 162) (3 P.S. §§ 258.1—258.27) (Act) empowers the Pennsylvania Department of Agriculture (Department) to take various measures to detect, contain and eradicate plant pests. These powers include the authority, under Section 258.21 of the Act, to establish quarantines to prevent the spread of plant pests within this Commonwealth and to prevent or delay the introduction of the pest into the Commonwealth from any country, state, or territory. (3 P.S. § 258.21).

C. Under the authority of Section 258.20 of the Act (related to pests declared public nuisance), (3 P.S. § 258.20), the Department may declare a plant pest to be a public nuisance when it determines a plant pest to be dangerous or destructive to the agriculture, horticulture, or forests of this Commonwealth. For the reasons set forth in Paragraph A above, the Department declares Box Tree Moth, *Cydalima perspectalis*, to be a public nuisance.

D. Once a plant pest is declared a nuisance, "It shall be unlawful for any person knowingly to permit any plant pest so declared to exist on his premises or to sell, offer

for sale, give away or move any plants, plant products or other material capable of harboring the pest.” (3 P.S. § 258.20).

E. Under the authority of Section 258.16 of the Act (related to notice of receipt of uncertified stock) the Department requires notification of nursery stock transported into this Commonwealth without a valid certificate of inspection issued by the proper out-of-state agency. “When nursery stock is transported in this Commonwealth without a valid certificate of inspection issued by the proper out-of-state authority, the persons receiving the nursery stock must notify the department immediately. The nursery stock must be returned to the consignor or shipper or held for inspection as determined by the department.” (3 P.S. § 258.16).

F. Where the Department suspects, detects or confirms Box Tree Moth, *Cydalima perspectalis*, the property, facility, premises, place, or area, along with any vehicle or means of conveyance, where it is suspected, detected, or confirmed shall be subject to this Order of Quarantine. (3 P.S. § 258.21).

#### Definitions.

*Associated equipment and materials.* Articles associated with production, movement, and sales, such as and including tractors, wagons, trucks, stands, benches, pots and containers, packing and transport materials.

*Compost products.* A mixture that consists largely of decayed organic matter and is used for fertilizing and conditioning land or landscaping and ornamental reasons, including chipped, dead, or decomposed nursery stock, chipped plant materials, soil, leaves, mulch or any combination thereof.

*Landscape.* To modify or ornament (a piece of land or natural landscape) by altering the plant cover including adding living or dead plants or plant parts or compost products or any combination thereof.

*Nursery.* A greenhouse, grounds, or premises on or in which nursery stock is propagated or grown for sale or distribution, including any grounds or premises on or in which nursery stock is being fumigated, treated, packed, stored or otherwise prepared or offered for sale or movement to other localities. (3 P.S. § 258.2).

*Nursery production.* The process of growing plants under intensive management for use in another location.

*Nursery stock.* All trees, shrubs, brambles, woody vines, woody florist stock, herbaceous perennials, vegetable plants, bedding and other annual herbaceous plants, their roots, cuttings, grafts, scions, buds, fruit pits, seeds and their parts for propagation, except bulbs, field crop seeds, vegetable seeds, flower seeds, regardless of where the material may have been grown or is growing. (3 P.S. § 258.2).

*Out-of-state agency.* A department, agency or authority, outside of the Commonwealth of Pennsylvania with the authority to regulate plant pests such as the Box Tree Moth, *Cydalima perspectalis*, or *Buxus* (*sp.*) within its state, territory, jurisdiction or commonwealth.

*Systems approach.* The application of multiple pest management measures, at least two of which act independently but with cumulative effect, to reach the appropriate level of phytosanitary protection for prevention of pest development and movement. A pest management plan developed using a Systems Approach will address critical control points which include but are not limited to:

inspection of new plants, isolation, training, record keeping, survey, sanitation, shipping and returns.

*Waste.* Includes any material, compost product, nursery stock, landscape material, surplus substance or item that does not function or is no longer required for production or cannot be utilized for a job or intended purpose, including the inefficient or inappropriate use of such materials, products and substances and all associated materials, including pots and containers, packing and transport materials.

#### Order

Under authority of Section 258.21 of the Act (3 P.S. § 258.21), and with the Recitals and Definitions previously listed incorporated into this Order of Quarantine by reference as though set forth in full, the Department orders the following:

1. *Establishment of quarantine on any property, facility, premises, place or area where Box Tree Moth, Cydalima perspectalis, is confirmed.* The Department will establish a quarantine and define the area of quarantine in a manner to prevent movement of material which has been exposed to, confirmed to harbor life stages of, or may be a carrier for, Box Tree Moth, *Cydalima perspectalis*, in any life stage. Quarantine boundaries will be established after an investigation and surveillance to determine the existence, distribution, exposure to, and severity of damage caused by, the Box Tree Moth, *Cydalima perspectalis*. An external quarantine is established by this Order of Quarantine to prevent further movement of Box Tree Moth, *Cydalima perspectalis*, into the Commonwealth.

2. *Quarantine areas may be established by the Department based on any of the following:*

(a) Confirmation of the plant pest at any in-state or out-of-state location, property, facility, nursery, premises, place, or area.

(b) Confirmation of the plant pest in any delivery of a host plant or potential host plant to a location, property, facility, nursery, premises, place, or area in the Commonwealth.

(c) Locations, properties, facilities, premises, places, or areas receiving shipments of host plants from a vendor, nursery or person known to have shipped contaminated plants to other locations.

(d) Confirmation of the plant pest at any out-of-state vendor, supplier, nursery, location, premises, facility, or place that delivers plant or plant products, nursery stock, host plants or potential host plants or host crops or potential host crops into the Commonwealth.

(e) Trace forward and trace back results indicating locations, properties, facilities, premises, places, or areas where cross contamination of host plants, occurred, or could have occurred.

(f) Nurseries, retailers, wholesalers, suppliers, or persons receiving plants, which may have multiple locations, properties, facilities, premises, places, or areas within the Commonwealth, where there is evidence of exposure to a shared plant production source, a motor vehicle, carrier, container, or other vessel that carried a host plant or was exposed to a contaminated host plant or other source of the plant pest.

(g) Locations, nurseries, retailers, wholesalers, suppliers, properties, facilities, premises, places, or areas where there is evidence of exposure to a motor vehicle, carrier,

container, or other vessel that carried a host plant or was exposed to a contaminated host plant or other source of the plant pest.

3. *Regulated articles and limitations imposed.* The plant pest established by this Order of Quarantine—Box Tree Moth, *Cydalima perspectalis*, along with any nursery stock, plant, crop, associated equipment and materials, or object that may carry, host, harbor, serve as a reservoir for or spread the plant pest, are considered regulated articles under this Order of Quarantine and may not be moved out of the quarantined area or transported into or within this Commonwealth, unless done in accordance with the applicable requirements of Paragraphs 4, 5 and 6 of this Order of Quarantine. The following non-exhaustive list of items are considered associated equipment and materials that may carry the Box Tree Moth, *Cydalima perspectalis*:

(a) Any living life stage of the Box Tree Moth, *Cydalima perspectalis*.

(b) All plants and plant parts. This shall include, but is not limited to, all living, dead, infected, or non-infected nursery stock, budwood, scionwood, and produce and other material living, dead, cut, fallen including stumps, roots, branches, mulch, and composted and uncomposted chips.

(c) Brush, debris, bark, or yard waste.

(d) Landscaping, nursery, greenhouse and plant wholesale and retail waste.

(e) Leaves, and branches of infected or exposed *Buxus* genus.

(f) Any other associated equipment and materials or means of conveyance when it is determined by an authorized Department or out-of-state agency inspector or through phytosanitary or other means of Department or out-of-state agency approved inspection to present a risk of spread of Box Tree Moth, *Cydalima perspectalis*, in any life stage and is in or has been in proximity to such articles and articles presenting a high risk of artificial spread.

4. *External quarantine: Buxus (sp.)* nursery stock, plants, plant material, regulated articles and waste originating outside of the Commonwealth shall only be imported if: the originating out-of-state agency has conducted a phytosanitary or other inspection meeting the requirements of movement into this Commonwealth, or has entered into a compliance agreement, which meets the standards for movement into this Commonwealth, with the person shipping the regulated article. The out-of-state agency with authority to regulate *Buxus (sp.)* plant material shall verify and attest that all the following criteria are met:

(a) The regulated article will be moved in compliance with the provisions of this Order of Quarantine and any additional emergency conditions that the Department may impose under the Act in order to prevent the artificial spread of Box Tree Moth, *Cydalima perspectalis*.

(b) The regulated article, through the required inspection set forth in this Order of Quarantine, has been determined to be free of Box Tree Moth, *Cydalima perspectalis*, based on inspection.

(c) The regulated article has been grown, produced, manufactured, or stored in compliance with an out-of-state agency approved systems approach and safeguarded in a manner that, in the judgment of the Department and the out-of-state agency with regulatory authority, pre-

vents the regulated article from presenting a risk of spreading Box Tree Moth, *Cydalima perspectalis*, as suggested by the USDA Federal Order on Box Tree Moth.

(d) All shipments of *Buxus (sp.)* shipped into this Commonwealth must be accompanied by a state Phytosanitary Certificate or shipping certificate which states: "These plants were grown, produced, and shipped to meet conditions specified and are not known to have Box Tree Moth, *Cydalima perspectalis*."

5. *Documentation to accompany Buxus (sp.) in movement from a quarantined area.* If a regulated article(s), delineated in Paragraph 3, above is to be moved outside of the quarantined area, the regulated article(s) must meet the following standards:

(a) Be plainly marked with the name and address of the consignor and any person utilized in processing the *Buxus (sp.)* for movement, and the name and address of the consignee.

(b) Movement shall only be done under a Department-issued and out-of-state agency with regulatory authority, and fully executed compliance agreement.

(c) A copy of a Department and out-of-state agency with regulatory authority-issued shipping certificate shall be securely attached to each regulated article itself or the container carrying each *Buxus (sp.)*.

(d) A copy of a Department and out-of-state agency with regulatory authority-issued shipping certificate shall be attached to the consignee's copy of the accompanying waybill at all times during movement.

(e) The description on the Department and out-of-state agency with regulatory authority-issued shipping certificate, and on the waybill, shall contain detailed information sufficient to identify each *Buxus (sp.)*.

(f) The consignor shall be responsible for compliance with the documentation standards set forth in this Order of Quarantine and shall assure the carrier furnishes the Department and out-of-state agency with regulatory authority-issued shipping certificate authorizing the movement of the regulated article(s) to the consignee at the destination of the shipment.

(g) The consignor shall be responsible for and issue pre-notification of *Buxus (sp.)* shipments to consignees following the receiving states requirements.

(h) The consignor shall pre-notify the consignee's out-of-state agency as determined by the receiving state.

(i) The consignor, carrier and the consignee shall keep a copy of the Department issued shipping certificate.

(j) All records shall be maintained by the consignee, consignor and carrier for a period of two (2) years.

(k) Such records shall be made available to the Department for inspection upon request.

#### 6. *Compliance agreements.*

(a) In-state: The Department may enter into a compliance agreement with a person within this Commonwealth if:

(i) The person demonstrates an understanding of the requirements of this Order of Quarantine.

(ii) The person provides evidence that satisfies the Department that the person is capable of issuing shipping certificates in accordance with the requirements of this Order of Quarantine.

(b) Out-of-state: For allowance of out-of-state shipments, the Department will:

(i) Consider valid attestations and signed documentation of an inspection from an originating out-of-state agency that possesses regulatory authority regarding *Buxus (sp.)* and the regulated article as set forth in the Order of Quarantine.

(ii) The Department will honor a compliance agreement established by the originating out-of-state agency, so long as the compliance agreement contains terms consistent with the requirements established by the Department for interstate movement of regulated articles, and those set forth in this Order of Quarantine.

(c) Shipping certificate forms. The Department may, at its sole discretion, provide shipping certificates to, or authorize reproduction of the shipping certificates by, a person operating under a compliance agreement established in accordance with this paragraph, in the following instances:

(i) Where issued the shipping certificates may be completed and used for the movement of *Buxus (sp.)* and regulated articles that meet all the requirements of this Order of Quarantine and the compliance agreement.

(ii) Originals of each shipping certificate issued by a person operating under a compliance agreement shall be kept by that person for a period of two (2) years and shall be made available to the Department for inspection upon request.

7. *Cancellation of a shipping certificate or compliance agreement.* A compliance agreement or shipping certificate authorization, or both, may be terminated, in writing, by the Department whenever the Department determines that the holder of the compliance agreement or shipping certificate authorization, or both, has not complied with a provision of the Act, the Act's attendant regulations, this Order of Quarantine or the compliance agreement or shipping certificate. Termination shall become effective immediately upon receipt of the written termination. Upon termination, all remaining shipping certificates shall be destroyed and use of any shipping certificate by the person whose compliance agreement has been terminated shall be considered a violation of this Order of Quarantine and subject to all potential enforcement actions as set forth in the Act, the Act's attendant regulations, or this Order of Quarantine.

8. *Federal requirements for interstate movement of articles.* This Order of Quarantine is distinct from, and in addition to, any Federal statute, regulation or quarantine order addressing the movement of *Buxus (sp.)* and regulated articles from, to or within a quarantined area.

9. *Contacting the Department.* A person seeking information about the requirements of this Order of Quarantine, or a limited permit or certificate for movement of a regulated article(s), or a compliance agreement for intrastate movement of *Buxus (sp.)* or regulated article(s) shall contact the Department by mail at: Pennsylvania Department of Agriculture, Bureau of Plant Industry, Attention: Sarah Gettys, 2301 North Cameron Street, Harrisburg, PA 17110-9408, or via email at: sgettys@pa.gov.

10. *Violations.* In accordance with the provisions of Section 258.22 of the Act (3 P.S. § 258.22), it shall be unlawful to violate or fail to comply with any provision of the Act, regulations, or this Order of Quarantine. Failure to abide by the terms of this Order of Quarantine may result in the following:

(a) If the regulated article is determined to be positive for Box Tree Moth, *Cydalima perspectalis*, all *Buxus (sp.)* plants, plant materials, nursery stock, regulated articles and waste from *Buxus (sp.)* which are infected, may be infected or have been exposed, are subject to destruction as determined by the Department with the violator responsible for payment of the cost of destruction.

(b) The premises, area, building, vehicle, container, or article where the *Buxus (sp.)* plants, plant materials, nursery stock, regulated articles, and waste from where *Buxus (sp.)* was located, stored, produced, maintained or had contact with shall be subject to Department-approved methods of sanitation.

(c) When a person is determined by the Department to be a source of Box Tree Moth, *Cydalima perspectalis*, that person will be suspended from sending *Buxus (sp.)* to any address within the Commonwealth until such time as the following standards are met and are verified by the Department:

(i) The person shall produce *Buxus (sp.)* utilizing a state certification process which incorporates a systems approach for pest mitigation for pests such as Box Tree Moth, *Cydalima perspectalis*.

(ii) The person shall utilize suppliers or nurseries of *Buxus (sp.)* that have been officially inspected and licensed by an out-of-state agency.

(iii) *Buxus (sp.)* on any premise owned, leased, managed, or controlled by the person shall be held for 10 days in isolation from other *Buxus (sp.)* and subject to inspection and release by the appropriate out-of-state agency prior to movement.

(iv) *Buxus (sp.)* purchased by the person from a regulated area shall be held for 10 days in isolation from other *Buxus (sp.)* currently on any premise owned, leased, managed, or controlled by the person and subject to inspection and release by the appropriate out-of-state agency prior to movement.

(v) All conveyances, containers, boxes, and articles in contact with or utilized in transport of shall be maintained and sanitized in a manner to prevent the movement of Box Tree Moth, *Cydalima perspectalis*.

(vi) The *Buxus (sp.)* shall not be combined or commingled with other *Buxus (sp.)* so as to lose its individual identity during production, maintaining, shipping or display.

(vii) The person, for a minimum of one (1) year after meeting the standards established under this subsection, shall notify the Department at plant@pa.gov of all shipments of *Buxus (sp.)* prior to shipment of the plant material to its destination.

11. *Dealer; wholesale or retail nursery or other facility.* A dealer, wholesale nursery or facility, retail nursery or facility or other facility that does not produce *Buxus (sp.)* material and has been found positive for Box Tree Moth, *Cydalima perspectalis*, shall do the following:

(a) Enter into a Clean Boxwood Program for non-producers with the Department.

(b) Notify the Department of all incoming *Buxus (sp.)* prior to receipt of the plant material for a minimum of one (1) year at plant@pa.gov.

12. *Criminal and Civil Penalties.* In accordance with the provisions of Sections 258.23 and 258.24 of the Act (3 P.S. §§ 258.23 and 258.24), a person who violates this Order of Quarantine may face summary criminal prosecution carrying up to 90 days imprisonment and a fine of up

to \$300 with respect to each violation. In addition, a person who violates this Order of Quarantine may be assessed a civil penalty of up to \$20,000 with respect to each violation.

13. *Cooperation with other agencies.* As authorized by Section 258.26 of the Act (3 P.S. § 258.26), the Department may cooperate and enter into agreements with any individual, organization or Federal, State or county agency for the purpose of implementing the provisions of the Act. This may include cooperation with respect to the most efficacious measures to survey for and detect Box Tree Moth, *Cydalima perspectalis*, to slow the spread or eradicate these plant pests.

RUSSELL REDDING,  
Secretary

[Pa.B. Doc. No. 24-985. Filed for public inspection July 12, 2024, 9:00 a.m.]

## DEPARTMENT OF AGRICULTURE

### Program Requirements for the Urban Agricultural Infrastructure Grant Program

The Department of Agriculture (Department) provides notice of the standards and requirements for the Urban Agricultural Infrastructure Grant Program (Program).

The Program is established under authority of 3 Pa.C.S. §§ 10702—10705 (relating to Urban Agricultural Infrastructure Grant Program), referred to as the Urban Agricultural Infrastructure Grant Program Act (act). The Program allows the Department to award reimbursement grants for certain eligible projects to improve urban agricultural infrastructure in an urban area, improve or facilitate the aggregation of agricultural products in an urban area, entail the sharing of resources among urban agricultural entities or community organizations and support community development in the project area.

This notice establishes the procedures by which grant applications will be solicited, reviewed and by which grants will be awarded, drawing on funding available in Fiscal Year (FY) 2024-2025. The Department intends to make no less than \$500,000 available for grants under the Program.

1. *Program Objective.* The Program's objective is to provide grants to reimburse some portion of the costs of implementing projects that improve agriculture infrastructure in urban areas and that focus on aggregation of agricultural products, sharing of resources and support for community development resources.

2. *Definitions.* The following words and phrases apply to the Program:

*Department.* The Department of Agriculture of the Commonwealth

*Eligible project.* A project that the Department determines does one or more of the following:

- Improves agricultural infrastructure in an urban area.
- Improves or facilitates the aggregation of agricultural products in an urban area.
- Entails the sharing of resources among urban agricultural operations, agricultural producers or community organizations.

d. Supports community or economic development in the project area.

*Person.* An individual, partnership, association, firm, corporation, cooperatives or any other legal entity.

*Program.* The Urban Agricultural Infrastructure Grant Program.

*Secretary.* The Secretary of the Department.

*Urban municipality.* A municipality with a population density equal to or greater than 291 persons per square mile and a total population equal to or greater than 2,500, or a municipality in which more than 50% of the population lives in an urbanized area, as defined by the United States Census Bureau. A listing of urban municipalities can be found on the Center for Rural Pennsylvania's list of municipalities, currently found at <https://www.rural.pa.gov/download.cfm?file=Resources/PDFs/data/List%20of%20Municipalities%20web%202022.xlsx>.

3. *Reimbursement Grant Program.* Program grants shall be reimbursement grants. The following shall apply:

a. The amount of a grant is based on actual eligible costs submitted by an approved applicant for an approved project.

b. Grant money shall not exceed 85% of the costs of an eligible project.

c. Grant money shall not be used to reimburse any portion of an in-kind contribution to an eligible project.

d. Grant money may not be used to pay or reimburse wages or salaries of grant recipient staff.

e. Grant money may not be used to reimburse any portion of the project costs which are being paid or reimbursed under another Federal or State grant program.

f. A single applicant may not be awarded more than \$100,000 in grants in any 5-year period, calculated from the date the Department awards the grant.

g. Grants will only be offered to the extent that funding is made available to the Department. In the event funding is exhausted or otherwise unavailable, the Department will be under no obligation to provide grants. Grant money may be prorated or offered as a percentage of actual costs, as determined by the Department, and set forth in an order by the Secretary, to spread available money to a larger number of eligible applicants.

4. *Eligibility.* A person may apply to the Department for a grant for an eligible project in an urban municipality under the Program.

5. *Grant Types.* An applicant for a grant under the Program shall specify whether the applicant seeks a Microgrant or a Collaboration Grant.

a. A Microgrant shall be awarded for a one-time project or to a single entity applicant. The maximum amount of a Microgrant shall be the lesser of \$2,500 or 85% of project costs. No more than \$50,000 of available funds in FY 2023-2024 shall be used for microgrants.

b. A Collaboration Grant shall be awarded for an eligible project (as defined in paragraph No. 2) for which a Microgrant is not sought. An application for a Collaboration Grant may be submitted by multiple partners on a single project. The maximum amount of a Collaboration Grant shall be the lesser of \$50,000 or 85% of project costs.



6. *Application Procedure.*

a. *Online Applications Only.* An application for a grant under the Program shall be submitted through the Commonwealth's Single Application for Assistance online application system at [www.esa.dced.state.pa.us](http://www.esa.dced.state.pa.us).

b. *Application Window.* Applications must be submitted through the Single Application for Assistance online application system between 8 a.m. on Monday, July 22, 2024, and 5 p.m. on Friday, September 6, 2024. Applications received outside of that application window will not be considered or reviewed.

c. *Application Requirements.* An application for a grant under the Program shall contain the following information:

i. The applicant's name, business address and contact information.

ii. A statement as to whether the applicant seeks a Microgrant or a Collaboration Grant.

iii. The details of the project for which reimbursement grant money is sought, including the following:

A. A project budget.

B. A statement of the maximum amount of grant money sought for the project.

C. A project construction and implementation schedule.

D. A narrative identifying each entity that will assist in, participate in and benefit from the project.

iv. Separate descriptions of how the project would meet one or more of the following statutory requirements:

A. Improve agricultural infrastructure in an urban area.

B. Improve or facilitates the aggregation of agricultural products in an urban area.

C. Entail the sharing of resources among urban agricultural operations, agricultural producers or community organizations.

D. Support community or economic development in the project area.

v. An attestation signed by the applicant, verifying the accuracy of the information presented on the application.

7. *Disposition and Review of Grant Applications.* The Department will review each application, and supporting documentation submitted therewith, for completeness and accuracy. If an application is found to be incomplete or

inaccurate, the Department may request additional documentation and may discontinue further processing of the application until the requested information is received.

8. *Grant Agreement.* After the Secretary approves a grant application, and as a precondition to the Department's release of grant moneys to a successful applicant, the Department and the applicant will execute a written or electronic grant agreement which describes the terms and conditions subject to which the grant is made. The grant agreement will contain and conform to the requirements of this notice and will also contain any special terms and conditions as required by the Secretary. Among the terms of the grant agreement will be a requirement that the grant recipient provide the Department full and complete access to the records relating to the performance of the project and submit the information as the Department may require. Applicants who wish to view the full terms and conditions of the grant agreement in advance of submitting an application may contact the Department at the address set forth in section 9. Applicants who are unable to agree to the terms and conditions should not apply.

9. *Distribution of Grant Money.* As Program grants are reimbursement grants, the Department will not issue grant money until the successful applicant submits all of the following to the Department:

a. A verified statement that the eligible project has been completed or implemented.

b. A verified statement of the project completion date.

c. Photos of the completed or implemented project with a narrative explanation of each photo.

d. Bills and invoices demonstrating that expenses were incurred for which reimbursement grant funds are sought.

Documents submitted to the Department under this paragraph shall be directed to the Department of Agriculture, Attn: Agricultural Infrastructure Grant Program Coordinator, 2301 North Cameron Street, Harrisburg, PA 17110-9408.

10. *Additional Information.* Additional information may be obtained from the Department by contacting Morgan Sheffield, (717) 787-3568, [msheffield@pa.gov](mailto:msheffield@pa.gov).

RUSSELL REDDING,  
Secretary

[Pa.B. Doc. No. 24-986. Filed for public inspection July 12, 2024, 9:00 a.m.]

## DEPARTMENT OF BANKING AND SECURITIES

### Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending July 2, 2024.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, may file comments in writing with the Department, for Bank Supervision, by e-mail to [ra-bnbnksbmsnspspt@pa.gov](mailto:ra-bnbnksbmsnspspt@pa.gov) or for credit unions, by e-mail to [ra-bncusubmissions@pa.gov](mailto:ra-bncusubmissions@pa.gov) and trust companies, by e-mail to [ra-bntrustsuprvsninq@pa.gov](mailto:ra-bntrustsuprvsninq@pa.gov). Comments must be received no later than 30 days from the date that the notice regarding acceptance of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, for banks (717) 783-8240, or for credit unions or trust companies (717) 783-2253.

## NOTICES

## APPLICATIONS FOR COMMENT

## BANKING INSTITUTIONS

No activity.

## CREDIT UNIONS

No activity.

## OTHER APPLICATION ACTIVITY

## BANKING INSTITUTIONS

## Holding Company Acquisitions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Status</i>
07-01-2024	Orrstown Financial Services, Inc. Shippensburg Cumberland County	Effective
	Application for approval to acquire 100% of Codorus Valley Bancorp, Inc., York, and thereby indirectly acquire 100% of PeoplesBank, A Codorus Valley Company, York.	
07-01-2024	Peoples Financial Services Corp. Scranton Lackawanna County	Effective
	Application for approval to acquire 100% of FNCB Bancorp, Inc., Dunmore, and thereby indirectly acquire 100% of FNCB Bank, Dunmore.	

## Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Status</i>
07-01-2024	Orrstown Bank Shippensburg Cumberland County	Effective
	Application for approval to merge PeoplesBank, A Codorus Valley Company, York, with and into Orrstown Bank, Shippensburg.	
	Branch offices of PeoplesBank, A Codorus Valley Company, will become branch offices of Orrstown Bank including the former main office of PeoplesBank, A Codorus Valley Company, located at:	
	105-109 Leader Heights Road York York County	
07-01-2024	Peoples Security Bank and Trust Company Scranton Lackawanna County	Effective
	Application for approval to merge FNCB Bank, Dunmore, with and into Peoples Security Bank and Trust Company, Scranton.	
	Branch offices of FNCB Bank will become branch offices of Peoples Security Bank and Trust Company including the former main office of FNCB Bank located at:	
	100 South Blakely Street Dunmore Lackawanna County	

## Branch Applications

## De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Status</i>
06-26-2024	S & T Bank Indiana Indiana County	5817 Penn Avenue Pittsburgh Allegheny County	Accepted
07-01-2024	LINKBANK Camp Hill Cumberland County	900 Bestgate Road Annapolis Anne Arundel County, MD	Approved

**Branch Relocations**

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Status</i>
06-24-2024	Northwest Bank Warren Warren County	<i>To:</i> 3206 Sheridan Drive Amherst Erie County, NY (Temporary Facility)  <i>From:</i> 1531 Niagara Falls Boulevard Amherst Erie County, NY	Effective

**Branch Discontinuances**

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Status</i>
06-28-2024	First Commonwealth Bank Indiana Indiana County	105 Lancaster Avenue Devon Chester County	Closed
06-28-2024	First Commonwealth Bank Indiana Indiana County	2003 South Easton Road Suite 205 Doylestown Bucks County	Closed
06-28-2024	LINKBANK Camp Hill Cumberland County	12720 Ocean Gateway Suite 4 Ocean City Worcester County, MD	Closed
06-28-2024	LINKBANK Camp Hill Cumberland County	450 West Shamokin Street Trevorton Northumberland County	Closed
06-28-2024	LINKBANK Camp Hill Cumberland County	260 West Sunbury Street Minersville Schuylkill County	Closed

**CREDIT UNIONS**

No activity.

The Department's web site at [www.dobs.pa.gov](http://www.dobs.pa.gov) includes public notices for more recently filed applications.

WENDY S. SPICHER,  
*Secretary*

[Pa.B. Doc. No. 24-987. Filed for public inspection July 12, 2024, 9:00 a.m.]

## DEPARTMENT OF BANKING AND SECURITIES

### Maximum Lawful Rate of Interest for Residential Mortgages for the Month of August 2024

The Department of Banking and Securities (Department), under the authority contained in section 301 of the act of January 30, 1974 (P.L. 13, No. 6) (41 P.S. § 301), determines that the maximum lawful rate of interest for residential mortgages for the month of August 2024, is 7%.

The interest rate limitations under the Commonwealth's usury statute were pre-empted to a great extent by Federal law, the Depository Institutions Deregulation and Monetary Control Act of 1980 (Pub.L. No. 96-221). Further pre-emption was instituted with the signing of Pub.L. No. 96-399, which overrode State interest rate limitations on any individual who finances the sale or exchange of residential real property which the individual owns and which the individual occupies or has occupied as his principal residence.

Each month the Department is required by State law to compute and announce the ceiling rate on residential mortgages in this Commonwealth. This maximum rate is

determined by adding 2.50 percentage points to the yield rate on long-term government bonds as published by the Federal Reserve Board or the United States Treasury, or both. The latest yield rate on long-term government securities is 4.43 to which was added 2.50 percentage points for a total of 6.93 that by law is rounded off to the nearest quarter at 7%.

WENDY S. SPICHER,  
*Secretary*

[Pa.B. Doc. No. 24-988. Filed for public inspection July 12, 2024, 9:00 a.m.]

## DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES

### Conservation and Natural Resources Advisory Council Public Meeting

The Conservation and Natural Resources Advisory Council (Council) to the Department of Conservation and Natural Resources (Department) will hold a public meeting on July 24, 2024, at 10 a.m. at Dietrich Theater, 60 East Tioga Street, Tunkhannock, PA. The public meeting

may be attended by means of Microsoft Teams through a link found on the Council's web site prior to the public meeting at [www.dcnr.pa.gov/cnrac](http://www.dcnr.pa.gov/cnrac).

Questions concerning this public meeting or agenda items can be directed to Nicole Faraguna at (717) 346-7636. For public comment to be considered at the public meeting, follow the instructions on the Council's web site.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should con-

tact Aara Vinsh directly at (717) 787-9306 or through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

CINDY ADAMS DUNN,  
*Secretary*

[Pa.B. Doc. No. 24-989. Filed for public inspection July 12, 2024, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Applications, Actions and Special Notices

---

#### APPLICATIONS

---

### THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

### APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS UNDER THE CLEAN STREAMS LAW AND FEDERAL CLEAN WATER ACT

This notice provides information about persons who have applied to the Department of Environmental Protection (DEP) for a new, renewed, or amended NPDES or WQM permit, or a permit waiver for certain stormwater discharges, or have submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications and NOIs concern, but are not limited to, effluent discharges from sewage treatment facilities and industrial facilities to surface waters or groundwater; stormwater discharges associated with industrial activity (industrial stormwater), construction activity (construction stormwater), and municipal separate storm sewer systems (MS4s); the application of pesticides; the operation of Concentrated Animal Feeding Operations (CAFOs); and the construction of sewage, industrial waste, and manure storage, collection and treatment facilities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). More information on the types of NPDES and WQM permits that are available can be found on DEP's website (visit [www.dep.pa.gov](http://www.dep.pa.gov) and select Businesses, Water, Bureau of Clean Water, Wastewater Management, and NPDES and WQM Permitting Programs).

*Section*            *Category*

- |     |  |
|-----|--|
| I   | Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received                                |
| II  | Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs |
| III | Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity  |

Section I identifies the following applications and NOIs that have been received by DEP:

- Individual and General WQM Permit Applications Received—DEP provides a 15-day public comment period for Individual WQM Permit Applications for new and reissued permits. There is no public comment period for General WQM Permit NOIs.
- General Chapter 92a NPDES Permit NOIs Received—There is no public comment period for General NPDES NOIs received.
- All Transfer and Minor Amendment Applications/NOIs Received—Transfer and Minor Amendment Applications/NOIs received for Individual and General WQM Permits and Individual and General NPDES Permits, excluding PAG-01 and PAG-02, are identified but do not have public comment periods. DEP provides a 15-day public comment period for Individual WQM Permit Applications for amendments.

Additional information on these applications and NOIs may be reviewed by generating the “Applications and NOIs without Comment Periods Report” or, for Individual WQM Permit Applications, the “Applications Received with Comment Periods Report” on DEP's website at [www.dep.pa.gov/CWPublicNotice](http://www.dep.pa.gov/CWPublicNotice).

Section II identifies individual NPDES permit applications received and draft permits indicating DEP's tentative determination relating to sewage, industrial waste, industrial stormwater, MS4s, pesticides and CAFOs. A 30-day public comment period applies to these applications and draft permits, except when a site-specific water quality criterion is used to establish effluent limitations, in which case a 45-day public comment period applies. The period for comment may be extended at the discretion of DEP for one additional 15-day period. Additional information, including links to draft permits and fact sheets that explain the basis for DEP's tentative determinations may be reviewed by generating the “Applications Received with Comment Periods Report” on DEP's website at [www.dep.pa.gov/CWPublicNotice](http://www.dep.pa.gov/CWPublicNotice). Notification of 15-day extensions for comment will be provided in the “Applications Received with Comment Periods Report” (Comments column).

Section III identifies individual NPDES permit applications received and draft permits indicating DEP's tentative determination relating to stormwater discharges associated with construction activities. A 30-day public comment period applies to these applications and draft permits. The period for comment may be extended at the discretion of the Department for one additional 15-day period. Additional information may be reviewed by generating the "Applications Received with Comment Periods Report" on DEP's website at [www.dep.pa.gov/CWPublicNotice](http://www.dep.pa.gov/CWPublicNotice).

Applications, NOIs and draft permits, where applicable, may be reviewed at the DEP office that received the application or NOI. Members of the public are encouraged to use DEP's website to obtain additional information as discussed previously.

Comments received within the appropriate comment periods for WQM and NPDES permit applications will be retained by DEP and considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform DEP of the exact basis of a comment and the relevant facts upon which it is based.

DEP office contact information to review applications and NOIs and to submit comments for those applications, when applicable, is as follows:

*DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484-250-5910. Email: RA-EPNPDES\_SERO@pa.gov for permits in Sections I & II; RA-EPWW-SERO@pa.gov for permits in Section III.*

*DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570-826-5472. Email: RA-EPNPDES\_NERO@pa.gov for permits in Sections I & II; RA-EPWW-NERO@pa.gov for permits in Section III.*

*DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717-705-4732. Email: RA-EPNPDES\_SCRO@pa.gov for permits in Sections I & II; RA-EPWW-SCRO@pa.gov for permits in Section III.*

*DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570-327-3693. Email: RA-EPNPDES\_NCRO@pa.gov for permits in Sections I & II; RA-EPWW-NCRO@pa.gov for permits in Section III.*

*DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412-442-4286. Email: RA-EPNPDES\_SWRO@pa.gov for permits in Sections I & II; RA-EPWW-SWRO@pa.gov for permits in Section III.*

*DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814-332-6340. Email: RA-EPNPDES\_NWRO@pa.gov for permits in Sections I & II; RA-EPWW-NWRO@pa.gov for permits in Section III.*

*DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-787-5017. Email: RA-EPNPDES\_Permits@pa.gov.*

*DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.*

DEP will also accept requests or petitions for public hearings on applications. The request or petition must indicate the interest of the party filing and the reasons why a hearing is warranted. A hearing will be held if DEP determines that there is a significant public interest. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. DEP will postpone its final determination until after a public hearing is held.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

### **I. Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received.**

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
2024802	Joint DEP/PFBC Pesticides Permit	New	Robbie Muirhead 44818 Farrington Road Spartansburg, PA 16434-1920	Rome Township Crawford County	NWRO
2516807	Joint DEP/PFBC Pesticides Permit	Amendment	Erie Cemetery Association 2116 Chestnut Street Erie, PA 16502-2617	Millcreek Township Erie County	NWRO
2524806	Joint DEP/PFBC Pesticides Permit	New	Scott Post 9768 German Road North East, PA 16428-5358	North East Township Erie County	NWRO
4024803	Joint DEP/PFBC Pesticides Permit	Amendment	Indian Lakes Sports Club Inc. 408 Indian Lake Trail White Haven, PA 18661-2015	Buck Township Luzerne County	NERO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
4324812	Joint DEP/PFBC Pesticides Permit	New	Paula Unangst 41 Pears Lane Sandy Lake, PA 16145-2135	New Vernon Township Mercer County	NWRO
4324813	Joint DEP/PFBC Pesticides Permit	New	Dylan Brenneman 2591 N Neshannock Road Hermitage, PA 16148-6406	Hermitage City Mercer County	NWRO
4824806	Joint DEP/PFBC Pesticides Permit	New	Rushin Chris 2117 Mount Bethel Highway Mount Bethel, PA 18343	Upper Mount Bethel Township Northampton County	NERO
4824807	Joint DEP/PFBC Pesticides Permit	New	Simpson Bob 592 Rasleytown Road Pen Argyl, PA 18072-9748	Plainfield Township Northampton County	NERO
2816201	Land Application and Reuse of Industrial Waste Individual WQM Permit	Amendment	Nitterhouse Concrete Products Inc. P.O. Box 2013 Chambersburg, PA 17201-0813	Guilford Township Franklin County	SCRO
0686404	Major Sewage Treatment Facility Individual WQM Permit	Amendment	Reading City Berks County 503 N 6th Street Reading, PA 19601-3085	Reading City Berks County	SCRO
PA0093980	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Transfer	Kimberlin MHC LLC 102 Kimberlin Drive Irwin, PA 15642-3186	Sewickley Township Westmoreland County	SWRO
0186410	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Transfer	GSC 1685 Baltimore LLC 73 Shirley Trail Fairfield, PA 17320-8321	Mount Joy Township Adams County	SCRO
6374414	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Transfer	Airways MHP 110 King Air Circle Washington, PA 15301-9060	South Franklin Township Washington County	SWRO
6583402	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Transfer	Kimberlin MHC LLC 102 Kimberlin Drive Irwin, PA 15642-3186	Sewickley Township Westmoreland County	SWRO
NOEXNE062	No Exposure Certification	New	American Bottling Co. 2109 City Line Road Bethlehem, PA 18017-2127	Bethlehem City Lehigh County	NERO
NOEXNW099	No Exposure Certification	Renewal	Berry Global Inc. 2890 Maplevale Road Brookville, PA 15825	Brookville Borough Jefferson County	NWRO
PAG034088	PAG-03 NPDES General Permit for Industrial Stormwater	New	Amazon Com Service LLC P.O. Box 80842 Seattle, WA 98108-0842	Londonderry Township Dauphin County	SCRO
PAG036586	PAG-03 NPDES General Permit for Industrial Stormwater	New	Lindy Paving Inc. 1807 Shenango Road New Galilee, PA 16141-2241	Neville Township Allegheny County	SWRO
PAG038366	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Ellwood Crankshaft & Mach Co. 2727 Freedland Road Hermitage, PA 16148-9027	Hermitage City Mercer County	NWRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG038589	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Pilot Travel Center LLC 5508 Lonas Drive Knoxville, TN 37909-3221	Brookville Borough Jefferson County	NWRO
PAG041341	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	Troup Joshua 420 Burns Road Sligo, PA 16255	Monroe Township Clarion County	NWRO
PAG041356	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	Dandrea James 4466 Bear Creek Road Fairview, PA 16415-2015	Fairview Township Erie County	NWRO
PAG041364	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	Husband Robert A 81 Plum Street Greenville, PA 16125-1804	Sugar Grove Township Mercer County	NWRO
2722	Sewer Extensions Individual WQM Permit	Transfer	Allegheny County Sanitary Authority ALCOSAN 3300 Preble Avenue Pittsburgh, PA 15233-1025	Pittsburgh City Allegheny County	SWRO
1019408	Single Residence Sewage Treatment Plant Individual WQM Permit	Transfer	Bonant David 693 Mushrush Road Butler, PA 16002-0947	Jefferson Township Butler County	NWRO
6124402	Single Residence Sewage Treatment Plant Individual WQM Permit	New	McDaniel Daniel 492 Fairview Road Titusville, PA 16354-7540	Cherrytree Township Venango County	NWRO
6224404	Single Residence Sewage Treatment Plant Individual WQM Permit	New	Burch Craig 103 Pike Road Corry, PA 16407-2343	Columbus Township Warren County	NWRO

## II. Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs.

### Northcentral Regional Office

**PA0111635**, Industrial, SIC Code 4941, **Spring Township Municipal Authority**, P.O. Box 133, Beaver Springs, PA 17812-0133. Facility Name: Spring Township Municipal Authority Water Treatment Plant. This existing facility is located in Beaver Township, **Snyder County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Kern Run, is located in State Water Plan watershed 6-A and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.04 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	1.0	XXX
Total Suspended Solids	XXX	XXX	XXX	30	60	XXX
Aluminum, Total	XXX	XXX	XXX	4.0	8.0	XXX
Iron, Total	XXX	XXX	XXX	2.0	4.0	XXX
Manganese, Total	XXX	XXX	XXX	1.0	2.0	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is in effect.

*Northeast Regional Office*

**PA0276634**, Storm Water, SIC Code 4111, **Transdev Services, Inc.**, 1501 South 12th Street, Allentown, PA 18103. Facility Name: LANTA Allentown Paratransit Facility. This proposed facility is located in Allentown City, **Lehigh County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated industrial stormwater.

The receiving stream(s), Trout Creek (HQ-CWF, MF), is located in State Water Plan watershed 2-C and is classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD (stormwater).

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 0 MGD (stormwater).

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- Stormwater Outfalls and Authorized Non-Stormwater Discharges
- Best Management Practices (BMPs)
- Stormwater Monitoring Requirements
- Routine Inspections
- Preparedness, Prevention and Contingency (PPC) Plan

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

*Southcentral Regional Office*

**PA0020249**, Sewage, SIC Code 4952, **Roaring Spring Borough Municipal Authority, Blair County**, P.O. Box 33, Roaring Spring, PA 16673-0033. Facility Name: Roaring Spring Borough STP. This existing facility is located in Roaring Spring Borough, **Blair County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Frankstown Branch Juniata River (TSF, MF), is located in State Water Plan watershed 11-A and is classified for Trout Stocking and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 002 are based on a design flow of 1.2 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instantaneous Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	Report Daily Max	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 1.2 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instantaneous Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0



Parameters	Mass Units (lbs/day)		Instantaneous Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	146	233	XXX	25	40	50
Biochemical Oxygen Demand (BOD <sub>5</sub> ) Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids	175	263	XXX	30	45	60
Total Suspended Solids Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean	XXX	XXX
Ultraviolet light intensity (mW/cm <sup>2</sup> )	XXX	XXX	Report	XXX	XXX	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N (Total Load, lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen (Total Load, lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Ammonia-Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Nov 1 - Apr 30	37	XXX	XXX	6.5	XXX	13
May 1 - Oct 31	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Ammonia-Nitrogen (Total Load, lbs)	Report Total Mo	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	XXX	XXX
Total Kjeldahl Nitrogen (Total Load, lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus (Total Load, lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

Southcentral Regional Office

**PA0028592**, Sewage, SIC Code 4952, **Bonneauville Borough, Adams County**, 46 E Hanover Street, Gettysburg, PA 17325-7752. Facility Name: Bonneauville STP. This existing facility is located in Bonneauville Borough, **Adams County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Chicken Run (WWF), is located in State Water Plan watershed 13-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.55 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Average Monthly	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
CBOD <sub>5</sub>	115	183	XXX	25.0	40.0	50.0
BOD <sub>5</sub> Raw Sewage Influent	Report	Report Daily Max	Report	Report	XXX	XXX
Total Suspended Solids	138	206	XXX	30.0	45.0	60.0
Total Suspended Solids Raw Sewage Influent	Report	Report Daily Max	Report	Report	XXX	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean	XXX	XXX
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report

Parameters	Mass Units (lbs/day)		Average Monthly	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Ultraviolet light transmittance (%)	XXX	XXX	Report Daily Min	XXX	XXX	XXX
Ammonia-Nitrogen Nov 1 - Apr 30	13.7	XXX	XXX	3.0	XXX	6.0
May 1 - Oct 31	4.5	XXX	XXX	1.0	XXX	2.0
Total Phosphorus	9.2	XXX	XXX	2.0	XXX	4.0

The proposed monitoring requirements and effluent limits for implementation of Pennsylvania's Chesapeake Bay Watershed Implementation Plan are as follows for Outfall 001.—Limits.

Parameters	Mass Units (lbs/day)		Monthly	Concentrations (mg/L)		Instant. Maximum
	Monthly	Annual		Monthly Average	Maximum	
Ammonia—N	Report	Report	XXX	Report	XXX	XXX
Kjeldahl—N	Report	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Report	Report	XXX	Report	XXX	XXX
Total Phosphorus	Report	Report	XXX	Report	XXX	XXX
Net Total Nitrogen	Report	9,741	XXX	XXX	XXX	XXX
Net Total Phosphorus	Report	1,218	XXX	XXX	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

Southcentral Regional Office

**PA0084077**, Sewage, SIC Code 4952, **Snake Spring Township Municipal Authority, Bedford County**, 624 Pennknoll Road, Everett, PA 15537-6945. Facility Name: Snake Spring Township STP. This existing facility is located in Snake Spring Township, **Bedford County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Raystown Branch Juniata River (TSF, MF), is located in State Water Plan watershed 11-C and is classified for Trout Stocking and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .19 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	Report Daily Max	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .19 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	39	63	XXX	25.0	40.0	50
Biochemical Oxygen Demand (BOD <sub>5</sub> )	Report	Report Daily Max	XXX	Report	XXX	XXX
Raw Sewage Influent Total Suspended Solids	Report	Report Daily Max	XXX	Report	XXX	XXX
Raw Sewage Influent Total Suspended Solids	47	71	XXX	30.0	45.0	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean		

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Ammonia-Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus	3.17	XXX	XXX	2.0	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .19 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Nitrate-Nitrite as N	XXX	XXX	XXX	Report Semi Avg	XXX	XXX
Nitrate-Nitrite as N (Total Load, lbs) (lbs)	Report Semi Avg	XXX	XXX	XXX	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report Semi Avg	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs)	Report Semi Avg	XXX	XXX	XXX	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report Semi Avg	XXX	XXX
Total Kjeldahl Nitrogen (Total Load, lbs) (lbs)	Report Semi Avg	XXX	XXX	XXX	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southcentral Regional Office

**PA0086151**, Sewage, SIC Code 6515, **Nebula Realty Trust**, 123 Gilpin Drive, West Chester, PA 19382-7412. Facility Name: Harmony Estates MHP. This existing facility is located in North Middleton Township, **Cumberland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Conodoguinet Creek (WWF, MF), is located in State Water Plan watershed 7-B and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.016 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Dissolved Oxygen	XXX	XXX	Daily Min 5.0	XXX	Daily Max XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD5)	XXX	XXX	Daily Min XXX	25.0	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 7.5	XXX	15
Ammonia-Nitrogen	XXX	XXX	XXX	2.5	XXX	5
Nov 1 - Apr 30	XXX	XXX	XXX	Report Max.	XXX	XXX
May 1 - Oct 31	XXX	XXX	XXX	1.0	XXX	2
E. Coli	XXX	Report Daily Max	XXX	XXX	Report Daily Max	XXX
Total Phosphorus	XXX	Report Daily Max	XXX	XXX	Report Daily Max	XXX
Nitrate-Nitrite as N	XXX	Report Daily Max	XXX	XXX	Report Daily Max	XXX
Total Kjeldahl Nitrogen	XXX	Report Daily Max	XXX	XXX	Report Daily Max	XXX
Total Nitrogen	XXX	Report Daily Max	XXX	XXX	Report Daily Max	XXX

Sludge use and disposal description and location(s): Sludge is hauled off site via a local septage hauler to another WWTP for ultimate treatment/disposal.

In addition, the permit contains the following major special conditions:

- N/A

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

*Southcentral Regional Office*

**PA0246590**, Sewage, SIC Code 8811, **Dennis A McClure & Janice E McClure**, 3469 McAlevys Fort Road, Petersburg, PA 16669-2802. Facility Name: McClure Residence. This existing facility is located in Jackson Township, **Huntingdon County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary of Laurel Run (HQ-CWF, MF), is located in State Water Plan watershed 11-B and is classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	Report	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

*Southcentral Regional Office*

**PA0247421**, Sewage, SIC Code 6514, **Adrienne A & Steven W Hawkins II**, 7723 Wertzville Road, Carlisle, PA 17013-9021. Facility Name: Hawkins Res. This existing facility is located in Middlesex Township, **Cumberland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Conodoguinet Creek (WWF), is located in State Water Plan watershed 7-B and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0005 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (MGD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0005 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	Report Avg Mo	XXX	XXX

In addition, the permit contains the following major special conditions:

- N/A

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

*Southcentral Regional Office*

**PA0087165**, Industrial, SIC Code 3081, **Bleyer Gift Packs LLC**, 80 Voice Road, Carle Place, NY 11514. Facility Name: Bleyer Gift Packs Mt Union Plant. This existing facility is located in Mount Union Borough, **Huntingdon County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Juniata River (WWF), is located in State Water Plan watershed 12-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.022 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Daily Maximum	Maximum	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Temperature (deg F) (°F)	XXX	XXX	XXX	110	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	20.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	19.0	XXX	19.0
Oil and Grease	XXX	XXX	XXX	29.0	XXX	29.0

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

*Southcentral Regional Office*

**PA0266761**, Concentrated Animal Feeding Operation (CAFO), **J. Douglas Metzler (Douglas Metzler Poultry CAFO)**, 81 Douts Hill Road, Pequea, PA 17565-9747.

J. Douglas Metzler has submitted an application for an Individual NPDES permit for a renewal of a CAFO known as Douglas Metzler Poultry CAFO, located in Martic Township, **Lancaster County**.

The CAFO is situated near Tucquan Creek (HQ-CWF, MF) in Watershed 7-K, which is classified for High Quality—Cold Water and Migratory Fish. The CAFO is designed to maintain an animal population of approximately 412.14 animal equivalent units (AEUs) consisting of 120,000 Layer, breeder hen, white egg: 17—70 wk. and 12,000 Layer, breeder rooster, white egg: 17—70 wk. Solid layer manure is stored onsite in storages under each of the three layer barns. The operation proposes the construction of a roofed solid manure stacking pad. A release or discharge to waters of the Commonwealth under normal operating conditions is not expected. Normal operating conditions are defined as conditions below a 100-year, 24-hour storm event.

The Department has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations, the Department has made a tentative determination to issue an NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the permit.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The Environmental Protection Agency (EPA) permit waiver provision under 40 CFR 123.24(e) does not apply to this NPDES permit.

*Southcentral Regional Office*

**PA0294292**, Concentrated Animal Feeding Operation (CAFO), **Jason Davis (Davis Poultry Farm)**, 235 Pipeline Road, Newville, PA 17241-9762.

Jason Davis has submitted an application for an Individual NPDES permit for a new CAFO known as Davis Poultry Farm, located in Lower Mifflin Township, **Cumberland County**.

The CAFO is situated near Unnamed Tributary of Doubling Gap Creek (HQ-CWF, MF) in Watershed 7-B, which is classified for High Quality—Cold Water and Migratory Fish. The CAFO will be designed to maintain an animal population of approximately 178.48 animal equivalent units (AEUs) consisting of 38,000 Duck Starters, 38,000 Duck Finishers, 3 Beef Finishers, and 5 Light Horse Mature. Liquid duck manure will be stored onsite in the proposed Slurry Store. Prior to operation of the manure storage facilities, the design engineer will be required to submit certification that the facilities were constructed in accordance with appropriate PA Technical Guide Standards. A release or discharge to waters of the Commonwealth under normal operating conditions is not expected. Normal operating conditions are defined as conditions below a 25-year, 24-hour storm event.

The Department has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations, the Department has made a tentative determination to issue an NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the permit.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The Environmental Protection Agency (EPA) permit waiver provision under 40 CFR 123.24(e) does not apply to this NPDES permit.

*Southeast Regional Office*

**PA0245615**, Sewage, SIC Code 8811, **Martin L & Elizabeth H Cannon**, 4 Brook Lane, Paoli, PA 19301-1903. Facility Name: 4 Brook Ln. This proposed facility is located in Willistown Township, **Chester County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Crum Creek (HQ-CWF, MF), is located in State Water Plan watershed 3-G and is classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0007 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average	Maximum	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	Annl Avg	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000
Total Phosphorus	XXX	XXX	XXX	2.0	XXX	4.0
Ammonia-Nitrogen	XXX	XXX	XXX	9.0	XXX	18.0

In addition, the permit contains the following major special conditions:

- AMR
- DMR
- Depth of scum
- Septic pumping
- Chlorine minimization
- No stormwater
- Property rights
- Solid waste disposal
- Municipal sewage
- UV disinfection

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

*Southeast Regional Office*

**PA0245682**, Sewage, SIC Code, **Haines John B IV**, 3327 Geryville Pike, Pennsburg, PA 18073-2614. Facility Name: Haines Historical Foundation Museum Welcome Center. This proposed facility is located in Marlborough Township, **Montgomery County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SFTF sewage.

The receiving stream(s), Unnamed Tributary to Macoby Creek (TSF, MF), is located in State Water Plan watershed 3-E and is classified for Trout Stocking and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .001954 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20.0

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum Daily	
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Geo Mean Report	XXX	XXX

In addition, the permit contains the following major special conditions:

- Sludge use and disposal description and location(s): Septic tanks cleaned out by pump and hauler.
- The UV disinfection contact surface must be cleaned at least monthly to ensure adequate disinfection. The AMR must include the date(s) that the UV contact surface is cleaned.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

*Southeast Regional Office*

**PAI130081**, MS4, **New Britain Township, Bucks County**, 207 Park Avenue, Chalfont, PA 18914-2103.

The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in New Britain Township, **Bucks County**. The receiving stream(s), Pine Run (TSF, MF), North Branch Neshaminy Creek (TSF, MF), Cooks Run (WWF, MF), Mill Creek (TSF, MF), Unnamed Tributary to West Branch Neshaminy Creek (WWF, MF), and Unnamed Tributary of West Branch Neshaminy Creek (WWF, MF), is located in State Water Plan watershed 2-F and is classified for Trout Stocking, Warm Water Fishes, and Migratory Fishes, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA waiver is in effect for small MS4s, and is not in effect for large MS4s.

*Southeast Regional Office*

**PAI130532**, MS4, **West Goshen Township, Chester County**, 1025 Paoli Pike, West Chester, PA 19380-4699.

The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in West Goshen Township, **Chester County**. The receiving stream(s), Broad Run (HQ-CWF, MF), John Smedley Run (HQ-CWF, MF), Taylor Run (TSF, MF), Unnamed Tributary to Plum Run, Unnamed Tributary to John Smedley Run (HQ-CWF, MF), Unnamed Tributary to East Branch Chester Creek (TSF, MF), and Unnamed Tributary to Chester Creek (TSF, MF), is located in State Water Plan watershed 3-G and 3-H and is classified for Trout Stocking, High Quality—Cold Water, Migratory Fish, and Migratory Fishes, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA waiver is in effect for small MS4s, and is not in effect for large MS4s.

*Southwest Regional Office*

**PA0020125**, Sewage, SIC Code 4952, **Monaca Borough**, 928 Pennsylvania Avenue, Monaca, PA 15061-1800. Facility Name: Monaca Borough. This existing facility is located in Monaca Borough, **Beaver County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Ohio River (WWF) and Ohio River (WWF), is located in State Water Plan watershed 20-G and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 101 are based on a design flow of 1.15 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Daily Maximum	
PFOA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFOS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFBS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
HFPO-DA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 101 are based on a design flow of 1.15 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
		Daily Max				

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	4.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	235	355	XXX	25.0	37.5	50
Biochemical Oxygen Demand (BOD <sub>5</sub> )	Report	Report	XXX	Report	Wkly Avg Report Wkly Avg	XXX
Raw Sewage Influent						
Total Suspended Solids	285	430	XXX	30.0	45.0	60
Total Suspended Solids	Report	Report	XXX	Report	Wkly Avg Report Wkly Avg	XXX
Raw Sewage Influent						
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
Nov 1 - Mar 31						
Apr 1 - Oct 31	XXX	XXX	XXX	200 Geo Mean	XXX	400
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Ammonia-Nitrogen	235	XXX	XXX	25.0	XXX	50
Mercury, Total (ng/L)	XXX	XXX	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 101 are based on a design flow of 1.15 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is not in effect.

*Southwest Regional Office*

**PA0026336**, Sewage, SIC Code 4952, **Hopewell Township**, 1700 Clark Boulevard, Aliquippa, PA 15001-4205. Facility Name: Wickham Village STP. This existing facility is located in Hopewell Township, **Beaver County**.

Description of Existing Activity: The application is for a NPDES permit for an existing discharge of treated sewage.

The receiving stream Unnamed Tributary to Boggs Run (WWF), is located in State Water Plan watershed 20-G and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 010 are based on a design flow of .16 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Daily Max Report Daily Max	XXX	XXX

The proposed effluent limits for Outfall 010 are based on a design flow of .16 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Daily Min	XXX	9.0 Daily Max	XXX
Dissolved Oxygen	XXX	XXX	5.0 Daily Min	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	33.4	50.7	XXX	25.0	38.0	50



<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> ) Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids Raw Sewage Influent	40.0 Report	60.0 Report Daily Max	XXX XXX	30.0 Report	45.0 XXX	60 XXX
Fecal Coliform (No./100 ml) Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ultraviolet light transmittance (%) Ammonia-Nitrogen Nov 1 - Apr 30	XXX 3.7	XXX 5.6	XXX XXX	Report 2.8	XXX 4.2	XXX 5.6
May 1 - Oct 31	2.3	3.3	XXX	1.7	2.5	3.4

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

*Southwest Regional Office*

**PA0043435**, Sewage, SIC Code 4952, **L & S Wastewater Inc.**, P.O. Box 254, Cecil, PA 15321-0254. Facility Name: L & S WW, Inc. STP. This existing facility is located in Cecil Township, **Washington County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Coal Run (WWF), is located in State Water Plan watershed 20-F and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .03 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
E. Coli (No./100 ml)	XXX	XXX	XXX	Report Daily Max	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report Daily Max	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .03 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Dissolved Oxygen	XXX	XXX	Daily Min 4.0	XXX	Daily Max XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.02	XXX	0.02
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	10	XXX	20
Total Suspended Solids	XXX	XXX	XXX	25	XXX	50
Fecal Coliform (No./100 ml) Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ammonia-Nitrogen Nov 1 - Apr 30	XXX	XXX	XXX	9.0	XXX	18.0
May 1 - Oct 31	XXX	XXX	XXX	3.0	XXX	6.0

In addition, the permit contains the following major special conditions:

- Optimization of chlorine dosage
- Dry stream discharge
- Notification of designation of responsible operator

- Solids management for non-lagoon system
- TRC effluent limits below QLs

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

*Southwest Regional Office*

**PA0044679**, Sewage, SIC Code 4952, **Pigeon Creek Sanitary Authority**, 508 Main Street, Bentleyville, PA 15314-1537. Facility Name: Pigeon Creek. This existing facility is located in Fallowfield Township, **Washington County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Pigeon Creek (WWF), is located in State Water Plan watershed 19-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 1.02 MGD.—Interim Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	4.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.24	XXX	0.8
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	213	319	XXX	25.0	37.5	50
Nov 1 - Apr 30					Wkly Avg	
May 1 - Oct 31	178.6	268.0	XXX	21.0	31.5	42
Total Suspended Solids	255	383	XXX	30.0	45.0	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	Geo Mean	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Ammonia-Nitrogen	76.6	114.8	XXX	9.0	13.5	18
Nov 1 - Apr 30					Wkly Avg	
May 1 - Oct 31	25.5	38.3	XXX	3.0	4.5	6
Total Phosphorus	XXX	XXX	XXX	Report	Report	XXX
Aluminum, Total	XXX	XXX	XXX	Report	Report	XXX
Cadmium, Total	XXX	XXX	XXX	Report	Report	XXX
Chromium, Hexavalent	XXX	XXX	XXX	Report	Report	XXX
Copper, Total	XXX	XXX	XXX	Report	Report	XXX
Cyanide, Free (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Zinc, Total	XXX	XXX	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 1.02 MGD.—Final Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	4.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.24	XXX	0.8
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	213	319	XXX	25.0	37.5	50
Nov 1 - Apr 30					Wkly Avg	
May 1 - Oct 31	178.6	268.0	XXX	21.0	31.5	42
					Wkly Avg	

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Suspended Solids	255	383	XXX	30.0	45.0	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	Wkly Avg XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	Geo Mean	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Ammonia-Nitrogen	86.8	130.2	XXX	10.2	15.3	20.4
Nov 1 - Apr 30					Wkly Avg	
May 1 - Oct 31	25.5	38.3	XXX	3.0	4.5	6
Total Phosphorus	XXX	XXX	XXX	2.0	4.0	5
Aluminum, Total	XXX	XXX	XXX	Report	Report	XXX
Cadmium, Total	XXX	XXX	XXX	Report	Report	XXX
Chromium, Hexavalent	XXX	XXX	XXX	Report	Report	XXX
Copper, Total (ug/L)	XXX	XXX	XXX	26.0	41.0	66
Cyanide, Free (ug/L)	XXX	XXX	XXX	7.3	11.4	18.2
Zinc, Total	XXX	XXX	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 1.02 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Biochemical Oxygen Demand (BOD <sub>5</sub> )	Report	Report	XXX	Report	Report	XXX
Raw Sewage Influent						
Total Suspended Solids	Report	Report	XXX	Report	Report	XXX
Raw Sewage Influent						

The proposed effluent limits for Outfall 001 are based on a design flow of 1.02 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
PFOA (ng/L)	XXX	XXX	XXX	XXX	XXX	Report
PFOS (ng/L)	XXX	XXX	XXX	XXX	XXX	Report
PFBS (ng/L)	XXX	XXX	XXX	XXX	XXX	Report
HFPO-DA (ng/L)	XXX	XXX	XXX	XXX	XXX	Report

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is not in effect.

*Southwest Regional Office*

**PA0204030**, Industrial, SIC Code 4226, **Calgon Carbon Corp**, P.O. Box 717, Pittsburgh, PA 15230-0717. Facility Name: Calgon Carbon E&A NWW. This existing facility is located in Neville Township, **Allegheny County**.

Description of Existing Activity: The application is for NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Ohio River (WWF), is located in State Water Plan watershed 20-G and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0118 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	XXX	Report Daily Max	XXX	XXX	XXX	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
PFOA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFOS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
HFPO-DA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFBS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 101 are based on a design flow of 0.005 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Average Monthly</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min	XXX	XXX	XXX
			5.0			
Total Residual Chlorine (TRC)	XXX	XXX	Inst Min	XXX	XXX	0.05
			Report			
Total Suspended Solids	XXX	XXX	30.0	XXX	XXX	60.0
Oil and Grease	XXX	XXX	15.0	XXX	XXX	30.0
Iron, Dissolved	XXX	XXX	XXX	XXX	XXX	7.0

The proposed effluent limits for Outfall 201 are based on a design flow of 0.0068 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Average Monthly</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min	XXX	XXX	XXX
			5.0			
Total Residual Chlorine (TRC)	XXX	XXX	Inst Min	XXX	XXX	0.05
			Report			
Total Suspended Solids	XXX	XXX	30.0	XXX	XXX	60.0
Oil and Grease	XXX	XXX	15.0	XXX	XXX	30.0
Iron, Dissolved	XXX	XXX	XXX	XXX	XXX	7.0

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

*Southwest Regional Office*

**PA0216399**, Industrial, SIC Code 4952, **Conemaugh Township Municipal Authority**, 113 S Main Street, Davidsville, PA 15928-9401. Facility Name: Conemaugh Township Municipal Authority WTP. This existing facility is located in Jenner Township, **Somerset County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), South Fork Bens Creek (EV) and Unnamed Tributary to South Fork Bens Creek (HQ-CWF), is located in State Water Plan watershed 18-E and is classified for Exceptional Value Waters and High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .6192 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	1.0	XXX
Total Suspended Solids	XXX	XXX	XXX	30.0	60.0	XXX
Aluminum, Total	XXX	XXX	XXX	0.75	1.5	XXX
Chromium, Hexavalent (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Iron, Total	XXX	XXX	XXX	1.5	3.0	XXX
Manganese, Total	XXX	XXX	XXX	1.0	2.0	XXX
Nickel, Total (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Selenium, Total (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Silver, Total (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Zinc, Total (ug/L)	XXX	XXX	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.6192 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.037	0.087	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average</i>	<i>Daily</i>	<i>Instant.</i>	<i>Average</i>	<i>Daily</i>	
	<i>Monthly</i>	<i>Maximum</i>		<i>Monthly</i>	<i>Maximum</i>	
Total Suspended Solids	XXX	XXX	XXX	30.0	60.0	XXX
Aluminum, Total	XXX	XXX	XXX	0.75	0.75	XXX
Chromium, Hexavalent (ug/L)	XXX	XXX	XXX	11.7	18.2	XXX
Iron, Total	XXX	XXX	XXX	1.5	3.0	XXX
Manganese, Total	XXX	XXX	XXX	1.0	2.0	XXX
Nickel, Total (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Selenium, Total (ug/L)	XXX	XXX	XXX	5.6	8.74	XXX
Silver, Total (ug/L)	XXX	XXX	XXX	0.2	0.22	XXX
Zinc, Total (ug/L)	XXX	XXX	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 0.048 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average</i>	<i>Daily</i>	<i>Instant.</i>	<i>Average</i>	<i>Daily</i>	
	<i>Monthly</i>	<i>Maximum</i>		<i>Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	1.0	XXX
Total Suspended Solids	XXX	XXX	XXX	30.0	60.0	XXX
Aluminum, Total	XXX	XXX	XXX	0.75	1.5	XXX
Antimony, Total (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Cadmium, Total (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Chromium, Hexavalent (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Copper, Total (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Iron, Total	XXX	XXX	XXX	2.0	4.0	XXX
Lead, Total (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Manganese, Total	XXX	XXX	XXX	1.0	2.0	XXX
Nickel, Total (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Selenium, Total (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Silver, Total (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Zinc, Total (ug/L)	XXX	XXX	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 0.048 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average</i>	<i>Daily</i>	<i>Instant.</i>	<i>Average</i>	<i>Daily</i>	
	<i>Monthly</i>	<i>Maximum</i>		<i>Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.48	1.0	XXX
Total Suspended Solids	XXX	XXX	XXX	30.0	60.0	XXX
Aluminum, Total	XXX	XXX	XXX	0.75	0.75	XXX
Antimony, Total (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Cadmium, Total (ug/L)	XXX	XXX	XXX	0.71	1.11	XXX
Chromium, Hexavalent (ug/L)	XXX	XXX	XXX	34.3	53.6	XXX
Copper, Total (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Iron, Total	XXX	XXX	XXX	2.0	4.0	XXX
Lead, Total (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Manganese, Total	XXX	XXX	XXX	1.0	2.0	XXX
Nickel, Total (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Selenium, Total (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Silver, Total (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Zinc, Total (ug/L)	XXX	XXX	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 003 are based on a design flow of 0.021 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average</i>	<i>Daily</i>	<i>Instant.</i>	<i>Average</i>	<i>Daily</i>	
	<i>Monthly</i>	<i>Maximum</i>		<i>Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	1.0	XXX
Total Suspended Solids	XXX	XXX	XXX	30.0	60.0	XXX
Aluminum, Total	XXX	XXX	XXX	0.75	1.5	XXX
Cadmium, Total (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Chromium, Hexavalent (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Copper, Total (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Iron, Total	XXX	XXX	XXX	1.5	3.0	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Lead, Total (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Manganese, Total	XXX	XXX	XXX	1.0	2.0	XXX
Nickel, Total (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Selenium, Total (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Zinc, Total (ug/L)	XXX	XXX	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 003 are based on a design flow of 0.021 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	1.0	XXX
Total Suspended Solids	XXX	XXX	XXX	30.0	60.0	XXX
Aluminum, Total	XXX	XXX	XXX	0.75	0.75	XXX
Cadmium, Total (ug/L)	XXX	XXX	XXX	1.51	2.36	XXX
Chromium, Hexavalent (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Copper, Total (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Iron, Total	XXX	XXX	XXX	1.5	3.0	XXX
Lead, Total (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Manganese, Total	XXX	XXX	XXX	1.0	2.0	XXX
Nickel, Total (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Selenium, Total (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Zinc, Total (ug/L)	XXX	XXX	XXX	Report	Report	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

*Southwest Regional Office*

**PA0216593**, Industrial, SIC Code 4922, **Texas Eastern Trans LP**, P.O. Box 1642, Houston, TX 77251-1642. Facility Name: Holbrook Compressor Station. This existing facility is located in Richhill Township, **Greene County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), North Fork Dunkard Fork (TSF), is located in State Water Plan watershed 20-E and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.032 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Quarterly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
PCBs, Total (ng/L)	XXX	XXX	XXX	0.484	0.755	XXX
PFOA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFOS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFBS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
HFPO-DA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

#### WQBELs BELOW QUANTITATION LIMITS

A. The parameter(s) listed as follows are subject to water quality-based effluent limits (WQBELs) in Part A of this permit that are necessary to comply with state water quality standards, but may be less than quantitation limits (QLs), as defined in 25 Pa. Code § 252.1, that are generally achievable by conventional analytical technology. The permittee shall analyze the parameter(s) using methods that will achieve the QL(s) as listed as follows. For the purpose of compliance, a statistical value reported on the DMR that is less than the QL(s) (i.e., “non-detect”) will be considered to be in compliance.

<i>Parameter Name</i>	<i>Quantitation Limit</i>
PCBs, Total	1.75 µg/L

B. The permittee shall, where determined to be feasible by the permittee, achieve a QL less than the QL previously identified to improve the level of confidence that state water quality standards are being met in the receiving waters.

C. The permittee shall manage non-detect values and report statistical results to DEP in accordance with published DMR guidance (3800-BK-DEP3047). Where a mixed data set exists containing non-detect results and “detected” values (i.e., results greater than or equal to the QL), the QL shall be used for non-detect results to compute average statistical results.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

Southwest Regional Office

**PA0218961**, Industrial, SIC Code 4941, **Pittsburgh Water Sewer Authority**, 1200 Penn Avenue, 2nd Floor, Pittsburgh, PA 15222-4207. Facility Name: Pittsburgh Water & Sewer Authority. This existing facility is located in Pittsburgh City, **Allegheny County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Industrial Wastewater from the public water treatment plant.

The receiving streams, Allegheny River (WWF) and Pine Creek (TSF), are located in State Water Plan watershed 18-A and are classified for Trout Stocking and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001, 013, 016—018 and 031 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum	Daily Minimum	Average Monthly	Daily Maximum	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 007 are based on a design flow of 15.57 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum	Daily Minimum	Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	1.0	XXX
Total Suspended Solids	XXX	XXX	XXX	30.0	60.0	XXX
Aluminum, Total	XXX	XXX	XXX	4.0	8.0	XXX
Copper, Total	XXX	XXX	XXX	Report	Report	XXX
Iron, Total	XXX	XXX	XXX	2.0	4.0	XXX
Manganese, Total	XXX	XXX	XXX	1.0	2.0	XXX

The proposed effluent limits for Outfall 008 are based on a design flow of 3.82 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average Quarterly	Daily Maximum	Daily Minimum	Average Quarterly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	1.0	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	30.0	60.0	XXX
Oil and Grease	XXX	XXX	XXX	15.0	30.0	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	Report	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	4.0	8.0	XXX
Iron, Total	XXX	XXX	XXX	2.0	4.0	XXX
Manganese, Total	XXX	XXX	XXX	1.0	2.0	XXX

The proposed effluent limits for Outfall 009 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum	Daily Minimum	Average Monthly	Daily Maximum	
Manganese, Total	XXX	XXX	XXX	XXX	Report	XXX

All material (solids and other debris) collected on the water intake screens shall be collected and disposed of in a manner such as will prevent said material from re-entering the surface waters.

The proposed effluent limits for Outfall 014 are based on a design flow of 6.99 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Quarterly</i>	<i>Daily Maximum</i>	<i>Daily Minimum</i>	<i>Average Quarterly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	1.0	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	30.0	60.0	XXX
Oil and Grease	XXX	XXX	XXX	15.0	30.0	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	Report	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	4.0	8.0	XXX
Copper, Total	XXX	XXX	XXX	Report	Report	XXX
Iron, Total	XXX	XXX	XXX	2.0	4.0	XXX
Manganese, Total	XXX	XXX	XXX	1.0	2.0	XXX

The proposed effluent limits for Outfall 015 are based on a design flow of 4.76 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Daily Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	1.0	XXX
Total Suspended Solids	XXX	XXX	XXX	30.0	60.0	XXX
Oil and Grease	XXX	XXX	XXX	15.0	30.0	XXX
Aluminum, Total	XXX	XXX	XXX	4.0	8.0	XXX
Iron, Total	XXX	XXX	XXX	2.0	4.0	XXX
Manganese, Total	XXX	XXX	XXX	1.0	2.0	XXX

The proposed effluent limits for Outfall 019 are based on a design flow of .288 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Quarterly</i>	<i>Daily Maximum</i>	<i>Daily Minimum</i>	<i>Average Quarterly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	1.0	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	30.0	60.0	XXX
Oil and Grease	XXX	XXX	XXX	15.0	30.0	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	Report	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	4.0	8.0	XXX
Iron, Total	XXX	XXX	XXX	2.0	4.0	XXX
Manganese, Total	XXX	XXX	XXX	1.0	2.0	XXX

The proposed effluent limits for Outfall 023 are based on a design flow of 12.5 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Daily Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	1.0	XXX
Total Suspended Solids	XXX	XXX	XXX	30.0	60.0	XXX
Oil and Grease	XXX	XXX	XXX	15.0	30.0	XXX
Aluminum, Total	XXX	XXX	XXX	4.0	8.0	XXX
Iron, Total	XXX	XXX	XXX	2.0	4.0	XXX
Manganese, Total	XXX	XXX	XXX	1.0	2.0	XXX

The proposed effluent limits for Outfall 025 are based on a design flow of 43.2 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Daily Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	1.0	XXX



Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average	Daily	Daily	Average	Daily	
	Monthly	Maximum	Minimum	Monthly	Maximum	
Total Suspended Solids	XXX	XXX	XXX	30.0	60.0	XXX
Oil and Grease	XXX	XXX	XXX	15.0	30.0	XXX
Aluminum, Total	XXX	XXX	XXX	4.0	8.0	XXX
Iron, Total	XXX	XXX	XXX	2.0	4.0	XXX
Manganese, Total	XXX	XXX	XXX	1.0	2.0	XXX
Mercury, Total	XXX	XXX	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 026 and Outfall 030 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average	Daily	Daily	Average	Daily	
	Quarterly	Maximum	Minimum	Quarterly	Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	1.0	XXX

The proposed effluent limits for Outfall 027 and Outfall 028 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average	Daily	Daily	Average	Daily	
	Quarterly	Maximum	Minimum	Quarterly	Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	1.0	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 029 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average	Daily	Daily	Average	Daily	
	Quarterly	Maximum	Minimum	Quarterly	Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	1.0	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 099 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average	Daily	Daily	Average	Daily	
	Monthly	Maximum	Minimum	Monthly	Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	1.0	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	100.0	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

*Southwest Regional Office*

**PAI136118**, MS4, **South Strabane Township, Washington County**, 550 Washington Road, Washington, PA 15301-9621.

The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in South Strabane Township, **Washington County**. The receiving stream(s), Unnamed Tributary of Chartiers Creek (HQ-WWF) and Chartiers Creek (WWF), is located in State Water Plan watershed 20-F and is classified for High Quality Waters—Warm Water Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA waiver is in effect for small MS4s, and is not in effect for large MS4s.

*Southwest Regional Office*

**PAI136131**, MS4, **Union Township, Washington County**, 3904 Finleyville Elrama Road, Finleyville, PA 15332-3011.

The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Union Township, **Washington County**.

The receiving streams, Piney Fork (TSF), Peters Creek (TSF), Tributary 39497 to Peters Creek (TSF), Tributary 39494 to Peters Creek (TSF), Tributary 39502 to Peters Creek (TSF), Monongahela River (WWF), Tributary 39572 to Monongahela River (WWF), and Tributary 39573 to Monongahela River (WWF), is located in State Water Plan watershed 19-C and is classified for Trout Stocking and Warm Water Fishes, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA waiver is in effect for small MS4s, and is not in effect for large MS4s.

*Southwest Regional Office*

**PA0001571**, Storm Water, SIC Code 4911, **Trogon Development LLC**, P.O. Box 1636, Canovanas, PR 00729. Facility Name: Retired Elrama Generating Station. This existing facility is located in Union Township, **Washington County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Industrial Stormwater.

The receiving stream, Monongahela River (WWF), is located in State Water Plan watershed 19-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

*Southwest Regional Office*

**PA0254983**, Storm Water, SIC Code 1241, 4491, **Donora Dock LLC**, 1501 Ligonier Street, Latrobe, PA 15650-2912. Facility Name: Donora Terminal. This existing facility is located in Carroll Township, **Washington County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial stormwater.

The receiving stream(s), Monongahela River (WWF), is located in State Water Plan watershed 19-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.85 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Instant Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Flow (MGD)	XXX	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	XXX	50.0
Oil and Grease	XXX	XXX	XXX	XXX	30.0	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	7.0	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 45.24 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	Report	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	Report	Report	XXX
Oil and Grease	XXX	XXX	XXX	15.0	30.0	XXX
Total Nitrogen	XXX	XXX	XXX	Report	Report	XXX
Total Phosphorus	XXX	XXX	XXX	Report	Report	XXX
Iron, Total	XXX	XXX	XXX	3.5	7.0	XXX

The proposed effluent limits for Outfall 003 are based on a design flow of 0.76 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	XXX	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	XXX	50.0
Oil and Grease	XXX	XXX	XXX	XXX	30.0	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	7.0	XXX

The proposed effluent limits for Outfall 004 are based on a design flow of 27.14 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	Report	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	Report	Report	XXX
Oil and Grease	XXX	XXX	XXX	15.0	30.0	XXX
Total Nitrogen	XXX	XXX	XXX	Report	Report	XXX
Total Phosphorus	XXX	XXX	XXX	Report	Report	XXX
Iron, Total	XXX	XXX	XXX	3.5	7.0	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

*Southwest Regional Office*

**PAS206108**, Storm Water, SIC Code 3089, 3466, **Crown Cork & Seal Co. Inc.**, 1840 Baldrige Avenue, Connellsville, PA 15425-5236. Facility Name: Crown Cork & Seal, Connellsville Plant. This existing facility is located in South Connellsville Borough, **Fayette County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of stormwater associated with industrial activity.

The receiving stream(s), Youghiogheny River (HQ-CWF), is located in State Water Plan watershed 19-D and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfalls 001 and 002 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Quarterly</i>	<i>Average Weekly</i>		<i>Average Quarterly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 003 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Quarterly</i>	<i>Average Weekly</i>		<i>Average Quarterly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

*Southwest Regional Office*

**PAS806111**, Storm Water, SIC Code 4213, **Old Dominion Freight Line Inc.**, 500 Old Dominion Way, Thomasville, NC 27360-8923. Facility Name: Old Dominion Freight Line Inc. This existing facility is located in North Strabane Township, **Washington County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial stormwater.

The receiving stream(s), Unnamed Tributary of Chartiers Creek (HQ-WWF), is located in State Water Plan watershed 20-F and is classified for High Quality Waters—Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	XXX	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	XXX	10.0	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	30.0	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	30.0	XXX
Oil and Grease	XXX	XXX	XXX	XXX	5.0	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	2.0	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	1.0	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	0.75	XXX
Iron, Total	XXX	XXX	XXX	XXX	3.0	XXX
Manganese, Total	XXX	XXX	XXX	XXX	1.0	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	XXX	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	XXX	10.0	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	30.0	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	30.0	XXX
Oil and Grease	XXX	XXX	XXX	XXX	5.0	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	2.0	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	1.0	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	0.75	XXX
Iron, Total	XXX	XXX	XXX	XXX	3.0	XXX
Manganese, Total	XXX	XXX	XXX	XXX	1.0	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

---

**III. Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity.**

---

*Northeast Regional Office*Applicant: **Route 115 Associates, LLC**

Applicant Address: 1 Tower Bridge, 100 Front Street, Suite 560, West Conshohocken, PA 19428

Application Number: **PAD450180**

Application Type: New

Municipality/County: Tunkhannock Township, **Monroe County**

Project Site Name: SR 115/SR 903

Total Earth Disturbance Area (acres): 63.86 acres

Surface Waters Receiving Stormwater Discharges: Tunkhannock Creek (EV, MF), EV Wetlands to Keiper Run (EV, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The construction of a warehouse building, parking facilities, stormwater management features, utilities and other associated infrastructure on an undeveloped lot. DEP has made a tentative decision to deny the application for the Individual NPDES Permit. A 30-day public comment period applies to this application and tentative decision. Interested persons may submit written comments to DEP at the previously listed address for DEP's consideration in taking a final action on the permit application. You may also review the permit application file by contacting DEP's File Review Coordinator at 570.826.2511.

Special Conditions: DEP has made a tentative decision to deny the application for the Individual NPDES Permit. A 30-day public comment period applies to this application and tentative decision. Interested persons may submit written comments to DEP at the previously listed address for DEP's consideration in taking a final action on the permit application. You may also review the permit application file by contacting DEP's File Review Coordinator at 570.826.2511.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

*Southcentral Regional Office*Applicant: **Antrim 16 Developers, LLC**

Applicant Address: 1195 Route 70, Suite 2000, Lakewood, NJ 08701-6100

Application Number: **PAD280024**

Application Type: New

Municipality/County: Antrim Township, **Franklin County**

Project Site Name: Wawa Food Market and Fueling Station

Total Earth Disturbance Area (acres): 1.91 acres

Surface Waters Receiving Stormwater Discharges: UNT Muddy Run (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construct a Wawa food market with fueling stations and associated parking.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4802.

*Southcentral Regional Office*Applicant: **Mid-Atlantic Interstate Transmission**

Applicant Address: 2800 Pottsville Pike, Reading, PA 19612

Application Number: **PAD060042 A-2**

Application Type: Major Amendment

Municipality/County: Hamburg, Windsor, Greenwich, Albany, Maxatawny Townships and Lynn, Weisenberg Townships, **Berks County** and **Lehigh County**

Project Site Name: 879 Baldy-South Hamburg 69kV Rebuild Project

Total Earth Disturbance Area (acres): 252.7 acres

Surface Waters Receiving Stormwater Discharges: UNT Schuylkill River (WWF, MF), Schuylkill River (WWF, MF), Pigeon Creek (WWF, MF), Furnace Creek (WWF, MF), Maiden Creek (TSF, MF), UNT to Maiden Creek (TSF, MF), UNT to Kistler Creek (CWF, MF), Kistler Creek (CWF, MF), Switzer Creek (HQ-CWF, MF), UNT to Switzer Creek (HQ-CWF, MF), UNT to Mill Creek (TSF, MF), Mill Creek (TSF, MF), Stony Run Creek (HQ-CWF, MF), UNT to Stony Run Creek (HQ-CWF, MF), Lyon Creek (HQ-CWF, MF), UNT to Lyon Creek (HQ-CWF, MF), Sacony Creek (CWF, MF) and UNT to Sacony Creek (CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Approximately 29.3 mile rebuild of a 69 kV transmission line (879 line). The entire project area contains a total of 109 wetlands and 56 watercourses.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4802.

*Regional Permit Coordination Office*

Applicant: **JKL Real Estate Holdings, LLC**

Applicant Address: 330 Crest Road, Lebanon, PA 17042-8848

Application Number: **PAD380040**

Application Type: New

Municipality/County: South Lebanon Township, **Lebanon County**

Project Site Name: Burkholder Tractor

Total Earth Disturbance Area (acres): 51.8 acres

Surface Waters Receiving Stormwater Discharges: Hazel Dyke Creek (TSF-MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Commercial development with floodplain restoration to handle post construction stormwater.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-772-5987.

*Northwest Regional Office*

Applicant: **National Fuel Gas Supply Corporation**

Applicant Address: 1100 State Street, Erie, PA 16501

Application Number: **PAD240014**

Application Type: New

Municipality/County: Jones Township, **Elk County**

Project Site Name: Lamont Site Development

Total Earth Disturbance Area (acres): 1.29 acres

Surface Waters Receiving Stormwater Discharges: Wolf Run (HQ-CWF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: To perform selective demolition inside an existing gravel parking lot and storage yard, and to construct a welding shop building, a new driveway, fence, parking lot additions and PCSM facilities with a total earth disturbance of 1.29 acres.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 814-332-6078.

Northwest Regional Office

Applicant: **Love’s Travel Stops & Country Stores Inc.**  
 Applicant Address: 10601 N Pennsylvania Avenue, Oklahoma City, OK 73120  
 Application Number: **PAD330008**  
 Application Type: Renewal  
 Municipality/County: Pine Creek Township, **Jefferson County**  
 Project Site Name: Love’s Brookville PA  
 Total Earth Disturbance Area (acres): 63.97 acres

Surface Waters Receiving Stormwater Discharges: Mill Creek (CWF), Little Mill Creek (HQ-CWF), Sugarcamp Run (HQ-CWF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Renewal of permit for Loves Travel Stop facility along SR 28 at Brookville.

Special Conditions: The conditions of this permit do not apply to the area subject to the Bituminous Surface Mine Permit No. 331105 issued to Strishock, LLC on April 2, 2013 and revised on May 1, 2019 and June 29, 2020. Activities within the surface mining permit boundary and all discharges emanating from this area are subject to Permit No. 33110105.

You may review the permit application file by contacting DEP’s File Review Coordinator at 814-332-6078.

**STATE CONSERVATION COMMISSION**

**PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs**

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed (National Pollutant Discharge Elimination System) NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling 717-787-8821.

Individuals wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30-days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Individuals in need of accommodations should contact the SCC through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

**ACT 38**

**NUTRIENT MANAGEMENT PLANS**

**CAFO PUBLIC NOTICE SPREADSHEET—APPLICATIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal / New</i>
AG Ventures Springhouse Road Farm 7861 Springhouse Road New Tripoli, PA 18066	Lehigh County	7	1,414.18	Swine Finishing and Poultry Laying Hens	NA	Renewal
Nathan Ebersole 44 Kline Road Shippensburg, PA 17257	Cumberland County	132.8	135.23	Poultry Beef	NA	Renewal

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal/ New</i>
Newburg Poultry LLC 301 Three Square Hollow Road Newburg, PA 17241	Cumberland County	409.3	815.57	Poultry Beef	NA	Renewal
Old Mill AG LLC Lynford Steiner 384 Golf Road Lebanon, PA 17046	Lebanon County	11.1	513.32	Layers	NA	New
Quality Livestock Company LLC Farmquest Prop 1177 Gypsy Hill Road Lancaster, PA 17602	Lancaster County	95.6	604.31	Swine	NA	Renewal
Hessland Farm Robert Hess 686 Rock Point Road Mount Joy, PA 17552	Lancaster County	300.37	680.57	Swine Beef	NA	Renewal
Hess Agimarketing LLC 218 Rock Pint Road Marietta, PA 17547	Lancaster County	182.2	416.44	Beef	NA	Renewal
Hess Brothers Poultry 1471 Colebrook Road Mount Joy, PA 17552	Lancaster County	9.7	410.05	Broilers	NA	New
Rohrer Farms LLC 750 Doe Run Road Lititz, PA 17543	Lancaster County	296.5	2,158.33	Swine Layers Pullets	NA	Renewal
Mason's Chrome View LTD 86 Chrome Road Nottingham, PA 19362	Chester County	757.9	1,116.1	Dairy	EV	Renewal
Elvin Zimmerman 180 Degan Road McAlisterville, PA 17049	Juniata County	150.24	228.24	Broilers (2 Steer and 1 Calf)	HQ	Renewal
Adam Martin 390 Midway Road Bethel, PA 19507	Berks County	79.6	225.93	Poultry Steers	NA	Renewal

## PUBLIC WATER SUPPLY PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for Public Water Supply (PWS) permits to construct or substantially modify public water systems.

Individuals wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30-days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of Environmental Protection (DEP) the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, DEP will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

### SAFE DRINKING WATER

#### Application(s) Received Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

*Southeast Region: Safe Drinking Water Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: Kimberleigh Rivers, Clerical Assistant 2, 484-250-5887.*

**Application No. 0924517**, Construction, Public Water Supply.

Applicant

**Doylestown Borough  
Water Department**



Address 10 Doyle Street  
Doylestown, PA 18901-3758

Municipality Doylestown Borough

County **Bucks County**

Responsible Official Jeremy Matozzo  
10 Doyle Street  
Doylestown, PA 18901-3788

Consulting Engineer Patrick P. DiGangi  
4259 W. Swamp Road  
Suite 410  
Doylestown, PA 18902

Application Received June 26, 2024

Description To install granular activated carbon filter vessels to treat PFOS/PFOA in the groundwater at Doylestown Borough Wells # 9, 10 and 12.

**Application No. 4624514**, Construction, Public Water Supply.

Applicant **Aqua Pennsylvania, Inc. (Superior Main)**

Address 762 Lancaster Avenue  
Bryn Mawr, PA 19010

Municipality Douglass Township

County **Montgomery County**

Responsible Official Kelly Brennan  
762 Lancaster Avenue  
Bryn Mawr, PA 19010

Consulting Engineer Brown and Caldwell  
1717 Arch Street  
Suite 4010  
Philadelphia, PA 19103-2713

Application Received June 25, 2024

Description For installation of PFAS Treatment Program Package A1-Superior Main.

*Southwest District: Safe Drinking Water Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

*Contact: Renee Diehl, Program Manager; ra-epswsdu@pa.gov.*

**Application No. 6324502**, Construction, Public Water Supply.

Applicant **Pennsylvania American Water Company**

Address 852 Wesley Drive  
Mechanicsburg, PA 17055

Municipality Donegal Township

County **Washington County**

Responsible Official Bruce Aiton  
852 Wesley Drive  
Mechanicsburg, PA 17055

Consulting Engineer PA American Water Company  
300 Galley Road  
McMurray, PA 15317

Application Received June 26, 2024

Description The two (2) existing pumps at the Degarmo Lane Booster Station are to be replaced with 53 GPM/3HP at 150 ft TDH.

*Southwest Region: Safe Drinking Water Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: ra-EPSWSDW@pa.gov.*

**Application No. 2624508**, Construction, Public Water Supply.

Applicant **North Fayette County Municipal Authority**

Address 1634 University Drive  
P.O. Box 368  
Dunbar, PA 15431

Municipality Dunbar Township

County **Fayette County**

Responsible Official Kenny Martray  
1634 University Drive  
P.O. Box 368  
Dunbar, PA 15431

Consulting Engineer Herbert, Rowland, and Grubic, Inc.  
220 West Kensing Drive  
Suite 100  
Cranberry Township, PA 16066

Application Received June 20, 2024

Description Permit application received from North Fayette County Municipal Authority for various upgrades to the North Fayette County Municipal Authority Water Treatment Plant. The proposed upgrades include but are not limited to the installation of four (4) finished water pumps, the retrofitting of the plant's backwash tank, various new chemical feed systems, and the construction of a new building to house electrical equipment. The application was accepted on June 27, 2024.

*Contact: Renee Diehl, Program Manager; ra-epswsdu@pa.gov.*

**Application No. 2621507-A1**, Construction, Public Water Supply.

Applicant **Indian Creek Valley Water Authority**

Address 2019 Indian Head Road  
Indian Head, PA 15446

Municipality Saltlick Township

County **Fayette County**

Responsible Official Kerry Witt  
2019 Indian Head Road  
Indian Head, PA 15446

Consulting Engineer Bankson Engineers, Inc.  
267 Blue Run Road  
Suite 200  
Cheswick, PA 15024

Application Received June 18, 2024

Description Grimm Spring Plant Modifications.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995  
PREAMBLE 1

---

### Acknowledgment of Notice(s) of Intent to Remediate Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

---

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent (NOI) to Remediate. An acknowledgment of the receipt of a NOI to Remediate is used to identify a site where an individual proposes to, or has been required to, respond to a release of a regulated substance at a site. Individuals intending to use the background standard, Statewide health standard, the site-specific standard, or who intend to remediate a site as a special industrial area, must file a NOI to Remediate with DEP. A NOI to Remediate filed with DEP provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. An individual who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the Act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by DEP. Furthermore, an individual shall not be subject to citizen suits or other contribution actions brought by responsible individuals not participating in the remediation.

Under Sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the NOI to Remediate is published in a newspaper of general circulation in the area of the site. For the following identified site(s) identified, proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30-days of the following specified date. During this comment period the municipality may request that the following identified individual, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of the site.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The DEP has received the following Notice(s) of Intent to Remediate.

*Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: C. David Brown, Professional Geologist Manager, 484-250-5792.*

**Existing Warehouse**, Primary Facility ID # **875749**, 10101 Roosevelt Boulevard, Philadelphia, PA 19154, City of Philadelphia, **Philadelphia County**. Jeffrey Bauer, P.G., Whitestone Associates, Inc., 1515 Market Street, Suite 920, Philadelphia, PA 19102 on behalf of Benton Swift, Crown Point Owner, LP, 923 15th Street NW, Suite 500, Washington, DC 20005, submitted a Notice of Intent to Remediate. Soil and groundwater have been found to be contaminated with chlorinated solvents. The future use of the property is nonresidential. The proposed cleanup standard for the site is the Statewide health standard. The Notice of Intent to Remediate was published in *The Philadelphia Inquirer* on May 17, 2024. Application received: May 15, 2024.

**Bustleton Partners Seamans**, Primary Facility ID # **619255**, 2101 Cottman Avenue, Philadelphia, PA 19149, City of Philadelphia, **Philadelphia County**. Paul White, P.G., ARM Group, LLC, 515 S Franklin Street, West Chester, PA 19382 on behalf of Laura Martin, Kimco Realty Corp., 500 North Broadway, Suite 201, Jericho, NY 11753, submitted a Notice of Intent to Remediate. Groundwater has been found to be contaminated with No. 5 fuel oil. The future use of the property is nonresidential. The proposed cleanup standard for the site is the Statewide health standard. The Notice of Intent to Remediate was published in the *Northeast Times* on December 6, 2023. Application received: June 4, 2024.

**TForce Freight Bensalem**, Primary Facility ID # **876309**, 525 Imperial Court, Bensalem, PA 19020-7303, Bensalem Township, **Bucks County**. William Avery, TRC Environmental Corporation, 1801 Market St., Suite 1380, Philadelphia, PA 19103 on behalf of Bill Preece, TForce Freight, 1000 Semmes Ave, Richmond, VA 23218, submitted a Notice of Intent to Remediate. Groundwater has been found to be contaminated with tetrachloroethene (PCE), naphthalene, and lead. The current and future use of the property is nonresidential. The site will be remediated as a special industrial area. The Notice of Intent to Remediate was published in the *Bucks County Courier Times* on May 24, 2024. Application received: May 22, 2024.

**Iron Mill Lofts**, Primary Facility ID # **856566**, 1156 North 3rd Street, Philadelphia, PA 19123, City of Philadelphia, **Philadelphia County**. John Pavlik, Advantage Environmental Consultants, LLC, 3819 Germantown Pike, Suite B, Collegeville, PA 19427 on behalf of Andrew Zakroff, Urban Conversions, LLC, 2400 Market Street, Suite 204B, c/o Offsite, Philadelphia, PA 19103, submitted a Notice of Intent to Remediate. Soil has been found to be contaminated with arsenic and lead. Groundwater has been found to be contaminated with trichloroethylene (TCE), tetrachloroethylene (PCE), vinyl chloride, cis-1,2-Dichloroethene, and lead. The intended future use of the property is residential. The proposed cleanup standard for the site is the site-specific standard. The Notice of Intent to Remediate was published in the *Metro Philadelphia* on June 17, 2024. Application received: June 12, 2024.

### DETERMINATION OF APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

---

**Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for Determination of Applicability for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other than Coal Ash.**

---

*Southeast Region: Waste Management Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: Mohamad Mazid, Chief, Technical Services, E-Mail Address: RA-EPWM-SERO-PERMITS@pa.gov.*

**WMGR091SE001, Oil Filter Recyclers LLC**, 3799 N. Dupont Highway, Dover, DE 19901, City of Philadelphia, **Philadelphia County**. This general permit application is to operate a used oil filter recycling in an existing 4,000-square foot section of an existing industrial building located at 3010 East Ontario Street, Philadelphia, PA 19134, Philadelphia County. Application received: June 26, 2024. Deemed administratively complete: June 27, 2024.

Comments or questions concerning the application should be directed to Waste Management Program Manager, Phone Number 484.250.5960, or by e-mail at RA-EPWM-SERO-PERMITS@pa.gov, Southeast Region, 2 East Main Street, Norristown, PA 19401, 484-250-5900. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

#### **OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE**

**Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Regulations to Operate Solid Waste Processing or Disposal Area or Site.**

*Northwest Region: Waste Management Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: Christina S. Wilhelm, Regional Solid Waste Program Manager, 814-332-6848.*

**Unpermitted Facility. Homer City Redevelopment LLC—Temporary Ash Disposal Site**, 1750 Power Plant Road, Homer City, PA 15748, Center Township, **Indiana County**. On behalf of Homer City Redevelopment LLC, Civil & Environmental Consultants, Inc. (CEC) has prepared this Closure Plan for the temporary Ash Disposal Site (Disposal Site) located at the Homer City Generating Station in Indiana County, PA. The Disposal Site will be closed by removal and the ash will be placed in the on-site Coal Refuse Disposal Area (CRDA) in accordance with existing operations approved by the Pennsylvania Department of Environmental Protection (PA DEP) Bureau of Mining Programs. Application received: June 28, 2024.

Comments or questions concerning the application should be directed to Christina S. Wilhelm, Regional Solid Waste Program Manager, 814-332-6848, Northwest Region, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

#### **HAZARDOUS WASTE TRANSPORTER LICENSE**

**Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); and Hazardous Waste Regulations to Transport Hazardous Waste.**

*Central Office: Waste Management Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-787-7561.*

*Contact: Jonathan Adams.*

**Plummer's Environmental Services, Inc.**, 10075 Sedroc Industrial Drive SW, Bryon Center, MI 49315. **License No. PA-AH 0952**. Accepted: May 21, 2024.

*Renewal Applications Received*

*Central Office: Waste Management Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-787-7561.*

*Contact: Jonathan Adams.*

**Clean Earth Specialty Waste Solutions, Inc.**, P.O. Box 368, Neenah, WI 54957. **License No. PA-AH 0770**. Accepted: June 5, 2024.

## **AIR QUALITY**

### **PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS**

The Department of Environmental Protection (DEP) has developed an integrated plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for DEP, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The DEP received applications for Plan Approvals or Operating Permits from the following facilities. Copies of the application, DEP's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate DEP Regional Office. Appointments for scheduling a review must be made by calling the appropriate DEP Regional Office. The address and telephone number of the Regional Office is listed before the application notices.

Individuals wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the DEP's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

Any individual wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if DEP, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when DEP determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate DEP Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

### PLAN APPROVALS

#### **Notice of Intent to Issue Plan Approval(s) and Notice of Intent to Issue or Amend Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These Actions May Include the Administrative Amendments of an Associated Operating Permit.**

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Norm Frederick, Facility Permitting Chief, 570-826-2409.*

**48-00015: Lehigh Heavy Corporation**, 275 Emery Street, Bethlehem, PA 18015, City of Bethlehem, **Northampton County**. Application received: June 24, 2024. The Department intends to issue an Administrative Amendment to Lehigh Heavy Forge Corporation's Title V Operating Permit. The Administrative Amendment is to incorporate RACT III requirements. The plant provides forged steel components to the defense, power generation and metal industries. The plant is a major for Nitrogen Oxides (NO<sub>x</sub>). The proposed Operating Permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Sheri Guerrieri, P.E., New Source Review Chief, 412-442-4174.*

**PA-65-00137C: ATI Flat Rolled Products Holdings, LLC**, 100 River Road, Brackenridge, PA 15014, Vandergrift Borough, **Westmoreland County**. Application received: January 26, 2024. Notice is hereby given in accordance with 25 Pa. Code §§ 127.44—127.46 that the Pennsylvania Department of Environmental Protection (Department) intends to issue a modification to Plan Approval PA-65-00137C to replace the existing packed-bed scrubber system (which uses internal HEPA filters), with a packed-bed scrubber with external candle filters and a non-contact water cooling tower at the facility in Vandergrift Borough, Westmoreland County. There are no proposed changes to the existing scrubber emission limits or changes to any other equipment at the facility. Potential emissions from the scrubbers will remain 3.86 tons

particulate matter less than 10 micron (PM<sub>10</sub>), 3.86 tons particulate matter less than 2.5 micron (PM<sub>2.5</sub>), and 0.0015 ton of Chromium (Cr) per year. Plan Approval has been conditioned to ensure compliance with all applicable rules. This includes work practice, testing, monitoring, recordkeeping, and reporting conditions. The Plan Approval application, the Department's Air Quality Review Memorandum, and the Proposed Air Quality Plan Approval for this project are available for review by any interested party at the Pennsylvania Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. To request a review of the Plan Approval Application, to receive an electronic copy of the Department's Air Quality Review Memorandum, or to receive an electronic copy of the Department's proposed air Quality Plan Approval for this project, a person may contact the Department at 412-442-4000. A person may oppose the proposed plan approval by filing a written protest with the Department through Alexander Sandy, Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222; [asandy@pa.gov](mailto:asandy@pa.gov); or fax 412-442-4194. Each protest or set of written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval (PA-65-00137C) and a concise statement of the objections to the plan approval and the relevant facts upon which the objections are based. All comments must be received prior to the close of business 30 days after the date of this publication.

### OPERATING PERMITS

#### **Notice of Intent to Issue Title V Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.**

*Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.*

**55-00026, Hummel Station, LLC**, P.O. Box 518, Shamokin Dam, PA 17876-0518, Shamokin Dam Borough, **Snyder County**. Application received: July 5, 2022. The Department intends to issue a Title V Operating Permit (TVOP 55-00026) and Acid Rain Permit (TIVOP 55-00026), regarding their 1,124 MW Electric Generating station located in Shamokin Dam Borough, Snyder County. In addition, the DEP has made a preliminary determination to approve an alternative Reasonably Available Control Technology (RACT 3) plan submitted for the previously listed facility and seeks approval of an amendment to the State Implementation Plan (SIP). The facility's contact person regarding the previously listed proposals is Mr. Steve Smith, O & M Manager, P.O. Box 518, Shamokin Dam, PA 17876-0518. The Hummel Station facility's sources are comprised of the three natural gas fired combined cycle turbines coupled with Heat Recovery Steam Generators (HRSG) equipped with duct burners, along with the ancillary sources including an auxiliary boiler and a natural gas fired line heater, an emergency generator diesel engine, a diesel fired fire pump, and a mechanical draft cooling tower. The type and quantity of emissions on a combined facility wide basis are estimated to be equal to approximately: 257.39 tons/yr nitrogen oxides (NO<sub>x</sub>); 398.63 tons/yr carbon monoxide (CO); 56.72 tons/yr sulfur oxides (as SO<sub>2</sub>); 77.01 tons/yr volatile organic compounds (VOC); 5.83 tons/yr

hazardous air pollutants (HAPs), 4,261,797 tons/yr carbon dioxide (CO<sub>2</sub>); and 220.36 tons/yr PM<sub>2.5</sub> and PM<sub>10</sub>. TVOP 55-00026 contains all applicable air quality regulatory requirements, including appropriate testing, monitoring, recordkeeping, reporting and work practice conditions to verify compliance. These operating permit conditions have been derived from the applicable requirements of 40 CFR Parts 60 and 63, and 25 Pa. Code Article III, Chapters 121—145, relating to the rules and regulations of DEP. The emission limits, throughput limitations and work practice standards along with testing, monitoring, recordkeeping and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. This Title V facility is subject to the Acid Rain Requirements of Title IV of the Clean Air Act. The application is subject to the regulatory requirements specified in 40 CFR Part 72. The Acid Rain Permit will cover the three (3) combined cycle combustion turbine units at the facility. The Acid Rain Permit incorporates the applicable requirements to the units, as specified in 25 Pa. Code § 127.531 and 40 CFR Parts 72—80. The SO<sub>2</sub> allowance allocated by the Acid Rain Program pursuant to 40 CFR Part 73 for this facility is zero. The Title IV permit includes special permit conditions for the allowance tracking system. The units are not subject to the NO<sub>x</sub> emission limitations of 40 CFR Part 96 since they are only authorized to combust natural gas for operation. As noted previously, pursuant to 25 Pa. Code §§ 129.111—129.115, this notice also provides that the DEP has made a preliminary determination to approve the alternative RACT 3 plan including case-by-case NO<sub>x</sub> requirements. Accordingly, the DEP also seeks approval of an amendment to the State Implementation Plan (SIP) for the Hummel Station LLC facility. Additionally, the applicable presumptive RACT 3 requirements of 25 Pa. Code § 129.112 are also included in the proposed operating permit. The final case-by-case NO<sub>x</sub> requirements established under RACT 3 will be incorporated into TVOP 55-00026 and later submitted to the U.S. Environmental Protection Agency (EPA) as a revision to Pennsylvania's State Implementation Plan (SIP). The requirements will remain in effect until replaced pursuant to 40 CFR 51 and approval by the EPA. Other permit requirements that are not part of the alternative RACT 3 plan will be excluded from the proposed SIP revision. Additionally, the proposed SIP revision does not adopt any new regulations. It incorporates the case-by-case NO<sub>x</sub> requirements, which are intended to satisfy the requirements for the 2015 National Ambient Air Quality Standard for ozone. The following is a summary of the proposed alternative RACT 3 requirements: A NO<sub>x</sub> limit of 2.0 ppmv not to be exceeded at any time excluding startup and shutdown conditions for each of the combined cycle gas turbines and HRSGs, Source IDs P181—P183. Additionally, a NO<sub>x</sub> limit of 6.1 ppmv on a 30 day average not to be exceeded at any time including during periods of startup shutdown and malfunctions for each of the combined cycle gas turbines and HRSGs, Source IDs P181—P183. The NO<sub>x</sub> emissions from each of the combined cycle gas turbines and HRSGs, Source IDs P181—P183 shall be controlled by a selective catalytic reduction unit. A VOC limit of 2 ppmvd VOC (as propane) at 15% oxygen for each of the combined cycle gas turbines and HRSGs, Source IDs P181—P183. The VOC limit is the presumptive limit specified in 25 Pa. Code § 129.112(g)(2)(iii)(B). The permittee shall follow and comply with the case-by-case NO<sub>x</sub> RACT 3 requirements no later than the effective date of the new operating permit (TVOP 55-00026). A public hearing will be held if requested by August 2,

2024, to accept oral comments on the proposed operating permit and the proposed SIP revision. The hearing will be held, if requested, on August 14, 2024, at 1:00 PM at the DEP Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. To request a hearing, to register to speak at a hearing, or to inquire if a hearing will be held, please contact Megan Lehman at 570-327-3659. The last day to pre-register to speak at a hearing, if one is held, will be August 7, 2024. Please note that any updates made to any aspect of the hearing, including whether or not a hearing will be held, will be posted online at <https://www.dep.pa.gov/About/Regional/North-central-Regional-Office/Community-Information/Pages/default.aspx>. We ask that you contact Megan Lehman at 570-327-3659 or monitor the web site to determine if a hearing will be held. Persons wishing to present testimony at the hearing should contact Megan Lehman at 570-327-3659 at least one week in advance of the hearing to reserve a time to present testimony. Oral testimony will be limited to a maximum of 10 minutes per individual and two written copies of the oral testimony are requested. Each organization is requested to designate one witness to present testimony on its behalf. Persons unable to attend the hearing, if it is held, may submit three (3) copies of a written statement and exhibits within 10 days of the date of the hearing to Muhammad Q. Zaman, Environmental Program Manager, Pennsylvania Department of Environmental Protection, Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to Muhammad Q. Zaman, Environmental Program Manager, Pennsylvania Department of Environmental Protection, Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. A 30-day comment period from the date of this notice will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed operating permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the proposed permit. All pertinent documents are available for public review between 8 a.m. and 4 p.m. at the DEP Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review may be made by calling the Department at 570-327-3636. Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodations to do so should contact Megan Lehman at 570-327-3659 or the Pennsylvania Hamilton Relay Service at 1-800-654-5984 (TDD) to discuss how the Department may accommodate your needs.

*Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.*

**28-05012, Volvo Construction Equipment North America LLC**, 312 Volvo Way, Shippensburg, PA 17257-9209, Shippensburg Borough, **Franklin County**. Application received: September 29, 2023. For the renewal of the facility's Title V operating permit, at the construction machinery manufacturing facility. The facility's 2023 actual air emissions were 1.34 tons of CO, 1.78 tons of NO<sub>x</sub>, 0.24 ton of PM<sub>10</sub>, 26.02 tons of VOC, 0.02 ton of SO<sub>x</sub> and 0.89 ton of total HAPs. The Operating Permit will include emission limits and work practice standards along with

monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions for sources derived from 25 Pa. Code §§ 123, 127 and 129 for restrictions, monitoring, recordkeeping, and reporting. Facility processes are subject to 40 CFR 63 Subpart XXXXXX—National Emission Standards for Hazardous Air Pollutants Area Source Standards for Nine Metal Fabrication and Finishing Source Categories. Emergency engines at the site are subject to either 40 CFR 60 Subpart JJJJ—Standards of Performance for Stationary Spark Ignition Internal Combustion Engines or 40 CFR Part 60, Subpart IIII—Standards of Performance for Stationary Compression Ignition Internal Combustion Engines. Source IDs 301, 303, 305—308, and 401 are subject to 25 Pa. Code § 129.111—129.115 Presumptive RACT.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Thomas Joseph, P.E., Facilities Permitting Chief, 412-442-4336.*

**65-00028, Lehigh Specialty Melting, Inc.**, 107 Gertrude Street, Latrobe, PA 15650, Latrobe Borough, **Westmoreland County**. Application received: May 24, 2023.

TV-65-00028: Lehigh Specialty Melting, Inc. (107 Gertrude St., Latrobe, PA 15650) In accordance with 25 Pa. Code §§ 127.424, 127.425 and 127.521, the Department is providing notice that it intends to issue a renewal Title V Operating Permit (TVOP) to authorize the operation of the Lehigh Specialty Melting Latrobe Plant located in the city of Latrobe, Westmoreland County.

Equipment at this facility includes an electric arc furnace controlled by a baghouse, teeming operations, torch cutting operations controlled by a baghouse, billet grinder operations controlled by a baghouse, four (4) natural gas-fired ladle preheat furnaces, six (6) natural gas-fired forge heating furnaces, two (2) natural gas-fired heat treat furnaces, three (3) natural gas-fired hood furnaces, small miscellaneous natural gas-fired combustion sources, a parts washer, a diesel fired emergency generator engine rated at 545 Bhp, four (4) cooling towers, and fugitive particulate matter emissions from plant roads.

Potential emissions for the facility based on annual facility-wide natural gas fuel consumption of 500,000 MMcf and annual steel production of 77,894 tons are as follows: 243.0 tons per year of Carbon Monoxide, 43.0 tons per year of Nitrogen Oxides, 85.0 tons per year of Particulate Matter < 10 Microns, 5.0 tons per year of Sulfur Oxides, 4.0 tons per year of Volatile Organic Compounds, 2.0 tons per year of Metallic Hazardous Air Pollutants, 3.1 tons per year of total HAPs, and 39,355 tons per year of Greenhouse Gases. The emission restrictions and testing, monitoring, recordkeeping, reporting, and work practice conditions of the TVOP have been derived from the applicable requirements of 40 CFR Parts 60, 61, 63, and 70, and 25 Pa. Code Article III, Chapters 121—145.

All pertinent documents are available for public review between 8 a.m. and 4 p.m. at the Pennsylvania Depart-

ment of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Appointments for scheduling a review may be made online at <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx> or by calling the Department at 412-442-4000 or by calling Thomas Joseph, P.E., Environmental Engineer Manager, at 412-442-4336.

Any person may submit comments, a request for the Department to hold a public hearing, or a protest to the proposed operating permit or a condition thereof by submitting the information to Nick Waryanka, P.E., Air Quality Engineer, at the Southwest Regional Office. A 30-day comment period from the date of publication of this notice will exist for the submission of comments. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit (specify Operating Permit TV-65-00028) and concise statements regarding the relevancy of the information in the proposed permit or objections to issuance of the permit.

A public hearing may be held in accordance with 25 Pa. Code § 127.429, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. If a public hearing is held, all persons who have properly filed a protest under 25 Pa. Code § 127.426 may appear and give testimony. The applicant, the protestant, and other participants will be notified of the decision to hold a hearing (and the time, place and purpose of such hearing) by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient.

**04-00227, IPSCO Koppel Tubulars LLC**, 2225 Duss Ave, Ambridge, PA 15003, Harmony Township, **Beaver County**. Application received: December 31, 2022.

## AIR QUALITY

Notice of Proposed State Implementation Plan for Oxides of Nitrogen, Notice of Public Hearing, and Notice of Intent to Issue Air Quality Operating Permit 04-00227.

**TVOP-04-00227: (IPSCO Koppel Tubular LLC**, 2225 Duss Ave., Ambridge, PA 15003). Approval of a Title V Operating Permit Modification and Reasonably Available Control Technology (RACT III) plan for facility known as the Ambridge Plant, located in Harmony Township, Beaver County.

In accordance with 25 Pa. Code §§ 127.424, 127.425 and 127.521, the Department of Environmental Protection (DEP) is providing notice that it intends to issue a modified Title V operating permit (TV-04-00227) to IPSCO Koppel Tubular to incorporate RACT III requirements.

The IPSCO Koppel Tubulars LLC is a seamless steel tubing manufacturing operation located in Ambridge, Harmony Township, Beaver County. The facility is major source for NO<sub>x</sub> emission, not a major source for VOC emission. The following sources at this facility are addressed in this RACT III proposal. The following Table summarizes the Air Contamination Sources and RACT III Applicability:

Source ID	Source Name	NO <sub>x</sub> PTE TPY	Subject to RACT III	RACT III provision
101	Rotary Hearth Furnace	135 (180 MMBtu/hr)	Yes	§ 129.114
102	Quench Furnace	>5 (37.22MM btu/hr.)	Yes	§ 129.114
103	Temper Furnace	>5 (41.44MM btu/hr.)	Yes	§ 129.112(b)

Source ID	Source Name	NO <sub>x</sub> PTE TPY	Subject to RACT III	RACT III provision
104	Reheat Furnace	>5 (30 MM btu/hr.)	Yes	§ 129.114
105	5 Inch Upsetter Furnace	< 1	No	§ 129.111(c)
107	East Bay Pipe Coaters	Not a NO <sub>x</sub> Source	No	§ 129.111(c)
108	West Bay Pipe Coaters	Not a NO <sub>x</sub> Source	No	§ 129.111(c)
109	7.5 Inch Upsetter Furnace	< 5	Yes	§ 129.112(c)
110	Mandrell Mill Piercing Station	Not a NO <sub>x</sub> Source	No	§ 129.111(c)
111	Space Heaters	< 1	No	§ 129.111(c)

The facility has potential emissions of 180.57 TPY NO<sub>x</sub> and 46.08 TPY VOC. Emission limitations, operating requirements, and work practice standards along with monitoring, recordkeeping, and reporting requirements have been included in this proposed revision to the Title V operating permit to ensure that the facility complies with applicable Federal and State air quality regulations.

Furthermore, in accordance with 25 Pa. Code §§ 129.111–129.115, the Pennsylvania Department of Environmental Protection has made a preliminary determination to approve a RACT III plan and an amendment to the State Implementation Plan (SIP) for the aforementioned facility. The facility is not subject to any RACT III requirements for VOC.

The proposed SIP revision does not adopt any new regulations. It incorporates the provisions and requirements contained in the amended RACT III approval for the facility, which are intended to satisfy the requirements for the 1997, 2008, and 2015 National Ambient Air Quality Standard (NAAQS) for ozone.

The RACT III determination for each air contamination source subject to a case-by-case evaluation at this facility is to install, maintain, and operate the air contamination source in accordance with the manufacturer's specifications and with good operating practices. In addition, the owner or operator shall also maintain records of compliance demonstration consistent with 25 Pa. Code § 129.115(f).

The proposed amendments to the RACT III determination, if finally approved, will be incorporated into a revised operating permit 04-00227 for the facility. The relevant RACT III requirements will be submitted to the U.S. Environmental Protection Agency (EPA) as a revision to Pennsylvania's State Implementation Plan and will remain in effect until replaced pursuant to 40 CFR 51 and approval by the EPA. Requirements that are not part of the RACT III determination will be excluded from the SIP submittal.

Public hearing. A public hearing is scheduled to be held on August 14, 2024, from 9:30–10:30 a.m. at the Pennsylvania Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. To register to speak at a hearing, or to inquire if a hearing will be held, please contact Thomas Joseph at 412-442-4336. The last day to pre-register to speak at the hearing will be August 7, 2024. If we do not receive any pre-registered speakers by this date, the hearing will be cancelled.

Please note that any updates made to any aspect of the hearing, including whether or not a hearing will be held, will be posted online at <https://www.dep.pa.gov/About/Regional/SouthwestRegion/Community%20Information/Pages/default.aspx>. We ask that you contact Thomas Joseph at 412-442-4336 or monitor our website to determine if a hearing will be held.

## OPERATING PERMITS

### Notice of Intent to Issue Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001–4015) and 25 Pa. Code Chapter 127, Subchapter F.

*Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.*

**08-00010, Global Tungsten & Powders LLC**, 1 Hawes Street, Towanda, PA 18848, North Towanda Township, **Bradford County**. Application received: May 24, 2024. The Department intends to issue a renewal State Only "Synthetic Minor" Operating Permit for their Towanda Plant. The facility is currently operating under State Only Operating Permit 08-00010. The facility's main sources include multiple calciners, furnaces, chemical processing vessels, and gas-fired boilers. Air emissions from the facility are controlled primarily through the use of several dozen fabric filters and wet scrubbers. After a synthetic minor limit on the annual amount of natural gas used, the facility has potential emissions of 9.0 tons per year (TPY) of particulate matter, including PM<sub>10</sub> and PM<sub>2.5</sub>, 87.9 TPY of nitrogen oxides, 12.5 TPY of volatile organic compounds, 1.9 TPY of hazardous air pollutants, and 90,507 TPY of greenhouse gases (carbon dioxide equivalents). This proposed permit action does not include the construction, installation, or operation of any new equipment nor any emission increases at the facility. The emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. These operating permit conditions have been derived from the applicable requirements of 25 Pa. Code Chapters 121–145 as well as 40 CFR Parts 60 and 63. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-3636.

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Norm Frederick, Facility Permitting Chief, 570-826-2409.*

**35-00053, Flash Company Manufacturing Inc.**, 1151 Union Street, Taylor, PA 18517, Taylor Borough, **Lackawanna County**. Application received: June 19, 2024. The Department intends to issue a renewal State-Only Natural Minor Permit for their facility. Flash Company Manufacturing laminates clear and colored vinyl to thin metal sheets for roof edge drip and other metal products. The sources are considered a minor emission source of nitro-

gen oxide (NO<sub>x</sub>), sulfur oxides (SO<sub>x</sub>), carbon monoxide (CO), total suspended particulate (TSP) and VOC's. The proposed permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

**54-00067, Keystone Potato Products LLC**, P.O. Box 27, Hegins, PA 17938, Frailey Township, **Schuylkill County**. Application received: May 29, 2024. The Department intends to issue a renewal State-Only Natural Minor Permit for Keystone Potato Products, LLC. The facility processes raw potatoes into dehydrated potato products. The sources are considered minor emission sources of nitrogen oxide (NO<sub>x</sub>), sulfur oxides (SO<sub>x</sub>), carbon monoxide (CO), total suspended particulate (TSP) and VOC's. The proposed permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

**54-00075, DG Yuengling & Son Inc.**, 310 Mill Creek Avenue, Pottsville, PA 17901, Port Carbon Borough, **Schuylkill County**. Application received: May 28, 2024. The Department intends to issue a renewal State-Only Natural Minor Permit for their Port Carbon Brewery. The sources are considered minor emission sources of nitrogen oxide (NO<sub>x</sub>), sulfur oxides (SO<sub>x</sub>), carbon monoxide (CO), total suspended particulate (TSP) and VOC's. The proposed permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

*Contact: Norman Frederick, Facility Permitting Chief, 570-826-2409.*

**40-00045, Ralmark Co**, P.O. Box 1507, Kingston, PA 18704-0507, Larksville Borough, **Luzerne County**. Application received: June 10, 2024. The Department intends to issue a renewal State-Only Operating Permit (natural minor) for the Larksville Borough facility. Sources at this facility include their pulley manufacturing process and a paint spray booth. Sources at this facility also include a baghouse for the pulley manufacturing process as a control device. The proposed operating permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.*

**36-03187, Allied Veterinary Cremation, Ltd.**, 1966 Mastersonville Road, Manheim, PA 17545, Ralpho Township, **Lancaster County**. Application received: May 7, 2024. To issue a State-Only Operating Permit renewal for operation of four animal cremation units. Potential emissions from the facility are estimated to be 7.7 tpy of PM, 8.3 tpy of CO, 4.5 tpy of NO<sub>x</sub>, 1.5 tpy SO<sub>x</sub>, and 2.0 tpy of VOCs. The Operating Permit will include emission limits and work practice standards along with monitoring and recordkeeping requirements to ensure the facility complies with the applicable air quality regulations.

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: Janine Tulloch-Reid, Facilities Permitting Chief, 484-250-5920.*

**09-00213, Denucci Excavating Corporation**, 2807 Old Rodgers Rd, Bristol, PA 19007, Bristol Township, **Bucks County**. Application received: March 29, 2024. This action is for the issuance of a State Only Operating Permit (SOOP) for a Portable Nonmetallic Mineral Processing Plant (PNMPP). Denucci Excavating operates a concrete and stone crushing facility where the material is trucked to their location in Bristol, crushed to size specifications, and then trucked to construction sites for secondary use. The PNMPP consists of a crusher, screener and two associated diesel engines. The primary pollutant of concern from the crusher is particulate matter (PM). The PM will be controlled by a water spray dust suppression system that has been installed on the PNMPP. The potential after control PM emissions from the PNMPP is 5.75 tons per year. The primary pollutant of concern from the diesel engines is Nitrogen Oxides (NO<sub>x</sub>). The potential NO<sub>x</sub> emissions from the two diesel engines is 14.30 tons per year. The SOOP renewal includes requirements for monitoring, recordkeeping and work practice requirements designed to ensure this facility complies with all applicable air quality regulations. Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEROAQPUBCOM@pa.gov.

## COAL & NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21).

Mining activity permits issued in response to such applications are also subject to applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (DEP). A copy of the application is available for inspection at the District Mining Office indicated above each application. Requests for 401 Water Quality Certifications are included in individual application only if noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application may be submitted by any person or any officer or head of any Federal, State or Local Government Agency or Authority to DEP at the address of the District Mining Office indicated above each application within 30-days of this publication, or within 30-days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for



comment, and informal conferences). Such comments or objections should contain the name, address and phone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform DEP on the basis of comment or objection and relevant facts upon which it is based.

In addition, requests for an informal conference, or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 (relating to public hearing-informal conferences) or § 86.34 (relating to informal conferences), must also contain a brief summary of the issues to be raised by the requestor at the conference and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Where a National Pollutant Discharge Elimination System (NPDES) number is listed, the mining activity permit application is associated with an application for an NPDES permit. A separate notice will be provided for the draft NPDES permit.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

*Coal Applications*

*Effluent Limits*—The following range of effluent limits (Table 1) will apply to NPDES permits issued in conjunction with the associated coal mining activity permit. Additional effluent limits will be listed as part of the publication of the draft NPDES permit.

Parameter	30-Day Average	Daily Maximum	Instantaneous Maximum
Iron (total)	1.5 to 3.0 mg/l	3.0 to 6.0 mg/l	3.5 to 7.0 mg/l
Manganese (total)	1.0 to 2.0 mg/l	2.0 to 4.0 mg/l	2.5 to 5.0 mg/l
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Aluminum (Total)	0.75 to 2.0 mg/l	1.5 to 4.0 mg/l	2.0 to 5.0 mg/l
pH must always be greater than 6.0; less than 9.0.			
Alkalinity must always be greater than acidity.			

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.*

*Contact: RA-EPCAMBRIADMO@pa.gov.*

**Mining Permit No. 56190102. Fieg Brothers**, P.O. Box 38, Berlin, PA 15530, Somerset Township, **Somerset County**. Permit renewal for reclamation only of a bituminous surface and auger mine affecting 29 acres. Receiving streams: unnamed tributary to Kimberly Run to Coxes Creek to Casselman River, classified for the following use: CWF. Application received: June 25, 2024.

**Mining Permit No. 56980107. NPDES No. PA0262684. Fieg Brothers**, P.O. Box 38, Berlin, PA 15530, Southampton Township, **Somerset County**. Permit revision for a land use change from woodland to pastureland on a bituminous surface mine affecting 162.1 acres. Receiving streams: Powder Run to Gladdens Creek to unnamed tributaries to/and Wills Creek, classified for the following uses: HW-CWF. Application received: June 26, 2024.

*Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.*

*Contact: Alicia Cook, Clerical Assistant 3, 814-343-3328.*

**Mining Permit No. 16190103. Ben Hal Mining, Inc.**, 389 Irishtown Road, Grove City, PA 16127, Piney Township, **Clarion County**. Permit renewal for application for a bituminous surface coal mine affecting 85.9 acres. This renewal is for reclamation only. Receiving stream(s): Two unnamed tributaries to Licking Creek classified for the following use(s): CWF. Application received: June 24, 2024.

*Noncoal Applications*

*Effluent Limits*—The following Table 2 effluent limits apply to NPDES permits issued in conjunction with a noncoal mining permit. Additional effluent limits will be listed as part of the publication of the draft NPDES permit.

Parameter	30-day Average	Daily Maximum	Instantaneous Maximum
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity must always exceed acidity.			
pH must always be greater than 6.0; less than 9.0.			

*Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.*

*Contact: Alicia Cook, Clerical Assistant 3, 814-343-3328.*

**Mining Permit No. 24240802. GP-104 No. PAM624002. Nero Enterprise, LLC**, 484 Walnut Street, St Marys, PA 15857, City of Saint Marys, **Elk County**. New permit application for a small noncoal industrial minerals operation affecting 4.7 acres. Receiving stream(s): Elk Creek classified for the following use(s): CWF. Application received: April 10, 2024.

*Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.*

*Contact: Cassie Stanton, Clerical Assistant 2.*

**Mining Permit No. 1479401. NPDES No. PA0118001. Graymont (PA), Inc.**, 375 Graymont Road, Bellefonte, PA 16823, Spring Township, **Centre County**. A depth revision to the final permitted pit floor elevation for the large

industrial mineral permit affecting 257.8 acres. The final pit floor elevation is proposed to be lowered from 660 feet MSL to 710 feet MSL. Receiving stream(s): Logan Branch and Nittany Creek to Spring Creek classified for the following use(s): CWF, MF, HQ-CWF. Application received: June 12, 2024. Accepted: June 26, 2024.

**Mining Permit No. 14120302. NPDES No. PA0118001. Graymont (PA), Inc.**, 375 Graymont Road, Bellefonte, PA 16823, Spring Township, **Centre County**. A depth revision to the final permitted pit floor elevation for the large industrial mineral permit affecting 67.3 acres. The final pit floor elevation is proposed to be lowered from 660 feet MSL to 710 feet MSL. Receiving stream(s): Logan Branch and Nittany Creek to Spring Creek classified for the following use(s): CWF, MF, HQ-CWF. Application received: June 12, 2024. Accepted: June 26, 2024.

**Mining Permit No. 14060302. Glenn O. Hawbaker, Inc.**, 1952 Waddle Road, State College, PA 16803, Spring Township, **Centre County**. Application for a Change of Post-Mining Land Use and use of reclamation fill on the existing industrial mineral surface mine affecting 23.6 acres. The land use change requests a change from unmanaged habitat/water impoundment to commercial/industrial, unmanaged habitat, and water impoundment. Receiving stream(s): Spring Creek classified for the following use(s): CWF. Application received: June 13, 2024. Accepted: June 28, 2024.

**Mining Permit No. 14060302. NPDES No. PA0256447. Glenn O. Hawbaker, Inc.**, 1952 Waddle Road, State College, PA 16803, Spring Township, **Centre County**. Renewal of an NPDES permit associated with a large noncoal (industrial minerals) mining site affecting 23.6 acres. Receiving stream(s): Spring Creek classified for the following use(s): CWF. Application received: June 13, 2024. Accepted: July 1, 2024.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.*

*Contact: RA-EPPottsvilleDMO@pa.gov.*

**Mining Permit No. 52270301. PA0225436. Shiffer Bituminous Service Co., Inc.**, 158 Dotters Corner Road, Kunkletown, PA 18058-7860, Polk Township, **Monroe County**. Renewal of an NPDES Permit on a quarry operation affecting 29.038 acres. Receiving stream: Dotters Creek, classified for the following use: HQ-CWF. Application received: June 14, 2024.

**Mining Permit No. 64142801. NPDES No. PA0226050. Litts & Sons Stone Co., Inc.**, 19 Primrose Road, Spring Brook Township, PA 18444-6404, Sterling Township, **Wayne County**. Renewal of an NPDES Permit on a quarry operation affecting 6.3 acres. Receiving stream: Butternut Creek & Wallenpaupack Creek Watershed, classified for the following uses: HQ, CWF, & MF. Application received: June 17, 2024.

#### MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed National Pollutant Discharge Elimination System (NPDES) permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (DEP) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

##### *Effluent Limits for Coal Mining Activities*

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH must always be greater than 6.0; less than 9.0.			
Alkalinity must always be greater than acidity.			

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

##### *Effluent Limits for Noncoal Mining Activities*

The limits for noncoal mining activities as provided in 25 Pa. Code § 77.522 are pH 6 to 9 and other parameters DEP may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

*Coal NPDES Draft Permits*

*California District Mining Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.*

*Contact: Bonnie Herbert, Clerical Assistant 3.*

**NPDES No. PA0214744. Mining Permit No. 03841301. Rosebud Mining Company**, 301 Market Street, Kittanning, PA 16201, Perry Township, **Armstrong County**. Application received: May 25, 2021. Accepted: August 12, 2021.

To renew the NPDES and mining activity permit, affecting 8.8 surface acres. Receiving stream(s): Tributary 49098 to Allegheny River, classified for the following use: WWF. Allegheny TMDL.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The proposed effluent limits for Outfall 001 discharging to UNT 49098 to Allegheny River are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to Permit Expiration Date:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	3.0	6.0	7.0
Manganese	(mg/l)	-	2.0	4.0	5.0
Aluminum	(mg/l)	-	-	-	Report
Suspended Solids	(mg/l)	-	35	70	90
pH	(s.u.)	6.0	-	-	9.0
Alkalinity, Total as CaCO <sub>3</sub>	(mg/l)	-	-	-	Report
Acidity, Total as CaCO <sub>3</sub>	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-
Osmotic Pressure	(mOs/kg)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	-	-	Report
Sulfate	(mg/l)	-	-	-	Report
Specific Conductance	(umho)	-	-	-	Report

The EPA Waiver is not in effect.

*Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.*

*Contact: Cassie Stanton, Clerical Assistant 2.*

**NPDES No. PA0610623. Mining Permit No. 17820129. Kasubick Brothers Coal Company**, 501 David Street, Houtzdale, PA 16651, Woodward Township, **Clearfield County**. Application received: May 26, 2024.

Renewal of an NPDES permit for postmining treatment of coal mine drainage affecting 161.8 acres. Receiving stream(s): Unnamed Tributary to North Branch Upper Morgan Run, classified for the following use(s): CWF. This receiving stream is included in the North Branch Upper Morgan Run Watershed TMDL.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The following outfall discharges to Unnamed Tributary to North Branch Upper Morgan Run.

<i>Outfall No.</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
001	New	Final Discharge from Treatment System (MP21T)	Continuous (0.019 MGD)

Outfall 001 (MP21T) is the final outfall of a passive treatment system consisting of a vertical flow pond, a polishing pond and a limestone bed. The proposed effluent limits for the previously listed outfall are as follows:

<i>Outfalls: 001 (All Discharges) Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/L)	1.5	3.0	3.7
Manganese (mg/L)	2.0	4.0	5.0
Aluminum (mg/L)	1.9	3.8	4.7
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Sulfate (mg/L)		Report	
Flow (gpm)		Report	
Temperature (°C)		Report	
Specific Conductivity (umhos/cm)		Report	

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.

Alkalinity must exceed acidity at all times.

**FEDERAL WATER POLLUTION CONTROL ACT SECTION 401**

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection (DEP). Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341), requires the State to certify that the involved projects will not violate the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), as well as relevant State requirements. Individuals objecting to approval of a request for certification under Section 401 or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit, or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30-days of the date of this notice, as well as any questions to the office noted above the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed, and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The DEP may schedule a fact-finding hearing or an informal conference in response to comments if deemed necessary. Maps, drawings and other data pertinent to the certification request are available for inspection between the hours of 8:00 a.m. and 4:00 p.m. on each working day at the office noted above the application.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at

(800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

**WATER OBSTRUCTIONS AND ENCROACHMENTS**

**Applications Received Under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification Under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).**

*Eastern District: Oil and Gas Management Program, 208 West Third Street, Williamsport, PA 17701-6448.*

*Contact: RA-EPEASTERNOGPRG@pa.gov.*

**E4129224-007. Beech Resources LLC**, 343 Pine Street, Suite 1, Williamsport, PA 17701, Lycoming Township, **Lycoming County**. U.S. Army Corps of Engineers Baltimore District. Application received: June 20, 2024.

To construct, operate and maintain four (4) permanent crossings and two (2) permanent wetland crossings in Lycoming Township, Lycoming County. The work involves the construction of two (2) 16-inch diameter waterlines and one (1) 16-inch diameter gas pipeline.

The project will result in a total of 52 LF (449 SF) of permanent and 117 LF (2,786 SF) of temporary stream impacts, 1,956 SF (0.0449 acre) of permanent and 7,508 SF (0.1724 acre) of temporary wetland impacts and 3,654 SF (0.0839 acre) of permanent and 15,442 SF (0.3545 acre) of temporary floodway impacts all for the purpose of constructing an natural gas pipeline for Marcellus Shale well development.

Stream Impact Table:

<i>Resource Name</i>	<i>Municipality Quadrangle</i>	<i>Activity</i>	<i>Chap. 93</i>	<i>Listed Trout</i>	<i>Impact Length Temp. (LF)</i>	<i>Impact Area Temp. (SF)</i>	<i>Impact Length Perm. (LF)</i>	<i>Impact Area Perm. (SF)</i>	<i>Lat. Long.</i>
Stream A— UNT Beauty’s Run	Lycoming Cogan House	Workspace & Gas/Water Lines	EV	Wild	25	814	14	126	41.304342 77.122471
Stream H— UNT Beauty’s Run	Lycoming Cogan House	Workspace & Gas/Water Lines	EV	Wild	50	1,076	11	99	41.302156 77.123668
Stream B— UNT Beauty’s Run	Lycoming Cogan House	Workspace & Gas/Water Lines	EV	Wild	17	527	19	153	41.292878 77.117807
Stream C— UNT Beauty’s Run	Lycoming Cogan House	Workspace & Gas/Water Lines	EV	Wild	25	369	8	71	41.288992 77.114151
<b>TOTAL IMPACTS</b>					<b>117</b>	<b>2,786</b>	<b>52</b>	<b>449</b>	

Wetland Impact Table:

<i>Resource Name</i>	<i>Municipality Quadrangle</i>	<i>Activity</i>	<i>Cow. Class</i>	<i>Listed Trout</i>	<i>Impact Length Temp. (LF)</i>	<i>Impact Area Temp. (SF)</i>	<i>Impact Length Perm. (LF)</i>	<i>Impact Area Perm. (SF)</i>	<i>Lat. Long.</i>
Wetland A	Lycoming Cogan House	Workspace & Gas/Water Lines	EV	Wild	75	3075	75	669	41.304389 77.122350
Wetland B	Lycoming Cogan House	Workspace & Gas/Water Lines	EV	Wild	143	4,433	143	1,287	41.292878 77.117807
TOTAL IMPACTS				218	7,508	218	1,956		

Floodway Impact Table:

<i>Resource Name</i>	<i>Municipality Quadrangle</i>	<i>Activity</i>	<i>Impact Length Temp. (LF)</i>	<i>Impact Area Temp. (SF)</i>	<i>Impact Length Perm. (LF)</i>	<i>Impact Area Perm. (SF)</i>	<i>Lat. Long.</i>
Stream A— UNT Beauty’s Run	Lycoming Cogan House	Workspace & Gas/Water Lines	106	3,770	106	954	41.304342 77.122471
Stream H— UNT Beauty’s Run	Lycoming Cogan House	Workspace & Gas/Water Lines	100	5,496	100	900	41.302156 77.123668
Stream B— UNT Beauty’s Run	Lycoming Cogan House	Workspace & Gas/Water Lines	100	3,100	100	900	41.292878 77.117807
Stream C— UNT Beauty’s Run	Lycoming Cogan House	Workspace & Gas/Water Lines	100	3,076	100	900	41.288992 77.114151
TOTAL IMPACTS			406	15,442	406	3,654	

*Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Michele Lauer, Clerical Assistant 2, 570-830-3077.*

**E6402124-001. PA Department of Transportation—District 4-0**, 55 Keystone Industrial Park, Dunmore, PA 18512, Scott Township, **Wayne County**. U.S. Army Corps of Engineers Philadelphia District. Application received: June 14, 2024.

To remove the existing structure and to construct and maintain a 49.7-foot wide pre-cast box culvert with a 18-foot normal clear span and a 4-foot minimum underclearance with appurtenant structures. The structure will carry SR 4014 across Hiawatha Creek (HQ-CWF, MF). The project also includes a stormwater outfall in the floodway of Hiawatha Creek and a de minimus impact to PEM wetland equal to 0.01 acre. The project is located along SR 4014 Sect 651 Segment 0130 Offset 3732 approximately 50’ west of the intersection with T766 (Faigle Road) (Hancock, PA Quadrangle Latitude: 41.943695°, Longitude: -75.374661°) in Scott Township, Wayne County.

*Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: RA-EPWW-NWRO@pa.gov.*

**E1006224-003. RM Nelson Properties LLC**, 1510 Route 588, Fombell, PA 16123, Adams Township, **Butler County**. U.S. Army Corps of Engineers Pittsburgh District. Application received: June 6, 2024.

To install and maintain an approximate 35-foot long extension to the inlet of an existing 42-inch diameter stream enclosure under SR 228 and two stormwater outfalls to a UNT Breakneck Creek for construction of an access road and stormwater basin associated with a commercial development along the north side of SR 228 approximately 0.4 mile east of the intersection with Mars Valencia Road. Project proposes a total of approximately 0.019 acre of permanent and a total of approximately 0.003 acre of temporary impact to the channel and calculated floodway of UNT Breakneck Creek. Latitude: 40.692267°, Longitude: -80.001002°.

*Southeast Region: Waterways & Wetlands Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: ra-ep-ww-sero-105@pa.gov.*

**E2301224-008. Borough of Colwyn**, 221 Spruce Street, Colwyn, PA 19023, Colwyn Borough, **Delaware**

**County.** U.S. Army Corps of Engineers Philadelphia District. Application received: June 19, 2024.

To construct and maintain an ADA compliant walking path around the perimeter of the park, a large rain garden to take place of the asphalt basketball court, two basketball courts, and other amenities, i.e., park benches, trash receptacles, and tables, etc., within the floodway/floodplain of Cobbs Creek (WWF) associated with the improvements to Bosacco Park. The project is located within Bosacco Park adjacent to Cobb's Creek (Lansdowne, PA USGS Quadrangle) in the Borough of Colwyn, Delaware County. Latitude: 39.912598°, Longitude: -75.249758°.

Contact: *ra-ep-uw-sero-105@pa.gov*.

**E0901224-006. Andrew Klimenko and Regina Litovsky**, 1358 Spencer Road, Ivyland, PA 18954, Northampton Township, **Bucks County**. U.S. Army Corps of Engineers Philadelphia District. Application received: June 12, 2024.

To construct and maintain a retaining wall about 100-feet long and 10-feet high along eroded streambanks within the floodway of the UNT to Little Neshaminy Creek (WWF) associated with eroded bank stabilization to protect the applicant's property. Recent extreme weather events have caused streambank erosion adjacent to the dwelling. The project will include a segmental reinforced retaining wall with riprap protection. This activity will result in 1,247.1 square feet of permanent watercourse impact, 1,113.2 square feet of temporary watercourse impact, 700.4 square feet of floodway impact, and 308.0 square feet of temporary floodway impact. The site is located at 1358 Spencer Road (Hatboro, PA, USGS Quadrangle) in Northampton Township, Bucks County. Latitude: 40.238235°, Longitude: -75.031639°.

*Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

Contact: *Dana Drake, Program Manager, 412-442-4149.*

**E6505120-023. PennDOT District 12-0**, 825 N. Gallatin Avenue Extension, Uniontown, PA 15401, Mount Pleasant Township, **Westmoreland County**. U.S. Army Corps of Engineers Pittsburgh District. Application received: February 23, 2024.

E6505120-023, PennDOT District 12-0, 825 N. Gallatin Avenue Extension, Uniontown, PA 15401, Mount Pleasant Township, Westmoreland County; Pittsburgh ACOE District.

Applicant is seeking authorization to amend E6505120-023, which granted authorization to:

1. Remove the existing 31.6' slab bridge, 32.2' box culvert, two outfalls and 182' long gabion basket and stone masonry wall, and construct and maintain a realigned, replacement, 242.5' box culvert, four outfalls, and rock aprons, having a permanent impact of 646 LF and temporary impact of 541 LF to (ST-2) Shupe Run (WWF).

2. Remove the existing 36 LF of 24' Corrugated Plastic Pipe (CPP) and 28 LF of stream channel and construct and maintain a stream relocation, outfall and rock apron having a permanent impact of 64 LF and temporary impact of 64 LF to an unnamed tributary ST-3 (UNT) to Shupe Run (WWF).

3. Remove the existing 33' stone box culvert and construct and maintain a realigned, replacement, 85' long, 60" culvert, outfall and rock aprons having a

permanent impact of 118 LF and temporary impact of 162 LF to a UNT (ST-4) to Wilson Run (WWF).

4. Construct and maintain an inlet and manhole to an existing 30" Reinforced Concrete Pipe (RCP), and rock apron, conveying a UNT (ST-7) to Wilson Run (WWF), having a permanent impact of 51 LF and temporary impact of 166 LF to a UNT (ST-7) to Wilson Run (WWF).

5. Place and maintain fill in 93 LF of channel and construct and maintain a relocated channel, having 93 LF of permanent impact and 74 LF of temporary impact to a UNT (ST-5) to Wilson Run (WWF).

6. Plug and abandon in place the existing 24" Corrugated Metal Pipe (CMP), and construct and maintain a realigned, 11 7' long 36" CMP, having a permanent impact of 139 LF and temporary impact of 172 LF to a UNT (ST-6) to Wilson Run (WWF).

7. Remove the existing connected 42" CMP, 60" RCP, 60" CMP and two outfalls, and construct and maintain a replacement, connected 48" RCP, 60" RCP, three 18" outfalls, and rock aprons having a permanent impact of 519 LF and temporary impact of 595 LF to a UNT (ST-8) to Boyer Run (WWF).

8. Plug and abandon in place the existing 40' long 18" pipe, and construct and maintain a 97' long stream relocation, outfall and rock apron, having a permanent impact of 100 LF and temporary impact of 153 LF to a UNT (ST-11) to Boyer Run (WWF).

9. Remove the existing 35.3' box culvert, and construct and maintain a replacement, 64' pipe, and rock aprons, having a permanent impact of 89 LF and temporary impact of 127 F to ST-10 UNT to Boyer Run (WWF).

10. Remove existing 147' long, 48" RCP, and construct and maintain 555' long stream relocation, a replacement, 56' long, 84" RCP, 88' long, 84" RCP, 18' outfall, 36" outfall, and rock aprons, having a permanent impact of 741 LF and temporary impact of 846 LF to UNT (ST-8) to Boyer Run (WWF).

11. Construct and maintain a stream relocation having a permanent impact of 113 LF and temporary impact of 135 LF to UNT (ST-9) Boyer Run (WWF).

12. Remove existing 45' long, 15" pipe and construct and maintain a replacement, 45' long, 18" pipe and rock apron having a permanent impact of 53 LF and temporary impact of 57 LF to UNT (ST-12) to Boyer Run (WWF).

13. Remove the existing 160' x 14', 3 span bridge and appurtenances, and construct and maintain a new bridge in a different location, 18" outfall and rock apron, and shoulder improvements having a permanent impact of 140 LF and temporary impact of 140 LF to Boyer Run (ST-13) (WWF).

14. Remove the existing dual 48" pipes, and construct and maintain a replacement, 480' long, 54" RCP stream enclosure/relocation having a permanent impact of 625 LF and temporary impact of 630 LF on UNT (ST-15) to Boyer Run (WWF).

15. Construct and maintain a 150' long stream relocation having a permanent impact of 150 LF to UNT (ST-18) to Boyer Run (WWF).

16. Place and maintain fill, having a permanent impact of 326 LF to UNT (ST-29) to Boyer Run (WWF).

17. Construct and maintain a drainage ditch having a permanent impact of 30 LF and temporary impact of 30 LF to UNT (ST-21) Boyer Run (WWF).

18. Construct and maintain a 264' long stream enclosure, having a permanent impact of 264 LF and temporary impact of 305 LF to UNT (ST-19) to Boyer Run (WWF).

19. Place and maintain fill, having a permanent impact of 18 LF to UNT (ST-28) to Boyer Run (WWF).

20. Place and maintain fill, construct and maintain a relocated drainage ditch having a permanent impact of 38 LF to UNT (ST-20) to Boyer Run (WWF).

21. Construct and maintain a 450' long, 48" RCP stream enclosure, having a permanent impact of 450 LF and temporary impact of 552 LF to UNT (ST-21) to Boyer Run (WWF).

22. Plug and abandon in place the existing 48" CMP, and construct and maintain a replacement, 77' long, 24" RCP having a permanent impact of 87 LF and temporary impact of 87 LF to UNT (ST-22) to Boyer Run (WWF).

23. Remove the existing 56' long, 12" steel pipe, and construct and maintain a replacement 63' 18" RCP, 142' long, 24" RCP, a manhole and associated rock aprons, having a permanent impact of 393 LF and temporary impact of 410 LF to UNT (ST-21) to Boyer Run (WWF).

24. Place and maintain fill, having a permanent impact of 55 LF to UNT (ST-14) to Boyer Run (WWF).

25. Remove the existing 40' long 24" steel pipe, and construct and maintain a replacement 66' long, 9" x 30" elliptical RCP, having a permanent impact of 90 LF and temporary impact of 72 LF on UNT (ST-25) to Hurst Run (WWF).

26. Remove the existing 29.76' long box culvert, and construct and maintain a replacement 44' long, 12' by 6'6" precast box culvert and rock aprons, having a permanent impact of 109 LF and temporary impact of 133 LF to Hurst Run (ST-24) (WWF).

27. Construct and maintain two 24" outfalls, one 18" outfall, and associated rock aprons, having a permanent impact of 29 LF and temporary impact of 88 LF to UNT (ST-23) to Welty Run (HQ-CWF).

28. Remove existing 49' long, 18" steel pipe, 34' long 18" CPP, plug and abandon in place 46' long 18" CPP, and construct and maintain approximately 215' long, 42" RCP, and place and maintain fill in 135' of ST-1 having a permanent impact of 215 LF and temporary impact of 264 LF to UNT (ST-1) to Welty Run (HQ-CWF).

29. Place and maintain fill, having a permanent impact of 0.197 acre and temporary impact of 0.017 on wetland W-02 (PEM).

30. Place and maintain fill having a permanent impact of 0.027 acre and temporary impact of 0.017 on wetland W-03 (PEM).

31. Place and maintain fill having a permanent impact of 0.176 acre and temporary impact of 0.043 on wetland W-06 (PEM/PFO).

32. Place and maintain fill having a permanent impact of 0.001 acre on wetland W-07 (PEM).

33. Place and maintain fill having a permanent impact of 0.062 acre and temporary impact of 0.147 on wetland W-08 (PEM/PSS).

34. Place and maintain fill having a permanent impact of 0.018 acre and temporary impact W-09 (PEM).

35. Place and maintain fill having a permanent impact of 0.160 acre and temporary impact of 0.034 on wetland W-13 (PEM).

36. Place and maintain fill having a permanent impact of 0.0396 acre and temporary impact of 0.142 on wetland W-14 (PEM).

37. Place and maintain fill having a permanent impact of 0.026 acre on wetland W-15 (PEM).

38. Place and maintain fill having a permanent impact of 0.015 acre to wetland W-21 (PEM).

39. Construct and maintain stream mitigation along Boyer Run (ST-13) and UNT (ST-8) to Boyer Run, having a permanent impact of 1,650 LF.

40. Construct and maintain approximately 1.49 acres of PEM wetland as mitigation along ST-13 Boyer Run.

This amendment proposes to:

1. Pertaining to item 10, previously listed, place and maintain fill within 185 LF of another reach of the UNT (ST-8) to Boyer Run (WWF), and to construct and maintain an additional 190 LF of relocated channel. This activity is to also include the installation of rock cross vanes, having a cumulative permanent watercourse impact of 720 LF and a temporary watercourse impact of 831 LF to ST-8, as well as a permanent floodway impact of 0.942 acre and a temporary floodway impact of 0.935 acre.

2. Place and maintain fill within an additional 0.120 acre of a Palustrine Emergent (PEM) Wetland, namely W-23, also having a temporary impact to 0.20 acre of W-23, in association with the activity described previously listed in item 1 of this amendment.

For the purpose of amending the Laurel Valley Transportation Improvement Project to address erosion along the stream bed of watercourse ST-8. This amendment will permanently impact 720 LF and temporarily impact 831 LF of watercourse. The project will also permanently impact 0.942 acre and temporarily impact 0.401 acre of floodway and will permanently impact 0.120 acre and temporarily impact 0.20 acre of wetland.

The project site is located along SR 0981 between its intersections with SR 819 and 2023 in the Norvelt area (Mammoth, Mount Pleasant, PA USGS topographic quadrangle; N: 40°, 11', 13.1418"; W: 79°, 30', 48.8184"; Sub-basin 19D; USACE Pittsburgh District), in Mount Pleasant Township, Westmoreland County.

**E2605124-002. PennDOT District 12-0**, 825 N. Gallatin Ave. Ext., Uniontown, PA 15401, Upper Tyrone Township, **Fayette County**. U.S. Army Corps of Engineers Pittsburgh District. Application received: June 3, 2024.

E2605124-002, PennDOT District 12-0, 825 N. Gallatin Ave. Ext., Uniontown, PA 15401, Upper Tyrone Township, Fayette County; Pittsburgh ACOE District. The applicant has been given consent to:

1. Construct and maintain a 210-LF long, 10' diameter Steel Reinforced Polyethylene (SRPE) culvert liner along the entire length of an existing 10'-wide by 12'-high Corrugated Metal Pipe (CMP) culvert with concrete bottom, within a UNT (STR-01) to Jacob's Creek (WWF). This activity will include new endwalls, inlet and outlet protection, and will have a permanent watercourse impact of 289 LF and a temporary watercourse impact of 310 LF to STR-01, as well as a permanent impact of 0.25 acre and a temporary impact of 0.06 acre to the floodway of STR-01.

2. Construct and maintain a new 30" RCP stormwater outfall, including end walls and a rock apron, and having a permanent impact of 0.004 acre to the floodway of STR-01.

3. Remove the existing 180-LF long, 36" Reinforced Concrete Pipe (RCP), within a UNT (STR-02) to Jacob's Creek (WWF), and to construction and maintain a replacement 180-LF 36" RCP culvert, including end walls and rock aprons, and having a permanent watercourse impact of 187 LF and a temporary watercourse impact of 272 LF to STR-02, as well as a permanent impact of 0.424 acre and a temporary impact of 0.07 acre to the floodway of STR-02, including temporary impacts associated with erosion and sedimentation control measures during construction.

4. Construct and maintain a new 18" RCP stormwater outfall, including end walls and a rock apron, and having a permanent impact of 0.001 acre to the floodway of STR-02.

5. Construct and maintain a new 30" RCP stormwater outfall, within a UNT (STR-03) to Jacob's Creek (WWF), including end walls and a rock apron, and having a permanent watercourse impact of 8 LF and a temporary watercourse impact of 23 LF to STR-03, as well as a temporary impact of 0.020 acre to the floodway of STR-03.

6. Place and maintain fill within 73 LF of a UNT (STR-04) to Jacobs Creek, remove the existing 137-LF long, 36" CMP, and to construct and maintain a replacement 182-LF 36" RCP culvert, including new endwalls and inlet and outlet protection, resulting in a net loss of 118 LF of open channel, and having a combined permanent watercourse impact of 255 LF, a temporary watercourse impact of 323 LF to STR-04, as well as a permanent impact of 1.35 acres and a temporary impact of 0.83 acre to the floodway of STR-04.

7. Place and maintain fill within 411 LF of a UNT (STR-05) to Irish Run (WWF), then to construct and maintain 378 LF of relocated channel, consisting of class R-6 stone choked with streambed substrate for the channel bed, and coir wrapped soil lifts for the stream banks, and resulting in a net loss of 33 LF of open channel. This activity will also have a permanent impact of 0.79 acre and a temporary impact of 0.12 acre to the floodway of STR-05.

8. Construct and maintain a new 24" RCP stormwater outfall within the floodway of STR-05, including end walls and a rock apron, and having a permanent floodway impact of 0.002 acre.

9. Remove 125 LF of existing 36" RCP, and 45 LF of existing 15" Corrugated Plastic Pipe (CPP), which conveys a UNT (STR-07) to Jacobs Creek. Then, to construct and maintain a new 382 LF 36" RCP culvert, including end walls and a rock apron, resulting in a net loss of 280 LF of open channel, and having a combined permanent watercourse impact of 439 LF and a temporary watercourse impact of 510 LF to STR-07, as well as a permanent impact of 0.06 acre and a temporary impact of 0.89 acre to the floodway of STR-07.

10. Construct and maintain a new 24" RCP stormwater outfall within the floodway of STR-07, including end walls and a rock apron, and having a permanent floodway impact of 0.001 acre.

11. Place and maintain fill within 0.004 acre of a Palustrine Scrub Shrub (PSS) Wetland, namely, Wetland 1, also having a temporary impact of 0.005 acre to Wetland 1. The temporary impacts are associated with the erosion and sedimentation control measures during construction.

12. Place and maintain fill within 0.06 acre of a Palustrine Emergent (PEM) Wetland, namely, Wetland 2.

13. Place and maintain fill within 0.15 acre of a PEM Wetland, namely, Wetland 3.

14. Place and maintain fill within 0.43 acre of a PEM/PSS Wetland, namely, Wetland 5, resulting in the permanent loss of Wetland 5.

For the purpose of reconstructing and widening section K10 of PA Route 119, including both on and off-alignment improvements, intersection reconfigurations, and full depth roadway reconstruction. The project will have a cumulative permanent impact to 1,589 LF of watercourses, and a cumulative temporary impact to 1,849 LF of watercourses. The project will have a cumulative permanent impact on 2.91 acres of floodways, and a cumulative temporary impact on 1.99 acres of floodways. The project will also have 0.65 acre of cumulative permanent impact and 0.01 acre of temporary impact on wetlands.

The project site is located along SR 119, between the route's intersections with SR 819 and SR 1025 (Connelville, PA USGS topographic quadrangle; N: -40°, 5', 50.207"; W: -79°, 33', 26.2891"; Sub-basin 19D; USACE Pittsburgh District), Upper Tyrone Township, Fayette County.

#### WATER QUALITY CERTIFICATION REQUESTS

*Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: RA-EPWW-NWRO@pa.gov.*

Certification Request initiated by **US Fish and Wildlife Service**, 110 Radnor Road, Suite 101, State College, PA 16801, Venango Township, **Crawford County**. U.S. Army Corps of Engineers Pittsburgh District.

**EA2006224-001.** The US Fish and Wildlife Service is requesting 401 Water Quality Certification for the proposed rehabilitation of approximately 700 linear feet of French Creek. The project will include removal a large depositional bar, installation of rubble vanes in French Creek and installation of a log vane in Coulter Run. Latitude: 41.779256°, Longitude: -80.109113°. Application received: June 6, 2024.

---

## ACTIONS

---

### THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

#### FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department of Environmental Protection (DEP) has taken the following actions on previously received applications for new, amended, and renewed National Pollutant Discharge Elimination System (NPDES) and Water Quality Management (WQM) permits, applications for permit waivers, and Notice of Intent (NOIs) for coverage under General Permits, as listed in the following tables. This notice of final action is published in accordance with 25 Pa. Code Chapters 91, 92a, and 102 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). The official file for each listed action can be reviewed at



the DEP or delegated County Conservation District (CCD) office identified in the table for the action. DEP/CCD office contact information is listed as follows for Section I and is contained within the table for Section II. Additional information for permits issued under 25 Pa. Code Chapters 91 and 92a and Individual permits under 25 Pa. Code Chapter 102, including links to Individual Chapter 92a NPDES and WQM Permits, may be reviewed by generating the “Final Actions Report” on DEP’s website at [www.dep.pa.gov/CWPublicNotice](http://www.dep.pa.gov/CWPublicNotice).

DEP office contact information to review official files relating to the final actions in Section I is as follows:

*DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484-250-5910. Email: RA-EPNPDES\_SERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SERO@pa.gov for Chapter 102 permits.*

*DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570-826-5472. Email: RA-EPNPDES\_NERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NERO@pa.gov for Chapter 102 permits.*

*DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717-705-4732. Email: RA-EPNPDES\_SCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SCRO@pa.gov for Chapter 102 permits.*

*DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570-327-3693. Email: RA-EPNPDES\_NCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NCRO@pa.gov for Chapter 102 permits.*

*DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412-442-4286. Email: RA-EPNPDES\_SWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SWRO@pa.gov for Chapter 102 permits.*

*DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814-332-6078. Email: RA-EPNPDES\_NWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NWRO@pa.gov for Chapter 102 permits.*

*DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-787-5017. Email: RA-EPNPDES\_Permits@pa.gov.*

*DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.*

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law).

The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law. For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board. Individuals who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information. The appeal form and the Board’s rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. Important legal rights are at stake, however, so individuals should contact a lawyer at once.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

For actions taken on applications for pipelines that are regulated by the Federal Energy Regulatory Commission (FERC).

Any person aggrieved by this action may challenge it in an appropriate legal forum. The State and Federal courts are currently split on whether the proper forum to challenge a Department permit, authorization or approval for a facility or activity subject to the Federal Natural Gas Act, 15 U.S.C.A. §§ 717 et seq., is the United States Court of Appeals for the Third Circuit or the Pennsylvania Environmental Hearing Board. See *Delaware Riverkeeper Network v. Sec’y, Dep’t of Env’tl. Prot.*, 833 F.3d 360 (3d Cir. 2016); *Delaware Riverkeeper Network v. Sec’y, Dep’t of Env’tl. Prot.*, 903 F.3d 65 (3d Cir. 2018), cert. denied, 139 S. Ct. 1648, 203 L. Ed. 899 (2019) and *Cole v. Dep’t. of Env’tl. Prot.*, 1577 C.D. 2019 WL 2420667 (Pa. Cmwlth Ct. June 15, 2021) (Pet. for Allowance of Appeal pending); *West Rockhill Twp. v. Dep’t of Env’tl. Prot.*, No. 1595 C.D. 2019 WL 2426014 (Pa. Cmwlth. June 15, 2021) (Pet. for Allowance of Appeal pending).

---

**I. Final Action(s) on NPDES and WQM Permit Application(s) and NOIs for Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides, CAFOs and Individual Construction Stormwater.**

---

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAD020080	Chapter 102 Individual NPDES Permit	Issued	Pittsburgh Water Sewer Authority 1200 Penn Avenue Penn Liberty Plaza Pittsburgh, PA 15222-4207	Pittsburgh City Allegheny County	SWRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAD060081	Chapter 102 Individual NPDES Permit	Issued	Spring Township Berks County 2850 Windmill Road Sinking Spring, PA 19608-1668	Wyomissing Borough Berks County	SCRO
PAD280020	Chapter 102 Individual NPDES Permit	Issued	PA DOT Engineering District 8-0 2140 Herr Street Harrisburg, PA 17103-1625	Shippensburg Borough Franklin County	SCRO
PAD380039	Chapter 102 Individual NPDES Permit	Issued	JFM Holdings LLC 55 Lower Hillside Road Stevens, PA 17578-9787	Millcreek Township Lebanon County	SCRO
PAD480177	Chapter 102 Individual NPDES Permit	Issued	CLPF MRPI Nazareth LLC 1717 McKinney Avenue Dallas, TX 75202-1237	Palmer Township Northampton County	NERO
PAD650027	Chapter 102 Individual NPDES Permit	Issued	Weber Richard 620 Pine Road Sewickley, PA 15143-1210	Ligonier Township Westmoreland County	SWRO
PAD680014	Chapter 102 Individual NPDES Permit	Issued	PA DEP Bureau of Abandoned Mine Reclamation 286 Industrial Park Rd. Ebensburg, PA 15931	Knox Twp Clearfield County	PA DEP Bureau of Abandoned Mine Reclamation Cambria Office
PAD680015	Chapter 102 Individual NPDES Permit	Issued	PA DEP Bureau of Abandoned Mine Reclamation 286 Industrial Park Rd. Ebensburg, PA 15931	Brady Twp Butler County	PA DEP Bureau of Abandoned Mine Reclamation Cambria Office
PA0056553	Industrial Stormwater Individual NPDES Permit	Issued	Allan Myers LP d/b/a Allan Myers Materials 638 Lancaster Avenue Malvern, PA 19355	Charlestown Township Chester County	SERO
PA0245631	Industrial Stormwater Individual NPDES Permit	Issued	Universal Pure Co. 8 Lee Boulevard Malvern, PA 19355	East Whiteland Township Chester County	SERO
PA0276804	Industrial Stormwater Individual NPDES Permit	Issued	Gentex Corp 324 Main Street Simpson, PA 18407-1182	Fell Township Lackawanna County	NERO
PA0285269	Industrial Stormwater Individual NPDES Permit	Issued	Extrel CMS LLC 575 Epsilon Drive Pittsburgh, PA 15238-2812	Ohara Township Allegheny County	SWRO
0524801	Joint DEP/PFBC Pesticides Permit	Issued	Zimmerman Wildlife 394 Spring Farm Road Martinsburg, PA 16662-8949	Woodbury Township Bedford County	SCRO
0913857	Joint DEP/PFBC Pesticides Permit	Issued	Byer's Choice 4355 County Line Road Chalfont, PA 18914-1825	New Britain Township Bucks County	SERO
1515822	Joint DEP/PFBC Pesticides Permit	Issued	Waynesborough CC 440 Darby Paoli Road Paoli, PA 19301-2006	Easttown Township Chester County	SERO
1519810	Joint DEP/PFBC Pesticides Permit	Issued	Anderson Eric 19 Treemont Drive Malvern, PA 19355	East Goshen Township Chester County	SERO
1924801	Joint DEP/PFBC Pesticides Permit	Issued	Knouse Kevin 106 Harris Road Bloomsburg, PA 17815-6971	North Centre Township Columbia County	NCRO
2223803	Joint DEP/PFBC Pesticides Permit	Issued	Milton Hershey School 1201 Homestead Lane Hershey, PA 17033-8818	Derry Township Dauphin County	SCRO

## NOTICES

4059

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
2224805	Joint DEP/PFBC Pesticides Permit	Issued	Hershey Entertainment & Resorts Co. 27 W Chocolate Avenue Hershey, PA 17033-1671	Derry Township Dauphin County	SCRO
3624803	Joint DEP/PFBC Pesticides Permit	Issued	Home Town Square HOA 320 Granite Run Drive Lancaster, PA 17601-6806	Clay Township Lancaster County	SCRO
3924802	Joint DEP/PFBC Pesticides Permit	Issued	Weber William 5563 Acorn Drive Emmaus, PA 18049-4708	Upper Milford Township Lehigh County	NERO
4024804	Joint DEP/PFBC Pesticides Permit	Issued	Batcheler Kasper Rachel 1061 Broadway Road Shickshinny, PA 18655-3346	Huntington Township Luzerne County	NERO
4024805	Joint DEP/PFBC Pesticides Permit	Issued	Rogers Brian 53 Lakeside Road White Haven, PA 18661-3127	Foster Township Luzerne County	NERO
4024806	Joint DEP/PFBC Pesticides Permit	Issued	Nardone John 340 Market Street Suite 200 Kingston, PA 18704-5436	Dallas Township Luzerne County	NERO
4824805	Joint DEP/PFBC Pesticides Permit	Issued	Torning Ed 1223 Fox Gap Road Bangor, PA 18013-6005	Upper Mount Bethel Township Northampton County	NERO
5213844	Joint DEP/PFBC Pesticides Permit	Issued	Gold Key CC Inc. 111 Gold Key Road Milford, PA 18337	Dingman Township Pike County	NERO
5213845	Joint DEP/PFBC Pesticides Permit	Issued	Gold Key CC Inc. 111 Gold Key Road Milford, PA 18337	Dingman Township Pike County	NERO
5213846A-1	Joint DEP/PFBC Pesticides Permit	Issued	Gold Key CC Inc. 111 Gold Key Road Milford, PA 18337	Dingman Township Pike County	NERO
5413808	Joint DEP/PFBC Pesticides Permit	Issued	Curvey Mary F 1713 Arbor View Road Silver Spring, MD 20902-1410	Ryan Township Schuylkill County	NERO
5813823	Joint DEP/PFBC Pesticides Permit	Issued	Idlewild Lake Association P.O. Box 156 Clifford, PA 18413-0156	Clifford Township Susquehanna County	NERO
6421810	Joint DEP/PFBC Pesticides Permit	Issued	Schoenfeld Steven 361 Stalker Road Equinunk, PA 18417-3522	Damascus Township Wayne County	NERO
6424807	Joint DEP/PFBC Pesticides Permit	Issued	Lake Moc-A-Tek Campground 241 Lampman Street Avoca, PA 18641-1009	Paupack Township Wayne County	NERO
6424810	Joint DEP/PFBC Pesticides Permit	Issued	Chapman Brian P.O. Box 48 Hamlin, PA 18427-0048	Lake Township Wayne County	NERO
PAI130527	MS4 Individual NPDES Permit	Issued	Upper Uwchlan Township Chester County 140 Pottstown Pike Chester Springs, PA 19425-9516	Upper Uwchlan Township Chester County	SERO
PAI132250	MS4 Individual NPDES Permit	Issued	Allen Township Northampton County 4714 Indian Trail Road Northampton, PA 18067-9492	Allen Township Northampton County	NERO
PAI136128	MS4 Individual NPDES Permit	Issued	Ohara Township Allegheny County 325 Fox Chapel Road Pittsburgh, PA 15238-2301	Ohara Township Allegheny County	SWRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0026280	Major Sewage Facility >= 1 MGD and < 5 MGD Individual NPDES Permit	Issued	Lewistown Borough Mifflin County 2 E 3rd Street Lewistown, PA 17044-1701	Lewistown Borough Mifflin County	SCRO
PA0080519	Major Sewage Facility >= 1 MGD and < 5 MGD Individual NPDES Permit	Issued	Antrim Township Municipal Authority Franklin County P.O. Box 130 10655 Antrim Church Road Greencastle, PA 17225-0130	Antrim Township Franklin County	SCRO
PA0026085	Major Sewage Facility >= 5 MGD Individual NPDES Permit	Issued	Upper Merion Sanitary and Stormwater Authority 175 W Valley Forge Road King Of Prussia, PA 19406-1851	Upper Merion Township Montgomery County	SERO
PA0026131	Major Sewage Facility >= 5 MGD Individual NPDES Permit	Issued	Upper Merion Sanitary and Stormwater Authority 175 W Valley Forge Road King Of Prussia, PA 19406-1851	Upper Merion Township Montgomery County	SERO
0995429	Major Sewage Treatment Facility Individual WQM Permit	Issued	Warminster Municipal Authority Bucks County 415 Gibson Avenue P.O. Box 2279 Warminster, PA 18974-4163	Warminster Township Bucks County	SERO
0720201	Manure Storage and Wastewater Impoundments Individual WQM Permit	Issued	Penn England, LLC 10341 Fox Run Road Williamsburg, PA 16693-6713	Catherine Township Blair County	SCRO
PA0051497	Minor Industrial Waste Facility with ELG Individual NPDES Permit	Issued	Lenape Forged Products Corp 1334 Lenape Road West Chester, PA 19382-6893	Pocopson Township Chester County	SERO
PA0014621	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	Veolia Water PA Inc. 4405 N 6th Street Harrisburg, PA 17110-1654	Susquehanna Township Dauphin County	SCRO
PA0014648	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	Veolia Water PA Inc. 4405 North Sixth Street Harrisburg, PA 17110-1654	Hummelstown Borough Dauphin County	SCRO
PA0087718	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	Eby Sawmill 2319 Beans Cove Road Clearville, PA 15535-7915	Brush Creek Township Fulton County	SCRO
PA0216763	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	Somerset Borough Municipal Authority Somerset County 347 W Union Street P.O. Box 71 Somerset, PA 15501-1543	Somerset Township Somerset County	SWRO

## NOTICES

4061

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0030171	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Llewellyns Manu Home Comm Inc. 4550 Bull Road Dover, PA 17315-2025	Conewago Township York County	SCRO
PA0050911	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Upper Perkiomen School District 2229 E Buck Road Suite 2 Pennsburg, PA 18073-2341	Marlborough Township Montgomery County	SERO
PA0081043	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Guardian Elder Care Inc. 8796 US 219 Brockway, PA 15824	Fermanagh Township Juniata County	SCRO
PA0082201	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	The York Water Co. 130 East Market Street York, PA 17401-1219	Letterkenny Township Franklin County	SCRO
PA0083887	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Shover Brad S 225 Pine Hill Road Landisburg, PA 17040	East Providence Township Bedford County	SCRO
PA0086215	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Peifer Brothers P.O. Box 247 Silver Spring, PA 17575-0247	Lower Windsor Township York County	SCRO
PA0086894	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	The York Water Co. 130 E Market Street York, PA 17401-1219	Washington Township York County	SCRO
PA0102822	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Jones Estates Rolling Valley PA LLC 2310 S Miami Boulevard Durham, NC 27703-5798	Connoquenessing Township Butler County	NWRO
PA0111716	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Wonderview Water Co. & Sanitary Facility Inc. P.O. Box 488 Bloomsburg, PA 17815-0488	Main Township Columbia County	NCRO
PA0247618	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	East Salem Sewer Authority Juniata County 7530 Route 235 Thompsontown, PA 17094-8739	Delaware Township Juniata County	SCRO
PA0247936	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	RV Management Services 104 E Fairview Avenue # 241 Meridian, ID 83642-1733	Union Township Lebanon County	SCRO
PA0020648	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Port Royal Borough Municipal Authority Juniata County 804 W 8th Street P.O. Box 236 Port Royal, PA 17082-9400	Port Royal Borough Juniata County	SCRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0020711	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Topton Borough Berks County 205 S Callowhill Street Topton, PA 19562-1750	Topton Borough Berks County	SCRO
PA0023906	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Masontown Municipal Authority 1 E Church Avenue Masontown, PA 15461-1819	Masontown Borough Fayette County	SWRO
PA0024350	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Dauphin Borough Dauphin County 200 S Church Street P.O. Box 487 Dauphin, PA 17018-0487	Dauphin Borough Dauphin County	SCRO
PA0036439	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	PA DPW 827 Oley Valley Road White Haven, PA 18661-3043	Foster Township Luzerne County	NERO
PA0060208	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Nelson Township Authority Tioga County P.O. Box 100 328 Bliss Road Nelson, PA 16940-0100	Nelson Township Tioga County	NCRO
PA0080799	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Newburg Hopewell Township Authority Cumberland County P.O. Box 128 Newburg, PA 17240-0128	Hopewell Township Cumberland County	SCRO
PA0110361	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Freedom Township Water & Sewer Authority 131 Municipal Street East Freedom, PA 16637-8158	Freedom Township Blair County	SCRO
PA0115231	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Woodland Bigler Area Authority P.O. Box 27 Woodland, PA 16881-0027	Bradford Township Clearfield County	NCRO
6308202	Minor and Non-NPDES Industrial Waste Treatment Facility Individual WQM Permit	Issued	PA Transformer Tech LLC 30 Curry Avenue Canonsburg, PA 15317-1786	Cecil Township Washington County	SWRO
0100407	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	White Run Region Municipal Authority 2001 Baltimore Pike Gettysburg, PA 17325-7015	Mount Joy Township Adams County	SCRO

## NOTICES

4063

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
1073410	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Jones Estates Rolling Valley PA LLC 2310 S Miami Boulevard Durham, NC 27703-5798	Connoquenessing Township Butler County	NWRO
6774422	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Foote Properties Management LLC 2678 Mt Rose Avenue York, PA 17402	Lower Windsor Township York County	SCRO
9159-S	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Monongahela River Sewer Assoc 1466 Delberts Drive Monongahela, PA 15063-9752	Forward Township Allegheny County	SWRO
NOEXSC208	No Exposure Certification	Issued	Federal Express Corporation 3620 Hacks Cross Road Memphis, TN 38125-8800	Allegheny Township Blair County	SCRO
NOEXSE252	No Exposure Certification	Issued	ABF Freight System Inc. 3801 Old Greenwood Road P.O. Box 10048 Fort Smith, AR 72903-5937	Upper Chichester Township Delaware County	SERO
NOEXSW040	No Exposure Certification	Issued	Federal Express Corporation 3620 Hacks Cross Road Env Dept Memphis, TN 38125-8800	Hunker Borough Westmoreland County	SWRO
PAG032271	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Cap Glass Allentown LLC 799 Smith Lane Northampton, PA 18067-1500	Northampton Borough Northampton County	NERO
PAG032272	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Cap Glass Allentown LLC 799 Smith Lane Northampton, PA 18067-1500	Northampton Borough Northampton County	NERO
PAG032280	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	General Dynamics OTS (Wilkes-Barre) LLC 1500 Highway 315 Wilkes-Barre, PA 18702	Plains Township Luzerne County	NERO
PAG032356	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Ardent Mills LLC P.O. Box 193 4888 South Delaware Drive Martins Creek, PA 18063-0193	Lower Mount Bethel Township Northampton County	NERO
PAG032360	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Intermetro Industries Corporation Ali Group NA Corporation 651 N Washington Street Wilkes-Barre, PA 18705-1707	Wilkes-Barre City Luzerne County	NERO
PAG032407	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	McGregor Ind Inc. 46 Line Street Dunmore, PA 18512-1432	Dunmore Borough Lackawanna County	NERO
PAG033509	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Federal Express Corporation 3620 Hacks Cross Road Memphis, TN 38125-8800	Lower Swatara Township Dauphin County	SCRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG033732	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Mission Critical Solutions LLC 271 Industrial Lane Alum Bank, PA 15521-8306	Bedford Township Bedford County	SCRO
PAG033809	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	AHF LLC d/b/a AHF Products 1067 Dillerville Road Lancaster, PA 17603-2613	Lancaster City Lancaster County	SCRO
PAG033879	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Altoona Metro Transit Authority Blair County 3301 5th Avenue Altoona, PA 16602-1801	Altoona City Blair County	SCRO
PAG033900	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Armstrong World Ind Inc. P.O. Box 3001 Lancaster, PA 17604-3001	Manor Township Lancaster County	SCRO
PAG033997	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Federal Express Corporation 3620 Hacks Cross Road Memphis, TN 38125-8800	Fairview Township York County	SCRO
PAG034000	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Energy Transfer Market & Terminal LP 620 Sugar Run Road Altoona, PA 16601-7920	Allegheny Township Blair County	SCRO
PAG034039	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Charles Caracciolo Steel & Metal Yard Inc. P.O. Box 1924 Altoona, PA 16603-1924	Antis Township Blair County	SCRO
PAG034078	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Boyertown Foundry Co. P.O. Box 443 9th and Rothermel Drive New Berlinville, PA 19545-0443	Boyertown Borough Berks County	SCRO
PAG034916	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Altium Pkg LLC 910 Back Road Berwick, PA 18603-1146	Berwick Borough Columbia County	NCRO
PAG036137	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	The Recycling Center Inc. 5020 Thoms Run Road Oakdale, PA 15071-1702	Collier Township Allegheny County	SWRO
PAG036354	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Altium Pkg LLC 601 Seldon Avenue Verona, PA 15147-1434	Verona Borough Allegheny County	SWRO
PAG036498	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	AMG Resources Corp 2 Robinson Plaza Pittsburgh, PA 15205-1017	Donegal Township Washington County	SWRO
PAG036500	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Greco Recycling Service Inc. P.O. Box 229 Tarentum, PA 15084-0229	East Deer Township Allegheny County	SWRO
PAG036585	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	SPM Oil & Gas PC LLC 155 Industry Road Waynesburg, PA 15370-8063	Franklin Township Greene County	SWRO
PAG038519	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	TSK Partners Inc. 1533 E 12th Street Erie, PA 16511-1747	Erie City Erie County	NWRO



## NOTICES

4065

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG041342	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Gaston Lori 11 Anderson Lane Mercer, PA 16137-5801	Findley Township Mercer County	NWRO
PAG044847	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Haywood Robert L 137 Yergers Road Linden, PA 17744-9629	Woodward Township Lycoming County	NCRO
PAG045216	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Campbell Jordan D 2171 Ayres Road Gillett, PA 16925-9513	South Creek Township Bradford County	NCRO
PAG048355	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Mumau Eric 9833 Tamarack Drive Meadville, PA 16335-5573	West Mead Township Crawford County	NWRO
PAG048711	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Jesse and Martha Hurst 25206 Ridge Road Cambridge Springs, PA 16403-3754	Cambridge Township Crawford County	NWRO
PAG122213	PAG-12 NPDES General Permit for CAFOs	Issued	Snyder Linford R 90 Court Street Bethel, PA 19507-9721	Washington Township Schuylkill County	SCRO
PAG123550	PAG-12 NPDES General Permit for CAFOs	Issued	Weiler Farms LLC 350 E Mill Avenue Myerstown, PA 17067-2404	Jackson Township Lebanon County	SCRO
PAG123604	PAG-12 NPDES General Permit for CAFOs	Issued	Gochenaur Scott 3057 Harvest Road Elizabethtown, PA 17022-8422	Mount Joy Township Lancaster County	SCRO
PAG123680	PAG-12 NPDES General Permit for CAFOs	Issued	Zimmerman H Lamar 1908 Shumaker Road Manheim, PA 17545-8227	Rapho Township Lancaster County	SCRO
PAG123785	PAG-12 NPDES General Permit for CAFOs	Issued	Noah W Kreider & Sons LLP 1461 Lancaster Road Manheim, PA 17545-9768	East Donegal Township Lancaster County	SCRO
PAG123801	PAG-12 NPDES General Permit for CAFOs	Issued	North Mountain Gobblers 8310 Fort McCord Road Chambersburg, PA 17202	Hamilton Township Franklin County	SCRO
PAG123803	PAG-12 NPDES General Permit for CAFOs	Issued	Horst Larry 1450 Hunsicker Road Lancaster, PA 17601-5312	Lykens Township Dauphin County	SCRO
PAG123822	PAG-12 NPDES General Permit for CAFOs	Issued	Collett Farms LLC 90 Court Street Bethel, PA 19507-9721	Lykens Township Dauphin County	SCRO
PAG123844	PAG-12 NPDES General Permit for CAFOs	Issued	North Mountain Gobblers 8310 Fort McCord Road Chambersburg, PA 17202	Dublin Township Fulton County	SCRO
PAG128302	PAG-12 NPDES General Permit for CAFOs	Issued	PID LLC 8199 Perry Highway Erie, PA 16509-6640	Summit Township Erie County	SCRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0233404	Single Residence STP Individual NPDES Permit	Issued	Jonathan R and Tammy A Youmans 1605 Pine Run Road Linden, PA 17744-8145	Woodward Township Lycoming County	NCRO
PA0266990	Single Residence STP Individual NPDES Permit	Issued	Pepple John J 2247 French Creek Road Everett, PA 15537-5264	East Providence Township Bedford County	SCRO
PA0289451	Single Residence STP Individual NPDES Permit	Issued	Zimmer Patience P.O. Box 43 Portersville, PA 16051-0043	Muddycreek Township Butler County	NWRO
PA0291510	Single Residence STP Individual NPDES Permit	Issued	Samuel W and Alexa R Long 291 Hunters Road Mohnton, PA 19540-8457	Cumru Township Berks County	SCRO
PA0295680	Single Residence STP Individual NPDES Permit	Issued	Kaulbach Melissa 6011 Bridlewood Drive Fairview, PA 16415-2709	Fairview Township Erie County	NWRO
0622401	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Samuel W and Alexa R Long 291 Hunters Road Mohnton, PA 19540-8457	Cumru Township Berks County	SCRO
1021407	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Zimmer Patience P.O. Box 43 Portersville, PA 16051-0043	Muddycreek Township Butler County	NWRO
2001401	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Jesse and Martha Hurst 25206 Ridge Road Cambridge Springs, PA 16403-3754	Cambridge Township Crawford County	NWRO
2095413	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Mumau Eric 9833 Tamarack Drive Meadville, PA 16335-5573	West Mead Township Crawford County	NWRO
2524401	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Kaulbach Melissa 6011 Bridlewood Drive Fairview, PA 16415-2709	Fairview Township Erie County	NWRO
4123401	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Jonathan R and Tammy A Youmans 1605 Pine Run Road Linden, PA 17744-8145	Woodward Township Lycoming County	NCRO
4185407	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Haywood Robert L 137 Yergers Road Linden, PA 17744-9629	Woodward Township Lycoming County	NCRO
PA0085413	Small Flow Treatment Facility Individual NPDES Permit	Issued	Lower Marsh Creek Presb Church 1865 Knoxlyn Road Gettysburg, PA 17325-7359	Highland Township Adams County	SCRO

**II. Final Action(s) on PAG-01 and PAG-02 General NPDES Permit NOIs.**

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PA300001C	PAG-02 General Permit	Issued	Peoples Natural Gas Company, LLC 375 North Shore Drive Suite 600 Pittsburgh, PA 15212	Aleppo Township Greene County	Greene County Conservation District 22 West High Street Suite 204 Waynesburg, PA 15370 724-852-5278 SWRO
PAC400324	PAG-02 General Permit	Issued	Works Words Wonders, LLC Gary Farber 24 Pine Ridge Road Tunkhannock, PA 18657	Dallas Township Luzerne County	Luzerne Conservation District 325 Smiths Pond Road Shavertown, PA 18708 570-674-7991 RA-EPWW-NERO@ pa.gov
PAC400089	PAG-02 General Permit	Issued	Davison Monk Holdings, LLC Dawn Davison Monk 105 Clarks Crossroad Hanover, PA 18706	Hanover Township Luzerne County	Luzerne Conservation District 325 Smiths Pond Road Shavertown, PA 18708 570-674-7991 RA-EPWW-NERO@ pa.gov
PAC460887	PAG-02 General Permit	Issued	Provco Pinegood Lansdale LLC 795 East Lancaster Avenue Villanova, PA 19085-1500	Upper Gwynedd Township Montgomery County	Montgomery County Conservation District 143 Level Road Collegeville, PA 19426-3313 610-489-4506 x 10 RA-EPNPDES_SERO@ pa.gov
PAC230292	PAG-02 General Permit	Issued	A&A Enterprises, LLC 2043 Bridgewater Road Aston, PA 19014	Aston Township Delaware County	Delaware County Conservation District Rose Tree Park Hunt Club 1521 N. Providence Road Media, PA 19063 610-892-9484 RA-EPNPDES_SERO@ pa.gov
PAC230286	PAG-02 General Permit	Issued	Garnet Valley School District 80 Station Road Glen Mills, PA 19342-1751	Concord Township Delaware County	Delaware County Conservation District Rose Tree Park Hunt Club 1521 N. Providence Road Media, PA 19063 610-892-9484 RA-EPNPDES_SERO@ pa.gov
PAC220202	PAG-02 General Permit	Issued	Paxtonia Associates 7400 Derry St Harrisburg, PA 17111	Lower Paxton Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717-921-8100
PAC220430	PAG-02 General Permit	Issued	DHK Residential, LLC 6259 Reynolds Mill Rd Seven Valleys, PA 17360	Lower Swatara Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717-921-8100

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC220174	PAG-02 General Permit	Issued	Eastern Development & Planning LLC 7300 Derry Street Harrisburg, PA 17111	Lower Paxton Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717-921-8100
PAC220179	PAG-02 General Permit	Issued	Sunset Key Investors, LLC 3833 Pamay Dr Mechanicsburg, PA 17055	City of Harrisburg Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717-921-8100
PAC220445	PAG-02 General Permit	Issued	Penn State University 203 Physical Plant Bldg University Park, PA 16802-1118	Lower Swatara Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717-921-8100
PAC220171	PAG-02 General Permit	Issued	Eastern Development & Planning, Inc. 7300 Derry Street Harrisburg, PA 17111	Lower Paxton Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717-921-8100
PAC400318	PAG-02 General Permit	Issued	Service Electric Cable TV, Inc. Mark Plosa 15 N. Campbell Collins Dr. Wilkes-Barre, PA 18702 and Cresci Corporation Anthony Cresci 595 Bennett St Luzerne, PA 18709	City of Wilkes-Barre Luzerne County	Luzerne Conservation District 325 Smiths Pond Road Shavertown, PA 18708 570-674-7991 RA-EPWW-NERO@ pa.gov
PAC380310	PAG-02 General Permit	Issued	Richland Borough 5 Pine Street P.O Box 676 Richland, PA 17087	Richland Borough Lebanon County	Lebanon County Conservation District 2120 Cornwall Road Suite 5 Lebanon, PA 17042 717-277-5275
PAC380280 A-1	PAG-02 General Permit	Issued	Cornwall-Lebanon School District 105 East Evergreen Road Lebanon, PA 17042	South Lebanon Township Lebanon County	Lebanon County Conservation District 2120 Cornwall Road Suite 5 Lebanon, PA 17042 717-277-5275
PAC380301	PAG-02 General Permit	Issued	Livingwater Properties, LLC 105 Greenview Lane Lebanon, PA 17042	Annville Township Lebanon County	Lebanon County Conservation District 2120 Cornwall Road Suite 5 Lebanon, PA 17042 717-277-5275
PAC380307	PAG-02 General Permit	Issued	Regupol America, LLC 11 Ritter Way Lebanon, PA 17042	South Lebanon Township Lebanon County	Lebanon County Conservation District 2120 Cornwall Road Suite 5 Lebanon, PA 17042 717-277-5275

## NOTICES

4069

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC400004C	PAG-02 General Permit	Issued	JLM Real Estate, LLC P.O. Box 472 950 E. Main Street Schuylkill Haven, PA 17972-0472	Huntington Township Luzerne County	Luzerne Conservation District 325 Smiths Pond Road Shavertown, PA 18708 570-674-7991 RA-EPWW-NERO@ pa.gov
PAC670678A-1	PAG-02 General Permit	Issued	Susquehanna National Heritage Area 1706 Long Level Road Wrightsville, PA 17368	Hellam Township & Wrightsville Borough York County	York County Conservation District 2401 Pleasant Valley Rd. Suite 101 Room 139 York, PA 17402 717-840-7430
PAC670232	PAG-02 General Permit	Issued	Wellspan Properties Inc. 2500 South George St York, PA 17403	York Township York County	York County Conservation District 2401 Pleasant Valley Rd. Suite 101 Room 139 York, PA 17402 717-840-7430
PAC480196	PAG-02 General Permit	Issued	Kay Farmersville, LLC 5930 Hamilton Blvd. Ste. 10 Allentown, PA 18106	Bethlehem Township Northampton County	Northampton County Conservation District 14 Gracedale Ave. Greystone Building Nazareth, PA 18064-9211 610-829-6276 RA-EPWW-NERO@ pa.gov
PAC360924	PAG-02 General Permit	Issued	East Hempfield Township 1700 Nissley Road Landisville, PA 17538	East Hempfield Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361
PAC360143 A-2	PAG-02 General Permit	Issued	Stoneybrook Duplex LLC 1090 North Penryn Road Manheim, PA 17545	West Donegal Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361
PAC360939	PAG-02 General Permit	Issued	Sheetz, Inc. 243 Sheetz Way Claysburg, PA 16625	East Earl Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361
PAC360846	PAG-02 General Permit	Issued	Grande Land, LP 2216 Quarry Road Reading, PA 19609	East Cocalico Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC540155	PAG-02 General Permit	Issued	Berks Homes Attn: Gary McEwen 3335 Morgantown Road Mohnton, PA 19640-7931	West Brunswick Township Schuylkill County	Schuylkill County Conservation District 1206 AG Center Drive Pottsville, PA 17901-9733 570-622-3742 RA-EPWW-NERO@ pa.gov
PAC360762 A-1	PAG-02 General Permit	Issued	Costello Builders, Inc. P.O. Box 95 East Petersburg, PA 17520	Lancaster Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361
PAC360948	PAG-02 General Permit	Issued	WICU, Inc. 233 N. Duke Street Lancaster, PA 17602	East Cocalico Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361
PAC360938	PAG-02 General Permit	Issued	Forino Co., LP 555 Mountain Home Road Sinking Spring, PA 19608	Mount Joy Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361
PAC360925	PAG-02 General Permit	Issued	DS Machine 238B Old Leacock Road Gordonville, PA 17529	Leacock Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361
PAC360912	PAG-02 General Permit	Issued	East Hempfield Township 1700 Nissley Road Landisville, PA 17538	East Hempfield Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361
PAC360900	PAG-02 General Permit	Issued	Corixa Corporation dba GlaxoSmithKline Vaccines 325 N Bridge St Marietta, PA 17547	East Donegal Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361
PAC100343	PAG-02 General Permit	Issued	Municipal Water Authority of Adams Township 1164 Mars-Evans City Road Mars, PA 16046	Penn Township Butler County	Butler County Conservation District 120 Hollywood Drive Suite 201 Butler, PA 16001 724-284-5270
PAC690012	PAG-02 General Permit	Issued	PADEP—Bureau of Abandoned Mine Reclamation Wildcat Run AML Site SR 861 Rimersburg, PA 16248	Toby Township and Madison Township Clarion County	Bureau of Abandoned Mine Reclamation 400 Market Street Harrisburg, PA 17101 717-783-2267
PAC350175	PAG-02 General Permit	Issued	Jeffery Greco 645 Montdale Road Scott Township, PA 18447-7828	Scott Township Lackawanna County	Lackawanna County Conservation District 1027 S. Abington Road South Abington Township, PA 18411 570-382-3086 RA-EPWW-NERO@ pa.gov

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC110122	PAG-02 General Permit	Issued	PTV 1392, LLC 400 Penn Center Boulevard Building 4 Suite 1000 Pittsburgh, PA 15235	Conemaugh Township Cambria County	Cambria County Conservation District 401 Candlelight Drive Suite 240 Ebensburg, PA 15931 814-472-2120 SWRO
PAC650387	PAG-02 General Permit	Issued	VRD at Murrysville, LLC 2911 Turtle Creek Blvd Dallas, TX 75219	Murrysville Borough Westmoreland County	Westmoreland County Conservation District 218 Donahoe Road Greensburg, PA 15601 724-837-5271 SWRO
PAC650392	PAG-02 General Permit	Issued	Hempfield Twp 1132 Woodward Drive Greensburg, PA 15601	Hempfield Township Westmoreland County	Westmoreland County Conservation District 218 Donahoe Road Greensburg, PA 15601 724-837-5271 SWRO
PAC650176	PAG-02 General Permit	Issued	Joanne and Jenn Burrell P.O. Box 518 Penn Manor Road Manor, PA 15665	Hempfield Township Westmoreland County	Westmoreland County Conservation District 218 Donahoe Road Greensburg, PA 15601 724-837-5271 SWRO
PAC650398	PAG-01 General Permit	Issued	Westmoreland County Land Bank 40 North Pennsylvania Avenue Suite 520 Greensburg, PA 15601	City of Jeannette Westmoreland County	Westmoreland County Conservation District 218 Donahoe Road Greensburg, PA 15601 724-837-5271 SWRO
PAC110121	PAG-02 General Permit	Issued	Johnstown-Cambria County Airport Authority 479 Airport Road Suite 1 Johnstown, PA 15904	Richland Township Cambria County	Cambria County Conservation District 401 Candle Ebensburg, PA 15931 814-472-2120 SWRO
PAC010270	PAG-02 General Permit	Issued	Littlestown Borough 41 South Columbus Ave Littlestown, PA 17340-1439	Littlestown Borough Adams County	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325 717-334-0636

**STATE CONSERVATION COMMISSION**  
**NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR**  
**NPDES PERMITS FOR CAFOs**

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at 717-787-3483 for more information.

**NUTRIENT MANAGEMENT PLAN  
CAFO PUBLIC NOTICE SPREADSHEET—ACTIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Matthew Nolt 131 Krumstown Road Myerstown, PA 17067	Lebanon County	92.3	326.79	Broilers	NA	Approved
Chase Hogeland 202 South Kalbach Road Newmanstown, PA 17073	Lebanon County	333.4	244.24	Broilers	NA	Approved
Kevin Martin 288 Shartlesville Road Bernville, PA 19506	Berks County	42	394.95	Poultry Broilers	NA	Approved
Cleason Nolt 401 Elco Drive Myerstown, PA 17067	Lebanon County	15	627.28	Swine	NA	Approved

**PUBLIC WATER SUPPLY PERMITS**

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information.

**SAFE DRINKING WATER**

**Actions Taken Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).**

*Northeast Region: Safe Drinking Water Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Michele Lauer, Clerical Assistant 2, 570-830-3077.*

**Operation Permit No. 2450038-E1**, Public Water Supply.

Applicant	<b>Mr. Richard Dionysius White Rock Mobile Home Park</b>
Address	749 SE Margaret Drive Lake City, FL 32025
Municipality	Coolbaugh Township
County	<b>Monroe County</b>
Consulting Engineer	Mr. Harry Garman, PE, PLS Technical Officer Municipal Barry Isett & Associates, Inc. 85 South Route 100 Allentown, PA 18106

Application Received June 17, 2024

Permit Issued June 24, 2024

Description Rehabilitation of Well house and treatment facilities after destruction by a fire which compromised the system facilities.

**Operation Permit No. 2400975**, Public Water Supply.

Applicant	<b>Mr. Anthony Tuttle, Director Safety &amp; Compliance/ Facility Manager Blue Ridge Travel</b>
-----------	---



Address 1721 Blue Ridge Trail  
Mountain Top, PA 18707

Municipality Dorrance Township

County **Luzerne County**

Consulting Engineer Mr. Michael P. Goodwin, P.E.  
Project Manager  
Milnes Engineering, Inc.  
12 Frear Hill Road  
Tunkhannock, PA 18657

Application Received May 7, 2024

Permit Issued June 6, 2024

Description The approval is for the permitting of components of the existing water system that were installed in 2011 without approval (passive acid neutralizer, ion exchange unit for softening and secondary benefit of iron/manganese removal and sedimentation filtration) as well as raising the casing of the existing well (Source 001) to meet Department standards.

**Operation Permit No. 2400076**, Public Water Supply.

Applicant **Veolia Water Pennsylvania, Inc.**

Address 6310 Allentown Boulevard  
Suite 104  
Allentown, PA 17112

Municipality Dallas Township

County **Luzerne County**

Application Received February 22, 2024

Permit Issued June 28, 2024

Description Project is for the Snyder Well Pump Replacement and VFD Installation (No Increase In Capacity) Project.

*Northcentral Region: Safe Drinking Water Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Nadera Bellows, Clerical Assistant II, 570-327-0551.*

**Operation Permit 1406502-A1**. PWSID No. **4140089**. **Miles Township Water Authority East**, 155 Reservoir Drive, Rebersburg, PA 16872, Miles Township, **Centre County**. Application received: May 23, 2024. Permit Issued: June 24, 2024. This permit authorizes the permittee to upgrade the turbidimeters from Hach 1720E to Hach TU5300SC online laser turbidimeters in Miles Township, Centre County.

**Operation Permit 1423506MA**. PWSID No. **4140087**. **PA American Water—Philipsburg**, 852 Wesley Drive, Mechanicsburg, PA 17055, Rush Township, **Centre County**. Application received: June 27, 2024. Permit Issued: June 27, 2024. This permit authorizes the permittee to operate Clarifier A and to make upgrades to the existing filters, replacement of existing valves, establishment of 1-log Giardia inactivation disinfection segments and other miscellaneous improvements in Rush Township, Centre County.

*Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Daniel J. Cannistraci, Environmental Engineering Specialist.*

**Construction Permit 2124510 MA**. PWSID No. **7210002**. **Carlisle Borough Municipal Authority**, 53 West South Street, Carlisle, PA 17013, Carlisle Borough, **Cumberland County**. Application received: April 17, 2024. Permit Issued: June 24, 2024. This action authorizes the replacement of the existing 0.25-MG Ridge Street finished water storage tank with a new 1.0-MG tank on the same property.

**NCWSA Construction Permit 7210822**. PWSID No. **7210822**. **Penn Township Fire Company**, 1750 Pine Rd, Newville, PA 17241, Penn Township, **Cumberland County**. Application received: June 13, 2024. Permit Issued: July 1, 2024. This action authorizes construction of a new cartridge filtration unit and UV light at the Penn Township Fire Company water system.

*Contact: Thomas Filip, Environmental Engineer, 717-705-4708.*

**Construction/Operation Permit 3824507 MA**. PWSID No. **7380007**. **Borough of Cornwall**, 44 Rexmont Road, Lebanon, PA 17042, Cornwall Borough, **Lebanon County**. Application received: May 2, 2024. Permit Issued: June 27, 2024. Installation of a pressure reducing valve vault on Anthracite Rd.

**Construction Permit 3824505**. PWSID No. **7380434**. **Greater Lebanon Refuse Authority**, 1610 Russell Road, Lebanon, PA 17046, North Annville Township, **Lebanon County**. Application received: November 10, 2023. Permit Issued: June 26, 2024. Construction of a new well along with GAC for PFAS removal and UV disinfection.

*Southeast Region: Safe Drinking Water Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: Kimberleigh Rivers Clerical Assistant 2, 484-250-5887.*

**Construction Permit 1524508**. PWSID No. **1524508**. **Aqua Pennsylvania, Inc. (Pickering)**, 762 West Lancaster Avenue, Bryn Mawr, PA 19010-3402, Schuylkill Township, **Chester County**. Application received: May 17, 2024. Permit Issued: July 1, 2024. Aqua PA is planning to upgrade the East WTP in order to eventually increase the treatment capacity of the plant.

*Southwest Region: Safe Drinking Water Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: RA-EPSWSDW@pa.gov.*

**Construction Permit 2624505**. PWSID No. **5260005**. **Pennsylvania American Water Company**, 852 Wesley Drive, Mechanicsburg, PA 17055, Brownsville Borough, **Fayette County**. Application received: March 26, 2024. Permit Issued: June 17, 2024. Issuance of Construction Permit No. 2624505 for the construction of upgrades to the flocculation and sedimentation basins at Pennsylvania American Water Company Brownsville Water Treatment Plant.

**Operation Permit 0224534MA**. PWSID No. **5020038**. **Pittsburgh Water and Sewer Authority**, Penn Liberty Plaza 1, 1200 Penn Avenue, Pittsburgh, PA 15222, City of Pittsburgh, **Allegheny County**. Application received: June 10, 2024. Permit Issued: June 13, 2024. Issuance of

Partial Operation Permit No. 0224534MA for operation of the South Side Park 30" Rising Main No. 1.

Contact: RA-EPSWSDW@pa.gov.

**Operation Permit 0220509.** PWSID No. **5020038.** **Pittsburgh Water and Sewer Authority**, Penn Liberty Plaza 1, 1200 Penn Avenue, Pittsburgh, PA 15222, City of Pittsburgh, **Allegheny County**. Application received: June 28, 2024. Permit Issued: June 28, 2024. Issuance of Operation Permit No. 0220509 for the operation of the Herron Hill Reservoir replacement liners and covers, two upgraded chlorine vaults, as well as the Herron Hill Sodium Hypochlorite booster station.

Contact: Renee Diehl, Program Manager, ra-epswsdw@pa.gov.

**Construction Permit 0224533MA.** PWSID No. **5020039.** **Pennsylvania American Water Company**, 852 Wesley Drive, Mechanicsburg, PA 17055, Robinson Township, **Washington County**. Application received: June 4, 2024. Permit Issued: June 26, 2024. Installation of a 212-gallon sodium hypochlorite day tank at the Findlay Township Chemical Feed Building.

#### SEWAGE FACILITIES ACT PLAN APPROVAL

**Plan Approvals Granted Under the Pennsylvania Sewage Facilities Act, Act of January 24, 1966, P.L. 1535, as Amended, 35 P.S. § 750.5.**

*Southcentral Region: Clean Water Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

Contact: Carrie Wilt, Sewage Planning Specialist II, 717-705-4755.

#### Plan Location:

Municipality	Address	County
Tyrone Township	5280 Old Harrisburg Rd York Springs, PA 17372	Adams County

#### Plan Description:

**1441 East Berlin Road**, B3-01930-157-3s. Approval of a revision to the official plan of Tyron Township, **Adams County**. The project is known as 1441 East Berlin Road. The plan provides for a two-lot single-family residential subdivision on 27.09 acres with total proposed sewage flows of 500 gpd to be treated by a proposed Small Flow Treatment Facility (SFTF). There will be a proposed discharge to Plum Run (WWF). An SFTF is also proposed as a replacement system for the dwelling on the residual tract should the existing on-lot disposal system fail. This SFTF will also discharge to Plum Run and will use a sewage easement across the proposed building lot to access the stream. The proposed development is located at 1441 East Berlin Road in Tyrone Township, Adams County. The Department's review of the plan revision has not identified any significant impacts resulting from this proposal. The DEP Code Number for this planning module is B3-01930-157-3s and the APS ID is 1101618. Any permits must be obtained in the name of the property owners.

Contact: Noah D. Niedererr, Sewage Planning Specialist, 717-705-4768.

#### Plan Location:

Municipality	Address	County
North Middleton Township	2051 Spring Road Carlisle, PA 17013	Cumberland County

#### Plan Description:

**38 Cave Hill Drive SFTF**, A3-21920-254-3s. Approval of a revision to the official plan of North Middleton Township, **Cumberland County**. The project is known as the 38 Cave Hill Drive Small Flow Treatment Facility (SFTF) proposal. The plan provides a SFTF to repair a malfunctioning on lot sewage disposal system serving an existing single-family dwelling on 0.29 acre with total estimated sewage flows of 400 gpd. There will be a proposed discharge to Conodoguinet Creek. The proposed development is located at 38 Cave Hill Drive in North Middleton Township, Cumberland County. The Department's review of the plan revision has not identified any significant impacts resulting from the proposal. The DEP Code Number for the planning module is A3-21920-254-3s and the APS ID is 1115331. Any permits must be obtained in the name of the property owner.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

### UNDER ACT 2, 1995 PREAMBLE 2

**The Following Plans and Reports Were Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).**

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The Department has received the following plans and reports.

*Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: Chris, 724-598-2206.*

**Butler Township Proposed Athletic Area**, Primary Facility ID # **870729**, 151-163 Hollywood Drive, Butler, PA 16001, City of Butler, Butler Township, **Butler County**. Civil & Environmental Consultants Inc., 700 Cherrington Parkway, Moon Township, PA 15108, on behalf of Butler Township, 290 South Duffy Road, Butler, PA 16001, submitted a Remedial Investigation Report/Cleanup Plan concerning remediation of soil contaminated with Arsenic, Barium, Lead, Iron, Nickel, Thallium, and PCBs. The Remedial Investigation Report/Cleanup Plan is intended to document remediation of the site to meet the site-specific standards.

*Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Environmental Cleanup & Brownfields Program Manager, 717-705-4705.*

**Former Martinsburg RV**, Primary Facility ID # **827479**, 114 West Penn Street, Martinsburg, PA 16662, Martinsburg Borough, **Blair County**. Gary C. Calvert LLC, P.O. Box 504, Hollidaysburg, PA 16648, on behalf of ZFD Realty Group LLC, 174 Hoover Drive, Martinsburg, PA 16662, submitted a Cleanup Plan concerning remediation of soil and groundwater contaminated with Petroleum and Lead. The Cleanup Plan is intended to document remediation of the site to meet the site-specific standards.

**Former Martinsburg RV**, Primary Facility ID # **827479**, 114 West Penn Street, Martinsburg, PA 16662, Martinsburg Borough, **Blair County**. Gary C. Calvert LLC, P.O. Box 504, Hollidaysburg, PA 16648, on behalf of Martinsburg Borough, 110 South Walnut Street, Martinsburg, PA 16662, submitted a Cleanup Plan concerning remediation of soil and groundwater contaminated with Petroleum and Lead. The Cleanup Plan is intended to document remediation of the site to meet the site-specific standards.

*Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: C. David Brown, Professional Geologist Manager, 484-250-5792.*

**399 Gulph Hills Road**, Primary Facility ID # **866569**, 399 Gulph Hills Road, Wayne, PA 19087, Upper Merion Township, **Montgomery County**. Mr. Joshua Ostrow, EnviroSure, Inc., 1 North Bacton Hill Road, Suite 208, Malvern, PA 19355, on behalf of Mr. Andrew Walker, Shipley Energy, 415 Norway Street, York, PA 17403, submitted a Final Report concerning remediation of soil contaminated with contaminated with 1,2,4-Trimethylbenzene, 1,3,5-Trimethylbenzene, benzene, ethylbenzene, isopropylbenzene, MTBE, naphthalene, and toluene. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

**155-159 Cecil B. Moore Avenue**, Primary Facility ID # **875483**, 155-159 Cecil B. Moore Avenue, Philadelphia, PA 19122, City of Philadelphia, **Philadelphia County**. Richard S. Werner, Environmental Consulting, Inc., 2002 Renaissance Boulevard, Suite 110, King of Prussia, PA 19406, on behalf of Steve Ford, Sharktown, Inc., 1714 N. Mascher Street, Philadelphia, PA 19122, submitted a Baseline Workplan concerning remediation of soil and

groundwater contaminated with chlorinated solvents. The Baseline Workplan is intended to document remediation of the site to meet the special industrial area provision of act 2.

**National Construction Rentals Inc.**, Primary Facility ID # **829825**, 6401 West Passyunk Ave., Philadelphia, PA 19153, City of Philadelphia, **Philadelphia County**. Mr. Andrew Basehoar, P.G., TTI Environmental, Inc., 1253 North Church Street, Moorestown, NJ 08057, on behalf of Lawrence Abrahamian, National Construction Rentals, 15319 Chatsworth Street, Millsion Hills, CA 91345, submitted a Remedial Investigation Report/Cleanup Plan concerning remediation of soil and groundwater contaminated with contaminated with benzene, 1,2,4-trimethylbenzene, naphthalene, and lead. The Remedial Investigation Report/Cleanup Plan is intended to document remediation of the site to meet the site-specific standards.

**1004 Thomas Road**, Primary Facility ID # **874541**, 1004 Thomas Rd, Plymouth Meeting, PA 19462, Plymouth Township, **Montgomery County**. Mr. Jeremy W. Bolyn, Environmental Maintenance, 1420 East Mermaid Lane, Glenside, PA 19038, on behalf of Randy Aiken, Inter County Oil Services, 3003 Mount Carmel Avenue, Glenside, PA 19038, submitted a Final Report concerning remediation of soil contaminated with Site soil contaminated with benzene, toluene, ethylbenzene, cumene, naphthalene, MTBE, 1,2,4-TMB, and 1.3.5-TMB. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

**2739-2747 N 5th Street & 2746-2752 N Orkney Streets**, Primary Facility ID # **544800**, 7 West Allegheny Ave, Philadelphia, PA 19140, City of Philadelphia, **Philadelphia County**. Mrs. Bridget Shadler, August Mack Environmental, 806 Fayette Street, Conshohocken, PA 19428, on behalf of Harry Tapia, HACE, 167 West Alleghany Avenue, Suite 200, Philadelphia, PA 19140, submitted a Final Report concerning remediation of soil contaminated with Site soils contaminated with benzo-(a)anthracene, benzo(a)pyrene, benzo(b)fluoranthene, bis(e-ethylhexyl)phthalate, dibenzo(a,h)anthracene, indeno-1,2,3-cd)pyrene, benzo(k)fluoranthene acenaphthene, acenaphthylene, anthracene, benzo(g,h,i)perylene, chrysene, fluoranthene, fluorene, 2-methylnaphthalene, naphthalene, phenanthrene, pyrene, vanadium. The Final Report is intended to document remediation of the site to meet the site-specific standards.

**Belmont Term**, Primary Facility ID # **780561**, 2700 Passyunk Ave, Philadelphia, PA 19145, City of Philadelphia, **Philadelphia County**. Mrs. Jennifer Menges, Principal Consultant, LRS, Stantec, 60 Andrew Drive, Suite, 140, West Chester, PA 19380, on behalf of Tiffani Doerr, Evergreen Resources Management Operations, 2 Righter Parkway, Suite 120, Wilmington, DE 19803, submitted a Remedial Investigation Report concerning remediation of soil and groundwater contaminated with Site soil and groundwater contaminated with VOCs, S-VOCs, and lead. The Remedial Investigation Report is intended to document remediation of the site to meet the site-specific standards.

**Penn Engineering and Manufacturing, Inc.**, Primary Facility ID # **620262**, 5190 Old Easton Rd, Danboro, PA 18916, Plumstead Township, **Bucks County**. George Seidmen, Earth Data Northeast, Inc., 924 Springdale Dr., Exton, PA 19341, on behalf of Abhinav Garikipati, EH&S Specialist, Penn Engineering and Manufacturing Corporation, 5190 Old Easton Rd., Danboro, PA 18916, submitted a Remedial Investigation

Report concerning remediation of soil and groundwater contaminated with Site soil and groundwater contaminated with 1,1-dichloroethylene, PCE, 1,1,1-trichloroethane, and TCE. The Remedial Investigation Report is intended to document remediation of the site to meet the site-specific standards.

*Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Thomas Buchan P.G. EGM, 412-442-5240.*

**Jones Auto & Truck Salvage Property**, Primary Facility ID # **863304**, 760 Atlantic Avenue, Elizabeth, PA 15037, Lincoln Borough, **Allegheny County**. American Geosciences, Inc., 3625 Reed Boulevard, Suite 400, Murrysville, PA 15668, on behalf of Atlantic Industrial Space, LLC, Michael Isbar Jr., 696 McKeesport Road, Elizabeth, PA 15037, submitted a Final Report concerning remediation of soil and groundwater contaminated with Benzo(a)pyrene, Benzo(a)anthracene, Benzo(b)Fluoranthene, Naphthalene and Arsenic in soils. Tetrachloroethene, Trichloroethene, cis-1,1-Dichloroethene, 1,1 Dichloroethene, vinyl chloride, 1,1,1 Trichloroethane, and Dissolved Arsenic in groundwater. The Final Report is intended to document remediation of the site to meet the site-specific standards.

**Elmer W & Nancy Geiger Trust Property (aka Former Flannery Bolt Company)**, Primary Facility ID # **862463**, 580 Mayer Street, Bridgeville, PA 15017, Collier Township, **Allegheny County**. American Geosciences, Inc., 3625 Reed Boulevard, Suite 400, Murrysville, PA 15668, on behalf of Mayer Street Partners LLC, Christopher Brodman, President, 4251 Old New England Road, Allison Park, PA 15101, submitted a Remedial Investigation Report/Cleanup Plan concerning remediation of soil and groundwater contaminated with PAH, VOCs, Metals. The Remedial Investigation Report/Cleanup Plan is intended to document remediation of the site to meet the site-specific standards.

**Haser Place**, Primary Facility ID # **868719**, Geyer Road, Pittsburgh, PA 15209, Reserve Township, **Allegheny County**. KU Resources, Inc., 22 South Linden Street, Duquesne, PA 15110, on behalf of Amani Development LLC, 606 Liberty Avenue, Pittsburgh, PA 15222, submitted a Final Report concerning remediation of soil contaminated with VOCs, SVOCs, PAHs and Metals. The Final Report is intended to document remediation of the site to meet the Statewide health and site-specific standards.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

### UNDER ACT 2, 1995 PREAMBLE 3

**The Department Has Taken Action on the Following Plans and Reports Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).**

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and

extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The DEP may approve or disapprove plans and reports submitted. This notice provides DEP's decision and, if relevant, the basis for disapproval.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The DEP has received the following plans and reports.

*Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Eric Supey, Environmental Program Manager.*

**R&L Carriers**, Primary Facility ID # **853014**, 115 Armstrong Road, Pittston, PA 18640, Pittston Township, **Luzerne County**. BP Environmental, 8615 Commerce Drive, Unit One, Easton, MD 21601, on behalf of RLR Investments, LLC, 600 Gillam Road, Wilmington, OH 45177, submitted a Final Report concerning remediation of soil contaminated with diesel. The Final Report demonstrated attainment of the Statewide health standards. Approved: June 25, 2024.

*Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: Ben, 814-350-5132.*

**Krajewski 5 Well**, Primary Facility ID # **875327**, Sportsman Dam Road, Reynoldsville, PA 15851, Winslow Township, **Jefferson County**. Moody & Associates, Inc., 1720 Washington Road, Suite 100, Washington, PA 15301, on behalf of Diversified Production, LLC, 126 Industry Road, # 201, Waynesburg, PA 15370, submitted a Final Report concerning remediation of soil contaminated with aluminum, barium, boron, chloride, iron, lithium, manganese, selenium, strontium, vanadium, and zinc. The Final

Report demonstrated attainment of the Statewide health standards. Approved: June 28, 2024.

*Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Environmental Cleanup & Brownfields Program Manager, 717-705-4705.*

**A.S.K. Foods, Inc.**, East Plant, Primary Facility ID # **871205**, 134 North Locust Street, Palmyra, PA 17078, Palmyra Borough, **Lebanon County**. ARM Group, LLC, 1129 West Governor Road, Hershey, PA 17033, on behalf of A.S.K. Foods, Inc., 77 North Hetrick Avenue, Palmyra, PA 17078, submitted a Final Report concerning remediation of soil contaminated with Leaded and Unleaded Gasoline Compounds. The Final Report demonstrated attainment of the Statewide health standards. Approved: June 24, 2024.

**TForce Freight—Mechanicsburg Facility**, Primary Facility ID # **827300**, 6060 Carlisle Pike, Mechanicsburg, PA 17050, Hampden Township, **Cumberland County**. WSP USA, Inc., 4139 Oregon Pike, Ephrata, PA 17522, on behalf of TForce Freight, Inc., 1000 Semmes Avenue, Richmond, VA 23224, submitted a combined Remedial Investigation Report/Cleanup Plan/Final Report concerning remediation of soil and groundwater contaminated with COCs and Leaded Gasoline Compounds. The Report demonstrated attainment of the site-specific standards. Approved: June 24, 2024.

**Buckeye Lancaster Junction**, Primary Facility ID # **634413**, 2810 Weaver Road, Lancaster, PA 17603, Manheim Township, **Lancaster County**. Groundwater & Environmental Services, Inc., 440 Creamery Way, Suite 500, Exton, PA 19341, on behalf of John and Rebecca Hess, 2810 Weaver Road, Lancaster, PA 17603, submitted a Remediation Investigation Report/Final Report concerning remediation of soil contaminated with Unleaded Gasoline. The Report did not demonstrate attainment of the site-specific standards. Issued a technical deficiency letter: June 27, 2024.

**Buckeye Lancaster Junction**, Primary Facility ID # **634413**, 2810 Weaver Road, Lancaster, PA 17603, Manheim Township, **Lancaster County**. Groundwater & Environmental Services, Inc., 440 Creamery Way, Suite 500, Exton, PA 19341, on behalf of Buckeye Partners, LP, 6161 Hamilton Blvd., Allentown, PA 18106, submitted a Remediation Investigation Report/Final Report concerning remediation of soil contaminated with Unleaded Gasoline. The Report did not demonstrate attainment of the site-specific standards. Issued a technical deficiency letter: June 27, 2024.

*Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: C. David Brown, Professional Geologist Manager, 484-250-5792.*

**Matt Blatt Auto**, Primary Facility ID # **867036**, 6735-39 Essington Avenue, Philadelphia, PA 19135, City of Philadelphia, **Philadelphia County**. Resource Control Consultants, 10 Lippincott Lane, Unit 1, Mount Holly, NJ 08060, on behalf of Roy Greenblatt, 501 North Delsea Drive, Glassboro, NJ 08026, submitted a Final Report concerning remediation of soil and groundwater contaminated with benzene, toluene, ethylbenzene, naphthalene, isopropylbenzene, chrysene, pyrene, benzo(a)anthracene, benzo(b)fluoranthene, benzo(a)pyrene, indeno(1,2,3-cd)pyrene, benzo(g,h,i)perylene, and lead. The Final Re-

port did not demonstrate attainment of the Statewide health standards. Issued an administrative deficiency letter: June 18, 2024.

**157 East Seven Stars Road Site**, Primary Facility ID # **863096**, 157 E Seven Stars Road, Phoenixville, PA 19460, East Pikeland Township, **Chester County**. Stephanie Grillo, Groundwater & Environmental Services, Inc., 400 Creamery Way, Suite 500, Exton, PA 19341, on behalf of Harlan Gustafson, Jr., Executor of Estate of Joyce E. Steimer, 260 West Baltimore Pike, Pottstown, PA 19464, submitted a Final Report concerning remediation of soil contaminated with benzene, toluene, ethylbenzene, MTBE, cumene, naphthalene, 1,2,4-TMB, 1,3,5-TMB, and bromobenzene. The Final Report demonstrated attainment of the Statewide health standards. Approved: June 26, 2024.

**Phoenix French Creek Manor**, Primary Facility ID # **804650**, N Main Street, Phoenixville, PA 19460, Phoenixville Borough, **Chester County**. ARM Brickhouse Engineers and Scientists, 515 South Franklin Street, West Chester, PA 19382, on behalf of French Creek TH HP, 126 E State Street, Media, PA 19063, submitted a Final Report concerning remediation of soil contaminated with aluminum, antimony, barium, beryllium, cadmium, chromium (III), copper, nickel, silver, thallium, vanadium, zinc, acenaphthene, acenaphthylene, acetophenone, anthracene, benzo(a)anthracene, benzo(b)fluoranthene, benzo(g,h,i)perylene, benzo(k)fluoranthene, bis(2-ethylhexyl)phthalate, carbazole, chrysene, dibenz(a,h)anthracene, di-n-butylphthalate, fluoranthene, fluorene, indeno(1,2,3-cd)pyrene, phenanthrene, phenol, pyrene, benzene, naphthalene, arsenic, chromium (VI), cobalt, iron, lead, manganese, and benzo(a)pyrene. The Final Report demonstrated attainment of the Statewide health and site-specific standards. Approved: June 26, 2024.

**2029-2059 York Road**, Primary Facility ID # **850612**, 2029-2059 York Road, Jamison, PA 18929, Warwick Township, **Bucks County**. Geo-Technology Associates, Inc., 2405 John Fries Highway, Building 3, Quakertown, PA 18951, on behalf of Pulte Homes of PA L.P., 750 US Highway 202, Suite 500, Bridgewater, NJ 08807, submitted a Final Report concerning remediation of groundwater contaminated with arsenic, benzene, chrysene, cumene, dieldrin, ethylbenzene, methyl tert-butyl ether (MTBE), naphthalene, pyrene, toluene, 1,2,4-trimethylbenzene, and 1,3,5-trimethylbenzene. The Final Report demonstrated attainment of the site-specific standards. Approved: June 26, 2024.

*Contact: C. David Brown, Professional Geologist Manager, 484-250-5792.*

**Tioga Marine Terminal Pier 179N**, Primary Facility ID # **722887**, North Delaware Avenue, Philadelphia, PA 19134, City of Philadelphia, **Philadelphia County**. Gregory Rosenzweig, Groundwater & Environmental Services, Inc., 440 Creamery Way, Exton, PA 19341, on behalf of Richard Sherman, Kinder Morgan Liquids Terminals, LLC, One Terminal Road, Carteret, NJ 07008, submitted a Final Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The Final Report did not demonstrate attainment of the site-specific standards. Issued an administrative deficiency letter: June 26, 2024.

**Lockheed Martin Corporation**, Primary Facility ID # **778937**, 230 Mall Boulevard, King of Prussia, PA 19406, Upper Merion Township, **Montgomery County**. H&K Group, Inc., 2052 Lucon Road, Skippack, PA 19474, on behalf of Lockheed Martin Corporation, 2550 N. Holly-

wood Way, Suite 406, Burbank, CA 91505, submitted a Cleanup Plan/Final Report concerning remediation of groundwater contaminated with tetrachloroethene (PCE), trichloroethene (TCE), benzene, cis-1,2-dichloroethene, ethylbenzene, toluene, xylenes, and vinyl chloride. The Final Report demonstrated attainment of the Statewide health and site-specific standards. Approved: June 17, 2024.

**Llanerch Shopping Center**, Primary Facility ID # **843324**, 403 West Chester Pike, Havertown, PA 19083, Haverford Township, **Delaware County**. Jason Hanna, Langan Engineering and Environmental Services, LLC, 1818 Market Street # 3030, Philadelphia, PA 19103, on behalf of James Bladel, Llanerch Shopping Center, LP, 1301 Lancaster Avenue, Berwyn, PA 19312, submitted a Final Report concerning remediation of soil and groundwater contaminated with benzo(a)pyrene, dibenz(a,h)-anthracene, 1,2,3-trichlorobenzene, 1,2,4-trichlorobenzene, chloroform, tetrachloroethene (PCE), trichloroethylene (TCE), 2-methylnaphthalene, dibenzofuran, naphthalene, aluminum, arsenic, barium, cadmium, cobalt, iron, manganese, vanadium, and thallium. The Final Report site-specific standards. Approved: June 26, 2024.

**4663 Paul Street Site**, Primary Facility ID # **851394**, 4663 Paul Street, Philadelphia, PA 19124, City of Philadelphia, **Philadelphia County**. EnviroSure Inc., 1 North Bacton Hill Road, Suite 208, Malvern, PA 19355, on behalf of Frankford Community Development Corporation, 4667 Paul Street, 2nd Floor, Philadelphia, PA 19124, submitted a Remedial Investigation Report/Cleanup Plan concerning remediation of soil and groundwater contaminated with gasoline compounds. The Plan did not demonstrate attainment of the site-specific standards. Disapproved: June 26, 2024.

*Contact: David Brown, Professional Geologist Manager, 484-250-5792.*

**2029-2059 York Road**, Primary Facility ID # **850612**, 2029-2059 York Road, Jamison, PA 18929, Warwick Township, **Bucks County**. Geo-Technology Associates, Inc., 2405 John Fries Highway, Building 3, Quakertown, PA 18951, on behalf of Pulte Homes of PA L.P., 750 US Highway 202, Suite 500, Bridgewater, NJ 08807, submitted a Remediation Investigation Report/Final Report concerning remediation of soil contaminated with arsenic, dieldrin, lead, No. 2 fuel oil, and No. 6 fuel oil. The Final Report demonstrated attainment of the Statewide health and site-specific standards. Approved: June 26, 2024.

*Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Thomas Buchan P.G. EGM, 412-442-5240.*

**Conemaugh Health Systems Warehouse Properties**, Primary Facility ID # **806694**, 158-170 Southmont Boulevard, Johnstown, PA 15901, City of Johnstown, **Cambria County**. Groundwater Sciences Corporation, 2550 Interstate Drive, Suite 303, Harrisburg, PA 17110, on behalf of 1889 Foundation Inc., 4 Valley Pike, Johnstown, PA 15901, submitted a Remediation Investigation Report/Final Report concerning remediation of soil and groundwater contaminated with VOCs, SVOCs and Metals. The Final Report demonstrated attainment of the Statewide health and site-specific standards. Approved: June 28, 2024.

## HAZARDOUS WASTE TRANSPORTER LICENSE

**Action(s) Taken on Hazardous Waste Transporter License Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); and Hazardous Waste Regulations to Transport Hazardous Waste.**

### *New Transporter License Issued*

*Central Office: Waste Management Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-787-7561.*

*Contact: Jonathan Adams.*

**Plummer's Environmental Services, Inc.**, 10075 Sedroc Industrial Drive SW, Bryon Center, MI 49315. **License No. PA-AH 0952**. Application received: May 21, 2024. Effective June 26, 2024.

### *Transporter License Reissued*

*Central Office: Waste Management Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-787-7561.*

*Contact: Jonathan Adams.*

**Clean Earth Specialty Waste Solutions, Inc.**, P.O. Box 368, Neenah, WI 54957. **License No. PA-AH 0770**. Application received: June 5, 2024. Effective June 26, 2024.

## DETERMINATION OF APPLICABILITY FOR MUNICIPAL WASTE GENERAL PERMITS

**Actions(s) Taken on Permit(s) Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Municipal Waste Regulations for Determination of Applicability for a General Permit to Operate Municipal Waste Processing Facilities and/or the Beneficial Use of Municipal Waste.**

*Southcentral Region: Waste Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Carrie A. Fleming, Program Manager.*

**WMGM030SC003. Stoner's Farm & Compost, LLC**, 3207 Bowman Road, Landisville, PA 17538, East Hempfield Township, **Lancaster County**. This permit authorizes the composting of yard waste at facilities between five and fifteen acres and beneficial use of the compost so produced. The waste streams accepted for composting are limited to non-liquid waste and the following categories of municipal waste: yard waste, leaf waste, grass clippings, garden residue, tree trimmings, chipped shrubbery and other vegetative material. The beneficial uses of the finished compost approved in this permit are for the marketing or distribution as soil substitute, soil conditioner, soil amendment, fertilizer or mulch. Application received: April 21, 2023. Issued: June 28, 2024.

Persons interested in reviewing the permit may contact John L. Oren, P.E., Permits Chief, Waste Management Program, Southcentral Region, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

## AIR QUALITY

### Actions(s) Taken on General Plan Approval(s) and Operating Permit(s) Usage Authorized Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to Construct, Modify, Reactivate or Operate Air Contamination Sources and Associated Air Cleaning Devices.

*Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.*

**AG5-41-00024B: EQT ARO, LLC**, 400 Woodcliff Drive, Canonsburg, PA 15317, Mifflin Township, **Lycoming County**. The Department authorized the construction and operation of new sources and continued operation of existing sources comprised of one (1) 690 bhp Caterpillar model G3508 four-stroke lean-burn natural gas-fired compressor engine equipped with an oxidation catalyst, one (1) 40 MMscf/day J.W. Williams dehydration unit equipped with a 0.75 MMBtu/hr natural gas-fired reboiler burner and flash tank, two (2) 5,650 watt Energy thermo-electric Stirling engine generators, four (4) 16,800-gallon produced water tanks, one (1) 250-gallon engine coolant tank, one (1) 1,000-gallon waste oil tank, one (1) 2,100-gallon still vent condensate tank, one (1) COMM Engineering Combustor Model 2 thermal oxidizer, three (3) 2.0 MMBtu/hr gas processing units, truck load-out operations for produced water, miscellaneous gas venting, gas-actuated pneumatic valve and controller emissions, fugitive emissions from component leaks, pursuant to the General Plan Approval and/or General Operating Permit for Natural Gas Compression Stations, Processing Plants, and Transmission Stations (BAQ-GPA/GP-5) at the Larry's Creek Pad F Compressor Station. Application received: June 12, 2024. Authorized: June 24, 2024. New expiration date: June 23, 2029.

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Shailesh Patel, New Source Review Manager, 570-826-2341.*

**GP3-48-038: Northledge LLC**, 930 Market Street, Bethlehem, PA 18017, Bangor Borough, **Northampton County**. The Department issued the general plan approval and Operating Permit GP3 for the installation and operation of the portable non-metallic mineral processing plant at Delaware Quarries Riverton. Application received: June 6, 2024. Issued: June 18, 2024.

**GP9-48-038: Northledge LLC**, 930 Market Street, Bethlehem, PA 18017, Bangor Borough, **Northampton County**. The Department issued the general plan approval and Operating Permit GP9 for the installation and operation of engines associated with the portable non-metallic mineral processing plant at Delaware Quarries Riverton. Application received: June 6, 2024. Issued: June 18, 2024.

**GP1-13-002: Altadis USA Inc., d/b/a ITG Cigars, Inc.**, 1000 Tresckow Rd, McAdoo, PA 18237, Banks Township, **Carbon County**. The Department issued the general plan approval and Operating Permit GP1 for the installation and operation of eight (8) 11.54 MMBtu/hr MIURA natural gas-fired combustion units controlled with low NO<sub>x</sub> burners to replace existing combustion units. Application received: June 5, 2024. Issued: June 20, 2024.

*Contact: Shailesh Patel, P.E., Environmental Group Manager, 570.826.2511.*

**AG5-58-00009B: Repsol Oil & Gas USA, LLC**, 337 Daniel Zenker Drive, Horseheads, NY 14845, Apolacon Township, **Susquehanna County**. For the renewal of their existing AG5 permit. Application received: June 13, 2024. Issued: June 24, 2024.

**GP11-35-020A: Mellott Company LLC**, 100 Mellott Drive, Warfordsburg, PA 17267, Covington Township, **Lackawanna County**. For installation and operation of diesel engines. Application received: June 11, 2024. Issued: June 25, 2024.

### Actions(s) Taken on Plan Approval(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and Regulations in 25 Pa. Code Chapter 127, Subchapter B Relating to Construction, Modification and Reactivation of Air Contamination Sources and Associated Air Cleaning Devices.

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: James Beach, New Source Review Chief, 484-250-5920.*

**09-0196N: Abington Reldan Metals LLC**, 550 Old Bordentown Rd, Fairless Hills, PA 19030-4510, Falls Township, **Bucks County**. This action is for the extension of a plan approval for construction of new thermal destructor (Penn Ram 5) and associated controls. Application received: June 10, 2024. Issued: June 25, 2024.

**46-0298: GlaxoSmithKline LLC/Upper Merion East**, 709 Swedeland Rd, King of Prussia, PA 19406-2711, Upper Merion Township, **Montgomery County**. This action is for the installation of one (1) new diesel-fired 600-kW engine (EGEN). The EGEN will operate only for emergency purposes and routine maintenance and readiness testing. Application received: June 13, 2024. Issued: June 27, 2024.

**46-0296A: Amazon.com Services LLC ABE5**, 2455 Boulevard of the Generals, Norristown, PA 19403, West Norriton Township, **Montgomery County**. This action is for the extension of a plan approval for the decommissioning of an RTO and the temporary operation of 6 Sublimation printers. In addition, the Plan Approval has been modified to allow the installation of 8 additional Kornit Atlas printers (Source ID: 101B), 4 additional M&R Sprint 3000D dryers and the replacing of the existing M&R Dryers with new M&R 3000D Sprint dryers (20 total). Application received: May 10, 2024. Issued: June 27, 2024.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Sheri Guerrieri, P.E., New Source Review Chief, 412-442-4174.*

**PA-30-00194D: EQM Gathering Opco, LLC**, 2200 Energy Drive, Canonsburg, PA 15317, Morris Township, **Greene County**. On June 25, 2024, Air Quality Plan Approval No. PA-30-00194D was issued for modification of an existing tri-ethylene glycol dehydration unit, which is comprised of two (2) dehydration units with a combined total capacity of 240 MMscfd sharing a reboiler and a control device. The facility is proposing to install a new re-boiler and a new flare so that these two (2) dehydrators can operate independently at its "Callisto Compressor Station" located in Morris Township, Greene County. Application received: February 29, 2024. Issued: June 25, 2024.

---

**Plan Approval Revision(s) Issued Including Extension(s), Minor Modification(s) and Transfer(s) of Ownership Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.**

---

*Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.*

**14-00002R: Graymont (PA), Inc.**, 375 Graymont Rd., Bellefonte, PA 16823, Spring Township, **Centre County**. The Department issued an extension to permit continued operation of the new enhanced lime hydrate operation equipment associated with Source IDs P313, under the plan approval terms and conditions, until they are incorporated into the facility's Title V permit. The enhanced lime hydrate sources are located at the Pleasant Gap Plant site. The plan approval has been extended for 180 days. Application received: June 7, 2024. Revised: June 14, 2024. New expiration date: December 25, 2024.

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.*

**67-05007E: Adhesives Research Inc.**, 400 Seaks Run Road, Glen Rock, PA 17327, Springfield Township, **York County**. For installation of two new chemical reactors at the adhesive coating manufacturing facility. The new reactor tanks will produce a new polymer that will be either applied at two coating lines at the facility or sent to another facility for application. The plan approval was extended. Application received: June 4, 2024. Issued: June 26, 2024.

**67-05006B: York County Solid Waste & Refuse Authority**, 2700 Black Bridge Road, York, PA 17406-7901, Manchester Township, **York County**. For the installation of SNCR for NO<sub>x</sub> control on each of three (3) municipal waste combustors (MWC), and the incorporation of RACT 3 requirements for the MWCs, at the York County Resource Recovery Center. The plan approval was extended. Application received: June 17, 2024. Issued: June 26, 2024.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Sheri Guerrieri, P.E., New Source Review Chief, 412-442-4174.*

**26-00590A: Carlisle Construction Materials, LLC**, 2000 Summit View Drive, Smithfield, PA 15478, Georges Township, **Fayette County**. On June 24, 2024, the Department of Environmental Protection authorized a modification to Air Quality Plan Approval 26-00590A to authorize the transfer and use of 149.0 tons of VOC ERCs at a polyisocyanurate foam board insulation production facility located in Georges Township, Fayette County. Application received: April 11, 2024. Accepted: May 1, 2024.

---

**Title V Operating Permit(s) Issued Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.**

---

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: Janine Tulloch-Reid, Facilities Permitting Chief, 484-250-5920.*

**09-00013: Wheelabrator Falls Inc.**, 1201 New Ford Mill Rd, Morrisville, PA 19067-3707, Falls Township, **Bucks County**. This action is for the renewal of the Title V Operating Permit for the operation of two (2) municipal waste combustors, combustor emissions controls, cooling towers, one (1) 2022 fire pump, plant roads and several gas-fired space heaters. This action also includes revisions regarding an alternate RACT III proposal for restriction of nitrogen oxide (NO<sub>x</sub>) emissions to meet the 2015 8-hour National Ambient Air Quality Standards for ozone from the two (2) municipal waste combustors and includes a timeline to meet the requirements of presumptive RACT III from 25 Pa. Code Sections 129.111—129.115. Application received: September 13, 2021. Issued: June 27, 2024.

---

**Operating Permit(s) for Non-Title V Facilities Issued Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.**

---

*Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.*

**14-00014: Glenn O. Hawbaker**, 711 East College Ave, Pleasant Gap, PA 16823, Spring Township, **Centre County**. The Department issued a State Only Operating Permit (renewal) for the Glenn O. Hawbaker Pleasant Gap Quarry and Hot Mix Asphalt Plant facility. All applicable requirements of Federal and State regulations have been included in this Operating Permit. In addition, appropriate testing, monitoring, recordkeeping and reporting conditions to ensure compliance with the applicable requirements have been included in the State Only (Synthetic Minor) Operating Permit. Application received: September 5, 2023. Renewal issued: June 28, 2024. New expiration date: June 27, 2029.

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Norm Frederick, 570-826-2409.*

**35-00071: Hickory Crematory and Cremation Services of NEPA, LLC**, 436 Cedar Avenue, Scranton, PA 18505, City of Scranton, **Luzerne County**. The Department issued a renewal State-Only (Natural Minor) Permit for this facility located in the City of Scranton, Luzerne County. The main source at this facility is a crematory incinerator. The control device is a secondary chamber. The sources are considered minor emission sources of nitrogen oxide (NO<sub>x</sub>), sulfur oxides (SO<sub>x</sub>), carbon monoxide (CO), total suspended particulate (TSP) and VOC's. The permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations. Application received: April 9, 2024. Renewed: June 25, 2024.

**66-00013: UGI Energy Services Inc.**, 835 Knitting Mills Way, Wyomissing, PA 19610, Washington Township, **Wyoming County**. The Department issued a renewal State-Only Operating Permit for their compressor station and liquified natural gas operation. The Operating Permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, record-



keeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations. Application received: October 20, 2023. Accepted: October 26, 2023. Issued: June 10, 2024.

**35-00008: Gentex Corporation**, 324 Main Street, Simpson, PA 18407, Fell Township, **Lackawanna County**. The Department issued an initial State-Only Operating Permit for the operation of sources at their ophthalmic goods manufacturing facility. The Operating Permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations. Application received: November 21, 2023. Accepted: December 6, 2023. Issued: June 24, 2024.

**58-00002: Diaz Manufacturing Co LLC**, 747 Grow Ave, Montrose, PA 18801-1480, Bridgewater Township, **Susquehanna County**. The Department has issued a renewal State-Only (Natural Minor) Operating Permit for the Bridgewater Township facility. Sources at this facility include their wood fired boiler and woodworking equipment. This permit also includes a baghouse and multi-clone as control devices. The Operating Permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations. Application received: April 25, 2024. Accepted: April 25, 2024. Issued: June 27, 2024.

**39-00023: Allentown Terminals DE LLC**, 900 S Eisenhower Blvd, Middletown, PA 17057-5503, City of Allentown, **Lehigh County**. The Department has issued a renewal State-Only (Synthetic Minor) Operating Permit for the Allentown facility. Sources at this facility include their tanks, loading rack, and fugitive emissions from flanges, pumps, and valves. Sources for this permit also include a Vapor Destruction Unit (VDU) as a control device. The Operating Permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations. Application received: April 12, 2024. Accepted: April 12, 2024. Issued: June 27, 2024.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: Matthew Williams, Facilities Permitting Chief, 814-332-6940.*

**10-00375: Harmony Castings, LLC**, 251 Perry Hwy, Harmony, PA 16037-9213, Jackson Township, **Butler County**. The Department issued the renewal State Only Natural Minor Operating Permit for the aluminum foundry. The facility's primary emission sources include the aluminum casting process, shot blasting, natural gas process heaters, and a parts washer. The potential emissions of the primary pollutants from the facility are as follows: 1.09 TPY (tons per year) NO<sub>x</sub>, 2.00 TPY CO, 8.99 TPY VOC, 8.02 TPY total HAPs, 8.00 TPY methanol, 10.62 TPY PM<sub>10</sub> and PM<sub>2.5</sub>, and 0.02 TPY SO<sub>x</sub>; thus, the facility is a natural minor. The facility is subject to 40 CFR Part 63 Subpart ZZZZZZ, NESHAP Area Source Standards for Aluminum, Copper, and Other Nonferrous Foundries. The renewal permit contains emission restrictions, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act. Application received: March 30, 2023. Issued: June 25, 2024.

*Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.*

**05-05028: Texas Eastern Transmission LP**, 915 N. Eldridge Parkway, Houston, TX 77079-2703, Bedford Township, **Bedford County**. For the Bedford natural gas transmission station. The State-Only permit was renewed. Application received: December 20, 2023. Issued: June 25, 2024.

*Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.*

**22-03109: Dimon Funeral Home & Cremation Services, Inc.**, 201 East Market Street, Williamstown, PA 17098, Williamstown Borough, **Dauphin County**. For the human crematory at the facility. Application received: March 19, 2024. Issued: June 26, 2024.

---

**Operating Permit Revisions Issued Including Administrative Amendments, Minor Modifications or Transfer of Ownership Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.**

---

*Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.*

**53-00001: Tennessee Gas Pipeline Company, LLC**, 1001 Louisiana St, Ste 1000, Houston, TX 77002-5089, Hebron Township, **Potter County**. The Department issued revisions to a Title V Operating Permit authorization on June 12, 2024, for the incorporation of the applicable presumptive RACT requirements from 25 Pa. Code § 129.112, along with the associated compliance requirements under 25 Pa. Code § 129.115, for their Compressor Station 313. All applicable Federal and State regulatory requirements are incorporated into the Operating Permit, including testing, monitoring, recordkeeping, reporting, work practices and other conditions as necessary to verify compliance. Application received: December 28, 2023. Issued: June 12, 2024. Revised: July 24, 2024.

**49-00009: IBP Solutions US LLC**, 980 Point Township Drive, Northumberland, PA 17857, Point Township, **Northumberland County**. The Department issued a revised State Only (Synthetic Minor) Operating Permit for IBP Solutions US, LLC's flush door manufacturing facility for the change of ownership of the facility from Masonite Corporation to IBP Solutions US, LLC. The revised State Only Operating Permit contains the necessary requirements including monitoring, recordkeeping, and reporting conditions to ensure compliance with applicable Federal and State regulations. Application received: May 16, 2024. Effective: June 28, 2024. Revised: June 28, 2024.

*Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.*

**36-05166: Rutt Quality Cabinetry, LLC**, 215 Diller Avenue, New Holland, PA 17557-1611, Earl Township, **Lancaster County**. For the wood cabinet manufacturing facility. The State-Only permit underwent a minor modification in order to reflect the removal of certain sources,

and to make minor administrative updates. Application received: April 26, 2024. Issued: June 26, 2024.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Thomas Joseph, P.E., Facilities Permitting Chief, 412-442-4336.*

**04-00412: SA Recycling, LLC**, Westgate Drive, Beaver Falls, PA 15010, Koppel Borough, Big Beaver Borough, **Beaver County**. On June 25, 2024, the Department authorized a modification to a ferrous and nonferrous scrap metals recycling plant located in Koppel and Big Beaver Boroughs, Beaver County (40°, 49', 40" N, 80°, 19', 21" W) to update the VOC emission factor and categorize the facility as a synthetic minor. Application received: December 8, 2023. Deemed administratively complete: January 4, 2024.

## ACTIONS ON COAL AND NONCOAL APPLICATIONS

**Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the National Pollutant Discharge Elimination System (NPDES) permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to such applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1103). Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).**

### *Coal Permits*

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.*

*Contact: RA-EPCAMBRIADMO@pa.gov.*

**Mining Permit No. 32901602. NPDES No. PA0214442. Robindale Energy Services, Inc.**, 1501 Ligonier Street, Latrobe, PA 15650, Burrell Township, **Indiana County**. Transfer of permit and mining activity permit for I-22 Tipple Prep Plant from Rosebud Mining Company, 301 Market Street, Kittanning, PA 16201 affecting 40.8 acres. Receiving streams: Unnamed Tributary to Conemaugh River classified for the following use: CWF. Application received: February 26, 2024. Permit issued: June 25, 2024.

**Mining Permit No. 32831602. NPDES No. PA0214515. General Trade Corporation**, 745 Power Plant Road, New Florence, PA 15944, West Wheatfield Township, **Indiana County**. Renewal to the NPDES permit and mining activity permit for The Central Prep Plant affecting 28.3 acres. Receiving streams: Unnamed Tributary to Conemaugh River classified for the following use: CWF. Application received: September 5, 2023. Permit issued: June 26, 2024.

**Mining Permit No. 32803010. NPDES No. PA0124834. Consol Mining Co., LLC**, 275 Technology Drive, Suite 101, Canonsburg, PA 15317, Blacklick Township, **Indiana County**. Permit renewal for reclamation only/water treatment of a bituminous surface mine affecting 89.9 acres. Receiving stream: unnamed tributary to Aultmans Run classified for the following use: TSF. Application received: January 29, 2024. Permit issued: June 26, 2024.

**Mining Permit No. 56940101. Rosebud Mining Company**, 301 Market Street, Kittanning, PA 16201, Brothersvalley Township, **Somerset County**. Permit renewal for reclamation only of a bituminous surface mine affecting 205.9 acres. Receiving streams: unnamed tributaries to/and Buffalo Creek, classified for the following use: CWF. Application received: March 27, 2024. Permit issued: June 26, 2024.

*New Stanton District Mining Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.*

*Contact: Tracy Norbert, 724-925-5500 or RA-EPNEWSTANTON@pa.gov.*

**Mining Permit No. 63120105. NPDES No. PA0252298. Amerikohl Mining, Inc.**, 1384 State Route 711, Stahlstown, PA 15687, Somerset Township, **Washington County**. Permit renewal issued for reclamation only to an existing bituminous surface mine, affecting 50.2 acres. Receiving streams: North Branch Pigeon Creek and Monongahela River; classified for the following use: WWF. Application received: April 1, 2024. Issued: June 26, 2024.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.*

*Contact: RA-EPPottsvilleDMO@pa.gov.*

**Mining Permit No. GFCC No. 54-23-01. Premium Fine Coal, Inc.**, P.O. Box 268, Tamaqua, PA 18252, Schuylkill Township, **Schuylkill County**. Government Finance Construction Contract issued for incidental and necessary coal refuse material for the reclamation of the abandoned unreclaimed site affecting 2.0 acres, receiving stream: Schuylkill River. Application received: October 3, 2023. Permit issued: June 24, 2024.

**Mining Permit No. GFCC No. 54-23-01. GP104 Permit No. PAM123033. Premium Fine Coal, Inc.**, P.O. Box 268, Tamaqua, PA 18252, Schuylkill Township, **Schuylkill County**. Coverage under the General NPDES Stormwater Permit for stormwater discharges associated with mining activities (BMP-GP-104). Receiving stream: Schuylkill River. Application received: October 3, 2023. Coverage issued: June 24, 2024.

**Mining Permit No. 54860110. Reading Anthracite Company**, P.O. Box 1200, Pottsville, PA 17901, Cass & Foster Townships, **Schuylkill County**. Renewal of an anthracite surface mine operation for Reclamation Activities Only affecting 99.0 acres. Receiving stream: West Branch Schuylkill River. Application received: March 29, 2022. Renewal issued: June 27, 2024.

### *Noncoal Permits*

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.*

*Contact: RA-EPCAMBRIADMO@pa.gov.*

**Mining Permit No. 7574SM1. NPDES No. PA0594300. Pennsy Supply, Inc.**, 2400 Thea Drive, Suite 3A, Harrisburg, PA 17110, Silver Spring Township, **Cumberland County**. NPDES Renewal on a Large Noncoal Industrial Mineral permit. Permit acres are

153.09 acres. Receiving streams: Conodoguinet Creek, classified for the following uses: WWF. Application received: November 28, 2023. Permit issued: June 26, 2024.

**Mining Permit No. 44970801. NPDES No. PA02279609. Mike's Landscaping & Excavating, Inc.,** 363 Park Drive, Reedsville, PA 17084, Armagh Township, **Mifflin County**. Renewal of an NPDES permit affecting 10.0 acres. Receiving streams: unnamed tributary to Laurel Creek classified for the following use: HQ-CWF. Application received: March 26, 2024. Permit issued: June 28, 2024.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.*

*Contact: RA-EPPottsvilleDMO@pa.gov.*

**Mining Permit No. 58110808. NPDES Permit No. PA0226416. Ted Kazmierczak,** 1000 Union Street, Taylor, PA 18517, New Milford Township, **Susquehanna County**. New NPDES Permit on a quarry operation affecting 5.0 acres. Receiving stream: Welmens Creek, classified for the following uses: HQ-CWF, MF. Application received: October 25, 2023. Permit issued: June 25, 2024.

**Mining Permit No. 7974SM2. NPDES Permit No. PA0611999. Heidelberg Materials Northeast, LLC,** 7660 Imperial Way, Allentown, PA 18195, Nockamixon Township, **Bucks County**. Renew NPDES Permit for discharge of treated mine drainage on a quarry operation. Receiving stream: Rapp Creek, classified for the following use: EV. Application received: December 20, 2023. Renewal issued: June 25, 2024.

**Mining Permit No. 09080301. NPDES No. PA0224642. H & K Group, Inc.,** P.O. Box 196, Skippack, PA 19474, Hilltown Township, **Bucks County**. Renew NPDES Permit for discharge of treated mine drainage on a quarry operation. Receiving stream: Unnamed Tributary to Morris Run to East Branch Perkiomen Creek, classified for the following uses: TSF/MF. Application received: April 27, 2023. Issued: June 26, 2024.

**Mining Permit No. 7976SM2. NPDES Permit No. PA0226394. Eureka Stone Quarry, Inc.,** P.O. Box 249, Chalfont, PA 18914, Warrington Township, **Bucks County**. New NPDES Permit for discharge of treated mine drainage on a quarry operation. Receiving stream: UNT to Neshaminy Creek. Application received: March 29, 2023. Permit issued: June 28, 2024.

**Mining Permit No. 38950301. NPDES Permit No. PA0223646. Cornwall Mining, LLC,** 201 Iron Valley Drive, Lebanon, PA 17042, Cornwall Borough, **Lebanon County**. Transfer of a quarry operation affecting 175.5 acres. Receiving stream: UNT to Snitz Creek. Application received: February 28, 2023. Transfer issued: July 1, 2024.

**Mining Permit No. 38970301. NPDES Permit No. PA0224448. Cornwall Mining, LLC,** 201 Iron Valley Drive, Lebanon, PA 17042, Cornwall Borough, **Lebanon County**. Transfer of a quarry operation affecting 194.14 acres. Receiving stream: UNT to Snitz Creek. Application received: February 28, 2023. Transfer issued: July 1, 2024.

**Mining Permit No. 38020302. Cornwall Mining, LLC,** 201 Iron Valley Drive, Lebanon, PA 17042, Cornwall Borough, **Lebanon County**. Transfer of a quarry operation affecting 23.1 acres. Receiving stream: UNT to Snitz Creek. Application received: March 1, 2023. Transfer issued: July 1, 2024.

## ACTIONS ON BLASTING ACTIVITY APPLICATIONS

**Action(s) Taken on Application(s) Under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting Activity Performed as Part of a Coal or Noncoal Mining Activity will be Regulated by the Mining Permit for that Coal or Noncoal Mining Activity.**

### *Blasting Permits*

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.*

*Contact: RA-EPCAMBRIADMO@pa.gov.*

**Permit No. 07244002. Matthew G. McEntire,** 5733 Westwood Drive, Weldon Spring, MO 63304, Snyder Township, **Blair County**. Blasting activity permit for American Eagle Paper Mill (Stack and Store) with an expiration date of May 31, 2025. Application received: June 27, 2024. Permit issued: June 27, 2024.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.*

*Contact: RA-EPPottsvilleDMO@pa.gov.*

**Permit No. 52244001. Northeast Blasting,** 403 Middle Creek Road, Honesdale, PA 18431, Lackawaxen Township, **Pike County**. Construction blasting for Blue Heron house foundation. Application received: May 8, 2024. Permit issued: June 25, 2024. Expiration date: May 6, 2025.

**Permit No. 356244117. J Roy's, Inc.,** P.O. Box 125, Bowmansville, PA 17507, Manheim Township, **Lancaster County**. Construction blasting for ECMS 97013 US 22 US 30 Interchange utilities. Application received: June 17, 2024. Permit issued: June 25, 2024. Expiration date: June 18, 2025.

**Permit No. 15244109. Keystone Blasting Service,** 15 Hopeland Road, Lititz, PA 17043, West Fallowfield Township, **Chester County**. Construction blasting for Jay Smoker chicken house. Application received: June 18, 2024. Permit issued: June 27, 2024. Expiration date: July 30, 2024.

**Permit No. 48244104. M3 Explo, LLC,** P.O. Box 615, Bowmansville, PA 17507, Lower Nazareth Township, **Northampton County**. Construction blasting for Faulkner Easton. Application received: June 17, 2024. Permit issued: June 27, 2024. Permit issued: June 5, 2025.

**Permit No. 67244104. M & J Explosives, LLC,** 104 East Main Street, Carlisle, PA 17015, Fairview Township, **York County**. Construction blasting for Fairview Intermediate School. Application received: June 25, 2024. Permit issued: June 27, 2024. Expiration date: June 25, 2025.

**Permit No. 46244105. Valley Rock Solutions, LLC,** P.O. Box 246, Macungie, PA 18062, Skippack Township, **Montgomery County**. Construction blasting for Charterfield Landing. Application received: June 18, 2024. Permit issued: June 28, 2024. Expiration date: March 31, 2025.

**Permit No. 48244105. Schlouch, Inc.,** 132 Excelsior Drive, Blandon, PA 19510, Palmer Township, **Northampton County**. Construction blasting for First Park 33 Phase I. Application received: June 27, 2024. Permit issued: June 28, 2024. Reinstated: June 27, 2025.

## FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department of Environmental Protection (DEP) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

### Final Actions—401 Water Pollution Control Section—BWEW

**MB990109-0001. First Pennsylvania Resource, LLC**, 405 Church Road, Richlandtown, PA 18955; Tohickon Creek Mitigation Bank, Richland Township, **Bucks County**, USACE Philadelphia District (N: 40°, 28', 48.435"; W: 75°, 18', 35.9").

Approved to construct and maintain the Tohickon Creek Mitigation Bank. The project consists of restoration, enhancement, and conservation activities within approximately 54 acres of the Tohickon Creek watershed (TSF, MF). The 54 acres comprising the site will be placed under restricted covenants. The project includes activities affecting uplands, floodplains, approximately 2,880 linear feet of water courses; and approximately 28 acres of wetland all within the Tohickon Creek watershed. The project proposes to result in 3,221 stream credits and 35.93 wetland credits. The project is intended to provide compensatory mitigation for impacts located within the Compensation Service Area 03 South. The project may provide compensatory mitigation credits through the applicant's existing permit MB9915-0001. This application is being jointly evaluated as a mitigation bank by the Army Corps of Engineers under the 2008 Mitigation Rule.

**MB990620-0001. First Pennsylvania Resource, LLC**, 21148 Beaver Center Road, Conneautville, PA 16406; Paden Creek Mitigation Bank, Beaver Township, **Crawford County**, USACE Pittsburgh District (N: 41°, 45', 37.50"; W: 80°, 27', 57.47").

Approved to construct and maintain the Paden Creek Mitigation Bank. The project consists of restoration, enhancement, and conservation activities within approximately 78 acres of the Paden Creek watershed (WWF). The 78 acres comprising the site will be placed under restricted covenants. The project includes activities affecting uplands, floodplains, approximately 4,972 linear feet of water courses; and approximately 17 acres of wetland all within the Paden Creek watershed. The project proposes to result in 4,357 stream credits and 45.92 wetland credits. The project is intended to provide compensatory mitigation for impacts located within the Compensation Service Area 20 North. The project may provide compensatory mitigation credits through the applicant's existing permit MB9915-0001. This application is being jointly evaluated as a mitigation bank by the Army Corps of Engineers under the 2008 Mitigation Rule.

**MB9915-0006. CNX Green Ventures, LLC**, Bowlby Hill Road, Spraggs, PA 15362; Blacksville Mitigation Bank, Wayne Township, **Greene County**, USACE Pittsburgh District (N: 39.731836°, W: -80.200870°).

Approved to operate, construct, and maintain the Blacksville Mitigation Bank. The project consists of restoration, enhancement, and conservation activities within approximately 822 acres of the UNT of Dunkard Creek watershed (WWF) above Lake Wilma. An unknown amount of the 822 acres comprising the site will be placed under restricted covenants. The project includes activities affecting uplands, floodplains, approximately 17,015 lin-

ear feet of water courses; and approximately 2.9 acres of wetland all within the watershed. The project proposes to result in 21,804 stream credits and 16.53 wetland credits which includes a proposed credit adjustment for providing restricted covenants in over 29,000 feet of additional headwaters. The project is intended to provide compensatory mitigation for impacts located within the Compensation Service Area 19. This application is being jointly evaluated as a mitigation bank by the Army Corps of Engineers under the 2008 Mitigation Rule.

Except as otherwise noted, DEP has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), and that the construction will not violate applicable Federal and State Water Quality Standards.

Individuals aggrieved by these actions may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. § 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Environmental Hearing Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the Board within 30-days. You do not need a lawyer to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so you should show this notice to a lawyer at once. If you cannot afford a lawyer, you may qualify for free pro bono representation. Call the Secretary to the Board 717-787-3483 for more information.

### WATER OBSTRUCTIONS AND ENCROACHMENTS

**Action(s) Taken on Application(s) for the Following Activities Filed Under The Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and the Clean Streams Law and Notice of Final Action for Certification Under Section 401 of the FWPCA.**

*Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Michele Lauer, Clerical Assistant 2, 570-830-3077.*

**E400223-020. Sean Moran**, 87 Washington Avenue, Plymouth, PA 18651, Harveys Lake Borough, **Luzerne County**. U.S. Army Corps of Engineers Baltimore District.

To remove an existing 595 ft<sup>2</sup> dock and to construct and maintain a 1,704 ft<sup>2</sup>, pile-supported boathouse structure at Pole # 273.5 within the normal pool elevation of Harveys Lake (HQ-CWF, MF). The project is located at the intersection of Duck Lane and Lakeside Drive (SR 415) (Harveys Lake, PA Quadrangle, Latitude: 41°, 21', 7.92"; Longitude: -76°, 2', 42.39") in Harveys Lake Borough, Luzerne County. Application received: August 18, 2023. Issued: June 25, 2024.

**E4802123-002. PA Department of Transportation, Eng District 5-0**, 1002 Hamilton Street, Allentown, PA 18101, Williams Township, **Northampton County**. U.S. Army Corps of Engineers Philadelphia District.

The following impacts are associated with the SR 2006 Section 01B project: 1. To remove the existing structure and to construct and maintain a 36' wide single span precast ConSpan structure carrying SR 2006 across a Tributary to Frya Run (Channel 1) (HQ-CWF, MF) having an 28' normal clear span and a 7.1' minimum underclearance and to construct and maintain appurtenant structure features. (Impact JP-1). 2. Approximately 264 LF of stream and associated floodway of a tributary to Frya Run (Channel 2) (HQ-CWF, MF) will be relocated due to the widening of SR 2006. (Impact JP-2). 3. To construct and maintain an outfall pipe that will impact 0.01 acre of EV and PEM wetland. (Impact JP-3) The project is located along SR 2006 Sec 01B, Segment 0150 Offset 0577, approximately 0.65 mile southwest of the SR 2006/Durham Road intersection (Riegelsville, PA Quadrangle Latitude: 40.606778° N, Longitude: -75.24356° W) in Williams Township, Northampton County. Application received: May 18, 2023. Issued: June 27, 2024.

*Northwest Region: Oil and Gas Management Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

Contact: RA-EPOILGASDROPBOX@pa.gov.

**E0308224-003. Sharisky Waterline. Snyder Brothers Inc.**, 90 Glade Drive, P.O. Box 1022, Kittanning, PA 16201, Washington Township, **Armstrong County**. U.S. Army Corps of Engineers Pittsburgh District.

Latitude: 40.933347°, Longitude: -79.577366°. Application received: January 3, 2024. Issued: June 25, 2024.

*Northwest Region: District Oil and Gas Office, 230 Chestnut Street Meadville PA 16335, 814-332-6860.*

**E0308224-003, Snyder Brothers Inc.**, 90 Glade Drive, P.O. Box 1022, Kittanning, PA 16201. Sharisky Waterline, in Washington Township, **Armstrong County**, ACOE Pittsburgh District, East Brady, PA Quadrangle Lat: 40.933347; Long: -79.577366.

To construct, operate, and maintain:

1. A temporary road crossing using timber mats and a 20" buried gas line having 1,376 square feet of temporary and 133 square feet of permanent impacts to a palustrine emergent (PEM) wetland (East Brady PA Quadrangle 40.930488°, -79.573526°).

2. A temporary road crossing using timber mats and two (2) 20" buried gas lines and one (1) 18" buried waterline having 20 linear feet of temporary and 60 linear feet of permanent stream impacts and 10,244 square feet of temporary and 501 square feet of permanent floodway impacts to Huling Run (TSF) (East Brady PA Quadrangle 40.930238°, -79.572951°).

3. A temporary road crossing using timber mats and one buried 18" waterline having 14 linear feet of temporary and 14 linear feet of permanent stream impacts and

10,796 square feet of temporary and 165 square feet of permanent floodway impacts to Tributary 49008 to Huling Run (TSF) (East Brady PA Quadrangle 40.930270°, -79.566718°).

4. A temporary road crossing using timber mats having 336 square feet of temporary impact to a palustrine emergent (PEM) wetland (East Brady PA Quadrangle 40.932379°, -79.559764°).

5. A temporary road crossing using timber mats and one buried 18" waterline having 9 linear feet of temporary and 9 linear feet of permanent stream impacts and 11,497 square feet of temporary and 175 square feet of permanent floodway impacts to Tributary 49009 to Huling Run (TSF) (East Brady PA Quadrangle 40.932468°, -79.559708°).

6. A temporary road crossing using timber mats and one buried 18" waterline having 5 linear feet of temporary and 5 linear feet of permanent stream impacts and 8,731 square feet of temporary and 161 square feet of permanent floodway impacts to Tributary 49007 to Huling Run (TSF) (East Brady PA Quadrangle 40.938292°, -79.559518°).

7. A temporary road crossing and one buried 18" waterline having 137,086 square feet temporary and 346 square feet of permanent floodway impacts to Tributary 48058 to Allegheny River (WWF) (East Brady PA Quadrangle 40.950196°, -79.551505°).

8. A temporary road crossing having 5,901 square feet temporary impacts to Tributary 48058 to Allegheny River (WWF) (East Brady PA Quadrangle 40.950565°, -79.550531°).

9. A temporary road crossing and one buried 18" waterline having 10,375 square feet temporary and 19 square feet of permanent floodway impacts to the Allegheny River (WWF) (East Brady PA Quadrangle 40.945674°, -79.547424°).

10. A temporary road crossing using timber mats and two (2) 20" buried gas line and one (1) 18" buried waterline having 176 square feet of temporary and 48 square feet of permanent impacts to a palustrine emergent (PEM) wetland (East Brady PA Quadrangle 40.930284°, -79.573040°).

The project will result in 48 linear feet of temporary stream impacts, 88 linear feet of permanent stream impacts, 194,630 square feet (4.46 acres) of temporary floodway impacts, 1,367 square feet (0.03 acre) of permanent floodway impacts, 1,872 square feet (0.04 acre) of temporary wetland impacts, 181 square feet (0.004 acre) of permanent wetland impacts all for the purpose of installing 17,053 linear feet of 18" waterline, 3,137 linear feet of 20" gas line, 3,104 linear feet of 20" gas line, one 25' x 25' meter pad and +/- 68 linear feet of new permanent access road in Washington Township, Armstrong County.

*Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

Contact: 717-705-4802.

**E3603223-010. Manheim Township**, 1840 Municipal Drive, Lancaster, PA 17601, Manheim Township and Lancaster City, **Lancaster County**. U.S. Army Corps of Engineers Baltimore District.

Giving its consent to remove an existing concrete slab bridge and to install and maintain a new precast concrete box culvert in an Unnamed Tributary (UNT) to the

Conestoga River. The proposed culvert will be 95.0-feet in length (upstream to downstream) and will span 12.0-feet across the watercourse. The project also proposes to realign the existing watercourse. The project will permanently impact 195-feet of stream channel (2,145-square feet) and 15,400-square feet of accompanying floodway. Wetlands will not be impacted as a result of this project. Latitude: 40.0532°, Longitude: -76.2790°. Application received: September 28, 2023. Issued: July 1, 2024.

*Southeast Region: Waterways & Wetlands Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: ra-ep-ww-sero-105@pa.gov.*

**WV1501224-002, EA1501224-002. Christine Carapico McGowan**, 2127 Flowing Springs Road, Chester Springs, PA 19425, West Vincent Township, **Chester County**. U.S. Army Corps of Engineers Philadelphia District.

To breach the shallow farm pond and rehabilitate approximately 250 feet stream along pond bed within UNT to Birch Run (EV) associated with the applicant's request for a 105.12(a)(16) waiver to conduct pond and stream restoration and enhancement. The proposed rehabilitation will include the following: 1) Installation of fencing around wetlands and establish single horse access. 2) Improve and control stormwater. 3) The existing pond will be converted to a palustrine emergent wetland. 4) A floodplain bench will be created through the project area and will be stabilized and planted with an emergent wetland seed mix. Willow live stakes will also be planted along the floodway to provide additional stabilization, etc. The project is located at Nokota Agricultural Land (Pottstown, PA USGS Quadrangle) in West Vincent Township, Chester County. Latitude: 40.12989°, Longitude: -75.63487°. Application received: March 11, 2024. Permit issued: June 14, 2024.

*Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Dana Drake, Program Manager, 412-442-4149.*

**E26-174. Brownsville Borough**, 200 Second Street, Brownsville, PA 15417, Brownsville Borough, **Fayette County**. U.S. Army Corps of Engineers Pittsburgh District.

Application received: July 7, 2023. Issued: June 25, 2024.

E26-174, Brownsville Borough, 200 Second Street, Brownsville, PA 15417, Brownsville Borough, Fayette County, Pittsburgh ACOE District.

Applicant has been given consent to:

Amend permit number E26-174, which authorized the construction and maintenance of a wharf along the right bank of the Monongahela River to provide recreational space and boat docking facilities.

This amendment is seeking authorization to:

1. Construct and maintain a linear, premanufactured floating boat dock on the Monongahela River (WWF, N) that is 125 lf by 8 lf, parallel to the right bank.

2. Construct and maintain an additional premanufactured floating dock that is 16 lf by 8 lf. This is attached to the shore side of the aforementioned dock and at the downstream end.

3. Construct and maintain a "Clip-a-Launch" that will be attached to the previously mentioned smaller dock.

4. Construct and maintain a gangway which will connect the entire dock structure to the wharf. The gangway is 30 lf by 5 lf.

For the purpose of installing a new year-round boat dock for the existing Brownsville wharf to facilitate additional mooring capacity.

The project will permanently impact 125 lf of the Monongahela River.

The project site is located on the Monongahela River, near Mile Point 56.2 (California (PA) USGS topographic quadrangle; N: 40°, 1', 19.1706" W: -79°, 53', 20.8062", subbasin 19C; USACE Pittsburgh District), in Brownsville Borough, Fayette County.

*Contact: Dana Drake, Program Manager.*

**E0205223-010. Michael Porreca**, 217 Malbec Lane, Wexford, PA 15090, Marshall Township, **Allegheny County**. U.S. Army Corps of Engineers Pittsburgh District.

Application received: July 1, 2023. Issued: June 28, 2024.

The applicant has been given consent to:

1. Construct and maintain a 70' long by 142" wide by 91" high arch corrugated metal culvert with wingwalls and rip-rap outlet protection in Big Sewickley Creek (TSF), which will be depressed 1 foot.

2. Construct and maintain a 15' long temporary road crossing within Big Sewickley Creek downstream of the aforementioned structure.

3. Construct and maintain a 63.9' long smooth lined corrugated plastic pipe (SLCPP) culvert with a diameter of 15", wingwalls, and outlet protection in an unnamed tributary (UNT) to Big Sewickley Creek (TSF).

4. Construct and maintain a 35.4' long SLCPP culvert with a diameter of 15", wingwalls, and outlet protection in another UNT to Big Sewickley Creek (TSF).

5. Construct and maintain a 43.1' long SLCPP culvert with a diameter of 15", wingwalls, and outlet protection in another UNT to Big Sewickley Creek (TSF).

6. Construct and maintain a 75.4' long SLCPP culvert with a diameter of 15", wingwalls, and outlet protection in another UNT to Big Sewickley Creek (TSF).

7. Construct and maintain an 82' long SLCPP outfall structure with a diameter of 15", via a 10' long concrete endwall to Big Sewickley Creek, which is an appurtenant work to a non-jurisdictional dam for a stormwater detention basin.

8. Construct and maintain a temporary stream bypass in Big Sewickley Creek and other associated Erosion and Sediment control structures.

For the purpose of constructing a driveway and a new residential home. The project will cumulatively and permanently impact 396 LF and temporarily impact 33 LF of Big Sewickley Creek and its tributaries.

The project site is located on the east side of Spang Road, about 0.9 mile from the intersection between Spang Road and Warrendale Bayne Road (Baden, PA USGS topographic quadrangle; N: -40°, 39', 2"; W: -80°, 8', 11"; Sub-basin 20G USACE Pittsburgh District), in Marshall Township, Allegheny County.

**E3005123-008. PennDOT District 12-0**, 825 N. Galatin Ave. Ext., Uniontown, PA 15401, Monongahela Township, **Greene County**. U.S. Army Corps of Engineers Pittsburgh District.

Application received: June 24, 2024. Issued: June 25, 2024.

E3005123-008, PennDOT District 12-0, 825 N. Gallatin Ave. Ext., Uniontown, PA 15401, Monongahela Township, Greene County; Pittsburgh ACOE District

To:

1. Remove the existing 115.91' by 47.1' Reinforced Concrete Closed Spandrel Deck Arch bridge with an under clearance of 11', and to construct and maintain a replacement 111' by 49.1' Single Span Composite Pre-Stressed Concrete Bulb-Tee Beam bridge with an under clearance of 13.6', having a permanent watercourse impact of 79 LF to Whiteley Creek (WWF), and a permanent floodway impact of 0.31 acre.

2. Construct and maintain two (2) 18" HDPE pipe outfall structures, namely OF-1, having a permanent watercourse impact of 17 LF, and OF-2, having a permanent watercourse impact of 13 LF, to Whiteley Creek (WWF).

3. Construct and maintain a 154-LF rock lined ditch, consisting of R4 stone and having a permanent floodway impact of 0.02 acre.

4. Construct and maintain a temporary stream diversion and other erosion and sediment control structures, having a combined temporary watercourse impact of 172 LF to Whiteley Creek (WWF), a temporary watercourse impact of 34 LF to an unnamed tributary to Whiteley Creek (WWF), as well as a temporary floodway impact of 0.13 acre.

For the purpose of replacing a structure, carrying SR 88 over Whiteley Creek. The project will have a cumulative and permanent impact to 79 LF of watercourses, and a cumulative temporary impact to 206 LF of watercourses. The project will also have approximately 0.31 acre of permanent impact and 0.13 acre of temporary impact, to the floodway of Whiteley Creek.

The project site is located approximately 1,800 LF from the intersection of PA Route 88 and Sigsbee Road (Masontown, PA USGS topographic quadrangle; N: -39°, 49', 16.7465"; W: -79°, 57', 8.1734"; Sub-basin 19G; USACE Pittsburgh District), in Monongahela Township, Greene County.

#### ENVIRONMENTAL ASSESSMENTS

*Central Office: Waterways & Wetlands Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-772-5321.*

*Contact: Niamh Hays, Water Program Specialist, 717-772-5959.*

**EA2215224-003. First Pennsylvania Resource, LLC**, 317 East Carson Street, Pittsburgh, PA 15219, Lower Paxton Township, **Dauphin County**. U.S. Army Corps of Engineers Baltimore District.

The Division of Wetlands, Encroachments, and Training has approved the restoration plan to remove approximately 13,300 cubic yards of legacy sediment and other historic fills from the floodplain along Paxton Creek (WWF-MF) and an unnamed tributary to Paxton Creek, for the purpose of restoring natural aquatic resources including approximately 2.5 acres of integrated wetland, stream, and floodplain areas; to realign approximately 1,500 linear feet of stream for the purpose of restoring watercourses; to place rock stream and valley grade control structures; to place log sills, woody debris, and other aquatic habitat structures within the restoration areas; to construct temporary stream crossings, rock

construction entrances, and other erosion controls during restoration activities. The restoration project is located south of McIntosh Road, between Seattle Slew Drive and Secretariat Street, in Lower Paxton Township, PA Latitude: 40.321826°, Longitude: -76.834896°. Application received: February 15, 2024. Approved: June 25, 2024.

*Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: 717-705-4802.*

**EA3603223-006. East Earl Township**, 4610 Division Highway, East Earl, PA 17519, East Earl Township, **Lancaster County**. U.S. Army Corps of Engineers Baltimore District.

To conduct a stream restoration project along 1,640 feet of Cedar Creek (WWF, MF), including 1.) the re-grading and maintenance of 3,280 feet of streambank (left and right banks); 2.) the installation and maintenance of 132 feet of boulder toe protection; and 3.) the installation and maintenance of 6 root wads, all impacting 0.73 acre of palustrine emergent wetlands and all for the purposes of reducing sediment loading to the stream and enhancing instream habitat. The project is located approximately 0.34 mile east of the intersection of SR 879 and U.S. 322 (Latitude: 40.11337° N; Longitude: -76.02220° W) in East Earl Township, Lancaster County. Impacted wetlands will be re-established onsite. Application received: November 15, 2023. Approved: July 1, 2024.

#### EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information.

*Northwest Region: Oil and Gas Management Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: Kate Hogue Clerical Supervisor, 814-332-6868.*

**ESCGP # 3 ESG080324005-00**

Applicant Name **Snyder Bros Inc.**  
 Contact Person Carl Rose  
 Address P.O. Box 1022  
 City, State, Zip Kittanning, PA 16201  
 Township(s) Kittanning  
 County **Armstrong County**  
 Receiving Stream(s) and Classification(s) UNTs to  
 Cowanshannock Creek (WWF)  
 Application received: April 30, 2024  
 Approved: July 1, 2024

Contact: RA-EPOILGASDROPBOX@pa.gov.

**ESCGP # 3 ESG081619001-02 Burns Farms—Windy Oakland Proposed 10" Pipeline Project Stonehenge Laurel Gathering, LLC**

Contact Person Trina Ballard  
 Address 11400 Westmoor Cir., Ste 200A  
 City, State, Zip Westminster, CO 80021  
 Township(s) Perry Township, and Licking Township  
 County **Clarion County**  
 Receiving Stream(s) and Classification(s) UNT to Clarion  
 River (CWF); UNT to Allegheny River (WWF); Dunlap  
 Creek (WWF);  
 Secondary: Allegheny River (WWF)  
 Application received: May 28, 2024  
 Issued: June 26, 2024

## CORRECTIVE ACTION UNDER ACT 32, 1989

### PREAMBLE 2

---

#### The Following Plan(s) and Report(s) Were Submitted Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

---

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DEP has received the following plans and reports.

*Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

Contact: Eric Supey, Environmental Program Manager.

**Saylorsburg Gas**, Storage Tank Facility ID # **45-35233**, 869 Route 115, Saylorsburg, PA 18353, Ross Township, **Monroe County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Saylorsburg Prop, LLC, 869 Route 115, Saylorsburg, PA 18353, submitted a Remedial Action Plan concerning remediation of groundwater contaminated with diesel. The plan is intended to document the remedial actions for meeting Statewide health standards.

**Ruja**, Storage Tank Facility ID # **45-51194**, 1064 Scenic Drive, Kunkletown, PA 18058, Polk Township, **Monroe County**. LaBella Associates, 1000 Dunham Drive, Suite B, Dunmore, PA 18512, on behalf of Ruja, LLC, 1064 Scenic Drive, Kunkletown, PA 18058, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum. The plan is intended to document the remedial actions for meeting Statewide health standards.

**FastFill 4**, Storage Tank Facility ID # **54-27781**, 356 Center Avenue, Schuylkill Haven, PA 17972, Schuylkill Haven Borough, **Schuylkill County**. Synergy Environmental, 155 Railroad Plaza, Royersford, PA 19468, on behalf of Vista Fuels, LLC, 2083 West Penn Pike, Suite 16, Andreas, PA 18221, submitted a Remedial Action Plan concerning remediation of groundwater contaminated with diesel. The plan is intended to document the remedial actions for meeting Statewide health standards.

*Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

Contact: Lee, 814-332-6127.

**Stewarts Garage**, Storage Tank Facility ID # **32-27496**, 13830 State Route 286, Clarksburg, PA 15275, Young Township, **Indiana County**. Letterle & Associates, Inc., 2859 Oxford Blvd, Allison Park, PA 15101, on behalf of Stewart's Garage, 13830 State Route 286, Clarksburg, PA 15275, submitted a Remedial Action Plan concerning remediation of groundwater contaminated with unleaded gasoline. The plan is intended to document the remedial actions for meeting residential Statewide health standards.

Contact: Nick, 814-332-6978.

**Poor Mans Deli/Quick Stop Mkt**, Storage Tank Facility ID # **42-20051**, 225 Biddle Street, Kane, PA 16735, Kane Borough, **McKean County**. P. Joseph Lehman, Inc., P.O. Box 419, Hollidaysburg, PA 16648, on behalf of James Temoshenko, 8421 Route 6, Kane, PA 16735, submitted a Remedial Action Plan concerning remediation of groundwater contaminated with unleaded gasoline. The plan is intended to document the remedial actions for meeting nonresidential site-specific standards.

## CORRECTIVE ACTION UNDER ACT 32, 1989

### PREAMBLE 3

---

#### Action(s) Taken on the Following Plans and Reports Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

---

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention



Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports.

A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

DEP may approve or disapprove plans and reports submitted. This notice provides DEP's decision and, if relevant, the basis for disapproval.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DEP has received the following plans and reports.

*Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Eric Supey, Environmental Program Manager.*

**G&G Express Mart**, Storage Tank Facility ID # **40-15488**, 320 Wilkes-Barre Township Boulevard, Wilkes-Barre, PA 18702, Wilkes-Barre Township, **Luzerne County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of CDG 320, Inc., 304 Wilkes-Barre Township Boulevard, Wilkes-Barre, PA 18702, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with gasoline. The report demonstrated attainment of the Statewide health standards and was approved by DEP on June 27, 2024.

*Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: Richard M. Staron, Professional Geologist Manager, 484-250-5717.*

**F Street Sunoco**, Storage Tank Facility ID # **51-43814**, 3951 Roosevelt Blvd., Philadelphia, PA 19124, City of Philadelphia, **Philadelphia County**. Synergy Environmental, Inc., 155 Railroad Plaza, First Floor, Royersford, PA 19468, on behalf of 3951 Roosevelt Blvd., Realty Corp., 439 S. Prince Boulevard, Essington, PA 19029, submitted

a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The plan was acceptable to meet the site-specific standards and was approved by DEP on June 27, 2024.

**Malcolms Auto Repair**, Storage Tank Facility ID # **09-41936**, 994 Easton Rd., Warrington, PA 18976, Warrington Township, **Bucks County**. The Vertex Companies, LLC, 3322 Route 22 West, Suite 907, Branchburg, NJ 08876, on behalf of Extra Space Storage LLC, 2795 East Cottonwood Parkway, Suite 300, Salt Lake City, UT 84121, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum products. The combined plan and report demonstrated attainment of the site-specific standards and was approved by DEP on July 1, 2024.

[Pa.B. Doc. No. 24-990. Filed for public inspection July 12, 2024, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Cleanup Standards Scientific Advisory Board Meeting Cancelled

The July 24, 2024, meeting of the Cleanup Standards Scientific Advisory Board (Board) has been cancelled. The next Board meeting is scheduled for October 30, 2024, and will be a hybrid format of in person and by means of Microsoft Teams. Persons wishing to join the next Board meeting may do so remotely or in person. Information will be provided on the Board's webpage as follows. Persons interested in providing public comments during the meeting must sign up prior to the start of the meeting by contacting Michael Maddigan at mmaddigan@pa.gov or (717) 772-3609.

Information on how to join the meeting, as well as agenda and meeting materials, will be available on the Board's webpage, found through the Public Participation tab on the Department of Environmental Protection's (Department) web site at [www.dep.pa.gov](http://www.dep.pa.gov) (select "Public Participation," then "Advisory Committees," then "Cleanup and Brownfields," then "Cleanup Standards Scientific Advisory Board").

Individuals are encouraged to visit the Board's webpage to confirm meeting date, time and location prior to each meeting. Questions concerning the next Board meeting can be directed to Michael Maddigan at mmaddigan@pa.gov or (717) 772-3609.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact the Department at (717) 783-1566 or through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

JESSICA SHIRLEY,  
*Acting Secretary*

[Pa.B. Doc. No. 24-991. Filed for public inspection July 12, 2024, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Ambulatory Surgical Facilities; Requests for Exceptions

The following ambulatory surgical facility (ASF) has filed a request for an exception under 28 Pa. Code § 51.33 (relating to requests for exceptions) with the Department of Health (Department), which has authority to license ASFs under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b). The following request for an exception relates to regulations governing ASF licensure in 28 Pa. Code Chapters 29, 51 and 551—571 (relating to miscellaneous health provisions; general information; and ambulatory surgical facilities).

<i>Facility Name</i>	<i>Regulation</i>
Azura Surgery Center South Philadelphia	28 Pa. Code § 567.53(1) (relating to sterilization control)

The previously listed request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov. Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed contact information. Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DEBRA L. BOGEN,  
*Secretary*

[Pa.B. Doc. No. 24-992. Filed for public inspection July 12, 2024, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Decisions on Requests for Exceptions to Health Care Facility Regulations

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), effective June 6, 1998, the Department of Health (Department) has published in the *Pennsylvania Bulletin* all requests by entities licensed under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b), for exceptions to regulations contained in 28 Pa. Code Part IV Subparts B—G.

Section 51.33(d) of 28 Pa. Code provides that the Department will publish notice of all approved exceptions on a periodic basis. The Department has determined that it will publish notice of all exceptions, both approved and denied. The following list contains the decisions made on exception requests published in the *Pennsylvania Bulletin* from June 1, 2024, through June 30, 2024. Future publications of decisions on exception requests will appear on a monthly basis.

Requests for additional information on the exception request and the Department's decision should be made to the relevant division of the Department. Inquiries regarding hospitals, abortion facilities and ambulatory surgical facilities shall be addressed to Garrison E. Gladfelter, Jr., Director, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980. Inquiries regarding long-term care facilities shall be addressed to Susan Williamson, Director, Division of Nursing Care Facilities, Room 528, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816. Inquiries regarding home care agencies, home care registries and home health care agencies shall be addressed to Linda Chamberlain, Director, Division of Home Health, Forum Place, Suite 701, 555 Walnut Street, Harrisburg, PA 17101, (717) 783-1379.

#### Ambulatory Surgical Facilities

<i>Facility Name</i>	<i>28 Pa. Code Regulation</i>	<i>Dec. Date</i>	<i>Decision</i>
Children's Dental Surgery of Bethlehem	§ 555.32(a) (relating to administration of anesthesia)	06/05/2024	Granted w/Conditions
Hershey Outpatient Surgery Center, LP	§ 553.31(a) (relating to administrative responsibilities)	06/07/2024	Granted Temporary
Main Line Surgical Center	§ 555.31(a) (relating to principle)	06/07/2024	Granted Probationary w/Conditions
Nemours Children's Hospital, Surgery Center, Malvern	§ 567.53(1) (relating to sterilization control)	06/18/2024	Granted
UOC Surgical Services, Ltd.	§ 555.32(a)	06/07/2024	Granted w/Conditions
UPMC Altoona Surgery Center	§ 553.1 (relating to principle)	06/07/2024	Granted w/Conditions
	§ 553.31(a)	06/07/2024	Granted w/Conditions

<i>Facility Name</i>	<i>28 Pa. Code Regulation</i>	<i>Dec. Date</i>	<i>Decision</i>
UPMC Saint Margaret Harmor Outpatient Center	§ 571.1 (relating to minimum standards) A2.1-3.2.4.2(1)(c) space requirements	06/24/2024	Granted

**Hospitals**

<i>Facility Name</i>	<i>28 Pa. Code Regulation</i>	<i>Dec. Date</i>	<i>Decision</i>
Allegheny General Hospital	§ 153.1(a) (relating to minimum standards) 2.2-3.1.3.6(7)(a)(ii) treatment rooms and areas	6/24/2024	Granted
Einstein Medical Center Montgomery	§ 153.1(a) 2.1-2.8.6.1 hand scrub facilities	6/24/2024	Granted w/Conditions
Geisinger Community Medical Center	§ 153.1(a) 2.2-2.6.1.2(3) location	6/24/2024	Granted w/Conditions
	§ 153.1(a) 2.2-2.6.2.2(2)(b) space requirements	6/24/2024	Granted w/Conditions
Geisinger Medical Center	§ 51.3(b)—(d) (relating to notification)	6/5/2024	Granted w/Conditions
	§ 101.31(5) and (6) (relating to hospital requirements)	6/5/2024	Granted w/Conditions
	§ 105.15 (relating to patient identification)	6/5/2024	Granted w/Conditions
	§ 107.64 (relating to administration of drugs)	6/5/2024	Granted w/Conditions
	§ 117.30(3) and (4) (relating to emergency paramedic services)	6/5/2024	Granted w/Conditions
	§ 153.1(a) and (c)	6/5/2024	Granted w/Conditions
Independence Health System Butler Memorial Hospital	§ 153.1(a) 2.1-2.2.9.3 medical gas and vacuum systems	6/24/2024	Granted w/Conditions
Indiana Regional Medical Center	§ 153.1(a) 2.1-3.5.6.2 patient toilet room	6/24/2024	Granted
Lehigh Valley Hospital	§ 133.21 (relating to facilities)	6/7/2024	Granted w/Conditions
	§ 133.31(a) (relating to policies and procedures)	6/7/2024	Granted w/Conditions
Penn Highlands Connellsville	§ 153.1(a) 2.1-2.9.1 staff lounge facilities	6/24/2024	Granted
	§ 153.1(a) 2.1-6.2.3.3(1) public toilet room	6/24/2024	Granted
	§ 153.1(a) 2.5-2.2.10.2(2)(b)(ii) social spaces	6/24/2024	Granted
	§ 153.1(a) 2.5-2.2.8.17 conference room	6/24/2024	Granted
Penn Highlands Mon Valley	§ 153.1(a) 2.1-3.5.2.3(2)(a) handwashing station or hand scrub facilities	6/24/2024	Granted
	§ 153.1(a) 2.1-3.5.9.4(1) and (2) staff changing area	6/24/2024	Granted w/Conditions
	§ 153.1(a) 2.1-3.7.3 pre-procedure patient care room or area	6/24/2024	Granted w/Conditions
	§ 153.1(a) 2.1-3.7.5 phase II recovery room or area	6/24/2024	Granted w/Conditions
	§ 153.1(a) 2.1-7.2.3.1(6)(a)(ii) flooring and wall bases	6/24/2024	Granted w/Conditions
	§ 153.1(a) 2.1-7.2.3.3(2)(a)—(c) ceilings	6/24/2024	Granted w/Conditions
	§ 153.1(a) 2.1-8.2.1.2(1) general	6/24/2024	Granted w/Conditions

<i>Facility Name</i>	<i>28 Pa. Code Regulation</i>	<i>Dec. Date</i>	<i>Decision</i>
	§ 153.1(a) 2.1-8.4.4 medical gas and vacuum systems	6/24/2024	Granted w/Conditions
	§ 153.1(a) 2.1-8.5.1 call systems	6/24/2024	Granted w/Conditions
Penn State Health Saint Joseph	§ 136.11(a) and (b) (relating to director)	6/7/2024	Granted Temporary
Saint Clair Hospital	§ 153.1(a) 2.1-2.4.3.9(1)(c) special design elements	6/24/2024	Granted Temporary
Thomas Jefferson University Hospitals, Inc.	§ 153.1(a) 2.1-3.2.2.1(2)(a) space requirements	6/18/2024	Granted
	§ 153.1(a) 2.1-7.2.2.3(2)(a)(i) doors and door hardware	6/18/2024	Granted
UPMC Somerset	§ 153.1(a) 2.1-7.2.2.3(1)(a), (3)(b), (4)(a) and (5)(a)(i) and (ii) doors and door hardware	6/24/2024	Granted
Wellspan Chambersburg Hospital	§ 153.1(a) 2.2-3.5.6.1(1)(a) ultrasound room	6/18/2024	Granted
Wellspan Ephrata Community Hospital	§ 153.1(a) 2.1-8.4.4 medical gas and vacuum systems	6/24/2024	Granted w/Conditions
Wilkes-Barre General Hospital	§ 153.1(a) 2.1-2.8.6.1 hand scrub facilities	6/24/2024	Granted

#### Nursing Care Facilities

<i>Facility Name</i>	<i>28 Pa. Code Regulation</i>	<i>Dec. Date</i>	<i>Decision</i>
Lakeside at Willow Valley	§ 204.9(d) (relating to bathing facilities)	06/17/2024	Granted
Sena Kean Nursing and Rehabilitation	§ 205.33(a) (relating to utility room)	06/10/2024	Granted
	§ 205.36(a) (relating to bathing facilities)	06/10/2024	Granted

Persons with a disability who require an alternative format of this notice (for example, large print, audiotope, Braille) should contact the Division of Acute and Ambulatory Care, the Division of Nursing Care Facilities or the Division of Home Health at the previously referenced address or telephone number, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DEBRA L. BOGEN,  
*Secretary*

[Pa.B. Doc. No. 24-993. Filed for public inspection July 12, 2024, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Hospitals; Requests for Exceptions

The following hospital has filed a request for an exception under 28 Pa. Code § 51.33 (relating to requests for exceptions) with the Department of Health (Department), which has authority to license hospitals under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b). The following request for an exception relates to regulations governing hospital licensure in 28 Pa. Code Chapters 51 and 101—158 (relating to general information; and general and special hospitals).

<i>Facility Name</i>	<i>Regulation and relating to</i>
St. Christopher's Hospital for Children	28 Pa. Code § 136.20(a) and (b)(1) and (2) (relating to pediatric heart surgery—supplementary criteria)

The following hospitals have filed requests for exceptions under 28 Pa. Code § 153.1 (relating to minimum standards). Requests for exceptions under this section relate to minimum standards that hospitals must comply with under the *Guidelines for Design and Construction of Hospitals—2018 Edition*, *Guidelines for Design and Construction of Outpatient Facilities—2018 Edition* or the *Guidelines for Design and Construction of Hospitals—2022 Edition*, *Guidelines for Design and Construction of Outpatient Facilities—2022 Edition*. The following list includes the citation to the section under the *Guidelines* that the hospital is seeking an exception.

<i>Facility Name</i>	<i>FGI Guidelines Section and relating to</i>	<i>Yr<sup>1,2</sup></i>
Crozer-Chester Medical Center	2.1-3.5.2.2(1)(c)(ii) space requirements	22-O
	2.1-7.2.3.1(7) flooring and wall bases	22-O
	2.1-8.4.4 medical gas and vacuum systems	22-O
Independence Health System Latrobe Hospital	2.1-2.2.5.1(1) and (2) location	22
	2.1-2.2.5.3 renovation	22
	2.1-2.2.7.2(3)(a)—(c) patient bathing facilities	22
	2.1-2.9 support areas for staff	22
	2.5-2.2.2.7 patient bathing facilities	22
Independence Health System Westmoreland Hospital	2.5-2.2.10.4(1) patient storage facilities	22
	2.2-3.5.2.5(1)(b) system component room	22
Indiana Regional Medical Center	2.1-3.5.6.2 patient toilet room	22-O
Penn Highlands Connellsville	2.1-2.9.1 staff lounge facilities	22
	2.5-2.2.8.5 multipurpose room	22
	2.5-2.2.8.17 conference room	22
	2.5-2.2.8.18 space for group therapy	22
Penn Highlands Huntingdon	2.12-3.2.2.1(3) individual therapy room	22-O
Penn Highlands Mon Valley	2.12-3.2.2.1(3) individual therapy room	22-O
Thomas Jefferson University Hospitals, Inc.	2.1-7.2.2.1 corridor width	22
	2.2-2.2.2.2(2)(a) space requirements	22
UPMC Jameson	2.2-3.4.3.2 space requirements	22

<sup>1</sup> 2018 Year FGI Regulations for Outpatient Facilities are indicated by “-O.”

<sup>2</sup> 2022 Year FGI Regulations for Outpatient Facilities are indicated by “-O.”

The previously listed requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov. Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed contact information. Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or for speech and/or hearing impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DEBRA L. BOGEN,  
*Secretary*

[Pa.B. Doc. No. 24-994. Filed for public inspection July 12, 2024, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Organ Donation Advisory Committee Meeting

The Organ Donation Advisory Committee, established under 20 Pa.C.S. § 8622 (relating to The Governor Robert P. Casey Memorial Organ and Tissue Donation Awareness Trust Fund), will hold a public meeting on Thursday, August 8, 2024, from 10:30 a.m. to 1:30 p.m. The purpose of the meeting is to review progress in the area of organ and tissue donation in this Commonwealth, recommend education and awareness activities, recommend priorities in expenditures from the Organ and Tissue Donation Awareness Fund (Fund) and advise the Secretary of Health on matters relating to the administration of the Fund. The meeting will be held at the Gift of Life Donor Program, 401 North 3rd Street, Philadelphia, PA. There will be a virtual option available using Microsoft Teams.

The information for calling into the meeting is to dial (267) 332-8737 and use conference ID: 186 668 353#. Contact the Organ Donation Program at (717) 787-5876 or ra-dhorgandonation@pa.gov to RSVP or with any questions regarding the meeting. It is requested that all RSVP responses are received no later than August 1, 2024.

For additional information or for persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other accommodation to do so, contact Amy Flaherty, Director, Division of Nutrition and Physical Activity, Bureau of Health Promotion and Risk Reduction, Room 1000, Health and Welfare Building, Harrisburg, PA, (717) 787-5876, or for speech and/or hearing impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

This meeting is subject to cancellation without notice.

DR. DEBRA L. BOGEN,  
*Secretary*

[Pa.B. Doc. No. 24-995. Filed for public inspection July 12, 2024, 9:00 a.m.]

## DEPARTMENT OF TRANSPORTATION

### Contemplated Sale of Land No Longer Needed for Transportation Purposes

The Department of Transportation (Department), under the Sale of Transportation Lands Act (71 P.S. §§ 1381.1—1381.3), intends to sell certain land owned by the Department.

The following property is available for sale by the Department.

Covington Township, Tioga County, bound on the east by Route 15, and bound on the north by Frost Road. The parcel contains 37 ± acres of unimproved land. The estimated fair market value is \$144,500.

Interested public agencies are invited to express their interest in purchasing the site within 30 calendar days from the date of publication of this notice to Jeffrey M. Wenner, PE, District Right-of-Way Administrator, Department of Transportation, 715 Jordan Avenue, Montoursville, PA 17754.

MICHAEL CARROLL,  
*Secretary*

[Pa.B. Doc. No. 24-996. Filed for public inspection July 12, 2024, 9:00 a.m.]

## DEPARTMENT OF TRANSPORTATION

### Pedalcycle and Pedestrian Advisory Committee Meeting

The Pedalcycle and Pedestrian Advisory Committee will hold a virtual meeting on Monday, July 15, 2024, at 12 p.m. The meeting will be held by means of Microsoft Teams and the meeting will be recorded. For more information, contact the Multimodal Deputate, (717) 787-8197, BikePedPA@pa.gov. To call into the virtual meeting, dial (267) 332-8737 and enter 652856239# as the meeting code.

To view the meeting agenda, visit the Department of Transportation's web site at [www.penndot.pa.gov](http://www.penndot.pa.gov) (click on "About PennDOT" at the bottom of the webpage under "About Us," then select "Commissions & Committees" under "What We Do," then select "Pedalcycle and Pedestrian Advisory Committee," then "Learn more about the Pedalcycle and Pedestrian Advisory Committee").

MICHAEL CARROLL,  
*Secretary*

[Pa.B. Doc. No. 24-997. Filed for public inspection July 12, 2024, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Paul Alvarez; Order to Show Cause; Doc. No. SC24-05-022

The proceedings in this matter will be governed by 2 Pa.C.S. §§ 501—508, 561—588 and 701—704 (relating to Administrative Agency Law), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure) except as modified by order.

A prehearing telephone conference initiated by this office is scheduled for August 1, 2024, at 1 p.m. Each party shall provide the Hearings Administrator a telephone number to be used for the telephone conference on or before July 30, 2024. A date for a hearing shall be determined, if necessary, at the prehearing/settlement conference.

Protests, petitions to intervene or notices of intervention, if any, must be electronically filed on or before July 18, 2024, with the Administrative Hearings Office. The e-mail address to be used for the Administrative Hearings Office is [ra-hearings@pa.gov](mailto:ra-hearings@pa.gov). Answers to protests, petitions to intervene or notices of intervention, if any, shall be electronically filed on or before July 30, 2024.

Persons with a disability who wish to attend the previously referenced administrative proceedings and require an auxiliary aid, service or other accommodation to participate in the hearing, contact Joseph Korman, (717) 787-4429, [jkorman@pa.gov](mailto:jkorman@pa.gov).

MICHAEL HUMPHREYS,  
*Insurance Commissioner*

[Pa.B. Doc. No. 24-998. Filed for public inspection July 12, 2024, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Appeal of Barbara Ann Del Duca under the Quality Health Care Accountability and Protection Ar- ticle; UPMC For You; Doc. No. HC24-06-024

Under Article XXI of The Insurance Company Law of 1921, referred to as the Quality Health Care Accountability and Protection Article (40 P.S. §§ 991.2101—991.2194), notice is hereby given that the appellant in this action has requested a hearing, in connection with the appellant's managed health care plan. The proceedings in this matter will be governed by 2 Pa.C.S. §§ 501—508, 561—588 and 701—704 (relating to Administrative Agency Law), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure).

A prehearing telephone conference initiated by this office is scheduled for July 31, 2024, at 2 p.m. Each party shall provide a telephone number to be used for the telephone conference to the Hearings Administrator on or before July 29, 2024. A hearing shall occur on August 15, 2024, at 10 a.m. in the Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102.

Protests, petitions to intervene or notices of intervention, if any, must be electronically filed on or before July 17, 2024, with the Administrative Hearings Office. The

e-mail address to be used for the Administrative Hearings Office is ra-hearings@pa.gov. Answers to protests, petitions to intervene or notices of intervention, if any, shall be electronically filed on or before July 29, 2024.

Persons with a disability who wish to attend the previously referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing, contact Joseph Korman, (717) 787-4429, jkorman@pa.gov.

MICHAEL HUMPHREYS,  
*Insurance Commissioner*

[Pa.B. Doc. No. 24-999. Filed for public inspection July 12, 2024, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Quinton D. Mickens; License Denial Appeal; Doc. No. AG24-06-016

Under Article VI-A of The Insurance Department Act of 1921 (40 P.S. §§ 310.1—310.99a), Quinton D. Mickens has appealed the denial of an application for an insurance producer's license. The proceedings in this matter will be governed by 2 Pa.C.S. §§ 501—508, 561—588 and 701—704 (relating to Administrative Agency Law), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure).

A prehearing telephone conference initiated by this office is scheduled for August 2, 2024, at 9 a.m. Each party shall provide the Hearings Administrator a telephone number to be used for the telephone conference on or before July 31, 2024. A date for a hearing shall be determined, if necessary, at the prehearing/settlement conference.

Protests, petitions to intervene or notices of intervention, if any, must be electronically filed on or before July 19, 2024. The e-mail address to be used for the Administrative Hearings Office is ra-hearings@pa.gov. Answers to protests, petitions to intervene or notices of intervention, if any, shall be electronically filed on or before July 31, 2024.

Persons with a disability who wish to attend the previously referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing, contact Joseph Korman, (717) 787-4429, jkorman@pa.gov.

MICHAEL HUMPHREYS,  
*Insurance Commissioner*

[Pa.B. Doc. No. 24-1000. Filed for public inspection July 12, 2024, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Pennsylvania 2023 Private Passenger Automobile Data Call

The Insurance Department (Department) is conducting its annual Private Passenger Automobile Data Call (previously referred to as the "Act 6 Data Call"). The purpose of this two-part data call is to monitor the private passenger automobile insurance marketplace in this Commonwealth.

The 2023 data call letter, instructions and templates are available on the Department's web site at www.insurance.

pa.gov (select "Companies," then "Industry Activity," then "Data Calls" under "Product and Rate Activity").

Additionally, the Department sent e-mail notification of this data call to all companies with positive private passenger automobile direct written premium in 2023.

#### Part 1

Insurance companies with Pennsylvania private passenger automobile direct written premium in 2023 are required to complete Parts 1 and 2. Data for more than one insurance company may not be combined into a single submission. This information is to be submitted to the Department no later than October 15, 2024.

#### Part 2

Insurance companies with no Pennsylvania private passenger automobile direct written premium in 2023 are required to submit only Part 2. This is to be submitted to the Department no later than October 15, 2024.

Only Parts 1 and 2 are due this year. Insurers are expected to have timely submissions of data that has been tested for accuracy ahead of October 15, 2024.

Consistent with previous data calls, the Department will consider the data submitted as proprietary and handle the data accordingly. See the instructions for additional information regarding the completion of the individual parts.

Completed data call files should be submitted by e-mail to Dennis Sloand at desloand@pa.gov.

The Department appreciates the companies' cooperation with this important study. Individuals who have any questions should contact Dennis Sloand, Bureau of Property and Casualty Insurance, (717) 214-1927, desloand@pa.gov.

MICHAEL HUMPHREYS,  
*Insurance Commissioner*

[Pa.B. Doc. No. 24-1001. Filed for public inspection July 12, 2024, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Provident Life and Accident Insurance Company; Rate Increase Filing for Several Individual LTC Forms (UNUM-134159266); Rate Filing

Provident Life and Accident Insurance Company is requesting approval to increase the premium 182.2% on 326 Pennsylvania policyholders of individual LTC forms RLTC03, RLTCP03, LTC03, LTCP03 and LTCT03.

Unless formal administrative action is taken prior to September 17, 2024, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's web site at www.insurance.pa.gov.

Interested parties are invited to submit written comments, suggestions or objections to James Laverty, Actuary, Insurance Department, Insurance Product Regulation, Room 1311, Strawberry Square, Harrisburg, PA 17120, jlaverty@pa.gov within 20 days after publication of this notice in the *Pennsylvania Bulletin*.

MICHAEL HUMPHREYS,  
*Insurance Commissioner*

[Pa.B. Doc. No. 24-1002. Filed for public inspection July 12, 2024, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Glenn Randall, Esquire; License Denial Appeal; Doc. No. AG24-06-023

Under Article VI-A of The Insurance Department Act of 1921 (40 P.S. §§ 310.1—310.99a), Glenn Randall, Esquire, has appealed the denial of an application for an insurance producer's license. The proceedings in this matter will be governed by 2 Pa.C.S. §§ 501—508, 561—588 and 701—704 (relating to Administrative Agency Law), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure).

A prehearing telephone conference initiated by this office is scheduled for August 13, 2024, at 10 a.m. Each party shall provide the Hearings Administrator a telephone number to be used for the telephone conference on or before August 9, 2024. A date for a hearing shall be determined, if necessary, at the prehearing/settlement conference.

Protests, petitions to intervene or notices of intervention, if any, must be electronically filed on or before July 30, 2024. The e-mail address to be used for the Administrative Hearings Office is ra-hearings@pa.gov. Answers to protests, petitions to intervene or notices of intervention, if any, shall be electronically filed on or before August 9, 2024.

Persons with a disability who wish to attend the previously referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing, contact Joseph Korman, (717) 787-4429, jkorman@pa.gov.

MICHAEL HUMPHREYS,  
*Insurance Commissioner*

[Pa.B. Doc. No. 24-1003. Filed for public inspection July 12, 2024, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission (Commission). Formal protests, petitions to intervene and answers must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before July 29, 2024. Filings are recommended to be made electronically through eFiling to the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy served on the applicant by July 29, 2024. Individuals can sign up for a free eFiling account with the Secretary of the Commission through the Commission's eFiling system at <https://www.puc.pa.gov/efiling/Default.aspx>. A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Protests may only be filed if there is evidence that the applicant lacks fitness. Protests based on endangering or impairing operations of an existing carrier will not be honored. The documents filed in support of the application are only available for

inspection through the Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov) by searching under the docket number as follows or by searching the applicant's web site.

### Applications of the following for approval to *begin operating as common carriers for transportation of persons as described under each application.*

**A-2024-3048874. Here for You Transportation, LLC** (600 North 2nd Street, 4th Floor, Harrisburg, Dauphin County, PA 17101) for the right to begin to transport, as a common carrier, by motor vehicle, persons in nonemergency medical paratransit service, between points in the City and County of Philadelphia.

**A-2024-3048997. Real Pro Staffing Company, t/a Healcare Ambulette** (849 Pleasure Road, Unit C14, Lancaster, Lancaster County, PA 17601) to transport, as a common carrier, by motor vehicle, persons in paratransit service, from points in Lancaster County, to points in Pennsylvania, and return.

**A-2024-3049185. KNN Medtrans, LLC** (4229 Hill Terrace Drive, Sinking Spring, Berks County, PA 19608) to transport, as a common carrier, by motor vehicle, persons in paratransit service, from points in Berks County, to points in Pennsylvania, and return.

**A-2024-3049353. ASAP National Road Service, Inc., t/a Community Paramedic Services** (100 Ardwick Terrace, Lansdale, Lancaster County, PA 19446) in paratransit service, limited to service in wheelchair transport vehicles, from points in Montgomery County, to points in Pennsylvania, and return.

**A-2024-3049389. Spring-Ford Limo, LLC** (41 Orchard Court, Royersford, Montgomery County, PA 19468) to transport, as a common carrier, by motor vehicle, persons in limousine service, from points in the Counties of Berks and Montgomery, to points in Pennsylvania, and return; excluding areas under the jurisdiction of the Philadelphia Parking Authority.

**A-2024-3049530. Home Concept Services, LLC** (8722 Cottage Street, 2nd Floor, Philadelphia, Philadelphia County, PA 19136) to transport, as a common carrier, by motor vehicle, persons in paratransit service, from points in the Counties of Bucks, Delaware and Montgomery, and the City and County of Philadelphia, to points in Pennsylvania, and return.

**A-2024-3049559. ADKA, LLC, t/a Transport Associate** (128 Union Street, Plains, Luzerne County, PA 18705) for the right to begin to transport, as a common carrier, by motor vehicle, persons in paratransit service, from points in the Counties of Lackawanna and Luzerne, to points in Pennsylvania, and return.

**A-2024-3049614. Royal 412, LLC, t/a Royal 412** (2706 Strachan Avenue, Pittsburgh, Allegheny County, PA 15216) for the right to begin to transport, as a common carrier, by motor vehicle, persons in limousine service, between points in Pennsylvania; excluding service that is under the jurisdiction of the Philadelphia Parking Authority.

### Application of the following for approval of the *beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of household goods as described under the application.*

**A-2024-3049191. A&J Moving Co.** (1205 West Front Street, South Williamsport, Lycoming County, PA 17702)



for the right to begin to transport, as a common carrier, by motor vehicle, household goods in use, between points in Pennsylvania.

ROSEMARY CHIAVETTA,  
Secretary

[Pa.B. Doc. No. 24-1004. Filed for public inspection July 12, 2024, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Service of Notice of Motor Carrier Formal Complaints

Formal complaints have been issued by the Pennsylvania Public Utility Commission. Answers must be filed in accordance with 52 Pa. Code (relating to public utilities). Answers are due July 29, 2024, and must be made with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy to the First Deputy Chief Prosecutor, Pennsylvania Public Utility Commission.

### Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. Courierstat 365, LLC; Docket No. C-2024-3042596

#### COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That Courierstat 365, LLC, Respondent, maintains a mailing address of 20734 Route 19, Cranberry Township, PA 16066.
2. That on August 18, 2023, by Commission Secretarial letter, Respondent was issued a certificate of public convenience by this Commission authorizing transportation, as a common carrier, by motor vehicle, property, excluding household goods in use, between points in Pennsylvania at PUC utility code no. 8925307 at A-2023-3042160.
3. That PUC Enforcement Officer Vincent Gentile attempted to contact the Respondent by phone on February 5, 2024 through February 7, 2024, recording voicemails each time to contact the officer. On April 18, 2024, Officer Gentile called again, and the phone was no longer in service. On April 22, 2024, a certified letter was sent to the Respondent, which was returned to the Pittsburgh office on April 29, 2024. Officer Gentile has not received any response to these attempts.
4. That Respondent, by failing to respond to and achieve a satisfactory evaluation on a safety fitness review, violated 66 Pa § 501(c) & § 504. The penalty for this violation is cancellation of the certificate held by Respondent with this Commission at utility code 8925307.

Wherefore, the Bureau of Investigation and Enforcement hereby requests that the Commission revoke the certificate of public convenience issued to Courierstat 365, LLC, at PUC utility code number 8925307.

Respectfully submitted,  
Brian B. Mehus, Acting Chief  
Motor Carrier Enforcement  
Bureau of Investigation and Enforcement  
100 Lackawanna Avenue Room 320  
Scranton, PA 18503

#### VERIFICATION

I, Brian B. Mehus, hereby state that the facts above set forth are true and correct to the best of my knowledge, information, and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 3 June 2024

Brian B. Mehus, Acting Chief  
Motor Carrier Enforcement  
Bureau of Investigation and Enforcement

#### NOTICE

A. You must file an Answer within twenty (20) days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Cover Letter for this Complaint and Notice, 52 Pa. Code § 1.56(a). An Answer is a written explanation of circumstances wished to be considered in determining the outcome. The Answer shall raise all factual and legal arguments that you wish to claim in your defense and must include the reference number of this Complaint. Your Answer must be verified, and the original shall be mailed to:

Rosemary Chiavetta, Secretary  
Pennsylvania Public Utility Commission  
400 North Street, 2nd Floor  
Harrisburg, PA 17120

Or you may eFile your Answer using the Commission's website at [www.puc.pa.gov](http://www.puc.pa.gov). The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Bureau of Investigation and Enforcement  
Pennsylvania Public Utility Commission  
400 North Street, 3rd Floor  
Harrisburg, PA 17120

Or, e-mailed to: [RA-PCCmplntResp@pa.gov](mailto:RA-PCCmplntResp@pa.gov)

B. If you fail to answer this complaint within twenty (20) days, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing a penalty. The penalty could include a fine, the suspension or revocation of your certificate of public convenience or other remedy.

C. If you file an Answer, which admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing a penalty.

D. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law

Judge for hearing and decision. The judge is not bound by the optional fine set forth above.

E. Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714.

**Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. Latino Taxi Service, LLC; Docket No. C-2024-3048099**

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That Latino Taxi Service, LLC, Respondent, maintains its principal place of business at 25 East Broad Street, West Hazleton, PA 18202.

2. That Respondent was issued a certificate of public convenience for taxi authority by this Commission on October 11, 2017, at PUC No. 6320054 certificate A-2017-2613993.

3. That on February 29, 2024, PUC Officer Elliott Miller, was assigned a followup inspection of taxi number 88, a 2014 Honda CRV license plate PA TX50233. Arriving at Poplar Street, Hazleton City, Luzerne County, Officer Miller conducted a Driver/Vehicle Compliance Report on taxi 88, being driven by Mary Ortiz.

4. The following violation was discovered. Both front tires on the vehicle were worn so that the tread wear indicators contacted the road in any two adjacent grooves.

5. That Respondent, by operating a vehicle with two front tires that did not comply with safe operating conditions, violated 67 Pa. Code § 175.65. The penalty for this violation is \$100.00 per violation for a total of \$200.00.

Wherefore, the Bureau of Investigation and Enforcement hereby requests that the Commission fine Latino Taxi Service, LLC the amount of two hundred dollars (\$200.00) for the illegal activity described in this Complaint and order such other remedy as the Commission may deem to be appropriate.

Respectfully submitted,  
 Brian B. Mehus, Acting Chief  
 Motor Carrier Enforcement  
 Bureau of Investigation and Enforcement  
 100 Lackawanna Avenue, Room 320  
 Scranton, PA 18503

VERIFICATION

I, Brian B. Mehus, hereby state that the facts above set forth are true and correct to the best of my knowledge, information, and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 24 May 2024

Brian B. Mehus, Acting Chief  
 Motor Carrier Enforcement  
 Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within twenty (20) days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Cover Letter for this Complaint and Notice, 52 Pa. Code § 1.56(a). An Answer is a written explanation of circumstances wished to be considered in determining the outcome. The Answer shall raise all factual and legal arguments that you wish to claim in your defense and must include the reference number of this Complaint. Your Answer must be verified, and the original shall be mailed to:

Rosemary Chiavetta, Secretary  
 Pennsylvania Public Utility Commission  
 400 North Street, 2nd Floor  
 Harrisburg, PA 17120

Or you may eFile your Answer using the Commission's website at [www.puc.pa.gov](http://www.puc.pa.gov). The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Bureau of Investigation and Enforcement  
 Pennsylvania Public Utility Commission  
 400 North Street, 3rd Floor  
 Harrisburg, PA 17120

Or, e-mailed to: [RA-PCCmplntResp@pa.gov](mailto:RA-PCCmplntResp@pa.gov)

B. If you fail to answer this complaint within twenty (20) days, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing a penalty. The penalty could include a fine, the suspension or revocation of your certificate of public convenience or other remedy.

C. You may elect not to contest this complaint by paying the fine proposed in this Complaint by certified check or money order. Payment must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary  
 Pennsylvania Public Utility Commission  
 400 North Street, 2nd Floor  
 Harrisburg, PA 17120

D. Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of your payment, the complaint proceedings shall be closed

E. If you file an Answer, which admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing a penalty.

F. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The judge is not bound by the optional fine set forth above.

G. Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714.

ROSEMARY CHIAVETTA,  
Secretary

[Pa.B. Doc. No. 24-1005. Filed for public inspection July 12, 2024, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Water Service

**A-2024-3049865. Pennsylvania-American Water Company.** In the matter of the application of Pennsylvania-American Water Company for approval of the right to offer, render, furnish and supply water service to the public in an additional portion of New Beaver Borough, Lawrence County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before July 29, 2024. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, or on the Pennsylvania Public Utility Commission's (Commission) web site at [www.puc.pa.gov](http://www.puc.pa.gov), with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov) and at the applicant's business address. If a filing contains confidential or proprietary material, the filing is required to be submitted by overnight delivery. Large filings containing confidential or proprietary material may be submitted through the Commission's Share Point file system with advanced notice to the Commission prior to submittal.

*Applicant:* Pennsylvania-American Water Company, 852 Wesley Drive, Mechanicsburg, PA 17055

*Through and By Counsel for:* Teresa K. Harrold, Esquire, Pennsylvania-American Water Company, 852 Wesley Drive, Mechanicsburg, PA 17055, (717) 550-1562, [Teresa.harrold@amwater.com](mailto:Teresa.harrold@amwater.com)

ROSEMARY CHIAVETTA,  
Secretary

[Pa.B. Doc. No. 24-1006. Filed for public inspection July 12, 2024, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Water Service

**A-2024-3049884. Veolia Water Pennsylvania, Inc.** In the matter of the application of Veolia Water Pennsylvania, Inc., under 66 Pa.C.S. § 1102(a)(3) (relating to enumeration of acts requiring certificate), for approval of the acquisition of certain real estate in the Borough of Hummelstown, Dauphin County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities)

on or before July 29, 2024. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, or on the Pennsylvania Public Utility Commission's (Commission) web site at [www.puc.pa.gov](http://www.puc.pa.gov) with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov) and at the applicant's business address. If a filing contains confidential or proprietary material, the filing is required to be submitted by overnight delivery. Large filings containing confidential or proprietary material may be submitted through the Commission's Share Point file system with advanced notice to the Commission prior to submittal.

*Applicant:* Veolia Water Pennsylvania, Inc., 6310 Allentown Boulevard, Harrisburg, PA 17112

*Through and By Counsel for:* Michael D. Klein, Esquire, Cozen O'Connor, 17 North Second Street, Suite 1410, Harrisburg, PA 17101, (717) 703-5903, [mklein@cozen.com](mailto:mklein@cozen.com)

ROSEMARY CHIAVETTA,  
Secretary

[Pa.B. Doc. No. 24-1007. Filed for public inspection July 12, 2024, 9:00 a.m.]

## STATE BOARD OF VEHICLE MANUFACTURERS, DEALERS AND SALESPERSONS

**Commonwealth of Pennsylvania, Bureau of Professional and Occupational Affairs v. Kurtis Kofi Danquah, d/b/a Ultra Ridez, LLC, Respondent; Case No. 20-60-007808**

*Notice to Kurtis Kofi Danquah, dba Ultra Ridez, LLC:*

On January 20, 2023, the Commonwealth of Pennsylvania, Department of State, Bureau of Professional and Occupational Affairs, instituted a formal administrative action against you by filing an Order to Show Cause, before the State Board of Vehicle Manufacturers, Dealers and Salespersons, alleging that you have violated certain provisions of the Pennsylvania Board of Vehicles Act, act of December 22, 1983, P.L. 306, No. 84 ("Act"), as amended, 63 P.S. §§ 818.101—818.704; 63 Pa.C.S. Chapter 31 ("Chapter 31"); and Rule 430 of the Pennsylvania rules of Civil Procedure, 231 Pa. Code Rule 430, providing for service of process upon you by publication.

### Notice

Formal disciplinary action has been filed against you. You may be subject to civil penalties of up to \$10,000 for each violation, and the imposition of costs of investigation.

If you wish to defend against the charges in the Order to Show Cause or to present evidence to mitigate any penalty that may be imposed, the procedures for doing so are explained in the Order to Show Cause. You may obtain a copy of the Order to Show Cause from the Prothonotary for the Department of State, 2525 North 7th Street, P.O. Box 2649, Harrisburg, PA 17105, telephone number, (717) 772-2686.

You have the right to retain an attorney. Although you may represent yourself without an attorney, you are advised to seek the help of an attorney. You also have the right to have an interpreter provided should you request one.

All proceedings are conducted under the Administrative Agency Law and the General Rules of Administrative Practice and Procedures.

You are directed to respond to the charges by filing a written answer within thirty (30) days of this NOTICE. IF YOU DO NOT FILE AN ANSWER, DISCIPLINARY ACTION MAY BE TAKEN AGAINST YOU WITHOUT A HEARING. To file your answer, you must bring or send an original and three (3) copies of your answer and any pleadings or other documents related to this matter to the following address:

Prothonotary  
Department of State  
2525 North 7th Street  
P.O. Box 2649  
Harrisburg, PA 17105

You must also send a separate copy of your answer and any other pleadings or documents related to this case to the prosecuting attorney named in the Order to Show Cause.

KIRK A. DAVIS,  
*Chairperson*

[Pa.B. Doc. No. 24-1008. Filed for public inspection July 12, 2024, 9:00 a.m.]

## STATE POLICE

### Megan's Law; Registration Sites Report

The following is being published as a notice for State Police-approved Megan's Law registration sites. Chapter 97, Subchapter H of 42 Pa.C.S. (relating to registration of sexual offenders) requires the State Police to publish a list of approved registration sites in the *Pennsylvania Bulletin*. The following are the approved registered sites.

<i>County Name</i>	<i>Registration Site</i>	<i>Address</i>	<i>Phone</i>
Adams	Adams County Prison—Central Booking	45 Major Bell Lane, Gettysburg, PA 17325	717-334-7671
Adams	State Police Gettysburg	1750 Granite Station Road, Gettysburg, PA 17325	717-334-8111
Allegheny	Allegheny County ID Section	660 First Avenue Municipal Courts Building, 1st Floor, Pittsburgh, PA 15219	412-350-6700
Allegheny	State Police Pittsburgh	449 McCormick Road, Moon Township, PA 15108	412-299-1607
Armstrong	Armstrong County Adult Probation	500 East Market Street, Kittanning, PA 16201	724-548-3491
Armstrong	State Police Kittanning	130 Parkview Drive Extension, Kittanning, PA 16201	724-543-2011
Beaver	Beaver County Sheriff—Regional Booking Center	6000 Woodlawn Boulevard, Aliquippa, PA 15001	724-378-8177
Beaver	State Police Beaver	3800 Dutch Ridge Road, Beaver, PA 15009	724-773-7400
Bedford	Bedford County Adult Probation	200 South Juliana Street, Bedford, PA 15522	814-623-4830
Bedford	State Police Bedford	171 Arthur L. Hershey Drive, Bedford, PA 15522	814-623-6133
Berks	Berks County Sheriff's Department	633 Court Street, Reading, PA 19601	610-478-6240
Berks	State Police Hamburg	90 Industrial Drive, Hamburg, PA 19526	610-562-6885
Berks	State Police Reading	600 Kenhorst Boulevard, Reading, PA 19611	610-378-4011
Blair	Blair County Prison	419 Market Square Alley, Hollidaysburg, PA 16648	814-693-3155
Blair	State Police Hollidaysburg	1510 North Juniata Street, Hollidaysburg, PA 16648	814-696-6100
Bradford	Bradford County Adult Probation	301 Main Street, Towanda, PA 18848	570-265-1706
Bradford	State Police Towanda	295 Tomahawk Road, Towanda, PA 18848	570-265-2186
Bucks	Bucks County Department of Corrections	1730 South Easton Road, Building L, Doylestown, PA 18901	215-345-3700
Bucks	State Police Dublin	3218 Rickert Road, Perkasio, PA 18944	215-249-9191
Bucks	State Police Trevoise	3501 Neshaminy Boulevard, Bensalem, PA 19020	215-942-3900
Butler	Butler County Prison	202 South Washington Street, Butler, PA 16001	724-284-5256
Butler	Butler County Probation—Parole Office	124 West Diamond Street, Floor 2, Butler, PA 16001	724-284-5259
Butler	Cranberry Township Police Department	2525 Rochester Road, Suite 500, Cranberry Township, PA 16066	724-776-5180
Butler	State Police Butler	200 Barracks Road, Butler, PA 16001	724-284-8100

<i>County Name</i>	<i>Registration Site</i>	<i>Address</i>	<i>Phone</i>
Cambria	State Police Ebensburg	2770 New Germany Road, Ebensburg, PA 15931	814-472-1653
Cameron	State Police Emporium	12921 Route 120, Emporium, PA 15834	814-486-3321
Carbon	Carbon County Correctional Facility	331 Broad Street, Nesquehoning, PA 18240	570-325-2211
Carbon	State Police Lehighton	9170 Interchange Road, Lehighton, PA 18235	610-681-1850
Centre	Centre County Central Booking	700 Rishel Hill Road, Bellefonte, PA 16823	814-548-1186
Centre	State Police Rockview	330 Penn Tech Drive, Bellefonte, PA 16823	814-355-7545
Chester	Chester County Prison	501 South Wawaset Road, West Chester, PA 19382	610-344-5040
Chester	State Police Avondale	2 Moxley Lane, Avondale, PA 19311	610-268-2022
Chester	State Police Embreeville	997 Lieds Road, Coatesville, PA 19320	610-486-6280
Clarion	Clarion County Prison	309 Amsler Avenue, Shippensburg, PA 16254	814-226-9615
Clarion	State Police Clarion	209 Commerce Road, Clarion, PA 16214	814-226-1710
Clearfield	Clearfield County Prison	115 21st Street, Clearfield, PA 16830	814-765-7891
Clearfield	State Police Clearfield	147 Doe Hill Road, Woodland, PA 16881	814-857-3800
Clearfield	State Police DuBois	230 Platt Road, DuBois, PA 15801	814-371-4652
Clinton	Clinton County Prison— Central Booking	58 Pine Mountain Road, McElhattan, PA 17748	570-769-7680
Clinton	State Police Lamar	113 Boyd Road, Mill Hall, PA 17751	570-726-6000
Columbia	State Police Bloomsburg	6850 Hidlay Church Road, Bloomsburg, PA 17815	570-387-4261
Crawford	Crawford County Probation	903 Diamond Park, Meadville, PA 16335	814-333-7350
Crawford	State Police Meadville	11025 Murray Road, Meadville, PA 16335	814-332-6911
Cumberland	Cumberland County Prison	1101 Claremont Road, Carlisle, PA 17015	717-245-8787
Cumberland	State Police Carlisle	2 Dunwoody Drive, Carlisle, PA 17015	717-249-2121
Dauphin	Dauphin County Prison	501 Mall Road, Harrisburg, PA 17111	717-780-6800
Dauphin	State Police Harrisburg	8000 Bretz Drive, Harrisburg, PA 17112	717-671-7500
Dauphin	State Police Lykens	4673 State Route 209, Elizabethville, PA 17023	717-362-8700
Delaware	Delaware County Probation	201 West Front Street, Media, PA 19063	610-891-4591
Delaware	State Police Media	1342 West Baltimore Pike, Media, PA 19063	484-840-1000
Elk	State Police Ridgway	48 Servidea Drive, Ridgway, PA 15853	814-776-6136
Erie	Erie County Sheriff's Department	140 West 6th Street, Room 400, Erie, PA 16501	814-451-6254
Erie	State Police Corry	11088 Route 6 East, Union City, PA 16438	814-663-2043
Erie	State Police Erie	4320 Iroquois Avenue, Erie, PA 16511	814-898-1641
Erie	State Police Girard	5950 Meadville Road, Girard, PA 16417	814-774-9611
Fayette	State Police Uniontown	1070 Eberly Way, Lemont Furnace, PA 15456	724-439-7111
Fayette	Uniontown Police Department	45 East Penn Street, Uniontown, PA 15401	724-430-2929
Forest	State Police Marienville	4956 State Route 899, Marienville, PA 16239	814-927-5253
Franklin	Franklin County Sheriff's Department	14 North Main Street, Chambersburg, PA 17201	717-261-3877
Franklin	State Police Chambersburg	3800 Black Gap Road, Chambersburg, PA 17202	717-264-5161
Fulton	Fulton County Sheriff's Department	207 North 2nd Street, McConnellsburg, PA 17233	717-485-4221
Fulton	State Police McConnellsburg	500 Fulton Drive, McConnellsburg, PA 17233	717-485-3131
Greene	Greene County Probation	19 South Washington Street, Suite 100, Waynesburg, PA 15370	724-852-5250
Greene	State Police Waynesburg	255 Elm Drive, Waynesburg, PA 15370	724-627-6151
Huntingdon	Huntingdon County Sheriff's Department	430 Penn Street, Huntingdon, PA 16652	814-643-0880
Huntingdon	State Police Huntingdon	10637 Raystown Road, Huntingdon, PA 16652	814-627-3161
Indiana	Indiana County Probation	825 Philadelphia Street, Indiana, PA 15701	724-465-3820

<i>County Name</i>	<i>Registration Site</i>	<i>Address</i>	<i>Phone</i>
Indiana	State Police Indiana	35 Fenton Road, Indiana, PA 15701	724-357-1960
Jefferson	Jefferson County Jail	578 Service Center Road, Brookville, PA 15825	814-849-1933
Jefferson	State Police Punxsutawney	485 North Findley Street, Punxsutawney, PA 15767	814-938-0510
Juniata	Juniata County Probation Office	30 North Main Street, Mifflintown, PA 17059	717-436-7716
Juniata	State Police Lewistown	140 Stoney Creek Drive, Mifflintown, PA 17059	717-320-1010
Lackawanna	Lackawanna County Probation	130 North Washington Avenue, Scranton, PA 18503	570-963-6876
Lackawanna	Scranton Police Department	100 South Washington Avenue, Scranton, PA 18503	570-348-4130
Lackawanna	State Police Dunmore	85 Keystone Industrial Park, Dunmore, PA 18512	570-963-3156
Lancaster	Lancaster City Police Department	39 West Chestnut Street, Lancaster, PA 17603	717-735-3300
Lancaster	Lancaster County Probation	40 East King Street, Lancaster, PA 17602	717-299-8181
Lancaster	State Police Lancaster	2099 Lincoln Highway East, Lancaster, PA 17602	717-299-7650
Lawrence	State Police New Castle	3539 Wilmington Road, New Castle, PA 16105	724-598-2211
Lebanon	State Police Jonestown	3185 State Route 72, Jonestown, PA 17038	717-865-2194
Lehigh	State Police Bethlehem	2930 Airport Road, Bethlehem, PA 18017	610-861-2026
Lehigh	State Police Fogelsville	8320 Schantz Road, Breinigsville, PA 18031	610-395-1438
Luzerne	State Police Hazleton	250 Dessen Drive, West Hazleton, PA 18202	570-459-3890
Luzerne	State Police Shickshinny	872 Salem Boulevard, Berwick, PA 18603	570-542-4117
Luzerne	State Police Wilkes-Barre	2001 South Valley Parkway, Wilkes-Barre, PA 18706	570-822-5400
Lycoming	Lycoming County Central Processing Center	261 Euclid Avenue, Duboistown, PA 17702	570-322-6132
Lycoming	State Police Montoursville	899 Cherry Street, Montoursville, PA 17754	570-368-5700
McKean	McKean County Jail	17013 Route 6, Smethport, PA 16749	814-887-2333
McKean	State Police Lewis Run	130 Airport Road, Lewis Run, PA 16738	814-368-9230
Mercer	State Police Mercer	826 Franklin Road, Mercer, PA 16137	724-662-6162
Mifflin	Mifflin County Prison	103 West Market Street, Lewistown, PA 17044	717-248-1130
Monroe	Monroe County Correctional Facility	4250 Manor Drive, Stroudsburg, PA 18360	570-992-3232
Monroe	State Police Fern Ridge	127 Parkside Avenue, Blakeslee, PA 18610	570-646-2271
Monroe	State Police Stroudsburg	2730 Rimrock Drive, Stroudsburg, PA 18360	570-619-6480
Montgomery	Abington Township Police Department	1166 Old York Road, Abington, PA 19001	267-536-1100
Montgomery	Montgomery County Adult Probation	408 Cherry Street, Norristown, PA 19401	610-992-7777
Montgomery	State Police Skippack	2071A Cressman Road, Schwenksville, PA 19473	610-584-1250
Northampton	Northampton County Prison	666 Walnut Street, Easton, PA 18042	610-829-7400
Northampton	State Police Belfast	654 Bangor Road, Nazareth, PA 18064	610-759-6106
Northumberland	State Police Milton	50 Lawton Lane, Milton, PA 17847	570-524-2662
Northumberland	State Police Stonington	2465 State Route 61, Sunbury, PA 17801	570-286-5601
Perry	Perry County Courthouse	2 East Main Street, New Bloomfield, PA 17068	717-582-2131
Perry	State Police Newport	155 Red Hill Road, Newport, PA 17074	717-567-3110
Philadelphia	State Police Philadelphia	2201 Belmont Avenue, Philadelphia, PA 19131	215-452-5216
Pike	Pike County Probation	506 Broad Street, Milford, PA 18337	570-296-7613
Pike	State Police Blooming Grove	434 Route 402, Hawley, PA 18428	570-226-5718
Potter	Potter County Adult Probation	1 North Main Street, Coudersport, PA 16915	814-274-8791
Potter	State Police Coudersport	3084 East Second Street, Coudersport, PA 16915	814-274-8690

<i>County Name</i>	<i>Registration Site</i>	<i>Address</i>	<i>Phone</i>
Schuylkill	Schuylkill County Sheriff's Department	401 North 2nd Street, Pottsville, PA 17901	570-628-1440
Schuylkill	State Police Frackville	31 Eleanor Drive, Frackville, PA 17931	570-874-5300
Schuylkill	State Police Schuylkill Haven	1070 State Route 183 South, Schuylkill Haven, PA 17972	570-754-4600
Snyder	Snyder County Sheriff's Department	9 West Market Street, Middleburg, PA 17842	570-837-3311
Snyder	State Police Selinsgrove	81 Lorian Drive, Selinsgrove, PA 17870	570-374-8145
Somerset	Somerset Borough Police Department	340 West Union Street, Somerset, PA 15501	814-445-4596
Somerset	State Police Somerset	142 Sagamore Street, Somerset, PA 15501	814-445-4104
Sullivan	State Police Laporte	5837 Route 220, Laporte, PA 18626	570-946-4610
Susquehanna	State Police Gibson	2856 State Route 848, New Milford, PA 18834	570-465-3154
Susquehanna	Susquehanna County Adult Probation	81 Public Avenue, Montrose, PA 18801	570-278-5930
Tioga	State Police Mansfield	785 Lambs Creek Road, Mansfield, PA 16933	570-662-2151
Tioga	Tioga County Probation	118 Main Street, Wellsboro, PA 16901	570-724-9340
Union	Union County Courthouse/Jail	103 South Second Street, Lewisburg, PA 17837	570-524-8711
Venango	State Police Franklin	6724 US 322, Franklin, PA 16323	814-676-6596
Warren	State Police Warren	22001 Route 6, Warren, PA 16365	814-728-3600
Warren	Warren County Prison	407 Market Street, Warren, PA 16365	814-723-7553
Washington	State Police Washington	150 State Route 519, Eighty Four, PA 15330	724-223-5200
Washington	Washington County Booking Center	29 West Cherry Avenue, Suite 209, Washington, PA 15301	724-229-5931
Wayne	State Police Honesdale	14 Collan Park, Honesdale, PA 18431	570-253-7126
Wayne	Wayne County Courthouse	925 Court Street, Honesdale, PA 18431	570-253-5970
Westmoreland	State Police Belle Vernon	560 Circle Drive, Belle Vernon, PA 15012	724-929-6262
Westmoreland	State Police Greensburg	100 North Westmoreland Avenue, Greensburg, PA 15601	724-832-3288
Westmoreland	State Police Kiski Valley	1325 Learn Road, Avonmore, PA 15618	724-697-5780
Westmoreland	Westmoreland County Probation	2 North Main Street, Suite 303, Greensburg, PA 15601	724-830-3700
Wyoming	State Police Tunkhannock	6039 State Route 6, Tunkhannock, PA 18657	570-836-2141
Wyoming	Wyoming County Adult Probation	1 Courthouse Square, Tunkhannock, PA 18657	570-996-2251
York	State Police York	101 North Main Street, York, PA 17403	717-428-1011
York	York County Probation	45 North George Street, York, PA 17401	717-771-9602

COLONEL CHRISTOPHER L. PARIS,  
*Commissioner*

[Pa.B. Doc. No. 24-1009. Filed for public inspection July 12, 2024, 9:00 a.m.]

**END OF ISSUE**













