

PENNSYLVANIA BULLETIN

Volume 54

Number 30

Saturday, July 27, 2024 • Harrisburg, PA

Pages 4305—4416

Agencies in this issue

The Courts

Delaware River Basin Commission

Department of Banking and Securities

Department of Conservation and Natural
Resources

Department of Corrections

Department of Environmental Protection

Department of Health

Independent Regulatory Review Commission

Insurance Department

Office of the State Fire Commissioner

Pennsylvania Public Utility Commission

State Board of Auctioneer Examiners

State Board of Crane Operators

State Board of Vehicle Manufacturers, Dealers
and Salespersons

Susquehanna River Basin Commission

Detailed list of contents appears inside.



**Latest Pennsylvania Code Reporter
(Master Transmittal Sheet):**

No. 596, July 2024

CUT ON DOTTED LINES AND ENCLOSE IN AN ENVELOPE

CHANGE NOTICE/NEW SUBSCRIPTION

If information on mailing label is incorrect, please email changes to info@pbulletin.com or mail to:

FRY COMMUNICATIONS, INC.
Attn: *Pennsylvania Bulletin*
800 W. Church Rd.
Mechanicsburg, PA 17055-3198

CUSTOMER NUMBER (6 digit number above name on mailing label)

NAME OF INDIVIDUAL

OFFICE NAME—TITLE

ADDRESS (Number and Street)

(City) (State) (Zip Code)

TYPE OR PRINT LEGIBLY

PENNSYLVANIA



BULLETIN

(ISSN 0162-2137)

The *Pennsylvania Bulletin* is published weekly by Fry Communications, Inc. for the Commonwealth of Pennsylvania, Legislative Reference Bureau, 641 Main Capitol Building, Harrisburg, Pennsylvania 17120, under the policy supervision and direction of the Joint Committee on Documents under 45 Pa.C.S. Part II (relating to publication and effectiveness of Commonwealth documents). The subscription rate is \$87.00 per year, postpaid to points in the United States. Individual copies are \$2.50. Checks for subscriptions and individual copies should be made payable to "*Fry Communications, Inc.*" Periodicals postage paid at Harrisburg, Pennsylvania.

Postmaster send address changes to:

FRY COMMUNICATIONS, Inc.
Attn: *Pennsylvania Bulletin*
800 West Church Road
Mechanicsburg, Pennsylvania 17055-3198
(717) 766-0211 ext. 2340
(800) 334-1429 ext. 2340 (toll free, out-of-State)
(800) 524-3232 ext. 2340 (toll free, in State)

Orders for subscriptions and other circulation matters should be sent to:

Fry Communications, Inc.
Attn: *Pennsylvania Bulletin*
800 West Church Road
Mechanicsburg, Pennsylvania 17055-3198

Copyright © 2024 Commonwealth of Pennsylvania

Editorial preparation, composition, printing and distribution of the *Pennsylvania Bulletin* is effected on behalf of the Commonwealth of Pennsylvania by FRY COMMUNICATIONS, Inc., 800 West Church Road, Mechanicsburg, Pennsylvania 17055-3198.

CONTENTS

THE COURTS

LOCAL COURT RULES

Venango County

Amendment of local domestic relations rule: Rule 1915.3.—commencement of action. complaint. order; civ. No. 693-2024 4314

Amendment of local domestic relations rule: Rule 1915.3A.—custody seminar; civ. No. 695-2024..... 4315

Amendment of local domestic relations rule: Rule 1915.4A.—procedure in all custody cases; civ. No. 694-2024 4316

PHILADELPHIA RULES

Addendum to Americans with Disabilities Act (Title II) policy; administrative order No. 7 of 2024 4313

EXECUTIVE AND INDEPENDENT AGENCIES

DELAWARE RIVER BASIN COMMISSION

Notices

Public hearing and business meeting..... 4329

DEPARTMENT OF BANKING AND SECURITIES

Notices

Actions on applications..... 4329

DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES

Notices

Governor’s Advisory Council for Hunting, Fishing and Conservation public meeting 4330

Grant funding for ATV or snowmobile projects and programs..... 4330

DEPARTMENT OF CORRECTIONS

Statements of Policy

Guidelines for temporary transfers for county courts..... 4327

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Notices

Applications, actions and special notices..... 4331

Availability of technical guidance 4403

Change in practice regarding Title V Operating Permit application submissions to meet Federal Clean Air Act requirements 4404

Environmental Justice Advisory Board meeting cancellation..... 4404

Planning grant awards under section 901 of the Municipal Waste Planning, Recycling and Waste Reduction Act, Act 101 of 1988..... 4405

DEPARTMENT OF HEALTH

Notices

Long-term care nursing facilities; requests for exception..... 4405

INDEPENDENT REGULATORY REVIEW COMMISSION

Notices

Notice of comments issued 4406

INSURANCE DEPARTMENT

Notices

1332 waiver reinsurance program—parameter updates; notice 2024-12..... 4407

Act 146 of 2022—implementation of prior authorization provisions; notice 2024-11 4407

Application for merger of North American Swiss Alliance with and into GBU Financial Life 4407

OFFICE OF THE STATE FIRE COMMISSIONER

Notices

Inflation Adjustment for the Fire and Emergency Medical Service Loan Program..... 4408

PENNSYLVANIA PUBLIC UTILITIES COMMISSION

Notices

Electric generation supplier license cancellation of companies with an expired financial security, insufficient financial security amount or language .. 4408

Service of notice of motor carrier applications..... 4410

Service of notice of motor carrier formal complaints... 4410

Telecommunications..... 4413

STATE BOARD OF AUCTIONEER EXAMINERS

Rules and Regulations

Licensure by endorsement..... 4318

STATE BOARD OF CRANE OPERATORS

Rules and Regulations

Licensure by endorsement..... 4322

STATE BOARD OF VEHICLE MANUFACTURERS, DEALERS AND SALESPERSONS

Notices

Application for vehicle salesperson license of Steve Lee Watts; case No. 24-60-001245..... 4413

SUSQUEHANNA RIVER BASIN COMMISSION

Notices

General permit notice..... 4413

Projects approved for consumptive uses of water 4414

Available Online at <http://www.pacodeandbulletin.gov>

READER'S GUIDE TO THE *PENNSYLVANIA BULLETIN* AND THE *PENNSYLVANIA CODE*

Pennsylvania Bulletin

The *Pennsylvania Bulletin* is the official gazette of the Commonwealth of Pennsylvania. It is published weekly. A cumulative subject matter index is published quarterly.

The *Pennsylvania Bulletin* serves several purposes. It is the temporary supplement to the *Pennsylvania Code*, which is the official codification of agency rules and regulations, Statewide court rules, and other statutorily authorized documents. Changes in the codified text, whether by adoption, amendment, rescission, repeal or emergency action, must be published in the *Pennsylvania Bulletin*.

The following documents are published in the *Pennsylvania Bulletin*: Governor's Executive Orders; Summaries of Enacted Statutes; Statewide and Local Court Rules; Attorney General Opinions; Motor Carrier Applications before the Pennsylvania Public Utility Commission; Applications and Actions before the Department of Environmental Protection; Orders of the Independent Regulatory Review Commission; and other documents authorized by law.

The text of certain documents published in the *Pennsylvania Bulletin* is the only valid and enforceable text. Courts are required to take judicial notice of the *Pennsylvania Bulletin*.

Adoption, Amendment or Repeal of Regulations

Generally an agency wishing to adopt, amend or rescind regulations must first publish in the *Pennsylvania Bulletin* a Proposed Rulemaking. There are limited instances when the agency may omit the proposal step; it still must publish the adopted version.

The Proposed Rulemaking contains the full text of the change, the agency contact person, a fiscal note required by law and background for the action.

The agency then allows sufficient time for public comment before taking final action. A Final Rulemaking must be published in the *Pennsylvania Bulletin* before the changes can take effect. If the agency wishes to adopt changes to the Proposed Rulemaking to enlarge the scope, it must repropose.

Citation to the Pennsylvania Bulletin

Cite material in the *Pennsylvania Bulletin* by volume number, a page number and date. Example: Volume 1, *Pennsylvania Bulletin*, page 801, January 9, 1971 (short form: 1 Pa.B. 801 (January 9, 1971)).

Pennsylvania Code

The *Pennsylvania Code* is the official codification of rules and regulations issued by Commonwealth agencies, Statewide court rules and other statutorily authorized documents. The *Pennsylvania Bulletin* is the temporary supplement to the *Pennsylvania Code*, printing changes when they are adopted. These changes are then permanently codified by the *Pennsylvania Code Reporter*, a monthly, loose-leaf supplement.

The *Pennsylvania Code* is cited by title number and section number. Example: Title 10 *Pennsylvania Code* § 1.1 (short form: 10 Pa. Code § 1.1).

Under the *Pennsylvania Code* codification system, each regulation is assigned a unique number by title and section. Titles roughly parallel the organization of Commonwealth government.

How to Find Rules and Regulations

Search for your area of interest in the *Pennsylvania Code*. The *Pennsylvania Code* is available at www.pacodeandbulletin.gov.

Source Notes give the history of regulations. To see if there have been recent changes not yet codified, check the List of *Pennsylvania Code* Chapters Affected in the most recent issue of the *Pennsylvania Bulletin*.

A chronological table of the history of *Pennsylvania Code* sections may be found at www.legis.state.pa.us/cfdocs/legis/CH/Public/pcde_index.cfm.

A quarterly List of *Pennsylvania Code* Sections Affected lists the regulations in numerical order, followed by the citation to the *Pennsylvania Bulletin* in which the change occurred.

The *Pennsylvania Bulletin* is available at www.pacodeandbulletin.gov.

Subscription Information: (717) 766-0211
General Information and Finding Aids: (717) 783-1530

Printing Format

Rules, Regulations and Statements of Policy in Titles 1—107 of the Pennsylvania Code

Text proposed to be added is printed in **underscored bold face**. Text proposed to be deleted is enclosed in brackets [] and printed in **bold face**.

Proposed new chapters and sections are printed in regular type to enhance readability. Final rulemakings and statements of policy are printed in regular type.

Ellipses, a series of five asterisks, indicate text that is not amended.

In Proposed Rulemakings and proposed Statements of Policy, existing text corresponds to the official codified text in the *Pennsylvania Code*.

Court Rules in Titles 201—246 of the Pennsylvania Code

Added text in proposed and adopted court rules is printed in **underscored bold face**. Deleted text in proposed and adopted court rules is enclosed in brackets [] and printed in **bold face**.

Proposed new chapters and rules are printed in regular type to enhance readability.

Ellipses, a series of five asterisks, indicate text that is not amended.

Fiscal Notes

Section 612 of The Administrative Code of 1929 (71 P. S. § 232) requires the Governor's Budget Office to prepare a fiscal note for regulatory actions and administrative procedures of the administrative departments, boards, commissions and authorities receiving money from the State Treasury. The fiscal note states whether the action or procedure causes a loss of revenue or an increase in the cost of programs for the Commonwealth or its political subdivisions. The fiscal note is required to be published in the *Pennsylvania Bulletin* at the same time as the change is advertised.

A fiscal note provides the following information: (1) the designation of the fund out of which the appropriation providing for expenditures under the action or procedure shall be made; (2) the probable cost for the fiscal year the program is implemented; (3) projected cost estimate of the program for each of the 5 succeeding fiscal years; (4) fiscal history of the program for which expenditures are to be made; (5) probable loss of revenue for the fiscal year of its implementation; (6) projected loss of revenue from the program for each of the 5 succeeding fiscal years; (7) line item, if any, of the General Appropriation Act or other appropriation act out of which expenditures or losses of Commonwealth funds shall occur as a result of the action or procedures; and (8) recommendation, if any, of the Secretary of the Budget and the reasons therefor.

The omission of an item indicates that the agency text of the fiscal note states that there is no information available with respect thereto. In items (3) and (6) information is set forth for the first through fifth fiscal years, following the year the program is implemented, which is stated. In item (4) information is set forth for the current and two immediately preceding years. In item (8) the recommendation, if any, made by the Secretary of the Budget is published with the fiscal note. "No fiscal impact" means no additional cost or revenue loss to the Commonwealth or its local political subdivision is intended. See 4 Pa. Code Chapter 7, Subchapter R (relating to fiscal notes).

Reproduction, Dissemination or Publication of Information

Third parties may not take information from the *Pennsylvania Code* and *Pennsylvania Bulletin* and reproduce, disseminate or publish information except as provided by 1 Pa. Code § 3.44:

§ 3.44. General permission to reproduce content of *Code* and *Bulletin*.

Information published under this part, which information includes, but is not limited to, cross references, tables of cases, notes of decisions, tables of contents, indexes, source notes, authority notes, numerical lists and codification guides, other than the actual text of rules or regulations may be reproduced only with the written consent of the [Legislative Reference] Bureau. The information which appears on the same leaf with the text of a rule or regulation, however, may be incidentally reproduced in connection with the reproduction of the rule or regulation, if the reproduction is for the private use of a subscriber and not for resale. There are no other restrictions on the reproduction of information published under this part, and the Commonwealth hereby consents to a reproduction.

List of Pa. Code Chapters Affected

The following numerical guide is a list of the chapters of each title of the *Pennsylvania Code* affected by documents published in the *Pennsylvania Bulletin* during 2024.

4 Pa. Code (Administration)

Adopted Rules

1	3516
6	7
7	3018

Statements of Policy

9	16, 496, 730, 1334, 2350, 3404, 4134
58	1340
68	1340

7 Pa. Code (Agriculture)

Proposed Rules

59a	3318
-----	------

10 Pa. Code (Banking and Securities)

Statements of Policy

19	2092
----	------

12 Pa. Code (Commerce, Trade and Local Government)

Adopted Rules

145	145
-----	-----

22 Pa. Code (Education)

Proposed Rules

4	3353
---	------

25 Pa. Code (Environmental Protection)

Adopted Rules

901	4117
1021	2776

Proposed Rules

250	3937
801	1953

28 Pa. Code (Health and Safety)

Statements of Policy

51	148
----	-----

31 Pa. Code (Insurance)

Proposed Rules

37	2492
37a	2492
5001	2993

37 Pa. Code (Law)

Adopted Rules

301	4122
481	3151

Statements of Policy

96a	4327
-----	------

40 Pa. Code (Liquor)

Adopted Rules

5	145
---	-----

Proposed Rules

3	722
5	722
9	722
11	722

49 Pa. Code (Professional and Vocational Standards)

Adopted Rules

1	4318
5	3152

6	4322
16	2780
18	2780
23	368
36	3157
45	375

Proposed Rules

15	4127
25	2798
27	1060
31	3618
33	4130
35	2806
36	3623
40	383

Statements of Policy

16	3162
21	148, 3163
25	3165
41	3167
47	3169
48	3169
49	3169

51 Pa. Code (Public Officers)

Adopted Rules

11	2077
13	2077
15	2077
17	2077
19	2077
21	2077
23	2077
25	2077

52 Pa. Code (Public Utilities)

Statements of Policy

69	1670, 1675, 3036
----	------------------

55 Pa. Code (Human Services)

Statements of Policy

1	148
4210	1956

58 Pa. Code (Recreation)

Adopted Rules

75	1054
97	1056
107	1057
111	1056, 1058
133	1315
135	1316
139	3021
141	1318, 1319, 3030, 3033
617b	1537, 2923
617c	2923
623b	2923
623c	2923
627b	2923
627c	2923
629b	2923
629c	2923
631b	2923
631c	2923

633b	1537, 2923
633c	2923
635b	2923
635c	2923
639b	2923
639c	2923
641b	2923
641c	2923
643b	2923
643c	2923
645b	2923
645c	2923
647b	2923
647c	2923
649b	2923
649c	2923
653b	1537, 2923
653c	2923
655b	2923
655c	2923
657b	2923
657c	2923
659b	2923
659c	2923
670b	2923
670c	2923
674b	1537
685b	2923
685c	2923
687b	2923
687c	2923
688b	2923
688c	2923
689	2923
689a	2923
690	1537
Proposed Rules	
65	3523, 3524
117	3633
139	1321, 1668
141	1330, 1332
147	3035
603a	2085
633a	2085
687a	2085
812a	2085
819a	2085
Statements of Policy	
603b	2093
61 Pa. Code (Revenue)	
Proposed Rules	
5	2996
153	2999
67 Pa. Code (Transportation)	
Adopted Rules	
171a	719
171b	719
201 Pa. Code (Rules of Judicial Administration)	
Adopted Rules	
5	3315
204 Pa. Code (Judicial System General Provisions)	
Adopted Rules	
71	138, 2219
81	1946
207	1525
303a	1180
Proposed Rules	
71	714, 3907
81	1041
87	1041
207 Pa. Code (Judicial Conduct)	
Adopted Rules	
1	1296
3	1297
210 Pa. Code (Appellate Procedure)	
Adopted Rules	
65	2481
231 Pa. Code (Rules of Civil Procedure)	
Adopted Rules	
200	138
Part II	2735
Proposed Rules	
1850	3780
1930	3782
1960	3785
Part II	1654
234 Pa. Code (Rules of Criminal Procedure)	
Adopted Rules	
1	2738
2	2743
4	2738
5	2738, 2743
10	2743
Proposed Rules	
4	919
7	919
10	919
237 Pa. Code (Juvenile Rules)	
Proposed Rules	
1	2061
16	2065
246 Pa. Code (Minor Court Civil Rules)	
Adopted Rules	
200	2482
300	2482, 3147
500	2482
Proposed Rules	
200	2344
300	714, 2066, 2344
500	714
249 Pa. Code (Philadelphia Rules)	
Unclassified	617, 1181, 3520, 4113, 4313
252 Pa. Code (Allegheny County Rules)	
Unclassified	1181, 2748, 4114

255 Pa. Code (Local Court Rules)

Unclassified 11, 12, 13, 14, 139, 140, 355, 361, 366,
617, 618, 716, 717, 955, 959, 1042, 1043, 1044, 1046,
1048, 1052, 1185, 1186, 1187, 1190, 1192, 1193, 1303,
1304, 1307, 1311, 1312, 1313, 1525, 1526, 1528, 1529,
1531, 1532, 1535, 1664, 1665, 1666, 1667, 1813, 1814,

1815, 1816, 1818, 1820, 1821, 1824, 1947, 1948, 1950,
1952, 2069, 2073, 2076, 2221, 2223, 2225, 2347, 2348,
2487, 2488, 2489, 2490, 2753, 2755, 2756, 2757, 2758,
2766, 2768, 2770, 2921, 3150, 3315, 3521, 3616, 3617,
3787, 3910, 3918, 3928, 3929, 3930, 3933, 4115, 4314,
4315, 4316

THE COURTS

Title 249—PHILADELPHIA RULES

PHILADELPHIA COUNTY

Addendum to Americans with Disabilities Act (Title II) Policy; Administrative Order No. 7 of 2024

Order

And Now, this 15th day of July, 2024, it is hereby *Ordered* and *Decreed* that the First Judicial District's Americans with Disabilities Act (Title II) Policy, and Americans with Disabilities Act (Title II) Grievance Procedure adopted by Administrative Order No. 2 of 2024, are hereby supplemented by the following addendum.

This Order and the following addendum shall be filed with the Office of Judicial Records in a docket maintained for Administrative Orders issued by the First Judicial District of Pennsylvania. The Order and addendum shall be submitted to the *Pennsylvania Bulletin* for publication. Copies shall also be submitted to the Administrative Office of Pennsylvania Courts, *The Legal Intelligencer*, Jenkins Memorial Law Library, and the Law Library for the First Judicial District of Pennsylvania, and shall be posted on the website of the First Judicial District of Pennsylvania: <http://www.courts.phila.gov/>.

By the Court

HONORABLE NINA WRIGHT PADILLA,
President Judge
Court of Common Pleas

Addendum ADA Policy for the First Judicial District

This Addendum applies to case participants and not employees. For this Addendum to the ADA policy, “individuals” referenced in the policy are defined as case participants and not employees.

It is the policy of the First Judicial District to prohibit discrimination against all individuals—including those with substance use disorder—in accessing or participating in judicial proceedings or other Court services, programs, or activities.

Absent an individualized determination, as more fully described below, no judge, unit, or member of this judicial district may prohibit or otherwise limit an individual's use of medication that they have been lawfully prescribed, and that they are taking as prescribed, to treat substance use disorder.

Decisions about whether a person should be prescribed medication, and about medication type and dosage, are to be made only by a licensed prescriber on an individualized basis.

No judge, unit, or member of this judicial district will interfere with a licensed prescriber's decisions about an individual's appropriate medication and treatment regimen.

No judge, unit, or member of this judicial district will express a preference for, or mandate, one medication over another nor in any way penalize or restrict an individual participating in a court proceeding or program from taking their medication as prescribed.

No judge, unit, or member of this judicial district will condition admission to, participation in, or successful completion of a Problem-Solving Court or other court program, service, or activity on reducing, weaning off, or abstaining from taking prescribed medication.

No judge, unit, or member of this judicial district will rely upon prior illicit use of medication for substance use disorder as grounds for prohibiting current use of medication for substance use disorder that comes from a licensed prescriber.

Individuals with substance use disorder who are participating in a court proceeding or program may be required to comply with the treatment recommendations of a licensed prescriber.

This Policy is not intended to interfere with appropriate exercises of judicial discretion in individual cases. To that end, nothing in this Policy limits a judge's discretion to order that an individual be evaluated for medical treatment or comply with a treatment plan as a condition of release, probation, supervision, or participation in a Problem-Solving Court or other court or probation program. In issuing such an order, a judge should make an individualized determination, based on the information available, which may include an individual's criminal, medical, and probation history. An individual's previous illicit use of a medication is not grounds for prohibiting their use of that medication going forward as directed by their licensed provider.

Judges have the authority to monitor medication compliance in the context of a term of probation, supervision, or condition of release and to further the court's public safety obligation. When a judge is concerned about an individual's use or misuse of medication, the judge may act to mitigate and reduce the risk of abuse, misuse, and diversion of medication. In many cases, appropriate action will include, among other things, communication with the prescriber by a probation officer or other UJS personnel as directed by the judge.

Compliance with the ADA does not require that a court allow an individual to participate in, or benefit from, its services or programs if the person poses a “direct threat to the health or safety of others.” 28 CFR 35.139. A determination that an individual poses a direct threat must be grounded in current medical knowledge or the best available objective evidence to ascertain: the nature, duration, and severity of the risk; the probability that the potential injury will actually occur; and whether reasonable modifications of policies, practices, or procedures or the provision of auxiliary aids or services will mitigate the risk. *Id.* A court may not conclude that an individual prescribed medication poses a “direct threat” based on generalizations or scientifically unsupported assumptions about medications or persons who are prescribed medication.

Individuals who believe there has been a violation of this Policy may file a complaint pursuant to the Complaint Procedure of the First Judicial District, a copy of which may be accessed by the attached link <https://www.courts.phila.gov/ada/>

[Pa.B. Doc. No. 24-1044. Filed for public inspection July 26, 2024, 9:00 a.m.]

Title 255—LOCAL COURT RULES

VENANGO COUNTY

Amendment of Local Domestic Relations Rule: Rule 1915.3.—Commencement of Action. Complaint. Order; Civ. No. 693-2024

Order

And Now, this 16th day of July 2024, it is hereby *Ordered* that the Venango County Court of Common Pleas Local Domestic Relations Rule 1915.3. Commencement of Action. Complaint. Order. is *Amended* as set forth hereinafter, effective thirty (30) days after publication in the *Pennsylvania Bulletin*.

In conformity with Pa.R.J.A. 103, one (1) copy of this Order shall be distributed to the Administrative Office of Pennsylvania Courts. Two (2) paper copies and one electronic copy shall be distributed to the Legislative Reference Bureau for publication in the *Pennsylvania Bulletin*. This Order shall also be published on the Court’s website and incorporated into the complete set of the Court’s Local Rules within thirty (30) days after the publication in the *Pennsylvania Bulletin*. This Order shall be continuously available for public inspection and copying in the office of the Prothonotary/Clerk of Courts.

By the Court

MATTHEW T. KIRTLAND,
President Judge

Rule 1915.3. Commencement of Action. Complaint. Order.

_____	:	IN THE COURT OF COMMON PLEAS OF
Plaintiff	:	VENANGO COUNTY, PENNSYLVANIA
	:	
vs.	:	CIVIL DIVISION—CUSTODY ACTION
	:	
_____	:	CIV. NO: _____
Defendant	:	

ORDER OF COURT

You, _____, have been sued in Court to obtain (shared legal custody) (sole legal custody) (partial physical custody) (primary physical custody) (shared physical custody) (sole physical custody) (supervised physical custody) rights of the following child(ren) _____.

_____, Esquire, is appointed conciliator, for the purpose of conducting a conference with respect to the issues raised in the Petition. The conciliator shall conduct such a conference and shall report to the Court as to whether or not the issues raised in the Petition are capable of resolution by agreement between the parties. The conciliator shall confer with the parties and make every effort to achieve negotiated resolutions of the issues raised in the Petition. No testimony will be taken at the conciliation conference. The parties should bring with them any relevant expert reports. If no such resolution can be achieved, the conciliator shall so report to the Court. He/she shall also submit an interim proposed order, which shall include a hearing date before the Court.

You are ordered to appear for a custody conciliation conference which has been fixed for the _____ day of _____, 20____, at _____m., at the Lawyer’s Conference Room on the Second Floor of the Venango County Courthouse, Franklin, Pennsylvania. If you fail to appear as provided by this Order, an Order for legal or physical custody may be entered against you or the Court may issue a warrant for your arrest.

All parties are directed to attend the court-approved seminar “Venango County Co-Parenting Cooperative” UNLESS PREVIOUSLY ATTENDED. A schedule can be obtained by contacting your attorney or at the Law Library, Second Floor of the Venango County Courthouse. Registration occurs 15 minutes prior to the beginning of the class, which lasts 2.5-3 hours in length. If a current IFP is in place, you MUST present it at registration to have the fee waived. ONLY individuals with an **ACTIVE PFA or disability** are REQUIRED to contact LeGoullon Counseling Services at (814) 657-2067 prior to registration. All others are to report directly to the class for registration. **Each party shall attend the seminar within 90 days after the filing of a complaint or petition.**

You must file with the Court a verification regarding any criminal record or abuse history regarding you and anyone living in your household on or before the initial in-person contact with the court (including, but not limited to, a conference with a conference officer or judge or conciliation), but not later than 30 days after the service of the complaint or petition, whichever first occurs. These forms are available at the Prothonotary’s Office on the First Floor of the Venango County Courthouse, Franklin, Pennsylvania.

No party may make a change in the residence of any child which significantly impairs the ability of the other party to exercise custodial rights without first complying with all of the applicable provisions of 23 Pa.C.S. § 5337 and Pa.R.C.P. No. 1915.17 regarding relocation.

YOU SHOULD TAKE THIS PAPER TO YOUR LAWYER AT ONCE. IF YOU DO NOT HAVE A LAWYER OR CANNOT AFFORD ONE, GO TO OR TELEPHONE THE OFFICE SET FORTH BELOW TO FIND OUT WHERE YOU CAN GET LEGAL HELP.

IF YOU CANNOT AFFORD TO HIRE A LAWYER, THIS OFFICE MAY BE ABLE TO PROVIDE YOU WITH INFORMATION ABOUT AGENCIES THAT MAY OFFER LEGAL SERVICES TO ELIGIBLE PERSONS AT A REDUCED FEE OR NO FEE.

NORTHWESTERN LEGAL SERVICES
1001 STATE STREET, SUITE 700
ERIE, PA 16501
TELEPHONE NO: (800) 665-6957

AMERICANS WITH DISABILITIES ACT OF 1990

The Court of Common Pleas of Venango County is required by law to comply with the Americans with Disabilities Act of 1990. For information about accessible facilities and reasonable accommodations available to disabled individuals having business before the Court, please contact the Court Administrator's Office at (814) 432-9610. All arrangements must be at least 72 hours prior to any hearing or business before the Court. You must attend the scheduled conference or hearing.

NOTICE TO INCARCERATED PARTIES AND PARTIES WHO DESIRE TO OBTAIN THE TESTIMONY OF AN INCARCERATED INDIVIDUAL

An incarcerated individual has a right to apply to the court for a writ of habeas corpus ad testificandum to enable him or her to participate in a hearing in this matter. Any party who desires that an incarcerated individual testify at the hearing in this matter also has a right to apply to the court for a writ of habeas corpus ad testificandum to enable the incarcerated person to testify.

BY THE COURT,

Date: _____

_____, Judge

cc: _____
(your name and mailing address)

_____, Esquire
(Custody Conciliator)
Custody Coordinator

[Pa.B. Doc. No. 24-1045. Filed for public inspection July 26, 2024, 9:00 a.m.]

Title 255—LOCAL COURT RULES

VENANGO COUNTY

Amendment of Local Domestic Relations Rule: Rule 1915.3A.—Custody Seminar; Civ. No. 695-2024

Order

And Now, this 16th day of July 2024, it is hereby Ordered that the Venango County Court of Common Pleas Local Domestic Relations Rule 1915.3A. Custody Seminar is Amended as set forth hereinafter, effective thirty (30) days after publication in the Pennsylvania Bulletin.

In conformity with Pa.R.J.A. 103, one (1) copy of this Order shall be distributed to the Administrative Office of Pennsylvania Courts. Two (2) paper copies and one electronic copy shall be distributed to the Legislative Reference Bureau for publication in the Pennsylvania Bulletin. This Order shall also be published on the Court's website and incorporated into the complete set of the Court's Local Rules within thirty (30) days after the publication in the Pennsylvania Bulletin. This Order shall

be continuously available for public inspection and copying in the office of the Prothonotary/Clerk of Courts.

By the Court

MATTHEW T. KIRTLAND,
President Judge

Rule 1915.3A. Custody Seminar.

(a) All parties to an action to obtain or modify a final order of court for any form of legal or physical custody must attend the court-approved seminar "Venango County Co-Parenting Cooperative" if they have not already done so. The moving party shall forward a seminar brochure to each party or that party's attorney at the time of service of the complaint or petition. Each party to a custody action shall only be required to attend the seminar one (1) time, unless otherwise ordered by the court. Those parties required to attend the seminar shall include any parent, grandparent, great-grandparent or third party to a custody action. Prior attendance at the court-sponsored seminar "Helping Families Cope with Divorce and Custody" shall not excuse attendance at this seminar.

(b) Each party shall receive a certificate upon completion of his or her attendance at the seminar. The seminar facilitator shall file that certificate of record as evidence of the party's attendance and completion of the seminar.

(c) Each party may attend the seminar with any opposing party in a custody action. No party shall be compelled to attend the seminar with an opposing party in cases where any party, or a child of any party, is or has been the subject of domestic violence or child abuse allegedly perpetrated by the opposing party at any time within the past twenty-four (24) months. In such cases, appropriate arrangements for separate sessions for the seminar shall be made by the facilitator.

(d) All requests to waive attendance at the seminar will require an order of court upon appropriate motion. Waivers will be granted only in exigent circumstances.

(e) All parties who are required to attend the seminar shall complete the seminar within ninety (90) days after the filing of a complaint or petition to obtain or modify a final order of court for any form of legal or physical custody.

(f) All parties who are required to attend the seminar shall pay all fees required.

(g) Under exigent circumstances, the court will consider waiver, reduction or assessment of fees to the other party for those unable to pay the fee to attend the seminar. Any such request must be presented to the court by appropriate motion, and must be accompanied by a verified affidavit of indigence or other proof of economic hardship in accordance with Pa.R.C.P. No. 240 and 1920.62.

(h) Absent an order of court, no party shall be permitted to participate in the seminar until timely payment of the fee.

[Pa.B. Doc. No. 24-1046. Filed for public inspection July 26, 2024, 9:00 a.m.]

Title 255—LOCAL COURT RULES

VENANGO COUNTY

Amendment of Local Domestic Relations Rule: Rule 1915.4A.—Procedure in all Custody Cases; Civ. No. 694-2024

Order

And Now, this 16th day of July 2024, it is hereby *Ordered* that the Venango County Court of Common Pleas Local Domestic Relations Rule 1915.4A. Procedure in all Custody Cases is *Amended* as set forth hereinafter, effective thirty (30) days after publication in the *Pennsylvania Bulletin*.

In conformity with Pa.R.J.A. 103, one (1) copy of this Order shall be distributed to the Administrative Office of Pennsylvania Courts. Two (2) paper copies and one electronic copy shall be distributed to the Legislative Reference Bureau for publication in the *Pennsylvania Bulletin*. This Order shall also be published on the Court's website and incorporated into the complete set of the Court's Local Rules within thirty (30) days after the publication in the *Pennsylvania Bulletin*. This Order shall

be continuously available for public inspection and copying in the office of the Prothonotary/Clerk of Courts.

By the Court

MATTHEW T. KIRTLAND,
President Judge

Rule 1915.4A. Procedure in all Custody Cases.

A. *Alternative Hearing Procedures for Partial Custody Actions.*

(1) Except as otherwise set forth below, the Court of Common Pleas of Venango County, Pennsylvania, hereby adopts the alternative hearing procedure authorized in Pa.R.Civ.P. No. 1915.4-2 pursuant to which an action for partial physical custody or supervised physical custody may be heard by a hearing officer, except as provided herein.

(2) Promptly after the parties' initial contact with the court, a party may move the court for a hearing before a judge, rather than a hearing officer, in an action for partial physical custody or supervised physical custody where:

(a) There are complex questions of law, fact or both; or

(b) The parties certify to the court that there are serious allegations affecting the child's welfare.

(3) The president judge shall appoint a family court hearing officer, who shall be a lawyer. The president judge shall appoint a conciliator who shall be a lawyer. The family court hearing officer who is a lawyer employed by, or under contract with, a judicial district or appointed by the court shall not practice family law before a conference officer, hearing officer, permanent or standing master, or judge of this judicial district.

B. *Custody Conciliation Conference.*

(1) Upon commencement of an action for any form of legal or physical custody, or an action seeking to initiate or reinstate any proceeding to modify, terminate or otherwise affect contact between children and parties, a custody conciliation conference shall be scheduled. If standing may be an issue in the case, a hearing shall be scheduled before the court prior to the scheduling of the custody conciliation conference.

(2) The conciliator shall make every effort to conduct a custody conciliation conference within forty-five (45) days of the filing of the custody complaint or petition. All parties and their attorneys shall attend the custody conciliation conference. The conciliator shall review the court file before the custody conciliation conference in order to ensure that all pleadings and documents have been properly filed by all parties, including a verification regarding any criminal record or abuse history. If a party has not filed the verification, then the conciliator shall have that party complete the verification before commencing the custody conciliation conference, and the conciliator shall ensure that the verification is filed of record after the conference.

(3) At the custody conciliation conference, the conciliator shall meet with the parties, their attorneys, or both to discuss the issues and use their best efforts to reach a settlement based on the best interests and welfare of the children. If any component of the case is settled, the conciliator shall file a written report with the court setting forth the agreement and the proposed court order to be entered in the case. If any component of the case is not settled, the conciliator shall file a written report with the court that recites the following:

- (a) the parties and attorneys that attended the custody conciliation conference;
- (b) the results of the conference;
- (c) recommendations for an interim court order, if any, with a proposed court order to be entered in the case;
- (d) recommendations whether counsel for the child should be appointed; and
- (e) any other information that may help the court as the court addresses the matter in further proceedings under this rule.

The proposed court order submitted by the custody conciliator shall include terms for the court to schedule a custody pre-trial conference.

C. Custody Pre-Trial Conference.

(1) If the parties are unable to reach an agreement at the custody conciliation conference, then all of the parties shall thereafter attend a custody pre-trial conference before a judge. In those matters scheduled for a pre-trial conference before the court, the pre-trial procedures set forth in Pa.R.Civ.P. No. 1915.4-4 shall be applicable.

(2) A pre-trial statement shall be filed with the court by each party at least five (5) days before the custody pre-trial conference in accordance with Pa.R.Civ.P. No. 1915.4-4(b). If a party fails to file a pre-trial statement or otherwise comply with the requirements of the aforesaid rule, the court may consider entry of an order under Pa.R.Civ.P. No. 4019(c)(2) and (4) governing sanctions.

(3) At the custody pre-hearing conference, the judge shall initially meet with the parties, their attorneys, or both to discuss the issues and use their best efforts to reach a settlement based on the best interests and welfare of the children. If either party fails to appear as directed by the court, the conference may proceed without that party.

If an agreement is reached at the conference, the court may enter an order in accordance with the agreement. The court may direct one of the attorneys to draft the agreement for signature by the parties and submission to the court within a designated time frame. In the event a written agreement signed by the parties is not submitted to the court within thirty (30) days of the date of the conference, then the court shall schedule a hearing before

the court or the court hearing officer in accordance with this rule either sua sponte or upon motion filed by either party.

(4) If an agreement cannot be achieved, the following matters shall be considered at the custody pre-trial conference:

- (a) issues for resolution by the court;
- (b) unresolved discovery matters;
- (c) any agreement of the parties;
- (d) issues relating to expert witnesses;
- (e) settlement and/or mediation of the case; and
- (f) such other matters as may aid in the disposition of the case, including, without limitation, number of days of the hearing, witness lists, an interim custody arrangement pending final hearing, and appointment of an attorney to represent the legal interest of a child.

(5) At the conclusion of the conference, in those matters that are not settled:

(a) If the matter involves partial physical custody or supervised physical custody, the parties shall be given notice of the date, time and place of a hearing before the family court hearing officer, but the hearing shall be scheduled no more than sixty (60) days from the date of the conference, unless the parties agree otherwise. The hearing shall be conducted in accordance with subdivision (D).

(b) If the matter involves primary physical custody or shared physical custody, the court shall enter an order that details the agreements made by the parties as to any of the matters considered, limiting the issues for trial to those not disposed of by agreement, and scheduling a hearing. Such order shall control the subsequent course of action unless modified at trial to prevent manifest injustice.

D. Hearings Before Family Court Hearing Officer.

When a hearing for partial physical custody or supervised physical custody is scheduled before the family court hearing officer, the family court hearing officer shall conduct the hearing and file a report in accordance with Pa.R.Civ.P. No. 1915.4-2(b).

[Pa.B. Doc. No. 24-1047. Filed for public inspection July 26, 2024, 9:00 a.m.]

RULES AND REGULATIONS

Title 49—PROFESSIONAL AND VOCATIONAL STANDARDS

STATE BOARD OF AUCTIONEER EXAMINERS

[49 PA. CODE CH. 1]

Licensure by Endorsement

The State Board of Auctioneer Examiners (Board) amends § 1.3 (relating to definitions) and adds §§ 1.27 and 1.28 (relating to licensure by endorsement; and provisional endorsement license) to read as set forth in Annex A.

Effective Date

This final-form rulemaking will be effective upon publication in the *Pennsylvania Bulletin*.

Statutory Authority

The provisions of 63 Pa.C.S. § 3111 (relating to licensure by endorsement) require licensing boards and commissions to “issue a license, certificate, registration or permit to an applicant to allow practice in this Commonwealth” provided the applicant meets the following criteria: “[h]olds a current license, certificate, registration or permit from another state, territory or country” whose licensing “requirements are substantially equivalent to or exceed the requirements. . . in this Commonwealth;” “[d]emonstrates competency;” “[h]as not committed any act that constitutes grounds for refusal, suspension or revocation of a license, certificate, registration or permit to practice that profession or occupation in this Commonwealth, unless the board or commission determines” this conduct is not an impediment to granting the “license, certificate, registration or permit;” “[i]s in good standing and has not been disciplined by the jurisdiction that issued the license, certificate, registration or permit unless the. . . board or. . . commission determines” this conduct is not an impediment to granting the “license, certificate, registration or permit;” and the applicant “[p]lays any fees[, as] established by. . . regulation.” Additionally, 63 Pa.C.S. § 3111 authorizes boards and commissions to “issue a provisional license, certificate, registration or permit” while an applicant is satisfying remaining requirements for licensure by endorsement, for which the Board must set by regulation the terms of expiration. Further, section 32 of the Auctioneer Licensing and Trading Assistant Registration Act (act) (63 P.S. § 734.32), authorizes the Board to adopt rules and regulations necessary for the proper administration and enforcement of the act.

The act of July 1, 2020 (P.L. 575, No. 53) added 63 Pa.C.S. § 3111 as part of the consolidation of the act of July 2, 1993 (P.L. 345, No. 48) (Act 48) into 63 Pa.C.S. Chapter 31 (relating to powers and duties). The text of 63 Pa.C.S. § 3111 was originally added to Act 48 by the act of July 1, 2019 (P.L. 292, No. 41).

Background and Need for the Amendments

This final-form rulemaking is needed to effectuate 63 Pa.C.S. § 3111, which requires the Board to issue a license to an applicant licensed in another jurisdiction who meets the requirements for licensure by endorsement as set forth in 63 Pa.C.S. § 3111. Under 63 Pa.C.S.

§ 3111, the Board must determine whether the other jurisdiction’s standards for licensure are substantially equivalent to or exceed those established by the Board. Additionally, 63 Pa.C.S. § 3111 requires the Board to determine the methods by which an applicant can demonstrate competency, such as completion of continuing education or having experience in the profession or occupation for at least 2 of the 5 years immediately preceding the filing of the application. Under 63 Pa.C.S. § 3111(b)(2), the Board must also establish, by regulation, the expiration of provisional endorsement licenses.

This final-form rulemaking sets forth the Board’s criteria for eligibility for licensure by endorsement, including the specific methods required for an applicant to demonstrate competency. It also sets forth the requirements for granting a provisional endorsement license. Under 63 Pa.C.S. § 3111, the Board may establish appropriate fees for this licensure. Accordingly, the Board has determined that the fee for submission of an application for licensure by endorsement shall be the same as the corresponding application fee for initial licensure under § 1.41 (relating to schedule of fees).

A notice of proposed rulemaking was published at 52 Pa.B. 2969 (May 21, 2022), for 30 days of public comment. The Board received one public comment from the Pennsylvania Auctioneers Association. The Professional Licensure Committee of the House of Representatives (HPLC) submitted comments and separately submitted a joint letter co-signed by the Consumer Protection and Professional Licensure Committee of the Senate (SCP/PLC). As part of its review under the Regulatory Review Act, the Independent Regulatory Review Commission (IRRC) provided comments and recommendations. The following represents a summary of the comments received and the Board’s responses.

Summary of the HPLC Comments and the Board’s Responses

The HPLC commented on § 1.27(a)(1)(i) which requires the applicant to provide a copy of the current law and regulations, including the scope of practice, from the jurisdiction where the applicant holds an active license. The HPLC expressed a concern that this requirement is not explicitly stated in the statute and suggested it should be Board Counsel’s responsibility to research the laws and regulations of the jurisdiction from which the applicant is applying.

For the following reasons, the Board is not amending § 1.27(a)(1)(i) in this final-form rulemaking: 1) it is the applicant’s burden to prove to the Board that qualifications for licensure are met; 2) applicants, as a practical matter, generally have access to the laws and regulations of the jurisdiction in which they are licensed, and—particularly when an applicant is licensed outside of the United States—are in a position to obtain those laws and regulations and provide them to the Board; and 3) placing the responsibility on the Board and its legal counsel to research the laws and regulations of other jurisdictions, particularly other countries, will likely be burdensome and costly to the Board. That financial burden, in turn, would have to be passed along to the Board’s licensees in the form of increased biennial renewal fees, or alternatively, if the costs were applied towards application fees, the cost to apply for a license would have to be increased.

While the Board will take steps to verify the laws and regulations of other jurisdictions, the Board believes having the applicant provide that initial information is the most appropriate, efficient and cost-effective approach.

The HPLC next commented on § 1.27(a)(4), recommending that the Board clarify this subsection by specifying the type of discipline that may preclude licensure and the time frame for when this discipline occurred. While the HPLC suggested that the Board distinguish between formal discipline and a complaint, the Board does not think it is appropriate to make this type of distinction because a complaint is neither formal nor informal discipline. Additionally, the Board does not believe it is appropriate to predetermine the type of discipline or the time frame within which the discipline occurred. Instead, the Board believes it is appropriate to evaluate discipline on a case-by-case basis in accordance with subsection (c).

As indicated in § 1.27(c), the Board is authorized to determine that prohibited acts and disciplinary actions are not an impediment to licensure under 63 Pa.C.S. § 3111. In determining whether a prohibited act or disciplinary action is an impediment to licensure, the Board is dutybound to apply the caselaw and other applicable laws. See *Secretary of Revenue v. John's Vending Corp.*, 453 Pa. 488, 309 A.2d 358 (1973); *Bethea-Tumani v. Bureau of Professional and Occupational Affairs, State Board of Nursing*, 993 A.2d 921 (Pa. Cmwlth. 2010). As part of that analysis, the Board may consider the facts and circumstances surrounding the prohibited act or disciplinary action, and other factors such as an increase in age or maturity of the individual since the date of the prohibited act or disciplinary action, any disciplinary history or lack of disciplinary history before and after the date of the prohibited act or disciplinary action, the successful completion of education and training activities relating to the prohibited act or disciplinary action and any other information relating to the fitness of the individual for licensure.

The HPLC also commented on § 1.28(b)(1), which would allow the Board to issue a provisional license for less than a year. Section 3111(b)(2) of 63 Pa.C.S. requires the Board to establish an expiration date for provisional licenses in its regulations. The Board, along with most of the other boards and commissions under the Bureau of Professional and Occupational Affairs (Bureau), has determined that an expiration of 1 year is generally an appropriate time frame for most—but not necessarily all—applicants. In the interest of public safety, the Board determined that providing some discretion is necessary for instances where the remaining licensure requirements can and should be completed in less than a full year. For example, if an applicant merely needed to complete ten additional continuing education credits, it generally should not require a full year to obtain these credits. Another example would be an applicant who needs 2 additional months of experience to meet the competency requirements. A provisional license of a duration that is less than a full year, such as one that expires after perhaps 4 months or 6 months, would typically be a sufficient amount of time to meet this requirement.

It is in the public interest to ensure that a licensee becomes qualified or competent as expeditiously as possible. While the Board certainly will provide a full year when the facts warrant it, the Board wants its licensees to be qualified and competent as soon as practicable. The

Board anticipates this discretion would be utilized in a situation where an applicant's obligations to meet any remaining requirements are minimal. To allow a full 12 months in all situations opens the door for an individual to practice for many months before they even attempt to meet the remaining requirements. In the interest of public safety, the Board believes it is best for applicants who have been issued a provisional license to meet the remaining requirements within a time period closely tied to the length of time reasonably necessary to meet the specific requirements in question.

The final comment by the HPLC suggests an amendment to § 1.28(d) to delete the language that would preclude an individual from being issued more than one provisional license. A provisional license is an unrestricted license that is issued to provide a short period of time to an applicant to practice while simultaneously working to meet the Board's licensure by endorsement requirements. While the Board would typically not issue an unrestricted license to an applicant who has not met the licensure standards or who has not proven competency, the General Assembly gave boards the discretion to do so by means of a provisional license, as long as there was an established expiration for the provisional license. The Board is concerned that allowing for multiple provisional licenses could be used as a mechanism to circumvent licensure standards and, therefore, does not believe it is necessary or appropriate to allow multiple provisional licenses.

The Board's regulations do allow a provisional license holder to request an extension of the provisional license for up to 1 additional year. The Board believes this time frame is more than sufficient. Moreover, there is nothing that prevents an applicant who held a provisional license that expired from reapplying for a license by endorsement under § 1.27. However, the applicant in that instance would not be eligible for an additional provisional license. Ultimately, the Board determined that protection of the public warrants the limitation of one provisional license per applicant to ensure the citizens of this Commonwealth are receiving services from qualified and competent licensees.

Summary of IRRC's Comments and the Board's Responses

IRRC, in its comment, identified the comments provided by the HPLC, and indicated that it will consider the HPLC comments and the Board's responses to the issues raised in determining whether the regulation is in the public interest. The Board's responses to the HPLC comments are set forth in the summary of the HPLC comments and the Board's responses.

IRRC first referenced a joint letter from the Majority and Minority Chairs of the HPLC and the SCP/PLC in which the Board and the Bureau were urged to prioritize the promulgation of this final-form rulemaking. The Board and Bureau wish to make clear that the absence of fully promulgated regulations has not impacted the ability of any of the Bureau's boards and commissions to implement Act 41. The Bureau and the Board are not aware of any instances where the absence of fully promulgated regulations caused a barrier to employment for applicants from other jurisdictions. Similarly, to the Bureau's and Board's knowledge, there have not been any delays in moving professionals into the workforce where the delay resulted from the lack of regulations.

In fact, hundreds of licenses have been issued to applicants coming from other jurisdictions under the licensure by endorsement provisions of Act 41 (now codi-

fied at 63 Pa.C.S. § 3111). When Act 41 was enacted, the boards and commissions immediately drafted interim competency methods and other policies and procedures related to licensure by endorsement under the newly passed statute. This enabled Act 41 implementation to begin upon the act's effective date, while allowing the necessary time to initiate regulations and move them through the entire rulemaking process, from the drafting of proposed regulations to publication of the final-form regulations.

The licensure by endorsement regulations that have not yet been fully promulgated are not the only rulemakings currently in progress within the Bureau's 29 boards and commissions. There are dozens of others, many of which also require priority treatment, from fee packages that are needed to keep the boards fiscally sound and operational, to many other rulemakings that impact the ways in which professionals train, practice and qualify for licensure. At any given time, the Bureau has well over 100 packages in various stages of the regulatory development and promulgation process. The 23 boards and commissions still working on their licensure by endorsement regulations will continue to do so, mindful of the importance of completing them as soon as possible.

IRRC next asked what standard would be used to determine whether a jurisdiction is substantially equivalent for the applicant to show competency by experience under § 1.27(a)(2), and inquired as to whether this provision places an additional burden on the applicant or the Board given that the experience may have occurred in several different jurisdictions. The Board reads § 1.27(a)(2) in conjunction with the substantial equivalency requirement under § 1.27(a)(1). If the Board determines that the licensing jurisdiction where the applicant has a current license in good standing has licensing standards that are substantially equivalent to those established by the Board for purposes of § 1.27(a)(1), substantial equivalency will also be established for purposes of assessing competency by experience under § 1.27(a)(2). If the applicant wishes to have the Board consider experience gained in one or more additional jurisdictions, the Board would make the same substantial equivalency analysis. In the same way that the Board would not grant a license by endorsement under 63 Pa.C.S. § 3111 to an individual who is licensed in a jurisdiction with requirements that are not substantially equivalent, the Board does not believe that experience gained in a jurisdiction that falls short of being substantially equivalent should be counted towards the years of experience for purposes of establishing competency. Other than providing a copy of the laws and regulations of the other jurisdiction, there is no initial burden on the applicant to actually provide its own substantial equivalency analysis, nor is the applicant expected to make a comparison between the Board's laws, rules and requirements on the one hand, versus the laws, rules and requirements of another jurisdiction on the other. The Board will perform that analysis.

IRRC also asked whether the Board has considered creating and publishing an annual determination of those jurisdictions in the United States which have laws and regulations substantially equivalent to the Commonwealth. The Board would initially note that since the inception of Act 41, the Board has not received any applications for licensure by endorsement. Not all jurisdictions license auctioneers, and those that do periodically update and change their licensing requirements. The

Board cannot assume that the laws and regulations of a given jurisdiction will remain the same for any extended period of time. The Board does an individual assessment of each applicant at the time the application is submitted. This ensures that the Board is using the most up-to-date and accurate information available when making decisions on these applications, to best ensure that all auctioneers licensed under 63 Pa.C.S. § 3111 are competent and safe to practice the profession. As such, and given the low volume of expected applications for licensure by endorsement under 63 Pa.C.S. § 3111, the Board believes that these provisions in this final-form rulemaking balance the protection of the public health, safety and welfare with the burden and cost to applicants and the Board.

IRRC also requested that the Regulatory Analysis Form (RAF) be updated to include a list of specific persons and groups involved in developing and drafting the proposal. The Board has attached a list of stakeholders to the final RAF.

IRRC asked the Board to provide a specific estimate of the costs to the regulated community for translation of an applicable law, regulation or rule, and to address the cost of the Criminal History Record Check (CHRC) fee. Translating the law, regulation or other rule to English is a necessary part of the application process. If the Board is unable to understand the other jurisdiction's requirements, it will not be able to determine whether those requirements are substantially equivalent. The Board does not anticipate that many applicants will incur this cost. Nevertheless, the Board anticipates the cost for translation would be approximately \$25 per page to translate from the most common languages. With regard to the CHRC costs, the Commonwealth's fee of \$22 and Federal Bureau of Investigation fee of \$18 have been included in the RAF as requested. The Board is unable to determine with certainty the CHRC fees that would be assessed by other states, territories or countries. The RAF has been updated to reflect these costs to the regulated community.

Summary of the Pennsylvania Auctioneers Association's Public Comment and the Board's Response

The Pennsylvania Auctioneers Association (Association) provided its support for the proposed rulemaking but commented that the regulation may have a negative impact on slowing down the licensing process currently in place for reciprocity. The Board determined that, due to the projected low number of applicants applying for licensure by endorsement under 63 Pa.C.S. § 3111, the review and processing of these applications would not have a negative impact on the current licensing processes of the Board. The Association also asked the Board to consider adding a residency requirement to the regulation. The Board considered these comments at its public meeting on September 12, 2022, at which the Association was in attendance. After discussion, it was decided that the Board did not have the authority to amend the regulation as suggested because residency is not a requirement to practice as an auctioneer in this Commonwealth under the act (63 P.S. §§ 734.1—734.34).

Miscellaneous Clarifications

Twenty-seven Boards under the Bureau are drafting and publishing regulations for licensure by endorsement under 63 Pa.C.S. § 3111. In an effort to keep language in the regulations as consistent as possible, the Board is amending the regulations based upon comments from the review process of other regulations. The amendments are stylistic and do not have a substantive impact on the regulations.

The Board amends § 1.3 to correct the name of the act.

The Board amends § 1.27(a)(2)(i) to clarify the requirement that the experience required for competency must have been obtained under a license, certificate, registration or permit in a jurisdiction or jurisdictions that have substantially equivalent licensure standards. The amendment makes clear that the Board will consider experience accumulated in more than one jurisdiction when calculating the required experience.

The Board adds the term “discipline” to the heading of § 1.27(c) to be consistent with the language in § 1.27(a)(3) and (4) and to clarify that subsection (c) applies not just to prohibited acts but also to discipline.

The Board adds § 1.28(c)(3) to clarify that the expiration of a provisional license is a terminating event.

Fiscal Impact and Paperwork Requirements

This final-form rulemaking should have no adverse fiscal impact on the Commonwealth or its political subdivisions. The costs to the Board related to processing applications for licensure by endorsement under 63 Pa.C.S. § 3111 will be recouped through fees paid by applicants. Applicants for licensure by endorsement under 63 Pa.C.S. § 3111 will pay the same application fee as all other applicants for initial licensure under § 1.41.

Sunset Date

The Board continuously monitors the cost effectiveness of its regulations. Therefore, no sunset date has been assigned.

Regulatory Review

Under section 5(a) of the Regulatory Review Act (71 P.S. § 745.5(a)), on May 11, 2022, the Board submitted a copy of the proposed rulemaking, published at 52 Pa.B. 2969, to IRRC and to the chairpersons of the SCP/PLC and the HPLC. A copy of this material is available to the public upon request.

Under section 5(c) of the Regulatory Review Act (71 P.S. § 745.5(c)), the Board provided IRRC, the SCP/PLC and the HPLC copies of comments received as well as other documents when requested. In preparing the final-form regulation, the Board considered all comments received.

Under section 5.1(a) of the Regulatory Review Act (71 P.S. § 745.5a(a)), on April 19, 2024, the Board delivered this final-form rulemaking to IRRC, the SCP/PLC and the HPLC. Under section 5.1(j.2) of the Regulatory Review Act, the final-form rulemaking was deemed approved by the SCP/PLC and the HPLC on June 19, 2024. Under section 5.1(e) of the Regulatory Review Act, IRRC met on June 20, 2024, and approved the final-form rulemaking.

Findings

The Board finds that:

(1) Public notice of proposed rulemaking was given under sections 201 and 202 of the act of July 31, 1968 (P.L. 769, No. 240) (45 P.S. §§ 1201 and 1202), referred to as the Commonwealth Documents Law, and the regulations promulgated thereunder, 1 Pa. Code §§ 7.1 and 7.2 (relating to notice of proposed rulemaking required; and adoption of regulations).

(2) A public comment period was provided as required by law, and all comments received were considered in drafting this final-form rulemaking.

(3) This final-form rulemaking does not include any amendments that would enlarge the scope of the proposed rulemaking published at 52 Pa.B. 2969.

(4) This final-form rulemaking is necessary and appropriate for the administration of 63 Pa.C.S. § 3111 and the act.

Order

The Board, acting under its authorizing statute, orders that:

(a) The regulations of the Board, 49 Pa. Code Chapter 1, are amended by amending § 1.3 and adding §§ 1.27 and 1.28 to read as set forth in Annex A.

(b) The Board shall submit this final-form rulemaking to the Office of Attorney General and the Office of General Counsel for approval as required by law.

(c) The Board shall submit this final-form rulemaking to IRRC, the SCP/PLC and the HPLC as required by law.

(d) The Board shall certify this final-form rulemaking and deposit it with the Legislative Reference Bureau as required by law.

(e) This final-form rulemaking shall take effect upon publication in the *Pennsylvania Bulletin*.

GERALD A. RADER,
Chairperson

(Editor’s Note: See 54 Pa.B. 3855 (July 6, 2024) for IRRC’s approval order.)

Fiscal Note: Fiscal Note 16A-6412 remains valid for the final adoption of the subject regulations.

Annex A

TITLE 49. PROFESSIONAL AND VOCATIONAL STANDARDS

PART I. DEPARTMENT OF STATE

Subpart A. PROFESSIONAL AND OCCUPATIONAL AFFAIRS

CHAPTER 1. STATE BOARD OF AUCTIONEER EXAMINERS

GENERAL PROVISIONS

§ 1.3. Definitions.

The following words and terms, when used in this chapter, have the following meanings, unless the context clearly indicates otherwise:

Act—The Auctioneer Licensing and Trading Assistant Registration Act (63 P.S. §§ 734.1—734.34).

Board—The State Board of Auctioneer Examiners.

Jurisdiction—A state, territory or country.

LICENSURE

§ 1.27. Licensure by endorsement.

(a) *Requirements for issuance.* To be issued a license by endorsement under 63 Pa.C.S. § 3111 (relating to licensure by endorsement), an applicant shall satisfy all of the following conditions:

(1) Have a current license, certificate, registration or permit in good standing to practice auctioneering in another jurisdiction whose standards are substantially equivalent to or exceed those established under sections 3(e) and 5(c) of the act (63 P.S. §§ 734.3(e) and 734.5(c)) and § 1.24 (relating to application for auctioneer license for individuals). The following apply:

(i) An applicant shall submit a copy of the current applicable law, regulation or other rule governing licensure, certification, registration or permit requirements and scope of practice in the jurisdiction that issued the license, certificate, registration or permit.

(ii) If the applicable law, regulation or other rule is in a language other than English, at the applicant's expense, the applicable law, regulation or other rule shall be translated by a professional translation service and verified to be complete and accurate.

(iii) The copy of the applicable law, regulation or other rule must include the enactment date.

(2) Demonstrate competency by one of the following:

(i) Experience in the practice of auctioneering by demonstrating, at a minimum, that the applicant has actively engaged in the practice of auctioneering under a license, certificate, registration or permit in a jurisdiction or jurisdictions that have substantially equivalent licensure standards, for at least 2 of the 5 years immediately preceding the filing of the application with the Board.

(ii) If the applicant does not have experience in the practice of auctioneering for at least 2 of the 5 years immediately preceding the filing of the application with the Board as provided in subparagraph (i), achieving a passing score on the Pennsylvania Auctioneer Licensure Examination within the 5 years immediately preceding the filing of the application with the Board.

(3) Have not committed an act that constitutes grounds for refusal, suspension or revocation of a license, certificate, registration or permit to practice auctioneering under section 20(a) of the act (63 P.S. § 734.20(a)).

(4) Have not been disciplined by the jurisdiction that issued the license, certificate, registration or permit.

(5) Have paid the application fee for auctioneer license as required under § 1.41 (relating to schedule of fees).

(6) Have applied for licensure in accordance with this chapter in the manner and format prescribed by the Board.

(b) *Interview and additional information.* An applicant may be required to appear before the Board for a personal interview and may be required to submit additional information, including supporting documentation relating to competency and experience. The applicant may request the interview to be conducted by video teleconference for good cause shown.

(c) *Prohibited acts and discipline.* Notwithstanding subsection (a)(3) and (4), the Board may, in its discretion, determine that an act prohibited under section 20(a) of the act or disciplinary action by a jurisdiction is not an impediment to licensure under 63 Pa.C.S. § 3111.

§ 1.28. Provisional endorsement license.

(a) *Provisional endorsement license.* The Board may, in its discretion, issue a provisional endorsement license to an applicant while the applicant is satisfying remaining requirements for licensure by endorsement under § 1.27 and 63 Pa.C.S. § 3111 (relating to licensure by endorsement).

(b) *Expiration of a provisional endorsement license.*

(1) An individual holding a provisional endorsement license may practice for up to 1 year after issuance of the provisional endorsement license. The Board, in its discretion, may determine that an expiration date of less than 1 year is appropriate.

(2) Upon a written request and a showing of good cause, the Board may grant an extension of no longer than 1 year from the expiration date of the provisional endorsement license.

(c) *Termination of a provisional endorsement license.* A provisional endorsement license terminates if any of the following occurs:

(1) The Board completes its assessment of the applicant and denies or grants the license.

(2) The holder of the provisional license fails to comply with the terms of the provisional endorsement license.

(3) The provisional endorsement license expires.

(d) *Reapplication.* An individual may reapply for licensure by endorsement under § 1.27 after expiration or termination of a provisional endorsement license; however, the individual may not be issued a subsequent provisional endorsement license.

[Pa.B. Doc. No. 24-1048. Filed for public inspection July 26, 2024, 9:00 a.m.]

Title 49—PROFESSIONAL AND VOCATIONAL STANDARDS

STATE BOARD OF CRANE OPERATORS

[49 PA. CODE CH. 6]

Licensure by Endorsement

The State Board of Crane Operators (Board) adds §§ 6.16 and 6.17 (relating to licensure by endorsement; and provisional endorsement license) to read as set forth in Annex A.

Effective Date

This final-form rulemaking will be effective upon publication in the *Pennsylvania Bulletin*.

Statutory Authority

The provisions of 63 Pa.C.S. § 3111 (relating to licensure by endorsement) require licensing boards and commissions to “issue a license, certificate, registration or permit to an applicant to allow practice in this Commonwealth” provided the applicant meets the following criteria: “[h]olds a current license, certificate, registration or permit from another state, territory or country” whose licensing “requirements are substantially equivalent to or exceed the requirements. . . in this Commonwealth;” “[d]emonstrates competency;” “[h]as as not committed any act that constitutes grounds for refusal, suspension or revocation of a license, certificate, registration or permit to practice that profession or occupation in this Commonwealth unless the board or commission determines” this conduct is not an impediment to granting the “license, certificate, registration or permit;” “[i]s in good standing and has not been disciplined by the jurisdiction that issued the license, certificate, registration or permit unless the. . . board or. . . commission determines” this conduct is not an impediment to granting the “license, certificate, registration or permit;” and the applicant “[p]ays any fees[, as] established by. . . regulation.” Additionally, 63 Pa.C.S. § 3111 authorizes boards and commissions to issue a provisional license, certificate, registration or permit while an applicant is satisfying remaining requirements for licensure by endorsement, for which the Board must set by regulation the terms of expiration.

Section 302(5) of the Crane Operator Licensure Act (act) (63 P.S. § 2400.302(5)) authorizes the Board to promulgate and enforce regulations as necessary to carry into effect the provisions of the act.

The act of July 1, 2020 (P.L. 575, No. 53) added 63 Pa.C.S. § 3111 as part of the consolidation of the act of July 2, 1993 (P.L. 345, No. 48) (Act 48) into 63 Pa.C.S. Chapter 31 (relating to powers and duties). The text of 63 Pa.C.S. § 3111 was originally added to Act 48 by the act of July 1, 2019 (P.L. 292, No. 41) (Act 41).

Background and Need for the Amendments

This final-form rulemaking is needed to effectuate 63 Pa.C.S. § 3111, which requires the Board to issue a license to an applicant licensed in another jurisdiction who meets the requirements for licensure by endorsement as set forth in 63 Pa.C.S. § 3111. Under 63 Pa.C.S. § 3111, the Board must determine whether the other jurisdiction's standards for licensure are substantially equivalent to or exceed those established by the Board. Additionally, 63 Pa.C.S. § 3111 requires the Board to determine the methods by which an applicant can demonstrate competency, such as completion of continuing education or having experience in the profession or occupation for at least 2 of the 5 years immediately preceding the filing of the application. Under 63 Pa.C.S. § 3111(b)(2), the Board must also establish, by regulation, the expiration of provisional endorsement licenses.

This final-form rulemaking sets forth the Board's criteria for eligibility for licensure by endorsement, including the specific methods required for an applicant to demonstrate competency. It also sets forth the requirements for granting a provisional endorsement license. Section 3111 of 63 Pa.C.S. further provides that the Board may establish appropriate fees for this licensure. Accordingly, the Board has determined that the fee for submission of an application for licensure by endorsement shall be the same as the application fee for initial licensure under § 6.4 (relating to fees).

A notice of proposed rulemaking was published at 52 Pa.B. 1978 (April 2, 2022), for 30 days of public comment. The Board did not receive any comments from the public or the Consumer Protection and Professional Licensure Committee of the Senate (SCP/PLC). The Professional Licensure Committee of the House of Representatives (HPLC) submitted comments. As part of its review under the Regulatory Review Act, the Independent Regulatory Review Committee (IRRC) provided comments and recommendations. The following represents a summary of the comments received and the Board's responses.

Summary of the HPLC Comments and the Board's Responses

It should be noted at the outset that the annex delivered to IRRC on March 10, 2022, differs from the version that was published by the Legislative Reference Bureau at 52 Pa.B. 1978. In the published version, original § 6.16(a) was moved and renumbered as subsection (d). Subsections (b), (c) and (d) were then renumbered as subsections (a), (b) and (c), respectively. The Board will refer herein to the version published at 52 Pa.B. 1978.

The HPLC commented on § 6.16(a)(1)(i) (referred to by the HPLC as § 6.16(b)(1)(i)), which requires the applicant to provide a copy of the current law and regulations, including the scope of practice, from the jurisdiction where the applicant holds an active license. The HPLC expressed a concern that this requirement is not explicitly stated in the statute and suggested it should be Board

Counsel's responsibility to research the laws and regulations of the jurisdiction from which the applicant is applying.

For the following reasons, the Board is not amending § 6.16(a)(1)(i) in this final-form rulemaking: 1) it is the applicant's burden to prove to the Board that qualifications for licensure are met; 2) applicants, as a practical matter, generally have access to the laws and regulations of the jurisdiction in which they are licensed, and—particularly when an applicant is licensed outside of the United States—are in a position to obtain those laws and regulations and provide them to the Board; and 3) placing the responsibility on the Board and its legal counsel to research the laws and regulations of other jurisdictions, particularly other countries, will likely be burdensome and costly to the Board. That financial burden, in turn, would have to be passed along to the Board's licensees in the form of increased biennial renewal fees, or alternatively, if the costs were applied towards application fees, the cost to apply for a license would have to be increased. While the Board will take steps to verify the laws and regulations of other jurisdictions, the Board believes having the applicant provide that initial information is the most appropriate, efficient and cost-effective approach.

The HPLC next commented on § 6.16(a)(4) (referred to by the HPLC as § 6.16(b)(4)), recommending that the Board clarify this subsection by specifying the type of discipline that may preclude licensure and the time frame for when the discipline occurred. While the HPLC suggested that the Board distinguish between formal discipline and a complaint, the Board does not think it is appropriate to make this type of distinction because a complaint is neither formal nor informal discipline. Additionally, the Board does not believe it is appropriate to predetermine the type of discipline or the time frame within which the discipline occurred. Instead, the Board believes it is appropriate to evaluate discipline on a case-by-case basis.

As indicated in § 6.16(c), the Board is authorized to determine that prohibited acts and disciplinary actions are not an impediment to licensure under 63 Pa.C.S. § 3111. In determining whether a prohibited act or disciplinary action is an impediment to licensure, the Board is dutybound to apply the caselaw and other applicable laws. See *Secretary of Revenue v. John's Vending Corp.*, 453 Pa. 488, 309 A.2d 358 (1973); *Bethea-Tumani v. Bureau of Professional and Occupational Affairs, State Board of Nursing*, 993 A.2d 921 (Pa. Cmwlth. 2010). As part of that analysis, the Board may consider the facts and circumstances surrounding the prohibited act or disciplinary action, and other factors such as an increase in age or maturity of the individual since the date of the prohibited act or disciplinary action, any disciplinary history or lack of disciplinary history before and after the date of the prohibited act or disciplinary action the successful completion of education and training activities relating to the prohibited act or disciplinary action and any other information relating to the fitness of the individual for licensure.

The HPLC also commented on § 6.17(b)(1), which would allow the Board to issue a provisional license for less than a year. The provisions in 63 Pa.C.S. § 3111(b)(2) require the Board to establish an expiration date for provisional licenses in its regulations. The Board, along with most of the other boards and commissions under the Bureau of Professional and Occupational Affairs (Bureau), has determined that an expiration of 1 year is generally

an appropriate time frame for most—but not necessarily all—applicants. In the interest of public safety, the Board determined that providing some discretion is necessary for instances where the remaining licensure requirements can and should be completed in less than a full year. For example, if an applicant merely needed to complete ten additional continuing education credits, it generally should not require a full year to obtain these credits. Another example would be an applicant who needs 2 additional months of experience to meet the competency requirements. A provisional license of a duration that is less than a full year, such as one that expires after perhaps 4 months or 6 months, would typically be a sufficient amount of time to meet the requirement.

It is in the public interest to ensure that a licensee becomes qualified or competent as expeditiously as possible. While the Board certainly will provide a full year when the facts warrant it, the Board wants its licensees to be qualified and competent as soon as practicable. The Board anticipates this discretion would be utilized in a situation where an applicant's obligations to meet any remaining requirements are minimal. To allow a full 12 months in all situations opens the door for an individual to practice for many months before they even attempt to meet the remaining requirements. In the interest of public safety, the Board believes it is best for applicants who have been issued a provisional license to meet the remaining requirements within a time period closely tied to the length of time reasonably necessary to meet the specific requirements in question.

The final comment by the HPLC suggests an amendment to § 6.17(d) to delete the language that would preclude an individual from being issued more than one provisional license. A provisional license is an unrestricted license that is issued to provide a short period of time to an applicant to practice while simultaneously working to meet the Board's licensure by endorsement requirements. While the Board would typically not issue an unrestricted license to an applicant who has not met the licensure standards or who has not proven competency, the General Assembly gave boards the discretion to do so with a provisional license, so long as there was an established expiration for the provisional license. The Board is concerned that allowing for multiple provisional licenses could be used as a mechanism to circumvent licensure standards and, therefore, does not believe it is necessary or appropriate to allow multiple provisional licenses.

The Board's regulations do allow a provisional license holder to request an extension of the provisional license for up to 1 additional year. The Board believes this time frame is more than sufficient. Moreover, there is nothing that prevents an applicant who held a provisional license that expired from reapplying for a license by endorsement under § 6.16. However, the applicant in that instance would not be eligible for an additional provisional license. Ultimately, the Board determined that protection of the public warrants the limitation of one provisional license per applicant to ensure the citizens of this Commonwealth are receiving services from qualified and competent licensees.

Summary of IRRC's Comments and the Board's Responses

IRRC, in its comment, identified the comments provided by the HPLC, and indicated that it will consider the HPLC comments and the Board's responses to the issues raised in determining whether the regulation is in the public interest. The Board's responses to the HPLC

comments are set forth in the summary of the HPLC comments and the Board's responses.

IRRC inquired about the burden and costs of having an applicant submit a copy of the applicable laws and regulations from the jurisdiction that issued the license under § 6.16(a)(1)(i) and requiring that the copy of the applicable law or regulation include its enactment date under § 6.16(a)(1)(iii). As noted in response to the previously noted HPLC comment, placing the burden on the Board to obtain this information would lead to additional costs that would have to be passed along to applicants and licensees in the form of increased application fees or higher biennial renewal fees, or both. It could also increase the processing time for these applications if the Board has to first search for and gather the relevant laws and regulations from one or more jurisdictions. After considering all options, the Board believes the requirement that the applicant obtain the laws and rules from their state, jurisdiction or country is the most appropriate, efficient and cost-effective manner to supply the Board with the information necessary for the Board to make a timely determination on the application.

IRRC also asked what standard would be used to determine whether a jurisdiction is substantially equivalent for the applicant to show competency by experience under § 6.16(a)(2) and inquired as to whether this provision places an additional burden on the applicant or the Board, or both, given that the experience may have occurred in several different jurisdictions. The Board reads § 6.16(a)(2) in conjunction with the substantial equivalency requirement under § 6.16(a)(1). If the Board determines that the licensing jurisdiction where the applicant has a current license in good standing has licensing standards that are substantially equivalent to those established by the Board for purposes of § 6.16(a)(1), substantial equivalency will also be established for purposes of assessing competency by experience under § 6.16(a)(2). If the applicant wishes to have the Board consider experience gained in one or more additional jurisdictions, the Board would make the same substantial equivalency analysis. In the same way that the Board would not grant a license by endorsement under 63 Pa.C.S. § 3111 to an individual who is licensed in a jurisdiction with requirements that are not substantially equivalent, the Board does not believe that experience gained in a jurisdiction that falls short of being substantially equivalent should be counted towards the years of experience for purposes of establishing competency. Other than providing a copy of the laws and regulations of the other jurisdiction or jurisdictions, there is no initial burden on the applicant to actually provide its own substantial equivalency analysis, nor is the applicant expected to make a comparison between Board's laws, rules and requirements on the one hand, versus the laws, rules and requirements of jurisdiction X on the other. The Board will perform that analysis.

IRRC questioned whether the Board has considered creating and publishing an annual determination of those jurisdictions in the United States which have laws and regulations substantially equivalent to the Commonwealth. The Board would initially note that since the inception of Act 41, the Board has not received any applications for licensure by endorsement. Not all jurisdictions license crane operators, and those that do periodically update and change their licensing requirements. The Board cannot assume that the laws and regulations of a given jurisdiction will remain the same for any extended period of time. The Board does an individual assessment of each applicant at the time the application

is submitted. This ensures that the Board is using the most up-to-date and accurate information available when making decisions on these applications to best ensure that all crane operators licensed under 63 Pa.C.S. § 3111 are competent and safe to practice the profession. As such, and given the low volume of expected applications for licensure by endorsement under 63 Pa.C.S. § 3111, the Board believes that these provisions in this final-form rulemaking balance the protection of the public health, safety and welfare with the burden and cost to applicants and the Board.

IRRC requested that the Regulatory Analysis Form (RAF) be updated at Question 8 to include the statutory citation to the Board’s authority to promulgate regulations in the final RAF. This has been completed as requested.

IRRC also requested that the RAF be updated to include a list of specific persons and groups involved in developing and drafting the proposal. The Board has attached a list of stakeholders to the final RAF.

IRRC asked the Board to provide a specific estimate of the costs to the regulated community for translation of an applicable law, regulation or rule, and to address the cost of the Criminal History Record Check (CHRC) fee. Translating the law, regulation or other rule to English is a necessary part of the application process. If the Board is unable to understand the other jurisdiction’s requirements, it will not be able to determine whether those requirements are substantially equivalent. The Board does not anticipate that many applicants will incur this cost. Nevertheless, the Board anticipates the cost for translation would be approximately \$25 per page to translate from the most common languages. With regard to the CHRC costs, the Commonwealth’s fee of \$22 has been included in the RAF as requested. The Board is unable to determine with certainty the CHRC fees that would be assessed by other states, territories or countries. The RAF has been updated to reflect these costs to the regulated community.

Miscellaneous Clarifications

Twenty-seven boards under the Bureau are drafting and publishing regulations for licensure by endorsement under 63 Pa.C.S. § 3111. In an effort to keep language in the regulations as consistent as possible, the Board is amending the regulations based upon comments from the review process of other regulations. The amendments are stylistic and do not have a substantive impact on the regulations.

The Board amends § 6.16(a)(2) to clarify the requirement that the experience required for competency must have been obtained under a license, certificate, registration or permit in a jurisdiction or jurisdictions that have substantially equivalent licensure standards. The amendment makes clear that the Board will consider experience accumulated in more than one jurisdiction when calculating the required experience.

The Board adds the term “discipline” to the heading of § 6.16(c) to be consistent with the language in § 6.16(a)(3) and (4) and to clarify that subsection (c) applies not just to prohibited acts but also to discipline.

The Board adds § 6.17(c)(3) to clarify that the expiration of a provisional license is a terminating event.

Fiscal Impact and Paperwork Requirements

This final-form rulemaking should have no fiscal impact on the Commonwealth or its political subdivisions. The costs to the Board related to processing applications

for licensure by endorsement under 63 Pa.C.S. § 3111 will be recouped through fees paid by applicants. Applicants for licensure by endorsement under 63 Pa.C.S. § 3111 will pay the same application fee as all other applicants for initial licensure under § 6.4, and may incur costs associated with translation of documents.

Sunset Date

The Board continually monitors the cost effectiveness of its regulations. Therefore, no sunset date has been assigned.

Regulatory Review

Under section 5(a) of the Regulatory Review Act (71 P.S. § 745.5(a)), on March 10, 2022, the Board submitted a copy of the proposed rulemaking, published at 52 Pa.B. 1978, to IRRC, the SCP/PLC and the HPLC for review and comment. A copy of this material is available to the public upon request.

Under section 5(c) of the Regulatory Review Act (71 P.S. § 745.5(c)), the Board provided IRRC, the SCP/PLC and the HPLC copies of comments received as well as other documents when requested. In preparing the final-form regulation, the Board considered comments received from IRRC and the HPLC. No comments were received from the public or the SCP/PLC.

Under section 5.1(a) of the Regulatory Review Act (71 P.S. § 745.5a(a)), on April 19, 2024, the Board delivered this final-form rulemaking to IRRC, the SCP/PLC and the HPLC. Under section 5.1(j.2) of the Regulatory Review Act, the final-form rulemaking was deemed approved by the SCP/PLC and the HPLC on June 19, 2024, section 5.1(e) of the Regulatory Review Act, IRRC met on June 20, 2024, and approved the final-form rulemaking.

Findings

The Board finds that:

(1) Public notice of proposed rulemaking was given under sections 201 and 202 of the act of July 31, 1968 (P.L. 769, No. 240) (45 P.S. §§ 1201 and 1202), referred to as the Commonwealth Documents Law, and the regulations promulgated thereunder, 1 Pa. Code §§ 7.1 and 7.2 (relating to notice of proposed rulemaking required; and adoption of regulations).

(2) A public comment period was provided as required by law, and all comments received were considered in drafting this final-form rulemaking.

(3) This final-form rulemaking does not include any amendments that would enlarge the scope of the proposed rulemaking published at 52 Pa.B. 1978.

(4) This final-form rulemaking is necessary and appropriate for the administration of 63 Pa.C.S. § 3111 and the act.

Order

The Board, acting under its authorizing statutes, orders that:

(a) The regulations of the Board, 49 Pa. Code Chapter 6, are amended by adding §§ 6.16 and 6.17 to read as set forth in Annex A.

(b) The Board shall submit this final-form rulemaking to the Office of Attorney General and the Office of General Counsel for approval as required by law.

(c) The Board shall submit this final-form rulemaking to IRRC, the SCP/PLC and the HPLC as required by law.

(d) The Board shall certify this final-form rulemaking and deposit it with the Legislative Reference Bureau as required by law.

(e) This final-form rulemaking shall take effect upon publication in the *Pennsylvania Bulletin*.

STEVEN KUNCELMAN,
Chairperson

(*Editor's Note:* See 54 Pa.B. 3855 (July 6, 2024) for IRRC's approval order.)

Fiscal Note: Fiscal Note 16A-7104 remains valid for the final adoption of the subject regulations.

Annex A

TITLE 49. PROFESSIONAL AND VOCATIONAL STANDARDS

PART I. DEPARTMENT OF STATE

Subpart A. PROFESSIONAL AND OCCUPATIONAL AFFAIRS

CHAPTER 6. STATE BOARD OF CRANE OPERATORS

LICENSURE

§ 6.16. Licensure by endorsement.

(a) *Requirements for issuance.* To be issued a license by endorsement under 63 Pa.C.S. § 3111 (relating to licensure by endorsement) as a professional crane operator, an applicant shall satisfy all of the following conditions:

(1) Have a current license, certificate, registration or permit in good standing to practice as a professional crane operator in another jurisdiction whose standards are substantially equivalent to or exceed those established by the Board under section 502 of the act (63 P.S. § 2400.502) and § 6.11 (relating to general requirements). The following apply:

(i) An applicant shall submit a copy of the current applicable law, regulation or other rule governing licensure, certification, registration or permit requirements and scope of practice in the jurisdiction that issued the license, certificate, registration or permit.

(ii) If the applicable law, regulation or other rule is in a language other than English, at the applicant's expense, the applicable law, regulation or other rule shall be translated by a professional translation service and verified to be complete and accurate.

(iii) The copy of the applicable law, regulation or other rule must include the enactment date.

(2) Demonstrate competency by the following: experience in the profession of crane operating by demonstrating, at a minimum, that the applicant has actively engaged in the practice of crane operating under a license, certificate, registration or permit in a substantially equivalent jurisdiction or jurisdictions that have substantially equivalent licensure standards for at least 2 of the 5 years immediately preceding the filing of the application with the Board.

(3) Have not committed any act that constitutes grounds for refusal, suspension or revocation of a license, certificate, registration or permit to practice crane operating under section 703(a) of the act (63 P.S. § 2400.703(a)) or §§ 6.41—6.44 (relating to disciplinary actions).

(4) Have not been disciplined by the jurisdiction that issued the license, certificate, registration or permit.

(5) Have paid the initial licensing application fee as required by § 6.4(a) (relating to fees).

(6) Have applied for licensure in accordance with this chapter in the manner and format prescribed by the Board.

(b) *Interview and additional information.* An applicant may be required to appear before the Board for a personal interview and may be required to submit additional information, including supporting documentation relating to competency and experience. The applicant may request an interview to be conducted by video teleconference for good cause shown.

(c) *Prohibited acts and discipline.* Notwithstanding subsection (a)(3) and (4), the Board may, in its discretion, determine that an act prohibited under section 703(a) of the act or §§ 6.41—6.44 or disciplinary action by a jurisdiction is not an impediment to licensure under 63 Pa.C.S. § 3111.

(d) *Definition.* As used in this section, the term "jurisdiction" means a state, territory or country.

§ 6.17. Provisional endorsement license.

(a) *Provisional endorsement license.* The Board may, in its discretion, issue a provisional endorsement license to an applicant while the applicant is satisfying remaining requirements for licensure by endorsement under 63 Pa.C.S. § 3111 and § 6.16 (relating to licensure by endorsement).

(b) *Expiration of a provisional endorsement license.*

(1) An individual holding a provisional endorsement license may practice for up to 1 year after issuance of the provisional endorsement license. The Board, in its discretion, may determine that an expiration date of less than 1 year is appropriate.

(2) Upon a written request and a showing of good cause, the Board may grant an extension of no longer than 1 year from the expiration date of the provisional endorsement license.

(c) *Termination of a provisional endorsement license.* A provisional endorsement license terminates if any of the following occurs:

(1) The Board completes its assessment of the applicant and either denies or grants the license.

(2) The holder of the provisional license fails to comply with the terms of the provisional endorsement license.

(3) The provisional endorsement license expires.

(d) *Reapplication.* An individual may reapply for licensure by endorsement under § 6.16 after expiration or termination of a provisional endorsement license; however, the individual may not be issued a subsequent provisional endorsement license.

[Pa.B. Doc. No. 24-1049. Filed for public inspection July 26, 2024, 9:00 a.m.]

STATEMENTS OF POLICY

Title 37—LAW

DEPARTMENT OF CORRECTIONS

[37 PA. CODE CH. 96a]

Guidelines for Temporary Transfers for County Courts

The Department of Corrections (Department) amends guidelines for the implementation of 61 Pa.C.S. § 1151(d) (relating to general transfer authorization) regarding temporary inmate transfers for court.

A. *Effective Date*

The amendments to Chapter 96a (relating to temporary transfers for county courts—statement of policy) will become effective upon publication in the *Pennsylvania Bulletin*.

B. *Contact Person*

Further information concerning the amendments to Chapter 96a may be obtained by contacting Jordan Kohler, Fiscal Division, Bureau of Administration, Department of Corrections, 1920 Technology Parkway, Mechanicsburg, PA 17050. The guidelines are published on the Department's web site at www.cor.pa.gov.

C. *Statutory Authority*

This chapter is published under 61 Pa.C.S. § 1151(d) which permits the Department to promulgate interim guidelines for implementation of this section.

D. *Purpose and Background*

Section 1151(d) of 61 Pa.C.S. requires that “[t]he department shall temporarily transfer an inmate confined in the State correctional system to a State correctional institution determined by the department to be of an appropriate security level that is nearest to the location of the judicial proceeding. The department shall have the discretion to select an alternative and reasonably accessible State correctional institution if bed space limitations in the nearest State correctional institution prevent the temporary transfer to that institution.” This section permits the Department to promulgate interim guidelines requiring a court order directing the presence of the inmate at a judicial proceeding upon a finding that either the United States Constitution or the Pennsylvania Constitution prohibits the inmate's participation in the proceeding by means of videoconferencing and permitting the Department to charge for the reasonable costs of transportation. The guidelines in Chapter 96a implement these provisions.

E. *Rate Update*

The Department is updating the mileage rate for regularly scheduled transports to \$.23 per mile from the established rate of \$.16 per mile.

F. *Paperwork*

The amended guidelines will require a court order directing the presence of the inmate at a judicial proceeding but will not otherwise appreciably increase the paperwork requirements for the courts of common pleas. The Department will issue an invoice for the costs of transportation and the counties will be required to process payment for those costs.

G. *Fiscal Impact*

The amended guidelines are not expected to appreciably increase costs for the counties or the Department.

LAUREL R. HARRY, PhD,
Secretary

(Editor's Note: Title 37 of the Pennsylvania Code is amended by amending §§ 96a.1 and 96a.2 to read as set forth in Annex A.)

Fiscal Note: 19-13. No fiscal impact; recommends adoption.

Annex A

TITLE 37. LAW

PART III. AGENCIES AND OFFICES

Subpart B. DEPARTMENT OF CORRECTIONS

CHAPTER 96a. TEMPORARY TRANSFERS FOR COUNTY COURTS—STATEMENT OF POLICY

§ 96a.1. Authority and purpose.

Section 1151(d) of 61 Pa.C.S. (relating to general transfer authorization) requires the Department to temporarily transfer an inmate confined in the State correctional system to a State correctional institution determined by the Department to be of an appropriate security level that is nearest to the location of the judicial proceeding. This chapter is published under the authority conferred under 61 Pa.C.S. § 1151(d).

§ 96a.2. Procedure for requesting temporary transfer.

(a) A court may request that the Department temporarily transfer a State inmate for purposes of attending a judicial proceeding by forwarding to the Department's Office of Population Management at least 14 days prior to the date of the judicial proceeding, an order that does the following:

(1) Directs the presence of the inmate at a judicial proceeding and determines that the Constitution of the United States or the Constitution of Pennsylvania does not permit the inmate's testimony or participation in the judicial proceeding to be conducted by videoconferencing technology and that the inmate's presence is required for the judicial proceeding.

(2) Directs that the inmate be returned to the institution from which the inmate was temporarily transferred at the completion of the judicial proceeding.

(b) Upon receipt of an order under subsection (a), the Department will transfer the inmate to the State correctional institution nearest to the location of the judicial proceeding that the Department determines to be of an appropriate security level to house the inmate. The Department will select an alternate, reasonably accessible State correctional institution to which to transfer the inmate if bed space limitations at the nearest State correctional institution prevent the inmate's transfer to that institution.

(c) Annually, the Department will publish in the *Pennsylvania Bulletin* a notice setting forth the costs that will be charged to a county for transferring an inmate. Until publication of the next annual notice, the cost for trans-

ferring an inmate on one of the Department's regularly scheduled transports shall be \$.23 per mile. The charge for transports that require special arrangements for medical, security or other reasons shall be the actual cost of transportation including, mileage, security and staffing. Upon request, the Department will provide a court with an estimate of the costs of a special transport.

(d) An inmate may not request a transfer under the provisions of this chapter.

(e) The mileage rate under subsection (c) shall be retroactive to January 1, 2024, and apply to billing periods beginning on or after that date.

[Pa.B. Doc. No. 24-1050. Filed for public inspection July 26, 2024, 9:00 a.m.]

NOTICES

DELAWARE RIVER BASIN COMMISSION

Public Hearing and Business Meeting

The Delaware River Basin Commission (Commission) will hold a public hearing on Wednesday, August 7, 2024. A business meeting will be held the following month on Thursday, September 5, 2024. Both the hearing and the business meeting are open to the public and will be conducted virtually.

Public hearing. The Commission will conduct the public hearing virtually on August 7, 2024, beginning at 1:30 p.m. Hearing items will include draft dockets for withdrawals, discharges and other projects that could have a substantial effect on the basin's water resources. A list of the projects scheduled for hearing, including project descriptions, along with links to draft docket approvals, will be posted on the Commission's web site at www.drbc.gov, in a long form of this notice at least 10 days before the hearing date.

Written comments on matters scheduled for hearing on August 7, 2024, will be accepted through 5 p.m. on Monday, August 12, 2024.

The public is advised to check the Commission's web site periodically during the 10 days prior to the hearing date, as items scheduled for hearing may be postponed if additional time is needed to complete the Commission's review. Items also may be added up to 10 days prior to the hearing date. In reviewing docket descriptions, the public is asked to be aware that the details of projects may change during the Commission's review, which is ongoing.

Business meeting. The business meeting on September 5, 2024, will be held virtually beginning at 10:30 a.m. and will include: adoption of the minutes of the Commission's June 5, 2024, business meeting, announcements of upcoming meetings and events, a report on hydrologic conditions, reports by the Executive Director and the Commission's General Counsel and consideration of any items for which a hearing has been completed or is not required. The agenda is expected to include consideration of the draft dockets for withdrawals, discharges and other projects that were subjects of the public hearing on August 7, 2024.

After all scheduled business has been completed and as time allows, the business meeting will be followed by up to 1 hour of open public comment, an opportunity to address the Commission off the record on any topic concerning management of the Delaware River Basin's water resources outside the context of a duly noticed, on-the-record public hearing.

There will be no opportunity for additional public comment for the record at the September 5, 2024, business meeting on items for which a hearing was completed on August 7, 2024, or a previous date. Commission

consideration on September 5, 2024, of items for which the public hearing is closed may result in approval of the item as proposed, approval with changes, denial or deferral. When the Commissioners defer an action, they may announce an additional period for written comment on the item, with or without an additional hearing date, or they may take additional time to consider the input they have already received without requesting further public input. Deferred items will be considered for action at a public meeting of the Commission on a future date.

Advance registration and sign-up for oral comment. Links for registration to attend and speak during the virtual public hearing and for those who wish to speak during the in-person open public comment session immediately following the business meeting will be posted at www.drbc.gov at least 10 days before each meeting date. The Commission's public hearing, business meeting and open public comment session will also be livestreamed on YouTube at https://www.youtube.com/@DRBC_1961. For assistance contact Patricia Hausler at patricia.hausler@drbc.gov.

Addresses for written comment. Written comment on items scheduled for hearing may be made through the Commission's web-based comment system, a link to which is provided at www.drbc.gov. Use of the web-based system ensures that all submissions are captured in a single location and their receipt is acknowledged. Exceptions to the use of this system are available based on need, by writing to the attention of the Commission Secretary, Delaware River Basin Commission, P.O. Box 7360, 25 Cosey Road, West Trenton, NJ 08628-0360. For assistance contact Patricia Hausler at patricia.hausler@drbc.gov.

Accommodation for special needs. Closed captioning will be available on both webinar and live-stream platforms. Those with limited Internet access may listen and speak at virtual public meetings of the Commission using any of several toll-free phone numbers that will be provided to all virtual meeting registrants.

Other individuals in need of an accommodation as provided for in the Americans with Disabilities Act of 1990 who wish to attend the virtual hearing or business meeting should contact the Commission Secretary directly at (609) 883-9500, Ext. 203 or through the Telecommunications Relay Services at 711, to discuss how the Commission can accommodate their needs.

Additional information and contacts. Additional public records relating to hearing items may be examined at the Commission's offices by appointment by contacting Donna Woolf at (609) 477-7222. For other questions concerning hearing items, contact David Kovach, Project Review Section Manager, at (609) 477-7264.

PAMELA M. BUSH,
Secretary

[Pa.B. Doc. No. 24-1051. Filed for public inspection July 26, 2024, 9:00 a.m.]

DEPARTMENT OF BANKING AND SECURITIES

Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending July 16, 2024.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, may file comments in writing with the Department, for Bank Supervision, by e-mail to ra-bnbnksbmsnsnsppt@pa.gov or for credit unions, by e-mail to ra-bncusubmissions@pa.gov and trust companies, by e-mail to ra-bntrustsuprvsninq@pa.gov. Comments must be received no later than 30 days from the date that the notice regarding acceptance of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, for banks (717) 783-8240, or for credit unions or trust companies (717) 783-2253.

APPLICATIONS FOR COMMENT

BANKING INSTITUTIONS

No activity.

CREDIT UNIONS

No activity.

OTHER APPLICATION ACTIVITY

BANKING INSTITUTIONS

Branch Applications

De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Status</i>
07-15-2024	First Citizens Community Bank Mansfield Tioga County	20169 Office Circle Georgetown Professional Park Georgetown Sussex County, DE	Withdrawn
07-15-2024	S & T Bank Indiana Indiana County	5817 Penn Avenue Pittsburgh Allegheny County	Approved
07-16-2024	First Commonwealth Bank Indiana Indiana County	701 Parsons Avenue Columbus Franklin County, OH	Approved

CREDIT UNIONS

No activity.

The Department's web site at www.dobs.pa.gov includes public notices for more recently filed applications.

WENDY S. SPICHER,
Secretary

[Pa.B. Doc. No. 24-1052. Filed for public inspection July 26, 2024, 9:00 a.m.]

DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES

Governor's Advisory Council for Hunting, Fishing and Conservation Public Meeting

The Governor's Advisory Council for Hunting, Fishing and Conservation to the Department of Conservation and Natural Resources (Department) will hold a virtual public meeting on July 29, 2024, at 1:30 p.m. The public meeting may be attended by means of Microsoft Teams through a link that may be requested by contacting Derek Eberly at deberly@pa.gov.

Questions concerning this public meeting or agenda items can be directed to Derek Eberly at (717) 705-0793. For public comment to be considered at the public meeting, contact Derek Eberly.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Aara Vinsh directly at (717) 787-9306 or through the

Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

CINDY ADAMS DUNN,
Secretary

[Pa.B. Doc. No. 24-1053. Filed for public inspection July 26, 2024, 9:00 a.m.]

DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES

Grant Funding for ATV or Snowmobile Projects and Programs

The Department of Conservation and Natural Resources (Department), Bureau of Recreation and Conservation (Bureau) announces the All-Terrain Vehicle (ATV) and Snowmobile Program's (Program) fall grant round. The Program awards grants from the ATV and Snowmobile Management Restricted Accounts for projects proposing land acquisition, planning, development, rehabilita-

tion, maintenance, equipment purchase or educational programs for ATV or snowmobile trails and facilities.

Eligible applicants include for-profit organizations, non-profit organizations and municipalities in this Commonwealth.

Grant funding will be awarded through a competitive grant application process. Applicants can apply for this funding starting Thursday, August 1, 2024. Applications are due by 4 p.m. on Monday, September 30, 2024, by means of the Department's online grant application portal at <https://apps.dcnr.pa.gov/grants>.

More information about these grant opportunities and the application process is available on the application portal. A grant application tutorial video is available on the Department's YouTube channel at https://www.youtube.com/watch?v=9e_RAvYAg6o.

For assistance with the portal, contact the Department's Grants Customer Service Center at (800) 326-7734, DCNR-Grants@pa.gov.

Bureau staff is available to assist applicants with developing a competitive application and it is recommended that prospective applicants contact their regional advisor early in the grant process. Staff contact information can be found at http://www.docs.dcnr.pa.gov/cs/groups/public/documents/document/d_001184.pdf.

CINDY ADAMS DUNN,
Secretary

[Pa.B. Doc. No. 24-1054. Filed for public inspection July 26, 2024, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS UNDER THE CLEAN STREAMS LAW AND FEDERAL CLEAN WATER ACT

This notice provides information about persons who have applied to the Department of Environmental Protection (DEP) for a new, renewed, or amended NPDES or WQM permit, or a permit waiver for certain stormwater discharges, or have submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications and NOIs concern, but are not limited to, effluent discharges from sewage treatment facilities and industrial facilities to surface waters or groundwater; stormwater discharges associated with industrial activity (industrial stormwater), construction activity (construction stormwater), and municipal separate storm sewer systems (MS4s); the application of pesticides; the operation of Concentrated Animal Feeding Operations (CAFOs); and the construction of sewage, industrial waste, and manure storage, collection and treatment facilities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). More information on the types of NPDES and WQM permits that are available can be found on DEP's website (visit www.dep.pa.gov and select Businesses, Water, Bureau of Clean Water, Wastewater Management, and NPDES and WQM Permitting Programs).

Section *Category*

- | | |
|-----|--|
| I | Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received |
| II | Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs |
| III | Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity |

Section I identifies the following applications and NOIs that have been received by DEP:

- Individual and General WQM Permit Applications Received—DEP provides a 15-day public comment period for Individual WQM Permit Applications for new and reissued permits. There is no public comment period for General WQM Permit NOIs.
- General Chapter 92a NPDES Permit NOIs Received—There is no public comment period for General NPDES NOIs received.
- All Transfer and Minor Amendment Applications/NOIs Received—Transfer and Minor Amendment Applications/NOIs received for Individual and General WQM Permits and Individual and General NPDES Permits, excluding PAG-01 and PAG-02, are identified but do not have public comment periods. DEP provides a 15-day public comment period for Individual WQM Permit Applications for amendments.

Additional information on these applications and NOIs may be reviewed by generating the “Applications and NOIs without Comment Periods Report” or, for Individual WQM Permit Applications, the “Applications Received with Comment Periods Report” on DEP's website at www.dep.pa.gov/CWPublicNotice.

Section II identifies individual NPDES permit applications received and draft permits indicating DEP's tentative determination relating to sewage, industrial waste, industrial stormwater, MS4s, pesticides and CAFOs. A 30-day public

comment period applies to these applications and draft permits, except when a site-specific water quality criterion is used to establish effluent limitations, in which case a 45-day public comment period applies. The period for comment may be extended at the discretion of DEP for one additional 15-day period. Additional information, including links to draft permits and fact sheets that explain the basis for DEP's tentative determinations may be reviewed by generating the "Applications Received with Comment Periods Report" on DEP's website at www.dep.pa.gov/CWPublicNotice. Notification of 15-day extensions for comment will be provided in the "Applications Received with Comment Periods Report" (Comments column).

Section III identifies individual NPDES permit applications received and draft permits indicating DEP's tentative determination relating to stormwater discharges associated with construction activities. A 30-day public comment period applies to these applications and draft permits. The period for comment may be extended at the discretion of the Department for one additional 15-day period. Additional information may be reviewed by generating the "Applications Received with Comment Periods Report" on DEP's website at www.dep.pa.gov/CWPublicNotice.

Applications, NOIs and draft permits, where applicable, may be reviewed at the DEP office that received the application or NOI. Members of the public are encouraged to use DEP's website to obtain additional information as discussed previously.

Comments received within the appropriate comment periods for WQM and NPDES permit applications will be retained by DEP and considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform DEP of the exact basis of a comment and the relevant facts upon which it is based.

DEP office contact information to review applications and NOIs and to submit comments for those applications, when applicable, is as follows:

DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 1901-4915. File Review Coordinator: 484-250-5910. Email: RA-EPNPDES_SERO@pa.gov for permits in Sections I & II; RA-EPWW-SERO@pa.gov for permits in Section III.

DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570-826-5472. Email: RA-EPNPDES_NERO@pa.gov for permits in Sections I & II; RA-EPWW-NERO@pa.gov for permits in Section III.

DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717-705-4732. Email: RA-EPNPDES_SCRO@pa.gov for permits in Sections I & II; RA-EPWW-SCRO@pa.gov for permits in Section III.

DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570-327-3693. Email: RA-EPNPDES_NCRO@pa.gov for permits in Sections I & II; RA-EPWW-NCRO@pa.gov for permits in Section III.

DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412-442-4286. Email: RA-EPNPDES_SWRO@pa.gov for permits in Sections I & II; RA-EPWW-SWRO@pa.gov for permits in Section III.

DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814-332-6340. Email: RA-EPNPDES_NWRO@pa.gov for permits in Sections I & II; RA-EPWW-NWRO@pa.gov for permits in Section III.

DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-787-5017. Email: RA-EPNPDES_Permits@pa.gov.

DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.

DEP will also accept requests or petitions for public hearings on applications. The request or petition must indicate the interest of the party filing and the reasons why a hearing is warranted. A hearing will be held if DEP determines that there is a significant public interest. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. DEP will postpone its final determination until after a public hearing is held.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

I. Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received.

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
2513806	Joint DEP/PFBC Pesticides Permit	Transfer	North East Comm Marina Authority P.O. Box 67000 Harrisburg, PA 17106-7000	North East Township Erie County	NWRO
3224801	Joint DEP/PFBC Pesticides Permit	New	Pam Riddle 395 Glen Mack Road Box 171 Armagh, PA 15920-9005	East Wheatfield Township Indiana County	NWRO

NOTICES

4333

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
4024807	Joint DEP/PFBC Pesticides Permit	New	Rushinski Felix 1725 Henry Drive Mountain Top, PA 18707-9020	Rice Township Luzerne County	NERO
4113803	Joint DEP/PFBC Pesticides Permit	Renewal	Williamsport City Municipal Water Authority Lycoming County 253 W 4th Street Williamsport, PA 17701-6113	Armstrong Township Lycoming County	NCRO
5213866	Joint DEP/PFBC Pesticides Permit	Amendment	Greenwald Daniel 270 Heaters Hill Road Matamoras, PA 18336-2218	Westfall Township Pike County	NERO
6124803	Joint DEP/PFBC Pesticides Permit	New	Roy H Miller 35 Farrar School Road Avella, PA 15312-2021	Sandycreek Township Venango County	NWRO
6124804	Joint DEP/PFBC Pesticides Permit	New	Doris Eckle 570 Sleepy Hollow Road Franklin, PA 16323-7140	Jackson Township Venango County	NWRO
9662S	Major Sewage Treatment Facility Individual WQM Permit	Amendment	Oakmont Borough Allegheny County 767 5th Street Oakmont, PA 15139-1524	Oakmont Borough Allegheny County	SWRO
PA0001759	Minor Industrial Waste Facility with ELG Individual NPDES Permit	Amendment Minor	Omnova North American Inc. 1001 Chambers Avenue Jeannette, PA 15644-3207	Jeannette City Westmoreland County	SWRO
PA0092037	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Transfer	Iron City Rentals LLC 184 Barrington Rdg Delmont, PA 15626-1271	Unity Township Westmoreland County	SWRO
PA0252921	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Transfer	7 Equities LLC 416 Ceylon Road Carmichaels, PA 15320-1320	Dunkard Township Greene County	SWRO
46614	Minor and Non-NPDES Industrial Waste Treatment Facility Individual WQM Permit	Amendment	Omnova North American Inc. 1001 Chambers Avenue Jeannette, PA 15644-3207	Jeannette City Westmoreland County	SWRO
3005402	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Transfer	7 Equities LLC 416 Ceylon Road Carmichaels, PA 15320-1320	Dunkard Township Greene County	SWRO
3724401	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	New	Taylor Twp Lawrence Cnty P.O. Box 489 West Pittsburgh, PA 16160-0489	Taylor Township Lawrence County	SWRO
6581406	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Transfer	Iron City Rentals LLC 184 Barrington Rdg Delmont, PA 15626-1271	Unity Township Westmoreland County	SWRO
NOEXNC162	No Exposure Certification	Renewal	Teledyne Tech Inc. dba Teledyne SSI 349 Science Park Road State College, PA 16803-2215	Ferguson Township Centre County	NCRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
NOEXSC195	No Exposure Certification	Renewal	XPO Logistics 4043 Piedmont Parkway High Point, NC 27265-9402	East Hempfield Township Lancaster County	SCRO
NOEXSC337	No Exposure Certification	Renewal	Fenner Prec Polymers 1421 Arcadia Road Lancaster, PA 17601-3107	Manheim Township Lancaster County	SCRO
PAG034870	PAG-03 NPDES General Permit for Industrial Stormwater	Transfer	Select Water Solutions LLC P.O. Box 1715 Gainesville, TX 76241-1715	Muncy Creek Township Lycoming County	NCRO
PAG036461	PAG-03 NPDES General Permit for Industrial Stormwater	Transfer	PK Clinton Realty Acquisition LLC 1 Quality Way Aliquippa, PA 15001-2459	Findlay Township Allegheny County	SWRO
PAG036462	PAG-03 NPDES General Permit for Industrial Stormwater	Transfer	PK Aliquippa Realty Acquisition LLC 1 Quality Way Aliquippa, PA 15001-2459	Aliquippa City Beaver County	SWRO
PAG038594	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Chemtrade Solutions LLC P.O. Box G Ridgway Road Johnsonburg, PA 15845-0196	Johnsonburg Borough Elk County	NWRO
PAG041363	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	McCurdy Scott 437 Arthur Drive Volant, PA 16156-5605	Plain Grove Township Lawrence County	NWRO
PAG041374	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	Smith Melissa A 145 Pennsy Road Volant, PA 16156	Springfield Township Mercer County	NWRO
PAG043724	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Transfer	Cherukumalli Rama Rao 60 Bianca Court Mechanicsburg, PA 17050-1735	Lower Frankford Township Cumberland County	SCRO
PAG043968	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Transfer	Rivera Matt C 7725 Wertzville Road Carlisle, PA 17013-9021	Middlesex Township Cumberland County	SCRO
PAG123858	PAG-12 NPDES General Permit for CAFOs	Renewal	Reinholds Pig Farm LLC 197 Galen Hall Road Reinholds, PA 17569-9570	West Cocalico Township Lancaster County	SCRO
1024407	Pump Stations Individual WQM Permit	New	Western Butler County Authority 607 Market Street Zelienople, PA 16063-1830	Zelienople Borough Butler County	NWRO
PA0233315	Single Residence STP Individual NPDES Permit	Transfer	Watkins Jessica C 631 Bear Gap Road Elysburg, PA 17824-9115	Cleveland Township Columbia County	NCRO
1922401	Single Residence Sewage Treatment Plant Individual WQM Permit	Transfer	Watkins Jessica C 631 Bear Gap Road Elysburg, PA 17824-9115	Cleveland Township Columbia County	NCRO
2118401	Single Residence Sewage Treatment Plant Individual WQM Permit	Transfer	Rivera Matt C 7725 Wertzville Road Carlisle, PA 17013-9021	Middlesex Township Cumberland County	SCRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
0724405	WQG-01 General WQM Permit for Single Residence Sewage Treatment Plants	New	Mr. Daniel Parson 647 Becker Road Tyrone, PA 16686	Antis Township Blair County	SCRO
WQG02024303	WQG-02 General WQM Permit for Pump Stations	New	Gettysburg Boro Muni Auth Adams County 59 E High Street Gettysburg, PA 17325-0307	Gettysburg Borough Adams County	SCRO

II. Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs.

Northeast Regional Office

PA0029017, Sewage, SIC Code 4952, **Schuylkill Haven Municipal Authority**, 333 Center Avenue, Schuylkill Haven, PA 17972-1007. Facility Name: Schuylkill Haven Municipal Authority WWTP. This existing facility is located in Schuylkill Haven Borough, **Schuylkill County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, the Schuylkill River (CWF, MF), is located in State Water Plan watershed 3-A and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 2.8 MGD.

(From Permit Effective Date to 3 Years After Permit Effective Date)

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average</i>	<i>Daily</i>	<i>Minimum</i>	<i>Average</i>	<i>Daily</i>	
	<i>Monthly</i>	<i>Maximum</i>		<i>Monthly</i>	<i>Maximum</i>	
Copper, Total	Report	Report	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 2.8 MGD.

(From 3 Years After Permit Effective Date to Permit Expiration Date)

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average</i>	<i>Daily</i>	<i>Minimum</i>	<i>Average</i>	<i>Daily</i>	
	<i>Monthly</i>	<i>Maximum</i>		<i>Monthly</i>	<i>Maximum</i>	
Copper, Total	0.60	0.93	XXX	0.026	0.040	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 2.8 MGD.

(From Permit Effective Date to Permit Expiration Date)

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average</i>	<i>Weekly</i>	<i>Minimum</i>	<i>Average</i>	<i>Weekly</i>	
	<i>Quarterly</i>	<i>Average</i>		<i>Quarterly</i>	<i>Average</i>	
Aluminum, Total	XXX	XXX	XXX	Report	XXX	XXX
Iron, Total	XXX	XXX	XXX	Report	XXX	XXX
Manganese, Total	XXX	XXX	XXX	Report	XXX	XXX
Zinc, Total	XXX	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 2.8 MGD.

(From Permit Effective Date to Permit Expiration Date)

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average</i>	<i>Weekly</i>	<i>Instant.</i>	<i>Average</i>	<i>Weekly</i>	
	<i>Monthly</i>	<i>Average</i>		<i>Monthly</i>	<i>Average</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.32	XXX	1.07
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	584	934	XXX	25.0	40.0	50.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	Report	XXX	XXX
Raw Sewage Influent						

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Total Suspended Solids Raw Sewage Influent	XXX	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	701	1,050	XXX	30.0	45.0	60.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Nov 1 - Apr 30						
May 1 - Oct 31	374	XXX	XXX	16.0	XXX	32.0
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
Thallium, Total	0.046	0.093	XXX	0.002	0.004	XXX
		Daily Max			Daily Max	
Bis(2-Ethylhexyl)Phthalate	0.35	0.53	XXX	0.015	0.023	XXX
		Daily Max			Daily Max	

In addition, the permit contains the following major special conditions:

- POTW Pretreatment Program Implementation
- Solids Management
- Water Quality-Based Effluent Limitations for Toxic Pollutants
- Whole Effluent Toxicity
- PCB Monitoring

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is not in effect.

Northeast Regional Office

PA0033472, Sewage, SIC Code 7032, **Camp Starlight Inc.**, P.O. Box 33389, Palm Beach Gardens, FL 33420. Facility Name: Camp Starlight. This existing facility is located in Preston Township, **Wayne County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Shehawken Creek (HQ-CWF), is located in State Water Plan watershed 1-A and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .027 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
E. Coli (No./100 ml)	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Annl Avg	XXX	XXX
				Report	XXX	XXX
				Annl Avg		

The proposed effluent limits for Outfall 001 are based on a design flow of .027 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
		Daily Max				
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
			Inst Min			
Dissolved Oxygen	XXX	XXX	7.0	XXX	XXX	XXX
			Inst Min			
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.25	XXX	0.58
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25.0	XXX	50

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Carbonaceous Biochemical Oxygen Demand (CBOD ₅) Raw Sewage Influent	XXX	XXX	XXX	Report	XXX	XXX
CBOD ₅ Minimum % Removal (%)	85	XXX	XXX	XXX	XXX	XXX
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000.0	XXX	10,000.0
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200.0	XXX	1,000.0
				Geo Mean		
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	10.0	XXX	20
Nov 1 - Apr 30						
May 1 - Oct 31	XXX	XXX	XXX	5.0	XXX	10
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .027 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Total Dissolved Solids	XXX	XXX	XXX	Report Avg Qrtly	XXX	XXX

In addition, the permit contains the following major special conditions:

- Biosolids management

Permittee eDMR record indicated Biosolids production (sludge) is hauled to Waymart area Authority in Waymart, PA and to Central Wayne Regional in Honesdale, PA by Koberlein Environmental.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northeast Regional Office

PA0062243, Sewage, SIC Code 4952, **Nesquehoning Borough**, 114 W. Catawissa Street, Nesquehoning, PA 18240-1536. Facility Name: Nesquehoning Regional STP. This existing facility is located in Nesquehoning Borough, **Carbon County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, Nesquehoning Creek (CWF, MF), is located in State Water Plan watershed 2-B and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.65 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Total Dissolved Solids	XXX	XXX	XXX	1,000	XXX	XXX
				Avg Qrtly		
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Aluminum, Total	Report	XXX	XXX	Report	XXX	XXX
	Avg Qrtly			Avg Qrtly		
Iron, Total	Report	XXX	XXX	Report	XXX	XXX
	Avg Qrtly			Avg Qrtly		
Manganese, Total	Report	XXX	XXX	Report	XXX	XXX
	Avg Qrtly			Avg Qrtly		

The proposed effluent limits for Outfall 001 are based on a design flow of 0.65 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Report	Report	XXX	XXX

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average	Instant. Minimum	Average Monthly	Weekly Average	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	136	217	XXX	25.0	40.0	50.0
Biochemical Oxygen Demand (BOD ₅)	Report	XXX	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	Report	XXX	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	163	244	XXX	30.0	45.0	60.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Nov 1 - Apr 30						
May 1 - Oct 31	43.4	XXX	XXX	8.0	XXX	16.0
Total Kjeldahl Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus	Report	XXX	XXX	Report	XXX	XXX

In addition, the permit contains the following major special conditions:

- Solids Management

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northeast Regional Office

PA0062375, Sewage, SIC Code 4952, **Saddleview Sewer, LLC**, 301 Shore Drive, Tunkhannock, PA 18657. Facility Name: Saddleview Sewer WWTP. This existing facility is located in Tunkhannock Township, **Wyoming County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, Mill Run, is located in State Water Plan watershed 04-G and is classified for Cold Water and Migratory Fish (CWF, MF), aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.079 MGD.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly	Instant. Minimum	Average Monthly	Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
		Daily Max				
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	6.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	XXX	XXX	0.19
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25.0	XXX	50.0
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Ammonia-Nitrogen	XXX	XXX	XXX	7.5	XXX	15.0
Nov 1 - Apr 30						
May 1 - Oct 31	XXX	XXX	XXX	2.5	XXX	5.0

The proposed effluent limits for Outfall 001 are based on a design flow of 0.079 MGD.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average Quarterly	Average Weekly	Minimum	Average Quarterly	Maximum	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Quarterly	Average Weekly		Average Quarterly	Maximum	
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX

In addition, the permit contains the following major special conditions:

- Solids Management

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northeast Regional Office

PA0062910, Sewage, SIC Code 4952, **Borough of Bowmanstown**, 490 Ore Street, P.O. Box 127, Bowmanstown, PA 18030. Facility Name: Bowmanstown Wastewater Treatment Plant. This existing facility is located in Bowmanstown Borough, **Carbon County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Lehigh River (TSF, MF), is located in State Water Plan watershed 2-B and is classified for Trout Stocking and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.14 MGD—Interim Limits.

(From Permit Effective Date to One Year After Permit Effective Date)

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Dissolved Oxygen	XXX	XXX	Report Inst Min	XXX	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.14 MGD—Final Limits.

(From One Year After Permit Effective Date to Permit Expiration Date)

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Dissolved Oxygen	XXX	XXX	5.0 Inst Min	XXX	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.14 MGD.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	29.2	46.7	XXX	25.0	40.0	50.0
Biochemical Oxygen Demand (BOD ₅) Raw Sewage Influent	Report	Report	XXX	Report	Report	XXX
BOD ₅ Minimum % Removal (%)	85 Min Mo Avg	XXX	XXX	XXX	XXX	XXX
Total Suspended Solids Raw Sewage Influent	Report	Report	XXX	Report	Report	XXX
Total Suspended Solids	35.0	52.5	XXX	30.0	45.0	60.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean	XXX	1,000
Ammonia-Nitrogen	Report	XXX	XXX	Report	Report	XXX
					Daily Max	

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Total Dissolved Solids	XXX	XXX	XXX	Report Avg Qrtly	XXX	XXX
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Aluminum, Total	Report	XXX	XXX	Report	Report	XXX
Iron, Total	Semi Avg	XXX	XXX	Semi Avg	Daily Max	XXX
Manganese, Total	Report	XXX	XXX	Report	Report	XXX
Nitrate-Nitrite as N	Semi Avg	XXX	XXX	Semi Avg	Daily Max	XXX
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen	Annl Avg	XXX	XXX	Annl Avg	Daily Max	XXX
Total Phosphorus	Report	XXX	XXX	Report	Report	XXX
	Annl Avg			Annl Avg	Daily Max	

In addition, the permit contains the following major special conditions:

- Solids Management

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northeast Regional Office

PA0065323, Sewage, SIC Code 4952, **Jacob A. Schray**, 189 East Mountain Road, Wind Gap, PA 18091. Facility Name: 189 East Mountain Road SRSTP. This existing facility is located in Bushkill Township, **Northampton County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary of Bushkill Creek, is located in State Water Plan watershed 1-F and is classified for aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	Annl Avg	XXX	6.0 Inst Min	XXX	XXX	9.0
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000

In addition, the permit contains the following major special conditions:

- Ultraviolet (UV) Disinfection

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northeast Regional Office

PA0060071, Industrial, SIC Codes 2834 and 2836, **Sanofi Pasteur, Inc.**, Discovery Drive, Swiftwater, PA 18370-0187. Facility Name: Sanofi Pasteur Swiftwater Site. This existing facility is located in Pocono Township, **Monroe County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste and sewage.

The receiving stream, Swiftwater Creek (HQ-CWF, MF), is located in State Water Plan watershed 1-E and is classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.55 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Semi-Annual Average</i>	<i>Daily Maximum</i>		<i>Semi-Annual Average</i>	<i>Daily Maximum</i>	
Chemical Oxygen Demand (COD)	470	925	XXX	100	200	XXX
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Cadmium, Total	Report	XXX	XXX	Report	XXX	XXX
Copper, Total	Report	XXX	XXX	Report	XXX	XXX
Lead, Total	Report	XXX	XXX	Report	XXX	XXX
Zinc, Total	Report	XXX	XXX	Report	XXX	XXX
Isopropanol	3.44	8.94	XXX	0.75	1.95	XXX
Phenol	0.04	0.10	XXX	0.009	0.02	XXX
Acetone	0.41	1.03	XXX	0.09	0.22	XXX
Acetonitrile	45.87	112.38	XXX	10.00	24.50	XXX
Chlorobenzene	0.12	0.32	XXX	0.028	0.07	XXX
1,2-Dichlorobenzene	0.10	0.32	XXX	0.02	0.07	XXX
Benzene	0.04	0.10	XXX	0.009	0.02	XXX
n-Butyl Acetate	1.07	2.80	XXX	0.23	0.61	XXX
1,2-Dichloroethane	0.05	0.07	XXX	0.011	0.018	XXX
Chloroform	0.02	0.03	XXX	0.005	0.007	XXX
Diethylamine	220.3	539.7	XXX	48.03	117.6	XXX
Isopropyl Ether	5.59	18.07	XXX	1.22	3.94	XXX
Dimethyl Sulfoxide	91.7	223.8	XXX	20.00	48.80	XXX
Ethanol	8.85	21.60	XXX	1.93	4.70	XXX
Ethyl Acetate	1.07	2.80	XXX	0.23	0.61	XXX
Heptane	0.04	0.10	XXX	0.009	0.02	XXX
Hexane	0.04	0.06	XXX	0.009	0.01	XXX
Methyl Isobutyl Ketone	0.43	1.07	XXX	0.09	0.23	XXX
Methylene Chloride	0.64	1.00	XXX	0.14	0.21	XXX
Tetrahydrofuran	5.59	18.07	XXX	1.22	3.94	XXX
Toluene	0.04	0.12	XXX	0.009	0.02	XXX
Triethylamine	220.3	539.7	XXX	48.03	117.6	XXX
Xylenes, Total	0.02	0.06	XXX	0.005	0.01	XXX
Total Methanol	8.85	21.60	XXX	1.93	4.70	XXX
n-amyl Acetate	1.10	2.86	XXX	0.23	0.62	XXX
Amyl Alcohol	8.85	21.60	XXX	1.93	4.70	XXX
Isobutyraldehyde	1.07	2.58	XXX	0.23	0.56	XXX
Methyl Cellosolve	87.6	215.6	XXX	19.11	47.01	XXX
Methyl Formate	1.07	2.80	XXX	0.23	0.61	XXX
Isopropyl Acetate	1.05	2.74	XXX	0.23	0.59	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.55 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	6.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	XXX	XXX	1.6
Influent Biochemical Oxygen Demand (BOD ₅)	Report	XXX	XXX	Report	XXX	XXX
Biochemical Oxygen Demand (BOD ₅)	200	485	XXX	44.0	105.0	XXX
BOD ₅ Minimum % Removal (%)	XXX	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	100	200	XXX	22.0	44.0	XXX
Total Dissolved Solids	2,927	4,273	XXX	1,200	1,752	XXX
Fecal Coliform (No./100 mL)	XXX	XXX	XXX	338	XXX	XXX
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	XXX
Nitrate-Nitrite as N	34.4	68.8	XXX	7.5	15.0	XXX
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	33.7	67.4	XXX	7.3	14.6	XXX
Nov 1 - Apr 30						
May 1 - Oct 31	11.2	22.4	XXX	2.4	4.8	XXX
Total Kjeldahl Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus	6.0	12.1	XXX	1.3	2.6	XXX

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average	Daily	Instant.	Average	Daily	
	Monthly	Maximum		Monthly	Maximum	
Aluminum, Total	12.8	20.6	XXX	2.8	4.5	XXX
Cyanide, Total	20.41	72.66	XXX	4.45	15.84	XXX
Mercury, Total	0.0012	0.0020	XXX	0.00028	0.00044	XXX

The proposed effluent limits for Outfall 010 are based on a design flow of 0 MGD (stormwater).

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average	Average	Minimum	Average	Daily	
	Monthly	Weekly		Monthly	Maximum	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 011 are based on a design flow of 0 MGD (stormwater).

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average	Average	Minimum	Average	Daily	
	Monthly	Weekly		Monthly	Maximum	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- WQBELs Below Quantitation Limits
- Chemical Additives
- Requirements Applicable to Stormwater Outfalls

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northeast Regional Office

PAI132254, MS4, **Lower Milford Township, Lehigh County**, 7607 Chestnut Hill Church Road, Coopersburg, PA 18036-3712.

The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Lower Milford Township, **Lehigh County**. The receiving streams, Licking Creek (HQ-TSF, MF), Unnamed Tributary to Unami Creek (HQ-TSF, MF), Unnamed Tributary to Saucon Creek (CWF, MF), and Saucon Creek (CWF, MF), are located in State Water Plan watershed 2-C and 3-E and is classified for High Quality Waters—Trout Stocking, Cold Water Fishes, and Migratory Fishes, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA waiver is in effect for small MS4s, and is not in effect for large MS4s.

Northeast Regional Office

PAI132274, MS4, **Stroudsburg Borough, Monroe County**, 700 Sarah Street, Stroudsburg, PA 18360.

The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Stroudsburg Borough, **Monroe County**. The receiving streams, Pocono Creek (HQ-CWF, MF), McMichael Creek (TSF, MF), Unnamed Tributary of McMichael Creek (HQ-CWF, MF), and Brodhead Creek (CWF (existing use)), are located in State Water Plan watershed 1-E and is classified for Trout Stocking, High Quality—Cold Water, Migratory Fish, and Migratory Fishes, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA waiver is in effect for small MS4s, and is not in effect for large MS4s.

Northeast Regional Office

PA0276715, Storm Water, SIC Code 3295, **Crusherete, Inc.**, 1965 Silvex Road, Bethlehem, PA 18015. Facility Name: Crushcrete. This proposed facility is located in Bethlehem City, **Northampton County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated industrial stormwater.

The receiving stream(s), Saucon Creek (HQ-CWF), is located in State Water Plan watershed 2-C and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD (Stormwater).

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- Stormwater Outfalls and Authorized Non-Stormwater Discharges
- Best Management Practices (BMPs)
- Stormwater Monitoring Requirements
- Routine Inspections
- Preparedness, Prevention and Contingency (PPC) Plan

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northeast Regional Office

PA0276880, Storm Water, SIC Code 5015, **LKQ Northeast, Inc.**, 201 State Road, Parryville, PA 18244. Facility Name: LKQ Thru Way Auto Parts. This facility is located in Parryville Borough, **Carbon County**.

Description of Proposed Activity: The application is for a new NPDES permit for an existing discharge of industrial stormwater.

The receiving stream, Pohopoco Creek (HQ-CWF, MF (existing use)), is located in State Water Plan watershed 2-B and is classified for High Quality Cold—Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfalls 001—003 are based on a design flow of 0 MGD (stormwater).

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- Stormwater Outfalls and Authorized Non-Stormwater Discharges
- Best Management Practices (BMPs)
- Stormwater Monitoring Requirements
- Routine Inspections
- Preparedness, Prevention and Contingency (PPC) Plan

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northwest Regional Office

PA0104442, Sewage, SIC Code 4952, **Breakneck Creek Region Authority**, 1166 Mars Evans City Road, Mars, PA 16046-2216. Facility Name: Breakneck Creek STP. This existing facility is located in Adams Township, **Butler County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Breakneck Creek, is located in State Water Plan watershed 20-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 4.5 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Dissolved Oxygen	XXX	XXX	Daily Min	XXX	XXX	XXX
			6.0			
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	375	560	Daily Min	10.0	15.0	20
			XXX			
Biochemical Oxygen Demand (BOD ₅)	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	375	560	XXX	10.0	15.0	20
Total Suspended Solids Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	Report	XXX
Ultraviolet light intensity ($\mu\text{w}/\text{cm}^2$)	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	375	XXX	XXX	10.0	XXX	20
Ammonia-Nitrogen	165	XXX	XXX	4.5	XXX	9
Nov 1 - Apr 30						
May 1 - Oct 31	56	XXX	XXX	1.5	XXX	3
Total Phosphorus	75	XXX	XXX	2.0	XXX	4
Boron, Total	Report	Report	XXX	Report	Report	XXX
Copper, Total	Report	Report	XXX	Report	Report	XXX
Thallium, Total (ug/L)	Report	Report	XXX	Report	Report	XXX
Zinc, Total	Report	Report	XXX	Report	Report	XXX
PFOA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFOS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFBS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
HFPO-DA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- Solids Management
- Whole Effluent Toxicity (WET)
- Requirements Applicable to Stormwater Outfalls

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is not in effect.

Southcentral Regional Office

PAI133518, MS4, **Washington Township, Berks County**, 120 Barto Road, Barto, PA 19504-8746.

The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Washington Township, **Berks County**. The receiving stream(s), Swamp Creek (HQ-CWF, MF), Unnamed Tributary to Swamp Creek (CWF, MF), and Unnamed Tributary to West Branch Perkiomen Creek (CWF, MF), is located in State Water Plan watershed 3-E and is classified for Trout Stocking, Cold Water Fishes, and Migratory Fishes, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA waiver is in effect for small MS4s, and is not in effect for large MS4s.

Southcentral Regional Office

PAS603508, Storm Water, SIC Code 5093, **Cumberland Recycling Inc.**, P.O. Box 307, Carlisle, PA 17013-0307. Facility Name: Cumberland Scrap Metal Recyclers. This existing facility is located in Middlesex Township, **Cumberland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of stormwater associated with industrial activity.

The receiving stream(s), Unnamed Tributary to Letort Spring Run (HQ-CWF, MF), is located in State Water Plan watershed 7-B and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001:

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Copper, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- Stormwater Outfalls and Authorized Non-Stormwater Discharges
- Best Management Practices (BMPs), including applicable BMPs from Appendix P from the PAG-03 (effective 3/24/2023)
- Routine Inspections
- Preparedness, Prevention, and Contingency (PPC) Plan
- Stormwater Monitoring Requirements (including Benchmarks for COD, TSS, Oil and Grease)
- Other Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southwest Regional Office

PA0027430, Sewage, SIC Code 4952, **Municipal Authority, Westmoreland County**, P.O. Box 730, Greensburg, PA 15601-0730. Facility Name: Jeannette STP. This existing facility is located in Penn Borough, **Westmoreland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Brush Creek (TSF), is located in State Water Plan watershed 19-A and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 3.3 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Daily Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 6.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	465.0	700.0	Inst Min XXX	17.0	25.5	34
Nov 1 - Apr 30		Wkly Avg			Wkly Avg	
May 1 - Oct 31	340.0	510.0	XXX	12.5	18.7	25
		Wkly Avg			Wkly Avg	

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Daily Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Biochemical Oxygen Demand (BOD ₅) Raw Sewage Influent	Report	Report	XXX	Report	Report	XXX
Total Suspended Solids	825.0	1,235.0 Wkly Avg	XXX	30.0	45.0 Wkly Avg	60
Total Suspended Solids Raw Sewage Influent	Report	Report	XXX	Report	Report	XXX
Fecal Coliform (No./100 ml) Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Ultraviolet light transmittance (%)	XXX	XXX	Report	XXX	XXX	XXX
Ammonia-Nitrogen Nov 1 - Apr 30	81.5	XXX	XXX	2.96	XXX	5.92
May 1 - Oct 31	54.8	XXX	XXX	1.99	XXX	3.98
Copper, Total (ug/L)	0.37	0.57	XXX	13.3	20.6	20.6
Antimony, Total (ug/L)	Report	Report	XXX	Report	Report	XXX
Cyanide, Free (ug/L)	Avg Qrtly	Report	XXX	Avg Qrtly	Report	XXX
	Report			Report		
Zinc, Total (ug/L)	Avg Qrtly	Report	XXX	Avg Qrtly	Report	XXX
	Report			Report		
Dichlorobromomethane (ug/L)	Avg Qrtly	Report	XXX	Avg Qrtly	Report	XXX
	Report			Report		
Chloroform (ug/L)	Avg Qrtly	Report	XXX	Avg Qrtly	Report	XXX
	Report			Report		
Total Nitrogen	XXX	XXX	XXX	XXX	XXX	Report
Total Phosphorus	XXX	XXX	XXX	XXX	XXX	Report
Aluminum, Total	XXX	Report	XXX	XXX	Report	XXX
Iron, Total	XXX	Report	XXX	XXX	Report	XXX
Manganese, Total	XXX	Report	XXX	XXX	Report	XXX
PFOA (ng/L)	XXX	XXX	XXX	XXX	XXX	Report
PFOS (ng/L)	XXX	XXX	XXX	XXX	XXX	Report
PFBS (ng/L)	XXX	XXX	XXX	XXX	XXX	Report
HFPO-DA (ng/L)	XXX	XXX	XXX	XXX	XXX	Report

Following major conditions have been added to the permit:

- Monitoring for PFOA, PFOS, PFBS, and HFPO-DA have been added to Part A I.A.2
- General Pretreatment requirements addressing PFAS have been added to Part B I.D.4
- PFAS sampling requirements for industrial users have been added to Part C III.B
- PFAS influent monitoring requirements have been added to Part C III.C

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is not in effect.

Southwest Regional Office

PA0218944, Sewage, SIC Code 4952, **Franklin Township Sewer Authority, Fayette County**, P.O. Box 55, Smock, PA 15480-0055. Facility Name: Franklin Fayette Sewer Authority WWTF. This existing facility is located in Franklin Township, **Fayette County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Redstone Creek (WWF), is located in State Water Plan watershed 19-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.1 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Average Monthly</i>	<i>Average Monthly</i>	<i>Maximum</i>	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report

The proposed effluent limits for Outfall 001 are based on a design flow of 0.1 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Average Monthly	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Maximum	
Total Nitrogen	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Manganese, Total	XXX	XXX	XXX	XXX	Report Daily Max	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.1 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Average Monthly	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Maximum	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	4.0 Inst Min	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	20.9	31.3	XXX	25	37.5 Wkly Avg	50
Biochemical Oxygen Demand (BOD ₅) Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids	25.0	37.6	XXX	30	45 Wkly Avg	60
Fecal Coliform (No./100 ml) Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ultraviolet light transmittance (%)	XXX	XXX	Report Min	XXX	XXX	XXX
Ammonia-Nitrogen Nov 1 - Apr 30	17.9	26.5	XXX	21.5	31.75 Wkly Avg	43
May 1 - Oct 31	20.9	31.3	XXX	25.0	37.5 Wkly Avg	50

In addition, the permit contains the following major special conditions:

- None.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

Non EPA Waiver due to discharge to a TMDL stream.

Southwest Regional Office

PA0285340, Sewage, SIC Code 8800, **Koon Meredith L**, 2921 Knowlson Avenue, Pittsburgh, PA 15226-2029. Facility Name: Koon Properties SRSTP. This proposed facility is located in Independence Township, **Beaver County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Service Creek (WWF), is located in State Water Plan watershed 20-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0005 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
pH (S.U.)	XXX	XXX	6.0 Inst Min XXX	XXX	XXX	9.0
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

Southwest Regional Office

PA0255114, Storm Water, SIC Code 5093, **Greenstar Pittsburgh, LLC**, 4100 Grand Avenue, Pittsburgh, PA 15225-1516. Facility Name: Greenstar Pittsburgh, LLC. This existing facility is located in Neville Township, **Allegheny County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of stormwater associated with industrial activity from the municipal recycling facility.

The receiving stream(s), Ohio River (WWF), is located in State Water Plan watershed 20-G and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Daily Minimum	Concentrations (mg/L)		IMAX
	Average Quarterly	Daily Maximum		Average Quarterly	Daily Maximum	
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	XXX	30.0	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	120.0	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	100.0	XXX
Oil and Grease	XXX	XXX	XXX	XXX	15.0	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Copper, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

III. Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity.

Northeast Regional Office

Applicant: **3 Twins Realty Partners**

Applicant Address: 287 Park Avenue, Bangor, PA 18013

Application Number: **PAD480066**

Application Type: Renewal

Municipality/County: Plainfield Township, **Northampton County**

Project Site Name: Sullivan Trail Business Center (Renewal)

Total Earth Disturbance Area (acres): 6.6 acres

Surface Waters Receiving Stormwater Discharges: Bushkill Creek (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Straight renewal of permit PAD480066 for continued construction of a coffee shop w/ Drive Thru.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

Northcentral Regional Office

Applicant: **Thomas F. Songer II**

Applicant Address: 366 Walker Drive, Suite 201, State College, PA 16801

Application Number: **PAD140113**

Application Type: New

Municipality/County: Patton Township, **Centre County**

Project Site Name: Windswept Farm Subdivision

Total Earth Disturbance Area (acres): 11.0 acres

Surface Waters Receiving Stormwater Discharges: UNT to Buffalo Run (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Residential Subdivision including 7 lots with all related infrastructure and proposed infiltration basin.

Special Conditions: PCSM Stormwater Demonstration Assumed Values—Impervious Area Coverage. The PCSM stormwater demonstration assumed the following per lot maximum impervious area coverage values: Lots 1, 2 and 3—4,000 SF; Lots 4, 5 and 7—6,000 SF; Lot 7—10,000 SF. The permittee shall notify DEP/CCD in writing of any planned change to the individual lot development, in accordance with Part B. Condition III.C. Amending Permit Coverage, for DEP/CCD consideration as a Field Change (i.e. red-line change) or permit amendment; any change to the PCSM plan for which the per lot impervious area exceeds the maximum values or changes to drainage patterns or BMP drainage will require a permit amendment, unless determined otherwise by DEP/CCD. The permittee may not proceed to implement the proposed change until the permittee receives written approval for the field change or amendment from DEP/CCD, in accordance with Part B. Condition III.C. Amending Permit Coverage.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-327-3693.

Northeast Regional Office

Applicant: **RAE-JAY Partners**

Applicant Address: 3242 Farmersville Rd., Bethlehem, PA 18020-9777

Application Number: **PAD480215**

Application Type: New

Municipality/County: Lower Nazareth Township, **Northampton County**

Project Site Name: Stone Briar II

Total Earth Disturbance Area (acres): 14.91 acres

Surface Waters Receiving Stormwater Discharges: UNT to Monocacy Creek (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: This plan proposes to construct 10 residential building lots along with the associated access roads and utilities including stormwater structures. The site will utilize on-lot septic and public water. The site will utilize an existing detention basin and will propose spray irrigation for rate and volume controls.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

Regional Permit Coordination Office

Applicant: **Travis J. Couch**

Applicant Address: 13723 Greenwood Road, Huntingdon, PA 16652-5910

Application Number: **PAD310016**

Application Type: New

Municipality/County: Jackson Township, **Huntingdon County**

Project Site Name: Travis Couch Ag Operation

Total Earth Disturbance Area (acres): 11.39 acres

Surface Waters Receiving Stormwater Discharges: UNT to Standing Stone Creek (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The proposal is to construct a new poultry operation inclusive of two poultry barns (46' x 600'), manure storage (50' x 90') gravel driveway, gravel pads, and associated stormwater management controls.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-772-5987.

Northeast Regional Office

Applicant: **King's Business Park Schnecksville, LP, c/o Jerry Blecker**

Applicant Address: 16515 Pottsville Pike, Suite A, Hamburg, PA 19526-8182

Application Number: **PAD390294**

Application Type: New

Municipality/County: North Whitehall Township, **Lehigh County**

Project Site Name: Route 309 Schnecksville Business Park

Total Earth Disturbance Area (acres): 14.53 acres

Surface Waters Receiving Stormwater Discharges: UNT to Coplay Creek (CWF, MF) and UNT to Jordan Creek (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construction of 4 new buildings, associated parking, roadway improvements, and stormwater management facilities

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

Northeast Regional Office

Applicant: **Aqua Pennsylvania, Inc.**

Applicant Address: 1175 North Main Street, Honesdale, PA 18431-2063

Application Number: **PAD350053**

Application Type: New

Municipality/County: Covington Township, **Lackawanna County**

Project Site Name: Moscow Water System—Moscow Transmission Main—Phase II

Total Earth Disturbance Area (acres): 1.99 acres

Surface Waters Receiving Stormwater Discharges: Roaring Brook (HQ-CWF, MF) and EV Wetlands

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: This project involves the replacement of approximately 3,000 linear feet of aged cast iron water main within the Moscow water system in Covington Township, Lackawanna County.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

Northcentral Regional Office

Applicant: **Steven Hoover**

Applicant Address: 217 Gingerbread Lane, Millmont, PA 17845

Application Number: **PAD600013**

Application Type: New

Municipality/County: Lewis Township, **Union County**

Project Site Name: Steven Hoover AG Operation

Total Earth Disturbance Area (acres): 9.88 acres

Surface Waters Receiving Stormwater Discharges: UNT to Buffalo Creek (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The project is located in Lewis Township, Union County, PA. The proposal is to construct a new poultry operation inclusive of two poultry barns (42' x 600'), manure storage (50' x 88'), egg room (36' x 50'), roster pen (24' x 42'), gravel driveway, and associated stormwater management controls.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 570-327-3693.

Southwest Regional Office

Applicant: **Wright Brothers Development VII LLC**

Applicant Address: 1200 Sharon Road, Suite 1, Beaver, PA 15009

Application Number: **PAD040116**

Application Type: New

Municipality/County: Vanport Township, **Beaver County**

Project Site Name: Vanport Clean Fill Facility

Total Earth Disturbance Area (acres): 7.83 acres

Surface Waters Receiving Stormwater Discharges: Two Mile Run (WWF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Wright Brothers Construction VII LLC proposes to develop the Vanport Clean Fill Facility in a former sand and gravel quarry in Vanport Twp, Beaver County. The overall area of the quarry that will be filled is 7.64 acres (LOD). Because the quarry site currently does not discharge any stormwater, there will be no stormwater discharge from the site post-development. Stormwater will be managed with Stormwater Basin VP-3 (forebay, infiltration bay, water polishing bay) and Subsurface Infiltration Systems A and B. All stormwater is proposed to be infiltrated on site.

Special Conditions: 1. Infiltration testing shall be performed after construction of PCSM BMPs to verify the accuracy of the assumed infiltration rates used in the design of PCSM BMPs. If a deviation occurs which will cause alterations to the function of these BMPs and/or not meet the requirements of the SWM Manual (or Chapter 102), a plan amendment must be submitted prior to submission of the Notice of Termination (NOT) for the permit. 2. This permit does not authorize any obstructions or encroachments to any regulated watercourse or floodway. All permitting required for impacts to regulated watercourses or their floodway are subject to 25 Pa. Code Chapter 105. Appropriate authorization for impacts which require permitting under Chapter 105 must be obtained prior to beginning earth disturbance. 3. Prior to the beginning of work, all public water supplies or other water-related activities located downstream that may be affected by turbidity increases or other water quality changes caused by said work shall be sufficiently notified in advance to allow for preparation of any water quality changes. These include, at a minimum, Vanport Township Municipal Water Authority at 724-775-1038 and Brighton Township Municipal Authority at 724-774-4803.

You may review the permit application file by contacting DEP's File Review Coordinator at 412-442-4286.

Northcentral Regional Office

Applicant: **Pennsylvania-American Water Company**

Applicant Address: 1912 Tyrone Pike, Philipsburg, PA 16866

Application Number: **PAD140114**

Application Type: New

Municipality/County: Walker Township, **Centre County**

Project Site Name: Pike Rd & Madison Ave waterline repl

Total Earth Disturbance Area (acres): 1.3 acres

Surface Waters Receiving Stormwater Discharges: Little Fishing Creek (HQ-CWF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Replacement of approximately 5,500 LF of 8" waterline along Pike Road and Madison Ave. The waterline will be installed by the open cut method.

Special Conditions: None

You may review the permit application file by contacting DEP's File Review Coordinator at 570-327-3693.

Northcentral Regional Office

Applicant: **Suncap Property Group**

Applicant Address: 6101 Carnegie Boulevard, Suite 180, Charlotte, NC 28209

Application Number: **PA140002D**

Application Type: New

Municipality/County: Benner Township, **Centre County**

Project Site Name: Bellefonte Warehouse

Total Earth Disturbance Area (acres): 43.77 acres

Surface Waters Receiving Stormwater Discharges: Logan Branch (HQ-CWF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The project includes the construction of a ± 124,000 SF warehouse and associated stormwater facilities, utilities, parking lots, and landscaping. This project will be a major modification to Benner Commerce Park site, which was previously permitted as PAC140042. Plans permitted under PAC140042 were only partially constructed, which included an infiltration basin identified as the South Basin located northeast of the warehouse development. The proposed development will use the South Basin (BMP ID 02) to control stormwater before discharging to POI-2. The proposed development will also include an Infiltration Basin (BMP ID 01) to control stormwater before discharging to POI-3. Additional information can be found in the Stormwater Management Report.

Special Conditions: None

You may review the permit application file by contacting DEP's File Review Coordinator at 570-327-3693.

Southcentral Regional Office

Applicant: **Mid-Atlantic Interstate Transmission (a FirstEnergy Company)**

Applicant Address: 217 Three Springs Drive, Weirton, WV 26062

Application Number: **PAD440024A-1**

Application Type: Major Amendment

Municipality/County: Granville Township, Oliver Township, Wayne Township, McVeytown Borough, Brady Township, **Mifflin County** and **Huntingdon County**

Project Site Name: Mt Union-Lewistown 46 kV Transmission Line Rebuild

Total Earth Disturbance Area (acres): 123.10 acres

Surface Waters Receiving Stormwater Discharges: Musser Run (HQ-CWF, MF), Beavertown Run (HQ-CWF, MF), Long Hollow Run (HQ-CWF, MF), Furnace Run (HQ-CWF, MF), Trout Run (HQ-CWF, MF), Wakefield Run (HQ-CWF, MF), UNT to Wakefield Run (HQ-CWF, MF), Strodes Run (HQ-CWF, MF), UNT to Strodes Run (HQ-CWF, MF), Juniata River (WWF, MF) and UNT to Juniata River (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Rebuilding/maintenance of electrical transmission lines as linear utility project.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4802.

Southcentral Regional Office

Applicant: 156 W. Harrisburg Avenue Associates, LLC

Applicant Address: 1 Tower Bridge, 100 Front St., Ste. 560, West Conshohocken, PA 19428

Application Number: PAD360095

Application Type: Major Amendment

Municipality/County: West Donegal Township, Lancaster County

Project Site Name: 156 West Harrisburg Avenue

Total Earth Disturbance Area (acres): 34.86 acres

Surface Waters Receiving Stormwater Discharges: UNT to Donegal Creek (TSF, MF) and EV wetlands

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The major amendment consists of additional construction of three (3) parking facilities and a bio-retention basin.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4802.

STATE CONSERVATION COMMISSION

PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed (National Pollutant Discharge Elimination System) NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling 717-787-8821.

Individuals wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30-days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Individuals in need of accommodations should contact the SCC through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

**ACT 38
NUTRIENT MANAGEMENT PLANS
CAFO PUBLIC NOTICE SPREADSHEET—APPLICATIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal/New</i>
Mason Dixon Farms Aaron or Joel Waybright 1800 Mason Dixon Road Gettysburg, PA 17325	Adams County	487.5	3,068.55	Cattle	NA	Renewal
Shadewood Farms 123 Acker Road Newport, PA 17074	Perry County	141	998.0	Swine	NA	Renewal
Goodview Farm LLC Ben Mullen 1317 Glory Barn Road Canton, PA 17724	Bradford County	1,337	1.15	Dairy	NA	Renewal
Mountaintop Farms LLC 1821 State Route 184 Trout Run, PA 17771	Lycoming County	677.5	724.41	Swine Beef Equine	HQ	Renewal
Brian Martin—Coffee Brook Holsteins 684 Chruch Road Womelsdorf, PA 19567	Berks County	121	332.48	Dairy Swine	NA	Renewal
Rushtown Poultry— Turbotville 155 Foggy Mountain Road Turbotville, PA 17772	Montour County	12.7	716.77	Poultry Layers	HQ	New
Harvest Lance Farm LLC James Stahl 910 Jake Landis Road Lititz, PA 17543	Lancaster County	245	312.51	Layers	NA	Renewal

PUBLIC WATER SUPPLY PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for Public Water Supply (PWS) permits to construct or substantially modify public water systems.

Individuals wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30-days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of Environmental Protection (DEP) the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, DEP will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

SAFE DRINKING WATER

Application(s) Received Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Northeast Region: Safe Drinking Water Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Michele Lauer, Clerical Assistant 2, 570-830-3077.

Application No. 3924505, Construction, Public Water Supply.

Applicant	Borough of Emmaus
Address	28 South 4th Street Emmaus, PA 18049
Municipality	Emmaus Borough
County	Lehigh County
Responsible Official	Shane M. Pepe Borough Manager Borough of Emmaus 28 South 4th Street Emmaus, PA 18049

Consulting Engineer Michael T. Brown, P.E.
Senior Project Engineer
Gannett Fleming, Inc.
207 Senate Ave.
Camp Hill, PA 17011

Application Received June 28, 2024

Description The application proposes the construction of a new building addition to house two lead—lag Granular Activated Carbon (GAC) vessels with all necessary appurtenances to address the elevated levels of PFAS in Well Nos. 1 and 2. Once the GAC units are operational, the existing air-stripper will be removed from service. An underground utilization basin will be constructed to store backwash.

Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Daniel J. Cannistraci, Environmental Engineering Specialist.

Application No. 3624515, Construction, Public Water Supply.

Applicant **Aeternum Sperare, Inc.**
Address 2092 Main St
Narvon, PA 17555

Municipality Caernarvon Township
County **Lancaster County**
Responsible Official Michael J. Scalea
2092 Main St
Narvon, PA 17555

Consulting Engineer Charles A. Kehew, II, P.E.
James R. Holley & Associates
18 South George St
Suite 300
York, PA 17401

Application Received July 2, 2024

Description This application is for a nitrate treatment unit at the Inn At Twin Linden.

Contact: Darin Horst, Environmental Engineer, 717-705-4948.

Application No. 3624513, Construction, Public Water Supply.

Applicant **Cherry Crest Adventure Farm**
Address 150 Cherry Hill Road
Ronks, PA 17572

Municipality Paradise Township
County **Lancaster County**
Responsible Official Dylan Coleman
150 Cherry Hill Road
Ronks, PA 17572

Consulting Engineer James R. Holley & Associates, Inc.
18 South George Street
Suite 300
York, PA 17401

Application Received June 17, 2024

Description Addition of a new well with softening, nitrate treatment, and chlorination.

Southeast Region: Safe Drinking Water Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Kimberleigh Rivers, Clerical Assistant 2, 484-250-5887.

Application No. 4624515, Construction, Public Water Supply.

Applicant **Aqua Pennsylvania, Inc.**
Address 762 Lancaster Ave
Bryn Mawr, PA 19010

Municipality Perkiomen Township
County **Montgomery County**
Responsible Official Kelly Brennan
762 Lancaster Avenue
Bryn Mawr, PA 19010

Consulting Engineer Brown and Caldwell
1717 Arch Street
Suite 4010
Philadelphia, PA 19103-2713

Application Received July 10, 2024

Description Installation of PFAS Treatment Systems in Aqua PA's, Perkiomen Township.

Contact: Kimberleigh Rivers, Clerical Assistant 2, 484-250-5887.

Application No. 4624516, Construction, Public Water Supply.

Applicant **Pa American Water Company (Norristown)**
Address 852 Wesley Drive
Mechanicsburg, PA 17055

Municipality Worcester Township
County **Montgomery County**
Responsible Official Bruce Aiton
852 Wesley Drive
Mechanicsburg, PA 17055

Consulting Engineer Herbert, Rowland, Grubic, Inc.
501 Allendale Road
Suite 203
King of Prussia, PA 19406

Application Received July 9, 2024

Description Project involves the construction of a new EFI style pre-manufactured booster pump station at the site of the East Norriton Storage Tank.

Southwest District: Safe Drinking Water Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Renee Diehl, Program Manager, ra-epswsdw@pa.gov.

Application No. 2624507, Construction, Public Water Supply.

Applicant	The Municipal Authority of the Township of Washington
Address	1390 Fayette Avenue Belle Vernon, PA 15012
Municipality	Fayette City Borough
County	Fayette County
Responsible Official	Janice Amoroso Manager 1390 Fayette Avenue Belle Vernon, PA 15012
Consulting Engineer	Bankson Engineers, Inc. 267 Blue Run Road Suite 200 Cheswick, PA 15024
Application Received	July 9, 2024
Description	Project includes the replacement of the filter underdrain system, filter media, filter troughs, backwash pump, and associated valves and piping. Project also includes the addition of an air backwash system.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 1

Acknowledgment of Notice(s) of Intent to Remediate Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent (NOI) to Remediate. An acknowledgment of the receipt of a NOI to Remediate is used to identify a site where an individual proposes to, or has been required to, respond to a release of a regulated substance at a site. Individuals intending to use the background standard, Statewide health standard, the site-specific standard, or who intend to remediate a site as a special industrial area, must file a NOI to Remediate with DEP. A NOI to Remediate filed with DEP provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. An individual who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the Act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by DEP. Furthermore, an individual shall not be subject to citizen suits or other contribution actions brought by responsible individuals not participating in the remediation.

Under Sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the NOI to Remediate is published in a newspaper of general circulation in the area of the site. For the following identified site(s), proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30-days of the following specified date. During this comment period the municipality may request that the following identified individual, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of the site.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The DEP has received the following Notice(s) of Intent to Remediate.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

3948 Portland Street, Primary Facility ID # **876924**, 3948 Portland Street, Coplay, PA 18037, North Whitehall Township, **Lehigh County**. HDR Engineering, 1720 Spillman Drive, Suite 380, Bethlehem, PA 18015 on behalf of Saucon Pointe, LLC, 1721 Williams Street, Hellertown, PA 18055, submitted a Notice of Intent to Remediate. Soil was contaminated with metals and volatile organic compounds from historic site operations. The Notice of Intent to Remediate was published in *The Morning Call* on July 9, 2024. Application received: July 11, 2024.

104 Woods Road, Primary Facility ID # **872973**, 104 Woods Road, Hawley, PA 18428, Lackawaxen Township, **Pike County**. Bluestone Environmental, 196 Beach Lake Highway, Honesdale, PA 18431 on behalf of Forest Lake Club, 115 Forest Lake Club Road, Hawley, PA 18428, submitted a Notice of Intent to Remediate. Soil was contaminated with heating oil from aboveground storage tanks. The Notice of Intent to Remediate was published in *The Pike County Dispatch* on July 4, 2024. Application received: July 12, 2024.

HAZARDOUS WASTE TREATMENT, STORAGE & DISPOSAL FACILITIES

Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003) and Regulations to Operate a Hazardous Waste Treatment, Storage or Disposal Facility.

Northwest Region: Waste Management Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Christina S. Wilhelm, Regional Solid Waste Program Manager; 814-332-6848.

PAR000522326. Zambelli Fireworks, 782 Garner Road, Edinburg, PA 16116, Mahoning Township, **Lawrence County**. On behalf of Zambelli Fireworks, Civil & Environmental Consultants, Inc. (CEC) has prepared a certificate of closure and Request for Bond Release for the Zambelli Fireworks Manufacturing Company (Zambelli) Thermal Treatment Unit which was previously operated under the Resource Conservation and Recovery Act (RCRA) Part B Permit No. PAR000522326 EXP: September 27, 2021 (the Permit). Application received: July 9, 2024.

Comments or questions concerning the application should be directed to Christina S. Wilhelm, Regional Solid Waste Program Manager, 814-332-6848, Northwest Region, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

DETERMINATION OF APPLICABILITY FOR MUNICIPAL WASTE GENERAL PERMITS

Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Municipal Waste Regulations for Determination of Applicability for a General Permit to Operate Municipal Waste Processing Facilities and/or the Beneficial Use of Municipal Waste.

Southeast Region: Waste Management Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Mohamad Mazid, Chief, Technical Services, E-Mail Address: RA-EPWM-SERO-PERMITS@pa.gov.

WMGM051SE001. Wind River Environmental, LLC (dba NAWC Environmental), 864 Eagle Blvd, Warminster, PA 18974, Warminster Township, **Bucks County**. This general permit application is for the renewal of the Determination of Applicability (DOA) under the conditions defined with General Permit No. WMGM051 for the beneficial use of residential septage by land application at NAWC Environmental, LLC Facility located at 864 Eagle Blvd, in Warminster Township, Bucks County. Application received: April 11, 2024. Deemed administratively complete: July 12, 2024.

Comments or questions concerning the application should be directed to Waste Management Program Manager, Phone 484.250.5960, or by e-mail at RA-EPWM-SERO-PERMITS@pa.gov, Southeast Region, 2 East Main Street, Norristown, PA 19401, 484-250-5900. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

HAZARDOUS WASTE TRANSPORTER LICENSE

Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); and Hazardous Waste Regulations to Transport Hazardous Waste.

Renewal Applications Received

Central Office: Waste Management Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-787-7561.

Contact: Jonathan Adams.

ACV Environmental Services, Inc., 1500 Rahway Ave, Avenel, NJ 07001. **License No. PA-AH 0339.** Accepted: July 2, 2024.

Action Resources, LLC, 204 20th Street North, Birmingham, AL 35203. **License No. PA-AH 0650.** Accepted: July 9, 2024.

Citiwaste LLC, 2730 Reed Road, Houston, TX 77051. **License No. PA-AH 0870.** Accepted: July 2, 2024.

REGULATED MEDICAL AND CHEMOTHERAPEUTIC WASTE TRANSPORTER LICENSE

Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003) and Act 93 of June 28, 1988 (P.L. 525, No. 93) and Regulations to Transport Regulated Medical and Chemotherapeutic Waste License.

Renewal Applications Received

Central Office: Waste Management Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-787-7561.

Contact: Jonathan Adams.

Advant-Edge Solutions of Middle Atlantic, Inc., 17 Shea Way, Newark, DE 19713. **License No. PA-HC 0220.** Accepted: July 8, 2024.

AIR QUALITY PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department of Environmental Protection (DEP) has developed an integrated plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for DEP, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The DEP received applications for Plan Approvals or Operating Permits from the following facilities. Copies of the application, DEP's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate DEP Regional Office. Appointments for scheduling a review must be made by calling the appropriate DEP Regional Office. The address and telephone number of the Regional Office is listed before the application notices.

Individuals wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the DEP's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests

and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

Any individual wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if DEP, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when DEP determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate DEP Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

PLAN APPROVALS

Notice of Intent to Issue Plan Approval(s) and Notice of Intent to Issue or Amend Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These Actions May Include the Administrative Amendments of an Associated Operating Permit.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

19-00006E: Post Brands Pet Care LLC, 6670 Low Road, Bloomsburg, PA 17815, South Centre Township, **Columbia County**. Application received: April 30, 2024. The Department intends to issue a plan approval authorizing the removal two (2) American Air Filter, wet-centrifugal rotoclone collectors (Control Devices C246 and C247) each associated with two (2) 44,000 pound per hour, EXTRU-TECH model R120 vertical coolers (Sources P246 and P247) at their Bloomsburg pet food production facility. The Department's review of the information submitted by Post Brands Pet Care indicates that the proposed source will meet all applicable air quality regulatory requirements, including the Best Available Technology requirements of 25 Pa. Code §§ 127.1 and 127.12 pertaining to air contamination sources and the emission of air contaminants. Based on these findings,

the Department intends to issue plan approval for the removal of Control Device C246 and C247 associated with Sources P246 and P247, respectively. The following is a brief description of the conditions that the Department proposes to place in the plan approval to ensure compliance with all applicable regulatory requirements: 1. Pursuant to the best available technology requirements of 25 Pa. Code §§ 127.1 and 127.12. The concentration of particulate matter (PM/PM₁₀) emissions from Sources P246 and P247 shall not exceed 0.005 grain per dry standard cubic foot (gr/dscf) of exhaust gas, respectively. 2. Pursuant to the best available technology requirements of 25 Pa. Code §§ 127.1 and 127.12, the particulate matter emissions from Source P246 and P247 shall not exceed 0.89 pound per hour and 3.90 tons in any 12 consecutive month period, respectively. 3. Pursuant to the best available technology requirements of 25 Pa. Code §§ 127.1 and 127.12, the permittee shall not permit the emission into the atmosphere any visible air contaminant emissions from Sources P246 and P247, respectively. 4. Pursuant to the best available technology requirements of 25 Pa. Code §§ 127.1 and 127.12, Sources P246 and P247 shall be equipped with an integral Mac Process, Inc. model 1HE60 dry cyclone separator, respectively. 5. The permittee will be required to perform an EPA reference method stack test on Sources P246 and P247 within 180 days from the removal of each control device to verify compliance with particulate matter emission limitation. The plan approval will include all regulatory requirements, including monitoring, recordkeeping, and reporting requirements. The facility is a State Only facility. If the Department determines that the sources are constructed and operated in compliance with the plan approval conditions and the specification of the application for Plan Approval 19-00006E, the requirements established in the plan approval will be incorporated into State Only Operating Permit 19-00006E pursuant to the administrative amendment provisions of 25 Pa. Code § 127.450. All documentation used in the evaluation of the application is available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-3636.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: David Balog, Environmental Engineer Manager, 814-332-6328.

32-00452A: Rosebud Mining Company, 301 Market Street, Kittanning, PA 16201, Armstrong Township, **Indiana County**. Application received: April 3, 2023. The Department intends to issue a plan approval for the construction and temporary operation of a coal preparation plant at the Fulton Run Coal Prep Plant facility. The Department of Environmental Protection's (Department) review of the information submitted by Rosebud Mining Company indicates that the air contamination source to be constructed and operated will comply with all regulatory requirements pertaining to air contamination sources and the emission of air contaminants including the best available technology requirement (BAT) of 25 Pa. Code §§ 127.1 and 127.12. Based on this finding, the Department proposes to issue a plan approval for the proposed construction and operation. The air contaminant emissions from the proposed source included in this project will not exceed the following rates in any 12 consecutive month period: 0.39 ton of nitrogen oxides (NO_x, expressed as NO₂) per year, 0.03 ton of carbon monoxide per year, 0.01 ton of volatile organic compounds per year, 7.99 tons

of particulate matter less than 10 microns, 2.05 tons of particulate matter less than 2.5 microns, less than 0.01 ton of hazardous air pollutants, less than 0.01 ton of sulfur oxides, and 39 tpy of carbon dioxide equivalent. The facility is a State Only facility. In addition to the emission limitations, the following is a brief description of the types of conditions the Department intends to place in the plan approval in order to ensure compliance with all applicable air quality regulatory requirements. Monitoring and recording fugitive visible emissions, use of water suppressions systems, water truck, and street sweeper to control fugitive emissions, paving and chipping of roadways, monitoring water content of the coal, enclosing conveyors, monitoring and recording the amount of coal processed each month, and monitoring the hours of operation of the emergency engine. If the Department determines that the source is constructed and operated in compliance with the plan approval conditions and the specifications of the application for Plan Approval 32-00452A, the requirements established in the plan approval will be incorporated into a State Only Operating Permit pursuant to 25 Pa. Code § 127.421. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-3636.

Contact: David Balog, New Source Review Section Chief, 814-332-6328.

24-00131AB: SGL Carbon, 900 Theresia Street, Saint Marys, PA 15857, City of Saint Marys, **Elk County**. Application received: March 29, 2024.

Intent to Issue Plan Approval 24-00131AB: SGL Carbon, LLC (900 Theresia Street, Saint Marys, PA 15857). The Department of Environmental Protection intends to issue a plan approval to SGL Carbon to install one (1) new wet scrubber to control HCl emissions from two (2) existing Chemical Vapor Deposition (CVD) Reactors at their facility located in City of Saint Marys, Elk County. SGL is a Natural Minor facility and a manufacturer of

graphite products under State Only Permit # 24-00131. Public notice is required for sources required to obtain a Plan Approval in accordance with 25 Pa. Code § 127.44.

The following sources are incorporated into this Plan Approval:

- Two (2) existing custom design Advanced Air Technologies CVD Reactors with a maximum capacity of 100 lbs/hr of graphite (Source 7103).
- One (1) new Advanced Air Technologies Custom Orion 0-015V-IS-P Wet Scrubber that has an HCl removal efficiency of 99.75% (Source C7103A).

To ensure proper operation, SGL must regularly monitor the pressure drop, pH, flowrate, and visual emissions of the new wet scrubber and the reactor pressure of the CVD Reactors. Only one reactor will be permitted to operate at a time since both reactors will exhaust to one control device. The Advanced Air Technologies "Orion" wet scrubber is designed for an inlet volume of 50 ACFM at 130°F and will control HCl emissions from two (2) CVD Reactors # 6 and # 7.

These CVD Reactors can process graphite at a rate of 100 lbs/hr and operate 6,420 hours annually. Reactor 17 (Source 7112) is an almost identical source utilizing the same emission control technology as the subject sources. The most recent stack test on 17 was used in the emission analysis of the subject sources. The subject sources will have a slightly higher flow of Methyltrichlorosilane (15 kg/hr vs. 12 kg/hr), so the calculations show an ultimate emission of HCl of 0.02875 instead of 0.0023 lb/hr per sources. This increase can still meet the current limits of their existing CVD Reactors in their operating permit.

Based on BAT and regulatory criteria the emission limits of 7103 will be:

- 0.04 gr/dscf PM
- 0.02 lbs/hr HCl

Potential emissions from the subject source(s) will be as follows:

	<i>NO_x</i>	<i>CO</i>	<i>SO_x</i>	<i>PM₁₀</i>	<i>PM_{2.5}</i>	<i>VOC</i>	<i>HCl</i>
7103							0.011

The Plan Approval will contain testing, recordkeeping, emission restriction, reporting, and work practice requirements designed to keep the facility operating within all applicable air quality requirements.

In accordance with 25 Pa. Code § 127.44(f)(1), all the pertinent documents regarding this application (applications, review memos, and draft approvals) are also available for review from 8:00 a.m. to 4:00 p.m. at the Meadville Regional DEP office (Air Quality). Appointments for scheduling a review must be made by calling the DEP at (814) 332-6940.

In accordance with 25 Pa. Code § 127.44(f)(2), a 30-day comment period, from the date of publication, will exist for the submission of comments. Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to Regional Air Quality Program Manager, Pennsylvania Department of Environmental Protection, 230 Chestnut Street, Mead-

ville, PA 16335-3494 and must contain the name, address and telephone number of the person submitting the comments, identification of the proposed plan approval (24-00131AB: SGL Carbon, LLC) and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Eric Gustafson, 230 Chestnut St., Meadville, PA 16335, (814) 332-6819.

In accordance with 25 Pa. Code § 127.45, a person may oppose the proposed plan approval by filing a written protest with the Department's Northwest Region.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: James Beach, New Source Review Chief, 484-250-5920.

09-0256: Richard E Pierson Const Co Inc., 262 Quarry Rd, Ottsville, PA 18942, Nockamixon Township, **Bucks County**. Application received: April 12, 2024. Richard E. Pierson Construction Company Inc. proposes to replace an engine at the Heidelberg Materials NE Ottsville Quarry. The potential emissions from this project will be: 6.2 tons per year (tpy) nitrogen oxides, 6.5 tpy carbon monoxide, 0.037 tpy particulate matter less than 10 micron, and 0.35 tpy volatile organic compounds. The Plan Approval contains recordkeeping requirements and operating restrictions designed to keep the facility operating within all applicable air quality requirements. Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person in the previously listed header. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEROAQPUBCOM@pa.gov.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Sheri Guerrieri, P.E., New Source Review Chief, 412-442-4174.

PA-65-00840B: Eastern Gas Transmission and Storage, Inc., 267 McLlvaine Road, Greensburg, PA 15601, Hempfield Township, **Westmoreland County**. Application received: June 2, 2023.

Pursuant to 25 Pa. Code §§ 127.44—127.46 for intent to issue an Air Quality plan approval for authorization to construct and temporarily operate sources associated with the South Oakford Compressor Station, a Title V facility in Hempfield Township, Westmoreland County.

The proposed project will remove the existing 250 MMSCFD glycol dehydrator system (Source 105 and Control Device C105) and install one 330 MMSCFD triethylene glycol (TEG) natural gas dehydrator system (Source ID 401). The system will include one (1) inlet filter skid, one (1) new 80 MMSCFD glycol contactor, the reuse of two (2) existing glycol contactors at 250 MMSCFD total, one (1) glycol regeneration skid with 3.00 MMBtu/hr reboiler, and one (1) 9.00 MMBtu/hr enclosed vapor combustor (flare) rated at 98% control efficiency.

The project will include a net emissions increase of 1.12 tpy NO_x and 0.03 tpy PM_{2.5}. CO and VOCs will be reduced. After the completion of the project, the facility-wide potential to emit will be 376.40 tons/12-consecutive month period (12-cmp) of NO_x, 62.97 tons/12-cmp of CO, 5.51 tons/12-cmp of PM₁₀, 0.10 ton/12-cmp of SO_x, 127.10 tons/12-cmp of VOC, and 14.5 tons/12-cmp total HAPs.

The proposed project is subject to and has been conditioned to ensure compliance with all applicable requirements specified in 25 Pa. Code and 40 CFR Part 60 and includes emissions restrictions, operational restrictions, testing, monitoring, recordkeeping, reporting, and work practice requirements. The project does not trigger the requirements of 40 CFR 52.21 related to Prevention of Significant Deterioration, or those of 25 Pa. Code Chapter 127, Subchapter E related to Nonattainment New Source Review.

The plan approval application, the Department's Air Quality review memorandum, and the proposed Air Quality plan approval for the proposed project are available for review by any interested party at the Pennsylvania

Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. To schedule an appointment to review the Air Quality plan approval application or proposed Air Quality plan approval, or to receive an electronic copy of the Department's Air Quality review memorandum or the proposed Air Quality plan approval for the proposed project, a person may contact the Department's Southwest Regional Office File Review Coordinator at 412-442-4000.

The application, DEP's Review Memorandum, and the proposed plan approval are available for public review during normal business hours at DEP's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. A file review can be scheduled through the DEP's website at <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx> or by contacting Sheri Guerrieri, New Source Review Chief, directly at shguerrier@pa.gov.

Those who wish to provide the Department with additional written information that they believe should be considered prior to the issuance of the plan approval may submit the information to Sheri Guerrieri, New Source Review Chief, Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval (PA-65-00840B) and concise statements regarding the relevancy of the information or objections to issuance of the Plan Approval.

A public hearing may be held, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Sheri Guerrieri, Environmental Engineer Manager, Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222 or by email to shguerrier@pa.gov. All comments must be received prior to the close of business 30 days after the date of this publication.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodations to do so should contact Lauren Camarda at 412-442-4203 or the Pennsylvania Hamilton Relay Service at 1.800.654.5984 (TDD) to discuss how the Department may accommodate your needs.

OPERATING PERMITS

Notice of Intent to Issue Title V Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Norm Frederick, 570-826-2409.

40-00079, John Mansville Corp, 600 Jaycee Drive, Hazleton, PA 18202-1154, City of Hazleton, **Luzerne County**. Application received: April 17, 2024. The Department intends to issue a new Title V Operating Permit for operation of sources at the plastics and foam products

manufacturing facility in Hazleton City, Luzerne County. As a major source, the facility is subject to the Title V permitting requirements of the Clean Air Act Amendments as adopted by the Commonwealth under 25 Pa. Code Chapter 127, Subchapter G. The sources include a polyisocyanurate foam production process, a bar code printer, and a natural gas-fired emergency generator. The control devices are a baghouse and Regenerative Thermal Oxidizer (RTO). The proposed Title V Operating Permit shall include applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Matthew Williams, Facilities Permitting Chief, 814-332-6940.

33-00055, Glen-Gery Corporation, Hanley Plant 12637 Harrison St., Summerville, PA 15864, Summerville Borough, **Jefferson County**. Application received: March 23, 2023. The Department intends to issue the renewal of the Title V Operating Permit of a brick manufacturing facility. Permitted sources at the facility are the tunnel kiln, dryer, miscellaneous natural gas usage, raw material stockpiles, access roadways, and grinding, screening and storage operations. Meeting the criteria pursuant to 40 CFR 64.2(a)(1) to (3), the tunnel kiln and the grinding, screening and storage operations have been subject to Compliance Assurance Monitoring (CAM) requirements. The tunnel kiln is required to perform emission stack test every 5 years or upon permit renewal to demonstrate compliance with emission limits established through previous plan approvals. The facility has potential-to-emit of 245 TPY SO_x, 194 TPY CO, 179 TPY PM₁₀, 34 TPY NO_x, 28 TPY VOC, 25 TPY multiple HAPs, and 10 TPY any single HAP. The permit contains emission restrictions, recordkeeping, and work practice requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.

28-05003, Columbia Gas Transmissions, LLC, 10750 Welsh Run Road, Greencastle, PA 17225, Montgomery Township, **Franklin County**. Application received: August 24, 2023. To issue a Title V Operating Permit for the Greencastle Compressor Station. This is for renewal of the Title V permit. The facility's 2023 actual air emissions were estimated to be the following: 1.20 tons VOC, 1.03 tons PM₁₀, 1.03 tons PM_{2.5}, 0.09 ton total HAPs, 11.51 tons NO_x, 0.06 ton SO_x, and 13.72 tons CO. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other requirements in the permit, certain sources at the facility are subject to the requirements of 40 CFR 60 Subpart GG—Standards of Performance for Stationary Gas Turbines, 40 CFR 60 Subpart KKKK—Standards of Performance for Stationary Combustion Turbines and 40 CFR 60 Subpart JJJJ—Standards of Performance for Stationary Spark Ignition Internal Combustion Engines.

OPERATING PERMITS

Notice of Intent to Issue Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

41-00052, Heidelberg Materials NE, LLC, 7760 Imperial Way, Allentown, PA 18195, Limestone Township, **Lycoming County**. Application received: March 21, 2024. The Department intends to issue a renewal of an Air Quality Operating Permit for the Pine Creek Quarry facility. The subject facility has the following potential emissions: 0.03 ton per year (tpy) of carbon monoxide; 0.11 tpy of nitrogen oxides; 0.40 tpy of sulfur oxides; 47.50 tpy of total particulate matter, 15.64 tpy of particulate matter with an aerodynamic diameter of less than 10 micron; 0.20 tpy of volatile organic compounds and 126 tpy of greenhouse gases. The Department has determined that the sources at the facility satisfy Best Available Technology (BAT) requirements, pursuant to 25 Pa. Code §§ 127.1 and 127.12, as well as the Federal Standards of Performance for Nonmetallic Mineral Processing Plants, 40 CFR Part 60 Subpart OOO, Sections 60.670—60.676. The operating permit will include emission limits and work practice standards along with monitoring, recordkeeping requirements to ensure the facility complies with all applicable air quality regulations. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-3636.

Philadelphia: Air Management Services: Air Quality Program, 321 University Avenue, Philadelphia, PA 19104-4543.

Contact: Maryjoy Ulatowski, Chief, Source Registration, 215-685-9476.

OP22-000040, Cramco Inc., 2200 East Ann Street, Philadelphia, PA 19134, City of Philadelphia, **Philadelphia County**. Application received: August 29, 2022. The City of Philadelphia, Air Management Services (AMS) intends to issue a renewal Natural Minor Operating Permit (NMOP) for an establishment primarily engaged in manufacturing of casual dining furniture. The facility's air emission sources include the following: • one (1) 6.1 Million British Thermal Units per hour (MMBtu/hr) steam boiler firing wood; • one (1) 9.926 MMBtu/hr steam boiler firing No. 2 Oil/natural gas (NG); • one (1) 1.183 MMBtu/hr thermal oil boiler firing NG; • one (1) 0.350 MMBtu/hr oven firing NG; • one (1) 2.5 MMBtu/hr curing oven firing NG; • one (1) Dustex baghouse which will control PM emissions to less than 0.08 gr/DCFM; • one (1) Nordfab baghouse which will control PM emissions to less than 0.04 gr/DCFM; • one (1) manual powder spray booth using electrostatic dry epoxy powder or non-VOC paints; and • two (2) powder spray booth using electrostatic dry epoxy powder or non-VOC paints. The operating permit will be issued under 25 Pa. Code, Philadelphia Code Title 3, and Air Management Regulation XIII. Permit copies and other supporting information are available for public inspection by contacting the Source Registration Unit at 215-685-7572 or DPHAMS_

Service_Requests@phila.gov. Persons wishing to file protest or comments on the previously listed operating permit must submit the protest or comments within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating permit or hold a public hearing. Protests, comments, and requests for a public hearing must be mailed to Source Registration, Air Management Services, 7801 Essington Ave., Philadelphia, PA 19153 or e-mailed to DPHAMS_Service_Requests@phila.gov with "Cramco Inc., OP22-000040" in the subject line. AMS suggests submitting any mailed correspondence also by e-mail. Individuals in need of accommodations and/or interpretation should contact AMS at DPHAMS_Service_Requests@phila.gov and/or 215-685-7572. Please include: the name and contact information of the person requesting an accommodation and/or interpretation; (2) the name of the program, service, activity, or location of the request; and (3) a description of the modification and/or interpretation being requested.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.

67-05136, WellSpan York Hospital, 1001 S. George St., York, PA 17403, City of York, **York County**. Application received: April 11, 2024. For the boilers and generators at the York Hospital. This is for renewal of the existing State-Only Permit. Actual 2023 air emissions from the facility are estimated at 6.79 tons CO, 9.49 tons NO_x, and less than 1 ton of PM₁₀, SO_x, VOC, and HAPs. Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

07-05033, Grannas Bros. Stone & Asphalt Co., Inc., P.O. Box 468, Hollidaysburg, PA 16648-0488, Catharine Township, **Blair County**. Application received: March 28, 2024. For the operation of a hot mix asphalt and limestone crushing facility. This is for renewal of the existing State-Only Permit. Actual 2023 air emissions from the facility are estimated at 2.76 tons PM₁₀, 6.50 tons NO_x, 15.37 tons CO, 3.78 tons VOC, and 3.60 tons SO₂, and 1.09 tons HAPs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

22-03013, UPMC Harrisburg Hospital, 218 S. 2nd St., Harrisburg, PA 17104, City of Harrisburg, **Dauphin County**. Application received: June 18, 2024. For boilers and generators at the general medical and surgical hospital. The facility's potential emissions are 36.52 tpy of CO, 41.24 tpy of NO_x, 3.61 tpy of SO_x, 5.97 tpy of PM and 5.79 tpy of VOC. The Operating Permit will include emission standards and work practice standards along with monitoring, recordkeeping and reporting requirements designed to ensure the facility complies with the applicable air quality regulations. Among other items, the

conditions include 40 CFR Part 60, Subpart Dc—Standards of Performance for Small Industrial-Commercial-Institutional Steam Generating Units since they were manufactured after June 9, 1989 and 40 CFR Part 60, Subpart IIII—National Emission Standards for Compression Ignition Engines since they were manufactured after April 1, 2006.

22-05054, Highspire Terminals DE LLC, 900 South Eisenhower Boulevard, Middletown, PA 17057, Lower Swatara Township, **Dauphin County**. Application received: April 19, 2024. To issue a State Only Operating Permit renewal for the gasoline/distillate terminal. The actual emissions from the facility in 2023 year are estimated at 0.27 tpy of NO_x, 0.06 tpy of CO, 0.01 tpy of SO_x, 0.02 tpy of PM₁₀, 41.22 tpy of VOC and 1.25 tpy of HAPs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR 60 Subpart K—Standards of Performance for Storage Vessels for Petroleum Liquids for Which Construction, Reconstruction, or Modification Commenced After June 11, 1973, and Prior to May 19, 1978, 40 CFR 60 Subpart Ka—Standards of Performance for Storage Vessels for Petroleum Liquids for Which Construction, Reconstruction, or Modification Commenced After May 18, 1978, and Prior to July 23, 1984, 40 CFR 60 Subpart Kb—Standards of Performance for Volatile Organic Liquid Storage Vessels (Including Petroleum Liquid Storage Vessels) for Which Construction, Reconstruction, or Modification Commenced After July 23, 1984, 40 CFR Part 60 Subpart XX—Standards of Performance for Bulk Gasoline Terminals, 40 CFR Part 63 Subpart BBBBBB—National Emission Standards for Hazardous Air Pollutants for Source Category: Gasoline Distribution Bulk Terminals, Bulk Plants, and Pipeline Facilities and 40 CFR Part 63, Subpart ZZZZ—National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines.

36-05107, Pepperidge Farm, Inc., 2195 North Reading Road, Denver, PA 17517, East Cocalico Township, **Lancaster County**. Application received: September 6, 2023. To issue a State Only Operating Permit renewal for the bakery facility that produces bread, rolls, cookies and crackers. The potential emissions from the facility are estimated at 33 tpy of NO_x, 28 tpy of CO, 3 tpy of PM₁₀, 0.2 tpy of SO_x, less than 50 tpy of VOC and 3 tpy of HAPs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR Part 63 Subpart ZZZZ—National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief, 484-250-5920.

23-00086, Engineered Arresting Systems, 2550 Market St, Aston, PA 19041, Upper Chichester Township, **Delaware County**. Application received: April 10, 2024. This action is for the renewal of a State Only Operating Permit (SOOP) for two paint booths, solvent cleaning operations, and a parts washer. Engineered Arresting Systems (EAS) is a manufacturer of aircraft emergency

arresting systems for military aircraft (an arresting system is a barrier, cable or other engineered material designed to stop aircraft on the runway during a landing or after a rejected take off). Operations include the assembly of computer-controlled energy absorbers, friction brakes, and hook cable systems used in aircraft and on runways. EAS uses two spray booths and drying ovens to apply and cure finishing coats on the bodies of the arresting systems. EAS is classified as a natural minor facility for VOC emissions and an area source of HAP. The primary pollutants of concern is Volatile Organic Compounds (VOCs). The potential VOC emissions from the facility is 14.30 tons per year. The SOOP renewal includes requirements for monitoring, recordkeeping and work practice requirements designed to ensure this facility complies with all applicable air quality regulations. Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person in the previously listed header. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEROAQPUBCOM@pa.gov.

46-00024, Johnson & Johnson Consumer, Inc./Whitemarsh Twp, 7050 Camp Hill Rd, Fort Washington, PA 19034, Whitemarsh Township, **Montgomery County**. Application received: August 18, 2023. This action is a renewal of a State Only Synthetic Minor Operating Permit. In addition to research and development (R & D), J&J manufactures over-the-counter pharmaceuticals for human consumption. The facility currently has four (4) dual-fire boilers identified as Sources B02 (25 MMBtu/hr.); B06 (25 MMBtu/hr.); B07 (25 MMBtu/hr.) and B08 (24.2 MMBtu/hr.). Each boiler is capable of firing both natural gas and No. 2 fuel oil. The facility also has two (2) natural gas-fires emergency generators (Sources EG04 (5.17 MMBtu/hr. and EG08 (383 BHP)), three (3) diesel-fired emergency engines (Sources EG05 (400kW), EG06 (750 BHP) and EG07 (324 BHP)) and one (1) diesel-fired 237 BHP fire pump (Source WP02). The facility has elected to take the following facility-wide emission limits: 24.90 tons of volatile organic compounds (VOC) per year; 22.6 tons of nitrogen oxides (NO_x) per year; and 99.9 tons of particulate matter (PM). The facility is an area source for hazardous air pollutants (HAP) emissions. In addition to applicable state requirements, the facility is subject to the 40 CFR Part 60 Subparts Dc, IIII and JJJJ and 40 CFR Part 63 Subparts ZZZZ and JJJJJJ. The operating permit will include emissions limits, monitoring, recordkeeping, reporting and work practice standards requirements designed to keep the facility operating within all applicable air quality requirements. Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person in the previously listed header. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEROAQPUBCOM@pa.gov.

15-00005, PA State System of Higher Education/West Chester University, 201 Carter Dr, West Chester, PA 19383, West Chester Borough, **Chester County**. Application received: January 18, 2024. West Chester University proposes to renew their non-Title V, Synthetic Minor Operating Permit for the operation of boilers and emergency generators located throughout the college campus. The facility is classified as a Synthetic Minor for Nitrogen Oxide (NO_x) emissions; and the facility has taken facility-wide fuel usage throughput restrictions for their combustion units onsite to maintain the facility-wide potential to emit NO_x to less than 25 tons per year.

The permit will include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements. Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEROAQPUBCOM@pa.gov.

PLAN APPROVALS

Receipt of Plan Approval Application(s) and Notice of Intent to Issue Plan Approval(s) and Notice of Intent to Issue or Amend Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B and Subchapter F. These Actions May Include the Administrative Amendments of an Associated Operating Permit.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Shailesh Patel, New Source Review Manager, 570-826-2357.

39-00108D, Tierpoint Two LLC, 9999 Hamilton Blvd, Breinigsville, PA 18031, Upper Macungie Township, **Lehigh County**. Application received: May 9, 2024. Notice is hereby given in accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a), that the Department of Environmental Protection (DEP) has received and intends to issue a Plan Approval to Tierpoint Two, LLC for their facility located in Upper Macungie Twp., Lehigh County. Plan Approval No. 39-00180D will be incorporated into a Title V Operating Permit at a later date. Plan Approval No. 39-00108D is for the installation and operation of three diesel-fired 2.0 MW emergency generators. The emergency generators are subject to the requirements of 40 CFR Part 60, Subpart IIII and 40 CFR Part 63, Subpart ZZZZ. The Plan Approval will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements. Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701. Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown in the preceding paragraph. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit No. 39-00108D and a concise statement regarding the relevancy of the information or objections to the issuance of the permit. A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Shailesh Patel, EEM, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, Phone 570-826-2357 within 30 days after publication date.

COAL & NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21).

Mining activity permits issued in response to such applications are also subject to applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (DEP). A copy of the application is available for inspection at the District Mining Office indicated above each application. Requests for 401 Water Quality Certifications are included in individual application only if noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application may be submitted by any person or any officer or head of any Federal, State or Local Government Agency or Authority to DEP at the address of the District Mining Office indicated above each application within 30-days of this publication, or within 30-days after the last publication of the applicant's

newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences). Such comments or objections should contain the name, address and phone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform DEP on the basis of comment or objection and relevant facts upon which it is based.

In addition, requests for an informal conference, or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 (relating to public hearing-informal conferences) or § 86.34 (relating to informal conferences), must also contain a brief summary of the issues to be raised by the requestor at the conference and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Where a National Pollutant Discharge Elimination System (NPDES) number is listed, the mining activity permit application is associated with an application for an NPDES permit. A separate notice will be provided for the draft NPDES permit.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Coal Applications

Effluent Limits—The following range of effluent limits (Table 1) will apply to NPDES permits issued in conjunction with the associated coal mining activity permit. Additional effluent limits will be listed as part of the publication of the draft NPDES permit.

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (total)	1.5 to 3.0 mg/l	3.0 to 6.0 mg/l	3.5 to 7.0 mg/l
Manganese (total)	1.0 to 2.0 mg/l	2.0 to 4.0 mg/l	2.5 to 5.0 mg/l
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Aluminum (Total)	0.75 to 2.0 mg/l	1.5 to 4.0 mg/l	2.0 to 5.0 mg/l
pH must always be greater than 6.0; less than 9.0.			
Alkalinity must always be greater than acidity.			

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.

Contact: RA-EPCAMBRIADMO@pa.gov.

Mining Permit No. 56120114. NPDES No. PA0269158. Heritage Coal & Natural Res LLC, 1117 Shaw Mines Road, Meyersdale, PA 1552, Elk Lick and Summit Township, **Somerset County**. Permit revision to delete 185 acres on this bituminous surface and auger mine and add to adjoining permit number 56663069 (Summit No. 2 Mine). Total SMP acres will be 168.0. Receiving stream: unnamed tributary to/and Casselman River classified for the following use: CWF. Application received: July 9, 2024.

Mining Permit No. 56663069. NPDES No. PA0120944. Heritage Coal & Natural Res LLC, 1117 Shaw Mines Road, Meyersdale, PA 15552, Summit and Elk Lick Townships, **Somerset County**. Permit revision to add 185 acres on this bituminous surface/operation and maintenance of long-term treatment facilities and delete from adjoining permit number 56120114 (Fisher Mine). Total SMP acres will be 3,225.0. Receiving streams: unnamed tributary to/and Casselman River and unnamed tributary to/and Elk Lick Creek, classified for the following use: CWF. Application received: July 9, 2024.

Mining Permit No. 32130108. Amerikohl Mining, Inc., 202 Sunset Drive, Butler, PA 16001, Blacklick, Center and Young Townships, **Indiana County**. Permit renewal for reclamation only of a bituminous surface & auger mine affecting 163.2 acres. Receiving stream: unnamed tributaries to/and Aultmans Run to Conemaugh River, unnamed tributaries to/and Reeds Run to Aultmans Run to Conemaugh River classified for the following uses: TSF, WWF. Application received: July 11, 2024.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

Mining Permit No. 49240201. Admiral Carbon, LLC, 10 Gilberton Road, Gilberton, PA 17934, Mt. Carmel and Conyngham Townships, **Northumberland** and **Columbia Counties**. Commencement, operation and restoration of an anthracite coal refuse reprocessing, coal refuse disposal and coal preparation plant operation affecting 73.5 acres. Receiving stream: Shamokin Creek, classified for the following use: WWF. Application received: June 3, 2024.

Mining Permit No. GP12 No. GP12-49240201. Admiral Carbon, LLC, 10 Gilberton Road, Gilberton, PA 17934, Mt. Carmel and Conyngham Townships, **Northumberland** and **Columbia Counties**. Application to operate a coal preparation plant whose pollution control equipment is required to meet all applicable limitations, terms and conditions of General Permit, BAQ-GPA/GP-12. Application received: June 3, 2024.

Noncoal Applications

Effluent Limits—The following Table 2 effluent limits apply to NPDES permits issued in conjunction with a noncoal mining permit. Additional effluent limits will be listed as part of the publication of the draft NPDES permit.

<i>Parameter</i>	<i>Table 2</i>		
	<i>30-day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity must always exceed acidity.			
pH must always be greater than 6.0; less than 9.0.			

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knoxville, PA 16232-0669, 814-797-1191.

Contact: Alicia Cook, Clerical Assistant 3, 814-343-3328.

Mining Permit No. 10240303. Natural Sand Company, Inc., 149 South Board Street, Grove City, PA 16127, Buffalo Township, **Butler County**. Applications for a new large noncoal surface mine and GP-104 permit affecting 36.8 acres. Receiving stream(s): Unnamed tributary to Little Bull Creek classified for the following use(s): TSF. A variance is included to conduct support activities within 100 feet of three unnamed tributaries to Little Bull Creek. The variance is requested in order to use and maintain an existing access road that is situated within 100 feet of the streams. Application received: June 7, 2024.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

Contact: Cassie Stanton, Clerical Assistant 2.

Mining Permit No. 08100302. NPDES No. PA0257389. Johnson Quarries, Inc., P.O. Box 136, LeRaysville, PA 18829, Stevens Township, **Bradford County**. Application for major revisions to the permit of an existing large industrial minerals surface mining permit affecting 127.9 acres. The application received includes a revision to add 26.3 acres to the permit boundary, a postmining land use change from forestland to commercial or unmanaged natural habitat, and a road variance to conduct mining activities within 100 feet of SR 467. Receiving stream(s): Rockwell Creek and Wyalusing Creek classified for the following use(s): WWF, MF. Application received: July 1, 2024. Accepted: July 9, 2024.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

Mining Permit No. 7475SM4. NPDES No. PA0121592. Heidelberg Materials US Cement, LLC, 7660 Imperial Way, Allentown, PA 18195-1016, Upper Nazareth and Lower Nazareth Townships, **Northampton County**. Renewal of an NPDES Permit on a quarry operation affecting 121 acres. Receiving stream: Unnamed tributary to the East Branch of Monocacy Creek, classified for the following uses: HQ-CWF, MF. Application received: July 3, 2024.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed National Pollutant Discharge Elimination System (NPDES) permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (DEP) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH must always be greater than 6.0; less than 9.0.			
Alkalinity must always be greater than acidity.			

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The limits for noncoal mining activities as provided in 25 Pa. Code § 77.522 are pH 6 to 9 and other parameters DEP may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

Coal NPDES Draft Permits

California District Mining Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.

Contact: Bonnie Herbert, Clerical Assistant 3.

CORRECTION—previously published on July 13, 2024

NPDES No. PA0214744. Mining Permit No. 03841308. Rosebud Mining Company, 301 Market Street, Kittanning, PA 16201, Perry Township, **Armstrong County**. Application received: May 25, 2021. Accepted: August 12, 2021.

To renew the NPDES and mining activity permit, affecting 8.8 surface acres. Receiving stream(s): Tributary 49098 to Allegheny River, classified for the following use: WWF. Allegheny TMDL.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The proposed effluent limits for Outfall 001 discharging to UNT 49098 to Allegheny River are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to Permit Expiration Date:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	3.0	6.0	7.0
Manganese	(mg/l)	-	2.0	4.0	5.0
Aluminum	(mg/l)	-	-	-	Report
Suspended Solids	(mg/l)	-	35	70	90
pH	(s.u.)	6.0	-	-	9.0
Alkalinity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-
Osmotic Pressure	(mOs/kg)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	-	-	Report
Sulfate	(mg/l)	-	-	-	Report
Specific Conductance	(umho)	-	-	-	Report

The EPA Waiver is not in effect.

NPDES No. PA0236616. Mining Permit No. 17220701. RES Coal, LLC, 51 Airport Road, Clearfield, PA 16830, Bradford and Boggs Townships, **Clearfield County**. Application received: September 26, 2022. Accepted: November 23, 2022.

To operate a new coal refuse facility and related NPDES, affecting 137.9 proposed surface acres and 92.1 proposed coal refuse disposal support acres. Receiving stream(s): Long Run, classified for the following use: CWF. Clearfield Creek TMDL.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The proposed effluent limits for Outfall 001 discharging to Sediment Pond A are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to Permit Expiration Date:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.5	3.0	3.8
Manganese	(mg/l)	-	1.0	2.0	2.5
Aluminum	(mg/l)	-	0.75	0.75	0.75
Suspended Solids	(mg/l)	-	35	70	90
pH	(s.u.)	6.0	-	-	9.0
Alkalinity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-
Osmotic Pressure	(mOs/kg)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	2,000	4,000	5,000
Sulfate	(mg/l)	-	-	-	Report

The proposed effluent limits for Outfall 002 discharging to Long Run Stream are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to Permit Expiration Date:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.5	3.0	3.8
Manganese	(mg/l)	-	1.0	2.0	2.5
Aluminum	(mg/l)	-	0.75	0.75	0.75
Suspended Solids	(mg/l)	-	35	70	90
pH	(s.u.)	6.0	-	-	9.0
Alkalinity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-
Osmotic Pressure	(mOs/kg)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	2,000	4,000	5,000
Sulfate	(mg/l)	-	-	-	Report

The EPA Waiver is not in effect.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

Contact: Cassie Stanton, Clerical Assistant 2.

NPDES No. PA0215317. Mining Permit No. 17831601. River Hill Coal Company, Inc., P.O. Box 141, Kylertown, PA 16847, Karthaus Township, **Clearfield County.** Application received: May 16, 2024.

Renewal of an NPDES permit for discharge of water resulting from reclamation only activities, affecting 16.0 acres. Receiving stream(s): West Branch Susquehanna River, classified for the following use(s): WWF. This receiving stream is included in the West Branch Susquehanna TMDL.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The following outfall discharges to West Branch Susquehanna River:

<i>Outfall No.</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
001R	Existing	Sedimentation Pond	Precipitation Induced

The proposed effluent limits for the previously listed outfall are as follows:

<i>Outfalls: 001R (Discharges during Dry Weather)</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
<i>Parameter</i>			
Iron (mg/L)	3.0	6.0	7.0
Manganese (mg/L)	2.0	4.0	5.0
Aluminum (mg/L)		Report	
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Sulfate (mg/L)		Report	
Flow (gpm)		Report	
Temperature (°C)		Report	
Specific Conductivity (µmhos/cm)		Report	

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.

Alkalinity must exceed acidity at all times.

Outfalls: 001R (Discharges after ≤10-yr/24-hr Precip. Event)
Parameter

Iron (mg/L)
Total Settleable Solids (mL/L)
Sulfate (mg/L)
Flow (gpm)
Temperature (°C)
Specific Conductivity (µmhos/cm)
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.
Alkalinity must exceed acidity at all times.

*30-Day
Average*

N/A
N/A

*Daily
Maximum*

N/A
N/A
Report
Report
Report
Report

*Instant.
Maximum*

7.0
0.5

Outfalls: 001R (Discharges after >10-yr/24-hr Precip. Event)

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.
Alkalinity must exceed acidity at all times.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection (DEP). Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341), requires the State to certify that the involved projects will not violate the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), as well as relevant State requirements. Individuals objecting to approval of a request for certification under Section 401 or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit, or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30-days of the date of this notice, as well as any questions to the office noted above the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed, and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The DEP may schedule a fact-finding hearing or an informal conference in response to comments if deemed necessary. Maps, drawings and other data pertinent to the certification request are available for inspection between the hours of 8:00 a.m. and 4:00 p.m. on each working day at the office noted above the application.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

WATER OBSTRUCTIONS AND ENCROACHMENTS

Applications Received Under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification Under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Michele Lauer, Clerical Assistant 2, 570-830-3077.

E4502224-005. Gerald Giarratana, P.O. Box 478, Springtown, PA 18081-5000, Tobyhanna Township, **Mon-**

roe County. U.S. Army Corps of Engineers Philadelphia District. Application received: June 24, 2024.

This is an after the fact permit to permanently impact 0.60 acre of wetland for the construction of a single family dwelling, fabricated garage, and driveway. The project is located at 228 Cranberry Drive, (Blakeslee, PA Quadrangle, Latitude: 41.105686°; Longitude -75.594174°) in Tobyhanna Township, Monroe County. Latitude: 41.105686°, Longitude: -75.594174°.

E4802224-009. Kay Farmersville, LLC, 5930 Hamilton Blvd., Allentown, PA 18106-9654, Bethlehem Township, **Northampton County**. U.S. Army Corps of Engineers Philadelphia District. Application received: July 8, 2024.

To construct and maintain the following water obstructions and encroachments associated with the Fields at Farmersville Project: 1) A stream enclosure of Nancy Run (CWF, MF) consisting of seven (7) 102-LF, 6-foot diameter reinforced concrete pipes, concrete wingwalls, and having an invert depressed 1-foot below existing streambed elevation. 2) A utility line crossing of an enclosed portion of Nancy Run (CWF, MF) consisting of an 8-inch diameter plastic sewer pipe, a 15-inch diameter stormwater pipe, and a 2-inch diameter water line. 3) A stream crossing of a UNT to Nancy Run (CWF, MF) consisting of five (5) 86-LF, 5-foot diameter reinforced concrete pipes, concrete wingwalls, and having an invert depressed 1-foot below existing streambed elevation. 4) A utility line crossing of an enclosed portion of a UNT to Nancy Run (CWF, MF) consisting of a 30-inch diameter stormwater pipe and a 2-inch diameter water line. The project is located directly northwest of the intersection of Farmersville Road and Walter Road (Nazareth, PA Quadrangle, Latitude: 40°, 39', 37.4"; Longitude: -75°, 18', 43.7") in Bethlehem Township, Northampton County.

E3502224-003. UGI Utilities, Inc., 1 UGI Drive, Denver, PA 17517, City of Scranton, **Lackawanna County**. U.S. Army Corps of Engineers Baltimore District. Application received: July 10, 2024.

1. Excavate approximately 416 cubic yards of sedimentation from the riverbank of the Lackawanna River (CWF, MF) to return the bank slope to a previously existing 2H:1V slope. 2. Temporarily install a concrete bin barrier within the floodway of the Lackawanna River (CWF, MF) in order to protect workers while removing previously mentioned sedimentation. The barrier is to be removed upon completion of grading. The project is located in the City of Scranton, Lackawanna County, PA Quadrangle, Latitude: 41°, 24', 32", Longitude: -75°, 40', 29".

Contact: Michele Lauer, Clerical Assistant 2, 570-830-3077.

E4502224-006. Robert Borislow, 1210 Red Barn Road, Lower Gwynedd, PA 19002, Tobyhanna Township, **Monroe County**. U.S. Army Corps of Engineers Philadelphia District. Application received: June 24, 2024.

1. Construct and maintain a 90 square foot floating dock on the edge of Lake Naomi, near the location where Tennis Run (HQ-CWF, MF) flows into the lake, and a 192 square foot bulkhead on the bank of Tennis Run (HQ-CWF, MF) and on the edge of its associated wetlands (EV), used to anchor the dock. 2. Temporarily remove an existing wooden bridge over Tennis Run (HQ-CWF, MF) to install a temporary steel bridge for construction equipment to cross the stream. The temporary bridge will be removed and replaced with the existing wooden bridge upon completion of the project. The project is located in Tobyhanna Township, Monroe County, PA Quadrangle, Latitude: 41°, 07', 01", Longitude: -75°, 27', 00".

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: 717-705-4802.

E2203124-005. PennDOT Engineering District 8-0, 2140 Herr Street, Harrisburg, PA 17103, City of Harrisburg, **Dauphin County**. U.S. Army Corps of Engineers Baltimore District. Application received: June 17, 2024.

To remove existing structure and to (1) install and maintain a 87.25 foot x 65 foot bridge over Paxton Creek (WWF, MF) with riprap scour protection and (2) 3 outfalls 18-inch and 30-inch diameter and a 19-inch x 30 inch outfall to Paxton Creek (WWF, MF), for the purpose of improving transportation safety. The project proposes to permanently impact 158 linear feet, temporarily impact 55 linear feet of stream channel. The project is located in the City of Harrisburg, Dauphin County Latitude: 40.2822°, Longitude: -76.8842°.

Contact: 717-705-4802.

E6703224-009. Department of Conservation of Natural Resources, 400 Market Street, 8th Floor, Harrisburg, PA 17101, Warrington Township, **York County**. U.S. Army Corps of Engineers Baltimore District. Application received: May 17, 2024.

1.) To remove an existing CMP culvert; 2.) To relocate a portion of an existing watercourse; 3.) To install and maintain a new elliptical reinforced concrete pipe culvert. The resource being impacted is an Unnamed Tributary (UNT) to Beaver Creek (WWF, MF). The purpose of the project is to replace an existing, failing culvert pipe. The watercourse relocation is necessary to eliminate the potential for negative impact to an existing, endangered Shumard's oak tree. The new culvert (55.0-feet in length) will be installed in the relocated portion of the watercourse. Total permanent impacts associated with the channel relocation and culvert replacement will be 382.0-linear feet (11,782.0-square feet) of watercourse impact. No wetlands will be impacted as a result of the project. The project is located in Lewisberry, PA 17339, in Warrington Township, York County (Latitude: (40.0766°), Longitude (-76.8932°)).

E6703224-007. Messiah Lifeways, 100 Mt. Allen Drive, Mechanicsburg, PA 17055, Fairview Township, **York County**. U.S. Army Corps of Engineers Baltimore District. Application received: April 4, 2024.

1.) To construct and maintain an outfall structure impacting the floodway and banks of the Yellow Breeches

Creek (CWF, MF); 2.) To construct and maintain a walking path in the floodway of the Yellow Breeches Creek (CWF, MF). The impacts are associated with a development project that proposes to construct 235 independent living units. Permanent impacts associated with the outfall structure will be as follows: Watercourse—26.0-linear feet (650.0-square feet); Floodway—4,012.0-square feet. Permanent impacts associated with the walkway will be as follows: Floodway—1,192.0-linear feet (41,725.0-square feet). There will be no wetland impacts associated with the project. The project is located at 100 Spangler's Mill Road, Camp Hill, PA 17011, in Fairview Township, York County. Latitude: 40.21496°, Longitude: -76.9046°.

Contact: 717-705-4802.

E6703224-005. Hellam Township, 35 Walnut Springs Rd, York, PA 17406-9001, Hellam Township, **York County**. U.S. Army Corps of Engineers Baltimore District. Application received: March 4, 2024.

To 1.) remove three (3) existing steel culvert pipes; 2.) install and maintain a rigid frame open-bottom box culvert and 3.) install and maintain a water line (attached to the box culvert) in a UNT to the Susquehanna River (WWF, MF). The project will permanently impact 74.0-linear feet (1,243.2-square feet) of the UNT to the Susquehanna River. The original crossing of the UNT was destroyed during a previous flooding event and the proposed project is necessary to provide a permanent/long-term crossing of the UNT. The project is located at 6298 River Drive, York, PA 17406-8868 in Hellam Township, York County (Latitude: (40.0358), Longitude (-76.5642)). There will be no wetland impacts as a result of this project.

Southeast Region: Waterways & Wetlands Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: ra-ep-ww-sero-105@pa.gov.

E1501224-005. Jenkins Arboretum & Gardens, 631 Berwyn Baptist Road, Devon, PA 19333, Tredeffrin Township, **Chester County**. U.S. Army Corps of Engineers Philadelphia District. Application received: July 3, 2024.

Jenkins Arboretum & Gardens is proposing to perform watercourse restoration/bank stabilization along a 774 linear feet of stream reach through their Central Park Property within an unnamed tributary to Trout Creek (WWF, MF). This activity includes installation of step-pool structures within the watercourse, realignment of a portion of the watercourse to protect existing infrastructure, and grading of the streambanks. Construction and maintenance of two preformed scour holes and repair to an existing riprap apron for an 18-inch RCP outfall are considered waived activities under 105.12(a)(2). Impacts to resource include 774 linear feet (9,147.6 square feet, 0.21 acre) of permanent watercourse impact and 2,613.6 square feet (0.06 acre) of permanent floodway. This project is located off of Devon State Road at 631 Berwyn Baptist Road in Tredeffrin Township, Chester County (USGS PA Valley Forge Quadrangle). Latitude: 40.058596°, Longitude: -75.431481°.

E4601224-016. Whitpain Township, 960 Wentz Road, Blue Bell, PA 19422, Whitpain Township, **Montgomery County**. U.S. Army Corps of Engineers Philadelphia District. Application received: June 28, 2024.

Whitpain Township is proposing to rehabilitate the existing Mermaid Park by removing the impervious surfaces and to construct and maintain new playgrounds, walking paths, shade structures, and a parking lot in and

along the 100-year assumed floodway of Stony Creek (TSF) resulting in approximately 0.279 acre of floodway impact. The site is located near the intersection of Old Arch and Jolly Roads (Lansdale, PA USGS map) in Whitpain Township, Montgomery County. Latitude: 40.14975°, Longitude: -75.29765°.

Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Dana Drake, Program Manager.

E0205224-006. Atlantic Industrial Space, LLC, 696 McKeesport Road, Elizabeth, PA 15037, Elizabeth Township and Lincoln Borough, **Allegheny County**. U.S. Army Corps of Engineers Pittsburgh District. Application received: May 13, 2024.

E0205224-006. Atlantic Industrial Space, LLC, 696 McKeesport Rd, Elizabeth, PA 15037, Elizabeth Township and Lincoln Borough, **Allegheny County**; Pittsburgh ACOE District.

The applicant is proposing to:

1. Remove an existing 33' long x 24' wide concrete ford crossing from Wylie Run (WWF) and construct and maintain a replacement road crossing consisting of two (2), 32.6' long by 36" diameter SLCCPP culverts with headwalls,

2. Construct and maintain a 6" C900 waterline utility crossing of Wylie Run,

3. Construct and maintain three (3) parallel 6" PVC conduit utility line crossings of Wylie Run,

4. Construct and maintain 15 lf of 8" PVC pipe sanitary sewer line that connects to an existing sanitary system within the floodway of Wylie Run.

For the purpose of safely accessing private commercial property and utility line improvements. The project will permanently impact 32.6 lf (0.005 acre) of watercourse and 0.026 acre of floodway. The project will temporarily impact 75 lf (0.031) of watercourse and 0.060 acre of floodway.

The project site is located at 760 Atlantic Ave, Elizabeth TWP, PA 15037, (Glassport, PA USGS topographic quadrangle; N: 40°, 16', 51.01"; W: -79°, 52', 34.06"; Sub-basin 19C; USACE Pittsburgh District), in Elizabeth Township and Lincoln Borough, Allegheny County.

E1105223-002. Jackson Township Supervisors, 513 Pike Road, Johnstown, PA 15909, Jackson Township, **Cambria County**. U.S. Army Corps of Engineers Pittsburgh District. Application received: May 30, 2024.

E1105224-002. Jackson Township Supervisors, 513 Pike Road, Johnstown, 15909, Jackson Township, **Cambria County**; Pittsburgh ACOE District.

The applicant is proposing to:

Construct and maintain a stormwater outfall channel, which is 3 ft deep with a bottom width of 5 ft and a top width of 17 ft, along Laurel Run (HQ-CWF).

For the purpose of discharging managed stormwater from the development of the Jackson Township Business Park. The project will permanently impact 17 linear feet of stream and 1,020 square feet of floodway. The project will temporarily impact 30 linear feet of stream and 1,800 square feet of floodway.

The project site is located southeast of the intersection of Laurel Ridge Road and Chickaree Hill Road, within the Jackson Township Business Park (Vintondale, PA USGS

topographic quadrangle; N: -40°, 26', 57"; W: -78°, 53', 19"; Sub-basin 18D; USACE Pittsburgh District), in Jackson Township, Cambria County.

E6305224-003. McDonald Borough, 151 School Street, McDonald, PA 15057, McDonald Borough, **Washington County**. U.S. Army Corps of Engineers Pittsburgh District. Application received: April 12, 2024.

The applicant proposes to:

Construct and maintain a pre-fabricated pedestrian bridge (64 feet long by 10 feet wide), with concrete footers, across Robinson Run (WWF).

For the purpose of providing a connection between the Panhandle Trail and Heritage Park in McDonald Borough.

The project proposes to permanently impact 10 linear feet and temporarily impact 20 linear feet of watercourse. Additionally, the project proposes to permanently impact 475 square feet (0.01 acre) of floodway and temporarily impact 2,678 square feet (0.06 acre) of floodway.

The project site is located on West End Drive near Heritage Park, (Canonsburg, PA USGS topographic quadrangle; N: -40°, 21', 54"; W: -80°, 14', 36.6918"; Sub-basin 20F; USACE Pittsburgh District), in Cecil Township and Robinson Township, Washington County.

E0405124-001. PennDOT District 11-0, 45 Thoms Run Road, Bridgeville, PA 15017, North Sewickley Township, **Beaver County**. U.S. Army Corps of Engineers Pittsburgh District. Application received: May 29, 2024.

The applicant is proposing to:

1. Remove the existing 35-LF long, 202-LF wide, Three (3) Span Steel Multi-Girder Bridge structure, over Connoquenessing Creek (WWF), including two multi-pier structures, and to construct and maintain a new 42-LF long, 242-LF wide, Two (2) Span Composite Steel Plate Bridge, including a central pier and scour protection, and having a permanent watercourse impact of 195 LF and a permanent floodway impact of 1.535 acres.

2. Construct and maintain a 121-LF long, 113-LF wide, temporary causeway, consisting of ten (10) 18" steel pipes, and for a short duration, a 25-LF extension of this causeway will be needed for the removal of existing Pier 1. This activity will have a temporary watercourse impact of 121 LF and a temporary floodway impact of 0.314 acre.

3. Construct and maintain a new 24" diameter RCP stormwater outfall, namely Outfall A, along Connoquenessing Creek, including end walls and rock apron, and having a permanent watercourse impact of 9 LF, as well as a permanent floodway impact of 0.016 acre.

4. Construct and maintain a new 18" diameter RCP stormwater outfall, namely Outfall B, along Connoquenessing Creek, including end walls and rock apron, and having a permanent watercourse impact of 17 LF, as well as a permanent floodway impact of 0.002 acre.

5. Construct and maintain temporary erosion and sedimentation control structures in and along the Connoquenessing Creek and its floodway.

For the purpose of replacing a structure along PA Route 65, including a full depth roadway widening and reconstruction. The project will have a cumulative permanent impact of 221 LF to watercourses, and a cumulative temporary impact of 303 LF to watercourses, as well as a cumulative permanent impact on 1.553 acres of floodways, and a cumulative temporary impact on 0.717 acre of floodways. The project site is located along SR 65,

between the route's intersections with SR 1006 and SR 1005 (Beaver Falls, PA USGS topographic quadrangle; N: -40°, 50', 7.3116"; W: -80°, 16', 22.6551"; Sub-basin 20C; USACE Pittsburgh District), in North Sewickley and Franklin Townships, Beaver County.

ENVIRONMENTAL ASSESSMENTS

Central Office: Waterways & Wetlands Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-787-3411.

Contact: Niamh Hays, Water Program Specialist, 717-772-5959.

EA3815224-002. JKL Real Estate Holdings, 330 Crest Rod, Lebanon, PA 17042, South Lebanon Township, Lebanon County. U.S. Army Corps of Engineers Baltimore District. Application received: November 7, 2023.

The applicant proposes to restore Hazel Dyke Creek (TSF-MF) by removing approximately 20,000 cubic yards of legacy sediment and other historic fills from the floodplain. The length of channel being temporarily impacted during construction is approximately 1,100 linear feet, and the total area being temporarily impacted during construction and within the limits of disturbance is approximately 51.8 acres. The project proposes to restore approximately 6.8 acres of integrated wetland, stream and floodplain areas. Additional restoration activities proposed include: to place rock stream and valley grade control structures; to place log sills, woody debris, and other aquatic habitat structures within the restoration areas; to construct temporary stream crossings, rock construction entrances, and other erosion controls during restoration activities. Other proposed work includes the construction of 3 outfall structures, 4 utility crossings, and a minor crossing. The restoration project is located on the Northeast corner of the intersection of Schaeffer Road (Route 419) and State Drive in South Lebanon Township, PA. Latitude: 40.288333°, Longitude: -76.378889°.

DAM SAFETY

Central Office: Waterways & Wetlands Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-787-3411.

Contact: Joshua Fair, 717-772-5988.

D13-123, D13-015, D13-014, D13-13EA. Brooke Klotz, Jim Thorpe Borough, 101 East Tenth St, Jim Thorpe, PA 18229, Jim Thorpe Borough, Carbon County. Applicant proposes to remove the Nos. 1—4 Dams to eliminate a threat to public safety and to cumulatively restore approximately 350 feet of stream channel to a free-flowing condition. The proposed restoration project includes full sediment removal within the proposed floodway on D13-015. The stream morphometry will mimic upstream reference conditions in the stream's historic alignment. Native stone from the dams will be incorporated into the stream channel to mimic natural conditions. The projects are located across Silk Mill Run (Existing Use (EV, MF)) (Christmans, PA USGS Quadrangle), Latitude: 40.8840°, 40.8827°, 40.8805°, 40.8789°, Longitude: -75.7093°, -75.7116°, -75.7159°, -75.7190°. Application received: July 1, 2024.

D06-009EA. Timothy Krall, City of Reading, 899 Morgantown Road, Reading, PA 19607, City of Reading, Berks County. Applicant proposes to remove Bushong Dam to eliminate a significant threat to public safety and to restore approximately 3,000 feet of stream channel to a free-flowing condition. The proposed restoration project includes partial sediment removal within the limits of the impoundment and proposes grading and lining of the channel using native stone from the Bushong Dam and the upstream timber crib dam. The downstream scour hole will be filled with stone from the dam and choked with graded material in phases. Once Bushong Dam is removed, the upstream timber crib dam will be removed. The project is located across Tulpehocken Creek (WWF, MF) (Reading, PA USGS Quadrangle Map), Latitude: 40.3459°, Longitude: -75.9521°. Application received: July 3, 2024.

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department of Environmental Protection (DEP) has taken the following actions on previously received applications for new, amended, and renewed National Pollutant Discharge Elimination System (NPDES) and Water Quality Management (WQM) permits, applications for permit waivers, and Notice of Intent (NOIs) for coverage under General Permits, as listed in the following tables. This notice of final action is published in accordance with 25 Pa. Code Chapters 91, 92a, and 102 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). The official file for each listed action can be reviewed at the DEP or delegated County Conservation District (CCD) office identified in the table for the action. DEP/CCD office contact information is listed as follows for Section I and is contained within the table for Section II. Additional information for permits issued under 25 Pa. Code Chapters 91 and 92a and Individual permits under 25 Pa. Code Chapter 102, including links to Individual Chapter 92a NPDES and WQM Permits, may be reviewed by generating the "Final Actions Report" on DEP's website at www.dep.pa.gov/CWPUBLICNOTICE.

DEP office contact information to review official files relating to the final actions in Section I is as follows:

DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484-250-5910. Email: RA-EPNPDES_SERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SERO@pa.gov for Chapter 102 permits.

DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570-826-5472. Email: RA-EPNPDES_NERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NERO@pa.gov for Chapter 102 permits.

DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717-705-4732. Email: RA-EPNPDES_SCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SCRO@pa.gov for Chapter 102 permits.

DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570-327-3693. Email: RA-EPNPDES_NCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NCRO@pa.gov for Chapter 102 permits.

DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412-442-4286. Email: RA-EPNPDES_SWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SWRO@pa.gov for Chapter 102 permits.

DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814-332-6078. Email: RA-EPNPDES_NWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NWRO@pa.gov for Chapter 102 permits.

DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-787-5017. Email: RA-EPNPDES_Permits@pa.gov.

DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501–508 and 701–704 (relating to Administrative Agency Law).

The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law. For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board. Individuals who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. Important legal rights are at stake, however, so individuals should contact a lawyer at once.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

For actions taken on applications for pipelines that are regulated by the Federal Energy Regulatory Commission (FERC).

Any person aggrieved by this action may challenge it in an appropriate legal forum. The State and Federal courts are currently split on whether the proper forum to challenge a Department permit, authorization or approval for a facility or activity subject to the Federal Natural Gas Act, 15 U.S.C.A. §§ 717 et seq., is the United States Court of Appeals for the Third Circuit or the Pennsylvania Environmental Hearing Board. See *Delaware Riverkeeper Network v. Sec'y, Dep't. of Env'tl. Prot.*, 833 F.3d 360 (3d Cir. 2016); *Delaware Riverkeeper Network v. Sec'y, Dep't. of Env'tl. Prot.*, 903 F.3d 65 (3d Cir. 2018), cert. denied, 139 S. Ct. 1648, 203 L. Ed. 899 (2019) and *Cole v. Dep't. of Env'tl. Prot.*, 1577 C.D. 2019 WL 2420667 (Pa. Cmwlth Ct. June 15, 2021) (Pet. for Allowance of Appeal pending); *West Rockhill Twp. v. Dep't. of Env'tl. Prot.*, No. 1595 C.D. 2019 WL 2426014 (Pa. Cmwlth. June 15, 2021) (Pet. for Allowance of Appeal pending).

I. Final Action(s) on NPDES and WQM Permit Application(s) and NOIs for Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides, CAFOs and Individual Construction Stormwater.

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAD090094	Chapter 102 Individual NPDES Permit	Issued	Morning Co. LLC 1120 Welsh Road Suite 170 North Wales, PA 19454-3794	Dublin Borough Bucks County	SERO
PAD150144	Chapter 102 Individual NPDES Permit	Issued	Matthews Rd Assoc LP 201 King of Prussia Road Radnor, PA 19087-5147	East Whiteland Township Chester County	SERO
PAD150342	Chapter 102 Individual NPDES Permit	Issued	PA Turnpike Comm 700 S Eisenhower Boulevard Middletown, PA 17057-5529	East Nantmeal Township Chester County	RPCO
PAD210108	Chapter 102 Individual NPDES Permit	Issued	Adib Al-Absi 718 N Front Street Lemoyne, PA 17043-1023	Silver Spring Township Cumberland County	SCRO
PAD240015	Chapter 102 Individual NPDES Permit	Issued	St Mary's Area Water Authority 967 State Street St Marys, PA 15857	Saint Mary's City and Fox Township Elk County	NWRO
PAD350039	Chapter 102 Individual NPDES Permit	Issued	Sunnyside Road Assoc LLC 100 Front Street Suite 560 West Conshohocken, PA 18428	Jessup Borough Lackawanna County	NERO

NOTICES

4373

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAD360118	Chapter 102 Individual NPDES Permit	Issued	Martin Thane 210 Blackburn Road Quarryville, PA 17566-9696	East Drumore Township Lancaster County	SCRO
PAD360119	Chapter 102 Individual NPDES Permit	Issued	Kinsinger Israel S 286 Reath Road Kirkwood, PA 17536-9655	Colerain Township Lancaster County	SCRO
PAD380037	Chapter 102 Individual NPDES Permit	Issued	Hometown Alden Place LLC 7930 Audubon Avenue Alexandria, VA 22306-3721	Cornwall Borough Lebanon County	SCRO
PAD390126	Chapter 102 Individual NPDES Permit	Issued	Grims Orchard & Family Farms 9941 Schantz Road Breinigsville, PA 18031-1827	Upper Macungie Township Lehigh County	NERO
PAD400062	Chapter 102 Individual NPDES Permit	Issued	Crossroads XOX LLC 1265 Miller Road Wind Gap, PA 18091-9765	Sugarloaf Township Luzerne County	NERO
PAD450205	Chapter 102 Individual NPDES Permit	Issued	Tobyhanna Army Depot 11 Hap Arnold Circle Tobyhanna, PA 18466-5002	Coolbaugh Township Monroe County	NERO
PAD460089	Chapter 102 Individual NPDES Permit	Issued	RCM VIII LLC 171 State Route 173 Suite 201 Asbury, NJ 08802-1365	Horsham Township Montgomery County	SERO
PAD480076	Chapter 102 Individual NPDES Permit	Issued	Mamora Realty LP 512 Hamilton Street Allentown, PA 18101-1505	Forks Township Northampton County	NERO
PAD510239	Chapter 102 Individual NPDES Permit	Issued	Envirowaste LLC 13 Pattison Avenue Philadelphia, PA 19148-5624	Philadelphia City Philadelphia County	SERO
PAD520056	Chapter 102 Individual NPDES Permit	Issued	Chang Frederick 231 Hackensack Plank Road Weehawken, NJ 07086-5808	Milford Township Pike County	NERO
PAD560013	Chapter 102 Individual NPDES Permit	Issued	Bognar & Co. Inc. 733 Washington Road 5th Floor Pittsburgh, PA 15228	Black Township Somerset County	SWRO
PA0276022	Industrial Stormwater Individual NPDES Permit	Issued	Great Northern Corp 395 Strobe Road Appleton, WI 54915	Upper Macungie Township Lehigh County	NERO
PA0276103	Industrial Stormwater Individual NPDES Permit	Issued	Amazon Com Service LLC P.O. Box 80842 Attn: Amazon Com NA Env Dept Seattle, WA 98108-0842	Upper Macungie Township Lehigh County	NERO
0624803	Joint DEP/PFBC Pesticides Permit	Issued	Green Hills Realty Assoc LP 2675 Morgantown Road Reading, PA 19607-9676	Cumru Township Berks County	SCRO
2513806	Joint DEP/PFBC Pesticides Permit	Issued	North East Comm Marina Authority P.O. Box 67000 Harrisburg, PA 17106-7000	North East Township Erie County	NWRO
3024800	Joint DEP/PFBC Pesticides Permit	Issued	Faver Callie B 259 Headley Hollow Road Wind Ridge, PA 15380-1103	Richhill Township Greene County	SWRO
3224801	Joint DEP/PFBC Pesticides Permit	Issued	Pam Riddle 395 Glen Mack Road Box 171 Armagh, PA 15920-9005	East Wheatfield Township Indiana County	NWRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
3624804	Joint DEP/PFBC Pesticides Permit	Issued	Grillo Judy 4753 Elizabethtown Road Manheim, PA 17545-8369	Rapho Township Lancaster County	SCRO
5924804	Joint DEP/PFBC Pesticides Permit	Issued	Frank and Glenda Watson 2910 Route 414 Canton, PA 17724-7582	Sullivan Township Tioga County	NCRO
6124803	Joint DEP/PFBC Pesticides Permit	Issued	Roy H Miller 35 Farrar School Road Avella, PA 15312-2021	Sandycreek Township Venango County	NWRO
6124804	Joint DEP/PFBC Pesticides Permit	Issued	Doris Eckle 570 Sleepy Hollow Road Franklin, PA 16323-7140	Jackson Township Venango County	NWRO
PAI130044	MS4 Individual NPDES Permit	Issued	Hilltown Township Bucks County 13 W Creamery Road Hilltown, PA 18927	Hilltown Township Bucks County	SERO
0806401	Major Sewage Treatment Facility Individual WQM Permit	Issued	Towanda Borough Municipal Authority Bradford County 724 Main Street Towanda, PA 18848-1616	Towanda Borough Bradford County	NCRO
PA0053899	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	Wheelabrator Falls Inc. 1201 New Ford Mill Road Morrisville, PA 19067	Falls Township Bucks County	SERO
PA0097306	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	Robinson Township Municipal Authority Allegheny County 4200 Campbells Run Road Pittsburgh, PA 15205-1306	Robinson Township Allegheny County	SWRO
PA0216097	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	Johnstown Recovery System LLC 100 Iron Street Johnstown, PA 15906-2610	Johnstown City Cambria County	SWRO
PA0096903	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	CP Portfolio I LP 75 Penn Adamsburg Road Jeannette, PA 15644-2900	Robinson Township Washington County	SWRO
PA0216381	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Mdda LLC 114 Snyder Drive Rochester, PA 15074-2706	New Sewickley Township Beaver County	SWRO
PA0022195	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Catawissa Borough Columbia County 307 Main Street Catawissa, PA 17820-1315	Catawissa Borough Columbia County	NCRO
PA0043982	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Comm Utilities of PA Inc. Broad Run 570 Hallet Road East Stroudsburg, PA 18301-7274	West Bradford Township Chester County	SERO

NOTICES

4375

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0046094	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	US ACOE Baltimore District 710 Ives Run Lane Tioga, PA 16946-8643	Tioga Township Tioga County	NCRO
0688201	Minor and Non-NPDES Industrial Waste Treatment Facility Individual WQM Permit	Issued	Giorgio Foods Inc. P.O. Box 96 Temple, PA 19560-0096	Maidencreek Township Berks County	SCRO
4092202	Minor and Non-NPDES Industrial Waste Treatment Facility Individual WQM Permit	Issued	PA American Water Co. 852 Wesley Drive Mechanicsburg, PA 17055	Plains Township Luzerne County	NERO
0474418	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	PA American Water Co. 203 Sycamore Street Punxsutawney, PA 15767-1357	Koppel Borough Beaver County	SWRO
6371418	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	CP Portfolio I LP 75 Penn Adamsburg Road Jeannette, PA 15644-2900	Robinson Township Washington County	SWRO
NOEXNW240	No Exposure Certification	Issued	Road Riders LLC 1314 West 18th Street Erie, PA 16502	Erie City Erie County	NWRO
NOEXSE054	No Exposure Certification	Issued	Parker Hannifin Corp 245 E Township Line Road Hatfield, PA 19440	Franconia Township Montgomery County	SERO
NOEXSW012	No Exposure Certification	Denied	Quality Carriers Inc. 102 Pickering Way Suite 105 Exton, PA 19341-1330	Robinson Township Allegheny County	SWRO
PAG030236	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Federal Express Corporation Environmental Department 3620 Hacks Cross Road Memphis, TN 38125-8800	Philadelphia City Philadelphia County	SERO
PAG032207	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	General Scrap Inc. 28 Kresge Street Wilkes-Barre, PA 18705-3012	Hunlock Township Luzerne County	NERO
PAG032283	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Pitt Ohio Express LLC 15 27th Street Pittsburgh, PA 15222-4729	Upper Saucon Township Lehigh County	NERO
PAG032284	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Pitt Ohio Express LLC 15 27th Street Pittsburgh, PA 15222-4729	Hazle Township Luzerne County	NERO
PAG032323	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Alan U Pull It 4162 Best Station Road Slatington, PA 18080-3751	Washington Township Lehigh County	NERO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG033822	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	All Quality Alum Foundry P.O. Box 276 Smoketown, PA 17576-0276	East Lampeter Township Lancaster County	SCRO
PAG034027	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	1230 Roosevelt Ave LLC 950 Smile Way York, PA 17404-1725	West Manchester Township York County	SCRO
PAG034040	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	XPO Inc. 2211 Old Earhart Road Suite 100 Ann Arbor, MI 48105-2963	Manchester Township York County	SCRO
PAG034874	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Centre County Recycling & Refuse Authority 253 Transfer Road Bellefonte, PA 16823-9505	College Township Centre County	NCRO
PAG034944	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Andritz Inc. 35 Sherman Street Muncy, PA 17756-1227	Muncy Township Lycoming County	NCRO
PAG036578	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Resco Products Inc. P.O. Box 28 Tarentum, PA 15084-0028	Tarentum Borough Allegheny County	SWRO
PAG036587	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Quality Carriers Inc. 102 Pickering Way Suite 105 Exton, PA 19341-1330	Robinson Township Allegheny County	SWRO
PAG038431	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	VAG USA LLC P.O. Box 129 Mars, PA 16046-0129	Adams Township Butler County	NWRO
PAG041040	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Nowosielski Thomas 810 Parade Street Erie, PA 16503-1116	Columbus Township Warren County	NWRO
PAG041224	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Hannah and Matthew Maxwell 172 Wrays Drive Volant, PA 16156-1818	Springfield Township Mercer County	NWRO
PAG041274	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Hunter Dustin 21481 Fisher Road Meadville, PA 16335-5421	Woodcock Township Crawford County	NWRO
PAG041330	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Farabaugh Donna 10873 Eureka Road Edinboro, PA 16412-3721	Franklin Township Erie County	NWRO
PAG041331	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Amanda Brownlee and Randall Motzing 13437 State Highway 285 Conneaut Lake, PA 16316-6415	East Fallowfield Township Crawford County	NWRO
PAG041332	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Roney Daniel 3509 Reichert Road Erie, PA 16509-4343	McKean Township Erie County	NWRO
PAG041333	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Bonny and Sean Hoffman 7722 Welcana Drive Fairview, PA 16415-1044	Franklin Township Erie County	NWRO

NOTICES

4377

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG041335	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Weaver Miranda 1164 Barkeyville Road Grove City, PA 16127-4950	Pine Township Mercer County	NWRO
PAG041367	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Beth and Randy Knoll 1040 Townhall Road W Erie, PA 16509-5020	Summit Township Erie County	NWRO
PAG041374	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Smith Melissa A 145 Pennsy Road Volant, PA 16156	Springfield Township Mercer County	NWRO
PAG043989	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Trayer Gabrielle 431 Trayer Lane Carlisle, PA 17013-9612	North Middleton Township Cumberland County	SCRO
PAG043990	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Nori Catherine A 21 Loree Lane Shippensburg, PA 17257-9762	Lower Frankford Township Cumberland County	SCRO
PAG043991	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Steele William A 590 N Middleton Road Carlisle, PA 17013-8784	North Middleton Township Cumberland County	SCRO
PAG049123	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Steele Tracey 465 State Route 18 New Wilmington, PA 16142-4225	Wilmington Township Lawrence County	NWRO
PAG049313	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Kibbey Jenna 1276 Daugherty Run Road Warren, PA 16365-5234	Conewango Township Warren County	NWRO
PAG049358	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Sayers Lisa 491 Alder Bottom Road Columbus, PA 16405-2009	Columbus Township Warren County	NWRO
PAG056275	PAG-05 NPDES General Permit for Groundwater Cleanup	Issued	Krupa Gas Corp 6002 Natl Pike E Brownsville, PA 15417	Redstone Township Fayette County	SWRO
PAG122212	PAG-12 NPDES General Permit for CAFOs	Issued	AG Ventures LLC 345 W High Street Elizabethtown, PA 17022	Salem Township Luzerne County	SCRO
PAG123507	PAG-12 NPDES General Permit for CAFOs	Issued	Loht Kenneth K 199 Road Apple Drive McClure, PA 17841-8605	Decatur Township Mifflin County	SCRO
PAG123650	PAG-12 NPDES General Permit for CAFOs	Issued	High Lamar 920 W Matterstown Road Millersburg, PA 17061-9308	Washington Township Dauphin County	SCRO
PAG123704	PAG-12 NPDES General Permit for CAFOs	Issued	Daniel F Lukens 7075 Old Stage Road McClure, PA 17841-8908	Decatur Township Mifflin County	SCRO
PAG123705	PAG-12 NPDES General Permit for CAFOs	Issued	Gress Cory L 792 Lick Hollow Road Harrisonville, PA 17228-9348	Licking Creek Township Fulton County	SCRO
PAG123744	PAG-12 NPDES General Permit for CAFOs	Issued	Randall Brubaker 1908 Valley Road Manheim, PA 17545-9666	Rapho Township Lancaster County	SCRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG123752	PAG-12 NPDES General Permit for CAFOs	Issued	Shelmar Acres LLC 580 Colebrook Road Mount Joy, PA 17552-9777	East Donegal Township Lancaster County	SCRO
PAG123791	PAG-12 NPDES General Permit for CAFOs	Issued	Mike Cassel 259 Auction Road Manheim, PA 17545-9744	Penn Township Lancaster County	SCRO
PAG123836	PAG-12 NPDES General Permit for CAFOs	Issued	Hemlock Ln Farm LP 121 Hemlock Lane Williamsburg, PA 16693-6531	Catharine Township Blair County	SCRO
PAG124847	PAG-12 NPDES General Permit for CAFOs	Issued	Keister Family Farms LLC 105 Keisters Farm Lane Middleburg, PA 17842-9298	Franklin Township Snyder County	SCRO
PAG124862	PAG-12 NPDES General Permit for CAFOs	Issued	Jim and Linda Kucharski 39 Old Mill Road Liberty, PA 16930-9210	Liberty Borough Tioga County	SCRO
PAG126102	PAG-12 NPDES General Permit for CAFOs	Issued	Beachdale Farms Inc. 126 Bronco Drive Berlin, PA 15530-6530	Brothersvalley Township Somerset County	SCRO
4605421	Pump Stations Individual WQM Permit	Issued	Upper Montgomery Joint Authority 1100 Mensch Dam Road Pennsburg, PA 18073	Upper Hanover Township Montgomery County	SERO
4323418	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Smith Melissa A 145 Pennsy Road Volant, PA 16156	Springfield Township Mercer County	NWRO
PA0295736	Small Flow Treatment Facility Individual NPDES Permit	Issued	Mihalek Vincent 114 Turk Road Slippery Rock, PA 16057-5232	Brady Township Butler County	NWRO
1024404	Small Flow Treatment Facility Individual WQM Permit	Issued	Mihalek Vincent 114 Turk Road Slippery Rock, PA 16057-5232	Brady Township Butler County	NWRO

II. Final Action(s) on PAG-01 and PAG-02 General NPDES Permit NOIs.

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC090696	PAG-02 General Permit	Issued	Bensalem Township 2400 Byberry Road Bensalem, PA 19020	Bensalem Township Bucks County	Bucks County Conservation District 1456 Ferry Road Doylestown, PA 18901-5550 215-345-7577 RA-EPNPDES_SERO@pa.gov
PAC090670	PAG-02 General Permit	Issued	Jonathan and Melissa Cavalea 6000 Wismer Road Pipersville, PA 18947-1432	Plumstead Township Bucks County	Bucks County Conservation District 1456 Ferry Road Doylestown, PA 18901-5550 215-345-7577 RA-EPNPDES_SERO@pa.gov

NOTICES

4379

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC090661	PAG-02 General Permit	Issued	Orchard Square II Apartments LLC 801 Old York Road Jenkintown, PA 19046	Middletown Township Bucks County	Bucks County Conservation District 1456 Ferry Road Doylestown, PA 18901-5550 215-345-7577 RA-EPNPDES_SERO@ pa.gov
PAC090674	PAG-02 General Permit	Issued	Kaniewski Ranch, LLC 400 Crossing Drive Bristol, PA 19007-1510	Upper Makefield Township Bucks County	Bucks County Conservation District 1456 Ferry Road Doylestown, PA 18901-5550 215-345-7577 RA-EPNPDES_SERO@ pa.gov
PAC090671	PAG-02 General Permit	Issued	Doylestown Veterinary Hospital LLC 380 N Shady Retreat Road Doylestown, PA 18901-5348	Doylestown Township Bucks County	Bucks County Conservation District 1456 Ferry Road Doylestown, PA 18901-5550 215-345-7577 RA-EPNPDES_SERO@ pa.gov
PAC090659	PAG-02 General Permit	Issued	Good Pro Southampton, LLC 795 E. Lancaster Avenue Villanova, PA 19085	Upper Southampton Township Bucks County	Bucks County Conservation District 1456 Ferry Road Doylestown, PA 18901-5550 215-345-7577 RA-EPNPDES_SERO@ pa.gov
PAC480189	PAG-02 General Permit	Issued	Highview Commercial, LLC 280 Highway 35 S. Ste. 150 Rad Bank, NJ 07701	Bethlehem Township Northampton County	Northampton County Conservation District 14 Gracedale Ave. Greystone Building Nazareth, PA 18064-9211 610-829-6276 RA-EPWW-NERO@ pa.gov
PAC010153A-1	PAG-02 General Permit	Issued	James L. Hobbs, Jr 205 Boyle Road Fairfield, PA 17320	Freedom Township Adams County	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325 717-334-0636
PAC010111A-1	PAG-02 General Permit	Issued	Reading Investors, LP 113 Westminster Road Suite 200 Reisterstown, MD 21136	Reading Township Adams County	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325 717-334-0636
PAC540077	PAG-02 General Permit and renewal	Issued	Sony Drive Delano, LLC Padraig Kelly and Boina Kelly P.O. Box 172 Delano, PA 18220	Delano Township Schuylkill County	Schuylkill County Conservation District 1206 AG Center Drive Pottsville, PA 17901 570-622-3742 RA-EPWW-NERO@ pa.gov

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC390234	PAG-02 General Permit	Issued	Hearthfire Capital c/o Sergio Altomare 535 N. Church Street Suite 105 West Chester, PA 19380-2336	Whitehall Township Lehigh County	Lehigh County Conservation District Lehigh County AG Center Suite 105 4184 Dorney Park Road Allentown, PA 18104-5728 610-391-9583 RA-EPWW-NERO@ pa.gov
PAC350059	PAG-02 General Permit	Issued	Scranton Lackawanna Industrial Building Co. 222 Mulberry Street P.O. Box 431 Scranton, PA 18501	Archbald Borough Jessup Borough Lackawanna County	Lackawanna County Conservation District 1027 S. Abington Road South Abington Township, PA 18411 570-382-3086 RA-EPWW-NERO@ pa.gov
PAC510336	PAG-02 General Permit	Issued	Drexel University 225 North 32nd Street Philadelphia, PA 19104	City of Philadelphia Philadelphia County	DEP, SERO 2 E. Main Street Norristown, PA 19401 484-250-5821 RA-EPNPDES_SERO@ pa.gov
PAC021100	PAG-02 General Permit	Issued	Columbia Gas of PA 101 Stoney Ridge Drive Monaca, PA 15061	South Park Township Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005 SWRO
PAC020809-A-3	PAG-02 General Permit	Issued	NIOSH 626 Cochrans Mill Road Pittsburgh, PA 15236	South Park Township Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005 SWRO
PAC020344 A-1	PAG-02 General Permit	Issued	Imperial Land Corporation 1009 Beaver Grade Road Suite 210 Moon Township, PA 15108	Findlay Township Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005 SWRO
PAC021050	PAG-02 General Permit	Issued	MI Strip Works, LLC 1750 Spruce Way Pittsburgh, PA 15222	City of Pittsburgh Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005 SWRO
PAC021116	PAG-02 General Permit	Issued	Dustin Andreis 980 Reissing Road McDonald, PA 15057	South Fayette Township Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005 SWRO

NOTICES

4381

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC021060	PAG-02 General Permit	Issued	Church Administrator 224 Harvest Lane Natrona Heights, PA 15065	Fawn Township Harrison Township Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005 SWRO
PAC021082	PAG-02 General Permit	Issued	Pleasant Hill Development, LLC 290 Northgate Drive Suite 150 Warrendale, PA 15086	Marshall Township Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005 SWRO
PAC020811-A-1	PAG-02 General Permit	Issued	TOA Rose Ridge, LLC 1235 Westlakes Drive Suite 300 Berwyn, PA 19312	West Deer Township Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005 SWRO
PAC021105	PAG-02 General Permit	Issued	Specialty Real Estate Group 1213 Kirsopp Avenue Pittsburgh, PA 15220	City of Pittsburgh Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005 SWRO
PAC020958-A-1	PAG-02 General Permit	Issued	Laurel Pine Valley, LLC 2543 Washington Road Pittsburgh, PA 15241	Pine Township Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005 SWRO
PAC020439	PAG-02 General Permit	Issued	Independence Excavating, Inc. 3826 Saxonburg Boulevard Cheswick, PA 15024	Indiana Township Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005 SWRO
PAC020499-A-1	PAG-02 General Permit	Issued	Modern Transportation 1050 Station Street Coraopolis, PA 15108	Robinson Township Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005 SWRO
PAC021112	PAG-02 General Permit	Issued	Watermark Classical Academy 801 Beaver Street Sewickley, PA 15143	Ohio Township Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005 SWRO
PAC021012-A-1	PAG-02 General Permit	Issued	Trek Development Group 130 7th Street Suite 300 Pittsburgh, PA 15222	City of Pittsburgh Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005 SWRO

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC021080	PAG-02 General Permit	Issued	Kossman Development Company 11 Parkway Center Suite 300 Pittsburgh, PA 15222	Collier Township Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005 SWRO
PAC020405	PAG-02 General Permit	Issued	Village at Marketplace 2000 Georgetown Drive Suite 100 Sewickley, PA 15143	Moon Township Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005 SWRO
PAC021107	PAG-02 General Permit	Issued	Peoples Natural Gas Company, LLC 375 North Shore Drive Pittsburgh, PA 15212	Churchill Borough Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005 SWRO
PAC021035	PAG-02 General Permit	Issued	Bowser Automotive 1001 Clairton Boulevard Pleasant Hills, PA 15236	Monroeville Borough Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005 SWRO
PAC630317	PAG-02 General Permit	Issued	QF Holdings, LLC 100 Lindley Road Canonsburg, PA 15317	North Strabane Township Washington County	Washington County Conservation District 50 Old Hickory Ridge Road Suite 1 Washington, PA 15301 724-705-7098 SWRO
PAC560016A-1	PAG-02 General Permit	Issued	Laurel View Village 2000 Cambridge Drive Davidsville, PA 15928	Conemaugh Township Somerset County	Somerset County Conservation District 6024 Glades Pike Suite 103 Somerset, PA 15501 814-445-4652 SWRO
PAC670716	PAG-02 General Permit	Issued	Weldon Drive LLC Vincent Sibol 1 Waterford Professional Center York, PA 17402	West Manchester Township York County	York County Conservation District 2401 Pleasant Valley Road Suite 101 Room 139 York, PA 17402 717-840-7430
PAC670703	PAG-02 General Permit	Issued	Frank Rhodes 1281 Creek Road Manheim, PA 17545	Franklin Township York County	York County Conservation District 2401 Pleasant Valley Road Suite 101 Room 139 York, PA 17402 717-840-7430

NOTICES

4383

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC540059	PAG-02 General Permit	Issued	Residuary Trust of Andrew Yastishok, Mark Yastishok 6500 Chapmans Road Allentown, PA 18106	West Brunswick Township Schuylkill County	Schuylkill County Conservation District 1206 AG Center Drive Pottsville, PA 17901 570-622-3742 RA-EPWW-NERO@ pa.gov
PAC670219	PAG-02 General Permit	Issued	Red Lion Salvage LLC Steve Olkowski 350 Craley Road Red Lion, PA 17356	Windsor Township York County	York County Conservation District 2401 Pleasant Valley Road Suite 101 Room 139 York, PA 17402 717-840-7430
PAC360910	PAG-02 General Permit	Issued	Marietta LLC 1059 Sylvan Road Lancaster, PA 17601	East Hempfield Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361
PAC360471A-2	PAG-02 General Permit	Issued	Destiny Builders & Management LLC 3738 Kennel Avenue Columbia, PA 17512	Leacock Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361
PAC360311A-3	PAG-02 General Permit	Issued	M Land Develop LLC 250 Eshelman Road Lancaster, PA 17601	Paradise Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361
PAC360930	PAG-02 General Permit	Issued	MK Legacy LLC 3320 Lincoln Highway East Suite 1 Paradise, PA 17562	Paradise Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361
PAC080086	PAG-02 General Permit	Issued	UGI Utilities Inc. 1 UGI Drive Denver, PA 17517	South Creek Township Bradford County	Bradford County Conservation District 200 Lake Rd Ste E Towanda, PA 18848 570-265-5539
PAC140167	PAG-02 General Permit	Issued	M&G Reality, Inc. The Rutter's Companies Blue Course Drive and College Avenue State College, PA 16801	Ferguson Township Centre County	Centre County Conservation District 414 Holmes Ave Ste 4 Bellefonte, PA 16823 814-355-6817
PAC140168	PAG-02 General Permit	Issued	Maxwell Trucking & Excavating, Inc Struble Road State College, PA 16801	Ferguson Township Centre County	Centre County Conservation District 414 Holmes Ave Ste 4 Bellefonte, PA 16823 814-355-6817
PAC140174	PAG-02 General Permit	Issued	Lee Industries, Inc. 50 W Pine St Philipsburg, PA 16866	Philipsburg Borough Centre County	Centre County Conservation District 414 Holmes Ave Ste 4 Bellefonte, PA 16823 814-355-6817

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC140175	PAG-02 General Permit	Issued	Edward G. Maxwell Shiloh Road State College, PA 16801	College Township and Benner Township Centre County	Centre County Conservation District 414 Holmes Ave Ste 4 Bellefonte, PA 16823 814-355-6817
PAC190087	PAG-02 General Permit	Issued	Nautilus Development Holding, LLC Attn: John Coates 1072 Alliance Park Drive Bloomsburg, PA 17815	South Centre Township Columbia County	Columbia County Conservation District 702 Sawmill Rd Ste 204 Bloomsburg, PA 17815 570-784-1310
PAC470045	PAG-02 General Permit	Issued	Danville Development, LLC 201 S. Maple Ave Suite 100 Ambler, PA 19002	Mahoning Township and Danville Borough Montour County	Montour County Conservation District 1210 Bloom Road Danville, PA 17821 570-271-1140

STATE CONSERVATION COMMISSION

NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at 717-787-3483 for more information.

NUTRIENT MANAGEMENT PLAN

CAFO PUBLIC NOTICE SPREADSHEET—ACTIONS

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Kieran Buser 49 Buser Farm Lane York, PA 17406	York County	3	1,030.29	Swine	NA	Approved
McCartney Inc. 18537 Dry Run Road Dry Run, PA 17220	Franklin County	852.2	983.69	Horses Heifers	NA	Approved
White Oak Hollow Farms LLC 766 White Oak Hollow Road Warfordsburg, PA 17267	Fulton County	398	1,553.62	Finishing Swine	NA	Approved

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information.

SAFE DRINKING WATER

Actions Taken Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Northeast Region: Safe Drinking Water Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Michele Lauer, Clerical Assistant 2, 570-830-3077.

Construction Permit No. 4523508, Major Amendment, Public Water Supply.

Applicant	Brodhead Creek Regional Authority
Address	410 Mill Creek Road East Stroudsburg, PA 18301
Municipality	Stroud Township
County	Monroe County
Consulting Engineer	Russell Scott, P.E. RKR Hess A Division of UTRS, Inc. 112 North Courtland Street East Stroudsburg, PA 18301

Application Received	March 11, 2024
Permit Issued	June 24, 2024
Description	Issuance of a construction permit for various improvements at the water treatment plant including replacement of filter media, crack sealing in the walls of filters 1, 2 and 5, and coating of inlet/drain troughs of filters 1 and 2. Recoating of filter walls. Replacement of pumps, actuators and meters. Replacement of carbon feed system, backwash piping and finished water piping.

Operation Permit No. 3480079-E1, Public Water Supply.

Applicant	Mr. Edward J. Boscola, P.E. Director of Water and Sewer Resources City of Bethlehem Bethlehem Wil Mar Manor System
Address	10 East Church Street Bethlehem, PA 18018
Municipality	East Allen Township
County	Northampton County

Application Received	July 3, 2024
Permit Issued	July 12, 2024
Description	The applicant proposes hauling in finished bulk water supplied by Palmeri and Sons, Inc., a permitted finished bulk water hauler, to supply the system with enough water to keep up with demand until the pressure tank can be replaced (after securing any necessary Department approvals). Hauled water will be delivered directly to the site's storage tank via a fill line located to the right of the door to the pump house (TP 300) while maintaining proper sanitary measures throughout the delivery process.

Construction Permit No. 4024503MA, Minor Amendment, Public Water Supply.

Applicant	Pennsylvania American Water Company
Address	852 Wesley Drive Mechanicsburg, PA 17055
Municipality	Dallas Township
County	Luzerne County
Consulting Engineer	Richard Dudek, P.E. Pennsylvania American Water Company 2699 Stafford Avenue Scranton, PA 18505
Application Received	April 4, 2024
Permit Issued	June 18, 2024

Description Issuance of a Construction Permit for the conversion of gaseous chlorine to sodium hypochlorite at the Huntsville water treatment facility.

Operation Permit No. 2450005, Public Water Supply.

Applicant **Barton Court MHC, LLC**

Address 1199 Lancaster Avenue
Suite 100
Berwyn, PA 19312

Municipality Pocono Township

County **Monroe County**

Consulting Engineer Craig LaBarre
Portland Contractors, Inc.
P.O. Box 554
Portland, PA 18351

Application Received June 10, 2024

Permit Issued June 24, 2024

Description Issuance of an Operation Permit for Barton Court MHC Well No. 2 casing extension.

Contact: Ryan Fox, Environmental Engineering Specialist, 570-826-2533.

Operation Permit No. 2409002, Public Water Supply.

Applicant **Pennsylvania American Water Company**

Address 852 Wesley Dr.
Mechanicsburg, PA 17055

Municipality Laurel Run Borough

County **Luzerne County**

Application Received June 20, 2024

Permit Issued July 9, 2024

Description Operation of 0.2 MG “Georgetown” Tank of the PAWC Ceasetown water system located in Laurel Run Borough, Luzerne County.

Northcentral Region: Safe Drinking Water Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Nadera Bellows, Clerical Assistant II, 570-327-0551.

Operation Permit 6020501. PWSID No. **4490023**. **Pennsylvania-American Water Company—White Deer District**, 852 Wesley Drive, Mechanicsburg, PA 17055, White Deer Township, **Union County**. Application received: July 1, 2024. Permit Issued: July 9, 2024. This permit authorizes operation of the new West Milton Booster Pump Station, standby generator, and approximately 2,100 feet of 12-inch diameter discharge piping.

Operation Permit 1823501MA. PWSID No. **4180832**. **Pennsylvania Department of Transportation PA Dot Rest Area 34**, 744 Harleysville Pike, Harrisburg, PA 17105, Greene Township, **Clinton County**. Application received: June 28, 2024. Permit Issued: July 10, 2024. This permit authorizes operation of the Rest Area 34 public water supply treatment system. Modifications consisted of relocating the underground treatment system to an above grade building, including Well No. 1, a new well pump, well pump variable frequency drive (VFD), Green-

sand Plus filtration for Iron and Manganese removal, two 1,550-gallon contact tanks, a duplex booster station, two (2) VFD’s to operate booster pumps, and chemical feed equipment. In addition to these modifications, this permit includes components from the previous treatment system, including Well No. 1, sodium hypochlorite disinfection, and the distribution system.

Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Daniel J. Cannistraci, Environmental Engineering Specialist.

NCWSA Construction Permit 3060426. PWSID No. **3060426**. **Camp Serranova, Inc.**, 73 St. Peter’s Rd, Macungie, PA 18062, Hereford Township, **Berks County**. Application received: May 7, 2024. Permit Issued: July 9, 2024. This action authorizes a well pump replacement and wellhouse modifications.

Construction Permit 0124508 MA. PWSID No. **7010022**. **Littlestown Borough Authority**, 41 S Columbus Ave, Littlestown, PA 17340, Littlestown Borough, **Adams County**. Application received: April 15, 2024. Permit Issued: July 11, 2024. This action authorizes improvements to the Appler wellhouse including a replacement gas chlorine feed system and new instrumentation.

Construction Permit 0124509 MA. PWSID No. **7010022**. **Littlestown Borough Authority**, 41 S Columbus Ave, Littlestown, PA 17340, Littlestown Borough, **Adams County**. Application received: April 15, 2024. Permit Issued: July 11, 2024. This action authorizes improvements to the Briarwood wellhouse including a replacement gas chlorine feed system and new instrumentation.

Construction Permit 0124510 MA. PWSID No. **7010022**. **Littlestown Borough Authority**, 41 S Columbus Ave, Littlestown, PA 17340, Littlestown Borough, **Adams County**. Application received: April 15, 2024. Permit Issued: July 11, 2024. This action authorizes improvements to the Heritage Hills wellhouse including a replacement gas chlorine feed system and new instrumentation.

Construction Permit 0124511 MA. PWSID No. **7010022**. **Littlestown Borough Authority**, 41 S Columbus Ave, Littlestown, PA 17340, Littlestown Borough, **Adams County**. Application received: April 15, 2024. Permit Issued: July 11, 2024. This action authorizes improvements to the Lumber St. wellhouse including a replacement gas chlorine feed system and new instrumentation, and new level monitoring equipment at the Maple Ave. finished water storage tank.

Construction Permit 0124512 MA. PWSID No. **7010022**. **Littlestown Borough Authority**, 41 S Columbus Ave, Littlestown, PA 17340, Littlestown Borough and Germany Township, **Adams County**. Application received: April 15, 2024. Permit Issued: July 11, 2024. This action authorizes improvements to the S Queen St. wellhouse including a replacement gas chlorine feed system and new instrumentation.

Operation Permit 0124501. PWSID No. **7010014**. **Pike Management**, 425 North 21st Street, Suite 302, Camp Hill, PA 17011, Straban Township, **Adams County**. Application received: June 18, 2024. Permit Issued: July 15, 2024. This action authorizes disinfection and booster pump system upgrades at Castle Hill Mobile Home Park.

Contact: Wade Cope, P.E., Environmental Engineer, 717-705-4708.

Operation Permit 5024505 MA. PWSID No. 7500019. **Duncannon Borough**, 428 North High Street, Duncannon Borough, PA 17020, Penn Township, **Perry County**. Application received: June 29, 2024. Permit Issued: July 11, 2024. Operation permit for Well No. 4 well pump and chemical feed pump replacements.

Operation Permit 5022502. PWSID No. 7500019. **Duncannon Borough**, 428 North High Street, Duncannon Borough, PA 17020, Penn Township, **Perry County**. Application received: June 29, 2024. Permit Issued: July 11, 2024. Operation permit for arsenic treatment system.

Southwest Region: Safe Drinking Water Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Renee Diehl, Program Manager; ra-epsdsw@pa.gov.

Construction/Operation Permit 5624513MA. PWSID No. 4560029. **Municipal Authority of the Borough of Berlin**, 700 North Street, Berlin, PA 15330, Berlin Borough and Brothersvalley Township, **Somerset County**. Application received: June 20, 2024. Permit Issued: July 8, 2024. Replacement polyphosphate chemical feed pump.

Operation Permit 0224539-E. PWSID No. 5020056. **Wilkinsburg-Penn Joint Water Authority**, 2200 Robinson Boulevard, Pittsburgh, PA 15221, Penn Hills Township, **Allegheny County**. Application received: July 2, 2024. Permit Issued: July 9, 2024. Rehabilitated Sedimentation Basin No. 1.

WATER ALLOCATIONS

Actions Taken on Applications Received Under the Act of June 24, 1939 (P.L. 842, No. 365) (35 P.S. §§ 631—641) Relating to the Acquisition of Rights to Divert Waters of the Commonwealth.

Southeast Region: Safe Drinking Water Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Kimberleigh C. Rivers, Clerical Assistant 2, 484-250-5887.

WA-09-1011A. Water Allocations. **Upper Southampton Municipal Authority**, 939 Street Road, Southampton, PA 18966, Upper Southampton Township, **Bucks County**. Upper Southampton requested the right to purchase up to 1,100,00 gallons per day from Bucks County Water and Sewer Authority. Application received: May 17, 2024. Issued: July 10, 2024.

SEWAGE FACILITIES ACT PLAN DISAPPROVAL

Plan Disapprovals Granted Under the Pennsylvania Sewage Facilities Act, Act of January 24, 1966, P.L. 1535, as Amended, 35 P.S. § 750.5.

Southcentral Region: Clean Water Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Lindsay Graeff, Sewage Planning Specialist, 717-705-4866.

Plan Location:

<i>Municipality</i>	<i>Address</i>	<i>County</i>
Bethel Township	3015 South Pine Grove Street Fredericksburg, PA 17026	Lebanon County

Plan Description:

Christ Lantz Subdivision, C3-38905-252-2. Proposed separate living quarters to be attached to an existing residence. The proposed subdivision is within 1/4 mile of wells documented to exceed 5 PPM and therefore requires a hydrogeologic evaluation.

Plan Location:

<i>Municipality</i>	<i>Address</i>	<i>County</i>
City of Reading	815 Washington Street Reading, PA 19601	Berks County

Plan Description:

522 Washington Street Development, A3-06001-274-3. Project is located at 522 Washington Street in Reading City, **Berks County**. The project proposes converting the second floor of an existing building into a 2-bedroom apartment and a 1-bedroom apartment and converting the third floor into a 1-bedroom apartment, with total flows of 1,050 gallons per day to be collected, conveyed and treated by the City of Reading WWTP. The Component 3 Planning Module was denied as Administratively Incomplete. Any reconsideration of this project shall occur only if a complete and updated set of planning modules is submitted. The new DEP Code No. B3-06001-274-3 must be used.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 2

The Following Plans and Reports Were Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and trans-

port analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The Department has received the following plans and reports.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

UGI Hunlock Power Plant Transformer Release, Primary Facility ID # **621367**, 390 US Route 11, Hunlock Creek, PA 18621, Hunlock Township, **Luzerne County**. BL Companies, 1100 First Avenue, Suite 104, King of Prussia, PA 19406, on behalf of UGI Utilities, Inc., 1 UGI Drive, Denver, PA 17517, submitted a Final Report concerning remediation of soil contaminated with transformer oil. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Environmental Cleanup & Brownfields Program Manager, 717-705-4705.

Univar Solutions USA Inc., Altoona Facility, Primary Facility ID # **641514**, 627 Sugar Run Road, Altoona, PA 16601, Allegheny Township, **Blair County**. Arcadis U.S., Inc., 19 West College Avenue, Suite 250, Yardley, PA 19067, on behalf of Univar Solutions USA LLC, 6000 Parkwood Place, Dublin, OH 43016, submitted a Final Report concerning remediation of soil and groundwater contaminated with VOCs. The Final Report is intended to document remediation of the site to meet the site-specific standards.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: C. David Brown, Professional Geologist Manager, 484-250-5792.

5904-08 Germantown Ave, Primary Facility ID # **868202**, 5409-08 Germantown Ave, 15 W Rittenhouse St, 5900-02 German Ave, 11 Rittenhouse St, Philadelphia, PA 19144, City of Philadelphia, **Philadelphia County**. Douglas B. Schott, P.G., ARM Group LLC, 515 South Franklin Street, West Chester, PA 19382, on behalf of Mayer Miltz, 5904-08 Germantown Ave LLC, 417 Cherry Hill Blvd, Cherry Hill, NJ 08002, submitted a Risk Assessment/Final Report concerning remediation of groundwater contaminated with Site groundwater is contaminated with inorganics. The Risk Assessment/Final Report is intended to document remediation of the site to meet the Statewide health and site-specific standards.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995
PREAMBLE 3

The Department Has Taken Action on the Following Plans and Reports Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The DEP may approve or disapprove plans and reports submitted. This notice provides DEP's decision and, if relevant, the basis for disapproval.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The DEP has received the following plans and reports.

Northcentral Region: Environmental Cleanup & Brownfields Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Randy Farmerie, P.G., Environmental Program Manager, 570-327-3716.

Avery Dennison Wilcox Street Cleanup, Primary Facility ID # **715430**, 1 Wilcox Street, Sayre, PA 18840, Sayre Borough, **Bradford County**. Vanasse Hangen Brustlin, Inc., 1805 Atlantic Avenue, Manasquan, NJ 08736, on

behalf of Avery Dennison Corporation, 8080 Norton Parkway, Mentor, OH 44060, submitted a Final Report concerning remediation of soil and groundwater contaminated with chlorinated solvents. The Final Report did not demonstrate attainment of the site-specific standards. Disapproved: July 5, 2024.

Dacheux Unit B on the Dacheux Unit B Pad, Primary Facility ID # **875679**, 1281 Bear Road, Dushore, PA 18614, Cherry Township, **Sullivan County**. Creston Environmental, LLC, P.O. Box 1373, Camp Hill, PA 17701, on behalf of Chesapeake Appalachia LLC, 14 Chesapeake Lane, Sayre, PA 18840, submitted a Remediation Investigation Report/Final Report concerning remediation of soil contaminated with diesel fuel. The Report demonstrated attainment of the Statewide health standards. Approved: June 17, 2024.

Sturgis South Well Pad, Primary Facility ID # **854810**, 1149 Marriott Road, Lock Haven, PA 17745, Grugan Township, **Clinton County**. Civil & Environmental Consultants, Inc., 700 Cherrington Parkway, Moon Township, PA 15108, on behalf of STL Resources LLC, 1200 Perry Highway, Suite 308, Wexford, PA 15090, submitted a Final Report concerning remediation of soil contaminated with production fluid. The Final Report demonstrated attainment of the Statewide health standards. Approved: July 10, 2024.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

C. Larue Pad 2, Primary Facility ID # **743300**, 2310 State Route 3010, Montrose, PA 18801, Dimock Township, **Susquehanna County**. Folsom Engineering, 4361 State Route 87, Mehoopany, PA 18629, on behalf of Coterra Energy, Inc., 2000 Park Lane, Suite 300, Pittsburgh, PA 15275, submitted a Final Report concerning remediation of groundwater contaminated with petroleum-based drilling mud. The Final Report demonstrated attainment of the Statewide health standards. Approved: July 10, 2024.

J. Loffredo Pad 1, Primary Facility ID # **874291**, 936 Squier Hill Road, Nicholson, PA 18446, Nicholson Township, **Wyoming County**. Resource Environmental Management, 50 Maple Street, Montrose, PA 18801, on behalf of Coterra Energy, Inc., 2000 Park Lane, Suite 300, Pittsburgh, PA 15275, submitted a Final Report concerning remediation of soil contaminated with production fluid (brine). The Final Report demonstrated attainment of the Statewide health standards. Approved: July 10, 2024.

WY-04 Dimmig Pad, Primary Facility ID # **873618**, 2120 State Route 87, Forkston, PA 18629, Forkston Township, **Wyoming County**. Resource Environmental Management, 50 Maple Street, Montrose, PA 18801, on behalf of SWN Production Company, LLC, 917 State Route 92 North, Tunkhannock, PA 18657, submitted a Final Report concerning remediation of soil contaminated with production fluid (brine), foamer, and de-foamer. The Final Report demonstrated attainment of the Statewide health standards. Approved: July 11, 2024.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Environmental Cleanup & Brownfields Program Manager, 717-705-4705.

Brickyard Road, Primary Facility ID # **836799**, 299 Brickyard Road, New Oxford, PA 17350, Oxford Township,

Adams County. Kleinfelder, Inc., 200 Airport Road, New Cumberland, PA 17070, on behalf of ERY Properties, 1030 Wilson Avenue, Hanover, PA 17331, submitted a Final Report concerning remediation of soil contaminated with Arsenic and Manganese. The Final Report demonstrated attainment of the Statewide health standards. Approved: July 12, 2024.

HAZARDOUS WASTE TRANSPORTER LICENSE

Action(s) Taken on Hazardous Waste Transporter License Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); and Hazardous Waste Regulations to Transport Hazardous Waste.

Transporter License Reissued

Central Office: Waste Management Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-787-7561.

Contact: Jonathan Adams.

ACV Environmental Services, Inc., 1500 Rahway Ave, Avenel, NJ 07001. **License No. PA-AH 0339**. Application received: July 2, 2024. Effective July 9, 2024.

Action Resources, LLC, 204 20th Street North, Birmingham, AL 35203. **License No. PA-AH 0650**. Application received: July 9, 2024. Effective July 9, 2024.

Citiwaste LLC, 2730 Reed Road, Houston, TX 77051. **License No. PA-AH 0870**. Application received: July 2, 2024. Effective July 9, 2024.

Transporter License Voluntarily Terminated

Central Office: Waste Management Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-787-7561.

Contact: Jonathan Adams.

Terra First, LLC, P.O. Box 1617, Vernon, AL 35592. **License No. PA-AH 0803**. Application received: July 9, 2024. Effective July 9, 2024.

REGULATED MEDICAL AND CHEMOTHERAPEUTIC WASTE TRANSPORTER LICENSE

Action(s) Taken on Regulated and Chemotherapeutic Waste Transporter License Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); Act 93 of June 28, 1988 (P.L. 525, No. 93); and Regulated Medical and Chemotherapeutic Regulations to Transport Regulated Medical and Chemotherapeutic Waste.

Transporter License Reissued

Central Office: Waste Management Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-787-7561.

Contact: Jonathan Adams.

Advant-Edge Solutions of Middle Atlantic, Inc., 17 Shea Way, Newark, DE 19713. **License No. PA-AH 0220**. Received on July 8, 2024. Effective July 9, 2024.

RESIDUAL WASTE GENERAL PERMITS

Actions(s) Taken on Permit(s) Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other than Coal Ash.

Northeast Region: Waste Management Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Roger Bellas, Environmental Program Manager, 570-826-2201.

MGR081-NE005. AERC Acquisition Corporation d/b/a AERC Recycling Solutions, A Clean Earth Company, 2330 26th Street SW, Allentown, PA 18103, City of Allentown, **Lehigh County**. A permit renewal for continued coverage under General Permit WMGR081 for the processing of electronic waste for beneficial reuse. Application received: October 19, 2023. Issued: July 10, 2024.

Persons interested in reviewing the permit may contact Roger Bellas, Environmental Program Manager, 570-826-2201, Northeast Region, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

DETERMINATION OF APPLICABILITY FOR MUNICIPAL WASTE GENERAL PERMITS

Actions(s) Taken on Permit(s) Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Municipal Waste Regulations for Determination of Applicability for a General Permit to Operate Municipal Waste Processing Facilities and/or the Beneficial Use of Municipal Waste.

Southcentral Region: Waste Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Carrie A. Fleming, Program Manager.

WMGM055SC006. Sandy Run Biogas, LLC, 995 Landfill Road, Hopewell, PA 16650, Broad Top Township, **Bedford County**. This permit authorizes the processing and beneficial use of landfill gas (FLG) generated by the landfill disposal of municipal waste and residual waste as: (i) a substitute for natural gas or other fuel; (ii) a substitute for natural gas or other fuel that will be (a) transported in a pipeline that is interconnected with another pipeline for consumer use, (b) transported in a pipeline that is directly interconnected with a near-by industrial facility, (c) used by the landfill operator for the landfill's daily needs; (iii) as an alternative fuel for the electric generators to produce electricity that will be (a) used by the landfill operator for the landfill's daily needs, (b) transmitted to the local utility grid for consumer use, (c) distributed for direct consumer use. Application received: February 13, 2024. Issued: July 10, 2024.

Persons interested in reviewing the permit may contact Carrie A. Fleming, Program Manager, Southcentral Re-

gion, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

DETERMINATION OF APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

Actions(s) Taken on Permit(s) Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for Determination of Applicability for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other than Coal Ash.

Southcentral Region: Waste Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Carrie A. Fleming, Program Manager.

WMGR081SC002. Precision Recyclers, Inc., 104 South 18th Street, Harrisburg, PA 17104-1209, City of Harrisburg, **Dauphin County**. This permit authorizes the processing by disassembling, mechanical processing (by sizing, shaping, separating and volume reduction only), and associated storage prior to reuse or recycling at the processing or transfer facility, of uncontaminated and source-separated electronic devices. Application received: January 18, 2024. Issued: July 12, 2024.

Persons interested in reviewing the permit may contact Carrie A. Fleming, Program Manager, 717-705-4706, Southcentral Region, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Actions(s) Taken on Permit(s) Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Northeast Region: Waste Management Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Roger Bellas, Environmental Program Manager, 570-826-2201.

100933. Alliance Sanitary Landfill, Inc., 398 South Keyser Avenue, Taylor, PA 18514, Taylor Borough, Old Forge Borough and Ransom Township, **Lackawanna County**. A major permit modification to allow disposal of residual waste code (RWC) 502—PCB containing waste, which includes PCB bulk product waste, as defined under 25 Pa. Code § 287.1 and 25 Pa. Code § 271.1. Application received: March 29, 2024. Issued: July 15, 2024.

Persons interested in reviewing the permit may contact Roger Bellas, Environmental Program Manager, 570-826-2201, Northeast Region, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

Northwest Region: Waste Management Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Christina S. Wilhelm, Regional Solid Waste Program Manager, 814-332-6848.

301357. Danco Industries, Inc., P.O. Box 941, Oil City, PA 16301, Barkeyville Borough, **Venango County**. The applicant proposed to renew the residual waste processing permit for a processing, recycling, and disposal facility for various used and contaminated non-hazardous wastewaters, including petroleum contaminated wastewaters from various commercial and industrial sources. Application received: October 30, 2023. Permit issued: July 10, 2024. New expiration date: July 10, 2034.

Persons interested in reviewing the permit may contact Christina S. Wilhelm, Regional Solid Waste Program Manager, 814-332-6848, Northwest Region, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

Southeast Region: Waste Management Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Mohamad Mazid, Chief, Technical Services, E-Mail Address: RA-EPWM-SERO-PERMIT@pa.gov.

300725. Aqua Pennsylvania, Inc., 762 W. Lancaster Avenue, Bryn Mawr, PA 19010, Middletown Borough, **Bucks County**. This permit modification approval is related to the design and construction of monofill Cell 3 at Neshaminy Falls Residual Waste Landfill, a captive Class III residual waste landfill, located at 2520 West Lincoln Highway, Oakford, PA, in Middletown Township, Bucks County. Application received: May 4, 2023. Issued: July 15, 2024.

Persons interested in reviewing the permit may contact Waste Management Program Manager, Phone Number 484.250.5960, or by e-mail at RA-EPWM-SERO-PERMIT@pa.gov, Southeast Region, 2 East Main Street, Norristown, PA 19401, 484-250-5900. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

AIR QUALITY

Actions(s) Taken on General Plan Approval(s) and Operating Permit(s) Usage Authorized Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to Construct, Modify, Reactivate or Operate Air Contamination Sources and Associated Air Cleaning Devices.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: David Balog, New Source Review Section Chief, 814-332-6328.

GP13-43-00034C: Lindy Paving Inc.—Wheatland Asphalt Plant, 255 Ohio Street, Wheatland, PA 16161, City of Hermitage, **Mercer County**. Issued a GP-13 for a new hot mix asphalt plant. Permit expires April 30, 2029. Application received: January 29, 2024. Issued: May 15, 2024 April 1, 2024.

AG5A-10-00017A: XTO Energy Inc., 150 Donaldson Road, Fenelton, PA 16034, Clearfield Township, **Butler County**. Issued a new GP5A at the Cypher Wellpad, to replace a previous Exemption 38 determination. This permit expires April 30, 2029. Application received: April 18, 2024. Issued: May 16, 2024.

Contact: David Balog, P.E., New Source Review Section Chief, 814-332-6328.

AG5A-37-00001A: Hilcorp Energy Co—Mahoning Buckner Production Facility, 1013 Skyhill Road, Edinburg, PA 16116, Mahoning Township, **Lawrence County**. Issued a GP5-A for the operation of existing sources at the Mahoning-Buckner Well Pad facility. The facility includes: one unconventional natural gas well (well 2H), one (1) 203 bhp compressor engine(s), one (1) 0.20 MMBtu/hr reboiler(s), one (1) 0.75 MMBtu/hr line heater(s), two (2) 16,800 gal storage tank(s), one (1) 0.54 MMcf/d dehydrator unit(s), and associated pneumatic devices, venting, blowdowns, and fugitive emissions. Hilcorp Energy, Mahoning-Buckner Well Pad processes natural gas of Marcellus and Utica shale natural gas wells. The proposed general plan approval/Operating Permit No. AG5A-37-00001A will supersede all previous Exemption 38 site coverage. Application received: April 26, 2024. Issued: May 24, 2024.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.

GP9-67-03157: United Natural Foods, Inc., 225 Cross Farm Lane, York, PA 17406, Conewago Township, **York County**. For three (3) diesel engines powering two emergency generators and a fire pump, under GP9, at the facility. The general authorization was renewed. Application received: June 13, 2024. Issued: July 8, 2024.

GP14-50-03009A: Kimberly Taylor Pet Crematory, 1744 Sherman's Valley Road, Elliptsburg, PA 17024, Centre Township, **Perry County**. For a new animal crematory under GP14. Application received: June 23, 2024. Issued: July 11, 2024.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

GP2-06-05068D: Reading Terminals DE, LLC, 901 Mountain Home Road, Sinking Spring, PA 19608, Sinking Spring Borough, **Berks County**. To reactivate an existing internal floating roof fuel storage tank under GP2, at the Sinking Spring Terminal. Application received: July 3, 2024. Issued: July 15, 2024.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: James Beach, New Source Review Chief, 484-250-5920.

GP3-23-0027: H&K Group Pyramid Quarry, 414 W Knowlton Rd, Media, PA 19063-5964, Aston Township, **Delaware County**. This action is for the issuance of a General Plan Approval and General Operating Permit for a portable nonmetallic mineral processing plant, powered by a public utility. Application received: June 6, 2024. Issued: July 15, 2024.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Sheri Guerrieri, P.E., New Source Review Chief, 412-442-4174.

GP5-30-00251B/AG5-30-00010B: CNX Midstream Operating Company LLC, 1000 Horizon Vue Drive, Canonsburg, PA 15317, Richhill Township, **Greene County**. On July 11, 2024, the Department authorized CNX Midstream Operating Co. LLC the continued operation of: One (1) Dehydrator rated at 140 MMSCFD, one (1) produced water tank rated at 400-bbl, one (1) conden-

sate tank rated at 400-bbl, one (1) truck load out operation, one (1) VDU, each rated at 18.42 MMBtu/hr, one (1) enclosed flare rated at 5.0 MMBtu/hr, pigging operations, and fugitive emission sources at their existing RHL-22 Dehydration Station located in Richhill Township, Greene County. Application received: June 18, 2024. Authorized: July 11, 2024.

GP1-04-00740B: Shell Chemical Appalachia LLC, 300 Frankfort Road, Monaca, PA 15061, Potter and Center Townships, **Beaver County**. Continued operation of three (3) 99.94 MMBtu/hr temporary natural gas-fired boilers. Application received: June 3, 2024. Authorized: July 9, 2024.

Actions(s) Taken on Plan Approval(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and Regulations in 25 Pa. Code Chapter 127, Subchapter B Relating to Construction, Modification and Reactivation of Air Contamination Sources and Associated Air Cleaning Devices.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: David Balog, New Source Review Section Chief, 814-332-6328.

32-00449A: Air Liquide Advanced Technologies US LLC, 119 Business Park Lot 2, Center Township, PA 15717, Center Township, **Indiana County**. Transferred an existing plan approval due to a change in ownership of the facility from Gruppo EF Technologie to Air Liquide. Plan Approval expiration date remains December 31, 2024. Application received: December 6, 2023. Issued: May 21, 2024.

25-00911B: Humane Society of Northwestern PA/ Erie Facility, 2407 Zimmerly Road, Erie, PA 16506, Millcreek Township, **Erie County**. Issued a plan approval for installation and temporary operation of a new pet crematory. Permit expires October 31, 2025. Application received: August 2, 2023. Issued: May 8, 2024.

37-00331F: RWE Holding Co/West Pittsburgh Plant, 535 Rundle Rd, New Castle, PA 16101, Taylor Township, **Lawrence County**. Issued a plan approval for the replacement of a Cartridge Dust Collector controlling the dry bulk carbon transfer process at the facility. The project potential emissions are estimated at 0.9 tpy PM. The facility is a Natural Minor facility. Permit expires November 8, 2025. Application received: October 16, 2023. Issued: May 9, 2024.

24-00131Y: SGL Carbon LLC/St Mary's Facility, 900 Theresia Street, Saint Mary's, PA 15857-1832, City of Saint Mary's, **Elk County**. Issued a plan approval to install two (2) new V.O.G (Vacuum Outgas Furnace) Furnaces, a new wet scrubber control device to control chlorine and Hydrogen Fluoride emissions from the new furnaces, and a new wet scrubber to replace an existing one for two existing V.O.G. furnaces at their facility located in City of Saint Mary's, Elk County. SGL is a Natural Minor facility and a manufacturer of graphite products under State Only Operating Permit # 24-00131. This permit expires on November 30, 2025. Application received: May 5, 2023. Issued: May 30, 2024.

25-00501B: Ellwood National Forge Company/ Corry Facility, 441 E. Main Street, Corry, PA 16407, City of Corry, **Erie County**. Issued a plan approval to install one (1) aluminum forging furnace, two (2) aluminum drop bottom furnaces, two (2) quench tanks with immersion heaters, and two (2) aluminum box aging ovens at the

facility located in Corry City, Erie County. Ellwood is a Natural Minor facility and an open die forging facility under State Only Operating Permit # 25-00501. Permit expires November 30, 2025. Application received: October 12, 2023. Issued: June 10, 2024.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.

01-03042A: G & S Foods, LLC, 293 Blettner Avenue, Hanover, PA 17331, Conewago Township, **Adams County**. For the construction and operation of a snack food manufacturing facility. Application received: February 21, 2024. Issued: July 9, 2024.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

06-05007S: Carpenter Technology Corporation, 101 Bern St., Reading, PA 19601, City of Reading, **Berks County**. For the repurposing of a 3,500 gallon sulfuric acid tank into an additional nitric acid/nitric-hydrofluoric tank, that will be part of Source ID 104A (Block 3 Nitric Pickling Line) controlled by a Wet Scrubber Source ID C04A (Scrubber: Nitric Pickling B-154) at the specialty steel alloys manufacturing facility. There are some materials that are processed by both Source 104A and the Block HCL Pickling Line Source 103A. Since the exact product mix is unknown and to allow for operational flexibility to meet customer orders and product demand, it is conservatively assumed that the entirety of production attributed to the Source 104A project will be material processed in both lines (i.e., Source 103A and Source 104A). Application received: December 15, 2023. Issued: July 9, 2024.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: James Beach, New Source Review Chief, 484-250-5920.

23-0227: Bella Materials LLC, 3305 W 9th St, Marcus Hook, PA 19061-5241, Trainer Borough, **Delaware County**. This action is for the installation of a Portable Nonmetallic Mineral Processing Plant (PNMPP) operating at a Construction & Demolition Waste facility where asphalt and concrete material are received at their facility via trucks. Application received: March 1, 2024. Issued: July 15, 2024.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Sheri Guerrieri, P.E., New Source Review Chief, 412-442-4174.

PA-65-00125A: ATI Flat Rolled Products Holdings, LLC, 100 River Road, Brackenridge, PA 15014, Derry Township, **Westmoreland County**. On July 10, 2024, the Department issued a Plan Approval extension to ATI Flat Rolled Products Holdings, LLC for 180 days to modify and revise NO_x emission limits in the plan approval of ATI Latrobe facility located at Derry Township, Westmoreland County. Application received: June 27, 2024. Issued: July 10, 2024.

Plan Approval Revision(s) Issued Including Extension(s), Minor Modification(s) and Transfer(s) of Ownership Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: David Balog, New Source Review Section Chief, 814-332-6328.

03-00975D: Armstrong Power LLC—South Bend Facility, 2313 State Route 156, Shelocta, PA 15774, South Bend Township, **Armstrong County**. Issued a 6-month extension to allow more time for evaluation of stack test reports. This expires December 31, 2024. Application received: May 30, 2024. Issued: June 13, 2024.

37-00008C: Ellwood City Forge/Ellwood City Plant, 800 Commercial Avenue, Ellwood City, PA 16117, Ellwood City Borough, **Lawrence County**. Issued a 6-month plan approval extension to allow more time to resolve stack testing issues. Application received: May 2, 2024. Issued: June 13, 2024. This extension expires December 31, 2024.

37-00300C: North American Forgemasters Company, 710 Moravia Street, New Castle, PA 16101, City of New Castle, **Lawrence County**. Issued a 6-month plan approval extension to allow more time to resolve stack testing issues. Application received: May 2, 2024. Issued: June 13, 2024. Extension expires December 31, 2024.

Title V Operating Permit(s) Issued Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief, 484-250-5920.

46-00162: Hammond Lead Products/Pottstown Plant, 10 S Grosstown Rd, Pottstown, PA 19464, West Pottsgrove Township, **Montgomery County**. This action is for the renewal of the Title V Operating Permit for the operation of a lead oxide manufacturing plant. Application received: December 22, 2023. Issued: July 15, 2024.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Thomas Joseph, P.E., Facilities Permitting Chief, 412-442-4336.

11-00378: Interpower Alcon Partners, LP, 141 Interpower Drive, Colver, PA 15927, Cambria Township, **Cambria County**. On July 15, 2024, the Department of Environmental Protection issued a modification to the Title V Operating Permit to Interpower Alcon Partners, LP for the waste coal-fired electric generating facility located in Cambria Township, Cambria County. The modification addresses petition No. III-2020-13 of June 7, 2022, and also incorporates presumptive Reasonably Available Control Technology (RACT III) requirements into the Title V Operating Permit. Application received: November 9, 2023. Deemed administratively complete: November 20, 2023.

Operating Permit(s) for Non-Title V Facilities Issued Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Norm Frederick, 570-826-2409.

40-00124: Graphic Packaging International, LLC, 1500 Riveredge Pkwy, Ste 100, Atlanta, GA 30328-4658, Pittston Township, **Luzerne County**. The Department issued a renewal State-Only (Natural Minor) Permit for GPI located in Pittston Township, Luzerne County. Operations at this facility include flexographic printing and forming of paper cups used in the food and beverage industry. The facility also manufactures polystyrene plastic lids for paper cups through an extrusion and thermal forming process. Other operations include paper and cardboard trimming/baling, storage of raw materials, print roller image setting, flexographic paint drying, and warehousing. The sources are considered minor emission sources of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), total suspended particulate (TSP) and VOC's. The Operating Permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations. Application received: January 24, 2024. Renewal issued: July 10, 2024.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Matthew Williams, Facilities Permitting Chief, 814-332-6940.

25-00360: The Electric Materials Company, P.O. Box 390, North East, PA 16428-0390, North East Borough, **Erie County**. The Department issued the renewal of a Synthetic Minor State-Only Operating Permit to a copper manufacturer, whose processes include forging, extrusion, casting, foundry, mill, machining, and plating operations. The primary sources at the facility are miscellaneous natural gas combustion, an emergency generator, a brite annealing furnace, cold batch dip tanks, mica electric ovens, a natural gas furnace, electric induction furnaces, and parts washers. Facility potential emissions are as follows: particulate matter, 41.64 tons per year (TPY); sulfur oxides, 0.1593 TPY; nitrogen oxides, 19.40 TPY; carbon monoxide, 15.15 TPY; and volatile organic compounds, 43.35 TPY. The permit contains emission and operating hours restrictions, along with monitoring, recordkeeping, reporting, work practice and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act. Application received: April 26, 2023. Issued: July 2, 2024.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.

21-05028: Fry Communications, Inc., 101 Fry Drive, Mechanicsburg, PA 17050-2654, Mechanicsburg Borough, **Cumberland County**. For the Building 3 printing facility. The State-Only permit was renewed. Application received: March 14, 2024. Issued: July 9, 2024.

21-05013: Fry Communications, Inc., 101 Fry Drive, Mechanicsburg, PA 17050-2654, Mechanicsburg Borough, **Cumberland County**. For Buildings 1 and 2 printing facility. The State-Only permit was renewed. Application received: March 14, 2024. Issued: July 9, 2024.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

36-05076: Penn Medicine—Lancaster General Hospital, 555 North Duke Street, P.O. Box 3555, Lancaster,

PA 17604-3555, City of Lancaster, **Lancaster County**. For boilers and generators and a turbine at the medical and surgical hospital. The State-Only permit was renewed. Application received: December 12, 2023. Issued: July 9, 2024.

06-05092: H & K Group, Inc., 2052 Lucon Road, P.O. Box 196, Skippack, PA 19474-0196, Cumru Township, **Berks County**. For the South Reading Asphalt plant. The State-Only permit was renewed. Application received: February 19, 2024. Issued: July 8, 2024.

06-03093: H & K Group, Inc., P.O. Box 79, Skippack, PA 19474-0079, Cumru Township, **Berks County**. For the railcar unloading station. The State-Only permit was renewed. Application received: February 19, 2024. Issued: July 8, 2024.

38-03028: Brentwood Industries, Inc., 2101 Lehman Street, Lebanon, PA 17046-2757, West Lebanon Township, **Lebanon County**. For the thermo-formed products manufacturing facility. The State-Only permit was renewed. Application received: March 12, 2024. Issued: July 15, 2024.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Thomas Joseph, P.E., Facilities Permitting Chief, 412-442-4336.

OP-65-00778: Three Rivers Marine & Rail Terminals, LLC, 2124 PA 906, Belle Vernon, PA 15012, Rostraver Township, **Westmoreland County**. On July 9, 2024, the Department issued a renewed Natural Minor Operating Permit to Three Rivers Marine & Rail Terminals, LLC for the operation of a facility that stores, transfers, packages, and loads and unloads various products. Sources of emissions consist of loading and unloading operations of various materials, and emergency generators (one (1) 42 hp diesel emergency generator and one (1) 275 hp portable diesel emergency generator). The proposed Operating Permit includes conditions relating to applicable emission restrictions, testing, monitoring, recordkeeping, reporting, and work practice standards requirements for each unit located at the facility in Rostraver Township, Westmoreland County. Application received: July 19, 2023. Accepted: August 1, 2023.

Operating Permit Revisions Issued Including Administrative Amendments, Minor Modifications or Transfer of Ownership Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.

67-05145: Oldcastle Building Envelope, Inc., 1551 Mount Rose Avenue, York, PA 17403, Spring Garden Township, **York County**. For the architectural door and window manufacturing facility. The State-Only permit underwent a significant modification to remove facility-wide operating hour restrictions and associated operating hour recordkeeping requirements for surface coating operations. Application received: April 4, 2024. Issued: July 10, 2024.

Operating Permit(s) Denied, Terminated, Suspended or Revoked Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.431 and 127.461.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

AG5-17-00003A: Diversified Energy Company, 125 Industry Road, Waynesburg, PA 15370, Brady Township, **Clearfield County**. The Department terminated the General Plan Approval and/or General Operating Permit for Natural Gas Compression Stations, Processing Plants, and Transmission Stations (BAQ-GPA/GP-5) general permit authorization due to the shutdown of certain air contaminant sources at the Kewanee Deemer Compressor Station. The facility will operate under exemption status, but all remaining air contaminant sources are subject to the applicable regulations under 25 Pa. Code §§ 121—145 and Federal standards found in 40 CFR Part 60 and 40 CFR Part 63. Compliance with the exemption criteria and applicable regulations along with recordkeeping to demonstrate compliance is necessary to maintain permit exemption status. Application received: June 12, 2024. Revoked: July 10, 2024. Effective: July 10, 2024.

ACTIONS ON COAL AND NONCOAL APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the National Pollutant Discharge Elimination System (NPDES) permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to such applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1103). Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Coal Permits

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.

Contact: RA-EPCAMBRIADMO@pa.gov.

Mining Permit No. 32901603. NPDES No. PA0214507. Tipple Four J, Inc., P.O. Box 435, Seward, PA 15954, Armstrong Township, **Indiana County**. Renewal to the NPDES permit and mining activity permit for the Tipple Four J Preparation Plant affecting 8.1 acres. Receiving stream: Crooked Creek classified for the following use: WWF. Application received: December 21, 2022. Renewal issued: July 16, 2024.

New Stanton District Mining Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.

Contact: Tracy Norbert, 724-925-5500 or RA-EPNEWSTANTON@pa.gov.

Mining Permit No. 63120103. NPDES No. PA0252298. Amerikohl Mining, Inc., 1384 State Route 711, Stahlstown, PA 15687, Nottingham Township, **Washington County**. Permit renewal for reclamation only to an existing bituminous surface mine, affecting 125.1 acres. Receiving streams: Unnamed tributaries to Mingo Creek and Mingo Creek; classified for the following use: HQ-TSF. Application received: December 26, 2023. Issued: July 10, 2024.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

Mining Permit No. 49860201. Rosini Enterprises, Inc., 453 Vein Access Road, Coal Township, PA 17866, Coal Township, **Northumberland County**. Correction to an anthracite coal refuse reprocessing operation to add surface mining affecting 53.0 acres. Receiving stream: Carbon Run. Application received: January 12, 2024. Correction issued: July 12, 2024.

Noncoal Permits

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

Contact: Alicia Cook, Clerical Assistant 3, 814-343-3328.

Mining Permit No. 43140801. Leali Brothers Excavating, Inc., 2850 Industrial Road, Hermitage, PA 16148, City of Hermitage, **Mercer County**. Final bond release for a small industrial minerals surface mine. Restoration of 1.0 acre completed. Application received: May 8, 2024. Final bond release approved: June 27, 2024. Application received: May 8, 2024. Accepted: June 27, 2024.

Mining Permit No. 10120303. NPDES No. PA0259322. Allegheny Mineral Corporation, P.O. Box 1022, Kittanning, PA 16201, Worth Township, **Butler County**. Revision to an existing bituminous surface mine to change the post mining land use from Pastureland/Land Occasionally Cut for Hay and Residential to Unmanaged Natural Habitat and Residential. Receiving stream(s): Unnamed tributaries to Slippery Rock Creek classified for the following use(s): CWF. Application received: January 17, 2024. Issued: July 15, 2024.

Mining Permit No. 10120303. NPDES No. PA0259322. Allegheny Mineral Corporation, P.O. Box 1022, Kittanning, PA 16201, Worth Township, **Butler County**. Renewal of an NPDES permit. Application received: January 17, 2024. Renewed: July 15, 2024.

Mining Permit No. 42042804. NPDES No. PA0280658. Richard A. Powell, 1423 West Kane Road, Kane, PA 16735, Wetmore Township, **McKean County**. Renewal of an NPDES permit. Application received: January 22, 2024. Renewed: July 15, 2024.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

Contact: Cassie Stanton, Clerical Assistant 2.

Mining Permit No. 6774SM1. PA0594695. National Limestone Quarry, Inc., 3499 Quarry Road, Middleburg, PA 17842, Perry Township, **Snyder County**. Approval for a depth revision to the final permitted pit floor elevation for the large industrial mineral permit affecting 85.75 acres. The final pit floor elevation will be lowered from 650 feet MSL to 600 feet MSL. Receiving stream(s):

North Branch Mahantango Creek classified for the following use(s): TSF, MF. Application received: September 7, 2023. Accepted: September 11, 2023. Issued: July 8, 2024.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

Mining Permit No. 54070301. Rolling Rock Building Stone, Inc., 40 Rolling Rock Road, Boyertown, PA 19512, Wayne Township, **Schuylkill County**. Correction of an existing quarry operation to add 13.3 acres to the permit area for a total of 84.4 acres. Receiving streams: Little Swatara Creek and Bear Creek. Application received: November 21, 2023. Correction issued: July 10, 2024.

Mining Permit No. 54070301. GP104 Permit No. PAM117002. Rolling Rock Building Stone, Inc., 40 Rolling Rock Road, Boyertown, PA 19512, Wayne Township, **Schuylkill County**. Modification of coverage under the General NPDES Permit for Stormwater Discharges Associated with Mining Activities (BMP-GP-104). Receiving streams: Little Swatara Creek and Bear Creek. Application received: November 21, 2023. Coverage issued: July 10, 2024.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Action(s) Taken on Application(s) Under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting Activity Performed as Part of a Coal or Noncoal Mining Activity will be Regulated by the Mining Permit for that Coal or Noncoal Mining Activity.

Blasting Permits

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

Permit No. 36244120. M3 Explo, LLC, P.O. Box 615, Bowmansville, PA 17507, Mount Joy Township, **Lancaster County**. Construction blasting for Campus Road residential development. Application received: June 28, 2024. Permit issued: July 10, 2024. Expiration date: June 28, 2025.

Permit No. 36244121. Maine Drilling & Blasting, Inc., P.O. Box 1140, Gardiner, ME 04345, Rapho Township, **Lancaster County**. Construction blasting for Core 5, 283 Mt. Joy Warehouse. Application received: July 8, 2024. Permit issued: July 10, 2024. Expiration date: July 1, 2025.

Permit No. 39244107. Maine Drilling & Blasting, Inc., P.O. Box 1140, Gardiner, ME 04345, Upper Macungie Township, **Lehigh County**. Construction blasting for Lehigh Hills West. Application received: July 12, 2024. Permit issued: July 15, 2024. Expiration date: July 31, 2025.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department of Environmental Protection (DEP) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, DEP has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), and that the construction will not violate applicable Federal and State Water Quality Standards.

Individuals aggrieved by these actions may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. § 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Environmental Hearing Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the Board within 30-days. You do not need a lawyer to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so you should show this notice to a lawyer at once. If you cannot afford a lawyer, you may qualify for free pro bono representation. Call the Secretary to the Board 717-787-3483 for more information.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Action(s) Taken on Application(s) for the Following Activities Filed Under The Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and the Clean Streams Law and Notice of Final Action for Certification Under Section 401 of the FWPCA.

Northcentral Region: Waterways & Wetlands Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Stephen Kardohely, Project Manager, 814-342-8216.

E1704224-001. Westover Borough, 143 Tannery Road, Westover, PA 16692, Westover Borough, **Clearfield County**. U.S. Army Corps of Engineers Baltimore District.

The Department of Environmental Protection has issued Westover Borough a Chapter 105 Small Projects permit for the improvements to Mary Street including stabilization of the roadway, drainage improvement, and to make the road more flood resilient. There are no anticipated adverse impacts to wetlands or waters of the U.S. or aquatic resources from this project. The proposed project is located within the floodway of Chest Creek which is listed in 25 Pa. Code Chapter 93 designation use of High Quality—Cold Water Fishery (HQ-CWF). Latitude:

40°, 45', 5.88", Longitude: -78°, 39', 59.38". Application received: February 28, 2024. Issued: June 12, 2024.

Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Michele Lauer, Clerical Assistant 2, 570-830-3077.

E4002223-003. Crossroads XOX, LLC, 1265 Miller Road, Wind Gap, PA 18091-9765, Sugarloaf Township, **Luzerne County**. U.S. Army Corps of Engineers Baltimore District.

To construct and maintain the following water obstructions and encroachments associated with the Crossroads XOX Distribution Center: 1) A fill within 0.08-acre of PEM wetlands. 2) A fill within 0.05-acre of PEM wetlands. 3) A fill within 0.08-acre of PEM wetlands. 4) A fill within 0.02-acre of PSS wetlands. 5) A fill within 0.13-acre of PEM wetlands. 6) A fill within 0.21-acre of PFO wetlands. 7) A fill within 0.18-acre of PFO wetlands. 8) A fill within 0.01-acre of PFO wetlands. 9) A fill within 0.03-acre of PEM wetlands. 10) A fill within 0.03-acre of PSS wetlands. 11) A fill within 0.16-acre of PFO wetlands. 12) A fill within 0.02-acre of PSS wetlands. 13) A fill within 2.66-acres of PSS wetlands. 14) A fill within 0.01-acre of PFO wetlands. 15) A fill within 0.02-acre of PFO wetlands. 16) A fill within 0.06-acre of PEM wetlands. 17) A fill within 0.04-acre of PEM wetlands. 18) A fill within 0.01-acre of PEM wetlands. 19) A fill within 0.05-acre of PSS wetlands. 20) A fill within the normal pool elevation of a 0.14-acre open body of water within the Black Creek Watershed (CWF, MF). 21) A fill within the normal pool elevation of a 0.03-acre open body of water within the Black Creek Watershed (CWF, MF). 22) A fill within the normal pool elevation of a 1.01-acre open body of water within the Black Creek Watershed (CWF, MF). 23) A fill within the normal pool elevation of a 0.47-acre open body of water within the Black Creek Watershed (CWF, MF). 24) A fill within the normal pool elevation of a 0.23-acre open body of water within the Black Creek Watershed (CWF, MF). 25) A fill within the normal pool elevation of a 0.18-acre open body of water within the Black Creek Watershed (CWF, MF). 26) A fill within the normal pool elevation of a 0.15-acre open body of water within the Black Creek Watershed (CWF, MF). The project is located approximately 0.3 mile southeast of the intersection of Tomhicken Road and Slusser Lane (Conyngham, PA Quadrangle Latitude: 40°, 58', 23" Longitude: -76°, 3', 17") in Sugarloaf Township, Luzerne County. Latitude: 40°, 58', 23", Longitude: -76°, 3', 17". Application received: February 27, 2023. Issued: July 11, 2024.

E3502223-007. Sunnyside Road Associates, LLC, 100 Front Street, Suite 560, West Conshohocken, PA 19428, Jessup Borough, **Lackawanna County**. U.S. Army Corps of Engineers Baltimore District.

To construct and maintain the following water obstructions and encroachments associated with the Sunnyside Road Warehouse project consisting of construction of a 334,800 square foot warehouse, associated access drives, parking areas and stormwater facilities: 1. To place fill in 0.03 acre of wetlands associated with site grading for parking areas. 2. To place fill in 0.13 acre of wetlands associated with site grading for parking areas and an access road. To compensate for the permanent wetland impacts, the applicant is proposing to purchase 0.19 acre of wetland mitigation banking credits. The project is located on the right of Sunnyside Road approximately

0.6 mile after turning onto Sunnyside Road from Moosic Lake Road (SR 247) (Olyphant, PA Quadrangle Latitude: 41°, 28', 3" Longitude: -75°, 32', 57") in Jessup Borough, Lackawanna County. Latitude: 41°, 28', 3", Longitude: -75°, 32', 57". Application received: September 28, 2023. Issued: July 15, 2024.

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: 717-705-4802.

E0603223-022. Birdsboro Municipal Authority, 202 East Main Street, Birdsboro, PA 19508, Robeson Township, **Berks County**. U.S. Army Corps of Engineers Philadelphia District.

To 1) construct and maintain a 6-foot wide by 80-foot long, steel beam, single-span, pedestrian bridge with concrete footings, and riprap, across and along Hay Creek (EV, MF), resulting in 75 linear feet (1,875 square feet) of permanent stream impact and 5,775 square feet of permanent floodway impact; 2) construct and maintain a riprap temporary stream crossing within and along Hay Creek (EV, MF), all for the purpose of providing a safe crossing of Hay Creek to access the Birdsboro Preserve Rustic Park features within the Birdsboro Preserve. The project is located within the Birdsboro Preserve (Latitude: 40.248882, Longitude: -75.821398). No wetlands will be impacted by the proposed project. Latitude: 40.248882°, Longitude: -75.821398°. Application received: November 28, 2023. Issued: July 12, 2024.

E2203224-001. Hershey Entertainment & Resorts Company, 27 West Chocolate Way, Suite 100, Hershey, PA 17033, Derry Township, **Dauphin County**. U.S. Army Corps of Engineers Baltimore District.

To 1) demolish and remove existing features temporarily impacting approximately 5,212 square feet of the floodway of Spring Creek (WWF, MF) and permanently impacting approximately 1,009 square feet of the floodway of Spring Creek (WWF, MF). All proposed work is for the purpose of preparing the area for a future attraction. The project is located at Longitude: 40.28727, Latitude: -76.55420 in Derry Township, Dauphin County. No wetlands will be impacted by this project. Latitude: 40.28727°, Longitude: -76.55420°. Application received: February 19, 2024. Issued: July 12, 2024.

E0703223-005. Roaring Spring Park, LLC, 3082 Highway 88, Dilliner, PA 15327, Roaring Spring Borough, **Blair County**. U.S. Army Corps of Engineers Baltimore District.

Giving its consent to demolish existing degraded structures from a decommissioned paper mill. The proposed work will impact 10,391 square feet of Halter Creek (CWF, MF) and 19,982 square feet of its floodway, as well as approximately 3,064 square feet of UNT to Halter Creek (CWF, MF) and 48,094 square feet of its floodway. The buildings which are slated for removal include various structures utilized in the paper making and ancillary processes, including, but not limited to, storage and office buildings, production areas, and electrical/utility buildings. Each building will be demolished by industry standard best practices. The method of demolition will include the external collapse of building walls where appropriate and controlled implosion of structures where required. Latitude: 40.336984°, Longitude: -78.406181°. Application received: December 6, 2023. Issued: July 9, 2024.

Southeast Region: Waterways & Wetlands Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: ra-ep-ww-sero-105@pa.gov.

E0901223-003. Morning Companies, LLC, 132-A Veterans Lane, # 362, Doylestown, PA 18902, Dublin Borough, **Bucks County**. U.S. Army Corps of Engineers Philadelphia District.

Morning Companies, LLC, proposes the following activities in and along the 100-year floodway of the UNT Morris Run associated with the construction of two new story buildings and parking lots: 1) To realign approximately 296 LF of the existing stream channel associated with retaining wall rapping the new proposed development. 2) To construct and maintain a new 8-ft by 3-ft concrete box culvert along the existing stream channel. 3) To construct and maintain three checked dams along the stream channel to match the existing slope for the total 3,318 SF of waterway impact. The site is located at 144 North Main Street, near the intersection of North Main Street and Manor Drive (Doylestown, PA USGS Map) in the Borough of Dublin, Bucks County. Latitude: 40.374028°, Longitude: -75.207794°. Application received: February 28, 2023. Permit issued: July 10, 2024.

Contact: ra-ep-ww-sero-105@pa.gov.

E4601224-012. Upper Hanover Township, P.O. Box 27, East Greenville, PA 18041, Upper Hanover Township, **Montgomery County**. U.S. Army Corps of Engineers Philadelphia District.

To Upper Hanover Township, proposing to construct and maintain a pickleball court associated with a stormwater management facility in and along the 100-year floodplain of Macoby Creek (TSF), which is funded by the Montco2040 Grant, resulting in 29,037.46 square feet (0.67 acre) of permanent floodplain impact. The site is located at Macoby Creek Park at 1044 East Eleventh Street (Milford-Square, PA USGS Map) in Upper Hanover Township, Montgomery County. Latitude: 40.38615°, Longitude: -75.48242°. Application received: May 22, 2024. Permit issued: July 10, 2024.

Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Dana Drake, Program Manager.

E1105224-001. Waste Management of Pennsylvania, Inc., 260 Laurel Ridge Road, Johnstown, PA 15909, Jackson Township, **Cambria County**. U.S. Army Corps of Engineers Pittsburgh District.

Application received: July 16, 2024. Issued: July 16, 2024.

The applicant proposes to:

1. Construct and maintain an 18 stormwater discharge pipe and rip-rap outlet to Laurel Run (HQ-CWF).

For the purpose of discharging stormwater from the development of a fueling and hauling building, by Waste Management of Pennsylvania, Inc., in the Jackson Township Business Park. The project will permanently impact 30 linear feet of stream and 100 square feet of floodway. The project will temporarily impact 40 linear feet of stream and 1,500 square feet of floodway.

The project site is located at the terminus of Laurel Ridge Road, within the Jackson Township Business Park (Vintondale, PA USGS topographic quadrangle; N: 40°, 26', 43"; W: 78°, 53', 29"; Sub-basin 18D; USACE Pittsburgh District), in Jackson Township, Cambria County.

E6505223-005. Laurel Valley Golf Club, P.O. Box 435, Ligonier, PA 15658, Ligonier Township, **Westmoreland County**. U.S. Army Corps of Engineers Pittsburgh District.

Application received: May 1, 2023. Issued: July 9, 2024.

The applicant proposes to:

1. Place and maintain fill within an existing 0.27-acre on-stream pond and remove the outlet weir structure, and to construct and maintain approximately 160 LF of watercourse in its place;

2. Place and maintain fill within 294 LF of Tributary 43755 to the Loyalhanna Creek (CWF), which will include the removal of an existing 32 LF long 18-inch HDPE culvert which carries a cart path over Tributary 43755, and to construct and maintain a 394 LF of a relocated section of a reach of Tributary 43755 immediately below the aforementioned item 1 activity;

3. Construct and maintain two (2) 30-inch diameter culverts, at two different locations, in the relocated reach of Tributary 43755, one 18 LF long and one 33 LF long;

4. Place and maintain fill within an existing 0.12-acre off-stream water hazard pond and remove the outlet weir structure, and to construct and maintain a 0.122-acre pond along the floodway of Tributary 43755;

5. The project will also permanently impact 0.513 acre of the floodway of Tributary 43755 to Loyalhanna Creek by grading to accommodate the aforementioned stream relocation.

For the purpose of remediating bank failures due to erosion and water ponding, along an approximately 584 LF section of Tributary 43755 to Loyalhanna Creek and making improvements to the golf course. Mitigation will be provided by the aforementioned channel construction and relocation, and pond construction.

The project site is located at 175 Palmer Drive, Ligonier, PA 15658, Ligonier, PA (USGS topographic quadrangle; N: 40°, 13', 40"; W: -79°, 14', 13"; Sub-basin 18C; USACE Pittsburgh District), in Ligonier Township, Westmoreland County.

E6505221-010. Living Treasures II, Inc., 288 PA-711, Jones Mills, PA 15646, Donegal Township, **Westmoreland County**. U.S. Army Corps of Engineers Pittsburgh District.

Application received: August 16, 2021. Issued: July 9, 2024.

The applicant is proposing to:

1. Construct and maintain three water intakes in Indian Creek (HQ-CWF) to deliver water from Indian Creek to Ponds A, B, and C. Each intake will consist of a submerged 3/4-inch high-density polyethylene (HDPE) pipe in a protective 2-inch polyvinyl chloride (PVC) conduit. Each intake will be fitted with a 3/16-inch round side-perforated stainless-steel suction strainer and stabilized with R-6 riprap. An intermittent duty flexible impeller pump will be attached to each line and installed within the floodway of Indian Creek;

2. Operate and maintain a wooden gazebo with an access bridge within Pond A;

3. Construct and maintain a 10-foot extension of the existing outfall from Pond A, in and along Indian Creek, consisting of 6-inch PVC pipe and R-6 riprap apron;

4. Construct and maintain a 10-foot extension of the existing outfall from Pond B, in and along Indian Creek, consisting of 8-inch CPP pipe and R-6 riprap apron;

5. Operate and maintain an existing 10-inch HDPE outfall pipe from Pond C within the floodway of Indian Creek. This outfall pipe outlets into an existing drainage swale;

6. Place and maintain R-4 riprap within the aforementioned drainage swale within the floodway of Indian Creek;

7. Construct and maintain a 10-foot extension of the existing outfall from the drainage swale, in and along Indian Creek, consisting of 15-inch CMP pipe and R-6 riprap apron.

For the purpose of supplying water (0.5 GPM per pump) to three ponds located within animal exhibits. Cumulatively, the project will permanently impact 36 linear feet (LF) of stream, 0.03 acre of floodway, and 0.02 acre of pond, and temporarily impact 60 LF of stream and 0.17 acre of floodway.

The project site is located at 288 PA-711, Jones Mills, PA 15646 (Seven Springs, PA USGS topographic quadrangle; N: 40°, 05', 14"; W: -79°, 20', 48"; Sub-basin 19E; USACE Pittsburgh District), in Donegal Township, Westmoreland County.

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information.

Eastern District: Oil and Gas Management Program, 208 West Third Street, Williamsport, PA 17701-6448.

Contact: RA-EPEASTERNOPRG@pa.gov.

ESCGP # 3 **ESG295824007-00**
Applicant Name **Coterra Energy Inc.**
Contact Person Kenneth Marcum

Address 2000 Park Lane, Suite 300
 City, State, Zip Pittsburgh, PA 15275
 Township(s) Auburn Township
 County **Susquehanna County**
 Receiving Stream(s) and Classification(s) Dark Hollow
 (CWF, MF), West Creek (CWF, MF)
 Issued: July 10, 2024

ESCGP # 3 **ESG294123005-01**
 Applicant Name **Seneca Resources Co LLC**
 Contact Person Douglas Kepler
 Address 51 Zents Boulevard
 City, State, Zip Brookville, PA 15825-2701
 Township(s) Lewis Township
 County **Lycoming County**
 Receiving Stream(s) and Classification(s) UNTs to Grays
 Run (HQ-CWF, MF), UNT to Lycoming Creek (HQ-
 CWF, MF)
 Application received: June 4, 2024
 Issued: July 11, 2024

ESCGP # 3 **ESG295824011-00**
 Applicant Name **Appalachia Midstream Services LLC**
 Contact Person Adam Weightman
 Address 30351 Route 6
 City, State, Zip Wysox, PA 18854
 Township(s) Rush Township
 County **Susquehanna County**
 Receiving Stream(s) and Classification(s) Deuel Creek
 # 44319 (CWF, MF), East Branch Wyalusing Creek
 # 3373 (CWF, MF)
 Application received: June 19, 2024
 Issued: July 16, 2024

*Southwest District: Oil and Gas Management Program,
 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

Contact: RA-EPSW-OGSUBMISSION@pa.gov.

ESCGP # 3 **ESG076324003-00**
 Applicant Name **Range Resources Appalachia LLC**
 Contact Person Alex Alvarez, (724) 754-5322
 aalvarez@rangeresources.com
 Address 1 Mile south of Avella Road and Patterson Road
 City, State, Zip Avella, PA 15312
 Township(s) Cross Creek Twp, Smith Twp
 County **Washington County**
 Receiving Stream(s) and Classification(s) 001. Lat
 40.28209, Long -80.44931, Trib 33064 to Cross Creek,
 Ch 93 class WWF 002. Lat 40.28153, Long -80.43874,
 Trib 33066 to Cross Creek, Ch 93 class HQ-WWF 003.
 Lat 40.28398, Long -80.43201, Trib 33073 of South Fork
 Cross Creek, Ch 93 class HQ-WWF 004. Lat 40.29024,
 Long -80.42308, Trib 33072 to South Fork Cross Creek,
 Ch 93 class HQ-WWF 005. Lat 40.29257, Long
 -80.42225, Middle Fork North Fork Cross Creek, Ch 93
 class WWF 006. Lat 40.29544, Long -80.41284, Trib
 33075 to South Fork Cross Creek, Ch 93 class HQ-
 WWF 007. Lat 40.29656, Long -80.40155, Trib 33077 of
 South Fork Cross Creek, Ch 93 class HQ-WWF 008.
 Lat 40.30473, Long -80.38988, Trib 33078 of South Fork
 Cross Creek, Ch 93 class HQ-WWF 009. Lat 40.30894,
 Long -80.37907, Trib 33080 of South Fork Cross Creek,
 Ch 93 class HQ-WWF 010. Lat 40.30957, Long
 -80.37325, Trib 33081 of South Fork Cross Creek, Ch 93
 class HQ-WWF 011. Lat 40.31179, Long -80.36990, Trib
 33083 of South Fork Cross Creek, Ch 93 class HQ-
 WWF 012. Lat 40.31723, Long -80.36795, Trib 33874 to
 Burgetts Fork, Ch 93 class WWF 013. Lat 40.32606,
 Long -80.36374, Burgetts Fork, Ch 93 class WWF
 Application received: March 7, 2024
 Issued: July 10, 2024

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 2

The Following Plan(s) and Report(s) Were Submitted Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101–6021.2104).

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DEP has received the following plans and reports.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Convenient Food Mart, Storage Tank Facility ID # **40-08918**, 340 Wilkes-Barre Township Boulevard, Wilkes-Barre, PA 18702, Wilkes-Barre Township, **Luzerne County**. Reliance Environmental, 235 North Duke Street, Lancaster, PA 17602, on behalf of CDG 320 Inc., 304 North Wilkes-Barre Township Boulevard, Wilkes-Barre, PA 18702, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with gasoline. The report is intended to document the remedial actions for meeting Statewide health and site-specific standards.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Robin L. Yerger, LPG.

Rutter's Farm Store No 22, Storage Tank Facility ID # **67-26959**, 35 E. Canal Street, Dover, PA 17315, Dover Borough, **York County**. United Environmental Services, Inc., P.O. Box 701, Schuylkill Haven, PA 17972, on behalf of CHR Corporation, 2295 Susquehanna Trail, York, PA 17404, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contami-

nated with petroleum constituents. The report is intended to document the remedial actions for meeting nonresidential Statewide health standards.

Contact: Robin L. Yerger, LPG.

Oakland Fuel, Storage Tank Facility ID # **34-38330**, 450 Aukey Road, Mifflintown, PA 17059, Walker Township, **Juniata County**. United Environmental Services, Inc., P.O. Box 701, Schuylkill Haven, PA 17972, on behalf of 450 Aukey Road LLC, 450 Aukey Road, Mifflintown, PA 17059, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum constituents. The plan is intended to document the remedial actions for meeting nonresidential Statewide health standards.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Richard M. Staron, Professional Geologist Manager, 484-250-5717.

Sunoco 0363 2700, Storage Tank Facility ID # **23-24249**, 401 Lincoln Ave, Prospect Park, PA 19076, **Delaware County**. Groundwater & Environmental Services, Inc., 440 Creamery Way, Suite 500, Exton, PA 19341, on behalf of Evergreen Resources Management Operations, 2 Righter Parkway, Suite 120, Wilmington, DE 19803, submitted a Combined Remedial Action Plan and Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum products. The report is intended to document the remedial actions for meeting nonresidential Statewide health standards.

Kyle Carr Auto Svc, Storage Tank Facility ID # **09-45194**, 125 W Butler Pike, Chalfont, PA 18914, Chalfont Borough, **Bucks County**. Coventry Environmental Associates, Inc., P.O. Box 224, St. Peters, PA 19470, on behalf of Kyle Carr, 125 W Butler Pike, Chalfont, PA 18914, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report is intended to document the remedial actions for meeting residential Statewide health standards.

Folcroft Sunoco, Storage Tank Facility ID # **23-40768**, 1898 Delmar Drive, Folcroft, PA 19032, Folcroft Borough, **Delaware County**. August Mack Environmental, LLC, 806 Fayette Street, Conshohocken, PA 19428, on behalf of John Vecchioli, 1898 Delmar Drive, Folcroft, PA 19032, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The combined plan and report is intended to document the remedial actions for meeting nonresidential site-specific standards.

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 3

Action(s) Taken on the Following Plans and Reports Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports.

A remedial action plan is submitted to summarize the site characterization, document the design and construc-

tion details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

DEP may approve or disapprove plans and reports submitted. This notice provides DEP's decision and, if relevant, the basis for disapproval.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DEP has received the following plans and reports.

Northcentral Region: Environmental Cleanup & Brownfields Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Randy Farmerie, P.G., Environmental Program Manager, 570-327-3716.

Northumberland Terminal, Storage Tank Facility ID # **49-03531**, 1314 Point Township Drive, Northumberland, PA 17857, Point Township, **Northumberland County**. Aquaterra Technologies Inc., 901 S. Bomar St, Suite 1A, Westchester, PA 19382, on behalf of Evergreen Resources Group, LLC, 2 Righter Parkway, Suite 120, Wilmington, DE 19803, submitted a Combined Remedial Action Plan and Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The plan was acceptable to meet the nonresidential site-specific standards and was approved by DEP on July 12, 2024.

7 Eleven 40409, Storage Tank Facility ID # **41-20891**, 4 East Mountain Avenue, South Williamsport, PA 17702, South Williamsport Borough, **Lycoming County**. AECOM Technical Services, Inc., 625 West Ridge Pike, Ste E-100, Conshohocken, PA 19428, on behalf of 7 Eleven Inc., 3200 Hackberry Road, P.O. Box 711, Dallas, TX 75221, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The plan was acceptable to meet the residential and nonresidential Statewide health and site-specific standards and was approved by DEP on July 12, 2024.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Onvo Express White Haven, Storage Tank Facility ID # **13-25464**, 4700 State Route 534, White Haven, PA 18661, Kidder Township, **Carbon County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Onvo

Express White Haven, 2227 Scranton-Carbondale Highway, Scranton, PA 18508, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with diesel. The report demonstrated attainment of the Statewide health standards and was approved by DEP on July 16, 2024.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Robin L. Yerger, LPG.

Oakland Fuel, Storage Tank Facility ID # **34-38330**, 450 Aukey Road, Mifflintown, PA 17059, Walker Township, **Juniata County**. United Environmental Services, Inc., P.O. Box 701, Schuylkill Haven, PA 17972, on behalf of 450 Aukey Road LLC, 450 Aukey Road, Mifflintown, PA 17059, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum constituents. The plan was not acceptable to meet the nonresidential Statewide health standards and was disapproved by DEP on July 8, 2024.

Rutter's Farm Store No 22, Storage Tank Facility ID # **67-26959**, 35 E Canal Street, Dover, PA 17315, Dover Borough, **York County**. United Environmental Services Inc., P.O. Box 701, Schuylkill Haven, PA 17972, on behalf of CHR Corporation, 2295 Susquehanna Trail, York, PA 17404, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum constituents. The report did not demonstrate attainment of the nonresidential Statewide health standards and was disapproved by DEP on July 10, 2024.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Richard M. Staron, Professional Geologist Manager, 484-250-5717.

Sunoco 0363 2700, Storage Tank Facility ID # **23-24249**, 401 Lincoln Ave, Prospect Park, PA 19076, Ridley Township, **Delaware County**. Groundwater & Environmental Services, Inc., 440 Creamery Way, Suite 500, Exton, PA 19341, on behalf of Evergreen Resources Management Operations, 2 Righter Parkway, Suite 120, Wilmington, DE 19803, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum products. The report demonstrated attainment of the nonresidential Statewide health standards and was approved by DEP on July 12, 2024.

SPECIAL NOTICES

WATER PROGRAMS

Public hearing to accept additional comments on the documentation and plans associated with the Individual NPDES Permit Application No. PAD130044.

Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Michele Lauer, Clerical Assistant 2, 570-830-3077.

On November 7, 2023, the Department of Environmental Protection (PA DEP/Department) received an NPDES Permit application for the Blue Ridge Real Estate, Lot # 2, in Kidder Township, Carbon County. The application

was deemed administratively complete on January 30, 2024. Written public comments were received during the public comment period.

The Department will hold a public hearing to accept additional comments on the documentation and plans associated with the Individual NPDES Permit Application No. PAD130044 for the discharge of stormwater from construction activities to the following receiving watercourses:

UNT to Black Creek (HQ-CWF, MF)

The applicant is as follows:

- Blue Ridge Real Estate Company, P.O. Box 707, Blakeslee, PA 18610

Contact: Bruce Beaty, President

The public hearing will be conducted on Thursday, August 29, 2024 from 6:00 p.m.—9:00 p.m. at the Jim Thorpe High School located at 1 Olympian Way, Jim Thorpe, PA 18229. Representatives from the Department's Waterways & Wetlands Program, the Carbon County Conservation District and Blue Ridge Real Estate Company will be in attendance.

The Department requests that individuals wishing to testify at the hearing submit a written notice of intent to Colleen Connolly, Community Relations Coordinator at: coconnolly@pa.gov. The Department will accept requests up to the day of the hearing. The Department requests that individuals limit their testimony to 5 minutes so that all individuals have the opportunity to testify. The Department can only review comments made with regard to the NPDES Permit Application No. PAD130044 documentation and plans. Written copies of oral testimony are requested. All comments, whether delivered orally during the hearing or submitted in writing will carry equal weight and consideration with DEP. Individuals attending the hearing will have the opportunity to testify if they so desire; however, individuals who preregister to testify will be given priority on the agenda.

Persons with a disability who wish to testify and require an auxiliary aid, service or other accommodation should contact Colleen Connolly at: coconnolly@pa.gov or the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD) to discuss how the Department can meet their needs.

The NPDES permit application documentation and conceptual plans are available for review at the Carbon County Conservation District Office, 5664 Interchange Road, Lehighton, PA 18235 at (610) 377-4894 and/or the DEP Northeast Regional Office, 2 Public Square, Wilkes-Barre, PA, (570) 826-2511. For further information, contact Colleen Connolly, Community Relations Coordinator of the Department's Northeast Regional Office at (570) 826-2035.

ACTIVE AND ABANDONED MINE OPERATIONS

Request for Comment and Notice of Public Hearing.

California District Mining Office: California District Mining Office, 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.

Contact: Bonnie Herbert.

LCT Energy, LP, Rustic Ridge # 1 Mine, Permit No. 65131301, NPDES Permit No. PA0236241, Donegal and Saltlick Townships, **Westmoreland and Fayette Counties**.

California District Mining office has received a request for a public hearing regarding the draft effluent limits for the application to renew the existing Rustic Ridge # 1 Mine National Pollutant Discharge Elimination System (NPDES) permit submitted by LCT Energy, LP received on June 17, 2021.

The Department will hold a Public Hearing at St. Raymond of the Mountains Parish, 170 School House Lane, Donegal, PA, 15628 on Wednesday, August 28, 2024, beginning at 6:00 p.m.

The draft of the renewal NPDES permit includes effluent limitations for Outfalls 001—003 associated with the operation of Rustic Ridge # 1 Mine.

Outfall 001—Lat: 40°, 05', 50", Long: -79°, 23', 49"—Champion Creek

Outfall 002—Lat: 40°, 06', 05", Long: -79°, 23', 43"—UNT # 9 of Champion Creek

Outfall 003—Lat: 40°, 06', 04", Long: -79°, 23', 45"—UNT # 9 of Champion Creek

The draft effluent limitations for the NPDES permit were published in the *Pennsylvania Bulletin* on May 4, 2024. The renewal of the permit has not been issued and is pending. Copies of the draft NPDES permit and associated documents are on file for public review, by appointment, at the Department of Environmental Protection, District Mining Operations, 25 Technology Drive, California Technology Park, Coal Center, PA 15423, Phone: 724-769-1100.

The public hearing is being held at the request of Mountain Watershed Association, to take testimony from citizens on the draft NPDES permit for the Rustic Ridge # 1 Mine.

Members of the public will have the opportunity to present up to three minutes of oral testimony relevant to the draft permit. Those wishing to register for the public hearing must contact Lauren Camarda by email at

lcamarda@pa.gov or by calling 412-442-4203 at least 24 hours before the hearing. DEP requests that organizations designate one spokesperson to present testimony on their behalf. Individuals providing testimony are requested to submit a written copy of their verbal testimony by e-mail to Lori Jenkins, lorjenkins@pa.gov, after providing testimony at the hearing. Written comments will be accepted until close of business on September 2, 2024.

Individuals wishing to attend who require an auxiliary aid, service or other accommodation to participate should contact Lauren Camarda at 412-442-4203. The Pennsylvania Hamilton Relay Service is available by calling 1-800-654-5984 (TTD users) or 1-800-654-5988 (voice users) and request that the call be relayed to Lauren Camarda at the previously listed number.

WASTE, AIR, RADIATION AND REMEDIATION

Notice of Certification to Perform Radon-Related Activities in Pennsylvania.

Central Office: Radiation Protection Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101.

Contact: 717-783-3594, Austyn Shank, EP-RADON.

In the month of June 2024, Department of Environmental Protection of the Commonwealth of Pennsylvania, under the authority contained in the Radon Certification Act, act of July 9, 1987, P.L. 238, No. 43 (63 P.S. §§ 2001—2014) and regulations promulgated thereunder at 25 Pa. Code Chapter 240, has certified the persons listed as follows to perform radon related activities in Pennsylvania. The period of certification is two years. (For a complete list of persons currently certified to perform radon-related activities in Pennsylvania and for information as to the specific testing devices that persons certified for testing or laboratory are certified to use, contact the Bureau of Radiation Protection, Radon Division, P.O. Box 8469, Harrisburg, PA 17105-8469, (1-800-23RADON).

<i>Name</i>	<i>Address</i>	<i>Certification</i>
Richard Nesgoda	420 Northampton Street Edwardsville, PA 18704-4542	Testing Individual
Eric Funkhouser	145 Dehaven Road Beaver Falls, PA 15010-9712	Testing Individual
Celia Rajkovich	122 West 5th Avenue Derry, PA 15627-1214	Laboratory Individual
Jody Viscomi	1304 Eynon Street Scranton, PA 18504-2127	Testing Individual
Joshua Supik	2879 Meadow Street Natrona Heights, PA 15065-1817	Testing Individual
Charles Kisamore	270 William Pitt Pittsburgh, PA 15238-1328	Way Testing Individual
Atlas Technical Consultants, LLC	270 William Pitt Way Pittsburgh, PA 15238-1328	Testing Firm
RJH Radon Mitigation, Inc.	P.O. Box 91 Akron, PA 17501-0091	Mitigation Firm
James Zamiska	523 Burnside Road McDonald, PA 15057-2706	Testing Individual
Greg Dupey	81 Big Oak Road Suite 116 Morrisville, PA 19067	Testing Individual

<i>Name</i>	<i>Address</i>	<i>Certification</i>
Pillar to Post	81 Big Oak Road Suite 116 Morrisville, PA 19067	Testing Firm
Bruce Kollmeyer, Jr.	828 Oak Street Royersford, PA 19468-1522	Mitigation Individual
ARM Environmental, LLC	P.O. Box 733 Tannersville, PA 18372	Testing Firm
Gregory Gibson	P.O. Box 733 Tannersville, PA 18372	Testing Individual
Paul Fletcher	2501 Mayes Road Suite 100 Carrollton, TX 75006-1378	Laboratory Individual
Alpha Energy Labs, Inc.	2501 Mayes Road Suite 100 Carrollton, TX 75006-1378	Laboratory Firm
Michelle Hopkins	16829 Budd Road Poolesville, MD 20837-8674	Testing Individual
ProTec	16829 Budd Road Poolesville, MD 20837-8674	Testing Firm
Kevin Thompson	P.O. Box 242 Unionville, PA 19375-0242	Testing Individual
The Green Valley Group	P.O. Box 242 Unionville, PA 19375-0242	Testing Firm
John Kerrigan	100 Old Kennett Road Wilmington, DE 19807-1726	Mitigation Individual
Donald Lucas	107 Summer Springs Lane Greensburg, PA 15601-6084	Testing Individual
Spencer Conrad	116 Gay Street # 186 Phoenixville, PA 19460-0186	Testing Individual

Notice of Plan Revision Approval Under The Municipal Waste Planning And Waste Reduction Act of 1988, Act 101.

Northeast Region: Waste Management Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Berit Case, 570-826-2108.

The Department of Environmental Protection (DEP) approved a revision to the Monroe County Municipal Waste Management Plan on May 10, 2024.

Any person aggrieved by this action may appeal, pursuant to Section 4 of the Environmental Hearing Board Act 35 P.S. § 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483 <http://www.ehb.pa.gov/>. TDD users may contact the Board through the Pennsylvania Hamilton Relay Service, 800-654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of this appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the board within 30 days. You do not need a lawyer to file an appeal with the board.

Important legal rights are at stake, however, so you should show this notice to a lawyer at once. If you cannot afford a lawyer, you may qualify for free pro bono representation. Call the secretary to the board (717-787-3483) for more information.

The Plan Revision is a public document and may be viewed at the DEP Regional Office previously noted.

Questions concerning this approval should be directed to Roger Bellas, Waste Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

[Pa.B. Doc. No. 24-1055. Filed for public inspection July 26, 2024, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Availability of Technical Guidance

Technical guidance documents (TGD) are available on the Department of Environmental Protection's (Department) web site at www.depgreenport.state.pa.us/elibrary/. The "Technical Guidance Final Documents" heading is the link to a menu of the various Department bureaus where

each bureau's final TGDs are posted. The "Technical Guidance Draft Documents" heading is the link to the Department's draft TGDs.

Ordering Paper Copies of Department Technical Guidance

The Department encourages the use of the Internet to view and download TGDs. When this option is not available, persons can order a paper copy of any of the Department's draft or final TGDs by contacting the Department at (717) 783-8727.

In addition, bound copies of some of the Department's documents are available as Department publications. Check with the appropriate bureau for more information about the availability of a particular document as a publication.

Changes to TGDs

Following is the current list of recent changes. Individuals who have questions or comments about a particular document should contact the person whose name and phone number are listed with each document.

Rescission TGD: Intent to Rescind

DEP ID: 294-2309-001. **Title:** Radon Certification Policy. **Description:** The content and scope of this document are no longer relevant due to it being incorporated into 25 Pa. Code Chapter 240 (relating to radon certification), regarding Pennsylvania radon certification regulations, that became effective January 2019. The application booklet "Pennsylvania Radon Certification Forms and Information" included all the changes that have been made since 2009.

Contact: Questions regarding this action should be directed to Robert Lewis, (717) 783-9485 or by e-mail to rolewis@pa.gov.

Effective Date: Upon publication of notice as final in the *Pennsylvania Bulletin*.

JESSICA SHIRLEY,
Acting Secretary

[Pa.B. Doc. No. 24-1056. Filed for public inspection July 26, 2024, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Change in Practice Regarding Title V Operating Permit Application Submissions to Meet Federal Clean Air Act Requirements

The Department of Environmental Protection (Department) is providing notice of a change in practice regarding when the owners or operators of new or modified Title V facilities are required to submit a Title V Operating Permit application to ensure compliance with sections 501—507 of the Federal Clean Air Act (CAA) (42 U.S.C. §§ 7661—7661f) and implementing regulations under 40 CFR Part 70 (relating to state operating permit programs).

The Commonwealth's regulations under 25 Pa. Code Chapter 127, Subchapter F (relating to operating permit requirements) provide that an operating permit cannot be issued unless the source is constructed and is operat-

ing in accordance with the conditions of the plan approval. See 25 Pa. Code § 127.402(c) (relating to general provisions). However, the regulations under Subchapter F and Subchapter G (relating to Title V operating permits) do not specify when an owner or operator shall submit a Title V Operating Permit application. Under section 503(b) of the CAA (42 U.S.C. § 7661b(c)) and implementing regulations in 40 CFR 70.5(a) (relating to permit applications), an owner or operator of a Title V facility is required to submit a Title V Operating Permit application within 12 months of beginning operation.

The Department is requiring the owners or operators of new or modified major facilities currently authorized for temporary operation under a plan approval for more than 12 months to submit a Title V Operating Permit application on or before November 25, 2024. The requirement to submit a Title V Operating Permit application within 12 months of beginning operation will also apply to the owners or operators of new or modified Title V facilities authorized and operating under a plan approval after July 27, 2024.

Questions regarding this notice may be directed to the Bureau of Air Quality at ra-epair@pa.gov.

JESSICA SHIRLEY,
Acting Secretary

[Pa.B. Doc. No. 24-1057. Filed for public inspection July 26, 2024, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Environmental Justice Advisory Board Meeting Cancellation

The Environmental Justice Advisory Board (Board) meeting, scheduled for August 13, 2024, at 9 a.m. in Harrisburg, PA, is cancelled. The next Board meeting is scheduled for November 12, 2024, at 9 a.m. at the Rachel Carson State Office Building, 400 Market Street, 16th Floor, Delaware Conference Room, Harrisburg, PA.

Information on how to join the meeting, as well as agenda and meeting materials, will be available on the Board's webpage, found through the Department of Environmental Protection's (Department) web site at www.dep.pa.gov/EJAB. Questions concerning the November 12, 2024, meeting can be directed to Jennifer McLuckie at RA-EPOEJ@pa.gov or (717) 772-5633.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Jennifer McLuckie at RA-EPOEJ@pa.gov or (717) 772-5633 or through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

JESSICA SHIRLEY,
Acting Secretary

[Pa.B. Doc. No. 24-1058. Filed for public inspection July 26, 2024, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Planning Grant Awards under Section 901 of the Municipal Waste Planning, Recycling and Waste Reduction Act, Act 101 of 1988

The Department of Environmental Protection announces the following grant to Lycoming County under section 901 of the Municipal Waste Planning, Recycling and Waste Reduction Act (Act 101) (53 P.S. § 4000.901) and section 208 of the Small Business and Household Pollution Prevention Program Act (35 P.S. § 6029.208).

Planning grants are awarded to counties for 80% of approved costs for preparing municipal waste management plans, as required by Act 101, for carrying out related studies, surveys, investigations, inquiries, research and analysis, including those related to siting, environmental mediation, education programs on pollution prevention and household hazardous waste and providing technical assistance to small businesses for pollution prevention. Grants may be awarded for feasibility studies and project development for municipal waste processing or disposal facilities, except for facilities for the combustion of municipal waste that are not proposed to be operated for the recovery of energy. Grant awards are predicated on the receipt of recycling fees required by sections 701 and 702 of Act 101 (53 P.S. §§ 4000.701 and 4000.702) and the availability of funds in the Recycling Fund.

Inquiries regarding the grant offering can be directed to Janet Heindel, Department of Environmental Protection, Bureau of Waste Management, Division of Waste Minimization and Planning, Rachel Carson State Office Building, P.O. Box 8472, Harrisburg, PA 17105-8472, at jaheindel@pa.gov or (717) 787-9614.

Act 101, Section 901 Planning Grant

<i>Region</i>	<i>County</i>	<i>Applicant</i>	<i>Project</i>	<i>Grant</i>
Northcentral	Lycoming	Lycoming County	Plan Revision	\$56,611

JESSICA SHIRLEY,
Acting Secretary

[Pa.B. Doc. No. 24-1059. Filed for public inspection July 26, 2024, 9:00 a.m.]

DEPARTMENT OF HEALTH

Long-Term Care Nursing Facilities; Requests for Exception

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 211.12(f.1)(3) and (i)(2) (relating to nursing services):

Sunnyview Nursing and Rehabilitation Center
107 Sunnyview Circle
Butler, PA 16001
FAC ID # 970102

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 211.12(f.1)(4):

Rehabilitation Center at Brethren Village
3001 Lititz Pike
Lititz, PA 17543
FAC ID # 24480201

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.6(a) (relating to function of building):

WeCare at Penn Rehabilitation and Nursing Center
909 West Street
Pittsburgh, PA 15221
FAC ID # 016002

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.7 (relating to basement or cellar):

Armstrong Rehabilitation and Nursing Center
265 South McKean Street
Kittanning, PA 16201
FAC ID # 530602

These requests are on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed contact information.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so, should contact the Division at the previously listed address or phone number, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DEBRA L. BOGEN,
Secretary

[Pa.B. Doc. No. 24-1060. Filed for public inspection July 26, 2024, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Notice of Comments Issued

Section 5(g) of the Regulatory Review Act (71 P.S. § 745.5(g)) provides that the Independent Regulatory Review Commission (Commission) may issue comments within 30 days of the close of the public comment period. The Commission comments are based upon the criteria contained in section 5.2 of the Regulatory Review Act (71 P.S. § 745.5b).

The Commission has issued comments on the following proposed regulation. The agency must consider these comments in preparing the final-form regulation. The final-form regulation must be submitted within 2 years of the close of the public comment period or it will be deemed withdrawn.

<i>Reg. No.</i>	<i>Agency/Title</i>	<i>Close of the Public Comment Period</i>	<i>IRRC Comments Issued</i>
16A-5626	State Real Estate Commission Broker Price Opinions 54 Pa.B. 2806 (May 18, 2024)	06/17/24	07/17/24

**State Real Estate Commission
Regulation # 16A-5626 (IRRC # 3400)**

Broker Price Opinions

July 17, 2024

We submit for your consideration the following comments on the proposed rulemaking published in the May 18, 2024 *Pennsylvania Bulletin*. Our comments are based on criteria in Section 5.2 of the Regulatory Review Act (71 P.S. § 745.5b). Section 5.1(a) of the Regulatory Review Act (71 P.S. § 745.5a(a)) directs the State Real Estate Commission (Commission) to respond to all comments received from us or any other source.

Subchapter J. BROKER PRICE OPINIONS

**1. Section 35.502. Use of broker price opinion.—
Clarity.**

This section identifies the uses and prohibitions of a broker price opinion. Under proposed Section 35.502(a)(2), a broker price opinion may be prepared by a broker, associate broker or salesperson only for use in conjunction with “a modification of a first or junior mortgage or equity line of credit.” In subsection (b) paragraph (1) of the same section, a broker price opinion may not be prepared by a broker, associate broker or salesperson for use “as the basis to determine the value of a parcel of real property for a mortgage loan origination, including a first or junior mortgage, refinancing or equity line of credit.”

These two sections, which track the statutory language in Act 75 of 2018 (Act 75), seem contradictory. 63 P.S. § 455.608f(e) and (f). We ask the Commission, if they are not contradictory, to explain the difference between the two provisions in the final version of this rulemaking.

**2. Section 35.503. Broker price opinion education.—
Clarity.**

Subsection (c)

Proposed subsection (c) requires a broker, associate broker or salesperson to complete at least 3 hours of Commission-approved continuing education in broker price opinion topics during the current or immediately preceding 2-year license period. The Commission should

clarify in the final rulemaking that the continuing education requirement is not applicable during the initial period of licensure.

Subsections (d) and (e)

Act 75 provides that a broker, associate broker or salesperson may not prepare or sign a broker price opinion unless the broker, associate broker or salesperson has satisfied the requirements prescribed by the rules of the commission to obtain education in the preparation of broker price opinions. 63 P.S. § 455.608f(i)(1).

Section 35.503(d) requires a broker, associate broker or salesperson to retain the transcript or certificate of instruction for *all required broker price opinion courses* and provide a copy to the Commission upon request. (Emphasis added). Section 35.503(e) lists the Commission-approved broker prelicensure courses to satisfy the initial education requirements.

The proposed language in Section 35.503(d) differs from the temporary regulations at Subchapter I Section 35.404(d). Section 35.404(d) provides that “[a] broker, associate broker or salesperson who has completed a *Commission-approved initial education course, a broker prelicensure course listed in subsection (e) or continuing education referenced in subsection (c)* shall retain the transcript or certificate of instruction and provide a copy to the Commission upon request.” (Emphasis added).

The Pennsylvania Association of Realtors (PAR) believes that the proposed language to Sections 35.503(d) and (e) could be read to suggest that the pre-approved broker courses are the only courses that would fulfil the initial education requirement in the preparation of broker price opinions. PAR asserts that this modification is not consistent with the Commission’s intent, as shown by their course approval history under the temporary regulations. PAR asks that these provisions be revised to clarify that the Commission “can and will approve courses beyond the pre-approved broker course[s] listed in the regulation.” The Commission should clarify its intent regarding the initial education requirements in the preparation of broker price opinions in the final-form regulation.

[Pa.B. Doc. No. 24-1061. Filed for public inspection July 26, 2024, 9:00 a.m.]

INSURANCE DEPARTMENT

1332 Waiver Reinsurance Program—Parameter Updates; Notice 2024-12

On July 24, 2020, the Centers for Medicare & Medicaid Services, a division of the United States Department of Health and Human Services, and the United States Department of the Treasury, approved the Insurance Department's 1332 Waiver Application. The approval is effective for a waiver period from January 1, 2021, through December 31, 2025, with a provision for a possible extension at the end of the initial term.

The reinsurance program is a claims-based, attachment point reinsurance program that will reimburse health insurers for claims costs of qualifying Affordable Care Act-compliant individual enrollees, where a percentage of the claims costs exceeding a specified threshold (attachment point) and up to a specified ceiling (reinsurance cap) will be reimbursed.

The program parameters for Plan Year 2025 will be adjusted from the parameters announced in Notice 2024-07 published at 54 Pa.B. 2907 (May 25, 2024). Beginning January 1, 2025, the program-adopted parameters will be adjusted to an attachment point of \$60,000, a cap of \$100,000 and a coinsurance rate of 60%.

Questions regarding this notice may be addressed to the Bureau of Life, Accident and Health, Insurance Department, 1311 Strawberry Square, Harrisburg, PA 17120, RA-IN-PA1332WAIVER@pa.gov.

MICHAEL HUMPHREYS,
Insurance Commissioner

[Pa.B. Doc. No. 24-1062. Filed for public inspection July 26, 2024, 9:00 a.m.]

INSURANCE DEPARTMENT

Act 146 of 2022—Implementation of Prior Authorization Provisions; Notice 2024-11

The act of November 3, 2022 (Pub.L. 2068, No. 146) (Act 146) amended the act of May 17, 1921 (Pub.L. 682, No. 284) by, inter alia, substantially increasing the Insurance Department's (Department) oversight related to the Commonwealth's commercial health insurance prior authorization requirements and appeal processes. Section 2155 of Act 146 specifically addresses prior authorization review and peer-to-peer reviews. The Department reminds insurers of the requirements of, and its expectations for compliance with, these provisions.

List of health care services requiring prior authorization. Section 2155(b) of Act 146 (40 P.S. § 991.2155(b)) requires each insurer to publicly post a list indicating the health care services for which the insurer requires prior authorization. That list must be in a publicly accessible format and location on the insurer's web site. The Department expects that consumers and providers, as well as the Department and other interested parties, will be able to easily access, navigate and rely on the accuracy of each insurer's list.

Qualifications of health care providers denying prior authorization requests. Section 2155(d) of Act 146 (40 P.S. § 991.2155(d)) prohibits an insurer from denying, other than an administrative denial, a prior authorization request unless the insurer's representative reviewing the prior authorization request is a licensed health care

provider "with appropriate training, knowledge or experience in the *same or similar specialty* that typically manages or consults on the health care service in question." (Emphasis added.) Alternatively, the reviewing licensed health care provider may consult with another licensed health care provider that meets the same criteria.

Qualifications of peer-to-peer reviewers reviewing prior authorization requests. Section 2155(e) of Act 146 (40 P.S. § 991.2155(e)) requires that an insurer's peer-to-peer reviewer also meet the section 2155(d) criteria, that is, that the peer-to-peer reviewer be a licensed health care provider "with appropriate training, knowledge or experience in the *same or similar specialty* that typically manages or consults on the health care service in question." (Emphasis added.) The Department expects that insurers will be able to demonstrate that the reviewer, or the physician with which the reviewer is consulting, is of the "same or similar specialty" in situations addressed by either section 2155(d) or (e).

Insurers are reminded of the Department's jurisdiction to investigate potential violations and the Department's ability to enforce the provisions of Act 146, including these and the other requirements in section 2155. See 40 P.S. §§ 991.2181(d) and 991.2182. The Department encourages insurers to ensure their compliance with these requirements, which have been put into place to streamline coverage and claims determinations.

Questions regarding this notice may be directed to the Bureau of Market Regulation, Insurance Department, 1326 Strawberry Square, Harrisburg, PA 17120, ra-in-markregulation@pa.gov.

MICHAEL HUMPHREYS,
Insurance Commissioner

[Pa.B. Doc. No. 24-1063. Filed for public inspection July 26, 2024, 9:00 a.m.]

INSURANCE DEPARTMENT

Application for Merger of North American Swiss Alliance with and into GBU Financial Life

An application has been received requesting approval of the merger of North American Swiss Alliance, a fraternal benefit society organized under the laws of the State of Ohio, with and into GBU Financial Life, a fraternal benefit society organized under the laws of the Commonwealth. The filing was made under section 2425 of The Insurance Company Law of 1921 (40 P.S. § 991.2425).

Persons wishing to comment on the grounds of public or private interest in this merger are invited to submit a written statement to the Insurance Department (Department) within 10 days from the date of publication of this notice in the *Pennsylvania Bulletin*. Each written statement must include the name, address and telephone number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient detail and relevant facts to inform the Department of the exact basis of the statement. Written statements must be e-mailed to Lori Rumpf, lrumpf@pa.gov.

MICHAEL HUMPHREYS,
Insurance Commissioner

[Pa.B. Doc. No. 24-1064. Filed for public inspection July 26, 2024, 9:00 a.m.]

OFFICE OF THE STATE FIRE COMMISSIONER

Inflation Adjustment for the Fire and Emergency Medical Service Loan Program

This notice provides information about the Fire and Emergency Medical Service Loan Program (Program) established under 35 Pa.C.S. Chapter 73, Subchapter E (relating to Fire and Emergency Medical Services Loan Program) as amended by the act of October 29, 2020 (P.L. 739, No. 91). The loan limits are to be adjusted biannually at the rate of inflation as outlined in the Consumer Price Index for All Urban Consumers for the Philadelphia-Camden-Wilmington, PA-NJ-DE-MD area for the most recent 12-month period for which the figures have been reported by the United States Department of Labor, Bureau of Labor Statistics. In accordance with 35 Pa.C.S. § 7364(b.1) (relating to assistance to fire companies and EMS companies) loan limits are increased by 3.6% from the previously published loan limits.

New Lending Limits and Repayment Terms—VLAP Loans

	<i>Maximum Loan</i>	<i>Maximum Term</i>	<i>Payment</i>
Facility	\$573,944 or 50% (whichever is less)	20 years	\$2,903.49/month
Aerial Apparatus	\$446,413 or 50% (whichever is less)	20 years	\$2,258.33/month
Heavy Duty Rescue (GVWR 14,700+ lb.)	\$318,881 or 50% (whichever is less)	20 years	\$1,613.17/month
Apparatus (New)*	\$318,881 or 50% (whichever is less)	20 years	\$1,613.17/month
Apparatus (Used)^	\$255,064 or 80% (whichever is less)	15 years	\$1,641.36/month
Ambulance~	\$159,441 or 50% (whichever is less)	15 years	\$1,026.02/month
Light Duty Rescue	\$159,441 or 50% (whichever is less)	15 years	\$1,026.02/month
Watercraft Rescue~	\$44,652 or 50% (whichever is less)	10 years	\$410.86/month
Rehabilitation	\$102,046 or 80% (whichever is less)	15 years	\$656.67/month
PennFIRS	\$5,180 or 50% (whichever is less)	10 years	\$47.66/month
Equipment	\$31,909 (once per 5-year period)	10 years	\$293.61/month

*Pumpers/Tankers/Utility/Special Service Vehicles

^Including Used Heavy Duty and Light Duty Rescue

~New and Used

New apparatus/ambulance/rescue vehicle manufactured or assembled in this Commonwealth: \$20,000 may be added to the previously listed limits. Certification is required from the manufacturer that 75% of the total cost results from the vehicle being manufactured in this Commonwealth.

Summary by Amount

Less than \$50,000	—	10 Years
Above \$50,000—\$300,000	—	15 Years
Above \$300,000	—	20 Years
(Minimum Loan is \$3,000)	Loans are at 2% interest per annum	(Effective 7/1/2024)

THOMAS COOK,
Commissioner

[Pa.B. Doc. No. 24-1065. Filed for public inspection July 26, 2024, 9:00 a.m.]

**PENNSYLVANIA PUBLIC
UTILITY COMMISSION**

Electric Generation Supplier License Cancellation of Companies with an Expired Financial Security, Insufficient Financial Security Amount or Language

Public Meeting held
July 11, 2024

Commissioners Present: Stephen M. DeFrank, Chairperson; Kimberly Barrow, Vice Chairperson; Ralph V. Yanora; Kathryn L. Zerfuss; John F. Coleman, Jr.

Electric Generation Supplier License Cancellation of Companies with an Expired Financial Security, Insufficient Financial Security Amount or Language; M-2024-3045251

Tentative Order

By the Commission:

The Commission’s regulations at 52 Pa. Code § 54.40(a) state that an Electric Generation Supplier (EGS) license will not be issued or remain in force until the licensee furnishes a bond or other security approved by the Commission. In addition, 52 Pa. Code § 54.40(d) states that the maintenance of an EGS license is contingent on the licensee providing proof to the Commission that a bond or other approved security in the amount directed by the Commission has been obtained.

Each EGS must file an original bond, letter of credit, continuation certificate, amendment, or other approved financial instrument with Rosemary Chiavetta, Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA, 17120, prior to the EGS's current security expiration date. Each financial instrument must be an original document that displays a "wet" signature or digital signature, preferably in blue ink, and displays a "raised seal" or original notary stamp. The name of the principal on the original financial instrument must match exactly with the name that appears on the EGS's license issued by the Commission.

Failure to file before the financial security's expiration date may cause Commission staff to initiate a formal

proceeding that may lead to the following: cancellation of each company's electric supplier license, removal of each company's information from the Commission's website, and notification to all electric distribution companies, in which each company is licensed to do business, of the cancellation of the license.

As of June 28, 2024, each EGS listed in the Supplier Table below has not provided proof to the Commission that it has a bond or other approved security in the amount or language directed by the Commission, to replace a bond which is expired, or which is non-compliant with Commission regulations.

Supplier Table—List of Electric Generation Suppliers

<i>Docket Number</i>	<i>Company Name</i>	<i>Financial Security Expiration Date</i>	<i>Commission Approved Amount or Language</i>
A-2014-2433775*	ENERGO POWER & GAS, LLC	10/11/2023	No
A-2008-2060044*	NEXTERA ENERGY SERVICES PENNSYLVANIA	6/23/2024	No
A-2019-3011913*	SUMMER ENERGY MIDWEST, LLC	6/9/2024	No
A-2018-3003022	SUNRISE ENERGY SUPPORT, LLC	6/16/2024	Yes
A-2019-3012045	UNITED POWER CONSULTANTS, INC.	6/21/2024	Yes

*Taking title to electricity

As part of its EGS license validation procedures, the Commission's Bureau of Technical Utility Services sent a 90-day Security Renewal Notice email to each entity in the Supplier Table above stating that original documentation of a bond, or other approved security in the amount or language directed by the Commission, must be filed within 30-days prior to each entity's security expiration date. None of the companies listed in the Supplier Table provided the required documentation.

Based on the above facts, we tentatively conclude that the EGSs listed in the Supplier Table are not in compliance with 52 Pa. Code § 54.40(a) and (d) and therefore it is appropriate to initiate the cancellation process for the EGS license of each company listed in the Supplier Table, without the necessity of a formal complaint, as being in the public interest;

Therefore,

It Is Ordered That:

1. Cancellation of the Electric Generation Supplier License of each company listed in the Supplier Table is hereby tentatively approved as being in the public interest.

2. The Secretary (i) serve a copy of this Tentative Order upon the Office of Consumer Advocate, the Office of Small Business Advocate, the Bureau of Investigation & Enforcement, all electric generation distribution companies, and all of the Electric Generation Suppliers listed in the Supplier Table; (ii) publish a copy of this Tentative Order in the *Pennsylvania Bulletin* with a 30-day comment period; and (iii) file a copy of this Tentative Order at each Electric Generation Supplier's assigned docket number.

3. To the extent any of the Electric Generation Suppliers listed in the Supplier Table challenge the cancellation of their license, they must file comments within thirty

(30) days after publication of this Tentative Order in the *Pennsylvania Bulletin*. Written comments referencing Docket No. M-2024-3045251 must be eFiled to the Pennsylvania Public Utility Commission through the Commission's eFiling System. You may set up a free eFiling account with the Commission at <https://efiling.puc.pa.gov/> if you do not have one. Filing instructions may be found on the Commission's website at http://www.puc.pa.gov/filing_resources.aspx. Comments containing confidential information should be emailed to Commission Secretary Rosemary Chiavetta at rchiavetta@pa.gov rather than eFiled.

4. Alternatively, Electric Generation Suppliers listed in the Supplier Table may provide the Commission an approved security up to and within thirty (30) days after publication in the *Pennsylvania Bulletin*. The Electric Generation Supplier must file an original bond, letter of credit, continuation certificate, amendment, or other approved financial instrument displaying a "wet" signature or digital signature, preferably in blue ink, and displaying a "raised seal" or original notary stamp with Rosemary Chiavetta, Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA, 17120.

5. Absent the timely (i) filing of comments challenging the cancellation of the Electric Generation Supplier's license, or (ii) the filing of an approved security within 30-days after publication in the *Pennsylvania Bulletin*, the Bureau of Technical Utility Services, shall prepare a Final Order for entry by the Secretary revoking the license of each Electric Generation Supplier that fails to respond.

6. Upon entry of the Final Order, Electric Generation Suppliers that remain listed as not in compliance with 52 Pa. Code § 54.40(a) and (d) will be stricken from all active utility lists maintained by the Commission's Bureau of Technical Utility Services and the Assessment

Section of the Bureau of Administration, removed from the Commission's website, and notifications be sent to all electric distribution companies in which the Electric Generation Suppliers are licensed to do business.

7. Upon entry of the Final Order, Electric Generation Suppliers that fail to respond will be prohibited from providing electric generation supply services to retail electric customers. That upon entry of the Final Order described in Ordering Paragraph No. 5, each electric distribution company in which the Electric Generation Suppliers are licensed to do business, shall return the customers of the Electric Generation Suppliers to default service.

ROSEMARY CHIAVETTA,
Secretary

ORDER ADOPTED: July 11, 2024

ORDER ENTERED: July 11, 2024

[Pa.B. Doc. No. 24-1066. Filed for public inspection July 26, 2024, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission (Commission). Formal protests, petitions to intervene and answers must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before August 12, 2024. Filings are recommended to be made electronically through eFiling to the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy served on the applicant by August 12, 2024. Parties participating in matters pending before the Commission are requested to eFile their submissions by opening an eFiling account and accepting eService. Individuals can sign up for a free eFiling account with the Secretary of the Commission through the Commission's eFiling system at <https://www.puc.pa.gov/efiling/Default.aspx>. A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Protests may only be filed if there is evidence that the applicant lacks fitness. Protests based on endangering or impairing operations of an existing carrier will not be honored. The documents filed in support of the application are only available for inspection through the Commission's web site at www.puc.pa.gov by searching under the docket number as follows or by searching the applicant's web site.

Application of the following for approval to *begin operating as common carriers for transportation of persons* as described under the application.

A-2024-3050029. Pennfi, Inc. (500 Office Center Drive, Suite 400, Fort Washington, Montgomery County, PA 19034) for the right to begin to transport, as a common carrier, by motor vehicle, persons in limousine service, between points in Pennsylvania; excluding service that is under the jurisdiction of the Philadelphia Parking Authority. *Attorney:* David Temple, Esquire, 111 Buck Road, Building 500, Suite 1, Huntingdon Valley, PA 19006.

Application of the following for the approval of the right and privilege to *discontinue/abandon operating as common carriers* by motor vehicle and for cancellation of the certificate of public convenience as described under the application.

A-2024-3050083. Over the Moon Services, LLC, t/a To the Moon Shuttle Services (112 Spring Ridge Court, Lancaster, Lancaster County, PA 17601) for the discontinuance and cancellation of its right, to transport, as a common carrier, by motor vehicle, persons in airport transfer service, from points in the Counties of Berks, Centre, Chester, Cumberland, Dauphin, Lancaster, Lehigh, Luzerne, Lycoming, Monroe, Montgomery and York to Harrisburg International Airport, Lancaster Airport, Lehigh Valley International Airport, Pocono Mountains Municipal Airport, Pottstown Municipal Airport, Reading Regional Airport, Smoketown Airport, State College Regional Airport, Wilkes-Barre Scranton International Airport, Wilkes-Barre-Wyoming Valley Airport, Williamsport Regional Airport and York Airport, and vice versa, as originally Docketed at A-2023-3044522.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 24-1067. Filed for public inspection July 26, 2024, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Formal Complaints

Formal complaints have been issued by the Pennsylvania Public Utility Commission. Answers must be filed in accordance with 52 Pa. Code (relating to public utilities). Answers are due August 12, 2024, and must be made with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy to the First Deputy Chief Prosecutor, Pennsylvania Public Utility Commission.

Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. G5 Taxi, Inc.; Docket No. C-2024-3049070

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That G5 Taxi, Inc., Respondent, maintains its principal place of business at 100 North Wiles-Barre Blvd, Ste 302, Wilkes-Barre, Luzerne County, Pennsylvania, 18702.
2. That Respondent was issued a certificate of public convenience to transport, as a common carrier, by motor

vehicle, persons in call or demand service between points in Lackawanna and Luzerne Counties, to points in Pennsylvania and return by this Commission on October 5, 2023, at PUC No. A-6325884, certificate A-2023-3037749.

3. That on May 7, 2024, PUC Enforcement Supervisor Thomas Kepping completed a Driver/Vehicle Compliance Report (DVCR) at the Hanover Industrial Park, Hanover Township, Luzerne County, PA. The vehicle was a 2016 Toyota Sienna, Pa registration number TX51507, driven by Jose M. Rodriguez Garrido. During that inspection the following violations were found.

- a. Left front tire is worn at two adjacent tread grooves that the tread groove indicators encounter the roadway.
- b. Left rear turn signal is inoperable.
- c. Battery securing device is not attached.
- d. Right front tire depth, 2 adjacent tread grooves measured less than 4/32-inch tread.
- e. Both rear tires, 2 adjacent tread grooves measured less than 4/32-inch tread.
- f. Inoperable left rear brake light reverse light.
- g. Inoperable left rear reverse light.
- h. No consumer information decal displayed.

4. That Respondent, by allowing a vehicle to operate with tires having a left front tire worn that the tread groove indicators encounter the roadway has violated 52 Pa. Code § 29.402(1). The penalty for this violation is \$100.00.

5. That the Respondent, by allowing a vehicle to operate with an inoperable left rear turn signal, has violated 52 Pa. § 29.402(1) Code 67 C.S. 175.66(f)(3). The penalty for this violation is \$100.00.

6. The Respondent, by allowing a vehicle to operate without a securing device for the battery, has violated 52 Pa. Code § 29.402(1) 67 C.S. 175.66(n). The penalty for this violation is \$100.00

7. The Respondent, by allowing a vehicle to operate with a right front tire with unacceptable tire tread depth, has violated 52 PA. Code § 29.402(1) 67 C.S. 175.65(a). The penalty for this violation is \$50.00.

8. That Respondent, by allowing a vehicle to operate with both rear tires with unacceptable tire tread depth, has violated 52 Pa. code § 29.402(1) 67 C.S. 175.65(a). The penalty is \$50 per violation for a total of \$100.00.

9. That Respondent, by allowing a vehicle to operate with an inoperable left rear brake light, has violated 52 Pa. Code 29.402(1). The penalty for this violation is \$50.00.

10. That Respondent, by allowing a vehicle to operate with an inoperable reverse light, has violated 52 Pa. Code § 29.402(1). The penalty for this violation is \$50.00.

11. That Respondent, by allowing a vehicle to operate with no consumer information decal displayed, has violated 52 Pa. Code § 29.318. The penalty for this violation is \$50.00.

Wherefore, the Bureau of Investigation and Enforcement hereby requests that the Commission fine G5 Taxi, Inc., the amount of six hundred dollars (\$600.00) for the illegal activity described in this Complaint and order such other remedy as the Commission may deem to be appropriate.

Respectfully submitted,
 Brian B. Mehus, Acting Chief
 Motor Carrier Enforcement
 Bureau of Investigation and Enforcement
 400 North Street
 Harrisburg, PA 17120

VERIFICATION

I, Brian B. Mehus, hereby state that the facts above set forth are true and correct to the best of my knowledge, information, and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 10 June 2024

Brian B. Mehus, Acting Chief
 Motor Carrier Enforcement
 Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within twenty (20) days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Cover Letter for this Complaint and Notice, 52 Pa. Code § 1.56(a). An Answer is a written explanation of circumstances wished to be considered in determining the outcome. The Answer shall raise all factual and legal arguments that you wish to claim in your defense and must include the reference number of this Complaint. Your Answer must be verified, and the original shall be mailed to:

Rosemary Chiavetta, Secretary
 Pennsylvania Public Utility Commission
 400 North Street, 2nd Floor
 Harrisburg, PA 17120

Or you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Bureau of Investigation and Enforcement
 Pennsylvania Public Utility Commission
 400 North Street, 3rd Floor
 Harrisburg, PA 17120

Or, e-mailed to: RA-PCCmplntResp@pa.gov

B. If you fail to answer this complaint within twenty (20) days, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing a penalty. The penalty could include a fine, the suspension or revocation of your certificate of public convenience or other remedy.

C. You may elect not to contest this complaint by paying the fine proposed in this Complaint by certified check or money order. Payment must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary
 Pennsylvania Public Utility Commission
 400 North Street, 2nd Floor
 Harrisburg, PA 17120

D. Your payment is an admission that you committed the alleged violation and an agreement to cease and

desist from further violations. Upon receipt of your payment, the complaint proceedings shall be closed.

E. If you file an Answer, which admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing a penalty.

F. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The judge is not bound by the optional fine set forth above.

G. Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714.

**Pennsylvania Public Utility Commission; Bureau of
Investigation and Enforcement v. G5 Taxi, Inc.;**
Docket No. C-2024-3049071

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That G5 Taxi, Inc., Respondent, maintains its principal place of business at 100 North Wiles-Barre Blvd, Ste 302, Wilkes-Barre, Luzerne County, Pennsylvania, 18702.

2. That Respondent was issued a certificate of public convenience to transport, as a common carrier, by motor vehicle, persons in call or demand service between points in Lackawanna and Luzerne Counties, to points in Pennsylvania and return by this Commission on October 5, 2023, at PUC No. A-6325884, certificate A-2023-3037749.

3. That on May 3, 2024, PUC Enforcement Officer Elliott Miller completed a Driver/Vehicle Compliance Report (DVCR) at 1073 SR 315, Wiles-Barre, Luzerne County, PA. The vehicle was a 2017 Honda Sedan, Pa registration number TX51566, driven by Gregory Severino. During that inspection the following violations were found:

- a. Vehicle was transporting passenger with no dome light attached to the roof.
- b. Right front tire has two adjacent tread grooves with less than 2/32" tread remaining.
- c. Left tire tread wear indicators contact the road surface in two adjacent grooves.
- d. No consumer information decal displayed.

4. That Respondent, by allowing a vehicle to operate with no dome light attached to the roof of the vehicle, has violated 52 Pa. Code § 29.314(e). The penalty for this violation is \$250.00.

5. That Respondent, by allowing a vehicle to operate with left front tire that has two adjacent tread grooves with less than 2/32" tread remaining, has violated 52 Pa. Code § 29.402(1). The penalty for this violation is \$100.00.

6. The Respondent, by allowing a vehicle to operate with a left front tire with unacceptable tire tread depth,

has violated 52 Pa. Code § 29.4021 67 C.S. 175.65(a). The penalty for this violation is \$100.00.

7. That Respondent, by allowing a vehicle to operate with no consumer information decal displayed, has violated 52 Pa. Code § 29.318. The penalty for this violation is \$50.00.

Wherefore, the Bureau of Investigation and Enforcement hereby requests that the Commission fine G5 Taxi, Inc., the amount of five hundred dollars (\$500.00) for the illegal activity described in this Complaint and order such other remedy as the Commission may deem to be appropriate.

Respectfully submitted,
Brian B. Mehus, Acting Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement
400 North Street
Harrisburg, PA 17120

VERIFICATION

I, Brian B. Mehus, hereby state that the facts above set forth are true and correct to the best of my knowledge, information, and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 10 June 2024

Brian B. Mehus, Acting Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within twenty (20) days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Cover Letter for this Complaint and Notice, 52 Pa. Code § 1.56(a). An Answer is a written explanation of circumstances wished to be considered in determining the outcome. The Answer shall raise all factual and legal arguments that you wish to claim in your defense and must include the reference number of this Complaint. Your Answer must be verified, and the original shall be mailed to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
400 North Street, 2nd Floor
Harrisburg, PA 17120

Or you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Bureau of Investigation and Enforcement
Pennsylvania Public Utility Commission
400 North Street, 3rd Floor
Harrisburg, PA 17120

Or, e-mailed to: RA-PCCmplntResp@pa.gov

B. If you fail to answer this complaint within twenty (20) days, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing a penalty. The penalty could include a

fine, the suspension or revocation of your certificate of public convenience or other remedy.

C. You may elect not to contest this complaint by paying the fine proposed in this Complaint by certified check or money order. Payment must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary
 Pennsylvania Public Utility Commission
 400 North Street, 2nd Floor
 Harrisburg, PA 17120

D. Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of your payment, the complaint proceedings shall be closed.

E. If you file an Answer, which admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing a penalty.

F. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The judge is not bound by the optional fine set forth above.

G. Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 24-1068. Filed for public inspection July 26, 2024, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Telecommunications

A-2024-3050052. Pymatuning Independent Telephone Company and Level 3 Communications, LLC. Joint petition of Pymatuning Independent Telephone Company and Level 3 Communications, LLC for approval of an amendment to the interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Pymatuning Independent Telephone Company and Level 3 Communications, LLC, by their counsel, filed on July 10, 2024, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an amendment to the interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120. Comments are due on or before 10 days after the date of publication of this notice. The documents filed in support of Pymatuning Independent Telephone Company and Level 3 Communications, LLC joint petition are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, at the Commission's web site at www.puc.pa.gov and at the applicant's business address.

The contact person is Kimberly Hafner, Director, Office of Special Assistants, (717) 705-3822.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 24-1069. Filed for public inspection July 26, 2024, 9:00 a.m.]

STATE BOARD OF VEHICLE MANUFACTURERS, DEALERS AND SALESPERSONS

Application for Vehicle Salesperson License of Steven Lee Watts; Case No. 24-60-001245

On April 11, 2024, Steven Lee Watts of Philadelphia, Philadelphia County, had his application for vehicle salesperson licensure denied based upon his felony conviction.

Individuals may obtain a copy of the adjudication at www.pals.pa.gov or by writing to Jared L. Hinsey, Board Counsel, State Board of Vehicle Manufacturers, Dealers and Salespersons, P.O. Box 69523, Harrisburg, PA 17106-9523.

This order represents the final State Board of Vehicle Manufacturers, Dealers and Salespersons (Board) decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court must serve the Board with a copy of their petition for review. The Board contact for receiving service of the appeals is the previously named Board counsel.

KIRK A. DAVIS,
Chairperson

[Pa.B. Doc. No. 24-1070. Filed for public inspection July 26, 2024, 9:00 a.m.]

SUSQUEHANNA RIVER BASIN COMMISSION

General Permit Notice

The Susquehanna River Basin Commission lists the following General Permits for the project under 18 CFR 806.17(c)(4) (relating to general permits) from June 1, 2024, through June 30, 2024.

For further information contact Jason E. Oyler, General Counsel and Secretary, (717) 238-0423, Ext. 1312, fax (717) 238-2436, joyler@srbc.gov. Regular mail inquiries may be sent to the Susquehanna River Basin Commission, 4423 North Front Street, Harrisburg, PA 17110-1788.

Supplementary Information

This notice lists General Permits for the project described as follows, under 18 CFR 806.17(c)(4), for the time period previously specified.

1. Lear Corporation Pine Grove—Penn Dye and Finishing Plant, General Permit Approval of Coverage No. GP-01-20240606, Pine Grove Borough, Schuylkill County,

PA; groundwater remediation system withdrawal approved up to 0.297 mgd (30-day average); Approval Date: June 13, 2024.

Authority: Pub.L. No. 91-575, 84 Stat. 1509 et seq., 18 CFR Parts 806 and 808

Dated: July 11, 2024

ANDREW D. DEHOFF,
Executive Director

[Pa.B. Doc. No. 24-1071. Filed for public inspection July 26, 2024, 9:00 a.m.]

SUSQUEHANNA RIVER BASIN COMMISSION

Projects Approved for Consumptive Uses of Water

The Susquehanna River Basin Commission (Commission) has approved by rule the following projects from June 1, 2024, through June 30, 2024.

For further information contact Jason E. Oyler, General Counsel and Secretary, (717) 238-0423, Ext. 1312, fax (717) 238-2436, joyler@srbc.gov. Regular mail inquiries may be sent to the Susquehanna River Basin Commission, 4423 North Front Street, Harrisburg, PA 17110-1788.

Supplementary Information

This notice lists the projects, described as follows, receiving approval for the consumptive use of water under the Commission's approval by rule process in 18 CFR 806.22(e) and (f) (relating to standards for consumptive uses of water) for the time period previously specified.

Water Source Approval—Issued Under 18 CFR 806.22(e):

1. Cargill Cocoa & Chocolate, Inc.—Hazleton Plant; ABR-202406002; Hazle Township, Luzerne County, PA; Consumptive Use of Up to 0.0800 mgd; Approval Date: June 14, 2024.

2. Hershey Creamery Co.—Middletown Manufacturing, ABR-202406003; Lower Swatara Township, Dauphin County, PA; Consumptive Use of Up to 0.0500 mgd; Approval Date: June 14, 2024.

Water Source Approval—Issued Under 18 CFR 806.22(f):

1. RENEWAL—Chesapeake Appalachia, LLC; Pad ID: Chancellor; ABR-20090532.R3; Asylum Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: June 5, 2024.

2. RENEWAL—Chesapeake Appalachia, LLC; Pad ID: Corbett Unit Pad; ABR-201905006.R1; Overton Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: June 5, 2024.

3. RENEWAL—Chesapeake Appalachia, LLC; Pad ID: James Barrett; ABR-20090530.R3; Asylum Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: June 5, 2024.

4. RENEWAL—Chesapeake Appalachia, LLC; Pad ID: John Barrett; ABR-20090529.R3; Asylum Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: June 5, 2024.

5. RENEWAL—Chesapeake Appalachia, LLC; Pad ID: Judd; ABR-20090534.R3; Monroe Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: June 5, 2024.

6. RENEWAL—Chesapeake Appalachia, LLC; Pad ID: May; ABR-20090528.R3; Granville Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: June 5, 2024.

7. RENEWAL—Chesapeake Appalachia, LLC; Pad ID: Clapper; ABR-20090533.R3; Auburn Township, Susquehanna County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: June 6, 2024.

8. Coterra Energy, Inc.; Pad ID: DefargesJ P1; ABR-202406001; Auburn Township, Susquehanna County, PA; Consumptive Use of Up to 5.0000 mgd; Approval Date: June 13, 2024.

9. RENEWAL—SWN Production Company, LLC; Pad ID: RU-55 CONKLIN; ABR-201204018.R2; New Milford Township, Susquehanna County, PA; Consumptive Use of Up to 4.9990 mgd; Approval Date: June 13, 2024.

10. RENEWAL—Seneca Resources Company, LLC; Pad ID: Shughart 490; ABR-201403004.R2; Richmond Township, Tioga County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: June 21, 2024.

11. RENEWAL—Seneca Resources Company, LLC; Pad ID: Shughart 534; ABR-201403003.R2; Richmond Township, Tioga County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: June 21, 2024.

12. RENEWAL—SWN Production Company, LLC; Pad ID: O'Brien Pad; ABR-201205012.R2; Jackson Township, Susquehanna County, PA; Consumptive Use of Up to 4.9990 mgd; Approval Date: June 21, 2024.

13. RENEWAL—Repsol Oil & Gas USA, LLC; Pad ID: ALEXANDER (01 124); ABR-201905003.R1; Armenia Township, Bradford County, PA; Consumptive Use of Up to 6.0000 mgd; Approval Date: June 24, 2024.

14. RENEWAL—Coterra Energy, Inc.; Pad ID: GrasavageE P1; ABR-201403014.R2; Jessup Township, Susquehanna County, PA; Consumptive Use of Up to 5.0000 mgd; Approval Date: June 25, 2024.

15. RENEWAL—Coterra Energy, Inc.; Pad ID: HawkJ P1; ABR-201403013.R2; Auburn and Springville Townships, Susquehanna County, PA; Consumptive Use of Up to 5.0000 mgd; Approval Date: June 25, 2024.

16. RENEWAL—Repsol Oil & Gas USA, LLC; Pad ID: HARRIS (01 004) M; ABR-20090508.R3; Armenia Township, Bradford County, PA; Consumptive Use of Up to 6.0000 mgd; Approval Date: June 25, 2024.

17. RENEWAL—Repsol Oil & Gas USA, LLC; Pad ID: PHINNEY (01 006) J; ABR-20090510.R3; Troy Township, Bradford County, PA; Consumptive Use of Up to 6.0000 mgd; Approval Date: June 25, 2024.

18. RENEWAL—Seneca Resources Company, LLC; Pad ID: Tice 653; ABR-201403002.R2; Richmond Township, Tioga County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: June 25, 2024.

19. RENEWAL—Chesapeake Appalachia, LLC; Pad ID: Harris # 1H; ABR-20090556.R3; Burlington Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: June 28, 2024.

20. RENEWAL—Chesapeake Appalachia, LLC; Pad ID: Iceman; ABR-201205016.R2; Wilmot Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: June 28, 2024.

21. RENEWAL—SWN Production Company, LLC; Pad ID: Lepley Pad—TI-04; ABR-201405006.R2; Liberty Township, Tioga County, PA; Consumptive Use of Up to 4.9990 mgd; Approval Date: June 28, 2024.

22. RENEWAL—SWN Production Company, LLC; Pad ID: Powers Pad Site; ABR-20090511.R3; Forest Lake

Township, Susquehanna County, PA; Consumptive Use of Up to 4.9990 mgd; Approval Date: June 28, 2024.

Authority: Pub.L. No. 91-575, 84 Stat. 1509 et seq., 18 CFR Parts 806 and 808

Dated: July 11, 2024

ANDREW D. DEHOFF,
Executive Director

[Pa.B. Doc. No. 24-1072. Filed for public inspection July 26, 2024, 9:00 a.m.]

END OF ISSUE