

PENNSYLVANIA BULLETIN

Volume 54
Saturday, September 14, 2024 • Harrisburg, PA

Number 37

Part II

This part contains
the Notices



NOTICES

CAPITOL PRESERVATION COMMITTEE

Request for Proposals

CPC 22.185: Treasury. This project involves the following, but not limited to: cleaning, stripping, repair and refinishing of full height wood panel walls, doors, windows and trim; general subfloor prep, removal of stubborn glued carpet pad residue, spot repair of subfloor to accommodate new cable management access floor system; cleaning and polishing of marble base, stairs and platform and thresholds; stripping and refinishing of miscellaneous bronze and metal items; miscellaneous millwork and carpentry; selective removal and reconstruction of existing construction; refinishing of Terrazzo floor areas; structural glass tile work; provision and installation of new window blind assemblies; cleaning, spot repair and touch-in refinishing flat, profiled and coved ceiling and wall surfaces; general preparation, repair, painting of miscellaneous walls, ceilings and surfaces; and installation of Capitol Preservation Committee-supplied carpeting. The issue date of the proposal is September 23, 2024.

A mandatory preproposal conference and walk through will be held on October 1, 2024, in Room 630 of the Main Capitol at 9 a.m. The proposal receipt date is October 23, 2024, at 2 p.m. Project documents may be obtained in Room 630, Main Capitol Building, Harrisburg, PA or by contacting Tara Pyle at (717) 783-6484.

DAVID L. CRAIG,
Executive Director

[Pa.B. Doc. No. 24-1291. Filed for public inspection September 13, 2024, 9:00 a.m.]

CAPITOL PRESERVATION COMMITTEE

Request for Proposals

CPC 24.193: Clock Conservation and Maintenance. This project involves the following cyclical maintenance based upon a 4-year cycle and other tasks on an as-needed basis, such as the following, but not limited to: on site oiling; studio cleaning; installation of temporary clocks; general maintenance; and condition reports and documentation of historic wall and mantle clocks, on-call repair, weekly winding, time adjustment and installation of new batteries. The issue date of the proposal is September 23, 2024.

A mandatory preproposal conference and walk through will be held on October 2, 2024, in Room 630 of the Main Capitol at 9:30 a.m. The proposal receipt date is October 30, 2024, at 2 p.m. Project documents may be obtained in Room 630, Main Capitol Building, Harrisburg, PA or by contacting Tara Pyle at (717) 783-6484.

DAVID L. CRAIG,
Executive Director

[Pa.B. Doc. No. 24-1292. Filed for public inspection September 13, 2024, 9:00 a.m.]

CAPITOL PRESERVATION COMMITTEE

Request for Proposals

CPC 24.194: Restoration and Reproduction of Historic Capitol Furniture. This project involves the following, but not limited to: restoration and reproduction of selected historic Capitol furniture; work includes intricate woodwork, repair, leather upholstery and finishing; pick up furniture at the Main Capitol Building and at the 10 Technology Park storage facility; secure transportation to the contractor's restoration/fabrication studio and return transportation and delivery to the Capitol Preservation Committee's 10 Technology Park storage facility; and documentation related to work by means of a procedures manual in both text and photographs. The issue date of the proposal is September 23, 2024.

A mandatory preproposal conference and walk through will be held on October 1, 2024, in Room 630 of the Main Capitol at 11 a.m. The proposal receipt date is October 23, 2024, at 2 p.m. Project documents may be obtained in Room 630, Main Capitol Building, Harrisburg, PA or by contacting Tara Pyle at (717) 783-6484.

DAVID L. CRAIG,
Executive Director

[Pa.B. Doc. No. 24-1293. Filed for public inspection September 13, 2024, 9:00 a.m.]

CAPITOL PRESERVATION COMMITTEE

Request for Proposals

CPC 24.196: Hartranft Plaza Sidewalk Improvement and Site Accessories. This project involves the following: construct an accessible sidewalk from Capitol Park to the Capitol Plaza; modify existing steps to accommodate a new sidewalk; lawn topsoil and seeding of disturbed areas; refinish handrails; and supply new custom trash receptacles. The issue date of the proposal is September 23, 2024.

A mandatory preproposal conference and walk through will be held on October 2, 2024, in Room 630 of the Main Capitol at 11 a.m. The proposal receipt date is October 23, 2024, at 2 p.m. Project documents may be obtained in Room 630, Main Capitol Building, Harrisburg, PA or by contacting Tara Pyle at (717) 648-1918.

DAVID L. CRAIG,
Executive Director

[Pa.B. Doc. No. 24-1294. Filed for public inspection September 13, 2024, 9:00 a.m.]

DEPARTMENT OF BANKING AND SECURITIES

Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending September 3, 2024.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, may file comments in writing with the Department, for Bank Supervision, by e-mail to ra-bnbkbsbmsnspspt@pa.gov or for credit unions, by e-mail to ra-bncusubmissions@pa.gov and trust companies, by e-mail to ra-bntrustsuprvsninq@pa.gov. Comments must be received no later than 30 days from the date that the notice regarding acceptance of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, for banks (717) 783-8240, or for credit unions or trust companies (717) 783-2253.

APPLICATIONS FOR COMMENT

BANKING INSTITUTIONS

No activity.

CREDIT UNIONS

Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Status</i>
08-28-2024	AAC Credit Union Grand Rapids Kent County, MI	Accepted
	Application for approval to merge Knoll Employees Credit Union, East Greenville, PA, with and into AAC Credit Union, Grand Rapids, MI.	

OTHER APPLICATION ACTIVITY

BANKING INSTITUTIONS

Branch Applications

De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Status</i>
08-26-2024	CNB Bank Clearfield Clearfield County	235 High Street Extension Unit 2 Victor Ontario County, NY	Opened
09-03-2024	Hamlin Bank and Trust Company Smethport McKean County	101 South Main Street Sheffield Warren County	Accepted

CREDIT UNIONS

Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Status</i>
09-01-2024	Armco Credit Union Butler Butler County	Effective
	Merger of Swindell-Dressler Credit Union, Pittsburgh, PA, with and into Armco Credit Union, Butler, PA.	
	The former main office of Swindell-Dressler Credit Union will become a branch office of Armco Credit Union located at:	
	4712 Clairton Boulevard Pittsburgh Allegheny County	

The Department's web site at www.dobs.pa.gov includes public notices for more recently filed applications.

WENDY S. SPICHER,
Secretary

[Pa.B. Doc. No. 24-1295. Filed for public inspection September 13, 2024, 9:00 a.m.]

DEPARTMENT OF BANKING AND SECURITIES

Maximum Lawful Rate of Interest for Residential Mortgages for the Month of October 2024

The Department of Banking and Securities (Department), under the authority contained in section 301 of the act of January 30, 1974 (P.L. 13, No. 6) (41 P.S. § 301), determines that the maximum lawful rate of interest for residential mortgages for the month of October 2024, is 6.5%.

The interest rate limitations under the Commonwealth's usury statute were pre-empted to a great extent by Federal law, the Depository Institutions Deregulation and Monetary Control Act of 1980 (Pub.L. No. 96-221). Further pre-emption was instituted with the signing of Pub.L. No. 96-399, which overrode State interest rate

limitations on any individual who finances the sale or exchange of residential real property which the individual owns and which the individual occupies or has occupied as his principal residence.

Each month the Department is required by State law to compute and announce the ceiling rate on residential mortgages in this Commonwealth. This maximum rate is determined by adding 2.50 percentage points to the yield rate on long-term government bonds as published by the Federal Reserve Board or the United States Treasury, or both. The latest yield rate on long-term government securities is 4.09 to which was added 2.50 percentage points for a total of 6.59 that by law is rounded off to the nearest quarter at 6.5%.

WENDY S. SPICHER,
Secretary

[Pa.B. Doc. No. 24-1296. Filed for public inspection September 13, 2024, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS UNDER THE CLEAN STREAMS LAW AND FEDERAL CLEAN WATER ACT

This notice provides information about persons who have applied to the Department of Environmental Protection (DEP) for a new, renewed, or amended NPDES or WQM permit, or a permit waiver for certain stormwater discharges, or have submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications and NOIs concern, but are not limited to, effluent discharges from sewage treatment facilities and industrial facilities to surface waters or groundwater; stormwater discharges associated with industrial activity (industrial stormwater), construction activity (construction stormwater), and municipal separate storm sewer systems (MS4s); the application of pesticides; the operation of Concentrated Animal Feeding Operations (CAFOs); and the construction of sewage, industrial waste, and manure storage, collection and treatment facilities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). More information on the types of NPDES and WQM permits that are available can be found on DEP's website (visit www.dep.pa.gov and select Businesses, Water, Bureau of Clean Water, Wastewater Management, and NPDES and WQM Permitting Programs).

<i>Section</i>	<i>Category</i>
----------------	-----------------

- | | |
|-----|--|
| I | Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received |
| II | Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs |
| III | Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity |

Section I identifies the following applications and NOIs that have been received by DEP:

- Individual and General WQM Permit Applications Received—DEP provides a 15-day public comment period for Individual WQM Permit Applications for new and reissued permits. There is no public comment period for General WQM Permit NOIs.
- General Chapter 92a NPDES Permit NOIs Received—There is no public comment period for General NPDES NOIs received.
- All Transfer and Minor Amendment Applications/NOIs Received—Transfer and Minor Amendment Applications/NOIs received for Individual and General WQM Permits and Individual and General NPDES Permits, excluding PAG-01 and PAG-02, are identified but do not have public comment periods. DEP provides a 15-day public comment period for Individual WQM Permit Applications for amendments.

Additional information on these applications and NOIs may be reviewed by generating the “Applications and NOIs without Comment Periods Report” or, for Individual WQM Permit Applications, the “Applications Received with Comment Periods Report” on DEP's website at www.dep.pa.gov/CWPublicNotice.

Section II identifies individual NPDES permit applications received and draft permits indicating DEP's tentative determination relating to sewage, industrial waste, industrial stormwater, MS4s, pesticides and CAFOs. A 30-day public comment period applies to these applications and draft permits, except when a site-specific water quality criterion is used to establish effluent limitations, in which case a 45-day public comment period applies. The period for comment may be extended at the discretion of DEP for one additional 15-day period. Additional information, including links to draft permits and fact sheets that explain the basis for DEP's tentative determinations may be reviewed by generating the "Applications Received with Comment Periods Report" on DEP's website at www.dep.pa.gov/CWPublicNotice. Notification of 15-day extensions for comment will be provided in the "Applications Received with Comment Periods Report" (Comments column).

Section III identifies individual NPDES permit applications received and draft permits indicating DEP's tentative determination relating to stormwater discharges associated with construction activities. A 30-day public comment period applies to these applications and draft permits. The period for comment may be extended at the discretion of the Department for one additional 15-day period. Additional information may be reviewed by generating the "Applications Received with Comment Periods Report" on DEP's website at www.dep.pa.gov/CWPublicNotice.

Applications, NOIs and draft permits, where applicable, may be reviewed at the DEP office that received the application or NOI. Members of the public are encouraged to use DEP's website to obtain additional information as discussed previously.

Comments received within the appropriate comment periods for WQM and NPDES permit applications will be retained by DEP and considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform DEP of the exact basis of a comment and the relevant facts upon which it is based.

DEP office contact information to review applications and NOIs and to submit comments for those applications, when applicable, is as follows:

DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484-250-5910. Email: RA-EPNPDES_SERO@pa.gov for permits in Sections I & II; RA-EPWW-SERO@pa.gov for permits in Section III.

DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570-826-5472. Email: RA-EPNPDES_NERO@pa.gov for permits in Sections I & II; RA-EPWW-NERO@pa.gov for permits in Section III.

DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717-705-4732. Email: RA-EPNPDES_SCRO@pa.gov for permits in Sections I & II; RA-EPWW-SCRO@pa.gov for permits in Section III.

DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570-327-3693. Email: RA-EPNPDES_NCRO@pa.gov for permits in Sections I & II; RA-EPWW-NCRO@pa.gov for permits in Section III.

DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412-442-4286. Email: RA-EPNPDES_SWRO@pa.gov for permits in Sections I & II; RA-EPWW-SWRO@pa.gov for permits in Section III.

DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814-332-6340. Email: RA-EPNPDES_NWRO@pa.gov for permits in Sections I & II; RA-EPWW-NWRO@pa.gov for permits in Section III.

DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-787-5017. Email: RA-EPNPDES_Permits@pa.gov.

DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.

DEP will also accept requests or petitions for public hearings on applications. The request or petition must indicate the interest of the party filing and the reasons why a hearing is warranted. A hearing will be held if DEP determines that there is a significant public interest. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. DEP will postpone its final determination until after a public hearing is held.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

I. Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received.

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAD390260	Chapter 102 Individual NPDES Permit	Transfer	Levi Land Holdings LLC 2060 Detwiler Road Harleysville, PA 19438-2934	Upper Macungie Township Lehigh County	NERO

NOTICES

5835

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
4324817	Joint DEP/PFBC Pesticides Permit	New	Raymond Hoffman 242 Tait Road Mercer, PA 16137-4840	Coolspring Township Mercer County	NWRO
4613864	Joint DEP/PFBC Pesticides Permit	Renewal	Horsham Township Montgomery County 1005 Horsham Road Horsham, PA 19044-1326	Horsham Township Montgomery County	SERO
5124801	Joint DEP/PFBC Pesticides Permit	New	Philadelphia City Parks and Recreation Department 1515 Arch Street 10th Floor Philadelphia, PA 19102	Philadelphia City Philadelphia County	SERO
6124805	Joint DEP/PFBC Pesticides Permit	New	Benner Robert J 570 N Kahle Lake Road Emlenton, PA 16373-8511	Richland Township Venango County	NWRO
0708201	Manure Storage and Wastewater Impoundments Individual WQM Permit	Amendment	Pleasant View Farms Inc. 261 Pleasant View Farms Lane Martinsburg, PA 16662-9684	North Woodbury Township Blair County	SCRO
NOEXNW244	No Exposure Certification	New	US Liner LLC 19 Leonberg Road Cranberry Township, PA 16066-3631	Harmony Borough Butler County	NWRO
NOEXSC250	No Exposure Certification	Renewal	United Corrstack dba DS Smith 720 Laurel Street Reading, PA 19602-2718	Reading City Berks County	SCRO
PAG035051	PAG-03 NPDES General Permit for Industrial Stormwater	New	Newpark Drilling Fluids LLC 21920 Merchants Way Katy, TX 77449-6834	Williamsport City Lycoming County	NCRO
PAG038575	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Greco Recycling Service Inc. 593 Tarrtown Road Kittanning, PA 16201	Kittanning Township Armstrong County	NWRO
PAG041404	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	Sable Douglas 294 Hillcrest Circle Pittsburgh, PA 15237	Plain Grove Township Lawrence County	NWRO
PAG041413	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	Ference Paul 319 Lindsay Road Zelienople, PA 16063-3215	Jackson Township Butler County	NWRO
PAG041414	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	Peterson Alan D 1704 Pine Valley Road Columbus, PA 16405-3206	Columbus Township Warren County	NWRO
PAG044002	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	Duncan Kelly & Aron 147 Sieger Rd Kutztown, PA 19530-8857	Richmond Township Berks County	SCRO
PAG046115	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Transfer	Connors & Tellman— Connors Daniel & Sandra J 1642 Old Leechburg Road New Kensington, PA 15068-9367	Plum Borough Allegheny County	SWRO
PAG123513	PAG-12 NPDES General Permit for CAFOs	Renewal	Hord Family Farms 2742 Shearer Road Bucyrus, OH 44820-8841	Peters Township Franklin County	SCRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG123521	PAG-12 NPDES General Permit for CAFOs	Renewal	Nolt Eugene Z 143 Kurtz Road New Holland, PA 17557-9775	Earl Township Lancaster County	SCRO
PAG123543	PAG-12 NPDES General Permit for CAFOs	Renewal	Harnish Alan 3421 Blue Rock Road Lancaster, PA 17603-9775	Manor Township Lancaster County	SCRO
PAG123607	PAG-12 NPDES General Permit for CAFOs	Renewal	Weaver Randall J 22 Witman Road Womelsdorf, PA 19567-9425	Marion Township Berks County	SCRO
PAG123630	PAG-12 NPDES General Permit for CAFOs	Renewal	Springfield Manor Farm LLC 3241 Blue Rock Road Lancaster, PA 17603-9773	Manor Township Lancaster County	SCRO
PAG123641	PAG-12 NPDES General Permit for CAFOs	Renewal	Andrews Randall 421 Penn Grant Road Lancaster, PA 17602	West Lampeter Township Lancaster County	SCRO
PAG123813	PAG-12 NPDES General Permit for CAFOs	Renewal	Star Rock Farms Star Rock Dairy Joint Client 175 Chestnut Grove Road Conestoga, PA 17516-9317	Chanceford Township York County	SCRO
PAG123854	PAG-12 NPDES General Permit for CAFOs	Renewal	LHF Enterprises LLC 932 Turner Camp Road Schellsburg, PA 15559-7334	Napier Township Bedford County	SCRO
PAG123854	PAG-12 NPDES General Permit for CAFOs	Renewal	LHF Farms LLC 932 Turner Camp Road Schellsburg, PA 15559-7334	Napier Township Bedford County	SCRO
PAG123865	PAG-12 NPDES General Permit for CAFOs	Renewal	Moyer Ben 775 Ono Road Annville, PA 17003-8403	East Hanover Township Lebanon County	SCRO
PAG123913	PAG-12 NPDES General Permit for CAFOs	Renewal	Martin Brian 684 Church Road Womelsdorf, PA 19567-9481	Marion Township Berks County	SCRO
PAG123940	PAG-12 NPDES General Permit for CAFOs	Renewal	Burkholder Ryan 200 Farm Lane Millerstown, PA 17062-9330	Greenwood Township Perry County	SCRO
PA0233056	Single Residence STP Individual NPDES Permit	Transfer	Jack G Wentz & Madigan J Miller 46 Meadowood Road Linden, PA 17744-8094	Woodward Township Lycoming County	NCRO
PA0289124	Single Residence STP Individual NPDES Permit	Transfer	Daniel Cook & Georgia Schumacher 112 Lilac Lane Valencia, PA 16059-2214	Middlesex Township Butler County	NWRO
0296410	Single Residence Sewage Treatment Plant Individual WQM Permit	Transfer	Connors & Tellman— Connors Daniel & Sandra J 1642 Old Leechburg Road New Kensington, PA 15068-9367	Plum Borough Allegheny County	SWRO
0612406	Single Residence Sewage Treatment Plant Individual WQM Permit	Transfer	Kelly & Aron Duncan 147 Sieger Road Kutztown, PA 19530-8857	Richmond Township Berks County	SCRO
1021402	Single Residence Sewage Treatment Plant Individual WQM Permit	Transfer	Daniel Cook & Georgia Schumacher 112 Lilac Lane Valencia, PA 16059-2214	Middlesex Township Butler County	NWRO
1024411	Single Residence Sewage Treatment Plant Individual WQM Permit	New	English Keith 2148 Prospect Road Prospect, PA 16052-2020	Franklin Township Butler County	NWRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
4120401	Single Residence Sewage Treatment Plant Individual WQM Permit	Transfer	Jack G Wentz & Madigan J Miller 46 Meadowood Road Linden, PA 17744-8094	Woodward Township Lycoming County	NCRO
WQG02062401	WQG-02 Pump Station WQM General Permit	New	Pennsylvania American Water Company 852 Wesley Drive Mechanicsburg, PA 17055	Middle Smithfield Township Monroe County	NERO

II. Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs.

Northeast Regional Office

PA0031364, Sewage, SIC Code 8211, **Wallenpaupack Area School District**, 2552 Route 6, Hawley, PA 18428-7045. Facility Name: Wallenpaupack Area High School WWTP. This existing facility is located in Palmyra Township, **Pike County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Lake Wallenpaupack (on Wallenpaupack Creek), is located in State Water Plan watershed 1-C and is classified for HQ-CWF, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .040 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum Monthly Average</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Nitrate-Nitrite as N	Report	XXX	XXX	Report	Report	XXX
Total Nitrogen	Annl Avg	XXX	XXX	Annl Avg	Report	XXX
Total Kjeldahl Nitrogen	Report	XXX	XXX	Report	Report	XXX
Total Phosphorus (Total Load, lbs)	Annl Avg	61.6	XXX	Annl Avg	XXX	XXX
Aluminum, Total	Report	Total Annual Report	XXX	Report	Report	XXX
	Annl Avg			Annl Avg		

The proposed effluent limits for Outfall 001 are based on a design flow of .040 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum Monthly Average</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 7.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.50	XXX	1.16
Carbonaceous Biochemical Oxygen Demand (CBOD ₅) Raw Sewage Influent	Report	XXX	XXX	Report	Report	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	Report	Report	XXX	10.0	20.0	20.0
CBOD ₅ Minimum % Removal (%)	XXX	XXX	85	XXX	XXX	XXX
TSS Minimum % Removal (%)	XXX	XXX	Report	XXX	XXX	XXX
Total Suspended Solids	Report	Report	XXX	30.0	60.0	60.0
Total Dissolved Solids	Report	XXX	XXX	1,000.0	2,000.0	2,000.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum Monthly Average</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Ammonia-Nitrogen Nov 1 - Apr 30	Report	Report	XXX	9.0	18.0	18.0
May 1 - Oct 31	Report	Report	XXX	3.0	6.0	6.0
Total Phosphorus	Report	Report	XXX	0.50	1.00	1.00

In addition, the permit contains the following major special conditions:

- Stormwater prohibition; Necessary property rights; Residuals management; Chlorine minimization; Operations & Maintenance (O&M) Plan; Changes in stream/discharge; Annual reporting requirements; Solids management

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northeast Regional Office

PA0061301, Sewage, SIC Code 5812, **Inn at Starlight Lake**, 289 Starlight Lake Road, Starlight, PA 18461. Facility Name: Inn at Starlight Lake WWTP. This existing facility is located in Buckingham Township, **Wayne County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, an Unnamed Tributary to Shehawken Creek (HQ-CWF), is located in State Water Plan watershed 1-A and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.004 MGD.

(From Permit Effective Date to 1 Year After Permit Effective Date)

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	1.2	XXX	2.8
Ammonia-Nitrogen	XXX	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.004 MGD.

(From 1 Year After Permit Effective Date to Permit Expiration Date)

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.1
Ammonia-Nitrogen Oct 1 - Apr 30	XXX	XXX	XXX	Report	XXX	XXX
May 1—Sep 30	XXX	XXX	XXX	16.0	XXX	32.0

The proposed effluent limits for Outfall 001 are based on a design flow of 0.004 MGD.

(From Permit Effective Date to Permit Expiration Date)

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report

The proposed effluent limits for Outfall 001 are based on a design flow of 0.004 MGD.

(From Permit Effective Date to Permit Expiration Date)

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Nitrate-Nitrite as N	XXX	XXX	XXX	Report Avg Qrtly	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report Avg Qrtly	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report Avg Qrtly	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report Avg Qrtly	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.004 MGD.

(From Permit Effective Date to Permit Expiration Date)

Parameters	Mass Units (lbs/day)		Instant. Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25.0	XXX	50.0
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		

In addition, the permit contains the following major special conditions:

- Solids Management
- TRC and Ammonia-Nitrogen Effluent Limits Compliance Schedule

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northeast Regional Office

PA0062880, Sewage, SIC Code 4952, **Kidspeace Corporation**, 5300 KidsPeace Drive, Orefield, PA 18069. Facility Name: KidsPeace Orchard Hills Campus WWTP. This existing facility is located in North Whitehall Township, **Lehigh County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, Jordan Creek (TSF, MF), is located in State Water Plan watershed 2-C and is classified for Trout Stocking and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.15 MGD.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Annual Average	Average Weekly		Annual Average	Maximum	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.15 MGD.

Parameters	Mass Units (lbs/day)		Instant. Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	31.2	XXX	XXX	25.0	XXX	50.0
Total Suspended Solids	37.5	XXX	XXX	30.0	XXX	60.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Ammonia-Nitrogen	Report	XXX	XXX	Report	XXX	Report
Nov 1 - Apr 30						
May 1 - Oct 31	15.0	XXX	XXX	12.0	XXX	24.0

In addition, the permit contains the following major special conditions:

- Solids Management

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northeast Regional Office

PA0008354, Industrial, SIC Code 4941, **Pennsylvania American Water**, 1799 Jumper Road, Wilkes-Barre, PA 18702-8031. Facility Name: Montrose Water Treatment Plant. This existing facility is located in Bridgewater Township, **Susquehanna County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving water, Lake Montrose (Snake Creek (CWF, MF)), is located in State Water Plan watershed 4-E and is classified for Cold Water and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.018 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	1.0	XXX
Total Suspended Solids	Report	Report	XXX	30.0	60.0	XXX
Aluminum, Total	Report	Report	XXX	4.0	8.0	XXX
Iron, Total	Report	Report	XXX	2.0	4.0	XXX
Manganese, Total	Report	Report	XXX	1.0	2.0	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.018 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Semi-Annual Average</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Semi-Annual Average</i>	<i>Daily Maximum</i>	
Cadmium, Total	Report	XXX	XXX	Report	XXX	XXX
Chromium, Hexavalent	Report	XXX	XXX	Report	XXX	XXX
Copper, Total	Report	XXX	XXX	Report	XXX	XXX
Thallium, Total	Report	XXX	XXX	Report	XXX	XXX
Zinc, Total	Report	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.018 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Quarterly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Quarterly</i>	<i>Daily Maximum</i>	
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus	Report	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 0.024 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Semi-Annual Average</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Semi-Annual Average</i>	<i>Daily Maximum</i>	
Cadmium, Total	Report	XXX	XXX	Report	XXX	XXX
Chromium, Hexavalent	Report	XXX	XXX	Report	XXX	XXX
Copper, Total	Report	XXX	XXX	Report	XXX	XXX
Thallium, Total	Report	XXX	XXX	Report	XXX	XXX
Zinc, Total	Report	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 0.024 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	1.0	XXX
Total Suspended Solids	Report	Report	XXX	30.0	60.0	XXX

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average	Daily	Instant.	Average	Daily	
	Monthly	Maximum		Monthly	Maximum	
Aluminum, Total	Report	Report	XXX	4.0	8.0	XXX
Iron, Total	Report	Report	XXX	2.0	4.0	XXX
Manganese, Total	Report	Report	XXX	1.0	2.0	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 0.024 MGD.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average	Daily	Minimum	Average	Daily	
	Quarterly	Maximum		Quarterly	Maximum	
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus	Report	XXX	XXX	Report	XXX	XXX

In addition, the permit contains the following major special conditions:

- Chemical Additives
- Sedimentation Basin Cleaning

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northeast Regional Office

PA0051811, Industrial, SIC Code 4941, **Lehigh County Authority**, P.O. Box 3348, Allentown, PA 18106-0348. Facility Name: Green Hills Pumping Station. This existing facility is located in South Whitehall Township, **Lehigh County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Unnamed Tributary to Little Cedar Creek (HQ-CWF, MF), is located in State Water Plan watershed 2-C and is classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.002 MGD.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average	Average	Minimum	Average	Daily	
	Monthly	Weekly		Monthly	Maximum	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	1.0	XXX
Total Suspended Solids	XXX	XXX	XXX	30.0	60.0	XXX
Aluminum, Total	XXX	XXX	XXX	4.0	8.0	XXX
Iron, Total	XXX	XXX	XXX	2.0	4.0	XXX
Manganese, Total	XXX	XXX	XXX	1.0	2.0	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northeast Regional Office

PA0062693, Industrial, SIC Code 4941, **Municipal Authority of the Township of Blythe**, 375 Valley Street, New Philadelphia, PA 17959-1218. Facility Name: Moss Glen Water Treatment Plant. This existing facility is located in Schuylkill Township, **Schuylkill County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Big Creek (CWF), is located in State Water Plan watershed 3-A and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.04 MGD.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average	Average	Minimum	Average	Daily	
	Monthly	Weekly		Monthly	Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
		Daily Max				

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.2
Total Suspended Solids	XXX	XXX	XXX	30.0	60.0	XXX
Aluminum, Total	0.90	1.80	XXX	2.7	5.4	XXX
		Daily Max				
Iron, Total	XXX	XXX	XXX	2.0	4.0	XXX
Manganese, Total	XXX	XXX	XXX	1.0	2.0	XXX
Copper, Total	Report	Report	XXX	Report	Report	XXX
		Daily Max		Daily Max	Avg Mo	

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northeast Regional Office

PA0276171, Storm Water, SIC Code 4225, **Bridgestone Americas Tire Operations, LLC**, 200 4th Avenue S, Nashville, TN 37201-2255. Facility Name: Bridgestone Firestone North American Tire. This existing facility is located in Upper Macungie Township, **Lehigh County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial stormwater.

The receiving stream(s), Iron Run (HQ-CWF, MF), is located in State Water Plan watershed 2-C and is classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Total Suspended Solids	XXX	XXX	XXX	XXX	XXX	Report
Oil and Grease	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	XXX	XXX	XXX	XXX	XXX	Report
Total Phosphorus	XXX	XXX	XXX	XXX	XXX	Report

In addition, the permit contains the following major special conditions:

- Stormwater Outfalls and Authorized Non-Stormwater Discharges
- Best Management Practices (BMPs)
- Routine Inspections
- Preparedness, Prevention and Contingency (PPC) Plan
- Stormwater Monitoring Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northeast Regional Office

PA0276600, Storm Water, SIC Code 4581, **Lehigh Northampton Airport Authority**, 3311 Airport Road, Allentown, PA 18109-3074. Facility Name: Queen City Municipal Airport. This proposed facility is located in Allentown City, **Lehigh County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated industrial stormwater.

The receiving stream(s), Little Lehigh Creek (HQ-CWF, MF) and Trout Creek (HQ-CWF, MF), is located in State Water Plan watershed 2-C and is classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average</i>	<i>Average</i>		<i>Average</i>	<i>Daily</i>	
	<i>Monthly</i>	<i>Weekly</i>		<i>Monthly</i>	<i>Maximum</i>	
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Total Dissolved Solids	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 0 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average</i>	<i>Average</i>		<i>Average</i>	<i>Daily</i>	
	<i>Monthly</i>	<i>Weekly</i>		<i>Monthly</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Total Dissolved Solids	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 003 are based on a design flow of 0 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average</i>	<i>Average</i>		<i>Average</i>	<i>Daily</i>	
	<i>Monthly</i>	<i>Weekly</i>		<i>Monthly</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Total Dissolved Solids	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 004 are based on a design flow of 0 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average</i>	<i>Average</i>		<i>Average</i>	<i>Daily</i>	
	<i>Monthly</i>	<i>Weekly</i>		<i>Monthly</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Total Dissolved Solids	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 005 are based on a design flow of 0 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average</i>	<i>Average</i>		<i>Average</i>	<i>Daily</i>	
	<i>Monthly</i>	<i>Weekly</i>		<i>Monthly</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Total Dissolved Solids	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- Stormwater Outfalls and Authorized Non-Stormwater Discharges
- Best Management Practices (BMPs)

- Routine Inspections
- Preparedness, Prevention and Contingency (PPC) Plan
- Stormwater Monitoring Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northeast Regional Office

PAS202205, Storm Water, SIC Code 3444, 3449, 3499, **Fabricated Components, Inc.**, P.O. Box 431, Stroudsburg, PA 18360. Facility Name: Fabricated Components Manufacturing. This existing facility is located in Stroud Township, **Monroe County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial stormwater.

The receiving stream(s), Pocono Creek (HQ-CWF, MF) and Little Pocono Creek (HQ-CWF, MF), is located in State Water Plan watershed 1-E and is classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	XXX	XXX	Report
Oil and Grease	XXX	XXX	XXX	XXX	XXX	30.0
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	XXX	XXX	XXX	XXX	XXX	Report
Total Phosphorus	XXX	XXX	XXX	XXX	XXX	Report
Aluminum, Total	XXX	XXX	XXX	XXX	XXX	Report
Iron, Total	XXX	XXX	XXX	XXX	XXX	Report
Zinc, Total	XXX	XXX	XXX	XXX	XXX	Report

The proposed effluent limits for Outfall 002 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	XXX	XXX	Report
Oil and Grease	XXX	XXX	XXX	XXX	XXX	30.0
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	XXX	XXX	XXX	XXX	XXX	Report
Total Phosphorus	XXX	XXX	XXX	XXX	XXX	Report
Aluminum, Total	XXX	XXX	XXX	XXX	XXX	Report
Iron, Total	XXX	XXX	XXX	XXX	XXX	Report
Zinc, Total	XXX	XXX	XXX	XXX	XXX	Report

In addition, the permit contains the following major special conditions:

- Stormwater Outfalls and Authorized Non-Stormwater Discharges
- Best Management Practices (BMPs)
- Routine Inspections
- Preparedness, Prevention and Contingency (PPC) Plan
- Stormwater Monitoring Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northeast Regional Office

PAS212209, Storm Water, SIC Code 3273, **Frank Casilio & Sons, Inc.**, 1035 Mauch Chunk Road, Bethlehem, PA 18018-6622. Facility Name: Frank Casilio & Sons Bethlehem Plant. This existing facility is located in Bethlehem City, **Northampton County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial stormwater.

The receiving stream(s), Monocacy Creek (HQ-CWF, MF), is located in State Water Plan watershed 2-C and is classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	Report Inst Min	XXX	XXX	Report
Total Suspended Solids	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	XXX	XXX	XXX	XXX	XXX	Report
Total Phosphorus	XXX	XXX	XXX	XXX	XXX	Report
Aluminum, Total	XXX	XXX	XXX	XXX	XXX	Report
Iron, Total	XXX	XXX	XXX	XXX	XXX	Report

The proposed effluent limits for Outfall 002 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	Report Inst Min	XXX	XXX	Report
Total Suspended Solids	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	XXX	XXX	XXX	XXX	XXX	Report
Total Phosphorus	XXX	XXX	XXX	XXX	XXX	Report
Aluminum, Total	XXX	XXX	XXX	XXX	XXX	Report
Iron, Total	XXX	XXX	XXX	XXX	XXX	Report

The proposed effluent limits for Outfall 003 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	Report Inst Min	XXX	XXX	Report
Total Suspended Solids	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	XXX	XXX	XXX	XXX	XXX	Report
Total Phosphorus	XXX	XXX	XXX	XXX	XXX	Report
Aluminum, Total	XXX	XXX	XXX	XXX	XXX	Report
Iron, Total	XXX	XXX	XXX	XXX	XXX	Report

The proposed effluent limits for Outfall 004 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	Report Inst Min	XXX	XXX	Report
Total Suspended Solids	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	XXX	XXX	XXX	XXX	XXX	Report
Total Phosphorus	XXX	XXX	XXX	XXX	XXX	Report
Aluminum, Total	XXX	XXX	XXX	XXX	XXX	Report
Iron, Total	XXX	XXX	XXX	XXX	XXX	Report

In addition, the permit contains the following major special conditions:

- Stormwater Outfalls and Authorized Non-Stormwater Discharges
- Best Management Practices (BMPs)
- Routine Inspections
- Preparedness, Prevention and Contingency (PPC) Plan
- Stormwater Monitoring Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northwest Regional Office

PA0295710, Storm Water, SIC Code 4151, **AC Coach Operations, Inc.**, 1 Anderson Plaza, Greenville, PA 16125-9443. Facility Name: AC School Service Conneaut Lake Facility. This proposed facility is located in Summit Township, **Crawford County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated industrial stormwater.

The receiving stream(s), Inlet Run (HQ-WWF), is located in State Water Plan watershed 16-D and is classified for High Quality Waters—Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- Stormwater Outfalls and Authorized Non-Stormwater Discharges
- Best Management Practices
- Stormwater Monitoring Requirements
- Routine Inspections
- Preparedness, Prevention and Contingency Plan

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Southcentral Regional Office

PA0020851, Sewage, SIC Code 4952, **Hyndman Borough Municipal Authority, Bedford County**, P.O. Box 445, Hyndman, PA 15545-0445. Facility Name: Hyndman Borough STP. This existing facility is located in Hyndman Borough, **Bedford County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Wills Creek (CWF), is located in State Water Plan watershed 13-A and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .18 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Instantaneous Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	Report Daily Max	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .18 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Instantaneous Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	76	122	XXX	25	40	50
Biochemical Oxygen Demand (BOD ₅)	Report	Report Daily Max	XXX	Report	XXX	XXX
Raw Sewage Influent Total Suspended Solids	91	137	XXX	30	45	60
Total Suspended Solids Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean	XXX	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instantaneous Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Nitrate-Nitrite as N (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Ultraviolet light dosage (mWsec/cm ²)	XXX	XXX	Report	XXX	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southcentral Regional Office

PA0024139, Sewage, SIC Code 4952, **Cumberland Township Authority, Adams County**, 1370 Fairfield Road, Gettysburg, PA 17325-7267. Facility Name: Cumberland Township North STP. This existing facility is located in Cumberland Township, **Adams County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Rock Creek (WWF), is located in State Water Plan watershed 13-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.5 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instantaneous Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
CBOD ₅	60.0	90.0	XXX	15.0	22.0	30.0
Nov 1 - Apr 30						
May 1 - Oct 31	20.0	30.0	XXX	5.0	7.5	10.0
BOD ₅	Report	Report Daily Max	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	125.0	185.0	XXX	30.0	45.0	XXX
Total Suspended Solids Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Ultraviolet light transmittance (%)	XXX	XXX	Report	XXX	XXX	XXX
Ammonia-Nitrogen	18.0	XXX	XXX	4.5	XXX	9.0
Nov 1 - Apr 30						
May 1 - Oct 31	6.0	XXX	XXX	1.5	XXX	3.0
Total Phosphorus	8.0	XXX	XXX	2.0	XXX	4.0
Copper, Total	XXX	XXX	XXX	Report	Report Daily Max	XXX
Hardness, Total (as CaCO ₃)	XXX	XXX	XXX	Report	Report Daily Max	XXX

The proposed monitoring requirements and effluent limits for implementation of Pennsylvania's Chesapeake Bay Watershed Implementation Plan are as follows for Outfall 001.—Limits.

Parameters	Mass Units (lbs/day)		Monthly	Concentrations (mg/L)		Instant. Maximum
	Monthly	Annual		Monthly Average	Maximum	
Ammonia—N	Report	Report	XXX	Report	XXX	XXX
Kjeldahl—N	Report	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Report	Report	XXX	Report	XXX	XXX
Total Phosphorus	Report	Report	XXX	Report	XXX	XXX
Net Total Nitrogen	XXX	9,132	XXX	XXX	XXX	XXX
Net Total Phosphorus	XXX	1,218	XXX	XXX	XXX	XXX

Sludge use and disposal description and location(s): Sludge is treated and sent to Cumberland Township South STP (PA0024147).

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

Southcentral Regional Office

PA0024147, Sewage, SIC Code 4952, **Cumberland Township Authority, Adams County**, 1370 Fairfield Road, Gettysburg, PA 17325-7267. Facility Name: Cumberland Township South STP. This existing facility is located in Cumberland Township, **Adams County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Willoughby Run (WWF), is located in State Water Plan watershed 13-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.65 MGD.—Limit

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
		Daily Max				
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
CBOD ₅	54.0	81.0	XXX	10.0	15.0	20.0
BOD ₅	Report	Report	XXX	Report	XXX	XXX
		Daily Max				
Raw Sewage Influent						
Total Suspended Solids	54.0	81.0	XXX	10.0	15.0	20.0
Total Suspended Solids	Report	Report	XXX	Report	XXX	XXX
		Daily Max				
Raw Sewage Influent						
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Ultraviolet transmittance (%)	XXX	XXX	Report	XXX	XXX	XXX
Ammonia-Nitrogen	32.0	XXX	XXX	6.0	XXX	12.0
Nov 1 - Apr 30						
May 1 - Oct 31	11.0	XXX	XXX	2.0	XXX	4.0

The Pennsylvania's Chesapeake Bay requirements for Outfall 001.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Monthly	Annual		Average Monthly	Maximum	
Ammonia—N	Report	Report	XXX	Report	XXX	XXX
Kjeldahl—N	Report	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Report	Report	XXX	Report	XXX	XXX
Total Phosphorus	Report	Report	XXX	Report	XXX	XXX
Net Total Nitrogen	XXX	11,872	XXX	XXX	XXX	XXX
Net Total Phosphorus	XXX	1,583	XXX	XXX	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

Southcentral Regional Office

PA0029866, Sewage, SIC Code 8211, **Cumberland Valley School District**, 6746 Carlisle Pike, Mechanicsburg, PA 17050-1711. Facility Name: Green Ridge Elementary School. This existing facility is located in Silver Spring Township, **Cumberland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Conodoguinet Creek (WWF, MF), is located in State Water Plan watershed 7-B and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0065 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Daily Min 5.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	Daily Min XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean 200	XXX	1,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Nov 1 - Apr 30						
May 1 - Oct 31	XXX	XXX	XXX	10.5	XXX	21
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .01 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southcentral Regional Office

PA0083038, Sewage, SIC Code 4952, **GSC 1685 Baltimore LLC**, 73 Shirley Trail, Fairfield, PA 17320-8321. Facility Name: 1685 Baltimore Pike Ofc Bldg. This existing facility is located in Mount Joy Township, **Adams County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Rock Creek (WWF), is located in State Water Plan watershed 13-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.005 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.40	XXX	1.30
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25.0	XXX	50.0
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60.0

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Ammonia-Nitrogen	XXX	XXX	XXX	18.0	XXX	36.0
Nov 1 - Apr 30						
May 1 - Oct 31	XXX	XXX	XXX	6.0	XXX	12.0
Total Nitrogen	Report	Report	XXX	Report	XXX	XXX
	Annl Avg	Total Annual		Annl Avg		
Total Phosphorus	Report	Report	XXX	Report	XXX	XXX
	Annl Avg	Total Annual		Annl Avg		

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southcentral Regional Office

PA0083852, Sewage, SIC Code 7033, **Finicle Venture LLC**, 32 Ferry Lane, Liverpool, PA 17045-9254. Facility Name: Ferryboat Campsites. This existing facility is located in Buffalo Township, **Perry County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Bargers Run, is located in State Water Plan watershed 6-C and is classified for aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .03 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
		Daily Max				
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
			Inst Min			
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
			Inst Min			
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25.0	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		

The proposed effluent limits for Outfall 001 are based on a design flow of .03 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
				Annl Avg		
Nitrate-Nitrite as N (Total Load, lbs) (lbs)	Report	XXX	XXX	XXX	XXX	XXX
Total Nitrogen	Annl Avg	XXX	XXX	Report	XXX	XXX
	XXX			Annl Avg		
Total Nitrogen (Total Load, lbs) (lbs)	Report	XXX	XXX	XXX	XXX	XXX
Ammonia-Nitrogen	Annl Avg	XXX	XXX	Report	XXX	XXX
	XXX			Annl Avg		
Ammonia-Nitrogen (Total Load, lbs) (lbs)	Report	XXX	XXX	XXX	XXX	XXX
Total Kjeldahl Nitrogen	Annl Avg	XXX	XXX	Report	XXX	XXX
	XXX			Annl Avg		
Total Kjeldahl Nitrogen (Total Load, lbs) (lbs)	Report	XXX	XXX	XXX	XXX	XXX
	Annl Avg					

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Daily Maximum	
Total Phosphorus	XXX	XXX	XXX	Report Annl Avg	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southcentral Regional Office

PA0087335, Sewage, SIC Code 4952, **Broad Top Township, Bedford County**, 124 Hitchens Road, Defiance, PA 16633-0057. Facility Name: Broad Top Township Kearney STP. This existing facility is located in Broad Top Township, **Bedford County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Longs Run (WWF), is located in State Water Plan watershed 11-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0037 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Instantaneous Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	Report Annl Avg	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report Annl Avg	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report Annl Avg	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report Annl Avg	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .0037 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Instantaneous Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	0.8	1.2	XXX	25	40	50
Total Suspended Solids	0.9	1.4	XXX	30	45	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Ultraviolet light transmittance (%)	XXX	XXX	Report	XXX	XXX	XXX
Ammonia-Nitrogen	Report	XXX	XXX	Report	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southcentral Regional Office

PA0087343, Sewage, SIC Code 4952, **Broad Top Township, Bedford County**, 124 Hitchens Road, Defiance, PA 16633-9002. Facility Name: Broad Top Township Langdondale STP. This existing facility is located in Broad Top Township, **Bedford County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Sandy Run (WWF), is located in State Water Plan watershed 11-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .01445 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Average Monthly	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Average Monthly	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	Report Annl Avg	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report Annl Avg	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report Annl Avg	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report Annl Avg	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .01445 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Average Monthly	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Average Monthly	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0 Inst Min	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	3.0	4.8	XXX	25	40	50
Biochemical Oxygen Demand (BOD ₅) Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids	3.6	5.4	XXX	30	45	60
Fecal Coliform (No./100 ml) Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ultraviolet light transmittance (%)	XXX	XXX	Report	XXX	XXX	XXX
Ammonia-Nitrogen	Report	XXX	XXX	Report	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southcentral Regional Office

PA0087696, Sewage, SIC Code 6515, **GSP Management Company**, P.O. Box 677, Morgantown, PA 19543-0677. Facility Name: Shadyback Acres MHP. This existing facility is located in East Hanover Township, **Dauphin County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Manada Creek (WWF), is located in State Water Plan watershed 7-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .00275 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Maximum	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Daily Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0 Daily Min	XXX	XXX	XXX
Total Residual Chlorine (TRC) (CBOD ₅)	XXX	XXX	XXX	0.49 25	XXX	1.6 50

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Ammonia-Nitrogen	XXX	XXX	XXX	Geo Mean Report	XXX	XXX
Nov 1 - Apr 30						
May 1 - Oct 31	XXX	XXX	XXX	7.5	XXX	15
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Daily Max Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Daily Max Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Daily Max Report	XXX

In addition, the permit contains the following major special conditions:

- Stormwater Prohibition, Approval Contingencies, Proper Waste/Solids Management, and Chlorine Minimization Requirement

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southcentral Regional Office

PA0088269, Sewage, SIC Code 4952, **Quincy Township Sewer Authority**, 7575 Mentzer Gap Road, Waynesboro, PA 17268-8946. Facility Name: Quincy Township STP. This existing facility is located in Quincy Township, **Franklin County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), West Branch Antietam Creek (CWF), is located in State Water Plan watershed 13-C and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .3 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Weekly Average	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report

The proposed effluent limits for Outfall 001 are based on a design flow of .3 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Dissolved Oxygen	XXX	XXX	Daily Min 5.0	XXX	Daily Max XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	62	100	Daily Min XXX	25.0	40.0	50
Biochemical Oxygen Demand (BOD ₅)	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	75	112	XXX	30.0	45.0	60
Total Suspended Solids	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent						
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Nitrate-Nitrite as N	XXX	Report Daily Max	XXX	XXX	Report Daily Max	XXX
Total Nitrogen	XXX	Report Daily Max	XXX	XXX	Report Daily Max	XXX
Ammonia-Nitrogen Nov 1 - Apr 30	Report	XXX	XXX	Report	XXX	XXX
May 1 - Oct 31	35	XXX	XXX	14.0	XXX	28
Total Kjeldahl Nitrogen	XXX	Report Daily Max	XXX	XXX	Report Daily Max	XXX
Total Phosphorus	XXX	Report Daily Max	XXX	XXX	Report Daily Max	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

Southcentral Regional Office

PA0088749, Sewage, SIC Code 4952, **Gettysburg Borough Municipal Authority, Adams County**, P.O. Box 3307, Gettysburg, PA 17325-0307. Facility Name: Gettysburg Municipal Authority Hunterstown STP. This existing facility is located in Straban Township, **Adams County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Beaverdam Creek (WWF), is located in State Water Plan watershed 7-F and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.232 MGD.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Daily Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0 Daily Min	XXX	XXX	XXX
CBOD ₅ Nov 1 - Apr 30	48.0	77.0	XXX	25.0	40.0	50.0
May 1 - Oct 31	29.0	43.0	XXX	15.0	22.0	30.0
BOD ₅ Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids	58.0	87.0	XXX	30.0	45.0	60.0
Total Suspended Solids Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml) Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Ultraviolet light intensity (mW/cm ²)	XXX	XXX	Report	XXX	XXX	XXX
Ammonia-Nitrogen Nov 1 - Apr 30	8.1	XXX	XXX	4.2	XXX	8.4
May 1 - Oct 31	2.7	XXX	XXX	1.4	XXX	2.8
Total Phosphorus	3.9	XXX	XXX	2.0	XXX	4.0
Ammonia-Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Total Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.232 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Total Suspended Solids (Total Load, lbs) (lbs)	XXX	21,186.94 Total Annual	XXX	XXX	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX

- Sludge is transported to the Gettysburg WWTP PA0021563 for ultimate treatment/disposal

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southcentral Regional Office

PA0246522, Sewage, SIC Code 7033, **Axia Heritage Cove LLC**, 1172 River Road, Saxton, PA 16678-7516. Facility Name: Heritage Cove Resort Campground. This existing facility is located in Liberty Township, **Bedford County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Raystown Branch Juniata River (TSF), is located in State Water Plan watershed 11-D and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .03 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Annl Avg Report	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	Annl Avg Report	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Annl Avg Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Annl Avg Report	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .03 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southcentral Regional Office

PA0260762, Sewage, SIC Code 4952, **New Buffalo Borough, Perry County**, P.O. Box 245, New Buffalo, PA 17069-0245. Facility Name: New Buffalo Borough STP. This existing facility is located in New Buffalo Borough, **Perry County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Buffalo Creek (WWF), is located in State Water Plan watershed 6-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .02 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	4	6.5	XXX	25	40	50
Biochemical Oxygen Demand (BOD ₅)	Report	Report Daily Max	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids	5	7.5	XXX	30	45	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Ammonia-Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Nov 1 - Apr 30						
May 1 - Oct 31	1.0	XXX	XXX	6.50	XXX	13

The proposed effluent limits for Outfall 001 are based on a design flow of .02 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Total Nitrogen	XXX	XXX	XXX	Report Annl Avg	XXX	XXX
Total Nitrogen (Total Load, lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report Annl Avg	XXX	XXX
Total Phosphorus (Total Load, lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southeast Regional Office

PA0043974, Sewage, SIC Code 1623, 4952, **Valley Forge Sewer Authority**, 333 Pawling Road, Phoenixville, PA 19460-2656. Facility Name: Valley Forge Sewer Authority WWTP. This existing facility is located in Schuylkill Township, **Chester County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, Schuylkill River (WWF, MF), is located in State Water Plan watershed 3-F and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 11.75 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 5.0	Report	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.42	XXX	0.52
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	1,918	3,069	XXX	20	30	40
Nov 1 - Apr 30					Wkly Avg	
May 1 - Oct 31	1,535	2,302	XXX	16	24	32
Raw Sewage Influent Biochemical Oxygen Demand (BOD ₅)	Report	XXX	XXX	Report	XXX	XXX
Raw Sewage Influent Total Suspended Solids	2,939	4,410	XXX	30	45	60
Total Suspended Solids Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Total Dissolved Solids	XXX	XXX	XXX	1,000	2,000	2,500
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	Geo Mean	XXX	Report
Ultraviolet light transmittance (%)	XXX	XXX	Report	XXX	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	1228	XXX	XXX	12.5	XXX	25
Nov 1 - Apr 30						
May 1 - Oct 31	614	XXX	XXX	6.3	XXX	12.5
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
Copper, Total	2.69	4.19	XXX	0.027	0.043	0.068

The proposed effluent limits for Outfall 001 are based on a design flow of 11.75 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
PCBs Dry Weather Analysis (pg/L)	XXX	XXX	XXX	XXX	Report	XXX
PCBs Wet Weather Analysis (pg/L)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 11.75 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX
PFOA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFOS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFBS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
HFPO-DA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
Toxicity, Chronic - Ceriodaphnia Survival (TUc)	XXX	XXX	XXX	XXX	Report	XXX
Toxicity, Chronic - Ceriodaphnia Reproduction (TUc)	XXX	XXX	XXX	XXX	Report	XXX
Toxicity, Chronic - Pimephales Survival (TUc)	XXX	XXX	XXX	XXX	Report	XXX
Toxicity, Chronic - Pimephales Growth (TUc)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	XXX	Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Iron, Dissolved	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- A. No Stormwater
- B. Acquire Necessary Property Rights
- C. Proper Sludge Disposal
- D. No Unconventional Oil and Gas Wastewater
- E. Chlorine Optimization
- F. Operator Notification
- G. TMDL/WLA Analysis
- H. Fecal Coliform Reporting
- I. Operations and Maintenance Plan
- J. Hauled-in Waste Condition
- K. Pretreatment Program Implementation
- L. Solids Management
- M. WET Testing Requirements
- N. Stormwater Requirements
- O. PCB/PMP Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is not in effect.

Southeast Regional Office

PA0050431, Industrial, SIC Code 2086, **Refresco North America**, 20 Aldan Avenue, Concordville, PA 19342. Facility Name: Refresco Beverages IWTP. This existing facility is located in Concord Township, **Delaware County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream, West Branch Chester Creek (TSF, MF), is located in State Water Plan watershed 3-G and is classified for Trout Stocking and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.358 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 6.0	XXX	XXX	XXX
Temperature (°F)	XXX	XXX	Inst Min XXX	XXX	XXX	110
Total Dissolved Solids	3,036.0	6,072.0	XXX	1,000.0	2,000.0	2,500
Oil and Grease	45.5	Daily Max 91.1 IMAX	XXX	15.0	XXX	30.0
Total Nitrogen	30.4	60.7	XXX	10.0	20.0	25
Total Phosphorus	3.0	Daily Max 6.1 Daily Max	XXX	1.0	2.0	2.5

The proposed effluent limits for Outfall 001 are based on a design flow of 0.358 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
PFOA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFOS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFBS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
HFPO-DA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 101 are based on a design flow of 0.07 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Toxicity, Chronic - Ceriodaphnia Survival (TUc)	XXX	XXX	XXX	XXX	Report	XXX
Toxicity, Chronic - Ceriodaphnia Reproduction (TUc)	XXX	XXX	XXX	XXX	Report	XXX
Toxicity, Chronic - Pimephales Survival (TUc)	XXX	XXX	XXX	XXX	Report	XXX
Toxicity, Chronic - Pimephales Growth (TUc)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 101 are based on a design flow of 0.07 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	0.75
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	12.0	24.0	XXX	20.0	40.0	50
Total Suspended Solids	18.0	36.0	XXX	30.0	60.0	75
Ammonia-Nitrogen	3.5	7.0	XXX	6.0	12.0	15
Nov 1 - Apr 30						
May 1 - Oct 31	1.2	2.4	XXX	2.0	4.0	5
Copper, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Thallium, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 201 are based on a design flow of 0.288 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	24.0	48.0	XXX	10.0	20.0	25
Total Suspended Solids	24.0	48.0	XXX	10.0	20.0	25
Ammonia-Nitrogen	14.4	28.8	XXX	6.0	12.0	15
Nov 1 - Apr 30						
May 1 - Oct 31	4.8	9.6	XXX	2.0	4.0	5
Antimony, Total	XXX	XXX	XXX	XXX	Report	XXX
Cadmium, Total	0.0019	0.0038	XXX	0.0008	0.0016	0.002
Selenium, Total	0.012	0.024	XXX	0.005	0.01	0.013
Thallium, Total	0.0005	0.0010	XXX	0.0002	0.0004	0.0005

In addition, the permit contains the following major special conditions:

Permit Conditions:

- A. Acquire Necessary Property Rights
- B. Proper Sludge Disposal
- C. WQM Permit Conditions
- D. BAT/ELG Reopener
- E. Chlorine Minimization
- F. Small Stream Discharge
- G. 2° Change in the Temperature
- H. Chemical Additives Condition

I. Stormwater Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

Southeast Regional Office

PA0245674, Storm Water, SIC Code 2851, **Penn Color, Inc.**, 2801 Richmond Road, Hatfield, PA 19440-1808. Facility Name: Penn Color Hatfield Plant. This proposed facility is located in Hatfield Township, **Montgomery County**.

Description of Proposed Activity: The application is for a new NPDES permit for a discharge of treated industrial stormwater.

The receiving stream, Unnamed Tributary to West Branch Neshaminy Creek (WWF, MF), is located in State Water Plan watershed 2-F and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on an average stormwater flow—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly	Minimum	Average Monthly	Daily Maximum	
PFOA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFOS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFBS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
HFPO-DA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 001 are based on an average stormwater flow—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly	Minimum	Average Monthly	Daily Maximum	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 002 are based on an average stormwater flow—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly	Minimum	Average Monthly	Daily Maximum	
PFOA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFOS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFBS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
HFPO-DA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 002 are based on an average stormwater flow—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly	Minimum	Average Monthly	Daily Maximum	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 003 are based on an average stormwater flow—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly	Minimum	Average Monthly	Daily Maximum	
PFOA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
PFOS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFBS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
HFPO-DA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 003 are based on an average stormwater flow—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- A. Stormwater Outfalls
- B. Best Management Practices
- C. Stormwater Monitoring Requirements
- D. Routine Inspections
- E. PPC Plan Requirement
- F. Acquire Necessary Property Rights
- G. Proper Sludge Disposal
- H. PFAS Reduction Plan

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

Southeast Regional Office

PAI130067, MS4, **Whitemarsh Township, Montgomery County**, 616 Germantown Pike, Lafayette Hill, PA 19444.

The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Whitemarsh Township, **Montgomery County**. The receiving stream(s), Schuylkill River (WWF, MF), Wissahickon Creek (TSF, MF), Unnamed Tributary to Schuylkill River (CWF, MF), and Unnamed Tributary to Wissahickon Creek (TSF, MF), is located in State Water Plan watershed 3-F and is classified for Trout Stocking, Warm Water Fishes, Migratory Fishes, and Cold Water Fishes, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

The applicant is required to submit the following plan(s) with the application to reduce pollutant loads to impaired waters:

- A Pollutant Reduction Plan (PRP)
- A Total Maximum Daily Load (TMDL) Plan

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA waiver is in effect for small MS4s, and is not in effect for large MS4s.

Southeast Regional Office

PAI130088, MS4, **Oxford Borough, Chester County**, P.O. Box 380, Oxford, PA 19363.

The application is for a new individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Oxford Borough, **Chester County**. The receiving stream(s), Unnamed Tributary of West Branch Big Elk Creek (HQ-TSF, MF), Tweed Creek (TSF, MF), Unnamed Tributary to Leech Run (TSF, MF), and Unnamed Tributary to Little Elk Creek (HQ-TSF, MF), is located in State Water Plan watershed 7-K and is classified for Trout Stocking, High Quality Waters—Trout Stocking, and Migratory Fishes, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

The applicant has submitted the following plan(s) with the application to reduce pollutant loads to impaired waters:

- A Pollutant Reduction Plan (PRP)

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA waiver is in effect for small MS4s, and is not in effect for large MS4s.

Southwest Regional Office

PAI136141, MS4, **The Township of Upper St. Clair**, 1820 McLaughlin Run Road, Upper St. Clair, PA 15241.

The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in the Township of Upper St. Clair, **Allegheny County**. The receiving stream(s), Unnamed Tributaries to McLaughlin Run (WWF), Unnamed Tributaries to Painters Run (WWF), Unnamed Tributaries of Brush Run (WWF), McLaughlin Run (WWF), Painters Run (WWF), Unnamed Tributaries of Chartiers Creek (WWF), Graesers Run (WWF), and Chartiers Creek (WWF), is located in State Water Plan watershed 20-F and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

The applicant previously submitted the following plan(s) to reduce pollutant loads to impaired waters:

- A Pollutant Reduction Plans (PRPs)
- A Total Maximum Daily Load (TMDL) Plan

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA waiver is in effect for small MS4s, and is not in effect for large MS4s.

Southwest Regional Office

PA0003255, Storm Water, SIC Code 3312, **Latrobe Specialty Metals**, 2626 Ligonier Street, Latrobe, PA 15650-3246. Facility Name: Carpenter Latrobe Specialty Metals. This existing facility is located in Latrobe Borough, **Westmoreland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial stormwater.

The receiving stream(s), Loyalhanna Creek (WWF) and Unnamed Tributary to Loyalhanna Creek (WWF), is located in State Water Plan watershed 18-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Total Quarterly	Average Weekly		Average Monthly	Daily Maximum	
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Copper, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX
Total Flow (Total Outfall Volume, Mgal)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Total Aluminum (Total Outfall Load, lbs)	Report	XXX	XXX	XXX	XXX	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Total Iron (Total Outfall Load, lbs)	Report	XXX	XXX	XXX	XXX	XXX
Manganese, Total	XXX	XXX	XXX	XXX	Report	XXX
Total Manganese (Total Outfall Load, lbs)	Report	XXX	XXX	XXX	XXX	XXX
Molybdenum, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Total Quarterly	Average Weekly		Average Monthly	Daily Maximum	
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Copper, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Total Flow (Total Outfall Volume, Mgal)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Total Quarterly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Total Aluminum (Total Outfall Load, lbs)	Report	XXX	XXX	XXX	XXX	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Total Iron (Total Outfall Load, lbs)	Report	XXX	XXX	XXX	XXX	XXX
Manganese, Total	XXX	XXX	XXX	XXX	Report	XXX
Total Manganese (Total Outfall Load, lbs)	Report	XXX	XXX	XXX	XXX	XXX
Molybdenum, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 003 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Total Quarterly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Copper, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX
Total Flow (Total Outfall Volume, Mgal)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Total Aluminum (Total Outfall Load, lbs)	Report	XXX	XXX	XXX	XXX	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Total Iron (Total Outfall Load, lbs)	Report	XXX	XXX	XXX	XXX	XXX
Manganese, Total	XXX	XXX	XXX	XXX	Report	XXX
Total Manganese (Total Outfall Load, lbs)	Report	XXX	XXX	XXX	XXX	XXX
Molybdenum, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 004 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Total Quarterly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Copper, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX
Total Flow (Total Outfall Volume, Mgal)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Total Aluminum (Total Outfall Load, lbs)	Report	XXX	XXX	XXX	XXX	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Total Iron (Total Outfall Load, lbs)	Report	XXX	XXX	XXX	XXX	XXX
Manganese, Total	XXX	XXX	XXX	XXX	Report	XXX
Total Manganese (Total Outfall Load, lbs)	Report	XXX	XXX	XXX	XXX	XXX
Molybdenum, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 006 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Total Quarterly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Total Quarterly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Copper, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX
Total Flow (Total Outfall Volume, Mgal)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Total Aluminum (Total Outfall Load, lbs)	Report	XXX	XXX	XXX	XXX	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Total Iron (Total Outfall Load, lbs)	Report	XXX	XXX	XXX	XXX	XXX
Manganese, Total	XXX	XXX	XXX	XXX	Report	XXX
Total Manganese (Total Outfall Load, lbs)	Report	XXX	XXX	XXX	XXX	XXX

The proposed effluent limits for Outfall 008 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Total Quarterly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Copper, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX
Total Flow (Total Outfall Volume, Mgal)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Total Aluminum (Total Outfall Load, lbs)	Report	XXX	XXX	XXX	XXX	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Total Iron (Total Outfall Load, lbs)	Report	XXX	XXX	XXX	XXX	XXX
Manganese, Total	XXX	XXX	XXX	XXX	Report	XXX
Total Manganese (Total Outfall Load, lbs)	Report	XXX	XXX	XXX	XXX	XXX
Molybdenum, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 099 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Total Quarterly</i>	<i>Total Annual</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Total Flow (Total Facility Volume, Mgal)	XXX	Report	XXX	XXX	XXX	XXX
Total Precipitation (In)	XXX	Report	XXX	XXX	XXX	XXX
Total Aluminum (Total Facility Load, lbs)	XXX	6,530	XXX	XXX	XXX	XXX
Total Iron (Total Facility Load, lbs)	XXX	15,714	XXX	XXX	XXX	XXX
Total Manganese (Total Facility Load, lbs)	XXX	8,709	XXX	XXX	XXX	XXX
Total Flow (Total Facility Volume, Mgal)	Report	XXX	XXX	XXX	XXX	XXX
Total Precipitation (In)	Report	XXX	XXX	XXX	XXX	XXX
Total Aluminum (Total Facility Load, lbs)	Report	XXX	XXX	XXX	XXX	XXX
Total Iron (Total Facility Load, lbs)	Report	XXX	XXX	XXX	XXX	XXX
Total Manganese (Total Facility Load, lbs)	Report	XXX	XXX	XXX	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

III. Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity.

Regional Permit Coordination Office

Applicant: **Catherine Hershey School for Early Learning, Elizabethtown**

Applicant Address: P.O. Box 830, Hershey, PA 17033

Application Number: **PAD360128**

Application Type: New

Municipality/County: West Donegal Township, **Lancaster County**

Project Site Name: CHS Elizabethtown

Total Earth Disturbance Area (acres): 7.00 acres

Surface Waters Receiving Stormwater Discharges: tributary to Donegal Creek (TSF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Catherine Hershey School for Early Learning is proposing the renovation of an existing educational facility, additional parking areas, nature trails, and associated stormwater management facilities.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-772-5987.

Southcentral Regional Office

Applicant: **Drew Nickel**

Applicant Address: 4 White Oak Drive, Carlisle, PA 17015

Application Number: **PAD210122**

Application Type: New

Municipality/County: Dickinson Township, **Cumberland County**

Project Site Name: Drew & Jaelyn Nickel Residence

Total Earth Disturbance Area (acres): 2.82 acres

Surface Waters Receiving Stormwater Discharges: Cold Spring Run (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construct a single-family dwelling with associated improvements.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4802.

Southeast Regional Office

Applicant: **BSI Construction, LLC**

Applicant Address: 735 Birch Avenue, Bensalem, PA 19020-7207

Application Number: **PAD510240 A-1**

Application Type: Major Amendment

Municipality/County: City of Philadelphia, **Philadelphia County**

Project Site Name: Thomas Holme Elementary School

Total Earth Disturbance Area (acres): 5.91 acres

Surface Waters Receiving Stormwater Discharges: Pennypack Creek (WWF, TSF, MF) and Byberry Creek (WWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: An Individual Permit Application for the demolition phase of the project was previously submitted as the first phase of the overall project (PAD # 510240). The first phase included demolition of the existing elementary school, demolition of some of the existing pavement areas located on-site, and site restoration within the demolition phase proposed limits of disturbance (128,317 SF). The current application being submitted is for a Major Amendment to the prior permit for the second phase of the project for the proposed redevelopment, which includes construction of a new 3-story 141,245 SF elementary school with associated site improvements. This phase of the project proposes stormwater management controls including three (3) bioretention basins, two (2) subsurface detention basins, two (2) media filters and nonstructural BMP's. The limit of disturbance is proposed to increase by 129,014 SF from the first phase (demolition) to the second phase (proposed redevelopment), resulting in a total limit of disturbance of 257,331 SF for the Major Amendment application.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 484-250-5910.

Southcentral Regional Office

Applicant: **Berks County Industrial Development Authority**

Applicant Address: 633 Court Street, 14th Floor, Reading, PA 19601

Application Number: **PAD060026**

Application Type: Renewal

Municipality/County: Bern Township, **Berks County**

Project Site Name: BCIDA: Berks Park 183

Total Earth Disturbance Area (acres): 92.5 acres

Surface Waters Receiving Stormwater Discharges: Schuylkill River (WWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construction of industrial and commercial buildings.

Special Conditions: Wetland Monitoring

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4802.

Southcentral Regional Office

Applicant: **Bedford Township**

Applicant Address: P.O. Box 148, Bedford, PA 15522

Application Number: **PAD050018**

Application Type: New

Municipality/County: Bedford Township, **Bedford County**

Project Site Name: BT Backsprings Detention Basin

Total Earth Disturbance Area (acres): 3.55 acres

Surface Waters Receiving Stormwater Discharges: UNT to Shobers Run (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Project involves the collection and conveyance of stormwater into a detention basin in Bedford Township, PA. The goal is to detain stormwater prior to discharge into the boroughs storm sewer system through the use of a detention basin, catch basins and conveyance piping.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4802.

Southcentral Regional Office

Applicant: **McVeytown Volunteer Fire Company**

Applicant Address: 160 Cattle Drive, McVeytown, PA 17051

Application Number: **PAD440032**

Application Type: New

Municipality/County: Oliver Township, **Mifflin County**

Project Site Name: McVeytown Fire Hall

Total Earth Disturbance Area (acres): 2.1 acres

Surface Waters Receiving Stormwater Discharges: Musser Run (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construction of new fire hall, parking lot, and associated PCSM BMPs.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4802.

Southcentral Regional Office

Applicant: **Granville Township Supervisors**

Applicant Address: 100 Helen Street, Lewistown, PA 17044

Application Number: **PAD440033**

Application Type: New

Municipality/County: Granville and Oliver Townships, **Mifflin County**

Project Site Name: Granville Strodes Mills to Junction Sanitary Sewer Extension Project

Total Earth Disturbance Area (acres): 13.38 acres

Surface Waters Receiving Stormwater Discharges: Strodes Run (HQ-CWF, MF), UNT to Strodes Run (HQ-CWF, MF), Juniata River (WWF, MF), UNT to Juniata River (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construction of sewer extension utilizing open cut and HDD methods.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4802.

Southeast Regional Office

Applicant: **Great Valley School District**

Applicant Address: 47 Church Road, Malvern, PA 19355-1539

Application Number: **PAD150233 A-3**

Application Type: Major Amendment

Municipality/County: East Whiteland Township, **Chester County**

Project Site Name: GVSD KD Markley 5/6 Center

Total Earth Disturbance Area (acres): 31.92 acres

Surface Waters Receiving Stormwater Discharges: UNT to Valley Creek (EV-MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construction of a new school building and associated driveways, parking, recreational and stormwater facilities. This Major Amendment is for additional disturbance that occurred in the grass field on the north side of Swedesford Road.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 484-250-5910.

*Southcentral Regional Office*Applicant: **Costco Wholesale Corporation**

Applicant Address: 45940 Horseshoe Drive, Suite 150, Sterling, VA 20166

Application Number: **PAD210124**

Application Type: New

Municipality/County: Silver Spring Township, **Cumberland County**

Project Site Name: Costco Mechanicsburg

Total Earth Disturbance Area (acres): 23.8 acres

Surface Waters Receiving Stormwater Discharges: Hogestown Run (CWF, MF) via EV Wetlands

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construction of a 161K Costco Wholesale and 24 pump fuel facility including associated infrastructure, and an MRC extended detention basin for stormwater management.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4802.

*Northeast Regional Office*Applicant: **Maplewood Residential, L.P., c/o Joe Gambone**

Applicant Address: 1030 W. Germantown Pike, E. Norriton, PA 19403-3929

Application Number: **PAD390250**

Application Type: New

Municipality/County: Lower Milford Township, **Lehigh County**

Project Site Name: Ridings at Saucon Creek—Lot 26

Total Earth Disturbance Area (acres): 1.65 acres

Surface Waters Receiving Stormwater Discharges: Saucon Creek (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construction of a single-family residential dwelling on Lot 26 of the Ridings at Saucon Creek Subdivision.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

*Northeast Regional Office*Applicant: **Maplewood Residential, L.P., c/o Joe Gambone**

Applicant Address: 1030 W. Germantown Pike, E. Norriton, PA 19403-3929

Application Number: **PAD390304**

Application Type: New

Municipality/County: Lower Milford Township, **Lehigh County**

Project Site Name: The Ridings at Saucon Creek—Lot 18

Total Earth Disturbance Area (acres): 1.07 acres

Surface Waters Receiving Stormwater Discharges: Saucon Creek, EV Wetlands (HQ-CWF, MF) (EV Wetlands)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construction of a single-family residential lot (18) part of a larger subdivision.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

Northeast Regional Office

Applicant: **Hazleton City Authority**

Applicant Address: 400 East Arthur Gardner Parkway, Hazleton, PA 18201

Application Number: **PAD130048**

Application Type: New

Municipality/County: Lausanne Township, **Carbon County**

Project Site Name: Hazleton City Authority—Buck Mountain Road Water System Replacement

Total Earth Disturbance Area (acres): 1.70 acres

Surface Waters Receiving Stormwater Discharges: UNT to Buck Mountain Creek (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Project is the replacement of approximately 6,250-feet of existing water main running along Buck Mountain Road. There is no new impervious proposed, and all existing land covers will be restored as best possible.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

Southwest Regional Office

Applicant: **EDPR NA Distributed Generation LLC**

Applicant Address: 100 Park Ave, Suite 2400, New York, NY 10017

Application Number: **PA**

Application Type: New

Municipality/County: East Carroll Township, **Cambria County**

Project Site Name: Patton Solar Farm

Total Earth Disturbance Area (acres): 16.11 acres

Surface Waters Receiving Stormwater Discharges: Little Chest Creek and Chest Creek (HQ-CWF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Proposed solar power generation facility with associated infrastructure including gravel roads, solar panel arrays, electrical inverters, and perimeter fencing.

Special Conditions: 1. The type and application rate of fertilizers and lime on the site shall be in accordance with the soil testing results, specifically for soil types GwC, GtC, and LDF. 2. Earth disturbance may not commence until all authorizations necessary to complete construction have been obtained including, but not limited to Act 537 Sanitary Planning/HOP/Municipal approval. 3. Prior to the beginning of work, all public water supplies or other water-related activities located downstream that may be affected by turbidity increases or other water quality changes caused by said work shall be sufficiently notified in advance to allow for preparation of any water quality changes. These include, at a minimum, Patton Borough Water Department, (John Crowell, Council President) at 814-674-3641.

You may review the permit application file by contacting DEP's File Review Coordinator at 412-442-4286.

Southeast Regional Office

Applicant: **PA DOT Engineering District 6-0**

Applicant Address: 7000 Geerdes Boulevard, King of Prussia, PA 19406

Application Number: **PAD510049 A-3**

Application Type: Major Amendment

Municipality/County: City of Philadelphia, **Philadelphia County**

Project Site Name: SR 0095 BR3

Total Earth Disturbance Area (acres): 30.79 acres

Surface Waters Receiving Stormwater Discharges: Frankford Creek (WWF, MF) and UNT to Delaware River (WWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Within the Chapter 102 permitted area, the project site is approximately 70 acres, with a limit of disturbance (LOD) of approximately 30 acres. The current Individual NPDES permit to be amended with this phase is PAD510049 Phase 2. • Realignment of SR 0095 northbound to provide four lanes of traffic through the interchange, from the southern limit of Wheatsheaf Lane to the northern limit of Bridge Street, approximately 6,000 ft. This includes replacement of the viaduct between Frankford Creek and Lefevre Street with a geotechnical-engineered embankment; replacement of the bridges over Frankford Creek, Orthodox Street, and Lefevre Street; replacement of sound wall; and installation of Intelligent Transportation Systems (ITS) facilities. • Realignment of SR 8017 (Ramp G), northbound entrance ramp from Aramingo Ave, including replacement of the bridges over SR 0095, SR 8017 (Ramp C), and SR 8017 (Ramp I); replacement of sound walls; and construction of a new retaining wall. • Realignment of SR 8017 (Ramp H), northbound entrance ramp from Betsy Ross Bridge. • Demolition of the Northbound Collector-Distributor Road, including elimination of SR 8019 (Ramp Y); northbound exit ramp to the Collector-Distributor (C-D) road, SR 8019 (Ramp N), northbound entrance ramp from C-D Road; and SR 8019 (Ramp J), northbound exit ramp to Tacony Street. • Closure of SR 8019 (Ramp K), southbound entrance ramp from Tacony Street. • Realignment of Pearce Street between Orthodox Street and Lefevre Street. • Reconstruction of Orthodox Street between SR 0095 and Pearce Street. • Relocation of a Philadelphia Water Department (PWD) sewer system from the intersection of Duncan Street and Aramingo Avenue to the Frankford Creek outfall previously constructed with Section BR0. • Construction of a new access road to the PennDOT Maintenance Yard and the PWD sewer facilities from Orthodox Street. In addition, the project limits will extend into the southern Section of the I-95 improvements, Section AFC, by approximately 4,000 feet for traffic control purposes. The disturbance is confined to reconstruction of the highway median shoulder. The post construction stormwater management for this area is anticipated to be covered under a separate permit covering the entirety of the AFC section and is not included with this permit application. This application covers only the erosion and sediment control measures necessary for the limited median reconstruction.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 484-250-5910.

Northcentral Regional Office

Applicant: **Jersey Shore Borough**

Applicant Address: 232 Smith Street, Jersey Shore, PA 17740

Application Number: **PAD410027**

Application Type: New

Municipality/County: Jersey Shore Borough, **Lycoming County**

Project Site Name: Municipal Garages

Total Earth Disturbance Area (acres): 1.38 acres

Surface Waters Receiving Stormwater Discharges: Nichol's Run (HQ-EV)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: A new building is proposed for the Borough Public Works Department for storage of their municipal vehicles and winter road treatment materials.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 570-327-3693.

Cambria District Office

Applicant: **PA DEP Bureau of Abandoned Mine Reclamation**

Applicant Address: 286 Industrial Park Road, Ebensburg, PA 15931

Application Number: **PAD680020**

Application Type: New

Municipality/County: Blacklick Township, **Cambria County**

Project Site Name: OSM 11(0042)102.1 (GA) Beulah Road (C&I Trail Extension)

Total Earth Disturbance Area (acres): 10.8 acres

Surface Waters Receiving Stormwater Discharges: UNT to South Branch Blacklick Creek (CWF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: This project consists of the removal of 4.5 acres of coal refuse material from a 10.8-acre site.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 814-472-1800.

STATE CONSERVATION COMMISSION
PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS
FOR NPDES PERMITS FOR CAFOs

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed (National Pollutant Discharge Elimination System) NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling 717-787-8821.

Individuals wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30-days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Individuals in need of accommodations should contact the SCC through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

ACT 38
NUTRIENT MANAGEMENT PLANS
CAFO PUBLIC NOTICE SPREADSHEET—APPLICATIONS

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal/New</i>
Pigtail Acres, LLC 1030 Girl Scout Road Stevens, PA 17578	Lancaster County	50.8	692.94	Swine/Beef	NA	Renewal
David H. Martin 420 Nottingham Road Nottingham, PA 19362	Lancaster County	229.5	730.84	Swine/Pullets	HQ	Renewal
Nelson Martin 2224 Horseshoe Pike Annville, PA 17003	Lebanon County	344.5	810.47	Swine/Heifer	NA	Renewal

PUBLIC WATER SUPPLY PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for Public Water Supply (PWS) permits to construct or substantially modify public water systems.

Individuals wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30-days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should

include the name, address and telephone number of the writer and a concise statement to inform the Department of Environmental Protection (DEP) the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, DEP will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

SAFE DRINKING WATER

Application(s) Received Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Northcentral Region: Safe Drinking Water Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Olivia Harris, Clerical Supervisor I, 570-327-0561.

Application No. WA 59-1016A, Water Allocation, Public Water Supply.

Applicant	Watrous Water Association
Address	2430 Elk Run Road Gaines, PA 16921
Municipality	Gaines Township
County	Tioga County
Responsible Official	Montene M Bennett 2430 Elk Run Road Gaines, PA 16921
Consulting Engineer	Kerry D Tyson 330 Innovation Blvd Suite 305 State College, PA 16803
Application Received	August 27, 2024
Description	Application for WA for Watrous Water Assoc PWSID 2590029 to purchase water from Galetton Boro Auth PWSID 6530010 via interconnection.

Southwest District: Safe Drinking Water Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Renee Diehl, Program Manager; ra-epswsdw@pa.gov.

Application No. 1123516, Construction, Public Water Supply.

Applicant	Highland Sewer and Water Authority
Address	120 Tank Drive Johnstown, PA 15604
Municipality	Croyle Township Jackson Township Summerhill Borough
County	Cambria County
Responsible Official	Jeremy Horvath Manager 120 Tank Drive Johnstown, PA 15904
Consulting Engineer	The EADS Group, Inc. 227 Franklin Street Johnstown, PA 15901
Application Received	June 7, 2024

Description	The Highland Sewer and Water Authority Croyle Water Project consists of the addition and replacement of approximately 35,800 LF of distribution waterline with all necessary appurtenances. Three new water tanks and a pump station will be added to the system and two existing pump stations will be replaced.
-------------	---

Southwest Region: Safe Drinking Water Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Renee Diehl, Program Manager; ra-epswsdw@pa.gov.

Application No. 5040860, Construction, Public Water Supply.

Applicant	PVT 1338, LLC
Address	1761 Lovi Road Freedom, PA 15042
Municipality	New Sewickley Township
County	Beaver County
Responsible Official	Jerry Tanner 100 Mission Ridge Goodlettsville, TN 37072
Consulting Engineer	Book & Proch Well Drilling, Inc. 314 Old Youngstown Road New Castle, PA 16101
Application Received	August 29, 2024
Description	Addition of new well and treatment for Dollar General Freedom.

Application No. 0224514, Construction, Public Water Supply.

Applicant	Wilksburg-Penn Joint Water Authority
Address	2200 Robinson Boulevard Pittsburgh, PA 15221
Municipality	Penn Hills Township
County	Allegheny County
Responsible Official	Brian Bianchi 2200 Robinson Boulevard Pittsburgh, PA 15221
Consulting Engineer	MS Consultants, Inc. 300 Corporate Center Drive Moon Township, PA 15108
Application Received	August 23, 2024
Description	Installation of a filter underdrain system at the water treatment plant.

WATER ALLOCATIONS

Application(s) Received Under the Act of June 24, 1939 (P.L. 842, No. 365) (35 P.S. §§ 631—641) Relating to the Acquisition of Rights to Divert Waters of the Commonwealth.

Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Wade Cope, P.E., Environmental Engineer, 717-705-4708.

WA 67-470E, Water Allocations. **Wrightsville Borough Municipal Authority**, 601 Water Street, P.O. Box 187, Wrightsville Borough, PA 17368, Hellam Township, **York County**. Water Allocation Permit application for a peak day Susquehanna River withdrawal of 1,100,000 gallons per day. Application received: December 20, 2023.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 1

Acknowledgment of Notice(s) of Intent to Remediate Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent (NOI) to Remediate. An acknowledgment of the receipt of a NOI to Remediate is used to identify a site where an individual proposes to, or has been required to, respond to a release of a regulated substance at a site. Individuals intending to use the background standard, Statewide health standard, the site-specific standard, or who intend to remediate a site as a special industrial area, must file a NOI to Remediate with DEP. A NOI to Remediate filed with DEP provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. An individual who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the Act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by DEP. Furthermore, an individual shall not be subject to citizen suits or other contribution actions brought by responsible individuals not participating in the remediation.

Under Sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the NOI to Remediate is published in a newspaper of general circulation in the area of the site. For the following identified site(s), proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30-days of the following specified date. During this comment period the municipality may request that the following identified individual, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved, and commitments, should be directed to the remediator of the site.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The DEP has received the following Notice(s) of Intent to Remediate.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

D. Lewis Pad 1, Primary Facility ID # **871207**, 1214 Lewis Road, Montrose, PA 18801, Bridgewater Township, **Susquehanna County**. Resource Environmental Management, 50 Maple Street, Montrose, PA 18801 on behalf of Coterra Energy, Inc., 2000 Park Lane, Suite 300, Pittsburgh, PA 15275, submitted a Notice of Intent to Remediate. Soil was contaminated by a release of oil-based drilling mud. The Notice of Intent to Remediate was published in *Susquehanna County Independent* on August 28, 2024. Application received: August 29, 2024.

Pennsy Supply—Summit Station Quarry, Primary Facility ID # **878061**, 2225 Fair Road, Schuylkill Haven, PA 17972, Wayne Township, **Schuylkill County**. United Environmental Services, P.O. Box 701, Schuylkill Haven, PA 17972 on behalf of Pennsy Supply, Inc., 2400 Thea Drive, Suite 3A, Harrisburg, PA 17110, submitted a Notice of Intent to Remediate. Soil was contaminated with antifreeze, tar, grease, lubricant oil, gear oil, transformer oil, and hydraulic oil from historic site operations. The Notice of Intent to Remediate was published in *The Republican Herald* on August 13, 2024. Application received: August 30, 2024.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: C. David Brown, Professional Geologist Manager, 484-250-5792.

201 South Caln Road Multi Family Property, Primary Facility ID # **654810**, 201 South Caln Road, Coatesville, PA 19320, Caln Township, **Chester County**. Richard Lake, Geo-Technology Associates, Inc., 2405 John Fries Highway, Quakertown, PA 18951 on behalf of Michael Charlton, ESC Chester, LLC, 5074 Dorsey Hall Drive, Suite 205, Ellicott City, MD 21042, submitted a Notice of Intent to Remediate. Soil has been found to be contaminated with arsenic. The future use of the property is residential. The proposed cleanup standard for the site is the background standard/site-specific standard. The Notice of Intent to Remediate was published in *Daily Local News* on August 7, 2024. Application received: August 6, 2024.

Lofts at Church, Primary Facility ID # **877994**, 140 Church Street, Phoenixville, PA 19460, Phoenixville Borough, **Chester County**. Mark E. Zurich, Reliance Environmental, Inc., 235 North Duke Street, Lancaster, PA 17602 on behalf of Roman Ovrutsky, Church Bridge View, LLC, 2050 Bennet Road, Philadelphia, PA 19116, submitted a Notice of Intent to Remediate. Soil has been found to be contaminated with arsenic. The future use of the property is residential. The proposed cleanup standard for the site is the site-specific standard. The Notice of Intent to Remediate was published in *Daily Local News* on August 3, 2024. Application received: August 12, 2024.

20 Old Forge Road, Primary Facility ID # **877968**, 20 Old Forge Road, Nottingham, PA 19362, West Nottingham Township, **Chester County**. Justin Custer, Path

Environmental, 17006 York Road, Parkton, MD 21120 on behalf of Jorge Escobar, JD Brothers Pallets & Produce, 14 Old Forge Road, Nottingham, PA 19362, submitted a Notice of Intent to Remediate. Soil and groundwater have been found to be contaminated with No. 2 fuel oil. The future use of the property is residential and nonresidential. The proposed cleanup standard for the site is the background standard/Statewide health standard. The Notice of Intent to Remediate was published in *The Chester County Press* on July 10, 2024. Application received: July 16, 2024.

Evolve Collision Centers, Primary Facility ID # 877832, 2544 and 2560 Haverford Road, Ardmore, PA 19003, Haverford Township, **Delaware County**. Douglas B. Schott, P.G., ARM Group, LLC, 515 S. Franklin Street, West Chester, PA 19382 on behalf of Butch Cantz, Ardmore Realty Investments, LLC, 29 Andrew Lane, Lansdale, PA 19446, submitted a Notice of Intent to Remediate. Soil and groundwater have been found to be contaminated with PAHs and other organics. The future use of the property is nonresidential. The proposed cleanup standard for the site is the Statewide health standard/site-specific standard. The Notice of Intent to Remediate was published in *The Delaware County Daily Times* on July 16, 2024. Application received: August 1, 2024.

DETERMINATION OF APPLICABILITY FOR MUNICIPAL WASTE GENERAL PERMITS

Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101–6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101–4000.1904); and Municipal Waste Regulations for Determination of Applicability for a General Permit to Operate Municipal Waste Processing Facilities and/or the Beneficial Use of Municipal Waste.

Southcentral Region: Waste Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Carrie A. Fleming, Program Manager.

WMGM022SC001C. Kinsley Construction, LLC, 1110 East Princess Street, York, PA 17403, West Manchester Township, **York County**. This is for the renewal of WMGM022SC001C at Kinsley Construction, LLC's Consolidated Quarry located at 501 Hokes Mill Road, York, PA 17408. General Permit WMGM022 authorizes the processing and beneficial use of waste concrete, brick, aggregate, shot rock, roof ballast and waste asphalt to produce a roadway or parking lot construction material and/or substitute for PennDOT approved aggregate; and the processing and beneficial use of timber waste (i.e., tree stumps, limbs, clean wood, untreated and unpainted lumber, shrubs, clean pallets, clean skids and packing crates), and leaf and yard waste (i.e., source segregated leaf and yard waste, grass clippings) to produce bedding materials for livestock. Application received: April 5, 2024. Deemed administratively complete: August 30, 2024.

Comments or questions concerning the application should be directed to Carrie A. Fleming, Program Manager, Southcentral Region, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must

be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

WMGM022SC001B (previously WMGM022B). Kinsley Construction, LLC, 1110 East Princess Street, York, PA 17403, West Manchester Township, **York County**. This is for the renewal of WMGM022SC001B (previously WMGM022B) at Kinsley Construction LLC's Penroc Quarry located 2305 Lemon Street, York, PA 17408. General Permit WMGM022 authorizes the processing and beneficial use of waste concrete, brick, aggregate, shot rock, roof ballast and waste asphalt to produce a roadway or parking lot construction material and/or substitute for PennDOT approved aggregate; and the processing and beneficial use of timber waste (i.e., tree stumps, limbs, clean wood, untreated and unpainted lumber, shrubs, clean pallets, clean skids and packing crates), and leaf and yard waste (i.e., source segregated leaf and yard waste, grass clippings) to produce bedding materials for livestock. Application received: April 5, 2024. Deemed administratively complete: August 30, 2024.

Comments or questions concerning the application should be directed to Carrie A. Fleming, Program Manager, Southcentral Region, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101–6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101–4000.1904); and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southcentral Region: Waste Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Carrie Fleming, Environmental Program Manager, 717-705-6638.

400561. York County Solid Waste Authority, 2700 Blackbridge Road, York, PA 17406, Manchester Township, **York County**. York County Solid Waste Authority has submitted an application for a major permit modification for the construction and operation of a 2,750-ton per day transfer station within the limits of the permitted York County Resource Recovery Center. The maximum daily tonnage of the Resource Recovery facility remains unchanged at 4,000 tons per day. The maximum daily volume of the transfer station will be contained within the permitted 4,000 tons per day. An LMIP meeting was held on August 20, 2024. The application was administratively deemed complete on August 26, 2024. Application received: August 20, 2024. Accepted: August 27, 2024.

Comments or questions concerning the application should be directed to Carrie Fleming, Environmental Program Manager, (717) 705-6638, Southcentral Region, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within

60 days of this notice and may recommend revisions to, and approval or denial of the application.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department of Environmental Protection (DEP) has developed an integrated plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for DEP, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The DEP received applications for Plan Approvals or Operating Permits from the following facilities. Copies of the application, DEP's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate DEP Regional Office. Appointments for scheduling a review must be made by calling the appropriate DEP Regional Office. The address and telephone number of the Regional Office is listed before the application notices.

Individuals wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the DEP's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

Any individual wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if DEP, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when DEP determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate DEP Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

PLAN APPROVALS

Application(s) Received for Plan Approval(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B That May Have Special Public Interest. These Plan Approval Applications are in Review and No Decision on Disposition Has Been Reached.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: David G. Balog, New Source Review Section Chief, 814-332-6328.

37-00381A: Shenango Limestone and Storage Company LLC, P.O. Box 217, North Lima, OH 44452-0217, Shenango Township, **Lawrence County**. Application received: March 21, 2024.

37-00381A: Shenango Limestone and Storage Company LLC, P.O. Box 217, North Lima, OH 44452-0217, for the construction and initial operation of their Shenango Limestone Mine and Plant facility in Shenango Township, **Lawrence County** (1959 Union Valley Road). The application proposes sources including crusher, screeners, conveyors, and roadways.

Notice of Intent to Issue Plan Approval(s) and Notice of Intent to Issue or Amend Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These Actions May Include the Administrative Amendments of an Associated Operating Permit.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Caleigh Anderson, Air Quality Engineer, 570-826-2432.

39-00093A: LyondellBasell Advanced Polymers Inc., 6355 Farm Bureau Road, Allentown, PA 18106, Upper Macungie Township, **Lehigh County**. Application received: July 12, 2024. Notice is hereby given in accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a), that the Department of Environmental Protection (DEP) has received and intends to issue a Plan Approval to LyondellBasell Advanced Polymers Inc. (6355 Farm Bureau Road, Allentown, PA 18106) for their facility located in Upper Macungie Twp., Lehigh County. This Plan Approval No. 39-00093A will be incorporated into a Natural Minor Permit through an administrative amendment at a later date. Plan Approval No. 39-00093A is for the replacement of three existing baghouses which controls particulate emissions from mills with newer more efficient baghouses. The existing mills used to resize plastics will not be changed. No other changes were proposed by the company. The facility is subject to 25 Pa. Code § 127.12(a)(5) Best Available Technology (BAT) requirements. The particulate emissions from each new baghouse shall not exceed the Best Available Technology (BAT) standard of 0.02 grain/dscf. The company shall be subject to and comply with 25 Pa. Code § 123.31 for malodorous emissions. The Plan Approval and Operating permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements. Copies

of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915. Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown in the preceding paragraph. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Permit No. 39-00093A and a concise statement regarding the relevancy of the information or objections to the issuance of the permit. A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Shailesh Patel, Environmental Engineer Manager, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, Phone 570-826-2511 within 30 days after publication date.

Contact: Shailesh Patel, EEM, 570-826-2341.

48-00004C: Heidelberg Materials US Cement LLC, 3938 Easton Nazareth Highway, Nazareth, PA 18064, Upper Nazareth Township and Lower Nazareth Township, **Northampton County**. Application received: September 27, 2023.

NOTICE OF INTENT TO ISSUE A PLAN APPROVAL FOR A TITLE V FACILITY

Notice is hereby given in accordance with 25 Pa. Code §§ 127.44(b) and 127.424(b), that the Department of Environmental Protection (DEP) intends to issue a Plan Approval No. 48-00004C to Heidelberg Materials US Cement LLC, 3938 Easton Nazareth Highway, Nazareth, PA 18064, for their plant located in Lower Nazareth Township, Northampton County. The facility currently operates under Title V Operating Permit No. 48-00004. This plan approval will be incorporated into the Title V Operating Permit through an administrative amendment at a later date, and the action will be published as a notice in the *Pennsylvania Bulletin*.

Plan Approval No. 48-00004C is to allow the company to increase the permitted amount of engineered fuel (EF) from 14,257 tpy to 36,000 tpy. Emissions from the kiln are controlled by selective non-catalytic reduction (SNCR), dry lime injection system and a baghouse. There are no physical or operational changes proposed as part of this application. The EF would be used to offset traditional fuels used in the kiln system (i.e., both kiln main burner and Calciner firing) and reduce waste streams which are sent to landfills. The use of EF does not materially incentivize the decision to make or not make clinker, nor does the project change the amounts of clinker that will be made in the future at this facility. The purpose of the project is fuel flexibility. Thus, this project is not expected to result in an increase in clinker production from the kiln. Engineered fuel is a non-hazardous alternate processed fuel derived from the processing and blending of a variety of recycled materials & will meet the legitimacy criteria of 40 CFR § 241.3 to be considered a "non-waste" fuel. Engineered fuel contains high BTU values & can be beneficially used for heat and energy recovery in kiln system. The use of alternate

non-hazardous secondary material (NHSM) in cement kilns is an environmental benefit as the materials will be beneficially re-used, reducing land disposal. The use of engineered fuel will displace the use of traditional fuels, such as coal and fuel oil.

No emissions are expected to increase due to this project from the facility.

A review of the information submitted by the company indicates that the proposed project will meet all applicable state and Federal air quality requirements. Based upon these findings, DEP plans to approve the application and issue a permit for the facility.

In order to assure compliance with the applicable standards, DEP will place conditions in the plan approval. The Plan Approval and Operating Permit will contain additional, recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at DEP Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701.

Any person(s) wishing to provide DEP with additional information which they believe should be considered prior to the issuance of this permit may submit the information to the address shown in the preceding paragraph. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed revised Permit No. 48-00004C and a concise statement regarding the relevancy of the information or objections to the issuance of the permit is required.

A public hearing may be held, if the DEP, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Mark J Wejksznar, P.E., Program Manager, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701, Phone 570-826-2511 within 30 days after publication date.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.

05-05014C: Sandy Run Landfill, LLC, 995 Landfill Road, Hopewell, PA 16650, Broad Top Township, **Bedford County**. Application received: February 29, 2024. For the installation of a new renewable natural gas (RNG) refinery at the landfill. The RNG plant will have a capacity to treat 6,000 scfm of landfill gas and will be controlled by a 12.00 MMBtu/hr thermal oxidizer and 3,000 scfm utility flare. The expected potential emissions from this project are as follows: 2.77 tpy PM₁₀, 15.26 tpy VOC, 0.51 tpy HAPs, 6.79 tpy NO_x, 6.53 tpy SO_x, and 9.08 tpy CO. The Department of Environmental Protection's (DEP's) review of the information submitted by the company indicates the air contamination sources will comply with all regulatory requirements, including monitoring, recordkeeping, and reporting requirements, and pertaining to air contamination sources and the emission of air contaminants including the best available technology requirement

(BAT) of 25 Pa. Code §§ 127.1 and 127.12. Based on this finding, DEP proposes to issue a plan approval for the proposed installation. The facility is a Title V facility. If DEP determines that the sources are constructed and operated in compliance with the plan approval conditions and the specifications of the application for plan approval, the requirements established in the plan approval will be incorporated into an Operating Permit pursuant to the administrative amendment provisions of 25 Pa. Code § 127.450.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: James Beach, New Source Review Chief, 484-250-5920.

09-0009H: Quad Graphics Mkt Inc., 4371 County Line Rd, Chalfont, PA 18914-1825, New Britain Township, **Bucks County**. Application received: July 26, 2024. Quad Graphics Mkt. Inc. has submitted a plan approval application (PAA) for the reactivation of a Hantscho Mark VI heatset offset lithographic printing Press 30 (Source ID: 105A) equipped with a natural gas-fired dryer that vents to the B&W Megtec Regenerative Thermal Oxidizer (Source ID: C07). As a result of potential emissions of VOCs, the facility is a Title V facility. The operation of the offset lithographic printing press will not exceed the following site-wide pollutant emission limits: nitrogen oxides (NO_x): 24.23 tpy; volatile organic compounds (VOCs): 47.25 tpy; hazardous air pollutants: 10 tpy (single HAP) and 25 tpy (combined HAPs).

OPERATING PERMITS

Notice of Intent to Issue Title V Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief, 484-250-5920.

15-00105, Buckeye Pipeline/Malvern Station, 8 S Malin Rd, Malvern, PA 19355, East Whiteland Township, **Chester County**. Application received: May 28, 2024. This action is for a significant modification of the Title V Operating Permit for revisions to permit conditions as a result of an appeal by the permittee. For Source IDs 104 and 105 (Tanks # 103 and 104), the conditions based on 40 CFR 60 Subpart Kb have been removed from these sources since it was found the subpart was not applicable due to the definition of “reconstructed” in accordance with 40 CFR 60.14 and 60.15 when the domed roofs were installed over the external floating roofs. The timing for the submittal of the excess emissions report required under 40 CFR 63 Subpart BBBBBB was modified for the report to be due 30 days after the end of the calendar half as required by 40 CFR 63.10(e)(3). Additionally, the required content of the semi-annual reports under 40 CFR 63 Subpart BBBBBB was modified. Although the subpart only requires records of inspection reports, the condition contained requirements to submit a list of inspections performed during the reporting period and to submit inspection reports from inspection during which a defect was found. Authority for requiring a list of inspections and the inclusion of reports of defects found through inspections is from 25 Pa. Code §§ 127.442, 127.443 and 129.56. Previous permits for the facility and permits for similar facilities also require the submission of reports of defects found through inspections. Anyone wishing to

request information regarding this action can do so by contacting the Southeast Regional Office through the contact person in the previously listed header. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEROAQFUBCOM@pa.gov.

OPERATING PERMITS

Notice of Intent to Issue Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Matthew Williams, Facilities Permitting Chief, 814-332-6940.

10-00359, Markwest Liberty Bluestone—Sarsen Gas Plant, 736 Prospect Rd, Evans City, PA 16033, Forward Township, **Butler County**. Application received: August 1, 2023. The Department intends to issue the renewal of the State-Only Operating Permit of a natural gas gathering and processing facility. With a 40-mmscf/day capacity, the facility is equipped with inlet and residue compressors, a dehydration unit and reboiler, a cryogenic gas processing unit and a refrigeration system, condensate tanks, truck loading operation, and process heaters. With PTEs of 78.4 TPY CO, 38.5 TPY NO_x, 37.1 TPY VOC, 6.99 TPY HAPs, 3.95 TPY PM, 1.86 TPY single HAP (formaldehyde) and 0.24 TPY SO_x, the facility is Natural Minor. In this renewal, some ministerial updates are applied to Federal subparts. The facility is not requesting any revisions.

Philadelphia: Air Management Services: Air Quality Program, 321 University Avenue, Philadelphia, PA 19104-4543.

Contact: Maryjoy Ulatowski, Chief, Source Registration, 215-685-9476.

OP20-000018, Kensington High School, 440 N. Broad Street, Philadelphia, PA 19130, City of Philadelphia, **Philadelphia County**. Application received: June 8, 2021. The City of Philadelphia, Air Management Services (AMS) intends to issue an initial Natural Minor Operating Permit (NMOP) for the operation of a high school. The facility's air emission sources include: three (3) 9.8 million British Thermal Units (MMBtu) Boilers firing No. 2 fuel oil and one (1) 80-Kilowatt (kW) Emergency Generator firing diesel fuel. The operating permit will be issued under 25 Pa. Code, Philadelphia Code Title 3 and Air Management Regulation XIII. Permit copies and other supporting information are available for public inspection by contacting the Source Registration Unit at 215-685-7572 or DPHAMS_Service_Requests@phila.gov. Persons wishing to file protest or comments on the previously listed operating permit must submit the protest or comments within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating permit or hold a public hearing. Protests, comments, and requests for a public hearing must be mailed to Source Registration, Air Management Services, 7801 Essington Ave., Philadelphia, PA 19153 or e-mailed to DPHAMS_Service_Requests@phila.gov with “Kensington High School, NMOP OP20-000018” in the subject line. AMS suggests submitting any mailed correspondence also by e-mail. Individuals in need of accommo-

dations and/or interpretation should contact AMS at DPHAMS_Service_Requests@Phila.Gov and/or 215-685-7572. Please include: (1) the name and contact information of the person requesting an accommodation and/or interpretation; (2) the name of the program, service, activity, or location of the request; and (3) a description of the modification and/or interpretation being requested.

OP23-000036, Temple University Hospital—Juniata Campus, 1331 E. Wyoming Avenue, Philadelphia, PA 19124-3808, City of Philadelphia, **Philadelphia County**. Application received: October 12, 2023. The City of Philadelphia, Air Management Services (AMS) intends to issue a renewal Natural Minor Operating Permit (NMOP) for the following facility: OP23-000036: Temple University Hospital—Juniata Campus for the operation of a General Medical and Surgical Hospital. The facility's air emission sources are: • One (1) 1,175-kilowatt (kW) Co-generation System with Oxidation Catalyst burning natural gas (Co-gen-1), • One (1) 827 kW Emergency generator burning diesel fuel (EG-1), • Three (3) 600 kW Emergency generators, each burning natural gas and diesel fuel (EG-2, EG-3, and EG-4), and • Two (2) 5.1029 MMBtu/hr boilers, each burning natural gas and No. 2 fuel (B1 and B2). The changes made as part of the renewal include the following: • In Section A, updating the facility mailing address. • In A-1 Facility inventory list, incorporation of natural gas in addition to diesel fuel for Emergency Generators 2, 3 and 4 (EG-2, EG-3, EG-4). • In Section A, updated the flow diagram as per the modification request. • In Section B, updated the General Conditions to the current AMS versions. • In Section C, updated the Facility Wide Conditions to the current AMS versions. • In Section D, updated the Source Specific Requirements and including the following changes. □ Updating the total NO_x limit per year for Co-generator to 7.7 tons per year in Condition D.1.(a)(1) as per the corrected AMS Potential to Emit (PTE) calculation. □ Addition of emission limitation Condition D.1.(b)(4) for EG-2, EG-3, and EG-4 while burning natural gas. □ Addition of operating conditions D.2.(a)(4), D.2.(c)(2), D.2.(c)(3), and updating Condition D.4.(b)(1)(iii). □ Updating the Condition D.5.(a)(6) • In Section F, updating the footnote regarding Boiler ID and addition of Condition F.3.(c)(4)-(5). The operating permit will be issued under 25 Pa. Code, Philadelphia Code Title 3 and Air Management Regulation XIII. Permit copies and other supporting information are available for public inspection by contacting the Source Registration Unit at 215-685-7572 or DPHAMS_Service_Requests@phila.gov. Persons wishing to file a protest or comments on the previously listed operating permit must submit the protest or comments within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating permit or hold a public hearing. Protests, comments, and requests for a public hearing must be mailed to Source Registration, Air Management Services, 7801 Essington Ave., Philadelphia, PA 19153-3240 or e-mailed to DPHAMS_Service_Requests@phila.gov with "Temple University Hospital—Juniata Campus NMOP OP23-000036" in the subject line. AMS suggests submitting any mailed correspondence also by e-mail. Individuals in need of accommodations and/or interpretation should contact AMS at DPHAMS_Service_Requests@Phila.Gov and/or 215-685-7572. Please include: (1) the name and contact information of the person requesting an accommodation and/or interpretation; (2) the name of the program, service, activity, or location of

the request; and (3) a description of the modification and/or interpretation being requested.

OP22-000046, Live Casino and Hotel Philadelphia, 900 Packer Ave, Philadelphia, PA 19148-5210, City of Philadelphia, **Philadelphia County**. Application received: September 9, 2022. The City of Philadelphia, Air Management Services (AMS) intends to issue an initial Synthetic Minor Operating Permit (SMOP) for the operation of a casino and hotel. The facility air emission sources are: • Four (4) 6.0-Million British Thermal Units per hour (MMBtu/hr) boilers, each burning natural gas, • Four (4) 1.5 MMBtu/hr domestic hot water heaters, each burning natural gas, • Two (2) 1.25 MMBtu/hr domestic hot water heaters, each burning natural gas, • Two (2) 2,500-Kilowatt (kW) emergency generators, each burning diesel fuel, and • One (1) 173 Horsepower (HP) fire pump burning diesel fuel. The operating permit will be issued under 25 Pa. Code, Philadelphia Code Title 3 and Air Management Regulation XIII. Permit copies and other supporting information are available for public inspection by contacting the Source Registration Unit at 215-685-7572 or DPHAMS_Service_Requests@phila.gov. Persons wishing to file a protest or comments on the previously listed operating permit must submit the protest or comments within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating permit or hold a public hearing. Protests, comments, and requests for a public hearing must be mailed to Source Registration, Air Management Services, 7801 Essington Ave., Philadelphia, PA 19153-3240 or e-mailed to DPHAMS_Service_Requests@phila.gov with "Live Casino and Hotel Philadelphia SMOP OP22-000046" in the subject line. AMS suggests submitting any mailed correspondence also by e-mail. Individuals in need of accommodations and/or interpretation should contact AMS at DPHAMS_Service_Requests@Phila.Gov and/or 215-685-7572. Please include: (1) the name and contact information of the person requesting an accommodation and/or interpretation; (2) the name of the program, service, activity, or location of the request; and (3) a description of the modification and/or interpretation being requested.

OP21-000072, Maryland and Virginia Milk Producers Cooperative Association, Inc., 10975 Dutton Road, Philadelphia, PA 19154-3203, City of Philadelphia, **Philadelphia County**. Application received: January 20, 2022. The City of Philadelphia, Air Management Services (AMS) intends to issue a renewal Synthetic Minor Operating Permit (SMOP) for the operation of the dairy manufacturing plants. The facility air emission sources are: • One (1) 33.6 MMBtu/hr. boiler burning natural gas and No. 2 fuel oil, • One (1) 33.475 MMBtu/hr. boiler burning natural gas, and • One (1) 0.75 MMBtu/hr. boiler burning natural gas. The changes made as part of the renewal include the following: • In Section A, update the facility contact, permit contact and responsible official for the facility. • In Section A, replaced Boiler 3 (B-03) as per the recent Installation Permit in facility inventory list and updated the process flow diagram. • In Section B, updated the General Conditions to the current AMS versions. • In Section C, updated the Facility Wide Conditions to the current AMS versions. • In Section D, updated the Source Specific Requirements and made following changes in the draft. □ Addition of throughput requirements for Condition D.2.(a)(1). □ Testing requirements in Conditions D.3.(b), D.3. (c), and D.3. (d) have

been updated. □ Addition of Conditions D.4.(b)(5)(i) and D.5.(b)(1)(i) □ Formatting correction in Conditions D.5.(c)—D.5.(f) □ Updating Condition D.6.(a)-(b) as per revised Section C • Inclusion of Section E. Non applicability requirements • Updating Section F. Future Requirements The operating permit will be issued under 25 Pa. Code, Philadelphia Code Title 3 and Air Management Regulation XIII. Permit copies and other supporting information are available for public inspection by contacting the Source Registration Unit at 215-685-7572 or DPHAMS_Service_Requests@phila.gov. Persons wishing to file a protest or comments on the previously listed operating permit must submit the protest or comments within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating permit or hold a public hearing. Protests, comments, and requests for a public hearing must be mailed to Source Registration, Air Management Services, 7801 Essington Ave., Philadelphia, PA 19153-3240 or e-mailed to DPHAMS_Service_Requests@phila.gov with “Maryland and Virginia Milk Producers Cooperative, Inc. SMOP OP21-000072” in the subject line. AMS suggests submitting any mailed correspondence also by e-mail. Individuals in need of accommodations and/or interpretation should contact AMS at DPHAMS_Service_Requests@Phila.Gov and/or 215-685-7572. Please include: (1) the name and contact information of the person requesting an accommodation and/or interpretation; (2) the name of the program, service, activity, or location of the request; and (3) a description of the modification and/or interpretation being requested.

OP23-000011, Crown Castle Fiber, 401 N Broad St, Suite 190, Philadelphia, PA 19108-1014, City of Philadelphia, **Philadelphia County**. Application received: April 19, 2023. The City of Philadelphia, Air Management Services (AMS) intends to issue a renewal Synthetic Minor Operating Permit (SMOP) for the operation of a telephone communication (except radiotelephone) facility. The facility air emission sources are: • Four (4) emergency generators less than 500-kilowatt (kW), each burning diesel fuel, and • Three (3) emergency generators equal to or greater than 1,000 kW but less than 1,550 kW, each burning diesel fuel. The changes made as part of the renewal include the following: • In Section A, update the facility name, facility contact, permit contact and responsible official for the facility. • In Section A, changed the formatting of facility inventory list in Table A-1. • In Section B, updated the General Conditions to the current AMS versions. • In Section C, updated the Facility Wide Conditions to current AMS versions. • In Section D, updated the Source Specific Requirements and made the following changes in the draft. □ Particulate Matter (PM) emission limit has been modified to Filterable PM emission in Condition D.1.(b)(2). □ NO_x limit for each emergency generator has been updated to actual Potential to Emit (PTE) calculations limit in Condition D.1.(b)(3). □ Inclusion of emergency generators operating hours under facility subsection in Condition D.2.(a)(1). □ Updating the EPA AQI forecast communication information in Condition D.2.(b)(6)(iv)(C)(3.). □ Updating the reporting requirements in Condition D.6. The operating permit will be issued under 25 Pa. Code, Philadelphia Code Title 3 and Air Management Regulation XIII. Permit copies and other supporting information are available for public inspection by contacting the Source Registration Unit at 215-685-7572 or DPHAMS_Service_Requests@phila.gov. Persons wishing to file a protest or

comments on the previously listed operating permit must submit the protest or comments within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating permit or hold a public hearing. Protests, comments, and requests for a public hearing must be mailed to Source Registration, Air Management Services, 7801 Essington Ave., Philadelphia, PA 19153-3240 or e-mailed to DPHAMS_Service_Requests@phila.gov with “Crown Castle Fiber SMOP OP23-000011” in the subject line. AMS suggests submitting any mailed correspondence also by e-mail. Individuals in need of accommodations and/or interpretation should contact AMS at DPHAMS_Service_Requests@Phila.Gov and/or 215-685-7572. Please include: (1) the name and contact information of the person requesting an accommodation and/or interpretation; (2) the name of the program, service, activity, or location of the request; and (3) a description of the modification and/or interpretation being requested.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.

21-03029, Pennsy Supply Inc., 400 Mountain View Rd., Mount Holly Springs, PA 17065, Dickinson Township, **Cumberland County**. Application received: August 13, 2024. For the operation of a sandstone crushing facility at the Mount Holly Springs Quarry. This is for renewal of the existing State-Only Permit. Potential air emissions from the facility are estimated to be 6.62 tpy PM₁₀. The operating permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions for Federal 40 CFR Part 60, Subpart OOO—Standards of Performance for Nonmetallic Mineral Processing Plants.

67-03018, Penn-Mar Castings LLC, 500 Broadway, Hanover, PA 17331, Hanover Borough, **York County**. Application received: December 15, 2023. For the operation of an iron foundry. This is for renewal of the existing State-Only Permit. Potential air emissions from the facility are 33.56 tpy VOC, 41.56 tpy PM₁₀ and < 1 tpy each of HAPS, NO_x, SO_x and CO. The operating permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR Part 63, Subpart ZZZZZ (National Emission Standards for Hazardous Air Pollutants for Iron and Steel Foundries Area Sources).

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

06-03025, Reading Plating & Polishing Works, Inc., 1833 Cotton St., Reading, PA 19606, City of Reading, **Berks County**. Application received: July 17, 2024. For operation of a chrome and nickel plating and polishing facility. The facility’s potential emissions are 0.82 ton of CO, 0.98 ton of NO_x, 0.07 ton of PM, 0.001 ton of SO_x, 4.66 tons of VOC and 1.27 tons of combined HAP’s. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies

with the applicable air quality regulations. Among other items, the conditions include 40 CFR Part 63, Subpart N—National Emission Standards for Chromium Emissions from Hard and Decorative Chromium Electroplating and chromium Anodizing Tanks and 40 CFR Part 63, Subpart WWWW—National Emission Standards for Hazardous Air Pollutants: Area Source Standards for Plating and Polishing Operations.

06-05037, McConway & Torley LLC, 109 48th Street, Pittsburgh, PA 15201, Kutztown Borough, **Berks County**. Application received: April 18, 2024. For the steel foundry. This is a renewal of the facility's State-Only (Synthetic Minor) Operating Permit. The actual emissions from the facility as reported in 2023 include 1.6 tpy of NO_x, 1.2 tpy of CO, and 0.14 tpy of PM₁₀. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR Part 63, Subpart ZZZZ—National Emission Standards for Hazardous Air Pollutants for Iron and Steel Foundries Area Sources.

36-05159, Envigo Global Services Inc., 310 Swamp Bridge Road, Denver, PA 17517, West Cocalico Township, **Lancaster County**. Application received: May 24, 2024. To issue a State Only Operating Permit for the animal research facility. The potential emissions from the facility are estimated at 36.58 tpy of NO_x, 19.88 tpy of CO, 5.72 tpy of PM, 3.04 tpy of SO_x, 3.53 tpy of VOC and 2.20 tpy of HAPs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR Part 63 Subpart ZZZZ—National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines and 40 CFR Part 60 Subpart IIII—Standards of Performance for Stationary Compression Ignition Internal Combustion Engines.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

46-00294, Crazy Aaron Enterprises, 700 E Main St, Norristown, PA 19401, Norristown Borough, **Montgomery County**. Application received: August 4, 2024. Crazy Aaron Enterprises/Norristown produces thinking putty using six (6) mixers of various sizes and configurations. The process generates methanol, which is a hazardous air pollutant (HAP) and volatile organic compound (VOC) as defined in 112(b) of the Clean Air Act and 40 CFR 51.100, respectively. The facility also uses isopropyl alcohol for cleaning. A water-based scrubber is used to control emissions from the mixers. Emissions after controls are 5.57 tpy of HAPs (methanol) and 5.93 tpy total VOCs. The permit includes emissions limits of 2.70 lb/hr and 8.00 tpy for HAPs and 2.75 lbs/hr and 8.45 tpy for VOCs. Other permit conditions require use of the scrubber when mixers are operating; monitoring and recording of production data; monitoring and maintenance of the scrubber system and mixers; and the calculation of emissions on a monthly and 12-month rolling basis. Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person in the previously listed header. Comments

on the draft permit can be submitted through the Air Quality resource account at RA-EPSEROAQPUBCOM@pa.gov.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Thomas Joseph, P.E., Facilities Permitting Chief, 412-442-4336.

OP 04-00723, McDanel Advanced Ceramic Technologies, LLC, 510 9th Avenue, Beaver Falls, PA 15010, City of Beaver Falls, **Beaver County**. Application received: February 2, 2024. Natural Minor State-Only Operating Permit for a technical ceramics manufacturing facility located in Beaver Falls, Beaver County. In accordance with 25 Pa. Code §§ 127.424 and 127.425, the Department of Environmental Protection (DEP) has received an application and is providing notice that it intends to issue a renewed, facility-wide, State Only Operating Permit for the facility mentioned previously. Sources of emissions consist of the following equipment and control devices: twenty-one (21) Kilns; five (5) Afterburners; five (5) Natural Gas Dryers; twelve (12) Electric Dryers and Ovens; two (2) Emergency generators; twenty (20) dust collectors; a Hydro Thrift Chiller and Numerous miscellaneous small process and material handling sources, including dryers, ball mills, saws, mixers, tanks, and lathes. Facility-wide potential emissions are estimated at 77.84 tons NO_x, 63.27 tons CO, < 1.0 ton SO_x, 6.99 tons VOC, 7.01 tons PM₁₀/PM_{2.5}, and 2.15 tons HAPs. At a minimum, the facility is required to conduct daily surveys of the site to ensure compliance with visible, fugitive, and malodor emission requirements and maintain records of those surveys. The air quality permit includes emission limitations, work practice standards, monitoring requirements, recordkeeping, and reporting requirements for the site. Those who wish to provide the Department with additional written information that they believe should be considered prior to the issuance of the Natural Minor State-Only Operating Permit may submit the information to Tom Joseph, Environmental Engineering Manager, Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Operating Permit (04-00723) and concise statements regarding the relevancy of the information or objections to issuance of the Operating Permit. A public hearing may be held, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient. Written comments or requests for a public hearing should be directed to Tom Joseph, Facilities Permit Chief, at the previously listed address. All comments must be received prior to the close of business 30 days after the date of this publication. The application, DEP's Review Memorandum, and the proposed permit are available for public review during normal business hours at DEP's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. A file review can be scheduled through the DEP's website at <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx> and by contacting Thomas Joseph, Environmental Engineering Manager, at 412-442-4336 or tjoseph@pa.gov. Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodations to do so should contact Lauren

Camarda at 412-442-4203 or the Pennsylvania Hamilton Relay Service at 1-800-654-5984 (TDD) to discuss how the Department may accommodate your needs.

OP-63-01004, TechMet, Inc., 79 East 8th Street, Donora, PA 15033, Donora Borough, **Washington County**. Application received: October 16, 2023.

In accordance with 25 Pa. Code §§ 127.424 and 127.425 the Department of Environmental Protection (DEP) gives notice that they intend to issue a Synthetic Minor State Only Operating Permit (SOOP) renewal to TechMet, Inc. located in Donora Borough, Washington County. This is a Chemical milling and metal etching job shop operation processing metallic parts for customers in the aerospace, medical and general industries.

Sources of emissions consist of five process lines utilizing various chemical etching tanks, paint booths, and drying ovens, in addition a boiler and parts washers. Facility-wide potential emissions are projected to be 3.00 tpy of VOC, 61.35 tpy of NO_x, 0.60 tpy of CO, 5.5 tpy of HAP, 2.5 tpy of single HAP, 8.30 tpy of PM, and 0.04 tpy of SO_x. The proposed SOOP contains emission restriction, testing, monitoring, recordkeeping, reporting and work practice standards derived from the applicable requirements of 25 Pa. Code Article III, Chapters 121—145.

A person may oppose the proposed Synthetic Minor State Only Operating Permit by filing a written protest with the Department through Noor Nahar via mail to Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222. Each protest or set of written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed State Only Operating Permit (63-01004) and a concise statement of the objections to the Operating Permit issuance and the relevant facts upon which the objections are based.

The application, DEP's Review Memorandum, and the proposed permit are available for public review during normal business hours at DEP's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. A file review can be scheduled through the DEP's website at <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx> or by contacting Tom Joseph, Facilities Permitting Chief, directly.

All comments must be received prior to the close of business 30 days after the date of this publication.

OP-11-00508, Hindman Funeral Homes & Crematory, 146 Chandler Avenue, Johnstown, PA 15906, Lower Yoder Township, **Cambria County**. Application received: August 18, 2023.

In accordance with 25 Pa. Code §§ 127.424, 127.425 and 127.521, the Department is providing notice that they intend to issue a renewal natural minor State Only Operating Permit for the operation of a crematory located in Lower Yoder Township, Cambria County.

The facility operates one (1) Mathews International-Cremation Division model IE43-PPII human crematory incinerator with a maximum cremation rate of 150 lbs/hr and a one (1) Mathews International-Cremation Division model IE43-PPJr animal crematory incinerator with a maximum cremation rate of 75 lbs/hr. Potential emissions from this facility are estimated at 0.46 ton of SO₂ per year, 0.75 ton of NO_x per year, 0.62 ton of CO per year, 0.98 ton of PM per year, 0.98 ton of PM₁₀ per year, 0.06 ton of total total hydrocarbons per year, and 0.23 ton of HAPs per year.

The facility is subject to the applicable requirements of 25 Pa. Code Article III, Chapters 121—145. The proposed operating permit includes emission limitations, monitoring, work practice, reporting, and recordkeeping requirements for the facility.

The application, DEP's Review Memorandum, and the proposed permit are available for public review during normal business hours at DEP's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. A file review can be scheduled through the DEP's website at <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx>.

Any person may submit comments, a request for the Department to hold a public hearing, or a protest to the proposed operating permit or a condition thereof by submitting the information to Nick Waryanka, P.E., Air Quality Engineer, at the Southwest Regional Office. A 30-day comment period from the date of publication of this notice will exist for the submission of comments. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit (specify Operating Permit 11-00508) and concise statements regarding the relevancy of the information in the proposed permit or objections to issuance of the permit.

A public hearing may be held in accordance with 25 Pa. Code § 127.429, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. If a public hearing is held, all persons who have properly filed a protest under 25 Pa. Code § 127.426 may appear and give testimony. The applicant, the protestant, and other participants will be notified of the decision to hold a hearing (and the time, place and purpose of such hearing) by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient.

COAL & NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21).

Mining activity permits issued in response to such applications are also subject to applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (DEP). A copy of the application is available for inspection at the District Mining Office indicated above each application. Requests for 401 Water Quality Certifications are included in individual application only if noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application may be submitted by any person or any officer or head of any Federal, State or Local Government Agency or Authority to DEP at the

address of the District Mining Office indicated above each application within 30-days of this publication, or within 30-days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences). Such comments or objections should contain the name, address and phone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform DEP on the basis of comment or objection and relevant facts upon which it is based.

In addition, requests for an informal conference, or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 (relating to public hearing-informal conferences) or § 86.34 (relating to informal conferences), must also contain a brief summary of the issues to be raised by the requestor at the

conference and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Where a National Pollutant Discharge Elimination System (NPDES) number is listed, the mining activity permit application is associated with an application for an NPDES permit. A separate notice will be provided for the draft NPDES permit.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Noncoal Applications

Effluent Limits—The following Table 2 effluent limits apply to NPDES permits issued in conjunction with a noncoal mining permit. Additional effluent limits will be listed as part of the publication of the draft NPDES permit.

<i>Parameter</i>	<i>Table 2</i>		
	<i>30-day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity must always exceed acidity.			
pH must always be greater than 6.0; less than 9.0.			

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

Contact: Alicia Cook, Clerical Assistant 3, 814-343-3328.

Mining Permit No. 42190801. PA0280844. Frank W. Ponikvar, 100 Kasson Road, Smethport, PA 16749, Hamlin Township, **McKean County**. Application for a new NPDES Permit No. PA0280844. Receiving stream(s): Marvin Creek classified for the following use(s): CWF. Application received: August 26, 2024.

Mining Permit No. 10090803. NPDES No. PA0280704. Bernard J. McCrea Excavating, 100 Pine Haven Drive, Fenelon, PA 16034, Clearfield Township, **Butler County**. Renewal of an NPDES permit associated with a small noncoal industrial minerals mining site affecting 5.0 acres. Receiving stream(s): Little Buffalo Run classified for the following use(s): HQ. Application received: August 29, 2024.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

Contact: Cassie Stanton, Clerical Assistant 2.

Mining Permit No. 14170801. Precision Excavating and Construction, LLC, 331 Main Road, Spring Mills, PA 16825, Gregg Township, **Centre County**. Application for transfer of an existing small noncoal permit affecting 1 acre. Transfer of permit from Allen's Excavating and Concrete. Receiving stream(s): Muddy Creek classified for the following use(s): HQ-CWF, MF. Application received: August 12, 2024. Accepted: August 19, 2024.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

Mining Permit No. 66192501. Donald Taylor, 4450 Williams Road, Nicholson, PA 18446-9478, Nicholson Township, **Wyoming County**. Stage I & II bond release of a quarry operation affecting 10.0 acres on property owned by Don Taylor. Application received: August 14, 2024.

Mining Permit No. 66130801. Donald Taylor, 4450 Williams Road, Nicholson, PA 18446-9478, Nicholson Township, **Wyoming County**. Stage I & II bond release of a quarry operation affecting 2.0 acres on property owned by Don Taylor. Application received: August 14, 2024.

Mining Permit No. 58890812. Northeast Stone Works, Inc., P.O. Box 332, Montrose, PA 18801, Franklin Township, **Susquehanna County**. Stage I & II bond release of a quarry operation affecting 2.0 acres on property owned by Kenneth Roszel. Application received: August 21, 2024.

Mining Permit No. 64950801. Anthony Michael Pykus, 1880 Great Bend Turnpike, Honesdale, PA 18431, Lebanon Township, **Wayne County**. Stage I & II bond release of a quarry operation affecting 1.0 acre on property owned by the Estate of William L. Pykus. Application received: August 22, 2024.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed National Pollutant Discharge Elimination System (NPDES) permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (DEP) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH must always be greater than 6.0; less than 9.0.			
Alkalinity must always be greater than acidity.			

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The limits for noncoal mining activities as provided in 25 Pa. Code § 77.522 are pH 6 to 9 and other parameters DEP may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

Coal NPDES Draft Permits

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

Contact: Cassie Stanton, Clerical Assistant 2.

NPDES No. PA0270067. Mining Permit No. 17240101. Swisher Contracting, Inc., P.O. Box 1223, Clearfield, PA 16830, Lawrence Township, **Clearfield County.** Application received: December 8, 2023.

New NPDES permit for discharge of water resulting from bituminous coal surface mining permit affecting 28.5 acres. Receiving stream(s): tributaries to Tributary 26085 to Lick Run, classified for the following use: HQ-CWF. This receiving stream is included in the Lick Run Watershed TMDL.

The following outfalls require a non-discharge alternative:

<i>Outfall No.</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
001 (TF1)	New	Treatment Pond 1	No Discharge
002 (SPA)	New	Sediment Pond A	No Discharge
003 (SPB)	New	Sediment Pond B	No Discharge

There is no proposed surface discharge from the previously listed facilities to the receiving stream due to the implementation of Best Management Practices in the form of valved non-discharge alternative (NDA) manifolds. BAT limits described previously will be applied to the outfall effluent entering the NDA system for the protection of the groundwater.

The following outfalls discharge to tributaries to Tributary 26085 to Lick Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>	<i>Type</i>
002 (SPA)	Y	Sediment Pond Emergency Spillway
003 (SPB)	Y	Sediment Pond Emergency Spillway

The only potential point source discharges to surface water are the discharges from the emergency spillway of a sediment pond during precipitation that exceeds a 10 yr/24 hr event. Effluent limits for the emergency spillway are as follows:

*Outfalls: 002 Sediment Pond Emergency Spillway
(Discharge after >10-yr/24-hr Precipitation Event)*

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Total Iron (mg/L)	3.0	6.0	7.0

*Outfalls: 002 Sediment Pond Emergency Spillway
(Discharge after >10-yr/24-hr Precipitation Event)*
Parameter

	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Manganese (mg/L)	0.97	1.9	2.4
Total Aluminum (mg/L)	2.4	4.8	6.0

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.
Alkalinity must exceed acidity at all times.

*Outfalls: 003 Sediment Pond Emergency Spillway
(Discharge after >10-yr/24-hr Precipitation Event)*
Parameter

	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Total Iron (mg/L)	3.0	6.0	7.0
Total Manganese (mg/L)	0.10	0.20	0.25
Total Aluminum (mg/L)	1.0	2.0	2.5

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.
Alkalinity must exceed acidity at all times.

New Stanton District Mining Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.

Contact: Tracy Norbert, Clerical Assistant 3.

NPDES No. PA0278122. Mining Permit No. 65140101. Ligonier Stone & Lime Company, 117 Marcia Street, Latrobe, PA 15650, Derry Township, **Westmoreland County**. Revision application to an existing bituminous surface mine and associated NPDES permit, affecting 92.4 acres. Receiving streams: unnamed tributaries to Stony Run, classified for the following use: CWF, WWF. Application received: August 19, 2024.

Noncoal NPDES Draft Permits

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.

Contact: RA-EPCAMBRIADMO@pa.gov.

NPDES No. PA0212512. Mining Permit No. 4274SM11. New Enterprise Stone & Lime Co., Inc., P.O. Box 77, New Enterprise, PA 16664, Taylor Township, **Blair County**. Renewal of an NPDES permit affecting 372.2 acres related to a noncoal mining activity permit. Receiving stream: Plum Creek and Halter Creek, classified for the following use: HQ-CWF and CWF. Application received: May 30, 2024.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for noncoal mining activities.

The following treated wastewater outfalls discharge to Plum Creek:

<i>Outfall Number</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
003	Existing	Stormwater	Precipitation Induced
004	Existing	Stormwater	Precipitation Induced
010	Existing	Treatment/Pumped Water	0.432 MGD

The proposed effluent limits for the previously listed outfalls are as follows:

Outfalls: 003, 004, and 010 (Dry Weather Discharges)

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
Total Suspended Solids (mg/L)	XXX	35.0	70.0	90.0
pH (S.U.)	6.0	XXX	XXX	9.0
Temperature (°C)	XXX	XXX	XXX	Report
Specific Conductance (µmhos/cm)	XXX	XXX	XXX	Report
Sulfate (mg/L)	XXX	XXX	XXX	Report
Flow (gpm)	XXX	XXX	XXX	Report

Outfalls: 003 and 004 (10-yr/24-hr Precip. Event)

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
Total Settleable Solids (ml/L)	XXX	XXX	XXX	0.5
pH (S.U.)	6.0	XXX	XXX	9.0

Outfalls: 003 and 004 (>10-yr/24-hr Precip. Event)

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
pH (S.U.)	6.0	XXX	XXX	9.0

The following treated wastewater outfalls discharge to Halter Creek:

<i>Outfall Number</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
002	Existing	Stormwater	Precipitation Induced

<i>Outfall Number</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
005	Existing	Stormwater	Precipitation Induced
006	Existing	Treatment/Pumped Water	Intermittent
007	Existing	Stormwater	Precipitation Induced
008	Existing	Stormwater	Precipitation Induced
009	Existing	Stormwater	Precipitation Induced

The proposed effluent limits for the previously listed outfalls are as follows:

Outfalls: 002 and 005—009 (Dry Weather Discharges)

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
Total Suspended Solids (mg/L)	XXX	35.0	70.0	90.0
pH (S.U.)	6.0	XXX	XXX	9.0
Temperature (°C)	XXX	XXX	XXX	Report
Specific Conductance (µmhos/cm)	XXX	XXX	XXX	Report
Sulfate (mg/L)	XXX	XXX	XXX	Report
Flow (gpm)	XXX	XXX	XXX	Report

Outfalls: 005 and 007—009 (10-yr/24-hr Precip. Event)

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
Total Settleable Solids (ml/L)	XXX	XXX	XXX	0.5
pH (S.U.)	6.0	XXX	XXX	9.0

Outfalls: 003 and 004 (>10-yr/24-hr Precip. Event)

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
pH (S.U.)	6.0	XXX	XXX	9.0

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

Contact: Cassie Stanton, Clerical Assistant 2.

NPDES No. PA0269841. Mining Permit No. 53170301. Duffy, Inc., P.O. Box 374, Smethport, PA 16749-0374, Roulette Township, **Potter County.** Application received: April 4, 2024.

Renewal of an NPDES permit for discharge of water resulting from surface mining of industrial minerals affecting 175 acres. Receiving stream(s): Unnamed Tributary No. 1 to the Allegheny River and to the Allegheny River, classified for the following use(s): CWF.

The following outfalls discharge to Unnamed Tributary No. 1 to the Allegheny River and to the Allegheny River:

<i>Outfall No.</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
001	Existing	Sediment Pond A	Intermittent
002	Existing	Sediment Pond B	Intermittent
003	Existing	Sediment Pond C	Intermittent
004	Existing	Sediment Pond D	Intermittent

The proposed effluent limits for the previously listed outfalls are as follows:

Outfalls: 001—004

(Discharges during Dry Weather Conditions)

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Flow (gpm)		Report	
pH (S.U.): Must be between 6.0 and 9.0 standard units			

Outfalls: 001—004

(Discharges after ≤10-yr/24-hr Precip. Event)

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
Total Settleable Solids (mL/L)	N/A	N/A	0.5
Flow (gpm)		Report	
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			

Outfalls: 001—004 (Discharges after >10-yr/24-hr Precip. Event)

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection (DEP). Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341), requires the State to certify that the involved projects will not violate the applicable provisions of Sections 301–303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311–1313, 1316 and 1317, as well as relevant state requirements. Individuals objecting to approval of a request for certification under Section 401 or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit, or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30-days of the date of this notice, as well as any questions to the office noted above the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed, and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The DEP may schedule a fact-finding hearing or an informal conference in response to comments if deemed necessary. Maps, drawings and other data pertinent to the certification request are available for inspection between the hours of 8:00 a.m. and 4:00 p.m. on each working day at the office noted above the application.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

WATER OBSTRUCTIONS AND ENCROACHMENTS

Applications Received Under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1–693.27) and Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification Under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Eastern District: Oil and Gas Management Program, 208 West Third Street, Williamsport, PA 17701-6448.

Contact: RA-EPEASTERNOGPRG@pa.gov.

CORRECTION—previously published on June 8, 2024.

E5929224-004. NFG Midstream Covington LLC, 1100 State Street, Erie, PA 16501, Delmar Township, **Tioga County.** U.S. Army Corps of Engineers Baltimore District. Application received: April 2, 2024.

To construct, operate, and maintain: 1. A temporary road crossing using timber mats, and an 8-inch and 12-inch diameter natural gas pipelines impacting 1,807 square feet of an exceptional value palustrine forested (EV-PFO) wetland and 68 linear feet of an unnamed tributary to Baldwin Run (HQ-CWF) (Keeneyville, PA Quadrangle 41.798974°, -77.315321°);

2. A temporary road crossing using timber mats impacting 185 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Keeneyville, PA Quadrangle 41.798609°, -77.313624°);

3. A temporary road crossing using timber mats, and an 8-inch and 12-inch diameter natural gas pipelines impacting 3,161 square feet of an exceptional value palustrine

forested (EV-PFO) wetland, 36 linear feet of an unnamed tributary to Baldwin Run (HQ-CWF) and 5,193 square feet of an exceptional value palustrine emergent (EV-PEM) (Keeneyville, PA Quadrangle 41.797697°, -77.321078°);

4. A temporary road crossing using timber mats impacting 33 square feet of an exceptional value palustrine forested (EV-PFO) wetland (Keeneyville, PA Quadrangle 41.796725°, -77.309671°);

5. A temporary road crossing using timber mats and an 8-inch and 12-inch diameter natural gas pipeline impacting 79 linear feet of Baldwin Run (HQ-CWF) (Keeneyville, PA Quadrangle 41.796145°, -77.305631°);

6. A temporary road crossing using timber mats, and an 8-inch and 12-inch diameter natural gas pipelines impacting 1,067 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Keeneyville, PA Quadrangle 41.800894°, -77.304284°);

7. A temporary road crossing using timber mats, and an 8-inch and 12-inch diameter natural gas pipelines impacting 161 square feet of an exceptional value palustrine emergent (EV-PEM) wetland, 154 square feet of an exceptional value palustrine scrub shrub (EV-PSS) wetland and 76 linear feet of an unnamed tributary to Baldwin Run (HQ-CWF) (Keeneyville, PA Quadrangle 41.8001736°, -77.30342°);

8. A temporary road crossing using timber mats impacting 411 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Keeneyville, PA Quadrangle 41.802364°, -77.302221°);

9. A temporary road crossing using timber mats impacting 858 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Keeneyville, PA Quadrangle 41.802636°, -77.302068°);

10. A temporary road crossing using timber mats impacting 20 square feet of a palustrine emergent (PEM) wetland (Keeneyville, PA Quadrangle 41.803713°, -77.301676°);

11. A temporary road crossing using timber mats and an 8-inch and 12-inch diameter natural gas pipelines impacting 7,231 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Keeneyville, PA Quadrangle 41.804301°, -77.301394°);

12. A temporary road crossing using timber mats and an 8-inch and 12-inch diameter natural gas pipelines impacting 9,743 square feet of an exceptional value palustrine scrub shrub (EV-PSS) wetland and 1,012 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Keeneyville, PA Quadrangle 41.80487°, -77.301107°);

13. A temporary road crossing using timber mats and an 8-inch and 12-inch diameter natural gas pipelines impacting 107 linear feet of an unnamed tributary to Baldwin Run (HQ-CWF) (Keeneyville, PA Quadrangle 41.80487°, -77.301107°);

14. A temporary road crossing using timber mats and an 8-inch and 12-inch diameter natural gas pipelines impacting 2,942 square feet of an exceptional value palustrine emergent (EV-PEM) wetland and 5,721 square feet of an exceptional value palustrine forested (EV-PFO) wetland (Keeneyville, PA Quadrangle 41.806762°, -77.299476°);

15. A temporary road crossing using timber mats and an 8-inch and 12-inch diameter natural gas pipelines impacting 4,887 square feet of an exceptional value

palustrine emergent (EV-PEM) wetland and 94 square feet of an exceptional value palustrine scrub shrub (EV-PSS) wetland (Keeneyville, PA Quadrangle 41.807394°, -77.298316°);

16. A temporary road crossing impacting 366 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Keeneyville, PA Quadrangle 41.808153°, -77.296761°).

The project will result in 366 linear feet of temporary stream impacts, 24,333 square feet (0.559 acre) of temporary wetland impacts and 20,713 square feet (0.476 acre) of permanent wetland impacts all for the purpose of installing a natural gas pipeline in Delmar Township, Tioga County. The permittee will provide 41,426 square feet (0.951 acre) of off-site compensatory mitigation at the Butters Mitigation Site (Blossburg, PA Quadrangle 41°, 44', 55" N, 77°, 03', 16" W).

Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Michele Lauer, Clerical Assistant 2, 570-830-3077.

E5402224-002. Orwigsburg CSG 1, LLC, 3050 Peachtree Road, Suite 460, Atlanta, GA 30305, Orwigsburg Borough, **Schuylkill County**. U.S. Army Corps of Engineers Philadelphia District. Application received: August 15, 2024.

The construct and maintain the following water obstructions and encroachments associated with the Orwigsburg CSG 1, LLC Project: 1) A crossing of 0.03 acre of PFO Wetlands (EV) consisting of a 20-foot wide gravel access road. 2) A crossing of 0.005 acre of PFO Wetlands (EV) consisting of a 20-foot wide gravel access road. The project is located 0.35 mile northwest of Lincoln Avenue and W. Market Street (Strausstown, PA Quadrangle Latitude: 40°, 39', 24"; Longitude: -76°, 6', 54") in Orwigsburg Borough, Schuylkill County.

Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: RA-EPWW-NWRO@pa.gov.

E6106224-002. Aqua Pennsylvania Wastewater Inc., 1 Aqua Way, White Haven, PA 18661, Emlenton Borough, Richland Township, **Venango County**. U.S. Army Corps of Engineers Pittsburgh District. Application received: August 12, 2024.

To remove the damaged portion of the existing structure and to construct a replacement outfall for the Emlenton Wastewater Treatment Plant at the mouth of Ritchey Run where it meets the Allegheny River, approximately 500 ft east from the end of River Ave. Approximately 600 ft of Ritchey Run will be impacted from outfall repair and associated stream restoration practices. Latitude: 41.176155°, Longitude: -79.700020°.

Southeast Region: Waterways & Wetlands Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: ra-ep-ww-sero-105@pa.gov.

E1501124-006. Pennsylvania Department of Transportation, 7000 Geerdes Boulevard, King of Prussia, PA 19406, West Whiteland Township, **Chester County**. U.S. Army Corps of Engineers Philadelphia District. Application received: August 21, 2024.

PennDOT District 6-0 is proposing to remove an existing single-span, 16.22 feet long, reinforced concrete slab bridge structure over Valley Creek (CWF-MF), and in its

place, construct and maintain a 25-foot-wide single cell prestressed concrete box culvert associated with the SR 1001 (Ship Road) Bridge Replacement Project. This project includes 105 linear feet (3,255 square feet) of permanent watercourse impact due to the bridge replacement with grading and placement of riprap, 125 linear feet (3,875 square feet) of temporary watercourse impact due to dewatering and E&S BMPs, 16,920 square feet (0.19 acre) of permanent floodway impact due to bridge construction and grading, and 31,734 square feet (0.41 acre) of temporary floodway impact due to access and E&S controls. An unnamed tributary to Valley Creek (CWF-MF) confluence with the mainstem is associated with the construction activities and will result in 22 linear feet (132 square feet) of permanent watercourse impact and 64 linear feet (896 square feet) of temporary watercourse impact. This project is located between Green Valley and Sylvania Roads in West Whiteland Township, Chester County (USGS PA Malvern) Latitude: 40.032840°, Longitude: -75.611657°.

WV4601224-005, EA4601224-004. Upper Hanover Township, 1704 Pillsbury Road, East Greenville, PA 18041, Upper Hanover Township, **Montgomery County**. U.S. Army Corps of Engineers Philadelphia District. Application received: August 15, 2024.

Upper Hanover Township is proposing to rehabilitate and restore 500 linear feet of Macoby Run (TSF-MF) and includes the installation of modified mudsill cribs, multi log vane deflectors, saw tooth deflectors, modified mudsill log, and grading and stabilization between each structure on both sides of the watercourse. This activity will result in 500 linear feet (0.031 acre) of permanent watercourse impact, 675 linear feet (0.115 acre) of temporary watercourse impact, and 500 linear feet (0.115 acre) of temporary floodway impact. This project is associated with the Township's MS4 PRP Phosphorus Load Reduction requirements and is located at Macoby Run Park in Upper Hanover Township, Montgomery County (USGS PA Milford Square Quadrangle). Latitude: 40.384320°, Longitude: -75.481662°.

Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Dana Drake, Program Manager.

E0205224-008. People's Natural Gas Company, 375 North Shore Drive, Pittsburgh, PA 15212, Plum Borough, **Allegheny County**. U.S. Army Corps of Engineers Pittsburgh District. Application received: June 17, 2024.

To:

1. Construct and maintain channel changes at various locations along 1,278' x 10' of Abers Creek (TSF) by re-grading the banks and bed, including channel realignment for 170 linear feet (LF), with 28 LF of stream channel to be lost.

2. Construct and maintain five log vanes, each 15' x 3' within this same reach of watercourse.

3. Construct and maintain 4 rock cross vanes, each 20' x 18' within this same reach of watercourse.

4. Construct and maintain two areas of branch layering with toe wood, 120 (LF) along the changed streambank and the other 72' x 6' in the floodway, respectively.

5. Construct and maintain single branch layering (340' x 6') along the changed streambank.

6. Construct and maintain two branch layering with double layers, for 125 LF and 40 LF along this same reach of watercourse.

7. Construct and maintain a berm and three depression areas within 4,950 square feet of the floodway of Abers Creek.

8. Construct and maintain three temporary road crossings each 8 LF across this same reach of watercourse.

9. Construct and maintain a rip-rap apron 20' x 22' in an unnamed tributary to Abers Creek at its confluence with Abers Creek.

10. Construct and maintain Erosion and Sediment control structures and best management practices in and along Abers Creek and its floodway.

For the purpose of minimizing structural damage to gas lines, property, and flooding to the People's Natural Gas Compressor facility by restoring the stream and stream-bank along Abers Creek (historically known as Humm's Creek) in Plum Borough. Since some of the aforementioned structures overlap, the project proposes to permanently impact 1,278 LF and temporarily impact 24 LF of watercourse. Additionally, the project proposes to permanently impact 17,278 square feet (0.40 acre) of floodway and temporarily impact 65,634 square feet (1.51 acres) of floodway.

The project site is located off of PA Route 286 between the Holiday Park Center Plaza and Sampson Family YMCA (Murrysville, PA USGS topographic quadrangle; N: -40°, 27', 35"; W: -79°, 42', 21"; Sub-basin 19A; USACE Pittsburgh District), in Plum Borough, Allegheny County.

E6305221-010A-1. Rivendale Farms Pittsburgh, LLC, 1357 Valleyview Road, Bulger, PA 15019, Robinson Township and Smith Township, **Washington County**. U.S. Army Corps of Engineers Pittsburgh District. Application received: June 4, 2024.

To:

Amend Permit No. E6305221-010 (which granted consent to:

1. Operate and maintain a 20-foot long, 36-inch diameter smooth lined corrugated plastic pipe (SLCPP) culvert within an unnamed tributary (UNT) to Little Raccoon Run (WWF);

2. Operate and maintain a 22-foot long, 48-inch diameter SLCPP culvert at another location within the preceding UNT;

3. Modify an existing dam in the preceding UNT, by lowering the dam height to 2.3 feet. The dam is located in a stream not exceeding 50 feet in width;

4. Operate and maintain a pond across the preceding UNT. The pond has an approximate area of 0.06 acre and a maximum storage volume of 6,071 cubic feet behind the aforementioned dam;

5. Operate and maintain a 25-foot long, 8-foot-wide wooden bridge with a gravel surface across a second UNT to Little Raccoon Run (WWF);

6. Operate and maintain a 30-foot long, 9-foot-wide wooden bridge with a gravel surface at another location across the preceding UNT;

7. Operate and maintain a 25-foot long, 8-foot-wide wooden bridge with a gravel surface at another location across the preceding UNT;

8. Operate and maintain a 6-inch diameter PVC outfall structure at another location within the preceding UNT, which serves as an underdrain for the adjacent flat vegetated area;

9. Operate and maintain a 25-foot long, 10-foot-wide wooden bridge with a gravel surface across Little Raccoon Run;

10. Operate and maintain a 25-foot long, 18-inch diameter SLCPP culvert within a third UNT to Little Raccoon Run (WWF), which has a drainage area less than 100 acres;

11. Operate and maintain a 99-foot long, 15-inch diameter SLCPP culvert at another location within the preceding UNT;

12. Construct, operate, and maintain a 42-foot-long, 21-foot-wide concrete bridge at another location across Little Raccoon Run (WWF);

13. Construct, operate, and maintain an outfall structure within the floodway of Little Raccoon Run, consisting of a 15-foot by 19-foot R-4 riprap apron, in association with the construction of a stormwater management pond.

The applicant proposes in this amendment to:

1. Operate and maintain a 35-foot long, 16-foot wide steel beam bridge with an underclearance of 4', with a foundation of drilled concrete caissons, crossing of Little Raccoon Run, which was previously built as a temporary road crossing in accordance with DEP File GP086300222004 which was acknowledged by the Washington County Conservation District.

2. Operate and maintain a 46-foot long, 14-foot wide steel beam bridge with an underclearance of 1', with a foundation of drilled concrete caissons, crossing of a UNT to Little Raccoon Run, which was previously built as a temporary road crossing in accordance with DEP File GP086300222004 which was acknowledged by the Washington County Conservation District.

For the purpose of providing property access for farm equipment and livestock. This amendment will impact 28 LF (0.02 ac) of watercourse. Cumulatively, the overall project will permanently impact 235 LF of watercourse and 0.15 ac of floodway. Cumulatively, the overall project will temporarily impact 503 LF of watercourse and 0.93 acre of floodway.

The project site is located at 1357 Valleyview Rd, Bulger, PA 15019 (Clinton, PA USGS topographic quadrangle; N: 40°, 24', 2"; W: -80°, 19', 27"; Sub-basin 20D; USACE Pittsburgh District), in Robinson Township and Smith Township, Washington County.

DAM SAFETY

Central Office: Waterways & Wetlands Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-772-5321.

Contact: Ryan J Hall, Project Reviewer, 717-772-5948.

D02-150. Municipality of Bethel Park, 5100 Library Road, Bethel Park, PA 15102, Bethel Park Borough, **Allegheny County**. Application to construct Peter Page Park Dam across a tributary to Graesers Run (WWF) for the purpose of flood protection. The project will permanently impact 0.09 acre of PEM wetland. The applicant will mitigate for the loss through 0.29 acre of PRM wetland replacement onsite, Latitude: 40.3317°, Longitude: -80.0403°. Application received: May 7, 2022.

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT**FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS**

The Department of Environmental Protection (DEP) has taken the following actions on previously received applications for new, amended, and renewed National Pollutant Discharge Elimination System (NPDES) and Water Quality Management (WQM) permits, applications for permit waivers, and Notice of Intent (NOIs) for coverage under General Permits, as listed in the following tables. This notice of final action is published in accordance with 25 Pa. Code Chapters 91, 92a, and 102 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). The official file for each listed action can be reviewed at the DEP or delegated County Conservation District (CCD) office identified in the table for the action. DEP/CCD office contact information is listed as follows for Section I and is contained within the table for Section II. Additional information for permits issued under 25 Pa. Code Chapters 91 and 92a and Individual permits under 25 Pa. Code Chapter 102, including links to Individual Chapter 92a NPDES and WQM Permits, may be reviewed by generating the “Final Actions Report” on DEP’s website at www.dep.pa.gov/CWPublicNotice.

DEP office contact information to review official files relating to the final actions in Section I is as follows:

DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484-250-5910. Email: RA-EPNPDES_SERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SERO@pa.gov for Chapter 102 permits.

DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570-826-5472. Email: RA-EPNPDES_NERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NERO@pa.gov for Chapter 102 permits.

DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717-705-4732. Email: RA-EPNPDES_SCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SCRO@pa.gov for Chapter 102 permits.

DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570-327-3693. Email: RA-EPNPDES_NCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NCRO@pa.gov for Chapter 102 permits.

DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412-442-4286. Email: RA-EPNPDES_SWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SWRO@pa.gov for Chapter 102 permits.

DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814-332-6078. Email: RA-EPNPDES_NWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NWRO@pa.gov for Chapter 102 permits.

DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-787-5017. Email: RA-EPNPDES_Permits@pa.gov.

DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law).

The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law. For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board. Individuals who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information. The appeal form and the Board’s rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. Important legal rights are at stake, however, so individuals should contact a lawyer at once.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

For actions taken on applications for pipelines that are regulated by the Federal Energy Regulatory Commission (FERC).

Any person aggrieved by this action may challenge it in an appropriate legal forum. The State and Federal courts are currently split on whether the proper forum to challenge a Department permit, authorization or approval for a facility or activity subject to the Federal Natural Gas Act, 15 U.S.C.A. §§ 717 et seq., is the United States Court of Appeals for the Third Circuit or the Pennsylvania Environmental Hearing Board. See *Delaware Riverkeeper Network v. Sec’y, Dep’t. of Env’tl. Prot.*, 833 F.3d 360 (3d Cir. 2016); *Delaware Riverkeeper Network v. Sec’y, Dep’t. of Env’tl. Prot.*, 903 F.3d 65 (3d Cir. 2018), cert. denied, 139 S. Ct. 1648, 203 L. Ed. 899 (2019) and *Cole v. Dep’t. of Env’tl. Prot.*, 1577 C.D. 2019 WL 2420667

(Pa. Cmwlth Ct. June 15, 2021) (Pet. for Allowance of Appeal pending); *West Rockhill Twp. v. Dep't. of Env'tl. Prot.*, No. 1595 C.D. 2019 WL 2426014 (Pa. Cmwlth. June 15, 2021) (Pet. for Allowance of Appeal pending).

I. Final Action(s) on NPDES and WQM Permit Application(s) and NOIs for Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides, CAFOs and Individual Construction Stormwater.

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA630002D	Chapter 102 Individual NPDES Permit	Issued	Peoples Natural Gas Co. LLC 375 North Shore Drive Suite 600 Pittsburgh, PA 15212-5866	Nottingham Township Washington County	SWRO
PAD020048	Chapter 102 Individual NPDES Permit	Issued	UPMC Presb Shadyside 3600 Forbes Avenue Pittsburgh, PA 15213-3410	Pittsburgh City Allegheny County	SWRO
PAD040116	Chapter 102 Individual NPDES Permit	Issued	Wright Bros Development VII 1200 Sharon Road Suite 1 Beaver, PA 15009-3148	Vanport Township Beaver County	SWRO
PAD140114	Chapter 102 Individual NPDES Permit	Issued	PA American Water Co. 1912 Tyrone Pike Philipsburg, PA 16866-8805	Walker Township Centre County	NCRO
PAD350053	Chapter 102 Individual NPDES Permit	Issued	Aqua PA Inc. 1175 North Main Street Honesdale, PA 18431	Covington Township Lackawanna County	NERO
PAD390260	Chapter 102 Individual NPDES Permit	Issued	Levi Land Holdings LLC 2060 Detwiler Road Harleysville, PA 19438-2934	Upper Macungie Township Lehigh County	NERO
PAD390288	Chapter 102 Individual NPDES Permit	Issued	Saucon Enterprise 199 Sellersville Road Chalfont, PA 18914-1336	Lower Milford Township Lehigh County	NERO
PAD400076	Chapter 102 Individual NPDES Permit	Issued	Geisinger Wyoming Valley Medical Center 100 N Academy Avenue Danville, PA 17822-9800	Plains Township Luzerne County	NERO
PAD480066	Chapter 102 Individual NPDES Permit	Issued	3 Twins Realty Partners 287 Park Avenue Bangor, PA 18013-2343	Plainfield Township Northampton County	NERO
PA0276162	Industrial Stormwater Individual NPDES Permit	Issued	Arsenal Rd York LLC 125 N Commerce Way Bethlehem, PA 18017-8933	Bethlehem Township Northampton County	NERO
PAS603508	Industrial Stormwater Individual NPDES Permit	Issued	Cumberland Recycling Inc. P.O. Box 307 Carlisle, PA 17013-0307	Middlesex Township Cumberland County	SCRO
0224802	Joint DEP/PFBC Pesticides Permit	Issued	Village HOA P.O. Box 50 Bradfordwoods, PA 15015-0050	Bradford Woods Borough Allegheny County	SWRO
1124800	Joint DEP/PFBC Pesticides Permit	Issued	CPV Fairview Energy Center 2862 William Penn Avenue Johnstown, PA 15909-3628	Jackson Township Cambria County	SWRO
2024805	Joint DEP/PFBC Pesticides Permit	Issued	Preston May 26490 State Highway 77 Saegertown, PA 16433-7512	Richmond Township Crawford County	NWRO
4013819	Joint DEP/PFBC Pesticides Permit	Issued	Bear Creek Association P.O. Box 105 Bear Creek, PA 18602-0105	Bear Creek Village Borough Luzerne County	NERO
4324815	Joint DEP/PFBC Pesticides Permit	Issued	Nancy Peterson 121 Osborn Road Greenville, PA 16125-3137	Salem Township Mercer County	NWRO

NOTICES

5891

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
4613864	Joint DEP/PFBC Pesticides Permit	Issued	Horsham Township Montgomery County 1005 Horsham Road Horsham, PA 19044-1326	Horsham Township Montgomery County	SERO
5124801	Joint DEP/PFBC Pesticides Permit	Issued	Philadelphia City Parks And Recreation Department 1515 Arch Street 10th Floor Philadelphia, PA 19102	Philadelphia City Philadelphia County	SERO
6119801	Joint DEP/PFBC Pesticides Permit	Issued	Elva Warren 1764 Creek Road Cooperstown, PA 16317-2920	Oakland Township Venango County	NWRO
6624801	Joint DEP/PFBC Pesticides Permit	Issued	Long Douglas 1677 Ruane Avenue Scranton, PA 18508-1731	Tunkhannock Township Wyoming County	NERO
6624802	Joint DEP/PFBC Pesticides Permit	Issued	Mislevy Robert 205 Stark Road Tunkhannock, PA 18657-5714	Tunkhannock Township Wyoming County	NERO
PAI133518	MS4 Individual NPDES Permit	Issued	Washington Township Berks County 120 Barto Road Barto, PA 19504-8746	Washington Township Berks County	SCRO
PA0087165	Minor Industrial Waste Facility with ELG Individual NPDES Permit	Issued	Bleyer Gift Packs LLC 80 Voice Road Carle Place, NY 11514	Mount Union Borough Huntingdon County	SCRO
PA0012203	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	Allen Organ Co. LLC 150 Locust Street Macungie, PA 18062-1165	Macungie Borough Lehigh County	NERO
PA0220779	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Ash West Springfield Properties LLC 7427 Chestnut Street Fairview, PA 16415-1132	Springfield Township Erie County	NWRO
PA0247944	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Spring Grove Area School District 100 E College Avenue Spring Grove, PA 17362	Paradise Township York County	SCRO
PA0020249	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Roaring Spring Borough Municipal Authority Blair County P.O. Box 33 616 Spang Street Roaring Spring, PA 16673-0033	Roaring Spring Borough Blair County	SCRO
PA0023949	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Brookhaven Borough 2 Cambridge Road Brookhaven, PA 19015-1712	Brookhaven Borough Delaware County	SERO
PA0028592	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Bonneauville Borough Adams County 46 E Hanover Street Gettysburg, PA 17325-7752	Bonneauville Borough Adams County	SCRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0084077	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Snake Spring Township Municipal Authority Bedford County 624 Pennknoll Road Everett, PA 15537-6945	Snake Spring Township Bedford County	SCRO
PA0217654	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Seward Borough & Saint Clair Township Sanitary Authority Westmoreland County 815 Stiles Road Seward, PA 15954-0494	Saint Clair Township Westmoreland County	SWRO
PA0247103	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Northeastern York County Sewer Authority 200 N Main Street P.O. Box 516 Mount Wolf, PA 17347-0516	East Manchester Township York County	SCRO
0478203	Minor and Non-NPDES Industrial Waste Treatment Facility Individual WQM Permit	Issued	Marlborough US Realty Holdings LP P.O. Box 241 Harrison City, PA 15636-0241	Ambridge Borough Beaver County	SWRO
1172405	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Forest Hills Municipal Authority Cambria County 900 Locust Street P.O. Box 337 Saint Michael, PA 15951-2007	Adams Township Cambria County	SWRO
2599412	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Ash West Springfield Properties LLC 7427 Chestnut Street Fairview, PA 16415-1132	Springfield Township Erie County	NWRO
4197407	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Vernon Pettengill 97 Sandra Lee Drive Linden, PA 17744-7003	Woodward Township Lycoming County	NCRO
5510401	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Penns Creek Municipal Authority Snyder County P.O. Box 148 Penns Creek, PA 17862-0148	Center Township Snyder County	NCRO
NOEXNE005	No Exposure Certification	Issued	Utz Quality Foods Inc. 900 High Street Hanover, PA 17331-1639	Hanover Township Luzerne County	NERO
NOEXSE189	No Exposure Certification	Issued	Colorcon Inc. 171 New Britain Boulevard New Britian Business Park Chalfont, PA 18914	New Britain Township Bucks County	SERO
PAG032239	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Amazon Com Service LLC P.O. Box 80842 Amazon—NA Enviro Dept Seattle, WA 98108-0842	Hazle Township Luzerne County	NERO
PAG032240	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Amazon Com Service LLC P.O. Box 80842 Seattle, WA 98108-0842	Palmer Township Northampton County	NERO

NOTICES

5893

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG032329	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Weiner Iron & Metal Corp 1056 Route 61 Highway S P.O. Box 359 Pottsville, PA 17901-8405	North Manheim Township Schuylkill County	NERO
PAG032331	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	DFA Dairy Brands Fluid LLC 100 Manheim Road Schuylkill Haven, PA 17972	North Manheim Township Schuylkill County	NERO
PAG034010	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Brentwood Ind Inc. 2101 Lehman Street Lebanon, PA 17046-2757	West Lebanon Township Lebanon County	SCRO
PAG034924	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	APEX Homes Of PA LLC 7172 Route 522 Middleburg, PA 17842-9488	Middleburg Borough Snyder County	NCRO
PAG035048	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Prysmian Cables & System USA LLC 409 Reighard Avenue Williamsport, PA 17701-4171	Williamsport City Lycoming County	NCRO
PAG036257	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Chestnut Valley Landfill LLC 1184 McClellandtown Road McClellandtown, PA 15458	German Township Fayette County	SWRO
PAG036376	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Rolling Frito Lay Sales LP 23 Beethoven Street Binghamton, NY 13905-4250	Johnstown City Cambria County	SWRO
PAG036378	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Rolling Frito Lay Sales LP 23 Beethoven Street Binghamton, NY 13905-4250	Plum Borough Allegheny County	SWRO
PAG036379	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Rolling Frito Lay Sales LP 23 Beethoven Street Binghamton, NY 13905-4250	Uniontown City Fayette County	SWRO
PAG036398	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	United Parcel Service Inc. 2450 Rathmell Road Obetz, OH 43207-4582	Richland Township Cambria County	SWRO
PAG036399	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	United Parcel Service Inc. 2450 Rathmell Road Obetz, OH 43207-4582	New Stanton Borough Westmoreland County	SWRO
PAG036400	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	United Parcel Service Inc. 2450 Rathmell Road Obetz, OH 43207-4582	Menallen Township Fayette County	SWRO
PAG036525	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	New Enterprise Stone & Lime Co. Inc. P.O. Box 77 New Enterprise, PA 16664-0077	Somerset Township Somerset County	SWRO
PAG038364	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Superior Tire & Rubber Corp 40 Scientific Road Warren, PA 16365	Warren City Warren County	NWRO
PAG038368	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	United Parcel Service Inc. 1821 S 19th Street Harrisburg, PA 17104-3206	Jackson Township Butler County	NWRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG038499	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Cronimet Specialty Metals USA Inc. 40 Council Avenue Wheatland, PA 16161	Wheatland Borough Mercer County	NWRO
PAG041357	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Curry Sarah 439 District Road Fredonia, PA 16124-1505	Delaware Township Mercer County	NWRO
PAG041372	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Sullivan Shannan 323 Rowley Road Sugar Grove, PA 16350-5718	Sugar Grove Township Warren County	NWRO
PAG041391	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Pringle Austin 5350 Stevenson Hill Road Falls Creek, PA 15840-2508	Washington Township Jefferson County	NWRO
PAG041401	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	James and Tabatha Volle 3598 Fallen Drive Jamestown, PA 16134-3412	West Shenango Township Crawford County	NWRO
PAG041405	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	March Garland 10611 Pine Road Conneaut Lake, PA 16316-6729	Vernon Township Crawford County	NWRO
PAG041407	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Amber and Jason Digiacomio 15304 Hall Road Meadville, PA 16335-7848	Hayfield Township Crawford County	NWRO
PAG042244	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	ALC Family Care Inc. 897 Hobbie Road Wapwallopen, PA 18660-2004	Hollenback Township Luzerne County	NERO
PAG043629	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Jerry Lyons and Michael Raytile 102 Scenicview Drive Coatesville, PA 19320-1195	West Cocalico Township Lancaster County	SCRO
PAG043994	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Parson Daniel G 647 Becker Road Tyrone, PA 16686	Antis Township Blair County	SCRO
PAG045139	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Roscoe Devon E 111 Kennel Lane Port Matilda, PA 16870-8005	Huston Township Centre County	NCRO
PAG046163	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Murdock Mirissa and Adam 222 Beaver Hollow Road Somerset, PA 15501-6737	Somerset Township Somerset County	SWRO
PAG062201	PAG-06 NPDES General Permit for Combined Sewer Systems	Issued	Easton City Northampton County 123 S 3rd Street Easton, PA 18042-4727	Easton City Northampton County	NERO
PAG062202	PAG-06 NPDES General Permit for Combined Sewer Systems	Issued	Lackawanna River Basin Sewer Authority P.O. Box 280 Olyphant, PA 18447-0280	Moosic Borough Lackawanna County	NERO
PAG123675	PAG-12 NPDES General Permit for CAFOs	Issued	Oberholtzer Anthony 1500 Pine Grove Road Bethel, PA 19507-9513	Bethel Township Berks County	SCRO

NOTICES

5895

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG123854	PAG-12 NPDES General Permit for CAFOs	Issued	LHF Enterprises LLC 932 Turner Camp Road Schellsburg, PA 15559-7334	Napier Township Bedford County	SCRO
PAG123854	PAG-12 NPDES General Permit for CAFOs	Issued	LHF Enterprises LLC 932 Turner Camp Road Schellsburg, PA 15559-7334	Napier Township Bedford County	SCRO
PAG123854	PAG-12 NPDES General Permit for CAFOs	Issued	LHF Farms LLC 932 Turner Camp Road Schellsburg, PA 15559-7334	Napier Township Bedford County	SCRO
PAG136189	PAG-13 NPDES General Permit for MS4s	Waived	South Huntingdon Township Westmoreland County 75 Supervisor Drive West Newton, PA 15089-1848	South Huntingdon Township Westmoreland County	SWRO
PAG136347	PAG-13 NPDES General Permit for MS4s	Waived	Finleyville Borough Washington County 3515 Washington Avenue Finleyville, PA 15332-1327	Finleyville Borough Washington County	SWRO
3703	Pump Stations Individual WQM Permit	Issued	Blawnox Borough Allegheny County 376 Freepport Road Pittsburgh, PA 15238-3440	Blawnox Borough Allegheny County	SWRO
4082401	Pump Stations Individual WQM Permit	Issued	Hazle Township Municipal Authority Luzerne County P.O. Box 502 Harleigh, PA 18225-0502	Hazle Township Luzerne County	NERO
6324401	Pump Stations Individual WQM Permit	Issued	Donegal Township Washington County P.O. Box 310 West Alexander, PA 15376-0310	West Alexander Borough Washington County	SWRO
4003402	Sewage Treatment Facilities Individual WQM Permit	Issued	ALC Family Care Inc. 897 Hobbie Road Wapwallopen, PA 18660-2004	Hollenback Township Luzerne County	NERO
0224404	Sewer Extensions Individual WQM Permit	Issued	Allegheny County Sanitary Authority ALCOSAN 3300 Preble Avenue Pittsburgh, PA 15233-1025	Pittsburgh City Allegheny County	SWRO
2224202	Sewer Extensions Individual WQM Permit	Issued	Capital Region Water 3003 N Front Street Harrisburg, PA 17110-1224	Harrisburg City Dauphin County	SCRO
PA0205524	Single Residence STP Individual NPDES Permit	Issued	Tammie and Timothy Rabbitt 297 Ford City Road Freepport, PA 16229-2000	South Buffalo Township Armstrong County	NWRO
PA0246590	Single Residence STP Individual NPDES Permit	Issued	McClure Dennis A and McClure Janice E 3469 McAlevys Fort Road Petersburg, PA 16669-2802	Jackson Township Huntingdon County	SCRO
PA0264474	Single Residence STP Individual NPDES Permit	Issued	Jeffrey and Jennifer Tait 204 Geibel Road Butler, PA 16002-9216	Summit Township Butler County	NWRO
PA0271594	Single Residence STP Individual NPDES Permit	Issued	Kline Gail 859 Lake Lucy Road Tionesta, PA 16353-2123	Washington Township Clarion County	NWRO
PA0276863	Single Residence STP Individual NPDES Permit	Issued	Davies Michelle 8278 Mertztown Road Alburtis, PA 18011-9516	Lower Macungie Township Lehigh County	NERO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
1016404	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Jeffrey and Jennifer Tait 204 Geibel Road Butler, PA 16002-9216	Summit Township Butler County	NWRO
1402402	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Roscoe Devon E 111 Kennel Lane Port Matilda, PA 16870-8005	Huston Township Centre County	NCRO
2019403	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	March Garland 10611 Pine Road Conneaut Lake, PA 16316-6729	Vernon Township Crawford County	NWRO
3324401	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Pringle Austin 5350 Stevenson Hill Road Falls Creek, PA 15840-2508	Washington Township Jefferson County	NWRO
3699408	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Jerry Lyons and Michael Raytile 102 Scenicview Drive Coatesville, PA 19320-1195	West Cocalico Township Lancaster County	SCRO
3924404	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Davies Michelle 8278 Mertztown Road Alburtis, PA 18011-9516	Lower Macungie Township Lehigh County	NERO
5698407	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Murdock Mirissa and Adam 222 Beaver Hollow Road Somerset, PA 15501-6737	Somerset Township Somerset County	SWRO

II. Final Action(s) on PAG-01 and PAG-02 General NPDES Permit NOIs.

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC400307	PAG-02 General Permit	Issued	Hazleton Area School District (HASD) Robert J. Krizansky 1515 W. 23rd Street Hazle Township, PA 18202-1647	Butler Township Luzerne County	Luzerne Conservation District 325 Smiths Pond Road Shavertown, PA 18708 570-674-7991 RA-EPWW-NERO@pa.gov
PAC400304	PAG-02 General Permit	Issued	Birch Knoll Associates, LLC Chris Mortensen 130 South Pine Tree Hazleton, PA 18201	City of Hazleton Luzerne County	Luzerne Conservation District 325 Smiths Pond Road Shavertown, PA 18708 570-674-7991 RA-EPWW-NERO@pa.gov
PAC010276	PAG-02 General Permit	Issued	Columbia Gas of PA 1600 Colony Road York, PA 17408	Gettysburg Borough Cumberland Township Straban Township Adams County	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325 717-334-0636
PAC430118	PAG-02 General Permit	Issued	Talbot's Taproom and Terrace 787 Mercer-Grove City Road Mercer, PA 16137	Mercer Borough Findley Township Mercer County	Mercer County Conservation District 24 Avalon Court Suite 300 Mercer, PA 16137 724-662-2242

NOTICES

5897

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC430121	PAG-02 General Permit	Issued	Pennsylvania Game Commission 2002 Elmerton Avenue Harrisburg, PA 17110	Liberty Township Mercer County	Mercer County Conservation District 24 Avalon Court Suite 300 Mercer, PA 16137 724-662-2242
PAC100346	PAG-02 General Permit	Issued	Waste Management of Pennsylvania Inc 625 Cherrington Parkway Moon Township, PA 15108	Clay Township Butler County	Butler County Conservation District 120 Hollywood Drive Suite 201 Butler, PA 16001 724-284-5270
PAC330049	PAG-02 General Permit	Issued	Thomas Fetterman 1697 Clawson Street Punxsutawney, PA 15767	Young Township Jefferson County	Jefferson County Conservation District 1514 Route 28 Brookville, PA 15825 814-849-7463
PAC430110A1	PAG-02 General Permit	Issued	Aqua Pennsylvania Inc. 644 North Water Street Sharon, PA 16146	City of Sharon Mercer County	Mercer County Conservation District 24 Avalon Court Suite 300 Mercer, PA 16137 724-662-2242
PAC430124	PAG-02 General Permit	Issued	American Transmission Systems Inc. 76 South Main Street Akron, OH 44308	City of Hermitage Mercer County	Mercer County Conservation District 24 Avalon Court Suite 300 Mercer, PA 16137 724-662-2242
PAC460871	PAG-02 General Permit	Issued	Mount Saint Joseph's Academy 120 West Wissahickon Avenue Flourtown, PA 19031-1899	Springfield Township Montgomery County	Montgomery County Conservation District 143 Level Road Collegeville, PA 19426-3313 610-489-4506 x 10 RA-EPNPDES_SERO@ pa.gov
PAC460885	PAG-02 General Permit	Issued	Audubon Land Development 2620 Egypt Road Norristown, PA 19403-2302	West Norriton Township Montgomery County	Montgomery County Conservation District 143 Level Road Collegeville, PA 19426-3313 610-489-4506 x 10 RA-EPNPDES_SERO@ pa.gov
PAC670711	PAG-02 General Permit	Issued	Columbia Gas of Pennsylvania 1600 Colony Road York, PA 17408	Shrewsbury Township York County	York County Conservation District 2401 Pleasant Valley Rd. Suite 101 Room 139 York, PA 17402 717-840-7430
PAC670717	PAG-02 General Permit	Issued	CCR Holdings LLC 2420 Oakmont Road Dover, PA 17315	Manchester Township York County	York County Conservation District 2401 Pleasant Valley Rd. Suite 101 Room 139 York, PA 17402 717-840-7430

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC360971	PAG-02 General Permit	Issued	Jason Weaver 1449 Reading Road Mohnton, PA 19540	Brecknock Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361
PAC040137	PAG-02 General Permit	Issued	Scarmazzi Homes 127 Adams Avenue Canonsburg, PA 15317	Hopewell Township Beaver County	Beaver County Conservation District 156 Cowpath Road Aliquippa, PA 15001 724-378-1701 SWRO
PAC040159	PAG-02 General Permit	Issued	Brusters Ice Cream 730 Mulberry Street Bridgewater, PA 15009	Bridgewater Borough Beaver County	Beaver County Conservation District 156 Cowpath Road Aliquippa, PA 15001 724-378-1701 SWRO
PAC040153	PAG-02 General Permit	Issued	Peoples Natural Gas, LLC 375 North Shore Drive Pittsburgh, PA 15212	Center Township Potter Township Beaver County	Beaver County Conservation District 156 Cowpath Road Aliquippa, PA 15001 724-378-1701 SWRO
PAC220423	PAG-02 General Permit	Issued	CRI Industrial Park, LLC 270 Luxemburg Rd Elizabethville, PA 17023	Mifflin Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717-921-8100
PAC220424	PAG-02 General Permit	Issued	River Drive Service Center, Inc. 4613 N. Front St. Harrisburg, PA 17110	Susquehanna Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717-921-8100

STATE CONSERVATION COMMISSION
NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR
NPDES PERMITS FOR CAFOs

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at 717-787-3483 for more information.

NUTRIENT MANAGEMENT PLAN
AFO PUBLIC NOTICE SPREADSHEET—ACTIONS

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Elvin Zimmerman 180 Degan Rd McAlisterville, PA 17049	Juniata County	150.24	228.24	Broilers Beef Ponies Swine	HQ	Approved
Trever Gill 1540 Leidigh Drive Boiling Springs, PA 17007	Cumberland County	136.3	399.86	Swine Beef	HQ	Approved
Hillside Acres 350 Dotterer Rd Lenhartsville, PA 19534	Berks County	14	847.25	Swine	NA	Approved
Adam Martin 390 Midway Rd Bethel, PA 19507	Berks County	96.9	222.13	Poultry	NA	Approved
Heisler's Egg Farm, Inc. 757 Valley Road (Farm 1) Tamaqua, PA 18252	Schuylkill County	191.2	9.05	Poultry Layer (white egg 18—90 wks.)	HQ	Approved
Heisler's Egg Farm, Inc. 1067 Catawissa Road (Farm 2) Tamaqua, PA 18252	Schuylkill County	191.2	9.05	Poultry Layer (white egg 18—90 wks.)	HQ	Approved

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information.

SAFE DRINKING WATER

Actions Taken Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Northcentral Region: Safe Drinking Water Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Olivia Harris, Clerical Supervisor I, 570-327-0561.

Construction/Operation Permit No. 1721503MA, Public Water Supply.

Applicant	Huston Township Municipal Authority
Address	1004 Ligonier Street Latrobe, PA 15650
Municipality	Huston Township
County	Clearfield County
Consulting Engineer	Matt Smith 11837 Bennetts Valley Hwy Suite 2 Penfield, PA 15849
Application Received	August 30, 2024
Permit Issued	September 3, 2024
Description	Certificate of Operation for the Hollywood Tank

Construction Permit No. 1424512MA, Minor Amendment, Public Water Supply.

Applicant	Walker Township Water Association Inc
Address	250 Nittany Valley Drive Bellefonte, PA 16823

Municipality Walker Township
 County **Centre County**
 Consulting Engineer Jeffrey R Garrigan
 2568 Park Center Blvd
 State College, PA 16801
 Application Received June 21, 2024
 Permit Issued August 28, 2024
 Description Replacement of an existing
 250,000-gallon water storage
 tank with a new 268,875-gallon
 water storage tank.

*Northeast Region: Safe Drinking Water Program, 2
 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-
 2511.*

*Contact: Ryan Fox, Env. Engineering Specialist, 570-
 826-2533.*

**Designation of Water Quality Performance Re-
 quirements Permit No. 3540069**, Public Water Supply.

Applicant **Aqua Pennsylvania, Inc.**
 Address 762 West Lancaster Ave.
 Bryn Mawr, PA 19010
 Municipality Deer Lake Borough
 County **Schuylkill County**
 Application Received June 17, 2024
 Permit Issued August 30, 2024
 Description PAWC Frackville (PWS ID
 3540069) Designation of Water
 Quality Parameters.

Construction/Operation Permit No. 5424505MA,
 Minor Amendment, Public Water Supply.

Applicant **Pennsylvania American
 Water Company—Frackville**
 Address 852 Wesley Dr.
 Mechanicsburg, PA 17055
 Municipality Frackville Borough
 County **Schuylkill County**
 Consulting Engineer Eric Keller, P.E.
 852 Wesley Dr.
 Mechanicsburg, PA 17055
 Application Received May 17, 2024
 Permit Issued August 30, 2024
 Description PWS Construction/Operation
 permit issued to PAWC
 Frackville for replacement of
 four (4) chlorine analyzer units.

*Southeast Region: Safe Drinking Water Program, 2
 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: Kimberleigh Rivers Clerical Assistant 2, 484-
 250-5887.*

Construction Permit No. 4624516, Major Amend-
 ment, Public Water Supply.

Applicant **PA American Water Company**
 Address 852 Wesley Drive
 Mechanicsburg, PA 17055
 Municipality Worcester Township
 County **Montgomery County**

Consulting Engineer Herbert, Rowland, Grubic, Inc.
 501 Allendale Road
 Suite 203
 King of Prussia, PA 19406
 Application Received July 9, 2024
 Permit Issued August 27, 2024
 Description The project involves the
 construction of a new EFI style
 pre-manufactured booster pump
 station at the site of the East
 Norristown Storage Tank.

*Southwest Region: Safe Drinking Water Program, 400
 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-
 4000.*

*Contact: Renee Diehl, Program Manager, ra-epswsdw@
 pa.gov.*

**Emergency Interconnection Designation Permit
 No. 0424518-EI**, Public Water Supply.

Applicant **New Sewickley Township
 Municipal Authority**
 Address 233 Miller Road
 Rochester, PA 15074
 Municipality New Sewickley Township
 County **Beaver County**
 Consulting Engineer Lennon, Smith, Souleret
 Engineering, Inc.
 846 Fourth Avenue
 Coraopolis, PA 15108
 Application Received July 11, 2024
 Permit Issued August 27, 2024
 Description Emergency Interconnection
 Designation for the
 interconnection with the
 Ambridge Water Authority (Lovi
 Road Interconnection).

*Northcentral Region: Safe Drinking Water Program,
 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-
 6448, 570-327-3636.*

*Contact: Olivia Harris, Clerical Supervisor I, 570-327-
 0561.*

Operation Permit 5924502 MA. PWSID No. **2590908**.
Sanhoos Inc., Lawrenceville Exxon, 165 Lamont
 Drive, Cogan Station, PA 14428, Lawrence Township,
Tioga County. Application received: August 8, 2024.
 Permit Issued: August 27, 2024. This permit approves
 operation of the Lawrenceville Exxon public water sys-
 tem, including Well No. 1, with a softening system,
 reverse osmosis system, two 300-gallon raw water tanks,
 sediment removal cartridge filters, booster pump, two
 500-gallon treated water storage tanks, and an ultraviolet
 light

*Southcentral Region: Safe Drinking Water Program,
 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-
 705-4700.*

*Contact: Daniel J. Cannistraci, Environmental Engi-
 neering Specialist, 717-705-4708.*

Construction Permit 3624503. PWSID No. **7360781**.
Mark-V Hospitality, LLC, 6725 Fieldcrest Dr, Delmont,
 PA 15626, Penn Township, **Lancaster County**. Applica-
 tion received: February 22, 2024. Permit Issued: August

30, 2024. This action authorizes a re-rate of Well No. 1 to 68-gpm and upgrades to the cation exchange and disinfection systems.

Contact: Wade Cope, P.E., Environmental Engineer, 717-705-4708.

Construction Permit 2123516. PWSID No. **7210048.** **Aqua Pennsylvania, Inc.**, 762 West Lancaster Avenue, Bryn Mawr, PA 19010, Monroe Township, **Cumberland County.** Application received: December 14, 2023. Permit Issued: August 27, 2024. Construction permit for well station upgrades in the White Rock Acres Water System.

Southwest Region: Safe Drinking Water Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Renee Diehl, Program Manager; ra-epsdsw@pa.gov.

NCWSA Construction Permit 4560844. PWSID No. **4560844.** **Leskinen Enterprises, Inc., d/b/a Somersfield South Rec Area**, 104 Marina Drive, Addison, PA 15411, Addison Township, **Somerset County.** Application received: July 23, 2024. Permit Issued: August 30, 2024. Installation of two chlorine contact tanks.

SEWAGE FACILITIES ACT PLAN APPROVAL

Plan Approvals Granted Under the Pennsylvania Sewage Facilities Act, Act of January 24, 1966, P.L. 1535, as Amended, 35 P.S. § 750.5.

Southcentral Region: Clean Water Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Noah D. Niedererr, Sewage Planning Specialist, 717-705-4768.

Plan Location:

<i>Municipality</i>	<i>Address</i>	<i>County</i>
Springettsbury Township	1501 Mount Zion Road York, PA 17402	York County

Plan Description:

Springettsbury Township Mill Creek Interceptor Replacement, D1-67957-ACT. Approval of a revision to the official plan of Springettsbury Township, **York County.** The project is known as the Mill Creek Interceptor Replacement. The plan provides for movement and upgrading of the existing Mill Creek Interceptor concurrent with widening of Interstate 83. The upgrade will increase the capacity of this section of the conveyance system from average daily flows of 10.4 MGD to 20.2 MGD, and they will be tributary to Springettsbury Township wastewater treatment plant. The proposed project is located along the north side of Interstate 83 in Springettsbury Township, York County. The DEP Code Number for this special study is D1-67957-ACT and the APS ID No. is 1118586. Any permits must be obtained in the name of the municipality.

SEWAGE FACILITIES ACT PLAN DISAPPROVAL

Plan Disapprovals Granted Under the Pennsylvania Sewage Facilities Act, Act of January 24, 1966, P.L. 1535, as Amended, 35 P.S. § 750.5.

Southcentral Region: Clean Water Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Lindsay Graeff, Sewage Planning Specialist, 717-705-4866.

Plan Location:

<i>Municipality</i>	<i>Address</i>	<i>County</i>
Maidencreek Township n/a	1 Quarry Road P.O. Box 319 Blandon, PA 19510	Berks County

Plan Description:

Deerfoot Vineyards & Winery Development, A3-06942-135-2. August 20, 2024 Maidencreek Township c/o Diane Hollenbach, 1 Quarry Road, Blandon, PA 19510 Re: Denial Letter—Administratively Incomplete Application Component 2 Planning Module Deerfoot Vineyards & Winery Development DEP Code No. A3-06942-135-2 APS ID No. 1119848 Auth ID No. 1495897 Maidencreek Township, **Berks County.** *Dear Township Supervisors:* The Department of Environmental Protection (DEP) has reviewed the previously listed referenced application and has determined that it is incomplete, and it is therefore denied. The application is incomplete due to the failure to provide sufficient information and supporting documentation as required by Act 537, The Clean Streams Law (CSL), and regulations promulgated thereunder, for DEP to conduct a technical review and act upon the application. The following list specifies the items that were not included in your application: 1. The submission did not include a preliminary hydrogeologic study. 2. The submission did not include a project narrative discussing the long-term operation and maintenance of the on-lot sewage facilities. 3. The submission did not include Site Investigation and Percolation Test Reports for On-Lot Disposal of Sewage. 4. The submission did not include a Pennsylvania Natural Diversity Inventory (PNDI) review and receipt/response from the affected agency(ies). 5. The submission did not include either the appropriate clearance for the project from the Pennsylvania Historical and Museum Commission (PHMC), or a completed Cultural Resource Notice (CRN) and a return receipt for the CRN submission to the PHMC. 6. The submission did not include an Alternative Sewage Facilities Analysis. 7. The submission indicates the presence of marginal conditions in section G(3)(b), therefore section Q should be completed by the municipality. NOTE: Per the Maidencreek 537 Plan dated 01/25/2006, the Township does acknowledge that subdivision or land development proposals in areas underlain by carbonate geology or within the 1/4 mile radius of documented high-nitrate wells must complete a preliminary hydrogeologic study as part of the subdivision or land development process when the use of OLDS is proposed. Any reconsideration of this project shall occur only if a complete and updated set of planning modules is submitted. The new DEP Code No. B3-06942-135-2 must be used. All materials must be newly adopted by resolution, and otherwise meet the requirements of Chapter 71 of DEP's regulations. Any person aggrieved by this action may appeal the action to the Environmental Hearing Board (Board), pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. § 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A. The Board's address is: Environmental Hearing Board, Rachel Carson State Office Building, Second Floor, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457. TDD users may contact the Environmental Hearing Board through the Pennsylvania Relay Service, 800-654-5984. Appeals must be filed with the Board within 30 days of receipt of notice of this action unless the appropriate statute provides a different time. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law. A Notice of Appeal form and the Board's rules of practice

and procedure may be obtained online at <http://ehb.courtapps.com> or by contacting the Secretary to the Board at 717-787-3483. The Notice of Appeal form and the Board's rules are also available in braille and on audiotape from the Secretary to the Board. **IMPORTANT LEGAL RIGHTS ARE AT STAKE. YOU SHOULD SHOW THIS DOCUMENT TO A LAWYER AT ONCE. IF YOU CANNOT AFFORD A LAWYER, YOU MAY QUALIFY FOR FREE PRO BONO REPRESENTATION. CALL THE SECRETARY TO THE BOARD AT 717-787-3483 FOR MORE INFORMATION. YOU DO NOT NEED A LAWYER TO FILE A NOTICE OF APPEAL WITH THE BOARD. IF YOU WANT TO CHALLENGE THIS ACTION, YOUR APPEAL MUST BE FILED WITH AND RECEIVED BY THE BOARD WITHIN 30 DAYS OF RECEIPT OF NOTICE OF THIS ACTION.** If you have any questions or concerns, please contact Lindsay Graeff at ligraeff@pa.gov or 717-705-4866, and refer to DEP Code No. A3-06942-135-2, Application No. 1119848, and Authorization No. 1495897. Sincerely, Brian Schlauderaff, Environmental Group Manager, cc: Daniel Brown—Deerfoot Farm—Developer (pdf) Jeremy Kerstetter—Environmental Design Service (previously from Clear Water Design LLC)—Consultant (pdf) Natalie Lonsinger—Environmental Design Service—Consultant (pdf) Scot McCaffrey, SEO—Maidencreek Township SEO (pdf) Berks County Planning Commission (pdf)

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 2

The Following Plans and Reports Were Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The Department has received the following plans and reports.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

D. Lewis Pad 1, Primary Facility ID # **871207**, 1214 Lewis Road, Montrose, PA 18801, Bridgewater Township, **Susquehanna County**. Resource Environmental Management, 50 Maple Street, Montrose, PA 18801, on behalf of Coterra Energy, Inc., 2000 Park Lane, Suite 300, Pittsburgh, PA 15275, submitted a Final Report concerning remediation of soil contaminated with oil-based drilling mud. The Final Report is intended to document remediation of the site to meet the Statewide health and background standards.

610 Chestnut Street, Primary Facility ID # **876006**, 610 Chestnut Street, Freeland, PA 18224, Freeland Borough, **Luzerne County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Jeffrey and Katy Prussock, 29 Schwabe Street, Freeland, PA 18224, submitted a Final Report concerning remediation of soil contaminated with heating oil. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

Pennsy Supply—Summit Station Quarry, Primary Facility ID # **878061**, 2225 Fair Road, Schuylkill Haven, PA 17972, Wayne Township, **Schuylkill County**. United Environmental Services, P.O. Box 701, Schuylkill Haven, PA 17972, on behalf of Pennsy Supply, Inc., 2400 Thea Drive, Suite 3A, Harrisburg, PA 17110, submitted a Final Report concerning remediation of soil contaminated with antifreeze, tar, grease, lubricant oil, gear oil, transformer oil, and hydraulic oil. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Nick, 814-332-6978.

Sheetz 859, Primary Facility ID # **877725**, 5781 State Route 8, Harrisville, PA 16038, Barkeyville Borough, **Venango County**. EnviroTrac, Ltd., 176 Thorn Hill Road, Warrendale, PA 15086, on behalf of Sheetz, Inc., 243 Sheetz Way, Claysburg, PA 16225, submitted a Final Report concerning remediation of soil and groundwater contaminated with benzene, ethylbenzene, cumene, toluene, 1,2,4-trimethylbenzene, 1,3,5-trimethylbenzene, naphthalene, methyl-tert-butyl ether, and total xylenes. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Environmental Cleanup & Brownfields Program Manager, 717-705-4705.

Norfolk Southern Lucknow Fueling Station, Primary Facility ID # **749114**, 3322 Industrial Road, Harrisburg, PA 17110, City of Harrisburg, **Dauphin County**. Arcadis U.S., Inc., 2100 Georgetown Drive, Suite 402, Sewickley, PA 15143, on behalf of Norfolk Southern

Railway Co., 650 West Peachtree Street NW, Atlanta, GA 30308, submitted a Final Report concerning remediation of soil contaminated with diesel fuel. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: C. David Brown, Professional Geologist Manager, 484-250-5792.

Trainers Corner Shopping Center, Primary Facility ID # **865024**, 100-246 North West End Boulevard, Quakertown, PA 18951, Richland Township, **Bucks County**. David DiPascale, TTI Environmental Inc., 1253 North Church Street, Moorestown, NJ 08057, on behalf of Todd Dratch, Highglen-Pineville Quakertown Associates LP, 310 Yorktown Plaza, Elkins Park, PA 19027, submitted a Final Report concerning remediation of soil contaminated with Site soil is contaminated with chlorinated solvents. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

213 Washington St, Primary Facility ID # **871715**, 213 Washington Street, Bristol, PA 19007, Bristol Borough, **Bucks County**. Bryan K. Sterner, Crawford Environmental Services, LLC, 20 Cardinal Drive, Birdsboro, PA 19508, on behalf of Mark Bonetti, Bucks County, Fiel, LLC, 2780 Bristol Pike, Suite 23, Bensalem, PA 19020, submitted a Final Report concerning remediation of soil contaminated with Site soil contaminated with No. 2 fuel oil. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

1801-1807 N 19th St & 1857 W Montgomery Ave, Primary Facility ID # **803427**, 1801-1807 N 19th St & 1857 W Montgomery Ave, Philadelphia, PA 19121, **Philadelphia County**. Richard S. Werner, Environmental Consulting, Inc., 2002 Renaissance Boulevard, Suite 110, King of Prussia, PA 19406, on behalf of Edward McColly, Habitat for Humanity Philadelphia, 1829 North 19th Street, Philadelphia, PA 19132, submitted a Cleanup Plan/Final Report concerning remediation of soil and groundwater contaminated with Site soil and groundwater is contaminated with No. 2 fuel oil. The Cleanup Plan/Final Report is intended to document remediation of the site to meet the site-specific standards.

Simeone Garage, Primary Facility ID # **864800**, 510-528 South Street, Philadelphia, PA 19147, City of Philadelphia, **Philadelphia County**. Bridget Shadler, August Mack Environmental, Inc., 806 Fayette Street, Conshohocken, PA 19428, on behalf of Naomi Alter-Ohayon, 510 S 8th LP, 316 7th Street, Philadelphia, PA 19106, submitted a Remedial Investigation Report/Cleanup Plan concerning remediation of soil and groundwater contaminated with Site soil and groundwater is contaminated with diesel fuel, leaded gasoline, and unleaded gasoline. The Remedial Investigation Report/Cleanup Plan is intended to document remediation of the site to meet the site-specific standards.

109 Fairview Road, Primary Facility ID # **873130**, 109 Fairview Rd, Crum Lynne, PA 19022, Ridley Township, **Delaware County**. Gilbert J. Marshall, P.G., Marshall Geoscience, Inc., 170 1st Ave, Collegeville, PA 19426, on behalf of Gary Cocco, Eddystone Commons LLC, 201 Saville Ave, Eddystone, PA 19022, submitted a combined Remedial Investigation Report/Cleanup Plan/Final Report concerning remediation of soil and groundwater contaminated with Site soil and groundwater is contaminated with No. 2 fuel oil, kerosene, and unleaded gasoline. The

combined Remedial Investigation Report/Cleanup Plan/Final Report is intended to document remediation of the site to meet the Statewide health and site-specific standards.

201 South Caln Rd Multi-Family Property, Primary Facility ID # **654810**, 201 South Caln Rd, Coatesville, PA 19320, Caln Township, **Chester County**. Richard Lake, Geo-Technology Associates, Inc., 2405 John Fries Highway, Building 3, Quakertown, PA 18951, on behalf of Michael Charlton, ESC Chester, LLC, 5074 Dorsey Hall Drive, Suite 205, Ellicott City, MD 21042, submitted a Final Report concerning remediation of soil contaminated with Site soil is contaminated with arsenic. The Final Report is intended to document remediation of the site to meet the site-specific standards.

Former Teaford Garage, Primary Facility ID # **877477**, 551 East 10th Ave, Conshohocken, PA 19428, Whitemarsh Township, **Montgomery County**. Walter Hungarter III, P.E., RT Environmental Services, Inc., 215 West Church Rd, King of Prussia, PA 19406, on behalf of Marc Pelliccuotta, DP Springmill Developers, LLC, 967 East Swedesford Road, Suite 400, Exton, PA 19341, submitted a Final Report concerning remediation of soil contaminated with Site soil is contaminated with benzo(a)pyrene and lead. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

Liguori Academy, Primary Facility ID # **877350**, 2343 E Tucker St, Philadelphia, PA 19125, City of Philadelphia, **Philadelphia County**. Richard S. Werner, Environmental Consulting, Inc., 2002 Renaissance Boulevard, Suite 110, King of Prussia, PA 19406, on behalf of Alice Niles, Liguori Academy, 2343 East Tucker Street, Philadelphia, PA 19125, submitted a Final Report concerning remediation of soil contaminated with Site soil is contaminated with No. 2 fuel oil. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 3

The Department Has Taken Action on the Following Plans and Reports Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A reme-

dial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The DEP may approve or disapprove plans and reports submitted. This notice provides DEP's decision and, if relevant, the basis for disapproval.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The DEP has received the following plans and reports.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

UGI Hunlock Power Plant Transformer Release, Primary Facility ID # **621367**, 390 US Route 11, Hunlock Creek, PA 18621, Hunlock Township, **Luzerne County**. BL Companies, 1100 First Avenue, Suite 104, King of Prussia, PA 19406, on behalf of UGI Utilities, Inc., 1 UGI Drive, Denver, PA 17517, submitted a Final Report concerning remediation of soil contaminated with transformer oil. The Final Report demonstrated attainment of the Statewide health standards. Approved: August 27, 2024.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: C. David Brown, Professional Geologist Manager, 484-250-5792.

Gryphin Coatings, Inc., Primary Facility ID # **817323**, 3501-3549 Richmond Street, Philadelphia, PA 19134, City of Philadelphia, **Philadelphia County**. TriState Environmental Management Services, Inc., 3937A Bristol Pike, Bensalem, PA 19020, on behalf of Dooling Properties, LLC, 1817 East Venango Street, Philadelphia, PA 19134, submitted a Remedial Investigation Report concerning remediation of soil and groundwater contaminated with No. 2 fuel oil constituents, chlorinated solvents, metals, and polycyclic aromatic hydrocarbons (PAHs). The Report. Approved: August 20, 2024.

Lukas Property, Primary Facility ID # **707746**, 362 West Lancaster Avenue, Wayne, PA 19087, Radnor Township, **Delaware County**. Synergy Environmental, Inc., 7135 North Lima Road, Youngstown, OH 44514, on behalf of Joe Lukas, 1410 Shore Road, Northfield, NJ 08225, submitted a combined Remedial Investigation Report/

Cleanup Plan/Final Report concerning remediation of soil and groundwater contaminated with benzene, naphthalene, tetrachloroethene (PCE), trichloroethene (TCE), 1,2,4-trimethylbenzene (1,2,4-TMB), 1,3,5-trimethylbenzene, vinyl chloride, and 1,2-dichloroethane. The Final Report demonstrated attainment of the Statewide health and site-specific standards. Approved: August 20, 2024.

Pottstown Plating Works Site, Primary Facility ID # **841331**, 215 South Washington Street, Pottstown, PA 19464, Pottstown Borough, **Montgomery County**. Joseph Kravcik, Environmental Standards, Inc., 1140 Valley Forge Road, P.O. Box 810, Valley Forge, PA 19482, on behalf of John Jones, 215 South Washington Street, LLC, 800 Industrial Highway, Pottstown, PA 19464, submitted a Risk Assessment/Final Report concerning remediation of soil and groundwater contaminated with chlorinated solvents and metals. The Final Report demonstrated attainment of the site-specific standards. Approved: August 26, 2024.

DETERMINATION OF APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

Actions(s) Taken on Permit(s) Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for Determination of Applicability for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other than Coal Ash.

Southcentral Region: Waste Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Carrie A. Fleming, Program Manager.

WMGR081SC008. Alpha Assembly Solutions, Inc., 4100 6th Avenue, Altoona, PA 16602, City of Altoona, **Blair County**. This permit authorizes the processing by disassembling, mechanical processing (by sizing, shaping, separating and volume reduction only), and associated storage prior to reuse or recycling at the processing or transfer facility, of uncontaminated and source separated electronic devices. Application received: May 16, 2024. Issued: August 29, 2024.

Persons interested in reviewing the permit may contact Carrie A. Fleming, Program Manager, Southcentral Region, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

AIR QUALITY

Actions(s) Taken on General Plan Approval(s) and Operating Permit(s) Usage Authorized Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to Construct, Modify, Reactivate or Operate Air Contamination Sources and Associated Air Cleaning Devices.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

GP14-49-332B: Cronrath Grenoble Funeral Home Inc., 308 Main Street, Watsonstown, PA 17777, Watsonstown Borough, **Northumberland County**. To construct and operate the B & L Cremation Systems, Inc. model N-20 human cremation unit pursuant to the General Plan Approval and/or General Operating Permit for Human or Animal Crematories (BAQ-PGPA/GP-14) provided that the cremation unit is operated as specified in the application and in accordance with all conditions contained in the respective GP-14. Application received: August 1, 2024. GP coverage issued: August 14, 2024. Expiration date: August 13, 2029.

AG5-59-00030B: NFG Midstream Covington, LLC, 101 West Third Street, Third Floor, Williamsville, NY 14221, Middlebury Township, **Tioga County**. The Department issued authorization to construct and operate one (1) 1,900 bhp Waukesha L7044GSI S5 natural gas fires compressor engine controlled by NSCR; one (1) 1,114 bhp Caterpillar G3512 natural gas-fired backup emergency generator rated at 750 kW; one (1) 566 brake-horsepower (bhp) EPA certified PSI/Doosan natural gas-fired four-stroke rich-burn engine with non-selective catalytic reduction controls to power a Kohler model 300REZXD emergency electrical generator rated at 300 kW; two (2) Cimarron 200 MMsctd triethylene glycol dehydrators with flash tanks and 10 MMBtu/hr Cimarron enclosed flares for still vent emissions control and equipped with 2.25 MMBtu/hr reboiler burners; two (2) 3,000-gallon lube oil tanks; two (2) 150-gallon lube oil tanks; one (1) 1,500-gallon triethylene glycol storage tank; three (3) 16,800-gallon waste fluid tanks; one (1) 4,200-gallon waste fluids tank; one (1) 1,000-gallon waste fluid tank; one (1) 300-gallon glycol tank; four (4) 8.66 MMBtu/hr Flameco natural gas-fired pipeline heaters with liquids loading and associated piping, pigging and venting operations and fugitive components pursuant to the General Plan Approval and/or General Operating Permit for Compression Stations, Processing Plants and Transmission Stations (BAQ-GPA/GP-5). Application received: August 9, 2024. GP coverage issued: August 26, 2024. Expiration date: August 25, 2029.

AG5-59-00017B: NFG Midstream Covington, LLC, 6363 Main Street, Williamsville, PA 14421, Chatham Township, **Tioga County**. DEP authorization to construct and operate one (1) 1,480 hp Waukesha L7042GSI S4 natural gas fired compressor engine controlled by a SNCR unit. The permittee was also authorized to continue to operating the following existing sources previously authorized under AG5-59-00017A: one (1) 1,340 bhp Caterpillar G3516 TALE natural gas fired compressor engine controlled by oxidation catalyst; one (1) 1,380 bhp Caterpillar G3516B LE natural gas fired compressor engine controlled by oxidation catalyst; three (3) 60 MMSCTD tri-ethylene glycol dehydration units associated with 0.50MMBtu/hr reboiler; two (2) 300 gallon and one (1) 350 gallon compressor oil tanks; three (3) 300 gallon engine oil tanks; one (1) 300 gallon triethylene glycol tank; two (2) 16,800 gallon waste fluid tanks; one (1) 4,200 gallon pigging waste fluid tank; one (1) 103 bhp Kohler KG6208 natural gas fired emergency generator; one (1) 9.0 MMBtu/hr indirect gas fired line heater; and associated piping, pigging and venting operations and fugitive components pursuant to the General Plan Approval and/or General Operating Permit for Compression

Stations, Processing Plants and Transmission Stations (BAQ-GPA/GP-5). Application received: August 7, 2024. Issued: August 21, 2024. Expiration date: August 20, 2029.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Shailesh Patel, New Source Review Manager, 570-826-2341.

AG5A-58-00085A: SWN Production Company, LLC, P.O. Box 12359, Spring, TX 77391, New Milford Township, **Susquehanna County**. For the construction and operation of one (1) 1,380 BHP Caterpillar G3516J 4SLB natural gas-fired compressor engine controlled by an oxidation catalyst, and continued operation of six (6) existing natural gas wells, six (6) natural gas fired gas processing units (GPU) and associated heaters rated at 1.0 MMBtu/hr, two (2) existing 0.32 kW thermoelectric generators, one (1) existing 400 BBL and two (2) 210 BBL produced water tanks and associated unloading processes, and associated piping equipment pursuant to the General Plan Approval and/or General Operating Permit for Unconventional Natural Gas Well Site Operations and Remote Pigging Stations (BAQ-GPA/GP-5A) located at RU-20 Roman Pad. Application received: August 15, 2024. Issued: August 26, 2024, September 3, 2024.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.

GP1-67-03159: Precision Custom Components LLC, 500 Lincoln Street, P.O. Box 15101, York, PA 17405, City of York, **York County**. For two existing natural gas-fired boilers, under GP1, at the heavy-walled equipment manufacturing facility. The general permit was renewed. Application received: July 31, 2024. Issued: August 28, 2024.

GP1-01-03028D: Farm Fresh Turkey Products, LLC, 304 S. Water St., New Oxford, PA 17350, New Oxford Borough, **Adams County**. For two existing natural gas-fired boilers, 16.8 MMBtu/hr boiler and 14.3 MMBtu/hr respectively, under GP1, at the poultry processing facility. The general permit authorization underwent an ownership change. Application received: August 14, 2024. Issued: August 28, 2024.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Sheri Guerrieri, P.E., New Source Review Chief, 412-442-4174.

GP5A-30-00832B/AG5A-30-00015B: Greylock Production, LLC, 205 Carmichaels PLZ, Carmichaels, PA 15320, Whiteley Township, **Greene County**. On August 27, 2024, the Department authorized GP5A-30-00832B/AG5A-30-00015B to Greylock Production, LLC for the construction and operation of a Wildcat Well Pad for: 2-natural gas fired Caterpillar compressors at 1,340 bhp equipped with oxidation catalyst, 1-Waukesha Comp. rated at 1,380 bhp, 14-gas wells, 5-brine water tanks rated at 16,800-gallon, one produced water tank at 4,200-gallon, truck load out, compressor blow downs, fugitives,

pigging, and engine crankcase at Whiteley Township, Greene County. Application received: August 6, 2024. Authorized: August 27, 2024.

GP5-30-00211G/AG5-30-00033C: Greylock Midstream, LLC, 205 Carmichaels Plaza, Carmichaels, PA 15320, Jefferson Township, **Greene County**. On August 29, 2024, GP5-30-00211G/AG5-30-00033C was authorized to Greylock Midstream, LLC (205 Carmichaels Plaza, Carmichaels, PA 15320) to allow to replace the two existing engines (Source 101 and 102A) with new Caterpillar G3516TALE compressors (Source 101A and 102B) each rated at 1,340 bhp equipped w/oxidation catalysts, and continued operation of 1-TEG rated at 75 MMscfd w/reboiler rated at 0.75 MMBtu/hr controlled by a thermal oxidizer at 2.0 MMBtu/hr, 3-storage tanks, truck load out operations, pneumatics, fugitives, and compressor blowdowns at their existing Kuhl Skib Compressor Station located in Jefferson Township, Greene County. Application received: August 6, 2024. Authorized: August 29, 2024.

Actions(s) Taken on Plan Approval(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and Regulations in 25 Pa. Code Chapter 127, Subchapter B Relating to Construction, Modification and Reactivation of Air Contamination Sources and Associated Air Cleaning Devices.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

19-00006E: Post Brands Pet Care LLC, 6670 Low Street, Bloomsburg, PA 17815, City of Bloomsburg, **Columbia County**. The Department issued a plan approval for the removal of redundant Control Devices C246 and C247 associated with Sources P246 and P247 at the Bloomsburg Plant. Application received: April 30, 2024. Permit issued: August 30, 2024. Expiration date: March 2, 2026.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Dave Balog, P.E., 814-332-6328.

32-00452A: Rosebud Mining Company, 301 Market Street, Kittanning, PA 16201, Armstrong Township, **Indiana County**. The Department issued a plan approval to authorize the construction and temporary operation of a coal preparation plant at the Fulton Run Coal Prep Plant facility. Application received: April 3, 2023. Permit issued: August 30, 2024. Expiration date: March 1, 2026.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Sheri Guerrieri, P.E., New Source Review Chief, 412-442-4174.

PA-04-00443A: Desotec US LLC, 118 Park Road, Darlington, PA 16115, Darlington Township, **Beaver County**. On August 28, 2024, Desotec US LLC was issued a plan approval modification No. PA-04-00443A for commencement of temporary operation of a Kiln No. 1 (Source ID 101) at their Darlington Carbon Reactivation

facility located in Darlington Township, Beaver County. Application received: August 13, 2024. Issued: August 28, 2024.

PA-26-00573C: Johnson Matthey, Inc., 605 Mountain View Dr., Smithfield, PA 15478, Georges Township, **Fayette County**. On August 28, 2024, the Department of Environmental Protection issued a plan approval extension for 180 days to extend the temporary operating period at the Smithfield Facility located in Georges Township, Fayette County to allow for the review of submitted performance testing and conduct plan approval inspection. Application received: July 29, 2024. Issued: August 28, 2024.

PA-63-00096D: Union Electric Steel Corporation, 31 Union Electric Road, Burgettstown, PA 15201, Smith Township, **Washington County**. On August 28, 2024, the Department of Environmental Protection issued a plan approval extension for 180 days for the shakedown and inspection of new emission sources at the Harmon Creek Plant located in Smith Township, Washington County. Application received: August 27, 2024. Issued: August 28, 2024.

PA-63-00999A: EQM Gathering Opco, LLC, 2200 Energy Drive, Canonsburg, PA 15317, West Pike Run Township, **Washington County**. EQM Poseidon Midstream, LLC (2200 Energy Drive, Canonsburg, PA 15317) plan approval extension effective September 28, 2024, with expiration on March 28, 2025, to extend the period for temporary operation of six compressor engines each rated at 3,550 bhp, four Caterpillar each rated at 5,000 bhp, two emergency generators rated at 1,200 bhp, two tri-ethylene glycol dehydrators, four produced water tanks, three low pressure pig receivers, one high pressure pig launcher, miscellaneous lubrication oil tanks, and piping components in natural gas service at Blue Moon Compressor Station located in West Pike Run Township, Washington County. Temporary operation of five compressor engines, two tri-ethylene glycol dehydrators, four produced water tanks, miscellaneous lubrication oil tanks, and piping components in natural gas service previously authorized under GP5-63-00999A is also extended. Application received: August 19, 2024. Issued: September 3, 2024.

Plan Approval Revision(s) Issued Including Extension(s), Minor Modification(s) and Transfer(s) of Ownership Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

18-00035A: Terreva Renewable Energy, LLC, 3340 Peachtree Road, Suite 170, Atlanta, GA 30326, Wayne Township, **Clinton County**. The Department issued a plan approval extension for the temporary operation of the sources covered by this plan approval at the Terreva Wayne Township RNG facility until compliance performance testing is complete and verified, after which the terms and conditions of the plan approval may be incor-

porated into an initial State Only Operating Permit. Application received: August 26, 2024. Extension: August 29, 2024. New expiration date: February 26, 2025.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: David Balog, New Source Review Section Chief, 814-332-6328.

03-00274A: Sugarcreek Cremations LLC, 1520 State Route 268, Cowensville, PA 16028, Sugarcreek Township, **Armstrong County**. Issued a 2-month plan approval extension, to allow more time to assess plan approval compliance. This extension expires October 27, 2024. Application received: August 27, 2024. Issued: August 27, 2024.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Sheri Guerrieri, P.E., New Source Review Chief, 412-442-4174.

PA-30-00072E: Consol Pennsylvania Coal Company, LLC, 275 Technology Drive, Suite 101, Canonsburg, PA 15317, Richhill Township, **Greene County**. For plan approval extension to authorize continued temporary operation of sources and controls associated with the Crabapple Overland Conveyor. Application received: July 26, 2024. Effective: August 28, 2024.

PA-30-00072L: Consol Pennsylvania Coal Company, LLC, 275 Technology Drive, Suite 101, Canonsburg, PA 15317, Richhill Township, **Greene County**. For plan approval extension to authorize continued temporary operation of RACT II affected sources and controls associated with the Bailey Prep Plant. Application received: July 26, 2024. Effective: August 28, 2024.

PA-04-00445E: VEKA, Inc., 100 Veka Drive, Fombell, PA 16123, Marion Township, **Beaver County**. For plan approval extension to authorize continued temporary operation of air contamination sources and controls at the VEKA Fombell Plant. Application received: July 22, 2024. Effective: August 28, 2024.

Title V Operating Permit(s) Issued Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

28-05012: Volvo Construction Equipment North America LLC, 312 Volvo Way, Shippensburg, PA 17257-9209, Shippensburg Borough, **Franklin County**. For the construction equipment manufacturing facility. The Title V permit was renewed. Application received: September 29, 2023. Issued: August 26, 2024.

38-05019: Helix Ironwood, LLC, 305 Prescott Road, Lebanon, PA 17042-9178, South Lebanon Township, **Lebanon County**. For the renewal of the facility's Title V Operating Permit, and the approval of a Reasonably Available Control Technology 3 (RACT 3) plan for the electric generating facility. The portions of the permit related to approval of the RACT 3 case-by-case proposal

will be submitted to US EPA for approval and incorporation into Pennsylvania's State Implementation Plan (SIP). Other requirements will be excluded from the SIP submittal. Application received: November 18, 2022. Issued: August 27, 2024.

Operating Permit(s) for Non-Title V Facilities Issued Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

17-00006: Mt. Savage Specialty Refractories Co., 4882 Curwensville Grampian Hwy, Curwensville, PA 16833, Pike Township, **Clearfield County**. The Department issued a renewal of the State Only Operating Permit authorization on August 5, 2024, for continued operation of their Curwensville plant. All applicable Federal and State regulatory requirements are incorporated into the Operating Permit, including testing, monitoring, recordkeeping, reporting, work practices and other conditions to verify compliance. Application received: September 8, 2023. Issued: August 9, 2024. Expired: August 8, 2029.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Matthew Williams, Facilities Permitting Chief, 814-332-6940.

16-00035: Commodore Homes of PA, 20898 Paint Blvd, Shippensburg, PA 16254-4712, Paint Township, **Clarion County**. The Department issued the renewal State Only Natural Minor Operating Permit for the mobile and modular home manufacturing facility. The facility's primary emission sources include facility heaters, the adhesive and surface coating application processes, woodworking processes with particulate emissions controlled by cyclones and baghouses, drywall finishing, a parts washer, an emergency power generator, and an emergency water pump for fire suppression. The potential emissions of the primary pollutants from the facility after permit limitations are as follows: 2.42 TPY (tons per year) NO_x, 1.51 TPY CO, 5.59 TPY VOC, 1.58 TPY total HAP, 2.72 TPY PM₁₀ and PM_{2.5}, and 0.07 TPY SO_x. The facility's plan approval restricts hours of production to 2,500 hours per year on a 12-month rolling basis, as well as a firm VOC restriction of 49 tons per year. The adhesive and surface coating processes are potentially subject to 25 Pa. Code §§ 129.52 and 129.52c for control of VOC emissions from surface coating processes. The parts washer is subject to 25 Pa. Code § 129.63 for degreasing operations. The emergency generator and water pump are both subject to 40 CFR 63 Subpart ZZZZ, NESHAP for Existing Emergency CI RICE and Existing Emergency SI RICE at an Area Source of HAP. The renewal permit contains emission restrictions, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act. Application received: September 26, 2023. Renewal issued: August 21, 2024.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.

07-05033: Grannas Bros. Stone & Asphalt Co., Inc., P.O. Box 488, Hollidaysburg, PA 16648-0488, Catharine Township, **Blair County**. For the stone crushing and asphalt production operations at the Ganister Quarry. The State-Only permit was renewed. Application received: March 28, 2024. Issued: August 27, 2024.

67-05136: Wellspan York Hospital, 1001 South George Street, York, PA 17403-3676, City of York, **York County**. For the hospital facility. The State-Only permit was renewed. Application received: April 11, 2024. Issued: August 27, 2024.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

22-03013: UPMC Harrisburg, 218 S. 2nd Street, Harrisburg, PA 17104-1601, City of Harrisburg, **Dauphin County**. For the boilers and generators at the Harrisburg Hospital. The State-Only permit was renewed. Application received: June 18, 2024. Issued: August 27, 2024.

Operating Permit Revisions Issued Including Administrative Amendments, Minor Modifications or Transfer of Ownership Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief, 484-250-5920.

46-00298: GlaxoSmithKline LLC/Upper Merion East, 709 Swedeland Rd, UEO393, King of Prussia, PA 19406-0939, Upper Merion Township, **Montgomery County**. The permit is amended to incorporate terms and conditions of Plan Approval No. 46-0298, which is for the installation and operation of a new 600-kw electric gen-

erator (EGEN) powered by a 909-hp diesel-fired engine (Source ID 110). Application received: August 8, 2024. Issued: August 26, 2024.

De Minimis Emissions Increases Authorized under 25 Pa. Code § 127.449.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Sheri Guerrieri, P.E., New Source Review Chief, 412-442-4174.

OP-65-01037: Alcoa Technical Center LLC, 859 White Cloud Road, New Kensington, PA 15068, Upper Burrell Township, **Westmoreland County**. On July 22, 2024, Alcoa Technical Center LLC (859 White Cloud Road, New Kensington, PA 15068), submitted a revised request for determination which would result in an emission increase at its Alcoa Technical Center. This Notice is published per 25 Pa. Code § 127.449(i). The Alcoa Technical Center is a research facility. This facility is regulated by natural minor, State Only Operating Permit, SOOP-65-01037, last renewed on October 14, 2021. The project is the replacement of an existing, diesel powered, emergency generator set with a 750-kw emergency generator set. The new emergency engine will comply with EPA Interim Tier 4 emission requirements. The new engine has potential annual emissions of 0.64 ton of NO_x, 0.64 ton of CO, 0.08 ton of VOC, 0.03 ton of PM₁₀, 0.03 ton of PM_{2.5}, 0.01 ton of HAPs, and 134 tons of CO_{2e}. The Alcoa Technical Center will comply with requirements in eRFD # 10411. Installation of this emergency engine will not change potential air emissions from any other source at the facility. After review, the Department has determined that this project is exempt from Plan Approval as a de minimis emission increase per Section 127.14(a)(8) listed as Number 36 in the Department's Plan Approval and Operating Permit Exemption List (275-2101-003/July 1, 2021) established under 25 Pa. Code § 127.14(d). Also, this project is not exempt from Operating Permit. The constructed equipment and these requirements will be incorporated into the State Only Operating Permit at a later time. The following list displays the change in potential emissions from the facility during the current permit term:

Action	Date	Source	NO _x	CO	VOC	PM ₁₀	PM _{2.5}	SO ₂	Combined HAPs	CO _{2e}
			(tpy)							
Previous Emission Changes										
9993	4/10/23	Addition of Batch Kiln	0.00	0.00	0.20	0.00	0.00	0.00	0.20	0.00
10026	6/30/23	Addition of Furnace w/Thermal Oxidizer	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10615	7/10/24	Addition of two Batch Kilns	0.00	0.00	0.28	0.00	0.00	0.00	0.00	0.00
Current Emission Change										
10411	8/21/24	Addition of 750-kw	0.64	0.64	0.073	0.021	0.021	0.001	0.003	134
Sum of Changes			0.64	0.64	0.55	0.02	0.02	0.00	0.20	134

If you have any questions or require further assistance, please contact Sheri Guerrieri at 412-442-4174 or via email at shguerrier@pa.gov.

ACTIONS ON COAL AND NONCOAL APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the National Pollutant Discharge Elimination System (NPDES) permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to such applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1103). Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Coal Permits

California District Mining Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.

Contact: Bonnie Herbert, Clerical Assistant 3.

Mining Permit No. 32061302. Rosebud Mining Company, 301 Market Street, Kittanning, PA 16201, Young Township, **Indiana County**. To renew the permit. Application received: March 31, 2023. Accepted: June 1, 2023. Issued: August 19, 2024.

Mining Permit No. 03831305. Consol Mining Company LLC, 275 Technology Drive, Suite 101, Canonsburg, PA 15317, Plumcreek Township, **Armstrong County**. To renew the permit and to remove seven (7) monitoring points from the quarterly monitoring program. Application received: July 15, 2020. Accepted: September 17, 2020. Issued: August 20, 2024.

New Stanton District Mining Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.

Contact: Tracy Norbert, RA-EPNEWSTANTON@pa.gov.

Mining Permit No. 26130102. Valhalla Mining Company, LLC, 170 Yasenosky Road, Smithfield, PA 15478, Dunbar Township, **Fayette County**. Renewal permit for reclamation only to an existing bituminous surface mine, affecting 61.6 acres. Receiving streams: unnamed tributaries to Gist Run; classified for the following use: TSF. Application received: December 1, 2023. Issued: August 28, 2024.

Noncoal Permits

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

Contact: Alicia Cook, Clerical Assistant 3, 814-343-3328.

Mining Permit No. 61232802. Ben Hal Mining, Inc., 389 Irishtown Road, Grove City, PA 16127, Clinton Town-

ship, **Venango County**. Stage I release for a Small Noncoal surface mining operation. 2.0 acres were requested for release. Application received: July 25, 2024. Approved: August 28, 2024.

Mining Permit No. 16242802. P. Tinker's Contracting, Inc., 954 Reed Road, Clarion, PA 16214, Ashland Township, **Clarion County**. Commencement, operation and restoration of a small industrial minerals mine affecting 5.0 acres. Receiving stream(s): UNT to Little East Sandy Creek classified as the following use(s): CWF. Application received: May 10, 2024. Issued: August 28, 2024.

Mining Permit No. 33242801. M&M Trucking & Metals, LLC, 59 Hero Lane, Punxsutawney, PA 15767, Gaskill Township, **Jefferson County**. Commencement, operation and restoration of a small industrial minerals mine affecting 5.0 acres. Receiving stream(s): UNT to Ugly Run and Clover Run classified as the following use(s): CWF. Application received: July 1, 2024. Issued: August 28, 2024.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

Mining Permit No. 5278SM2. NPDES Permit No. PA0595764. Heidelberg Materials Northeast, LLC, 7660 Imperial Way, Allentown, PA 18195, Lake Township, **Wayne County**. Renew NPDES Permit on a quarry operation. Receiving stream: UNT of Middle Creek. Application received: December 19, 2023. Renewal issued: September 3, 2024.

Mining Permit No. 58240802. GP104 Permit No. PAM124009. Hawley Family Farms, LLC, 321 Cantone Road, Montrose, PA 18801, Choconut Township, **Susquehanna County**. Coverage under the General NPDES Stormwater Permit for stormwater discharges associated with mining activities (BMP-GP-104). Receiving stream: UNT to Choconut Creek and Choconut Creek. Application received: March 27, 2024. Permit issued: September 3, 2024.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Action(s) Taken on Application(s) Under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting Activity Performed as Part of a Coal or Noncoal Mining Activity will be Regulated by the Mining Permit for that Coal or Noncoal Mining Activity.

Blasting Permits

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.

Contact: RA-EPCAMBRIADMO@pa.gov.

Permit No. 11244102. Wampum Hardware Company, 636 Paden Road, New Galilee, PA 16141-2018, Jackson Township, **Cambria County**. Blasting activity permit for commercial development with an expiration date of December 31, 2025 Application received: August 23, 2024. Issued: August 28, 2024.

New Stanton District Mining Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.

Contact: Tracy Norbert, RA-EPNEWSTANTON@pa.gov.

Permit No. 03244102. Wampum Hardware Company, 636 Paden Road, New Galilee, PA 16141, Boggs Township, **Armstrong County**. Blasting Activity Permit

for the construction of Mascaro Rt 66 Highway, with an expiration date of December 31, 2025. Application received: August 23, 2024. Issued: August 27, 2024.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

Permit No. 46244107. Maine Drilling & Blasting, Inc., P.O. Box 1140, Gardiner, ME 04345, Marlborough Township, **Montgomery County.** Construction blasting for H & K Trench. Application received: August 26, 2024. Permit issued: August 29, 2024. Expiration date: August 31, 2025.

Permit No. 36244130. Maine Drilling & Blasting, Inc., P.O. Box 1140, Gardiner, ME 04345, Rapho Township, **Lancaster County.** Construction blasting for Core 5 283 offsite trench. Application received: August 23, 2024. Permit issued: September 3, 2024. Expiration date: August 23, 2025.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department of Environmental Protection (DEP) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, DEP has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), and that the construction will not violate applicable Federal and State Water Quality Standards.

Individuals aggrieved by these actions may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. § 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Environmental Hearing Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the Board within 30-days. You do not need a lawyer to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so you should show this notice to a lawyer at once. If you cannot afford a lawyer, you may qualify for free pro bono representation. Call the Secretary to the Board 717-787-3483 for more information.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Action(s) Taken on Application(s) for the Following Activities Filed Under The Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and the Clean Streams Law and Notice of Final Action for Certification Under Section 401 of the FWPCA.

Eastern District: Oil and Gas Management Program, 208 West Third Street, Williamsport, PA 17701-6448.

Contact: RA-EPEASTERNOPRG@pa.gov.

E5929224-003. Highland Field Services, LLC, 51 Zents Boulevard, Brookville, PA 15825, Delmar Township and Middlebury Township, **Tioga County.** U.S. Army Corps of Engineers Baltimore District. Application received: February 6, 2024. Issued: August 28, 2024.

To construct, operate, and maintain:

1. A 16-inch diameter freshwater pipeline impacting 80 linear feet of Crooked Creek (WWF) (Keeneyville, PA Quadrangle 41.845228°, -77.279146°);
2. A temporary road crossing using timber mats and a 16-inch diameter freshwater pipeline impacting 917 square feet of a palustrine emergent (PEM) wetland (Keeneyville, PA Quadrangle 41.844395°, -77.281323°);
3. A temporary road crossing using timber mats and a 16-inch diameter freshwater pipeline impacting 16 linear feet of an unnamed tributary to Norris Brook (TSF) (Keeneyville, PA Quadrangle 41.843367°, -77.280761°);
4. A temporary road crossing using timber mats and a 16-inch diameter freshwater pipeline impacting 730 square feet of a palustrine emergent/scrub shrub (PEM/PSS) wetland (Keeneyville, PA Quadrangle 41.836701°, -77.288524°);
5. A temporary road crossing using timber mats and a 16-inch diameter freshwater pipeline impacting 616 square feet of a palustrine forested (PFO) wetland (Keeneyville, PA Quadrangle 41.834668°, -77.290589°);
6. A temporary road crossing using timber mats and a 16-inch diameter freshwater pipeline impacting 593 square feet of a palustrine emergent (PEM) wetland (Keeneyville, PA Quadrangle 41.834098°, -77.291373°);
7. A temporary road crossing using timber mats and a 16-inch diameter freshwater pipeline impacting 18 linear feet of an unnamed tributary to Norris Brook (TSF) (Keeneyville, PA Quadrangle 41.831683°, -77.293475°);
8. A 16-inch diameter freshwater pipeline impacting 92 linear feet of Norris Brook (EV) (Keeneyville, PA Quadrangle 41.824865°, -77.292839°);
9. A temporary road crossing using timber mats and a 16-inch diameter freshwater pipeline impacting 4,579 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Keeneyville, PA Quadrangle 41.820632°, -77.292582°);
10. A temporary road crossing using timber mats and a 16-inch diameter freshwater pipeline impacting 8,605 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Keeneyville, PA Quadrangle 41.818693°, -77.291345°);
11. A temporary road crossing using timber mats and a 16-inch diameter freshwater pipeline impacting 123

square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Keeneyville, PA Quadrangle 41.81785°, -77.29021°);

12. A temporary road crossing using timber mats and a 16-inch diameter freshwater pipeline impacting 39 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Keeneyville, PA Quadrangle 41.817122°, -77.289853°);

13. A temporary road crossing using timber mats and a 16-inch diameter freshwater pipeline impacting 91 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Keeneyville, PA Quadrangle 41.816805°, -77.28976°);

14. A temporary road crossing using timber mats impacting 142 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Keeneyville, PA Quadrangle 41.815821°, -77.289831°);

15. A temporary road crossing using timber mats impacting 63 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Keeneyville, PA Quadrangle 41.815699°, -77.289848°);

16. A temporary road crossing using timber mats and a 16-inch diameter freshwater pipeline impacting 289 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Keeneyville, PA Quadrangle 41.815374°, -77.289949°);

17. A 16-inch diameter freshwater pipeline impacting 3 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Keeneyville, PA Quadrangle 41.814957°, -77.290345°);

18. A 16-inch diameter freshwater pipeline impacting 4 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Keeneyville, PA Quadrangle 41.814973°, -77.290702°);

19. A 16-inch diameter freshwater pipeline impacting 9 linear feet of an unnamed tributary to Baldwin Run (HQ-CWF) (Keeneyville, PA Quadrangle 41.812301°, -77.291053°);

20. A temporary road crossing using timber mats and a 16-inch diameter freshwater pipeline impacting 759 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Keeneyville, PA Quadrangle 41.811628°, -77.291165°).

The project will result in 215 linear feet of temporary stream impacts and 17,553 square feet (0.403 acre) of temporary wetland impacts all for the purpose of installing a natural gas pipeline in Delmar and Middlebury Township, Tioga County.

Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Michele Lauer, Clerical Assistant 2, 570-830-3077.

E400224-008. James Panzitta, 422 N. Pioneer Avenue, Dallas, PA 18612, Harveys Lake Borough, **Luzerne County**. U.S. Army Corps of Engineers Baltimore District.

To construct and maintain dock expansion of an existing 917 ft² dock structure consisting of a 583 ft², pile-supported dock with twelve (12) support pilings at Pole No. 62.5 within the normal pool elevation of Harveys Lake (HQ-CWF, MF). The project is located 0.2 mile southwest of the intersection of Victoria Lane and Lakeside Drive (Harveys Lake, PA Quadrangle, Latitude:

41°, 22', 15.24"; Longitude: -76°, 2', 21.91") in Harveys Lake Borough, Luzerne County. Application received: April 15, 2024. Issued: September 3, 2024.

Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: RA-EPWW-NWRO@pa.gov.

E2506219-002. Jon A Gerbracht, 206 Forest Drive, Erie, PA 16505, Millcreek Township, **Erie County**. U.S. Army Corps of Engineers Pittsburgh District.

Amended the forest park pathway project along a UNT to Lake Erie and a wetland extending north from Clifton Drive to the beachfront of Lake Erie in the Forest Park Subdivision (Swanville, PA Quadrangle N: 42.105023°; W: -80.167524) in order to construct and maintain a break wall on the lakeside of the existing cottage constructed in 2011 consisting of sheet piling, concrete, and aggregate fill impacting approximately 0.007 acre of Lake Erie for the protection of the existing structure, sump pump and sewer force main, and to install rock riprap lining in approximately 105 feet of the channel of UNT Lake Erie adjacent to the pathway extending from the outlet of the culverts on Clifton Drive. Application received: July 17, 2023. Issued: August 27, 2024.

E1006223-004. Ogle View Corner LLC, 109 High Point Road, Sarver, PA 16055, Cranberry Township, **Butler County**. U.S. Army Corps of Engineers Pittsburgh District.

Impact 1.68 acres of Palustrine Emergent and Scrub Shrub wetland and 0.005 acre of an Unnamed Tributary to Brush Creek for construction of a mixed use commercial development on the southeast corner of Ogle View Road and its intersection with SR-19 (Mars and Evans City, PA Quadrangle N: 40.705633°; W: -80.105881°) in Cranberry Township, Butler County. Mitigation for project impacts is via purchase of credits from the Pennsylvania PIECES Fund. Application received: October 31, 2023. Issued: August 29, 2024.

E2506224-003. Land Reclamation Group, 632 Hunt Valley Circle, New Kensington, PA 15068, Millcreek Township, **Erie County**. U.S. Army Corps of Engineers Pittsburgh District.

Restore and stabilize a total of approximately 791 feet of stream channel and the associated streambanks on three UNTs to Walnut Creek at the Erie Golf Course property at the terminus of Old Zuck Road (6050 Old Zuck Road, Erie, PA 16506) approximately 1 mile south of Zimmerly Road (Erie South, PA Quadrangle N: 42.055160°, W: -80.121931°) in Millcreek Township, Erie County. Application received: March 28, 2024. Issued: August 30, 2024.

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: 717-705-4802.

E0503224-001. Broad Top Township, 124 Hitchens Road, Defiance, PA 16633, Broad Top Township, **Bedford County**. U.S. Army Corps of Engineers Baltimore District.

To 1) install, place, and maintain a 77 foot long, 4-inch wide PVC effluent discharge outfall pipe with associated sanitary sewer easement area; 2) construct, place, and maintain a 1-foot wide, 46-foot long, 4-inch deep clay lined R-3 rip rap discharge channel and outfall within a forested exceptional value wetland and the floodway of an

Unnamed Tributary to Sherman Valley Run (CWF, MF), resulting in 0.04 acre of permanent and 0.02 acre of temporary wetland impact and 20 square feet of permanent and 20 square feet of temporary floodway impact; all for the purpose of constructing and installing a residential small flow sewage treatment facility. The project is located at 189 Valley Church Road in Hopewell, Broad Top Township, Bedford County (Latitude: 40.10569; Longitude -78.21406). Permanent wetland loss is less than 0.05 acre and replacement is not required. Application received: January 19, 2024. Authorized: September 3, 2024.

E6703224-002. South Branch LP, LLC, 6259 Reynolds Mill Road, York, PA 17360, North Codorus and Springfield Townships, **York County**. U.S. Army Corps of Engineers Baltimore District.

To 1.) construct and maintain a 65.0-foot span by 10.0-foot long single span bridge across South Branch of the Codorus Creek (WWF, MF); and 2.) install and maintain nine toe wood structures in and along South Branch Codorus Creek (WWF, MF), all for the purpose of providing farm equipment access to both sides of the watercourse. The project is located at 6259 Reynolds Mill Road (Latitude: 39.8912° N; Longitude: -76.7475° W) in North Codorus and Springfield Townships, York County. No wetlands will be impacted by this project. Application received: January 26, 2024. Issued: September 3, 2024.

Contact: Michele Lauer, Clerical Assistant 2, 570-830-3077.

E4403224-001. Jeffrey Sweitzer, 247 Crestview Drive, Mifflin, PA 17058, Oliver Township, **Mifflin County**. U.S. Army Corps of Engineers Baltimore District.

To construct and maintain a single span concrete and steel beam bridge across Musser Run (HQ-CWF, MF) having a span of 24 feet and a 5.2-foot under clearance. The project is located in the 200 block of Jacks Mountain Road, Oliver Township, Mifflin County. (New Hamilton, PA Quadrangle, Latitude: 40°, 29', 04"; Longitude: -77°, 46', 45"). Application received: April 24, 2024. Issued: September 3, 2024.

Southeast Region: Waterways & Wetlands Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: ra-ep-ww-sero-105@pa.gov.

E1501221-001. Mountain Laurel Funding Company, LLC, 155 North Wacker Drive, Suite 4250, Chicago, IL 60606, East Whiteland Township, **Chester County**. U.S. Army Corps of Engineers Philadelphia District.

To reissue, construct, and maintain approximately 80 linear feet of new 8-inch diameter DIP sanitary sewer pipe across an unnamed tributary to Valley Creek (EV) for the purpose of connecting two new office Buildings 4 and 5 to the existing infrastructure. This permit was issued and authorized under Permit E15-857 in 2017 and under E1501221-001 in May 2021. The site is located on the campus of 20 Moores Road (Malvern, PA) in East Whiteland Township, Chester County. Latitude: 40.054040°, Longitude: -75.558399°. Application received: December 27, 2023. Permit issued: August 29, 2024.

ENVIRONMENTAL ASSESSMENTS

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: 717-705-4802.

EA2103223-002. East Pennsboro Township, 98 South Enola Drive, Enola, PA 17025, East Pennsboro Township, **Cumberland County**. U.S. Army Corps of Engineers Baltimore District.

To 1) construct and maintain a stream restoration project in and along an Unnamed Tributary to Conodoguinet Creek (locally known as Enola Run) and four (4) additional Unnamed Tributaries (UNT) to Conodoguinet Creek in East Pennsboro Township, Cumberland County totaling approximately 3,934 linear feet (30,254 square feet) of permanent impact and 348 linear feet (1,886 square feet) of temporary impact (UNT to Conodoguinet Creek; Enola Run), 21 linear feet (30 square feet) of permanent impact (UNT 2 to Conodoguinet Creek), 20 linear feet (39 square feet) of permanent impact (UNT 3 to Conodoguinet Creek); 23 linear feet (25 square feet) of temporary impact (UNT 4 to Conodoguinet Creek), and 21 linear feet (72 square feet) of permanent impact (UNT 5 to Conodoguinet Creek); 2) construct, install, place, and maintain 18 log vane structures, 7 log vane grade control structures, approximately 38 linear feet of rock toe protection, 19 clay plug structures, approximately 35 linear feet of stacked rock wall, 13 j-hook structures, 16 rock cross vane structures, 35 soil lift structures, 8 woody riffle structures, and 57 constructed riffle structures; 3) relocate and maintain 213 linear feet (22,678 square feet) of the UNT to Conodoguinet Creek; 4) construct and maintain bank grading within and along the floodway and floodplain of the UNT to Conodoguinet Creek; 5) install and maintain a riparian buffer and live stake plantings in and along the floodway and floodplain of the UNT to Conodoguinet Creek, all for the purpose of stabilizing flow conveyances to downstream resources, maximizing reduction of nutrient and sediment loads, and maximizing ecological uplift while minimizing impacts to existing natural resources. The project will result in 68 square feet of permanent impact and 246 square feet of temporary impact to a scrub-shrub wetland due to floodplain and channel grading; 330 square feet of temporary impact to an emergent wetland due to bank grading; 240 square feet of permanent impact to an emergent wetland due to bank and channel grading; 422 square feet of temporary impact to a forested wetland due to floodplain grading; 495 square feet of permanent and 234 square feet of temporary impact to an emergent wetland due to floodplain grading; 128 square feet of permanent impact to an emergent wetland due to bank and channel grading and; 1,945 square feet of permanent impact to a scrub-shrub wetland due to bank and channel grading. The project is located near Valley Road and East Pennsboro School District property in East Pennsboro Township, Cumberland County (40.299869, -76.948395). Application received: May 26, 2023. Approved: September 3, 2024.

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the

Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information.

Eastern District: Oil and Gas Management Program, 208 West Third Street, Williamsport, PA 17701-6448.

Contact: RA-EPEASTERNOGPRG@pa.gov.

ESCGP # 3 **ESG296624002-00**

Applicant Name **Coterra Energy Inc.**

Contact Person Michael Karner

Address 2000 Park Lane Drive, Suite 3000

City, State, Zip Pittsburgh, PA 15275

Township(s) Nicholson Township, Lathrop Township, and Springville Township

County **Wyoming County** and **Susquehanna County**
Receiving Stream(s) and Classification(s) Tunkhannock Creek (CWF, MF)

Application received: June 18, 2024

Issued: August 28, 2024

ESCGP # 3 **ESG295824009-00**

Applicant Name **Coterra Energy Inc.**

Contact Person Kenneth Marcum

Address 2000 Park Lane

City, State, Zip Pittsburgh, PA 15275

Township(s) Dimock Township

County **Susquehanna County**

Receiving Stream(s) and Classification(s) Tributary 29392 to West Branch Meshoppen Creek (CWF, MF)

Application received: May 7, 2024

Issued: August 29, 2024

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 2

The Following Plan(s) and Report(s) Were Submitted Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The reme-

dial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DEP has received the following plans and reports.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Blakeslee Garage, Storage Tank Facility ID # **45-50189**, 5701 Route 115, Blakeslee, PA 18610, Tobyhanna Township, **Monroe County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of MJ Plus Two Properties, LLC, 588 Railroad Drive, Stroudsburg, PA 18360, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum. The plan is intended to document the remedial actions for meeting Statewide health standards.

Wind Gap Citgo, Storage Tank Facility ID # **48-51489**, 1040 South Broadway, Wind Gap, PA 18091, Plainfield Township, **Northampton County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Pipeline Petroleum, Inc., P.O. Box 159 Shippers Road, Macungie, PA 18062, submitted a Remedial Action Plan concerning remediation of groundwater contaminated with petroleum. The plan is intended to document the remedial actions for meeting Statewide health standards.

Former Young's Volkswagen, Storage Tank Facility ID # **48-00885**, 601 South 25th Street, Easton, PA 18042, Palmer Township, **Northampton County**. Partner Engineering and Science, 100 Deerfield Lane, Suite 200, Frazer, PA 19355, on behalf of Ocean Block Capital, 777 Third Avenue, New York, NY 10017, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum. The report is intended to document the remedial actions for meeting Statewide health standards.

Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Ben, 814-350-5132.

Prima Store 5175, Storage Tank Facility ID # **32-20079**, 405 Philadelphia Street, Indiana, PA 15701, Indiana Borough, **Indiana County**. AECOM Technical Services, Inc., 625 Ridge Avenue, Conshohocken, PA 19428, on behalf of Prima Marketing LLC, 180 Cook Street, # 107, Denver, CO 80206, submitted a Remedial

Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report is intended to document the remedial actions for meeting residential Statewide health and site-specific standards.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Gregory Bowman, Environmental Group Manager.

Lancaster Term, Storage Tank Facility ID # **36-11093**, 1360 Manheim Pike, Lancaster, PA 17601, Manheim Township, **Lancaster County**. Liberty Environmental, Inc., 505 Penn Street, Suite 400, Reading, PA 19601, on behalf of 1360 Realty, LP, P.O. Box 404, East Petersburg, PA 17520, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum constituents. The plan is intended to document the remedial actions for meeting nonresidential site-specific standards.

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 3

Action(s) Taken on the Following Plans and Reports Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports.

A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

DEP may approve or disapprove plans and reports submitted. This notice provides DEP's decision and, if relevant, the basis for disapproval.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DEP has received the following plans and reports.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Bones Auto Parts, Storage Tank Facility ID # **40-22861**, 1110 Wilkes-Barre Township Boulevard, Wilkes-Barre, PA 18702, Wilkes-Barre Township, **Luzerne County**. Keystone Environmental Health & Safety Services, 1111 12th Avenue, Altoona, PA 16601, on behalf of EG America, 165 Flanders Road, Westborough, MA 01581, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum. The plan was acceptable to meet the site-specific standards and was approved by DEP on August 28, 2024.

Former Shell Service Station (Top Star 127), Storage Tank Facility ID # **39-21080**, 318 South Third Street, Coopersburg, PA 18036, Coopersburg Borough, **Lehigh County**. AECOM, 625 West Ridge Pike, Suite E-100, Conshohocken, PA 19428, on behalf of Shell Oil Products US, 20945 South Wilmington Avenue, Carson, CA 90810, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum. The report demonstrated attainment of the Statewide health standards and was approved by DEP on September 3, 2024.

Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Chris, 724-598-2206.

Guttman Oil Co, Storage Tank Facility ID # **43-31418**, 3434 Sharon Road, West Middlesex, PA 16159, West Middlesex Borough, Shenango Township, **Mercer County**. Apex Companies, LLC, 975 Georges Station Road, Suite 100, Greensburgh, PA 15601, on behalf of Guttman Energy, 200 Speers Street, Belle Vernon, PA 15012, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline, leaded gasoline, and diesel fuel. The plan was not acceptable to meet the residential and nonresidential site-specific standards and was disapproved by DEP on August 29, 2024.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Richard M. Staron, Professional Geologist Manager, 484-250-5717.

Chestnut Sunoco, Storage Tank Facility ID # **51-21100**, 4600 Chestnut St., Philadelphia, PA 19139, City of Philadelphia, **Philadelphia County**. Aquaterra Technologies, Inc., P.O. Box 744, West Chester, PA 19381, on behalf of Sannet, Inc., 5 Whitesell Lane, Newtown, PA 18940, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The plan was acceptable to meet the site-specific standards and was approved by DEP on August 28, 2024.

Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Janelle Hromyak, Clerk 2, 412-442-4091.

Honey Bear Mini Mart, Storage Tank Facility ID # 65-22123, Route 31, Donegal, PA 15628, Donegal Borough, **Westmoreland County**. Insight Group, Inc., 611 South Irvine Avenue, Sharon, PA 16146, on behalf of Graft Oil Company, 2561 Memorial Blvd., P.O. Box 899, Connellsville, PA 15425, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The combined plan and report was acceptable to meet the nonresidential site-specific standards and was approved by DEP on August 30, 2024.

[Pa.B. Doc. No. 24-1297. Filed for public inspection September 13, 2024, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Draft Pennsylvania Great Lakes Water Management Program Report; Available for Public Comment

This notice is published under section 2, Article 6 of the Great Lakes-St. Lawrence River Basin Water Resources Compact (compact) (32 P.S. § 817.22, Article 6), relating to public participation being conducted by the Great Lakes-St. Lawrence River Basin Sustainable Water Resources Council (compact Council) and the Great Lakes-St. Lawrence River Sustainable Water Resources Regional Body (regional body) regarding the Commonwealth's submittal of information on the Pennsylvania Great Lakes Water Management Program (Program) and opportunity for comment.

Under the compact, sections 3.4, 4.1—4.11 and 4.13, and Articles 200, 201, 206—208, 300, 301 and 304 of the companion Great Lakes-St. Lawrence River Sustainable Water Resources Agreement (agreement), the Department of Environmental Protection (Department) submitted draft questionnaire responses to the compact Council and regional body for use in the "every five-year report" that demonstrates compliance with compact and agreement provisions.

The draft 2024 Program Report is available on the Department's eComment web site at www.ahs.dep.pa.gov/eComment.

Interested persons may submit written comments on this draft 2024 Program Report through Monday, October 14, 2024. Commentators are encouraged to submit comments using the Department's online eComment tool at www.ahs.dep.pa.gov/eComment. Written comments can be submitted by e-mail to ecomment@pa.gov or by mail to the Department of Environmental Protection, Policy Office, 400 Market Street, P.O. Box 2063, Harrisburg, PA 17105-2063. Comments, including comments submitted by electronic mail, must include the originator's name and address. Comments submitted by facsimile will not be accepted.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Timothy Bruno at (717) 798-6001 or through the Pennsylvania Hamilton Relay Service at (800) 654-5984

(TTD) to discuss how the Department may accommodate their needs.

JESSICA SHIRLEY,
Acting Secretary

[Pa.B. Doc. No. 24-1298. Filed for public inspection September 13, 2024, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Federal Consistency under the Coastal Zone Management Act; Lampe Marina Floating Dock System Replacement

This notice is published under section 306(d)(14) of the Federal Coastal Zone Management Act of 1972 (CZMA) (16 U.S.C. § 1455(d)(14)), regarding public participation in consistency determinations. The Department of Environmental Protection (Department), Coastal Resources Management Program has received notice that the Erie-Western Pennsylvania Port Authority (applicant) is proposing to replace an existing floating dock system at Lampe Marina, which is located adjacent to Lake Erie and within the City of Erie in Erie County (Project).

The applicant proposes to replace the existing floating dock system, which has reached the end of its functional lifespan. The applicant will undertake the dock replacement as a maintenance activity necessary for its continued safe operation. The proposed configuration will match the existing dock configuration, with new anchor piles placed in a slightly different configuration than the existing piles. The Project is proposed to occur between November 2024, and March 2025. The applicant also proposes to install a turbidity curtain across the entrance to the Lampe Marina as an erosion/sedimentation control and security measure. The applicant is seeking a new Federal authorization from the United States Army Corps of Engineers under section 10 of the Rivers and Harbors Act of 1899 (33 U.S.C. § 403) and section 404 of the Federal Clean Water Act (33 U.S.C. § 1344) to perform this work.

This Project is subject to Department review for Federal consistency because it is an activity requiring a Federal license or permit and will have reasonably foreseeable effects on this Commonwealth's coastal resources or uses.

In accordance with section 307 of the CZMA (16 U.S.C. § 1456) and the National Oceanic and Atmospheric Administration (NOAA) regulations at 15 CFR Part 930, Subpart D (relating to consistency for activities requiring a Federal license or permit), the applicant has certified that the proposed activity will be conducted in a manner consistent with the applicable enforceable policies of the Commonwealth's NOAA-approved Coastal Resources Management Program. Interested parties may request a copy of the Federal Consistency Certification from the Department contact listed as follows.

Questions regarding this review should be directed to Matthew Walderon, Federal Consistency Coordinator, at (717) 772-2196 or by e-mail to RA-Fed_Consistency@pa.gov.

The Department will consider all comments received on or before September 29, 2024. Comments submitted by

facsimile will not be accepted. Comments, including comments submitted by electronic mail, must include the originator's name and address. Commentators are encouraged to submit comments using the Department's online eComment tool at www.ahs.dep.pa.gov/eComment. Written comments can be submitted by e-mail to ecomment@pa.gov or by mail to the Department of Environmental

Protection, Policy Office, 400 Market Street, P.O. Box 2063, Harrisburg, PA 17105-2063.

JESSICA SHIRLEY,
Acting Secretary

[Pa.B. Doc. No. 24-1299. Filed for public inspection September 13, 2024, 9:00 a.m.]

DEPARTMENT OF HEALTH

Decisions on Requests for Exceptions to Health Care Facility Regulations

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), effective June 6, 1998, the Department of Health (Department) has published in the *Pennsylvania Bulletin* all requests by entities licensed under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b), for exceptions to regulations contained in 28 Pa. Code Part IV Subparts B—G.

Section 51.33(d) of 28 Pa. Code provides that the Department will publish notice of all approved exceptions on a periodic basis. The Department has determined that it will publish notice of all exceptions, both approved and denied. The following list contains the decisions made on exception requests published in the *Pennsylvania Bulletin* from August 1, 2024, through August 31, 2024. Future publications of decisions on exception requests will appear on a monthly basis.

Requests for additional information on the exception request and the Department's decision should be made to the relevant division of the Department. Inquiries regarding hospitals, abortion facilities and ambulatory surgical facilities shall be addressed to Garrison E. Gladfelter, Jr., Director, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980. Inquiries regarding long-term care facilities shall be addressed to Susan Williamson, Director, Division of Nursing Care Facilities, Room 528, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816. Inquiries regarding home care agencies, home care registries and home health care agencies shall be addressed to Linda Chamberlain, Director, Division of Home Health, Forum Place, Suite 701, 555 Walnut Street, Harrisburg, PA 17101, (717) 783-1379.

Ambulatory Surgical Facilities

<i>Facility Name</i>	<i>Regulation and relating to</i>	<i>Dec. Date</i>	<i>Decision</i>
Berkshire Eye Surgery Center	§ 553.31(a) (relating to administrative responsibilities)	08/10/2024	Granted w/Conditions
Monroe Endoscopy Center	§ 551.3 (relating to definitions)	08/10/2024	Granted w/Conditions
	§ 555.31(a) (relating to principle)	08/10/2024	Granted Probationary w/Conditions

Hospitals

<i>Facility Name</i>	<i>28 Pa. Code Regulation</i>	<i>Dec. Date</i>	<i>Decision</i>
Fulton County Medical Center	§ 109.2(b) (relating to director of nursing services)	08/18/2024	Granted w/Conditions
Geisinger—Lewistown Hospital	§ 153.1(a) 2.1-7.2.2.1(1) and (2) corridor width	08/18/2024	Granted
Geisinger Jersey Shore Hospital	§ 153.1(a) (relating to minimum standards) 2.1-3.2.2.2(2)(c)(i) single-patient exam/observation room	08/10/2024	Granted
Grove City Hospital	§ 107.62(a) and (b) (relating to oral orders)	08/10/2024	Granted w/Conditions
	§ 123.25(2) (relating to regulations for control of anesthetic explosion hazards)	08/10/2024	Granted w/Conditions
Heritage Valley Beaver	§ 153.1(a) 2.2-3.5.2.2(1)(b)(ii) space requirements	08/12/2024	Granted
Mount Nittany Medical Center	§ 51.23 (relating to positron emission tomography)	08/18/2024	Granted Temporary
Nazareth Hospital	§ 138.18(b) (relating to EPS studies)	08/10/2024	Granted w/Conditions
Penn Presbyterian Medical Center	§ 153.1(a) 2.1-3.4.4.2 phase I post-anesthetic care unit (PACU)	08/21/2024	Granted
UPMC Hamot	§ 103.31 (relating to the chief executive officer)	08/10/2024	Granted Temporary
UPMC Kane	§ 153.1(a) 2.1-2.8.7.1(1) location	08/10/2024	Granted
UPMC Northwest	§ 103.31	08/10/2024	Granted Temporary
UPMC Presbyterian Shadyside	§ 153.1(a) 2.2-3.5.2.2(1)(b)(i) space requirements	08/10/2024	Granted

<i>Facility Name</i>	<i>28 Pa. Code Regulation</i>	<i>Dec. Date</i>	<i>Decision</i>
WellSpan York Hospital	§ 153.1(a) 2.1-3.8.7.1 location	08/10/2024	Granted

Persons with a disability who require an alternative format of this notice (for example, large print, audiotope, Braille) should contact the Division of Acute and Ambulatory Care, the Division of Nursing Care Facilities, or the Division of Home Health at the previously referenced address or telephone number, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DEBRA L. BOGEN,
Secretary

[Pa.B. Doc. No. 24-1300. Filed for public inspection September 13, 2024, 9:00 a.m.]

DEPARTMENT OF HEALTH

Hospitals; Requests for Exceptions

The following hospitals have filed requests for exceptions under 28 Pa. Code § 51.33 (relating to requests for exceptions) with the Department of Health (Department), which has authority to license hospitals under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b). The following requests for exceptions relate to regulations governing hospital licensure in 28 Pa. Code Chapters 51 and 101—158 (relating to general information; and general and special hospitals).

<i>Facility Name</i>	<i>Regulation and relating to</i>
Eagleview Hospital	28 Pa. Code § 101.31(5) (relating to hospital requirements)
Grove City Hospital	28 Pa. Code § 51.23 (relating to positron emission tomography)
Mercy Fitzgerald Hospital	28 Pa. Code § 138.18(b) (relating to EPS studies)
Millcreek Community Hospital	28 Pa. Code § 138.15 (relating to high-risk cardiac catheterizations)
UPMC Passavant	28 Pa. Code § 51.23
WellSpan York Hospital	28 Pa. Code § 133.21 (relating to facilities)

The following hospitals have filed requests for exceptions under 28 Pa. Code § 153.1 (relating to minimum standards). Requests for exceptions under this section relate to minimum standards that hospitals must comply with under the *Guidelines for Design and Construction of Hospitals—2018 Edition*, *Guidelines for Design and Construction of Outpatient Facilities—2018 Edition* or the *Guidelines for Design and Construction of Hospitals—2022 Edition*, *Guidelines for Design and Construction of Outpatient Facilities—2022 Edition*. The following list includes the citation to the section under the *Guidelines* that the hospital is seeking an exception.

<i>Facility Name</i>	<i>FGI Guidelines Section and relating to</i>	<i>Yr^{1,2}</i>
Crozer-Chester Medical Center	2.2-3.4.3.5(2) building system components	22-O
Independence Health System Butler Memorial Hospital	2.5-2.2.2.7 patient bathing facilities	22
Jefferson Health—Northeast	2.1-3.2.2.2(a)(i) and (ii) and (b)(i) and (ii) single-patient exam/observation room	22-O
Milton S. Hershey Medical Center	2.2-3.4.5.10(1)(a)(i) support areas for patients and visitors	22
Mount Nittany Medical Center	2.1-8.4.2.6(1)(a) drainage systems	22
Penn Presbyterian Medical Center	2.1-3.4.4.2 phase I post-anesthetic care unit (PACU)	22
Reading Hospital	2.12-3.2.2.1(3) individual therapy room	22-O
Saint Luke's Hospital of Bethlehem, Pennsylvania	2.1-3.5.10.2(2)(a) patient toilet room	22-O
UPMC Pinnacle Hospitals	2.2-2.13.1.4 shared facilities	22

¹ 2018 Year FGI Regulations for Outpatient Facilities are indicated by “-O.”

² 2022 Year FGI Regulations for Outpatient Facilities are indicated by “-O.”

The previously listed requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov. Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed contact information. Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or for speech and/or hearing impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DEBRA L. BOGEN,
Secretary

[Pa.B. Doc. No. 24-1301. Filed for public inspection September 13, 2024, 9:00 a.m.]

DEPARTMENT OF HEALTH

Medical Marijuana Advisory Board Meetings; Corrected Notice to Update the Department of Health's Office Address

The Medical Marijuana Advisory Board (Board), established under section 1201 of the Medical Marijuana Act (35 P.S. § 10231.1201), hereby gives notice that Board meetings will be held from 10:30 a.m. to 12:30 p.m. on each day listed as follows in the Capitol Media Center, State Capitol, Room 1, East Wing, Harrisburg, PA 17126, with an option for Board members to participate virtually.

- Wednesday, September 18, 2024
- Wednesday, November 13, 2024

At these meetings, the Board will discuss Medical Marijuana Program updates.

These meetings will be broadcast live for the public through Commonwealth Media Services. Check www.medicalmarijuana.pa.gov and click on "Medical Marijuana Advisory Board" under "Information for:" for live streaming information the day of the meeting.

The information as follows serves as an update to the previously published notice at 54 Pa.B. 68 (January 6, 2024). There has been no change to the previously announced meeting dates, times or locations, previously listed.

For additional information, including an alternative format of this notice (for example, large print, audiotope, Braille) or for persons with a disability who wish to attend the meeting who require an auxiliary aid, service or other accommodation to do so, contact Sirisha Reddy, Special Assistant, Office of the Secretary, Department of Health, 625 Forster Street, 8th Floor, Health and Human Services Building, Harrisburg, PA 17120, (717) 787-9857, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

These meetings are subject to cancellation without notice.

DR. DEBRA L. BOGEN,
Secretary

[Pa.B. Doc. No. 24-1302. Filed for public inspection September 13, 2024, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Change to Supplemental Payments to Qualifying Hospitals

The Department of Human Services (Department) is providing final public notice of its increase to the funding

for a class of supplemental payments for qualifying acute care general hospitals for Fiscal Year 2023-2024 that treat a high volume of opioid use disorder patients in their emergency rooms. These payments are intended to provide funding to expand research and treatment protocols for combating opioid addiction. The Department is not otherwise changing the qualifying criteria or payment methodology for these payments.

The Department published notice of its intent to allocate funding and amend payment methodology for these payments at 54 Pa.B. 2593 (May 11, 2024). The Department received no comments during the 30-day comment period and will implement the changes set forth in the notice of intent.

Fiscal Impact

The total impact, as a result of the increase in the allocation for these supplemental payments, is \$125.756 million (Federal and State).

VALERIE A. ARKOOSH,
Secretary

Fiscal Note: 14-NOT-1644. Under section 612 of The Administrative Code of 1929 (71 P.S. § 232), (1) General Fund; (2) Implementing Year 2023-24 is \$24,835,000; (3) 1st Succeeding Year 2024-25 is \$9,024,000; 2nd Succeeding Year 2025-26 through 5th Succeeding Year 2028-29 are \$0; (4) 2022-23 Program—\$589,137,000; 2021-22 Program—\$644,059,000; 2020-21 Program—\$808,350,000; (7) Medical Assistance—Fee-for-Service; (8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 24-1303. Filed for public inspection September 13, 2024, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Disproportionate Share and Supplemental Hospital Payments

The Department of Human Services (Department) is announcing its intent to allocate funds for Fiscal Year (FY) 2024-2025 inpatient disproportionate share hospital (DSH) payments to qualifying inpatient acute care general, psychiatric and rehabilitation hospitals and qualifying psychiatric and rehabilitation units of acute care general hospitals, outpatient supplemental payments to qualifying inpatient acute care general hospitals, direct medical education payments to qualifying inpatient acute care general hospitals and certain DSH and supplemental payments to new hospitals.

The Department is not otherwise changing the State Plan provisions addressing the qualifying criteria or payment methodology for these payments. Payment limi-

tations are applicable, including those limitations that the Commonwealth may not exceed its aggregate annual DSH allotment, and that no hospital may receive DSH payments in excess of its hospital-specific limit.

Fiscal Impact

The FY 2024-2025 impact, as a result of the funding allocation for these payments, is \$258.220 million in total funds, upon approval by the Centers for Medicare & Medicaid Services.

Public Comment

Interested persons are invited to submit written comments regarding this notice to the Department of Human Services, Office of Medical Assistance Programs, c/o Regulations Coordinator, P.O. Box 2675, Harrisburg, PA 17120 or to RA-PWMAProgComments@pa.gov. Comments received within 30 days will be reviewed and considered in determining the final payment methodology for these payments.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

VALERIE A. ARKOOSH,
Secretary

Fiscal Note: 14-NOT-1642. Under section 612 of The Administrative Code of 1929 (71 P.S. § 232), (1) General Fund; (2) Implementing Year 2024-25 is \$87,016,000; (3) 1st Succeeding Year 2025-26 through 5th Succeeding Year 2029-30 are \$0; (4) 2023-24 Program—\$697,354,000; 2022-23 Program—\$589,137,000; 2021-22 Program—\$644,059,000; (7) Medical Assistance—Fee-for-Service; (8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 24-1304. Filed for public inspection September 13, 2024, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Medical Assistance Program Fee Schedule Updates for Ophthalmology Services

In accordance with 55 Pa. Code § 1150.61(a) (relating to guidelines for fee schedule changes), the Department of Human Services (Department) announces the following updates to the Medical Assistance (MA) Program Fee Schedule for ophthalmology services, effective for dates of service on and after September 15, 2024.

Discussion

The Department is making changes to the MA Program Fee Schedule as follows:

<i>Procedure Code</i>	<i>National Code Description</i>	<i>Modifier</i>	<i>Current MA Fee</i>	<i>New MA Fee</i>
67312	Strabismus surgery, recession or resection procedure; 2 horizontal muscles		\$483.50	\$631.24
67316	Strabismus surgery, recession or resection procedure; 2 or more vertical muscles (excluding superior oblique)		\$483.50	\$677.02
67318	Strabismus surgery, any procedure, superior oblique muscle		\$483.50	\$654.49
67335	Placement of adjustable sutures during strabismus surgery, including postoperative adjustments of sutures (list separately in addition to code for specific strabismus surgery)		\$122.87	\$177.55
67343	Release of extensive scar tissue without detaching extraocular muscle (separate procedure)		\$118.50	\$638.92
68815	Probing of nasolacrimal duct, with or without irrigation; with insertion of tube or stent		\$158.50	\$210.82
92002	Ophthalmological services: medical examination and evaluation with initiation of diagnostic and treatment program; intermediate, new patient		\$28.34	\$43.49
92018	Ophthalmological examination and evaluation, under general anesthesia, with or without manipulation of globe for passive range of motion or other manipulation to facilitate diagnostic examination; complete		\$39.50	\$132.89
92019	Ophthalmological examination and evaluation, under general anesthesia, with or without manipulation of globe for passive range of motion or other manipulation to facilitate diagnostic examination; limited		\$20.50	\$69.52
92020	Gonioscopy (separate procedure)		\$16	\$19.41
92025	Computerized corneal topography, unilateral or bilateral, with interpretation and report		\$21.94	\$34.48
92025	Computerized corneal topography, unilateral or bilateral, with interpretation and report	TC	\$9.01	\$16.04

<i>Procedure Code</i>	<i>National Code Description</i>	<i>Modifier</i>	<i>Current MA Fee</i>	<i>New MA Fee</i>
92025	Computerized corneal topography, unilateral or bilateral, with interpretation and report	26	\$12.93	\$18.44
92060	Sensorimotor examination with multiple measurements of ocular deviation (for example, restrictive or paretic muscle with diplopia) with interpretation and report (separate procedure)		\$33.74	\$60.61
92060	Sensorimotor examination with multiple measurements of ocular deviation (for example, restrictive or paretic muscle with diplopia) with interpretation and report (separate procedure)	TC	\$11.59	\$25.30
92060	Sensorimotor examination with multiple measurements of ocular deviation (for example, restrictive or paretic muscle with diplopia) with interpretation and report (separate procedure)	26	\$22.15	\$35.31
92065	Orthoptic training; performed by a physician or other qualified health care professional		\$24.06	\$32.27
92081	Visual field examination, unilateral or bilateral, with interpretation and report; limited examination (for example, tangent screen, Autoplot, arc perimeter or single stimulus level automated test, such as Octopus 3 or 7 equivalent)		\$28	\$31.59
92081	Visual field examination, unilateral or bilateral, with interpretation and report; limited examination (for example, tangent screen, Autoplot, arc perimeter or single stimulus level automated test, such as Octopus 3 or 7 equivalent)	TC	\$14.15	\$16.35
92081	Visual field examination, unilateral or bilateral, with interpretation and report; limited examination (for example, tangent screen, Autoplot, arc perimeter or single stimulus level automated test, such as Octopus 3 or 7 equivalent)	26	\$13.85	\$15.24
92082	Visual field examination, unilateral or bilateral, with interpretation and report; intermediate examination (for example, at least 2 isopters on Goldmann perimeter or semiquantitative, automated suprathreshold screening program, Humphrey suprathreshold automatic diagnostic test, Octopus program 33)		\$35	\$44.48
92082	Visual field examination, unilateral or bilateral, with interpretation and report; intermediate examination (for example, at least 2 isopters on Goldmann perimeter or semiquantitative, automated suprathreshold screening program, Humphrey suprathreshold automatic diagnostic test, Octopus program 33)	TC	\$18.69	\$24.69
92082	Visual field examination, unilateral or bilateral, with interpretation and report; intermediate examination (for example, at least 2 isopters on Goldmann perimeter or semiquantitative, automated suprathreshold screening program, Humphrey suprathreshold automatic diagnostic test, Octopus program 33)	26	\$16.31	\$19.79
92132	Scanning computerized ophthalmic diagnostic imaging, anterior segment, with interpretation and report, unilateral or bilateral		\$28.42	\$29.73
92132	Scanning computerized ophthalmic diagnostic imaging, anterior segment, with interpretation and report, unilateral or bilateral	TC	\$11.76	\$14.19
92132	Scanning computerized ophthalmic diagnostic imaging, anterior segment, with interpretation and report, unilateral or bilateral	26	\$16.66	\$15.54
92134	Scanning computerized ophthalmic diagnostic imaging, posterior segment, with interpretation and report, unilateral or bilateral; retina		\$34.84	\$38.43

NOTICES

5921

<i>Procedure Code</i>	<i>National Code Description</i>	<i>Modifier</i>	<i>Current MA Fee</i>	<i>New MA Fee</i>
92134	Scanning computerized ophthalmic diagnostic imaging, posterior segment, with interpretation and report, unilateral or bilateral; retina	TC	\$11.76	\$14.81
92134	Scanning computerized ophthalmic diagnostic imaging, posterior segment, with interpretation and report, unilateral or bilateral; retina	26	\$23.08	\$23.62
92136	Ophthalmic biometry by partial coherence interferometry with intraocular lens power calculation		\$36.39	\$44.82
92136	Ophthalmic biometry by partial coherence interferometry with intraocular lens power calculation	TC	\$12.90	\$16.05
92136	Ophthalmic biometry by partial coherence interferometry with intraocular lens power calculation	26	\$23.49	\$28.77
92201	Ophthalmoscopy, extended; with retinal drawing and scleral depression of peripheral retinal disease (for example, for retinal tear, retinal detachment, retinal tumor) with interpretation and report, unilateral or bilateral		\$18.33	\$21.65
92202	Ophthalmoscopy, extended; with drawing of optic nerve or macula (for example, for glaucoma, macular pathology, tumor) with interpretation and report, unilateral or bilateral		\$11.84	\$13.90
92227	Imaging of retina for detection or monitoring of disease; with remote clinical staff review and report, unilateral or bilateral		\$8.90	\$16.35
92228	Imaging of retina for detection or monitoring of disease; with remote physician or other qualified health care professional interpretation and report, unilateral or bilateral		\$23.33	\$28.24
92228	Imaging of retina for detection or monitoring of disease; with remote physician or other qualified health care professional interpretation and report, unilateral or bilateral	TC	\$9.67	\$12.34
92228	Imaging of retina for detection or monitoring of disease; with remote physician or other qualified health care professional interpretation and report, unilateral or bilateral	26	\$13.66	\$15.90
92229	Imaging of retina for detection or monitoring of disease; point-of-care autonomous analysis and report, unilateral or bilateral		\$35.34	\$37.95
92230	Fluorescein angiography with interpretation and report		\$10	\$32.93
92242	Fluorescein angiography and indocyanine-green angiography (includes multiframe imaging) performed at the same patient encounter with interpretation and report, unilateral or bilateral		\$173.34	\$262.43
92242	Fluorescein angiography and indocyanine-green angiography (includes multiframe imaging) performed at the same patient encounter with interpretation and report, unilateral or bilateral	TC	\$129.41	\$211.06
92242	Fluorescein angiography and indocyanine-green angiography (includes multiframe imaging) performed at the same patient encounter with interpretation and report, unilateral or bilateral	26	\$43.93	\$51.37
92265	Needle oculoelectromyography, 1 or more extraocular muscles, 1 or both eyes, with interpretation and report		\$48	\$82.51
92265	Needle oculoelectromyography, 1 or more extraocular muscles, 1 or both eyes, with interpretation and report	TC	\$28.80	\$39.19
92265	Needle oculoelectromyography, 1 or more extraocular muscles, 1 or both eyes, with interpretation and report	26	\$19.20	\$43.32

<i>Procedure Code</i>	<i>National Code Description</i>	<i>Modifier</i>	<i>Current MA Fee</i>	<i>New MA Fee</i>
92270	Electro-oculography with interpretation and report		\$77.87	\$110.58
92270	Electro-oculography with interpretation and report	TC	\$38.48	\$70.35
92270	Electro-oculography with interpretation and report	26	\$39.39	\$40.23
92273	Electroretinography (ERG), with interpretation and report; full field (that is, fFERG, flash ERG, Ganzfeld ERG)		\$103.34	\$118.32
92273	ERG, with interpretation and report; full field (that is, fFERG, flash ERG, Ganzfeld ERG)	TC	\$73.43	\$83.94
92273	ERG, with interpretation and report; full field (that is, fFERG, flash ERG, Ganzfeld ERG)	26	\$29.91	\$34.38
92274	ERG, with interpretation and report; multifocal (mfERG)		\$70.26	\$84.18
92274	ERG, with interpretation and report; multifocal (mfERG)	TC	\$43.74	\$52.77
92274	Electroretinography (ERG), with interpretation and report; multifocal (mfERG)	26	\$26.52	\$31.41
92283	Color vision examination, extended, for example, anomaloscope or equivalent		\$11.70	\$50.71
92283	Color vision examination, extended, for example, anomaloscope or equivalent	TC	\$3.54	\$42.58
92283	Color vision examination, extended, for example, anomaloscope or equivalent	26	\$8.16	\$8.13
92285	External ocular photography with interpretation and report for documentation of medical progress (for example, close-up photography, slit lamp photography, goniophotography, stereo-photography)		\$13.25	\$21.72
92285	External ocular photography with interpretation and report for documentation of medical progress (for example, close-up photography, slit lamp photography, goniophotography, stereo-photography)	TC	\$9.22	\$18.82
92285	External ocular photography with interpretation and report for documentation of medical progress (for example, close-up photography, slit lamp photography, goniophotography, stereo-photography)	26	\$4.03	\$2.90
92286	Anterior segment imaging with interpretation and report; with specular microscopy and endothelial cell analysis		\$33.00	\$37.07
92286	Anterior segment imaging with interpretation and report; with specular microscopy and endothelial cell analysis	TC	\$19.80	\$16.66
92286	Anterior segment imaging with interpretation and report; with specular microscopy and endothelial cell analysis	26	\$13.20	\$20.41

Fiscal Impact

The estimated impact for Fiscal Year 2024-2025 is \$0.965 million in total funds. The estimated annualized cost is \$1.655 million in total funds.

Public Comment

Interested persons are invited to submit written comments to the Department of Human Services, Office of Medical Assistance Programs, c/o Regulations Coordinator, P.O. Box 2675, Harrisburg, PA 17120, RA-PWMAProgComments@pa.gov. Comments received within 30 days will be reviewed and considered for any subsequent revision of the MA Program Fee Schedule.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

VALERIE A. ARKOOSH,
Secretary

Fiscal Note: 14-NOT-1645. Under section 612 of The Administrative Code of 1929 (71 P.S. § 232), (1) General Fund;

(7) MA—Fee-for-Service; (2) Implementing Year 2024-25 is \$25,000; (3) 1st Succeeding Year 2025-26 through 5th Succeeding Year 2029-30 are \$42,000; (4) 2023-24 Program—\$697,354,000; 2022-23 Program—\$589,137,000; 2021-22 Program—\$644,059,000;

(7) MA—Capitation; (2) Implementing Year 2024-25 is \$408,000; (3) 1st Succeeding Year 2025-26 through 5th Succeeding Year 2029-30 are \$690,000; (4) 2023-24 Program—\$3,594,000,000; 2022-23 Program—\$3,418,000,000; 2021-22 Program—\$4,557,000,000;

(8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 24-1305. Filed for public inspection September 13, 2024, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania \$3,000,000 Golden Ticket Instant Lottery Game 1705

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania \$3,000,000 Golden Ticket (“\$3,000,000 Golden Ticket”). The game number is PA-1705.

2. *Price:* The price of a \$3,000,000 Golden Ticket instant lottery game ticket is \$30.

3. *Play symbols:* Each \$3,000,000 Golden Ticket instant lottery game ticket will contain one play area, featuring a “WINNING NUMBERS” area and a “YOUR NUMBERS” area, and six “VIP” spots. The “VIP” spots are each played separately. The play symbols and their captions located in the “WINNING NUMBERS” area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWNIN), 30 (THIRT), 31 (THYONE), 32 (THYTWO), 33 (THYTHR), 34 (THYFOR), 35 (THYFIV), 36 (THYSIX), 37 (THYSVN), 38 (THYEGT), 39 (THYNIN), 40 (FORT) and a POPCORN (ANY50) symbol. The play symbols and their captions located in the “YOUR NUMBERS” area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWNIN), 30 (THIRT), 31 (THYONE), 32 (THYTWO), 33 (THYTHR), 34 (THYFOR), 35 (THYFIV), 36 (THYSIX), 37 (THYSVN), 38 (THYEGT), 39 (THYNIN), 40 (FORT), 20X (20TIMES) symbol and an ALL Ticket (WINALL) symbol. The play symbols and their captions, located in each of the “VIP” SPOTS, are: TRY AGAIN (NOBONUS) symbol, NO BONUS (TRYAGAIN) symbol and a GOLDEN (GOLDEN) symbol.

4. *Prize symbols:* The prize symbols and their captions located in the “YOUR NUMBERS” area are: \$30⁰⁰ (THIRTY), \$40⁰⁰ (FORTY), \$50⁰⁰ (FIFTY), \$100 (ONE HUN), \$300 (THR HUN), \$600 (SIX HUN), \$1,000 (ONE THO), \$3,000 (THRTHO), \$30,000 (THRTYTHO), \$300,000 (THRHUNTHO) and \$3MILL (THREEMIL).

5. *Prizes:* The prizes that can be won in this game are: \$30, \$40, \$50, \$100, \$300, \$600, \$1,000, \$3,000, \$30,000, \$300,000 and \$3,000,000. The prize that can be won in the “VIP” spots is \$50, and the player can win this prize in each of the six spots. For a complete description of how these prizes can be won, see section 8 (relating to number and description of prizes and approximate odds). A player can win up to 31 times on a ticket.

6. *Approximate number of tickets printed for the game:* Approximately 5,400,000 tickets will be printed for the \$3,000,000 Golden Ticket instant lottery game.

7. *Determination of prize winners:*

(a) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$3MILL (THREEMIL) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$3,000,000. The prize shall be paid as a one-time, lump-sum cash payment.

(b) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$300,000 (THRHUNTHO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$300,000.

(c) Holders of tickets upon which an ALL Ticket (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$30,000 (THRTYTHO) appears in nine of the “prize” areas, a prize symbol of \$3,000 (THRTHO) appears in eight of the “prize” areas, a prize symbol of \$1,000 (ONE THO) appears in five of the “prize” areas, a prize symbol of \$300 (THR HUN) appears in two of the “prize” areas and a prize symbol of \$100 (ONE HUN) appears in one of the “prize” areas, on a single ticket, shall be entitled to a prize of \$299,700.

(d) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$30,000 (THRTYTHO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$30,000.

(e) Holders of tickets upon which an ALL Ticket (WINALL) symbol appears in the “YOUR NUMBERS” area, and a prize symbol of \$3,000 (THRTHO) appears in six of the “prize” areas, a prize symbol of \$1,000 (ONE THO) appears in ten of the “prize” areas, a prize symbol of \$300 (THR HUN) appears in six of the “prize” areas, a prize symbol of \$50⁰⁰ (FIFTY) appears in two of the “prize” areas and a prize symbol of \$100 (ONE HUN) appears in one of the “prize” areas, on a single ticket, shall be entitled to a prize of \$30,000.

(f) Holders of tickets upon which an ALL Ticket (WINALL) symbol appears in the “YOUR NUMBERS” area, and a prize symbol of \$1,000 (ONE THO) appears in 20 of the “prize” areas, a prize symbol of \$3,000 (THRTHO) appears in three of the “prize” areas, a prize symbol of \$600 (SIX HUN) appears in one of the “prize” areas and a prize symbol of \$100 (ONE HUN) appears in one of the “prize” areas, on a single ticket, shall be entitled to a prize of \$29,700.

(g) Holders of tickets upon which a 20X (20TIMES) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$1,000 (ONE THO) appears in the “prize” area under that 20X (20TIMES) symbol, on a single ticket, shall be entitled to a prize of \$20,000.

(h) Holders of tickets upon which a 20X (20TIMES) symbol appears in the “YOUR NUMBERS” area and a

prize symbol of \$300 (THR HUN) appears in the “prize” area under that 20X (20TIMES) symbol, on a single ticket, shall be entitled to a prize of \$6,000.

(i) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$3,000 (THRTHO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$3,000.

(j) Holders of tickets upon which an ALL Ticket (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$300 (THR HUN) appears in five of the “prize” areas, a prize symbol of \$100 (ONE HUN) appears in ten of the “prize” areas and a prize symbol of \$50⁰⁰ (FIFTY) appears in ten of the “prize” areas, on a single ticket, shall be entitled to a prize of \$3,000.

(k) Holders of tickets upon which an ALL Ticket (WINALL) symbol appears in the “YOUR NUMBERS” area, and a prize symbol of \$100 (ONE HUN) appears in 18 of the “prize” areas, a prize symbol of \$50⁰⁰ (FIFTY) appears in six of the “prize” areas and a prize symbol of \$600 (SIX HUN) appears in one of the “prize” areas, on a single ticket, shall be entitled to a prize of \$2,700.

(l) Holders of tickets upon which a 20X (20TIMES) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$100 (ONE HUN) appears in the “prize” area under that 20X (20TIMES) symbol, on a single ticket, shall be entitled to a prize of \$2,000.

(m) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$1,000 (ONE THO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(n) Holders of tickets upon which a 20X (20TIMES) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$50⁰⁰ (FIFTY) appears in the “prize” area under that 20X (20TIMES) symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(o) Holders of tickets upon which an ALL Ticket (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$40⁰⁰ (FORTY) appears in all 25 of the “prize” areas, on a single ticket, shall be entitled to a prize of \$1,000.

(p) Holders of tickets upon which a 20X (20TIMES) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$40⁰⁰ (FORTY) appears in the “prize” area under that 20X (20TIMES) symbol, on a single ticket, shall be entitled to a prize of \$800.

(q) Holders of tickets upon which an ALL Ticket (WINALL) symbol appears in the “YOUR NUMBERS” area, and a prize symbol of \$30⁰⁰ (THIRTY) appears in all 25 of the “prize” areas, on a single ticket, shall be entitled to a prize of \$750.

(r) Holders of tickets upon which a Popcorn (ANY50) symbol appears in the “WINNING NUMBERS” area and 14 (fourteen) \$50⁰⁰ (FIFTY) prize symbols also appear in the “YOUR NUMBERS” area, on a single ticket, shall be entitled to a prize of \$700.

(s) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$600 (SIX HUN) appears in the “prize” area under the match-

ing “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$600.

(t) Holders of tickets upon which a 20X (20TIMES) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$30⁰⁰ (THIRTY) appears in the “prize” area under that 20X (20TIMES) symbol, on a single ticket, shall be entitled to a prize of \$600.

(u) Holders of tickets upon which a Popcorn (ANY50) symbol appears in the “WINNING NUMBERS” area and seven \$50⁰⁰ (FIFTY) prize symbols also appear in the “YOUR NUMBERS” area, on a single ticket, shall be entitled to a prize of \$350.

(v) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$300 (THR HUN) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$300.

(w) Holders of tickets upon which a Popcorn (ANY50) symbol appears in the “WINNING NUMBERS” area and six \$50⁰⁰ (FIFTY) prize symbols also appear in the “YOUR NUMBERS” area, on a single ticket, shall be entitled to a prize of \$300.

(x) Holders of tickets upon which a Popcorn (ANY50) symbol appears in the “WINNING NUMBERS” area and four \$50⁰⁰ (FIFTY) prize symbols also appear in the “YOUR NUMBERS” area, on a single ticket, shall be entitled to a prize of \$200.

(y) Holders of tickets upon which a Popcorn (ANY50) symbol appears in the “WINNING NUMBERS” area and three \$50⁰⁰ (FIFTY) prize symbols also appear in the “YOUR NUMBERS” area, on a single ticket, shall be entitled to a prize of \$150.

(z) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$100 (ONE HUN) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$100.

(aa) Holders of tickets upon which a Popcorn (ANY50) symbol appears in the “WINNING NUMBERS” area and two \$50⁰⁰ (FIFTY) prize symbols also appear in the “YOUR NUMBERS” area, on a single ticket, shall be entitled to a prize of \$100.

(bb) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$50⁰⁰ (FIFTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$50.

(cc) Holders of tickets upon which a Popcorn (ANY50) symbol appears in the “WINNING NUMBERS” area and one \$50⁰⁰ (FIFTY) prize symbols also appear in the “YOUR NUMBERS” area, on a single ticket, shall be entitled to a prize of \$50.

(dd) Holders of tickets upon which a GOLDEN (GOLDEN) symbol appears in any of the “VIP” spots, on a single ticket, shall be entitled to a prize of \$50.

(ee) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$40^{.00} (FORTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$40.

(ff) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING

NUMBERS” play symbols and a prize symbol of \$30^{.00} (THIRTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$30.

8. *Number and description of prizes and approximate odds:* The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

<i>Match Any Of YOUR NUMBERS To Any Of The WINNING NUMBERS To Win Prize Shown Under That Match. Win With:</i>	<i>VIP SPOTS:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 5,400,000 Tickets:</i>
\$30		\$30	7.69	702,000
\$40		\$40	25	216,000
	\$50 w/ GOLDEN	\$50	30	180,000
POPCORN w/ \$50		\$50	17.65	306,000
\$50		\$50	75	72,000
\$50 × 2		\$100	300	18,000
(\$30 × 2) + \$40		\$100	300	18,000
POPCORN w/ \$50	\$50 w/ GOLDEN	\$100	75	72,000
	(\$50 w/ GOLDEN) × 2	\$100	300	18,000
POPCORN w/ (\$50 × 2)		\$100	150	36,000
\$100		\$100	300	18,000
\$30 × 10		\$300	3,000	1,800
\$50	(\$50 w/ GOLDEN) × 5	\$300	3,000	1,800
(POPCORN w/ (\$50 × 2)) + (\$30 × 5)	\$50 w/ GOLDEN	\$300	3,000	1,800
POPCORN w/ (\$50 × 3)	(\$50 w/ GOLDEN) × 3	\$300	3,000	1,800
	(\$50 w/ GOLDEN) × 6	\$300	3,000	1,800
POPCORN w/ (\$50 × 6)		\$300	3,000	1,800
\$300		\$300	3,000	1,800
\$100 × 6		\$600	12,000	450
\$300 × 2		\$600	12,000	450
\$50 × 11	\$50 w/ GOLDEN	\$600	2,400	2,250
(POPCORN w/ (\$50 × 2)) + (\$100 × 2) + (\$40 × 3) + \$30	(\$50 w/ GOLDEN) × 3	\$600	1,200	4,500
(POPCORN w/ (\$50 × 4)) + (\$40 × 2) + (\$30 × 4)	(\$50 w/ GOLDEN) × 4	\$600	1,200	4,500
POPCORN w/ (\$50 × 6)	(\$50 w/ GOLDEN) × 6	\$600	1,200	4,500
\$30 w/ 20X		\$600	363.64	14,850
\$600		\$600	12,000	450
ALL TICKET w/ (\$30 × 25)	(\$50 w/ GOLDEN) × 5	\$1,000	6,000	900
ALL TICKET w/ (\$40 × 25)		\$1,000	6,000	900
\$100 × 10		\$1,000	24,000	225
(\$300 × 2) + \$100	(\$50 w/ GOLDEN) × 6	\$1,000	24,000	225
(\$30 w/ 20X) + \$300 + \$50	\$50 w/ GOLDEN	\$1,000	24,000	225

<i>Match Any Of YOUR NUMBERS To Any Of The WINNING NUMBERS To Win Prize Shown Under That Match. Win With:</i>	<i>VIP SPOTS:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 5,400,000 Tickets:</i>
(\$30 w/ 20X) + (POPCORN w/ (\$50 × 7))	\$50 w/ GOLDEN	\$1,000	24,000	225
\$40 w/ 20X	(\$50 w/ GOLDEN) × 4	\$1,000	24,000	225
\$50 w/ 20X		\$1,000	12,000	450
\$1,000		\$1,000	24,000	225
ALL TICKET w/ ((\$100 × 18) + (\$50 × 6) + \$600)	(\$50 w/ GOLDEN) × 6	\$3,000	6,000	900
ALL TICKET w/ ((\$300 × 5) + (\$100 × 10) + (\$50 × 10))		\$3,000	12,000	450
\$300 × 10		\$3,000	120,000	45
(\$40 w/ 20X) + (\$30 w/ 20X) + (POPCORN w/ (\$50 × 14)) + \$600	(\$50 w/ GOLDEN) × 6	\$3,000	120,000	45
(\$50 w/ 20X) × 3		\$3,000	120,000	45
(\$100 w/ 20X) + (\$50 w/ 20X)		\$3,000	120,000	45
\$3,000		\$3,000	120,000	45
ALL TICKET w/ ((\$1,000 × 20) + (\$3,000 × 3) + \$600 + \$100)	(\$50 w/ GOLDEN) × 6	\$30,000	1,080,000	5
ALL TICKET w/ ((\$3,000 × 6) + (\$1,000 × 10) + (\$300 × 6) + (\$50 × 2) + \$100)		\$30,000	1,080,000	5
(\$1,000 w/ 20X) + (\$300 w/ 20X) + (\$1,000 × 3) + (\$300 × 2) + \$100	(\$50 w/ GOLDEN) × 6	\$30,000	1,080,000	5
(\$300 w/ 20X) × 5		\$30,000	1,080,000	5
\$30,000		\$30,000	1,080,000	5
ALL TICKET w/ ((\$30,000 × 9) + (\$3,000 × 8) + (\$1,000 × 5) + (\$300 × 2) + \$100)	(\$50 w/ GOLDEN) × 6	\$300,000	1,080,000	5
\$300,000		\$300,000	1,080,000	5
\$3,000,000		\$3,000,000	1,080,000	5

Reveal a "Popcorn" (ANY50) symbol in the WINNING NUMBERS area to win ANY \$50 prize shown in the YOUR NUMBERS area!

Reveal a "20X" (20TIMES) symbol to win 20 TIMES the prize shown under that symbol.

Reveal an "ALL Ticket" (WINALL) symbol to win ALL 25 prizes shown in the YOUR NUMBERS area.

VIP: Reveal a "GOLDEN" (GOLDEN) symbol in any VIP spot to win \$50 instantly! VIP spots are played separately.

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer incentive awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell \$3,000,000 Golden Ticket instant lottery game tickets.

10. *Retailer bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaran-

teed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which they qualify on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

11. *Unclaimed prize money:* For a period of 1 year from the announced close of \$3,000,000 Golden Ticket, prize money from winning \$3,000,000 Golden Ticket instant

lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the \$3,000,000 Golden Ticket instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

12. *Governing law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

13. *Termination of the game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote \$3,000,000 Golden Ticket or through normal communications methods.

PATRICK BROWNE,
Secretary

[Pa.B. Doc. No. 24-1306. Filed for public inspection September 13, 2024, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania GAME OF THRONES™ Instant Lottery Game 1706

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania GAME OF THRONES™ (“GAME OF THRONES™”). The game number is PA-1706.

2. *Price:* The price of a GAME OF THRONES™ instant lottery game ticket is \$10.

3. *Play symbols:* Each GAME OF THRONES™ instant lottery game ticket will contain one play area featuring a “WINNING NUMBERS” area and a “YOUR NUMBERS” area. The play symbols and their captions located in the “WINNING NUMBERS” area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THR TN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN) and 30 (THIRT). The play symbols and their captions located in the “YOUR NUMBERS” area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THR TN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN), 30 (THIRT), Dragon (DRAGON) symbol, 20X (20TIMES) symbol and an Iron Throne (WINALL) symbol.

4. *Prize symbols:* The prize symbols and their captions located in the “YOUR NUMBERS” area are: \$10⁰⁰ (TEN DOL), \$15⁰⁰ (FIFTEEN), \$20⁰⁰ (TWENTY), \$30⁰⁰ (THIRTY), \$50⁰⁰ (FIFTY), \$100 (ONE HUN), \$200 (TWO

HUN), \$300 (THR HUN), \$500 (FIV HUN), \$1,000 (ONE THO), \$5,000 (FIV THO) and \$500,000 (FIVHUNTHO).

5. *Prizes:* The prizes that can be won in this game are: \$10, \$15, \$20, \$30, \$50, \$100, \$200, \$300, \$500, \$1,000, \$5,000 and \$500,000. For a complete description of how these prizes can be won, see section 9 (relating to number and description of prizes and approximate odds). A player can win up to 15 times on a ticket.

6. *Approximate number of tickets printed for the game:* Approximately 14,400,000 tickets will be printed for the GAME OF THRONES™ instant lottery game.

7. *Second-Chance Drawing:* The Pennsylvania Lottery (“Lottery”) will conduct a GAME OF THRONES™ Second-Chance Drawing (“Drawing”) for which non-winning GAME OF THRONES™ lottery game tickets may be eligible as provided for in section 10 (relating to second-chance drawing).

8. *Determination of prize winners:*

(a) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$500,000 (FIVHUNTHO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$500,000.

(b) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$5,000 (FIV THO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$5,000.

(c) Holders of tickets upon which an Iron Throne (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$500 (FIV HUN) appears in five of the “prize” areas, a prize symbol of \$300 (THR HUN) appears in five of the “prize” areas and a prize symbol of \$200 (TWO HUN) appears in five of the “prize” areas, on a single ticket, shall be entitled to a prize of \$5,000.

(d) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$1,000 (ONE THO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(e) Holders of tickets upon which a Dragon (DRAGON) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$1,000 (ONE THO) appears in the “prize” area under that Dragon (DRAGON) symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(f) Holders of tickets upon which a 20X (20TIMES) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$50⁰⁰ (FIFTY) appears in the “prize” area under that 20X (20TIMES) symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(g) Holders of tickets upon which an Iron Throne (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$200 (TWO HUN) appears in three of the “prize” areas, a prize symbol of \$100 (ONE HUN) appears in two of the “prize” areas and a prize symbol of \$20⁰⁰ (TWENTY) appears in ten of the “prize” areas, on a single ticket, shall be entitled to a prize of \$1,000.

(h) Holders of tickets upon which an Iron Throne (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$100 (ONE HUN) appears in

five of the “prize” areas and a prize symbol of \$50⁰⁰ (FIFTY) appears in ten of the “prize” areas, on a single ticket, shall be entitled to a prize of \$1,000.

(i) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$500 (FIV HUN) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$500.

(j) Holders of tickets upon which a Dragon (DRAGON) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$500 (FIV HUN) appears in the “prize” area under that Dragon (DRAGON) symbol, on a single ticket, shall be entitled to a prize of \$500.

(k) Holders of tickets upon which an Iron Throne (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$100 (ONE HUN) appears in two of the “prize” areas, a prize symbol of \$50⁰⁰ (FIFTY) appears in two of the “prize” areas, a prize symbol of \$20⁰⁰ (TWENTY) appears in nine of the “prize” areas and a prize symbol of \$10⁰⁰ (TEN DOL) appears in two of the “prize” areas, on a single ticket, shall be entitled to a prize of \$500.

(l) Holders of tickets upon which an Iron Throne (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$50⁰⁰ (FIFTY) appears in five of the “prize” areas, a prize symbol of \$30⁰⁰ (THIRTY) appears in five of the “prize” areas and a prize symbol of \$20⁰⁰ (TWENTY) appears in five of the “prize” areas, on a single ticket, shall be entitled to a prize of \$500.

(m) Holders of tickets upon which an Iron Throne (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$30⁰⁰ (THIRTY) appears in 12 of the “prize” areas, a prize symbol of \$20⁰⁰ (TWENTY) appears in two of the “prize” areas and a prize symbol of \$100 (ONE HUN) appears in one of the “prize” areas, on a single ticket, shall be entitled to a prize of \$500.

(n) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$300 (THR HUN) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$300.

(o) Holders of tickets upon which a Dragon (DRAGON) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$300 (THR HUN) appears in the “prize” area under that Dragon (DRAGON) symbol, on a single ticket, shall be entitled to a prize of \$300.

(p) Holders of tickets upon which a 20X (20TIMES) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$15⁰⁰ (FIFTEEN) appears in the “prize” area under that 20X (20TIMES) symbol, on a single ticket, shall be entitled to a prize of \$300.

(q) Holders of tickets upon which an Iron Throne (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$50⁰⁰ (FIFTY) appears in three of the “prize” areas, a prize symbol of \$10⁰⁰ (TEN DOL) appears in ten of the “prize” areas, a prize symbol of \$30⁰⁰ (THIRTY) appears in one of the “prize” areas and a prize symbol of \$20⁰⁰ (TWENTY) appears in one of the “prize” areas, on a single ticket, shall be entitled to a prize of \$300.

(r) Holders of tickets upon which an Iron Throne (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$20⁰⁰ (TWENTY) appears in all fifteen of the “prize” areas, on a single ticket, shall be entitled to a prize of \$300.

(s) Holders of tickets upon which an Iron Throne (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$15⁰⁰ (FIFTEEN) appears in two of the “prize” areas, a prize symbol of \$10⁰⁰ (TEN DOL) appears in ten of the “prize” areas, a prize symbol of \$100 (ONE HUN) appears in one of the “prize” areas, a prize symbol of \$50⁰⁰ (FIFTY) appears in one of the “prize” areas and a prize symbol of \$20⁰⁰ (TWENTY) appears in one of the “prize” areas, on a single ticket, shall be entitled to a prize of \$300.

(t) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$200 (TWO HUN) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$200.

(u) Holders of tickets upon which a Dragon (DRAGON) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$200 (TWO HUN) appears in the “prize” area under that Dragon (DRAGON) symbol, on a single ticket, shall be entitled to a prize of \$200.

(v) Holders of tickets upon which a 20X (20TIMES) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the “prize” area under that 20X (20TIMES) symbol, on a single ticket, shall be entitled to a prize of \$200.

(w) Holders of tickets upon which an Iron Throne (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$20⁰⁰ (TWENTY) appears in five of the “prize” areas and a prize symbol of \$10⁰⁰ (TEN DOL) appears in ten of the “prize” areas, on a single ticket, shall be entitled to a prize of \$200.

(x) Holders of tickets upon which an Iron Throne (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$15⁰⁰ (FIFTEEN) appears in ten of the “prize” areas and a prize symbol of \$10⁰⁰ (TEN DOL) appears in five of the “prize” areas, on a single ticket, shall be entitled to a prize of \$200.

(y) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$100 (ONE HUN) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$100.

(z) Holders of tickets upon which a Dragon (DRAGON) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$100 (ONE HUN) appears in the “prize” area under that Dragon (DRAGON) symbol, on a single ticket, shall be entitled to a prize of \$100.

(aa) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$50⁰⁰ (FIFTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$50.

(bb) Holders of tickets upon which a Dragon (DRAGON) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$50⁰⁰ (FIFTY) appears in the “prize” area under that Dragon (DRAGON) symbol, on a single ticket, shall be entitled to a prize of \$50.

(cc) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$30⁰⁰ (THIRTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$30.

(dd) Holders of tickets upon which a Dragon (DRAGON) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$30⁰⁰ (THIRTY) appears in the “prize” area under that Dragon (DRAGON) symbol, on a single ticket, shall be entitled to a prize of \$30.

(ee) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$20⁰⁰ (TWENTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$20.

(ff) Holders of tickets upon which a Dragon (DRAGON) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$20⁰⁰ (TWENTY) appears in the “prize” area under that Dragon (DRAGON) symbol, on a single ticket, shall be entitled to a prize of \$20.

(gg) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$15⁰⁰ (FIFTEEN) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$15.

(hh) Holders of tickets upon which a Dragon (DRAGON) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$15⁰⁰ (FIFTEEN) appears in the “prize” area under that Dragon (DRAGON) symbol, on a single ticket, shall be entitled to a prize of \$15.

(ii) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$10.

(jj) Holders of tickets upon which a Dragon (DRAGON) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the “prize” area under that Dragon (DRAGON) symbol, on a single ticket, shall be entitled to a prize of \$10.

9. *Number and description of prizes and approximate odds:* The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

<i>Match Any Of YOUR NUMBERS To Any Of The WINNING NUMBERS To Win Prize Shown Under That Match. Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 14,400,000 Tickets:</i>
\$10 w/ DRAGON	\$10	11.54	1,248,000
\$10	\$10	24	600,000
\$15 w/ DRAGON	\$15	30	480,000
\$15	\$15	75	192,000
\$10 × 2	\$20	600	24,000
(\$10 w/ DRAGON) + \$10	\$20	150	96,000
\$20 w/ DRAGON	\$20	60	240,000
\$20	\$20	600	24,000
\$10 × 3	\$30	600	24,000
\$15 × 2	\$30	600	24,000
(((\$10 w/ DRAGON) × 2) + \$10	\$30	60	240,000
\$30 w/ DRAGON	\$30	60	240,000
\$30	\$30	600	24,000
\$10 × 5	\$50	600	24,000
\$30 + \$20	\$50	600	24,000
(((\$10 w/ DRAGON) × 2) + (\$15 × 2)	\$50	300	48,000
(\$20 w/ DRAGON) + (\$10 w/ DRAGON) + (\$10 × 2)	\$50	300	48,000
\$50 w/ DRAGON	\$50	200	72,000
\$50	\$50	600	24,000
\$10 × 10	\$100	600	24,000
\$50 × 2	\$100	600	24,000
(\$50 w/ DRAGON) + (\$15 w/ DRAGON) + (\$10 × 2) + \$15	\$100	600	24,000
\$100 w/ DRAGON	\$100	600	24,000

<i>Match Any Of YOUR NUMBERS To Any Of The WINNING NUMBERS To Win Prize Shown Under That Match. Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 14,400,000 Tickets:</i>
\$100	\$100	600	24,000
IRON THRONE w/ ((\$15 × 10) + (\$10 × 5))	\$200	600	24,000
IRON THRONE w/ ((\$20 × 5) + (\$10 × 10))	\$200	600	24,000
\$100 × 2	\$200	12,000	1,200
(((\$50 w/ DRAGON) × 2) + (\$10 × 10))	\$200	12,000	1,200
\$10 w/ 20X	\$200	480	30,000
\$200 w/ DRAGON	\$200	12,000	1,200
\$200	\$200	12,000	1,200
IRON THRONE w/ ((\$15 × 2) + (\$10 × 10) + \$100 + \$50 + \$20)	\$300	10,000	1,440
IRON THRONE w/ (\$20 × 15)	\$300	9,231	1,560
IRON THRONE w/ ((\$50 × 3) + (\$10 × 10) + \$30 + \$20)	\$300	9,231	1,560
\$50 × 6	\$300	120,000	120
(\$10 w/ 20X) + ((\$10 w/ DRAGON) × 5) + \$50	\$300	24,000	600
\$15 w/ 20X	\$300	24,000	600
\$300 w/ DRAGON	\$300	24,000	600
\$300	\$300	120,000	120
IRON THRONE w/ ((\$30 × 12) + (\$20 × 2) + \$100)	\$500	6,000	2,400
IRON THRONE w/ ((\$50 × 5) + (\$30 × 5) + (\$20 × 5))	\$500	6,000	2,400
IRON THRONE w/ ((\$100 × 2) + (\$50 × 2) + (\$20 × 9) + (\$10 × 2))	\$500	6,000	2,400
\$100 × 5	\$500	120,000	120
(\$15 w/ 20X) + (\$10 w/ 20X)	\$500	120,000	120
\$500 w/ DRAGON	\$500	120,000	120
\$500	\$500	120,000	120
IRON THRONE w/ ((\$100 × 5) + (\$50 × 10))	\$1,000	24,000	600
IRON THRONE w/ ((\$200 × 3) + (\$100 × 2) + (\$20 × 10))	\$1,000	24,000	600
\$500 × 2	\$1,000	120,000	120
\$50 w/ 20X	\$1,000	120,000	120
\$1,000 w/ DRAGON	\$1,000	120,000	120
\$1,000	\$1,000	120,000	120
IRON THRONE w/ ((\$500 × 5) + (\$300 × 5) + (\$200 × 5))	\$5,000	1,440,000	10
\$5,000	\$5,000	2,880,000	5
\$500,000	\$500,000	1,440,000	10

Reveal a “Dragon” (DRAGON) symbol to win prize shown under that symbol automatically.

Reveal a “20X” (20TIMES) symbol to win 20 TIMES the prize shown under that symbol.

Reveal an “Iron Throne” (WINALL) symbol to win ALL 15 PRIZES shown!

Prizes, including top prizes, are subject to availability at the time of purchase.

10. *Second-Chance Drawing:* The GAME OF THRONES™ Second-Chance Drawing from the Pennsylvania Lottery for qualifying instant and Fast Play tickets.

(a) *Qualifying Tickets:* Non-winning PA-1706 GAME OF THRONES™ (\$10) instant tickets and PA-5253 GAME OF THRONES™ (\$10) Fast Play tickets (“Qualifying Tickets”) are eligible for entry in the Drawing.

(b) *Participation and entry:*

(1) Entrants must have a registered lottery account in order to participate in the Drawing. To create a lottery account, visit <https://www.PAiLottery.com>. Creating a lottery account is free.

(2) A registered lottery account holder is subject to the iLottery regulations and specifically agrees to be bound by the iLottery terms and conditions located at <https://www.pailottery.com/signup/terms-and-conditions/>, as well as any related policies.

(3) To establish a lottery account, players must provide the following information:

(i) The player’s name as it appears on a valid government-issued identification or tax documents;

(ii) The player’s date of birth;

(iii) The entire or last four digits of the player’s Social Security Number, or comparable equivalent;

(iv) The player’s address;

(v) The player’s telephone number;

(vi) The player’s email address;

(vii) Any other information established by the Lottery to be necessary to verify the age and identity of the player.

(4) An individual may be required to provide additional information or documentation, as set forth in the iLottery terms and conditions, to establish a lottery account or register for iLottery. The information may be used for iLottery registration or to confirm information provided by that individual during the registration process.

(5) To enter the Drawing, entrants must submit the identifying information from at least one Qualifying Ticket via the Drawing’s promotional web site, available at <https://www.palottery.com>, or the Lottery’s official mobile application during the entry period. The identifying information from a Qualifying Ticket may be submitted only once in the Drawing. Entries will automatically be awarded at the time of successful submission of a Qualifying Ticket. No other method of submission will be accepted, and entries submitted using any other method, including entries mailed or hand-delivered to the Lottery, are not valid and will be disqualified.

(6) Each entry must be complete and the information supplied by the entrant must be accurate. Incomplete entries cannot be accepted.

(7) Only one claimant per entry is allowed.

(8) Entrants must be 18 years of age or older.

(9) Players may submit the identifying information from an unlimited number of Qualifying Tickets in the Drawing.

(10) Once an entry has been submitted it cannot be withdrawn or changed.

(c) *Drawing description:*

(1) The Lottery will conduct one GAME OF THRONES™ Second-Chance Drawing from among all qualifying Instant and Fast Play Lottery game tickets. All time references are Eastern Prevailing Time.

(2) The entry period for qualifying Fast Play tickets will begin after 4:59:59 a.m. September 3, 2024, and will end at 11:59:59 p.m. January 23, 2025. The entry period for qualifying instant tickets will begin after 11:59:59 p.m. September 15, 2024, and will end at 11:59:59 p.m. January 23, 2025. All entries received during the entry periods will be entered in the Drawing tentatively scheduled to be held between January 24, 2025 and February 7, 2025.

(3) The entry periods for the Drawing will be posted to the Lottery’s publicly accessible web site at <https://www.palottery.com>.

(4) The number of entries an entrant will receive for the Drawing is determined by the purchase price of the Qualifying Ticket entered. The purchase price and corresponding number of entries for the Qualifying Ticket is as follows: PA-1706 GAME OF THRONES™ (\$10) = ten entries and PA-5253 GAME OF THRONES™ (\$10) = ten entries.

(5) Players may review prizes won and their entries for the Drawing via the Drawing’s promotional web site.

(d) *Prizes available to be won, determination of winners, and odds of winning:*

(1) The prize entitlements described below are subject to all restrictions and limitations mentioned anywhere in these rules.

(2) The Lottery will conduct one Drawing from among all the entries received during the entry period as described in section 10(c)(2).

(3) The first through the forty-fourth entries selected in the Drawing will be winning entries and the entrants who submitted those winning entries shall each be entitled to a prize of one THE SEVEN KINGDOMS EXPERIENCE Trip Prize Package, as described in section 10(e) (relating to THE SEVEN KINGDOMS EXPERIENCE trip prize package description) of these rules.

(4) The number of winning entries to be selected for the Drawing will be posted to the Lottery’s publicly accessible web site.

(5) The odds of winning in the Drawing depend upon the number of entries received for the Drawing.

(6) A computer-generated randomizer will be used to select the Drawing winners.

(e) *THE SEVEN KINGDOMS EXPERIENCE Trip Prize Package Description:*

(1) Each THE SEVEN KINGDOMS EXPERIENCE Trip Prize Package (“Trip Prize Package”) shall consist of a five-day, four-night trip for the Trip Prize Package Winner (“Prize Winner”) and up to one guest to Napa Valley, California and subsequently to San Francisco, California during the Fall of 2025.

(2) The specific date and location of the Trip Prize Package events are subject to change and will be confirmed during the fulfillment process. Each Trip Prize Package shall include:

(i) Round trip airfare, if required, for up to two coach class tickets on a major airline, as defined by the Federal Aviation Administration, from a United States interna-

tional airport to a San Francisco-area international airport in San Francisco, California (inclusive of all security fees, taxes and surcharges). It is the responsibility of the Prize Winner to comply with the REAL ID Act to the extent that the Act is applicable to the Prize Winner's air travel.

(ii) Ground transfers between the San Francisco-area International Airport and the assigned destination hotel and, if necessary, between the hotel and Scientific Games, LLC ("SG") hosted events.

(iii) One double occupancy room accommodation (room and room tax only), at a three star or better hotel room in Napa Valley, California, for three nights and one double occupancy room accommodation (room and room tax only), at a three star or better hotel room in San Francisco, California, for one night.

(iv) Admission to the Welcome Reception, the Napa Wine Train and a selected variety of curated tours and activities in and around California's Napa Valley for the Prize Winner and guest.

(v) \$1,000 spending money for the Prize Winner, provided in the form of a check mailed to the winner after successful completion and validation of the prize claim process as described in section 10(h) (relating to prize claim procedure), below.

(vi) State income tax withholding in the amount of \$145.51 and federal income tax withholding of \$3,594.24 (excluding any additional prizes won during THE SEVEN KINGDOMS EXPERIENCE Event).

(f) *THE SEVEN KINGDOMS EXPERIENCE Event Description*: Each THE SEVEN KINGDOMS EXPERIENCE Event ("Event") shall consist of:

(1) Each Prize Winner shall receive the chance to participate in the Event.

(2) The Event shall afford each Prize Winner or Proxy one chance to participate as a Contestant together with Contestants from other participating lotteries for the chance to win a shared cash prize ranging from \$25,000 to \$7,000,000, as described below.

(3) The Event shall consist of:

(i) Admission to the Event venue for the Prize Winner ("Contestant") and one guest. Each Contestant shall be randomly assigned to one of seven Houses (each a "House" or plural, the "Houses") along with other Contestants. The number of Contestants in a House (a "House Member" or plural, "House Members") will be determined based on lottery participation.

(ii) Participation in a House Ruler Selection one to three (3) rounds (each a "Round" or plural, "Rounds") of the Event, as described below.

(A) *PRE-EVENT HOUSE RULER SELECTION*: Prior to the start of Round #1, one (1) House Member from each of the seven Houses will be randomly selected, using a ball machine, as the House Ruler (the "House Ruler" or plural, "House Rulers") to represent their House in the Event going forward.

(B) *ROUND #1 JOUSTING TOURNAMENT*: During Round #1 each House will be randomly assigned a joustier (each a "Joustier" or plural, "Joustiers") for the chance to win a cash prize that will be split evenly among all House Members of each House. The JOUSTING TOURNAMENT will include three (3) matches (each a "Match" or plural, "Matches"), with the match pairings and outcomes randomly determined prior to the event, as follows:

(1) *Match #1 Quarterfinal*: At the beginning of Match #1, one of the seven Houses will randomly be assigned a tournament bye ("House Bye") and will not be paired with another House for Match #1, automatically advancing to Match #2. The remaining six Houses will each participate in Match #1, where three Houses will be eliminated. Each eliminated House will win a prize of \$25,000 that will be split evenly among all House Members in that House, and the eliminated Houses' Event participation will end. The three remaining Houses along with the House Bye will advance to Match #2 of Round #1.

(2) *Match #2 Semifinal*: The remaining four Houses will each participate in Match #2, where two Houses will be eliminated. Each eliminated House will win a prize of \$100,000 that will be split evenly among all House Members in that House, and the eliminated Houses' Event participation will end. The two remaining Houses will advance to Match #3 of Round #1.

(3) *Match #3 Final*: The two remaining Houses will each participate in Match #3, where one House will be eliminated. The eliminated House will win a prize of \$250,000 that will be evenly split among all House Members in that House and the eliminated House's Event participation will end. The winning House will win a prize of \$1,000,000 that will be evenly split among all House Members in that House, and the winning House's Ruler will become the House Finalist in Round #3.

(C) *ROUND #2 DRAGON EGGS BONUS*. Each of the seven House Rulers will have the opportunity to win an individual prize ranging from \$7,000 to \$77,000 that will not be shared among the respective Houses. At the start of Round #2, the Event Host will call each House Ruler, in a randomly selected order, to select one of 15 numbered Dragon Eggs (each a "Dragon Egg" or plural, "Dragon Eggs"). Each Dragon Egg will contain an envelope that, when opened, will reveal a prize amount. After a House Ruler selects a Dragon Egg, that House Ruler's Event participation will end, with the exception of the House Ruler Finalist determined in Match #1.

(D) *ROUND #3 THE SPOILS OF WAR*. The House Ruler Finalist will have a chance to spin a wheel up to three times for the chance to win an additional prize of up to \$6,000,000 that will be evenly split among all House Members in that House.

(g) *Prize Package restrictions*:

(1) There is no cash option for the Trip Prize Package.

(2) The Lottery is not responsible for injury, loss or damage to person or property in connection with the Trip Prize Package. A Prize Winner and guest participate solely at their own risk and responsibility.

(3) Lottery is not responsible for Trip Prize Package fulfillment. Lottery disclaims any responsibility for any and every occurrence with respect to fulfillment or enjoyment of the Trip Prize Package.

(4) All Prize Winners must be 18 years of age or older at the time of the scheduled Trip Prize Package in order to participate in the Event. If the Prize Winner is not 18 years of age or older at the time of the scheduled Trip Prize Package, they may designate a Proxy to participate in the Event. The designated Proxy must be 18 years of age or older at the time of the scheduled Trip Prize Package. If a Prize Winner is under the age of 21, any guest must be at least the age of majority in the guest's state of residence in order to check in to the hotel as described in section 10(e) (relating to prize package description) above. If the Trip Prize winner's guest is a

minor, the Trip Prize winner must either be the parent or legal guardian of such guest, or must present a notarized, written consent from the minor's parent or legal guardian for the minor guest to accompany the Trip Prize winner on the Trip Prize. Trip Prize Winners are solely responsible for the actions of accompanying guests.

(5) By accepting the Trip Prize Package, Prize Winner and guest agree a background investigation, derived from public information, prior to the Trip Prize departure date.

(6) By accepting the Trip Prize Package, Prize Winner and guest agree to follow all health and safety protocols, including always wearing a facemask and following social distancing guidelines, as instructed by the event's staff and volunteers and all federal, state, and local guidelines relating to COVID-19 or any pandemic.

(7) All expenses involved with or related to the Trip Prize Package not specifically included in the Trip Prize Package Description, as described in section 10(e), above, including, without limitation, ground transportation, transfers, additional hotel amenities (i.e., spa services, internet access, phone calls, laundry services, room service, fees and gratuities), airline change fees, airline premium seat fees, airline baggage fees both checked and carry on, travel insurance and personal expenses such as laundry, valet service, photos, souvenirs, and other incidentals), are the responsibility of Prize Winner and guest.

(8) Prize Winners will be required to submit a valid major credit card to the hotel to cover all expenses not specifically awarded as part of the Trip Prize Package.

(9) Travel and hotel accommodations are subject to availability.

(10) The date and location of any events included within the Trip Prize Package may be subject to change. The Lottery is not responsible if any event is delayed, postponed, or cancelled for any reason, in whole or in part, and in such event, the Lottery's only obligation is to award the other elements of the Trip Prize Package. No compensation will be paid in lieu of any cancelled event or any other element of the Trip Prize Package.

(11) Prize Winners and guests must comply with all of the rules and regulations of the venues where the events are held and all applicable federal, state, and local government and/or agency laws, rules, orders, and regulations as well as any rules, regulations, and safety guidelines. Prize Winners acknowledge that if winners or guests behave in a disorderly or disruptive manner or with intent to annoy, abuse, threaten, or harass any other person at any event, winners and/or guests may be removed from the venue or denied entry as determined by SG or its designee(s) in their sole and absolute discretion.

(12) Prize Winners who do not elect to take a guest, or whose guest, for any reason, does not actually take the trip, are still subject to the full amount of any taxes due on the total value of the Trip Prize Package.

(13) By accepting any ticketed portion of the Trip Prize Package, Prize Winners agree to abide by any terms, conditions, and restrictions provided. Lost, mutilated, or stolen tickets, vouchers, certificates, or pre-paid gift cards will not be replaced.

(14) In the event that a Prize Winner misses their flight, reasonable efforts will be used to reschedule the flight at the Prize Winner's expense. If the flight is not able to be rescheduled in a reasonable time for the Prize Winner's participation in the elements of the Trip Prize Package, the Lottery or SG will appoint a Proxy to

participate in the Event for the Prize Winner, and the Prize Winner shall receive any prizes won by the Proxy.

(15) If a Trip Prize Package winner chooses not to travel or becomes ineligible for any reason, provided travel has not yet been booked, that winner may appoint a Proxy during the fulfillment process and the Prize Winner shall receive any prize won by the Proxy.

(16) If, after claiming the Trip Prize Package, the Prize Winner fails to check in to the participating hotel when arriving in Napa Valley, California or San Francisco, California, SG will use reasonable efforts to hold the participating hotel reservation. It is the Prize Winner's responsibility to communicate with SG in the event of a delay in hotel registration and/or required Event registration. If Prize Winner has communicated any delay to SG, SG and the participating hotel will hold the hotel room on behalf of the Prize Winner. If the Prize Winner does not communicate any delays to SG, the participating hotel room reservation will be cancelled and the balance of the trip portion of the Trip Prize Package shall be forfeited, including but not limited to participating hotel room, airport ground transportation, Event participation and any and all other non-contracted portions of the prize provided to the winner on SG's behalf, with the exception of the \$1,000 spending money and return airfare, less any required tax withholdings. In the event that a Prize Winner's participation is forfeited, a Proxy will be appointed and the Prize Winner will receive any prize won by the Proxy.

(17) If, after claiming the Trip Prize Package, the Prize Winner fails to arrive for scheduled Event participation, the Prize Winner will forfeit the right to personally participate in the Event and a Proxy will be appointed. The Prize Winner will receive any prize won by the Proxy.

(18) In the event that the Prize Winner does not designate a Proxy and a Proxy becomes necessary to participate in the Event, for any reason, SG or the Lottery will appoint a Proxy. The Prize Winner acknowledges that the appointed Proxy will have to make decisions on behalf of the Prize Winner and therefore that the Prize Winner delegates the power, authority, or discretion to the appointed Proxy to make such decisions on the Prize Winner's behalf. In such event, SG assumes all liability which, in any way, may be associated with the appointment. There shall be no charge for the appointment of a Proxy. The Prize Winner will receive any prize won by the Proxy.

(19) If a Prize Winner or designated Proxy fails to book the trip forty-five (45) calendar days prior to the departure date, that Trip Prize Package shall be forfeited, as described in section 10(g)(20).

(20) The forfeiture of any Trip Prize Package includes forfeiture of attendance at any of the events or activities included in the Trip Prize as described in section 10(e), above. In the event that a Trip Prize Winner must forfeit a Trip Prize Package, an alternate winner will be selected according to Lottery procedure.

(21) Except as set forth above, no prize element substitution, cash substitution, assignment, or transfer of the Trip Prize Package or any elements thereof is permitted. Any unused elements of the Trip Prize Package will be forfeited, will not be redeemable for cash, and may not reduce the prize value awarded for tax purposes.

(22) The total amount of any cash prize won, less required income tax withholding, will be mailed to each Prize Winner within 30 business days after the Prize Winner's departure from California. SG shall withhold

from such cash prizes the minimum required federal tax withholdings and any applicable state tax withholdings and shall deposit said withholdings on behalf of the Prize Winner to the appropriate agencies. The Prize Winner will receive an IRS Tax Form W-2G, and may be responsible for additional state or federal taxes.

(23) In the event that a Trip Prize Package is not claimed or is refused by the Prize Winner, the Lottery will select an alternate winner according to Lottery procedure, provided that such prize is still available and time requirements have not elapsed.

(24) During Round #1, Match #1 and Match #3 of the Event, all House Members in a House shall be awarded an equal prize amount (a "Prize Split") if a shared prize is won. In the event that a House contains more than 16 House Members, each House Member shall receive one sixteenth of the prize won, regardless of the number of House Members in that House, if the number of House Members is greater than 16.

(h) *Prize claim procedures:*

(1) Winners of any prize awarded in the Drawing will be contacted by email by the Lottery to initiate the prize claim procedure.

(2) Winners will have fourteen (14) calendar days from the date they are notified by the Lottery, pursuant to this section, to claim their prizes. In order to claim their prizes, winners must respond to the Lottery's email regarding prize claim procedure and must submit a properly completed prize claim form within fourteen (14) calendar days from the date they are notified by the Pennsylvania Lottery. Failure to comply with the prize claim requirements as set forth herein, for any reason, shall result in the winner forfeiting their right to receive the prize. Another alternate winner will be awarded the respective prize, according to Lottery procedure.

(3) By entering into the Drawing, players agree to be bound by these rules and the prize claim requirements set forth herein, and expressly waive any claim against the Lottery for a prize not awarded in conformance with these rules.

(i) *Delinquent Support Offset:*

(1) If the Department of Human Services, pursuant to 23 Pa.C.S.A. § 4308, the Department of Revenue or the Administrative Office of Pennsylvania Courts, pursuant to 72 P.S. § 215, determines that a prize winner is a delinquent support obligor as provided in 23 Pa.C.S.A. § 4308 or 72 P.S. § 215, and if the amount of any arrearages shall be \$1,000, or less, the amount of any arrearages shall be deducted from the spending money portion of the Trip Prize Package. After the delinquent support obligation is met, the Prize Package winner will receive the remaining portion of the Prize Package spending money, if any, which shall be fulfilled according to Lottery procedure.

(2) If the Department of Human Services, pursuant to 23 Pa.C.S.A. § 4308, the Department of Revenue or the Administrative Office of Pennsylvania Courts, pursuant to 72 P.S. § 215, determines that a prize winner is a delinquent support obligor, as provided in 23 Pa.C.S.A. § 4308 or 72 P.S. § 215, and if the amount of any arrearages shall be greater than \$1,000, the prize winner shall forfeit the prize and shall be considered to have waived their right to receive the prize, as described in section 10(g)(20)) (relating to prize package restrictions). In this event, the Lottery will select another entry to replace the forfeited entry in accordance with these rules and Lottery procedure.

(j) *Drawing restrictions:*

(1) To be eligible to participate in the Drawing, entrants must have complied with the requirements of these rules.

(2) The Lottery is not responsible for late, lost or misdirected entries not entered into the Drawing. The Lottery is not responsible for entries that are not entered into the Drawing because of incompatible internet browsers, mobile Lottery application failure or other technical issues. If an entry is selected as a winner and rejected or otherwise disqualified during or following the Drawing, the Lottery will select another entry to replace the rejected or otherwise disqualified entry in accordance with these rules and Lottery procedure.

(3) If any discrepancy exists between these rules and any material describing the Drawing, these rules shall govern.

(4) Employees of the Lottery, 9Rooftops Marketing, LLC (formerly known as MARC USA, LLC), Scientific Games, LLC and MDI Entertainment, LLC (collectively "SG"), and their subcontractors, or a spouse, child, brother, sister or parent residing as a member of the same household in the principal place of residence of any such person are not eligible to participate in the Drawing. Offer void where prohibited or restricted.

(5) The Lottery reserves the right, in its sole discretion, to cancel or suspend the Drawing and change these rules if the Drawing cannot be conducted as planned due to errors in these rules or advertising, unauthorized intervention, tampering, fraud, technical errors, viruses, worms, bugs, or any other cause beyond the control of the Lottery that, in the Lottery's sole judgment, could corrupt or impair the administration, security, fairness, integrity, or proper conduct of the Drawing.

(6) All entries shall be subject to verification by the Lottery.

(7) The Lottery reserves the right, in its sole discretion, to disqualify an entrant found to be tampering with the operation of the Drawing or to be acting in violation of these rules or applicable law.

(8) The Drawing is governed by the laws of the Commonwealth of Pennsylvania. Applicable laws and regulations apply.

(9) A prize awarded in the Drawing to a person who dies before receiving the prize shall be paid according to 61 Pa. Code § 811.16 (relating to prizes payable after death of a prize winner).

(10) A winner is responsible for all taxes arising from or in connection with any prize won.

(11) A player may only win the prize for which the player is first selected in the Drawing. Subsequent entries, from the same individual, selected in the Drawing will be disqualified and a replacement entry will be selected.

(12) Prizes are not transferrable.

(13) Other restrictions may apply.

11. *Retailer incentive awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell GAME OF THRONES™ instant lottery game tickets.

12. *Retailer bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket

that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which they qualify on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

13. *Unclaimed prize money:* For a period of 1 year from the announced close of GAME OF THRONES™, prize money from winning GAME OF THRONES™ instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the GAME OF THRONES™ instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

14. *Governing law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

15. *Termination of the game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote GAME OF THRONES™ or through normal communications methods.

PATRICK BROWNE,
Secretary

[Pa.B. Doc. No. 24-1307. Filed for public inspection September 13, 2024, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania Haunted Hou\$e Instant Lottery Game 1710

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Haunted Hou\$e (“Haunted Hou\$e”). The game number is PA-1710.

2. *Price:* The price of a Haunted Hou\$e instant lottery game ticket is \$1.

3. *Play symbols:* Each Haunted Hou\$e instant lottery game ticket will contain one play area, and one “WINALL WINDOW”. The “WINALL WINDOW” is played sepa-

ately. The play symbols and prize amounts and their captions located in the play area are: FREE (TICKET), \$1⁰⁰ (ONE DOL), \$2⁰⁰ (TWO DOL), \$3⁰⁰ (THR DOL), \$5⁰⁰ (FIV DOL), \$10⁰⁰ (TEN DOL), \$20⁰⁰ (TWENTY), \$31⁰⁰ (TRY ONE), \$50⁰⁰ (FIFTY), \$100 (ONE HUN), \$300 (THR HUN) and \$3,100 (THYONEHUN). The play symbols and their captions located in the “WINALL WINDOW” are: Pumpkin (TRYAGAIN) symbol, Ghost (NOBONUS) symbol, Bat (TRYAGAIN) symbol, Smiley Pumpkin (NOBONUS) symbol, Scared Pumpkin (TRYAGAIN) symbol, Shy Pumpkin (NOBONUS) symbol, Winking Pumpkin (TRYAGAIN) symbol and a Black Cat (WINALL) symbol.

4. *Prizes:* The prizes that can be won in this game are: Free \$1 Ticket, \$2, \$3, \$5, \$10, \$20, \$31, \$50, \$100, \$300, and \$3,100. Prizes in the play area can only be won one way. If a Black Cat (WINALL) symbol is revealed in the “WINALL WINDOW” no additional prizes will be awarded for matching two like amounts in the play area. For a complete description of how these prizes can be won, see section 8 (relating to number and description of prizes and approximate odds). A player can win up to eight times on a ticket.

5. *Approximate number of tickets printed for the game:* Approximately 4,800,000 tickets will be printed for the Haunted Hou\$e instant lottery game.

6. *Second-Chance Drawing:* The Pennsylvania Lottery (“Lottery”) will conduct one Eek-A-Boo Bucks Second-Chance Drawing (“Drawing”) for which non-winning Haunted Hou\$e instant lottery game tickets may be eligible as provided for in section 9 (relating to second-chance drawing).

7. *Determination of prize winners:*

(a) Holders of tickets upon which two matching prize amounts of \$3,100 (THYONEHUN) appear in the play area, on a single ticket, shall be entitled to a prize of \$3,100.

(b) Holders of tickets upon which two matching prize amounts of \$300 (THR HUN) appear in the play area, on a single ticket, shall be entitled to a prize of \$300.

(c) Holders of tickets upon which a Black Cat (WINALL) symbol appears in the “WINALL WINDOW” and two prize amounts of \$100 (ONE HUN), four prize amounts of \$20⁰⁰ (TWENTY) and two prize amounts of \$10⁰⁰ (TEN DOL) appear in the play area, on a single ticket, shall be entitled to a prize of \$300.

(d) Holders of tickets upon which two matching prize amounts of \$100 (ONE HUN) appear in the play area, on a single ticket, shall be entitled to a prize of \$100.

(e) Holders of tickets upon which a Black Cat (WINALL) symbol appears in the “WINALL WINDOW” area and four prize amounts of \$20⁰⁰ (TWENTY) and four prize amounts of \$5⁰⁰ (FIV DOL) appear in the play area, on a single ticket, shall be entitled to a prize of \$100.

(f) Holders of tickets upon which a Black Cat (WINALL) symbol appears in the “WINALL WINDOW” area and four prize amounts of \$10⁰⁰ (TEN DOL), one prize amount of \$50⁰⁰ (FIFTY), one prize amount of \$5⁰⁰ (FIV DOL), one prize amount of \$3⁰⁰ (THR DOL) and one prize amount of \$2⁰⁰ (TWO DOL) appear in the play area, on a single ticket, shall be entitled to a prize of \$100.

(g) Holders of tickets upon which two matching prize amounts of \$50⁰⁰ (FIFTY) appear in the play area, on a single ticket, shall be entitled to a prize of \$50.

(h) Holders of tickets upon which a Black Cat (WINALL) symbol appears in the “WINALL WINDOW” area and two prize amounts of \$20.00 (TWENTY), four prize amounts of \$2.00 (TWO DOL) and two prize amounts of \$1.00 (ONE DOL) appear in the play area, on a single ticket, shall be entitled to a prize of \$50.

(i) Holders of tickets upon which a Black Cat (WINALL) symbol appears in the “WINALL WINDOW” area and four prize amounts of \$10.00 (TEN DOL), two prize amount of \$3.00 (THR DOL) and two prize amounts of \$2.00 (TWO DOL) appear in the play area, on a single ticket, shall be entitled to a prize of \$50.

(j) Holders of tickets upon which two matching prize amounts of \$31.00 (TRY ONE) appear in the play area, on a single ticket, shall be entitled to a prize of \$31.

(k) Holders of tickets upon which a Black Cat (WINALL) symbol appears in the “WINALL WINDOW” area and four prize amounts of \$5.00 (FIV DOL), three prize amounts of \$3.00 (THR DOL) and one prize amount of \$2.00 (TWO DOL) appear in the play area, on a single ticket, shall be entitled to a prize of \$31.

(l) Holders of tickets upon which a Black Cat (WINALL) symbol appears in the “WINALL WINDOW” area and seven prize amounts of \$3.00 (THR DOL) and one prize amount of \$10.00 (TEN DOL) appear in the play area, on a single ticket, shall be entitled to a prize of \$31.

(m) Holders of tickets upon which two matching prize amounts of \$20.00 (TWENTY) appear in the play area, on a single ticket, shall be entitled to a prize of \$20.

(n) Holders of tickets upon which a Black Cat (WINALL) symbol appears in the “WINALL WINDOW” area and two prize amounts of \$5.00 (FIV DOL), four prize

amounts of \$2.00 (TWO DOL) and two prize amounts of \$1.00 (ONE DOL) appear in the play area, on a single ticket, shall be entitled to a prize of \$20.

(o) Holders of tickets upon which two matching prize amounts of \$10.00 (TEN DOL) appear in the play area, on a single ticket, shall be entitled to a prize of \$10.

(p) Holders of tickets upon which a Black Cat (WINALL) symbol appears in the “WINALL WINDOW” area and two prize amounts of \$2.00 (TWO DOL) and six prize amounts of \$1.00 (ONE DOL) appear in the play area, on a single ticket, shall be entitled to a prize of \$10.

(q) Holders of tickets upon which two matching prize amounts of \$5.00 (FIV DOL) appear in the play area, on a single ticket, shall be entitled to a prize of \$5.

(r) Holders of tickets upon which two matching prize amounts of \$3.00 (THR DOL) appear in the play area, on a single ticket, shall be entitled to a prize of \$3.

(s) Holders of tickets upon which two matching prize amounts of \$2.00 (TWO DOL) appear in the play area, on a single ticket, shall be entitled to a prize of \$2.

(t) Holders of tickets upon which two matching prize amounts of \$1.00 (ONE DOL) appear in the play area, on a single ticket, shall be entitled to a prize of \$1.

(u) Holders of tickets upon which two matching FREE (TICKET) play symbols appear in the play area, on a single ticket, shall be entitled to a prize of one Haunted Hou\$e instant ticket or one Pennsylvania Lottery instant ticket of equivalent sale price which is currently on sale.

8. *Number and description of prizes and approximate odds:* The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

<i>Match Two Like Amounts To Win That Amount. Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 4,800,000 Tickets:</i>
2—FREEs	FREE \$1 TICKET	9.43	508,800
2—\$2s	\$2	18.18	264,000
(2—\$2s) + (2—\$1s)	\$3	76.92	62,400
2—\$3s	\$3	50	96,000
(2—\$3s) + (2—\$2s)	\$5	1,000	4,800
2—\$5s	\$5	500	9,600
WINALL WINDOW w/ ((\$2 × 2) + (\$1 × 6))	\$10	66.67	72,000
(2—\$5s) + (2—\$3s) + (2—\$2s)	\$10	500	9,600
2—\$10s	\$10	1,000	4,800
WINALL WINDOW w/ ((\$5 × 2) + (\$2 × 4) + (\$1 × 2))	\$20	2,667	1,800
(2—\$10s) + (2—\$5s) + (2—\$3s) + (2—\$2s)	\$20	24,000	200
2—\$20s	\$20	24,000	200
WINALL WINDOW w/ ((\$3 × 7) + \$10)	\$31	750	6,400
WINALL WINDOW w/ ((\$5 × 4) + (\$3 × 3) + \$2)	\$31	750	6,400
(2—\$20s) + (2—\$10s) + (2—\$1s)	\$31	6,000	800
2—\$31s	\$31	12,000	400
WINALL WINDOW w/ ((\$10 × 4) + (\$3 × 2) + (\$2 × 2))	\$50	6,000	800

<i>Match Two Like Amounts To Win That Amount. Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 4,800,000 Tickets:</i>
WINALL WINDOW w/ (($\$20 \times 2$) + ($\2×4) + ($\$1 \times 2$))	\$50	6,000	800
2—\$50s	\$50	120,000	40
WINALL WINDOW w/ (($\$10 \times 4$) + $\$50$ + $\$5$ + $\$3$ + $\$2$)	\$100	24,000	200
WINALL WINDOW w/ (($\$20 \times 4$) + ($\5×4))	\$100	24,000	200
2—\$100s	\$100	120,000	40
WINALL WINDOW w/ (($\$100 \times 2$) + ($\20×4) + ($\$10 \times 2$))	\$300	480,000	10
2—\$300s	\$300	480,000	10
2—\$3,100s	\$3,100	480,000	10

WINALL WINDOW: Reveal a “Black Cat” (WINALL) symbol in the WINALL WINDOW area to win ALL 8 prizes shown! WINALL WINDOW is played separately and not eligible for additional main game wins.

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Second-Chance Drawing:* The Pennsylvania Lottery’s Eek-A-Boo Bucks Second-Chance Drawing for qualifying instant lottery game tickets:

(a) *Qualifying Tickets:* Non-winning PA-1708 Witches Brew Bucks (\$5), PA-1709 Pick Your Potion (\$2) and PA-1710 Haunted Hou\$e (\$1) lottery game tickets are eligible for entry into the Drawing.

(b) *Participation and entry:*

(1) Entrants must have a registered lottery account in order to participate in the Drawing. To create a lottery account, visit <https://www.PAiLottery.com>. Creating a lottery account is free.

(2) A registered lottery account holder is subject to the iLottery regulations and specifically agrees to be bound by the iLottery terms and conditions located at <https://www.pailottery.com/signup/terms-and-conditions/>, as well as any related policies.

(3) To establish a lottery account, players must provide the following information:

(i) The player’s name as it appears on a valid government-issued identification or tax documents;

(ii) The player’s date of birth;

(iii) The entire or last four digits of the player’s Social Security Number, or comparable equivalent;

(iv) The player’s address;

(v) The player’s telephone number;

(vi) The player’s email address;

(vii) Any other information established by the Lottery to be necessary to verify the age and identity of the player.

(4) An individual may be required to provide additional information or documentation, as set forth in the iLottery terms and conditions, to establish a lottery account or register for iLottery. The information may be used for iLottery registration or to confirm information provided by that individual during the registration process.

(5) To enter the Drawing, entrants must submit the identifying information from at least one Qualifying

Ticket via the Drawing’s promotional web site, available at <https://www.palottery.com>, or the Lottery’s official mobile application during the entry period. The identifying information from a Qualifying Ticket may be submitted only once in the Drawing. Entries will automatically be awarded at the time of successful submission of a Qualifying Ticket. No other method of submission will be accepted, and entries submitted using any other method, including entries mailed or hand-delivered to the Lottery, are not valid and will be disqualified.

(6) Each entry must be complete and the information supplied by the entrant must be accurate. Incomplete entries cannot be accepted.

(7) Only one claimant per entry is allowed.

(8) Entrants must be 18 years of age or older.

(9) Players may submit the identifying information from an unlimited number of Qualifying Tickets in the Drawing.

(10) Once an entry has been submitted it cannot be withdrawn or changed.

(c) *Drawing description:*

(1) The Lottery will conduct one Eek-A-Boo Bucks Second-Chance Drawing for qualifying instant lottery game tickets. All time references are Eastern Prevailing Time.

(2) All entries received after 11:59:59 p.m. September 15, 2024, through 11:59:59 p.m. October 31, 2024, will be entered into the Drawing tentatively scheduled to be held between November 1, 2024 and November 15, 2024.

(3) The entry period for the Drawing will be posted to the Lottery’s publicly accessible web site.

(4) The number of entries an entrant will receive for the Drawing is determined by the purchase price of the Qualifying Ticket entered. The purchase price and corresponding number of entries for the Qualifying Ticket is as follows: PA-1708 Witches Brew Bucks (\$5) = five entries, PA-1709 Pick Your Potion (\$2) = two entries and PA-1710 Haunted Hou\$e (\$1) = one entry.

(5) Players may review prizes won and their entries for the Drawing via the Drawing’s promotional web site.

(d) *Prizes available to be won, determination of winners and odds of winning:*

(1) The prize entitlements described below are subject to all restrictions and limitations described in section 10(e), or those mentioned anywhere else in these rules.

(2) The Lottery will conduct one Drawing from among all the entries received during the entry period as described in section 10(c)(2).

(i) The first entry selected in the Drawing will be a winning entry and the entrant who submitted that winning entry shall be entitled to a prize of \$50,000, less required income tax withholding.

(ii) The second through the fourth entries selected in the Drawing will be winning entries and the entrants who submitted those winning entries shall each be entitled to a prize of \$31,000, less required income tax withholding.

(iii) The fifth through the seventeenth entries selected in the Drawing will be winning entries and the entrants who submitted those winning entries shall each be entitled to a prize of \$1,000.

(iv) The eighteenth through the sixty-seventh entries selected in the Drawing will be winning entries and the entrants who submitted those winning entries shall each be entitled to a prize of \$100 iLottery Bonus Money.

(3) All prizes will be paid as a lump-sum cash payment or uploaded to a winning player's lottery account.

(4) Winners of iLottery Bonus Money are not required to claim a prize. Winners of iLottery Bonus Money will have the iLottery Bonus Money credited to their lottery account and will receive an email notifying them that they won a prize.

(5) The number of winning entries to be selected for the Drawing will be posted to the Lottery's publicly accessible web site.

(6) The odds of winning in the Drawing depend upon the number of entries received for the Drawing.

(7) A computer-generated randomizer will be used to select the Drawing winners.

(e) *Drawing restrictions:*

(1) To be eligible to participate in the Drawing, entrants must have complied with the requirements of these rules.

(2) The Lottery is not responsible for late, lost or misdirected entries not entered into the Drawing. The Lottery is not responsible for entries that are not entered into the Drawing because of incompatible internet browsers, mobile Lottery application failure or other technical issues. The Lottery is not responsible for entries not entered due to delays in creating a lottery account or the inability to create a lottery account. If a Drawing entry is selected as a winner and rejected or otherwise disqualified during or following the Drawing, the Lottery will select one entry to replace the rejected or otherwise disqualified entry in accordance with these rules and Lottery procedure. Entries not received for any other reason will not be considered entries.

(3) If any discrepancy exists between these rules and any material describing the Drawing, these rules shall govern.

(4) Employees of the Lottery, 9Rooftops Marketing, LLC (formerly known as MARC USA, LLC), MUSL, Scientific Games, Inc., MDI Entertainment, LLC, and

their subcontractors, or a spouse, child, brother, sister or parent residing as a member of the same household in the principal place of residence of any such person are not eligible to participate in the Drawing. Offer void where prohibited or restricted.

(5) The Lottery reserves the right, in its sole discretion, to cancel or suspend the Drawing and change these rules if the Drawing cannot be conducted as planned due to errors in these rules or advertising, unauthorized intervention, tampering, fraud, technical errors, viruses, worms, bugs or any other cause that, in the Lottery's sole judgment, could corrupt or impair the administration, security, fairness, integrity or proper conduct of the Drawing.

(6) All entries shall be subject to verification by the Lottery.

(7) The Lottery reserves the right, in its sole discretion, to disqualify an entrant found to be tampering with the operation of the Drawing or to be acting in violation of these rules or applicable law.

(8) The Drawing is governed by the laws of the Commonwealth of Pennsylvania. Applicable laws and regulations apply.

(9) Prizes must be claimed within 1 year of the drawing date of the Drawing in which the prize was won. If no claim is made within 1 year of the drawing date of the Drawing in which the prize was won, the right of an entrant to claim the prize won, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided by statute.

(10) Final determination of winners will be made by the Secretary, whose judgment will be final and binding.

(11) A prize awarded in the Drawing to a person who dies before receiving the prize shall be paid according to 61 Pa. Code § 811.16 (relating to prizes payable after death of a prize winner).

(12) A winner is responsible for all taxes arising from or in connection with any prize won.

(13) A player may only win the prize for which the player is first selected in the Drawing. Subsequent entries, from the same individual, selected in the same Drawing will be disqualified and one replacement entry will be selected.

(14) Winners of iLottery Bonus Money must abide by the iLottery terms & conditions, the iLottery Bonus Policy and these rules. iLottery Bonus Money will expire 90 days from the date on which the winner was notified, via email, of the prize win, as further detailed in section 10(d)(4). iLottery Bonus Money has a five times play through requirement in order to convert the iLottery Bonus Money into cash. For example, for a player winning \$100 of iLottery Bonus Money, the player is required to place \$500 in wagers before the iLottery Bonus Money awarded is converted into cash which may be withdrawn from the player's account.

(15) Prizes are not transferrable.

(16) Other restrictions may apply.

10. *Retailer incentive awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Haunted Hou\$e instant lottery game tickets.

11. *Retailer bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described

in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which they qualify on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

12. *Unclaimed prize money:* For a period of 1 year from the announced close of Haunted Hou\$e, prize money from winning Haunted Hou\$e instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Haunted Hou\$e instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

13. *Governing law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

14. *Termination of the game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Haunted Hou\$e or through normal communications methods.

PATRICK BROWNE,
Secretary

[Pa.B. Doc. No. 24-1308. Filed for public inspection September 13, 2024, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania Lucky 13 Instant Lottery Game 1707

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Lucky 13 (“Lucky 13”). The game number is PA-1707.

2. *Price:* The price of a Lucky 13 instant lottery game ticket is \$5.

3. *Play symbols:* Each Lucky 13 instant lottery game ticket will contain one play area featuring a “WINNING NUMBERS” area and a “YOUR NUMBERS” area, and five “LUCKY 13” spots. The “LUCKY 13” spots are played separately. The play symbols and their captions located in

the “WINNING NUMBERS” area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN) and 30 (THIRT). The play symbols and their captions located in the “YOUR NUMBERS” area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN), 30 (THIRT), Horseshoe (SHOE) symbol and a 13X (13TIMES) symbol. The play symbols and their captions located in the five “LUCKY 13” spots are: NO BONUS (TRYAGAIN) symbol, TRY AGAIN (NOBONUS) symbol, TRY AGAIN (NOBONUS) symbol, NO BONUS (TRYAGAIN) symbol, TRY AGAIN (NOBONUS) symbol and a LUCKY (LUCKY13) symbol.

4. *Prize symbols:* The prize symbols and their captions located in the “YOUR NUMBERS” area are: \$5⁰⁰ (FIV DOL), \$7⁰⁰ (SVN DOL), \$10⁰⁰ (TEN DOL), \$13⁰⁰ (THIRTEEN), \$30⁰⁰ (THIRTY), \$65⁰⁰ (STY FIV), \$100 (ONE HUN), \$130 (ONEHUNTHY), \$500 (FIV HUN), \$1,300 (THRTNHUN), \$13,000 (THRTEENTHO) and \$200,000 (TWOHUNTHO).

5. *Prizes:* The prizes that can be won in this game are: \$5, \$7, \$10, \$13, \$30, \$65, \$100, \$130, \$500, \$1,300, \$13,000 and \$200,000. The prize that can be won in the “LUCKY 13” spots is \$13, and the player can win this prize in each of the five spots. For a complete description of how these prizes can be won, see section 8 (relating to number and description of prizes and approximate odds). A player can win up to 13 times on a ticket.

6. *Approximate number of tickets printed for the game:* Approximately 12,000,000 tickets will be printed for the Lucky 13 instant lottery game.

7. *Determination of prize winners:*

(a) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$200,000 (TWOHUNTHO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$200,000.

(b) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$13,000 (THRTEENTHO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$13,000.

(c) Holders of tickets upon which a 13X (13TIMES) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$500 (FIV HUN) appears in the “prize” area under that 13X (13TIMES) symbol, on a single ticket, shall be entitled to a prize of \$6,500.

(d) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$1,300 (THRTNHUN) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$1,300.

(e) Holders of tickets upon which a Horseshoe (SHOE) symbol appears in the “YOUR NUMBERS” area and a

prize symbol of \$1,300 (THRTNHUN) appears in the “prize” area under that Horseshoe (SHOE) symbol, on a single ticket, shall be entitled to a prize of \$1,300.

(f) Holders of tickets upon which a 13X (13TIMES) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$100 (ONE HUN) appears in the “prize” area under that 13X (13TIMES) symbol, on a single ticket, shall be entitled to a prize of \$1,300.

(g) Holders of tickets upon which a 13X (13TIMES) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$65.⁰⁰ (STY FIV) appears in the “prize” area under that 13X (13TIMES) symbol, on a single ticket, shall be entitled to a prize of \$845.

(h) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$500 (FIV HUN) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$500.

(i) Holders of tickets upon which a Horseshoe (SHOE) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$500 (FIV HUN) appears in the “prize” area under that Horseshoe (SHOE) symbol, on a single ticket, shall be entitled to a prize of \$500.

(j) Holders of tickets upon which a 13X (13TIMES) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$30.⁰⁰ (THIRTY) appears in the “prize” area under that 13X (13TIMES) symbol, on a single ticket, shall be entitled to a prize of \$390.

(k) Holders of tickets upon which a 13X (13TIMES) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$13.⁰⁰ (THIRTEEN) appears in the “prize” area under that 13X (13TIMES) symbol, on a single ticket, shall be entitled to a prize of \$169.

(l) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$130 (ONEHUNTHY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$130.

(m) Holders of tickets upon which a Horseshoe (SHOE) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$130 (ONEHUNTHY) appears in the “prize” area under that Horseshoe (SHOE) symbol, on a single ticket, shall be entitled to a prize of \$130.

(n) Holders of tickets upon which a 13X (13TIMES) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$10.⁰⁰ (TEN DOL) appears in the “prize” area under that 13X (13TIMES) symbol, on a single ticket, shall be entitled to a prize of \$130.

(o) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$100 (ONE HUN) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$100.

(p) Holders of tickets upon which a Horseshoe (SHOE) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$100 (ONE HUN) appears in the “prize” area under that Horseshoe (SHOE) symbol, on a single ticket, shall be entitled to a prize of \$100.

(q) Holders of tickets upon which a 13X (13TIMES) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$7.⁰⁰ (SVN DOL) appears in the “prize”

area under that 13X (13TIMES) symbol, on a single ticket, shall be entitled to a prize of \$91.

(r) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$65.⁰⁰ (STY FIV) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$65.

(s) Holders of tickets upon which a Horseshoe (SHOE) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$65.⁰⁰ (STY FIV) appears in the “prize” area under that Horseshoe (SHOE) symbol, on a single ticket, shall be entitled to a prize of \$65.

(t) Holders of tickets upon which a 13X (13TIMES) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$5.⁰⁰ (FIV DOL) appears in the “prize” area under that 13X (13TIMES) symbol, on a single ticket, shall be entitled to a prize of \$65.

(u) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$30.⁰⁰ (THIRTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$30.

(v) Holders of tickets upon which a Horseshoe (SHOE) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$30.⁰⁰ (THIRTY) appears in the “prize” area under that Horseshoe (SHOE) symbol, on a single ticket, shall be entitled to a prize of \$30.

(w) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$13.⁰⁰ (THIRTEEN) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$13.

(x) Holders of tickets upon which a Horseshoe (SHOE) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$13.⁰⁰ (THIRTEEN) appears in the “prize” area under that Horseshoe (SHOE) symbol, on a single ticket, shall be entitled to a prize of \$13.

(y) Holders of tickets upon which a LUCKY (LUCKY13) symbol appears in a “LUCKY 13” spot, on a single ticket, shall be entitled to a prize of \$13.

(z) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$10.⁰⁰ (TEN DOL) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$10.

(aa) Holders of tickets upon which a Horseshoe (SHOE) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$10.⁰⁰ (TEN DOL) appears in the “prize” area under that Horseshoe (SHOE) symbol, on a single ticket, shall be entitled to a prize of \$10.

(bb) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$7.⁰⁰ (SVN DOL) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$7.

(cc) Holders of tickets upon which a Horseshoe (SHOE) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$7.⁰⁰ (SVN DOL) appears in the “prize” area under that Horseshoe (SHOE) symbol, on a single ticket, shall be entitled to a prize of \$7.

(dd) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$5^{.00} (FIV DOL) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$5.

(ee) Holders of tickets upon which a Horseshoe (SHOE) symbol appears in the “YOUR NUMBERS” area and a

prize symbol of \$5^{.00} (FIV DOL) appears in the “prize” area under that Horseshoe (SHOE) symbol, on a single ticket, shall be entitled to a prize of \$5.

8. *Number and description of prizes and approximate odds:* The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

<i>Match Any Of YOUR NUMBERS To Any Of The WINNING NUMBERS To Win Prize Shown Under That Match. Win With:</i>	<i>LUCKY 13:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 12,000,000 Tickets:</i>
\$5 w/ HORSESHOE		\$5	13.33	900,000
\$5		\$5	25	480,000
\$7 w/ HORSESHOE		\$7	200	60,000
\$7		\$7	600	20,000
\$5 × 2		\$10	300	40,000
(\$5 w/ HORSESHOE) + \$5		\$10	200	60,000
\$10 w/ HORSESHOE		\$10	150	80,000
\$10		\$10	300	40,000
	\$13 w/ LUCKY	\$13	20	600,000
\$13 w/ HORSESHOE		\$13	200	60,000
\$13		\$13	600	20,000
\$5 × 6		\$30	600	20,000
(\$10 w/ HORSESHOE) + (\$7 w/ HORSESHOE)	\$13 w/ LUCKY	\$30	600	20,000
\$30 w/ HORSESHOE		\$30	600	20,000
\$30		\$30	600	20,000
\$13 × 5		\$65	600	20,000
	(\$13 w/ LUCKY) × 5	\$65	600	20,000
\$5 w/ 13X		\$65	200	60,000
\$65 w/ HORSESHOE		\$65	600	20,000
\$65		\$65	600	20,000
\$10 × 10		\$100	12,000	1,000
(((\$5 w/ HORSESHOE) × 3) + (\$5 w/ 13X) + \$7	\$13 w/ LUCKY	\$100	489.8	24,500
(((\$10 w/ HORSESHOE) × 2) + (((\$7 w/ HORSESHOE) × 4) + \$13	(\$13 w/ LUCKY) × 3	\$100	12,000	1,000
(\$13 w/ HORSESHOE) + (\$7 × 5)	(\$13 w/ LUCKY) × 4	\$100	12,000	1,000
(\$30 w/ HORSESHOE) + \$5	(\$13 w/ LUCKY) × 5	\$100	8,000	1,500
\$100 w/ HORSESHOE		\$100	24,000	500
\$100		\$100	24,000	500
\$13 × 10		\$130	24,000	500
\$13 × 5	(\$13 w/ LUCKY) × 5	\$130	24,000	500
\$5 w/ 13X	(\$13 w/ LUCKY) × 5	\$130	428.57	28,000
\$7 w/ 13X	(\$13 w/ LUCKY) × 3	\$130	1,000	12,000
\$10 w/ 13X		\$130	1,500	8,000
\$130 w/ HORSESHOE		\$130	24,000	500
\$130		\$130	24,000	500
\$100 × 5		\$500	120,000	100

<i>Match Any Of YOUR NUMBERS To Any Of The WINNING NUMBERS To Win Prize Shown Under That Match. Win With:</i>	<i>LUCKY 13:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 12,000,000 Tickets:</i>
(\$13 w/ HORSESHOE) + ((\$13 w/ 13X) × 2) + (\$5 w/ 13X) + (\$7 × 2) + \$5	(\$13 w/ LUCKY) × 5	\$500	20,000	600
(((\$13 w/ HORSESHOE) × 2) + (\$30 w/ 13X) + (\$7 × 2) + \$5	(\$13 w/ LUCKY) × 5	\$500	20,000	600
(((\$65 w/ HORSESHOE) × 4) + (\$10 w/ 13X) + \$30 + \$10 + \$5	(\$13 w/ LUCKY) × 5	\$500	17,143	700
\$500 w/ HORSESHOE		\$500	120,000	100
\$500		\$500	120,000	100
\$130 × 10		\$1,300	1,200,000	10
(((\$30 w/ 13X) × 3) + (\$13 × 5)	(\$13 w/ LUCKY) × 5	\$1,300	1,200,000	10
(\$65 w/ 13X) + (\$130 × 3)	(\$13 w/ LUCKY) × 5	\$1,300	1,200,000	10
\$100 w/ 13X		\$1,300	1,200,000	10
\$1,300 w/ HORSESHOE		\$1,300	1,200,000	10
\$1,300		\$1,300	1,200,000	10
(\$500 w/ 13X) × 2		\$13,000	1,200,000	10
\$13,000		\$13,000	1,200,000	10
\$200,000		\$200,000	1,200,000	10

Reveal a "Horseshoe" (SHOE) symbol to win prize shown under that symbol automatically.

Reveal a "13X" (13TIMES) symbol to win 13 TIMES the prize shown under that symbol!

LUCKY 13: Reveal a "LUCKY" (LUCKY13) symbol in any 13 spot to win \$13 instantly! 13 spots are played separately.

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer incentive awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Lucky 13 instant lottery game tickets.

10. *Retailer bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which they qualify on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

11. *Unclaimed prize money:* For a period of 1 year from the announced close of Lucky 13, prize money from

winning Lucky 13 instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Lucky 13 instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

12. *Governing law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

13. *Termination of the game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Lucky 13 or through normal communications methods.

PATRICK BROWNE,
Secretary

[Pa.B. Doc. No. 24-1309. Filed for public inspection September 13, 2024, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania Pick Your Potion Instant Lottery Game 1709

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of

instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Pick Your Potion ("Pick Your Potion"). The game number is PA-1709.

2. *Price:* The price of a Pick Your Potion instant lottery game ticket is \$2.

3. *Play symbols:* Each Pick Your Potion instant lottery game ticket will contain one play area featuring a "WINNING NUMBERS" area and a "YOUR NUMBERS" area. The play symbols and their captions located in the "WINNING NUMBERS" area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR) and 25 (TWYFIV). The play symbols and their captions located in the "YOUR NUMBERS" area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV) and an 8X (8TIMES) symbol.

4. *Prize symbols:* The prize symbols and their captions located in the "YOUR NUMBERS" area are: \$2.⁰⁰ (TWO DOL), \$4.⁰⁰ (FOR DOL), \$5.⁰⁰ (FIV DOL), \$10.⁰⁰ (TEN DOL), \$20.⁰⁰ (TWENTY), \$40.⁰⁰ (FORTY), \$80.⁰⁰ (EIGHTY), \$100 (ONE HUN), \$400 (FOR HUN), \$800 (EGT HUN) and \$13,000 (THRTN THO).

5. *Prizes:* The prizes that can be won in this game are: \$2, \$4, \$5, \$10, \$20, \$40, \$80, \$100, \$400, \$800 and \$13,000. For a complete description of how these prizes can be won, see section 9 (relating to number and description of prizes and approximate odds). A player can win up to ten times on a ticket.

6. *Approximate number of tickets printed for the game:* Approximately 4,800,000 tickets will be printed for the Pick Your Potion instant lottery game.

7. *Second-Chance Drawing:* The Pennsylvania Lottery ("Lottery") will conduct an Eek-A-Boo Bucks Second-Chance Drawing ("Drawing") for which non-winning Pick Your Potion tickets may be eligible as provided for in section 10 (relating to second-chance drawing).

8. *Determination of prize winners:*

(a) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match either of the "WINNING NUMBERS" play symbols and a prize symbol of \$13,000 (THRTN THO) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$13,000.

(b) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match either of the "WINNING NUMBERS" play symbols and a prize symbol of \$800 (EGT HUN) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$800.

(c) Holders of tickets upon which an 8X (8TIMES) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$100 (ONE HUN) appears in the "prize" area under that 8X (8TIMES) symbol, on a single ticket, shall be entitled to a prize of \$800.

(d) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match either of the "WINNING NUMBERS" play symbols and a prize symbol of \$400 (FOR HUN) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$400.

(e) Holders of tickets upon which an 8X (8TIMES) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$40.⁰⁰ (FORTY) appears in the "prize" area under that 8X (8TIMES) symbol, on a single ticket, shall be entitled to a prize of \$320.

(f) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match either of the "WINNING NUMBERS" play symbols and a prize symbol of \$100 (ONE HUN) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$100.

(g) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match either of the "WINNING NUMBERS" play symbols and a prize symbol of \$80.⁰⁰ (EIGHTY) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$80.

(h) Holders of tickets upon which an 8X (8TIMES) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$10.⁰⁰ (TEN DOL) appears in the "prize" area under that 8X (8TIMES) symbol, on a single ticket, shall be entitled to a prize of \$80.

(i) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match either of the "WINNING NUMBERS" play symbols and a prize symbol of \$40.⁰⁰ (FORTY) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$40.

(j) Holders of tickets upon which an 8X (8TIMES) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$5.⁰⁰ (FIV DOL) appears in the "prize" area under that 8X (8TIMES) symbol, on a single ticket, shall be entitled to a prize of \$40.

(k) Holders of tickets upon which an 8X (8TIMES) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$4.⁰⁰ (FOR DOL) appears in the "prize" area under that 8X (8TIMES) symbol, on a single ticket, shall be entitled to a prize of \$32.

(l) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match either of the "WINNING NUMBERS" play symbols and a prize symbol of \$20.⁰⁰ (TWENTY) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$20.

(m) Holders of tickets upon which an 8X (8TIMES) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$2.⁰⁰ (TWO DOL) appears in the "prize" area under that 8X (8TIMES) symbol, on a single ticket, shall be entitled to a prize of \$16.

(n) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match either of the "WINNING NUMBERS" play symbols and a prize symbol of \$10.⁰⁰ (TEN DOL) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$10.

(o) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match either of the "WINNING

NUMBERS” play symbols and a prize symbol of \$5^{.00} (FIV DOL) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$5.

(p) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match either of the “WINNING NUMBERS” play symbols and a prize symbol of \$4^{.00} (FOR DOL) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$4.

(q) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match either of the “WINNING NUMBERS” play symbols and a prize symbol of \$2^{.00} (TWO DOL) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$2.

9. *Number and description of prizes and approximate odds:* The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

<i>Match Any Of YOUR NUMBERS To Either Of The WINNING NUMBERS To Win Prize Shown Under That Match. Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 4,800,000 Tickets:</i>
\$2	\$2	10.71	448,000
\$2 × 2	\$4	37.5	128,000
\$4	\$4	33.33	144,000
\$5	\$5	27.78	172,800
\$2 × 5	\$10	1,500	3,200
(\$2 × 3) + \$4	\$10	150	32,000
(\$4 × 2) + \$2	\$10	166.67	28,800
\$10	\$10	1,500	3,200
\$2 × 10	\$20	1,500	3,200
\$4 × 5	\$20	1,500	3,200
\$10 × 2	\$20	1,500	3,200
(\$2 w/ 8X) + (\$2 × 2)	\$20	250	19,200
(\$2 w/ 8X) + \$4	\$20	250	19,200
\$20	\$20	1,500	3,200
\$4 × 10	\$40	6,000	800
\$10 × 4	\$40	6,000	800
(\$2 w/ 8X) + (\$5 × 4) + (\$2 × 2)	\$40	857.14	5,600
(((\$2 w/ 8X) × 2) + (\$4 × 2)	\$40	857.14	5,600
(\$4 w/ 8X) + (\$2 × 4)	\$40	857.14	5,600
\$5 w/ 8X	\$40	857.14	5,600
\$40	\$40	6,000	800
\$10 × 8	\$80	60,000	80
\$40 × 2	\$80	60,000	80
(\$2 w/ 8X) × 5	\$80	6,000	800
(\$4 w/ 8X) + (\$2 w/ 8X) + (\$10 × 2) + (\$2 × 6)	\$80	6,000	800
(\$5 w/ 8X) + (\$4 w/ 8X) + (\$2 × 4)	\$80	6,000	800
(\$5 w/ 8X) × 2	\$80	6,000	800
\$10 w/ 8X	\$80	6,000	800
\$80	\$80	30,000	160
\$10 × 10	\$100	24,000	200
(\$40 × 2) + (\$10 × 2)	\$100	24,000	200
(((\$2 w/ 8X) × 5) + (\$10 × 2)	\$100	15,000	320
(((\$4 w/ 8X) × 3) + (\$2 × 2)	\$100	15,000	320
(((\$5 w/ 8X) × 2) + \$20	\$100	15,000	320
(\$10 w/ 8X) + (\$4 × 5)	\$100	15,000	320
\$100	\$100	24,000	200

<i>Match Any Of YOUR NUMBERS To Either Of The WINNING NUMBERS To Win Prize Shown Under That Match. Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 4,800,000 Tickets:</i>
\$40 × 10	\$400	120,000	40
(\$5 w/ 8X) × 10	\$400	60,000	80
(\$40 w/ 8X) + (\$20 × 4)	\$400	60,000	80
\$400	\$400	120,000	40
\$100 w/ 8X	\$800	480,000	10
\$800	\$800	480,000	10
\$13,000	\$13,000	480,000	10

Reveal an “8X” (8TIMES) symbol to win 8 TIMES the prize shown under that symbol!

Prizes, including top prizes, are subject to availability at the time of purchase.

10. *Second-Chance Drawing:* The Pennsylvania Lottery’s Eek-A-Boo Bucks Second-Chance Drawing for qualifying instant lottery game tickets:

(a) *Qualifying Tickets:* Non-winning PA-1708 Witches Brew Bucks (\$5), PA-1709 Pick Your Potion (\$2) and PA-1710 Haunted Hou\$e (\$1) lottery game tickets are eligible for entry into the Drawing.

(b) *Participation and entry:*

(1) Entrants must have a registered lottery account in order to participate in the Drawing. To create a lottery account, visit <https://www.PAiLottery.com>. Creating a lottery account is free.

(2) A registered lottery account holder is subject to the iLottery regulations and specifically agrees to be bound by the iLottery terms and conditions located at <https://www.pailottery.com/signup/terms-and-conditions/>, as well as any related policies.

(3) To establish a lottery account, players must provide the following information:

(i) The player’s name as it appears on a valid government-issued identification or tax documents;

(ii) The player’s date of birth;

(iii) The entire or last four digits of the player’s Social Security Number, or comparable equivalent;

(iv) The player’s address;

(v) The player’s telephone number;

(vi) The player’s email address;

(vii) Any other information established by the Lottery to be necessary to verify the age and identity of the player.

(4) An individual may be required to provide additional information or documentation, as set forth in the iLottery terms and conditions, to establish a lottery account or register for iLottery. The information may be used for iLottery registration or to confirm information provided by that individual during the registration process.

(5) To enter the Drawing, entrants must submit the identifying information from at least one Qualifying Ticket via the Drawing’s promotional web site, available at <https://www.palottery.com>, or the Lottery’s official mobile application during the entry period. The identifying information from a Qualifying Ticket may be submitted

only once in the Drawing. Entries will automatically be awarded at the time of successful submission of a Qualifying Ticket. No other method of submission will be accepted, and entries submitted using any other method, including entries mailed or hand-delivered to the Pennsylvania Lottery, are not valid and will be disqualified.

(6) Each entry must be complete and the information supplied by the entrant must be accurate. Incomplete entries cannot be accepted.

(7) Only one claimant per entry is allowed.

(8) Entrants must be 18 years of age or older.

(9) Players may submit the identifying information from an unlimited number of Qualifying Tickets in the Drawing.

(10) Once an entry has been submitted it cannot be withdrawn or changed.

(c) *Drawing description:*

(1) The Lottery will conduct one Eek-A-Boo Bucks Second-Chance Drawing for qualifying instant lottery game tickets. All time references are Eastern Prevailing Time.

(2) All entries received after 11:59:59 p.m. September 15, 2024, through 11:59:59 p.m. October 31, 2024, will be entered into the Drawing tentatively scheduled to be held between November 1, 2024 and November 15, 2024.

(3) The entry period for the Drawing will be posted to the Pennsylvania Lottery’s publicly accessible web site.

(4) The number of entries an entrant will receive for the Drawing is determined by the purchase price of the Qualifying Ticket entered. The purchase price and corresponding number of entries for the Qualifying Ticket is as follows: PA-1708 Witches Brew Bucks (\$5) = five entries, PA-1709 Pick Your Potion (\$2) = two entries and PA-1710 Haunted Hou\$e (\$1) = one entry.

(5) Players may review prizes won and their entries for the Drawing via the Drawing’s promotional web site.

(d) *Prizes available to be won, determination of winners and odds of winning:*

(1) The prize entitlements described below are subject to all restrictions and limitations described in section 10(e), or those mentioned anywhere else in these rules.

(2) Lottery will conduct one Drawing from among all the entries received during the entry period as described in section 10(c)(2).

(i) The first entry selected in the Drawing will be a winning entry and the entrant who submitted that winning entry shall be entitled to a prize of \$50,000, less required income tax withholding.

(ii) The second through the fourth entries selected in the Drawing will be winning entries and the entrants who submitted those winning entries shall each be entitled to a prize of \$31,000, less required income tax withholding.

(iii) The fifth through the seventeenth entries selected in the Drawing will be winning entries and the entrants who submitted those winning entries shall each be entitled to a prize of \$1,000.

(iv) The eighteenth through the sixty-seventh entries selected in the Drawing will be winning entries and the entrants who submitted those winning entries shall each be entitled to a prize of \$100 iLottery Bonus Money.

(3) All prizes will be paid as a lump-sum cash payment or uploaded to a winning player's lottery account.

(4) Winners of iLottery Bonus Money are not required to claim a prize. Winners of iLottery Bonus Money will have the iLottery Bonus Money credited to their lottery account and will receive an email notifying them that they won a prize.

(5) The number of winning entries to be selected for the Drawing will be posted to the Pennsylvania Lottery's publicly accessible web site.

(6) The odds of winning in the Drawing depend upon the number of entries received for the Drawing.

(7) A computer-generated randomizer will be used to select the Drawing winners.

(e) *Drawing restrictions:*

(1) To be eligible to participate in the Drawing, entrants must have complied with the requirements of these rules.

(2) The Lottery is not responsible for late, lost or misdirected entries not entered into the Drawing. The Lottery is not responsible for entries that are not entered into the Drawing because of incompatible internet browsers, mobile Lottery application failure or other technical issues. The Lottery is not responsible for entries not entered due to delays in creating a lottery account or the inability to create a lottery account. If a Drawing entry is selected as a winner and rejected or otherwise disqualified during or following the Drawing, the Lottery will select one entry to replace the rejected or otherwise disqualified entry in accordance with these rules and Lottery procedure. Entries not received for any other reason will not be considered entries.

(3) If any discrepancy exists between these rules and any material describing the Drawing, these rules shall govern.

(4) Employees of the Pennsylvania Lottery, 9Rooftops Marketing, LLC (formerly known as MARC USA, LLC), MUSL, Scientific Games, Inc., MDI Entertainment, LLC, and their subcontractors, or a spouse, child, brother, sister or parent residing as a member of the same household in the principal place of residence of any such person are not eligible to participate in the Drawing. Offer void where prohibited or restricted.

(5) The Lottery reserves the right, in its sole discretion, to cancel or suspend the Drawing and change these rules if the Drawing cannot be conducted as planned due to errors in these rules or advertising, unauthorized inter-

vention, tampering, fraud, technical errors, viruses, worms, bugs or any other cause that, in the Lottery's sole judgment, could corrupt or impair the administration, security, fairness, integrity or proper conduct of the Drawing.

(6) All entries shall be subject to verification by the Pennsylvania Lottery.

(7) The Lottery reserves the right, in its sole discretion, to disqualify an entrant found to be tampering with the operation of the Drawing or to be acting in violation of these rules or applicable law.

(8) The Drawing is governed by the laws of the Commonwealth of Pennsylvania. Applicable laws and regulations apply.

(9) Prizes must be claimed within 1 year of the drawing date of the Drawing in which the prize was won. If no claim is made within 1 year of the drawing date of the Drawing in which the prize was won, the right of an entrant to claim the prize won, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided by statute.

(10) Final determination of winners will be made by the Secretary, whose judgment will be final and binding.

(11) A prize awarded in the Drawing to a person who dies before receiving the prize shall be paid according to 61 Pa. Code § 811.16 (relating to prizes payable after death of a prize winner).

(12) A winner is responsible for all taxes arising from or in connection with any prize won.

(13) A player may only win the prize for which the player is first selected in the Drawing. Subsequent entries, from the same individual, selected in the same Drawing will be disqualified and one replacement entry will be selected.

(14) Winners of iLottery Bonus Money must abide by the iLottery terms & conditions, the iLottery Bonus Policy and these rules. iLottery Bonus Money will expire 90 days from the date on which the winner was notified, via email, of the prize win, as further detailed in section 10(d)(4). iLottery Bonus Money has a five times play through requirement in order to convert the iLottery Bonus Money into cash. For example, for a player winning \$100 of iLottery Bonus Money, the player is required to place \$500 in wagers before the iLottery Bonus Money awarded is converted into cash which may be withdrawn from the player's account.

(15) Prizes are not transferrable.

(16) Other restrictions may apply.

11. *Retailer incentive awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Pick Your Potion instant lottery game tickets.

12. *Retailer bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles

the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which they qualify on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

13. *Unclaimed prize money:* For a period of 1 year from the announced close of Pick Your Potion, prize money from winning Pick Your Potion instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Pick Your Potion instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

14. *Governing law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

15. *Termination of the game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Pick Your Potion or through normal communications methods.

PATRICK BROWNE,
Secretary

[Pa.B. Doc. No. 24-1310. Filed for public inspection September 13, 2024, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania Witches Brew Bucks Instant Lottery Game 1708

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Witches Brew Bucks (“Witches Brew Bucks”). The game number is PA-1708.

2. *Price:* The price of a Witches Brew Bucks instant lottery game ticket is \$5.

3. *Play symbols:* Each Witches Brew Bucks instant lottery game ticket will contain one play area featuring a “WINNING NUMBERS” area and a “YOUR NUMBERS” area, and one “BONUS BUCKS” area. The “BONUS BUCKS” area is played separately. The play symbols and their captions located in the “WINNING NUMBERS” area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26

(TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN) and 30 (THIRT). The play symbols and their captions located in the “YOUR NUMBERS” area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN), 30 (THIRT), Spider (SPIDER) symbol and a Witch Hat (WINALL) symbol. The play symbols and prize amounts and their captions located in the “BONUS BUCKS” area are: TRY AGAIN (NOBONUS) symbol, NO BONUS (TRYAGAIN) symbol, \$5⁰⁰ (FIV DOL), \$10⁰⁰ (TEN DOL), \$15⁰⁰ (FIFTEEN), \$20⁰⁰ (TWENTY), \$50⁰⁰ (FIFTY), \$75⁰⁰ (SVY FIV), \$100 (ONE HUN), \$200 (TWO HUN), \$500 (FIV HUN) and \$1,000 (ONE THO).

4. *Prize symbols:* The prize symbols and their captions located in the “YOUR NUMBERS” area are: \$5⁰⁰ (FIV DOL), \$10⁰⁰ (TEN DOL), \$15⁰⁰ (FIFTEEN), \$20⁰⁰ (TWENTY), \$50⁰⁰ (FIFTY), \$75⁰⁰ (SVY FIV), \$100 (ONE HUN), \$200 (TWO HUN), \$500 (FIV HUN), \$1,000 (ONE THO) and \$100,000 (ONEHUNTHO).

5. *Prizes:* The prizes that can be won in this game are: \$5, \$10, \$15, \$20, \$50, \$75, \$100, \$200, \$500, \$1,000 and \$100,000. The prizes that can be won in the “BONUS BUCKS” area are: \$5, \$10, \$15, \$20, \$50, \$75, \$100, \$200, \$500 and \$1,000. For a complete description of how these prizes can be won, see section 9 (relating to number and description of prizes and approximate odds). A player can win up to 13 times on a ticket.

6. *Approximate number of tickets printed for the game:* Approximately 4,800,000 tickets will be printed for the Witches Brew Bucks instant lottery game.

7. *Second-Chance Drawing:* The Pennsylvania Lottery (“Lottery”) will conduct an Eek-A-Boo Bucks Second-Chance Drawing (“Drawing”) for which non-winning Witches Brew Bucks tickets may be eligible as provided for in section 10 (relating to second-chance drawing).

8. *Determination of prize winners:*

(a) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$100,000 (ONEHUNTHO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$100,000.

(b) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$1,000 (ONE THO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(c) Holders of tickets upon which a prize amount of \$1,000 (ONE THO) appears in the “BONUS BUCKS” area, on a single ticket, shall be entitled to a prize of \$1,000.

(d) Holders of tickets upon which a Witch Hat (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$100 (ONE HUN) appears in eight of the “prize” areas and a prize symbol of \$50⁰⁰ (FIFTY) appears in four of the “prize” areas, on a single ticket, shall be entitled to a prize of \$1,000.

(e) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$500

(FIV HUN) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$500.

(f) Holders of tickets upon which a Spider (SPIDER) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$500 (FIV HUN) appears in the “prize” area under that Spider (SPIDER) symbol, on a single ticket, shall be entitled to a prize of \$500.

(g) Holders of tickets upon which a prize amount of \$500 (FIV HUN) appears in the “BONUS BUCKS” area, on a single ticket, shall be entitled to a prize of \$500.

(h) Holders of tickets upon which a Witch Hat (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$50⁰⁰ (FIFTY) appears in eight of the “prize” areas, a prize symbol of \$10⁰⁰ (TEN DOL) appears in two of the “prize” areas, a prize symbol of \$75⁰⁰ (SVY FIV) appears in one of the “prize” areas and a prize symbol of \$5⁰⁰ (FIV DOL) appears in one of the “prize” areas, on a single ticket, shall be entitled to a prize of \$500.

(i) Holders of tickets upon which a Witch Hat (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$100 (ONE HUN) appears in four of the “prize” areas, a prize symbol of \$20⁰⁰ (TWENTY) appears in four of the “prize” areas and a prize symbol of \$5⁰⁰ (FIV DOL) appears in four of the “prize” areas, on a single ticket, shall be entitled to a prize of \$500.

(j) Holders of tickets upon which a Witch Hat (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$50⁰⁰ (FIFTY) appears in four of the “prize” areas, a prize symbol of \$20⁰⁰ (TWENTY) appears in five of the “prize” areas, a prize symbol of \$75⁰⁰ (SVY FIV) appears in one of the “prize” areas, a prize symbol of \$15⁰⁰ (FIFTEEN) appears in one of the “prize” areas and a prize symbol of \$10⁰⁰ (TEN DOL) appears in one of the “prize” areas, on a single ticket, shall be entitled to a prize of \$400.

(k) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$200 (TWO HUN) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$200.

(l) Holders of tickets upon which a Spider (SPIDER) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$200 (TWO HUN) appears in the “prize” area under that Spider (SPIDER) symbol, on a single ticket, shall be entitled to a prize of \$200.

(m) Holders of tickets upon which a prize amount of \$200 (TWO HUN) appears in the “BONUS BUCKS” area, on a single ticket, shall be entitled to a prize of \$200.

(n) Holders of tickets upon which a Witch Hat (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$20⁰⁰ (TWENTY) appears in eight of the “prize” areas and a prize symbol of \$10⁰⁰ (TEN DOL) appears in four of the “prize” areas, on a single ticket, shall be entitled to a prize of \$200.

(o) Holders of tickets upon which a Witch Hat (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$15⁰⁰ (FIFTEEN) appears in eight of the “prize” areas, a prize symbol of \$10⁰⁰ (TEN DOL) appears in two of the “prize” areas and a prize symbol of \$5⁰⁰ (FIV DOL) appears in two of the “prize” areas, on a single ticket, shall be entitled to a prize of \$150.

(p) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$100 (ONE HUN) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$100.

(q) Holders of tickets upon which a Spider (SPIDER) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$100 (ONE HUN) appears in the “prize” area under that Spider (SPIDER) symbol, on a single ticket, shall be entitled to a prize of \$100.

(r) Holders of tickets upon which a prize amount of \$100 (ONE HUN) appears in the “BONUS BUCKS” area, on a single ticket, shall be entitled to a prize of \$100.

(s) Holders of tickets upon which a Witch Hat (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$10⁰⁰ (TEN DOL) appears in eight of the “prize” areas and a prize symbol of \$5⁰⁰ (FIV DOL) appears in four of the “prize” areas, on a single ticket, shall be entitled to a prize of \$100.

(t) Holders of tickets upon which a Witch Hat (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$15⁰⁰ (FIFTEEN) appears in two of the “prize” areas and a prize symbol of \$5⁰⁰ (FIV DOL) appears in ten of the “prize” areas, on a single ticket, shall be entitled to a prize of \$80.

(u) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$75⁰⁰ (SVY FIV) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$75.

(v) Holders of tickets upon which a Spider (SPIDER) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$75⁰⁰ (SVY FIV) appears in the “prize” area under that Spider (SPIDER) symbol, on a single ticket, shall be entitled to a prize of \$75.

(w) Holders of tickets upon which a prize amount of \$75⁰⁰ (SVY FIV) appears in the “BONUS BUCKS” area, on a single ticket, shall be entitled to a prize of \$75.

(x) Holders of tickets upon which a Witch Hat (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$5⁰⁰ (FIV DOL) appears in ten of the “prize” areas, a prize symbol of \$15⁰⁰ (FIFTEEN) appears in one of the “prize” areas and a prize symbol of \$10⁰⁰ (TEN DOL) appears in one of the “prize” areas, on a single ticket, shall be entitled to a prize of \$75.

(y) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$50⁰⁰ (FIFTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$50.

(z) Holders of tickets upon which a Spider (SPIDER) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$50⁰⁰ (FIFTY) appears in the “prize” area under that Spider (SPIDER) symbol, on a single ticket, shall be entitled to a prize of \$50.

(aa) Holders of tickets upon which a prize amount of \$50⁰⁰ (FIFTY) appears in the “BONUS BUCKS” area, on a single ticket, shall be entitled to a prize of \$50.

(bb) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$20⁰⁰

(TWENTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$20.

(cc) Holders of tickets upon which a Spider (SPIDER) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$20⁰⁰ (TWENTY) appears in the “prize” area under that Spider (SPIDER) symbol, on a single ticket, shall be entitled to a prize of \$20.

(dd) Holders of tickets upon which a prize amount of \$20⁰⁰ (TWENTY) appears in the “BONUS BUCKS” area, on a single ticket, shall be entitled to a prize of \$20.

(ee) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$15⁰⁰ (FIFTEEN) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$15.

(ff) Holders of tickets upon which a Spider (SPIDER) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$15⁰⁰ (FIFTEEN) appears in the “prize” area under that Spider (SPIDER) symbol, on a single ticket, shall be entitled to a prize of \$15.

(gg) Holders of tickets upon which a prize amount of \$15⁰⁰ (FIFTEEN) appears in the “BONUS BUCKS” area, on a single ticket, shall be entitled to a prize of \$15.

(hh) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$10⁰⁰

(TEN DOL) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$10.

(ii) Holders of tickets upon which a Spider (SPIDER) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the “prize” area under that Spider (SPIDER) symbol, on a single ticket, shall be entitled to a prize of \$10.

(jj) Holders of tickets upon which a prize amount of \$10⁰⁰ (TEN DOL) appears in the “BONUS BUCKS” area, on a single ticket, shall be entitled to a prize of \$10.

(kk) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$5⁰⁰ (FIV DOL) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$5.

(ll) Holders of tickets upon which a Spider (SPIDER) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$5⁰⁰ (FIV DOL) appears in the “prize” area under that Spider (SPIDER) symbol, on a single ticket, shall be entitled to a prize of \$5.

(mm) Holders of tickets upon which a prize amount of \$5⁰⁰ (FIV DOL) appears in the “BONUS BUCKS” area, on a single ticket, shall be entitled to a prize of \$5.

9. *Number and description of prizes and approximate odds:* The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

<i>Match Any Of YOUR NUMBERS To Any Of The WINNING NUMBERS To Win Prize Shown Under That Match. Win With:</i>	<i>BONUS BUCKS:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 4,800,000 Tickets:</i>
	\$5	\$5	40	120,000
\$5 w/ SPIDER		\$5	40	120,000
\$5		\$5	25	192,000
\$5 × 2		\$10	120	40,000
\$5 w/ SPIDER	\$5	\$10	60	80,000
	\$10	\$10	60	80,000
\$10 w/ SPIDER		\$10	150	32,000
\$10		\$10	150	32,000
\$5 × 3		\$15	600	8,000
\$5 w/ SPIDER	\$10	\$15	150	32,000
\$10 w/ SPIDER	\$5	\$15	150	32,000
	\$15	\$15	120	40,000
\$15 w/ SPIDER		\$15	120	40,000
\$15		\$15	120	40,000
\$10 × 2		\$20	300	16,000
((\$5 w/ SPIDER) × 2) + \$5	\$5	\$20	300	16,000
\$10 w/ SPIDER	\$10	\$20	300	16,000
\$15 w/ SPIDER	\$5	\$20	150	32,000
	\$20	\$20	150	32,000
\$20 w/ SPIDER		\$20	300	16,000
\$20		\$20	600	8,000

<i>Match Any Of YOUR NUMBERS To Any Of The WINNING NUMBERS To Win Prize Shown Under That Match. Win With:</i>	<i>BONUS BUCKS:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 4,800,000 Tickets:</i>
\$5 × 10		\$50	600	8,000
(((\$10 w/ SPIDER) × 3) + (\$5 × 2))	\$10	\$50	600	8,000
	\$50	\$50	600	8,000
\$50 w/ SPIDER		\$50	600	8,000
\$50		\$50	600	8,000
WITCH HAT w/ ((\$5 × 10) + \$15 + \$10)		\$75	255.32	18,800
\$15 × 4	\$15	\$75	6,000	800
(((\$10 w/ SPIDER) × 4) + (\$5 × 4))	\$15	\$75	6,000	800
	\$75	\$75	4,000	1,200
\$75 w/ SPIDER		\$75	12,000	400
\$75		\$75	12,000	400
WITCH HAT w/ ((\$15 × 2) + (\$5 × 10))	\$20	\$100	1,091	4,400
WITCH HAT w/ ((\$10 × 8) + (\$5 × 4))		\$100	1,091	4,400
\$10 × 10		\$100	12,000	400
(\$50 w/ SPIDER) + (\$20 w/ SPIDER) + \$15 + \$5	\$10	\$100	6,000	800
	\$100	\$100	6,000	800
\$100 w/ SPIDER		\$100	12,000	400
\$100		\$100	12,000	400
WITCH HAT w/ ((\$15 × 8) + (\$10 × 2) + (\$5 × 2))	\$50	\$200	4,000	1,200
WITCH HAT w/ ((\$20 × 8) + (\$10 × 4))		\$200	4,000	1,200
(((\$50 w/ SPIDER) × 2) + (\$10 × 5))	\$50	\$200	24,000	200
	\$200	\$200	24,000	200
\$200 w/ SPIDER		\$200	24,000	200
\$200		\$200	24,000	200
WITCH HAT w/ ((\$50 × 4) + (\$20 × 5) + \$75 + \$15 + \$10)	\$100	\$500	120,000	40
WITCH HAT w/ ((\$100 × 4) + (\$20 × 4) + (\$5 × 4))		\$500	120,000	40
\$50 × 10		\$500	120,000	40
(((\$100 w/ SPIDER) × 4) + (\$10 × 5))	\$50	\$500	120,000	40
	\$500	\$500	120,000	40
\$500 w/ SPIDER		\$500	120,000	40
\$500		\$500	120,000	40
WITCH HAT w/ ((\$50 × 8) + (\$10 × 2) + \$75 + \$5)	\$500	\$1,000	480,000	10
WITCH HAT w/ ((\$100 × 8) + (\$50 × 4))		\$1,000	480,000	10
	\$1,000	\$1,000	480,000	10
\$1,000		\$1,000	480,000	10
\$100,000		\$100,000	480,000	10

Reveal a "Spider" (SPIDER) symbol to win prize shown under that symbol automatically.

Reveal a "Witch Hat" (WINALL) symbol to win ALL 12 prizes shown!

BONUS BUCKS: Reveal a cash prize amount to win that amount instantly! BONUS BUCKS area is played separately.

Prizes, including top prizes, are subject to availability at the time of purchase.

10. *Second-Chance Drawing*: The Pennsylvania Lottery's Eek-A-Boo Bucks Second-Chance Drawing for qualifying instant lottery game tickets:

(a) *Qualifying Tickets*: Non-winning PA-1708 Witches Brew Bucks (\$5), PA-1709 Pick Your Potion (\$2) and PA-1710 Haunted Hou\$e (\$1) lottery game tickets are eligible for entry into the Drawing.

(b) *Participation and entry*:

(1) Entrants must have a registered lottery account in order to participate in the Drawing. To create a lottery account, visit <https://www.PAiLottery.com>. Creating a lottery account is free.

(2) A registered lottery account holder is subject to the iLottery regulations and specifically agrees to be bound by the iLottery terms and conditions located at <https://www.pailottery.com/signup/terms-and-conditions/>, as well as any related policies.

(3) To establish a lottery account, players must provide the following information:

(i) The player's name as it appears on a valid government-issued identification or tax documents;

(ii) The player's date of birth;

(iii) The entire or last four digits of the player's Social Security Number, or comparable equivalent;

(iv) The player's address;

(v) The player's telephone number;

(vi) The player's email address;

(vii) Any other information established by the Lottery to be necessary to verify the age and identity of the player.

(4) An individual may be required to provide additional information or documentation, as set forth in the iLottery terms and conditions, to establish a lottery account or register for iLottery. The information may be used for iLottery registration or to confirm information provided by that individual during the registration process.

(5) To enter the Drawing, entrants must submit the identifying information from at least one Qualifying Ticket via the Drawing's promotional web site, available at <https://www.palottery.com>, or the Lottery's official mobile application during the entry period. The identifying information from a Qualifying Ticket may be submitted only once in the Drawing. Entries will automatically be awarded at the time of successful submission of a Qualifying Ticket. No other method of submission will be accepted, and entries submitted using any other method, including entries mailed or hand-delivered to the Lottery, are not valid and will be disqualified.

(6) Each entry must be complete and the information supplied by the entrant must be accurate. Incomplete entries cannot be accepted.

(7) Only one claimant per entry is allowed.

(8) Entrants must be 18 years of age or older.

(9) Players may submit the identifying information from an unlimited number of Qualifying Tickets in the Drawing.

(10) Once an entry has been submitted it cannot be withdrawn or changed.

(c) *Drawing description*:

(1) The Lottery will conduct one Eek-A-Boo Bucks Second-Chance Drawing for qualifying instant lottery game tickets. All time references are Eastern Prevailing Time.

(2) All entries received after 11:59:59 p.m. September 15, 2024, through 11:59:59 p.m. October 31, 2024, will be entered into the Drawing tentatively scheduled to be held between November 1, 2024 and November 15, 2024.

(3) The entry period for the Drawing will be posted to the Lottery's publicly accessible web site.

(4) The number of entries an entrant will receive for the Drawing is determined by the purchase price of the Qualifying Ticket entered. The purchase price and corresponding number of entries for the Qualifying Ticket is as follows: PA-1708 Witches Brew Bucks (\$5) = five entries, PA-1709 Pick Your Potion (\$2) = two entries and PA-1710 Haunted Hou\$e (\$1) = one entry.

(5) Players may review prizes won and their entries for the Drawing via the Drawing's promotional web site.

(d) *Prizes available to be won, determination of winners and odds of winning*:

(1) The prize entitlements described below are subject to all restrictions and limitations described in section 10(e), or those mentioned anywhere else in these rules.

(2) Lottery will conduct one Drawing from among all the entries received during the entry period as described in section 10(c)(2).

(i) The first entry selected in the Drawing will be a winning entry and the entrant who submitted that winning entry shall be entitled to a prize of \$50,000, less required income tax withholding.

(ii) The second through the fourth entries selected in the Drawing will be winning entries and the entrants who submitted those winning entries shall each be entitled to a prize of \$31,000, less required income tax withholding.

(iii) The fifth through the seventeenth entries selected in the Drawing will be winning entries and the entrants who submitted those winning entries shall each be entitled to a prize of \$1,000.

(iv) The eighteenth through the sixty-seventh entries selected in the Drawing will be winning entries and the entrants who submitted those winning entries shall each be entitled to a prize of \$100 iLottery Bonus Money.

(3) All prizes will be paid as a lump-sum cash payment or uploaded to a winning player's lottery account.

(4) Winners of iLottery Bonus Money are not required to claim a prize. Winners of iLottery Bonus Money will have the iLottery Bonus Money credited to their lottery account and will receive an email notifying them that they won a prize.

(5) The number of winning entries to be selected for the Drawing will be posted to the Lottery's publicly accessible web site.

(6) The odds of winning in the Drawing depend upon the number of entries received for the Drawing.

(7) A computer-generated randomizer will be used to select the Drawing winners.

(e) *Drawing restrictions:*

(1) To be eligible to participate in the Drawing, entrants must have complied with the requirements of these rules.

(2) The Lottery is not responsible for late, lost or misdirected entries not entered into the Drawing. The Lottery is not responsible for entries that are not entered into the Drawing because of incompatible internet browsers, mobile Lottery application failure or other technical issues. The Lottery is not responsible for entries not entered due to delays in creating a lottery account or the inability to create a lottery account. If a Drawing entry is selected as a winner and rejected or otherwise disqualified during or following the Drawing, the Lottery will select one entry to replace the rejected or otherwise disqualified entry in accordance with these rules and Lottery procedure. Entries not received for any other reason will not be considered entries.

(3) If any discrepancy exists between these rules and any material describing the Drawing, these rules shall govern.

(4) Employees of the Lottery, 9Rooftops Marketing, LLC (formerly known as MARC USA, LLC), MUSL, Scientific Games, Inc., MDI Entertainment, LLC, and their subcontractors, or a spouse, child, brother, sister or parent residing as a member of the same household in the principal place of residence of any such person are not eligible to participate in the Drawing. Offer void where prohibited or restricted.

(5) The Lottery reserves the right, in its sole discretion, to cancel or suspend the Drawing and change these rules if the Drawing cannot be conducted as planned due to errors in these rules or advertising, unauthorized intervention, tampering, fraud, technical errors, viruses, worms, bugs or any other cause that, in the Lottery's sole judgment, could corrupt or impair the administration, security, fairness, integrity or proper conduct of the Drawing.

(6) All entries shall be subject to verification by the Pennsylvania Lottery.

(7) The Lottery reserves the right, in its sole discretion, to disqualify an entrant found to be tampering with the operation of the Drawing or to be acting in violation of these rules or applicable law.

(8) The Drawing is governed by the laws of the Commonwealth of Pennsylvania. Applicable laws and regulations apply.

(9) Prizes must be claimed within 1 year of the drawing date of the Drawing in which the prize was won. If no claim is made within 1 year of the drawing date of the Drawing in which the prize was won, the right of an entrant to claim the prize won, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided by statute.

(10) Final determination of winners will be made by the Secretary, whose judgment will be final and binding.

(11) A prize awarded in the Drawing to a person who dies before receiving the prize shall be paid according to 61 Pa. Code § 811.16 (relating to prizes payable after death of a prize winner).

(12) A winner is responsible for all taxes arising from or in connection with any prize won.

(13) A player may only win the prize for which the player is first selected in the Drawing. Subsequent en-

tries, from the same individual, selected in the same Drawing will be disqualified and one replacement entry will be selected.

(14) Winners of iLottery Bonus Money must abide by the iLottery terms & conditions, the iLottery Bonus Policy and these rules. iLottery Bonus Money will expire 90 days from the date on which the winner was notified, via email, of the prize win, as further detailed in section 10(d)(4). iLottery Bonus Money has a five times play through requirement in order to convert the iLottery Bonus Money into cash. For example, for a player winning \$100 of iLottery Bonus Money, the player is required to place \$500 in wagers before the iLottery Bonus Money awarded is converted into cash which may be withdrawn from the player's account.

(15) Prizes are not transferrable.

(16) Other restrictions may apply.

11. *Retailer incentive awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Witches Brew Bucks instant lottery game tickets.

12. *Retailer bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which they qualify on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

13. *Unclaimed prize money:* For a period of 1 year from the announced close of Witches Brew Bucks, prize money from winning Witches Brew Bucks instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Witches Brew Bucks instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

14. *Governing law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

15. *Termination of the game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be

disseminated through media used to advertise or promote Witches Brew Bucks or through normal communications methods.

PATRICK BROWNE,
Secretary

[Pa.B. Doc. No. 24-1311. Filed for public inspection September 13, 2024, 9:00 a.m.]

DEPARTMENT OF STATE

Bureau of Corporations and Charitable Organizations; Proposed Official Forms

The Department of State (Department), Bureau of Corporations and Charitable Organizations (Bureau) proposes to amend 19 Pa.Code Appendix C (relating to official forms), to read as set forth in Annex A.

A. Effective Date

The proposed form will be effective September 13, 2024.

B. Statutory Authority

The Department has the authority to promulgate Bureau sample forms and instructions under 15 Pa.C.S. § 133 (relating to powers of Department of State). Section 133(a)(1) of 15 Pa.C.S. specifies that sample filing forms shall not be agency regulations and are therefore explicitly excluded from the requirements of section 612 of The Administrative Code of 1929 (71 P.S. § 232) and review under the Commonwealth Attorneys Act (71 P.S. §§ 732-101—732-506) and the Regulatory Review Act (71 P.S. §§ 745.1—745.14). Section 133(a)(1) of 15 Pa.C.S. does, however, require that the forms and instructions be subject to the opportunity for public comments under section 201 of the act of July 31, 1968 (P.L. 769, No. 240) (45 P.S. § 1201), referred to as the Commonwealth Documents Law (CDL).

C. Description of Proposed Revisions

This proposal introduces a new form based on the enactment of Act No. 59 of 2024, signed into law on July 15, 2024, and effective in 60 days, or on September 13, 2024.

Form DSCB: 15-210 (Registration of Name of Domestic Nonfiling Association)

This form is for the purpose of registering and protecting the name of any domestic nonfiling association (such as a general partnership or an unincorporated nonprofit association). This form is only to be used when the association is not otherwise required to be formed or organized by another type of filing. This name registration will not formally incorporate, organize or form an association. This name registration is also distinguishable from a fictitious name or d/b/a (see, DSCB:54-311 (Regis-

tration of Fictitious Name)). Registration of the name of a domestic nonfiling association will block the use of the name from use by other associations for up to 1 year. Available names will be registered through December 31 of the year in which the registration is filed. Registrations may be renewed annually between October 1 and December 31 for the following calendar year. Initial registrations filed between October 1 and December 31 will expire on December 31 of the following calendar year.

This form and instructions will be published in 19 Pa. Code Appendix C. Even though Rule 2.12(a) of the Pennsylvania Code and Bulletin Style Manual recommends that forms be referenced in regulations rather than adopted in regulations, 15 Pa.C.S. § 133 requires that the forms and instructions be published in the Pennsylvania Code.

D. Fiscal Impact

Although this proposal would have no measurable fiscal impact upon the Commonwealth, its political subdivisions or the private sector, a formal fiscal analysis was not conducted because this form is exempt from the requirements of section 612 of The Administrative Code of 1929.

E. Paperwork Requirements

This form effectuates a new optional filing with the Department that was created by Act No. 59 of 2024.

F. Regulatory Review

Under 15 Pa.C.S. § 133(a), sample forms are exempt from the requirements of the Regulatory Review Act, but shall be subject to the opportunity of public comment requirement under section 201 of the CDL.

G. Public Comment

Under 15 Pa.C.S. § 133(a)(1), which requires that publication of Bureau forms be subject to the opportunity for public comment, the Department invites interested persons to submit written comments, suggestions or objections regarding this proposal to Martha H. Brown, Assistant Counsel, Department of State, 306 North Office Building, Harrisburg, PA 17120, within 30 days following publication of this notice in the Pennsylvania Bulletin. Reference “Bureau of Corporations and Charitable Organizations—Official Forms” when submitting comments.

AL SCHMIDT,
Secretary

Annex A

TITLE 19. CORPORATIONS AND BUSINESS ASSOCIATIONS

PART I. DEPARTMENT OF STATE

APPENDIX C. OFFICIAL FORMS

(Editor’s Note: The following form is new and is printed in regular type to enhance readability.)

DSCB form number
Title 15 forms

Form name

Table with 2 columns: DSCB form number, Form name. Includes entries for Application for Registration of Name of Nonregistered Foreign Association, Registration of Name of Domestic Nonfiling Association, and Statement of Merger.

PENNSYLVANIA DEPARTMENT OF STATE
BUREAU OF CORPORATIONS AND CHARITABLE ORGANIZATIONS

<input type="checkbox"/> Return document by mail to:	Registration of Name of Domestic Nonfiling Association
_____ Name	
_____ Address	DSCB:15-210 (9/13/2024)
_____ City State Zip Code	
<input type="checkbox"/> Return document by email to: _____	

Read all instructions prior to completing. This form must be completed at <https://file.dos.pa.gov>.

This name registration expires on December 31 of each year and must be renewed annually between October 1 and December 31.

Fee: \$70

Check one: Initial registration Renewal of registration

In compliance with the requirements of 15 Pa.C.S. § 210(a) and (b) (relating to Registration of name of domestic nonfiling association), the undersigned domestic nonfiling association, desiring to register with the Department of State the name under which it is doing business or operating, hereby states that:

1. The name of the association and the name being registered is:

2. The principal office address of the association is:

Number and street

City

State

Zip

IN TESTIMONY WHEREOF, the undersigned domestic nonfiling association has caused this Application for Registration of Nonfiling Association Name to be signed by a duly authorized person this _____ day of _____, 20_____.

Name of Domestic Nonfiling Association

Signature

Title

DSCB:15-210–Instructions

**Pennsylvania Department of State
Bureau of Corporations and Charitable Organizations
P.O. Box 8722
Harrisburg, PA 17105-8722
(717) 787-1057
Website: www.dos.pa.gov/corps**

General Information

Typewritten is preferred. If handwritten, the form must be legible and completed in black or blue-black ink in order to permit reproduction. The nonrefundable filing fee for this form is \$70. Checks should be made payable to the Department of State. Checks must contain a commercially pre-printed name and address.

If not filed online at <https://file.dos.pa.gov>, this form and all accompanying documents, including any necessary governmental approvals, shall be mailed to the address stated above.

Who should file this form?

Any domestic nonfiling association (such as a General Partnership or Unincorporated Nonprofit Association) seeking to register and protect its name may file this form. This form is only to be used when the association is not otherwise required to be formed or organized by another type of filing. This registration will NOT formally incorporate, organize or form an association. See the Department's Registration Forms page for necessary forms. This form also will NOT register fictitious name or d/b/a. Use DSCB:54-311 (Registration of Fictitious Name).

Registration will block the use of the name from use by other associations for up to one year. Available names will be registered though December 31 of the year in which the registration is filed. Registrations may be renewed annually between October 1 and December 31 for the following calendar year. Initial registrations filed between October 1 and December 31 will expire on December 31 of the following calendar year.

Applicable Law

For registration of name of domestic nonfiling association, 15 Pa.C.S. § 210; for names, in general, 15 Pa.C.S. §§ 201—209. Statutes are available on the Pennsylvania General Assembly website, www.legis.state.pa.us, by following the link for Statutes.

Association Name Requirements

Generally, the name of an association may not be the same as the name of another association which is already on the records of the Department of State. A name registered using this form may NOT use certain designators indicating it is incorporated or has limited liability (e.g. Inc., LLC, Limited, etc.)

Restricted words and/or approvals:

Association names may not contain words, phrases or abbreviations prohibited or restricted by statute or regulation, unless in compliance with the restriction, generally with the consent or approval of a government agency, board, or commission. These may include certain professional and

occupational boards or commissions of the Bureau of Professional and Occupational Affairs, the Department of Education, the Department of Banking and Securities, the Insurance Department, or the Public Utility Commission. There are also words and abbreviations that may be restricted; prohibited; or may be permitted in certain instances as provided in various federal statutes, Attorney General opinions, and Bureau regulations.

Attachments

The following, in addition to the filing fee, shall accompany this form:

- (1) Any *necessary* copies of form DSCB:19-17.2 (Consent to Appropriation of Name).
- (2) Any *necessary* governmental approvals.

Form Instructions

Enter the name and mailing address to which any correspondence regarding this filing should be sent. This field must be completed for the Bureau to return the filing. If the filing is to be returned by email, an email address must be provided. An email will be sent to the address provided, containing a link and instructions on how a copy of the filed document or correspondence may be downloaded. Any email or mailing addresses provided on this form will become part of the filed document and therefore public record.

Indicate whether the application is an initial registration or whether the application is being renewed. Renewals must be submitted for filing between October 1 and December 31 for the following calendar year.

1. Give the exact name of the association (the name being registered), as specified by its organic rules, e.g. partnership agreement or governing principles). This must include the exact spelling and punctuation. **This field is required.**
2. The street and mailing address of the association's principal office. This address must be located in this Commonwealth. Post office boxes are not acceptable for any address. Under 15 Pa.C.S. § 135(c) (relating to addresses), an actual street or rural route box number must be used as an address, and the Department of State is required to refuse to receive or file any document that sets forth only a post office box address. **This field is required.**

Signature and Verification

An authorized representative of the domestic nonfiling association must sign this form. Signing a document delivered to the Department for filing is an affirmation under the penalties provided in 18 Pa.C.S. § 4904 (relating to unsworn falsification to authorities) that the facts stated in the document are true in all material respects. **This field is required.**

[Pa.B. Doc. No. 24-1312. Filed for public inspection September 13, 2024, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Approved Speed-Timing Devices and Appointment of Maintenance and Calibration Stations; Correction

An error occurred in the notice published at 54 Pa.B. 216 (January 13, 2024). The correct version is as follows, with ellipses referring to the existing text of the notice:

* * * * *

The Department has appointed, under 75 Pa.C.S. § 3368(d), the following official Electronic Device Testing Stations for radar devices, which may be used only as part of an automated speed enforcement system or by members of the State Police:

* * * * *

MICHAEL CARROLL,
Secretary

[Pa.B. Doc. No. 24-1313. Filed for public inspection September 13, 2024, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Aviation Advisory Committee Meeting

The Aviation Advisory Committee (Committee) will hold a meeting on Thursday, September 19, 2024. The meeting will be held in person at the Commonwealth Keystone Building, 400 North Street, Conference Room 8N1, Harrisburg, PA 17102, at 10 a.m. There will also be a remote Microsoft Teams option. For more information, contact the Bureau of Aviation, (717) 705-1200, RA-pdMultimodalAsst@pa.gov. To call into the meeting, dial (267) 332-8737 and enter 201639850# as the meeting code. To view the meeting agenda, visit the Department of Transportation’s web site at www.penndot.gov (click on “About PennDOT” under

“About Us” then select “Aviation Advisory Commission” from the list of links under “Commissions & Committees” under “What We Do”).

MICHAEL CARROLL,
Secretary

[Pa.B. Doc. No. 24-1314. Filed for public inspection September 13, 2024, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Contemplated Sale of Land No Longer Needed for Transportation Purposes

The Department of Transportation (Department), under the Sale of Transportation Lands Act (71 P.S. §§ 1381.1—1381.3), intends to sell certain land owned by the Department.

The following property is available for sale by the Department.

State Route 0030-016, Parcel No. 5, Tax ID 10-0D05J-020-EX0000, Guilford Township, Franklin County. This parcel contains approximately 0.4493 acres of unimproved land situated on Lincoln Way East, Chambersburg, PA.

This property will be sold in as-is condition. The estimated fair market value of the parcel is \$140,000. It has been determined that the land is no longer needed for present or future transportation purposes.

Interested public entities are invited to express their interest in purchasing the property within 30 calendar days from the date of publication of this notice to the Department of Transportation, Attn: Edward Hartman, Property Manager, PENNDOT Engineering District 8-0, 2140 Herr Street, Harrisburg, PA 17103, edhartman@pa.gov, (717) 783-5149.

MICHAEL CARROLL,
Secretary

[Pa.B. Doc. No. 24-1315. Filed for public inspection September 13, 2024, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Notice of Comments Issued

Section 5(g) of the Regulatory Review Act (71 P.S. § 745.5(g)) provides that the Independent Regulatory Review Commission (Commission) may issue comments within 30 days of the close of the public comment period. The Commission comments are based upon the criteria contained in section 5.2 of the Regulatory Review Act (71 P.S. § 745.5b).

The Commission has issued comments on the following proposed regulations. The agency must consider these comments in preparing the final-form regulations. The final-form regulations must be submitted within 2 years of the close of the public comment period or it will be deemed withdrawn.

<i>Reg. No.</i>	<i>Agency / Title</i>	<i>Close of the Public Comment Period</i>	<i>IRRC Comments Issued</i>
16A-7029	State Board of Certified Real Estate Appraisers Distance Education and PAREA 54 Pa.B. 3623 (June 29, 2024)	07/29/24	08/28/24
16A-5732	State Board of Veterinary Medicine Fee Increase 54 Pa.B. 3618 (June 29, 2024)	07/29/24	08/28/24

**State Board of Certified Real Estate Appraisers
Regulation # 16A-7029 (IRRC # 3406)**

Distance Education and PAREA

August 28, 2024

We submit for your consideration the following comments on the proposed rulemaking published in the June 29, 2024 *Pennsylvania Bulletin*. Our comments are based on criteria in Section 5.2 of the Regulatory Review Act (71 P.S. § 745.5b). Section 5.1(a) of the Regulatory Review Act (71 P.S. § 745.5a(a)) directs the State Board of Certified Real Estate Appraisers (Board) to respond to all comments received from us or any other source.

1. Section 36.1. Definitions.—Clarity.

The proposed rulemaking includes a new definition for the term “mentor.” It reads as follows:

A State-certified residential or general real estate appraiser who meets the [Appraiser Qualifications Board] AQB Qualification Criteria for guiding, advising and counseling [Practical Applications of Real Estate Appraisal] PAREA program participants.

A commentator has asked if the state-certified residential or general real estate appraiser must be certified in Pennsylvania or if they could be credentialed in any jurisdiction. We agree that the definition of “mentor” is unclear and ask the Board to clarify it in the final-form regulation.

2. Section 36.11. Qualifications for certification as residential real estate appraiser.—Clarity.

Existing Subsection (e) details the experience an applicant must have to become certified as a residential real estate appraiser. The proposed rulemaking adds Subsection (f) to this section to reflect the fact that an applicant seeking to become a certified residential real estate appraiser can meet the experience requirement by successfully completing an AQB-approved certified residential PAREA program, provided conditions, as required by the AQB Qualification Criteria, are met. Since Subsection (e) already addresses experience requirements, we believe the clarity of the rulemaking would be improved if the new language of Subsection (f) was added to existing Subsection (e). We ask the Board to consider this suggestion as it prepares the final-form rulemaking. We note that similar language appears in Section 36.12, relating to qualifications for certification as a general real estate appraiser.

3. Section 36.31. Provider registration/appraisal courses.—Clarity.

Subsection (b) says that an “education provider must obtain Board approval for qualifying education. . .” In existing regulations, such as in Subsection 36.12.a(b) and Section 36.45, the Board provides the criteria on which qualifying educational standards and qualifying education are based. In addition, in proposed Subsection 36.31(c), the Board provides for the requirements for qualifying education under Subsections 36.11(b), 36.12(b), and 36.12a(b) of existing regulations. Therefore, to assist education providers in meeting this requirement and to improve the clarity of this regulation, we suggest that the Board do the same for the term “qualifying education” in proposed Subsection 36.31(b).

4. Section 36.43. Distance education.—Clarity.

The Preamble describing this section references hybrid distance education, but such education is not mentioned specifically in this section. Other sections in this proposed regulation mention specifically hybrid distance education.

What is the reason for not including this type of education in Section 36.43? The same question applies to Section 36.263 regarding the use of distance education for continuing education for certified Pennsylvania evaluators.

**State Board of Veterinary Medicine
Regulation # 16A-5732 (IRRC # 3407)**

Fee Increase

August 28, 2024

The Independent Regulatory Review Commission submits for your consideration the following comments on the proposed rulemaking published in the June 29, 2024 *Pennsylvania Bulletin*. Our comments are based on criteria in Section 5.2 of the Regulatory Review Act (RRA) (71 P.S. § 745.5b). Section 5.1(a) of the RRA (71 P.S. § 745.5a(a)) directs the State Board of Veterinary Medicine (Board) to respond to all comments received from us or any other source.

1. Regulatory Analysis Form (RAF).—Fiscal impacts; Clarity; Need; Implementation procedures.

This proposed regulation was published on June 29, 2024, and as noted above, the date of this Commission’s comments is August 28, 2024. In response to question # 29 of the RAF, the Board stated that it expects the effective date of this regulation to be “Summer 2024.” Assuming that the regulation would, in fact, be effective in summer 2024, the Board included in the proposed regulation fee increases applicable to the biennial renewal period beginning December 1, 2024. If these regulations are not effective prior to the biennial renewal period beginning December 1, 2024, we ask the Board to explain the fiscal impacts of licensees paying the current renewal rate. We also ask the Board to amend the final regulation and RAF as appropriate to reflect an updated effective date. Additionally, if the Board chooses to adjust fees in the final regulation, we ask that updated fee report forms and annual reports be included to support the need for the adjusted fees in the final-form regulation.

Finally, we note that the Board addressed the fiscal impacts of graduated fee increases for reinspection of Animal Protection Organizations in the preamble and a Fee Report Form, but not in the RAF. We ask the Board to include this information, as well as the approximate number of applications anticipated annually, when amending the final-form RAF.

2. Miscellaneous clarity.

The Board proposes to add Subchapter B (relating to Animal Protection Organizations and Euthanasia Technicians) and add Section 31.104 (relating to schedule of fees) through this proposed regulation. However, as the *Pennsylvania Bulletin* notes in the publication of this proposed regulation:

(Editor’s Note: Subchapter B and § 31.104 are proposed to be added in proposed rulemaking 16A-5726 published at 52 Pa.B. 1980 (April 2, 2022). Final-form rulemaking 16A-5726 was approved by IRRC at its June 20, 2024, meeting. This proposed rulemaking [# 16A-5732] also proposes to add Subchapter B and an updated version of § 31.104, which are printed in regular type to enhance readability.) (Emphasis added.)

We recognize that both regulations indicated that they are adding Subchapter B and Section 31.104 since rulemaking 16A-5726 was not yet published at the time that this proposed regulation was delivered. Since rulemaking

16A-5726 has now been published (on August 10, 2024), we ask the Board to make clear to the regulated community in the preamble and final regulation that Subchapter B and Section 31.104 are being amended by the final regulation rather than newly added.

GEORGE D. BEDWICK,
Chairperson

[Pa.B. Doc. No. 24-1316. Filed for public inspection September 13, 2024, 9:00 a.m.]

INSURANCE DEPARTMENT

Application for Approval to Acquire Control of Positive Physicians Insurance Company

Joshua Easterly, Jennifer Gordon and A. Michael Muscolino have filed an application for approval to acquire control of Positive Physicians Insurance Company, a domestic stock casualty insurance company. The filing was received on August 28, 2024, and was made under the requirements of Article XIV of The Insurance Company Law of 1921 (40 P.S. §§ 991.1401—991.1414).

Persons wishing to comment on the acquisition are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include the name, address and telephone number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient detail and relevant facts to inform the Department of the exact basis of the statement. Written statements should be directed to Steven L. Yerger, Company Licensing Division, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557, syerger@pa.gov. Comments received will be forwarded to the applicant for appropriate response.

MICHAEL HUMPHREYS,
Insurance Commissioner

[Pa.B. Doc. No. 24-1317. Filed for public inspection September 13, 2024, 9:00 a.m.]

INSURANCE DEPARTMENT

Filing of Rate Ranges; Notice 2024-15

The purpose of this notice is to inform property and casualty insurance companies and rating organizations that, except for the use of schedule rating (which is confined to commercial lines products), product filings should not be submitted containing rate ranges. While this is not a new requirement, the Insurance Department (Department) has seen numerous filings containing rate ranges.

Property and casualty rate filing requirements can be found at 40 P.S. §§ 1184(a), 1224(a), 710-6(a) and 910-37(a) and 77 P.S. § 1035.5(a). These statutory provisions require the filing of every manual of classifications, rules and rates and rating plan, and every modification of a manual of classifications, rules and rates and rating plan, proposed for use in this Commonwealth. By this notice, the Department reminds insurers of the requirements of, and its expectations for, compliance with these provisions.

Rate ranges are not a substitute for the statutory requirement to file a classification plan. Although entities are not required to resubmit previous filings that contained rate ranges, the Department will not accept new filings that include manual pages previously submitted containing rate ranges. Insurers are reminded of the Department's ability to object to these filings, and that the filings may be subject to disapproval if not corrected.

Questions regarding this notice can be addressed to Michael McKenney, Director of Property and Casualty Rate and Policy Form Review, mmckenney@pa.gov, (717) 705-0166.

MICHAEL HUMPHREYS,
Insurance Commissioner

[Pa.B. Doc. No. 24-1318. Filed for public inspection September 13, 2024, 9:00 a.m.]

PENNSYLVANIA INFRASTRUCTURE INVESTMENT AUTHORITY

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Approval of Environmental Assessments for PENNVEST Funding Consideration

Scope: Clean Water and Drinking Water State Revolving Fund Projects for consideration at the October 16, 2024, meeting of the Pennsylvania Infrastructure Investment Authority (PENNVEST) Board.

Description: PENNVEST, which administers the Commonwealth's Clean Water State Revolving Fund (CWSRF) and Drinking Water State Revolving Fund (DWSRF), is intended to be the funding source for the following projects. The Department of Environmental Protection's (Department) review of these projects, and the information received in the Environmental Report for these projects, has not identified any significant, adverse environmental impact resulting from any of the proposed projects. The Department hereby approves the Environmental Assessment for each project. If no significant comments are received during this comment period, the Environmental Assessments will be considered approved and funding for the project will be considered by PENNVEST.

To be considered, the Department must receive comments on this approval on or by Monday, October 14, 2024. Comments, including comments submitted by e-mail, must include the commentator's name and address. Commentators are encouraged to submit comments using the Department's online eComment tool at www.ahs.dep.pa.gov/eComment. Written comments can also be submitted by e-mail to ecomment@pa.gov or by mail to the Policy Office, Department of Environmental Protection, Rachel Carson State Office Building, P.O. Box 2063, Harrisburg, PA 17105-2063. Use "PENNVEST SRF-Environmental Assessment" as the subject line in written communication.

Comments received during the comment period, along with the Department's comment and response document, will be available on the Department's web site at www.dep.pa.gov/Business/Water/CleanWater/InfrastructureFinance/Pages/EnvironmentalReview.aspx.

Upon approval, the full list of approved projects and their costs can be found in a press release on PENNVEST's web site at www.pennvest.pa.gov.

For more information about the approval of the following Environmental Assessments or the CWSRF and DWSRF Programs contact Dharmendra Kumar, Bureau of Clean Water, Department of Environmental Protection, P.O. Box 8774, Harrisburg, PA 17105-8774, (717) 772-3377, dkumar@pa.gov, or visit the Department's web site at www.dep.pa.gov/Business/Water/CleanWater/InfrastructureFinance/Pages/default.aspx.

CWSRF Projects Being Considered:

<i>Applicant:</i>	Clintonville Borough Sewer and Water Authority
<i>County:</i>	Venango
<i>Applicant Address:</i>	109 Franklin Street Clintonville, PA 16372

Project Description: Clintonville Borough Sewer and Water Authority proposes to construct new headworks with a dual auger debris removal system, 100,000 gallons per day dual tank continuous flow sequential batch reactor treatment plant, a combined blower, sludge dewatering, wet lab, an ultraviolet effluent treatment building and approximately 1,100 linear feet of new treated effluent discharge gravity system. The new plant will also incorporate a new electrical service and power distribution center, an emergency generator capable of powering the entire plant, a new security fence around the plant and a supervisory control and data acquisition (SCADA) system. This project will replace or rehabilitate two pump stations (PS) and install security fencing and an emergency generator at each PS. Upon completion and startup of the new sewage treatment plant, the existing plant will be demolished and a rain garden trench will be installed for post-construction stormwater management.

Problem Description: The Clintonville Borough Sewer and Water Authority is currently under a consent order and agreement (COA) from the Department due to the existing sewage treatment plant experiencing hydraulic and organic loading exceedances and effluent quality issues. The original COA was executed on September 22, 2015, and then revised on September 28, 2021. The revised COA requires that the Clintonville Borough Sewer and Water Authority construct and place in service a new sewage treatment plant by the end of September 2025 that will replace the more than 50-year-old existing plant.

<i>Applicant:</i>	Lower Burrell Municipal Authority
<i>County:</i>	Westmoreland
<i>Applicant Address:</i>	2800 Bethel Street Lower Burrell, PA 15068

Project Description: The Lower Burrell Municipal Authority operates the sanitary sewer system that serves residents within the boundaries of the City of Lower Burrell. The proposed project includes replacing Chartiers PS in its entirety with a new closed-roof PS. In addition, the scope includes constructing a 1 million-gallon above-ground wastewater equalization tank with blowers and rehabilitating the associated force main. The equalization tank will be located at the PS site. It will serve as a buffer for storm events and will also provide emergency wastewater storage capacity during high flow events. The

blowers will be installed to prevent septic conditions. The project also proposes decommissioning and demolishing the Hillcrest, Indiana and Widmer PSs and redirecting flows to the Chartiers PS. Final decommissioning of these PSs will occur after work at the upgraded Chartiers PS is complete.

Problem Description: In 2009, the Lower Burrell Municipal Authority along with the City of Lower Burrell, Municipal Sanitary Authority of New Kensington, City of New Kensington, City of Arnold, Borough of Plum and the Plum Borough Municipal Authority entered into an administrative order of consent to develop a long-term control plan (LTCP) for their sewer system. The LTCP proposed maximizing flow at the Municipal Sanitary Authority of New Kensington regional wastewater treatment plant (WWTF), addressing excessive infiltration and inflow, improving the collection system by consolidating combined sewer overflow structures, implementing green infrastructure and upgrading trunk, interceptor lines and pumping stations. The LTCP was approved by the United States Environmental Protection Agency and the Department on December 2, 2016. PSs, including Chartiers, Hillcrest, Indian and Widemer, along with their associated force mains, are deteriorated due to corrosion. They are experiencing frequent mechanical failures and are at the end of their useful lives. The age of the existing equipment makes it difficult to procure replacement parts.

<i>Applicant:</i>	Municipal Authority of Allegheny Township
<i>County:</i>	Westmoreland
<i>Applicant Address:</i>	136 Community Building Road Leechburg, PA 15656

Project Description: The Municipal Authority of Allegheny Township owns, operates and maintains seven PSs in its collection system. The Municipal Authority of Allegheny Township proposes to upgrade the Chartiers # 1 PS located on Greenwood Road and the Markle # 2 PS located on Markle Road in New Kensington City and will replace the generator at the Westberry PS. They are within the collection and conveyance system that serves residents of Allegheny Township, Westmoreland County. The proposed improvements at the Chartiers # 1 and Markle # 2 PSs include replacing the existing pumps with new submersible pumps, installing new pump controls, replacing the flow meter, installing a new generator, providing electrical improvements and adding a SCADA system. Additional work at the Markle # 2 PS includes constructing a new wet well. The Melwood # 3 PS located on Melwood Road in New Kensington will be decommissioned and eliminated and gravity sewers will be constructed to convey all flow to the Markle # 2 PS for ultimate conveyance to the Kiski Valley Water Pollution Control Authority for treatment. Approximately 617 linear feet of 8-inch polyvinyl chloride gravity sewer will be constructed on LaBelle Vue Road. This will connect three homes to the sanitary sewer system owned by Vandergrift Borough, pending an intermunicipal agreement between the Municipal Authority of Allegheny Township and Vandergrift Borough.

Problem Description: The Chartiers # 1, Markle # 2 and Melwood # 3 PSs and the generator at the Westberry PS are approaching the end of their useful lives, resulting in increasing financial burden due to operation and maintenance. Homes on LaBelle Vue Road have failing

onlot systems. Sewage odors, gray water discharges, pooled and stagnated sewage and wildcat sewers are characteristic of existing onlot system conditions along LaBelle Vue Road. The conditions have been documented by the Department.

<i>Applicant:</i>	Marshall Township Municipal Sanitary Authority
<i>County:</i>	Allegheny
<i>Applicant Address:</i>	525 Pleasant Hill Road Warrendale, PA 15086

Project Description: The Marshall Township Municipal Sanitary Authority’s sanitary sewer collection system is a tributary system which discharges its sewage to the Cranberry Township-Brush Creek water pollution control facility for treatment. This is a capital contribution to the Township of Cranberry—Brush Creek Water Pollution Control Facility Solids Processing and Dewatering Upgrades Project that was approved at the July 17, 2024, PENNVEST Board meeting. The existing autothermal thermophilic aerobic digestion (ATAD) system at the Brush Creek WWTF will be replaced with an anaerobic solids handling system. During the replacement of the solids handling process other ancillary portions of the plant will be repaired/replaced as part of the scope of work. The project consists of constructing two new anaerobic digesters with control building and waste gas flare, installing additional waste sludge holding facilities, demolishing the existing ATAD system, installing a new post-digestion sludge storage tank, constructing a new solids processing building with two centrifuges and appurtenances and demolishing two existing belt filter presses and appurtenances. The project also includes other ancillary improvements to the influent PS and primary clarifiers as well as grit handling, existing waste sludge holding and odor control systems.

Problem Description: The current ATAD system and additional waste sludge holding facilities at the Brush Creek WWTF are neither efficient nor capable of managing future treatment flows. Cranberry Township has invested significant resources studying the most cost-effective method of not only providing adequate capacity, but also providing a solids handling system to meet both regulatory requirements and future growth.

DWSRF Projects Being Considered:

<i>Applicant:</i>	Hazleton City Authority
<i>County:</i>	Luzerne
<i>Applicant Address:</i>	400 East Arthur Gardner Parkway Hazleton, PA 18201

Project Description: The proposed project consists of constructing a new 3 million-gallon capacity finished water storage tank at the high point of the existing finished water transmission main on the property already owned by the Hazleton City Authority. The project also includes constructing a valve house, installing controls, instrumentation and SCADA communication as well as installing security fencing.

Problem Description: The distribution system experiences large fluctuations in pressure and flow due to high water demand.

<i>Applicant:</i>	Mount Penn Borough Municipal Authority
<i>County:</i>	Berks
<i>Applicant Address:</i>	200 North 25th Street Reading, PA 19606

Project Description: The Mount Penn Borough Municipal Authority is proposing a new ground-level concrete storage tank with 1 million-gallon capacity similar to the existing Spook Lane tank. The new tank will be located approximately 150 feet southwest of the existing tank. The existing water main will be extended to the new tank site and the existing valve vault will be retained. This project also includes minor valving modifications at the intersection of Friedensburg Road and Spook Lane and new control valves in the Grandview booster PS.

Problem Description: The Mount Penn Borough Municipal Authority owns a 1 million-gallon finished water storage tank located at Spook Lane in Reading. The Spook Lane tank was constructed in 1957 and is reaching the end of its service life. The Mount Penn Borough Municipal Authority must now choose to continue to repair or replace the tank. The poor condition of the tank means that continued repairs will bring diminishing returns. The Mount Penn Borough Municipal Authority has determined that replacing the tank is the lowest cost, viable alternative for continuing service.

<i>Applicant:</i>	Saegertown Borough
<i>County:</i>	Crawford
<i>Applicant Address:</i>	603 Erie Street P.O. Box 558 Saegertown, PA 16433

Project Description: The proposed project involves constructing a new approximately 5,000-square foot filter building to house a manganese greensand filter system and nine 10-foot diameter by 12-foot high pressure vessels containing granular activated carbon for the adsorption and removal of perfluoroalkyl and polyfluoroalkyl substances (PFAS), arranged in three parallel lead-lag trains with three tanks in each train, approximately 5,000 feet of 16-inch chlorine contact line, approximately 815 feet of 10-inch water line, filter backwash tank and effluent pump and connections to the existing reservoir. The replacement of approximately 1,700 feet of 10-inch asbestos cement water line with 12-inch high-density polyethylene pipe is also proposed.

Problem Description: The Saegertown Borough water system was one of the communities selected by the Department to participate in a sampling and data collection effort aimed at studying PFAS. In October 2020, PFAS was discovered in the Saegertown Borough’s water system in Wells # 6 and # 7 and the underlying ground-water aquifer source. Based on results published by the Department, the combined concentration of two PFAS chemicals—perfluorooctane sulfonic acid (PFOS) and perfluorooctanoic acid—was determined to be 192 parts per trillion. Wells # 6 and # 7 were taken off-line in 2020 after PFAS was detected in the source water. In April of 2024, water sample results for Wells # 1 and # 2 indicated that concentrations for PFOS were above the Commonwealth’s maximum contaminant level. Due to the source and extent of the contamination not being known with any certainty, the treatment strategy needs to

provide the flexibility for operational adjustments and include provisions to redirect all of the Saegertown Borough's downtown wells to the new treatment system (Wells # 1—# 3, # 6, # 7 and a proposed Well # 9).

JESSICA SHIRLEY,
Acting Secretary

Department of Environmental Protection

ROBERT H. BOOS,
Executive Director

Pennsylvania Infrastructure Investment Authority

[Pa.B. Doc. No. 24-1319. Filed for public inspection September 13, 2024, 9:00 a.m.]

PENNSYLVANIA MILK BOARD

Hearing and Presubmission Schedule for All Milk Marketing Areas; Over-Order Premium

Under the provisions of the Milk Marketing Law (31 P.S. §§ 700j-101—700j-1302), the Pennsylvania Milk Board (Board) will conduct a public hearing for Milk Marketing Areas 1—6 on November 6, 2024, at 9:30 a.m. in Room 202, Department of Agriculture Building, 2301 North Cameron Street, Harrisburg, PA 17110.

The purpose of the hearing is to receive testimony and exhibits concerning the level and duration of the Class I over-order premium.

The staff of the Board is deemed to be a party to this hearing, and the attorney representing staff is deemed to have entered his appearance. Other persons who wish to present evidence may be included on the Board's list of parties by: (1) having their attorney file with the Board on or before 12 p.m. on September 27, 2024, a notice of appearance substantially in the form prescribed by 1 Pa. Code § 31.25 (relating to form of notice of appearance); or (2) if unrepresented by counsel, filing with the Board on or before 12 p.m. on September 27, 2024, notification of their desire to be included as a party. Parties shall indicate in their notices of appearance if alternate means of service, that is, e-mail or fax, are acceptable. Notices of appearance filed electronically should be directed to deberly@pa.gov.

The parties shall observe the following requirements for advance filing of witness information and exhibits. The Board may exclude witnesses or exhibits of a party that fails to comply with these requirements. Filing may be done by mail to the Board office or electronically to deberly@pa.gov.

1. By 2 p.m. on October 9, 2024, the petitioner shall file with the Board one original or one electronic copy and ensure receipt by all other parties of one copy of:

a. A list of witnesses who will testify for the petitioner, along with a statement of the subjects concerning which each witness will testify. A witness who will be offered as an expert shall be so identified, along with the witness's area or areas of proposed expertise. For expert witnesses there shall also be filed a written report or written testimony explaining the substance of the facts and opinions to which the expert is expected to testify and a summary of the grounds for each opinion.

b. Each exhibit to be presented, including testimony to be offered in written form.

2. By 2 p.m. on October 23, 2024, each responding party shall file and serve as set forth in paragraph 1 information concerning rebuttal witnesses and copies of rebuttal exhibits.

3. By 2 p.m. on October 30, 2024, parties shall file and serve as set forth in paragraph 1 information concerning surrebuttal witnesses and copies of surrebuttal exhibits.

Parties that wish to offer in evidence documents on file with the Board, public documents or records in other proceedings before the Board, or wish the Board to take official notice of facts, shall comply with, respectively, 1 Pa. Code § 35.164, § 35.165, § 35.167 or § 35.173. Whenever these rules require production of a document as an exhibit, five copies shall be provided for Board use and one copy shall be provided to each interested party.

Requests by parties for Board staff to provide data pertinent to the hearing shall be made in writing addressed to deberly@pa.gov and received in the Board office by 12 p.m. on October 24, 2024.

The filing address for the Board is Pennsylvania Milk Board, Room 110, Agriculture Building, 2301 North Cameron Street, Harrisburg, PA 17110.

BETSY ALBRIGHT,
Secretary

[Pa.B. Doc. No. 24-1320. Filed for public inspection September 13, 2024, 9:00 a.m.]

PENNSYLVANIA MILK BOARD

Hearing and Presubmission Schedule; Milk Marketing Area No. 1

Under the provisions of the Milk Marketing Law (31 P.S. §§ 700j-101—700j-1302), the Pennsylvania Milk Board (Board) will conduct a public hearing for Milk Marketing Area No. 1 on December 4, 2024, beginning at 9 a.m. in Room 202, Department of Agriculture Building, 2301 North Cameron Street, Harrisburg, PA.

The purpose of the hearing is to receive testimony and exhibits concerning cost replacement in Milk Marketing Area No. 1. Evidence will be limited to the following: annualized processing, packaging and delivery costs; updated costs for containers, ingredients and Class II products; updated labor, utility and insurance costs based on comparisons between costs per point for the first halves of calendar years 2023 and 2024; skim and butterfat contents of products regulated by the Board; adjustment for shrinkage, sales of bulk products and cream processing costs; and a reasonable rate of return to milk dealers. Evidence and testimony will be considered regarding the heating fuel adjuster in Milk Marketing Area 1. Evidence and testimony will be considered regarding the diesel fuel cost adjuster in Milk Marketing Area 1. Evidence and testimony will be considered regarding the container efficiency adjustment.

The staff of the Board is deemed to be a party to this hearing, and the attorney representing staff is deemed to have entered his appearance. Other persons who wish to present evidence may be included on the Board's list of parties by: (1) having their attorney file with the Board on or before 1 p.m. on September 27, 2024, a notice of appearance substantially in the form prescribed by 1 Pa. Code § 31.25 (relating to form of notice of appearance); or (2) if unrepresented by counsel, filing with the Board on or before 1 p.m. on September 27, 2024,

notification of their desire to be included as a party. Parties should indicate in their notices of appearance if alternate means of service, that is, e-mail or fax, are acceptable. Notices of appearance filed electronically should be directed to deberly@pa.gov.

The parties shall observe the following requirements for advance filing of witness information and exhibits:

1. By 2 p.m. on October 31, 2024, Board staff shall file with the Board one electronic copy and ensure receipt by all other parties of one electronic copy, of:

a. A list of witnesses who will testify for staff, along with a statement of the subjects concerning which each witness will testify. A witness who will be offered as an expert shall be so identified, along with the witness's area or areas of proposed expertise. For expert witnesses there shall also be filed a statement of the substance of the facts and opinions to which the expert is expected to testify and a summary of the grounds for each opinion.

b. Each exhibit to be presented, including testimony to be offered in written form.

2. By 2 p.m. on November 14, 2024, each responding party shall file and serve as set forth in paragraph 1 information concerning rebuttal witnesses and copies of rebuttal exhibits.

3. By 2 p.m. on November 21, 2024, each party shall file and serve as set forth in paragraph 1 information concerning surrebuttal witnesses and copies of surrebuttal exhibits.

Parties that wish to offer in evidence documents on file with the Board, public documents or records in other proceedings before the Board, or who wish the Board to take official notice of facts, shall comply with, respectively, 1 Pa. Code § 35.164, § 35.165, § 35.167 or § 35.173. Whether these rules require production of a document as an exhibit, copies shall be provided to each Board member and to all other parties.

Requests by parties for Board staff to provide data pertinent to the hearing shall be made in writing directed to deberly@pa.gov and received by 1 p.m. on November 15, 2024.

Electronic filings should be made to deberly@pa.gov. The filing address for the Board is Pennsylvania Milk Board, Room 110, Agriculture Building, 2301 North Cameron Street, Harrisburg, PA 17110.

BETSY ALBRIGHT,
Secretary

[Pa.B. Doc. No. 24-1321. Filed for public inspection September 13, 2024, 9:00 a.m.]

PENNSYLVANIA MILK BOARD

Hearing and Presubmission Schedule; Milk Marketing Area No. 2

Under the provisions of the Milk Marketing Law, (31 P.S. §§ 700j-101—700j-1302), the Pennsylvania Milk Board (Board) will conduct a public hearing for Milk Marketing Area No. 2 on December 4, 2024, beginning at 9:15 a.m. in Room 202, Department of Agriculture Building, 2301 North Cameron Street, Harrisburg, PA.

The purpose of the hearing is to receive testimony and exhibits concerning cost replacement in Milk Marketing Area No. 2. Evidence will be limited to the following:

annualized processing, packaging and delivery costs; updated costs for containers, ingredients and Class II products; updated labor, utility and insurance costs based on comparisons between costs per point for the first halves of calendar years 2023 and 2024; skim and butterfat contents of products regulated by the Board; adjustment for shrinkage, sales of bulk products and cream processing costs; and a reasonable rate of return to milk dealers. Evidence and testimony will be considered regarding the heating fuel adjuster in Milk Marketing Area 2. Evidence and testimony will be considered regarding the diesel fuel cost adjuster in Milk Marketing Area 2. Evidence and testimony will be considered regarding the container efficiency adjustment.

The staff of the Board is deemed to be a party to this hearing, and the attorney representing staff is deemed to have entered his appearance. Other persons who wish to present evidence may be included on the Board's list of parties by: (1) having their attorney file with the Board on or before 1 p.m. on September 27, 2024, a notice of appearance substantially in the form prescribed by 1 Pa. Code § 31.25 (relating to form of notice of appearance); or (2) if unrepresented by counsel, filing with the Board on or before 1 p.m. on September 27, 2024, notification of their desire to be included as a party. Parties should indicate in their notices of appearance if alternate means of service, that is, e-mail or fax, are acceptable. Notices of appearance filed electronically should be directed to deberly@pa.gov.

The parties shall observe the following requirements for advance filing of witness information and exhibits:

1. By 2 p.m. on October 31, 2024, Board staff shall file with the Board one electronic copy and ensure receipt by all other parties of one electronic copy, of:

a. A list of witnesses who will testify for staff, along with a statement of the subjects concerning which each witness will testify. A witness who will be offered as an expert shall be so identified, along with the witness's area or areas of proposed expertise. For expert witnesses there shall also be filed a statement of the substance of the facts and opinions to which the expert is expected to testify and a summary of the grounds for each opinion.

b. Each exhibit to be presented, including testimony to be offered in written form.

2. By 2 p.m. on November 14, 2024, each responding party shall file and serve as set forth in paragraph 1 information concerning rebuttal witnesses and copies of rebuttal exhibits.

3. By 2 p.m. on November 21, 2024, each party shall file and serve as set forth in paragraph 1 information concerning surrebuttal witnesses and copies of surrebuttal exhibits.

Parties that wish to offer in evidence documents on file with the Board, public documents or records in other proceedings before the Board, or who wish the Board to take official notice of facts, shall comply with, respectively, 1 Pa. Code § 35.164, § 35.165, § 35.167 or § 35.173. Whether these rules require production of a document as an exhibit, copies shall be provided to each Board member and to all other parties.

Requests by parties for Board staff to provide data pertinent to the hearing shall be made in writing directed to deberly@pa.gov and received by 1 p.m. on November 15, 2024.

Electronic filings should be made to deberly@pa.gov. The filing address for the Board is Pennsylvania Milk

Board, Room 110, Agriculture Building, 2301 North Cameron Street, Harrisburg, PA 17110.

BETSY ALBRIGHT,
Secretary

[Pa.B. Doc. No. 24-1322. Filed for public inspection September 13, 2024, 9:00 a.m.]

PENNSYLVANIA MILK BOARD

Hearing and Presubmission Schedule; Milk Marketing Area No. 3

Under the provisions of the Milk Marketing Law (31 P.S. §§ 700j-101—700j-1302), the Pennsylvania Milk Board (Board) will conduct a public hearing for Milk Marketing Area No. 3 on November 6, 2024, beginning at 9 a.m. in Room 202, Department of Agriculture Building, 2301 North Cameron Street, Harrisburg, PA.

The purpose of the hearing is to receive testimony and exhibits concerning cost replacement in Milk Marketing Area No. 3. Evidence will be limited to the following: annualized processing, packaging and delivery costs; updated costs for containers, ingredients and Class II products; updated labor, utility and insurance costs based on comparisons between costs per point for the first halves of calendar years 2023 and 2024; skim and butterfat contents of products regulated by the Board; adjustment for shrinkage, sales of bulk products and cream processing costs; and a reasonable rate of return to milk dealers. Evidence and testimony will be considered regarding the heating fuel adjuster in Milk Marketing Area 3. Evidence and testimony will be considered regarding the diesel fuel cost adjuster in Milk Marketing Area 3. Evidence and testimony will be considered regarding the container efficiency adjustment.

The staff of the Board is deemed to be a party to this hearing, and the attorney representing staff is deemed to have entered his appearance. Other persons who wish to present evidence may be included on the Board's list of parties by: (1) having their attorney file with the Board on or before 1 p.m. on September 27, 2024, a notice of appearance substantially in the form prescribed by 1 Pa. Code § 31.25 (relating to form of notice of appearance); or (2) if unrepresented by counsel, filing with the Board on or before 1 p.m. on September 27, 2024, notification of their desire to be included as a party. Parties should indicate in their notices of appearance if alternate means of service, that is, e-mail or fax, are acceptable. Notices of appearance filed electronically should be directed to deberly@pa.gov.

The parties shall observe the following requirements for advance filing of witness information and exhibits:

1. By 2 p.m. on October 9, 2024, Board staff shall file with the Board, in person or electronically, one hard copy and ensure receipt by all other parties of one electronic copy of:

a. A list of witnesses who will testify for staff, along with a statement of the subjects concerning which each witness will testify. A witness who will be offered as an expert shall be so identified, along with the witness's area or areas of proposed expertise. For expert witnesses there shall also be filed a statement of the substance of the facts and opinions to which the expert is expected to testify and a summary of the grounds for each opinion.

b. Each exhibit to be presented, including testimony to be offered in written form.

2. By 2 p.m. on October 23, 2024, each responding party shall file and serve as set forth in paragraph 1 information concerning rebuttal witnesses and copies of rebuttal exhibits.

3. By 2 p.m. on October 30, 2024, each party shall file and serve as set forth in paragraph 1 information concerning surrebuttal witnesses and copies of surrebuttal exhibits.

Parties that wish to offer in evidence documents on file with the Board, public documents or records in other proceedings before the Board, or who wish the Board to take official notice of facts, shall comply with, respectively, 1 Pa. Code § 35.164, § 35.165, § 35.167 or § 35.173. Whether these rules require production of a document as an exhibit, copies shall be provided to each Board member and to all other parties.

Requests by parties for Board staff to provide data pertinent to the hearing shall be made in writing directed to deberly@pa.gov and received by 12 p.m. on October 24, 2024.

Electronic filings should be made to deberly@pa.gov. The filing address for the Board is Pennsylvania Milk Board, Room 110, Agriculture Building, 2301 North Cameron Street, Harrisburg, PA 17110.

BETSY ALBRIGHT,
Secretary

[Pa.B. Doc. No. 24-1323. Filed for public inspection September 13, 2024, 9:00 a.m.]

PENNSYLVANIA MILK BOARD

Hearing and Presubmission Schedule; Milk Marketing Area No. 4

Under the provisions of the Milk Marketing Law, (31 P.S. §§ 700j-101—700j-1302), the Pennsylvania Milk Board (Board) will conduct a public hearing for Milk Marketing Area No. 4 on December 4, 2024, beginning at 9:15 a.m. in Room 202, Department of Agriculture Building, 2301 North Cameron Street, Harrisburg, PA.

The purpose of the hearing is to receive testimony and exhibits concerning cost replacement in Milk Marketing Area No. 4. Evidence will be limited to the following: annualized processing, packaging and delivery costs; updated costs for containers, ingredients and Class II products; updated labor, utility and insurance costs based on comparisons between costs per point for the first halves of calendar years 2023 and 2024; skim and butterfat contents of products regulated by the Board; adjustment for shrinkage, sales of bulk products and cream processing costs; and a reasonable rate of return to milk dealers. Evidence and testimony will be considered regarding the heating fuel adjuster in Milk Marketing Area 4. Evidence and testimony will be considered regarding the diesel fuel cost adjuster in Milk Marketing Area 4. Evidence and testimony will be considered regarding the container efficiency adjustment.

The staff of the Board is deemed to be a party to this hearing, and the attorney representing staff is deemed to have entered his appearance. Other persons who wish to present evidence may be included on the Board's list of parties by: (1) having their attorney file with the Board on or before 1 p.m. on September 27, 2024, a notice of appearance substantially in the form prescribed by 1 Pa. Code § 31.25 (relating to form of notice of appear-

ance); or (2) if unrepresented by counsel, filing with the Board on or before 1 p.m. on September 27, 2024, notification of their desire to be included as a party. Parties should indicate in their notices of appearance if alternate means of service, that is, e-mail or fax, are acceptable. Notices of appearance filed electronically should be directed to deberly@pa.gov.

The parties shall observe the following requirements for advance filing of witness information and exhibits:

1. By 2 p.m. on October 31, 2024, Board staff shall file with the Board one electronic copy and ensure receipt by all other parties of one electronic copy, of:

a. A list of witnesses who will testify for staff, along with a statement of the subjects concerning which each witness will testify. A witness who will be offered as an expert shall be so identified, along with the witness's area or areas of proposed expertise. For expert witnesses there shall also be filed a statement of the substance of the facts and opinions to which the expert is expected to testify and a summary of the grounds for each opinion.

b. Each exhibit to be presented, including testimony to be offered in written form.

2. By 2 p.m. on November 14, 2024, each responding party shall file and serve as set forth in paragraph 1 information concerning rebuttal witnesses and copies of rebuttal exhibits.

3. By 2 p.m. on November 21, 2024, each party shall file and serve as set forth in paragraph 1 information concerning surrebuttal witnesses and copies of surrebuttal exhibits.

Parties that wish to offer in evidence documents on file with the Board, public documents or records in other proceedings before the Board, or who wish the Board to take official notice of facts, shall comply with, respectively, 1 Pa. Code § 35.164, § 35.165, § 35.167 or § 35.173. Whether these rules require production of a document as an exhibit, copies shall be provided to each Board member and to all other parties.

Requests by parties for Board staff to provide data pertinent to the hearing shall be made in writing directed to deberly@pa.gov and received by 1 p.m. on November 15, 2024.

Electronic filings should be made to deberly@pa.gov. The filing address for the Board is Pennsylvania Milk Board, Room 110, Agriculture Building, 2301 North Cameron Street, Harrisburg, PA 17110.

BETSY ALBRIGHT,
Secretary

[Pa.B. Doc. No. 24-1324. Filed for public inspection September 13, 2024, 9:00 a.m.]

PENNSYLVANIA MILK BOARD

Hearing and Presubmission Schedule; Milk Marketing Area No. 5

Under the provisions of the Milk Marketing Law (31 P.S. §§ 700j-101—700j-1302), the Pennsylvania Milk Board (Board) will conduct a public hearing for Milk Marketing Area No. 5 on November 6, 2024, beginning at 9:15 a.m. in Room 202, Department of Agriculture Building, 2301 North Cameron Street, Harrisburg, PA.

The purpose of the hearing is to receive testimony and exhibits concerning cost replacement in Milk Marketing Area No. 5. Evidence will be limited to the following: annualized processing, packaging and delivery costs; updated costs for containers, ingredients and Class II products; updated labor, utility and insurance costs based on comparisons between costs per point for the first halves of calendar years 2023 and 2024; skim and butterfat contents of products regulated by the Board; adjustment for shrinkage, sales of bulk products and cream processing costs; and a reasonable rate of return to milk dealers. Evidence and testimony will be considered regarding the heating fuel adjuster in Milk Marketing Area 5. Evidence and testimony will be considered regarding the diesel fuel cost adjuster in Milk Marketing Area 5. Evidence and testimony will be considered regarding the container efficiency adjustment.

The staff of the Board is deemed to be a party to this hearing, and the attorney representing staff is deemed to have entered his appearance. Other persons who wish to present evidence may be included on the Board's list of parties by: (1) having their attorney file with the Board on or before 1 p.m. on September 27, 2024, a notice of appearance substantially in the form prescribed by 1 Pa. Code § 31.25 (relating to form of notice of appearance); or (2) if unrepresented by counsel, filing with the Board on or before 1 p.m. on September 27, 2024, notification of their desire to be included as a party. Parties should indicate in their notices of appearance if alternate means of service, that is, e-mail or fax, are acceptable. Notices of appearance filed electronically should be directed to deberly@pa.gov.

The parties shall observe the following requirements for advance filing of witness information and exhibits:

1. By 2 p.m. on October 9, 2024, Board staff shall file with the Board one electronic copy and ensure receipt by all other parties of one electronic copy, of:

a. A list of witnesses who will testify for staff, along with a statement of the subjects concerning which each witness will testify. A witness who will be offered as an expert shall be so identified, along with the witness's area or areas of proposed expertise. For expert witnesses there shall also be filed a statement of the substance of the facts and opinions to which the expert is expected to testify and a summary of the grounds for each opinion.

b. Each exhibit to be presented, including testimony to be offered in written form.

2. By 2 p.m. on October 23, 2024, each responding party shall file and serve as set forth in paragraph 1 information concerning rebuttal witnesses and copies of rebuttal exhibits.

3. By 2 p.m. on October 30, 2024, each party shall file and serve as set forth in paragraph 1 information concerning surrebuttal witnesses and copies of surrebuttal exhibits.

Parties that wish to offer in evidence documents on file with the Board, public documents or records in other proceedings before the Board, or who wish the Board to take official notice of facts, shall comply with, respectively, 1 Pa. Code § 35.164, § 35.165, § 35.167 or § 35.173. Whether these rules require production of a document as an exhibit, copies shall be provided to each Board member and to all other parties.

Requests by parties for Board staff to provide data pertinent to the hearing shall be made in writing directed to deberly@pa.gov and received by 12 p.m. on October 24, 2024.

Electronic filings should be made to deberly@pa.gov. The filing address for the Board is Pennsylvania Milk Board, Room 110, Agriculture Building, 2301 North Cameron Street, Harrisburg, PA 17110.

BETSY ALBRIGHT,
Secretary

[Pa.B. Doc. No. 24-1325. Filed for public inspection September 13, 2024, 9:00 a.m.]

PENNSYLVANIA MILK BOARD

Hearing and Presubmission Schedule; Milk Marketing Area No. 6

Under the provisions of the Milk Marketing Law (31 P.S. §§ 700j-101—700j-1302), the Pennsylvania Milk Board (Board) will conduct a public hearing for Milk Marketing Area No. 6 on November 6, 2024, beginning at 9:15 a.m. in Room 202, Department of Agriculture Building, 2301 North Cameron Street, Harrisburg, PA.

The purpose of the hearing is to receive testimony and exhibits concerning cost replacement in Milk Marketing Area No. 6. Evidence will be limited to the following: annualized processing, packaging and delivery costs; updated costs for containers, ingredients and Class II products; updated labor, utility and insurance costs based on comparisons between costs per point for the first halves of calendar years 2023 and 2024; skim and butterfat contents of products regulated by the Board; adjustment for shrinkage, sales of bulk products and cream processing costs; and a reasonable rate of return to milk dealers. Evidence and testimony will be considered regarding the heating fuel adjuster in Milk Marketing Area 6. Evidence and testimony will be considered regarding the diesel fuel cost adjuster in Milk Marketing Area 6. Evidence and testimony will be considered regarding the container efficiency adjustment.

The staff of the Board is deemed to be a party to this hearing, and the attorney representing staff is deemed to have entered his appearance. Other persons who wish to present evidence may be included on the Board's list of parties by: (1) having their attorney file with the Board on or before 1 p.m. on September 27, 2024, a notice of appearance substantially in the form prescribed by 1 Pa. Code § 31.25 (relating to form of notice of appearance); or (2) if unrepresented by counsel, filing with the Board on or before 1 p.m. on September 27, 2024, notification of their desire to be included as a party. Parties should indicate in their notices of appearance if alternate means of service, that is, e-mail or fax, are acceptable. Notices of appearance filed electronically should be directed to deberly@pa.gov.

The parties shall observe the following requirements for advance filing of witness information and exhibits:

1. By 2 p.m. on October 9, 2024, Board staff shall file with the Board one electronic copy and ensure receipt by all other parties of one electronic copy, of:

a. A list of witnesses who will testify for staff, along with a statement of the subjects concerning which each witness will testify. A witness who will be offered as an expert shall be so identified, along with the witness's area or areas of proposed expertise. For expert witnesses there shall also be filed a statement of the substance of the facts and opinions to which the expert is expected to testify and a summary of the grounds for each opinion.

b. Each exhibit to be presented, including testimony to be offered in written form.

2. By 2 p.m. on October 23, 2024, each responding party shall file and serve as set forth in paragraph 1 information concerning rebuttal witnesses and copies of rebuttal exhibits.

3. By 2 p.m. on October 30, 2024, each party shall file and serve as set forth in paragraph 1 information concerning surrebuttal witnesses and copies of surrebuttal exhibits.

Parties that wish to offer in evidence documents on file with the Board, public documents or records in other proceedings before the Board, or who wish the Board to take official notice of facts, shall comply with, respectively, 1 Pa. Code § 35.164, § 35.165, § 35.167 or § 35.173. Whether these rules require production of a document as an exhibit, copies shall be provided to each Board member and to all other parties.

Requests by parties for Board staff to provide data pertinent to the hearing shall be made in writing directed to deberly@pa.gov and received by 12 p.m. on October 24, 2024.

Electronic filings should be made to deberly@pa.gov. The filing address for the Board is Pennsylvania Milk Board, Room 110, Agriculture Building, 2301 North Cameron Street, Harrisburg, PA 17110.

BETSY ALBRIGHT,
Secretary

[Pa.B. Doc. No. 24-1326. Filed for public inspection September 13, 2024, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission (Commission). Formal protests, petitions to intervene and answers must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before September 30, 2024. Filings are recommended to be made electronically through eFiling to the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy served on the applicant by September 30, 2024. Individuals can sign up for a free eFiling account with the Secretary of the Commission through the Commission's eFiling system at <https://www.puc.pa.gov/efiling/Default.aspx>. A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Protests may only be filed if there is evidence that the applicant lacks fitness. Protests based on endangering or impairing operations of an existing carrier will not be honored. The documents filed in support of the application are only available for inspection through the Commission's web site at www.puc.pa.gov by searching under the docket number as follows or by searching the applicant's web site.

Applications of the following for approval to begin operating as common carriers for transportation of persons as described under each application.

A-2024-3050371. Melly's Transport, LLC (1248 Shipensburg Road, Biglerville, Adams County, PA 17307) to transport persons, by motor vehicle, in paratransit service, limited to persons whose personal convictions prevent them from owning or operating motor vehicles, between points in Adams, Chester, Cumberland, Dauphin, Franklin, Lancaster, Lebanon and York Counties. *Attorney:* Kenneth R. Stark, McNees Wallace & Nurick, LLC, 100 Pine Street, P.O. Box 1166, Harrisburg, PA 17108.

A-2024-3050782. Yaya Transportation, LLC (4619 Old Oak Road, Doylestown, Bucks County, PA 18902) for the right to begin to transport, as a common carrier, by motor vehicle, persons in paratransit service, from points in the Counties of Bucks, Chester and Montgomery, to points in Pennsylvania, and return.

A-2024-3050969. D L E Transportation, LLC (4905 West Tilghman Street, Suite 100, Allentown, Lehigh County, PA 18034) in paratransit service, limited to transportation for nonemergency medical services, between points in the City and County of Philadelphia.

Application of the following for approval of the beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of household goods as described under the application.

A-2024-3050366. A & M Friendly Movers NC, LLC (4250 West Carmen Street, Tampa, Hillsborough County, FL 33609) for the right to begin to transport, as a common carrier, by motor vehicle, household goods in use, between points in Pennsylvania.

Application of the following for the approval of the transfer of stock as described under the application.

A-2024-3050293. Trinity Medical Transport, LLC (1118 Grove Road, Harrisburg, Dauphin County, PA 17111) for the approval of the transfer of ownership from Sara Khatiwadato to Nabindra Acharya. *Attorney:* Seth A. Mendelsohn, 4250 Crums Mill Road, Harrisburg, PA 17112.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 24-1327. Filed for public inspection September 13, 2024, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Water Service

A-2024-3050991. Pennsylvania-American Water Company. In the matter of the application of Pennsylvania-American Water Company for approval of the right to offer, render, furnish or supply water service to the public in an additional portion of Amwell Township, Washington County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utili-

ties) on or before September 30, 2024. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, or on the Pennsylvania Public Utility Commission's (Commission) web site at www.puc.pa.gov with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Commission's web site at www.puc.pa.gov and at the applicant's business address. If a filing contains confidential or proprietary material, the filing is required to be submitted by overnight delivery. Large filings containing confidential or proprietary material may be submitted through the Commission's Share Point file system with advanced notice to the Commission prior to submittal.

Applicant: Pennsylvania-American Water Company, 852 Wesley Drive, Mechanicsburg, PA 17055

Through and By Counsel for: Elizabeth Rose Triscari, Esquire, Pennsylvania-American Water Company, 852 Wesley Drive, Mechanicsburg, PA 17055

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 24-1328. Filed for public inspection September 13, 2024, 9:00 a.m.]

PHILADELPHIA PARKING AUTHORITY

Service of Notice of Motor Carrier Applications in the City of Philadelphia

The following permanent authority application to render service as a common carrier in the City of Philadelphia has been filed with the Philadelphia Parking Authority's (PPA) Taxicab and Limousine Division (TLD). Formal protests must be filed in accordance with 52 Pa. Code Part II (relating to Philadelphia Parking Authority) with the TLD's Office of the Clerk, 2415 South Swanson Street, Philadelphia, PA 19148, no later than September 30, 2024. The nonrefundable protest filing fee is \$5,000 payable to the PPA by certified check or money order. The application is available for inspection at the TLD between 9 a.m. and 4 p.m., Monday through Friday (contact TLD Assistant to the Director Heidi Robb at (215) 683-9799 to make an appointment) or may be inspected at the business addresses of the respective applicants or attorneys, or both.

Doc. Nos. A-24-08-05, A-24-08-06 and A-24-08-07. ASIF Group US, Inc. (604 Addison Way, Warrington, PA 18976): An application for a medallion taxicab certificate of public convenience to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return.

RICH LAZER,
Executive Director

[Pa.B. Doc. No. 24-1329. Filed for public inspection September 13, 2024, 9:00 a.m.]

STATE CONSERVATION COMMISSION

Action on Odor Management Plans for Concentrated Animal Operations and Concentrated Animal Feeding Operations and Volunteers Complying with the Commonwealth's Facility Odor Management Program

The State Conservation Commission has taken the following actions on previously received applications for Odor Management Plans under 3 Pa.C.S. §§ 501—522 (relating to nutrient management and odor management).

Persons aggrieved by any action may appeal under 3 Pa.C.S. § 517 (relating to appealable actions), section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law) to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Hamilton Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, so individuals interested in challenging this action should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

Odor Management Plan—Public Notice Spreadsheet—Actions

<i>Ag Operation Name, Address</i>	<i>County/Township</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>New, Amended or Existing</i>	<i>Action Taken</i>
Rushtown Poultry, LLC— Turbotville Layer Operation 158 Foggy Mountain Road Turbotville, PA 17772	Montour County/ Anthony Township	719.06	Layers	New	Approved
Mountain Stone Farm, LLC— Beef and Broiler Farm 962 Beggar Row Road East Waterford, PA 17021	Juniata County/ Lack Township	0	Broilers	New	Approved
Murmac Farms, LLC— Home Farm 2336 Zion Road Bellefonte, PA 16823	Centre County/ Spring Township	1,187.3	Cattle	Amended	Approved
Old Mill Ag, LLC—Layer Farm 328 Gold Road Lebanon, PA 17023	Lebanon County/ Bethel Township	513.32	Layers	New	Approved

JESSICA SHIRLEY,
Acting Chairperson

[Pa.B. Doc. No. 24-1330. Filed for public inspection September 13, 2024, 9:00 a.m.]

END OF ISSUE

