

# PENNSYLVANIA BULLETIN

Volume 54

Number 38

Saturday, September 21, 2024 • Harrisburg, PA

Pages 5969—6094

## Agencies in this issue

The Courts  
Department of Banking and Securities  
Department of Conservation and Natural  
Resources  
Department of Environmental Protection  
Department of Health  
Department of Human Services  
Department of Labor and Industry  
Department of Military and Veterans Affairs  
Department of Revenue  
Department of Transportation  
Health Care Cost Containment Council  
Independent Regulatory Review Commission  
Insurance Department  
Legislative Reference Bureau  
Pennsylvania Milk Board  
Pennsylvania Public Utility Commission  
State Horse Racing Commission  
Susquehanna River Basin Commission



**Latest Pennsylvania Code Reporter  
(Master Transmittal Sheet):**

**No. 598, September 2024**

CUT ON DOTTED LINES AND ENCLOSE IN AN ENVELOPE

**CHANGE NOTICE/NEW SUBSCRIPTION**

If information on mailing label is incorrect, please email changes to [info@pabulletin.com](mailto:info@pabulletin.com) or mail to:

**FRY COMMUNICATIONS, INC.**  
Attn: *Pennsylvania Bulletin*  
800 W. Church Rd.  
Mechanicsburg, PA 17055-3198

CUSTOMER NUMBER (6 digit number above name on mailing label)

NAME OF INDIVIDUAL

OFFICE NAME—TITLE

ADDRESS (Number and Street)

(City) (State) (Zip Code)

TYPE OR PRINT LEGIBLY

**PENNSYLVANIA**



**BULLETIN**  
(ISSN 0162-2137)

The *Pennsylvania Bulletin* is published weekly by Fry Communications, Inc. for the Commonwealth of Pennsylvania, Legislative Reference Bureau, 641 Main Capitol Building, Harrisburg, Pennsylvania 17120, under the policy supervision and direction of the Joint Committee on Documents under 45 Pa.C.S. Part II (relating to publication and effectiveness of Commonwealth documents). The subscription rate is \$87.00 per year, postpaid to points in the United States. Individual copies are \$2.50. Checks for subscriptions and individual copies should be made payable to "Fry Communications, Inc." Periodicals postage paid at Harrisburg, Pennsylvania.

Postmaster send address changes to:

FRY COMMUNICATIONS, Inc.  
Attn: *Pennsylvania Bulletin*  
800 West Church Road  
Mechanicsburg, Pennsylvania 17055-3198  
(717) 766-0211 ext. 2340  
(800) 334-1429 ext. 2340 (toll free, out-of-State)  
(800) 524-3232 ext. 2340 (toll free, in State)

Orders for subscriptions and other circulation matters should be sent to:

Fry Communications, Inc.  
Attn: *Pennsylvania Bulletin*  
800 West Church Road  
Mechanicsburg, Pennsylvania 17055-3198

Copyright © 2024 Commonwealth of Pennsylvania

Editorial preparation, composition, printing and distribution of the *Pennsylvania Bulletin* is effected on behalf of the Commonwealth of Pennsylvania by FRY COMMUNICATIONS, Inc., 800 West Church Road, Mechanicsburg, Pennsylvania 17055-3198.

# CONTENTS

## THE COURTS

### LOCAL COURT RULES

#### Butler County

Use of generative artificial intelligence; MsD No. 2024-40258..... 5980

#### Huntingdon County

Local rules 5102 and 5103 custody of exhibits in court proceedings; No. CP-31-AO-3-2024; CP-31-MD-201-2024..... 5981

### RULES OF CIVIL PROCEDURE

Order amending Rule 1033 of the Pennsylvania Rules of Civil Procedure; No. 756 civil procedural rules docket..... 5978

## EXECUTIVE AND INDEPENDENT AGENCIES

### DEPARTMENT OF BANKING AND SECURITIES

#### Notices

Actions on applications..... 5986

### DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES

#### Notices

Conservation and Natural Resources Advisory Council public meeting..... 5987

### DEPARTMENT OF ENVIRONMENTAL PROTECTION

#### Notices

Agricultural Advisory Board meeting cancellation... 6062  
 Applications, actions and special notices..... 5987  
 Bid opportunity (2 documents)..... 6062, 6063  
 Low-Level Radioactive Waste Advisory Committee meeting..... 6063  
 Pennsylvania's 2024 Annual Ambient Air Monitoring Network Plan..... 6063  
 State Water Plan Lower Susquehanna Regional Water Resources Planning Committee meeting date change..... 6064

### DEPARTMENT OF HEALTH

#### Notices

Ambulatory surgical facilities; requests for exceptions..... 6064  
 Hospitals; requests for exceptions..... 6065  
 Long-term care nursing facilities; requests for exception..... 6065  
 Renal Disease Advisory Committee meeting..... 6066  
 Special Supplemental Nutrition Program for Women, Infants and Children (WIC Program); competitive prices and peer group criteria..... 6066

### DEPARTMENT OF HUMAN SERVICES

#### Notices

Change to supplemental payments to qualifying hospitals..... 6069

Payment for nursing facility services provided by county nursing facilities; county nursing facility supplementation payment for Fiscal Year 2024-2025..... 6069  
 Payment for nursing facility services provided by nonpublic and county nursing facilities in a city of the first class; supplemental ventilator care and tracheostomy care add-on payment for Fiscal Year 2024-2025..... 6070  
 Payment for nursing facility services provided by nonpublic and county nursing facilities; supplemental ventilator care and tracheostomy care add-on payment for Fiscal Year 2024-2025..... 6070  
 Payment for nursing facility services provided by nonpublic and county nursing facilities in a township of the first class in a county of the second class A; supplemental ventilator care and tracheostomy care add-on payment for Fiscal Year 2024-2025..... 6071  
 Payment for nursing facility services provided by nonpublic nursing facilities located in a county of the first class; nonpublic nursing facility supplementation payment for Fiscal Year 2024-2025.... 6072  
 Payment for nursing facility services provided by nonpublic nursing facilities; Medical Assistance day one incentive payments to nonpublic nursing facilities for Fiscal Year 2024-2025..... 6072

### DEPARTMENT OF LABOR AND INDUSTRY

#### Notices

Current Prevailing Wage Act debarments..... 6073

### DEPARTMENT OF MILITARY AND VETERANS AFFAIRS

#### Rules and Regulations

Persian Gulf Conflict Veterans' Benefit Program.... 5983

### DEPARTMENT OF REVENUE

#### Notices

Public Utility Realty Tax Act (PURTA); surcharge rate notice for the tax year beginning January 1, 2025..... 6074

### DEPARTMENT OF TRANSPORTATION

#### Notices

Contemplated sale of land no longer needed for transportation purposes..... 6074

### HEALTH CARE COST CONTAINMENT COUNCIL

#### Notices

Announcement of public comment period for the Fair Contracting for Health Care Practitioners Act, Act 74 of 2024..... 6074  
 Data submission and collection..... 6074

### INDEPENDENT REGULATORY REVIEW COMMISSION

#### Notices

Actions taken by the Commission..... 6075  
 Notice of filing of final rulemaking..... 6088

---

Available Online at <http://www.pacodeandbulletin.gov>

---

**INSURANCE DEPARTMENT**

**Notices**

Mayra Ivelisse Millan; license denial appeal; doc. No. AG24-09-001..... 6088

Annmarie O'Neill; license denial appeal; doc. No. AG24-09-002 ..... 6088

Review procedure hearings; cancellation or refusal of insurance (2 documents) ..... 6089

**LEGISLATIVE REFERENCE BUREAU**

**Notices**

Documents filed but not published ..... 6090

**PENNSYLVANIA MILK BOARD**

**Proposed Rulemaking**

Milk Marketing fees; correction..... 5985

**PENNSYLVANIA PUBLIC UTILITY COMMISSION**

**Notices**

Service of notice of motor carrier applications..... 6090

Wastewater service ..... 6090

**STATE HORSE RACING COMMISSION**

**Notices**

Receipt of matters subject to intervention ..... 6091

**SUSQUEHANNA RIVER BASIN COMMISSION**

**Notices**

Grandfathering registration notice ..... 6091

Projects approved for consumptive uses of water.... 6092

Projects approved for minor modification ..... 6093

# READER'S GUIDE TO THE PENNSYLVANIA BULLETIN AND THE PENNSYLVANIA CODE

## *Pennsylvania Bulletin*

The *Pennsylvania Bulletin* is the official gazette of the Commonwealth of Pennsylvania. It is published weekly. A cumulative subject matter index is published quarterly.

The *Pennsylvania Bulletin* serves several purposes. It is the temporary supplement to the *Pennsylvania Code*, which is the official codification of agency rules and regulations, Statewide court rules, and other statutorily authorized documents. Changes in the codified text, whether by adoption, amendment, rescission, repeal or emergency action, must be published in the *Pennsylvania Bulletin*.

The following documents are published in the *Pennsylvania Bulletin*: Governor's Executive Orders; Summaries of Enacted Statutes; Statewide and Local Court Rules; Attorney General Opinions; Motor Carrier Applications before the Pennsylvania Public Utility Commission; Applications and Actions before the Department of Environmental Protection; Orders of the Independent Regulatory Review Commission; and other documents authorized by law.

The text of certain documents published in the *Pennsylvania Bulletin* is the only valid and enforceable text. Courts are required to take judicial notice of the *Pennsylvania Bulletin*.

### **Adoption, Amendment or Repeal of Regulations**

Generally an agency wishing to adopt, amend or rescind regulations must first publish in the *Pennsylvania Bulletin* a Proposed Rulemaking. There are limited instances when the agency may omit the proposal step; it still must publish the adopted version.

The Proposed Rulemaking contains the full text of the change, the agency contact person, a fiscal note required by law and background for the action.

The agency then allows sufficient time for public comment before taking final action. A Final Rulemaking must be published in the *Pennsylvania Bulletin* before the changes can take effect. If the agency wishes to adopt changes to the Proposed Rulemaking to enlarge the scope, it must repropose.

## **Citation to the *Pennsylvania Bulletin***

Cite material in the *Pennsylvania Bulletin* by volume number, a page number and date. Example: Volume 1, *Pennsylvania Bulletin*, page 801, January 9, 1971 (short form: 1 Pa.B. 801 (January 9, 1971)).

## ***Pennsylvania Code***

The *Pennsylvania Code* is the official codification of rules and regulations issued by Commonwealth agencies, Statewide court rules and other statutorily authorized documents. The *Pennsylvania Bulletin* is the temporary supplement to the *Pennsylvania Code*, printing changes when they are adopted. These changes are then permanently codified by the *Pennsylvania Code Reporter*, a monthly, loose-leaf supplement.

The *Pennsylvania Code* is cited by title number and section number. Example: Title 10 *Pennsylvania Code* § 1.1 (short form: 10 Pa. Code § 1.1).

Under the *Pennsylvania Code* codification system, each regulation is assigned a unique number by title and section. Titles roughly parallel the organization of Commonwealth government.

### **How to Find Rules and Regulations**

Search for your area of interest in the *Pennsylvania Code*. The *Pennsylvania Code* is available at [www.pacodeandbulletin.gov](http://www.pacodeandbulletin.gov).

Source Notes give the history of regulations. To see if there have been recent changes not yet codified, check the List of *Pennsylvania Code* Chapters Affected in the most recent issue of the *Pennsylvania Bulletin*.

A chronological table of the history of *Pennsylvania Code* sections may be found at [www.legis.state.pa.us/cfdocs/legis/CH/Public/pcde\\_index.cfm](http://www.legis.state.pa.us/cfdocs/legis/CH/Public/pcde_index.cfm).

A quarterly List of *Pennsylvania Code* Sections Affected lists the regulations in numerical order, followed by the citation to the *Pennsylvania Bulletin* in which the change occurred.

The *Pennsylvania Bulletin* is available at [www.pacodeandbulletin.gov](http://www.pacodeandbulletin.gov).

**Subscription Information: (717) 766-0211**  
**General Information and Finding Aids: (717) 783-1530**

### Printing Format

*Rules, Regulations and Statements of Policy in Titles 1—107 of the Pennsylvania Code*

Text proposed to be added is printed in **underscored bold face**. Text proposed to be deleted is enclosed in brackets [ ] and printed in **bold face**.

Proposed new chapters and sections are printed in regular type to enhance readability. Final rulemakings and statements of policy are printed in regular type.

Ellipses, a series of five asterisks, indicate text that is not amended.

In Proposed Rulemakings and proposed Statements of Policy, existing text corresponds to the official codified text in the *Pennsylvania Code*.

*Court Rules in Titles 201—246 of the Pennsylvania Code*

Added text in proposed and adopted court rules is printed in **underscored bold face**. Deleted text in proposed and adopted court rules is enclosed in brackets [ ] and printed in **bold face**.

Proposed new chapters and rules are printed in regular type to enhance readability.

Ellipses, a series of five asterisks, indicate text that is not amended.

### Fiscal Notes

Section 612 of The Administrative Code of 1929 (71 P. S. § 232) requires the Governor's Budget Office to prepare a fiscal note for regulatory actions and administrative procedures of the administrative departments, boards, commissions and authorities receiving money from the State Treasury. The fiscal note states whether the action or procedure causes a loss of revenue or an increase in the cost of programs for the Commonwealth or its political subdivisions. The fiscal note is required to be published in the *Pennsylvania Bulletin* at the same time as the change is advertised.

A fiscal note provides the following information: (1) the designation of the fund out of which the appropriation providing for expenditures under the action or procedure shall be made; (2) the probable cost for the fiscal year the program is implemented; (3) projected cost estimate of the program for each of the 5 succeeding fiscal years; (4) fiscal history of the program for which expenditures are to be made; (5) probable loss of revenue for the fiscal year of its implementation; (6) projected loss of revenue from the program for each of the 5 succeeding fiscal years; (7) line item, if any, of the General Appropriation Act or other appropriation act out of which expenditures or losses of Commonwealth funds shall occur as a result of the action or procedures; and (8) recommendation, if any, of the Secretary of the Budget and the reasons therefor.

The omission of an item indicates that the agency text of the fiscal note states that there is no information available with respect thereto. In items (3) and (6) information is set forth for the first through fifth fiscal years, following the year the program is implemented, which is stated. In item (4) information is set forth for the current and two immediately preceding years. In item (8) the recommendation, if any, made by the Secretary of the Budget is published with the fiscal note. "No fiscal impact" means no additional cost or revenue loss to the Commonwealth or its local political subdivision is intended. See 4 Pa. Code Chapter 7, Subchapter R (relating to fiscal notes).

### Reproduction, Dissemination or Publication of Information

Third parties may not take information from the *Pennsylvania Code* and *Pennsylvania Bulletin* and reproduce, disseminate or publish information except as provided by 1 Pa. Code § 3.44:

#### § 3.44. General permission to reproduce content of *Code* and *Bulletin*.

Information published under this part, which information includes, but is not limited to, cross references, tables of cases, notes of decisions, tables of contents, indexes, source notes, authority notes, numerical lists and codification guides, other than the actual text of rules or regulations may be reproduced only with the written consent of the [Legislative Reference] Bureau. The information which appears on the same leaf with the text of a rule or regulation, however, may be incidentally reproduced in connection with the reproduction of the rule or regulation, if the reproduction is for the private use of a subscriber and not for resale. There are no other restrictions on the reproduction of information published under this part, and the Commonwealth hereby consents to a reproduction.

## List of Pa. Code Chapters Affected

The following numerical guide is a list of the chapters of each title of the *Pennsylvania Code* affected by documents published in the *Pennsylvania Bulletin* during 2024.

### 4 Pa. Code (Administration)

#### Adopted Rules

1	3516
6	7
7	3018

#### Proposed Rules

105	5107
601a	4437
602a	4437
603a	4437
604a	4437
605a	4437
606a	4437
607a	4437
608	4437
609	4437
610	4437
611	4437
612	4437
613	4437
614	4437
615	4437

#### Statements of Policy

1	5110
9	16, 496, 730, 1334, 2350, 3404, 4134, 5238, 5826
58	1340
68	1340

### 7 Pa. Code (Agriculture)

#### Proposed Rules

59a	3318
150	5728, 5985

### 10 Pa. Code (Banking and Securities)

#### Statements of Policy

19	2092
----	------

### 12 Pa. Code (Commerce, Trade and Local Government)

#### Adopted Rules

145	145
-----	-----

### 22 Pa. Code (Education)

#### Proposed Rules

4	3353
---	------

### 25 Pa. Code (Environmental Protection)

#### Adopted Rules

901	4117
1021	2776

#### Proposed Rules

250	3937
801	1953

### 28 Pa. Code (Health and Safety)

#### Statements of Policy

51	148
----	-----

### 31 Pa. Code (Insurance)

#### Proposed Rules

37	2492
37a	2492
5001	2993

### 37 Pa. Code (Law)

#### Adopted Rules

301	4122
481	3151

#### Statements of Policy

96a	4327
-----	------

### 40 Pa. Code (Liquor)

#### Adopted Rules

5	145
---	-----

#### Proposed Rules

3	722
5	722
9	722
11	722

### 43 Pa. Code (Military Affairs)

#### Adopted Rules

9	5983
---	------

### 49 Pa. Code (Professional and Vocational Standards)

#### Adopted Rules

1	4318
5	3152
6	4322
16	2780
18	2780
23	368
31	5092
36	3157
45	375

#### Proposed Rules

15	4127
25	2798
27	1060
31	3618
33	4130
35	2806
36	3623
40	383

#### Statements of Policy

16	3162
21	148, 3163
25	3165
41	3167
47	3169
48	3169
49	3169

### 51 Pa. Code (Public Officers)

#### Adopted Rules

11	2077
13	2077
15	2077
17	2077
19	2077
21	2077
23	2077
25	2077

### 52 Pa. Code (Public Utilities)

#### Adopted Rules

59	5729
----	------

**Statements of Policy**

69 .....1670, 1675, 3036

**55 Pa. Code (Human Services)**

**Statements of Policy**

1 ..... 148  
4210 ..... 1956

**58 Pa. Code (Recreation)**

**Adopted Rules**

65 ..... 5613, 5614  
75 ..... 1054  
97 ..... 1056  
107 ..... 1057  
111 ..... 1056, 1058  
133 ..... 1315  
135 ..... 1316  
139 ..... 3021  
141 ..... 1318, 1319, 3030, 3033  
147 ..... 5615  
617b ..... 1537, 2923  
617c ..... 2923  
623b ..... 2923  
623c ..... 2923  
627b ..... 2923  
627c ..... 2923  
629b ..... 2923  
629c ..... 2923  
631b ..... 2923  
631c ..... 2923  
633b ..... 1537, 2923  
633c ..... 2923  
635b ..... 2923  
635c ..... 2923  
639b ..... 2923  
639c ..... 2923  
641b ..... 2923  
641c ..... 2923  
643b ..... 2923  
643c ..... 2923  
645b ..... 2923  
645c ..... 2923  
647b ..... 2923  
647c ..... 2923  
649b ..... 2923  
649c ..... 2923  
653b ..... 1537, 2923  
653c ..... 2923  
655b ..... 2923  
655c ..... 2923  
657b ..... 2923  
657c ..... 2923  
659b ..... 2923  
659c ..... 2923  
670b ..... 2923  
670c ..... 2923  
674b ..... 1537  
685b ..... 2923  
685c ..... 2923  
687b ..... 2923  
687c ..... 2923  
688b ..... 2923  
688c ..... 2923  
689 ..... 2923  
689a ..... 2923  
690 ..... 1537

**Proposed Rules**

61 ..... 5618  
65 ..... 3523, 3524

95 ..... 5619  
99a ..... 5620  
117 ..... 3633  
133 ..... 5621  
139 ..... 1321, 1668  
141 ..... 1330, 1332  
147 ..... 3035, 5622  
603a ..... 2085  
633a ..... 2085  
687a ..... 2085  
812a ..... 2085  
819a ..... 2085

**Statements of Policy**

603b ..... 2093

**61 Pa. Code (Revenue)**

**Proposed Rules**

5 ..... 2996  
153 ..... 2999

**67 Pa. Code (Transportation)**

**Adopted Rules**

171a ..... 719  
171b ..... 719  
173 ..... 5616

**201 Pa. Code (Rules of Judicial Administration)**

**Adopted Rules**

5 ..... 3315

**204 Pa. Code (Judicial System General Provisions)**

**Adopted Rules**

71 ..... 138, 2219, 5472  
81 ..... 1946  
207 ..... 1525  
303a ..... 1180

**Proposed Rules**

71 ..... 714, 3907  
81 ..... 1041  
87 ..... 1041

**207 Pa. Code (Judicial Conduct)**

**Adopted Rules**

1 ..... 1296  
3 ..... 1297

**210 Pa. Code (Appellate Procedure)**

**Adopted Rules**

1 ..... 5079  
9 ..... 5079  
21 ..... 4426  
23 ..... 4426  
63 ..... 4431  
65 ..... 2481

**225 Pa. Code (Rules of Evidence)**

**Adopted Rules**

Article VI ..... 5726

**231 Pa. Code (Rules of Civil Procedure)**

**Adopted Rules**

200 ..... 138  
1000 ..... 5978  
1915 ..... 5353  
Part II ..... 2735

**Proposed Rules**

1850 ..... 3780  
1930 ..... 3782  
1960 ..... 3785  
Part II ..... 1654



**234 Pa. Code (Rules of Criminal Procedure)****Adopted Rules**

1	2738
2	2743
4	2738
5	2738, 2743
10	2743

**Proposed Rules**

4	919
5	5221
7	919
10	919
11	5221

**237 Pa. Code (Juvenile Rules)****Proposed Rules**

1	2061, 5082
3	5087
6	5087
16	2065

**246 Pa. Code (Minor Court Civil Rules)****Adopted Rules**

200	2482
300	2482, 3147
500	2482

**Proposed Rules**

200	2344
300	714, 2066, 2344
500	714

**249 Pa. Code (Philadelphia Rules)**

Unclassified	617, 1181, 3520, 4113, 4313
--------------	-----------------------------

**252 Pa. Code (Allegheny County Rules)**

Unclassified	1181, 2748, 4114
--------------	------------------

**255 Pa. Code (Local Court Rules)**

Unclassified	11, 12, 13, 14, 139, 140, 355, 361, 366, 617, 618, 716, 717, 955, 959, 1042, 1043, 1044, 1046, 1048, 1052, 1185, 1186, 1187, 1190, 1192, 1193, 1303, 1304, 1307, 1311, 1312, 1313, 1525, 1526, 1528, 1529, 1531, 1532, 1535, 1664, 1665, 1666, 1667, 1813, 1814, 1815, 1816, 1818, 1820, 1821, 1824, 1947, 1948, 1950, 1952, 2069, 2073, 2076, 2221, 2223, 2225, 2347, 2348, 2487, 2488, 2489, 2490, 2753, 2755, 2756, 2757, 2758, 2766, 2768, 2770, 2921, 3150, 3315, 3521, 3616, 3617, 3787, 3910, 3918, 3928, 3929, 3930, 3933, 4115, 4314, 4315, 4316, 4431, 4435, 5091, 5228, 5229, 5232, 5356, 5371, 5472, 5608, 5609, 5980, 5981
--------------	---

# THE COURTS

## Title 231—RULES OF CIVIL PROCEDURE

### PART I. GENERAL

#### [ 231 PA. CODE CH. 1000 ]

### Order Amending Rule 1033 of the Pennsylvania Rules of Civil Procedure; No. 756 Civil Procedural Rules Docket

#### Order

*Per Curiam*

And Now, this 6th day of September, 2024, upon the recommendation of the Civil Procedural Rules Committee; the proposal having been published for public comment at 52 Pa.B. 5118 (August 20, 2022):

It is Ordered pursuant to Article V, Section 10 of the Constitution of Pennsylvania that Rule 1033 of the Pennsylvania Rules of Civil Procedure is amended in the attached form.

This Order shall be processed in accordance with Pa.R.J.A. 103(b), and shall be effective January 1, 2025.

Additions to the rule are shown in bold and are underlined.

Deletions from the rule are shown in bold and brackets.

#### Annex A

### TITLE 231. RULES OF CIVIL PROCEDURE

#### PART I. GENERAL

#### CHAPTER 1000. ACTIONS

#### Subchapter A. CIVIL ACTION

#### PLEADINGS

*(Editor's Note: Rule 1033 as printed in 231 Pa. Code does not contain Explanatory Comments—2013 and 2017.)*

#### Rule 1033. Amendment.

(a) ***General Rule.*** A party, either by filed consent of the adverse party or by leave of court, may at any time change the form of action, add a person as a party, correct the name of a party, or otherwise amend the pleading. The amended pleading may aver transactions or occurrences which have happened before or after the filing of the original pleading, even though they give rise to a new cause of action or defense. An amendment may be made to conform the pleading to the evidence offered or admitted.

(b) ***Relation Back.*** An amendment correcting the name of a party against whom a claim has been asserted in the original pleading relates back to the date of the commencement of the action if, within 90 days after the period provided by law for commencing the action, the party received notice of the institution of the action such that it will not be prejudiced in maintaining a defense on the merits and the party knew or should have known that the action would have been brought against the party but for a mistake concerning the identity of the proper party.

(c) ***John Doe Defendants.*** An amendment substituting the actual name of a defendant for a Doe designation

as provided in Rule 2005 relates back to the date of the commencement of the action if, within the time provided by Rule 401 for service, the defendant named by the amendment has received actual or constructive notice of the commencement of the action such that it will not be prejudiced in maintaining a defense on the merits and the defendant knew or should have known that the action would have been brought against it but for lack of knowledge of the defendant's actual name.

#### **(d) Highlighting of Amendments.**

**(1) A party filing a motion to amend a pleading shall attach:**

**(i) a clean copy of the proposed amended pleading; and**

**(ii) a comparison copy of the proposed amended pleading identifying the changes by striking through the material to be deleted and underlining the material to be added.**

**(2) If there is a discrepancy between the clean copy and the comparison copy of the proposed amended pleading, the clean copy shall be the controlling document.**

#### **Historical Commentary**

**The following commentary is historical in nature and represents statements of the Committee at the time of rulemaking:**

#### **Explanatory Comment—2013**

Rule 1033 has been amended to specifically state that an amendment may add a person as a party. It is the practice of litigants and trial courts to refer to Rule 1033 when a party seeks to amend a pleading to add another party. The purpose of this amendment is to eliminate any uncertainty as to whether a motion to amend a pleading to add an additional party is governed by Rule 1033. There is no conflict between this proposed amendment and Rule 2232(c) because the latter addresses the question of when a court may order the joinder of any additional person.

Subdivision (b) of Rule 2232 addressing the joinder of an additional party is being rescinded. The provision is unnecessary because if a party has been misjoined or no claim for relief is asserted, a dismissal should be sought through the rules governing preliminary objections, judgment on the pleadings, and summary judgment. If a plaintiff wants to drop a defendant, he or she should use the rules governing the discontinuance of an action.

#### **Explanatory Comment—2017**

Currently, the Rules of Civil Procedure do not expressly permit an amendment correcting the name of a party against whom a claim is asserted to relate back without a showing of concealment when the statute of limitations has expired and the effect of that correction operates to add another party. However, case law has interpreted the Rules to permit such an amendment within the statute of limitations. Rule 1033 has been amended to expressly permit amendments correcting the name of the party against whom a claim is asserted to relate back to the date of the commencement of the action if within ninety days after the period provided by law for commencing the

action, the party to be brought in by the amendment has received notice of the commencement of the action such that it will not be prejudiced in obtaining a defense on the merits, and the party knew or should have known that the action would have been brought against the party but for a mistake concerning the identity of the proper party.

Consider the following example: Harry Roberts, who resides at 949 Alcoma Street, Pittsburgh, PA, was the driver of an automobile which struck the plaintiff when he was crossing the intersection at Grant and Forbes Street, Pittsburgh, PA, at approximately 11:00 a.m. on October 11, 2013. The plaintiff's complaint, filed on October 2, 2015, mistakenly identifies the driver as Henry Rosen. He is the only named defendant in the complaint.

On October 7, 2015, the Sheriff made service by serving Mary Roberts at 949 Alcoma Street, Pittsburgh, PA. She is described in the Sheriff's Return as the wife of the defendant. On January 2, 2016, the complaint is amended to correct "Henry Rosen" to "Harry Roberts."

The amendment of Rule 1033 expressly permits the plaintiff to amend the complaint to correct the name of the defendant to Harry Roberts, because it is clear from the body of the complaint that the plaintiff was suing the driver of the automobile which struck the plaintiff and service of the complaint furnished sufficient notice to Harry Roberts that a lawsuit has been initiated against him for actions he is liable for even though the defendant is identified on the complaint as Henry Rosen. This is consistent with existing case law and codifies current practice.

The Federal Rules of Civil Procedure and a majority of states have rules of procedure governing the relation back of amendments, which are similar to this amendment. The interests of justice are served by a rule of civil procedure permitting a party to correct a complaint that provides an incorrect name of a party when there is no prejudice to the party brought in by the amendment.

The amendment of Rule 1033 does not alter the concealment doctrine and the discovery rule. The amendment is intended to cover situations in which neither the concealment doctrine nor the discovery rule apply.

## SUPREME COURT OF PENNSYLVANIA CIVIL PROCEDURAL RULES COMMITTEE

### ADOPTION REPORT

#### Amendment of Pa.R.Civ.P. 1033

On September 6, 2024, the Supreme Court of Pennsylvania amended to Pennsylvania Rule of Civil Procedure 1033 relating to the amendment of pleadings. The Civil Procedural Rules Committee has prepared this Adoption Report describing the rulemaking process. An Adoption Report should not be confused with Comments to the rules. *See* Pa.R.J.A. 103, cmt. The statements contained herein are those of the Committee, not the Court.

The Committee received a request to consider amending Pa.R.Civ.P. 1033 to require the attachment of the proposed amended pleading to a motion to amend. The requester suggested such a requirement would curb a problem encountered with opposing counsel, who had asked for the requester's consent to an amendment of a complaint, but refused to provide any substantive infor-

mation about the amendment. In turn, the attorney seeking the amendment would file a motion to amend that likewise did not provide any information on the specific amendment nor was the proposed amended pleading attached to the motion because Pa.R.Civ.P. 1033 does not expressly so require.

The Committee initially observed that Pa.R.Civ.P. 1033 does not address the content for a motion to amend a pleading. Pa.R.Civ.P. 208.2 generally governs the content of motions, but does not specifically require the attachment of documents in support of the motion.

Noting the silence of requirements in the Rules of Civil Procedure, the Committee then examined local rules addressing the amendment of pleadings. Research revealed a handful of local rules governing amendments. These rules focused on the filing of amended pleadings, rather than the content of the motion to amend. McKean County Local Rule 1033 and Potter County Local Rule 1033 both require "[t]he amendment pleading [to] clearly indicate that it is an amended pleading, the paragraphs [to] be renumbered, and the new portion [to] be underlined." Clarion County Local Rule 1033, Franklin/Fulton Counties Local Rule 39-1033.1, Jefferson County Local Rule 1033, Mercer County Local Rule 1033, and Schuylkill County Local Rule 1033 are similar to the McKean and Potter County Local Rules except they do not require the underlining of the new portion of the pleading.

The Committee also examined procedural rules from other jurisdictions. Research revealed a relative dearth of procedural rules governing the requirements for the content of a motion to amend. New Jersey, Utah, and Puerto Rico all require the proposed amended pleading to be attached to the motion to amend. *See* N.J.R. 4:9-1 ("A motion for leave to amend shall have annexed thereto a copy of the proposed amended pleading."); U.R.C.P. Rule 15(a)(2) ("The party must attach its proposed amended pleading to the motion to permit an amended pleading."); P.R.R.C.P. 13.1 ("The entire amended pleading shall be attached to the motion for leave to amend the pleadings."). New York is the most comprehensive in that it requires the proposed amended pleading to accompany the motion to amend and to show the changes to be made to the pleading. *See* N.Y.C.P.L.R. 3025(b) ("Any motion to amend. . . pleadings shall be accompanied by the proposed amended. . . pleading clearly showing the changes or additions to be made to the pleading.")

The Committee also examined rules from Delaware and Maryland. Del.Sup.Ct.R. 15(aa) is similar to the McKean and Potter County Local Rules described above in that it applies to the filing of amended pleadings and requires the amended pleading to indicate how it differs from the original pleading. Md.R.C.P. 2-341(e) also applies to the filing of amended pleadings and requires the filing of the amended pleading together with a comparison copy showing through specified textual indicators the text to be deleted and the text to be added.

In developing the amendment to Pa.R.Civ.P. 1033, the Committee favored the approach taken by New York to require the attachment of the proposed amended pleading the motion to amend and for the proposed amended pleading to explicitly show the changes to be made. This will ensure that both parties and the court will be certain of the exact text being amended in a pleading. In addition, the Committee modified this language slightly

to include explicit provisions, as found in the Maryland rule, to specify that the proposed amended pleading show through textual indicators, either by striking through or bracketing deletions, or by underlining or bolding additions, the text to be amended.

The Committee published the proposal for comment, *see* 52 Pa.B. 5118 (August 20, 2022), and received two comments in support of the proposal as drafted.

Subsequent to publication, the amendment to Pa.R.Civ.P. 1033 was further refined. First, it was reconsidered whether a party filing the motion to amend should also file a copy of the proposed amended pleading without textual indicators, *i.e.*, a “clean” copy. The requirement of a clean copy would remove any burden on the trial court and the opposing party from having to resolve the amended notations to determine the final version of the text.

In developing this requirement, it was recognized that requiring both the attachment of a clean copy and a comparison copy may lead to discrepancies between those two documents, and that the rule would benefit with an express requirement establishing the controlling document. It was reasoned that the clean copy is the document formally replacing the prior pleading, whereas the comparison copy is operating as an aid to the parties and the court in determining the motion to amend. As a result, the rule was modified to provide that the clean copy is the controlling document in the event there are discrepancies between the two documents.

Second, the requirement in the proposed rule permitting various format options to show additions and deletions in the comparison copy of the amended pleading was reconsidered. A single, uniform format would provide consistency in practice and procedure throughout the Commonwealth. As a result, the amendment was modified to require a single, uniform format for showing additions and deletions in the comparison copy: deletions must be shown by striking through the material to be deleted and additions must be shown by underlining the material to be added.

The amendment becomes effective January 1, 2025.  
[Pa.B. Doc. No. 24-1331. Filed for public inspection September 20, 2024, 9:00 a.m.]

# Title 25—LOCAL COURT RULES

## BUTLER COUNTY

### Use of Generative Artificial Intelligence; MsD No. 2024-40258

#### Administrative Order of Court

*And Now*, this 10th day of September, 2024, it is hereby *Ordered* that Attorneys and/or pro se litigants (a party representing himself or herself) shall disclose any use of generative Artificial Intelligence (“AI”) in the preparation of any complaint, answer, motion, brief, or other pleading and/or filing submitted to the court. Counsel and/or any pro se litigant is to attach to each such filing the following Affidavit Regarding Generative Artificial Intelligence attesting that generative AI has not been utilized in any way in the preparation of the filing, or, if generative AI has been used in the preparation of the filing, that each and every citation to the law or the record in the filing has been verified by a human being as authentic and accurate. This Order is effective thirty (30) days after the publication of the rule in the *Pennsylvania Bulletin*.

In accordance with Pa.R.J.A. 103, the District Court Administrator is Ordered and Directed to:

1. File one (1) copy of this Administrative Order of Court with the Administrative Office of the Pennsylvania Courts.
2. File two (2) certified copies of this Administrative Order of Court with the Legislative Reference Bureau for publication in the *Pennsylvania Bulletin*.
3. Forward one (1) copy of this Administrative Order of Court to the Administrative Office of the *Butler County Legal Journal* for publication as that organization deems appropriate.
4. Distribute a copy of this Administrative Order of Court to the Judges of the Court of Common Pleas of Butler County, Pennsylvania.
5. Forward one (1) copy of this Administrative Order of Court to the Butler County Law Library and publish on the Court’s website.
6. Keep continuously available for public inspection copies of this Administrative Order of Court in the Office of the Prothonotary of Butler County, Pennsylvania.

*By the Court*

S. MICHAEL YEAGER,  
*President Judge*

\_\_\_\_\_  
**IN THE COURT OF COMMON PLEAS OF BUTLER COUNTY,  
PENNSYLVANIA**

	:	CASE NUMBER
	:	
Plaintiff,	:	
	:	
v.	:	
	:	
	:	
Defendant.	:	

**AFFIDAVIT REGARDING GENERATIVE ARTIFICIAL INTELLIGENCE**

I, the signatory, hereby attest that no portion of this filing has been drafted by generative Artificial Intelligence, or, that any language drafted by generative Artificial Intelligence, including quotations, citations, paraphrased assertions, and

legal analysis, has been checked for accuracy by a human being prior to its submission to the court. I understand that as the attorney signing this filing, I will be held responsible for the contents thereof according to the applicable rules of attorney discipline, regardless of whether generative Artificial Intelligence drafted any portion of this filing.

I declare under penalty of perjury pursuant to the law of the Commonwealth of Pennsylvania, 18 Pa.C.S.A. § 4904, Unsworn Falsification to Authorities, that the foregoing is true and correct.

---

ATTORNEY OR PRO SE LITIGANT

[Pa.B. Doc. No. 24-1332. Filed for public inspection September 20, 2024, 9:00 a.m.]

---

## Title 255—LOCAL COURT RULES

### HUNTINGDON COUNTY

#### Local Rules 5102 and 5103 Custody of Exhibits in Court Proceedings; No. CP-31-AO-3-2024; CP-31-MD-201-2024

##### Order

And Now, this 19th day of July 2024, it is hereby Ordered that, effective September 1, 2024, a Huntingdon County Local Rule is hereby established to implement Local Rule 5102-5103 regarding the Custody of Exhibits in Court Proceedings.

Pursuant to Pennsylvania Rules of Judicial Administration 103(d) and after review and subsequent approval from the Supreme Court Rules Committee,

The Huntingdon County District Court Administrator is Directed as follows:

(1) File one (1) copy of the Administrative Order with the Administrative Office of Pennsylvania Courts.

(2) File one (1) copy with the Legislative Reference Bureau for publication in the *Pennsylvania Bulletin*.

(3) One (1) copy shall be retained at the Huntingdon County Law Library.

(4) Publish a copy of the Administrative Order on the website of Huntingdon County.

(5) Thereafter, compile the Administrative Order within the complete set of local rules no later than thirty (30) days following the publication in the *Pennsylvania Bulletin*.

It is further Ordered that a copy shall be kept continuously available for public inspection and copying in the Office of the Prothonotary of Huntingdon County.

By the Court

GEORGE N. ZANIC,  
President Judge

#### Local Rules 5102-5103

##### Custody of Exhibits in Court Proceedings

#### Rule 5102. Custody of Exhibits General Provisions.

A. The court reporter or court recorder shall be designated as the “Custodian,” as defined by Pa.R.J.A. 5101(a)(2), for all documentary exhibits, photographs, and photographs of non-documentary exhibits admitted or rejected during a court proceeding.

(1) If only one custodian is involved with a proceeding, they shall file with the Huntingdon County Prothonotary/Clerk of Courts office all admitted or rejected exhibits and an index of the exhibits within 5 business days of the conclusion of the proceeding.

(2) If multiple custodians are involved with a proceeding, the first custodian shall provide the subsequent custodian (and so on, if more than two custodians) with the admitted or rejected exhibits and index of exhibits. The custodian at the conclusion of the proceeding shall file with the Huntingdon County Prothonotary/Clerk of Courts office all admitted or rejected exhibits and an index of the exhibits within 5 business days of the conclusion of the proceeding.

#### Rule 5103. Custody of Exhibits. Special Provisions.

A. The proponent shall retain custody of admitted or rejected non-documentary exhibits (including, but not limited to weapons, cash, other items of value, drugs, or other dangerous materials) and bulky, oversized, or otherwise physically impractical exhibits at all times during and after a court proceeding.

(1) All non-documentary exhibits must be photographed by the proponent, converted to a letter sized document (8 1/2 × 11 inches), and appropriately marked and produced during the court proceeding for inclusion in the documentary record.

(2) Unless otherwise provided by the presiding judge, at the conclusion of the court proceeding, non-documentary evidence shall be returned to the proponent for safekeeping as required by any applicable retention schedule, statute, rule, regulation, or policy, or until further order of court.

(3) Unless otherwise ordered, the proponent or filing office shall maintain non-documentary exhibits for a minimum of following time periods:

a. *Non-criminal matters.* Retain exhibits until the later of the expiration of the appeal period or final disposition of the appeal if one is taken.

b. *Criminal matters.* Retain exhibits pursuant to the Supreme Court of Pennsylvania Administrative Office of Pennsylvania Courts Record Retention and Disposition Schedule with Guidelines.

(4) Any digital exhibit that cannot be printed (i.e., audio or video recording) shall be entered into the record on a Universal Serial Bus (USB) flash drive or other court approved format. If one party has multiple digital exhibits, they may be submitted together on one USB flash drive or other court approved format.

(5) Any exhibit containing confidential information or confidential documents as defined in the Case Records Public Access Policy of the Unified Judicial System of Pennsylvania (“Policy”) shall include a Confidential Infor-

mation Form or Confidential Document Form in compliance with the Policy.

[Pa.B. Doc. No. 24-1333. Filed for public inspection September 20, 2024, 9:00 a.m.]

\_\_\_\_\_

# RULES AND REGULATIONS

## Title 43—MILITARY AFFAIRS

### DEPARTMENT OF MILITARY AND VETERANS AFFAIRS

[ 43 PA. CODE CH. 9 ]

#### Persian Gulf Conflict Veterans' Benefit Program

The Department of Military and Veterans Affairs (Department) rescinds and reserves Chapter 9 as set forth in Annex A.

##### *Statutory Authority*

This final-omitted rulemaking is authorized under section 9 of the Persian Gulf Conflict Veterans' Benefit Act (act) (51 P.S. § 20309) which requires The Adjutant General to promulgate rules and regulations to implement, administer and enforce the act, and section 204(3) of the act of July 31, 1968 (P.L. 769, No. 240) (45 P.S. § 1204(3)), referred to as the Commonwealth Documents Law (CDL), which authorizes publication of a final-omitted rulemaking when public notice and public comment are impracticable, unnecessary or contrary to the public interest.

##### *Omission of Proposed Rulemaking*

Public notice of the Department's intention to rescind and reserve Chapter 9 under the procedures set forth in sections 201 and 202 of the CDL (45 P.S. §§ 1201 and 1202) was omitted as authorized under section 204(3) of the CDL. The Department finds that public notice and comment are unnecessary under the circumstances because the enabling authority in the act has expired.

##### *Purpose and Background*

Chapter 9 is rescinded and reserved because sections 1—15 of the act (51 P.S. §§ 20301—20315), which established the Persian Gulf Conflict Veterans' Benefit Program (Program), have expired.

The Program, which provided a monetary bonus to veterans of the Persian Gulf Conflict that reside in this Commonwealth, was established by the act. The current regulations in Chapter 9 were promulgated in 2008 to implement, administer and enforce the act. Section 4(b) of the act (51 P.S. § 20304(b)) allowed the Department to accept applications for the bonus through August 31, 2015. The act of October 30, 2015 (Act 50 of 2015) (P.L. 205, No. 50) amended this authority by extending the application period through August 31, 2018. Act 50 of 2015 also amended the expiration date in section 12(e) of the act (51 P.S. § 20312(e)), to prohibit the issuance of bonds and notes funding the Program after December 31, 2019. The Department accordingly ceased accepting applications for the Program after August 31, 2018, and ceased issuing bonds and notes for the Program after December 31, 2019. For these reasons, the regulations in Chapter 9 are no longer operable.

##### *Description of Final-Omitted Regulations*

This final-omitted rulemaking seeks to rescind and reserve the regulations in Chapter 9 as set forth in Annex A, due to expiration of the Program.

##### *Reporting, Recordkeeping and Paperwork Requirements*

The Department has ceased all activity connected with the Program and archived all Program records. This final-omitted rulemaking will not result in any reporting, recordkeeping or paperwork requirements for the Department, individuals or entities.

##### *Fiscal Impact*

This final-omitted rulemaking will not result in any fiscal impact to the Commonwealth, its political subdivisions or the general public.

##### *Sunset Date*

There is no sunset date for this final-omitted rulemaking.

##### *Effective Date*

This final-omitted rulemaking will take effect upon publication in the *Pennsylvania Bulletin*.

##### *Contact Persons*

For further information contact Jeffery King, Programs Supervisor, Division of Programs and Services, Building 9-26, Fort Indiantown Gap, Annville, PA 17003, (717) 861-8452, jeffeking@pa.gov; or Kaitlyn Boswell, Assistant Counsel, Office of Chief Counsel, Building 7-36, Fort Indiantown Gap, Annville, PA 17003, (717) 644-1566, kaboswell@pa.gov. This final-omitted rulemaking is available on the Department of Military and Veterans Affairs web site at [www.dmva.pa.gov](http://www.dmva.pa.gov) (select "Pennsylvania Veterans," then "Regulatory Initiatives").

##### *Regulatory Review*

Under section 5.1(c) of the Regulatory Review Act (71 P.S. § 745.5a(c)) on September 4, 2024, the Department submitted a copy of the final-omitted rulemaking and a copy of the Regulatory Analysis Form to the Independent Regulatory Review Commission (IRRC) and to the chairperson of the Veterans Affairs and Emergency Preparedness Committee of the Senate and the chairperson of the Veterans Affairs and Emergency Preparedness Committee of the House of Representatives. On the same day, the final-omitted rulemaking was submitted to the Office of Attorney General for review and approval under the Commonwealth Attorneys Act (71 P.S. §§ 732-101—732-506).

Under section 5.1(j.2) of the Regulatory Review Act, the rulemaking was deemed approved by the Senate and House Committees on August 14, 2024. Under section 5.1(e) of the Regulatory Review Act, IRRC met on August 15, 2024, and approved the final-omitted rulemaking.

##### *Findings*

The Department finds that:

(a) Final-omitted rulemaking is allowed when procedures specified in sections 201 and 202 of the CDL (45 P.S. §§ 1201 and 1202) are impracticable, unnecessary or contrary to the public interest. Therefore, public notice of the Department's intention to amend regulations has been omitted under section 204(3) of the CDL (45 P.S. § 1204(3)).

(b) Following the procedures outlined in sections 201 and 202 of the CDL, the Department finds that public notice and solicitation of public comment is impracticable

and unnecessary under the circumstances because the enabling authority for the regulations has expired.

*Order*

The Department, acting under the authority of section 9 of the act and section 204(3) of the CDL, orders that:

(1) The regulations of the Department, 43 Pa. Code Chapter 9, are amended by deleting §§ 9.1—9.13 as set forth in Annex A.

(2) The Department shall submit this final-omitted rulemaking to the Office of Attorney General for approval as to form and legality as required by law.

(3) The Department shall submit this final-omitted rulemaking to IRRC and to the Veterans Affairs and Emergency Preparedness Committees of the Senate and House of Representatives as required by law.

(4) This final-omitted rulemaking shall take effect immediately upon publication in the *Pennsylvania Bulletin*.

MARK J. SCHINDLER,  
*Major General, PAARNG  
The Adjutant General*

*(Editor’s Note: See 54 Pa.B. 5591 (August 31, 2024) for IRRC’s approval order.)*

**Fiscal Note:** 13-7. No fiscal impact; recommends adoption.

**Annex A**

**TITLE 43. MILITARY AFFAIRS**

**PART I. DEPARTMENT OF MILITARY AFFAIRS**

**CHAPTER 9. [RESERVED]**

**§§ 9.1—9.13. [Reserved].**

[Pa.B. Doc. No. 24-1334. Filed for public inspection September 20, 2024, 9:00 a.m.]

\_\_\_\_\_



# PROPOSED RULEMAKING

## PENNSYLVANIA MILK BOARD

[ 7 PA. CODE CH. 150 ]

### Milk Marketing Fees; Correction

The proposed rulemaking published at 54 Pa.B. 5728 (September 14, 2024) was incorrectly published under the heading of Rules and Regulations. The proposed rulemaking was otherwise accurately published.

[Pa.B. Doc. No. 24-1335. Filed for public inspection September 20, 2024, 9:00 a.m.]

---

# NOTICES

## DEPARTMENT OF BANKING AND SECURITIES

### Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending September 10, 2024.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, may file comments in writing with the Department, for Bank Supervision, by e-mail to ra-bnbnksbmsnsptt@pa.gov or for credit unions, by e-mail to ra-bncusubmissions@pa.gov and trust companies, by e-mail to ra-bntrustsuprvsninq@pa.gov. Comments must be received no later than 30 days from the date that the notice regarding acceptance of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, for banks (717) 783-8240, or for credit unions or trust companies (717) 783-2253.

### APPLICATIONS FOR COMMENT

#### BANKING INSTITUTIONS

##### Holding Company Acquisitions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Status</i>
09-09-2024	ACNB Corporation Gettysburg Adams County  Application for approval to acquire 100% of Traditions Bancorp, Inc., York, PA, and thereby indirectly acquire 100% of Traditions Bank, York, PA.	Accepted

##### Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Status</i>
09-09-2024	ACNB Bank Gettysburg Adams County  Application for approval to merge Traditions Bank, York, PA, with and into ACNB Bank, Gettysburg, PA.	Accepted

#### CREDIT UNIONS

No activity.

### OTHER APPLICATION ACTIVITY

#### BANKING INSTITUTIONS

##### Holding Company Acquisitions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Status</i>
09-05-2024	GELT Bancorp, Inc. Bird-in-Hand Lancaster County  Application for approval to acquire 100% of Bank of Bird-in-Hand, Bird-in-Hand, Lancaster County.	Approved

##### Branch Applications

##### De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Status</i>
09-04-2024	Hometown Bank of Pennsylvania Bedford Bedford County	4327 Quaker Valley Road Alum Bank Bedford County	Opened
09-09-2024	Univest Bank and Trust Co. Souderton Montgomery County	15 Washington Avenue Souderton Montgomery County (Limited-Service Facility)	Opened

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Status</i>
09-10-2024	PS Bank Wyalusing Bradford County	1743 North Keyser Avenue Scranton Lackawanna County	Accepted

**Branch Discontinuances**

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Status</i>
09-05-2024	Univest Bank and Trust Co. Souderton Montgomery County	10 West Broad Street Souderton Montgomery County	Closed

**CREDIT UNIONS****Change of Principal Place of Business**

<i>Date</i>	<i>Name and Location of Institution</i>	<i>Address</i>	<i>Status</i>
09-10-2024	New Directions Community Credit Union Franklin Venango County	<i>To:</i> 777 Allegheny Boulevard Franklin Venango County  <i>From:</i> 101 North 13th Street Franklin Venango County	Effective

The Department's web site at [www.dobs.pa.gov](http://www.dobs.pa.gov) includes public notices for more recently filed applications.

WENDY S. SPICHER,  
*Secretary*

[Pa.B. Doc. No. 24-1336. Filed for public inspection September 20, 2024, 9:00 a.m.]

## DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES

### Conservation and Natural Resources Advisory Council Public Meeting

The Conservation and Natural Resources Advisory Council (Council) to the Department of Conservation and Natural Resources (Department) will hold a public meeting on September 25, 2024, at 10 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA. The public meeting may be attended by means of Microsoft Teams through a link found on the Council's web site prior to the public meeting at [www.dcnr.pa.gov/cnrac](http://www.dcnr.pa.gov/cnrac).

Questions concerning this public meeting or agenda items can be directed to Nicole Faraguna at (717) 346-7636. For public comment to be considered at the public meeting, follow the instructions on the Council's web site.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Aara Vinsh directly at (717) 787-9306 or through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

CINDY ADAMS DUNN,  
*Secretary*

[Pa.B. Doc. No. 24-1337. Filed for public inspection September 20, 2024, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Applications, Actions and Special Notices

---

## APPLICATIONS

---

### THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

### APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS UNDER THE CLEAN STREAMS LAW AND FEDERAL CLEAN WATER ACT

This notice provides information about persons who have applied to the Department of Environmental Protection (DEP) for a new, renewed, or amended NPDES or WQM permit, or a permit waiver for certain stormwater discharges, or have submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications and NOIs concern, but are not limited to, effluent discharges from sewage treatment facilities and industrial facilities to surface waters or groundwater; stormwater discharges associated with industrial activity (industrial stormwater), construction activity (construction

stormwater), and municipal separate storm sewer systems (MS4s); the application of pesticides; the operation of Concentrated Animal Feeding Operations (CAFOs); and the construction of sewage, industrial waste, and manure storage, collection and treatment facilities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). More information on the types of NPDES and WQM permits that are available can be found on DEP's website (visit [www.dep.pa.gov](http://www.dep.pa.gov) and select Businesses, Water, Bureau of Clean Water, Wastewater Management, and NPDES and WQM Permitting Programs).

<i>Section</i>	<i>Category</i>
I	Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received
II	Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs
III	Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity

Section I identifies the following applications and NOIs that have been received by DEP:

- Individual and General WQM Permit Applications Received—DEP provides a 15-day public comment period for Individual WQM Permit Applications for new and reissued permits. There is no public comment period for General WQM Permit NOIs.

- General Chapter 92a NPDES Permit NOIs Received—There is no public comment period for General NPDES NOIs received.

- All Transfer and Minor Amendment Applications/NOIs Received—Transfer and Minor Amendment Applications/NOIs received for Individual and General WQM Permits and Individual and General NPDES Permits, excluding PAG-01 and PAG-02, are identified but do not have public comment periods. DEP provides a 15-day public comment period for Individual WQM Permit Applications for amendments.

Additional information on these applications and NOIs may be reviewed by generating the “Applications and NOIs without Comment Periods Report” or, for Individual WQM Permit Applications, the “Applications Received with Comment Periods Report” on DEP's website at [www.dep.pa.gov/CWPublicNotice](http://www.dep.pa.gov/CWPublicNotice).

Section II identifies individual NPDES permit applications received and draft permits indicating DEP's tentative determination relating to sewage, industrial waste, industrial stormwater, MS4s, pesticides and CAFOs. A 30-day public comment period applies to these applications and draft permits, except when a site-specific water quality criterion is used to establish effluent limitations, in which case a 45-day public comment period applies. The period for comment may be extended at the discretion of DEP for one additional 15-day period. Additional information, including links to draft permits and fact sheets that explain the basis for DEP's tentative determinations may be reviewed by generating the “Applications Received with Comment Periods Report” on DEP's website at [www.dep.pa.gov/CWPublicNotice](http://www.dep.pa.gov/CWPublicNotice). Notification of 15-day extensions for comment will be provided in the “Applications Received with Comment Periods Report” (Comments column).

Section III identifies individual NPDES permit applications received and draft permits indicating DEP's tentative determination relating to stormwater discharges associated with construction activities. A 30-day public comment period applies to these applications and draft permits. The period for comment may be extended at the discretion of the Department for one additional 15-day period. Additional information may be reviewed by generating the “Applications Received with Comment Periods Report” on DEP's website at [www.dep.pa.gov/CWPublicNotice](http://www.dep.pa.gov/CWPublicNotice).

Applications, NOIs and draft permits, where applicable, may be reviewed at the DEP office that received the application or NOI. Members of the public are encouraged to use DEP's website to obtain additional information as discussed previously.

Comments received within the appropriate comment periods for WQM and NPDES permit applications will be retained by DEP and considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform DEP of the exact basis of a comment and the relevant facts upon which it is based.

DEP office contact information to review applications and NOIs and to submit comments for those applications, when applicable, is as follows:

*DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484-250-5910. Email: RA-EPNPDES\_SERO@pa.gov for permits in Sections I & II; RA-EPWW-SERO@pa.gov for permits in Section III.*

*DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570-826-5472. Email: RA-EPNPDES\_NERO@pa.gov for permits in Sections I & II; RA-EPWW-NERO@pa.gov for permits in Section III.*

*DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717-705-4732. Email: RA-EPNPDES\_SCRO@pa.gov for permits in Sections I & II; RA-EPWW-SCRO@pa.gov for permits in Section III.*

*DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570-327-3693. Email: RA-EPNPDES\_NCRO@pa.gov for permits in Sections I & II; RA-EPWW-NCRO@pa.gov for permits in Section III.*

DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412-442-4286. Email: RA-EPNPDES\_SWRO@pa.gov for permits in Sections I & II; RA-EPWW-SWRO@pa.gov for permits in Section III.

DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814-332-6340. Email: RA-EPNPDES\_NWRO@pa.gov for permits in Sections I & II; RA-EPWW-NWRO@pa.gov for permits in Section III.

DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-787-5017. Email: RA-EPNPDES\_Permits@pa.gov.

DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.

DEP will also accept requests or petitions for public hearings on applications. The request or petition must indicate the interest of the party filing and the reasons why a hearing is warranted. A hearing will be held if DEP determines that there is a significant public interest. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. DEP will postpone its final determination until after a public hearing is held.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

**I. Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received.**

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAD390169	Chapter 102 Individual NPDES Permit	Transfer	CSW Furnace Street Emmaus LP FSE GP LLC 1300 Virginia Drive Fort Washington, PA 19034-3221	Emmaus Borough Lehigh County	NERO
0924811	Joint DEP/PFBC Pesticides Permit	New	Hammonds Michael & Quinn 447 Lurgan Road New Hope, PA 18938-9214	Upper Makefield Township Bucks County	SERO
1514824	Joint DEP/PFBC Pesticides Permit	New	Doughty Fred 60 Bertolet School Road Spring City, PA 19475-3304	South Coventry Township Chester County	SERO
4621821	Joint DEP/PFBC Pesticides Permit	Amendment	Rubin Michael 600 Great Springs Road Bryn Mawr, PA 19010-1702	Lower Merion Township Montgomery County	SERO
5124802	Joint DEP/PFBC Pesticides Permit	New	US FWS 8601 Lindbergh Boulevard Philadelphia, PA 19153-2501	Philadelphia City Philadelphia County	SERO
0124401	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	New	1845 Baltimore PK LLC 440 Stone Jug Road Biglerville, PA 17307-9097	Mount Joy Township Adams County	SCRO
2570203	Minor and Non-NPDES Industrial Waste Treatment Facility Individual WQM Permit	Amendment	Erie City Water Authority Erie County 240 W 12th Street Erie, PA 16501-1706	Erie City Erie County	NWRO
NNOEXSC16	No Exposure Certification	Renewal	DHL Supply Chain 5 True Temper Drive Carlisle, PA 17015-6905	Dickinson Township Cumberland County	SCRO
NOEXNE065	No Exposure Certification	New	Lineage Logistics LLC 2201 N Park Drive Hazleton, PA 18202	Hazle Township Luzerne County	NERO
NOEXNW128	No Exposure Certification	Renewal	Amphenol Thermometrics Inc. 967 Windfall Road Saint Marys, PA 15857-3333	Saint Marys City Elk County	NWRO
NOEXSC113	No Exposure Certification	Renewal	Kennametal Inc. 1600 Technology Way Latrobe, PA 15650-4647	Bedford Township Bedford County	SCRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
NOEXSC235	No Exposure Certification	Renewal	USPS Lancaster 1400 Harrisburg Pike Lancaster, PA 17604-1000	Manheim Township Lancaster County	SCRO
NOEXSC237	No Exposure Certification	Renewal	ABF Freight System Inc. 3801 Old Greenwood Road Fort Smith, AR 72903-5937	Reading City Berks County	SCRO
NOEXSC244	No Exposure Certification	Renewal	YGS Group Inc. 3650 W Market Street York, PA 17404-5813	West Manchester Township York County	SCRO
NOEXSC432	No Exposure Certification	New	Northpoint Development LLC 3315 N Oak Trfy Kansas City, MO 64116-2775	Springettsbury Township York County	SCRO
NOEXSE368	No Exposure Certification	New	UPS Inc. 55 Glenlake Parkway Atlanta, GA 30328	Sharon Hill Borough Delaware County	SERO
NOEXSW048	No Exposure Certification	Renewal	Snyder of Berlin P.O. Box 85 1313 Stadium Street Berlin, PA 15530-0085	Berlin Borough Somerset County	SWRO
NOEXSW203	No Exposure Certification	Renewal	Kitron Tech Inc. 345 Pomroys Drive Windber, PA 15963-2425	Windber Borough Somerset County	SWRO
PAG033551	PAG-03 NPDES General Permit for Industrial Stormwater	Amendment	Chucks Auto Salvage Inc. 1150 Greenwood Road York, PA 17408-4708	West Manchester Township York County	SCRO
PAG034093	PAG-03 NPDES General Permit for Industrial Stormwater	New	Shemas Iron Works 2505 Roundtop Road Middletown, PA 17057-3704	Londonderry Township Dauphin County	SCRO
PAG041415	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	Gross Brandon 25478 State Highway 89 Spartansburg, PA 16434-2940	Sparta Township Crawford County	NWRO
PAG041418	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	McDaniel Daniel 492 Fairview Road Titusville, PA 16354-7540	Cherrytree Township Venango County	NWRO
PAG044001	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	Ile William 301 Benedict Road Wellsborg, PA 17365	Lurgan Township Franklin County	SCRO
PAG044003	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Renewal	Adrienne A & Steven W Hawkins II 7723 Wertzville Road Carlisle, PA 17013-9021	Middlesex Township Cumberland County	SCRO
PAG044006	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Renewal	Nelson Kevin & Nelson Melissa 12 Chestnut Grove Lane Newville, PA 17241-8780	Upper Frankford Township Cumberland County	SCRO
PAG044007	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Renewal	Mansfield Kenneth L 130 Creek Road Newville, PA 17241	West Pennsboro Township Cumberland County	SCRO
PAG044008	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Renewal	Zemir Alic 191 Shatto Drive Carlisle, PA 17013-2120	North Middleton Township Cumberland County	SCRO

## NOTICES

5991

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG046488	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	Tiger Edward 311 Dug Hill Road Mount Pleasant, PA 15666-2394	Mount Pleasant Township Westmoreland County	SWRO
PAG123824	PAG-12 NPDES General Permit for CAFOs	Renewal	Leonard Hoover 6188A Old US 22 Bernville, PA 19506-8457	Upper Tulpehocken Township Berks County	SCRO
PAG136193	PAG-13 NPDES General Permit for MS4s	Renewal	North Irwin Borough Westmoreland County 21 2nd Street Irwin, PA 15642-3326	North Irwin Borough Westmoreland County	SWRO
PAG136204	PAG-13 NPDES General Permit for MS4s	Transfer	Collier Township Allegheny County 2418 Hilltop Road Presto, PA 15142-1176	Collier Township Allegheny County	SWRO
0498401	Pump Stations Individual WQM Permit	Amendment	Big Beaver Borough Beaver County 715 15th Street Beaver Falls, PA 15010-4124	Beaver Falls City Beaver County	SWRO
0224405	Sewer Extensions Individual WQM Permit	New	Allegheny County Sanitary Authority ALCOSAN 3300 Preble Avenue Pittsburgh, PA 15233-1025	Pittsburgh City Allegheny County	SWRO
0273415	Sewer Extensions Individual WQM Permit	Transfer	Allegheny County Sanitary Authority ALCOSAN 3300 Preble Avenue Pittsburgh, PA 15233-1025	Pittsburgh City Allegheny County	SWRO
1724401	Sewer Extensions Individual WQM Permit	New	Sandy Township Clearfield County P.O. Box 267 Du Bois, PA 15801-0267	Sandy Township Clearfield County	NCRO
2722	Sewer Extensions Individual WQM Permit	Amendment	Allegheny County Sanitary Authority ALCOSAN 3300 Preble Avenue Pittsburgh, PA 15233-1025	Pittsburgh City Allegheny County	SWRO
4474	Sewer Extensions Individual WQM Permit	Transfer	Allegheny County Sanitary Authority ALCOSAN 3300 Preble Avenue Pittsburgh, PA 15233-1025	Pittsburgh City Allegheny County	SWRO
5937	Sewer Extensions Individual WQM Permit	Transfer	Allegheny County Sanitary Authority ALCOSAN 3300 Preble Avenue Pittsburgh, PA 15233-1025	Pittsburgh City Allegheny County	SWRO
8954	Sewer Extensions Individual WQM Permit	Transfer	Allegheny County Sanitary Authority ALCOSAN 3300 Preble Avenue Pittsburgh, PA 15233-1025	Pittsburgh City Allegheny County	SWRO
9286	Sewer Extensions Individual WQM Permit	Transfer	Allegheny County Sanitary Authority ALCOSAN 3300 Preble Avenue Pittsburgh, PA 15233-1025	Pittsburgh City Allegheny County	SWRO
PA0285170	Single Residence STP Individual NPDES Permit	Transfer	Morse Andrea 4937 Wexford Run Road Bradfordwoods, PA 15015-1327	Springfield Township Fayette County	SWRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
0924402	Single Residence Sewage Treatment Plant Individual WQM Permit	New	Betz Christian 5506 Silo Hill Road Doylestown, PA 18902-9139	Plumstead Township Bucks County	SERO
2623400	Single Residence Sewage Treatment Plant Individual WQM Permit	Transfer	Morse Andrea 4937 Wexford Run Road Bradfordwoods, PA 15015-1327	Springfield Township Fayette County	SWRO
WQG02462404	WQG-02 Pump Station WQM General Permit	New	Timothy Tieperman 1286 Black Rock Road Phoenixville, PA 19460-1233	Upper Providence Township Montgomery County	SERO

## II. Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs.

### *Northcentral Regional Office*

**PA0218839**, Sewage, SIC Code 4952, **Indiana County Municipal Service Authority**, 602 Kolter Drive, Indiana, PA 15701-3570. Facility Name: Cherry Tree STP. This existing facility is located in Burnside Township, **Clearfield County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), West Branch Susquehanna River (WWF, MF), is located in State Water Plan watershed 8-B and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .08 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instantaneous Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Report	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	16	26	XXX	25.0	40.0	50
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	Report	XXX	XXX
Raw Sewage Influent Total Suspended Solids	XXX	XXX	XXX	Report	XXX	XXX
Raw Sewage Influent Total Suspended Solids	20	30	XXX	30.0	45.0	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Ammonia-Nitrogen	Report	Report	XXX	Report	Report	XXX
Copper, Total	Report	XXX	XXX	Report	XXX	XXX
Ultraviolet light dosage (mjoules/cm <sup>2</sup> )	XXX	XXX	Report	XXX	XXX	XXX
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report

In addition, the permit contains the following major special conditions:

- Other Requirements
- Solids Management

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is in effect.

### *Northcentral Regional Office*

**PA0228648**, Sewage, SIC Code 4952, **Jackson Township Municipal Authority, Tioga County**, 30 Wisteria Way, Millerton, PA 16936-9355. Facility Name: Jackson Township Municipal Authority Millerton Sewer System STP. This existing facility is located in Jackson Township, **Tioga County**.



Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Seeley Creek (CWF), is located in State Water Plan watershed 4-B and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.11 MGD.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	4.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.17
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	23	37	XXX	25.0	40.0	50
Nov 1 - Apr 30						
May 1 - Oct 31	18	28	XXX	20.0	30.0	40
Biological Oxygen Demand (BOD <sub>5</sub> )	Report	Report Daily Max	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	28	41	XXX	30.0	45.0	60
Total Suspended Solids Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
Oct 1 - Apr 30				200 Geo Mean	XXX	1,000
May 1 - Sep 30	XXX	XXX	XXX	18.0	27.0	36
Ammonia-Nitrogen	16.5	24.8	XXX			
Nov 1 - Apr 30						
May 1 - Oct 31	5.5	8.3	XXX	6.0	9.0	12
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	Report Daily Max	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is in effect.

Northeast Regional Office

**PA0044997**, Sewage, SIC Code 4952, **Mount Pocono Municipal Authority, Monroe County**, 1361 Pocono Boulevard, Mount Pocono, PA 18344-1045. Facility Name: Mt Pocono Municipal Authority WWTP. This existing facility is located in Mount Pocono Borough, **Monroe County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Forest Hills Run (HQ-CWF), is located in State Water Plan watershed 1-E and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.400 MGD.—Interim Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	0.400	Report Daily Max	XXX	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.10	XXX	0.33
Temperature (deg F) (°F)	XXX	XXX	XXX	XXX	41.6	XXX
Jan 1 - 31					Daily Max	
Feb 1 - 29	XXX	XXX	XXX	XXX	42.2	XXX
Mar 1 - 31	XXX	XXX	XXX	XXX	Daily Max 46.7	XXX
Apr 1 - 30	XXX	XXX	XXX	XXX	Daily Max 63	XXX
May 1 - 15	XXX	XXX	XXX	XXX	Daily Max 64	XXX
					Daily Max	

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
May 16 - 31	XXX	XXX	XXX	XXX	69	XXX
Jun 1 - 15	XXX	XXX	XXX	XXX	Daily Max 72.3	XXX
Jun 16 - 30	XXX	XXX	XXX	XXX	Daily Max 75	XXX
Jul 1 - 31	XXX	XXX	XXX	XXX	Daily Max 77.3	XXX
Aug 1 - 31	XXX	XXX	XXX	XXX	Daily Max 75	XXX
Sep 1 - 15	XXX	XXX	XXX	XXX	Daily Max 70.7	XXX
Sep 16 - 30	XXX	XXX	XXX	XXX	Daily Max 63.2	XXX
Oct 1 - 15	XXX	XXX	XXX	XXX	Daily Max 55.8	XXX
Oct 16 - 31	XXX	XXX	XXX	XXX	Daily Max 51.2	XXX
Nov 1 - 15	XXX	XXX	XXX	XXX	Daily Max 49.0	XXX
Nov 16 - 30	XXX	XXX	XXX	XXX	Daily Max 47.2	XXX
Dec 1 - 31	XXX	XXX	XXX	XXX	Daily Max 43.3	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	6.1	9.2	XXX	10.0	Daily Max 15.0	20.0
Total Suspended Solids	18.5	27.8	XXX	30.0	45.0	60.0
Nitrate-Nitrite as N	8.5	17.0	XXX	13.8	27.6	27.6
Ammonia-Nitrogen	5.0	Daily Max 10.0	XXX	8.1	Daily Max 16.2	16.2
Nov 1 - Apr 30		Daily Max			Daily Max	
Ammonia-Nitrogen	1.6	3.3	XXX	2.7	5.4	5.4
May 1 - Oct 31		Daily Max			Daily Max	
Total Phosphorus	0.6	1.2	XXX	1.0	2.0	2.0
		Daily Max			Daily Max	
Copper, Total (ug/L)	Report	Report	XXX	Report	Report	XXX
		Daily Max			Daily Max	
Lead, Total	Report	Report	XXX	Report	Report	XXX
		Daily Max			Daily Max	
Zinc, Total (ug/L)	Report	Report	XXX	Report	Report	XXX
		Daily Max			Daily Max	

The proposed effluent limits for Outfall 001 are based on a design flow of 0.400 MGD (Tier 1).—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	0.400	Report Daily Max	XXX	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.02	XXX	0.06
Jan 1 - 31	XXX	XXX	XXX	XXX	Daily Max 39.8	XXX
Feb 1 - 29	XXX	XXX	XXX	XXX	Daily Max 40.2	XXX
Mar 1 - 31	XXX	XXX	XXX	XXX	Daily Max 42.7	XXX
Apr 1 - 15	XXX	XXX	XXX	XXX	Daily Max 50.4	XXX
Apr 16 - 30	XXX	XXX	XXX	XXX	Daily Max 54.3	XXX
May 1 - 15	XXX	XXX	XXX	XXX	Daily Max 55.5	XXX
May 16 - 31	XXX	XXX	XXX	XXX	Daily Max 60.6	XXX
Jun 1 - 15	XXX	XXX	XXX	XXX	Daily Max 61.3	XXX
					Daily Max	

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Jun 16 - 30	XXX	XXX	XXX	XXX	65.9	XXX
Jul 1 - 31	XXX	XXX	XXX	XXX	Daily Max 67.2	XXX
Aug 1 - 31	XXX	XXX	XXX	XXX	Daily Max 67.0	XXX
Sep 1 - 15	XXX	XXX	XXX	XXX	Daily Max 64.7	XXX
Sep 16 - 30	XXX	XXX	XXX	XXX	Daily Max 60.3	XXX
Oct 1 - 15	XXX	XXX	XXX	XXX	Daily Max 54.2	XXX
Oct 16 - 31	XXX	XXX	XXX	XXX	Daily Max 50.1	XXX
Nov 1 - 15	XXX	XXX	XXX	XXX	Daily Max 48.1	XXX
Nov 16 - 30	XXX	XXX	XXX	XXX	Daily Max 46.3	XXX
Dec 1 - 31	XXX	XXX	XXX	XXX	Daily Max 42.0	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	7.7	11.6	XXX	10.0	Daily Max 15.0	20.0
Total Suspended Solids	23.2	34.8	XXX	30.0	45.0	60.0
Nitrate-Nitrite as N	8.5	17.0	XXX	13.8	27.6	27.6
Ammonia-Nitrogen	3.4	Daily Max 6.9	XXX	4.5	Daily Max 9.0	9.0
Nov 1 - Apr 30		Daily Max			Daily Max	
May 1 - Oct 31	1.1	2.3	XXX	1.5	3.0	3.0
Total Phosphorus	0.7	Daily Max 1.5	XXX	1.0	Daily Max 2.0	2.0
Copper, Total (ug/L)	0.039	Daily Max 0.064	XXX	11.7	Daily Max 19.3	29.3
Lead, Total (ug/L)	0.014	Daily Max 0.017	XXX	4.33	Daily Max 5.06	10.8
Zinc, Total (ug/L)	0.47	Daily Max 0.47	XXX	141.0	Daily Max 141.0	141

The proposed effluent limits for Outfall 001 are based on a design flow of 0.500 MGD (Tier 2).—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	0.500	Report	XXX	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.02	XXX	0.05
Temperature (deg F) (°F)	XXX	XXX	XXX	XXX	39.8	XXX
Jan 1 - 31						
Feb 1 - 29	XXX	XXX	XXX	XXX	40.2	XXX
Mar 1 - 31	XXX	XXX	XXX	XXX	42.6	XXX
Apr 1 - 15	XXX	XXX	XXX	XXX	49.9	XXX
Apr 16 - 30	XXX	XXX	XXX	XXX	53.8	XXX
May 1 - 15	XXX	XXX	XXX	XXX	55.2	XXX
May 16 - 31	XXX	XXX	XXX	XXX	60.0	XXX
Jun 1 - 15	XXX	XXX	XXX	XXX	61.1	XXX
Jun 16 - 30	XXX	XXX	XXX	XXX	65.6	XXX
Jul 1 - 31	XXX	XXX	XXX	XXX	67.0	XXX
Aug 1 - 31	XXX	XXX	XXX	XXX	66.8	XXX
Sep 1 - 15	XXX	XXX	XXX	XXX	64.6	XXX
Sep 16 - 30	XXX	XXX	XXX	XXX	60.3	XXX
Oct 1 - 15	XXX	XXX	XXX	XXX	54.2	XXX
Oct 16 - 31	XXX	XXX	XXX	XXX	50.1	XXX
Nov 1 - 15	XXX	XXX	XXX	XXX	48.1	XXX
Nov 16 - 30	XXX	XXX	XXX	XXX	46.3	XXX
Dec 1 - 31	XXX	XXX	XXX	XXX	41.9	XXX
Ammonia-Nitrogen	3.4	6.9	XXX	4.5	9.0	9.0
Nov 1 - Apr 30						
May 1 - Oct 31	1.1	2.3	XXX	1.5	3.0	3.0

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Copper, Total (ug/L)	0.048	0.08	XXX	11.6	19.2	29.1
Lead, Total (ug/L)	0.018	0.021	XXX	4.3	5.02	10.8
Zinc, Total (ug/L)	0.59	0.59	XXX	141.0	141.0	141

The proposed effluent limits for Outfall 001 are based on a design flow of 0.400 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Instantaneous Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	7.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> ) Raw Sewage Influent	Report	Report	XXX	Report	Report	XXX
CBOD <sub>5</sub> Minimum % Removal (%)	85 Min Mo Avg	XXX	XXX	XXX	XXX	XXX
Total Suspended Solids Raw Sewage Influent	Report	Report	XXX	Report	Report	XXX
Total Suspended Solids Minimum % Removal (%)	85 Min Mo Avg	XXX	XXX	XXX	XXX	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
Oct 1 - Apr 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
May 1 - Sep 30	XXX	XXX	XXX	XXX	XXX	XXX
Ultraviolet light intensity (µw/cm <sup>2</sup> )	Report	Report	Report	Report	Report	XXX
Total Nitrogen	Report	Report	XXX	Report	Report	XXX
Total Kjeldahl Nitrogen	Report	Report	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 101 (Upstream Surface Water Monitoring Point 1) are based on a design flow of NA MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Temperature (deg F) (°F)	XXX	XXX	XXX	XXX	XXX	Report

The proposed effluent limits for Outfall 102 (Downstream Surface Water Monitoring Point 2) are based on a design flow of NA MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
Temperature (deg F) (°F)	XXX	XXX	XXX	Report	XXX	Report
Temperature, Delta (Discharge - Intake) (deg F) (°F)	XXX	XXX	XXX	XXX	2	XXX

The proposed effluent limits for Outfall 103 (Discharge to Spray Irrigation) are based on a design flow of NA MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX

The proposed effluent limits for Outfall 104 (Downstream Surface Water Monitoring Point 3) are based on a design flow of NA MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Temperature (deg F) (°F)	XXX	XXX	XXX	XXX	XXX	Report

In addition, the permit contains the following major special conditions:

- Stormwater prohibition; Necessary property rights; Residuals management; Chlorine minimization; Dry stream; Responsible operator; Changes in stream/discharge; Limitation on discharge flow; Maximum temperature change; Continuous discharge; Consent decree incorporated by reference; SBR storm mode sampling requirement; Land discharge (spray irrigation) reporting; Schedule of compliance (ammonia and temperature limits); Solids management; WQBELs for toxic pollutants

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

*Northeast Regional Office*

**PA0063894**, Industrial, SIC Code 4941, **Municipal Authority of the Borough of Minersville**, 2 East Sunbury Street, Minersville, PA 17954-1719. Facility Name: Minersville Water Treatment Plant. This existing facility is located in Cass Township, **Schuylkill County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Dyer Run (CWF), is located in State Water Plan watershed 3-A and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.18 MGD.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	Report	XXX	Report	XXX
Influent					Max	
pH (S.U.)	XXX	XXX	Report	XXX	9.0	XXX
					Max	
pH (S.U.)	XXX	XXX	0.0	XXX	XXX	XXX
Effluent Net						
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.2
Total Suspended Solids	Report	Report	XXX	30.0	60.0	75.0
Aluminum, Total	Report	Report	XXX	4.0	8.0	10.0
Iron, Total	Report	Report	XXX	2.0	4.0	5.0
Manganese, Total	Report	Report	XXX	1.0	2.0	2.5
Total Dissolved Solids	XXX	XXX	XXX	Report	XXX	XXX
				Avg Qrtly		

In addition, the permit contains the following major special conditions:

- Sedimentation Basin Cleaning

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

*Northeast Regional Office*

**PA0276707**, Storm Water, SIC Code 3363, **Bardane Manufacturing Co.**, P.O. Box 70, Jermyn, PA 18433-0070. Facility Name: Bardane Manufacturing. This existing facility is located in Jermyn Borough, **Lackawanna County**.

Description of Proposed Activity: The application is for a new NPDES permit for an existing discharge of industrial stormwater.

The receiving stream, Lackawanna River (HQ-CWF, MF), is located in State Water Plan watershed 5-A and is classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD (stormwater).

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Copper, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- Stormwater Outfalls and Authorized Non-Stormwater Discharges
- Best Management Practices (BMPs)
- Stormwater Monitoring Requirements
- Routine Inspections
- Preparedness, Prevention and Contingency (PPC) Plan

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

*Northeast Regional Office*

**PAS802209**, Storm Water, SIC Code 3700, 4213, **Jenstar of Allentown I**, 551 Cooper Road, West Berlin, NJ 08091-3863. Facility Name: Werner Enterprises Allentown. This existing facility is located in Upper Macungie Township, **Lehigh County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial stormwater.

The receiving stream(s), Unnamed Tributary to Little Cedar Creek (HQ-CWF, MF), is located in State Water Plan watershed 2-C and is classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD—Stormwater.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- Stormwater Outfalls and Authorized Non-Stormwater Discharges
- Best Management Practices (BMPs)
- Routine Inspections
- Preparedness, Prevention and Contingency (PPC) Plan
- Stormwater Monitoring Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

*Northwest Regional Office*

**PA0265217**, Sewage, SIC Code 4952, 8800, **Velma Chizewick**, 20 N Branch Road, Eldred, PA 16731-3902. Facility Name: Velma Chizewick SRSTP. This existing facility is located in Eldred Township, **McKean County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Indian Creek (CWF), is located in State Water Plan watershed 16-C and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Minimum</i>	<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	Report	XXX	XXX
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

*Northwest Regional Office*

**PA0271501**, Sewage, SIC Code 4952, **Perry Township, Mercer County**, P.O. Box 69, Hadley, PA 16130. Facility Name: Hadley STP. This existing facility is located in Perry Township, **Mercer County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Little Shenango River (TSF), is located in State Water Plan watershed 20-A and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .047 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Daily Min 4.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	9.5	15.0	Daily Min XXX	25.0	40.0	50
Biochemical Oxygen Demand (BOD <sub>5</sub> )	Report	Report Daily Max	XXX	Report	XXX	XXX
Raw Sewage Influent Total Suspended Solids	11.0	17.0	XXX	30.0	45.0	60
Total Suspended Solids Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean XXX	Report Daily Max	XXX
Ultraviolet light intensity (mW/cm <sup>2</sup> )	XXX	XXX	XXX	25.0	XXX	50
Ammonia-Nitrogen	9.5	XXX	XXX	XXX	XXX	Report
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	XXX
Total Nitrogen	Report Annl Avg	XXX	XXX	Report Annl Avg	XXX	XXX
Total Phosphorus	Report Annl Avg	XXX	XXX	Report Annl Avg	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

**PA0295868**, Sewage, SIC Code 8800, **Cathy & Daniel Hart**, 5522 Doris Drive, Girard, PA 16417-8806. Facility Name: Cathy & Daniel Hart SRSTP. This proposed facility is located in Girard Township, **Erie County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Stream (HQ-CWF, MF), is located in State Water Plan watershed 15-A and is classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	Inst Min XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

**PA0296015**, Sewage, SIC Code 8800, **Traci Barnes**, 162 Jackson Road, Saint Marys, PA 15857-3230. Facility Name: Traci Barnes SRSTP. This proposed facility is located in Saint Marys City, **Elk County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to South Fork West Creek (HQ-CWF, MF), is located in State Water Plan watershed 8-A and is classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min XXX	XXX	XXX	9.0
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

*Southcentral Regional Office*

**PA0266833**, Sewage, SIC Code 6514, **Mike E & Rebecca L Stamy**, 575 Mountain Road, Boiling Springs, PA 17007-9520. Facility Name: 575 Mountain Road SRSTP. This existing facility is located in South Middleton Township, **Cumberland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Old Town Run (HQ-CWF, MF), is located in State Water Plan watershed 7-E and is classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0005 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (MGD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

*Southcentral Regional Office*

**PAS503501**, Storm Water, SIC Code 4953, **Reworld Harrisburg**, 1670 S 19th Street, Harrisburg, PA 17104-3201. Facility Name: Susquehanna Resource Management Complex. This existing facility is located in Harrisburg City, **Dauphin County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of stormwater associated with industrial activity.

The receiving stream(s), Spring Creek (CWF, MF), is located in State Water Plan watershed 7-C and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001—004 and 006:

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX



Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
Total Dissolved Solids	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Arsenic, Total	XXX	XXX	XXX	XXX	Report	XXX
Barium, Total	XXX	XXX	XXX	XXX	Report	XXX
Cadmium, Total	XXX	XXX	XXX	XXX	Report	XXX
Chromium, Total	XXX	XXX	XXX	XXX	Report	XXX
Cyanide, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Magnesium, Dissolved	XXX	XXX	XXX	XXX	Report	XXX
Magnesium, Total	XXX	XXX	XXX	XXX	Report	XXX
Mercury, Total	XXX	XXX	XXX	XXX	Report	XXX
Selenium, Total	XXX	XXX	XXX	XXX	Report	XXX
Silver, Total	XXX	XXX	XXX	XXX	Report	XXX
Total Organic Carbon	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- Stormwater Outfalls and Authorized Non-Stormwater Discharges
- Best Management Practices (BMPs), including Applicable BMPs from Appendix A from the PAG-03 (effective 3/24/2023)
- Routine Inspections
- Preparedness, Prevention, and Contingency (PPC) Plan
- Stormwater Monitoring Requirements (including Benchmarks for COD, TSS, pH, and BOD<sub>5</sub>)
- Other Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

*Southeast Regional Office*

**PA0245640**, Sewage, SIC Code 8811, **Christian Betz**, 5506 Silo Hill Road, Doylestown, PA 18902-9139. Facility Name: 5506 Silo Hill Rd SFTF. This proposed facility is located in Plumstead Township, **Bucks County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary of North Branch Neshaminy Creek (WWF, MF), is located in State Water Plan watershed 2-F and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Annual	Maximum	
Flow (MGD)	Report Annual Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX

In addition, the permit contains the following major special conditions:

Other Requirements:

- AMR
- DMR
- Depth of septage
- Pump septic tanks
- Chlorine minimization

- No stormwater
- Property rights
- Solid waste management
- Municipal sewage facilities
- UV disinfection

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

*Southwest Regional Office*

**PA0026891**, Sewage, SIC Code 4952, the **Authority of the Borough of Charleroi**, P.O. Box 211, Charleroi, PA 15022-0211. Facility Name: Charleroi Borough STP. This existing facility is located in Charleroi Borough, **Washington County**.

Description of Existing Activity: The application is for an NPDES permit amendment to extend compliance dates for a Long-Term Control Plan for Combined Sewer Overflows by 2.5 years. Effluent limits, monitoring requirements, and all other terms and conditions of the permit remain unchanged.

The receiving stream, the Monongahela River (WWF), is located in State Water Plan watershed 19-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharges are not expected to affect public water supplies.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is not in effect.

*Southwest Regional Office*

**PA0093475**, Sewage, SIC Code 4952, **Findlay Township Municipal Authority**, 1271 Route 30, Clinton, PA 15026-1537. Facility Name: Potato Garden Run STP. This existing facility is located in Findlay Township, **Allegheny County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary of Raccoon Creek (WWF), is located in State Water Plan watershed 20-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.5 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Concentrations (mg/L)			IMAX
	Average Monthly	Weekly Average	Average Monthly	Weekly Average	Maximum	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Daily Max Report	XXX	XXX
Aluminum, Total	XXX	XXX	XXX	Daily Max Report	XXX	XXX
Iron, Total	XXX	XXX	XXX	Daily Max Report	XXX	XXX
Manganese, Total	XXX	XXX	XXX	Daily Max Report	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.5 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Concentrations (mg/L)			IMAX
	Average Monthly	Weekly Average	Average Monthly	Weekly Average	Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 5.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	100.0	150.0	Inst Min 25.0	37.0	XXX	50
Nov 1 - Apr 30						
May 1 - Oct 31	75.0	115.0	19.0	28.0	XXX	38

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Average Monthly</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Weekly Average</i>	<i>Maximum</i>	
Biochemical Oxygen Demand (BOD <sub>5</sub> ) Intake	Report	Report Daily Max	Report	XXX	XXX	XXX
Total Suspended Solids Intake	125.0	185.0	30.0	45.0	XXX	60
Total Suspended Solids Intake	Report	Report Daily Max	Report	XXX	XXX	XXX
Fecal Coliform (No./100 ml) Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
Fecal Coliform (No./100 ml) May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
Ultraviolet light transmittance (%)	XXX	XXX	Report Inst Min	Report Avg Mo	XXX	XXX
Ammonia-Nitrogen Nov 1 - Apr 30	16.0	XXX	4.0	XXX	XXX	8.5
Ammonia-Nitrogen May 1 - Oct 31	8.0	XXX	2.0	XXX	XXX	4

In addition, the permit contains the following major special conditions:

- None

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

*Southwest Regional Office*

**PA0255459**, Sewage, SIC Code 8811, **Peters Bradley W**, 157 Barr Road, Finleyville, PA 15332-3708. Facility Name: Peters SRSTP. This existing facility is located in Nottingham Township, **Washington County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Mingo Creek (HQ-TSF), is located in State Water Plan watershed 19-C and is classified for High Quality Waters—Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	Inst Min XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX
Ammonia-Nitrogen Nov 1 - Apr 30	XXX	XXX	XXX	Geo Mean 15.0	XXX	30.0
Ammonia-Nitrogen May 1 - Oct 31	XXX	XXX	XXX	5.0	XXX	10.0

In addition, the permit contains the following major special conditions:

Ultraviolet (UV) Disinfection

The UV disinfection contact surface must be cleaned at least monthly to ensure adequate disinfection. The AMR must include the date(s) that the UV contact surface is cleaned.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

*Southwest Regional Office*

**PA0285331**, Sewage, SIC Code 8800, **Rachel Stainbrook**, 210 E George Street, Carmichaels, PA 15320-1204. Facility Name: **Stainbrook Properties SFTF**. This proposed facility is located in Morris Township, **Greene County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SFTF sewage.

The receiving stream(s), Unnamed Tributary of Bates Fork (HQ-WWF), is located in State Water Plan watershed 19-B and is classified for High Quality Waters—Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0008 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	0.0008	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	Inst Min XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000
Ammonia-Nitrogen	XXX	XXX	XXX	Geo Mean 15.0	XXX	30.0
Nov 1 - Apr 30	XXX	XXX	XXX	5.0	XXX	10.0
May 1 - Oct 31	XXX	XXX	XXX	5.0	XXX	10.0

In addition, the permit contains the following major special conditions:

- None

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

*Southwest Regional Office*

**PA0000892**, Industrial, SIC Code 3356, **Westinghouse Electric Co.**, 559 Westinghouse Road, Blairsville, PA 15717-4130. Facility Name: Westinghouse Electric Specialty Metals Plant Blairsville. This existing facility is located in Derry Township, **Westmoreland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Conemaugh River (WWF), is located in State Water Plan watershed 18-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for IMP 101 are based on a design flow of .090 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	7.5	XXX	XXX	9.0
Temperature (°F)	XXX	XXX	XXX	XXX	XXX	110
Total Suspended Solids	31.9	67.1	XXX	12.0	15.0	18.75
Oil and Grease	19.6	32.7	XXX	10.0	10.0	XXX
Ammonia-Nitrogen	13.8	31.5	XXX	58.6	133.3	166.6
Aluminum, Total (lbs/mo)	Report	XXX	XXX	Report	Report	XXX
Aluminum, Total (lbs/year)	Total Mo XXX	256	XXX	XXX	XXX	XXX
Chromium, Total	0.0425	0.104	XXX	0.15	0.37	0.46
Cyanide, Total	0.0283	0.0684	XXX	0.08	0.2	0.25
Fluoride, Total	6.23	14.0	XXX	26.4	59.5	74.4
Iron, Total (lbs/mo)	Report	XXX	XXX	Report	Report	XXX
Iron, Total (lbs/year)	Total Mo XXX	512	XXX	XXX	XXX	XXX
Manganese, Total (lbs/mo)	Report	XXX	XXX	Report	Report	XXX
Manganese, Total (lbs/year)	Total Mo XXX	341	XXX	XXX	XXX	XXX
Nickel, Total	0.300	0.453	XXX	0.37	0.55	0.69
PFOA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFOS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFBS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
HFPO-DA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for IMP 101 are based on a design flow of .090 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	7.5	XXX	XXX	9.0
Temperature (°F)	XXX	XXX	XXX	XXX	XXX	110
Total Suspended Solids	31.9	67.1	XXX	12.0	15.0	18.75
Oil and Grease	19.6	32.7	XXX	10.0	10.0	XXX
Ammonia-Nitrogen	13.8	31.5	XXX	58.6	133.3	166.6
Aluminum, Total (lbs/mo)	Report	XXX	XXX	0.75	0.75	XXX
Aluminum, Total (lbs/year)	Total Mo XXX	256	XXX	XXX	XXX	XXX
Chromium, Total	0.0425	0.104	XXX	0.15	0.37	0.46
Cyanide, Total	0.0283	0.0684	XXX	0.08	0.2	0.25
Fluoride, Total	6.23	14.0	XXX	26.4	59.5	74.4
Iron, Total (lbs/mo)	Report	XXX	XXX	1.5	3.0	XXX
Iron, Total (lbs/year)	Total Mo XXX	512	XXX	XXX	XXX	XXX
Manganese, Total (lbs/mo)	Report	XXX	XXX	1.0	2.0	XXX
Manganese, Total (lbs/year)	Total Mo XXX	341	XXX	XXX	XXX	XXX
Nickel, Total	0.300	0.453	XXX	0.37	0.55	0.69
PFOA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFOS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFBS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
HFPO-DA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for IMP 201 are based on a design flow of .0037 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Report	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	25.0	XXX	50.0
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Ultraviolet light transmittance (%)	XXX	XXX	XXX	Geo Mean		
Total Nitrogen	XXX	XXX	XXX	Report	XXX	Report
Ammonia-Nitrogen	XXX	XXX	XXX	25.0	XXX	50.0
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
Aluminum, Total	XXX	XXX	XXX	Report	Report	XXX
Iron, Total	XXX	XXX	XXX	Report	Report	XXX
Manganese, Total	XXX	XXX	XXX	Report	Report	XXX

The proposed effluent limits for IMP 201 are based on a design flow of .0037 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	4.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	25.0	XXX	50.0
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Ultraviolet light transmittance (%)	XXX	XXX	XXX	Geo Mean		
Total Nitrogen	XXX	XXX	XXX	Report	XXX	Report
Ammonia-Nitrogen	XXX	XXX	XXX	25.0	XXX	50.0

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
Aluminum, Total	XXX	XXX	XXX	Report	Report	XXX
Iron, Total	XXX	XXX	XXX	Report	Report	XXX
Manganese, Total	XXX	XXX	XXX	Report	Report	XXX

The proposed effluent limits for IMP 301 are based on a design flow of .0098 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60.0
Oil and Grease	XXX	XXX	XXX	15.0	XXX	30.0
Aluminum, Total	XXX	XXX	XXX	Report	Report	XXX
Iron, Dissolved	XXX	XXX	XXX	XXX	XXX	7.0
Iron, Total	XXX	XXX	XXX	Report	Report	XXX
Manganese, Total	XXX	XXX	XXX	Report	Report	XXX
Trichloroethylene	XXX	XXX	XXX	0.072	XXX	0.144

The proposed effluent limits for Outfall 002:

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Copper, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX
Trichloroethylene (ug/L)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 003:

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Copper, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX
Trichloroethylene (ug/L)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 004:

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Copper, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX
Trichloroethylene (ug/L)	XXX	XXX	XXX	XXX	Report	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is not in effect.

Southwest Regional Office

**PA0091227**, Industrial, SIC Code 2819, **Calgon Carbon Corporation**, 200 Neville Road, Pittsburgh, PA 15225-1620. Facility Name: Calgon Carbon Corporation—Neville Island Plant. This existing facility is located in Neville Township, **Allegheny County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Unnamed Tributary of Ohio River (WWF) and Ohio River (WWF), is located in State Water Plan watershed 20-G and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.394 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average	Daily	Instant	Average	Daily	
	Monthly	Maximum		Monthly	Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Temperature (°F)	XXX	XXX	XXX	Report	XXX	110
Total Dissolved Solids	XXX	XXX	XXX	Report	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Dissolved	XXX	XXX	XXX	XXX	7.0	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Manganese, Total	XXX	XXX	XXX	XXX	Report	XXX
Sulfate, Total	XXX	XXX	XXX	Report	Report	XXX
Chloride	XXX	XXX	XXX	Report	Report	XXX
Bromide	XXX	XXX	XXX	Report	Report	XXX
PFOA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFOS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFBS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
HFPO-DA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for IMP 101 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average	Daily	Instant	Average	Daily	
	Monthly	Maximum		Monthly	Maximum	
Flow (MGD)	XXX	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Mercury, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 0.250 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average	Daily	Instant	Average	Daily	
	Monthly	Maximum		Monthly	Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Temperature (°F)	XXX	XXX	XXX	Report	XXX	110
Total Dissolved Solids	XXX	XXX	XXX	Report	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Dissolved	XXX	XXX	XXX	XXX	7.0	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Manganese, Total	XXX	XXX	XXX	XXX	Report	XXX
Sulfate, Total	XXX	XXX	XXX	Report	Report	XXX
Chloride	XXX	XXX	XXX	Report	Report	XXX
Bromide	XXX	XXX	XXX	Report	Report	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
PFOA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFOS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFBS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
HFPO-DA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 102 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	XXX	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Mercury, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 005 are based on a design flow of 0.031 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	1.0	XXX
Temperature (°F)	XXX	XXX	XXX	Report	XXX	110
Total Suspended Solids	XXX	XXX	XXX	30.0	60.0	XXX
Total Dissolved Solids	XXX	XXX	XXX	Report	Report	XXX
Oil and Grease	XXX	XXX	XXX	15.0	XXX	30
Aluminum, Total	XXX	XXX	XXX	4.0	8.0	XXX
Iron, Total	XXX	XXX	XXX	2.0	4.0	XXX
Manganese, Total	XXX	XXX	XXX	1.0	2.0	XXX
Mercury, Total (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Sulfate, Total	XXX	XXX	XXX	Report	Report	XXX
Chloride	XXX	XXX	XXX	Report	Report	XXX
Bromide	XXX	XXX	XXX	Report	Report	XXX
PFOA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFOS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFBS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
HFPO-DA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 005 are based on a design flow of 0.031 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	1.0	XXX
Temperature (°F)	XXX	XXX	XXX	Report	XXX	110
Total Suspended Solids	XXX	XXX	XXX	30.0	60.0	XXX
Total Dissolved Solids	XXX	XXX	XXX	Report	Report	XXX
Oil and Grease	XXX	XXX	XXX	15.0	XXX	30
Aluminum, Total	XXX	XXX	XXX	4.0	8.0	XXX
Iron, Total	XXX	XXX	XXX	2.0	4.0	XXX
Manganese, Total	XXX	XXX	XXX	1.0	2.0	XXX
Mercury, Total (ug/L)	XXX	XXX	XXX	0.012	0.019	0.03
Sulfate, Total	XXX	XXX	XXX	Report	Report	XXX
Chloride	XXX	XXX	XXX	Report	Report	XXX
Bromide	XXX	XXX	XXX	Report	Report	XXX
PFOA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFOS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX



<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
PFBS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
HFPO-DA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 105 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	XXX	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 006 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	XXX	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX
PFOA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFOS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFBS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
HFPO-DA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 007 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	XXX	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX
PFOA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFOS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFBS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
HFPO-DA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 008 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	XXX	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX
PFOA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFOS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFBS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
HFPO-DA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 009 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	XXX	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX
PFOA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFOS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFBS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
HFPO-DA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- Until there is an analytical method approved in 40 CFR Part 136 for PFAS monitoring, all PFAS monitoring shall be conducted using EPA Method 1633. PFAS monitoring shall include the 40 parameters analyzed by Method 1633. The lab results pages showing the results for all 40 PFAS parameters must be attached to the quarterly DMRs for outfall 001, 002 and 005—009. In addition, the results for PFOA, PFOS, HFPO-DA and PFBS must be individually entered on the quarterly DMRs.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is not in effect.

*Southwest Regional Office*

**PA0204889**, Industrial, SIC Code 4111, **Allegheny County Port Authority**, 345 6th Avenue, Pittsburgh, PA 15222-2541. Facility Name: Harmar Garage Port Authority Allegheny County. This existing facility is located in Harmar Township, **Allegheny County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Deer Creek (WWF), is located in State Water Plan watershed 18-A and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Daily Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	Report	XXX	XXX	Report
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	Report	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	Report	100.0	XXX
Oil and Grease	XXX	XXX	XXX	15.0	30.0	XXX
Iron, Dissolved	XXX	XXX	XXX	3.5	7.0	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 0.0 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average	Daily	Daily	Average	Daily	
	Monthly	Maximum	Minimum	Monthly	Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	Report	XXX	XXX	Report
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	Report	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	Report	100.0	XXX
Oil and Grease	XXX	XXX	XXX	15.0	30.0	XXX
Iron, Dissolved	XXX	XXX	XXX	3.5	7.0	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

*Southwest Regional Office*

**PA0204901**, Industrial, SIC Code 4111, **Allegheny County Port Authority**, 345 6th Avenue, Pittsburgh, PA 15222-2541. Facility Name: Port Authority Ross Township Garage. This existing facility is located in Ross Township, **Allegheny County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Nelson Run (WWF), is located in State Water Plan watershed 18-A and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average	Daily	Daily	Average	Daily	
	Monthly	Maximum	Minimum	Monthly	Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	Report	XXX	XXX	Report
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	Report	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	Report	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	100.0	XXX
Oil and Grease	XXX	XXX	XXX	15.0	30.0	XXX
Iron, Dissolved	XXX	XXX	XXX	3.5	7.0	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 0.0 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average	Daily	Daily	Average	Daily	
	Monthly	Maximum	Minimum	Monthly	Maximum	
Flow (MGD)	XXX	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	XXX	XXX	XXX	Report
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Iron, Dissolved	XXX	XXX	XXX	XXX	Report	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

*Southwest Regional Office*

**PA0218081**, Industrial, SIC Code 3547, **Whemco Steel Castings Inc.**, 601 W 7th Avenue, Homestead, PA 15120-1064. Facility Name: Whemco Steel Castings Inc. This existing facility is located in West Homestead Borough, **Allegheny County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Monongahela River (WWF), Streets Run (WWF), and West Run (WWF), is located in State Water Plan watershed 19-A and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average</i>	<i>Daily</i>	<i>Instant</i>	<i>Average</i>	<i>Daily</i>	
	<i>Monthly</i>	<i>Maximum</i>		<i>Monthly</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 003 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average</i>	<i>Daily</i>	<i>Instant</i>	<i>Average</i>	<i>Daily</i>	
	<i>Monthly</i>	<i>Maximum</i>		<i>Monthly</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 004 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average</i>	<i>Daily</i>	<i>Instant</i>	<i>Average</i>	<i>Daily</i>	
	<i>Monthly</i>	<i>Maximum</i>		<i>Monthly</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 005 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average</i>	<i>Daily</i>	<i>Instant</i>	<i>Average</i>	<i>Daily</i>	
	<i>Monthly</i>	<i>Maximum</i>		<i>Monthly</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 006 are based on a design flow of 0.057 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average</i>	<i>Daily</i>	<i>Instant</i>	<i>Average</i>	<i>Daily</i>	
	<i>Monthly</i>	<i>Maximum</i>		<i>Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	Report	Report	XXX
Temperature (°F)	XXX	XXX	XXX	Report	XXX	110
Oil and Grease	XXX	XXX	XXX	Report	Report	XXX
Copper, Total (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Iron, Total	1.17	XXX	XXX	Report	Report	XXX
Zinc, Total (ug/L)	XXX	XXX	XXX	Report	Report	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Acrolein (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Acrylonitrile (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Dichlorobromomethane (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Bis(2-Ethylhexyl)Phthalate (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Chloroform (ug/L)	XXX	XXX	XXX	Report	Report	XXX
PFOA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFOS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFBS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
HFPO-DA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 006 are based on a design flow of 0.057 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.276	0.288	XXX
Temperature (°F)	XXX	XXX	XXX	Report	XXX	110
Oil and Grease	XXX	XXX	XXX	Report	Report	XXX
Copper, Total (ug/L)	0.008	0.012	XXX	16.3	25.4	XXX
Iron, Total	1.17	XXX	XXX	Report	Report	XXX
Zinc, Total (ug/L)	0.068	0.11	XXX	142.0	222.0	XXX
Acrolein (ug/L)	0.002	0.003	XXX	4.4	6.87	XXX
Acrylonitrile (ug/L)	0.0004	0.0007	XXX	5.0	5.0	XXX
Dichlorobromomethane (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Bis(2-Ethylhexyl)Phthalate (ug/L)	0.002	0.004	XXX	5.0	7.67	XXX
Chloroform (ug/L)	XXX	XXX	XXX	14.2	22.2	XXX
PFOA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFOS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFBS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
HFPO-DA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 106 are based on a design flow of 0.057 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
Total Suspended Solids	XXX	XXX	XXX	15.0	40.0	XXX
Oil and Grease	XXX	XXX	XXX	XXX	10.0	XXX
Iron, Total	XXX	XXX	XXX	3.4	6.8	XXX

The proposed effluent limits for Outfall 008 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 014 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX

Parameters	Mass Units (lbs/day)		Instant Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

Outfall 006 received WQBELs (Water Quality-Based Effluent Limits) for Acrolein, Acrylonitrile, and Bis(2-Ethylhexyl) Phthalate, despite being non-detectable. This is because the analytical method used had a high reporting limit, making it uncertain whether these compounds are present in the discharge at concentrations that would require WQBELs.

During the 30-days comment period, the Department will allow Whemco Steel Castings Inc. to resample the discharge, and have the samples analyzed for Acrolein, Acrylonitrile, and Bis(2-Ethylhexyl) Phthalate using a quantitation limit (QL) that is no greater than the Target QLs identified. If it is determined that the pollutants are not present in the discharge at the Department's QL, the WQBELs may be removed from the Final Permit

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

*Southwest Regional Office*

**PA1136121**, MS4, **Westmont Borough, Cambria County**, 1000 Luzerne Street, Johnstown, PA 15905.

The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Westmont Borough, **Cambria County**. The receiving stream(s), Elk Run (CWF), Tributary 45106 to Mill Creek (HQ-CWF), Tributary 45105 to Mill Creek (HQ-CWF), Tributary 45051 to Saint Clair Run (CWF), and Tributary 45049 to Elk Run are located in State Water Plan watershed 18-D and 18-E and is classified for Warm Water Fishes, Cold Water Fishes, and High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA waiver is in effect for small MS4s, and is not in effect for large MS4s.

---

### III. Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity.

---

*Southcentral Regional Office*

Applicant: **PPL Elec Utilities Corp**

Applicant Address: 1639 Church Road, Allentown, PA 18104

Application Number: **PA340002D**

Application Type: New

Municipality/County: Delaware, Greenwood, and Monroe Townships and Perry, Washington, and West Perry Townships, **Juniata County** and **Snyder County**

Project Site Name: JUNI-RFLD Rebuild

Total Earth Disturbance Area (acres): 277.27 acres

Surface Waters Receiving Stormwater Discharges: UNT to Juniata River (WWF, MF), Delaware Creek (TSF, MF), Cocolamus Creek (TSF, MF), Stony Run (TSF, MF), Quaker Run (TSF, MF), West Branch Mahantango Creek (TSF, MF), North Branch Mahantango Creek (TSF, MF), Susquehecka Creek (CWF, MF).

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Rebuild approximately 22.77 miles of existing transmission line to address reliability and operability issues on the subject transmission system.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4802.

*Regional Permit Coordination Office*

Applicant: **MAHG LLC**

Applicant Address: 2210 Eagles Moore Lane, Enola, PA 17025

Application Number: **PAD380043**

Application Type: New

Municipality/County: Union Township, **Lebanon County**

Project Site Name: MAHG LLC—Proposed 81 Room Hotel

Total Earth Disturbance Area (acres): 2.26 acres

Surface Waters Receiving Stormwater Discharges: Swatara Creek (WWF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: MAHG is proposing to remove all existing structures and proposes the construction of a new 14,028 square foot, 3-story hotel with associated parking, utilities, and stormwater management facilities.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-772-5987.

*Northeast Regional Office*

Applicant: **PennDOT District 5-0**

Applicant Address: 1002 Hamilton Street, Allentown, PA 18101-1013

Application Number: **PAD130013**

Application Type: New

Municipality/County: Lehighon Borough, Mahoning Township, **Carbon County**

Project Site Name: SR 0443, Section 02S—Roadway Improvements

Total Earth Disturbance Area (acres): 15.0 acres

Surface Waters Receiving Stormwater Discharges: 1. Mahoning Creek (CWF, MF); 2. EV Wetlands

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Reconstruction of SR 0433 beginning just west of Ashtown Drive (T-426) and ends at the intersection of East SR 0209 (Bridge Street/Bankway Street). Approximately 2.2 miles. The improvements will include roadway widening, intersection improvements, turn lanes, new guide rail, stormwater management facilities storm sewer, and curb to limit access. This project involves a renewal of PAD130013 along with a Major Amendment that will involve the conversion of an existing infiltration basin into an MRC Basin.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

*Northeast Regional Office*

Applicant: **Triple Net Investments LII, LLC**

Applicant Address: 171 State Route 173, Suite 201, Asbury, NJ 08802-1365

Application Number: **PAD480094**

Application Type: Renewal

Municipality/County: Forks Township, **Northampton County**

Project Site Name: Lot 6 Conroy Place Land Development (Renewal)

Total Earth Disturbance Area (acres): 5.32 acres

Surface Waters Receiving Stormwater Discharges: UNT to Bushkill Creek (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Straight renewal of permit PAD480094 for continued construction of a 55,100 square foot industrial facility with driveways, parking lots, truck loading areas, and associated utilities.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

*Southcentral Regional Office*Applicant: **Aime Davis**

Applicant Address: 235 Pipeline Road, Newville, PA 17241

Application Number: **PAD210119**

Application Type: New

Municipality/County: Lower Mifflin Township, **Cumberland County**

Project Site Name: Davis Ag Operation

Total Earth Disturbance Area (acres): 15.2 acres

Surface Waters Receiving Stormwater Discharges: UNT to Doubling Gap Creek (HQ-CWF, MF) and UNT to Doubling Gap Creek (HQ-CWF, MF) via wetlands

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The proposal is to construct a new poultry operation inclusive of two poultry barns (63' x 648'), manure storage, gravel driveway, gravel pads, work rooms and associated stormwater management controls.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4802.

*Southcentral Regional Office*Applicant: **U.S. Industrial Club V Enterprises LLC**

Applicant Address: 5050 West Tilghman Street, Suite 435, Allentown, PA 18104

Application Number: **PAD670061 A-1**

Application Type: Major Amendment

Municipality/County: Shrewsbury Township, **York County**

Project Site Name: Elm Drive Property

Total Earth Disturbance Area (acres): 55.00 acres

Surface Waters Receiving Stormwater Discharges: Deer Creek (CWF, MF), UNT to Deer Creek (CWF, MF) and UNT to Deer Creek (CWF, MF) via EV Wetlands

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Warehouse with truck docks and parking areas including road widening.

Special Conditions: Wetland Monitoring and Riparian Forest Buffer

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4802.

*Southcentral Regional Office*Applicant: **PA DCNR, Rothrock State Forest**

Applicant Address: 181 Rothrock Lane, Huntingdon, PA 16652

Application Number: **PAD310019**

Application Type: New

Municipality/County: Ferguson, Harris, Potter, Jackson and Brown Townships, **Centre County, Huntingdon County, and Mifflin County**

Project Site Name: Rothrock Trail Buildout

Total Earth Disturbance Area (acres): 20.22 acres

Surface Waters Receiving Stormwater Discharges: Centre County—Slab Cabin Run (CWF), Galbraith Gap Run (HQ-CWF), and Sinking Creek (CWF) Huntingdon County—Shingletown Branch (HQ-CWF), Laurel Run (HQ-CWF), Shavers Creek (HQ-CWF), Greenlee Run (HQ-CWF), Croyle Run (HQ-CWF), Standing Stone Creek (HQ-CWF), Black Lick Run (HQ-CWF), and East Branch Standing Stone Creek (HQ-CWF) Mifflin County—Lingle Creek (HQ-CWF), Tea Creek (HQ-CWF), and Coffee Run (CWF)



**Proposed Effluent Limitations:** The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

**Rate or Frequency of Discharge:** Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

**Project Description:** Construction of approximately 47 miles of natural surface, single track for a recreational trail. The first phase of the proposed trail will be 8 miles.

**Special Conditions:** N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4802.

*Northeast Regional Office*

**Applicant: Ertle Development, LLC**

**Applicant Address:** 798 N 9th Street, Stroudsburg, PA 18360

**Application Number: PAD450197**

**Application Type:** New

**Municipality/County:** Pocono Township, **Monroe County**

**Project Site Name:** 3453 Route 611 and Bartonsville Ave.

**Total Earth Disturbance Area (acres):** 4.09 acres

**Surface Waters Receiving Stormwater Discharges:** Pocono Creek (HQ-CWF)

**Proposed Effluent Limitations:** The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

**Rate or Frequency of Discharge:** Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

**Project Description:** Construction of a retail store with vehicle Fueling Station.

**Special Conditions:** N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

*Northeast Regional Office*

**Applicant: CVE US PA Buckingham 151, LLC**

**Applicant Address:** 109 W. 27th Street, 8th Floor, New York, NY 10001

**Application Number: PAD640052**

**Application Type:** New

**Municipality/County:** Buckingham Township, **Wayne County**

**Project Site Name:** Crea Solar

**Total Earth Disturbance Area (acres):** 17.2 acres

**Surface Waters Receiving Stormwater Discharges:** Factory Creek (HQ-CWF, MF)

**Proposed Effluent Limitations:** The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

**Rate or Frequency of Discharge:** Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

**Project Description:** The project involves the construction of a solar power generation facility with associated infrastructure including gravel roads, solar panel arrays, electrical inverters, perimeter fencing and stormwater management facilities.

**Special Conditions:** N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

*Southcentral Regional Office*

**Applicant: Rodney Metzler**

**Applicant Address:** 261 Pleasant View Farms Road, Martinsburg, PA 16662

**Application Number: PAD050019**

**Application Type:** New

**Municipality/County:** Bloomfield Township, **Bedford County**

Project Site Name: Bakers Summit SWM Plan

Total Earth Disturbance Area (acres): 13.0 acres

Surface Waters Receiving Stormwater Discharges: Unnamed Tributary Potter Creek (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construction of a waste storage pond for the proper storage of animal manure prior to field application.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4802.

*Southcentral Regional Office*

Applicant: **Providence Community, Inc.**

Applicant Address: 6150 York Road, Spring Grove, PA 17362

Application Number: **PAD670031**

Application Type: Renewal

Municipality/County: Heidelberg Township, **York County**

Project Site Name: Providence Community Church

Total Earth Disturbance Area (acres): 8.3 acres

Surface Waters Receiving Stormwater Discharges: Codorus Creek (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construction of a worship center.

Special Conditions: Riparian forest buffer

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4802.

*Southcentral Regional Office*

Applicant: **JJC Investment Properties LLC**

Applicant Address: 21 Derbyshire Drive, Carlisle, PA 17015

Application Number: **PAD210115**

Application Type: New

Municipality/County: South Middleton Township, **Cumberland County**

Project Site Name: Plaza Drive

Total Earth Disturbance Area (acres): 3 acres

Surface Waters Receiving Stormwater Discharges: Yellow Breeches Creek (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: This is a preliminary/final subdivision and land development plan that is to subdivide the existing zoned residential, medium density use lot into 6 new lots and propose the construction of 6 new single semi-detached dwellings.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4802.

**STATE CONSERVATION COMMISSION  
PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS  
FOR NPDES PERMITS FOR CAFOs**

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed (National Pollutant Discharge Elimination System) NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling 717-787-8821.

Individuals wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30-days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Individuals in need of accommodations should contact the SCC through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

**ACT 38  
NUTRIENT MANAGEMENT PLANS  
CAFO PUBLIC NOTICE SPREADSHEET—APPLICATIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal/New</i>
Trout Bros. LLC 508 Red Rock Road Loysville, PA 17047	Perry County	679	1,744.41	Dairy	HQ	Renewal
Nelson Ziegler 1660 N State Route 934 Annville, PA 17003	Lebanon County	178.1	341.78	Broiler	NA	Renewal
McMichael Farm 791 Street Road Oxford, PA 19363	Chester County	48.3	473.42	Swine	NA	Renewal
Michael Wilt 1408 Pointer Road Everett, PA 15537	Bedford County	844.8	1,580.71	Swine	NA	Renewal
Franklin Family Farms McClay's Farm 7597 McClay's Mill Rd Newburg, PA 17240	Franklin County	135	691.44	Swine	NA	Renewal
Jason L. & Stephanie E. Shives 455 Lear Rd. Harrisonville, PA 17228	Fulton County	44	722.56	Swine	NA	New

**PUBLIC WATER SUPPLY PERMITS**

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for Public Water Supply (PWS) permits to construct or substantially modify public water systems.

Individuals wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30-days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should

include the name, address and telephone number of the writer and a concise statement to inform the Department of Environmental Protection (DEP) the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, DEP will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

### SAFE DRINKING WATER

#### Application(s) Received Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

*Northeast Region: Safe Drinking Water Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Michele Lauer, Clerical Assistant 2, 570-830-3077.*

**Application No. 3524502**, Construction, Public Water Supply.

Applicant	<b>Clarks Summit State Hospital</b>
Address	1451 Hillside Drive Clarks Summit, PA 18411
Municipality	Newton Township
County	<b>Lackawanna County</b>
Responsible Official	Jason Essig Facilities Operations Manager Clarks Summit State Hospital 1451 Hillside Drive Clarks Summit, PA 18411
Consulting Engineer	Jeffery Kordes, PE Greenman-Pedersen, Inc. 5340 Fryling Rd. Suite 206 Erie, PA 16510
Application Received	August 1, 2024
Description	The application proposes the construction and the addition of an underground chlorine contact pipeline and a Blended Phosphate additive for metal piping and component corrosion control, with particular emphasis on controlling lead and copper leaching.

*Northwest Region: Safe Drinking Water Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: Brad C. Schott, P.E., Environmental Engineer Manager, 814.332.6660.*

**Application No. 2024501**, Construction, Public Water Supply.

Applicant	<b>LaBruzzo Woodlands, LLC</b>
Address	292 Pine Street Meadville, PA 16335
Municipality	West Mead Township
County	<b>Crawford County</b>
Responsible Official	Joseph LaBruzzo 501 Chestnut Street Meadville, PA 16335

Consulting Engineer	David Young, P.E. Moody and Associates, Inc. 180 Mercer Street Suite A Meadville, PA 16335
---------------------	--

Application Received	August 30, 2024
----------------------	-----------------

Description	Addition of ion-exchange water softeners for iron and manganese treatment and relocation of chlorination and three (3) new 1,550 gallons contact tanks for 4-log treatment.
-------------	---

### LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

#### UNDER ACT 2, 1995 PREAMBLE 1

#### Acknowledgment of Notice(s) of Intent to Remediate Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent (NOI) to Remediate. An acknowledgment of the receipt of a NOI to Remediate is used to identify a site where an individual proposes to, or has been required to, respond to a release of a regulated substance at a site. Individuals intending to use the background standard, Statewide health standard, the site-specific standard, or who intend to remediate a site as a special industrial area, must file a NOI to Remediate with DEP. A NOI to Remediate filed with DEP provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. An individual who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the Act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by DEP. Furthermore, an individual shall not be subject to citizen suits or other contribution actions brought by responsible individuals not participating in the remediation.

Under Sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the NOI to Remediate is published in a newspaper of general circulation in the area of the site. For the following identified site(s), proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30-days of the following specified date. During this comment period the municipality may request that the following identified individual, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of the site.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The DEP has received the following Notice(s) of Intent to Remediate.

*Northcentral Region: Environmental Cleanup & Brownfields Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Randy Farmerie, P.G., Environmental Program Manager, 570-327-3716.*

**Former Booth's Plumbing and Electric**, Primary Facility ID # **854766**, 31 Fern Lane, Eagles Mere, PA 17731, Eagles Mere Borough, **Sullivan County**. Juniata Geosciences, LLC, 6872 Willow Brook Road, Alexandria, PA 16611 on behalf of Paul Booth and Gary Booth, 31 Fern Lane, Eagles Mere, PA 17731, submitted a Notice of Intent to Remediate. The NIR concerns remediation of site soil and groundwater contaminated with leaded gasoline. The applicant proposes to remediate the site to meet the Statewide health standard for groundwater and the site-specific standard for soil. The Notice of Intent to Remediate was published in *Williamsport Sun Gazette* on September 1, 2024. Application received: August 30, 2024.

**SDR Holdings LLC**, Primary Facility ID # **877998**, 500 Science Park Road, State College, PA 16803, Ferguson Township, **Centre County**. DMS Environmental Services, LLC, 103 South Spring Street, Bellefonte, PA 18823 on behalf of SDR Holdings LLC, 4100 Fifth Avenue, Altoona, PA 16602, submitted a Notice of Intent to Remediate. The NIR concerns remediation of site soil contaminated with arsenic. The applicant proposes to remediate the site to meet the site-specific standard. The Notice of Intent to Remediate was published in *Centre Daily Times* on August 12, 2024. Application received: August 27, 2024.

**William Kovel # 1 Conventional Well**, Primary Facility ID # **877659**, 400 Zion Road, Curwensville, PA 16833, Jordan Township, **Clearfield County**. Moody and Associates, Inc., 1720 Washington Road, Suite 100, Washington, PA 15301 on behalf of Diversified Production LLC, 126 Industry Road # 201, Waynesburg, PA 15370, submitted a Notice of Intent to Remediate. The NIR concerns remediation of soil contaminated with production fluid. The application proposes to remediate the site to meet the Statewide health standard. The Notice of Intent to Remediate was published in *The Progress News* on September 5, 2024. Application received: August 30, 2024.

*Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Eric Supey, Environmental Program Manager.*

**J. Busik Pad 1**, Primary Facility ID # **846313**, 1274 Bare Valley Road, Montrose, PA 18801, Dimock Township, **Susquehanna County**. Resource Environmental Management, 50 Maple Street, Montrose, PA 18801 on behalf of Coterra Energy, Inc., 2000 Park Lane, Suite 300, Pittsburgh, PA 15275, submitted a Notice of Intent to Remediate. Soil was contaminated by a release of diesel. The Notice of Intent to Remediate was published in *The Susquehanna County Independent* on August 28, 2024. Application received: September 4, 2024.

*Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: C. David Brown, Professional Geologist Manager, 484-250-5792.*

**230 Fairhill Street and 551 York Road**, Primary Facility ID # **848582**, 230 Fairhill Street and 551 York Road, Willow Grove, PA 19090, Upper Moreland Township, **Montgomery County**. Shad Manning, REPSG, Inc., 6901 Kingsessing Avenue, Suite 201, Philadelphia, PA 19142 on behalf of Matthew Genesis, 230 Fairhill Associates, LLC, P.O. Box 222, Southeastern, PA 19399, submitted a Notice of Intent to Remediate. Soil has been found to be contaminated with arsenic, nickel, and benzene. The future use of the property is residential. The proposed cleanup standard for the site is the site-specific standard. The Notice of Intent to Remediate was published in *The Times Herald* on June 14, 2024. Application received: August 6, 2024.

**FCDC—5129-35 Frankford Avenue Site**, Primary Facility ID # **878054**, 5129-35 Frankford Avenue, Philadelphia, PA 19124, City of Philadelphia, **Philadelphia County**. Walter H. Hungarter, III, RT Environmental Services, Inc., 215 West Church Road, King of Prussia, PA 19406 on behalf of Kimberley Washington, Esq., Frankford Community Development Corporation, 4667-69 Paul Street, 2nd Floor, Philadelphia, PA 19124, submitted a Notice of Intent to Remediate. Soil and groundwater have been found to be contaminated with chlorinated solvents, inorganics, lead, and PAHs. The future use of the property is residential and nonresidential. The proposed cleanup standard for the site is the background standard/site-specific standard/Statewide health standard. The Notice of Intent to Remediate was published in *The Star* on July 24, 2024. Application received: August 8, 2024.

**Romill Associates, LP**, Primary Facility ID # **844303**, 1312 Ridge Pike, Conshohocken, PA 19428, Plymouth Township, **Montgomery County**. Michael Kern, Mountain Research, LLC, 825 25th Street, Altoona, PA 16601 on behalf of Charles Miller, Romill Associates, LP, 1312 Ridge Pike, Conshohocken, PA 19428, submitted a Notice of Intent to Remediate. Soil and groundwater have been found to be contaminated with petroleum and chlorinated solvents. The future use of the property is nonresidential. The proposed cleanup standard for the site is the Statewide health standard/site-specific standard. The Notice of Intent to Remediate was published in *The Times Herald* on August 1, 2020. Application received: August 19, 2024.

#### HAZARDOUS WASTE TREATMENT, STORAGE & DISPOSAL FACILITIES

**Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003) and Regulations to Operate a Hazardous Waste Treatment, Storage or Disposal Facility.**

*Northcentral Region: Waste Management Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Lisa D. Houser, P.E., Environmental Program Manager, 570 327-3752.*

**PAD003047792. American Color & Chemical LLC**, 1 Mount Vernon Street, P.O. Box 88, Lock Haven, PA 17745, City of Lock Haven, **Clinton County**. Post Closure Care Permit Renewal Application received: August 14, 2024.

Comments or questions concerning the application should be directed to Lisa D. Houser, P.E., Environmental Program Manager, 570-327-3752, Northcentral Region, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

#### DETERMINATION OF APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

**Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for Determination of Applicability for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other than Coal Ash.**

*Southcentral Region: Waste Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Carrie A. Fleming, Program Manager.*

**WMGR088SC001, Commonwealth Disposal, Inc.,** 2340 Paxton Church Road, Harrisburg, PA 17110, Susquehanna Township, **Dauphin County.** This is a renewal of General Permit WMGR088 which authorizes the beneficial use of drinking water treatment sludge generated by a water supply treatment facility, hereinafter referred to as “water treatment sludge” or “waste,” for application on agricultural lands as a soil additive. The term “agricultural lands” refers to lands that have a recent history of continuous agricultural use. Specifically, lands where waste application is to take place must be an active farm currently engaged in growing crops. The permit area must be zoned for agricultural use if the local municipality has zoning regulations in place. Agricultural lands do not include lands that have been stripped of topsoil. Application received: August 4, 2023. Deemed administratively complete: September 9, 2024.

Comments or questions concerning the application should be directed to Carrie A. Fleming, Program Manager, Southcentral Region, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

*Southwest Region: Waste Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Waste Management Program Manager.*

**WMGR163SW004, Range Resources—Appalachia, LLC,** 3000 Town Center Blvd, Canonsburg, PA 15317, Smith Township, **Washington County.** A registration application for coverage under General Permit No. WMGR163SW004 at the Carns Donald B Well Pad Reuse Water Storage Facility, located at 1278 Smith Township State Road, Burgettstown, PA 15021, was received. Range Resources—Appalachia, LLC is proposing to place twenty

vertical 350 bbl capacity tanks and associated equipment to act as a water reuse storage facility to be used to support unconventional well completions. The storage facility will include tanks within a secondary containment system, drive-on truck containment system, and transfer pump. The system will be installed approximately 2—4 weeks prior to well completion activities. Once the system is installed and hydro-tested, reuse water will be loaded into the tanks via water trucks. Active operations at the location are anticipated to be 6—10 weeks. Application received: August 28, 2024. Deemed administratively complete: September 10, 2024.

Comments or questions concerning the application should be directed to RA-EP-EXTUPLSWRO@pa.gov, Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

**WMGR101SW004, Heights Plaza Materials, Inc.,** 124 Pulaski Drive, Natrona Heights, PA 15065, Harrison Township, **Allegheny County.** An application for renewed coverage under Residual Waste General Permit No. WMGR101SW004 at Heights Plaza Materials, Inc., located at 1001 Springhill Road Ext., Natrona Heights, PA 15065, was received. Application received: June 13, 2024. Deemed administratively complete: September 9, 2024.

Comments or questions concerning the application should be directed to RA-EP-EXTUPLSWRO@pa.gov, Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

#### HAZARDOUS WASTE TRANSPORTER LICENSE

**Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); and Hazardous Waste Regulations to Transport Hazardous Waste.**

##### *New Applications Received*

*Central Office: Waste Management Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-787-7561.*

*Contact: Jonathan Adams.*

**VLS Baltimore LLC,** 3300 Childs Street, Baltimore, MD 21226. License No. **PA-AH0956.** Accepted: June 20, 2024.

**Bressler’s Garage, Inc., dba Bressler’s Environmental Service,** 2994 East Valley Road, Loganton, PA 17747. License No. **PA-AH0957.** Accepted: July 23, 2024.

#### REGULATED MEDICAL AND CHEMOTHERAPEUTIC WASTE TRANSPORTER LICENSE

**Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003) and Act 93 of June 28, 1988 (P.L. 525, No. 93) and Regulations to Transport Regulated Medical and Chemotherapeutic Waste License.**

*New Applications Received*

Central Office: Waste Management Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-787-7561.

Contact: Jonathan Adams.

**Maumee Express, Inc.**, 297 Zimmerman Lane, Langhorne, PA 19047. License No. **PA-HC0292**. Accepted: July 11, 2024.

**AIR QUALITY****PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS**

The Department of Environmental Protection (DEP) has developed an integrated plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for DEP, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The DEP received applications for Plan Approvals or Operating Permits from the following facilities. Copies of the application, DEP's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate DEP Regional Office. Appointments for scheduling a review must be made by calling the appropriate DEP Regional Office. The address and telephone number of the Regional Office is listed before the application notices.

Individuals wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the DEP's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

Any individual wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if DEP, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when DEP determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate DEP Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operat-

ing Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

**PLAN APPROVALS****Application(s) Received for Plan Approval(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B That May Have Special Public Interest. These Plan Approval Applications are in Review and No Decision on Disposition Has Been Reached.**

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

Contact: David G. Balog, P.E. New Source Review Section Chief, 814-332-6328.

**24-00083AC: Mersen USA GS Corp.**, 215 Stackpole Street, St. Marys, PA 15857, City of Saint Marys, **Elk County**. Application received: February 2, 2024.

**24-00083AC: Mersen USA GS Corp.**, (215 Stackpole Street, St. Marys, PA 15857), for the construction and initial operation of new pulverizing equipment and a new dust collector at their Mersen St. Marys facility in the City of St. Marys, **Elk County** (1032 Trout Run Road, St. Marys).

**Notice of Intent to Issue Plan Approval(s) and Notice of Intent to Issue or Amend Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These Actions May Include the Administrative Amendments of an Associated Operating Permit.**

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

Contact: David Balog, New Source Review Section Chief, 814-332-6328.

**OPERATING PERMITS****Notice of Intent to Issue Title V Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.**

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

Contact: Matthew Williams, Facilities Permitting Chief, 814-332-6940.

**33-00033, O-I Glass Inc.—Owens Brockway Glass Container Plant 18**, 1260 Cherry Street, Brockway, PA 15823, Brockway Borough, **Jefferson County**. Application received: November 27, 2023. The Owens-Brockway Glass Container, Inc. (O-I), Brockway Plant No. 18 (Brockway Plant) has submitted a renewal Title V Operating Permit (TVOP) application for its glass manufacturing facility located in Jefferson County, PA. The existing Title V Operating Permit (TVOP) No. 33-00033 was

initially issued on 8/1/2019 and will expire on 7/31/2024. The Brockway Plant No. 18 produces commercial glass containers and is classified as a major nitrogen oxide (NO<sub>x</sub>) emitting facility, with a facility-wide potential-to-emit (PTE) of greater than 100 tons per year (tpy). In addition, the facility is subject to the provisions of the Additional RACT Requirements for Major Sources of NO<sub>x</sub> and VOCs for the 2015 Ozone NAAQS (RACT III) codified at 25 Pa. Code §§ 129.11—129.115. The Operating Permit will contain recordkeeping requirements to assure sufficient data and calculations to demonstrate that the requirements of 25 Pa. Code §§ 129.111—129.114 are met. The Operating Permit will contain recordkeeping requirements and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: Janine Tulloch-Reid, Facilities Permitting Chief, 484-250-5920.*

**15-00105, Buckeye Pipeline/Malvern Station**, 8 S Malin Rd, Malvern, PA 19355, East Whiteland Township, **Chester County**. Application received: August 28, 2024. Pursuant to 25 Pa. Code § 127.542, this action is for the modification of the Title V permit 15-00105 for Buckeye Pipeline Malvern Station to address the objections raised during an appeal. The facility is a bulk storage and breakout terminal for gasoline, ethanol and petroleum distillates. It is co-located with Buckeye's Malvern Terminal and emissions from both facilities are aggregated for regulatory purposes. The facility is required by regulation to possess a Title V permit even though emissions are under the Title V threshold. The station consists of eleven (11) active storage tanks, one (1) inactive storage tank and a sump tank used only for spill containment. Emissions are control via gaskets, seals, bolted hatches and restrictions on vapor pressure of liquids stored. No other controls are used. Site wide emissions for 2022 were 4.72 tons per year (tpy) VOCs and 0.17 tpy of all HAPs combined. The permit is being modified to correct due dates for semi-annual and excess emissions reporting and remove requirements under 40 CFR 60 Subpart Kb from two tanks since the subpart does not apply. Additionally, the contents of the semi-annual report are being amended to reduce number of inspection reports to be included and to require a list of inspections performed during the reporting period. Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEROAQPUBCOM@pa.gov.

**09-00006, US Steel Corp/Mon Valley Works/Fairless Plant**, 400 Middle Dr, Fairless Hills, PA 19030, Falls Township, **Bucks County**. Application received: February 14, 2024. This action is for the renewal of Title V Operating Permit (TVOP) No. 09-00028 for the facility. The main sources at the facility are as follows: • The following natural gas-fired steel processing sources: • A galvanizing line furnace with a rated heat input of 68.4 mmBtu/hr. • A galvanneal furnace with a rated heat input of 16 mmBtu/hr. • A boiler rated with a rated heat input of 31.2 mmBtu/hr. • A pot equipment preheater. • A chemical treatment dryer. • The following sources to support the facility: • A parts washer. • 38 natural gas-fired space heaters with a total rated heat input of 39 mmBtu/hr. The facility is subject to a site-level nitrogen oxides (NO<sub>x</sub>) emission rate restriction of less

than 100 tons/yr, which exceeds the major facility threshold of 25 tons/yr for the Southeast Pennsylvania air basin and results in the facility's Title V status. The average annual NO<sub>x</sub> emissions from the facility over the previous 5 calendar years are 36.75 tons/yr. Since DEP last renewed the TVOP in October 2019, no physical changes have occurred at the facility. The TVOP will continue to include monitoring, recordkeeping, reporting, and work practice requirements designed to keep the facility operating within all applicable air quality requirements, including all applicable provisions of 40 CFR Part 60, Subpart Dc, for the boiler. Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person previously listed in the header. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEROPUBCOM@pa.gov.

### OPERATING PERMITS

#### Notice of Intent to Issue Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Norm Frederick, Facility Permitting Chief, 570-826-2409.*

**39-00079, Bridesburg Foundry Company**, P.O. Box 269, Whitehall, PA 18052, Whitehall Township, **Lehigh County**. Application received: August 21, 2024. The Department intends to issue a renewal State-Only Operating Permit for the operation of sources at their foundry. The proposed Operating Permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

**48-00054, Linde Gas & Equipment**, 145 Shimersville Road, Bethlehem PA 18015, City of Bethlehem, **Northampton County**. Application received: August 28, 2024. The Department intends to issue a renewal State-Only Operating Permit for the operation of sources at their facility. Business activities performed include the repackaging of industrial, medical and specialty gases. The proposed Operating Permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

**39-00098, Ocean Spray Cranberries Inc.**, 151 Boulder Drive, Breinigsville, PA 18031, Upper Macungie Township, **Lehigh County**. Application received: August 8, 2024. The Department intends to issue a renewal State-Only Operating Permit for the operation of sources at their facility. Sources at the facility include seven natural gas fired hot water boilers. Processes include two bottling lines; two aseptic lines; marking inks; adhesives; bottle forming; and cleaning operations. The proposed Operating Permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

**48-00078, Chrin Brothers Inc.**, 635 Industrial Drive, Easton, PA 18042, Williams Township, **Northampton County**. Application received: August 21, 2024. The Department intends to issue a renewal State-Only Operating Permit for the operation of sources at their Island



Park Quarry. This plant operates a 250-tons per hour rock crushing plant with primary and secondary crushers, associated screens and conveyors, haul roads, and water spray (wet suppression) system. The proposed Operating Permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: Matthew Williams, Facilities Permitting Chief, 814-332-6940.*

**10-00148, Ervin Ind**, 681 E Butler Rd, Butler, PA 16002-9127, Summit Township, **Butler County**. Application received: January 23, 2024. The Department intends to issue the renewal State Only Natural Minor Operating Permit for the manufacturing facility. The facility's primary emission sources include space heating, (34) quench and draw furnaces, two (2) electric arc furnaces (EAFs) for melting steel, the atomizing tank, the shot processing line, the grit processing line, ladle heaters, natural gas-fired dryers, a cold degreaser, and an emergency generator powered by a 415-HP diesel engine. The potential emissions of the primary pollutants from the facility are as follows: 67.71 TPY (tons per year) NO<sub>x</sub>, 40.23 TPY CO, 2.43 TPY VOC, 5.17 TPY PM<sub>10</sub>, 4.97 TPY PM<sub>2.5</sub>, 18.20 TPY SO<sub>x</sub>, and 1.88 TPY combined HAPs; thus, the facility is a natural minor. The EAFs are subject to 40 CFR 60 Subpart AA, Standards of Performance for Steel Plants: Electric Arc Furnaces Constructed After October 21, 1974, and on or before August 17, 1983. They are also subject to 40 CFR 63 Subpart ZZZZZ, NESHAP for Iron and Steel Foundries (Area Sources). The emergency generator engine is subject to 40 CFR 63, Subpart ZZZZ, NESHAP for Stationary Reciprocating Internal Combustion Engines. The renewal permit will contain emission restrictions, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

*Philadelphia: Air Management Services: Air Quality Program, 321 University Avenue, Philadelphia, PA 19104-4543.*

*Contact: Maryjoy Ulatowski, Chief, Source Registration, 215-685-9476.*

**OP23-000003, Crown Castle Fiber**, 1309 Noble Street, Philadelphia, PA 19123-3612, City of Philadelphia, **Philadelphia County**. Application received: March 8, 2023. The City of Philadelphia, Air Management Services (AMS) intends to issue a renewal Natural Minor Operating Permit (NMOP) for the operation of a datacenter. The facility's air emission sources include two (2) 750 kW emergency generators firing diesel fuel. The Operating Permit will be issued under 25 Pa. Code, Philadelphia Code Title 3 and Air Management Regulation XIII. Permit copies and other supporting information are available for public inspection by contacting the Source Registration Unit at 215-685-7572 or DPHAMS\_Service\_Requests@phila.gov. Persons wishing to file protest or comments on the previously listed Operating Permit must submit the protest or comments within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the Operating Permit or hold a public hearing.

Protests, comments, and requests for a public hearing must be mailed to Source Registration, Air Management Services, 7801 Essington Ave., Philadelphia, PA 19153 or e-mailed to DPHAMS\_Service\_Requests@phila.gov with "Crown Castle Fiber, NMOP OP23-000003" in the subject line. AMS suggests submitting any mailed correspondence also by e-mail. Individuals in need of accommodations and/or interpretation should contact AMS at DPHAMS\_Service\_Requests@Phila.Gov and/or 215-685-7572. Please include: (1) the name and contact information of the person requesting an accommodation and/or interpretation; (2) the name of the program, service, activity, or location of the request; and (3) a description of the modification and/or interpretation being requested.

*Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.*

**28-03026, Gish Logging Inc.**, 4980 Path Valley Road, Fort Loudon, PA 17224, Metal Township, **Franklin County**. Application received: August 22, 2024. For the operation of a firewood processing facility. This is for renewal of the existing State-Only Permit. Potential air emissions from the facility are estimated at 21.5 tpy NO<sub>x</sub>, 26.3 tpy CO, 11.8 PM<sub>10</sub>, 0.74 tpy VOC, 13.8 tpy SO<sub>x</sub>, and 1.63 tpy HAPs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items the conditions include provisions from 25 Pa. Code §§ 123.11 and 123.22, 40 CFR Part 60 Subpart Dc Standards of Performance for Small Industrial Commercial Institutional Steam Generating Units, and 40 CFR Part 63 Subpart JJJJJ National Emission Standards for Hazardous Air Pollutants for Industrial, Commercial, and Institutional Boilers Are Sources.

*Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.*

**50-05004, Texas Eastern Transmission LP/ Shermans Dale**, 425 Texas Eastern Road, Shermans Dale, PA 17090, Carroll Township, **Perry County**. Application received: February 23, 2024. To issue a State Only Operating Permit for the natural gas compressor station. The potential emissions from the facility are estimated at 57 tpy of NO<sub>x</sub>, 72 tpy of CO, 11 tpy of PM<sub>10</sub>, 23 tpy of SO<sub>x</sub>, 49 tpy of VOC and 5 tpy of HAPs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR Part 60, Subpart KKKK—Standards of Performance for Stationary Combustion Turbines, 40 CFR Part 60, Subpart OOOOa—Standards of Performance for Crude Oil and Natural Gas Facilities for which Construction, Modification or Reconstruction Commenced After September 18, 2015, and 40 CFR Part 60, Subpart JJJJ—Standards of Performance for Stationary Spark Ignition Internal Combustion Engines.

**21-05049, Pennsy Supply, Inc.**, P.O. Box 3331, Harrisburg, PA 17105, Penn Township, **Cumberland County**. Application received: June 6, 2024. For the operation of a batch asphalt plant and nonmetallic mineral processing plant. This is for renewal of the existing State-Only Permit. The potential emissions from the facility, with enforceable production restrictions, are esti-

mated at 29 tpy of NO<sub>x</sub>, 99 tpy of CO, 16 tpy of PM<sub>10</sub>, 8 tpy of PM<sub>2.5</sub>, 22 tpy of SO<sub>x</sub>, 13 tpy of VOC and 2 tpy of HAPs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR 60 Subpart I and 40 CFR 60 Subpart OOO.

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: Janine Tulloch-Reid, Facilities Permitting Chief, 484-250-5920.*

**09-00120, Sika MBCC US LLC**, 6450 Bristol Pike, Levittown, PA 19057, Bristol Township, **Bucks County**. Application received: February 2, 2024. This action is for the renewal of the Natural Minor Operating Permit. The Natural Minor Operating Permit was last renewed on October 3, 2019. Sika MBCC US LLC operates a commercial concrete coating manufacturing facility. The primary sources at the facility are blenders and mixers (Source IDs 101–103). Other sources include a vacuum system (Source ID 104), a process for making water repellent (Source ID 105), and a parts washer (Source ID 106). Mixers and blenders associated with Source IDs 102 and 103 use certain chemicals that contain hazardous air pollutants (HAP), making the sources subject to 40 CFR Part 63, Subpart 6V. Potential emissions from the facility are: 0.67 TPY for VOC, 14.8 TPY for PM, and 0.14 TPY for Total HAP. The operating permit will continue to contain monitoring, recordkeeping, and operating conditions designed to keep the facility operating within the allowable emissions and all applicable air quality requirements. Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEROAQPUBCOM@pa.gov.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Thomas Joseph, P.E., Facilities Permitting Chief, 412-442-4336.*

**CORRECTION—previously published on September 7, 2024.**

**56-00160, Keystone Lime Company, Inc.**, P.O. Box 278, Springs, PA 15562, Addison Township, Elk Lick Township, **Somerset County**. Application received: June 28, 2023. In accordance with 25 Pa. Code §§ 127.424 and 127.425, the Department of Environmental Protection (DEP) has received an application and is providing notice that it intends to issue a renewed air quality Operating Permit to Keystone Lime Company, Inc. for a stone processing plant and asphalt plant located in Elk Lick and Addison Townships, Somerset County. Sources of emissions at the site consist of three crushers, two screens, storage piles, and an asphalt plant. The asphalt plant has a production limit of 480,000 tons per year. Potential emissions for this facility are 6.2 tons per year (TPY) NO<sub>x</sub>, 31.0 TPY CO, 0.8 TPY SO<sub>x</sub>, 87.9 TPY PM<sub>10</sub>, 48.9 TPY PM<sub>2.5</sub>, 7.8 TPY VOC, 0.74 single HAP, and 1.31 TPY total HAP. The facility is required to conduct daily surveys of the site to ensure compliance with visible, fugitive, and malodor emission requirements and maintain records of those surveys. The air quality permit includes operation requirements, monitoring requirements, and recordkeeping requirements for the site.

Those who wish to provide the Department with additional written information that they believe should be considered prior to the modification of the State-Only Operating Permit may submit the information to Thomas Joseph, Environmental Engineering Manager, Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Operating Permit (56-00160) and concise statements regarding the relevancy of the information or objections to issuance of the Operating Permit. A public hearing may be held, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient. Written comments or requests for a public hearing should be directed to Thomas Joseph, Environmental Engineering Manager, at the previously listed address or to tjoseph@pa.gov. All comments must be received prior to the close of business 30 days after the date of this publication. The application, DEP's Review Memorandum, and the proposed permit are available for public review during normal business hours at DEP's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. A file review can be scheduled through the DEP's website at <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx> or by contacting Thomas Joseph, Environmental Engineering Manager, directly.

#### PLAN APPROVALS

**Receipt of Plan Approval Application(s) and Notice of Intent to Issue Plan Approval(s) and Notice of Intent to Issue or Amend Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001–4015) and 25 Pa. Code Chapter 127, Subchapter B and Subchapter F. These Actions May Include the Administrative Amendments of an Associated Operating Permit.**

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Shailesh Patel, P.E., Environmental Group Manager.*

**48-00122D, II-VI Advanced Materials LLC**, 2251 Newlins Mill Road, Easton, PA 18045, Palmer Township, **Northampton County**. Application received: June 28, 2024. Plan Approval No. 48-00122D is for the operation of five emergency generators and one fire pump at their facility. The company shall be subject to and comply with 25 Pa. Code § 123.41 for visible emissions. The company shall be subject to and comply with 25 Pa. Code 123.31 for malodorous emissions. The company shall be subject to and comply with 25 Pa. Code § 123.22 for Sulfur Compound Emissions. VOC emissions from the plant will be under 50 TPY threshold limit, 12-month rolling sum. Total HAP emissions from the facility will be under 25 TPY, 12-month rolling sum. Single HAP emissions will be under 10 TPY, 12-month rolling sum. The generators are subject to 40 CFR Part 60 Subpart IIII and 40 CFR Part 63 Subpart ZZZZ requirements. These limits will meet BAT requirements for this source. The Plan Approval and Operating Permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality

requirements. Copies of the application, DEP’s analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711. Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown in the preceding paragraph. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Permit No. 48-00122D and a concise statement regarding the relevancy of the information or objections to the issuance of the permit. A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Shailesh Patel, Environmental Group Manager, New Source Review Section, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711, Phone 570-826-2511 within 30 days after publication date.

**COAL & NONCOAL MINING  
ACTIVITY APPLICATIONS**

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21)

Mining activity permits issued in response to such applications are also subject to applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (DEP). A copy of the application is

available for inspection at the District Mining Office indicated above each application. Requests for 401 Water Quality Certifications are included in individual application only if noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application may be submitted by any person or any officer or head of any Federal, State or Local Government Agency or Authority to DEP at the address of the District Mining Office indicated above each application within 30-days of this publication, or within 30-days after the last publication of the applicant’s newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences). Such comments or objections should contain the name, address and phone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform DEP on the basis of comment or objection and relevant facts upon which it is based.

In addition, requests for an informal conference, or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 (relating to public hearing-informal conferences) or § 86.34 (relating to informal conferences), must also contain a brief summary of the issues to be raised by the requestor at the conference and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Where a National Pollutant Discharge Elimination System (NPDES) number is listed, the mining activity permit application is associated with an application for an NPDES permit. A separate notice will be provided for the draft NPDES permit.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

*Coal Applications*

*Effluent Limits*—The following range of effluent limits (Table 1) will apply to NPDES permits issued in conjunction with the associated coal mining activity permit. Additional effluent limits will be listed as part of the publication of the draft NPDES permit.

Table 1

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (total)	1.5 to 3.0 mg/l	3.0 to 6.0 mg/l	3.5 to 7.0 mg/l
Manganese (total)	1.0 to 2.0 mg/l	2.0 to 4.0 mg/l	2.5 to 5.0 mg/l
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Aluminum (Total)	0.75 to 2.0 mg/l	1.5 to 4.0 mg/l	2.0 to 5.0 mg/l

pH must always be greater than 6.0; less than 9.0.

Alkalinity must always be greater than acidity.

*California District Mining Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.*

*Contact: Bonnie Herbert, Clerical Assistant 3.*

**Mining Permit No. 30121301. NPDES No. PA0213535. Consol Pennsylvania Coal Company LLC, 275 Technology Drive, Suite 101, Canonsburg, PA 15317, Morris Township, Greene County.** To revise the permit and related NPDES permit for installation of a degas borehole, affecting 2.6 proposed surface acres. Application received: July 30, 2024. Accepted: August 28, 2024.

**Mining Permit No. 32961302. NPDES No. PA0214949. Rosebud Mining Company, 301 Market Street, Kittanning, PA 16201, Brush Valley Township, Indiana County.** To revise the permit and related NPDES permit for

post-mining land use change of 11.8 acres to be changed from Cropland to Pastureland/Land Occasionally Cut for Hay and 13.1 acres to be changed from Forestland to Pastureland/Land Occasionally Cut for Hay. Application received: July 25, 2024. Accepted: September 4, 2024.

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.*

*Contact: RA-EPCAMBRIADMO@pa.gov.*

**Mining Permit No. 56180103. NPDES No. PA0279650. Simkol Corporation**, 1281 Rubright Road, Rockwood, PA 15557, Brothersvalley and Summit Townships, **Somerset County**. Transfer from Heritage Coal & Natural Resources, LLC, 1117 Shaw Mines Road, Meyersdale, PA 15552, commencement, operation and restoration of a bituminous surface and auger mine affecting 58.1 acres. Receiving stream: Bear Run, classified for the following use: CWF. Application received: September 5, 2024.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.*

*Contact: RA-EPPottsvilleDMO@pa.gov.*

**Mining Permit No. 40663027. Northampton Fuel Supply Co., Inc.**, 1 Horwith Drive, Northampton, PA 18067, Hazle Township, **Luzerne County**. Transfer of an existing anthracite surface mine, coal refuse reprocessing and coal refuse disposal operation and reduce the permitted acreage from 187.4 acres to 174.0 acres. Receiving stream: Black Creek, classified for the following uses: CWF, MF. Application received: August 19, 2024.

#### *Noncoal Applications*

*Effluent Limits*—The following Table 2 effluent limits apply to NPDES permits issued in conjunction with a noncoal mining permit. Additional effluent limits will be listed as part of the publication of the draft NPDES permit.

<i>Parameter</i>	<i>Table 2</i>		
	<i>30-day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity must always exceed acidity.			
pH must always be greater than 6.0; less than 9.0.			

*Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.*

*Contact: Cassie Stanton, Clerical Assistant 2, 814-342-8101.*

**Mining Permit No. 59060802. Herman Bishop**, 2334 Farm Road, Roaring Branch, PA 17765, Liberty Township, **Tioga County**. Final bond release for a Small Noncoal surface mining operation. Restoration of 1.0 acre was completed. Application received: April 10, 2024. Accepted: April 17, 2024. Approved: August 29, 2024.

*New Stanton District Mining Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.*

*Contact: Tracy Norbert, Clerical Assistant 3.*

**Mining Permit No. 26092001. NPDES No. PA0251658. Bullskin Stone & Lime, LLC**, 117 Marcia Street, Latrobe, PA 15650, Bullskin Township, **Fayette County**. Revision permit issued for an existing large noncoal surface mine and associated NPDES permit, affecting 377.6 acres. Receiving streams: unnamed tributaries to Mounts Creeks and Mounts Creek classified for the following use: WWF and unnamed tributaries to Greenlick Run classified for the following use: EV. Application received: November 8, 2023.

### MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed National Pollutant Discharge Elimination System (NPDES) permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (DEP) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

#### *Effluent Limits for Coal Mining Activities*

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH must always be greater than 6.0; less than 9.0.			
Alkalinity must always be greater than acidity.			

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

#### *Effluent Limits for Noncoal Mining Activities*

The limits for noncoal mining activities as provided in 25 Pa. Code § 77.522 are pH 6 to 9 and other parameters DEP may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

#### *Noncoal NPDES Draft Permits*

*New Stanton District Mining Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.*

*Contact: Tracy Norbert, Clerical Assistant 3.*

**NPDES No. PA0251658. Mining Permit No. 26092001. Bullsken Stone & Lime, LLC**, 117 Marcia Street, Latrobe, PA 15650, Bullsken Township, **Fayette County**. NPDES permit renewal issued for noncoal surface mine, affecting 377.6 acres. Receiving streams: unnamed tributaries to Mounts Creek and Mounts Creek, classified for the following use: WWF. Application received: September 10, 2021.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.*

*Contact: RA-EPPottsvilleDMO@pa.gov.*

**NPDES Permit No. PA0225622. Mining Permit No. 64230301. Wayco, Inc.**, 198 O'Connell Road, Waymart, PA 18472, Palmyra Township, **Wayne County**. New NPDES Permit affecting 77.0 acres. Receiving stream: Wallenpaupack Creek, classified for the following uses: HQ-CWF, MF. Non-Discharging Best Management Practices will be in effect. Application received: February 8, 2023.

## FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection (DEP). Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341), requires the State to certify that the involved projects will not violate the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), as well as relevant State requirements. Individuals objecting to approval of a request for certification under Section 401 or to the issuance of a Dam Permit or Water

Obstruction and Encroachment Permit, or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30-days of the date of this notice, as well as any questions to the office noted above the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed, and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The DEP may schedule a fact-finding hearing or an informal conference in response to comments if deemed necessary. Maps, drawings and other data pertinent to the certification request are available for inspection between the hours of 8:00 a.m. and 4:00 p.m. on each working day at the office noted above the application.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

## WATER OBSTRUCTIONS AND ENCROACHMENTS

### Applications Received Under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification Under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

*Eastern District: Oil and Gas Management Program, 208 West Third Street, Williamsport, PA 17701-6448.*

*Contact: RA-EPEASTERNOPRG@pa.gov.*

**E5929224-008. JKLM Energy LLC**, 2200 Georgetowne Drive, Suite 500, Sewickley, PA 15143-8753, Lawrenceville Borough and Lawrence Township, **Tioga County**. U.S. Army Corps of Engineers Baltimore District. Application received: August 5, 2024.

To construct, operate, and maintain:

1. A temporary road crossing using timber mats, and a 20-inch diameter waterline impacting 18,912 square feet of a palustrine emergent (PEM) 10 acres wetland (Tioga, PA Quadrangle, Latitude: 41.990200°, Longitude: -77.128619°);

2. A temporary road crossing using timber mats, and a 20-inch diameter waterline impacting 11,694 square feet of a palustrine emergent (PEM) 10 acres wetland (Tioga, PA Quadrangle, Latitude: 41.988380°, Longitude: -77.131758°);

3. A temporary road crossing using timber mats impacting 26 square feet of a palustrine emergent (PEM) wetland (Tioga, PA Quadrangle, Latitude: 41.984683°, Longitude: -77.135017°);

4. A temporary road crossing using timber mats, a 20-inch diameter natural gas pipeline, and a 20-inch diameter waterline impacting 3,820 square feet of a palustrine emergent (PEM) 10 acres wetland and 2,104 square feet of a palustrine forested (PFO) 10 acres wetland (Tioga, PA Quadrangle, Latitude: 41.979639°, Longitude: -77.137534°);

The project will result in 34,452 square feet (0.791 acre) of temporary wetland impacts and 2,104 square feet (0.048 acre) of permanent wetland impacts all for the purpose of installing a natural gas pipeline and water line in Lawrence Township and Lawrenceville Borough, Tioga County.

**E0829224-008. Blackhill Energy LLC**, 4600 J Barry Court, Suite 300, Canonsburg, PA 15317, Springfield Township, Troy Township, West Burlington Township, and Granville Township, **Bradford County**. U.S. Army Corps of Engineers Baltimore District. Application received: June 11, 2024.

To construct, operate and maintain:

1. a 16-inch steel gas line and a timber mat bridge impacting 14,901 square feet of a Palustrine Emergent Wetland (East Troy, PA Quadrangle, Latitude: 41.82463898°, Longitude: -76.70773296°);
2. a 16-inch steel gas line impacting 316 square feet of a Palustrine Emergent Wetland (East Troy, PA Quadrangle, Latitude: 41.82327847°, Longitude: -76.70657271°);
3. a 16-inch steel gas line impacting 3 linear feet (5 square feet) of an unnamed tributary to Mill Creek (TSF, MF), 224 square feet of floodway impacts, and 231 square feet of Palustrine Emergent Wetland, 211 square feet of Palustrine Scrub-Shrub Wetland and 150 of Palustrine Forested Wetland (East Troy, PA Quadrangle, Latitude: 41.82228624°, Longitude: -76.70649087°);
4. a 16-inch steel gas line and a timber mat bridge impacting 856 square feet of a Palustrine Emergent Wetland (East Troy, PA Quadrangle, Latitude: 41.81835211°, Longitude: -76.70563179°);
5. a 16-inch steel gas line and a timber mat bridge impacting 1,456 square feet of a Palustrine Emergent Wetland (East Troy, PA Quadrangle, Latitude: 41.81684994°, Longitude: -76.70557344°);
6. a 16-inch steel gas line and a timber mat bridge impacting 884 square feet of a Palustrine Emergent Wetland (East Troy, PA Quadrangle, Latitude: 41.81517278°, Longitude: -76.70667586°);
7. a 16-inch steel gas line and a timber mat bridge impacting 83 linear feet (371 square feet) of Pisgah Creek (TSF, MF), and 6,976 square feet of floodway impacts (East Troy, PA Quadrangle, Latitude: 41.81369095°, Longitude: -76.70733472°);
8. a 16-inch steel gas line and a timber mat bridge impacting 545 square feet of a Palustrine Emergent Wetland (East Troy, PA Quadrangle, Latitude: 41.81340863°, Longitude: -76.70727427°);
9. a 16-inch steel gas line and a timber mat bridge impacting 3,916 square feet of a Palustrine Emergent Wetland (East Troy, PA Quadrangle, Latitude: 41.80711769°, Longitude: -76.70641627°);
10. a 16-inch steel gas line and a timber mat bridge impacting 475 square feet of a Palustrine Emergent Wetland (East Troy, PA Quadrangle, Latitude: 41.80696384°, Longitude: -76.70629412°);
11. a 16-inch steel gas line and a timber mat bridge impacting 867 square feet of a Palustrine Emergent Wetland (East Troy, PA Quadrangle, Latitude: 41.80674191°, Longitude: -76.70626763°);
12. a 16-inch steel gas line and a timber mat bridge impacting 258 square feet of a Palustrine Emergent Wetland (East Troy, PA Quadrangle, Latitude: 41.80670614°, Longitude: -76.70626615°);
13. a 16-inch steel gas line and a timber mat bridge impacting 75 linear feet (518 square feet) of an unnamed tributary to Pisgah Creek (TSF, MF), and 7,366 square feet of floodway impacts (East Troy, PA Quadrangle, Latitude: 41.81369095°, Longitude: -76.70733472°);
14. a 16-inch steel gas line and a timber mat bridge impacting 110 linear feet (623 square feet) of an unnamed tributary to Sugar Creek (TSF, MF), and 8,343 square feet of floodway impacts (East Troy, PA Quadrangle, Latitude: 41.79504314°, Longitude: -76.70059137°);
15. a 16-inch steel gas line and a timber mat bridge impacting 26 linear feet (281 square feet) of an unnamed tributary to Sugar Creek (TSF, MF), and 6,281 square feet of floodway impacts (East Troy, PA Quadrangle, Latitude: 41.79504314°, Longitude: -76.70059137°);
16. a 16-inch steel gas line and a timber mat bridge impacting 78 square feet of a Palustrine Emergent Wetland (East Troy, PA Quadrangle, Latitude: 41.79455325°, Longitude: -76.70071477°);
17. a timber mat bridge impacting 18 linear feet (177 square feet) of an unnamed tributary to Sugar Creek (TSF, MF), and 220 square feet of floodway impacts (East Troy, PA Quadrangle, Latitude: 41.79428025°, Longitude: -76.69868057°);
18. a 16-inch steel gas line and a timber mat bridge impacting 20 linear feet (433 square feet) of an unnamed tributary to Sugar Creek (TSF, MF), and 10,718 square feet of floodway impacts (East Troy, PA Quadrangle, Latitude: 41.78915013°, Longitude: -76.70021694°);
19. a 16-inch steel gas line and a timber mat bridge impacting 10,877 square feet of floodway of an unnamed tributary to Sugar Creek (TSF, MF) (East Troy, PA Quadrangle, Latitude: 41.78821237°, Longitude: -76.70012596°);
20. a 16-inch steel gas line and a timber mat bridge impacting 24 linear feet (395 square feet) of an unnamed tributary to Sugar Creek (TSF, MF), 13,106 square feet of floodway impacts and 2,193 square feet of Palustrine Emergent Wetland (East Troy, PA Quadrangle, Latitude: 41.78159750°, Longitude: -76.70055329°);
21. a 16-inch steel gas line and a timber mat bridge impacting 108 square feet of a Palustrine Emergent Wetland (East Troy, PA Quadrangle, Latitude: 41.77631137°, Longitude: -76.70126898°);
22. a 16-inch steel gas line and a timber mat bridge impacting 1,459 square feet of a Palustrine Emergent Wetland (East Troy, PA Quadrangle, Latitude: 41.77578783°, Longitude: -76.70132904°);
23. a 16-inch steel gas line and a timber mat bridge impacting 78 linear feet (888 square feet) of an unnamed tributary to Sugar Creek (TSF, MF), and 13,639 square feet of floodway impacts (East Troy, PA Quadrangle, Latitude: 41.77543143°, Longitude: -76.70149255°);
24. a 16-inch steel gas line and a timber mat bridge impacting 182 linear feet (328 square feet) of an unnamed tributary to Sugar Creek (TSF, MF), 15,556 square feet of floodway impacts and 2,590 square feet of Palustrine Emergent Wetland (East Troy, PA Quadrangle, Latitude: 41.77450309°, Longitude: -76.70098058°);
25. a 16-inch steel gas line and a timber mat bridge impacting 7,109 square feet of a Palustrine Emergent Wetland (East Troy, PA Quadrangle, Latitude: 41.77421734°, Longitude: -76.70050942°);
26. a 16-inch steel gas line and a timber mat bridge impacting 1,572 square feet of a Palustrine Emergent Wetland (East Troy, PA Quadrangle, Latitude: 41.77366017°, Longitude: -76.69787304°);
27. a 16-inch steel gas line and a timber mat bridge impacting 97 linear feet (145 square feet) of an unnamed tributary to Sugar Creek (TSF, MF), and 7,552 square

feet of floodway impacts (East Troy, PA Quadrangle, Latitude: 41.77543143°, Longitude: -76.70149255°);

28. a 16-inch steel gas line and a timber mat bridge impacting 580 square feet of a Palustrine Emergent Wetland (East Troy, PA Quadrangle, Latitude: 41.77192616°, Longitude: -76.6920735°);

29. a 16-inch steel gas line and a timber mat bridge impacting 36 linear feet (73 square feet) of an unnamed tributary to Sugar Creek (TSF, MF), 3,310 square feet of floodway impacts and 1,096 square feet of Palustrine Emergent Wetland (East Troy, PA Quadrangle, Latitude: 41.77164162°, Longitude: -76.69180782°);

30. a 16-inch steel gas line and a timber mat bridge impacting 87 linear feet (228 square feet) of an unnamed tributary to Sugar Creek (TSF, MF), 5,999 square feet of floodway impacts and 531 square feet of Palustrine Emergent Wetland (East Troy, PA Quadrangle, Latitude: 41.77130462°, Longitude: -76.69149353°);

31. a 16-inch steel gas line and a timber mat bridge impacting 89 linear feet (207 square feet) of an unnamed tributary to Sugar Creek (TSF, MF), and 6,265 square feet of floodway impacts (East Troy, PA Quadrangle, Latitude: 41.77110627°, Longitude: -76.69134393°);

32. a 16-inch steel gas line and a timber mat bridge impacting 2 linear feet (147 square feet) of an unnamed tributary to Sugar Creek (TSF, MF), 7,018 square feet of floodway impacts and 837 square feet of Palustrine Emergent Wetland (East Troy, PA Quadrangle, Latitude: 41.76961029°, Longitude: -76.6907704°);

33. a 16-inch steel gas line and a timber mat bridge impacting 92 linear feet (3,009 square feet) of an unnamed tributary to Sugar Creek (TSF, MF), and 7,389 square feet of floodway impacts (East Troy, PA Quadrangle, Latitude: 41.77543143°, Longitude: -76.70149255°);

34. a 16-inch steel gas line and a timber mat bridge impacting 1,000 square feet of a Palustrine Emergent Wetland (East Troy, PA Quadrangle, Latitude: 41.76834457°, Longitude: -76.68624357°);

35. a 16-inch steel gas line and a timber mat bridge impacting 2,347 square feet of a Palustrine Emergent Wetland (East Troy, PA Quadrangle, Latitude: 41.76808217°, Longitude: -76.68466417°);

36. a 16-inch steel gas line, a timber mat bridge and a 48" PLCCP Culvert impacting 134 linear feet (665 square feet) of an unnamed tributary to Sugar Creek (TSF, MF), and 8,206 square feet of floodway impacts (East Troy, PA Quadrangle, Latitude: 41.76462857°, Longitude: -76.6834731°);

37. a 16-inch steel gas line impacting 11 square feet of a Palustrine Emergent Wetland (East Troy, PA Quadrangle, Latitude: 41.76188495°, Longitude: -76.68223805°);

38. a 16-inch steel gas line impacting 67 linear feet (88 square feet) of Sugar Creek (TSF, MF), and 134 square feet of floodway impacts (East Troy, PA Quadrangle, Latitude: 41.76141878°, Longitude: -76.6819472°);

39. a 16-inch steel gas line impacting 23 linear feet (31 square feet) of an unnamed tributary to Sugar Creek (TSF, MF), 182 square feet of floodway impacts and 18 square feet of Palustrine Emergent Wetland (East Troy, PA Quadrangle, Latitude: 41.75971719°, Longitude: -76.68097328°);

40. a 16-inch steel gas line and a timber mat bridge impacting 2,344 square feet of a Palustrine Scrub;

41. a Shrub Wetland (East Troy, PA Quadrangle, Latitude: 41.75593312°, Longitude: -76.67975753°);

42. a 16-inch steel gas line and a timber mat bridge impacting 17 linear feet (35 square feet) of an unnamed tributary to Sugar Creek (TSF, MF), 10,003 square feet of floodway impacts and 9,885 square feet of Palustrine Emergent Wetland (East Troy, PA Quadrangle, Latitude: 41.75505201°, Longitude: -76.67977428°);

43. a 16-inch steel gas line and a timber mat bridge impacting 10,541 square feet of a Palustrine Emergent Wetland (Leroy, PA Quadrangle, Latitude: 41.74485416°, Longitude: -76.67739682°);

44. a 16-inch steel gas line and a timber mat bridge impacting 1,379 square feet of a Palustrine Forested Wetland and 7,490 square feet of a Palustrine Emergent Wetland (Leroy, PA Quadrangle, Latitude: 41.74389828°, Longitude: -76.67741153°);

45. a 16-inch steel gas line and a timber mat bridge impacting 12 linear feet (18 square feet) of an unnamed tributary to North Branch Towanda Creek (CWF, MF), 1,208 square feet of floodway impacts and 6,699 square feet of Palustrine Emergent Wetland (Leroy, PA Quadrangle, Latitude: 41.74283641°, Longitude: -76.6773276°);

46. a 16-inch steel gas line and a timber mat bridge impacting 962 square feet of a Palustrine Emergent Wetland (Leroy, PA Quadrangle, Latitude: 41.74156216°, Longitude: -76.67697162°);

47. a 16-inch steel gas line and a timber mat bridge impacting 5,445 square feet of a Palustrine Emergent Wetland (Leroy, PA Quadrangle, Latitude: 41.73959783°, Longitude: -76.67657042°);

48. a 16-inch steel gas line and a timber mat bridge impacting 80 linear feet (320 square feet) of an unnamed tributary to North Branch Towanda Creek (CWF, MF), and 8,315 square feet of floodway impacts (Leroy, PA Quadrangle, Latitude: 41.73902412°, Longitude: -76.667657042°);

49. a 16-inch steel gas line and a timber mat bridge impacting 786 square feet of a Palustrine Forested Wetland (Leroy, PA Quadrangle, Latitude: 41.73865237°, Longitude: -76.67636522°);

50. a 16-inch steel gas line and a timber mat bridge impacting 30,074 square feet of a Palustrine Emergent Wetland (Leroy, PA Quadrangle, Latitude: 41.73443528°, Longitude: -76.67668491°);

51. a timber mat bridge impacting 1,105 square feet of a Palustrine Emergent Wetland (Leroy, PA Quadrangle, Latitude: 41.81560948°, Longitude: -76.70541811°);

The project will result in 1,355 linear feet (8,985 square feet) of temporary stream impacts, 158,887 square feet (3.648 acres) of temporary floodway impacts, and 118,435 square feet (2.719 acres) of temporary PEM wetland impacts, 2,555 square feet (0.059 acre) of PSS impacts and 2,315 square feet (0.053 acre) of PFO impacts, all for the purpose of installing a natural gas pipeline with associated access roadways for Marcellus shale development in Springfield, Troy, West Burlington, and Granville Townships, Bradford County.

*Northcentral Region: Waterways & Wetlands Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: James Cassidy, Senior Civil Engineer, 570-855-9764.*

**E4104224-008. Beth Brown**, 189 Brown Lane, Linden, PA 17744, Piatt Township, **Lycoming County**. U.S. Army Corps of Engineers Baltimore District. Application received: July 16, 2024.

Erect a 20' x 30' Pavilion with leg height of 8'. This will be a steel carport design with a vertical metal roof. Purpose is for recreational use to protect against sun and rain at the river lot. Latitude: 41°, 12', 57.15" N, Longitude: -77°, 13', 38.72" W.

**E4104224-009. James Landis**, 152 Davis Lane, Muncy, PA 17756, Clinton Township, **Lycoming County**. U.S. Army Corps of Engineers Baltimore District. Application received: August 15, 2024.

Build and maintain a 23' x 27' recreational Pavilion. Latitude: 41.22639°, Longitude: -76.81914°.

**E6004224-003. Steven Hoover**, 217 Gingerbread Lane, Millmont, PA 17845, Lewis Township, **Union County**. U.S. Army Corps of Engineers Baltimore District. Application received: July 5, 2024.

New Stream Crossing Latitude: 40.92445°, Longitude: -77.14604°.

*Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: RA-EPWW-NWRO@pa.gov.*

**E2506224-007. Erie City**, 626 State Street, Erie, PA 16501, City of Erie, **Erie County**. U.S. Army Corps of Engineers Pittsburgh District. Application received: August 6, 2024.

To construct stream restoration activities in Garrison Run adjacent to the east side of the Erie Wastewater Treatment Plant. Approximately 1,300 feet of stream to be impacted during stream rehabilitation activities including bank stabilization, log vanes, and rock cross vanes. Latitude: 42.143724°, Longitude: -80.075129°.

*Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: 717-705-4802.*

**E6703224-011. Springfield Township, York County Sewer Authority**, P.O. Box 75, Seven Valleys, PA 17360, Springfield Township, **York County**. U.S. Army Corps of Engineers Baltimore District. Application received: July 5, 2024.

The applicant proposes to realign 132.0-linear feet of Hollow Creek (CWF, MF) and install one (1) rock vane grade control structure in the realigned portion of the watercourse. The project is necessary to protect an existing wastewater treatment plant (WWTP) transformer from ongoing bank erosion and to better manage the Hollow Creek flow velocity and erosive behavior next to the WWTP. The project is located at 641 Water Street, York, PA 17403 in Springfield Township, York County (Latitude: (39.867972), Longitude: (-76.714939)). Wetlands will not be impacted as a result of this project. Latitude: 39.867972°, Longitude: -76.714939°.

**F2203224-001. Lower Swatara Township**, 1499 Spring Garden Drive, Middletown, PA 17057, Lower Swatara Township, **Dauphin County**. U.S. Army Corps of Engineers Baltimore District. Application received: July 11, 2024.

The applicant proposed to demolish and remove five residential primary and accessory structures, excavation and removal of debris, and site restoration and stabilization of the five properties located in special flood hazard areas. The projects propose to temporarily impact a total of 1.48 acres of floodplain. The issuance of this permit will not constitute approval of Water Quality Certification under Section 401 of the Federal Clean Water Act (33 U.S.C.A. § 1341).

	Address	Waterway	Chapter 93 Designation	USGS Quadrangle	Latitude	Longitude
1	2 Wayne Avenue Middletown, PA 17057	Lisa Lake	WWF, MF	Middletown, PA	40.201378	76.764828
2	2 83 Bradford Avenue Middletown, PA 17057	Lisa Lake	WWF, MF	Middletown, PA	40.201133	-76.764247
3	154 Bradford Avenue Middletown, PA 17057	Lisa Lake	WWF, MF	Middletown, PA	40.202342	-76.763278
4	105 Wyoming Avenue Middletown, PA 17057	Lisa Lake	WWF, MF	Middletown, PA	40.201378	-76.761936
5	1493 Swatara Park Rd Middletown, PA 17057	Swatara Creek	WWF, MF	Middletown, PA	40.217881	-76.724858

*Southeast Region: Waterways & Wetlands Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: ra-ep-ww-sero-105@pa.gov.*

**E0901224-008. Benaiah, LP**, 3245 State Road, Sellersville, PA 18960, West Rockhill Township, **Bucks County**. U.S. Army Corps of Engineers Philadelphia District. Application received: August 15, 2024.

To construct and maintain a commercial cold storage facility, size about 159,000 SF, including a parking area and stormwater outfall structure over the 0.14 wetland pocket (PEM) and within the floodway of the UNT to Mill

Creek (WWF) associated with business development. Mitigation/remediation for permanent wetland impact is to be determined. The site is located at 3115 Old State Road (Telford, PA, USGS Quadrangle) in West Rockhill Township, Bucks County. Latitude: 40.339047°, Longitude: -75.316484°.

**E0901223-010. Dauphine Building & Development, LP**, 920 Wayland Circle, Bensalem, PA 19020, Bensalem Township, **Bucks County**. U.S. Army Corps of Engineers Philadelphia District. Application received: October 30, 2023.

Dauphine Building and Development, LP is proposing to construct and maintain 39 townhouses impacting ap-



proximately 0.40 acre of the existing 100-year assumed floodway of the Unnamed Tributary of Neshaminy Creek. The site is located at 1282 Byberry Road (Beverly, NJ-PA USGS map) in Bensalem Township, Bucks County. Latitude: 40.112754°, Longitude: -74.918279°.

**E2301224-011. Fox Hill Farm Community Association**, 2300 Fox Hill Circle, Glen Mills, PA 19342, Concord Township, **Delaware County**. U.S. Army Corps of Engineers Philadelphia District. Application received: August 30, 2024.

Fox Hill Farm Community Association is proposing to restore approximately 450 LF of the existing drainage channel in and along the 100-year floodway of the unnamed tributary of Web Creek. The proposed work will include re-alignment of the existing stream channel, regrade to minimize future erosions, repair eroded areas, and stabilize the existing banks of the channel. The site is located behind the existing community clubhouse at 2300 Fox Hill Circle (Wilmington North—DE USGS map) in Concord Township, Delaware County. Latitude: 39.867167°, Longitude: -75.525783°.

**E2301224-010. Nether Providence Township**, 214 Sykes Lane, Wallingford, PA 19086, Nether Providence Township, **Delaware County**. U.S. Army Corps of Engineers Philadelphia District. Application received: August 27, 2024.

Nether Providence Township is proposing to construct and maintain a 12-foot-wide walking trail and 38-foot span pedestrian bridge within the floodway and over Dicks Run (WWF-MF) resulting in 960 square feet of permanent floodway impact. This project is associated with Phase 2 of the Furness Park Walking Trail Project and is located at the intersection of Turner and Knoll Roads and extends to the existing Furness Park Trail in Nether Providence Township, Delaware County (USGS PA Lansdowne Quadrangle). Latitude: 39.906802°, Longitude: -75.369631°.

## ENVIRONMENTAL ASSESSMENTS

*Central Office: Waterways & Wetlands Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-772-5321.*

*Contact: Niamh Hays, Water Program Specialist, 717-772-5959.*

**EA1515224-006. Eric Snyder**, 317 East Carson Street, Suite 242, Pittsburgh, PA 15219, New Garden Township, **Chester County**. U.S. Army Corps of Engineers Philadelphia District. Application received: August 22, 2024.

The applicant proposes to restore approximately 6,711 linear feet of Evans Brook and a tributary (EV-MF) by removing approximately 32,472 cubic yards of legacy sediment and other historic fills from the floodplain. The length of channel being temporarily impacted during construction is approximately 6,425 linear feet to gain 6,711 linear feet of restored stream channel. Approximately 8.3 acres of wetland will be established with the project. The project proposes to restore approximately 17 combined acres of wetland, stream, and floodplain mosaic, utilizing channel relocation, floodplain grading, valley cut/fill, subsurface grade control, and habitat structures to restore channel and floodplain flow regime and function. The project site is on the former Loch Nairn Golf Course, New Garden Township, PA Latitude: 39.8469°, Longitude: -75.7767°.

*Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: RA-EPWW-NWRO@pa.gov.*

**EA2506224-001. Nick Brace**, 1131 PA-97, Waterford, PA 16441, Waterford Township, **Erie County**. U.S. Army Corps of Engineers Pittsburgh District. Application received: June 12, 2024.

The applicant proposes to temporarily impact 1.03 acres of existing Palustrine Emergent wetland to render existing agricultural drain tile inoperable, and to fill in approximately 150 linear feet of historic agricultural ditches as a restoration activity to satisfy an EPA consent decree. Latitude: 41.97752°, Longitude: -80.039920°.

---

## ACTIONS

---

### THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

#### FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department of Environmental Protection (DEP) has taken the following actions on previously received applications for new, amended, and renewed National Pollutant Discharge Elimination System (NPDES) and Water Quality Management (WQM) permits, applications for permit waivers, and Notice of Intent (NOIs) for coverage under General Permits, as listed in the following tables. This notice of final action is published in accordance with 25 Pa. Code Chapters 91, 92a, and 102 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). The official file for each listed action can be reviewed at the DEP or delegated County Conservation District (CCD) office identified in the table for the action. DEP/CCD office contact information is listed as follows for Section I and is contained within the table for Section II. Additional information for permits issued under 25 Pa. Code Chapters 91 and 92a and Individual permits under 25 Pa. Code Chapter 102, including links to Individual Chapter 92a NPDES and WQM Permits, may be reviewed by generating the “Final Actions Report” on DEP’s website at [www.dep.pa.gov/CWPublicNotice](http://www.dep.pa.gov/CWPublicNotice).

DEP office contact information to review official files relating to the final actions in Section I is as follows:

*DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484-250-5910. Email: RA-EPNPDES\_SERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SERO@pa.gov for Chapter 102 permits.*

*DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570-826-5472. Email: RA-EPNPDES\_NERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NERO@pa.gov for Chapter 102 permits.*

DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717-705-4732. Email: RA-EPNPDES\_SCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SCRO@pa.gov for Chapter 102 permits.

DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570-327-3693. Email: RA-EPNPDES\_NCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NCRO@pa.gov for Chapter 102 permits.

DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412-442-4286. Email: RA-EPNPDES\_SWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SWRO@pa.gov for Chapter 102 permits.

DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814-332-6078. Email: RA-EPNPDES\_NWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NWRO@pa.gov for Chapter 102 permits.

DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-787-5017. Email: RA-EPNPDES\_Permits@pa.gov.

DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law).

The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law. For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board. Individuals who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. Important legal rights are at stake, however, so individuals should contact a lawyer at once.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

For actions taken on applications for pipelines that are regulated by the Federal Energy Regulatory Commission (FERC).

Any person aggrieved by this action may challenge it in an appropriate legal forum. The State and Federal courts are currently split on whether the proper forum to challenge a Department permit, authorization or approval for a facility or activity subject to the Federal Natural Gas Act, 15 U.S.C.A. §§ 717 et seq., is the United States Court of Appeals for the Third Circuit or the Pennsylvania Environmental Hearing Board. See *Delaware Riverkeeper Network v. Sec'y, Dep't. of Env'tl. Prot.*, 833 F.3d 360 (3d Cir. 2016); *Delaware Riverkeeper Network v. Sec'y, Dep't. of Env'tl. Prot.*, 903 F.3d 65 (3d Cir. 2018), cert. denied, 139 S. Ct. 1648, 203 L. Ed. 899 (2019) and *Cole v. Dep't. of Env'tl. Prot.*, 1577 C.D. 2019 WL 2420667 (Pa. Cmwlth Ct. June 15, 2021) (Pet. for Allowance of Appeal pending); *West Rockhill Twp. v. Dep't. of Env'tl. Prot.*, No. 1595 C.D. 2019 WL 2426014 (Pa. Cmwlth. June 15, 2021) (Pet. for Allowance of Appeal pending).

#### **I. Final Action(s) on NPDES and WQM Permit Application(s) and NOIs for Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides, CAFOs and Individual Construction Stormwater.**

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAD020085	Chapter 102 Individual NPDES Permit	Issued	Primary Care Health Service Inc. 7227 Hamilton Avenue Pittsburgh, PA 15208-1814	Pittsburgh City Allegheny County	SWRO
PAD090106	Chapter 102 Individual NPDES Permit	Issued	Dorris James 32173 Cinnntal Place Spanish Fort, AL 36527-8753	Springfield Township Bucks County	SERO
PAD150306	Chapter 102 Individual NPDES Permit	Issued	Hankin Group 707 Eagle Boulevard Exton, PA 19341-1159	Upper Uwchlan Township Chester County	SERO
PAD150335	Chapter 102 Individual NPDES Permit	Issued	National Foam Inc. 350 East Union Street West Chester, PA 19382-3450	West Chester Borough Chester County	SERO
PAD150339	Chapter 102 Individual NPDES Permit	Issued	East Vincent Development Co. LP 600 Eagleview Boulevard Suite 300 Exton, PA 19341-1224	East Vincent Township Chester County	SERO

## NOTICES

6035

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAD360095	Chapter 102 Individual NPDES Permit	Issued	156 W Harrisburg Ave Assoc LLC 1 Tower Bldg 100 Front Street Suite 560 West Conshohocken, PA 19428-2873	West Donegal Township Lancaster County	SCRO
PAD360109	Chapter 102 Individual NPDES Permit	Issued	Stoltzfus Amos E 562 Hilldale Road Holtwood, PA 17532-9633	Martic Township Lancaster County	SCRO
PAD360116	Chapter 102 Individual NPDES Permit	Issued	Amtrak Philadelphia 2955 Market Street 30th Street Station Philadelphia, PA 19104-2828	Manor Township Lancaster County	SCRO
PAD390169	Chapter 102 Individual NPDES Permit	Issued	CSW Furnace Street Emmaus LP FSE GP LLC 1300 Virginia Drive Fort Washington, PA 19034-3221	Emmaus Borough Lehigh County	NERO
PAD390213	Chapter 102 Individual NPDES Permit	Issued	178 W Main LP 1348 Hamilton Street Allentown, PA 18102-4329	Macungie Borough Lehigh County	NERO
PAD450199	Chapter 102 Individual NPDES Permit	Issued	Gladkov Kaganovich Yelena 2650 Haring Street Brooklyn, NY 11235-1606	Polk Township Monroe County	NERO
PAD480191	Chapter 102 Individual NPDES Permit	Issued	Bethlehem Parking Authority 85 W North Street Bethlehem, PA 18018-3920	Bethlehem City Northampton County	NERO
PAD480215	Chapter 102 Individual NPDES Permit	Issued	Rae Jay Partners 3242 Farmersville Road Bethlehem, PA 18020-9777	Lower Nazareth Township Northampton County	NERO
PAD510010	Chapter 102 Individual NPDES Permit	Issued	City of Philadelphia Division of Aviation Phl Terminal D Third Floor Planning and Environmental Stewardship Philadelphia, PA 19153	Philadelphia City Philadelphia County	SERO
PAD680018	Chapter 102 Individual NPDES Permit	Issued	PA DEP Bureau of Abandoned Mine Reclamation 286 Industrial Park Rd. Ebensburg, PA 15931	Cook Township Westmoreland County	PA DEP Bureau of Abandoned Mine Reclamation Cambria Office
PA0001571	Industrial Stormwater Individual NPDES Permit	Issued	Trogon Development LLC P.O. Box 1605 Canovanas, PR 00729-1605	Union Township Washington County	SWRO
PA0254983	Industrial Stormwater Individual NPDES Permit	Issued	Donora Dock LLC 1501 Ligonier Street Latrobe, PA 15650-2912	Carroll Township Washington County	SWRO
PA0276634	Industrial Stormwater Individual NPDES Permit	Issued	Transdev Service Inc. 110 Perimeter Park Road Suite E Knoxville, TN 37922-2247	Allentown City Lehigh County	NERO
PA0276880	Industrial Stormwater Individual NPDES Permit	Issued	LKQ Northeast Inc. 201 State Road Parryville, PA 18244-9700	Parryville Borough Carbon County	NERO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0285323	Industrial Stormwater Individual NPDES Permit	Issued	Waste Management PA Inc. 260 Laurel Ridge Road Johnstown, PA 15909-4032	Jackson Township Cambria County	SWRO
0924811	Joint DEP/PFBC Pesticides Permit	Issued	Hammonds Michael and Quinn 447 Lurgan Road New Hope, PA 18938-9214	Upper Makefield Township Bucks County	SERO
1514824	Joint DEP/PFBC Pesticides Permit	Issued	Doughty Fred 60 Bertolet School Road Spring City, PA 19475-3304	South Coventry Township Chester County	SERO
4324817	Joint DEP/PFBC Pesticides Permit	Issued	Raymond Hoffman 242 Tait Road Mercer, PA 16137-4840	Coolspring Township Mercer County	NWRO
4621821	Joint DEP/PFBC Pesticides Permit	Issued	Rubin Michael 600 Great Springs Road Bryn Mawr, PA 19010-1702	Lower Merion Township Montgomery County	SERO
5124802	Joint DEP/PFBC Pesticides Permit	Issued	US FWS 8601 Lindbergh Boulevard Philadelphia, PA 19153-2501	Philadelphia City Philadelphia County	SERO
6124805	Joint DEP/PFBC Pesticides Permit	Issued	Benner Robert J 570 N Kahle Lake Road Emlenton, PA 16373-8511	Richland Township Venango County	NWRO
1506407	Land Application and Reuse of Sewage Individual WQM Permit	Issued	East Brandywine Township Municipal Authority Chester County 1214 Horseshoe Pike Downingtown, PA 19335-1132	East Brandywine Township Chester County	SERO
1587447	Land Application and Reuse of Sewage Individual WQM Permit	Issued	Ponds of Woodward HOA 801 Burrows Run Road Chadds Ford, PA 19317-9238	Kennett Township Chester County	SERO
0686404	Major Sewage Treatment Facility Individual WQM Permit	Issued	Reading City Berks County 815 Washington Street Reading, PA 19601-3615	Reading City Berks County	SCRO
4292401	Major Sewage Treatment Facility Individual WQM Permit	Issued	PA American Water Co. 425 Waterworks Road Clarion, PA 16214-2343	Kane Borough McKean County	NWRO
2824201	Manure Storage and Wastewater Impoundments Individual WQM Permit	Issued	Rotz Milton 1015 Heritage Avenue Shippensburg, PA 17257-9267	Greene Township Franklin County	SCRO
5613200	Manure Storage and Wastewater Impoundments Individual WQM Permit	Issued	Dividing Ridge Farm LLC 207 Dividing Ridge Road Fairhope, PA 15538-2040	Allegheny Township Somerset County	SWRO
6021201	Manure Storage and Wastewater Impoundments Individual WQM Permit	Issued	Am Logging LLC 116 Thompson Lane Millheim, PA 16854-9617	Buffalo Township Union County	NCRO
PA0011681	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	PECO Energy Co. 300 Front Street W Conshohocken, PA 19428-2723	West Conshohocken Borough Montgomery County	SERO

## NOTICES

6037

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0086291	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	Texas Eastern Trans LP P.O. Box 1642 Houston, TX 77251-1642	Lack Township Juniata County	SCRO
PA0244171	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	Lower Merion Township Montgomery County 75 E Lancaster Avenue Ardmore, PA 19003-2323	Lower Merion Township Montgomery County	SERO
PA0034185	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Pwf1 High Meadows LLC 4751 Kendor Drive New Kensington, PA 15068-9506	Allegheny Township Westmoreland County	SWRO
PA0080209	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Hoffman Homes Inc. 815 Orphanage Road Littlestown, PA 17340-9329	Mount Joy Township Adams County	SCRO
PA0088277	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Summit Ridge Homeowners Assoc 2950 Lewisberry Road York, PA 17404-8376	Berwick Township Adams County	SCRO
PA0093980	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Kimberlin MHC LLC 102 Kimberlin Drive Irwin, PA 15642-3186	Sewickley Township Westmoreland County	SWRO
PA0062243	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Nesquehoning Borough Carbon County 114 W Catawissa Street Nesquehoning, PA 18240-1536	Nesquehoning Borough Carbon County	NERO
5810401	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Montrose Municipal Authority Susquehanna County P.O. Box 306 237 Ritzek Road Montrose, PA 18801-0306	Montrose Borough Susquehanna County	NERO
6569433	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Pwf1 High Meadows LLC 4751 Kendor Drive New Kensington, PA 15068-9506	Allegheny Township Westmoreland County	SWRO
6583402	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Kimberlin MHC LLC 102 Kimberlin Drive Irwin, PA 15642-3186	Sewickley Township Westmoreland County	SWRO
NOEXSC113	No Exposure Certification	Issued	Kennametal Inc. 1600 Technology Way Latrobe, PA 15650-4647	Bedford Township Bedford County	SCRO
NOEXSC432	No Exposure Certification	Issued	Northpoint Development LLC 3315 N Oak Trfy Kansas City, MO 64116-2775	Springettsbury Township York County	SCRO
PAG032204	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Dupont Terminal DE LLC 900 S Eisenhower Boulevard Middletown, PA 17057-5503	Pittston Township Luzerne County	NERO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG032349	PAG-03 NPDES General Permit for Industrial Stormwater	Denied	Joe Squid Inc. 1410 Plank Road New Milford, PA 18834-7603	Harford Township Susquehanna County	NERO
PAG032369	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Ashland Foundry & Mach Works LLC 500 E Centre Street Ashland, PA 17921-2018	Ashland Borough Schuylkill County	NERO
PAG033562	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Protech Powder Coating Inc. 939 Monocacy Road York, PA 17404	York City York County	SCRO
PAG033638	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Epiroc USA LLC 8001 Arista Place Unit 400 Broomfield, CO 80021-4135	Swatara Township Dauphin County	SCRO
PAG033801	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Kloeckner Metals Corp 500 Manchester Court York, PA 17408-7614	West Manchester Township York County	SCRO
PAG033892	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	ADM Alliance Nutrition Inc. 2000 Hummel Avenue Camp Hill, PA 17011-5944	Lower Allen Township Cumberland County	SCRO
PAG033969	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Weaver Ind Inc. 425 S 4th Street P.O. Box 326 Denver, PA 17517-1224	Denver Borough Lancaster County	SCRO
PAG034011	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	JBS Souderton Inc. 741 Souder Road Souderton, PA 18964-2406	Washington Township Dauphin County	SCRO
PAG034030	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Waynesboro Real Estate Ventures LLC 360 S Church Street Waynesboro, PA 17268-2610	Waynesboro Borough Franklin County	SCRO
PAG036526	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	New Enterprise Stone & Lime Co. Inc. P.O. Box 77 New Enterprise, PA 16664-0077	Somerset Borough Somerset County	SWRO
PAG036527	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	New Enterprise Stone & Lime Co. Inc. P.O. Box 77 New Enterprise, PA 16664-0077	Cambria Township Cambria County	SWRO
PAG038463	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	BPI Inc. 612 S Trenton Avenue Pittsburgh, PA 15221-3475	New Castle City Lawrence County	NWRO
PAG041338	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Sperring Arthur Jr 1776 S Neshannock Road Hermitage, PA 16148	Hermitage City Mercer County	NWRO
PAG041340	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Kim and Ron Irwin 2340 Election House Road Cochranton, PA 16314-5136	Fairfield Township Crawford County	NWRO
PAG041356	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Dandrea James 4466 Bear Creek Road Fairview, PA 16415-2015	Fairview Township Erie County	NWRO

## NOTICES

6039

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG041381	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Nicastro Gino 4600 Hogback Road Hermitage, PA 16148-6212	Hermitage City Mercer County	NWRO
PAG041385	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Yoder Ernest 357 Kinsman Road Jamestown, PA 16134	Greene Township Mercer County	NWRO
PAG041400	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Harrison Michaela 852B Patterson School Road Grove City, PA 16127	Worth Township Mercer County	NWRO
PAG041402	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Candace and Frank Reina 151 Sunville Road Franklin, PA 16323-7341	Oakland Township Venango County	NWRO
PAG041406	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Heilman June 28 Rutledge Road Greenville, PA 16125-8702	South Pymatuning Township Mercer County	NWRO
PAG041410	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Barbara and William Burdette 1148 Hartford Road Sharpsville, PA 16150-9657	South Pymatuning Township Mercer County	NWRO
PAG041418	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	McDaniel Daniel 492 Fairview Road Titusville, PA 16354-7540	Cherrytree Township Venango County	NWRO
PAG043996	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Conley Brian K 5149 Herbst Road Red Lion, PA 17356-8354	North Hopewell Township York County	SCRO
PAG043998	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Pierson Jeffrey M 357 Sherwood Drive Carlisle, PA 17015-9013	Middlesex Township Cumberland County	SCRO
PAG043999	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Fisher Alvin K Jr 6756 McClays Mill Road Newburg, PA 17240-9617	Lurgan Township Franklin County	SCRO
PAG044000	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Smith Samuel J 22215 Back Road Doyleburg, PA 17219	Fannett Township Franklin County	SCRO
PAG044001	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	IIE William 301 Benedict Road Wellsborg, PA 17365	Lurgan Township Franklin County	SCRO
PAG044002	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Kelly and Aron Duncan 147 Sieger Road Kutztown, PA 19530-8857	Richmond Township Berks County	SCRO
PAG044003	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Adrienne A and Steven W Hawkins II 7723 Wertzville Road Carlisle, PA 17013-9021	Middlesex Township Cumberland County	SCRO
PAG044004	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Stoltzfus Amos E 1651 Mountain Road Newburg, PA 17240-9123	Upper Mifflin Township Cumberland County	SCRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG088311	PAG-08 General Permit for Beneficial Use of Biosolids	Issued	McKean Township Sewer Authority Erie County 9231 Edinboro Road P.O. Box 88 McKean, PA 16426-1845	McKean Township Erie County	NWRO
PAG123562	PAG-12 NPDES General Permit for CAFOs	Issued	Nolt Cleason 351 Elco Drive Myerstown, PA 17067-2608	Jackson Township Lebanon County	SCRO
PAG123577	PAG-12 NPDES General Permit for CAFOs	Issued	Tuscarora Farms LLC P.O. Box 154 Roxbury, PA 17251-0154	Metal Township Franklin County	SCRO
PAG123626	PAG-12 NPDES General Permit for CAFOs	Issued	Hershey Farms LLC 338 Sunny Burn Road Elizabethtown, PA 17022-9664	Mount Joy Township Lancaster County	SCRO
PAG123739	PAG-12 NPDES General Permit for CAFOs	Issued	Hidden Acres Farms LLC 2115 Rohrer Road Manheim, PA 17545-9136	Rapho Township Lancaster County	SCRO
PAG123750	PAG-12 NPDES General Permit for CAFOs	Issued	Meadow Wood Farms 2075 Colebrook Road Lebanon, PA 17042-9512	North Cornwall Township Lebanon County	SCRO
PAG123792	PAG-12 NPDES General Permit for CAFOs	Issued	Yippee! Farms LLC 880 Pinkerton Road Mount Joy, PA 17552-9241	Rapho Township Lancaster County	SCRO
PAG123824	PAG-12 NPDES General Permit for CAFOs	Issued	Leonard Hoover 6188A Old US 22 Bernville, PA 19506-8457	Upper Tulpehocken Township Berks County	SCRO
PAG123923	PAG-12 NPDES General Permit for CAFOs	Issued	Hissong Farmstead Inc. 7951 Lemar Road Mercersburg, PA 17236-9559	Montgomery Township Franklin County	SCRO
1024407	Pump Stations Individual WQM Permit	Issued	Western Butler County Authority 607 Market Street Zelienople, PA 16063-1830	Zelienople Borough Butler County	NWRO
1598404	Pump Stations Individual WQM Permit	Issued	Spring City Borough Chester County 6 S Church Street Spring City, PA 19475-1876	Spring City Borough Chester County	SERO
PA0271624	Single Residence STP Individual NPDES Permit	Issued	Paluh Thomas 881 Mercer Road Greenville, PA 16125-8416	Delaware Township Mercer County	NWRO
0612406	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Kelly and Aron Duncan 147 Sieger Road Kutztown, PA 19530-8857	Richmond Township Berks County	SCRO
0924402	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Betz Christian 5506 Silo Hill Road Doylestown, PA 18902-9139	Plumstead Township Bucks County	SERO
4318408	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Paluh Thomas 881 Mercer Road Greenville, PA 16125-8416	Delaware Township Mercer County	NWRO
6124402	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	McDaniel Daniel 492 Fairview Road Titusville, PA 16354-7540	Cherrytree Township Venango County	NWRO



<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0087106	Small Flow Treatment Facility Individual NPDES Permit	Issued	Freedom Valley Worship Center Aog Inc. 3185 York Road Gettysburg, PA 17325-8259	Straban Township Adams County	SCRO
PA0294390	Small Flow Treatment Facility Individual NPDES Permit	Issued	Stellar Homes LLC P.O. Box 553 Oley, PA 19547-0553	Oley Township Berks County	SCRO
0624203	Small Flow Treatment Facility Individual WQM Permit	Issued	Stellar Homes LLC P.O. Box 553 Oley, PA 19547-0553	Oley Township Berks County	SCRO
WQG02462404	WQG-02 Pump Station WQM General Permit	Issued	Timothy Tieperman 1286 Black Rock Road Phoenixville, PA 19460-1233	Upper Providence Township Montgomery County	SERO

## II. Final Action(s) on PAG-01 and PAG-02 General NPDES Permit NOIs.

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC350179	PAG-02 General Permit	Issued	Ransom Holdings, LLC 600 Rocky Glen Road Avoca, PA 18641-9512	Moosic Borough Lackawanna County	Lackawanna County Conservation District 1027 S. Abington Road South Abington Township, PA 18411 570-382-3086 RA-EPWW-NERO@ pa.gov
PAC480194	PAG-02 General Permit	Issued	Ferber Construction Management North, LLC 194 Mount Airy Rd. Basking Ridge, NJ 07920	Bethlehem Township Northampton County	Northampton County Conservation District 14 Gracedale Ave. Greystone Building Nazareth, PA 18064-9211 610-829-6276 RA-EPWW-NERO@ pa.gov
PAC090662	PAG-02 General Permit	Issued	Toll Mid-Atlantic LP Company Inc 1140 Virginia Drive Fort Washington, PA 19034-3204	New Britain Township Bucks County	Bucks County Conservation District 1456 Ferry Road Doylestown, PA 18901-5550 215-345-7577 RA-EPNPDES_SERO@ pa.gov
PAC090438 A1	PAG-02 General Permit	Issued	Deluca Construction 640 White Ash Drive Langhorne, PA 19047-8017	Bensalem Township Bucks County	Bucks County Conservation District 1456 Ferry Road Doylestown, PA 18901-5550 215-345-7577 RA-EPNPDES_SERO@ pa.gov
PAC090642	PAG-02 General Permit	Issued	HMC Pipersville LLC 6926 Old Easton Road P.O. Box 250 Pipersville, PA 18947-9726	Solebury Township Bucks County	Bucks County Conservation District 1456 Ferry Road Doylestown, PA 18901-5550 215-345-7577 RA-EPNPDES_SERO@ pa.gov

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC360921	PAG-02 General Permit	Issued	Lancaster Portfolio, LLC 535 N Church St. Suite 105 West Chester, PA 19380	Mount Joy Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361
PAC360962	PAG-02 General Permit	Issued	Frey-Hoffer Joint Venture 419 Coffee Goss Road Marietta, PA 17547	East Donegal Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361
PA360002C A-1	PAG-02 General Permit	Issued	PPL Electric Utilities Corp 1639 Church Road Allentown, PA 18104	Caernarvon Township Earl Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361
PAC430128	PAG-02 General Permit	Issued	WBR Holdings LLC 1030 Torrey Pines Street Warren, OH 44484	Greene Township Mercer County	Mercer County Conservation District 24 Avalon Court Suite 300 Mercer, PA 16137 724-662-2242
PAC010251A-1	PAG-02 General Permit	Issued	Legacy Eagle View LLC 8800 E. Raintree Dr. Scottsdale, AZ 85260	Berwick Township Adams County	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325 717-334-0636
PAC090693	PAG-02 General Permit	Issued	East Rockhill Township 1622 North Ridge Road Perkasie, PA 18944	East Rockhill Township Bucks County	Bucks County Conservation District 1456 Ferry Road Doylestown, PA 18901-5550 215-345-7577 RA-EPNPDES_SERO@ pa.gov
PAC460865	PAG-02 General Permit	Issued	MileOne Fort Washington, LLC 3301 Briggs Chaney Road Silver Spring, MD 20904-4812	Whitemarsh Township Montgomery County	Montgomery County Conservation District 143 Level Road Collegeville, PA 19426-3313 610-489-4506 x 10 RA-EPNPDES_SERO@ pa.gov
PAC460906	PAG-02 General Permit	Issued	Kindle Hill Foundation P.O. Box 559 Gwynedd Valley, PA 19437-0521	Whitpain Township Montgomery County	Montgomery County Conservation District 143 Level Road Collegeville, PA 19426-3313 610-489-4506 x 10 RA-EPNPDES_SERO@ pa.gov
PAC460896	PAG-02 General Permit	Issued	Horsham Township 1025 Horsham Road Horsham, PA 19044-1326	Horsham Township Montgomery County	Montgomery County Conservation District 143 Level Road Collegeville, PA 19426-3313 610-489-4506 x 10 RA-EPNPDES_SERO@ pa.gov

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC350183	PAG-02 General Permit	Issued	Dickson City Borough 901 Enterprise Street Dickson City, PA 18519	Dickson City Borough Lackawanna County	Lackawanna County Conservation District 1027 S. Abington Road South Abington Township, PA 18411 570-382-3086 RA-EPWW-NERO@ pa.gov
PAC460909	PAG-02 General Permit	Denied	Limerick HC Realty Partners, LP 200 Old Forge Land Suite 201 Kennett Square, PA 19348-1920	Limerick Township Montgomery County	Montgomery County Conservation District 143 Level Road Collegeville, PA 19426-3313 610-489-4506 x 10 RA-EPNPDES_SERO@ pa.gov

**STATE CONSERVATION COMMISSION  
NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR  
NPDES PERMITS FOR CAFOs**

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. The appeal form and the Board’s rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at 717-787-3483 for more information.

**NUTRIENT MANAGEMENT PLAN  
CAFO PUBLIC NOTICE SPREADSHEET—ACTIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Quality Livestock Company, LLC 1177 Gypsy Hill Road Lancaster, PA 17602	Lancaster County	95	604.31	Swine	NA	Approved
Farmquest Properties, LP 1177 Gypsy Hill Road Lancaster, PA 17602	Lancaster County	95	604.31	Swine	NA	Approved
Franklin View Farms, LLC 1700 Prospect Road Washington Boro, PA 17582	Lancaster County	610	1,759.88	Dairy	NA	Approved
DL Rohrer Farms, LLC 1728 Bridge Road Lancaster, PA 17602	Lancaster County	995	659.4	Layers	NA	Approved
Clark Oberholtzer 433 Black Barren Road Peach Bottom, PA 17563	Lancaster County	175.3	411.37	Swine	HQ	Approved

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Jay Deiter 2040 River Road Bainbridge, PA 17502	Lancaster County	201.1	552.8	Swine	NA	Approved

**PUBLIC WATER SUPPLY PERMITS**

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. The appeal form and the Board’s rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information.

**SAFE DRINKING WATER**

**Actions Taken Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).**

*Northcentral Region: Safe Drinking Water Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Olivia Harris, Clerical Supervisor I, 570-327-0561.*

**Construction/Operation Permit No. 4496231-A9, Major Amendment, Public Water Supply.**

Applicant	<b>Dutch Valley Food Co LLC</b>
Address	1000 S. Second St. P.O. Box 471 Sunbury, PA 17801
Municipality	City of Sunbury
County	<b>Northumberland County</b>

Consulting Engineer	Kenneth M Justice 1036 Woods Lane Ambler, PA 19002
Application Received	August 16, 2023
Permit Issued	September 4, 2024
Description	This consolidated operation permit includes all existing system-wide permit special conditions. This permit authorizes the permittee for the inclusion of new sources, Pine Valley Spring Wells 1 and 2 in the City of Sunbury, Northumberland County.
<i>Northeast Region: Safe Drinking Water Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.</i>	
<i>Contact: Michele Lauer, Clerical Assistant 2, 570-830-3077.</i>	

**Operation Permit No. 2520046, Public Water Supply.**

Applicant	<b>Milford Water Authority</b>
Address	151 Old Owego Turnpike Milford, PA 19128
Municipality	Milford Borough
County	<b>Pike County</b>
Consulting Engineer	Mr. Adam T. Minichelli, P.E. Principal Senior Project Mgr. CDM Smith 1500 JFK Blvd. Suite 1208 Philadelphia, PA 19102
Application Received	May 13, 2024
Permit Issued	September 6, 2024
Description	The application submission is for the 1-log designation of treatment segments for the Milford WTP and configuring the piping and valving for only series operation of the storage tanks for CT with a single EP located in the WTP building. The project is necessary to establish series operation of the storage tanks for CT with a single EP. Note that the designation of treatment segments for the calculation of 1-log Giardia inactivation via Milford’s submission of form 3940-FM-BSDW0569 is utilized to help the system and the Department ensure proper operational parameters are being used to meet the greater than 1.0 log Giardia inactivation regulatory requirement in Chapter 109.301.

**Construction Permit No. 4024511**, Public Water Supply.

Applicant **3 Springs Water Company, Inc.**  
 Address 1800 Pine Run Road  
 Laurel Run, PA 18702  
 Municipality Laurel Run Borough  
 County **Luzerne County**  
 Consulting Engineer Mr. Matthew Evans, P.E.  
 Keystone Consulting Engineers,  
 Inc.  
 P.O. Box 639  
 Kresgeville, PA 18333  
 Application Received July 30, 2024  
 Permit Issued September 5, 2024  
 Description 3 Springs is requesting modifications to their existing PWS Bottled Water System (PWS ID No. 2406035) consisting of the replacement of the existing Hess L-300 ozone generator with a Pacific Ozone Evoqua GS3 ozone generator system used for disinfection and for addition of a second ozone generator (Pacific Ozone Evoqua GS3) prior to the 700-gallon surge tank as well as the removal of the superfluous UV units. The existing ozone generators are aging and at the end of their useful life requiring significant maintenance. The second identical ozone unit is being installed to ensure the proper residual ozone at the 700-gallon surge tank located prior to the bottle fillers. Lastly, the removal of the superfluous UV units will eliminate excess piping and the potential for “dead legs” resulting in water stagnation within the treatment system piping. The modifications will enable 3 Springs to improve system operations at their bottling facility.

*Southeast Region: Safe Drinking Water Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: Kimberleigh Rivers Clerical Assistant 2, 484-250-5887.*

**Construction Permit No. 4624515**, Major Amendment, Public Water Supply.

Applicant **Aqua Pa, Inc.**  
 Address 762 Lancaster Avenue  
 Bryn Mawr, PA 19010  
 Municipality Perkiomen Township  
 County **Montgomery County**  
 Consulting Engineer Brown and Caldwell  
 1717 Arch Street  
 Suite 4010  
 Philadelphia, PA 19103-2713  
 Application Received July 10, 2024

Permit Issued September 4, 2024  
 Description Installation of PFAS treatment systems in Aqua Perkiomen Township system.

**Construction Permit No. 0924517**, Major Amendment, Public Water Supply.

Applicant **Doylestown Borough Water Department**  
 Address 10 Doyle Street  
 Doylestown, PA 18901-3758  
 Municipality Doylestown Borough  
 County **Bucks County**  
 Consulting Engineer CKS Engineers, Inc.  
 4259 W. Swamp Road  
 Suite 410  
 Doylestown, PA 18902  
 Application Received June 26, 2024  
 Permit Issued August 14, 2024  
 Description To Install granular activated carbon filter vessels to treat PFOS/PFOA in the groundwater at Doylestown Borough Wells No. 9, 10, 12.

*Southwest Region: Safe Drinking Water Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Renee Diehl, Program Manager, ra-apswsdw@pa.gov.*

**Operation Permit No. 0424523MA**, Minor Amendment, Public Water Supply.

Applicant **Borough of Ambridge Water Authority**  
 Address 1901 Brier Road  
 Ambridge, PA 15003  
 Municipality Ambridge Borough  
 County **Beaver County**  
 Consulting Engineer NIRA Consulting Engineers, Inc.  
 950 Fifth Avenue  
 Coraopolis, PA 15108  
 Application Received August 21, 2024  
 Permit Issued August 27, 2024  
 Description Operation of the recently rehabilitated Filter No. 5 at the water treatment plant.

*Contact: Renee Diehl, Program Manager, ra-epswsdw@pa.gov.*

**Operation Permit No. 0424524MA**, Minor Amendment, Public Water Supply.

Applicant **Borough of Ambridge Water Authority**  
 Address 1901 Brier Road  
 Ambridge, PA 15003  
 Municipality Ambridge Borough  
 County **Beaver County**  
 Consulting Engineer NIRA Consulting Engineers, Inc.  
 950 Fifth Avenue  
 Coraopolis, PA 15108

Application Received August 28, 2024  
 Permit Issued September 6, 2024  
 Description Operation of the recently rehabilitated Filter No. 8 at the water treatment plant.

*Northcentral Region: Safe Drinking Water Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Olivia Harris, Clerical Supervisor I, 570-327-0561.*

**Operation Permit 1401507-A1.** PWSID No. **4140082.** **College Township Water Authority**, 1481 East College Avenue, State College, PA 16801, College Township, **Centre County**. Application received: May 22, 2024. Permit Issued: August 29, 2024. Updating permit conditions

**Operation Permit 1921502.** PWSID No. **4190017.** **Millville Municipal Authority**, P.O. Box 30, Millville, PA 17846, Millville Borough, **Columbia County**. Application received: August 15, 2024. Permit Issued: August 29, 2024. Operation of additional modules to the Membrane Filtration Unit.

**Operation Permit 1424514MA.** PWSID No. **4140087.** **PA American Water Company—Philipsburg District**, 852 Wesley Drive, Mechanicsburg, PA 17055, Decatur Township, **Clearfield County**. Application received: August 23, 2024. Permit Issued: August 27, 2024. Operation permit for Mock Hill Booster Pumps.

**Operation Permit 4124505.** PWSID No. **4410844.** **Sandhoos Inc.**, 165 Lamont Drive, Cogan Station, PA 14428, Lewis Township, **Lycoming County**. Application received: August 8, 2024. Permit Issued: August 29, 2024. Operation of the Steam Valley Travel Plaza.

**Operation Permit 4924503MA.** PWSID No. **4490298.** **PA American Water Company—McEwensville Municipal Authority**, 852 Wesley Drive, Mechanicsburg, PA 17055, Delaware Township, **Northumberland County**. Application received: September 4, 2024. Permit Issued: September 5, 2024. This permit authorizes operation of the McEwensville Tank, following blast cleaning and repainting of the interior and exterior surfaces.

**Transfer Permit 4190026.** PWSID No. **4190026.** **Sunset Ridge Rehabilitation and Nursing Center, LLC**, 3298 Ridge Road, Bloomsburg, PA 17816, Scott Township, **Columbia County**. Application received: August 30, 2024. Permit Issued: September 6, 2024. Transferred public water supply permit for operation of the Sunset Ridge Rehabilitation and Nursing Center, LLC.

*Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Daniel J. Cannistraci, Environmental Engineering Specialist, 717-705-4708.*

**Construction Permit 0624505.** PWSID No. **3060356.** **The King's Academy**, 1562 Main St, Mohrsville, PA 19541, Centre Township, **Berks County**. Application received: February 19, 2024. Permit Issued: September 4, 2024. This permit approves the installation of a nitrate removal unit and a sodium carbonate injection system.

**NCWSA Construction Permit 3060470.** PWSID No. **3060470.** **Dolgencorp, LLC**, 100 Mission Ridge, Goodlettsville, TN 37072, Greenwich Township, **Berks County**. Application received: July 3, 2024. Permit Issued: September 9, 2024. This action authorizes the

construction of a new public water supply at the Dollar General Lenhartsville store, consisting of a well, pressure tank, and appurtenances.

*Contact: Thomas Filip, Environmental Engineer, 717-705-4708.*

**Construction Permit 0124514 MA.** PWSID No. **7010034.** **Possum Valley Municipal Authority**, 609 Clearview Road, Aspers, PA 17304, Menallen Township, **Adams County**. Application received: May 10, 2024. Permit Issued: September 4, 2024. Construction of a new 215,000-gallon finished water storage tank.

**NCWSA Operation Permit 4340823.** PWSID No. **4340823.** **Walnut Cheese Nook**, 17853 Route 35S, Port Royal, PA 17082, Beale Township, **Juniata County**. Application received: August 14, 2024. Permit Issued: September 4, 2024. Replacement of treatment equipment.

**Emergency Permit 0124518 E.** PWSID No. **7010306.** **Gettysburg Battlefield Resort**, 1960 Emmitsburg Rd, Gettysburg, PA 17325, Cumberland Township, **Adams County**. Application received: August 30, 2024. Permit Issued: September 4, 2024. Emergency permit for bulk water hauling of water into the system.

*Contact: Wade Cope, P.E., Environmental Engineer, 717-705-4708.*

**Operation Permit 6723509 MA.** PWSID No. **7670085.** **Dallastown-Yoe Water Authority**, 175 East Broad Street, Dallastown, PA 17313, York Township, **York County**. Application received: September 10, 2024. Permit Issued: September 10, 2024. Operation permit for the Route 74 interconnection vault.

*Southwest Region: Safe Drinking Water Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Renee Diehl, Program Manager, ra-epsdsw@pa.gov.*

**Emergency Permit 0224547-E.** PWSID No. **5020039.** **Pennsylvania American Water Company**, 852 Wesley Drive, Mechanicsburg, PA 17055, Baldwin Borough, **Allegheny County**. Application received: August 8, 2024. Permit Issued: August 8, 2024. Replacement of ferric chloride chemical feed pumps at the Hays Mine Water Treatment Plant.

**Operation Permit 2624510.** PWSID No. **5260036.** **Municipal Authority of Westmoreland County**, 124 Park & Pool Road, New Stanton, PA 15672, Salem Township, **Westmoreland County**. Application received: August 29, 2024. Permit Issued: September 4, 2024. Rehabilitated 858,000-gallon Clelian Heights No. 2 water storage tank including a new interior coating system, mixer, and power vent.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

### UNDER ACT 2, 1995 PREAMBLE 2

The Following Plans and Reports Were Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and

reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The Department has received the following plans and reports.

*Northcentral Region: Environmental Cleanup & Brownfields Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Randy Farmerie, P.G., Environmental Program Manager, 570-327-3716.*

**William Kovel # 1 Conventional Well**, Primary Facility ID # **877659**, 400 Zion Road, Curwensville, PA 16833, Jordan Township, **Clearfield County**. Moody and Associates, Inc., 1720 Washington Road, Suite 100, Washington, PA 15301, on behalf of Diversified Production LLC, 126 Industry Road, # 201, Waynesburg, PA 15301, submitted a Final Report concerning remediation of soil contaminated with production fluid. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

**Former Williamsport Landfill**, Primary Facility ID # **846735**, 2 Rose Street, Williamsport, PA 17701, City of Williamsport, **Lycoming County**. BAI Group, LLC, 366 Walker Drive, Suite 300, State College, PA 16801, on behalf of Williamsport Ballpark, Inc., 102 N Fourth St, Williamsport, PA 17701, submitted a Remedial Investigation Report/Cleanup Plan concerning remediation of soil contaminated with metals, volatile organic compounds, semi-volatile organic compounds, PCBs and pesticides. The Remedial Investigation Report/Cleanup Plan is intended to document remediation of the site to meet the site-specific standards.

**EQT ARO LLC—Mallory Pad A 6-6-24 Produced Fluid Release**, Primary Facility ID # **876745**, 2361 Hillbilly Hollow Lane, Trout Run, PA 17771, Plunketts Creek Township, **Lycoming County**. Penn Environmental & Remediation Inc., 13180 Route 6, Mansfield, PA 16933, on behalf of EQT ARO LLC, 2462 Lycoming Creek Road, Williamsport, PA 17701, submitted a Final Report

concerning remediation of soil contaminated with produced fluid. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

**Tammy Cree Property HHO Release**, Primary Facility ID # **875894**, 300 Walnut Street, Smithmill, PA 16680, Gulich Township, **Clearfield County**. DMS Environmental Services, LLC, 312 Filbert Street, Curwensville, PA 16833, on behalf of Tammy Cree, 300 Walnut Street, Smithmill, PA 16680, submitted a Final Report concerning remediation of soil contaminated with home heating oil. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

*Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Eric Supey, Environmental Program Manager.*

**J. Busik Pad 1**, Primary Facility ID # **846313**, 1274 Bare Valley Road, Montrose, PA 18801, Dimock Township, **Susquehanna County**. Resource Environmental Management, 50 Maple Street, Montrose, PA 18801, on behalf of Coterra Energy, Inc., 2000 Park Lane, Suite 300, Pittsburgh, PA 15275, submitted a Final Report concerning remediation of soil contaminated with diesel. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

*Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: C. David Brown, Professional Geologist Manager, 484-250-5792.*

**Safstor Summerdale LLC**, Primary Facility ID # **854348**, 4890-94 Summerdale Ave, Philadelphia, PA 19124, City of Philadelphia, **Philadelphia County**. Pearse Mackle, P.E., T&M Associates, 11 Tindall Road, Middletown, NJ 07748, on behalf of Chris Russ, SAFStor Summerdale LLC, 444 Seabreeze Boulevard, Suite 840, Daytona Beach, FL 32118, submitted a Final Report concerning remediation of groundwater contaminated with Site groundwater is contaminated with chlorinated solvents. The Final Report is intended to document remediation of the site to meet the background standards.

**1420 Delmar Dr**, Primary Facility ID # **836635**, 1420 Delmar Dr, Folcroft, PA 19032, Folcroft Borough, **Delaware County**. Joseph Kraycik, Montrose Environmental Solutions, Inc., 1140 Valley Forge Road, Valley Forge, PA 19842, on behalf of Clayton Manthrope, Cambo GP, LP, 1420 Delmar Drive, Folcroft, PA 19032, submitted a Final Report concerning remediation of soil and groundwater contaminated with Site groundwater is contaminated with chlorinated solvents. The Final Report is intended to document remediation of the site to meet the site-specific standards.

**230 Fairhill Street and 551 York Road**, Primary Facility ID # **848582**, 230 Fairhill Street & 551 York Road, Willow Grove, PA 19090, Upper Moreland Township, **Montgomery County**. Shad Manning, REPSG, Inc., 6901 Kingsessing Avenue, Suite 201, Philadelphia, PA 19142, on behalf of Matthew Genesio, 230 Fairhill Associates, LLC, P.O. Box 222, Southeastern, PA 19399, submitted a Remedial Investigation Report/Cleanup Plan concerning remediation of soil and groundwater contaminated with Site soil and groundwater is contaminated with arsenic, nickel, and benzene. The Remedial Investigation Report/Cleanup Plan is intended to document remediation of the site to meet the site-specific standards.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995  
PREAMBLE 3

---

**The Department Has Taken Action on the Following Plans and Reports Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).**

---

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The DEP may approve or disapprove plans and reports submitted. This notice provides DEP's decision and, if relevant, the basis for disapproval.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The DEP has received the following plans and reports.

*Northcentral Region: Environmental Cleanup & Brownfields Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Randy Farmerie, P.G., Environmental Program Manager, 570-327-3716.*

**Former Paxar Facility**, Primary Facility ID # 715430, 1 Wilcox Street, Sayre, PA 18840, Sayre Borough, **Bradford County**. Vanasse Hangen Brustlin,

Inc., 1805 Atlantic Avenue, Manasquan, NJ 08736, on behalf of Avery Dennison Corporation, 8080 Norton Parkway, Mentor, OH 44060, submitted a Final Report concerning remediation of soil and groundwater contaminated with chlorinated solvents. The Final Report demonstrated attainment of the site-specific standards. Approved: August 26, 2024.

**SWNPC GU 12 Vanorder Patrick Pad**, Primary Facility ID # 874476, 14 Goose Hill Road, Wyalusing, PA 18853, Herrick Township, **Bradford County**. Resource Environmental Management, Inc., 50 Maple Street, Montrose, PA 18801, on behalf of SWN Production Company, LLC, 917 SR 92 N, Tunkhannock, PA 18657, submitted a Final Report concerning remediation of soil contaminated with production water. The Final Report demonstrated attainment of the Statewide health standards. Approved: August 27, 2024.

**Bellefonte Waterfront Development Project**, Primary Facility ID # 773766, 129 Dunlop St, 130 Dunlop St, and 315 W High Street, Bellefonte, PA 16823, Bellefonte Borough, **Centre County**. BAI Group, LLC, 366 Walker Street, Suite 300, State College, PA 16801, on behalf of Bellefonte Waterfront Associates, 366 Walker Drive, Suite 201, State College, PA 16801, submitted a Risk Assessment/Final Report concerning remediation of soil and groundwater contaminated with volatile organic compounds, semi-volatile organic compounds, and metals. The Report demonstrated attainment of the site-specific standards. Approved: August 27, 2024.

**Denali Oilfield Services Diesel Fuel & Production Fuel Release**, Primary Facility ID # 870440, East of Intersection of SR 298 and Broughton Hollow Road, Wellsboro, PA 16901, Delmar Township, **Tioga County**. Penn Environmental & Remediation Inc., 13180 Route 6, Mansfield, PA 16933, on behalf of Denali Oilfield Services, Inc., 1101 Callaway Drive, Apt 4207, Carlsbad, NM 88220, submitted a Final Report concerning remediation of soil contaminated with diesel fuel and MTBE. The Final Report demonstrated attainment of the Statewide health standards. Approved: August 29, 2024.

*Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Eric Supey, Environmental Program Manager.*

**Former Union Trade Center (Hope Tower)**, Primary Facility ID # 661382, 325 South Claude A. Lord Boulevard, Pottsville, PA 17901, City of Pottsville, **Schuylkill County**. United Environmental Services, P.O. Box 701, Schuylkill Haven, PA 17972, on behalf of AAA Northampton County, 3914 Hecktown Road, Easton, PA 18045, submitted a Final Report concerning remediation of soil and groundwater contaminated with metals, volatile organic compounds, and semi-volatile organic compounds. The Final Report demonstrated attainment of the Statewide health standards. Approved: September 5, 2024.

**Rohrer Bus Services**, Primary Facility ID # 875256, 46 South Hunter Highway, Drums, PA 18222, Butler Township, **Luzerne County**. Groundwater Sciences Corporation, 2550 Interstate Drive, Suite 303, Harrisburg, PA 17110, on behalf of H.E. Rohrer, LLC, 1515 State Road, P.O. Box 100, Duncannon, PA 17020, submitted a Final Report concerning remediation of soil contaminated



with used motor oil. The Final Report demonstrated attainment of the Statewide health standards. Approved: September 5, 2024.

*Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Environmental Cleanup & Brownfields Program Manager, 717-705-4705.*

**Stadium Row 2**, Primary Facility ID # **873308**, 812 North Prince Street, Lancaster, PA 17603, City of Lancaster, **Lancaster County**. ECS Mid-Atlantic, LLC, 4909 Louise Drive, Suite 207, Mechanicsburg, PA 17055, on behalf of Second Strong & Deweiler, LLC, 132 North Ann Street, Lancaster, PA 17602, submitted a Remedial Investigation Report/Cleanup Plan concerning remediation of soil contaminated with metals. The Report did not demonstrate attainment of the site-specific standards. Issued a technical deficiency letter: September 4, 2024.

**1501 North George Street**, Primary Facility ID # **830589**, 1501 North George Street, York, PA 17404, Manchester Township, **York County**. Liberty Environmental, Inc., 505 Penn Street, Suite 400, Reading, PA 19601, on behalf of George Street Investors, LLC, P.O. Box 429, Conshohocken, PA 19428, submitted a Risk Assessment/Final Report concerning remediation of soil and groundwater contaminated with leaded and unleaded gasoline. The Report demonstrated attainment of the site-specific standards. Approved: September 5, 2024.

**Justin Rose Residence**, Primary Facility ID # **877282**, 2661 West Philadelphia Avenue, Oley, PA 19547, Oley Township, **Berks County**. EnviroSure, Inc., 1 North Bacton Hill Road, Suite 208, Malvern, PA 19355, on behalf of Mr. Justin Rose, 2661 West Philadelphia Avenue, Oley, PA 19547, submitted a Final Report concerning remediation of soil contaminated with No. 2 Fuel Oil. The Final Report demonstrated attainment of the Statewide health standards. Approved: September 5, 2024.

**Hopper Commons**, Primary Facility ID # **862396**, 298 Brush Mountain Road, Hollidaysburg, PA 16648, Franks-town Township, **Blair County**. RT Environmental Services, Inc., 215 West Church Road, King of Prussia, PA 19406, on behalf of Hopper Commons, LP, c/o Woda Cooper Co., Inc., 500 South Front Street, 10th Floor, Columbus, OH 43215, submitted a Remedial Investigation Report/Risk Assessment Report/Cleanup Plan concerning remediation of soil contaminated with Arsenic. The Report did not demonstrate attainment of the site-specific standards. Issued a technical deficiency letter: September 6, 2024.

*Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: C. David Brown, Professional Geologist Manager, 484-250-5792.*

**PES No. 4 Separator Release**, Primary Facility ID # **874442**, 3144 West Passyunk Avenue, Philadelphia, PA 19153, City of Philadelphia, **Philadelphia County**. Terraphase Engineering, Inc., 100 Canal Point Boulevard, Suite 110, Princeton, NJ 08540, on behalf of Hilco Global/Philadelphia Energy Solutions Refining and Marketing LLC, 3144 West Passyunk Ave, Philadelphia, PA 19153, submitted a Final Report concerning remediation of soil contaminated with benzene, cumene, ethylbenzene, 1,2,4-trimethylbenzene, 1,3,5-trimethylbenzene, toluene, xylenes, anthracene, benzo(a)anthracene, benzo(a)pyrene,

benzo(b)fluoranthene, benzo(g,h,i)perylene, chrysene, fluorene, naphthalene, phenanthrene, and pyrene. The Final Report demonstrated attainment of the Statewide health standards. Approved: September 4, 2024.

**National Construction Rentals Inc.**, Primary Facility ID # **829825**, 6401 West Passyunk Avenue, Philadelphia, PA 19153, City of Philadelphia, **Philadelphia County**. TTI Environmental, Inc., 1253 North Church Street, Moorestown, NJ 08057, on behalf of National Construction Rentals, Inc., 6416 Lakeview Road, Charlotte, NC 28269, submitted a Remedial Investigation Report/Cleanup Plan concerning remediation of soil and groundwater contaminated with Diesel, unleaded gasoline, and heating oil petroleum compounds. The Report Was acceptable to meet site-specific standards. Approved: September 3, 2024.

**Dutton Mill Properties**, Primary Facility ID # **739750**, 308 Dutton Mill Road, Brookhaven, PA 19015, Middletown Township, **Delaware County**. Groundwater & Environmental Services, Inc., 440 Creamery Way, Suite 500, Exton, PA 19341, on behalf of Brookhaven Properties, LP, 308 Dutton Mill Road, Brookhaven, PA 19015, submitted a Risk Assessment/Cleanup Plan concerning remediation of soil and groundwater contaminated with volatile organic compounds and metals. The Report Was acceptable to meet site-specific standards. Approved: September 4, 2024.

**2944 Samuel Drive**, Primary Facility ID # **840740**, 2944 Samuel Drive, Bensalem, PA 19020, Bensalem Township, **Bucks County**. React Environmental Professional Services Group, Inc., 6901 Kingsessing Avenue, Suite 201, Philadelphia, PA 19142, on behalf of 2944 Samuel Drive, Inc., 4250 Wissahickon Avenue, Philadelphia, PA 19129, submitted a Final Report concerning remediation of soil and groundwater contaminated with arsenic and semi-volatile organic compounds. The Report did not demonstrate attainment of the Statewide health standards. Issued a technical deficiency letter: September 6, 2024.

**PennEngineering and Manufacturing Corp.**, Primary Facility ID # **620262**, 5190 Old Easton Road, Danboro, PA 18902, Plumstead Township, **Bucks County**. Earth Data Northeast, Inc., 924 Springdale Drive, Exton, PA 19341, on behalf of PennEngineering and Manufacturing Corp., 5190 Old Easton Road, Danboro, PA 18902, submitted a Remedial Investigation Report concerning remediation of soil and groundwater contaminated with chlorinated volatile organic compounds and Freon 113. The Report Was acceptable to meet site-specific standards. Approved: September 6, 2024.

**Belmont Terminal**, Primary Facility ID # **780561**, 2700 Passyunk Avenue, Philadelphia, PA 19145, City of Philadelphia, **Philadelphia County**. Stantec Consulting Services, Inc., 1060 Andrew Drive, Suite 140, West Chester, PA 19380, on behalf of Evergreen Resources Management Operations, 2 Righter Parkway, Suite 120, Wilmington, DE 19802, submitted a Remedial Investigation Report concerning remediation of soil and groundwater contaminated with petroleum compounds. The Report Was acceptable to meet site-specific standards. Approved: September 6, 2024.

**640 N Lewis Road and 155 S Limerick Road—Turtle Creek North Zone**, Primary Facility ID # **864073**, 640 N. Lewis Road and 155 S. Limerick Road, Royersford, PA 19468, Limerick Township, **Montgomery County**. AECOM, 625 W. Ridge Pike, Suite E100,

Conshohocken, PA 19428, on behalf of Teleflex Incorporated, 3085 Old Conejo Road, Newbury Park, CA 91320, submitted a Final Report concerning remediation of groundwater contaminated with chlorinated volatile organic compounds. The Final Report demonstrated attainment of the Statewide health and site-specific standards. Approved: September 6, 2024.

*Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Thomas Buchan P.G., EGM, 412-442-5240.*

**Diversified Loyalhanna # 2 well**, Primary Facility ID # **877450**, 13 Wren Drive, Saltsburg, PA 15681, Loyalhanna Township, **Westmoreland County**. Moody and Associates, 1720 Washington Road, Suite 100, Washington, PA 15301, on behalf of Diversified Production LLC, 126 Industry Road, # 201, Waynesburg, PA 15370, submitted a Final Report concerning remediation of soil contaminated with Brine related constituents. The Final Report demonstrated attainment of the Statewide health standards. Approved: September 4, 2024.

*Contact: Thomas Buchan, P.G., EGM, 412-442-5240.*

**Duquesne Electric and Manufacturing Company**, Primary Facility ID # **861363**, 475 Butler Street, Pittsburgh, PA 15223, Etna Borough, **Allegheny County**. American Geosciences, Inc., 3925 Reed Blvd, Suite 400, Murrysville, PA 15668, on behalf of Rober Casey, Duquesne Electric and Manufacturing Co., 475 Butler Street, Pittsburgh, PA 15223, submitted a Final Report concerning remediation of soil and groundwater contaminated with PCBs and heavy metals including antimony, arsenic, cadmium and lead. The Final Report demonstrated attainment of the site-specific standards. Approved: September 4, 2024.

#### HAZARDOUS WASTE TRANSPORTER LICENSE

**Action(s) Taken on Hazardous Waste Transporter License Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); and Hazardous Waste Regulations to Transport Hazardous Waste.**

*New Transporter License Issued*

*Central Office: Waste Management Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-787-7561.*

*Contact: Jonathan Adams.*

**VLS Baltimore LLC**, 3300 Childs Street, Baltimore, MD 21226. **License No. PA-AH0956**. Application received: June 20, 2024. Effective August 28, 2024.

**Bressler's Garage, Inc., dba Bressler's Environmental Service**, 2994 East Valley Road, Loganton, PA 17747. **License No. PA-AH0957**. Application received: July 23, 2024. Effective August 28, 2024.

*Transporter License Expired*

*Central Office: Waste Management Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-787-7561.*

*Contact: Jonathan Adams.*

**National Waste Clean, Inc.**, 304 Pulaski Street, South Plainfield, NJ 07080. **License No. PA-AH0528**. Application received: September 1, 2024. Effective September 1, 2024.

#### REGULATED MEDICAL AND CHEMOTHERAPEUTIC WASTE TRANSPORTER LICENSE

**Action(s) Taken on Regulated and Chemotherapeutic Waste Transporter License Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); Act 93 of June 28, 1988 (P.L. 525, No. 93); and Regulated Medical and Chemotherapeutic Regulations to Transport Regulated Medical and Chemotherapeutic Waste.**

*New Transporter License Issued*

*Central Office: Waste Management Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-787-7561.*

*Contact: Jonathan Adams.*

**Maumee Express, Inc.**, 297 Zimmerman Lane, Langhorne, PA 19047. **License No. PA-HC0292**. Received on July 11, 2024. Effective August 28, 2024.

#### OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

**Actions(s) Taken on Permit(s) Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Regulations to Operate Solid Waste Processing or Disposal Area or Site.**

*Northcentral Region: Waste Management Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Lisa D. Houser, P.E., Environmental Program Manager, 570 327-3752.*

**101719. PA Waste LLC**, 1785 Bustleton Pike, Feasterville, PA 19053, Boggs Township, **Clearfield County**. Permit application for the operation of the Camp Hope Run Landfill. Application received: July 3, 2017. Denied: September 3, 2024.

Persons interested in reviewing the permit may contact Lisa D. Houser, P.E., Environmental Program Manager, 570-327-3752, Northcentral Region, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

#### AIR QUALITY

**Actions(s) Taken on General Plan Approval(s) and Operating Permit(s) Usage Authorized Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to Construct, Modify, Reactivate or Operate Air Contamination Sources and Associated Air Cleaning Devices.**

*Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.*

**AG5-18-00001B: Regency Marcellus Gas Gathering**, 101 West Third Street, Williamsport, PA 17701, Gallagher

Township, **Clinton County**. DEP authorized the continued operation of Two (2) 1,380 brake-horsepower, natural gas-fired, four-stroke, lean-burn Caterpillar G3516B reciprocating internal combustion engines incorporating ADEM3 engine management systems, the air contaminants from which are controlled by a Miratech model SP-ZES-30x31-14-XH2B1 oxidation catalysts; One (1) 75 million standard cubic feet per day Valerus triethylene glycol dehydrator incorporating a 1.0 million Btu per hour, natural gas-fired reboiler, the air contaminants from which are controlled by a 2.1 million Btu per hour Superior enclosed flare; Two (2) 10,000-gallon produced water storage tanks; One (1) submerged fill produced water tanker truck loadout; Seven (7) 520 gallon and two (2) 330-gallon storage tanks containing glycols, lubricating oils, and menthol; One (1) pig launcher and three (3) pig receivers; pneumatic valves and fugitive emissions from connectors, flanges, pressure relief valves, valves, compressor seals and open-ended lines pursuant to the General Plan Approval and/or General Operating Permit for Natural Gas Compression Stations, Processing Plants, and Transmission Stations (BAQ-GPA/GP-5). Application received: July 29, 2024. Renewed: August 15, 2024. New expiration date: August 14, 2029.

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Caleigh Anderson, Air Quality Engineer, 570-826-2432.*

**GP1-35-016: General Dynamics Ordnance & Tactical Systems, Inc.**, 156 Cedar Avenue, Scranton, PA 18505, City of Scranton, **Lackawanna County**. GP1-35-016: General Dynamics Ordnance & Tactical Systems, Inc. (156 Cedar Avenue, Scranton, PA, 18505-1138) on July 17, 2024, were issued a GP1 for the operation of one (1) natural gas/No. 2 oil fired boiler at the facility located in the City of Scranton, Lackawanna County. Application received: June 18, 2024. Issued: July 17, 2024.

**AG5-58-00010B: Bluestone Pipeline Company of PA, LLC**, 1000 Noble Energy Drive, Canonsburg, PA 15317, Harmony Township, **Susquehanna County**. AG5-58-00010B: Bluestone Pipeline Company of PA, LLC (1000 Noble Energy Drive, Canonsburg, PA 15317) on September 24, 2024, the general Operating Permit GP5 renewed for the operation of a Natural Gas Compressor Station at the facility located in Harmony Township, Susquehanna County. Application received: August 9, 2024. Issued: September 4, 2024.

*Contact: Shailesh Patel, New Source Review Manager, 570-826-2341.*

**GP9-40-050: Mericle Construction, Inc.**, 100 Baltimore Drive, Wilkes-Barre, PA 18702, Hazle Township, **Luzerne County**. For the relocation of the engines associated with the portable nonmetallic mineral processing plant equipment to the Crossroads East site in Hazle Township, Luzerne County. Application received: August 26, 2024. Issued: September 4, 2024.

**GP3-40-050: Mericle Construction, Inc.**, 100 Baltimore Drive, Wilkes-Barre, PA 18702, Hazle Township, **Luzerne County**. For the relocation of portable nonmetallic mineral processing plant equipment with water sprays to the Crossroads East site in Hazle Township, Luzerne County. Application received: August 26, 2024. Issued: September 4, 2024.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: Dave Balog, New Source Review Chief, 814-332-6328.*

**GP3-03-00263A: Allegheny Mineral Corporation**, 108 Dee Minter Rd, Worthington, PA 16262, West Franklin Township, **Armstrong County**. The Department received a GP-3 application for the relocation of a portable limestone processing plant from Allegheny Mineral's Murrinsville facility to their Bison Mine facility. The Department reviewed the application and determined that it met necessary requirements, and therefore, it was approved. Application received: August 1, 2024. Issued: August 27, 2024.

**GP9-03-00263A: Allegheny Mineral Corporation**, 108 Dee Minter Rd, Worthington, PA 16262, West Franklin Township, **Armstrong County**. The Department received a GP-9 application for the relocation of a portable limestone processing plant, consisting of two portable diesel engines, from Allegheny Mineral's Murrinsville facility to their Bison Mine facility. The Department reviewed the application and determined that it met necessary requirements, and therefore, it was approved. Application received: August 1, 2024. Issued: August 27, 2024.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Sheri Guerrieri, P.E., New Source Review Chief, 412-442-4174.*

**GP5A-63-01066B/AG5A-63-00032B: CNX Gas Company, LLC**, 1000 Horizon Drive, Canonsburg, PA 15317, West Finley Township, **Washington County**. On September 6, 2024, the Department authorized GP5A-63-01066B/AG5A-63-00032B to CNX Gas Company, LLC for the construction and operation of new sources continued of the previously installed sources at WFN-12 Well Pad. The equipment includes five (5) natural gas wells, five (5) gas processing units (GPU), each rated at 1.75 MMBtu/hr, three (3) 400-bbl (16,800 gallons) produced water tanks (T-003 thru T-005), one (1) 400-bbl include (16,800 gallons) condensate tank (New), one (1) 400-bbl include (16,800 gallons) sand separator tank (T-001), one (1) Non-heated low-pressure separator (LPS-1), one (1) vapor destruction unit (VDU # 1) rated at 10.3 MMBtu/hr, to control emissions from storage tanks and intermittent pneumatic devices, One (1) vapor destruction unit (VDU # 2) rated at 10.3 MMBtu/hr, Thirty-four (34) intermittent bleed pneumatic controllers, Two (2) continuous low-bleed pneumatic controllers, Three (3) pneumatic piston-driven pumps, Venting and blow-owns, fugitive emission components, Truck load-out operations for produced water; and (New) Truck load-out operations for condensate (L-002) at their existing WFN-12 well pad located in West Finley Township, Washington County. Application received: August 19, 2024. Authorized: September 6, 2024.

**GP5A-63-01082A: Range Resources Appalachia, LLC**, 3000 Town Center Boulevard, Cannonsburg, PA 15317, Blaine Township, **Washington County**. The Department has issued GP5A-63-01082A general plan approval and Operating Permit for the following: • Three (3) 21,000-gallons (each) condensate storage vessels (Source ID: 301-303) • Vapor Recovery Unit (VRU) which will be driven with a Blackmer NG362 electric motor compressor. • Three (3) 21,000-gallons (each) produced

water storage vessels (Source ID: 304-306) • Vapor Recovery Unit (VRU) which will be driven with a Blackmer NG362 electric motor compressor. • Produced water and condensate truck loading operation (Source ID: 701) • Seven (7) natural gas production wells. • Two (2) Gas Processing Units (GPUs) that consist of a three-phase separator rated at 280 psi and an indirect fire lined heater rated at 1.0 MMBtu/hr (Source ID: 201-202) • One (1) GPU that consists of a three-phase separator rated at 250 psi and an indirect fire lined heater rated at 0.75 MMBtu/hr (Source ID: 203) • Three (3) GPUs that consist of a three-phase separator rated at 280 psi and an indirect fire lined heater rated at 2.0 MMBtu/hr (Source ID: 204-206) • One (1) GPU that consists of a three-phase separator rated at 250 psi and an indirect fire lined heater rated at 1.0 MMBtu/hr (Source ID: 207) • One (1) Heated Flash Separator rated at 500,000 MMBtu/hr (Source ID: 208) • Two (2) Enclosed Flares, Manufactured by COMM Engineering, Model COMM4 with a maximum net heating value of 12.2 MMBtu/hr (Control ID: C01 and C02) • One (1) Vapor Recovery Tower • One (1) Catalytic Heater rated at 6,000 BTU/hr (Source ID: 209) • Fugitives and venting/blowdowns (Source ID: 702 and 601) • One (1) Four-Stroke, Air Cooled, Emergency Diesel Engine rated at 10.1 HP, manufactured by Kohler, model number KD15-440, engine family RKHXL442ACF, equipped with a Diesel Oxidation Catalyst (Source ID: 101) • Two (2) Natural Gas Recovery Compressors, Single Stage, Reciprocating manufactured by Blackmer, model number NG362, electrically powered. Application received: July 19, 2024. Authorized: September 5, 2024.

**Actions(s) Taken on Plan Approval(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and Regulations in 25 Pa. Code Chapter 127, Subchapter B Relating to Construction, Modification and Reactivation of Air Contamination Sources and Associated Air Cleaning Devices.**

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Shailesh Patel, New Source Review Manager, 570-826-2341.*

**39-00113A: Westport Axle Corp.**, 8801 Congdon Hill Dr, Alburdis, PA 18011, Alburdis Borough, **Lehigh County**. The plan approval was issued on July 3, 2024 for the installation and operation of a new topcoat painting operation consisting of two paint booths with panel filters. Miscellaneous sources of minor significance include a 3 MMBtu/hr curing oven and 2 MMBtu/hr air conditioning unit. Application received: January 23, 2024. Issued: July 3, 2024.

*Contact: Shailesh Patel, P.E., Environmental Group Manager.*

**54-00022H: Hydro Extrusion USA LLC**, 53 Pottsville Street, Cressona, PA 17929, Cressona Borough, **Schuylkill County**. For the installation and operation of a new Homogenizing oven (P7-# 7 Preheat Furnace). Application received: February 23, 2024. Issued: September 3, 2024.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: David Balog, New Source Review Section Chief, 814-332-6328.*

**10-00298E: Luxfer Magtech Inc.**, 955 Saxonburg Boulevard, Saxonburg, PA 16056, Saxonburg Borough,

**Butler County**. The Department recently issued a Plan Approval to Luxfer Magtech to install four (4) new wet scrubbers to control PM emissions from their existing # 5 Grinding Line and associated Hammermill Crushers at their facility. Application received: December 2, 2023. Issued: September 10, 2024.

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920.*

**09-0027J: Fres-co System USA Inc.**, 3005 State Rd, Telford, PA 18969-1021, West Rockhill Township, **Bucks County**. This is a Plan Approval Extension for the operation of a new Regenerative Thermal Oxidizer (RTO) on a laminator. Application received: August 29, 2024. Issued: September 4, 2024.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Sheri Guerrieri, P.E., New Source Review Chief, 412-442-4174.*

**PA-26-00616A: Laurel Macadam, LLC**, P.O. Box 14004, Pittsburgh, PA 15239, Springhill Township, **Fayette County**. On September 4, 2024, Plan Approval Extension was issued to Laurel Macadam, LLC to continue to operate the existing sources which include one (1) Gencor Industries G-250 tph Ultra counterflow drum mixing plant, a bag house rated at 57,099 ACFM, three (3) Insulated hot mix asphalt storage silos at 200 tons each, one (1) heated asphalt cement storage tank 30,000-gallon, one (1) propane heater at 2.0 MMBtu/hr, one (1) 50 tph crusher, plant roadways, and Aggregate handling equipment and stockpiles located at Springhill Township, Fayette County. The applicant requested time for issuance of SOOP by the Department and approval of stack test results for source testing section. The new expiration date is March 28, 2025. Application received: August 26, 2024. Issued: September 4, 2024.

**PA-65-00840B: Eastern Gas Transmission and Storage, Inc.**, 267 McLlvaine Road, Greensburg, PA 15601, Hempfield Township, **Westmoreland County**. On September 9, 2024, the Department issued a plan approval to remove an existing 250 MMSCFD glycol dehydrator system and install one 330 MMSCFD triethylene glycol (TEG) natural gas dehydrator system at EGTS—South Oakford Compressor Station. The plan approval includes conditions relating to applicable emission restrictions, testing, monitoring, recordkeeping, reporting, and work practice standards requirements at the facility located in Hempfield Township, Westmoreland County. Application received: June 2, 2023. Issued: September 9, 2024.

**PA-30-00233B: Hill Top Energy Center, LLC**, 278 Thomas Road, Carmichaels, PA 15320, Cumberland Township, **Greene County**. Hill Top Energy Center, LLC on September 9, 2024, to extend the construction and temporary operation period for the Hill Top Energy Center natural gas-fired combined cycle power plant located in Cumberland Township, Greene County. The new expiration date is March 28, 2025. Application received: August 12, 2024. Authorized: September 9, 2024.

**PA-30-00233C: Hill Top Energy Center, LLC**, 278 Thomas Road, Carmichaels, PA 15320, Cumberland Township, **Greene County**. Hill Top Energy Center, LLC on

September 9, 2024, to extend the construction and temporary operation period for the Hill Top Energy Center natural gas-fired combined cycle power plant located in Cumberland Township, Greene County. The new expiration date is March 28, 2025. Application received: August 12, 2024. Authorized: September 9, 2024.

---

**Plan Approval Revision(s) Issued Including Extension(s), Minor Modification(s) and Transfer(s) of Ownership Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.**

---

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: David Balog, New Source Review Section Chief, 814-332-6328.*

**37-00377A: US Rolloffs Inc.**, 213 Gardner Avenue, New Castle, PA 16101, City of New Castle, **Lawrence County**. Issued a 6-month plan approval extension as the facility has ongoing fugitive emission violations that need addressed prior to applying for their Operating Permit. Extension expires February 23, 2025. Application received: July 17, 2024. Issued: August 30, 2024.

**42-00004K: American Refining Group Inc.**, 77 North Kendall Avenue, Bradford, PA 16701, City of Bradford, **McKean County**. Issued a 6-month plan approval extension, to allow for continued project shake-down activities. Extension expires February 28, 2025. Application received: August 28, 2024. Issued: August 28, 2024.

**03-00274A: Sugarcreek Cremations LLC**, 1520 State Route 268, Cowensville, PA 16028, Sugarcreek Township, **Armstrong County**. Issued a 2-month plan approval extension to allow DEP more time to conduct a plan approval inspection. This extension expires October 27, 2024. Application received: August 26, 2024. Issued: August 27, 2024.

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.*

**34-05002B: Texas Eastern Transmission, LP**, 3318 Pumping Station Road, East Waterford, PA 17021, Lack Township, **Juniata County**. For the construction of two (2) new Solar Titan 130, 18,100 HP, natural gas-fired, simple cycle turbines at the Perulack Compressor Station. These new turbines will replace four (4) of the existing natural gas-fired, turbines (Source IDs 034—037). The turbines will be built with SoLoNO<sub>x</sub> dry low NO<sub>x</sub> (DLN) technology for the control of NO<sub>x</sub> and equipped with oxidation catalysts for the control of CO, VOCs and organic hazardous air pollutants (HAPS). The facility is also replacing the current Waukesha 600 bhp emergency generator (Source ID 040) and Leroy 600 bhp emergency generator (Source ID 041) with Waukesha, VGF24GL, 585 bhp, and CAT 3512C, 1,114 bhp, natural gas, emergency generators. The project will also include the installation of two (2) fuel gas heaters, each rated at 1.154 MMBtu/hr heat input, one (1) 1,880 gallon pipeline liquids tank, one (1) 3,550 gallon oil tank, one (1) 12,690 gallon oily water tank, one (1) truck loading source for pipeline liquids, one (1) truck loading source for used oil, one (1) truck loading source for oily water and five (5) separator vessels (two

(2) 33 gallon vessels, (2) 83 gallon vessels and one (1) 185 gallon vessel) associated with the blowdown separators. The plan approval was extended. Application received: August 26, 2024. Issued: September 4, 2024.

**22-03102A: Derry Township Municipal Authority**, 670 Clearwater Road, Hershey, PA 17033, Derry Township, **Dauphin County**. For the construction of a biogas-fired combined heat and power (CHP) generation system including gas conditioning and gas conveyance systems at the Waste Water Treatment Facility. The plan approval was extended. Application received: September 5, 2024. Issued: September 6, 2024.

*Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.*

**36-05001O: Armstrong World Industries, Inc.**, 1507 River Road, Marietta, PA 17547, East Donegal Township, **Lancaster County**. For the modification to the existing dust collection system on the PIF Line (ID 250) at the ceiling tile plant. Specifically, the project will replace the internally vented 20,000 acfm baghouse (Control ID D05—Baghouse # 27) and the internally vented 4,000 acfm receiver baghouse (baghouse # 7) with a 57,000 acfm baghouse and a new 1,830 acfm receiver baghouse, respectively. The 57,000 acfm baghouse is an existing baghouse (Control C130—Baghouse # 30) which will be relocated, rebuilt and equipped with new high-efficiency filters. The two new baghouses are to be vented to atmosphere. Additionally, Armstrong is proposing to add additional dust pickups to existing Baghouse #26 (Control ID D04), which controls the equalizers (Sources IDs 204 and 210), and Baghouse # 4 (Control ID D01) which controls the PIF line feeder and sander (Source ID 250). The additional pickup points will improve dust collection on existing operations. No production equipment will be modified or added during the project. The plan approval was extended. Application received: August 20, 2024. Issued: September 5, 2024.

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: James Beach, New Source Review Chief, 484-250-5920.*

**09-00271: Fres-co System USA Inc.**, 3005 State Rd, Telford, PA 18969-1021, West Rockhill Township, **Bucks County**. This action is an extension for the installation and operation of a three-station laminator. Application received: August 23, 2024. Issued: September 4, 2024.

---

**Title V Operating Permit(s) Issued Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.**

---

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Norm Frederick, Facility Permitting Chief, 570-826-2409.*

**54-00041: Silberline Manufacturing Company Inc.**, 130 Lincoln Drive, Tamaqua, PA 18252, Rush Township, **Schuylkill County**. The Department issued a renewal Title V Operating Permit for the operation of sources at their inorganic dye and pigment manufacturing facility. The Title V Operating Permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations. Application received: September 8, 2023. Accepted: September 19, 2023. Issued: August 6, 2024.

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.*

**67-05024: Lehig White Cement Co. LLC**, 200 Hokes Mill Road, York, PA 17404-5540, West Manchester Township, **York County**. For the cement manufacturing facility. The Title V permit was renewed. Application received: June 5, 2023. Issued: September 5, 2024.

*Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.*

**36-05025: Texas Eastern Transmission LP**, Suite 1100, 915 N. Eldridge Parkway, Houston, TX 77079-2703, East Donegal Township, **Lancaster County**. For the Marietta natural gas compressor station. The Title V permit was renewed. Application received: November 28, 2023. Issued: September 3, 2024.

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: Janine Tulloch-Reid, Facilities Permitting Chief, 484-250-5920.*

**15-00010: Cleveland Cliffs Plate LLC/Coatesville Plant**, 139 Modena Rd, Coatesville, PA 19320-4036, City of Coatesville, **Chester County**. This action is for the renewal of a Title V Operating Permit for the operation of furnaces, boilers, steel surface conditioning processes, generators, fire pumps, parts washers, nickel plating with scrubbers, surface coating operations, and other miscellaneous manufacturing components, many of them controlled by dust collection systems, at a steel plate manufacturing facility. This permit renewal includes a Minor Operating Permit Modification to increase the applicable 12-month fuel usage limit for the 145' Heat Treat Furnace (Source ID 146C). Application received: February 5, 2024. Issued: August 27, 2024.

**Operating Permit(s) for Non-Title V Facilities Issued Under the Air Pollution Control Act (35 P.S. §§ 4001–4015) and 25 Pa. Code Chapter 127, Subchapter F.**

*Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.*

**08-00010: Global Tungsten & Powders, LLC**, 1 Hawes Street, Towanda, PA 18848, North Towanda Township, **Bradford County**. The Department issued a renewal of State Only "synthetic minor" Operating Permit for their facility. The facility's main sources include multiple calciners, furnaces, chemical processing vessels, and gas-fired boilers. The renewal State Only Operating Permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions. Application received: May 24, 2023. Renewal issued: August 22, 2024. New expiration date: August 21, 2029.

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Norm Frederick, Facility Permitting Chief, 570-826-2409.*

**40-00048: H&K Group Inc.**, P.O. Box 196, Skippack, PA 19474, Lehman Township, **Luzerne County**. The

Department issued a renewal State-Only Operating Permit for the operation of sources at their rock crushing facility. The Operating Permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations. Application received: October 20, 2023. Accepted: November 1, 2023. Issued: August 9, 2024.

**54-00051: PA Department of Corrections**, 301 Morea Road, Frackville, PA 17932, West Mahanoy Township, **Schuylkill County**. The Department issued a renewal State-Only Operating Permit for the correctional facility. The Operating Permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations. Application received: June 6, 2023. Accepted: June 20, 2023. Issued: August 29, 2024.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: Matthew Williams, Facilities Permitting Chief, 814-332-6940.*

**25-01025: Erie Cemetery Assn**, 2116 Chestnut St, Erie, PA 16502-2617, City of Erie, **Erie County**. The Department issued the renewal State Only Natural Minor Operating Permit for operation of the cremation facility. The facility's primary emission source consists of a human cremator and its secondary chamber. The potential emissions of the primary pollutants from the facility are as follows: 1.051 TPY (tons per year) NO<sub>x</sub>, 0.883 TPY CO, 0.058 TPY VOC, 0.045 TPY filterable PM<sub>10</sub> and PM<sub>2.5</sub>, and 0.006 TPY SO<sub>x</sub>; thus, the facility is a natural minor. The crematory is subject to Plan Approval 25-1025A which includes opacity limitations, monitoring, recordkeeping, and work practice requirements. The renewal permit contains emission restrictions, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act. Application received: February 2, 2024. Renewal issued: September 4, 2024.

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.*

**22-05054: Highspire Terminal DE LLC**, 900 S. Eisenhower Blvd, Middletown, PA 17057-5503, Lower Swatara Township, **Dauphin County**. For the petroleum products distribution terminal. The State-Only permit was renewed. Application received: April 19, 2024. Issued: September 3, 2024.

**38-05023: Pennsy Supply, Inc.**, 2400 Thea Drive, Suite 3A, Harrisburg, PA 17110-9422, South Lebanon Township, **Lebanon County**. For the asphalt plant facility at the Prescott Quarry. The State-Only permit was renewed. Application received: April 29, 2024. Issued: September 6, 2024.

*Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.*

**38-05031: Wabash National, LP**, 411 Jonestown Road, P.O. Box 779, Jonestown, PA 17038-9502, Union Township, **Lebanon County**. For the truck body manufacturing facility. The State-Only permit was renewed. Application received: August 29, 2023. Issued: September 3, 2024.

**36-05107: Pepperidge Farm, Inc.**, 2195 North Reading Road, Denver, PA 17517-9112, East Cocalico Township, **Lancaster County**. For the commercial bakery facility. The State-Only permit was renewed. Application received: September 6, 2023. Issued: September 5, 2024.

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: Janine Tulloch-Reid, Facilities Permitting Chief, 484-250-5920.*

**15-00005: West Chester University**, 201 Carter Dr, Suite 100, West Chester, PA 19383-3209, West Chester Borough, **Chester County**. The Non-Title V, Synthetic Minor Operating Permit for the operation of boilers and emergency generators located throughout the campus of West Chester University has been renewed. Application received: January 18, 2024. Issued: September 4, 2024.

*Contact: Janine Tulloch-Reid, Facilities Permitting Chief, 484-250-5920.*

**46-00094: Highway Materials/Plymouth Meeting Plant Quarry**, 1750 Walton Rd, P.O. Box 1667, Blue Bell, PA 19422-2306, Whitmarsh Township, **Montgomery County**. This action is for a renewal of a State Only (Synthetic Minor) Operating Permit for a combination batch/drum hot mix asphalt (HMA) plant. Application received: May 12, 2023. Issued: August 1, 2024.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Thomas Joseph, P.E., Facilities Permitting Chief, 412-442-4336.*

**SOOP 65-00629: CBC Latrobe Acquisition LLC**, 100 33rd St, Latrobe, PA 15650, Latrobe Borough, **Westmoreland County**. On October 04, 2023, the Department issued a Synthetic Minor Operating Permit to the CBC Latrobe Acquisition, LLC in Latrobe Borough, Westmoreland County. Sources of emissions consist of Brewing Process, Grain Handling System, Wastewater Pretreatment Process, three (3) Natural Gas-fired Boilers each rated at 25.1 MMBtu/hr, one (1) Natural Gas-fired Boiler rated at 4.08 MMBtu/hr, Batching area (six (6) liquid tanks), Bottle Filling Line, four (4) Can Filling Lines, Packaging Adhesive Use, Packaging and Product Coding, three (3) Small Parts Washers, one (1) Emergency Generator rated at 82 BHP and two (2) Furnaces rated at 4.9 MMBtu/hr combined. The other insignificant emission sources at the facility contain four (4) Heating Furnaces each rated at 1.2 MMBtu/hr and four (4) Heat Tunnel Burners each rated at 0.35 MMBtu/hr. Emission from the brewery are controlled by four (4) Baghouses, one (1) Odor Control Unit and Emission from the Wastewater Pretreatment Plant are controlled by one (1) Biogas Flare rated at 14.5 MMBtu/hr. The air quality Operating Permit includes emission limitations, operating requirements, monitoring requirements, work practice standards, testing, reporting, and recordkeeping requirements for the site. Application received: October 4, 2023. Deemed administratively complete: October 6, 2023.

**Operating Permit Revisions Issued Including Administrative Amendments, Minor Modifications or Transfer of Ownership Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.**

*Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.*

**67-05016: Eagle Casting, LLC**, 447 E. Middle Street, Hanover, PA 17331-2543, Hanover Borough, **York County**. For the gray and ductile iron foundry. The Title V permit was administratively amended in order to incorporate the provisions of Plan Approval No. 67-05016I, and to reflect minor updates to MACT Subpart ZZZZ, and to make other minor administrative changes. Application received: August 29, 2024. Issued: September 5, 2024.

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: Janine Tulloch-Reid, Facilities Permitting Chief, 484-250-5920.*

**15-00010: Cleveland Cliffs Plate LLC/Coatesville Plant**, 139 Modena Rd, Coatesville, PA 19320-4036, City of Coatesville, **Chester County**. This action is for the renewal of a Title V Operating Permit for the operation of furnaces, boilers, steel surface conditioning processes, generators, fire pumps, parts washers, nickel plating with scrubbers, surface coating operations, and other miscellaneous manufacturing components, many of them controlled by dust collection systems, at a steel plate manufacturing facility. This permit renewal includes a Minor Operating Permit Modification to increase the applicable 12-month fuel usage limit for the 145' Heat Treat Furnace (Source ID 146C). Application received: June 24, 2024. Issued: August 27, 2024.

**15-00078: Janssen Biotech Inc.**, 200 Great Valley Pkwy, Malvern, PA 19355-1307, East Whiteland Township, **Chester County**. This action is for the renewal of a Non-Title V Facility, State-Only, Synthetic Minor Permit for the operation of a biopharmaceutical research and development and manufacturing facility. The facility voluntarily took emission limits for NO<sub>x</sub> (24.9 tpy), SO<sub>x</sub> (17.0 tpy) and PM (3.97 tpy). Application received: April 23, 2024. Issued: September 4, 2024.

**Operating Permit(s) Denied, Terminated, Suspended or Revoked Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.431 and 127.461.**

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: Matthew Williams, Facilities Permitting Chief, 814-332-6940.*

**20-00301: Universal Pressure Pumping Mosier-town Road Facility**, 18360 Technology Drive, Meadville, PA 16335, Vernon Township, **Crawford County**. The permit was revoked because the facility is no longer operating the air contamination sources previously located at the site and the permit is no longer necessary. Application received: August 6, 2024. Revoked: August 8, 2024.

## ACTIONS ON COAL AND NONCOAL APPLICATIONS

**Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the National Pollutant Discharge Elimination System (NPDES) permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to such applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1103). Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).**

### Coal Permits

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.*

*Contact: RA-EPCAMBRIADMO@pa.gov.*

**Mining Permit No. 32150101. NPDES No. PA0279421. Britt Energies, Inc.,** P.O. Box 515, Indiana, PA 15701, West Wheatfield Township, **Indiana County.** Permit transfer from Amerikohl Mining Inc., 202 Sunset Drive, Butler, PA 16001 for a Post-Mining Discharge Treatment Trust Consent Order and Agreement affecting 3.0 acres. Receiving streams: unnamed tributary to/and Roaring Run to Conemaugh River, classified for the following use: CWF. Application received: September 5, 2024. Issued: September 5, 2024.

**Mining Permit No. 56190102. Fieg Brothers, P.O. Box 38, Berlin, PA 15530, Somerset Township, Somerset County.** Permit renewal for reclamation only of a bituminous surface and auger mine affecting 29 acres. Receiving streams: unnamed tributary to Kimberly Run to Coxes Creek to Casselman River, classified for the following use: CWF. Application received: June 25, 2024. Permit issued: September 10, 2024.

## ACTIONS ON BLASTING ACTIVITY APPLICATIONS

**Action(s) Taken on Application(s) Under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting Activity Performed as Part of a Coal or Noncoal Mining Activity will be Regulated by the Mining Permit for that Coal or Noncoal Mining Activity.**

### Blasting Permits

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.*

*Contact: RA-EPPottsvilleDMO@pa.gov.*

**Permit No. 35244112. Maine Drilling & Blasting, Inc.,** P.O. Box 1140, Gardiner, ME 04345, Jessup Borough, **Lackawanna County.** Construction blasting for

Valley View Lot 19. Application received: August 29, 2024. Permit issued: September 5, 2024. Expiration date: August 29, 2025.

**Permit No. 40244113. M3 Explo, LLC,** P.O. Box 615, Bowmansville, PA 17507, Butler Township, **Luzerne County.** Construction blasting for Freeland Anthracite. Application received: August 29, 2024. Permit issued: September 5, 2024. Expiration date: August 29, 2025.

## FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department of Environmental Protection (DEP) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, DEP has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), and that the construction will not violate applicable Federal and State Water Quality Standards.

Individuals aggrieved by these actions may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. § 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Environmental Hearing Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the Board within 30-days. You do not need a lawyer to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so you should show this notice to a lawyer at once. If you cannot afford a lawyer, you may qualify for free pro bono representation. Call the Secretary to the Board 717-787-3483 for more information.

## WATER OBSTRUCTIONS AND ENCROACHMENTS

**Action(s) Taken on Application(s) for the Following Activities Filed Under The Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and the Clean Streams Law and Notice of Final Action for Certification Under Section 401 of the FWPCA.**



Central Office: Regional Permit Coordination Office, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101.

Contact: RA-EPREGIONALPERMIT@pa.gov.

**EA0283223-001. Pittsburgh Water and Sewage Authority**, 1200 Penn Avenue, Pittsburgh, PA 15222, City of Pittsburgh, **Allegheny County**. U.S. Army Corps of Engineers Pittsburgh District.

To construct and maintain a stream restoration project in an 1,868-foot reach of a UNT to Sawmill Creek (WWF) for the purpose of improving channel stability, establishing a floodplain, and reducing sediment load in the watershed. Work will include the installation of two basins with outfall structures, re-grading approximately 700 linear feet of stream channel, relocating approximately 1,170 ft of stream channel, establishing 4.9 acres of floodplain, and the installation of in-stream structures including log cross vanes, log and rock step/pools, and log or rock step pool structures. The project is located within Moore Park situated east of Pioneer Ave extending to State Route 51 (Pittsburgh West, PA Quadrangle) in City of Pittsburgh, Allegheny County. Latitude: 40.404722°, Longitude: -80.009166°. Application received: April 10, 2023. Issued: August 28, 2024.

Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: RA-EPWW-NWRO@pa.gov.

**E1006224-002. Evans City Water and Sewer Authority**, 216 Wahl Avenue, Evans City, PA 16033, Callery Borough, **Butler County**. U.S. Army Corps of Engineers Pittsburgh District.

Relocate and maintain the Callery Pump Station resulting in approximately 0.06 acre of permanent impact to the flood plain and approximately 281 square feet of permanent impact to the floodway of Breakneck Creek (Evans City and Mars, PA Quadrangle N: 40.743731°; W: -80.038442°) in Callery Borough, Butler County. Project includes abandonment of approximately 600 feet of existing sewer line and installation of approximately 1,140 feet of new sewer line under DEP Permits GP111006223-015 and GP051006223-005. Latitude: 40.743731°, Longitude: -80.038442°. Application received: April 26, 2024. Issued: September 10, 2024.

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Michele Lauer, Clerical Assistant 2,570-830-3077.

**E3103224-002. Barenkoder, LLC**, 20 Black Walnut Lane, Annville, PA 17003-8530, Henderson Township, **Huntingdon County**. U.S. Army Corps of Engineers Baltimore District.

To construct and maintain a 42-foot long single span, steel beam with steel grate bridge with concrete block abutments that has a 12-foot wide by 5.0-foot underclearance across Sugar Grove Run to provide driveway access to property. Project is located immediately West of Sugar Grove Road (T-442) approximately 1.4 miles North of intersection with SR 0022 in Henderson Twp., Huntingdon County. (Mount Union, PA Quadrangle, Latitude: 40.455986°, Longitude: -77.938785°) Latitude: 40.455986°, Longitude: -77.938785°. Application received: May 6, 2024. Issued: September 4, 2024.

Southeast Region: Waterways & Wetlands Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: RA-EP-WW-SERO-105@pa.gov.

**E5101224-001. Rhoads Industries, Inc.**, 1900 Kitty Hawk Avenue, Philadelphia, PA 19112, City of Philadelphia, **Philadelphia County**. U.S. Army Corps of Engineers Philadelphia District.

Rhoads Industries, Inc. is proposing to perform the following water obstruction and encroachment activities at Pier 6A in the Navy Yard in order to accommodate the transport of heavy equipment onto the Sea Shuttle transport vessel: 1) To partially demolish and fully reconstruct an existing 20,600 square foot pier within the Delaware River (WWF) which involves the installation of a new 600-foot bulkhead around the exiting pier resulting in an additional 2,428 square feet of permanent watercourse impact. This activity also includes three (3) concrete jacking pads and two (2) new mooring/breasting dolphins. 2) To mechanically dredge two (2) areas east and south of the newly reconstructed pier resulting in 7,212 square feet and 27,932 square feet, respectively, of permanent watercourse impact with a total of 13,488 cubic feet of dredged material to be removed. 3) To mitigate for the new 5,082 square feet of filled area within the combined footprint of the new Pier 6A, the jacking pads and mooring dolphins, a 10,589 square-foot pile-supported, high deck rail pier outshore of 4501 Richmond Street will be removed. The Pier 6A Reconstruction Project is located within the Navy Yard at 1900 Kitty Hawk Avenue in Philadelphia, Philadelphia County (USGS PA Philadelphia Quadrangle). Latitude: 39.885642°, Longitude: -75.186187°. Application received: January 24, 2024. Permit issued: September 3, 2024.

**E0901224-005. Northampton Township**, 55 Township Road, Richboro, PA 18954, Northampton Township, **Bucks County**. U.S. Army Corps of Engineers Philadelphia District.

To construct and maintain sidewalks about 5-foot wide along both sides of the existing culvert, including supports within the floodway/floodplain of the Ironworks Creek (WWF-MF) associated with the easy road access and the safety of the pedestrians. The project will also include removal of the existing guiderail along the roadway of Second Street Pike, a Geosynthetic Reinforced Slope (GRS) to support the area around the existing culvert wingwalls, upgrade the existing drainage outfall structure and concrete swale along the toe of the GRS to prevent erosion resulting in 26 linear feet (143 square feet) of permanent watercourse impact, 89 linear feet (2,314 square feet) of temporary watercourse impact, 5,210 square feet of permanent floodway impact, and 4,819 square feet of permanent floodplain impact. The site is located along 2nd Street Pike (SR 332), about 400 feet northeast of Tanyard Road (Hatboro, PA, USGS Quadrangle) in Northampton Township, Bucks County. Latitude: 40.20814°, Longitude: -75.01544°. Application received: May 31, 2024. Permit issued: September 4, 2024.

**E0901224-003. PA DCNR Bureau of State Parks**, 400 Market Street, 8th floor RCSOB, Harrisburg, PA 17101, Upper Makefield Township, **Bucks County**. U.S. Army Corps of Engineers Philadelphia District.

To construct and maintain a new paved accessible walkway path with eight interpretive stops within the floodway/floodplain of the Delaware River (WWF-MF) associated with the educational panels that details the story of Washington crossing the Delaware. The project

will include a new trail connecting an existing comfort station to the west and to a new pedestrian crossing of State Route 32 to the east, and installation of new kiosk, an ADA accessible historic walking trail, and road connections, etc. The project is located within Washington Crossing Historic Park (Pennington, PA USGS Quadrangle) in Upper Makefield Township, Bucks County. Latitude: 40.295091°, Longitude: -74.871062°. Application received: April 23, 2024. Permit issued: September 9, 2024.

*Southwest Region: Oil and Gas Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: D. J. Stevenson, 412-442-4281, RA-EPSW-OGSUBMISSION@pa.gov.*

**E6307223-010. Columbus Gas Transmission, LLC**, 1700 MacCorkle Avenue, SE, Charleston, WV 25314, Donegal Township, **Washington County**. U.S. Army Corps of Engineers Pittsburgh District. Latitude: 40.146769°, Longitude: -80.441761°. Application received: November 22, 2023. Issued: August 28, 2024.

The project proposes to retrieve tools via bridge plug and junk basket from the existing Donegal Well 542 natural gas well in Washington County, PA, and to replace the well head valve.

The project proposes impacts to three (3) wetlands, a stream, and a Pennsylvania-regulated floodway (floodway). The impacted wetlands, Wetlands W1, W2, and W4, are classified as palustrine emergent (PEM). The stream, S1, is classified as intermittent. All resource impacts are considered temporary impacts except the impact to Wetland W1. A portion of Stream S1 has been repeatedly traversed by vehicles and the banks are no longer defined. Water loses concentration and instead sheet-flows across the site which over time has formed Wetland W1. Hydrology from Stream S1 should feed a permitted Riparian Enhancement area directly downslope. As part of this Joint Permit, a culvert is being installed to protect Stream S1 from vehicle traffic. While the Riparian Enhancement area will gain hydrology, Wetland W1 will lose hydrology. As a result, impacts to Wetland W1 have been listed as permanent, but without a mitigation requirement. Proposed impacts are as follows:

Resource Name	Aquatic Resource Type	Activity	Chapter 93 Designation	Impact Area Temp. (SF)	Impact Area Perm. (SF)	Impact Area Temp. (Ac)	Impact Area Perm. (Ac)
Wetland W1	PEM	Pad Construction	Other	-	-	-	0.05
Wetland W2	PEM	Timber Mat	Other	-	-	0.008	-
Wetland W4	PEM	Timber Mat	Other	-	-	0.0045	-
Stream S1	Intermittent	Pad Access	HQ-WWF	688	-	-	-
Stream S1	Intermittent	Culvert	HQ-WWF	-	100	-	-
Stream S1	Intermittent	Pad Construction	HQ-WWF	335	-	-	-
Wetland Total	PEM(Other)					0.0125 Ac	0.05 Ac
Stream Total	Intermittent			1,023 SF	100 SF		

*Contact: Dana Drake, Program Manager.*

**E6505224-002. Elliot Group**, 901 North 4th Avenue, Jeannette, PA 15644, City of Jeannette, **Westmoreland County**. U.S. Army Corps of Engineers Pittsburgh District.

Application received: February 6, 2024. Issued: August 29, 2024.

The applicant has been given consent to:

1. Construct and maintain a 49' long x 17' single span adjacent box beam bridge, with a 6'- 9" underclearance, on concrete stub abutments, crossing Bull Run (TSF).

2. Construct and maintain 25 lf of scour protection consisting of R-7 riprap choked with R-4 riprap wrapped in geotextile along the streambank of Bull Run.

For the purpose of safely accessing private commercial property. The project will permanently impact 25 lf (0.004 acre) of watercourse and 0.007 acre of floodway. The project will temporarily impact 69 lf (0.174 acre) of watercourse.

The project site is located at Elliot Group, 901 North 4th Street, Jeannette, PA 15644 (Greensburg, PA USGS topographic quadrangle; N: 40°, 20', 16.89"; W: -79°, 36', 37.21"; Sub-basin 19A; USACE Pittsburgh District), in City of Jeannette, Westmoreland County.

**ENVIRONMENTAL ASSESSMENTS**

*Central Office: Waterways & Wetlands Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-772-5321.*

*Contact: Niamh Hays, Water Program Specialist, 717-772-5959.*

**EA6715224-003. HGS, LLC**, 317 East Carson Street, Suite 242, Pittsburgh, PA 15219, Manchester Township, **York County**. U.S. Army Corps of Engineers Baltimore District.

The Division of Wetlands, Encroachments, and Training has approved the restoration plan to remove approximately 5,300 cubic yards of legacy sediment and other historic fills from the floodplain along three unnamed tributaries to Codorus Creek (WWF-MF) for the purpose

of restoring approximately 1.5 acres of integrated wetland, stream, and floodplain areas; to realign approximately 740 linear feet of stream for the purpose of restoring watercourses; to place rock stream and valley grade control structures; to place log sills, woody debris, and other aquatic habitat structures within the restoration areas; to construct temporary stream crossings, rock construction entrances, and other erosion controls during restoration activities. The restoration project is located immediately east of I-83, south of Sinking Springs Road and north of W Locust Lane, in Emigsville, PA. Latitude: 40.012222°, Longitude: -76.739167°. Application received: April 1, 2024. Approved: September 16, 2024.

**EA2815224-001. Alexander Young**, 4923 Fort McCord Road, Chambersburg, PA 17202, Hamilton Township, **Franklin County**. U.S. Army Corps of Engineers Baltimore District.

The Division of Wetlands, Encroachments, and Training has approved the restoration plan to remove approximately 29,800 cubic yards of legacy sediment and other historic fills from the floodplain along Back Creek (TSF-MF), for approximately 2.56 acres of integrated wetland, stream, and floodplain areas; to realign approximately 1,800 linear feet of stream for the purpose of restoring watercourses; to place rock stream and valley grade control structures; to place log sills, woody debris, and other aquatic habitat structures within the restoration areas; to construct temporary stream crossings, rock construction entrances, and other erosion controls during restoration activities. The project reach begins at the existing Fort McCord Road bridge and extends downstream to the Edenville Road bridge in Hamilton Township, PA. Latitude: 39.962957°, Longitude: -77.730801°. Application received: April 12, 2024. Approved: September 16, 2024.

**EA0215224-004 & GP110215224-058. Pittsburgh Water and Sewer Authority**, 1200 Penn Avenue, Pittsburgh, PA 15222, City of Pittsburgh, **Allegheny County**. U.S. Army Corps of Engineers Pittsburgh District.

The Division of Wetlands, Encroachments, and Training has approved the restoration plan to remove legacy sediment and other historic fills from the floodplain along three unnamed tributaries to Chartiers Creek (WWF), for the purpose of restoring approximately 0.5 acre of integrated wetland, stream, and floodplain areas; to realign approximately 597 linear feet of stream for the purpose of restoring watercourses; to place rock stream and valley grade control structures; to place log sills, woody debris, and other aquatic habitat structures within the restoration areas; to construct temporary stream crossings, rock construction entrances, and other erosion controls during restoration activities. Other proposed work includes the repair of a preformed scour hole at the existing outfall of three PWSA stormwater pipes/culverts that discharge to the upstream end of the restoration reach. The project is located northwest of Broadhead Forging Road, north of the Giant Eagle Cold Storage Warehouse in Fairywood, Pittsburgh, PA. Latitude: 40.451858°, Longitude: -80.079517°. Application received: March 12, 2024. Approved: September 9, 2024.

*Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: 717-705-4802.*

**EA0703224-001. Charles Benedetto**, 454 Ricotta Lane, Altoona, PA 16601, Antis Township, **Blair County**. U.S. Army Corps of Engineers Baltimore District.

To 1.) install and maintain 4 log vanes, 1 log cross vane, 77-feet of modified mudsill, 80-feet of bankfull bench, 13-feet of placed rock protection, and to 2.) removed two gravel bars, all within an Unnamed Tributary to Little Juniata River (WWF). All impacts are for the purposes of restoring the eroded streambank. The project will impact 652-feet of stream and 66-feet of floodway. The project is located at 454 Ricotta Lane (Latitude: 40.5892287°; Longitude: -78.3222098°) in Antis Township, Blair County. No wetlands will be impacted by the project. Latitude: 40.5892287°, Longitude: -78.3222098°. Application received: April 8, 2024. Approved: September 5, 2024.

#### **EROSION AND SEDIMENT CONTROL**

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information.

*Eastern District: Oil and Gas Management Program, 208 West Third Street, Williamsport, PA 17701-6448.*

*Contact: RA-EPEASTERN@pa.gov.*

#### **ESCGP # 3 ESG295822035-01**

Applicant Name **Coterra Energy Inc.**  
Contact Person Kenneth Marcum  
Address 2000 Park Lane, Suite 300  
City, State, Zip Pittsburgh, PA 15275-1121  
Township(s) Lenox Township  
County **Susquehanna County**  
Receiving Stream(s) and Classification(s) Willow Brook (CWF, MF), Martins Creek (CWF, MF)  
Application received: August 2, 2024  
Issued: September 5, 2024

#### **ESCGP # 3 ESG295824010-00**

Applicant Name **Coterra Energy Inc.**  
Contact Person Kenneth Marcum  
Address 200 Park Lane, Suite 300  
City, State, Zip Pittsburgh, PA 15275-1121  
Township(s) Springville Township

**County Susquehanna County**

Receiving Stream(s) and Classification(s) UNT to Meshopen Creek (CWF, MF), UNT to North Branch Meshopen Creek (CWF, MF)

Application received: May 22, 2024

Issued: September 9, 2024

**ESCGP # 3 ESG290824011-00**

Applicant Name **Chesapeake Appalachia LLC**

Contact Person Eric Haskins

Address 14 Chesapeake Lane  
City, State, Zip Sayre, PA 18840

Township(s) Wysox Township

County **Bradford County**

Receiving Stream(s) and Classification(s) Trib. 30034 to Wysox Creek (CWF, MF)

Application received: May 29, 2024

Issued: September 9, 2024

*Southwest District: Oil and Gas Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

*Contact: RA-EPSW-OGSUBMISSION@pa.gov.*

**ESCGP # 3 ESG072619004-01**

Applicant Name **Laurel Mountain Midstream LLC—Kovach Well Connect Pipeline Project**

Contact Person Stephanie Ranker

Steph.ranker@williams.com

(724) 237-7131

Address Lat 39.9181, -0.79.8566

City, State, Zip McClellandtown, PA 15458

Township(s) German Township

County **Fayette County**

Receiving Stream(s) and Classification(s) UNTs to # 21844 Dunlap Creek, Ch 93 Class WWF

Application received: August 22, 2024

Renewal issued: September 3, 2024

**ESCGP # 3 ESG076324002-01**

Applicant Name **Markwest Liberty Midstream & Resources LLC—Vankirk To Franklin Lakeview Pipeline**

Contact Person Brian Elliott, (724) 873-2893

bmelliott@marathonpetroleum.com

Address 0.14 mile east of Park Ave and Timberline Drive  
City, State, Zip Washington, PA 15301

Township(s) North Franklin Township, South Franklin Township

County **Washington County**

Receiving Stream(s) and Classification(s) 001. Lat 40.13825, Long -80.27979, UNTs to Chartiers Creek and Chartiers Creek, Ch 93 Class WWF

Application received: July 26, 2024

Permit modification issued: August 30, 2024

**ESCGP # 3 ESG076324006-00**

Applicant Name **Markwest Liberty Midstream & Resources LLC—L. Smith to Brownlee Pipeline**

Contact Person Patrick Rudy, VP of Engineering and Technical Services G&P, (724) 754-9214

PSRudy@marathonpetroleum.com

Address 0.1 mile south of Interstate 70 and Highland Ridge Road

City, State, Zip Claysville, PA 15323

Township(s) Buffalo Township

County **Washington County**

Receiving Stream(s) and Classification(s) 001. Lat 40.12979, Long -80.35273, UNTs to Buffalo Creek, Ch 93 Class HQ-WWF.

Application received: June 10, 2024

Permit modification issued: August 28, 2024

**ESCGP # 3 ESG073024009-00**

Applicant Name **EQT Prod Co—PALJKG001-Riceunit to Sandrock Gas Gathering Pipeline**

Contact Person Todd Klaner, (724) 746-9043

TKlaner@eqt.com

Address 0.3 Mile South of Jollytown Rd and Hero Rd

City, State, Zip New Freeport, PA 15352

Township(s) Gilmore Township

County **Greene County**

Receiving Stream(s) and Classification(s) 001. Lat 39.73559, Long -80.37863, UNT to Dunkard Creek, Ch 93 Class WWF 002. Lat 39.73295, Long -80.33301, Garrison Fork, Ch 93 Class WWF 003. Lat 39.73559, Long -80.37863, Six Run, Ch 93 WWF

Application received: May 31, 2024

Issued: September 10, 2024

## CORRECTIVE ACTION UNDER ACT 32, 1989

### PREAMBLE 2

**The Following Plan(s) and Report(s) Were Submitted Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).**

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DEP has received the following plans and reports.

*Northcentral Region: Environmental Cleanup & Brownfields Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Randy Farmerie, P.G., Environmental Program Manager, 570-327-3716.*

**Quick Shop 7**, Storage Tank Facility ID # **55-09006**, 960 Route 522, Selinsgrove, PA 17870, Penn Township, **Snyder County**. Synergy Environmental, Inc., 155 Railroad Plaza, 1st Fl, Royersford, PA 19468, on behalf of KDA Petro Property LLC, 900 Spruce Street, Sunbury, PA

17801, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The plan is intended to document the remedial actions for meeting residential Statewide health standards.

*Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Eric Supey, Environmental Program Manager.*

**Atlantic Motors**, Storage Tank Facility ID # **54-50468**, 52 South Lehigh Street, Frackville, PA 17931, Frackville Borough, **Schuylkill County**. B & B Diversified Enterprises, P.O. Box 701, Barto, PA 19504, on behalf of Atlantic Motors, Inc., 51 State Road, Barnesville, PA 18214, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with gasoline. The report is intended to document the remedial actions for meeting Statewide health and site-specific standards.

*Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Robin L. Yerger, LPG, 717-705-4705.*

**Rutter's Farm Store # 1**, Storage Tank Facility ID # **67-37077**, 1099 Haines Road, York, PA 17402, Stewardson Township, **York County**. United Environmental Services, Inc., P.O. Box 701, Schuylkill Haven, PA 17972, on behalf of United Environmental Services, Inc., P.O. Box 701, Schuylkill Haven, PA 17972, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum contaminants. The report is intended to document the remedial actions for meeting nonresidential Statewide health and site-specific standards.

*Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: Richard M. Staron, Professional Geologist Manager, 484-250-5717.*

**Ridge Ave 76**, Storage Tank Facility ID # **51-46371**, 7731 Ridge Ave, Philadelphia, PA 19128, City of Philadelphia, **Philadelphia County**. Petrodi LLC, 543 Oakshade Road, Shamong, NJ 08088, on behalf of Jagwinder Singh, 7731 Ridge Ave., Philadelphia, PA 19128, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded and leaded gasoline. The plan is intended to document the remedial actions for meeting nonresidential Statewide health and site-specific standards.

**Speedway 6733**, Storage Tank Facility ID # **09-23147**, 140 South West End Blvd, Quakertown, PA 18951, Quakertown Borough, **Bucks County**. AECOM, 625 West Ridge Pike, Suite E-100, Conshohocken, PA 19428, on behalf of Speedway LLC, P.O. Box 1500, Springfield, OH 44501, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The plan is intended to document the remedial actions for meeting nonresidential Statewide health and site-specific standards.

*Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Janelle Hromyak, Clerk 2, 412-442-4091.*

**Energy Transf MKT & Term PGH Term**, Storage Tank Facility ID # **02-03533**, 5733 Butler St, Pittsburgh,

PA 15201-2115, City of Pittsburgh, **Allegheny County**. EnviroTrac Ltd, 176 Thorn Hill Road, Warrendale, PA 15086, on behalf of Evergreen Resource Group, LLC, 2 Righter Parkway, Suite 120, Wilmington, DE 19803, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline, leaded gasoline, diesel fuel, crude oil. The combined plan and report is intended to document the remedial actions for meeting nonresidential Statewide health and site-specific standards.

## CORRECTIVE ACTION UNDER ACT 32, 1989

### PREAMBLE 3

---

#### Action(s) Taken on the Following Plans and Reports Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

---

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports.

A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

DEP may approve or disapprove plans and reports submitted. This notice provides DEP's decision and, if relevant, the basis for disapproval.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DEP has received the following plans and reports.

*Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Robin L Yerger, LPG, 717-705-4705.*

**Rutter's Farm Store # 1**, Storage Tank Facility ID # **67-37077**, 1099 Haines Road, York, PA 17402, Stewardson Township, **York County**. United Environmental Services, Inc., P.O. Box 701, Schuylkill Haven, PA 17972, on behalf of CHR Corporation, 2295 Susquehanna Trail, York, PA 17404, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum contaminants. The report demonstrated attainment of the nonresidential

Statewide health and site-specific standards and was approved by DEP on September 3, 2024.

*Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: Richard M. Staron, Professional Geologist Manager, 484-250-5717.*

**Lukoil 69249**, Storage Tank Facility ID # **51-14205**, 12001 Knights Rd, Philadelphia, PA 19154, City of Philadelphia, **Philadelphia County**. EnviroTrac Ltd., 602 S. Bethlehem Pike, Suite A2 and 3, Ambler, PA 19002, on behalf of Lukoil North America, LLC, 302 Harper Drive, Suite 303, Moorestown, NJ 08057, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The plan was acceptable to meet the residential Statewide health and site-specific standards and was approved by DEP on August 30, 2024.

**Kyle Carr Auto Svc**, Storage Tank Facility ID # **09-45194**, 125 W Butler Pike, Chalfont, PA 18914, Chalfont Borough, **Bucks County**. Coventry Environmental Associates, Inc., P.O. Box 224, St. Peters, PA 19470, on behalf of Kyle Carr, 125 W Butler Pike, Chalfont, PA 18914, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report demonstrated attainment of the residential Statewide health standards and was approved by DEP on August 30, 2024.

**Ridge Ave 76**, Storage Tank Facility ID # **51-46371**, 7731 Ridge Ave., Philadelphia, PA 19128, City of Philadelphia, **Philadelphia County**. Petrodi LLC, 543 Oakshade Road, Shamong, NJ 08088, on behalf of Jagwinder Singh, 7731 Ridge Ave., Philadelphia, PA 19128, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded and leaded gasoline. The plan was acceptable to meet the nonresidential Statewide health and site-specific standards and was approved by DEP on August 30, 2024.

*Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Janelle Hromyak, Clerk 2, 412-442-4091.*

**Gas N Go Washington**, Storage Tank Facility ID # **63-30119**, 98 Murtland Ave, Washington, PA 15301-3378, City of Washington, **Washington County**. Apex Companies, LLC, 975 Georges Station Road, Suite 100, Greensburg, PA 15601, on behalf of Guttman Oil Company, 200 Speers Street, Belle Vernon, PA 15012, submitted a Remedial Action Completion Report concerning remediation of groundwater contaminated with unleaded gasoline. The report demonstrated attainment of the residential Statewide health standards and was approved by DEP on September 3, 2024.

**Chevron Facility # 203876**, Storage Tank Facility ID # **65-82885**, 11540 State Route 30, North Huntingdon, PA 15642-2098, North Huntingdon Township, **Westmoreland County**. Arcadis U.S., Inc., 2100 Georgetown Road, Suite 402, Sewickley, PA 15143, on behalf of Chevron Environmental Management Company, 1400 Smith St., Houston, TX 77002, submitted a Remedial Action Comple-

tion Report concerning remediation of groundwater contaminated with leaded and unleaded gasoline. The report demonstrated attainment of the nonresidential Statewide health and site-specific standards and was approved by DEP on September 5, 2024.

[Pa.B. Doc. No. 24-1338. Filed for public inspection September 20, 2024, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Agricultural Advisory Board Meeting Cancellation

The Agricultural Advisory Board (Board) meeting previously scheduled for October 16, 2024, is cancelled.

Information about future Board meetings, including agendas, meeting materials and in-person and remote participation options, will be available on the Board's webpage, found through the Public Participation tab on the Department of Environmental Protection's (Department) web site at [www.dep.pa.gov](http://www.dep.pa.gov) (select "Public Participation," then "Advisory Committees," then "Water," then "Agricultural Advisory Board" then "Meeting Dates").

Individuals are encouraged to visit the Board's webpage to confirm meeting date, time and location prior to each meeting. Questions concerning the Board can be directed to Bob Haines at [robhaines@pa.gov](mailto:robhaines@pa.gov) or (717) 787-7565.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact the Department at (717) 783-2360 or through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

JESSICA SHIRLEY,  
*Acting Secretary*

[Pa.B. Doc. No. 24-1339. Filed for public inspection September 20, 2024, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Bid Opportunity

**OSM 02(1726)102.1, Abandoned Mine Reclamation Project, Graham Boulevard, Municipality of Penn Hills, Allegheny County.** The principal items of work and approximate quantities include: preparation and implementation of the erosion and sediment pollution control plan, 1 lump sum; clearing and grubbing, 1 lump sum; trench excavation, 1,173 cubic yards; backfill mine shaft—flowable backfill, 170 cubic yards; precast inlet box, 1 each; repaving—PA DOT 2A stone, 1.39 cubic yards; repaving 25 mm superpave base course, 1.225 tons; repaving 19 mm superpave binder course, 0.6125 ton; repaving 9.5 mm superpave wearing course, 4.36 square yards; traffic control, 1 lump sum; subsurface drain 8" nominal diameter perforated PVC SDR-35 pipe, 377 linear feet; subsurface drain 8" nominal diameter solid PVC SDR-35 pipe, 151 linear feet; subsurface drain—AASHTO No. 1 coarse aggregate, 1,173 cubic yards; seeding—seeding, 1 lump sum; and seeding—topsoil, 1 ton.

This bid issues on September 20, 2024, and bids will be opened on October 17, 2024, at 2 p.m. Bid documents, including drawings in PDF format and AutoCAD Map 3D format, may be downloaded for free beginning on the issue date from the Department of Environmental Protection by going to [www.BidExpress.com](http://www.BidExpress.com). This project is financed by the Federal government under the authority given it by the Surface Mining Control and Reclamation Act of 1977 (act) (30 U.S.C. §§ 1201—1328) and is subject to the act and to the Federal grant for this project. Contact the Construction Contracts Section at (717) 787-7820 or [RA-ConstructionContr@pa.gov](mailto:RA-ConstructionContr@pa.gov) for more information on this bid. Note this is a Small Construction Business Program bid opportunity.

JESSICA SHIRLEY,  
*Acting Secretary*

[Pa.B. Doc. No. 24-1340. Filed for public inspection September 20, 2024, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Bid Opportunity

**OSM 54(4663)101.1, Abandoned Mine Reclamation Project, Coal Castle Revitalization, New Castle Township, Schuylkill County.** The principal items of work and approximate quantities include: grading, 511,000 cubic yards; dewatering impoundment, 1 lump sum; drainage excavation, 1,060 cubic yards; rock lining, 1,340 square yards; rock crawling pathway, 2,270 square yards; and seeding, 44 acres.

This bid issues on September 13, 2024, and bids will be opened on October 10, 2024, at 2 p.m. Bid documents, including drawings in PDF format and AutoCAD Map 3D format, may be downloaded for free beginning on the issue date from the Department of Environmental Protection by going to [www.BidExpress.com](http://www.BidExpress.com). This project is financed by the Federal government under the authority given it by the Surface Mining Control and Reclamation Act of 1977 (act) (30 U.S.C. §§ 1201—1328) and is subject to the act and to the Federal grant for this project. Contact the Construction Contracts Section at (717) 787-7820 or [RA-ConstructionContr@pa.gov](mailto:RA-ConstructionContr@pa.gov) for more information on this bid.

JESSICA SHIRLEY,  
*Acting Secretary*

[Pa.B. Doc. No. 24-1341. Filed for public inspection September 20, 2024, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Low-Level Radioactive Waste Advisory Committee Meeting

The Low-Level Radioactive Waste Advisory Committee (Committee) meeting scheduled for September 27, 2024, will be held at 10 a.m. in Conference Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA. Individuals may attend the meeting in person or remotely. Individuals interested in providing public

comments during the meeting are encouraged to sign up in advance by contacting Rich Janati at [rjanati@pa.gov](mailto:rjanati@pa.gov) or (717) 787-2480.

Information on how to join the meeting, as well as agenda and meeting materials, will be available on the Committee's webpage, found through the Public Participation tab on the Department of Environmental Protection's (Department) web site at [www.dep.pa.gov](http://www.dep.pa.gov) (select "Public Participation," then "Advisory Committees," then "Radiation," then "Low-Level Waste Advisory Committee," then "Meetings and Bylaws").

Individuals are encouraged to visit the Committee's webpage to confirm meeting date, time and location prior to each meeting. Questions concerning the September meeting can be directed to Rich Janati at [rjanati@pa.gov](mailto:rjanati@pa.gov) or (717) 787-2480.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact the Department at (717) 787-2480 or through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

JESSICA SHIRLEY,  
*Acting Secretary*

[Pa.B. Doc. No. 24-1342. Filed for public inspection September 20, 2024, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Pennsylvania's 2024 Annual Ambient Air Monitoring Network Plan

The Department of Environmental Protection (Department) is seeking public comment on Pennsylvania's 2024 Annual Ambient Air Monitoring Network Plan (Plan). The Plan has been updated to address changes that have been made to the Commonwealth's ambient air monitoring network and to identify changes that are anticipated to occur in the remainder of 2024 and in 2025.

On October 17, 2006, the United States Environmental Protection Agency (EPA) promulgated final amendments to the National ambient air monitoring requirements for criteria pollutants at 40 CFR Parts 53 and 58 (relating to ambient air monitoring reference and equivalent methods; and ambient air quality surveillance). See 71 FR 61236 (October 17, 2006). The EPA's final rule requires state and local agencies to enhance air monitoring to "improve public health protection and better inform the public about air quality in their communities." Under 40 CFR 58.10 (relating to annual monitoring network plan and periodic network assessment), air quality state and local monitoring agencies must adopt an annual air monitoring network plan and make the plan available for public inspection for at least 30 days prior to final submission to the EPA Regional Administrator. The Plan, which was due July 1, 2024, must have included a statement of purpose for each monitor and evidence that siting and operation of each monitor meets Federal requirements. The EPA may also provide an opportunity for review and comment prior to approving or disapproving a state's monitoring network plan.

The Plan is available on the Department's web site at [www.dep.pa.gov/Business/Air/BAQ/Pages/default.aspx](http://www.dep.pa.gov/Business/Air/BAQ/Pages/default.aspx).

The Department must receive comments no later than Monday, October 21, 2024. Commentators are encouraged to submit comments using the Department’s eComment system at [www.ahs.dep.pa.gov/eComment](http://www.ahs.dep.pa.gov/eComment) or by e-mail to [ecomment@pa.gov](mailto:ecomment@pa.gov). Written comments can be submitted to the Policy Office, Department of Environmental Protection, Rachel Carson State Office Building, P.O. Box 2063, Harrisburg, PA 17105-2063. Use “2024 Annual Monitoring Network Plan” as the subject line in written communication.

JESSICA SHIRLEY,  
*Acting Secretary*

[Pa.B. Doc. No. 24-1343. Filed for public inspection September 20, 2024, 9:00 a.m.]

**DEPARTMENT OF ENVIRONMENTAL PROTECTION**

**State Water Plan Lower Susquehanna Regional Water Resources Planning Committee Meeting Date Change**

The date for the Lower Susquehanna Regional Water Resources Planning Committee (Committee) meeting for

the State Water Plan is changed to Thursday, October 17, 2024. The date for this meeting was previously noticed at 54 Pa.B. 5540 (August 31, 2024) as Wednesday, October 9, 2024. Individuals may attend State Water Plan Committee meetings in person or remotely.

Information will also be provided on the Committee’s webpage, found through the Public Participation tab on the Department of Environmental Protection’s (Department) web site at [www.dep.pa.gov](http://www.dep.pa.gov).

Individuals are encouraged to visit the State Water Plan committee webpages to confirm meeting date, time, location and remote participation options prior to each meeting. Questions concerning the State Water Plan committees can be directed to James Horton at [jahorton@pa.gov](mailto:jahorton@pa.gov) or (717) 772-1100.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact James Horton at (717) 772-1100 or through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

JESSICA SHIRLEY,  
*Acting Secretary*

[Pa.B. Doc. No. 24-1344. Filed for public inspection September 20, 2024, 9:00 a.m.]

**DEPARTMENT OF HEALTH**

**Ambulatory Surgical Facilities; Requests for Exceptions**

The following ambulatory surgical facilities (ASF) have filed requests for exceptions under 28 Pa. Code § 51.33 (relating to requests for exceptions) with the Department of Health (Department), which has authority to license ASFs under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b). The following requests for exceptions relate to regulations governing ASF licensure in 28 Pa. Code Chapters 29, 51 and 551—571 (relating to miscellaneous health provisions; general information; and ambulatory surgical facilities).

<i>Facility Name</i>	<i>Regulation and relating to</i>
Allentown Women’s Center, Inc.	28 Pa. Code § 29.33(6) and (7) (relating to requirements for abortion)
Geisinger Medical Center Outpatient Surgery Woodbine	28 Pa. Code § 551.22(3)(i) (relating to criteria for performance of ambulatory surgery on pediatric patients)
Greater Pittsburgh Surgery Washington	28 Pa. Code § 551.3 (relating to definitions)

The previously listed requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, [ra-paexcept@pa.gov](mailto:ra-paexcept@pa.gov). Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed contact information. Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DEBRA L. BOGEN,  
*Secretary*

[Pa.B. Doc. No. 24-1345. Filed for public inspection September 20, 2024, 9:00 a.m.]



## DEPARTMENT OF HEALTH

### Hospitals; Requests for Exceptions

The following hospitals have filed requests for exceptions under 28 Pa. Code § 153.1 (relating to minimum standards). Requests for exceptions under this section relate to minimum standards that hospitals must comply with under the *Guidelines for Design and Construction of Hospitals—2018 Edition*, *Guidelines for Design and Construction of Outpatient Facilities—2018 Edition* or the *Guidelines for Design and Construction of Hospitals—2022 Edition*, *Guidelines for Design and Construction of Outpatient Facilities—2022 Edition*. The following list includes the citation to the section under the *Guidelines* that the hospital is seeking an exception.

<i>Facility Name</i>	<i>FGI Guidelines Section and relating to</i>	<i>Yr<sup>1,2</sup></i>
Allegheny General Hospital	2.1-7.2.3.1(7)(a) flooring and wall bases	22
	2.1-7.2.3.3(3)(a) ceilings	22
	2.2-3.4.3 operating rooms	22
	2.2-3.4.4.6(1) system component room	22
	2.2-3.5.2.1(1) and (3)(a) and (b) general	22
	2.2-3.5.2.3(3) handwashing station or hand scrub facilities	22
	2.2-3.5.2.5(1)(c) system component room	22
Jefferson Health—Northeast	2.2-3.5.2.5(1)(c) system component room	22

<sup>1</sup> 2018 Year FGI Regulations for Outpatient Facilities are indicated by “-O.”

<sup>2</sup> 2022 Year FGI Regulations for Outpatient Facilities are indicated by “-O.”

The previously listed requests are on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov. Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed contact information. Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or for speech and/or hearing impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DEBRA L. BOGEN,  
Secretary

[Pa.B. Doc. No. 24-1346. Filed for public inspection September 20, 2024, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Long-Term Care Nursing Facilities; Requests for Exception

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.6(a) (relating to function of building):

Oxford Rehabilitation and Healthcare Center  
300 East Winchester Avenue  
Langhorne, PA 19047  
FAC ID # 014002

This request is on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile

to the Division at the previously listed contact information.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so, should contact the Division at the previously listed address or phone number, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DEBRA L. BOGEN,  
Secretary

[Pa.B. Doc. No. 24-1347. Filed for public inspection September 20, 2024, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Renal Disease Advisory Committee Meeting

The Renal Disease Advisory Committee, established by section 4 of the Renal Disease Treatment Act (35 P.S. § 6204), will hold its quarterly public meeting on Friday, October 18, 2024, from 10 a.m. to 12 p.m. The purpose of the meeting is to discuss new and ongoing issues relating to treatment of chronic renal disease and the Department of Health’s programs related to care and treatment.

The meeting will be held at the Bureau of Family Health Office, 625 Forster Street Harrisburg, PA 17120. In-person participants are asked to RSVP to Josh Goodling, jsgoodlin@pa.gov, (717) 772-2762 by close of business on October 11, 2024. Upon arrival, sign in at the front desk in the lobby of the building by 9:45 a.m. to await an escort to the meeting room.

The meeting will also be available by conference call. To join the conference call, dial (267) 332-8737 and, when prompted, enter conference code 317306065#.

The meeting agenda will be posted on the Chronic Renal Disease Program’s web site at <https://bit.ly/ChronicRenalAdvisoryCommittee> at least 24 hours prior to the meeting date and time.

For additional information or for persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other accommodation to do so, contact Kathy Jo Stence, Director, Division of Child and Adult Health Services, 7th Floor East, Health and Welfare Building, 625 Forster Street, Harrisburg, PA 17120, (717) 772-2762, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

This meeting is subject to cancellation without notice.

DR. DEBRA L. BOGEN,  
*Secretary*

[Pa.B. Doc. No. 24-1348. Filed for public inspection September 20, 2024, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Special Supplemental Nutrition Program for Women, Infants and Children (WIC Program); Competitive Prices and Peer Group Criteria

#### Peer Group Criteria

The WIC Management Information System automatically assigns stores to one of five peer groups depending on store size, number of registers and where the store is located as follows:

<i>Square footage</i>	0—999 sq/ft	1,000—4,999 sq/ft	5,000—9,999 sq/ft	10,000—19,999 sq/ft	20,000—99,999 sq/ft
<i>Peer group</i>	5	4	3	2	1
<i>Number of cash registers</i>	0-1	2—4	5—9	10—19	20+
				<i>Geography</i>	
<i>Weighting</i>			<i>Population Ranges</i>		<i>Density</i>
<i>Square footage</i>	30%		0—69,999	Remote Rural	0—50
<i>Registers</i>	30%		70,000—124,999	Rural	51—99
<i>Geography</i>	40%		125,000—249,999	Slightly Urban	100—199
			250,000—499,999	Urban	200—499
			500,000—999,999	Metro Market Edge	500—1,000
			1,000,000+	Metro Market Center	1,000+

#### Competitive Prices for Peer Group 1 Stores

Under 28 Pa. Code §§ 1103.4(5) and 1105.3(a)(1) (relating to selection criteria for authorization and reauthorization; and terms and conditions of participation) and 7 CFR 246.12 (relating to food delivery methods), the WIC Program hereby publishes notice of the Competitive Prices for Peer Group 1 Stores.

#### Competitive Prices

To remain WIC Authorized, each store must maintain the minimum inventory of the following WIC food items at, or below, the Competitive Prices listed for the store’s peer group. Effective October 1, 2024, through December 31, 2024, the Competitive Prices for WIC Authorization for Peer Group 1 Stores are as follows:

<i>Description</i>	<i>Peer Group</i>	<i>Competitive Prices</i>
Bread—16 oz.	1	\$4.90
Brown Rice—16 oz.	1	\$1.74
Canned Beans (15.5—16 oz. can)	1	\$1.73
Cereal (per oz.)	1	\$0.43
Cheese—16 oz.	1	\$7.54
Cheese—Kosher—16 oz.	1	\$15.67
Dried Beans/peas (1 pound)	1	\$2.82
Fresh shell eggs (dozen)	1	\$5.00
Infant Cereal (8 oz. container)	1	\$4.08

<i>Description</i>	<i>Peer Group</i>	<i>Competitive Prices</i>
Infant Fruits (4 oz. or 2—2 oz. pack)	1	\$1.51
Infant Meats (2 oz. container)	1	\$1.78
Infant Vegetables (4 oz. or 2—2 oz. pack)	1	\$1.53
Juice 11.5/12 oz.	1	\$3.73
Juice 48 oz.	1	\$4.82
Juice 64 oz.	1	\$5.17
Light Tuna 5 oz.	1	\$1.75
Milk—Kosher—Low Fat 1/2 gallon	1	\$5.40
Milk—Low Fat 1/2 gallon	1	\$2.80
Milk—Whole—Kosher 1/2 gallon	1	\$5.80
Milk—Whole 1/2 gallon	1	\$3.16
Oats—16 oz.	1	\$2.32
Peanut Butter (16—18 oz.)	1	\$4.30
Salmon 6 oz.	1	\$4.00
Sardines 3.75 oz.	1	\$1.65
Similac Adv Conc 13 oz.	1	\$8.71
Similac Adv Pwd 12.4 oz.	1	\$27.74
Similac Isomil Pwd 12.4 oz.	1	\$27.84
Tortilla—16 oz.	1	\$4.33
Whole Wheat Pasta—16 oz.	1	\$2.31

**Competitive Prices for Peer Group 2 Stores**

Under 28 Pa. Code §§ 1103.4(5) and 1105.3(a)(1) and 7 CFR 246.12, the WIC Program hereby publishes notice of the Competitive Prices for Peer Group 2 Stores.

*Competitive Prices*

To remain WIC Authorized, each store must maintain the minimum inventory of the following WIC food items at, or below, the Competitive Prices listed for the store's peer group. Effective October 1, 2024, through December 31, 2024, the Competitive Prices for WIC Authorization for Peer Group 2 Stores are as follows:

<i>Description</i>	<i>Peer Group</i>	<i>Competitive Prices</i>
Bread—16 oz.	2	\$5.38
Brown Rice—16 oz.	2	\$2.23
Canned Beans (15.5—16 oz. can)	2	\$1.89
Cereal (per oz.)	2	\$0.47
Cheese—16 oz.	2	\$8.32
Cheese—Kosher—16 oz.	2	\$18.23
Dried Beans/peas (1 pound)	2	\$2.94
Fresh shell eggs (dozen)	2	\$5.25
Infant Cereal (8 oz. container)	2	\$4.64
Infant Fruits (4 oz. or 2—2 oz. pack)	2	\$1.56
Infant Meats (2 oz. container)	2	\$1.86
Infant Vegetables (4 oz. or 2—2 oz. pack)	2	\$1.57
Juice 11.5/12 oz.	2	\$4.19

<i>Description</i>	<i>Peer Group</i>	<i>Competitive Prices</i>
Juice 48 oz.	2	\$5.50
Juice 64 oz.	2	\$6.07
Light Tuna 5 oz.	2	\$1.85
Milk—Kosher—Low Fat 1/2 gallon	2	\$5.73
Milk—Low Fat 1/2 gallon	2	\$3.04
Milk—Whole—Kosher 1/2 gallon	2	\$6.06
Milk—Whole 1/2 gallon	2	\$3.30
Oats—16 oz.	2	\$2.67
Peanut Butter (16—18 oz.)	2	\$4.43
Salmon 6 oz.	2	\$4.30
Sardines 3.75 oz.	2	\$2.00
Similac Adv Conc 13 oz.	2	\$9.43
Similac Adv Pwd 12.4 oz.	2	\$30.88
Similac Isomil Pwd 12.4 oz.	2	\$30.89
Tortilla—16 oz.	2	\$4.49
Whole Wheat Pasta—16 oz.	2	\$2.46

**Competitive Prices for Peer Group 3 Stores**

Under 28 Pa. Code §§ 1103.4(5) and 1105.3(a)(1) and 7 CFR 246.12, the WIC Program hereby publishes notice of the Competitive Prices for Peer Group 3 Stores.

*Competitive Prices*

To remain WIC Authorized, each store must maintain the minimum inventory of the following WIC food items at, or below, the Competitive Prices listed for the store's peer group. Effective October 1, 2024, through December 31, 2024, the Competitive Prices for WIC Authorization for Peer Group 3 Stores are as follows:

<i>Description</i>	<i>Peer Group</i>	<i>Competitive Prices</i>
Bread—16 oz.	3	\$5.48
Brown Rice—16 oz.	3	\$2.46
Canned Beans (15.5—16 oz. can)	3	\$1.98
Cereal (per oz.)	3	\$0.48
Cheese—16 oz.	3	\$8.53
Cheese—Kosher—16 oz.	3	\$19.87
Dried Beans/peas (1 pound)	3	\$3.16
Fresh shell eggs (dozen)	3	\$5.50
Infant Cereal (8 oz. container)	3	\$4.80
Infant Fruits (4 oz. or 2—2 oz. pack)	3	\$1.60
Infant Meats (2 oz. container)	3	\$1.99
Infant Vegetables (4 oz. or 2—2 oz. pack)	3	\$1.59
Juice 11.5/12 oz.	3	\$4.28
Juice 48 oz.	3	\$5.69
Juice 64 oz.	3	\$6.19
Light Tuna 5 oz.	3	\$1.95
Milk—Kosher—Low Fat 1/2 gallon	3	\$6.12
Milk—Low Fat 1/2 gallon	3	\$3.35
Milk—Whole—Kosher 1/2 gallon	3	\$6.50

<i>Description</i>	<i>Peer Group</i>	<i>Competitive Prices</i>
Milk—Whole 1/2 gallon	3	\$3.53
Oats—16 oz.	3	\$3.00
Peanut Butter (16—18 oz.)	3	\$4.49
Salmon 6 oz.	3	\$5.00
Sardines 3.75 oz.	3	\$2.25
Similac Adv Conc 13 oz.	3	\$11.76
Similac Adv Pwd 12.4 oz.	3	\$34.16
Similac Isomil Pwd 12.4 oz.	3	\$34.27
Tortilla—16 oz.	3	\$4.77
Whole Wheat Pasta—16 oz.	3	\$3.35

**Competitive Prices for Peer Group 4 Stores**

Under 28 Pa. Code §§ 1103.4(5) and 1105.3(a)(1) and 7 CFR 246.12, the WIC Program hereby publishes notice of the Competitive Prices for Peer Group 4 Stores.

*Competitive Prices*

To remain WIC Authorized, each store must maintain the minimum inventory of the following WIC food items at, or below, the Competitive Prices listed for the store's peer group. Effective October 1, 2024, through December 31, 2024, the Competitive Prices for WIC Authorization for Peer Group 4 Stores are as follows:

<i>Description</i>	<i>Peer Group</i>	<i>Competitive Prices</i>
Bread—16 oz.	4	\$6.66
Brown Rice—16 oz.	4	\$2.59
Canned Beans (15.5—16 oz. can)	4	\$2.31
Cereal (per oz.)	4	\$0.66
Cheese—16 oz.	4	\$11.18
Cheese—Kosher—16 oz.	4	\$22.17
Dried Beans/peas (1 pound)	4	\$3.33
Fresh shell eggs (dozen)	4	\$5.75
Infant Cereal (8 oz. container)	4	\$5.92
Infant Fruits (4 oz. or 2—2 oz. pack)	4	\$1.98
Infant Meats (2 oz. container)	4	\$2.17
Infant Vegetables (4 oz. or 2—2 oz. pack)	4	\$1.94
Juice 11.5/12 oz.	4	\$4.69
Juice 48 oz.	4	\$6.90
Juice 64 oz.	4	\$7.96
Light Tuna 5 oz.	4	\$2.45
Milk—Kosher—Low Fat 1/2 gallon	4	\$7.16
Milk—Low Fat 1/2 gallon	4	\$4.21
Milk—Whole—Kosher 1/2 gallon	4	\$7.25
Milk—Whole 1/2 gallon	4	\$4.33
Oats—16 oz.	4	\$5.46
Peanut Butter (16—18 oz.)	4	\$6.02
Salmon 6 oz.	4	\$5.84
Sardines 3.75 oz.	4	\$3.35
Similac Adv Conc 13 oz.	4	\$15.11

<i>Description</i>	<i>Peer Group</i>	<i>Competitive Prices</i>
Similac Adv Pwd 12.4 oz.	4	\$40.03
Similac Isomil Pwd 12.4 oz.	4	\$40.27
Tortilla—16 oz.	4	\$5.08
Whole Wheat Pasta—16 oz.	4	\$3.57

**Competitive Prices for Peer Group 5 Stores**

Under 28 Pa. Code §§ 1103.4(5) and 1105.3(a)(1) and 7 CFR 246.12, the WIC Program hereby publishes notice of the Competitive Prices for Peer Group 5 Stores.

*Competitive Prices*

To remain WIC Authorized, each store must maintain the minimum inventory of the following WIC food items at, or below, the Competitive Prices listed for the store's peer group. Effective October 1, 2024, through December 31, 2024, the Competitive Prices for WIC Authorization for Peer Group 5 Stores are as follows:

<i>Description</i>	<i>Peer Group</i>	<i>Competitive Prices</i>
Bread—16 oz.	5	\$6.99
Brown Rice—16 oz.	5	\$3.52
Canned Beans (15.5—16 oz. can)	5	\$2.89
Cereal (per oz.)	5	\$0.68
Cheese—16 oz.	5	\$13.92
Cheese—Kosher—16 oz.	5	\$23.95
Dried Beans/peas (1 pound)	5	\$3.91
Fresh shell eggs (dozen)	5	\$6.00
Infant Cereal (8 oz. container)	5	\$6.84
Infant Fruits (4 oz. or 2—2 oz. pack)	5	\$2.05
Infant Meats (2 oz. container)	5	\$2.35
Infant Vegetables (4 oz. or 2—2 oz. pack)	5	\$1.99
Juice 11.5/12 oz.	5	\$4.95
Juice 48 oz.	5	\$7.73
Juice 64 oz.	5	\$9.20
Light Tuna 5 oz.	5	\$3.10
Milk—Kosher—Low Fat 1/2 gallon	5	\$8.09
Milk—Low Fat 1/2 gallon	5	\$5.43
Milk—Whole—Kosher 1/2 gallon	5	\$8.50
Milk—Whole 1/2 gallon	5	\$5.30
Oats—16 oz.	5	\$6.00
Peanut Butter (16—18 oz.)	5	\$6.89
Salmon 6 oz.	5	\$6.48
Sardines 3.75 oz.	5	\$3.50
Similac Adv Conc 13 oz.	5	\$18.88
Similac Adv Pwd 12.4 oz.	5	\$48.70
Similac Isomil Pwd 12.4 oz.	5	\$48.80
Tortilla—16 oz.	5	\$6.34
Whole Wheat Pasta—16 oz.	5	\$3.67

**United States Department of Agriculture (USDA)  
Nondiscrimination Statement:**

In accordance with Federal civil rights law and the USDA civil rights regulations and policies, this institution is prohibited from discriminating on the basis of race, color, national origin, sex (including gender identity and sexual orientation), disability, age or reprisal or retaliation for prior civil rights activity.

Program information may be made available in languages other than English. Persons with disabilities who require alternative means of communication to obtain program information (for example, Braille, large print, audiotype, American Sign Language) should contact the responsible State or local agency that administers the program or the USDA's TARGET Center at (202) 720-2600 (voice and TTY) or contact the USDA through the Federal Relay Service at (800) 877-8339.

To file a program discrimination complaint, a complainant should complete a Form AD-3027, USDA Program Discrimination Complaint Form which can be obtained online at <https://www.usda.gov/sites/default/files/documents/USDA-OASCR%20P-Complaint-Form-0508-0002-508-11-28-17Fax2Mail.pdf>, from any USDA office, by calling (866) 632-9992 or by writing a letter addressed to the USDA. The letter must contain the complainant's name, address, telephone number and a written description of the alleged discriminatory action in sufficient detail to inform the Assistant Secretary for Civil Rights about the nature and date of an alleged civil rights violation. The completed AD-3027 form or letter must be submitted to the United States Department of Agriculture, Office of the Assistant Secretary for Civil Rights, 1400 Independence Avenue, SW, Washington, DC 20250-9410, fax: (833) 256-1665 or (202) 690-7442, Program.Intake@usda.gov.

This institution is an equal opportunity provider.

The Pennsylvania WIC program is funded by the USDA. The USDA is an equal opportunity provider.

Persons with a disability who require an alternative format of this listing (for example, large print, audiotype, Braille) should contact the Department of Health, Bureau of WIC, 625 Forster Street, 7th Floor West, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-1289, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DEBRA L. BOGEN,  
*Secretary*

[Pa.B. Doc. No. 24-1349. Filed for public inspection September 20, 2024, 9:00 a.m.]

## DEPARTMENT OF HUMAN SERVICES

### Change to Supplemental Payments to Qualifying Hospitals

The Department of Human Services (Department) is providing final public notice of its increase to the funding for a class of supplemental payments for qualifying acute care general hospitals for Fiscal Year (FY) 2023-2024 that provide a substantial portion of their inpatient services to Medical Assistance (MA) beneficiaries. The Department is

not otherwise changing the qualifying criteria or payment methodology for these payments.

The Department published notice of its intent to allocate funding and amend payment methodology for these payments at 54 Pa.B. 2696 (May 18, 2024). The Department received no comments during the 30-day comment period and will implement the changes set forth in the notice of intent.

#### *Fiscal Impact*

The total impact, as a result of the increase in the allocation for these supplemental payments, is \$1.800 million (Federal and State).

VALERIE A. ARKOOSH,  
*Secretary*

**Fiscal Note:** 14-NOT-1643. Under section 612 of The Administrative Code of 1929 (71 P.S. § 232), (1) General Fund; (2) Implementing Year 2023-24 is \$252,000; (3) 1st Succeeding Year 2024-25 is \$252,000; 2nd Succeeding Year 2025-26 through 5th Succeeding Year 2028-29 are \$0; (4) 2022-23 Program—\$589,137,000; 2021-22 Program—\$644,059,000; 2020-21 Program—\$808,350,000; (7) MA—Fee-for-Service; (8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 24-1350. Filed for public inspection September 20, 2024, 9:00 a.m.]

## DEPARTMENT OF HUMAN SERVICES

### Payment for Nursing Facility Services Provided by County Nursing Facilities; County Nursing Facility Supplementation Payment for Fiscal Year 2024-2025

This announcement provides advance notice that the Department of Human Services (Department) intends to continue to make an additional payment to certain county nursing facilities in Fiscal Year (FY) 2024-2025.

#### *Proposed Payment*

The Department intends to make a county nursing facility supplementation payment to each qualified county nursing facility. To qualify, a county nursing facility must be located in a home rule county that is a county of the second class A, have more than 725 beds and a Medicaid acuity of 0.79 as of August 1, 2015. The number of beds will be the number of licensed beds as of August 1, 2015, and the Medicaid acuity will be determined using the Case Mix Index Report for the August 1, 2015, Picture Date in accordance with 55 Pa. Code § 1187.33 (relating to resident data and picture date reporting requirements).

The Department will calculate the qualifying county nursing facility's supplementation payment for FY 2024-2025 by multiplying the supplementation per diem by the number of paid Medical Assistance (MA) facility and therapeutic leave days for the prior fiscal year. The supplementation per diem will be calculated by dividing the total funds available by the total number of paid MA facility and therapeutic leave days for the prior fiscal year for qualifying facilities.

The Department will submit a State Plan Amendment (SPA) to the Centers for Medicare & Medicaid Services (CMS). If CMS approves the SPA, the total funds will consist of both Federal and State funding. The Depart-

ment will use its best efforts to process this supplementation payment within 30 days of the date it receives notice from CMS.

#### *Fiscal Impact*

This change will result in an estimated total cost of \$4.453 million (\$2.0 million in State funds) for FY 2024-2025.

#### *Public Comment*

Interested persons are invited to submit written comments regarding the county nursing facility supplementation payment to the Department of Human Services, Office of Long-Term Living, Bureau of Policy Development and Communications Management, Attention: Benjamin Spager, P.O. Box 8025, Harrisburg, PA 17105-8025 or at RA-PWOLTLNFPUBLICCOM@pa.gov. Comments received within 30 days will be reviewed and considered for any subsequent revision of the notice.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

VALERIE A. ARKOOSH,  
*Secretary*

**Fiscal Note:** 14-NOT-1653. Under section 612 of The Administrative Code of 1929 (71 P.S. § 232), (1) General Fund; (2) Implementing Year 2024-25 is \$2,000,000; (3) 1st Succeeding Year 2025-26 through 5th Succeeding Year 2029-30 are \$0; (4) 2023-24 Program—\$188,374,000; 2022-23 Program—\$131,981,000; 2021-22 Program—\$121,346,000; (7) Long-Term Living; (8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 24-1351. Filed for public inspection September 20, 2024, 9:00 a.m.]

## DEPARTMENT OF HUMAN SERVICES

### **Payment for Nursing Facility Services Provided by Nonpublic and County Nursing Facilities in a City of the First Class; Supplemental Ventilator Care and Tracheostomy Care Add-on Payment for Fiscal Year 2024-2025**

This announcement provides advance notice that the Department of Human Services (Department) intends to make an additional payment in Fiscal Year (FY) 2024-2025 to nonpublic and county nursing facilities in a city of the first class which began operations after December 31, 2017.

#### *Proposed Payment*

The Department intends to make an additional supplemental ventilator care and tracheostomy care payment to qualified nonpublic and county nursing facilities. This additional payment will be made to nonpublic and county nursing facilities located in a city of the first class which began operations after December 31, 2017, and which

remain open as of July 11, 2024, with a percentage of Medical Assistance recipient residents who required medically necessary ventilator care or tracheostomy care equal to or greater than 90% as of August 1, 2022.

The Department will calculate the FY 2024-2025 add-on payment to qualified nonpublic and county nursing facilities by dividing the total funds for the supplemental ventilator care and tracheostomy care payment by the number of qualified nonpublic and county nursing facilities.

The Department will submit a State Plan Amendment (SPA) to the Centers for Medicare & Medicaid Services (CMS). If CMS approves the SPA, the total funds will consist of both Federal and State funding. The Department will use its best efforts to process this payment within 30 days of the date it receives notice from CMS.

#### *Fiscal Impact*

This change will result in an estimated total cost of \$0.557 million (\$0.250 million in State funds) for FY 2024-2025.

#### *Public Comment*

Interested persons are invited to submit written comments regarding this supplemental ventilator care and tracheostomy care add-on payment to the Department of Human Services, Office of Long-Term Living, Bureau of Policy Development and Communications Management, Attention: Benjamin Spager, P.O. Box 8025, Harrisburg, PA 17105-8025 or at RA-PWOLTLNFPUBLICCOM@pa.gov. Comments received within 30 days will be reviewed and considered for any subsequent revision of the notice.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

VALERIE A. ARKOOSH,  
*Secretary*

**Fiscal Note:** 14-NOT-1651. Under section 612 of The Administrative Code of 1929 (71 P.S. § 232), (1) General Fund; (2) Implementing Year 2024-25 is \$250,000; (3) 1st Succeeding Year 2025-26 through 5th Succeeding Year 2029-30 are \$0; (4) 2023-24 Program—\$188,374,000; 2022-23 Program—\$131,981,000; 2021-22 Program—\$121,346,000; (7) Long-Term Living; (8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 24-1352. Filed for public inspection September 20, 2024, 9:00 a.m.]

## DEPARTMENT OF HUMAN SERVICES

### **Payment for Nursing Facility Services Provided by Nonpublic and County Nursing Facilities; Supplemental Ventilator Care and Tracheostomy Care Add-on Payment for Fiscal Year 2024-2025**

This announcement provides advance notice that the Department of Human Services (Department) intends to make an additional payment in Fiscal Year (FY) 2024-2025 to nonpublic and county nursing facilities that qualified for supplemental ventilator care and tracheostomy care payments in FY 2014-2015.

*Proposed Payment*

The Department intends to make an additional supplemental ventilator care and tracheostomy care payment to qualified nonpublic and county nursing facilities. This additional payment will be made to nonpublic and county nursing facilities which remain open as of July 11, 2024, that qualified for supplemental ventilator care and tracheostomy care payments in FY 2014-2015 with a percentage of Medical Assistance recipient residents who required medically necessary ventilator care or tracheostomy care greater than 90%.

The Department will calculate the FY 2024-2025 add-on payment to qualified nonpublic and county nursing facilities by dividing the total funds for the supplemental ventilator care and tracheostomy care payment by the number of qualified nonpublic and county nursing facilities.

The Department will submit a State Plan Amendment (SPA) to the Centers for Medicare & Medicaid Services (CMS). If CMS approves the SPA, the total funds will consist of both Federal and State funding. The Department will use its best efforts to process this payment within 30 days of the date it receives notice from CMS.

*Fiscal Impact*

This change will result in an estimated total cost of \$1.113 million (\$0.500 million in State funds) for FY 2024-2025.

*Public Comment*

Interested persons are invited to submit written comments regarding this supplemental ventilator care and tracheostomy care add-on payment to the Department of Human Services, Office of Long-Term Living, Bureau of Policy Development and Communications Management, Attention: Benjamin Spager, P.O. Box 8025, Harrisburg, PA 17105-8025 or at RA-PWOLTLNFPUBLICCOM@pa.gov. Comments received within 30 days will be reviewed and considered for any subsequent revision of the notice.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

VALERIE A. ARKOOSH,  
*Secretary*

**Fiscal Note:** 14-NOT-1650. Under section 612 of The Administrative Code of 1929 (71 P.S. § 232), (1) General Fund; (2) Implementing Year 2024-25 is \$500,000; (3) 1st Succeeding Year 2025-26 through 5th Succeeding Year 2029-30 are \$0; (4) 2023-24 Program—\$188,374,000; 2022-23 Program—\$131,981,000; 2021-22 Program—\$121,346,000; (7) Long-Term Living; (8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 24-1353. Filed for public inspection September 20, 2024, 9:00 a.m.]

## DEPARTMENT OF HUMAN SERVICES

### Payment for Nursing Facility Services Provided by Nonpublic and County Nursing Facilities in a Township of the First Class in a County of the Second Class A; Supplemental Ventilator Care and Tracheostomy Care Add-on Payment for Fiscal Year 2024-2025

This announcement provides advance notice that the Department of Human Services (Department) intends to make an additional payment in Fiscal Year (FY) 2024-2025 to nonpublic and county nursing facilities in a township of the first class in a county of the second class A.

*Proposed Payment*

The Department intends to make an additional supplemental ventilator care and tracheostomy care payment to qualified nonpublic and county nursing facilities. This additional payment will be made to nonpublic and county nursing facilities located in a township of the first class in a county of the second class A which remain open as of July 11, 2024, with a percentage of Medical Assistance recipient residents who required medically necessary ventilator care or tracheostomy care equal to or greater than 90% as of August 1, 2022.

The Department will calculate the FY 2024-2025 add-on payment to qualified nonpublic and county nursing facilities by dividing the total funds for the supplemental ventilator care and tracheostomy care payment by the number of qualified nonpublic and county nursing facilities.

The Department will submit a State Plan Amendment (SPA) to the Centers for Medicare & Medicaid Services (CMS). If CMS approves the SPA, the total funds will consist of both Federal and State funding. The Department will use its best efforts to process this payment within 30 days of the date it receives notice from CMS.

*Fiscal Impact*

This change will result in an estimated total cost of \$0.557 million (\$0.250 million in State funds) for FY 2024-2025.

*Public Comment*

Interested persons are invited to submit written comments regarding this supplemental ventilator care and tracheostomy care add-on payment to the Department of Human Services, Office of Long-Term Living, Bureau of Policy Development and Communications Management, Attention: Benjamin Spager, P.O. Box 8025, Harrisburg, PA 17105-8025 or at RA-PWOLTLNFPUBLICCOM@pa.gov. Comments received within 30 days will be reviewed and considered for any subsequent revision of the notice.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

VALERIE A. ARKOOSH,  
*Secretary*

**Fiscal Note:** 14-NOT-1652. Under section 612 of The Administrative Code of 1929 (71 P.S. § 232), (1) General Fund; (2) Implementing Year 2024-25 is \$250,000; (3) 1st Succeeding Year 2025-26 through 5th Succeeding Year 2029-30 are \$0; (4) 2023-24 Program—\$188,374,000; 2022-23 Program—\$131,981,000; 2021-22 Program—\$121,346,000; (7) Long-Term Living; (8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 24-1354. Filed for public inspection September 20, 2024, 9:00 a.m.]

## DEPARTMENT OF HUMAN SERVICES

### Payment for Nursing Facility Services Provided by Nonpublic Nursing Facilities Located in a County of the First Class; Nonpublic Nursing Facility Supplementation Payment for Fiscal Year 2024-2025

This announcement provides advance notice that the Department of Human Services (Department) intends to continue to make an additional payment to certain nonpublic nursing facilities in a county of the first class in Fiscal Year (FY) 2024-2025 to ensure access to necessary nursing care in that county.

#### *Proposed Payment*

The Department intends to make a nonpublic nursing facility supplementation payment to each qualified nonpublic nursing facility. To qualify, a nonpublic nursing facility must be located in a county of the first class, have more than 395 beds and a Medicaid acuity of 1.06 as of August 1, 2022. The number of beds will be the number of licensed beds as of August 1, 2022, and the Medicaid acuity will be determined using the Case Mix Index Report for the August 1, 2022, Picture Date in accordance with 55 Pa. Code § 1187.33 (relating to resident data and picture date reporting requirements).

The Department will calculate the payment to qualifying facilities by multiplying the supplementation per diem by the number of paid Medical Assistance (MA) facility and therapeutic leave days for the prior fiscal year. The supplementation per diem will be calculated by dividing the total funds available by the total number of paid MA facility and therapeutic leave days for the prior fiscal year for qualifying facilities.

The Department will submit a State Plan Amendment (SPA) to the Centers for Medicare & Medicaid Services (CMS). If CMS approves the SPA, the total funds will consist of both Federal and State funding. The Department will use its best efforts to process this supplementation payment within 30 days of the date it receives notice from CMS.

#### *Fiscal Impact*

This change will result in an estimated total cost of \$2.227 million (\$1.000 million in State funds) for FY 2024-2025.

#### *Public Comment*

Interested persons are invited to submit written comments regarding the nonpublic nursing facility supplementation payment to the Department of Human Services, Office of Long-Term Living, Bureau of Policy

Development and Communications Management, Attention: Benjamin Spager, P.O. Box 8025, Harrisburg, PA 17105-8025 or at RA-PWOLTLNFPUBLICCOM@pa.gov. Comments received within 30 days will be reviewed and considered for any subsequent revision of the notice.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

VALERIE A. ARKOOSH,  
*Secretary*

**Fiscal Note:** 14-NOT-1648. Under section 612 of The Administrative Code of 1929 (71 P.S. § 232), (1) General Fund; (2) Implementing Year 2024-25 is \$1,000,000; (3) 1st Succeeding Year 2025-26 through 5th Succeeding Year 2029-30 are \$0; (4) 2023-24 Program—\$188,374,000; 2022-23 Program—\$131,981,000; 2021-22 Program—\$121,346,000; (7) Long-Term Living; (8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 24-1355. Filed for public inspection September 20, 2024, 9:00 a.m.]

## DEPARTMENT OF HUMAN SERVICES

### Payment for Nursing Facility Services Provided by Nonpublic Nursing Facilities; Medical Assistance Day One Incentive Payments to Nonpublic Nursing Facilities for Fiscal Year 2024-2025

This announcement provides advance notice that the Department of Human Services (Department) intends to continue to make Medical Assistance Day One Incentive (MDOI) payments to qualified nonpublic nursing facilities for Fiscal Year (FY) 2024-2025. The MDOI payments to nonpublic nursing facilities will provide incentives to nonpublic nursing facilities to provide services to individuals who are Medical Assistance (MA) eligible on the day of admission. The MDOI payments are intended to encourage nonpublic nursing facilities to increase access to care for the poor and indigent citizens of this Commonwealth.

#### *Nonpublic Medical Assistance Day One Incentive Payments*

The Department will use the Total Pennsylvania Medical Assistance (PA MA) days and Total Resident Days as reported by nonpublic nursing facilities under Article VIII-A of the Human Services Code (62 P.S. §§ 801-A—815-A)<sup>1</sup>, regarding nursing facility assessments, to determine eligibility and calculate payments.

To qualify for MDOI payments, the nursing facility must be a nonpublic nursing facility for the full Resident Day quarters ended December 31, 2019, and March 31, 2020, and have submitted the required resident day reports for those quarters. In addition, the nonpublic nursing facility shall have an overall occupancy rate of at least 85% and an MA occupancy rate of at least 65% during the applicable Resident Day quarter. A nursing facility's overall occupancy rate for these payments will be determined as follows: Overall occupancy rate = (Total

<sup>1</sup> Article XVI-T of the act of July 11, 2022 (P.L. 540, No. 54) (72 P.S. § 1606-T), amended the Commonwealth's Fiscal Code to reauthorize the assessment under Article VIII-A of the Human Services Code through June 30, 2026.



Resident Days ÷ (licensed bed capacity at the end of the quarter × the number of calendar days in the quarter)). A nursing facility's MA occupancy rate for these payments will be determined as follows: MA occupancy rate = Total PA MA days ÷ Total Resident Days.

Each nursing facility may qualify for a maximum of two MDOI payments. For qualifying nursing facilities in the southwest Community HealthChoices (CHC) zone, the Department will use the nursing facility assessment quarterly resident day reporting forms available on October 31, 2024, for the July 1, 2017—September 30, 2017, Resident Day Quarter for the first payment and will use the nursing facility assessment quarterly resident day reporting forms available on January 31, 2025, for the October 1, 2017—December 31, 2017, Resident Day Quarter for the second payment. For qualifying nursing facilities in the southeast CHC zone, the Department will use the nursing facility assessment quarterly resident day reporting forms available on October 31, 2024, for the July 1, 2018—September 30, 2018, Resident Day Quarter for the first payment and will use the nursing facility assessment quarterly resident day reporting forms available on January 31, 2025, for the October 1, 2018—December 31, 2018, Resident Day Quarter for the second payment. For qualifying nursing facilities in the Lehigh/Capital, northwest and northeast CHC zone, the Department will use the nursing facility assessment quarterly resident day reporting forms available on October 31, 2024, for the July 1, 2019—September 30, 2019, Resident Day Quarter for the first payment and will use the nursing facility assessment quarterly resident day reporting forms available on January 31, 2025, for the October 1, 2019—December 31, 2019, Resident Day Quarter for the second payment. The Department will calculate each qualified nonpublic nursing facility's MDOI payments based on the following formula:

(i) A MDOI per diem for each of the two MDOI payments will be 1/2 of the total funds appropriated for the fiscal year divided by the Total PA MA days as reported by all qualifying nursing facilities for the applicable Resident Day Quarter.

(ii) Each MDOI per diem will then be multiplied by each qualified nursing facility's Total PA MA days, as reported, for the applicable Resident Day Quarter to determine its MDOI payment.

(iii) The State funds allocated for FY 2024-2025 are \$21 million.

The Department will not retroactively revise an MDOI payment amount based on a nursing facility's late submission or revision of its report related to the previously listed dates. The Department may recoup payments based on an audit of a nursing facility's report.

The Department will submit a Medicaid State Plan Amendment (SPA) to the Centers for Medicare & Medicaid Services (CMS), which is a condition for the availability of the payment. If CMS approves the SPA, the Department will have the authority to make MDOI payments to nonpublic nursing facilities for FY 2024-2025.

*Fiscal Impact*

The fiscal impact of this change is estimated at \$46.76 million (\$21.0 million in State funds) for FY 2024-2025.

*Public Comment*

Interested persons are invited to submit written comments regarding these payments to the Department of Human Services, Office of Long-Term Living, Bureau of Policy Development and Communications Management, Attention: Benjamin Spager, P.O. Box 8025, Harrisburg, PA 17105-8025 or at RA-PWOLTLNFPUBLICCOM@pa.gov. Comments received within 30 days will be reviewed and considered for any subsequent revision of the notice.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

VALERIE A. ARKOOSH,  
*Secretary*

**Fiscal Note:** 14-NOT-1649. Under section 612 of The Administrative Code of 1929 (71 P.S. § 232), (1) General Fund; (2) Implementing Year 2024-25 is \$21,000,000; (3) 1st Succeeding Year 2025-26 through 5th Succeeding Year 2029-30 are \$0; (4) 2023-24 Program—\$188,374,000; 2022-23 Program—\$131,981,000; 2021-22 Program—\$121,346,000; (7) Long-Term Living; (8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 24-1356. Filed for public inspection September 20, 2024, 9:00 a.m.]

**DEPARTMENT OF LABOR AND INDUSTRY**

**Current Prevailing Wage Act Debarments**

The following contractors have been determined to have intentionally violated the Pennsylvania Prevailing Wage Act (act) (43 P.S. §§ 165-1—165-17). This notice is published for the information and convenience of public bodies subject to the act. Under section 11(e) of the act (43 P.S. § 165-11(e)), no contracts for public work shall be awarded to these contractors, or either one of them, or any firms, corporations or partnerships in which either one of these contractors has an interest, for 3 years after the date of publication in the *Pennsylvania Bulletin*.

<i>Contractor</i>	<i>Address</i>	<i>Date of Debarment</i>
Vince Basile Plumbing, LLC VPJ Enterprises, Inc. Vince Basile, individually FEIN No. 16-2621696	17 Trapper Road Sewell, NJ 08080 2005 South Juniper Street Philadelphia, PA 19148	September 21, 2024

NANCY WALKER,  
*Secretary*

[Pa.B. Doc. No. 24-1357. Filed for public inspection September 20, 2024, 9:00 a.m.]

## DEPARTMENT OF REVENUE

### Public Utility Realty Tax Act (PURTA); SurchARGE Rate Notice for the Tax Year Beginning January 1, 2025

Section 1111-A(d) of the Tax Reform Code of 1971 (act) (72 P.S. § 8111-A(d)) requires the Secretary of Revenue to publish the rate of the Public Utility Realty Tax Act (PURTA) surcharge in the form of a notice in the *Pennsylvania Bulletin* by October 1, 2003, and by each October 1 thereafter. The tax rate established in section 1111-A(d) of the act shall be imposed upon gross receipts taxes as provided in section 1111-A(c) of the act for the period beginning the next January 1.

The result of the PURTA surcharge calculation provided in section 1111-A of the act for the tax year beginning January 1, 2025, is zero mills (0.0000). Therefore, no PURTA surcharge under section 1111-A(d) of the act will be imposed for the taxable period beginning January 1, 2025.

PATRICK BROWNE,  
*Secretary*

[Pa.B. Doc. No. 24-1358. Filed for public inspection September 20, 2024, 9:00 a.m.]

## DEPARTMENT OF TRANSPORTATION

### Contemplated Sale of Land No Longer Needed for Transportation Purposes

The Department of Transportation (Department), under the Sale of Transportation Lands Act (71 P.S. §§ 1381.1—1381.3), intends to sell certain land owned by the Department.

The following property is available for sale by the Department.

State Route 0030-016, Parcel No. 5, Tax ID 10-0D05J.-020-EX0000, Guilford Township, Franklin County. This parcel contains approximately 0.4493 acre of unimproved land situated on Lincoln Way East, Chambersburg, PA.

This property will be sold in as-is condition. The estimated fair market value of the parcel is \$140,000. It has been determined that the land is no longer needed for present or future transportation purposes.

Interested public entities are invited to express their interest in purchasing the property within 30 calendar days from the date of publication of this notice to the Department of Transportation, Attn: Edward Hartman, Property Manager, PENNDOT Engineering District 8-0, 2140 Herr Street, Harrisburg, PA 17103, edhartman@pa.gov, (717) 783-5149.

MICHAEL CARROLL,  
*Secretary*

[Pa.B. Doc. No. 24-1359. Filed for public inspection September 20, 2024, 9:00 a.m.]

## HEALTH CARE COST CONTAINMENT COUNCIL

### Announcement of Public Comment Period for the Fair Contracting for Health Care Practitioners Act, Act 74 of 2024

As directed by the Fair Contracting for Health Care Practitioners Act (act), Act 74 of 2024, the Health Care Cost Containment Council (Council) has begun studying the prevalence and impact of noncompete agreements in the Commonwealth. The Council will be collecting public comments for analysis and inclusion within the final report. Comments received between September 21, 2024, and October 21, 2024, will be included for analysis.

Persons who wish to comment on the act may do so by contacting the Health Care Cost Containment Council, 225 Market Street, Suite 400, Harrisburg, PA 17101, publiccomment@phc4.org.

BARRY BUCKINGHAM,  
*Executive Director*

[Pa.B. Doc. No. 24-1360. Filed for public inspection September 20, 2024, 9:00 a.m.]

## HEALTH CARE COST CONTAINMENT COUNCIL

### Data Submission and Collection

Under § 3305(a)(2) of the Health Care Cost Containment Act (35 Pa.C.S. § 3305(a)(2) (relating to data submission and collection)), the Health Care Cost Containment Council is required to publish a list of diseases, procedures and medical conditions, not to exceed 35, for which data under 35 Pa.C.S. § 3305(c)(22) and (d) shall be required.

The list of 35 diseases, procedures and medical conditions follows:

1. Heart Attack
2. Heart Failure
3. Chest Pain
4. Abnormal Heartbeat
5. Coronary Bypass
6. Heart Valve Replacement
7. Percutaneous Transluminal Coronary Angioplasty
8. Pneumonia
9. Asthma
10. Respiratory Failure
11. Blood Clot in Lung
12. Lung Repair
13. Hypotension
14. Blood Clot in Extremities
15. Vascular Repair
16. Stroke
17. Removal of Blockage in Head and Neck Vessel

18. Craniotomy
19. Diabetes
20. Digestive Disease
21. Liver Disease
22. Colorectal Repair
23. Gallbladder Removal
24. Stomach and Small Intestine Repair
25. Kidney Failure
26. Kidney and Urinary Tract Infection
27. Prostatectomy
28. Medical Back
29. Major Joint Repair
30. Neck/Back Repair
31. Breast Cancer
32. Hysterectomy
33. Infectious Disease
34. Ventilation for Respiratory Disease
35. Tracheostomy

BARRY BUCKINGHAM,  
*Executive Director*

[Pa.B. Doc. No. 24-1361. Filed for public inspection September 20, 2024, 9:00 a.m.]

## INDEPENDENT REGULATORY REVIEW COMMISSION

### Actions Taken by the Commission

The Independent Regulatory Review Commission met publicly at 10 a.m., Wednesday, September 11, 2024, and announced the following:

#### *Actions Taken—Recommendations Approved:*

##### *Department of Aging*

- 6 Pa. Code Chapter 20 (relating to Family Caregiver Support Program); and
- 6 Pa. Code Chapter 21 (relating to Domiciliary Care Services for Adults).

##### *Department of Corrections*

- 37 Pa. Code Chapter 91 (relating to Administration);
- 37 Pa. Code Chapter 93 (relating to State Correctional Institutions and Facilities);
- 37 Pa. Code Chapter 94 (relating to Release and Prerelease Programs);
- 37 Pa. Code Chapter 95 (relating to County Correctional Institutions); and
- 37 Pa. Code Chapter 97 (relating to State Intermediate Punishment Drug Offender Treatment Program).

##### *Department of Health*

- 28 Pa. Code Chapter 5 (relating to Clinical Laboratories);
- 28 Pa. Code Part I, Chapter 30 (relating to Blood Banks);

- 28 Pa. Code Part III, Chapter 51 (relating to General Information);
- 28 Pa. Code Part III, Subpart A, Chapter 53 (relating to Photo Identification Badges);
- 28 Pa. Code Part IV, Subpart B, Chapters 101 to 158 (relating to General and Special Hospitals); and
- 28 Pa. Code Part IV, Subpart F, Chapters 551 to 573 (relating to Ambulatory Surgical Facilities).

##### *Department of Labor and Industry*

- 34 Pa. Code Chapter 5 (relating to Blasting, Demolition, Fireworks and Explosives);
- 34 Pa. Code Chapter 13, Subchapter B (relating to Propane and Liquefied Petroleum Gas, specifically Lead Corroding and Oxidizing);
- 34 Pa. Code Chapter 23, Subchapter B (relating to Laundering and Dyeing Establishments, specifically Dry Cleaning and Dyeing);
- 34 Pa. Code Chapter 31, Subchapter C (relating to Migrant Labor, specifically Seasonal Farm Labor);
- 34 Pa. Code Chapter 38 (relating to Building Energy Conservation Standards);
- 34 Pa. Code Chapter 47, Subchapter D (relating to Miscellaneous Provisions, specifically Facilities for Handicapped);
- 34 Pa. Code Chapter 60 (relating to Universal Accessibility Standards);
- Regulations issued under the General Safety Law (Act 174 of 1937);
- 34 Pa. Code Chapter 29, Subchapter F (relating to Mechanical Apparatus—Miscellaneous, specifically Abrasive Wheels);
- 34 Pa. Code Chapter 41, Subchapter B (relating to Sanitation, specifically Railroad Sanitation); and
- 34 Pa. Code Chapter 47, Subchapter K (relating to Miscellaneous Provisions, specifically Safety Glazing Material).

##### *Department of State*

- 4 Pa. Code—Campaign Finance Reports Filed on Diskettes; and
- 4 Pa. Code—Fees for Notary Services.

### Order

Public Meeting Held  
September 11, 2024

*Commissioners Voting:* George D. Bedwick, Chairperson; John F. Mizner, Esq., Vice Chairperson; John J. Soroko, Esq.; Murray Ufberg, Esq.; Dennis A. Watson, Esq.

*Department of Aging—  
Family Caregiver Support Program  
6 Pa. Code Chapter 20*

The House Aging and Older Adult Services Committee (Committee) submitted a letter to the Independent Regulatory Review Commission (Commission) requesting review under Section 8.1 of the Regulatory Review Act (RRA) (71 P.S. § 745.8a) of existing regulations in 6 Pa. Code, including:

- Chapter 20 Family Caregiver Support Program; and
- Chapter 21 Domiciliary Care Services for Adults.

This order addresses Chapter 20 which sets forth the rules governing the administration and operation of the Family Caregiver Support Program. The content of Chapter 20 includes general provisions, program administration, caregiver participation, core program services, and reimbursed services. The underlying statutory authority for Chapter 20 was updated by Act 20 of 2021 (Pennsylvania Caregiver Support Act) (Act 20), which was enacted on June 11, 2021.

The Department of Aging (Department) reviewed Chapter 20 and acknowledged that Act 20 updated the Chapter 20 requirements. The Department recommended the following sections be revised, modified or eliminated to align with Act 20:

- Section 20.2 Definitions;
- Section 20.12 Administrative Functions;
- Section 20.21 Eligibility;
- Section 20.22 Conditions of Participation;
- Section 20.23 Assessment and Care Management;
- Section 20.34 Caregiver Education and Training;
- Section 20.41 General Reimbursement;
- Section 20.43 Home Modifications; and
- Section 20.62 Waivers.

Although we appreciate the Department's willingness to modify the existing regulations, it has not provided a timeframe within which it intends to update the Chapter 20 regulations. Consequently, we find the above-listed sections of Chapter 20 are no longer in the public interest under the RRA criteria of statutory authority, legislative intent, comments by the Committee, economic impact and clarity. See 71 P.S. § 745.5b. We recommend that the Department amend the Chapter 20 regulations to align with current state law and Department practices.

---

### Order

Public Meeting Held  
September 11, 2024

*Commissioners Voting:* George D. Bedwick, Chairperson; John F. Mizner, Esq., Vice Chairperson; John J. Soroko, Esq.; Murray Ufberg, Esq.; Dennis A. Watson, Esq.

*Department of Aging—  
Domiciliary Care Services for Adults  
6 Pa. Code Chapter 21*

The House Aging and Older Adult Services Committee (Committee) submitted a letter to the Independent Regulatory Review Commission (Commission) requesting review under Section 8.1 of the Regulatory Review Act (RRA) (71 P.S. § 745.8a) of existing regulations in 6 Pa. Code, including:

- Chapter 20 Family Caregiver Support Program; and
- Chapter 21 Domiciliary Care Services for Adults.

This order addresses Chapter 21 which establishes standards for domiciliary care services. The content of Chapter 21 includes: eligibility determination, certification and application processes; Department of Aging responsibilities; Area Agency on Aging responsibilities; provider rights and responsibilities; client rights and responsibilities; fair hearing and appeals; and other administrative provisions.

The Commission's review determined that since Chapter 21 became effective in 1990, there have been legisla-

tive amendments at both the state and federal levels that are not reflected in the existing Chapter 21 regulations. The amendments at the state level include Act 169 of 1996 (Older Adults Protective Services Act—Omnibus Amendments) and Act 13 of 1997 (Older Adults Protective Services—Amend). The federal amendments include the Older Americans Act of 1965 which was reauthorized in 1992, expired in 1996, and again reauthorized with amendments in 2000, 2006, 2016, and 2020.

The Department of Aging (Department) has reviewed the existing Chapter 21 regulations and determined that the following sections may need to be revised, modified or eliminated:

- Section 21.2 Definitions;
- Section 21.23 Application process for domiciliary care services and the domiciliary care supplement;
- Section 21.24 Redetermination of eligibility;
- Section 21.28 Provider application and home certification;
- Section 21.55 AAA placement activities;
- Section 21.61 Domiciliary care service's relationship to service management;
- Section 21.79 Fire and safety activities; and
- Section 21.82 Other provider responsibilities.

While we appreciate the Department's willingness to update the existing regulations, it has not provided a timeframe within which it intends to update the Chapter 21 regulations. Consequently, we find the above-listed sections of Chapter 21 are no longer in the public interest under the RRA criteria of statutory authority, legislative intent, comments by the Committee, economic impact, and clarity. See 71 P.S. § 745.5b. We recommend that the Department amend the Chapter 21 regulations to align with current state and federal law and Department practices.

---

### Order

Public Meeting Held  
September 11, 2024

*Commissioners Voting:* George D. Bedwick, Chairperson; John F. Mizner, Esq., Vice Chairperson; John J. Soroko, Esq.; Murray Ufberg, Esq.; Dennis A. Watson, Esq.

*Department of Aging—  
Pharmaceutical Assistance Contract for the Elderly  
(PACE)  
6 Pa. Code Chapter 22*

The House Aging and Older Adult Services Committee (Committee) submitted a letter to the Independent Regulatory Review Commission (Commission) requesting review under Section 8.1 of the Regulatory Review Act (RRA) (71 P.S. § 745.8a) of existing regulations in 6 Pa. Code, including:

- Chapter 20 Family Caregiver Support Program;
- Chapter 21 Domiciliary Services for Adults; and
- Chapter 22 Pharmaceutical Assistance Contract for the Elderly (PACE).

This order addresses Chapter 22 which sets forth regulations governing the administration, provision, and receipt of prescription drug benefits available to older Pennsylvanians under the PACE Program.

The Department of Aging (Department) has reviewed Chapter 22 and determined that the PACE regulations remain relevant and continue to serve the administrative needs, including applicant and provider enrollment, claims adjudication, and appeals. The Department further notes that the underlying statutory authority for the regulations continues, and the regulations maintain consistency with the enabling legislation.

The Commission's review identified one issue regarding the definition of "Act" in Section 22.2. The definition cites a statute that was immediately repealed after the rule-making became effective. The outdated definition in Section 22.2 states:

*Act*—The Pharmaceutical Assistance Contract for the Elderly Act (62 P.S. §§ 2901—2908).

We find that the above-listed provision of Chapter 22 is no longer in the public interest under the RRA criteria of comments by the Committee and clarity. See 71 P.S. § 745.5b. This issue requires legislative action to correct. We, therefore, recommend that the General Assembly add a short title to the PACE Program statute to provide the Department with a consistent citation to its authority that does not change with future statutory amendments.

---

### Order

Public Meeting Held  
September 11, 2024

*Commissioners Voting:* George D. Bedwick, Chairperson; John F. Mizner, Esq., Vice Chairperson; John J. Soroko, Esq.; Murray Ufberg, Esq.; Dennis A. Watson, Esq.

*Department of Corrections—  
Administration  
37 Pa. Code Chapter 91*

The House Judiciary Committee (Committee) submitted a letter to the Independent Regulatory Review Commission (Commission) requesting review under Section 8.1 of the Regulatory Review Act (RRA) (71 P.S. § 745.8a) of existing regulations of the Department of Corrections (Department) in 37 Pa. Code including:

- Chapter 91 Administration;
- Chapter 93 State Correctional Institutions and Facilities;
- Chapter 94 Release and Prerelease Programs;
- Chapter 95 County Correctional Institutions; and
- Chapter 97 State Intermediate Punishment Drug Offender Treatment Program.

This order addresses Chapter 91 which applies to an institution, motivational boot camp, or community corrections center operated or contracted by the Department. The content of Chapter 91 includes reception and discharge of inmates, catchment areas, and use of force and restraints.

Chapter 91 regulations identified by the Committee for the Commission's review include:

- No. 19-5 (# 2196) Administration and State Correctional Institutions and Facilities; and
- No. 19-6 (# 2403) Administration, State Correctional Facilities and Release and Prerelease Programs).

The Department has acknowledged the need to amend these regulations to address statutory changes resulting

from Act 33 of 2009 (Act 33) and Act 59 of 2021 (Act 59), as well as litigation and policy changes that have occurred since the regulations were initially promulgated and is working towards making the necessary updates. However, given that the regulations listed above were finalized between the years of 2001 and 2005, we find that the delay in updating those regulations in Chapter 91 renders them no longer in the public interest under the RRA criteria of statutory authority, legislative intent, comments by the Committee, reasonableness, clarity, and economic impact. See 71 P.S. § 745.5b. We recommend that the Department amend the Chapter 91 regulations to align with Act 33 and Act 59 as well as Department practices resulting from litigation and policy changes.

---

### Order

Public Meeting Held  
September 11, 2024

*Commissioners Voting:* George D. Bedwick, Chairperson; John F. Mizner, Esq., Vice Chairperson; John J. Soroko, Esq.; Murray Ufberg, Esq.; Dennis A. Watson, Esq.

*Department of Corrections—  
State Correctional Institutions and Facilities  
37 Pa. Code Chapter 93*

The House Judiciary Committee (Committee) submitted a letter to the Independent Regulatory Review Commission (Commission) requesting review under Section 8.1 of the Regulatory Review Act (RRA) (71 P.S. § 745.8a) of existing regulations of the Department of Corrections (Department) in 37 Pa. Code including:

- Chapter 91 Administration;
- Chapter 93 State Correctional Institutions and Facilities;
- Chapter 94 Release and Prerelease Programs;
- Chapter 95 County Correctional Institutions; and
- Chapter 97 State Intermediate Punishment Drug Offender Treatment Program.

This order addresses Chapter 93 which applies to Department institutions and facilities. The content of Chapter 93 includes inmate rights and privileges and motivational boot camps.

Chapter 93 regulations identified by the Committee for the Commission's review include:

- No. 19-3 (# 2010) Motivational Boot Camps;
- No. 19-5 (# 2196) Administration and State Correctional Institutions and Facilities; and
- No. 19-6 (# 2403) Administration, State Correctional Facilities and Release and Prerelease Programs).

The regulation at 37 Pa. Code Subsection 93.12(e) contains fees that were specified in the regulation more than 15 years ago. This provisions states:

"The fee for any medical service in subsection (c) is \$3. This amount will be increased to \$4 on July 1, 2005, and \$5 on July 1, 2007, except that an inmate is required to pay a fee equivalent to the total cost of medical services provided to another inmate as a result of the inmate's assaultive conduct."

Given that the fees in Subsection 93.12(e) have been in place for over 15 years, we find that the above-listed fees contained in Chapter 93 are no longer in the public interest under the criteria of comments by the Committee, reasonableness and economic impact.

The Department has acknowledged the need to amend these regulations to address statutory changes resulting from Act 33 of 2009 (Act 33), Act 115 of 2019 (Act 115), and Act 59 of 2021 (Act 59), as well as litigation and policy changes that have occurred since the regulations were initially promulgated and is working towards making the necessary updates. However, given that the regulations listed above were finalized between the years of 2000 and 2005, and fees for medical services have been in place for over 15 years, we find that the delay in updating those regulations in Chapter 93 renders them no longer in the public interest under the RRA criteria of statutory authority, legislative intent, comments by the Committee, reasonableness, clarity, and economic impact. See 71 P.S. § 745.5b. We recommend that the Department amend the Chapter 93 regulations to align with Act 33, Act 115 and Act 59 as well as Department practices resulting from litigation and policy changes.

---

### Order

Public Meeting Held  
September 11, 2024

*Commissioners Voting:* George D. Bedwick, Chairperson; John F. Mizner, Esq., Vice Chairperson; John J. Soroko, Esq.; Murray Ufberg, Esq.; Dennis A. Watson, Esq.

*Department of Corrections—  
Release and Prerelease Programs  
37 Pa. Code Chapter 94*

The House Judiciary Committee (Committee) submitted a letter to the Independent Regulatory Review Commission (Commission) requesting review under Section 8.1 of the Regulatory Review Act (RRA) (71 P.S. § 745.8a) of existing regulations of the Department of Corrections (Department) in 37 Pa. Code including:

- Chapter 91 Administration;
- Chapter 93 State Correctional Institutions and Facilities;
- Chapter 94 Release and Prerelease Programs;
- Chapter 95 County Correctional Institutions; and
- Chapter 97 State Intermediate Punishment Drug Offender Treatment Program.

This order addresses Chapter 94 which applies to Department release and prerelease programs. The content of Chapter 94 includes prerelease programs and procedures for participating in such programs, application and notification processes, and staff responsibilities.

Chapter 94 regulations identified by the Committee for the Commission's review include:

- No. 19-5 (# 2196) Administration and State Correctional Institutions and Facilities; and
- No. 19-6 (# 2403) Administration, State Correctional Facilities and Release and Prerelease Programs).

The Department has acknowledged the need to amend these regulations to address statutory changes resulting from Act 33 of 2009 (Act 33) and Act 59 of 2021 (Act 59),

as well as litigation and policy changes that have occurred since the regulations were initially promulgated and is working towards making the necessary updates. However, given that the regulations listed above were finalized between the years of 2000 and 2005, we find that the delay in updating those regulations in Chapter 94 renders them no longer in the public interest under the RRA criteria of statutory authority, legislative intent, comments by the Committee, reasonableness, clarity, and economic impact. See 71 P.S. § 745.5b. We recommend that the Department amend the Chapter 94 regulations to align with Act 33 and Act 59 as well as Department practices resulting from litigation and policy changes.

---

### Order

Public Meeting Held  
September 11, 2024

*Commissioners Voting:* George D. Bedwick, Chairperson; John F. Mizner, Esq., Vice Chairperson; John J. Soroko, Esq.; Murray Ufberg, Esq.; Dennis A. Watson, Esq.

*Department of Corrections—  
County Correctional Institutions  
37 Pa. Code Chapter 95*

The House Judiciary Committee (Committee) submitted a letter to the Independent Regulatory Review Commission (Commission) requesting review under Section 8.1 of the Regulatory Review Act (RRA) (71 P.S. § 745.8a) of existing regulations of the Department of Corrections (Department) in 37 Pa. Code including:

- Chapter 91 Administration;
- Chapter 93 State Correctional Institutions and Facilities;
- Chapter 94 Release and Prerelease Programs;
- Chapter 95 County Correctional Institutions; and
- Chapter 97 State Intermediate Punishment Drug Offender Treatment Program.

This order addresses Chapter 95 which applies to county correctional institutions. The content of Chapter 95 includes administrative standards, regulations and facilities, and grants to counties for prison construction.

Chapter 95 regulations identified by the Committee for the Commission's review include:

- No. 19-4 (# 2011) County Correctional Institutions; and
- No. 19-9 (# 2544) Correctional Institutions.

The Department has acknowledged the need to amend these regulations to address core correctional practices that have evolved since the regulations were initially promulgated and is working towards making the necessary updates. However, given that the regulations listed above were finalized between the years of 2000 and 2008, we find that the delay in updating those regulations in Chapter 95 renders them no longer in the public interest under the RRA criteria of statutory authority, legislative intent, comments by the Committee, reasonableness, clarity, and economic impact. See 71 P.S. § 745.5b. We recommend that the Department amend the Chapter 95 regulations to align with correctional practices that have evolved since the regulations were initially published.

**Order**

Public Meeting Held  
September 11, 2024

*Commissioners Voting:* George D. Bedwick, Chairperson;  
John F. Mizner, Esq., Vice Chairperson; John J. Soroko,  
Esq.; Murray Ufberg, Esq.; Dennis A. Watson, Esq.

*Department of Corrections—  
State Intermediate Punishment Drug Offender Treatment  
Program  
37 Pa. Code Chapter 97*

The House Judiciary Committee (Committee) submitted a letter to the Independent Regulatory Review Commission (Commission) requesting review under Section 8.1 of the Regulatory Review Act (RRA) (71 P.S. § 745.8a) of existing regulations of the Department of Corrections (Department) in 37 Pa. Code including:

- Chapter 91 Administration;
- Chapter 93 State Correctional Institutions and Facilities;
- Chapter 94 Release and Prerelease Programs;
- Chapter 95 County Correctional Institutions; and
- Chapter 97 State Intermediate Punishment Drug Offender Treatment Program.

This order addresses Chapter 97 which applies to certain defendants convicted of drug-related offenses. The content of Chapter 97 includes commitment for assessment, assessment for addiction and other treatment needs, selection committee personnel and duties, selection criteria, program standards, program advancement and regression, community-based therapeutic community, outpatient addiction treatment facility, supervised reintegration into the community, treatment and disciplinary sanctions, suspension and expulsion from the program, and consent to disclosure of information.

The Chapter 97 regulation identified by the Committee for the Commission's review is:

- No. 19-9 (# 2590) State Intermediate Punishment.

The regulation at 37 Pa. Code Subsection 97.116(d)(3) contains a fee that was established more than 15 years ago. This provision states:

“A participant who is indigent as defined in Department policy DC-ADM 803, ‘Inmate Mail and Incoming Publications,’ will be afforded copy service and legal postage up to a maximum of \$10 per month and all moneys received in the inmate’s account shall be used to pay for the cost of the copies and legal postage. A nonindigent inmate will incur copying charges in accordance with Department policy 3.1.1, ‘Fiscal Administration.’” *Emphasis added.*

The Department has acknowledged the need to amend Chapter 97 to address statutory changes resulting from Act 115 of 2019 (Act 115) and programmatic changes that have occurred since the regulation was initially promulgated and is working towards making the necessary updates. However, given that the regulation listed above was finalized in 2008, and the monetary allowance for copy service and legal postage has been in place for over 15 years, we find that the delay in updating the regulation in Chapter 97 renders the regulation no longer in the public interest under the RRA criteria of statutory authority, legislative intent, comments by the Committee, reasonableness, clarity, and economic impact. See 71 P.S.

§ 745.5b. We recommend that the Department amend the Chapter 97 regulations to align with Act 115 and programmatic changes.

**Order**

Public Meeting Held  
September 11, 2024

*Commissioners Voting:* George D. Bedwick, Chairperson;  
John F. Mizner, Esq., Vice Chairperson; John J. Soroko,  
Esq.; Murray Ufberg, Esq.; Dennis A. Watson, Esq.

*Department of Health—  
Clinical Laboratories  
28 Pa. Code Chapter 5*

The House Health Committee (Committee) submitted a letter to the Independent Regulatory Review Commission (Commission) requesting review under Section 8.1 of the Regulatory Review Act (RRA) (71 P.S. § 745.8a) of existing regulations of the Pennsylvania Department of Health (Department) in 28 Pa. Code (relating to Health and Safety). These regulations include:

- Chapter 5 Clinical Laboratories;
- Chapter 30 Blood Banks;
- Chapter 51 General Information;
- Chapter 53 Photo Identification Badges;
- Part IV, Subpart B General and Special Hospitals, encompassing Chapters 101 to 158; and
- Part IV, Subpart F Ambulatory Surgical Facilities, encompassing Chapters 551 to 573.

This Order addresses Chapter 5 (Clinical Laboratories), which includes requirements for permits, personnel, physical facilities, procedures, records, quality control, ethical practice, and equipment to determine blood alcohol content. Chapter 5 was last amended in 1984.

Based upon this Commission's review of this regulation, the enabling statute and subsequent amendments, information provided by the Department, and concerns raised by the Committee, we find the regulation is no longer in the public interest under the RRA criteria of legislative intent, clarity, consistency with statutes, and comments by the Committee. See 71 P.S. § 745.5b. We recommend the Department amend Chapter 5 to address, at a minimum, the following issues:

1. Since Chapter 5 is based on and defines the Clinical Laboratory Improvement Amendments of 1967, it should be updated to reflect the Clinical Laboratory Improvement Amendments of 1988 or any subsequent legislation.

2. Section 5.1 (relating to definitions) defines “Clinical Laboratories Improvement Act of 1967 (CLIA)—Section 353 of the act of July 1, 1944, Pub.L. No. 90-174 (42 U.S.C.A. § 263), and the regulations which apply thereto.” The current standard is the CLIA of 1988 (not 1967). The citation to 42 U.S.C.A. § 263 should be 42 U.S.C.A. § 263a. Additionally, since this definition is used within Chapter 5 at Sections 5.41(c)(3) and 5.83, these provisions commensurately set an outdated standard.

3. The definition of “Clinical Laboratory” in Section 5.1 lacks clarity and is outdated, as written. The list of exceptions in Subparagraph (ii) has not been amended since 1984. It does not include any innovations since this definition was implemented.

4. Section 5.2. (relating to scope and exception), states “[T]his chapter is applicable to all clinical laboratories operating within this Commonwealth. . .” Whereas, amendments to the statute made by Act 122 of 2013, Section 3 apply “. . . regardless of whether the person or clinical laboratory is located in this Commonwealth. . .” Therefore, the scope Section 5.2 sets for Chapter 5 is not consistent with Act 122.

5. Subsection 5.11(b) includes the statutory \$25 permit fee established by Act 389 of 1951 (35 P.S. § 2154). However, Act 389 of 1951 was repealed insofar as it establishes a fee that is inconsistent with the fees set forth in Act 48 of 1981. Regardless, the \$25 fee in Subsection 5.11(b) is outdated.

6. Section 5.71 (relating to restrictions on solicitation) is outdated because it does not reflect the statutory amendments made by Section 3 of Act 122 which expanded upon unlawful conduct.

---

**Order**

Public Meeting Held  
September 11, 2024

*Commissioners Voting:* George D. Bedwick, Chairperson; John F. Mizner, Esq., Vice Chairperson; John J. Soroko, Esq.; Murray Ufberg, Esq.; Dennis A. Watson, Esq.

*Department of Health—  
Blood Banks  
28 Pa. Code Chapter 30*

The House Health Committee (Committee) submitted a letter to the Independent Regulatory Review Commission (Commission) requesting review under Section 8.1 of the Regulatory Review Act (RRA) (71 P.S. § 745.8a) of existing regulations of the Pennsylvania Department of Health (Department) in 28 Pa. Code (relating to Health and Safety). These regulations include:

- Chapter 5 Clinical Laboratories;
- Chapter 30 Blood Banks;
- Chapter 51 General Information;
- Chapter 53 Photo Identification Badges;
- Part IV, Subpart B General and Special Hospitals, encompassing Chapters 101 to 158; and
- Part IV, Subpart F Ambulatory Surgical Facilities, encompassing Chapters 551 to 573.

This Order addresses Chapter 30 which, as written, applies to all blood banks operating in Pennsylvania (except blood banks operated by the Federal government, or to any blood bank operated purely for research and teaching purposes, provided blood or blood products from such research or teaching are not injected into humans). The content of Chapter 30 includes requirements for licensing, fees, inspections, physical facilities, records, and compliance with federal law.

Based upon this Commission’s review of this regulation, the enabling statute and subsequent amendments, information provided by the Department, and concerns raised by the Committee, we find the regulation is no longer in the public interest under the RRA criteria of clarity, consistency with statutes, and comments by the Committee. See 71 P.S. § 745.5b. We recommend the Department amend Chapter 30 to address, at a minimum, the following issues:

1. Subparagraph 30.30(7)(i) states: “. . .The possible presence of the agent or viral hepatitis in donors *cannot at present be detected with certainty by any available means. . .*” (Emphasis added.) The Hepatitis Screening Act (35 P.S. §§ 630.11—630.16), effective September 19, 2016, addresses testing and screening for Hepatitis C. The Hepatitis B Prevention Act (35 P.S. §§ 630.1—630.3), effective March 29 of 1996, requires a statewide program for Hepatitis B immunization relating to school aged children. The Centers for Disease Control and Infection website currently includes discussion of tests for Hepatitis (<https://www.cdc.gov/hepatitis/abc/index.htm>). Subsection 30.30(7)(i) needs to be updated accordingly.

2. Subparagraph 30.30(7)(ii) refers to the former United States Department of Health, Education, and Welfare. The regulation should be updated to the current name of the agency, which is the United States Department of Health and Human Services.

3. Subsection 30.32(c) refers to The Clinical Laboratory Act of 1951. 35 P.S. § 2151 specifies a short title of “The Clinical Laboratory Act.” The amended law is The Clinical Laboratory Act of 1988. The regulation should be updated accordingly.

---

**Order**

Public Meeting Held  
September 11, 2024

*Commissioners Voting:* George D. Bedwick, Chairperson; John F. Mizner, Esq., Vice Chairperson; John J. Soroko, Esq.; Murray Ufberg, Esq.; Dennis A. Watson, Esq.

*Department of Health—  
General Information  
28 Pa. Code Chapter 51*

The House Health Committee (Committee) submitted a letter to the Independent Regulatory Review Commission (Commission) requesting review under Section 8.1 of the Regulatory Review Act (RRA) (71 P.S. § 745.8a) of existing regulations of the Pennsylvania Department of Health (Department) in 28 Pa. Code (relating to Health and Safety). These regulations include:

- Chapter 5 Clinical Laboratories;
- Chapter 30 Blood Banks;
- Chapter 51 General Information;
- Chapter 53 Photo Identification Badges;
- Part IV, Subpart B General and Special Hospitals, encompassing Chapters 101 to 158; and
- Part IV, Subpart F Ambulatory Surgical Facilities, encompassing Chapters 551 to 573.

This Order addresses Chapter 51 which contains standards which are applicable to all entities licensed as health care facilities under the Health Care Facilities Act (HCFA). It also identifies specific health care services which are restricted to specified health care facilities.

In response to the Commission’s request for information, the Department explained that pursuant to Act 95 of 1998, hospices are operating under the HCFA and under Federal law and regulations. The Department further explained that while Act 13 of 2002 abrogated 28 Pa. Code § 51.3(f) and (g) for a “medical facility,” Subsections (f) and (g) are still applicable to home healthcare agencies, hospices, and long-term care nursing facilities due to the broader definition in Section 802a of the HCFA. Thus, the reporting requirements in Subsec-



tions (f) and (g) are still applicable to home health care agencies, home care agencies, hospices, and long-term care nursing facilities. Finally, the Department acknowledged that Act 87 of 2022 abrogated 28 Pa. Code §§ 51.22 and 551.21 in part, to allow cardiac catheterization to be performed in outpatient settings as opposed to only in an acute care hospital.

Based upon this Commission's review of this regulation, the enabling statute and subsequent amendments, information provided by the Department, and concerns raised by the Committee, we find the regulation is no longer in the public interest under the RRA criteria of legislative intent, clarity, consistency with statutes, and comments by the Committee. See 71 P.S. § 745.5b. We recommend the Department amend Chapter 51 to address, at a minimum, the following issues:

1. Act 95 of 1998 amended the HCFA to include hospice services. Act 95 provided that hospice and hospice services established therein, including application fees and licensure requirements, should be directly in regulation. Accordingly, the regulation should be amended to include these services.

2. Act 13 of 2002 abrogated Subsections 51.3(f) and (g) (relating to notification) "with respect to a medical facility upon the reporting of a serious event, incident or infrastructure failure pursuant to section 313." The regulation should specify the facilities Subsections (f) and (g) continue to apply to.

3. Act 87 of 2022 abrogated Section 51.22. (relating to cardiac catheterization) and Section 551.21 (relating to criteria for ambulatory surgery) insofar as they are inconsistent with Section 822 of the HCFA. The regulation should be amended to reflect the Department's specific interpretation of Act 87.

---

### Order

Public Meeting Held  
September 11, 2024

*Commissioners Voting:* George D. Bedwick, Chairperson; John F. Mizner, Esq., Vice Chairperson; John J. Soroko, Esq.; Murray Ufberg, Esq.; Dennis A. Watson, Esq.

*Department of Health—  
Photo Identification Badges  
28 Pa. Code Chapter 53*

The House Health Committee (Committee) submitted a letter to the Independent Regulatory Review Commission (Commission) requesting review under Section 8.1 of the Regulatory Review Act (RRA) (71 P.S. § 745.8a) of existing regulations of the Pennsylvania Department of Health (Department) in 28 Pa. Code (relating to Health and Safety). These regulations include:

- Chapter 5 Clinical Laboratories;
- Chapter 30 Blood Banks;
- Chapter 51 General Information;
- Chapter 53 Photo Identification Badges;
- Part IV, Subpart B General and Special Hospitals, encompassing Chapters 101 to 158; and
- Part IV, Subpart F Ambulatory Surgical Facilities, encompassing Chapters 551 to 573.

This Order addresses Chapter 53 which contains photo identification badge standards that apply to all entities licensed as health care facilities and the private practice

of a physician. Chapter 53 was adopted as an interim regulation pursuant to Section 809.2(b) of Act 110 of 2010 (Act 110), which amended the Health Care Facilities Act (HCFA). 35 P.S. § 448.80-9b. The interim regulation was effective December 10, 2011, and expired 18 months following the effective date.

The Department explains that the requirements for photo identification badges are set forth by statute in Section 809.2 of the HCFA. However, it acknowledges that interim Chapter 53 has expired. The Department also explains that Act 79 of 2022 (Act 79), effective July 11, 2022, provides the Department with two years to implement the statutory amendments to Section 809.2(a)(1) and (e). To date, the Department has not met the timeframe specified by Act 79.

Based upon this Commission's review of this regulation, the enabling statute, information provided by the Department, and concerns raised by the Committee, we find the regulation is no longer in the public interest under the RRA criteria of statutory authority, legislative intent, need, reasonableness, and comments by the Committee. See 71 P.S. § 745.5. To avoid any possibility of confusion, we recommend the Department amend or repeal Chapter 53 to comply with Act 110 and Act 79.

---

### Order

Public Meeting Held  
September 11, 2024

*Commissioners Voting:* George D. Bedwick, Chairperson; John F. Mizner, Esq., Vice Chairperson; John J. Soroko, Esq.; Murray Ufberg, Esq.; Dennis A. Watson, Esq.

*Department of Health—  
General and Special Hospitals  
28 Pa. Code Part IV, Subpart B, Chapters 101 to 158*

The House Health Committee (Committee) submitted a letter to the Independent Regulatory Review Commission (Commission) requesting review under Section 8.1 of the Regulatory Review Act (RRA) (71 P.S. § 745.8a) of existing regulations of the Pennsylvania Department of Health (Department) in 28 Pa. Code (relating to Health and Safety). These regulations include:

- Chapter 5 Clinical Laboratories;
- Chapter 30 Blood Banks;
- Chapter 51 General Information;
- Chapter 53 Photo Identification Badges;
- Part IV, Subpart B General and Special Hospitals, encompassing Chapters 101 to 158; and
- Part IV, Subpart F Ambulatory Surgical Facilities, encompassing Chapters 551 to 573.

This Order addresses Chapters 101 to 158 of Part IV, Subpart B "which applies to all general and special hospitals within this Commonwealth except those hospitals operated by the United States. Chapters 101 through 158 include 32 chapters that address a broad range of topics, including governance and management, admission and discharge, medical staff, as well as nursing services, pharmacy services, emergency services, surgical services, neonatal services, and many other services. The majority of the chapters, 26 of them, were last amended in the 1980s, three were amended in the 1990s, and a single chapter was amended in 2008.

Based upon this Commission's review of this regulation, the enabling statute, information provided by the Depart-

ment, and concerns raised by the Committee, we find the regulation is no longer in the public interest under the RRA criteria of statutory authority, legislative intent, economic impact, need, reasonableness, clarity, and comments by the Committee. See 71 P.S. § 745.5. We recommend the Department amend the regulation to address, at a minimum, the following outdated provisions:

1. Section 101.4 (relating to Definitions) defines the terms “May” and “Must.” These definitions are not needed because Section 6.7 of the *Pennsylvania Code and Bulletin Style Manual* already specifies how they are to be used and their meaning. Further, the regulation’s definition of “must” as synonymous with “shall” is inconsistent with the *Pennsylvania Code and Bulletin Style Manual*.

2. In section 101.4 (relating to Definitions), the term “Sexual assault” is defined by reference to 18 Pa.C.S. Chapter 31, Subchapter B (relating to definition of offenses) and includes two exceptions. The definition should be updated to exclude additional offenses from the definition of “sexual assault” for purposes of the regulation. For example, § 3131 (relating to unlawful dissemination of intimate image) and § 3133 (relating to sexual extortion) should also be considered for exclusion.

3. Section 101.63 refers to both the current Department of Environmental Protection and “DER.” This provision should be updated.

4. Section 101.151 refers to the Department of Public Welfare. This provision should be updated to the Department of Human Services.

5. Under Section 101.181, all of the fees but one fee referred to in 35 P.S. § 448.807 were established by Act 179 of 1992. The “Home care agency or home care registry” fee was established by Act 69 of 2006. The Department should approach the legislature for changes to these statutory fees to better reflect inflation and the Department’s costs.

6. Subparagraph 107.12(14)(iii) refers to “the Medical Practice Act of 1974 (63 P.S. §§ 421.1—421.18) (Repealed).” This provision needs to be updated.

7. The statement of policy in Section 107.12a Specified professional personnel regarding the status of Certified Registered Nurse Practitioners, Physician Assistants, and Certified Nurse Midwife should be updated and directly integrated into the regulation.

8. Section 109.7 refers to the State Board of Nurse Examiners. This is currently the State Board of Nursing.

9. Section 115.15 cross references 7 Pa. Code by stating “. . . regulations of the Department of Environmental Resources, set forth in 7 Pa. Code §§ 78.21—78.24, 78.31 and 78.32 (Reserved). . . .” However, 7 Pa. Code Chapter 78 has been deleted.

10. Section 111.25 references 7 Pa. Code §§ 78.41—78.43 (Reserved), which has been deleted.

11. Section 111.26 references 7 Pa. Code §§ 78.61—78.65 (Reserved), which has been deleted.

12. Section 113.30 requires that if the administration suspects mishandling of drugs, it shall contact the Bureau of Drugs of the Office of Attorney General. This should be updated, presumably to the Attorney General “Bureau of Narcotics Investigation and Drug Control.”

13. Section 115.24, relating to microfilm medical records, should be updated to recognize and address newer technologies.

14. Section 125.14 states the remains of a deceased patient shall not be removed. . . until a physician. . . has pronounced death. . .” This provision should be updated to recognize other professions that can pronounce a death, including Certified Registered Nurse Practitioners and Professional Nurses. (Act 68 of 2012 and 35 P.S. § 450.507.)

15. In Paragraph 137.21(b)(8), the reference to 35 P.S. § 621 should be rewritten to include that the referenced law was enacted in 1965 and has since been amended in 1992 (P.L. 398, No. 86).

16. In Subsection 137.24(e), the reference to 35 P.S. §§ 351—353 should be rewritten to reflect that this law was updated in 1943 by P.L. 650, No. 286.

17. The cross reference in Section 147.1 to “Department of Environmental Protection in 25 Pa. Code Chapter 173 (Reserved)” should be updated.

18. Subsection 155.8(e) refers to the “Mental Health Procedures Act of 1976 (50 P.S. §§ 7101—7503).” Since the entire Act is referenced, it is not clear what “Bill of Rights” must be used to comply with Subsection 155.8(e).

### Order

Public Meeting Held  
September 11, 2024

*Commissioners Voting:* George D. Bedwick, Chairperson;  
John F. Mizner, Esq., Vice Chairperson; John J. Soroko,  
Esq.; Murray Ufberg, Esq.; Dennis A. Watson, Esq.

#### *Department of Health— Ambulatory Surgical Facilities*

#### *28 Pa. Code Part IV, Subpart F, Chapters 551 to 573*

The House Health Committee (Committee) submitted a letter to the Independent Regulatory Review Commission (Commission) requesting review under Section 8.1 of the Regulatory Review Act (RRA) (71 P.S. § 745.8a) of existing regulations of the Pennsylvania Department of Health (Department) in 28 Pa. Code (relating to Health and Safety). These regulations include:

- Chapter 5 Clinical Laboratories;
- Chapter 30 Blood Banks;
- Chapter 51 General Information;
- Chapter 53 Photo Identification Badges;
- Part IV, Subpart B General and Special Hospitals, encompassing Chapters 101 to 158; and
- Part IV, Subpart F Ambulatory Surgical Facilities, encompassing Chapters 551 to 573.

This Order addresses Chapters 551 to 573 of Part IV, Subpart F which applies to outpatient surgical hospitals. It includes 11 chapters covering topics that include ownership, medical staff, quality assurance, nursing services, and medical records. Subpart F was established in 1987. The 11 chapters were last amended in 1999.

Based upon this Commission’s review of this regulation, the enabling statute, information provided by the Department, and concerns raised by the Committee, we find the regulation is no longer in the public interest under the RRA criteria of statutory authority, legislative intent, economic impact, need, reasonableness, clarity, and comments by the Committee. See 71 P.S. § 745.5. We recommend the Department amend the regulation to address, at a minimum, the following outdated provisions:

1. The definition of “Act” in Section 551.3 is outdated. The current HCFA is 35 P.S. §§ 448.101 to 448.904b.

2. The definition of “Dentist” in Section 551.3 is outdated. At 49 Pa. Code § 33.1, the State Board of Dentistry defines “Act” as “The Dental Law (63 P.S. §§ 120—130i). . .”

3. The definition of Nurse practitioner in Section 551.3 is inconsistent with The Professional Nurse Law (63 P.S. § 212) and the State Board of Nursing (49 Pa. Code § 21.251), which both define the term “Certified registered nurse practitioner.”

4. Section 551.21 in the Pa. Code includes a note that “Under section 2 of the act of July 11, 2022 (P.L. 1575, No. 87), the provisions of § 551.21 are abrogated insofar as they are inconsistent with section 822 of the HCFA (35 P.S. § 448.822).” Consequently, both Sections 551.21 and 551.22 should be updated to reflect the Department’s specific interpretation of Act 87.

5. In Paragraph 553.12(b)(9), the citation to the Health Care Services Malpractice Act (40 P.S. § 1301.103) needs to be updated. The provision cited was repealed by Act 13 of 2002.

6. In Section 561.15, the cross reference to 49 Pa. Code § 27.16(b)(4) needs to be corrected to 27.16(b)(3).

7. Section 561.26 requires, upon suspicion of mishandling drugs, that the administration contact the Bureau of Drugs of the Office of Attorney General. This should be updated, presumably to the Attorney General “Bureau of Narcotics Investigation and Drug Control.”

8. Section 563.7, relating to microfilm medical records, should be updated to recognize and address newer technologies.

9. Subsections 567.33(c) and 567.51(a) should be updated to refer to the Department of Environmental Protection.

- Chapter 47 Miscellaneous Provisions, Subchapter D Facilities for Handicapped;
- Chapter 60 Universal Accessibility Standards; and
- Regulations issued under the General Safety Law (Act 174 of 1937), citing a list of 25 chapters and subchapters under 34 Pa. Code Part I (Chapters 1 to 60).

This Order addresses Chapter 5 which applies to blasting, demolition, fireworks, and explosives. Chapter 5 was last amended in 1969.

The Department is not currently enforcing Chapter 5 due to authority for Subchapter A being transferred to the Department of Environmental Resources (now the Department of Environmental Protection or DEP) under 71 P.S. § 751-35 in 1981. The statutory authority cited in the *Pennsylvania Code* for Subchapters B, C, and D is Act 174 of 1937. Act 174 was partially repealed by Act 147 of 1971, and subsequently affected by Reorganization Plan No. 2 of 1975. Any requirements in Chapter 5 that are not consistent with DEP’s regulations, the Uniform Construction Code (UCC), and federal regulations can only serve to cause confusion and impose unnecessary costs.

Based upon this Commission’s review of this regulation, the enabling statute, information provided by the Department, and concerns raised by the Committee, we find the regulation is no longer in the public interest under the RRA criteria of statutory authority, legislative intent, economic impact, protection of the public safety, duplication of existing regulations, need, reasonableness, and comments by the Committee. See 71 P.S. § 745.5. We recommend the Department repeal Chapter 5 to the extent it is not consistent with the enabling statute, DEP regulations, the UCC, and applicable federal regulations.

---

### Order

Public Meeting Held  
September 11, 2024

*Commissioners Voting:* George D. Bedwick, Chairperson; John F. Mizner, Esq., Vice Chairperson; John J. Soroko, Esq.; Murray Ufberg, Esq.; Dennis A. Watson, Esq.

*Department of Labor and Industry—  
Blasting, Demolition, Fireworks and Explosives  
34 Pa. Code Chapter 5*

The House Labor and Industry (Committee) submitted a letter to the Independent Regulatory Review Commission (Commission) requesting review under Section 8.1 of the Regulatory Review Act (RRA) (71 P.S. § 745.8a) of existing regulations of the Pennsylvania Department of Labor and Industry (Department) in 34 Pa. Code (relating to Labor and Industry). These regulations include:

- Chapter 5 Blasting, Demolition, Fireworks and Explosives;
- Chapter 7 Elevators, Lifts, Escalators, Dumbwaiters, Hoists and Tramways;
- Chapter 13 Propane and Liquefied Petroleum Gas, Subchapter B Lead Corroding and Oxidizing;
- Chapter 23 Laundering and Dyeing Establishments, Subchapter B Dry Cleaning and Dyeing;
- Chapter 31 Migrant Labor, Subchapter C Seasonal Farm Labor;
- Chapter 38 Building Energy Conservation Standards;

---

### Order

Public Meeting Held  
September 11, 2024

*Commissioners Voting:* George D. Bedwick, Chairperson; John F. Mizner, Esq., Vice Chairperson; John J. Soroko, Esq.; Murray Ufberg, Esq.; Dennis A. Watson, Esq.

*Department of Labor and Industry—  
Elevators, Lifts, Escalators, Dumbwaiters,  
Hoists and Tramways  
34 Pa. Code Chapter 7*

The House Labor and Industry (Committee) submitted a letter to the Independent Regulatory Review Commission (Commission) requesting review under Section 8.1 of the Regulatory Review Act (RRA) (71 P.S. § 745.8a) of existing regulations of the Pennsylvania Department of Labor and Industry (Department) in 34 Pa. Code (relating to Labor and Industry). These regulations include:

- Chapter 5 Blasting, Demolition, Fireworks and Explosives;
- Chapter 7 Elevators, Lifts, Escalators, Dumbwaiters, Hoists and Tramways;
- Chapter 13 Propane and Liquefied Petroleum Gas, Subchapter B Lead Corroding and Oxidizing;
- Chapter 23 Laundering and Dyeing Establishments, Subchapter B Dry Cleaning and Dyeing;
- Chapter 31 Migrant Labor, Subchapter C Seasonal Farm Labor;
- Chapter 38 Building Energy Conservation Standards;

- Chapter 47 Miscellaneous Provisions, Subchapter D Facilities for Handicapped;
- Chapter 60 Universal Accessibility Standards; and
- Regulations issued under the General Safety Law (Act 174 of 1937), citing a list of 25 chapters and subchapters under 34 Pa. Code Part I (Chapters 1 to 60).

This Order addresses Chapter 7 which applies to elevators, lifts, escalators, dumbwaiters, hoists, and tramways. Chapter 7 was last amended in 1980.

According to the Department, Chapter 7 remains in effect for equipment installed prior to 2004 and functions as a complement to Chapter 405 under the Uniform Construction Code (UCC). Section 7.2 (Scope) provides:

This chapter sets forth rules to safeguard the lives, limbs, maintenance and health of workers involved in the installation, operation and maintenance of elevators, lifts, escalators, dumbwaiters, hoists and tramways in this Commonwealth, and places the responsibility of compliance with the rules upon both employer and employe.

34 Pa. Code § 7.2.

As written, Section 7.2 is no longer clear regarding what it applies to and is inconsistent with the Department's response to our review.

Based upon this Commission's review of this regulation, information provided by the Department, and concerns raised by the Committee, we find the regulation is no longer in the public interest under the RRA criteria of economic impact, clarity, and comments by the Committee. See 71 P.S. § 745.5. We recommend the Department amend Chapter 7 to clarify that it only applies to equipment installed prior to the effective dates specified in Chapter 450 of the UCC.

---

### Order

Public Meeting Held  
September 11, 2024

*Commissioners Voting:* George D. Bedwick, Chairperson; John F. Mizner, Esq., Vice Chairperson; John J. Soroko, Esq.; Murray Ufberg, Esq.; Dennis A. Watson, Esq.

*Department of Labor and Industry—  
Propane and Liquefied Petroleum Gas; Lead Corroding  
and Oxidizing  
34 Pa. Code Chapter 13, Subchapter B*

The House Labor and Industry (Committee) submitted a letter to the Independent Regulatory Review Commission (Commission) requesting review under Section 8.1 of the Regulatory Review Act (RRA) (71 P.S. § 745.8a) of existing regulations of the Pennsylvania Department of Labor and Industry (Department) in 34 Pa. Code (relating to Labor and Industry). These regulations include:

- Chapter 5 Blasting, Demolition, Fireworks and Explosives;
- Chapter 7 Elevators, Lifts, Escalators, Dumbwaiters, Hoists and Tramways;
- Chapter 13 Propane and Liquefied Petroleum Gas, Subchapter B Lead Corroding and Oxidizing;
- Chapter 23 Laundering and Dyeing Establishments, Subchapter B Dry Cleaning and Dyeing;
- Chapter 31 Migrant Labor, Subchapter C Seasonal Farm Labor;

- Chapter 38 Building Energy Conservation Standards;
- Chapter 47 Miscellaneous Provisions, Subchapter D Facilities for Handicapped;
- Chapter 60 Universal Accessibility Standards; and
- Regulations issued under the General Safety Law (Act 174 of 1937), citing a list of 25 chapters and subchapters under 34 Pa. Code Part I (Chapters 1 to 60).

This Order addresses Chapter 13 (Propane and Liquefied Petroleum Gas) and Subchapter B (Lead Corroding and Oxidizing). These regulations were last amended in 1977.

The Department explains, "Although these regulations no longer apply to private sector workplaces pursuant to the federal Occupational Safety and Health Act (OSHA), they retain ongoing applicability in the event of issues arising in public sector workplaces." This explanation represents a change in the applicability of Chapter 13, Subchapter B that is not in regulation.

Based upon this Commission's review of this regulation, information provided by the Department, and concerns raised by the Committee, we find the regulation is no longer in the public interest under the RRA criteria of economic impact, clarity, and comments by the Committee. See 71 P.S. § 745.5. We recommend the Department amend Sections 13.2 (Scope) and 13.131 (Purpose) to reflect the Department's response that Chapter 13, Subchapter B only applies to workplaces not regulated by OSHA.

---

### Order

Public Meeting Held  
September 11, 2024

*Commissioners Voting:* George D. Bedwick, Chairperson; John F. Mizner, Esq., Vice Chairperson; John J. Soroko, Esq.; Murray Ufberg, Esq.; Dennis A. Watson, Esq.

*Department of Labor and Industry—  
Laundering and Dyeing Establishment; Lead Corroding  
and Oxidizing  
34 Pa. Code Chapter 23, Subchapter B*

The House Labor and Industry (Committee) submitted a letter to the Independent Regulatory Review Commission (Commission) requesting review under Section 8.1 of the Regulatory Review Act (RRA) (71 P.S. § 745.8a) of existing regulations of the Pennsylvania Department of Labor and Industry (Department) in 34 Pa. Code (relating to Labor and Industry). These regulations include:

- Chapter 5 Blasting, Demolition, Fireworks and Explosives;
- Chapter 7 Elevators, Lifts, Escalators, Dumbwaiters, Hoists and Tramways;
- Chapter 13 Propane and Liquefied Petroleum Gas, Subchapter B Lead Corroding and Oxidizing;
- Chapter 23 Laundering and Dyeing Establishments, Subchapter B Dry Cleaning and Dyeing;
- Chapter 31 Migrant Labor, Subchapter C Seasonal Farm Labor;
- Chapter 38 Building Energy Conservation Standards;
- Chapter 47 Miscellaneous Provisions, Subchapter D Facilities for Handicapped;
- Chapter 60 Universal Accessibility Standards; and

- Regulations issued under the General Safety Law (Act 174 of 1937), citing a list of 25 chapters and subchapters under 34 Pa. Code Part I (Chapters 1 to 60).

This Order addresses Chapter 23 (*Laundering and Dyeing Establishments*), Subchapter B (*Dry Cleaning and Dyeing*). These were last amended in 1968. The authority for Subchapter B, as printed in the *Pennsylvania Code*, states, “The provisions of this Subchapter B issued under the Dry Cleaning and Dyeing Law (35 P.S. §§ 1269.19) (*Repealed*), unless otherwise noted.” (Emphasis added.)

The Department explains, “Although these regulations no longer apply to private sector workplaces pursuant to the federal Occupational Safety and Health Act (OSHA), they retain ongoing applicability in the event of issues arising in public sector workplaces.” The Department does not cite any other statutory authority. Furthermore, Section 23.72 (Scope) does not reflect the limited applicability of Subchapter B as explained by the Department.

Based upon this Commission’s review of this regulation, information provided by the Department, and concerns raised by the Committee, we find the regulation is no longer in the public interest under the RRA criteria of statutory authority, legislative intent, economic impact, clarity, and comments by the Committee. See 71 P.S. § 745.5. We recommend the Department amend Section 23.72 to reflect the limited applicability of Chapter 23, Subchapter B.

---

### Order

Public Meeting Held  
September 11, 2024

*Commissioners Voting:* George D. Bedwick, Chairperson; John F. Mizner, Esq., Vice Chairperson; John J. Soroko, Esq.; Murray Ufberg, Esq.; Dennis A. Watson, Esq.

*Department of Labor and Industry—  
Migrant Labor; Seasonal Farm Labor  
34 Pa. Code Chapter 31, Subchapter C*

The House Labor and Industry (Committee) submitted a letter to the Independent Regulatory Review Commission (Commission) requesting review under Section 8.1 of the Regulatory Review Act (RRA) (71 P.S. § 745.8a) of existing regulations of the Pennsylvania Department of Labor and Industry (Department) in 34 Pa. Code (relating to Labor and Industry). These regulations include:

- Chapter 5 Blasting, Demolition, Fireworks and Explosives;
- Chapter 7 Elevators, Lifts, Escalators, Dumbwaiters, Hoists and Tramways;
- Chapter 13 Propane and Liquefied Petroleum Gas, Subchapter B Lead Corroding and Oxidizing;
- Chapter 23 Laundering and Dyeing Establishments, Subchapter B Dry Cleaning and Dyeing;
- Chapter 31 Migrant Labor, Subchapter C Seasonal Farm Labor;
- Chapter 38 Building Energy Conservation Standards;
- Chapter 47 Miscellaneous Provisions, Subchapter D Facilities for Handicapped;
- Chapter 60 Universal Accessibility Standards; and
- Regulations issued under the General Safety Law (Act 174 of 1937), citing a list of 25 chapters and subchapters under 34 Pa. Code Part I (Chapters 1 to 60).

This Order addresses Chapter 31 (Migrant Labor), Subchapter C (Seasonal Farm Labor). These regulations were last amended in 1979. The authority for Subchapter C, as printed in the *Pennsylvania Code*, states, “The provisions of this Subchapter C issued under act of May 2, 1929 (P.L. 1518, No. 452) (35 P.S. §§ 341—1356), unless otherwise noted.”

The Committee expressed concern that the *Pennsylvania Code* incorrectly cites Act 452 of 1929. The Department explained that its jurisdiction and authority is under the Seasonal Farm Labor Act. Based upon this Commission’s review of this regulation, information provided by the Department, and concerns raised by the Committee, we find the regulation is still in the public interest under the RRA. See 71 P.S. § 745.5. Our recommendation is for the Department to correct the citation in the *Pennsylvania Code* through the Legislative Reference Bureau to avoid confusion.

---

### Order

Public Meeting Held  
September 11, 2024

*Commissioners Voting:* George D. Bedwick, Chairperson; John F. Mizner, Esq., Vice Chairperson; John J. Soroko, Esq.; Murray Ufberg, Esq.; Dennis A. Watson, Esq.

*Department of Labor and Industry—  
Building Energy Conservation Standards; Miscellaneous  
Provisions, Facilities for the Handicapped; and Universal  
Accessibility Standards  
34 Pa. Code Chapter 38; Chapter 47, Subchapter D; and  
Chapter 60*

The House Labor and Industry (Committee) submitted a letter to the Independent Regulatory Review Commission (Commission) requesting review under Section 8.1 of the Regulatory Review Act (RRA) (71 P.S. § 745.8a) of existing regulations of the Pennsylvania Department of Labor and Industry (Department) in 34 Pa. Code (relating to Labor and Industry). These regulations include:

- Chapter 5 Blasting, Demolition, Fireworks and Explosives;
- Chapter 7 Elevators, Lifts, Escalators, Dumbwaiters, Hoists and Tramways;
- Chapter 13 Propane and Liquefied Petroleum Gas, Subchapter B Lead Corroding and Oxidizing;
- Chapter 23 Laundering and Dyeing Establishments, Subchapter B Dry Cleaning and Dyeing;
- Chapter 31 Migrant Labor, Subchapter C Seasonal Farm Labor;
- Chapter 38 Building Energy Conservation Standards;
- Chapter 47 Miscellaneous Provisions, Subchapter D Facilities for Handicapped;
- Chapter 60 Universal Accessibility Standards; and
- Regulations issued under the General Safety Law (Act 174 of 1937), citing a list of 25 chapters and subchapters under 34 Pa. Code Part I (Chapters 1 to 60).

This Order addresses Chapters 38 (Building Energy Conservation Standards), Chapter 47 (Miscellaneous Provisions), Subchapter D (Facilities for Handicapped), and 60 (Universal Accessibility Standards). These regulations were last amended in 1982, 1971, and 1994, respectively.

The authority for these regulations has been repealed and superseded by the Uniform Construction Code.

Based upon this Commission's review of this regulation, information provided by the Department, and concerns raised by the Committee, we find the regulation is no longer in the public interest under the RRA criteria of statutory authority, legislative intent, and comments and objections of the Committee. See 71 P.S. § 745.5. We recommend the Department repeal Chapters 38, 47, and 60 through the rulemaking process.

---

**Order**

Public Meeting Held  
September 11, 2024

*Commissioners Voting:* George D. Bedwick, Chairperson; John F. Mizner, Esq., Vice Chairperson; John J. Soroko, Esq.; Murray Ufberg, Esq.; Dennis A. Watson, Esq.

*Department of Labor and Industry—  
Regulations Issued Under the General Safety Law  
(Act 174 of 1937)*

*34 Pa. Code Part I, Chapters 1—60*

The House Labor and Industry (Committee) submitted a letter to the Independent Regulatory Review Commission (Commission) requesting review under Section 8.1 of the Regulatory Review Act (RRA) (71 P.S. § 745.8a) of existing regulations of the Pennsylvania Department of Labor and Industry (Department) in 34 Pa. Code (relating to Labor and Industry). These regulations include:

- Chapter 5 Blasting, Demolition, Fireworks and Explosives;
- Chapter 7 Elevators, Lifts, Escalators, Dumbwaiters, Hoists and Tramways;
- Chapter 13 Propane and Liquefied Petroleum Gas, Subchapter B Lead Corroding and Oxidizing;
- Chapter 23 Laundering and Dyeing Establishments, Subchapter B Dry Cleaning and Dyeing;
- Chapter 31 Migrant Labor, Subchapter C Seasonal Farm Labor;
- Chapter 38 Building Energy Conservation Standards;
- Chapter 47 Miscellaneous Provisions, Subchapter D Facilities for Handicapped;
- Chapter 60 Universal Accessibility Standards; and
- Regulations issued under the General Safety Law (Act 174 of 1937), citing a list of 25 chapters and subchapters under 34 Pa. Code Part I (Chapters 1 to 60).

This Order addresses regulations promulgated under the General Safety Law (Act 174 of 1937). The committee cited a list of 25 chapters and subchapters under 34 Pa. Code Part I (Chapters 1 to 60) to be considered for repeal or modernization. The most recent amendments for some of these regulations go back as far as 1966; the latest is 1980.

The Department acknowledged that most, if not all, of these regulations should be repealed or amended. Specifically:

1. Chapter 27 (Lighting) because the subject matter is also regulated under the Uniform Construction Code (UCC).
2. Chapter 47 (Miscellaneous Provisions) and its Subchapters B (Cereal Mills, Malhouses and Grain El-

evators), E (Foundries), and I (Textile Industries) because of the federal Occupational Safety and Health Administration Act (OSHA).

3. The following regulatory provisions retain applicability to public sector workplaces but no longer apply to the private sector pursuant to OSHA:

- a. Chapter 6 Construction and Repairs;
- b. Chapter 19 Industries—Food and Drink;
- c. Chapter 21 Ladders
- d. Chapter 23 Laundering and Dyeing Establishments;
- e. Chapter 25 Lifting and Carrying Apparatus;
- f. Chapter 29 Mechanical Apparatus—Miscellaneous;
- g. Chapter 35 Paints;
- h. Chapter 39 Safety Standards—General;
- i. Chapter 41 Sanitation;
- j. Chapter 43 Tunnel Construction and Compressed Air Work;
- k. Chapter 45 Woodworking and Related Operations; and
- l. Chapter 47 Miscellaneous Provisions, Subchapters C Dry Color Industry, F Printing and Related Industries, G Railings, Toeboards, Open-Sided Floors, Platforms and Runways, and J Window Cleaning).

All of these chapters have at least one section addressing scope, purpose, or applicability that is not consistent with the Department's response that they now only apply to public sector workplaces.

Based upon this Commission's review of these regulations, information provided by the Department, and concerns raised by the Committee, we find these regulations are no longer in the public interest under the RRA criteria of legislative intent, economic impact, clarity, need, reasonableness, and comments and objections raised by the Committee. See 71 P.S. § 745.5. We recommend the Department repeal these regulations or amend them to update and clarify the proper regulated community to align with state and corresponding federal law to avoid confusion.

---

**Order**

Public Meeting Held  
September 11, 2024

*Commissioners Voting:* George D. Bedwick, Chairperson; John F. Mizner, Esq., Vice Chairperson; John J. Soroko, Esq.; Murray Ufberg, Esq.; Dennis A. Watson, Esq.

*Department of Labor and Industry—  
Abrasive Wheels, Railroad Sanitation, and Safety Glazing  
Material*

*34 Pa. Code Chapter 29, Subchapter F; Chapter 41,  
Subchapter B; and Chapter 47, Subchapter K*

The House Labor and Industry (Committee) submitted a letter to the Independent Regulatory Review Commission (Commission) requesting review under Section 8.1 of the Regulatory Review Act (RRA) (71 P.S. § 745.8a) of existing regulations of the Pennsylvania Department of Labor and Industry (Department) in 34 Pa. Code (relating to Labor and Industry). These regulations include:

- Chapter 29 Mechanical Apparatus—Miscellaneous, Subchapter F Abrasive Wheels;

- Chapter 41 Sanitation, Subchapter B Railroad Sanitation; and
- Chapter 47 Miscellaneous Provisions, Subchapter K Safety Glazing Material.

This Order addresses regulations promulgated under Chapter 29, Subchapter F; Chapter 41, Subchapter B; and Chapter 47, Subchapter K. Chapter 41 was last amended in 1968 and Chapter 47 was amended in 1979. The *Pennsylvania Code* does not specify when Subchapter F was last amended but its sole section (§ 29.231 Reference to national standards) references standards last amended in 1971.

The Department explained that the federal Occupational Safety and Health Act (OSHA) preempted Chapters 29 and 41 for private workplaces and narrowed the scope of the regulations to public sector workplaces. Additionally, the U.S. Department of Labor's regulations, most recently amended in 2018, govern the use of abrasive wheels found in Chapter 29 of the Department's regulations.

The Department also acknowledged that the federal Consumer Protection and Safety Act preempts part of Chapter 47, Subchapter K. Accordingly, these regulations can be amended to reflect these changes. Chapter 27 (Lighting) because the subject matter is also regulated under the Uniform Construction Code (UCC).

Based upon this Commission's review of these regulations, information provided by the Department, and concerns raised by the Committee, we find these regulations are no longer in the public interest under the RRA criteria of legislative intent, economic impact, clarity, need, reasonableness, and comments and objections raised by the Committee. See 71 P.S. § 745.5. We recommend the Department repeal these regulations or amend them to update and clarify the proper regulated community, to align with state and corresponding federal law, and to avoid unnecessary duplication and confusion.

---

### Order

Public Meeting Held  
September 11, 2024

*Commissioners Voting:* George D. Bedwick, Chairperson; John F. Mizner, Esq., Vice Chairperson; John J. Soroko, Esq.; Murray Ufberg, Esq.; Dennis A. Watson, Esq.

*Department of State—  
Campaign Finance Reports Filed on Diskettes  
4 Pa. Code*

The House State Government Committee (Committee) submitted a letter to the Independent Regulatory Review Commission (Commission) requesting review under Section 8.1 of the Regulatory Review Act (RRA) (71 P.S. § 745.8a) of regulations of the Pennsylvania Department of State (Department) in 4 Pa. Code (relating to Administration). The Committee provided three categories of concern: Committee substantive concerns, repealed regulations, and requests for additional information that is not on IRRC's website. The Committee's substantive concerns were raised in the following regulations:

- IRRC # 2100 (# 16-22) Campaign Finance Reports Filed on Diskettes; and
- IRRC # 2407 (# 16-33) Fees for Notary Service.

This Order addresses IRRC #2100, which updated references to the official Campaign Finance Reporting Forms and added a provision for reports to be filed on

diskette. This regulation was approved by the Commission in 2000 and can be found in 4 Pa. Code Chapter 177 (Reports by Candidates, Political Committees and other Persons). The Committee stated this regulation may be outdated by requiring the filing of campaign fliers on diskettes. The requirement provides:

The Department also accepts campaign finance reports on diskette in lieu of a paper report as long as it meets the technical specifications of the Department and is accompanied by a cover page and signed affidavit. This information can be obtained by accessing the Department's website at [www.dos.state.pa.us](http://www.dos.state.pa.us) or contacting the Bureau at (717) 787-5280. Act 73 of 2013, as amended in 2016 Act 73 of 2013, as amended in 2016.

4 Pa. Code § 177.9(d).

The Department agreed this requirement is outdated and stated it will explore future revisions as it continues its review of the campaign finance regulations. This Commission also notes that the requirement is inconsistent with the Department guidance on its website, which allows reports to be filed online.

Based upon this Commission's review of this regulation, information provided by the Department, and concerns raised by the Committee, we find the regulation is no longer in the public interest under the RRA criteria of reasonableness, need, and comments by the Committee. See 71 P.S. § 745.5. We recommend the Department revise 4 Pa. Code § 177.9(d) to align with current technologies and practices.

---

### Order

Public Meeting Held  
September 11, 2024

*Commissioners Voting:* George D. Bedwick, Chairperson; John F. Mizner, Esq., Vice Chairperson; John J. Soroko, Esq.; Murray Ufberg, Esq.; Dennis A. Watson, Esq.

*Department of State—  
Fees for Notary Services  
4 Pa. Code*

The House State Government Committee (Committee) submitted a letter to the Independent Regulatory Review Commission (Commission) requesting review under Section 8.1 of the Regulatory Review Act (RRA) (71 P.S. § 745.8a) of regulations of the Pennsylvania Department of State (Department) in 4 Pa. Code (relating to Administration). The Committee provided three categories of concern: Committee substantive concerns, repealed regulations, and requests for additional information that is not on IRRC's website. The Committee's substantive concerns were raised in the following regulations:

- IRRC # 2100 (# 16-22) Campaign Finance Reports Filed on Diskettes; and
- IRRC # 2407 (# 16-33) Fees for Notary Service.

This Order addresses IRRC # 2407, which provided for notary service fees. This regulation was effective in 2005. Since that time, Act 97 of 2020 (Act 97) was passed to provide "for authority to perform notarial act, providing for notarial act performed for remotely located individual and further providing for notification regarding performance of notarial act on electronic record and selection of technology." The Committee expressed concern that this regulation is outdated and does not "account for the implementation and impact of the enactment of remote notarization" in Act 97.

The Department acknowledges this regulation should be updated to implement Act 97, as well as Act 73 of 2013, as amended in 2016, also known as the Revised Uniform Law on Notarial Acts (RULONA). The Department explains it is in the process of addressing these issues and that future RULONA regulations will repeal and replace the content of IRRC # 2407.

Based upon this Commission’s review of this regulation, information provided by the Department, and concerns raised by the Committee, we find the regulation is no

longer in the public interest under the RRA criteria of legislative intent, economic impact, reasonableness, need, and comments by the Committee. 8 See 71 P.S. § 745.5. We recommend the Department revise or repeal this regulation to align with current state law.

GEORGE D. BEDWICK,  
*Chairperson*

[Pa.B. Doc. No. 24-1362. Filed for public inspection September 20, 2024, 9:00 a.m.]

## INDEPENDENT REGULATORY REVIEW COMMISSION

### Notice of Filing of Final Rulemaking

The Independent Regulatory Review Commission (IRRC) received the following regulation. It is scheduled to be considered on the date noted. IRRC’s public meetings are held at 333 Market Street, 14th Floor, Harrisburg, PA at 10 a.m. To obtain a copy of the regulation, interested parties should first contact the promulgating agency. If a copy cannot be obtained from the promulgating agency, IRRC will provide a copy or it can be viewed on IRRC’s web site at [www.irrc.state.pa.us](http://www.irrc.state.pa.us).

<i>Final Form Reg. No.</i>	<i>Agency/Title</i>	<i>Received</i>	<i>Public Meeting</i>
16A-5143	State Board of Nursing Licensure by Endorsement and Reactivation	08/26/24	10/24/24

GEORGE D. BEDWICK,  
*Chairperson*

[Pa.B. Doc. No. 24-1363. Filed for public inspection September 20, 2024, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Mayra Ivelisse Millan; License Denial Appeal; Doc. No. AG24-09-001

Under Article VI-A of The Insurance Department Act of 1921 (40 P.S. §§ 310.1—310.99a), Mayra Ivelisse Millan has appealed the denial of the application for a 1033 Written Waiver to engage in the business of insurance. The proceedings in this matter will be governed by 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law), §§ 561—588 (relating to administrative proceeding interpreters for persons with limited English proficiency; and administrative proceeding interpreters for persons who are deaf), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure).

A prehearing telephone conference initiated by this office is scheduled for October 16, 2024, at 11 a.m. Each party shall provide the Hearings Administrator a telephone number to be used for the telephone conference on or before October 11, 2024. A date for a hearing shall be determined, if necessary, at the prehearing conference.

Protests, petitions to intervene or notices of intervention, if any, must be electronically filed on or before October 2, 2024. The e-mail address to be used for the Administrative Hearings Office is [ra-hearings@pa.gov](mailto:ra-hearings@pa.gov). Answers to protests, petitions to intervene or notices of intervention, if any, shall be electronically filed on or before October 11, 2024.

Persons with a disability who wish to attend the previously referenced administrative hearing and require

an auxiliary aid, service or other accommodation to participate in the hearing, contact Joseph Korman, (717) 787-4429, [jkorman@pa.gov](mailto:jkorman@pa.gov).

MICHAEL HUMPHREYS,  
*Insurance Commissioner*

[Pa.B. Doc. No. 24-1364. Filed for public inspection September 20, 2024, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Annmarie O’Neill; License Denial Appeal; Doc. No. AG24-09-002

Under Article VI-A of The Insurance Department Act of 1921 (40 P.S. §§ 310.1—310.99a), Annmarie O’Neill has appealed the denial of a renewal application for an insurance producer’s license. The proceedings in this matter will be governed by 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law), §§ 561—588 (relating to administrative proceeding interpreters for persons with limited English proficiency; and administrative proceeding interpreters for persons who are deaf), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure).

A prehearing telephone conference initiated by this office is scheduled for October 17, 2024, at 10 a.m. Each party shall provide the Hearings Administrator a telephone number to be used for the telephone conference on or before October 15, 2024. A date for a hearing shall be determined, if necessary, at the prehearing/settlement conference.



Protests, petitions to intervene or notices of intervention, if any, must be electronically filed on or before October 3, 2024. The e-mail address to be used for the Administrative Hearings Office is ra-hearings@pa.gov. Answers to protests, petitions to intervene or notices of intervention, if any, shall be electronically filed on or before October 15, 2024.

Persons with a disability who wish to attend the previously referenced administrative hearing and require an auxiliary aid, service or other accommodations to participate in the hearing, contact Joseph Korman, (717) 787-4429, jkorman@pa.gov.

MICHAEL HUMPHREYS,  
*Insurance Commissioner*

[Pa.B. Doc. No. 24-1365. Filed for public inspection September 20, 2024, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Review Procedure Hearings; Cancellation or Refusal of Insurance

The following insureds have requested a hearing as authorized by the act of June 17, 1998 (P.L. 464, No. 68) (Act 68) in connection with the termination of the insureds' automobile insurance policy. The proceedings will be governed in accordance with the requirements of Act 68; 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law); §§ 561—588 (relating to administrative proceeding interpreters for persons with limited English proficiency; and administrative proceeding interpreters for persons who are deaf); 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). This administrative hearing will be held in Harrisburg, PA at the following address. Failure by the appellants to appear at the scheduled hearing may result in dismissal with prejudice.

A prehearing telephone conference initiated by this office is scheduled for October 15, 2024, at 1 p.m. Each party shall provide the Hearings Administrator a telephone number to be used for the telephone conference on or before October 11, 2024.

The hearing will be held at the Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102.

Appeal of Angel and Alicia Rivera; Erie Insurance Exchange; File No. 24-118-299697; Doc. No. P24-08-018; October 23, 2024, 10 a.m.

Following the hearing and receipt of the stenographic transcript, the Insurance Commissioner (Commissioner) will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the previously referenced administrative hearing and require an auxiliary aid, service or other accommodation to

participate in the hearing, contact Joseph Korman, (717) 787-4429, jkorman@pa.gov.

MICHAEL HUMPHREYS,  
*Insurance Commissioner*

[Pa.B. Doc. No. 24-1366. Filed for public inspection September 20, 2024, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Review Procedure Hearings; Cancellation or Refusal of Insurance

The following insured has requested a hearing as authorized by the act of June 17, 1998 (P.L. 464, No. 68) (Act 68) in connection with the termination of the insured's automobile insurance policy. The proceedings will be governed in accordance with the requirements of Act 68; 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law); §§ 561—588 (relating to administrative proceeding interpreters for persons with limited English proficiency; and administrative proceeding interpreters for persons who are deaf); 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). This administrative hearing will be held in Harrisburg, PA at the following address. Failure by the appellant to appear at the scheduled hearing may result in dismissal with prejudice.

A prehearing telephone conference initiated by this office is scheduled for October 15, 2024, at 11 a.m. Each party shall provide the Hearings Administrator a telephone number to be used for the telephone conference on or before October 11, 2024.

The hearing will be held at the Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102.

Appeal of Felix Bonilla; Geico Advantage Insurance Company; File No. 24-178-299816; Doc. No. P24-08-019; October 24, 2024, 10 a.m.

Following the hearing and receipt of the stenographic transcript, the Insurance Commissioner (Commissioner) will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the previously referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing, contact Joseph Korman, (717) 787-4429, jkorman@pa.gov.

MICHAEL HUMPHREYS,  
*Insurance Commissioner*

[Pa.B. Doc. No. 24-1367. Filed for public inspection September 20, 2024, 9:00 a.m.]

## LEGISLATIVE REFERENCE BUREAU

### Documents Filed But Not Published

The Legislative Reference Bureau (Bureau) accepted the following documents during the preceding calendar month for filing without publication under 1 Pa. Code § 3.13(b) (relating to contents of *Bulletin*). The Bureau will continue to publish on a monthly basis either a summary table identifying the documents accepted during the preceding calendar month under this subsection or a statement that no documents have been received. For questions concerning or copies of documents filed, but not published, call (717) 783-1530.

#### *Executive Board*

Resolution No. CB-24-018, Dated August 26, 2024. Authorizes the FOP Lodge # 92 side letter for Philadelphia Wage Incentive Differential for Parole Agent 2s effective 7/1/2023.

#### *Governor's Office*

Manual No. 110.01—2025-26 Budget Instructions, Amended August 15, 2024.

Management Directive No. 625.03—Moving Employee Household Goods, Amended August 7, 2024.

Administrative Circular No. 24-11—Revenue Estimates, 2024-25 & 2025-26 Fiscal Years, Dated August 5, 2024.

AMY J. MENDELSON,  
*Director*  
*Pennsylvania Code and Bulletin*

[Pa.B. Doc. No. 24-1368. Filed for public inspection September 20, 2024, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission (Commission). Formal protests, petitions to intervene and answers must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before October 7, 2024. Filings are recommended to be made electronically through eFiling to the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy served on the applicant by October 7, 2024. Individuals can sign up for a free eFiling account with the Secretary of the Commission through the Commission's eFiling system at <https://www.puc.pa.gov/efiling/Default.aspx>. A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Protests may only be filed if there is evidence that the applicant lacks fitness. Protests based on endangering or impairing operations of an existing carrier will not be honored. The documents filed in support of the application are only available for inspection through the Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov) by searching under the docket number as follows or by searching the applicant's web site.

**Applications of the following for approval to begin operating as common carriers for transportation of persons as described under each application.**

**A-2024-3050285. Blackhorse Empire, LLC** (238 North 12th Street, Reading, Berks County, PA 19604) for the right to begin to transport, as a common carrier, by motor vehicle, persons in paratransit service, between points in the Counties of Berks, Bucks, Chester, Delaware, Huntingdon, Montgomery and Susquehanna, and the City and County of Philadelphia.

**A-2024-3050479. Service Mandate, LLC** (1288 North Mountain Road, Harrisburg, Dauphin County, PA 17112) to transport persons, by motor vehicle, in paratransit service, from points in Dauphin County, to points in Pennsylvania, and return.

**A-2024-3050513. Edward M. Kasovich, t/a Fat Kat Transportation** (318 Mountain Road, Uniontown, Fayette County, PA 15401) for the right to begin to transport, as a common carrier, by motor vehicle, persons in nonemergency medical paratransit service, between points in the Counties of Fayette, Greene, Washington and Westmoreland.

**Application of the following for approval of the beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of household goods as described under the application.**

**A-2024-3050562. Arrowtrack Transport, LLC** (537 North Reading Avenue, Boyertown, Berks County, PA 19512) for the right to begin to transport, as a common carrier, by motor vehicle, household goods in use, between points in Pennsylvania.

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 24-1369. Filed for public inspection September 20, 2024, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Wastewater Service

**A-2024-3050786. Mainlines, Manholes & Wastewater Treatment, Inc.** In the matter of the application for a certificate of public convenience and all necessary approvals nunc pro tunc for Mainlines, Manholes & Wastewater Treatment, Inc. to provide wastewater services to portions of Girard Township and Waterford Township, Erie County, for approval of an affiliated interest agreement and all other approvals as may be necessary or proper, including an affiliated interest agreement.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before October 7, 2024. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, or on the Pennsylvania Public Utility Commission's (Commission) web site at [www.puc.pa.gov](http://www.puc.pa.gov), with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov) and at the applicant's busi-

ness address. If a filing contains confidential or proprietary material, the filing is required to be submitted by overnight delivery. Large filings containing confidential or proprietary material may be submitted through the Commission's Share Point file system with advanced notice to the Commission prior to submittal.

*Applicant:* Mainlines Manholes & Wastewater Treatment, Inc., 9214 Tannery Road, Girard, PA 16423

*Through and By Counsel for:* Whitney E. Snyder, Esquire, Aaron D. Rosengarten, Esquire, Hawke, McKeon & Sniscak, LLP, 100 North 10th Street, Harrisburg, PA 17101, wesnyder@hmslegal.com, adrosengarten@hmslegal.com

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 24-1370. Filed for public inspection September 20, 2024, 9:00 a.m.]

## STATE HORSE RACING COMMISSION

### Receipt of Matters Subject to Intervention

In accordance with 7 Pa. Code § 179.17(d) (relating to intervention), the State Horse Racing Commission (Commission) provides notice that it has received the following timely, substantially complete and properly filed applications or petitions seeking authorization, permission or licensure renewal, or both, to engage in certain licensed racing activities within this Commonwealth:

#### *2025 Racing Vendor License Renewals:*

1. ODS Technologies, LP (d/b/a TVG and Fanduel Racing) (Doc. No. 2024-07)
2. Gaming and Leisure Properties, Inc. (Doc. No. 2024-08)
3. Roberts Communications Network, LLC (Doc. No. 2024-10)
4. Penn ADW, LLC (Doc. No. 2024-13)
5. Axcis Information Network, Inc. (Doc. No. 2024-16)
6. Churchill Downs Technology Initiatives Company (d/b/a TwinSpires) (Doc. No. 2024-17)
7. International Sound Corporation (Doc. No. 2024-09)
8. Xpressbet, LLC (Doc. No. 2024-11)
9. NYRABETS, LLC (Doc. No. 2024-18)
10. VICI Properties, Inc. (Doc. No. 2024-15)

#### *2025 Tote License Renewals:*

1. AM Tote International, Inc. (Doc. No. 2024-19)
2. United Tote Company (Doc. No. 2024-21)

#### *2025 SPMO License Renewals:*

1. AM West Entertainment (Doc. No. 2024-28)
2. 1 S/T Technology, LLC (Doc. No. 2024-31)

#### *2025 Electronic Wagering License Renewals (Petitions):*

1. Bensalem Racing Association, Inc. and Keystone Turf Club, Inc. (d/b/a Parx Racetrack and Casino) (Doc. No. 2024-23)
2. Chester Downs and Marina, LLC (d/b/a Harrah's Philadelphia Casino and Racetrack) (Doc. No. 2024-24)

3. Mountain Laurel Racing, Inc. and Washington Trotting Association, Inc. (d/b/a The Meadows Racetrack and Casino) (Doc. No. 2024-26)

4. PID, LLC (d/b/a Presque Isle Downs and Casino) (Doc. No. 2024-27)

5. Mountainview Thoroughbred Racing Association, LLC and Penn National Turf Club, LLC (d/b/a Hollywood Casino) (Doc. No. 2024-25)

6. Downs Racing, LP (d/b/a Mohegan Pennsylvania (Pocono Downs)) (Doc. No. 2024-22)

#### *2025 Three-year Race Meet License Renewal:*

1. PID, LLC (d/b/a Presque Isle Downs (Churchill Downs, Inc.)) (Doc. No. 2024-32)

Under 7 Pa. Code § 179.17(b) and (e) of the Commission's adopted procedures, persons interested in intervening in the previously listed matters may file a Petition to Intervene with the Commission within 30 days of the publication of this notice.

ANTHONY SALERNO,  
*Director*  
*Bureau of Standardbred Horse Racing*  
THOMAS F. CHUCKAS, Jr.,  
*Director*  
*Bureau of Thoroughbred Horse Racing*

[Pa.B. Doc. No. 24-1371. Filed for public inspection September 20, 2024, 9:00 a.m.]

## SUSQUEHANNA RIVER BASIN COMMISSION

### Grandfathering Registration Notice

The Susquehanna River Basin Commission lists the following Grandfathering (GF) Registration for the project under 18 CFR Part 806, Subpart E (relating to registration of grandfathered projects) from August 1, 2024, through August 31, 2024.

For further information contact Jason E. Oyler, General Counsel and Secretary, (717) 238-0423, Ext. 1312, fax (717) 238-2436, joyler@srbc.gov. Regular mail inquiries may be sent to the Susquehanna River Basin Commission, 4423 North Front Street, Harrisburg, PA 17110-1788.

#### *Supplementary Information*

This notice lists GF Registration for the project described as follows, under 18 CFR Part 806, Subpart E, for the time period previously specified:

1. Ahlstrom Filtration, LLC, GF Certificate No. GF-202408279, Mount Holly Springs Borough, Cumberland County, PA; consumptive use; Issue Date: August 27, 2024.

*Authority:* Pub.L. No. 91-575, 84 Stat. 1509 et seq., 18 CFR Parts 806 and 808

*Dated:* September 6, 2024

ANDREW D. DEHOFF,  
*Executive Director*

[Pa.B. Doc. No. 24-1372. Filed for public inspection September 20, 2024, 9:00 a.m.]

## SUSQUEHANNA RIVER BASIN COMMISSION

### Projects Approved for Consumptive Uses of Water

The Susquehanna River Basin Commission (Commission) has approved by rule the following projects from August 1, 2024, through August 31, 2024.

For further information contact Jason E. Oyler, General Counsel and Secretary, (717) 238-0423, Ext. 1312, fax (717) 238-2436, joyler@srbc.gov. Regular mail inquiries may be sent to the Susquehanna River Basin Commission, 4423 North Front Street, Harrisburg, PA 17110-1788.

#### *Supplementary Information*

This notice lists the projects, described as follows, receiving approval for the consumptive use of water under the Commission's approval by rule process in 18 CFR 806.22(f) (relating to standards for consumptive uses of water) for the time period previously specified.

#### *Water Source Approval—Issued Under 18 CFR 806.22(f):*

1. RENEWAL—Chesapeake Appalachia, LLC; Pad ID: Deer Park; ABR-201907003.R1; Windham Township, Wyoming County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: August 8, 2024.

2. RENEWAL—Coterra Energy, Inc.; Pad ID: CraneJ P1; ABR-201907002.R1; Lathrop Township, Susquehanna County, PA; Consumptive Use of Up to 5.0000 mgd; Approval Date: August 8, 2024.

3. RENEWAL—Blackhill Energy, LLC; Pad ID: Gerbino # 1; ABR-20090710.R3; Ridgebury Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: August 17, 2024.

4. RENEWAL—Chesapeake Appalachia, LLC; Pad ID: White SUS; ABR-201407008.R2; Auburn Township, Susquehanna County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: August 17, 2024.

5. RENEWAL—EQT ARO, LLC; Pad ID: COP Tract 653 Pad A; ABR-20090405.R3; Beech Creek Township, Clinton County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: August 17, 2024.

6. RENEWAL—EQT ARO, LLC; Pad ID: COP Tract 653 Pad B; ABR-20090414.R3; Beech Creek Township, Clinton County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: August 17, 2024.

7. RENEWAL—Chesapeake Appalachia, LLC; Pad ID: Kent; ABR-20090726.R3; Towanda Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: August 19, 2024.

8. RENEWAL—Chesapeake Appalachia, LLC; Pad ID: McDonough; ABR-201407009.R2; Meshoppen Township, Wyoming County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: August 19, 2024.

9. RENEWAL—Chesapeake Appalachia, LLC; Pad ID: SGL-12 A Drilling Pad; ABR-201407007.R2; Overton Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: August 19, 2024.

10. Pennsylvania General Energy Company, LLC; Pad ID: COP Tract 726 Pad A; ABR-202408001; Plunketts Creek Township, Lycoming County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: August 25, 2024.

11. RENEWAL—Blackhill Energy, LLC; Pad ID: Warren # 1; ABR-20090711.R3; Ridgebury Township, Bradford

County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: August 25, 2024.

12. RENEWAL—EQT ARO, LLC; Pad ID: Larrys Creek F&G Pad A; ABR-20090411.R3; Cummings Township, Lycoming County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: August 25, 2024.

13. RENEWAL—EQT ARO, LLC; Pad ID: Larrys Creek F&G Pad B; ABR-20090416.R3; Cummings Township, Lycoming County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: August 25, 2024.

14. RENEWAL—Seneca Resources Company, LLC; Pad ID: PHC 7H; ABR-20090722.1.R3; Lawrence Township, Clearfield County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: August 25, 2024.

15. RENEWAL—Chesapeake Appalachia, LLC; Pad ID: Hershberger; ABR-20090739.R3; Terry Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: August 26, 2024.

16. RENEWAL—Inflection Energy (PA), LLC; Pad ID: Hamilton Well Site; ABR-201403010.R2; Upper Fairfield Township, Lycoming County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: August 26, 2024.

17. RENEWAL—Seneca Resources Company, LLC; Pad ID: J. Pino Pad G; ABR-20090717.R3; Covington Township, Tioga County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: August 29, 2024.

18. RENEWAL—Seneca Resources Company, LLC; Pad ID: PHC 8H; ABR-20090723.1.R3; Lawrence Township, Clearfield County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: August 29, 2024.

19. RENEWAL—Chesapeake Appalachia, LLC; Pad ID: Claudia; ABR-20090807.R3; Terry Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: August 30, 2024.

20. RENEWAL—Chesapeake Appalachia, LLC; Pad ID: Eileen; ABR-20090806.R3; Smithfield Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: August 30, 2024.

21. RENEWAL—Chesapeake Appalachia, LLC; Pad ID: Fitzsimmons; ABR-20090809.R3; Albany Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: August 30, 2024.

22. RENEWAL—Chesapeake Appalachia, LLC; Pad ID: Hunter; ABR-201408001.R2; Meshoppen Township, Wyoming County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: August 30, 2024.

23. RENEWAL—Seneca Resources Company, LLC; Pad ID: CRV Pad C09-G; ABR-201408002.R2; Shippen Township, Cameron County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: August 30, 2024.

24. RENEWAL—Seneca Resources Company, LLC; Pad ID: T. Wivell Horizontal Pad; ABR-20090814.R3; Covington Township, Tioga County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: August 30, 2024.

*Authority:* Pub.L. No. 91-575, 84 Stat. 1509 et seq., 18 CFR Parts 806 and 808

*Dated:* September 6, 2024

ANDREW D. DEHOFF,  
*Executive Director*

[Pa.B. Doc. No. 24-1373. Filed for public inspection September 20, 2024, 9:00 a.m.]

## SUSQUEHANNA RIVER BASIN COMMISSION

### Projects Approved for Minor Modification

The Susquehanna River Basin Commission (Commission) lists the minor modification approved for a previously approved project from August 1, 2024, through August 31, 2024.

For further information contact Jason E. Oyler, General Counsel and Secretary, (717) 238-0423, Ext. 1312, fax (717) 238-2436, joyler@srbc.gov. Regular mail inquiries may be sent to the Susquehanna River Basin Commission, 4423 North Front Street, Harrisburg, PA 17110-1788.

#### *Supplementary Information*

This notice lists a previously approved project, receiving approval of minor modifications, described as follows,

under 18 CFR 806.18 (relating to approval modifications) or to Commission Resolution Nos. 2013-11 and 2015-06, for the time period previously specified.

1. Department of the Army—Carlisle Barracks Golf Course, Docket No. 20240622, North Middleton and Middlesex Townships, Cumberland County, PA; modification approval to adjust the approval term to align with another docket approval by the Commission; Approval Date: August 6, 2024.

*Authority:* Pub.L. No. 91-575, 84 Stat. 1509 et seq., 18 CFR Parts 806 and 808

*Dated:* September 6, 2024

ANDREW D. DEHOFF,  
*Executive Director*

[Pa.B. Doc. No. 24-1374. Filed for public inspection September 20, 2024, 9:00 a.m.]

**END OF ISSUE**



