

NOTICES

DEPARTMENT OF BANKING AND SECURITIES

Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending September 24, 2024.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, may file comments in writing with the Department, for Bank Supervision, by e-mail to ra-bnbnksbmsnspt@pa.gov or for credit unions, by e-mail to ra-bncusubmissions@pa.gov and trust companies, by e-mail to ra-bntrustsuprvsninq@pa.gov. Comments must be received no later than 30 days from the date that the notice regarding acceptance of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, for banks (717) 783-8240, or for credit unions or trust companies (717) 783-2253.

APPLICATIONS FOR COMMENT

BANKING INSTITUTIONS

No activity.

CREDIT UNIONS

No activity.

OTHER APPLICATION ACTIVITY

BANKING INSTITUTIONS

Articles of Amendment

<i>Date</i>	<i>Name and Location of Institution</i>	<i>Status</i>
09-20-2024	Reliance Savings Bank Altoona Blair County Amendment to Article II of the institution's Articles of Incorporation provides for a change in the principal place of business from 1119 12th Street, Altoona, Blair County, PA, to 2424 8th Avenue, Altoona, Blair County, PA 16602. Articles of Amendment provide for the institution's Articles of Incorporation to be amended and restated in their entirety.	Approved

CREDIT UNIONS

Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Status</i>
09-24-2024	Alcese Credit Union White Oak Allegheny County Application for approval to merge Saint Norbert's Credit Union, Pittsburgh, PA, with and into Alcese Credit Union, White Oak, PA.	Approved

The Department's web site at www.dobs.pa.gov includes public notices for more recently filed applications.

WENDY S. SPICHER,
Secretary

[Pa.B. Doc. No. 24-1419. Filed for public inspection October 4, 2024, 9:00 a.m.]

DEPARTMENT OF COMMUNITY AND ECONOMIC DEVELOPMENT

Recovery Housing Program Annual Performance Review; Availability for Public Comment

The Department of Community and Economic Development (Department) is required by "Notice of FY2020 Allocations, Waivers, and Alternative Requirements for

the Pilot Recovery Housing Program" published at 85 FR 75361 (November 25, 2020) to annually report on the performance of the Commonwealth's Recovery Housing Program (Program). The annual report may be found on the Department's web site at <https://dced.pa.gov/library/?wpdmc2=capers-2019-2023/> or the Department of Drug and Alcohol Programs web site at <https://www.ddap.pa.gov/pages/default.aspx>.

Comments on the Program's Annual Performance Report may be electronically submitted to David Grey, Chief

of Compliance, Center for Community and Housing Development, Department of Community and Economic Development, dgrey@pa.gov. Comments will also be accepted by telephone by calling (717) 787-5327 or through written comments submitted to David Grey, Center for Community and Housing Development, Department of Community and Economic Development, 400 North Street, 4th Floor, Commonwealth Keystone Building, Harrisburg, PA 17120-0225. Comments must be received by 12 p.m. on October 21, 2024.

RICK SIGER,
Secretary

[Pa.B. Doc. No. 24-1420. Filed for public inspection October 4, 2024, 9:00 a.m.]

DEPARTMENT OF COMMUNITY AND ECONOMIC DEVELOPMENT

Regional Housing Advisory Committee Meetings; 2025 Annual Action Plan

The Department of Community and Economic Development (Department) is preparing the Commonwealth's 2025 Annual Action Plan. The document must be submitted to, and approved by, the United States Department of Housing and Urban Development (HUD) for the Commonwealth to receive funding under HUD's housing and community development programs of Community Development Block Grant, HOME Investment Partnerships Program, Emergency Solutions Grant Program, Housing Opportunities for People with AIDS, the National Housing Trust Fund and Recovery Housing Program.

As part of the planning process, the Department conducts meetings across this Commonwealth to discuss regional needs for housing, homelessness, economic and community development issues and develop priorities for the programs that may affect the method of distribution of the Fiscal Year 2025 funding. In addition, the Department goes over the accomplishments of the year prior (2024) in these programs and discusses if the Commonwealth is meeting its 5-year goals and objectives as listed in the 2024—2028 Consolidated Plan. The first of these meetings is the Regional Housing Advisory Committee (RHAC) meetings.

There are six RHACs across this Commonwealth comprising appointed members that represent specific sectors of the region. Meetings of these RHACs are open to the public under 65 Pa.C.S. §§ 701—716 (relating to Sunshine Act). These RHACs advise the Department regarding housing, homelessness, economic and community development needs, as well as assisting in fair housing planning. The RHAC meetings will take place virtually by means of Microsoft Teams on the following dates and times. For those individuals interested in attending the meetings in person, RSVP to David Grey at (717) 214-5341, dgrey@pa.gov, at least 1 day prior to the scheduled meeting so accommodations can be made. The meetings will be held at the Department of Community and Economic Development, 400 North Street, 4th Floor, Harrisburg, PA 17120.

If assistance is needed to join any of the meetings, contact David Grey at (717) 214-5341, dgrey@pa.gov.

Lehigh Valley RHAC Meeting (Berks, Carbon, Lehigh, Monroe, Northampton and Schuylkill Counties)

Date: October 16, 2024

Time: 2 p.m.—3 p.m.

To join by phone call (267) 332-8737. The conference ID number is 287 938 672#.

Southeast RHAC Meeting (Bucks, Chester, Delaware, Montgomery and Philadelphia Counties)

Date: October 23, 2024

Time: 2 p.m.—3 p.m.

To join by phone call (267) 332-8737. The conference ID number is 226 888 36#.

Northeast RHAC Meeting (Bradford, Columbia, Lackawanna, Luzerne, Lycoming, Montour, Pike, Sullivan, Susquehanna, Tioga, Wayne and Wyoming Counties)

Date: October 22, 2024

Time: 10 a.m.—11 a.m.

To join by phone call (267) 332-8737. The conference ID number is 198 379 646#.

Central RHAC Meeting (Adams, Centre, Clinton, Cumberland, Dauphin, Franklin, Fulton, Huntingdon, Juniata, Lancaster, Lebanon, Mifflin, Northumberland, Perry, Snyder, Union and York Counties)

Date: October 29, 2024

Time: 10 a.m.—11 a.m.

To join by phone call (267) 332-8737. The conference ID number is 952 192 738#.

Southwest RHAC Meeting (Allegheny, Armstrong, Beaver, Bedford, Blair, Butler, Cambria, Fayette, Greene, Indiana, Lawrence, Somerset, Washington and Westmoreland Counties)

Date: October 30, 2024

Time: 10 a.m.—11 a.m.

To join by phone call (267) 332-8737. The conference ID number is 957 674 741#.

Northwest RHAC Meeting (Cameron, Clarion, Clearfield, Crawford, Elk, Erie, Forest, Jefferson, McKean, Mercer, Potter, Venango and Warren Counties)

Date: October 28, 2024

Time: 2 p.m.—3 p.m.

To join by phone call (267) 332-8737. The conference ID number is 401 978 172#.

Persons with a disability or limited English proficiency who wish to participate in any of the RHAC meetings and require an auxiliary aid, service or other accommodation to participate, should contact David Grey, Department of Community and Economic Development, Center for Community and Housing Development, Commonwealth Keystone Building, 400 North Street, 4th Floor, Harrisburg, PA 17120-0225, (717) 214-5341 or TDD: (717) 346-0308 or dgrey@pa.gov at a minimum of 72 hours prior to the meeting to discuss how the Department may best accommodate their needs.

RICK SIGER,
Secretary

[Pa.B. Doc. No. 24-1421. Filed for public inspection October 4, 2024, 9:00 a.m.]

DEPARTMENT OF EDUCATION

Cyber Charter School Application; Public Hearings

The Department of Education (Department) will conduct public hearings regarding cyber charter school applications postmarked or submitted on or before October 1,

2024. The hearings are currently scheduled for November 7, 2024; November 12, 2024; November 18, 2024; and November 19, 2024.

The hearings will be able to be viewed virtually but applicants and persons wishing to provide verbal comments at the time of the hearing must attend in person. Members of the public may view the hearing virtually or attend in person. Only individuals who have submitted comments ahead of time will be permitted to comment at the hearings. The hearings will take place in the York and Columbia Rooms at the Harrisburg PaTTAN Office, 6340 Flank Drive, Harrisburg, PA 17112, beginning at 9 a.m. Login information to access the hearings will be posted to the Department's Division of Charter School's (Division) Applications webpage at <https://www.education.pa.gov/K-12/Charter%20Schools/Pages/Charter-Applications.aspx>.

The hearings pertain to applicants seeking to operate a new cyber charter school beginning in the 2025-2026 school year. The purpose of the hearings is to gather information from applicants about the proposed cyber charter schools as well as receive comments from interested individuals regarding any applications. The names of the applicants, copies of the applications and a listing of the dates and times scheduled for the hearings on each application can be viewed on the Department's web site on or before October 14, 2024, at www.education.pa.gov.

Individuals who wish to provide verbal or written comments on an application must provide a copy of their comments to the Department and the applicant 10 days prior to the scheduled hearing. Comments provided by this deadline will become part of the certified record concerning the applications. Failure to comply with this deadline will preclude the individual from providing comments. Verbal comments may be limited based on the number of individuals requesting time to provide comments.

The hearings will be conducted by a panel of individuals who have completed an initial review of the applications. Panel members may question the applicants on issues identified during the initial review, as well as issues raised in the written comments filed by the deadline. Panel members may also question individuals who offer verbal comments. Commentators will not be permitted to question either the applicant or the panel members.

Comments sent to the Department should be addressed to the Division of Charter Schools, 607 South Drive, 5th Floor Rotunda, Harrisburg, PA 17120, in addition to being e-mailed to the Division at ra-charterschools@pa.gov.

Comments sent to an applicant should be addressed using the contact information contained within the application by mail, in addition to being e-mailed. Hearing agendas will be prepared no later than 1 week before the scheduled hearing, when the Department is aware of the number of individuals who wish to provide verbal comments at each hearing. The hearing agendas will provide the order of presentation, as well as specify the amount of time allotted to each commentator.

Hearing agendas will be posted under Charter School Applications on the Department's web site at <https://www.education.pa.gov/K-12/Charter%20Schools/Pages/Charter-Applications.aspx>.

For questions regarding these hearings, contact the Division at ra-charterschools@pa.gov.

DR. KHALID N. MUMIN,
Secretary

[Pa.B. Doc. No. 24-1422. Filed for public inspection October 4, 2024, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS UNDER THE CLEAN STREAMS LAW AND FEDERAL CLEAN WATER ACT

This notice provides information about persons who have applied to the Department of Environmental Protection (DEP) for a new, renewed, or amended NPDES or WQM permit, or a permit waiver for certain stormwater discharges, or have submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications and NOIs concern, but are not limited to, effluent discharges from sewage treatment facilities and industrial facilities to surface waters or groundwater; stormwater discharges associated with industrial activity (industrial stormwater), construction activity (construction stormwater), and municipal separate storm sewer systems (MS4s); the application of pesticides; the operation of Concentrated Animal Feeding Operations (CAFOs); and the construction of sewage, industrial waste, and manure storage, collection and treatment facilities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). More information on the types of NPDES and WQM permits that are available can be found on DEP's website (visit www.dep.pa.gov and select Businesses, Water, Bureau of Clean Water, Wastewater Management, and NPDES and WQM Permitting Programs).

<i>Section</i>	<i>Category</i>
I	Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received
II	Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs
III	Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity

Section I identifies the following applications and NOIs that have been received by DEP:

- Individual and General WQM Permit Applications Received—DEP provides a 15-day public comment period for Individual WQM Permit Applications for new and reissued permits. There is no public comment period for General WQM Permit NOIs.
- General Chapter 92a NPDES Permit NOIs Received—There is no public comment period for General NPDES NOIs received.
- All Transfer and Minor Amendment Applications/NOIs Received—Transfer and Minor Amendment Applications/NOIs received for Individual and General WQM Permits and Individual and General NPDES Permits, excluding PAG-01 and PAG-02, are identified but do not have public comment periods. DEP provides a 15-day public comment period for Individual WQM Permit Applications for amendments.

Additional information on these applications and NOIs may be reviewed by generating the “Applications and NOIs without Comment Periods Report” or, for Individual WQM Permit Applications, the “Applications Received with Comment Periods Report” on DEP’s website at www.dep.pa.gov/CWPublicNotice.

Section II identifies individual NPDES permit applications received and draft permits indicating DEP’s tentative determination relating to sewage, industrial waste, industrial stormwater, MS4s, pesticides and CAFOs. A 30-day public comment period applies to these applications and draft permits, except when a site-specific water quality criterion is used to establish effluent limitations, in which case a 45-day public comment period applies. The period for comment may be extended at the discretion of DEP for one additional 15-day period. Additional information, including links to draft permits and fact sheets that explain the basis for DEP’s tentative determinations may be reviewed by generating the “Applications Received with Comment Periods Report” on DEP’s website at www.dep.pa.gov/CWPublicNotice. Notification of 15-day extensions for comment will be provided in the “Applications Received with Comment Periods Report” (Comments column).

Section III identifies individual NPDES permit applications received and draft permits indicating DEP’s tentative determination relating to stormwater discharges associated with construction activities. A 30-day public comment period applies to these applications and draft permits. The period for comment may be extended at the discretion of the Department for one additional 15-day period. Additional information may be reviewed by generating the “Applications Received with Comment Periods Report” on DEP’s website at www.dep.pa.gov/CWPublicNotice.

Applications, NOIs and draft permits, where applicable, may be reviewed at the DEP office that received the application or NOI. Members of the public are encouraged to use DEP’s website to obtain additional information as discussed previously.

Comments received within the appropriate comment periods for WQM and NPDES permit applications will be retained by DEP and considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform DEP of the exact basis of a comment and the relevant facts upon which it is based.

DEP office contact information to review applications and NOIs and to submit comments for those applications, when applicable, is as follows:

DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484-250-5910. Email: RA-EPNPDES_SERO@pa.gov for permits in Sections I & II; RA-EPWW-SERO@pa.gov for permits in Section III.

DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570-826-5472. Email: RA-EPNPDES_NERO@pa.gov for permits in Sections I & II; RA-EPWW-NERO@pa.gov for permits in Section III.

DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717-705-4732. Email: RA-EPNPDES_SCRO@pa.gov for permits in Sections I & II; RA-EPWW-SCRO@pa.gov for permits in Section III.

DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570-327-3693. Email: RA-EPNPDES_NCRO@pa.gov for permits in Sections I & II; RA-EPWW-NCRO@pa.gov for permits in Section III.

DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412-442-4286. Email: RA-EPNPDES_SWRO@pa.gov for permits in Sections I & II; RA-EPWW-SWRO@pa.gov for permits in Section III.

DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814-332-6340. Email: RA-EPNPDES_NWRO@pa.gov for permits in Sections I & II; RA-EPWW-NWRO@pa.gov for permits in Section III.

DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-787-5017. Email: RA-EPNPDES_Permits@pa.gov.

DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.

DEP will also accept requests or petitions for public hearings on applications. The request or petition must indicate the interest of the party filing and the reasons why a hearing is warranted. A hearing will be held if DEP determines that there is a significant public interest. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. DEP will postpone its final determination until after a public hearing is held.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

I. Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received.

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
0913940	Joint DEP/PFBC Pesticides Permit	Renewal	Regency at Northampton 975 Easton Road Warrington, PA 18976-1858	Northampton Township Bucks County	SERO
0924814	Joint DEP/PFBC Pesticides Permit	New	Rufe Jonathan 1900 N 5th Street Perkasie, PA 18944-2215	East Rockhill Township Bucks County	SERO
0924815	Joint DEP/PFBC Pesticides Permit	New	LPC Morrisville LP 191 N Wacker Drive Chicago, IL 60606-1615	Falls Township Bucks County	SERO
1524817	Joint DEP/PFBC Pesticides Permit	New	D'Ancona Mary 3210 Manor Road Coatesville, PA 19320-1218	West Brandywine Township Chester County	SERO
PA0008486	Minor Industrial Waste Facility with ELG Individual NPDES Permit	Amendment Minor	Ahlstrom-Munksjo Filtration LLC 122 W Butler Street Mount Holly Springs, PA 17065-1218	Mount Holly Springs Borough Cumberland County	SCRO
2196401	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Transfer	Nebula Realty Trust 123 Gilpin Drive West Chester, PA 19382-7412	North Middleton Township Cumberland County	SCRO
2896402	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Amendment	Mercersburg Sewer Authority Franklin County 113 S Main Street Mercersburg, PA 17236-1517	Mercersburg Borough Franklin County	SERO
6784405	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Amendment	York Haven Borough Sewer Authority York County P.O. Box 394 York Haven, PA 17370-0394	York Haven Borough York County	SCRO
6788449	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Amendment	PA American Water Co. 852 Wesley Drive Mechanicsburg, PA 17055-4436	Fairview Township York County	SCRO
6792402	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Amendment	PA American Water Co. 852 Wesley Drive Mechanicsburg, PA 17055-4436	Fairview Township York County	SCRO
NOEXNW206	No Exposure Certification	Renewal	Corry Manufacturing Co. 519 W Main Street Corry, PA 16407-1729	Corry City Erie County	NWRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
NOEXNW245	No Exposure Certification	New	Sonneborn LLC 100 Sonneborn Lane Petrolia, PA 16050-1412	Fairview Township Butler County	NWRO
NOEXSW178	No Exposure Certification	Renewal	Rockwood Manufacturing Co. 300 Main Street Rockwood, PA 15557-1023	Rockwood Borough Somerset County	SWRO
PAG032438	PAG-03 NPDES General Permit for Industrial Stormwater	New	Assai Energy LLC 201 Helios Way Houston, TX 77079-2678	Throop Borough Lackawanna County	NERO
PAG034090	PAG-03 NPDES General Permit for Industrial Stormwater	New	Americold Logistics LLC 3800 Hempland Road Mountville, PA 17554-1500	Mountville Borough Lancaster County	SCRO
PAG036589	PAG-03 NPDES General Permit for Industrial Stormwater	New	Ferguson Enterprises LLC 751 Lakefront Cmns Newport News, VA 23606-3322	Freedom Borough Beaver County	SWRO
PAG040003	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Transfer	Davis Nathan J & Jessica Hibbard 220 Idell Street Philadelphia, PA 19119	Lower Gwynedd Township Montgomery County	SERO
PAG044009	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Renewal	English Ralph 5020 Spring Road Shermansdale, PA 17090-8316	Carroll Township Perry County	SCRO
PAG045062	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Transfer	Watts Clinton L 1897 W Hollow Road Middleburg, PA 17842-8252	Middlecreek Township Snyder County	NCRO
PAG046491	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	Dains Abby 2785 N Main Street Washington, PA 15301-6176	Luzerne Township Fayette County	SWRO
PAG120001	PAG-12 NPDES General Permit for CAFOs	Renewal	McMichael Custom Spreading LLC 791 Street Road Oxford, PA 19363-1135	Lower Oxford Township Chester County	SCRO
PAG120002	PAG-12 NPDES General Permit for CAFOs	Renewal	Hickory Hollow Farm LLC 491 Barnsley Road Oxford, PA 19363-4105	East Nottingham Township Chester County	SCRO
PAG120006	PAG-12 NPDES General Permit for CAFOs	Renewal	Smoker Paul 305 Barnsley Road Oxford, PA 19363-4104	East Nottingham Township Chester County	SCRO
PAG120009	PAG-12 NPDES General Permit for CAFOs	Renewal	Windy Pine Farm 410 Barnsley Road Oxford, PA 19363-4105	East Nottingham Township Chester County	SCRO
PAG120011	PAG-12 NPDES General Permit for CAFOs	Renewal	Masons Chrome View Ltd 86 Chrome Road Nottingham, PA 19362-9205	East Nottingham Township Chester County	SCRO
PAG123531	PAG-12 NPDES General Permit for CAFOs	Renewal	Zeager Herman L 159 Yoder Road Bainbridge, PA 17502-9597	Conoy Township Lancaster County	SCRO
PAG123643	PAG-12 NPDES General Permit for CAFOs	Renewal	Grand Oak Dairy LLC 273 Greentree Road Elizabethtown, PA 17022-9619	Mount Joy Township Lancaster County	SCRO
PAG123663	PAG-12 NPDES General Permit for CAFOs	Renewal	Gretna VW Farms LLC 3709 N Colebrook Road Manheim, PA 17545-9594	Mount Joy Township Lancaster County	SCRO

NOTICES

6275

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG123667	PAG-12 NPDES General Permit for CAFOs	Renewal	Sensenig Dairy 100 Strohm Road Shippensburg, PA 17257-9654	Wayne Township Dauphin County	SCRO
PAG123685	PAG-12 NPDES General Permit for CAFOs	Renewal	Zartman Farms LLC 820 Hilltop Road Ephrata, PA 17522-8401	Clay Township Lancaster County	SCRO
PAG123702	PAG-12 NPDES General Permit for CAFOs	Renewal	Brook-Corner LLC 400 Mount Wilson Road Lebanon, PA 17042-4752	South Annville Township Lebanon County	SCRO
PAG123718	PAG-12 NPDES General Permit for CAFOs	Renewal	Buser Kieran R 665 Woodshead Ter Wrightsville, PA 17368-9330	Lower Windsor Township York County	SCRO
PAG123729	PAG-12 NPDES General Permit for CAFOs	Renewal	Bacon Acres LLC 151 Pequea Creek Road Conestoga, PA 17516-9410	Conestoga Township Lancaster County	SCRO
PAG123783	PAG-12 NPDES General Permit for CAFOs	Renewal	Meadow Vista Farms LLC 166 Risser Road Bainbridge, PA 17502-9407	Conoy Township Lancaster County	SCRO
PAG123784	PAG-12 NPDES General Permit for CAFOs	Renewal	Todd Chestnut 50 Eberly Road Newville, PA 17241-8509	Upper Mifflin Township Cumberland County	SCRO
PAG123802	PAG-12 NPDES General Permit for CAFOs	Renewal	Green Valley Swine LLC 6 S Broad Street Suite 2 Lititz, PA 17543-1402	North Codorus Township York County	SCRO
PAG123833	PAG-12 NPDES General Permit for CAFOs	Renewal	Mercer Vu Farms Inc. 12275 Mount Pleasant Road Mercersburg, PA 17236-9745	Montgomery Township Franklin County	SCRO
PAG123837	PAG-12 NPDES General Permit for CAFOs	Renewal	Wilt Michael 1408 Pointer Road Everett, PA 15537	East Providence Township Bedford County	SCRO
PAG123853	PAG-12 NPDES General Permit for CAFOs	Renewal	MW Smith Farm 562 Bucks Church Road Newport, PA 17074-8240	Buffalo Township Perry County	SCRO
PAG123876	PAG-12 NPDES General Permit for CAFOs	Renewal	Zimmerman Brendon K 2148 Deodate Road Elizabethtown, PA 17022-9106	Conewago Township Dauphin County	SCRO
PAG123906	PAG-12 NPDES General Permit for CAFOs	Renewal	Bollinger Daniel S & Bollinger Wendi S 306 E Lexington Road Lititz, PA 17543-8964	Warwick Township Lancaster County	SCRO
PAG123924	PAG-12 NPDES General Permit for CAFOs	Renewal	Shives Jason L 455 Lear Road Harrisonville, PA 17228-9155	Licking Creek Township Fulton County	SCRO
PAG123928	PAG-12 NPDES General Permit for CAFOs	Renewal	Reiff Kenton 1775 Pinkerton Road Mount Joy, PA 17552-9319	Rapho Township Lancaster County	SCRO
PAG126105	PAG-12 NPDES General Permit for CAFOs	Renewal	Saylor Family Farms LLC 947 Hatch Hollow Road Rockwood, PA 15557-7885	Middlecreek Township Somerset County	SCRO
2398401	Pump Stations Individual WQM Permit	Amendment	Middletown Township Sewer Authority Delaware County P.O. Box 9 27 N Pennell Road Lima, PA 19037-0009	Middletown Township Delaware County	SERO
0224407	Sewer Extensions Individual WQM Permit	New	Collier Township Allegheny County 3300 Preble Avenue Pittsburgh, PA 15233-1025	Pittsburgh City, Allegheny County	SWRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0267449	Single Residence STP Individual NPDES Permit	Transfer	McLean Douglas G 301 Mine Bank Road Wellsville, PA 17365-9512	Washington Township York County	SCRO
5585406	Single Residence Sewage Treatment Plant Individual WQM Permit	Transfer	Watts Clinton L 1897 W Hollow Road Middleburg, PA 17842-8252	Middlecreek Township Snyder County	NCRO
6721403	Single Residence Sewage Treatment Plant Individual WQM Permit	Transfer	McLean Douglas G 301 Mine Bank Road Wellsville, PA 17365-9512	Washington Township York County	SCRO
01592402	WQG-01 Single Residence Sewage Treatment Plant WQM General Permit	New	Holly M. and Jeffrey L. Musselman 1027 Route 660 Mansfield, PA 16933-8853	Richmond Township Tioga County	NCRO

II. Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs.

Northeast Regional Office

PA0060704, Sewage, SIC Code 8051, **Pleasant Valley Manor**, 4227 Manor Drive, Stroudsburg, PA 18360-9451. Facility Name: Pleasant Valley Manor Sewage Treatment Plant. This existing facility is located in Hamilton Township, **Monroe County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), McMichael Creek (HQ-CWF, MF), is located in State Water Plan watershed 1-E and is classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.085 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0 Daily Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25.0	XXX	50.0
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Ammonia-Nitrogen	XXX	XXX	XXX	Geo Mean 9.0	XXX	18.0
Nov 1 - Apr 30						
May 1 - Oct 31	XXX	XXX	XXX	3.0	XXX	6.0
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Annl Avg Report	XXX	XXX	Annl Avg Report	XXX	XXX
Total Kjeldahl Nitrogen	Annl Avg Report	XXX	XXX	Annl Avg Report	XXX	XXX
Total Phosphorus	Annl Avg Report	XXX	XXX	Annl Avg Report	XXX	XXX

In addition, the permit contains the following major special conditions:

- Solids Management

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northeast Regional Office

PA0065528, Sewage, SIC Code 8811, **Sara N. Kimble**, 3033 Teakwood Drive, Coopersburg, PA 18036-1254. Facility Name: 3033 Teakwood Drive SRSTP. This existing facility is located in Upper Saucon Township, **Lehigh County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Tumble Brook (CWF, MF), is located in State Water Plan watershed 2-C and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.000450 MGD.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average	Maximum	
Flow (MGD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000

In addition, the permit contains the following major special conditions:

- Ultraviolet (UV) Disinfection

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northeast Regional Office

PA0070246, Sewage, SIC Code 8211, **Parkland School District**, 2219 N Cedar Crest Boulevard, Allentown, PA 18104-2119. Facility Name: Kernsville Elementary School. This existing facility is located in North Whitehall Township, **Lehigh County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Jordan Creek (TSF, MF), is located in State Water Plan watershed 2-C and is classified for Trout Stocking and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .009 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
E. Coli (No./100 ml)	XXX	XXX	XXX	Report Annl Avg	XXX	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	Report Annl Avg	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report Annl Avg	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report Annl Avg	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report Annl Avg	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .009 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	1.2	XXX	2.8

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		

In addition, the permit contains the following major special conditions:

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northeast Regional Office

PA0276251, Storm Water, SIC Code 5093, **Alpha Recycling Hwy 80**, 2 Katz Drive, Stroudsburg, PA 18360. Facility Name: Alpha Recycling Hwy 80. This existing facility is located in Stroudsburg Borough, **Monroe County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial stormwater.

The receiving stream(s), McMichael Creek (HQ-CWF, MF), is located in State Water Plan watershed 1-E and is classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	XXX	Report
Total Suspended Solids	XXX	XXX	XXX	XXX	XXX	Report
Oil and Grease	XXX	XXX	XXX	XXX	XXX	30.0
Total Nitrogen	XXX	XXX	XXX	XXX	XXX	Report
Total Phosphorus	XXX	XXX	XXX	XXX	XXX	Report
Aluminum, Total	XXX	XXX	XXX	XXX	XXX	Report
Copper, Total	XXX	XXX	XXX	XXX	XXX	Report
Lead, Total	XXX	XXX	XXX	XXX	XXX	Report
Zinc, Total	XXX	XXX	XXX	XXX	XXX	Report

In addition, the permit contains the following major special conditions:

- Stormwater Outfalls and Authorized Non-Stormwater Discharges
- Best Management Practices (BMPs)
- Routine Inspections
- Preparedness, Prevention and Contingency (PPC) Plan
- Stormwater Monitoring Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northwest Regional Office

PA0287831, Sewage, SIC Code 8800, **John Godlesky**, 74 Cedar Lane, Leeper, PA 16233-2324. Facility Name: John C Godlesky SRSTP. This existing facility is located in Farmington Township, **Clarion County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Henry Run (CWF), is located in State Water Plan watershed 17-B and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0295990, Sewage, SIC Code 8800, **Robert J Miller**, 8115 Pettis Road, Meadville, PA 16335. Facility Name: Robert J Miller SRSTP. This proposed facility is located in West Salem Township, **Mercer County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Big Run (WWF), is located in State Water Plan watershed 20-A and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0005 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0296007, Sewage, SIC Code 8800, **Keith English**, 2148 Prospect Road, Prospect, PA 16052-2020. Facility Name: Keith English SRSTP. This proposed facility is located in Franklin Township, **Butler County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Muddy Creek (HQ-CWF), is located in State Water Plan watershed 20-C and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Southcentral Regional Office

PA0081825, Sewage, SIC Code 4952, 6515, **UMH PA Rolling Hills Estates LLC**, 3499 US Highway 9, Suite 3C, Freehold, NJ 07728-3277. Facility Name: Rolling Hills Estates. This existing facility is located in Lower Frankford Township, **Cumberland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Conodoguinet Creek (WWF), is located in State Water Plan watershed 7-B and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .023 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25.0	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Total Phosphorus	XXX	XXX	XXX	Geo Mean 2.0	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .023 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Annl Avg Report	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Annl Avg Report	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southcentral Regional Office

PA0084565, Sewage, SIC Code 4952, **The York Water Co.**, 130 E Market Street, York, PA 17401-1219. Facility Name: East Prospect STP. This existing facility is located in Lower Windsor Township, **York County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Cabin Creek (WWF), is located in State Water Plan watershed 7-I and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .175 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Daily Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report

The proposed effluent limits for Outfall 001 are based on a design flow of .175 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Daily Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 5.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	36.0	28.0	Inst Min XXX	25.0	40.0	50
Biochemical Oxygen Demand (BOD ₅) Raw Sewage Influent	Report	Report Daily Max	XXX	Report	Report Daily Max	XXX
Total Suspended Solids Raw Sewage Influent	Report	Report Daily Max	XXX	Report	Report Daily Max	XXX
Total Suspended Solids	43.0	65.0	XXX	30.0	45.0	60
Fecal Coliform (No./100 ml) Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
Ultraviolet light intensity (mW/cm ²)	XXX	XXX	Report	Geo Mean Report	XXX	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	Report Daily Max	XXX
Nitrate-Nitrite as N (Total Load, lbs) (lbs)	Report	XXX	XXX	XXX	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs)	Report	XXX	XXX	XXX	XXX	XXX
Ammonia-Nitrogen Nov 1 - Apr 30	Report	Report Daily Max	XXX	Report	Report Daily Max	XXX
May 1 - Oct 31	12.4	Report Daily Max	XXX	8.5	Report Daily Max	17
Ammonia-Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	Report Daily Max	XXX
Total Kjeldahl Nitrogen (Total Load, lbs) (lbs)	Report	XXX	XXX	XXX	XXX	XXX
Total Phosphorus	Report	XXX	XXX	Report	Report Daily Max	XXX
Total Phosphorus (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX

The proposed monitoring requirements and effluent limits for implementation of Pennsylvania's Chesapeake Bay Watershed Implementation Plan are as follows for Outfall 001.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Monthly</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Monthly</i>	<i>Annual</i>		<i>Monthly Average</i>	<i>Maximum</i>	
Total Nitrogen (Total Load, lbs) (lbs)	XXX	5,859	XXX	XXX	XXX	XXX
Ammonia-Nitrogen (Total Load, lbs) (lbs)	XXX	Total Annual Report	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs)	XXX	Total Annual 974	XXX	XXX	XXX	XXX

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southcentral Regional Office

PA0009440, Industrial, SIC Code 4941, **PA American Water**, 852 Wesley Drive, Mechanicsburg, PA 17055-4436. Facility Name: Silver Springs Water Treatment Plant. This existing facility is located in Silver Spring Township, **Cumberland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Conodoguinet Creek (WWF, MF), is located in State Water Plan watershed 7-B and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
			Inst Min			
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Total Suspended Solids	Report	Report	XXX	30.0	60.0	75
Aluminum, Total	Report	Report	XXX	4.0	8.0	10
Iron, Total	Report	Report	XXX	2.0	4.0	5
Manganese, Total	Report	Report	XXX	1.0	2.0	2.5

The proposed effluent limits for Outfall 002 are based on a design flow of .391 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
			Inst Min			
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Total Suspended Solids	Report	Report	XXX	30.0	60.0	75
Aluminum, Total	Report	Report	XXX	4.0	8.0	10
Iron, Total	Report	Report	XXX	2.0	4.0	5
Manganese, Total	Report	Report	XXX	1.0	2.0	2.5

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southeast Regional Office

PA0244431, Industrial, SIC Code 3731, **Rhoads Industries Inc.**, 1900 Kitty Hawk Avenue, Philadelphia, PA 19112-1806. Facility Name: Former Phila Navy Yard Dry Dock 3. This existing facility is located in Philadelphia City, **Philadelphia County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Delaware River (WWF, MF), is located in State Water Plan watershed 3-J and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 002 are based on a stormwater.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly	Minimum	Average Monthly	Daily Maximum	
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 003 are based on a stormwater.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly	Minimum	Average Monthly	Daily Maximum	
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 004 are based on a stormwater.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly	Minimum	Average Monthly	Daily Maximum	
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 011 are based on a design flow of .875 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
PCBs Dry Weather Analysis (pg/L)	XXX	XXX	XXX	Report Daily Max	XXX	XXX
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.) Industrial Influent	XXX	XXX	Report Inst Min	XXX	XXX	Report
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Suspended Solids Effluent Net	XXX	XXX	XXX	Report 100.0	Report 200.0	XXX XXX
Total Suspended Solids Industrial Influent	XXX	XXX	XXX	Report	Report	XXX
Oil and Grease Effluent Net	XXX	XXX	XXX	15.0	XXX	30.0
Oil and Grease Industrial Influent	XXX	XXX	XXX	Report	XXX	Report Report
Copper, Total	XXX	XXX	XXX	Report	Report	XXX
Iron, Total	XXX	XXX	XXX	Report	Report	XXX
Lead, Total	XXX	XXX	XXX	Report	Report	XXX
Zinc, Total	XXX	XXX	XXX	Report	Report	XXX
Ethylbenzene	XXX	XXX	XXX	Report	Report	XXX
Xylenes, Total	XXX	XXX	XXX	Report	Report	XXX

In addition, the permit contains the following major special conditions:

- I. Other Requirements
 - A. Property rights
 - B. Sludge disposal
 - C. WQM permit
 - D. BAT or BCT limits
- II. Requirements Applicable to Stormwater outfalls
- III. PCB Minimization Plan and Monitoring
- IV. BMPs to Address AFFF

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

Southwest Regional Office

PA0022004, Industrial, SIC Code 2819, **Flexsys America LP**, 829 Route 481, Monongahela, PA 15063-3437. Facility Name: Monongahela Plant. This existing facility is located in Carroll Township, **Washington County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for existing discharges of treated industrial waste, storm water runoff, and groundwater.

The receiving streams, Taylors Run (WWF) and Pigeon Creek (WWF), are located in State Water Plan watershed 19-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharges are not expected to affect public water supplies.

The proposed effluent limits for Internal Monitoring Point 101 are based on a design flow of 0.0219 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	5.48	11.0	XXX	30.0	XXX	60.0

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Oil and Grease	XXX	1.83	XXX	XXX	XXX	10.0
Zinc, Total	Report	Report	XXX	Report	Report	Report
1,2,4-Trichlorobenzene (ug/L)	Report	Report	XXX	Report	Report	Report
Butyl Benzyl Phthalate (ug/L)	0.0006	0.001	XXX	3.55	5.54	8.88
Carbon Disulfide	XXX	0.0021	XXX	1.0	XXX	1.0
Hexachlorobutadiene (ug/L)	Report	Report	XXX	Report	Report	Report
PFOA (ng/L)	XXX	XXX	XXX	XXX	XXX	Report
PFOS (ng/L)	XXX	XXX	XXX	XXX	XXX	Report
PFBS (ng/L)	XXX	XXX	XXX	XXX	XXX	Report
HFPO-DA (ng/L)	XXX	XXX	XXX	XXX	XXX	Report

The proposed effluent limits for Outfall 002 are for variable storm water discharges.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 003 are for variable storm water discharges.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 004 for variable storm water and groundwater discharges.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

Outfall 001 is listed as a discharge point without any effluent limits or monitoring requirements.

In addition, the permit contains the following major special conditions: requirements for water quality-based effluent limits below quantitation limits, chemical additives, and storm water.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

Southwest Regional Office

PA0035246, Industrial, SIC Code 4941, **Municipal Authority of Westmoreland County**, P.O. Box 730, Greensburg, PA 15601-0730. Facility Name: Indian Creek Water Filtration Plant. This existing facility is located in Dunbar Township, **Fayette County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Youghiogheny River (HQ-CWF), is located in State Water Plan watershed 19-D and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a discharge flow of 1.9 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	1.0	XXX
Lead, Total (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Bromide	XXX	XXX	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 001 are based on a discharge flow of 1.9 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.26	0.40	XXX
Lead, Total (ug/L)	XXX	XXX	XXX	27.9	43.5	XXX
Bromide	XXX	XXX	XXX	0.10	0.17	XXX

The proposed effluent limits for Outfall 001 are based on a discharge flow of 1.9 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	30.0	60.0	XXX
Aluminum, Total	XXX	XXX	XXX	4.0	8.0	XXX
Cadmium, Total (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Iron, Total	XXX	XXX	XXX	2.0	4.0	XXX
Manganese, Total	XXX	XXX	XXX	1.0	2.0	XXX
Thallium, Total (ug/L)	XXX	XXX	XXX	Report	Report	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

Southwest Regional Office

PA0205222, Industrial, SIC Code 3312, **Tenaris Koppel**, P.O. Box 750, Koppel, PA 15010-0750. Facility Name: Tenaris Koppel. This existing facility is located in Koppel Borough, **Beaver County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Beaver River (WWF), is located in State Water Plan watershed 20-B and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001:

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Copper, Total	XXX	XXX	XXX	XXX	Report	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average</i>	<i>Average</i>	<i>Minimum</i>	<i>Average</i>	<i>Daily</i>	
	<i>Monthly</i>	<i>Weekly</i>		<i>Monthly</i>	<i>Maximum</i>	
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 0.115 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average</i>	<i>Daily</i>	<i>Instant.</i>	<i>Average</i>	<i>Daily</i>	
	<i>Monthly</i>	<i>Maximum</i>		<i>Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	1.0	XXX
Temperature (°F)	XXX	XXX	XXX	Report	XXX	110
Oil and Grease	XXX	XXX	XXX	Report	XXX	30
Aluminum, Total (µg/L)	XXX	XXX	XXX	Report	Report	XXX
Copper, Total (µg/L)	XXX	XXX	XXX	Report	Report	XXX
PFOA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFOS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFBS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
HFPO-DA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for IMP 102:

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average</i>	<i>Daily</i>	<i>Instant.</i>	<i>Average</i>	<i>Daily</i>	
	<i>Monthly</i>	<i>Maximum</i>		<i>Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	87.6	263	XXX	25.0	70.0	88
Oil and Grease	26.3	78.9	XXX	10.0	30.0	XXX
Iron, Dissolved	XXX	XXX	XXX	XXX	7.0	XXX
Lead, Total	0.105	0.316	XXX	0.3	0.9	1.13
Zinc, Total	0.158	0.475	XXX	0.45	1.35	1.69

The proposed effluent limits for Outfall 003:

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average</i>	<i>Average</i>	<i>Minimum</i>	<i>Average</i>	<i>Daily</i>	
	<i>Monthly</i>	<i>Weekly</i>		<i>Monthly</i>	<i>Maximum</i>	
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Copper, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 004:

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average</i>	<i>Average</i>	<i>Minimum</i>	<i>Average</i>	<i>Daily</i>	
	<i>Monthly</i>	<i>Weekly</i>		<i>Monthly</i>	<i>Maximum</i>	
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Copper, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 005:

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average</i>	<i>Average</i>	<i>Minimum</i>	<i>Average</i>	<i>Daily</i>	
	<i>Monthly</i>	<i>Weekly</i>		<i>Monthly</i>	<i>Maximum</i>	
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Copper, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 006:

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Copper, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 007:

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Copper, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 009:

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Copper, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

III. Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity.

Southcentral Regional Office

Applicant: **Philips Ultrasound, Inc.**

Applicant Address: 1 Echo Drive, Reedsville, PA 17084

Application Number: **PAD440034**

Application Type: New

Municipality/County: Armagh Township, **Mifflin County**

Project Site Name: Philips Ultrasound—Reedsville—ECR 2024 Addition

Total Earth Disturbance Area (acres): 2.58 acres

Surface Waters Receiving Stormwater Discharges: UNT to Tea Creek (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Expansion of the existing facility and parking.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4802.

Northeast Regional Office

Applicant: **Lehman Township**

Applicant Address: 193 Municipal Drive, Bushkill, PA 18324

Application Number: **PAD520021**

Application Type: Renewal

Municipality/County: Lehman Township, **Pike County**

Project Site Name: Lehman Township Spoils Site

Total Earth Disturbance Area (acres): 6.30 acres

Surface Waters Receiving Stormwater Discharges: Little Bushkill Creek—Exceptional Value, Migratory Fish (EV, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The project includes the restoration of a former material spoils and laydown area used by Leeward Construction, Inc. which involves the construction of stormwater management features including infiltration basins and vegetated swales as well as restoring formerly gravel areas to grass.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

Southcentral Regional Office

Applicant: **Mercersburg Water Authority**

Applicant Address: 113 South Main Street, Mercersburg, PA 17236-1517

Application Number: **PAD280022**

Application Type: New

Municipality/County: Peters Township, **Franklin County**

Project Site Name: Buck Run WTP & Zimm Well

Total Earth Disturbance Area (acres): 1.30 acres

Surface Waters Receiving Stormwater Discharges: Buck Run (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construction of a new WTP, new transmission main from Zimm Well to new WTP at Buck Run, and associated work.

Special Conditions: Riparian Forrest Buffer Criteria.

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4802.

Northeast Regional Office

Applicant: **Dwyer Holdings, Inc., c/o Robert Dwyer**

Applicant Address: 1407 Bulldog Drive, Allentown, PA 18104-1972

Application Number: **PAD390324**

Application Type: New

Municipality/County: Upper Macungie Township, **Lehigh County**

Project Site Name: TransEdge Truck Centers

Total Earth Disturbance Area (acres): 7.07 acres

Surface Waters Receiving Stormwater Discharges: Tributary to Little Lehigh Creek (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Proposed development of 7 acres with expansion of an existing auto modification and sales facility. Site will contain new building, parking, access drives, lighting, landscaping, utilities, and stormwater management facilities, including subsurface detention basin and spray irrigation system.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

Northeast Regional Office

Applicant: **Maplewood Residential, L.P., c/o Joe Gambone**

Applicant Address: 1030 W. Germantown Pike, E. Norriton, PA 19403-3929

Application Number: **PAD390308**

Application Type: New

Municipality/County: Lower Milford Township, **Lehigh County**

Project Site Name: The Ridings at Saucon Creek—Lot 16

Total Earth Disturbance Area (acres): 1.31 acres

Surface Waters Receiving Stormwater Discharges: Saucon Creek, EV Wetlands (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construction of a residential single-family dwelling.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

Southeast Regional Office

Applicant: **Southeastern Pennsylvania Transportation Authority**

Applicant Address: 1234 Market Street, Philadelphia, PA 19107-3727

Application Number: **PAD460076 A-2**

Application Type: Major Amendment

Municipality/County: Conshohocken Borough, **Montgomery County**

Project Site Name: SEPTA Conshohocken Railroad Station Phase II Parking Improvements

Total Earth Disturbance Area (acres): 4.37 acres

Surface Waters Receiving Stormwater Discharges: Schuylkill River (WWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The project includes parking improvements for the SEPTA Conshohocken Train Station. There will be a parking lot for SEPTA customers, sidewalks, and a shared use path. Stormwater management includes a new storm sewer system. Refer to Attachment 1 with this application form for the purpose of this amendment and a summary of changes to the original permit.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 484-250-5910.

Northwest Regional Office

Applicant: **Brookville Area School District**

Applicant Address: 96 Jenks Street, Brookville, PA 15825

Application Number: **PAD330010A2**

Application Type: Major Amendment

Municipality/County: Brookville Borough, **Jefferson County**

Project Site Name: Brookville High School Football Field

Total Earth Disturbance Area (acres): 7.42 acres

Surface Waters Receiving Stormwater Discharges: UNT to North Fork Redbank Creek (HQ-CWF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Amendment to spread excess topsoil over an existing field expanding the disturbed area from 3.62 acres (A1) to 7.42 acres.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 814-332-6078.

Northwest Regional Office

Applicant: **WB McKean LLC**

Applicant Address: 150 Monument Road # 300, Bala Cynwyd, PA 19004

Application Number: **PAD420012**

Application Type: New

Municipality/County: Sergeant Township, **McKean County**

Project Site Name: McKean RNG Plant

Total Earth Disturbance Area (acres): 2.85 acres

Surface Waters Receiving Stormwater Discharges: Rock Run (CWF), Little Sicily Run (HQ-CWF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: To construct a new natural gas processing facility resulting in approximately 2.85 acres of earth disturbance. An infiltration basin and rain garden are proposed to manage the stormwater from the project site. Two diversion channels are proposed to divert upgradient, off-site runoff around the proposed facility.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 814-332-6078.

Northcentral Regional Office

Applicant: **UGI Utilities, Inc.**

Applicant Address: 1 UGI Drive, Denver, PA 17517

Application Number: **PAD590017**

Application Type: New

Municipality/County: Jackson Township, **Tioga County**

Project Site Name: Pony Hill Road Gas Main

Total Earth Disturbance Area (acres): 1.87 acres

Surface Waters Receiving Stormwater Discharges: Bear Creek and 5 Tributaries (CWF-MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Install approximately 3,650 LF of 4" and 2" plastic gas main to replace sections of existing bare steel and plastic gas main. Stormwater controls include compost filter sock located along trenches.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 570-327-3693.

Southeast Regional Office

Applicant: **Hankin Management, LLC**

Applicant Address: P.O. Box 26767, Elkins Park, PA 19027

Application Number: **PAD510244**

Application Type: New

Municipality/County: City of Philadelphia, **Philadelphia County**

Project Site Name: 5501 Tacony Street

Total Earth Disturbance Area (acres): 3.42 acres

Surface Waters Receiving Stormwater Discharges: Delaware River (WWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Hankin Management, LLC proposes construction of a new parking lot adjacent to the Frankford Arsenal in Philadelphia. The property is currently zoned I-2: Non-Accessory Parking Use. Stormwater management improvements are proposed as well.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 484-250-5910.

Southeast Regional Office

Applicant: **James Ford**

Applicant Address: 410 Ash Road, Morgantown, PA 19543

Application Number: **PAD150344**

Application Type: New

Municipality/County: West Nantmeal Township, **Chester County**

Project Site Name: Fairview Road Subdivision

Total Earth Disturbance Area (acres): 13.66 acres

Surface Waters Receiving Stormwater Discharges: UNT to E. Branch Brandywine Creek (HQ-TSF), North Branch Indian Run (HQ-CWF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construction of 7-lot subdivision and an access road.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 484-250-5910.

Northcentral Regional Office

Applicant: **Todd Lobaugh**

Applicant Address: 585 Bells Road, Dushore, PA 19508

Application Number: **PAD570004**

Application Type: New

Municipality/County: Cherry Township, **Tioga County**

Project Site Name: Lobaugh Residence

Total Earth Disturbance Area (acres): 3.36 acres

Surface Waters Receiving Stormwater Discharges: UNT to Rock Run (EV)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: To construct a 2,644 SF single family home, garage and driveway with stormwater management facilities.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 570-327-3693.

Northeast Regional Office

Applicant: **CRG Services Management, LLC, c/o Fred Ferraro**

Applicant Address: 300 Barr Harbor Drive, Suite 720, Conshohocken, PA 19428

Application Number: **PAD390265**

Application Type: New

Municipality/County: Lowhill Township, **Lehigh County**

Project Site Name: 2951 Betz Court Site

Total Earth Disturbance Area (acres): 28.0 acres

Surface Waters Receiving Stormwater Discharges: UNT to Jordan Creek (HQ-CWF, MF), Other Wetlands (HQ-CWF, MF) and EV Wetlands

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construction of one new warehouse/distribution center totaling approximately 299,880 square feet of gross floor area. Development of the site will also include construction of two access driveways, truck courts, employee parking areas, site utilities, landscaping amenities, a stormwater collection and conveyance system and other related site improvements. Access to the site will be provided through two proposed driveway connections to Betz Court.

Special Conditions: See Draft Permit for additional conditions related to Riparian Buffer Implementation Requirements, Sinkholes, and Potential Impacts to EV Wetlands.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

STATE CONSERVATION COMMISSION

PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed (National Pollutant Discharge Elimination System) NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at

the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling 717-787-8821.

Individuals wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30-days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Individuals in need of accommodations should contact the SCC through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

**ACT 38
NUTRIENT MANAGEMENT PLANS
CAFO PUBLIC NOTICE SPREADSHEET—APPLICATIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal/New</i>
C&J Farm 949 Harmon Lane Warfordsburg, PA 17267	Fulton County	126.8	536.41	Swine Beef Goats Horses	EV	Renewal
JoBo Holstein Farms, LLC 200 Tall Oak Rd Gettysburg, PA 17325	Adams County	1,021.5	1,826.72	Dairy	NA	Renewal
Koch's Turkey Farm 416 Valley Rd Tamaqua, PA 18252	Schuylkill County	375.2	3,187.58	Turkey	HQ	Renewal
L&W Farms LLC 4251 Fletcher Dr Greencastle, PA 17225	Franklin County	324.5	1.43	Beef Poultry	NA	Renewal

PUBLIC WATER SUPPLY PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for Public Water Supply (PWS) permits to construct or substantially modify public water systems.

Individuals wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30-days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of Environmental Protection (DEP) the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, DEP will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

SAFE DRINKING WATER

Application(s) Received Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Northeast Region: Safe Drinking Water Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Ciana Walkosak, Environmental Engineer Trainee, 717-772-5874.

Application No. 4024512, Construction, Public Water Supply.

Applicant	Aqua Pennsylvania, Inc.— Applewood Manor
Address	10 Forest Dr Dallas, PA 18612
Municipality	Dallas Township
County	Luzerne County
Responsible Official	Michael Fili 762 W Lancaster Ave Bryn Mawr, PA 19019
Consulting Engineer	Jonathan Reuther 1717 Arch Street Suite 4010 Philadelphia, PA 19103
Application Received	August 26, 2024

Description Permit application for addition of PFAS treatment to the existing groundwater PWS to comply with the PFAS National Primary Drinking Water regulation. The proposed addition consists of anion exchange (AIX) treatment.

Application No. 3524503, Construction, Public Water Supply.

Applicant **Aqua Pennsylvania, Inc.—
Jefferson Heights**

Address 541 Jefferson Blvd.
Mt. Cobb, PA 18436

Municipality Jefferson Township

County **Lackawanna County**

Responsible Official Michael Fili
762 W Lancaster Ave
Bryn Mawr, PA 19019

Consulting Engineer Jonathan Reuther
1717 Arch Street
Suite 4010
Philadelphia, PA 19103

Application Received August 26, 2024

Description Permit application for PFAS treatment at the existing PWS to comply with the PFAS National Primary Drinking Water Regulation. The proposed additional treatment consists of granular activated carbon (GAC) at Wells 1 and 2 and anion exchange (AIX) at Well 3.

Application No. 4024514, Construction, Public Water Supply.

Applicant **Aqua Pennsylvania, Inc.—
White Haven**

Address 396 Susquehanna St.
White Haven, PA 18661

Municipality White Haven Borough

County **Luzerne County**

Responsible Official Michael Fili
762 W Lancaster Ave
Bryn Mawr, PA 19019

Consulting Engineer Jonathan Reuther
1717 Arch Street
Suite 4010
Philadelphia, PA 19103

Application Received August 26, 2024

Description Permit application for PFAS treatment at the existing groundwater PWS to comply with the PFAS National Primary Drinking Water Regulation. The proposed addition consists of anion exchange (AIX) treatment.

Contact: Jacob Fogarty.

Application No. N/A, NCWSA Operation, Public Water Supply.

Applicant **Chestnuthill Township**

Address P.O. Box 243
Brodheads ville, PA 18322

Municipality Chestnuthill Township

County **Monroe County**

Responsible Official David Albright
271 Route 715
Brodheads ville, PA 18322

Consulting Engineer Matthew Evans
P.O. Box 863
Kresgeville, PA 18333

Application Received August 20, 2024

Description New NCWS

Contact: Victoria Frederick, Clerical Assistant 2, 570-826-2502.

Application No. 4024513, Construction, Public Water Supply.

Applicant **Aqua Pennsylvania, Inc.**

Address 762 Lancaster Avenue
Bryn Mawr, PA 19010

Municipality Penn Lake Park Borough

County **Luzerne County**

Responsible Official Michael Fili VP
Capital Planning, Design and
Construction
Aqua Pennsylvania, Inc.
762 Lancaster Avenue
Bryn Mawr, PA 19010

Consulting Engineer Jonathan Reuther, PE
Brown and Caldwell
1717 Arch Street
Suite 4010
Philadelphia, PA 19103

Application Received August 26, 2024

Description The application proposes modifications to the Aqua PA Penn Lake Park PWS system, to add additional treatment processes at one of their groundwater treatment facilities. Aqua PA intends to install anion exchange (AIX) systems to reduce per- and polyfluoroalkyl substances (PFAS) concentrations in their system.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 1

Acknowledgment of Notice(s) of Intent to Remediate Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent (NOI) to Remediate. An acknowledgment of the receipt of a NOI to Remediate is used to identify a site where an individual proposes to, or has been required to, respond to a release

of a regulated substance at a site. Individuals intending to use the background standard, Statewide health standard, the site-specific standard, or who intend to remediate a site as a special industrial area, must file a NOI to Remediate with DEP. A NOI to Remediate filed with DEP provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. An individual who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the Act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by DEP. Furthermore, an individual shall not be subject to citizen suits or other contribution actions brought by responsible individuals not participating in the remediation.

Under Sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the NOI to Remediate is published in a newspaper of general circulation in the area of the site. For the following identified site(s), proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30-days of the following specified date. During this comment period the municipality may request that the following identified individual, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of the site.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The DEP has received the following Notice(s) of Intent to Remediate.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Moravian Academy, Primary Facility ID # **877199**, 4313 Green Pond Road, Bethlehem, PA 18020, Bethlehem Township, **Northampton County**. JMT Environmental Technologies, 710 Uhler Road, Easton, PA 18040 on behalf of Moravian Academy, 4313 Green Pond Road, Bethlehem, PA 18020, submitted a Notice of Intent to Remediate. Soil was contaminated with No. 2 heating oil from an underground storage tank. Future use of the site will be nonresidential. The Notice of Intent to Remediate was published in *Morning Call* on August 8, 2024. Application received: September 18, 2024.

J. Blaisure Pad 1, Primary Facility ID # **738867**, 441 Blaisure Road, Montrose, PA 18801, Jessup Township, **Susquehanna County**. Resource Environmental Management, 50 Maple Street, Montrose, PA 18801 on behalf of Coterra Energy, Inc., 2000 Park Lane, Suite 300, Pittsburgh, PA 15275, submitted a Notice of Intent to Remediate. Soil was contaminated by a release of diesel.

Future use of the site will residential. The Notice of Intent to Remediate was published in *Susquehanna County Independent* on September 11, 2024. Application received: September 20, 2024.

Diamond Dye & Finishing, Primary Facility ID # **853544**, 611 South Albert Street, Allentown, PA 18109, City of Allentown, **Lehigh County**. Synergy Environmental, 155 Railroad Plaza, Royersford, PA 19468 on behalf of David Buechele, 5209 Cherryville Road, Northampton, PA 18067, submitted a Notice of Intent to Remediate. Soil was contaminated with No. 2 heating oil from an underground storage tank. Future use of the site will be nonresidential. The Notice of Intent to Remediate was published in *The Morning Call* on September 20, 2024. Application received: September 20, 2024.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Environmental Cleanup & Brownfields Program Manager, 717-705-4705.

Burnham Goose Property, Primary Facility ID # **878428**, Route 322 and Ferguson Valley Road, Burnham, PA 17009, Derry Township, **Mifflin County**. ECS Mid-Atlantic, LLC, 4909 Louise Drive, Suite 207, Mechanicsburg, PA 17055 on behalf of Burnham Goose LLC, 795 East Lancaster Avenue, Suite 200, Villanova, PA 19085, submitted a Notice of Intent to Remediate. Notice of Intent to Remediate soil contaminated with lead and arsenic. The site will be remediated to the Statewide health standard. Future use of the site will be nonresidential. The Notice of Intent to Remediate was published in *Lewistown Sentinel* on September 13, 2024. Application received: September 16, 2024.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: C. David Brown, Professional Geologist Manager, 484-250-5792.

Former Holmesburg Business Center, Primary Facility ID # **878320**, 8301 Torresdale Avenue, Philadelphia, PA 19136, City of Philadelphia, **Philadelphia County**. Michael Beardsley, BL Companies, 2601 Market Place, Suite 350, Harrisburg, PA 17110 on behalf of Michael Barone, RG Torresdale, LLC, 92 Headquarters Plaza, 9th Floor, Morristown, NJ 07960, submitted a Notice of Intent to Remediate. submitted a Notice of Intent to Remediate. Soil and groundwater have been found to be contaminated with chlorinated solvents, inorganics, lead, and PAHs. The future use of the property is nonresidential. The proposed cleanup standard for the site is the site-specific standard. The Notice of Intent to Remediate was published in *The Philadelphia Inquirer* on August 28, 2024. Application received: August 30, 2024.

DETERMINATION OF APPLICABILITY FOR MUNICIPAL WASTE GENERAL PERMITS

Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Municipal Waste Regulations for Determination of Applicability for a General Permit to Operate Municipal Waste Processing Facilities and/or the Beneficial Use of Municipal Waste.

Northwest Region: Waste Management Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Christina S. Wilhelm, Regional Solid Waste Program Manager, ra-epnwrowasteprog@pa.gov.

WMGM043NW008. Rustler Transport, LLC, 781 Meyers Road, Shippenville, PA 16254, Paint Township, **Clarion County**. Rustler Transport LLC is applying to the PA DEP for approval of the use of General Permit WMGM043 for Processing of Construction and Demolition Waste for Recycling. Rustler Transport LLC (hereinafter "Rustler") proposes processing of construction and demolition waste for recycling to occur at their facility at 20273 Paint Boulevard, Shippenville, PA 16254. The proposed processing facility will only accept construction and demolition waste. The maximum volume of waste to be handled is anticipated to be 20 tons per day. Waste will be hauled to the processing facility primarily by trucks operated by Rustler, although waste may also be accepted from the public or other construction or demolition companies. Application received: September 20, 2024.

Comments or questions concerning the application should be directed to Christina S. Wilhelm, Regional Solid Waste Program Manager, ra-epnwrowasteprog@pa.gov, Northwest Region, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department of Environmental Protection (DEP) has developed an integrated plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for DEP, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The DEP received applications for Plan Approvals or Operating Permits from the following facilities. Copies of the application, DEP's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate DEP Regional Office. Appointments for scheduling a review must be made by calling the appropriate DEP Regional Office. The address and telephone number of the Regional Office is listed before the application notices.

Individuals wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the DEP's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

Any individual wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if DEP, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when DEP determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate DEP Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

PLAN APPROVALS

Notice of Intent to Issue Plan Approval(s) and Notice of Intent to Issue or Amend Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These Actions May Include the Administrative Amendments of an Associated Operating Permit.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.

21-03106A: UPMC West Shore Hospital, 1995 Technology Parkway, Mechanicsburg, PA 17050, Hampden Township, **Cumberland County**. Application received: July 1, 2024. For the operation of a boiler at the West Shore Hospital. PTE for the boiler is 2.60 tpy NO_x, 5.88 tpy CO and < 1 tpy each of VOC, PM₁₀, SO_x and HAP. DEP's review of the information submitted by the applicant indicates that the air contamination sources as constructed or modified will comply with all regulatory requirements pertaining to air contamination sources and the emission of air contaminants including the best available technology requirement (BAT) of 25 Pa. Code §§ 127.1 and 127.12, and 40 CFR Part 60 Subpart Dc, Standards of Performance for Small Industrial-Commercial-Institutional Steam Generating Units. Based on these findings, the Department proposes to issue a plan approval for the construction. If, after the project has been implemented, the Department determines that the sources are constructed and operated in compliance with the plan approval conditions and the specification of the application for plan approval, the requirements established in the plan approval may be incorporated into an operating permit pursuant to the provisions of 25 Pa. Code Chapter 127.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4863.

67-05092J: Starbucks Coffee Company, 3000 Espresso Way, York, PA 17406, Manchester Township, **York County**. Application received: June 25, 2024. For modifying the existing Green Bean Loading Station 3 and cartridge collector to vent outdoors at the facility. The expected potential emissions from this project are 1.01 tpy of PM₁₀ and PM_{2.5}. The Department of Environmental Protection's (DEP's) review of the information submitted by the company indicates that the air contamination sources will comply with all regulatory requirements, including monitoring, recordkeeping, and reporting requirements, and pertaining to air contamination sources and the emission of air contaminants including the best available technology requirement (BAT) of 25 Pa. Code §§ 127.1 and 127.12. Based on this finding, DEP proposes to issue a plan approval for the proposed installation. The facility is a State Only facility. If DEP determines that the sources are constructed and operated in compliance with the plan approval conditions and the specifications of the application for plan approval, the requirements established in the plan approval will be incorporated into an Operating Permit pursuant to the administrative amendment provisions of 25 Pa. Code § 127.450.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Sheri Guerrieri, P.E., New Source Review Chief, 412-442-4174.

PA-56-00262B: Mostoller Landfill, Inc., 7095 Glades Pike, Somerset, PA 15501, Brothersvalley Township, **Somerset County**. Application received: June 20, 2022.

Pursuant to 25 Pa. Code §§ 127.44—127.46 for intent to issue an Air Quality plan approval for authorization to change the allowable leachate emissions and design capacity of Mostoller Landfill, a Title V facility in Brothersvalley Township, Somerset County.

The proposed plan approval will increase the allowable emissions from the leachate storage tank from 0.34 ton/year to 2.7 tons/year VOCs. The plan approval will also correct the listed design capacity from 3.8 million tons of waste to 15.2 million tons of waste to match the solid waste permit. No physical changes are being made to the facility. The facility is and will be limited to 28.6 tons of NO_x per 12-consecutive month period, 160.2 tons of CO per 12-cmp, 27.0 tons of VOC per 12-cmp, 34.3 tons of PM₁₀ per 12-cmp, and 7.1 tons of SO_x per 12-cmp.

The proposed project is subject to and has been conditioned to ensure compliance with all applicable requirements specified in 25 of the Pa. Code and 40 CFR Part 60 and includes emissions restrictions, operational restrictions, testing, monitoring, recordkeeping, reporting, and work practice requirements. The project does not trigger the requirements of 40 CFR 52.21 related to Prevention of Significant Deterioration, or those of 25 Pa. Code Chapter 127, Subchapter E related to Nonattainment New Source Review.

The plan approval application, the Department's Air Quality review memorandum, and the proposed Air Quality plan approval for the proposed project are available for review by any interested party at the Pennsylvania Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. To schedule an appointment to review the Air Quality plan approval application or proposed Air Quality plan approval, or to receive an electronic copy of the Department's Air Quality review memorandum or the proposed

Air Quality plan approval for the proposed project, a person may contact the Department's Southwest Regional Office File Review Coordinator at 412.442.4000.

The application, DEP's Review Memorandum, and the proposed plan approval are available for public review during normal business hours at DEP's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. A file review can be scheduled through the DEP's website at <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx> or by contacting Sheri Guerrieri, New Source Review Chief, directly at shguerrieri@pa.gov.

Those who wish to provide the Department with additional written information that they believe should be considered prior to the issuance of the plan approval may submit the information to Sheri Guerrieri, New Source Review Chief, Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval (PA-56-00262B) and concise statements regarding the relevancy of the information or objections to issuance of the Plan Approval.

A public hearing may be held, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Sheri Guerrieri, Environmental Engineer Manager, Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222 or by email to shguerrieri@pa.gov. All comments must be received prior to the close of business 30 days after the date of this publication.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodations to do so should contact Lauren Camarda at 412-442-4203 or the Pennsylvania Hamilton Relay Service at 1.800.654.5984 (TDD) to discuss how the Department may accommodate your needs.

OPERATING PERMITS

Notice of Intent to Issue Title V Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Norm Frederick 570-826-2409.

13-00003, Panther Creek Power Operating LLC, Nesquehoning, 2151 Lisbon Rd, Kennerdell, PA 16374-3305, Nesquehoning Borough, **Carbon County**. Application received: May 23, 2023. Public Notification to Solicit Comments and Intent to Issue Title V Permit for Panther Creek Power Operating, LLC Title V Permit No: 13-00003 Notice is hereby given in accordance with 25 Pa. Code § 127.424(b) that the Department of Environmental Protection (DEP) is soliciting comments and intends to issue Title V Permit No. 13-00003, to Panther Creek Power Operating, LLC (the Permittee), 4 Dennison Road, Nesquehoning, PA 18240 for their facility located in Nesquehoning Borough, Carbon County. This operating

permit will also be published as a notice in the *Pennsylvania Bulletin*. Panther Creek submitted a permit application on May 23, 2023 for the Title V Operating Permit Renewal. The Title V Operating Permit Renewal, TV # 13-00003 allows the two (2) existing circulating fluidized bed (CFB) combustors, (Pyropower Unit # 1, Source ID 031, and Pyropower Unit # 2, Source ID 032), both currently permitted, to combust culm and No. 2 fuel oil. Although the facility operates under a Plantwide Applicability Limit (PAL) permit (13-00003A, issued May 25, 2023) and since the PAL limits will not be exceeded by this proposed renewal permit, PSD is not applicable. The existing boilers are subject to 40 CFR Part 60 Subpart Da—Standards of Performance for Electric Utility Steam Generating Units. The facility is subject to 40 CFR Part 63 Subpart UUUUU—National Emission Standards for Hazardous Air Pollutants: Coal- and Oil-Fired Electric Utility Steam Generating Units. The facility will be subject to 25 Pa. Code § 127.12(a)(5) Best Available Technology (BAT) requirements. The facility shall be subject to and comply with 25 Pa. Code § 123.31 for malodorous emissions. The Title V Operating Permit will include testing, monitoring, recordkeeping and reporting requirements designed to keep the sources operating within all applicable air quality requirements. The following shows the existing not to exceed PAL emission limits from the facility: PAL Pollutant Emission Limitation TPY (12-month rolling sum) PM Filterable 113.81 PM₁₀ Filt + Condensable 86.12 PM_{2.5} Filt + Condensable 35.55 SO₂ 603.65 NO_x 586.85 CO 381.05 Fluorides (not including HF) 3.0 H₂SO₄ 15.15 Pb 0.03 CO_{2e} 1,116,217.64. Persons wishing to provide the Department with additional information, which they believe should be considered prior to the issuance of the renewal Operating Permit, may submit the information to the following address. The Department will consider any written comments received within 30 days of the publication of this notice. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed renewal Operating Permit, Title V No. 13-00003 and a concise statement regarding the relevancy of the information or any objections to the issuance of the Operating Permit. A public hearing will be held for the purpose of receiving comments on the proposed air quality renewal Title V Operating Permit. The hearing will be held on Monday, November 4, 2024 at The Panther Valley Junior/Senior High School Auditorium, 912 Coal Region Way, Lansford, PA 18232 and runs from 6:00 PM to 9:30 PM. Persons interested in commenting are invited to appear. Copies of the applications, the Department's technical reviews, and other supporting documents are available for public inspection between the hours of 8 a.m. and 4 p.m. at the Department's Northeast Regional Office, 2 Public Square, Wilkes-Barre, PA 18701-1915. Appointments for scheduling a review may be made by calling (570) 826-2511. The general procedures for the hearing are as follows: To develop an agenda for the hearing, the Department requests that individuals wishing to testify at the hearing submit a written notice of their intent. The notice should be sent to Mark Wejkszner P.E, Northeast Region Air Quality Program Manager, Department of Environmental Protection, Air Quality Program, Wilkes-Barre Regional Office, 2 Public Square, Wilkes-Barre, PA 18701-1915. The Department will accept notices up to the day of the public hearing. This written notice should include the person's name, address, telephone number and a brief description as to the nature of the testimony. Individuals who submit a notice of intent to testify will be given priority on the agenda. If time permits, the Department

will allow individuals who have not submitted a notice of intent to testify to present their comments. Each individual will have up to 3 minutes to present testimony. The Department requests that individuals present written copies of their testimony in addition to their oral presentations. To ensure that all speakers have a fair and equal opportunity to present their testimony, relinquishing of time will be prohibited. Further details relating to the procedures to be followed at the hearing will be outlined at the beginning of the hearing. Persons unable to attend the hearing can submit written testimony to the Department through December 28, 2024. The Department will address comments from the public before any final actions are taken on the proposals. A summary report addressing the concerns raised by the public will be released should the Department decide to issue the Operating Permit. Send written comments to Mark Wejkszner P.E, Northeast Region Air Quality Program Manager, Department of Environmental Protection, Air Quality Program, Wilkes-Barre Regional Office, 2 Public Square, Wilkes-Barre, PA 18701-1915. Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodations should contact the Department at the previously listed address, or the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD) to discuss how the Department may address their needs. For additional information regarding the above, contact Mark Wejkszner P.E at (570) 826-2511 or write to the Department at the Wilkes-Barre address given previously.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.

21-05031, Community Refuse Service, LLC, 620 Newville Road, Newburg, PA 17240, North Newton Township, Hopewell Township, **Cumberland County**. Application received: November 29, 2023. To issue a Title V Operating Permit for the Cumberland County municipal solid waste landfill. The facility 2023 actual air emissions were 12.76 tons VOC, 6.84 tons PM₁₀, 7.25 tons total HAPs, 0.94 ton NO_x, 0.22 ton SO₂, and 5.90 tons CO. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other requirements in the permit, certain sources at the facility are subject to the requirements of 40 CFR 62 Subpart OOO—Federal Plan Requirements for Municipal Solid Waste Landfills That Commenced Construction On or Before July 17, 2014 and Have Not Been Modified or Reconstructed Since July 17, 2014, and 40 CFR 63 Subpart AAAA—Subpart AAAA—National Emission Standards for Hazardous Air Pollutants: Municipal Solid Waste Landfills.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

36-05158, Perdue AgriBusiness, LLC, 31149 Old Ocean City Road, Salisbury, MD 21804-1806, Conoy Township, **Lancaster County**. Application received: February 5, 2024. To issue an initial Title V Operating Permit for their grain elevator and a soybean oil extraction. Actual emissions from the facility in 2023 were reported to be 0.00 ton CO, 0.00 ton NO_x, 31.13 tons PM₁₀, 5.16 tons PM_{2.5}, 0.00 ton SO_x, 200.71 tons VOC, 93.54 tons of a single HAP (n-hexane), and 200.71 tons of combined HAPs. The Title V Operating Permit will include emission limits, performance testing and work

practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 25 Pa. Code §§ 123.13, 129.57 and 129.111—129.115 (RACT III), 40 CFR 60, Subpart DD—Standards of Performance for Grain Elevators, 40 CFR 63, Subpart GGGG—National Emission Standards for Hazardous Air Pollutants: Solvent Extraction for Vegetable Oil Production, and Compliance Assurance Monitoring (CAM) requirements of 40 CFR Part 64, and 40 CFR 60, Subpart IIII—Standards of Performance for Stationary Compression Ignition Internal Combustion Engines.

36-05079, Chester County Solid Waste Authority, 7224 Division Highway, Narvon, PA 17555, Caernarvon Township, **Lancaster County**. Application received: May 10, 2024. For the operation of the Lanchester Landfill. This is a renewal of the facility's Title V operating permit. Actual emissions from the facility in 2023 were reported as: 20.3 tons of PM₁₀, 1.84 tons of CO, 5.15 tons of NO_x, 5.76 tons of VOCs, and 3.68 tons of HAPs. The Title V Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with all of the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR 62, Subpart OOO—Federal Plan Requirements for Municipal Solid Waste Landfills That Commenced Construction On or Before July 17, 2014 and Have Not Been Modified or Reconstructed Since July 17, 2014, 40 CFR 63, Subpart AAAA—National Emission Standards for Hazardous Air Pollutants: Municipal Solid Waste Landfills, the active waste disposal requirements for asbestos containing materials of 40 CFR 61, Subpart M—National Emission Standard for Asbestos, 40 CFR 63, Subpart ZZZZ—National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines, and 40 CFR 60, and Subpart IIII—Standards of Performance for Stationary Compression Ignition Internal Combustion Engines.

60-05064, Energy Transfer Marketing & Terminals, LP, 525 Fritztown Road, Sinking Spring, PA 19608-150, Spring Township, **Berks County**. Application received: March 27, 2024. For their bulk liquid petroleum fuel storage and loading operation at their Montello Terminal. Actual emissions from the facility in 2023 were reported to be 0.28 ton CO, 0.11 tons NO_x, 10.29 tons VOC, 0.19 ton of a single HAP (hexane), and 0.64 ton of combined HAPs. The Title V Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from §§ 129.56, 129.59, 129.62, 40 CFR 63, Subpart BBBB—National Emission Standards for Hazardous Air Pollutants for Source Category: Gasoline Distribution Bulk Terminals, Bulk Plants, and Pipeline Facilities, 40 CFR 60, Subpart XX—Standards of Performance for Bulk Gasoline Terminals, 40 CFR 60, Subpart XXa—Standards of Performance for Bulk Gasoline Terminals that Commenced Construction, Modification, or Reconstruction After June 10, 2022, 40 CFR 60 Subpart K—Standards of Performance for Storage Vessels for Petroleum Liquids for Which Construction, Reconstruction, or Modification Commenced After June 11, 1973, and Prior to May 19, 1978, 40 CFR 60, Subpart Kb—Standards of Performance for Volatile Organic Liquid Storage Vessels (Including Petroleum Liquid Storage Vessels) for Which Construction, Reconstruction, or Modi-

fication Commenced After July 23, 1984 and 40 CFR 63, Subpart WW—National Emission Standards for Storage Vessels (Tanks)—Control Level 2.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief, 484-250-5920.

46-00027, Janssen Research and Development, LLC, 1400 McKean Rd., Springhouse, PA 19477, Lower Gwynedd Township, **Montgomery County**. Application received: May 24, 2024. This action is for the renewal of Title V Only Operating Permit for the operation of a facility that conducts pharmaceutical research and development activities at this site. Permitted sources consist of seven (7) boilers, seven (7) emergency electric generator engines, one (1) cogeneration plant, and two (2) fire pump engines. The primary pollutants of concern from these sources are nitrogen oxides (NO_x) and carbon monoxide (CO), which have the following potential emissions: NO_x—48.372 tons per year and CO—82.977 tons per year. No changes have taken place at the facility since the operating permit was last issued. There have been no changes to any previously approved emission limits. The permit includes monitoring, recordkeeping and reporting requirements designed to address all applicable air quality regulations. Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEROAQPUBCOM@pa.gov.

OPERATING PERMITS

Notice of Intent to Issue Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

59-00025, Diversified Midstream LLC, 125 Industry Road, Waynesburg, PA 15370, Duncan Township, **Tioga County**. Application received: November 20, 2023. In accordance with 25 Pa. Code §§ 127.424 and 127.425, the Department has received an application and intends to issue a renewal of an Air Quality Operating Permit for the Tioga Compressor Station facility. The facility is currently operating under State Only Operating Permit 59-00025. The facility's sources include three (3) natural gas-fired compressor engines, one (1) natural gas-fired emergency generator engine, one (1) dehydration unit, fifteen (15) storage tanks, six (6) gas actuated devices, fifteen (15) intermittent bleed gas-actuated devices, a pigging station, truck liquids loadouts and fugitive emissions from component leaks. The subject facility has the following potential emissions: 10.77 TPY of carbon monoxide; 24.14 TPY of nitrogen oxides; 0.10 TPY of sulfur oxides; 1.62 TPY of particulate matter; 21.16 TPY of volatile organic compounds; 5.19 TPY of volatile hazardous air pollutants and 26,636 TPY of greenhouse gases. The Department has determined that the sources at the facility satisfy best available technology (BAT) requirements, pursuant to 25 Pa. Code §§ 127.1 and 127.12, Standards of Performance for Stationary Compression Ignition Internal Combustion Engines, 40 CFR Part 60 Subpart JJJJ Sections 60.4230—60.4248, Standards of

Performance for Crude Oil and/or Natural Gas Production, Transmission or Distribution Facilities, 40 CFR Part 60 Subpart OOOO, Sections 60.5360–60.5430 as well as the National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines, 40 CFR Part 63 Subpart ZZZZ Sections 63.6580–63.6675. The operating permit will include emission limits and work practice standards along with testing, monitoring, recordkeeping and reporting requirements to ensure the facility complies with all applicable air quality regulations. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-3636.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Norman Frederick, Facility Permitting Chief, 570-826-2409.

35-00064, FXI Inc., 103 Power Blvd, Archbald, PA 18403-2012, Archbald Borough, **Lackawanna County**. Application received: September 13, 2024. The Department intends to issue a renewal State-Only Operating Permit (natural minor) for the Archbald Borough facility. Sources at this facility includes their slabstock foam pour line and looper adhesive usage. The proposed operating permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Matthew Williams, Facilities Permitting Chief, 814-332-6940.

37-00162, Precision Plating Co., Inc., 407 Summit View Drive, New Castle, PA 16105, Neshannock Township, **Lawrence County**. Application received: April 26, 2023. The Department intends to renew the State Only Operating Permit for the Natural Minor facility. The primary sources include Chrome electroplating tanks controlled by composite mesh pad system scrubbers, natural gas combustion for building heat, and hand wipe solvent usage. The potential emissions from the facility are as follows: NO_x less than 1 tpy; CO less than 1 tpy; PM₁₀ less than 1 tpy; SO_x less than 1 tpy; VOC's less than 1 tpy. Potential HAP emissions are 0.27 tpy of Toluene and 1.7 tpy of Chromium Compounds. The facility is subject to 40 CFR Part 63 Subpart N, National Emission Standards for Chromium Emissions from Hard and Decorative Electroplating and Chromium Anodizing Tanks. The renewal permit contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.

21-03108, Sunoco Pipeline LP/Plainfield, 74 Pinedale Road, Carlisle, PA 17015, Lower Frankford Township, **Cumberland County**. Application received: June 6, 2024. To issue a State Only Operating Permit for the natural gas liquid (ethane, propane, butane or a

mixture of these) pumping station. The potential emissions from the facility are estimated at NO_x 0.06 tpy, CO 0.24 tpy and VOCs 0.89 tpy. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4863.

21-05010, Mountain Power LLC, 218A Zion Road, Mount Holly Springs, PA 17065, South Middleton Township, **Cumberland County**. Application received: March 27, 2024. For the operation of a peaking station. This is for renewal of the existing State-Only Permit. Facility-wide actual emissions in 2023 were estimated to be 0.11 tpy PM₁₀, 16.9 tpy NO_x, 0.09 tpy CO, 2.70 tpy SO_x, and less than one ton per year of VOCs and HAPs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items the conditions include provisions derived from 40 CFR Part 63 Subpart ZZZZ National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines, 40 CFR Part 97 Federal NO_x Budget Trading Program, CAIR NO_x and SO₂ Trading Programs, CSAPR NO_x and SO₂ Trading Programs, and Texas SO₂ Trading program, 25 Pa. Code §§ 123.13 and 123.21.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

06-05151, Kutztown University, 15200 Kutztown Rd, Kutztown, PA 19530, Maxatawny Township, **Berks County**. Application received: August 9, 2024. For operation of their campus utilities plant. The facility actual emissions for 2023 are 5.60 tons of CO, 8.11 tons of NO_x, 0.24 ton of PM, 0.15 ton of SO_x, and 0.46 ton of VOC. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include 40 CFR 60, Subpart JJJJ—Standards of Performance for Stationary Spark Ignition Internal Combustion Engines, 40 CFR 60, Subpart IIII—Standards of Performance for Stationary Compression Ignition Internal Combustion Engines and 40 CFR 60, Subpart Dc—Standards of Performance for Small Industrial-Commercial-Institutional Steam Generating Units.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief, 84-250-5920.

15-00027, Johnson Matthey, Inc., 456 Devon Park Drive, Wayne, PA 19087, Tredyffrin Township, **Chester County**. Application received: April 15, 2024. This action is for an initial State Only Operating Permit in Tredyffrin Township, Chester County. The facility manufactures emissions control devices for cars, trucks, and buses in three separate but contiguous buildings (Devon I, II and III). The main emission sources at the facility are five coating processes with control devices for Nitrogen Oxides (NO_x) and Volatile Organic Compounds (VOC) emissions control, powder handling equipment and blending tanks with dust collectors for Particulate Matter (PM) emissions control, six engine test cells and three emergency generator sets with diesel engines. The facility was previously

permitted as a major facility under a Title V Operating Permit (TVOP); however, because emissions have consistently fallen below major source thresholds, the facility has elected to take appropriate operating and emission restrictions to maintain a synthetic minor operating status. NO_x and VOC emissions will respectively be restricted to below 24.9 tons per year, total combined Hazardous Air Pollutants (HAP) emissions will be restricted to 24.9 tons per year, and individual HAP emissions will be restricted to 9.9 tons per year. The facility is subject to: National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines (40 CFR Part 63, Subpart ZZZZ), National Emission Standards for Hazardous Air Pollutants for Source Category: Gasoline Dispensing Facilities (40 CFR Part 63, Subpart CCCCCC), National Emission Standards for Hazardous Air Pollutants for Area Sources: Paints and Allied Products Manufacturing (40 CFR Part 63, Subpart CCCCCC), 25 Pa. Code § 129.52d—Control of VOC emissions from miscellaneous metal parts surface coating processes, miscellaneous plastic parts surface coating processes and pleasure craft surface coatings, 25 Pa. Code § 129.61—Small gasoline storage tank control (Stage I control), and 25 Pa. Code § 129.62—General standards for bulk gasoline terminals, bulk gasoline plants and small gasoline storage tanks. Upon issuance of State Only Operating Permit, the emission limitations will become effective, and the State Only Operating Permit will supersede the previous Title V Operating Permit. The initial State Only Operating Permit contains monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements. Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEROAQPUBCOM@pa.gov.

09-00114, BDJ Foundry LLC, 320 Progress Drive, Telford, PA 18969, Hilltown Township, **Bucks County**. Application received: March 28, 2024. This action is for the renewal of a State Only (Natural Minor) Operating Permit for the brass, bronze, and aluminum castings production sources and equipment at its facility. The facility's main sources consist of four electric induction furnaces, a No. 2 fuel oil-fired crucible furnace, a sand-casting shakeout operation, grinding and cut-off operations, and a wheel blast cleaning operation. The facility operates several dust collectors to control/minimize particulate matter (PM) emissions from each of these sources and operations except the crucible furnace. Based on the average annual operating hours per year and production rates and the use of the dust collectors, the (controlled) potential to emit PM for these sources is approximately 6 tons/yr. Since DEP last renewed the SOOP in October 2019, the only physical changes that have occurred at the facility are the removal of one of the two No. 2 fuel oil-fired crucible furnaces (of Source ID 103) as well as the following insignificant sources of air contaminant emissions: Two of the three natural gas-fired core ovens. Both electric resistance heaters. The SOOP renewal will continue to include monitoring, recordkeeping, reporting, and work practice requirements designed to keep the facility operating within all applicable air quality requirements. Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person previously listed in the

header. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEROAQPUBCOM@pa.gov.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Thomas Joseph, P.E., Facilities Permitting Chief, 412-442-4336.

OP-04-00684, Bet Tech Intl Inc., 100 Bet-Tech Drive, Aliquippa, PA 15001, Center Township, **Beaver County**. Application received: May 25, 2023. Natural Minor State-Only Operating Permit for a slag recovery processing facility located in Center Township, Beaver County. In accordance with 25 Pa. Code §§ 127.424 and 127.425, the Department of Environmental Protection (DEP) has received an application and is providing notice that it intends to issue a renewed, facility-wide, State Only Operating Permit for the facility previously mentioned. Sources of emissions consist of the following equipment and control devices: 300 TPH Screening Plant, one (1) Caterpillar Diesel Engine for Screening Plant, one (1) 120 hp Perkins (Triton) Diesel Engine, Plant Roads and Water Truck. Facility-wide potential emissions are estimated at 9 tons NO_x + NMHC, 11 tons CO, < 1 ton SO_x, 4 tons PM₁₀, and 2 tons PM_{2.5}. At a minimum, the facility is required to conduct daily surveys of the site to ensure compliance with visible, fugitive, and malodor emission requirements and maintain records of those surveys. The air quality permit includes emission limitations, work practice standards, monitoring requirements, recordkeeping, and reporting requirements for the site. Those who wish to provide the Department with additional written information that they believe should be considered prior to the issuance of the Natural Minor State-Only Operating Permit may submit the information to Tom Joseph, Environmental Engineering Manager, Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Operating Permit (04-00684) and concise statements regarding the relevancy of the information or objections to issuance of the Operating Permit. A public hearing may be held, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient. Written comments or requests for a public hearing should be directed to Tom Joseph, Facilities Permit Chief, at the previously listed address. All comments must be received prior to the close of business 30 days after the date of this publication. The application, DEP's Review Memorandum, and the proposed permit are available for public review during normal business hours at DEP's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. A file review can be scheduled through the DEP's website at <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx> and by contacting Thomas Joseph, Environmental Engineering Manager, at 412-442-4336 or tjoseph@pa.gov. Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodations to do so should contact Lauren Camarda at 412-442-4203 or the Pennsylvania Hamilton Relay Service at 1-800-654-5984 (TDD) to discuss how the Department may accommodate your needs.

COAL & NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21).

Mining activity permits issued in response to such applications are also subject to applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (DEP). A copy of the application is available for inspection at the District Mining Office indicated above each application. Requests for 401 Water Quality Certifications are included in individual application only if noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application may be submitted by any person or any officer or head of any Federal, State or Local Government Agency or Authority to DEP at the address of the District Mining Office indicated above each application within 30-days of this publication, or within 30-days after the last publication of the applicant's

newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences). Such comments or objections should contain the name, address and phone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform DEP on the basis of comment or objection and relevant facts upon which it is based.

In addition, requests for an informal conference, or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 (relating to public hearing-informal conferences) or § 86.34 (relating to informal conferences), must also contain a brief summary of the issues to be raised by the requestor at the conference and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Where a National Pollutant Discharge Elimination System (NPDES) number is listed, the mining activity permit application is associated with an application for an NPDES permit. A separate notice will be provided for the draft NPDES permit.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Coal Applications

Effluent Limits—The following range of effluent limits (Table 1) will apply to NPDES permits issued in conjunction with the associated coal mining activity permit. Additional effluent limits will be listed as part of the publication of the draft NPDES permit.

Parameter	30-Day Average	Daily Maximum	Instantaneous Maximum
Iron (total)	1.5 to 3.0 mg/l	3.0 to 6.0 mg/l	3.5 to 7.0 mg/l
Manganese (total)	1.0 to 2.0 mg/l	2.0 to 4.0 mg/l	2.5 to 5.0 mg/l
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Aluminum (Total)	0.75 to 2.0 mg/l	1.5 to 4.0 mg/l	2.0 to 5.0 mg/l

pH must always be greater than 6.0; less than 9.0.
Alkalinity must always be greater than acidity.

California District Mining Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.

Contact: Bonnie Herbert, Clerical Assistant 3.

Mining Permit No. 63743702. NPDES No. PA0214248. Washington County Land Resources, Inc., 46226 National Road, St. Clairsville, OH 43950, Somerset Township, **Washington County**. To revise the permit and related NPDES permit to add a passive wetland system and add new NPDES Outfall 007. Receiving Stream(s): UNT to Pigeon Creek, classified for the following use: WWF. Application received: July 23, 2024. Accepted: September 16, 2024.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

Mining Permit No. 54920202. RIE Anthracite Products, Inc., 11 Deep Creek Road, Hegins, PA 17938, Branch Township, **Schuylkill County**. Transfer of an anthracite coal refuse reprocessing and coal refuse disposal operation from Drenzo Coal Co., LLC affecting 17.8 acres. Receiving stream: UNT to West Branch Schuylkill River. Application received: December 2, 2022. Denied: September 18, 2024.

Mining Permit No. 54940202. RIE Anthracite Products, Inc., 11 Deep Creek Road, Hegins, PA 17938, Branch Township, **Schuylkill County**. Transfer of an anthracite coal refuse reprocessing, coal refuse disposal and preparation plant operation from Drenzo Coal Co., LLC affecting 30.3 acres. Receiving stream: UNT to West Branch Schuylkill River. Application received: December 2, 2022. Denied: September 18, 2024.

Noncoal Applications

Effluent Limits—The following Table 2 effluent limits apply to NPDES permits issued in conjunction with a noncoal mining permit. Additional effluent limits will be listed as part of the publication of the draft NPDES permit.

Table 2

Parameter	30-day Average	Daily Maximum	Instantaneous Maximum
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity must always exceed acidity.			
pH must always be greater than 6.0; less than 9.0.			

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

Mining Permit No. 1579601. Brandywine Quarry, Inc., 151 N. Church Street, Parkesburg, PA 19365, Parkesburg Borough, **Chester County**. Transfer of a quarry operation from Lynn Hanaway affecting 11.9 acres. Receiving stream: Buck Run, classified for the following uses: TSF, MF. Application received: August 30, 2024.

Mining Permit No. GP105 Permit No. 58242509. NPDES Permit No. PA0226483. Jorge Armando Tobon, 334 Alexandar Road, New Milford, PA 18834, Jackson Township, **Susquehanna County**. Commencement, operation and restoration of a quarry operation and NPDES Permit affecting 10.6 acres. Receiving stream: UNT to Salt Lick Creek, classified for the following uses: HQ-CWF, MF. Application received: August 30, 2024.

Mining Permit No. 35160801. Susan J. & John Roba, 1491 Lakeland Drive, Scott Township, PA 18433-7826, Scott Township, **Lackawanna County**. Stage I & II bond release of a quarry operation affecting 2.8 acres on property owned by Susan J. & John Roba. Application received: September 13, 2024.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed National Pollutant Discharge Elimination System (NPDES) permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (DEP) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

Parameter	30-Day Average	Daily Maximum	Instantaneous Maximum
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH must always be greater than 6.0; less than 9.0.			
Alkalinity must always be greater than acidity.			

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The limits for noncoal mining activities as provided in 25 Pa. Code § 77.522 are pH 6 to 9 and other parameters DEP may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

Coal NPDES Draft Permits

California District Mining Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.

Contact: Bonnie Herbert, Clerical Assistant 3.

NPDES No. PA0236578. Mining Permit No. 32220701. Rosebud Mining Company, 301 Market Street, Kittanning, PA 16201, Washington Township, **Indiana County**. Application received: February 27, 2024. Accepted: April 11, 2024.

A new NPDES permit and mining activity permit, affecting 281.5 proposed surface acres. Receiving stream(s): Tributary 46761 to Crooked Creek, Tributary 46762 to Crooked Creek, Tributary 46764 to Crooked Creek and Dark Hollow Run; classified for the following use: CWF. Crooked Creek Watershed TMDL.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The proposed effluent limits for Outfall 005 discharging to Tributary 46764 to Crooked Creek are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date To Permit Expiration Date:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	2.43	4.87	4.87
Suspended Solids	(mg/l)	-	35	70	90
Manganese	(mg/l)	-	2.0	4.0	5.0
Aluminum	(mg/l)	-	0.75	0.75	0.75
Sulfate	(mg/l)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	-	-	Report
pH	(mg/l)	6.0	-	-	9.0
Alkalinity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-
Osmotic Pressure	(mOs/kg)	-	73.51	147.01	147.01

The proposed effluent limits for Outfall 006 discharging to Dark Hollow Run are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date To Permit Expiration Date:

<i>Parameter</i>		<i>Annual Loading</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	-	Report
Iron	(mg/l)	-	-	3.0	6.0	7.0
Suspended Solids	(mg/l)	-	-	35	70	90
Manganese	(mg/l)	-	-	2.0	4.0	5.0
Aluminum	(mg/l)	-	-	0.75	0.75	0.75
Sulfate	(mg/l)	-	-	-	-	Report
Total Dissolved Solids	(mg/l)	5,000 lb/day Annual Average	-	-	-	Report
pH	(mg/l)	-	6.0	-	-	9.0
Alkalinity, Total as CaCO ₃	(mg/l)	-	-	-	-	Report
Acidity, Total as CaCO ₃	(mg/l)	-	-	-	-	Report
Alkalinity, Net	(mg/l)	-	0.0	-	-	Report
Osmotic Pressure	(mOs/kg)	-	-	-	-	Report

The proposed effluent limits for Outfall 007 discharging to Tributary 46761 to Crooked Creek are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date To Permit Expiration Date:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.7	3.4	4.25
Suspended Solids	(mg/l)	-	35	70	90
Manganese	(mg/l)	-	1.14	2.29	2.85
Aluminum	(mg/l)	-	0.75	0.83	0.83
Sulfate	(mg/l)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	-	-	Report
pH	(mg/l)	6.0	-	-	9.0
Alkalinity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-
Osmotic Pressure	(mOs/kg)	-	50.9	56.9	56.9

The proposed effluent limits for Outfall 008 discharging to Tributary 46762 to Crooked Creek are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to Permit Expiration Date:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	-
Iron	(mg/l)	-	3.0	6.0	7.0
Suspended Solids	(mg/l)	-	35	70	90
Manganese	(mg/l)	-	1.0	1.5	2.5
Aluminum	(mg/l)	-	0.75	0.75	0.75
Sulfate	(mg/l)	-	-	-	-
Total Dissolved Solids	(mg/l)	-	-	-	-
pH	(mg/l)	6.0	-	-	9.0
Alkalinity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-
Osmotic Pressure	(mOs/kg)	-	50	50	50

The EPA Waiver is not in effect.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.

Contact: RA-EPCAMBRIADMO@pa.gov.

NPDES No. PA0269174. Mining Permit No. 56120116. LCT Energy, LP, 938 Mount Airy Drive, Suite 200, Johnstown, PA 15904, Stonycreek Township and Indian Lake Borough, **Somerset County**. Renewal of an NPDES permit for a bituminous surface mine affecting 82.5 acres. Receiving stream: unnamed tributary to Boone Run, classified for the following use: CWF. This receiving stream is included in the Kiski-Conemaugh TMDL. Application received: February 27, 2024.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The following treated wastewater outfalls are subject to a compliance schedule and discharge to unnamed tributary to Boone Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
001	N
002	N

The proposed interim effluent limits for the previously listed outfalls are as follows:

<i>Outfalls: 001 and 002 Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/L)	XXX	1.5	3.0	3.7
Manganese (mg/L)	XXX	1.0	2.0	2.5
Aluminum (mg/L)	XXX	0.75	0.75	0.75
Total Suspended Solids (mg/L)	XXX	35.0	70.0	90.0
pH (S.U.)	6.0	XXX	XXX	9.0
Net Alkalinity, Total (as CaCO ₃)	0.0	XXX	XXX	XXX
Selenium (µg/L)			Report	
Osmotic Pressure (mOsm/kg)			Report	
Alkalinity, Total (as CaCO ₃)			Report	
Acidity, Total (as CaCO ₃)			Report	
Flow (gpm)			Report	
Temperature (°C)			Report	
Specific Conductance (µmhos/cm)			Report	
Sulfate, Total (mg/L)			Report	

The proposed final effluent limits for the previously listed outfalls are as follows:

<i>Outfalls: 001 and 002 Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/L)	XXX	1.5	3.0	3.7
Manganese (mg/L)	XXX	1.0	2.0	2.5
Aluminum (mg/L)	XXX	0.75	0.75	0.75
Total Suspended Solids (mg/L)	XXX	35.0	70.0	90.0
pH (S.U.)	6.0	XXX	XXX	9.0
Net Alkalinity, Total (as CaCO ₃)	0.0	XXX	XXX	XXX
Selenium (µg/L)	XXX	5.7	9.2	14.7
Osmotic Pressure (mOsm/kg)			Report	
Alkalinity, Total (as CaCO ₃)			Report	

<i>Outfalls: 001 and 002</i> <i>Parameter</i>	<i>Minimum</i>	<i>30-Day</i> <i>Average</i>	<i>Daily</i> <i>Maximum</i>	<i>Instant.</i> <i>Maximum</i>
Acidity, Total (as CaCO ₃)			Report	
Flow (gpm)			Report	
Temperature (°C)			Report	
Specific Conductance (µmhos/cm)			Report	
Sulfate, Total (mg/L)			Report	

The compliance schedule milestones are as follows:

1	Submit a plan to the Department describing the potential treatment options that could be implemented to assure compliance with the final effluent limits for selenium. The Department will review the proposed options and provide feedback.	12 months after issuance date of renewal
2	Submit a chosen method of achieving compliance with the final effluent limits for selenium. Submit complete applications for all permits necessary for the implementation of the plan to the Department for approval.	90 days after Department feedback
3	Commence the implementation of the approved compliance plan. Inform the Department on the date that the implementation of the compliance plan begins.	90 days after Department approval
4	Submit a report to the Department with an evaluation of the effectiveness of compliance plan and describe the progress towards achieving compliance with the final effluent limits for selenium.	90 days after completion of Milestone 3
5	Achieve compliance with the final effluent limits for selenium. Within 14 days, inform the Department of whether or not compliance with the final effluent limits for selenium has been achieved.	90 days after completion of Milestone 4

The following stormwater outfalls discharge to unnamed tributary to Boone Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
003	N
004	N
005	N
006	N
007	N

The proposed effluent limits for the previously listed outfalls during all discharges are as follows:

<i>Outfalls: 003—007</i> <i>Parameter</i>	<i>Minimum</i>	<i>30-Day</i> <i>Average</i>	<i>Daily</i> <i>Maximum</i>	<i>Instant.</i> <i>Maximum</i>
Iron (mg/l)	XXX	1.5	3.0	3.7
Manganese (mg/l)	XXX	1.0	2.0	2.5
Aluminum (mg/l)	XXX	0.75	0.75	0.75
Total Suspended Solids (mg/l)	XXX	35.0	70.0	90.0
pH (S.U.)	6.0	XXX	XXX	9.0
Net Alkalinity, Total (as CaCO ₃)	0.0	XXX	XXX	XXX
Flow (gpm)			Report	
Alkalinity, Total (as CaCO ₃)			Report	
Acidity, Total (as CaCO ₃)			Report	
Temperature (°C)			Report	
Specific Conductance (µmhos/cm)			Report	
Sulfate, Total (mg/L)			Report	

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

Contact: Cassie Stanton, Clerical Assistant 2.

NPDES No. PA0219932. Mining Permit No. 14940101. Junior Coal Contracting, Inc., 2330 Six Mile Road, Philipsburg, PA 16866, Rush Township, **Centre County**. Application received: June 5, 2024.

Modification of an NPDES permit for discharge of water resulting from coal surface mining affecting 522.0 acres. Receiving stream(s): unnamed tributary to Moshannon Creek, classified for the following use(s): CWF. This receiving stream is included in the Moshannon Creek Watershed TMDL.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The following outfalls discharge to an unnamed tributary to Moshannon Creek:

<i>Outfall No.</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
001	Existing	Treatment Facility 1	Intermittent (Pumped)
003	Existing	Sediment Pond 2	Intermittent (Pumped)

<i>Outfall No.</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
004	Existing	Sediment Pond 3	Intermittent (Pumped)
005	Existing	Sediment Pond 4	Intermittent (Pumped)
006	Existing	Sediment Pond 5	Intermittent (Pumped)
007	Existing	Treatment Facility 2	Intermittent (Pumped)
008	Existing	Treatment Facility 3	Precipitation Induced
009	New	Treatment Facility 4	Precipitation Induced

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Outfalls: 001 and 007—009 (All Treatment Facilities)</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
<i>Parameter</i>			
Iron (mg/L)	3.0	6.0	7.0
Manganese (mg/L)	1.6	3.2	4.0
Aluminum (mg/L)	0.75	0.75	0.75
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Sulfate (mg/L)		Report	
Flow (gpm)		Report	
Temperature (°C)		Report	
Specific Conductivity (µmhos/cm)		Report	
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Outfalls: 003—006 (All Sediment Control Outfalls)</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
<i>Parameter</i>			
Iron (mg/L)	3.0	6.0	7.0
Manganese (mg/L)	1.6	3.2	4.0
Aluminum (mg/L)	0.75	0.75	0.75
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Sulfate (mg/L)		Report	
Flow (gpm)		Report	
Temperature (°C)		Report	
Specific Conductivity (µmhos/cm)		Report	
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

This site also contains or is hydrologically connected to substandard discharges for which there is no responsible party. Pursuant to 25 Pa. Code Chapter 87, Subchapter F, effluent limits for those discharges will be based upon the existing baseline pollution load, or the standards found at 25 Pa. Code § 87.102(a) Group A, whichever is least stringent.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection (DEP). Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341), requires the State to certify that the involved projects will not violate the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), as well as relevant State requirements. Individuals objecting to approval of a request for certification under Section 401 or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit, or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30-days of the date of this notice, as well as any questions to the office noted above the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to

which the comments or objections are addressed, and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The DEP may schedule a fact-finding hearing or an informal conference in response to comments if deemed necessary. Maps, drawings and other data pertinent to the certification request are available for inspection between the hours of 8:00 a.m. and 4:00 p.m. on each working day at the office noted above the application.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

WATER OBSTRUCTIONS AND ENCROACHMENTS

Applications Received Under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification Under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Northcentral Region: Waterways & Wetlands Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Stephen Kardohely, Project Manager, 814-342-8216, RA-EPWW-NCRO@pa.gov.

E1204224-001. Mid-Cameron Authority, MCA-EPA, 421 North Broad Street, Emporium, PA 15834, Emporium

Borough, **Cameron County**. U.S. Army Corps of Engineers Baltimore District. Application received: September 4, 2024.

Mid-Cameron Authority has applied for a Chapter 105 Small Projects permit for the replacement of a section of sewer interceptor which runs through the levee along the Driftwood Branch Sinnemahoning Creek. The piping is to be 12-inch PVC pipe with an average of 5 ft of cover. A new manhole will be installed to tie into the existing sewer line. This replacement will ensure that the wastewater of Emporium and Shippen Township will make it to the wastewater treatment plant with no I&I or breakages. The proposed project is located within the floodway of Driftwood Branch Sinnemahoning Creek which is listed in 25 Pa. Code Chapter 93 designation use of Trout Stocked Fishery (TSF). Latitude: 41°, 30', 27.22", Longitude: -78°, 13', 39.69".

Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Michele Lauer, Clerical Assistant 2, 570-830-3077.

E6402224-002. Honesdale Solar 1, LLC, 55 Technology Drive, Suite 102, Lowell, MA 01851, Damascus Township, Lebanon Township, **Wayne County**. U.S. Army Corps of Engineers Philadelphia District. Application received: September 10, 2024.

To construct and maintain a 20-foot wide gravel access drive crossing two PEM wetlands (EV) for site access associated with the 10 Funaro Court 5MW Solar Farm project. A total of 0.038 acre of permanent wetland impacts is proposed. The project is located on the left of the Cocheton Turnpike (PA-371 E) approximately 1.1 miles southeast from its intersection with the Hancock Highway (PA-191) (Galilee, PA Quadrangle Latitude: 41°, 42', 47", Longitude: -75°, 12', 26") in Damascus and Lebanon Townships, Wayne County.

DAM SAFETY

Central Office: Waterways & Wetlands Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-772-5321.

Contact: Brian Medellin, Civil Engineer Hydraulic, 717-772-5947.

D64-047. Eileen Schelling, 12 Ridge Cliff Street, Kingsville, MD 21087, South Canaan Township, **Wayne County**. Application to modify, operate, and maintain Mill Pond Dam across an unnamed tributary of Middle Creek, HQ-CWF, MF, impacting neither wetlands nor stream for the purpose of building a stoplog structure, reinforcing the existing masonry dam with concrete on the upstream face and the top. Latitude: 41.485°, Longitude: -75.397778°. Application received: August 16, 2024.

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department of Environmental Protection (DEP) has taken the following actions on previously received applications for new, amended, and renewed National Pollutant Discharge Elimination System (NPDES) and Water Quality Management (WQM) permits, applications for permit waivers, and Notice of Intent (NOIs) for coverage under General Permits, as listed in the following tables. This notice of final action is published in accordance with 25 Pa. Code Chapters 91, 92a, and 102 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). The official file for each listed action can be reviewed at the DEP or delegated County Conservation District (CCD) office identified in the table for the action. DEP/CCD office contact information is listed as follows for Section I and is contained within the table for Section II. Additional information for permits issued under 25 Pa. Code Chapters 91 and 92a and Individual permits under 25 Pa. Code Chapter 102, including links to Individual Chapter 92a NPDES and WQM Permits, may be reviewed by generating the "Final Actions Report" on DEP's website at www.dep.pa.gov/CWPublicNotice.

DEP office contact information to review official files relating to the final actions in Section I is as follows:

DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484-250-5910. Email: RA-EPNPDES_SERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SERO@pa.gov for Chapter 102 permits.

DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570-826-5472. Email: RA-EPNPDES_NERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NERO@pa.gov for Chapter 102 permits.

DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717-705-4732. Email: RA-EPNPDES_SCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SCRO@pa.gov for Chapter 102 permits.

DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570-327-3693. Email: RA-EPNPDES_NCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NCRO@pa.gov for Chapter 102 permits.

DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412-442-4286. Email: RA-EPNPDES_SWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SWRO@pa.gov for Chapter 102 permits.

DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814-332-6078. Email: RA-EPNPDES_NWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NWRO@pa.gov for Chapter 102 permits.

DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-787-5017. Email: RA-EPNPDES_Permits@pa.gov.

DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law).

The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law. For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board. Individuals who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. Important legal rights are at stake, however, so individuals should contact a lawyer at once.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

For actions taken on applications for pipelines that are regulated by the Federal Energy Regulatory Commission (FERC).

Any person aggrieved by this action may challenge it in an appropriate legal forum. The State and Federal courts are currently split on whether the proper forum to challenge a Department permit, authorization or approval for a facility or activity subject to the Federal Natural Gas Act, 15 U.S.C.A. §§ 717 et seq., is the United States Court of Appeals for the Third Circuit or the Pennsylvania Environmental Hearing Board. See *Delaware Riverkeeper Network v. Sec'y, Dep't. of Env'tl. Prot.*, 833 F.3d 360 (3d Cir. 2016); *Delaware Riverkeeper Network v. Sec'y, Dep't. of Env'tl. Prot.*, 903 F.3d 65 (3d Cir. 2018), cert. denied, 139 S. Ct. 1648, 203 L. Ed. 899 (2019) and *Cole v. Dep't. of Env'tl. Prot.*, 1577 C.D. 2019 WL 2420667 (Pa. Cmwlth Ct. June 15, 2021) (Pet. for Allowance of Appeal pending); *West Rockhill Twp. v. Dep't. of Env'tl. Prot.*, No. 1595 C.D. 2019 WL 2426014 (Pa. Cmwlth. June 15, 2021) (Pet. for Allowance of Appeal pending).

I. Final Action(s) on NPDES and WQM Permit Application(s) and NOIs for Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides, CAFOs and Individual Construction Stormwater.

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0265934	CAFO Individual NPDES Permit	Issued	Morrow David S 237 Briar Lane Loysville, PA 17047-9154	Southwest Madison Township Perry County	SCRO
PAD020087	Chapter 102 Individual NPDES Permit	Issued	Buckeye Terminal 993 Brodhead Road Coraopolis, PA 15108-2331	Moon Township Allegheny County	SWRO
PAD060042	Chapter 102 Individual NPDES Permit	Issued	Mid Atlantic Interstate Trans LLC 800 Cabin Hill Drive Greensburg, PA 15601-1650	Albany Township Berks County	SCRO
PAD060102	Chapter 102 Individual NPDES Permit	Issued	Cubes of Allentown LLC 37 Wheatland Drive Myerstown, PA 17067-3171	Richmond Township Berks County	SCRO
PAD110021	Chapter 102 Individual NPDES Permit	Issued	Jackson Township Cambria County 513 Pike Road Johnstown, PA 15909-4209	Jackson Township Cambria County	SWRO
PAD150151	Chapter 102 Individual NPDES Permit	Issued	BK Campbell Inc. 402 Bayard Road Ste 200 Kennett Square, PA 19348-1862	Lower Oxford Township Chester County	SERO
PAD150334	Chapter 102 Individual NPDES Permit	Issued	R&K Family Partnership LLC 568A E Baltimore Pike Avondale, PA 19311	London Grove Township Chester County	SERO
PAD150343	Chapter 102 Individual NPDES Permit	Issued	Chester Valley Golf Course 430 Swedesford Road Frazer, PA 19355-1572	East Whiteland Township Chester County	SERO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAD390295	Chapter 102 Individual NPDES Permit	Issued	Nestle Purina Petcare 2050 Pope Road Allentown, PA 18104-9308	South Whitehall Township Lehigh County	NERO
PAD390305	Chapter 102 Individual NPDES Permit	Issued	Dr. Horton Inc. 2060 Detwiler Road Harleysville, PA 19438-2934	Upper Macungie Township Lehigh County	NERO
PAD480108	Chapter 102 Individual NPDES Permit	Issued	Victaulic Co. 4901 Kesslersville Road Easton, PA 18040-6714	Forks Township Northampton County	NERO
PAD510241	Chapter 102 Individual NPDES Permit	Issued	Department of the Navy Public Works Department of PA 4921 S Broad Street Philadelphia, PA 19112-1303	Philadelphia City Philadelphia County	SERO
PAD600017	Chapter 102 Individual NPDES Permit	Issued	UGI Utilities Inc. 1 UGI Drive Denver, PA 17517-9039	Union Township Union County	NCRO
PAD630074	Chapter 102 Individual NPDES Permit	Issued	Novick Christian 3892 Henderson Road Hickory, PA 15340-1426	Independence Township Washington County	SWRO
PAS216105	Industrial Stormwater Individual NPDES Permit	Issued	Heidelberg Materials US Cement LLC 7660 Imperial Way Allentown, PA 18195-1016	Aliquippa City Beaver County	SWRO
0924814	Joint DEP/PFBC Pesticides Permit	Issued	Rufe Jonathan 1900 N 5th Street Perkasie, PA 18944-2215	East Rockhill Township Bucks County	SERO
1524817	Joint DEP/PFBC Pesticides Permit	Issued	D'Ancona Mary 3210 Manor Road Coatesville, PA 19320-1218	West Brandywine Township Chester County	SERO
1913801	Joint DEP/PFBC Pesticides Permit	Issued	Murin Francis 45 Willow Lane Bloomsburg, PA 17815-3374	Scott Township Columbia County	NCRO
6524804	Joint DEP/PFBC Pesticides Permit	Issued	Bianca Rose HOA 5505 Fontana Court Export, PA 15632-9283	Murrysville Borough Westmoreland County	SWRO
2110201	Manure Storage and Wastewater Impoundments Individual WQM Permit	Issued	Mount Rock Dairy LLC 473 Mount Rock Road Newville, PA 17241-9578	West Pennsboro Township Cumberland County	SCRO
PA0031933	Minor Industrial Waste Facility with ELG Individual NPDES Permit	Issued	Brunot Island Power LLC P.O. Box 99907 Pittsburgh, PA 15233	Pittsburgh City Allegheny County	SWRO
PA0060071	Minor Industrial Waste Facility with ELG Individual NPDES Permit	Issued	Sanofi Pasteur Inc. Discovery Drive Swiftwater, PA 18370-0187	Pocono Township Monroe County	NERO
PA0002593	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	Alleima Precision Tube LLC 220 Franklin Avenue Scottsdale, PA 15683-1206	Scottdale Borough Westmoreland County	SWRO
PA0290106	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	St. Mary's Piper Rd LLC 1308 Main Street Brockway, PA 15824-1636	Saint Marys City Elk County	NWRO

NOTICES

6311

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0032913	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Scenic View MHP LLC 340 Murray Drive Jackson, NJ 08527-1179	Pymatuning Township Mercer County	NWRO
PA0033472	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Camp Starlight Inc. P.O. Box 33389 Palm Beach Gardens, FL 33420	Preston Township Wayne County	NERO
PA0034070	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Glencrest MHP LLC 139 Country Club Road Northampton, PA 18067-3028	Washington Township Lehigh County	NERO
PA0070092	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	John M and Van Daniel Yetter Evergreen Village Cooperative Inc. Camp Hill, PA 17001	Upper Mount Bethel Township Northampton County	NERO
PA0070114	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Diversified Management Solutions LLC P.O. Box 133 Selinsgrove, PA 17870-0133	Union Township Schuylkill County	NERO
PA0086151	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Nebula Realty Trust 123 Gilpin Drive West Chester, PA 19382-7412	North Middleton Township Cumberland County	SCRO
PA0092037	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Iron City Rentals LLC 184 Barrington Rdg Delmont, PA 15626-1271	Unity Township Westmoreland County	SWRO
PA0092487	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Barsotti Nino 546 Three Mile Hill Road Mount Pleasant, PA 15666-8874	Bullskin Township Fayette County	SWRO
PA0216852	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Jones Estates TRC LLC 2310 S Miami Boulevard # 238 Durham, NC 27703-5798	East Huntingdon Township Westmoreland County	SWRO
PA0216089	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Westmoreland County Municipal Authority P.O. Box 730 Greensburg, PA 15601-0730	South Huntingdon Township Westmoreland County	SWRO
0482201	Minor and Non-NPDES Industrial Waste Treatment Facility Individual WQM Permit	Issued	Tenaris Koppel 6403 6th Avenue Koppel, PA 16136-1151	Koppel Borough Beaver County	SWRO
2196401	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Nebula Realty Trust 123 Gilpin Drive West Chester, PA 19382-7412	North Middleton Township Cumberland County	SCRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
3901402	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Lehigh County Authority 112 W Union Street Allentown, PA 18102-4912	Weisenberg Township Lehigh County	NERO
4311401	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Scenic View MHP LLC 340 Murray Drive Jackson, NJ 08527-1179	Pymatuning Township Mercer County	NWRO
6524400	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Donegal Township Westmoreland County 137 Hoffers Lane Jones Mills, PA 15646-1117	Donegal Township Westmoreland County	SWRO
6581406	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Iron City Rentals LLC 184 Barrington Rdg Delmont, PA 15626-1271	Unity Township Westmoreland County	SWRO
NOEXSC173	No Exposure Certification	Issued	ASC Engineered Solutions LLC 330 E 9th Street Waynesboro, PA 17268-2064	Waynesboro Borough Franklin County	SCRO
NOEXSC195	No Exposure Certification	Issued	GXO Logistics Supply Chain Inc. 4043 Piedmont Parkway High Point, NC 27265-9402	East Hempfield Township Lancaster County	SCRO
NOEXSC334	No Exposure Certification	Issued	Roechling Medical Lancaster 44 Denver Road Denver, PA 17517-9334	East Cocalico Township Lancaster County	SCRO
NOEXSC430	No Exposure Certification	Issued	Laborie Medical Tech 180 International Drive Portsmouth, NH 03801-6837	Upper Allen Township Cumberland County	SCRO
NOEXSC431	No Exposure Certification	Issued	Voith US Inc. 25 Winship Road York, PA 17406-8419	Manchester Township York County	SCRO
PAG030322	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Atlantic Aviation Corp 8375 Enterprise Avenue Philadelphia, PA 19153	Philadelphia City Philadelphia County	SERO
PAG032220	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Great Metal Recycling 324 Riverview Drive Walnutport, PA 18088-9693	Lehigh Township Northampton County	NERO
PAG032359	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Norfolk Southern Railway Co. 650 W Peachtree Street NW Box 13 Atlanta, GA 30308-1925	Bethlehem City Lehigh County	NERO
PAG034883	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Risser Grain P.O. Box 26 Rheems, PA 17570-0026	Lewis Township Northumberland County	NCRO
PAG038309	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Advanced Drainage System Inc. P.O. Box 10 22793 Route 66 Shippenville, PA 16254-0010	Shippenville Borough Clarion County	NWRO
PAG038395	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Myers Trucking Inc. 3058 Route 219 Kane, PA 16735	Hamlin Township McKean County	NWRO

NOTICES

6313

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG038454	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	UFP Parker LLC 2801 E Beltline Avenue NE Grand Rapids, MI 49525-9680	Parker City Armstrong County	NWRO
PAG038528	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	UPS Inc. 55 Glenlake Parkway Atlanta, GA 30328-3474	White Township Indiana County	NWRO
PAG038563	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	UPS Inc. 55 Glenlake Parkway Atlanta, GA 30328-3474	Millcreek Township Erie County	NWRO
PAG041370	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Sander Peter 14615 Stewart Road Corry, PA 16407-9640	Concord Township Erie County	NWRO
PAG041384	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Weiss Max 911 Diamond Park Meadville, PA 16335-2629	West Mead Township Crawford County	NWRO
PAG041393	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Homa Casey 99 Fredonia Hadley Road Fredonia, PA 16124	Fairview Township Mercer County	NWRO
PAG041404	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Sable Douglas 294 Hillcrest Circle Pittsburgh, PA 15237	Plain Grove Township Lawrence County	NWRO
PAG041419	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Dillman Dan 120 Ashley Lane Slippery Rock, PA 16057-4102	Prospect Borough Butler County	NWRO
PAG046481	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Augustine Ryan P 4614 Bakerstown Culmerville Road Gibsonia, PA 15044-7709	West Deer Township Allegheny County	SWRO
PAG046486	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Glowaski Stanley 1121 Old West Road Bentleyville, PA 15314-1575	Bentleyville Borough Washington County	SWRO
PAG048544	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Daniel and Ruth Boisvert 741 Dump Road Sugar Grove, PA 16350-3815	Sugar Grove Township Warren County	NWRO
PAG108341	PAG-10 NPDES General Permit for Hydrostatic Test Water	Issued	SE Const Grp LLC 3015 Pickering Run Road Marion Center, PA 15759-3802	Clintonville Borough Venango County	NWRO
PAG123720	PAG-12 NPDES General Permit for CAFOs	Issued	Zimmerman Clifford Z 2993 Mill Road Elizabethtown, PA 17022-8732	Conewago Township Dauphin County	SCRO
PAG123755	PAG-12 NPDES General Permit for CAFOs	Issued	Green Park HGE Inc. P.O. Box 7 East Petersburg, PA 17520-0007	East Donegal Township Lancaster County	SCRO
PAG123817	PAG-12 NPDES General Permit for CAFOs	Issued	Franklin View Farms 1700 Prospect Road Washington Boro, PA 17582-9674	Manor Township Lancaster County	SCRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG123913	PAG-12 NPDES General Permit for CAFOs	Issued	Martin Brian 684 Church Road Womelsdorf, PA 19567-9481	Marion Township Berks County	SCRO
PAG136136	PAG-13 NPDES General Permit for MS4s	Waived	South Versailles Township Allegheny County P.O. Box 66 Coulters, PA 15028-0066	South Versailles Township Allegheny County	SWRO
2398401	Pump Stations Individual WQM Permit	Issued	Middletown Township Sewer Authority Delaware County P.O. Box 9 27 N Pennell Road Lima, PA 19037-0009	Middletown Township Delaware County	SERO
5683411	Sewage Treatment Facilities Individual WQM Permit	Issued	UMH Properties Inc. 150 Clay Street Suite 450 Morgantown, WV 26501-5942	Somerset Township Somerset County	SWRO
1524408	Sewer Extensions Individual WQM Permit	Issued	Oxford Borough Area Sewer Authority Chester County 2196 Baltimore Pike Oxford, PA 19363-4021	Oxford Borough Chester County	SERO
PA0285251	Single Residence STP Individual NPDES Permit	Issued	M Cap LLC 328 Riverview Drive New Kensington, PA 15068-5935	Lower Burrell City Westmoreland County	SWRO
PA0285293	Single Residence STP Individual NPDES Permit	Issued	Godley Sara 226 Rankin Road Washington, PA 15301-3182	South Strabane Township Washington County	SWRO
PA0295833	Single Residence STP Individual NPDES Permit	Issued	Kline Tiffany 2983 W Washington Street Bradford, PA 16701-2427	Bradford Township McKean County	NWRO
PA0295892	Single Residence STP Individual NPDES Permit	Issued	Risjan Vanessa 2660 Old Wattsburg Road Waterford, PA 16441-9637	Waterford Township Erie County	NWRO
2524405	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Risjan Vanessa 2660 Old Wattsburg Road Waterford, PA 16441-9637	Waterford Township Erie County	NWRO
4120401	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Jack G Wentz and Madigan J Miller 46 Meadowood Road Linden, PA 17744-8094	Woodward Township Lycoming County	NCRO
4224403	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Kline Tiffany 2983 W Washington Street Bradford, PA 16701-2427	Bradford Township McKean County	NWRO
6298412	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Daniel and Ruth Boisvert 741 Dump Road Sugar Grove, PA 16350-3815	Sugar Grove Township Warren County	NWRO
6324400	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Godley Sara 226 Rankin Road Washington, PA 15301-3182	South Strabane Township Washington County	SWRO
PA0096628	Small Flow Treatment Facility Individual NPDES Permit	Issued	Hamill Manufacturing Co. Inc. 500 Pleasant Valley Road Trafford, PA 15085-2701	Penn Township Westmoreland County	SWRO

II. Final Action(s) on PAG-01 and PAG-02 General NPDES Permit NOIs.

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC400273	PAG-02 General Permit	Issued	Yalick CCJ, LLC Jay Naparło P.O. Box 70 Dallas, PA 18612	Hanover Township Wilkes-Barre City Luzerne County	Luzerne Conservation District 325 Smiths Pond Road Shavertown, PA 18708 570-674-7991 RA-EPWW-NERO@ pa.gov
PAC350183	PAG-02 General Permit	Issued	Dickson City Borough 901 Enterprise Street Dickson City, PA 18519	Dickson City Borough Lackawanna County	Lackawanna County Conservation District 1027 S. Abington Road South Abington Township, PA 18411 570-382-3086 RA-EPWW-NERO@ pa.gov
PAC350177	PAG-02 General Permit	Issued	Dickson City Borough 901 Enterprise Street Dickson City, PA 18519	Dickson City Borough Lackawanna County	Lackawanna County Conservation District 1027 S. Abington Road South Abington Township, PA 18411 570-382-3086 RA-EPWW-NERO@ pa.gov
PAC230123	PAG-02 General Permit	Issued	PennDOT 7000 Geerdes Blvd King of Prussia, PA 19406	Ridley Park Borough Delaware County	Delaware County Conservation District Rose Tree Park Hunt Club 1521 N. Providence Road Media, PA 19063 610-892-9484 RA-EPNPDES_SERO@ pa.gov
PAC010271	PAG-02 General Permit	Issued	The Brethren Home Community 2990 Carlisle Pike New Oxford, PA 17350	Oxford Township Adams County	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325 717-334-0636
PAC010219A-2	PAG-02 General Permit	Issued	Akshay D. Vidyarthi 7686 Paradise Heights Road Abbottstown, PA 17301	Tyrone Township Adams County	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325 717-334-0636
PAC670687	PAG-02 General Permit	Issued	School District of the City of York 31 North Pershing Ave York, PA 17401	City of York York County	York County Conservation District 2401 Pleasant Valley Rd. Suite 101 Room 139 York, PA 17402 717-840-7430

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC670284	PAG-02 General Permit	Issued	SSN York, LLC 5159 West Woodmill Drive Suite 15 Wilmington, DE 19808	York Township York County	York County Conservation District 2401 Pleasant Valley Rd. Suite 101 Room 139 York, PA 17402 717-840-7430
PAC670621	PAG-02 General Permit	Issued	KEII Canal Road West, LLC c/o Kinsley Properties 6259 Reynolds Mill Road Seven Valleys, PA 17360	East Manchester Township York County	York County Conservation District 2401 Pleasant Valley Rd. Suite 101 Room 139 York, PA 17402 717-840-7430
PAC670367	PAG-02 General Permit	Issued	Westfalia Technologies 3655 Sandhurst Drive York, PA 17406	Manchester Township York County	York County Conservation District 2401 Pleasant Valley Rd. Suite 101 Room 139 York, PA 17402 717-840-7430
PAC140181	PAG-02 General Permit	Issued	KCCCOLE, LLC Taylor Hill Road Centre Hall, PA 16828	Potter Township Centre County	Centre County Conservation District 414 Holmes Ave Ste 4 Bellefonte, PA 16823 814-355-6817
PAC170090	PAG-02 General Permit	Issued	Sandy Township Industrial Drive DuBois, PA 15801	Sandy Township Clearfield County	Clearfield County Conservation District 6395 Clearfield- Woodland Hwy Suite 2 Clearfield, PA 16830 814-765-2629
PAC190088	PAG-02 General Permit	Issued	Berks Homes John Fisher 2607 E. College Ave. State College, PA 16801	Briar Creek Borough Columbia County	Columbia County Conservation District 702 Sawmill Rd Ste 204 Bloomsburg, PA 17815 570-784-1310
PAC600123	PAG-02 General Permit	Issued	Joseph Z. Hoover 2098 Beaver Run Road Lewisburg, PA 17837	Buffalo Township Union County	Union County Conservation District 155 N 15th St Lewisburg, PA 17837 570-524-3860
PAC360965	PAG-02 General Permit	Issued	Lancaster Bible College 901 Eden Road Lancaster, PA 17601	Manheim Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 1760 717-299-5361
PAC360936	PAG-02 General Permit	Issued	Calumet Enterprises 2207 Old Philadelphia Pike Lancaster, PA 17602	East Lampeter Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17602 717-299-5361

NOTICES

6317

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC250215	PAG-02 General Permit	Issued	Erie Veterans Affairs Medical Center 135 West 38th Street Erie, PA 16504	City of Erie Erie County	Erie County Conservation District 1927 Wager Road Erie, PA 16509 814-825-6403
PAC510197	PAG-02 General Permit	Issued	2019 N 29th St, LLC P.O. Box 15196 Philadelphia, PA 19130-0196	City of Philadelphia Philadelphia County	DEP, SERO 2 E. Main Street Norristown, PA 19401 484-250-5821 RA-EPNPDES_SERO@ pa.gov
PAC510342	PAG-02 General Permit	Issued	Opportunities Services Corporation 1415 N. Broad Street Suite 116 Philadelphia, PA 19122	City of Philadelphia Philadelphia County	DEP, SERO 2 E. Main Street Norristown, PA 19401 484-250-5821 RA-EPNPDES_SERO@ pa.gov
PAC350019	PAG-02 General Permit	Issued	Robert Fiegelman Morgan Highway Auto Parts 400 Morgan Highway Scranton, PA 18508	City of Scranton Lackawanna County	Lackawanna County Conservation District 1027 S. Abington Road South Abington Township, PA 18411 570-382-3086 RA-EPWW-NERO@ pa.gov
PAC350114 A-1	PAG-02 General Permit	Issued	Keyser Land Development, LLC 21 Franklin Street Jermyn, PA 18433-1652	City of Scranton Lackawanna County	Lackawanna County Conservation District 1027 S. Abington Road South Abington Township, PA 18411 570-382-3086 RA-EPWW-NERO@ pa.gov
PAC090702	PAG-02 General Permit	Issued	Universal Building Construction Company 1712 Scott Drive Newton, PA 18940-2900	Bensalem Township Bucks County	Bucks County Conservation District 1456 Ferry Road Doylestown, PA 18901-5550 215-345-7577 RA-EPNPDES_SERO@ pa.gov
PAC090692	PAG-02 General Permit	Issued	Matthew Kristen Tormenti 498 Stoneybrook Road Newtown, PA 18940	Upper Makefield Township Bucks County	Bucks County Conservation District 1456 Ferry Road Doylestown, PA 18901-5550 215-345-7577 RA-EPNPDES_SERO@ pa.gov
PAC090715	PAG-02 General Permit	Issued	SHR Real Estate LLC 149 Newbold Road Fairless Hills, PA 19030-4309	Falls Township Bucks County	Bucks County Conservation District 1456 Ferry Road Doylestown, PA 18901-5550 215-345-7577 RA-EPNPDES_SERO@ pa.gov
PAC240036	PAG-02 General Permit	Issued	South Michael Enterprises LLC 1057 South Michael Road St Marys, PA 15857	City of Saint Marys Elk County	Elk County Conservation District 850 Washington Street St Mary's, PA 15857 814-776-5373

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC460855	PAG-02 General Permit	Issued	Big Road LLC P.O. Box 140 Skippack, PA 19474-0140	Upper Frederick Township Montgomery County	Montgomery County Conservation District 143 Level Road Collegeville, PA 19426-3313 610-489-4506 x 10 RA-EPNPDES_SERO@ pa.gov
PAC460894	PAG-02 General Permit	Issued	Paone Brothers Horsham LLC 1120 Bethlehem Pike P.O. Box 280 Lower Gwynedd, PA 19002-1423	Horsham Township Montgomery County	Montgomery County Conservation District 143 Level Road Collegeville, PA 19426-3313 610-489-4506 x 10 RA-EPNPDES_SERO@ pa.gov
PAC350111	PAG-02 General Permit	Issued	PennDOT District 4-0 55 Keystone Industrial Park Dunmore, PA 18512	City of Scranton Lackawanna County	Lackawanna County Conservation District 1027 S. Abington Road South Abington Township, PA 18411 570-382-3086 RA-EPWW-NERO@ pa.gov
PAC460880	PAG-02 General Permit	Issued	James Losty 231 W Matsonford Road Radnor, PA 19087	Upper Merion Township Montgomery County	Montgomery County Conservation District 143 Level Road Collegeville, PA 19426-3313 610-489-4506 x 10 RA-EPNPDES_SERO@ pa.gov
PAC220404	PAG-02 General Permit	Issued	Hershey Entertainment & Resorts Company 108 Chocolate World Way Hershey, PA 17033	Derry Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717-921-8100
PAC220110	PAG-02 General Permit	Issued	Vistablock 150 Farmington Ln Lancaster, PA 17601	Lower Swatara Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717-921-8100
PAC220441	PAG-02 General Permit	Issued	Swim Hershey 84 S. Hills Dr. Hershey, PA 17033	Derry Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717-921-8100
PAC220393	PAG-02 General Permit	Issued	PA-American Water Co. 852 Wesley Drive Mechanicsburg, PA 17055	Swatara Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717-921-8100
PAC400314	PAG-02 General Permit	Issued	Dallas Development Partners, LLC Jonathan Gottlieb 201 S. Maple Street Suite 100 Ambler, PA 19002-5539	Dallas Township Luzerne County	Luzerne Conservation District 325 Smiths Pond Road Shavertown, PA 18708 570-674-7991 RA-EPWW-NERO@ pa.gov

STATE CONSERVATION COMMISSION
NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR
NPDES PERMITS FOR CAFOs

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at 717-787-3483 for more information.

NUTRIENT MANAGEMENT PLAN
CAFO PUBLIC NOTICE SPREADSHEET—ACTIONS

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Brian Musser Farm 173 Hickory Rd Pine Grove, PA 17963	Schuylkill County	83	216.63	Poultry Broilers	NA	Approved
Mattern Farms, LLC 197 Mattern Hill Rd Dornsife, PA 17823	Schuylkill County	295.3	367.66	Layer	NA	Approved
Goodview Farm, LLC 1317 Glory Barn Road Canton, PA 17724	Bradford County	1,337.3	1,524.32	Dairy	NA	Approved
Brookside Dairy 2677 Old Rt 56 Homer City, PA 15748	Indiana County	1,255.4	1,165.8	Dairy	NA	Approved

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained

from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information.

SAFE DRINKING WATER**Actions Taken Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).**

Northcentral Region: Safe Drinking Water Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Olivia Harris, Clerical Supervisor I, 570-327-0561.

Construction Permit No. 1424515, Major Amendment, Public Water Supply.

Applicant	PA American Water Company—Philipsburg District
Address	852 Wesley Drive Mechanicsburg, PA 17055
Municipality	Boggs Township
County	Centre County
Consulting Engineer	Garret J Hargenrader 3121 Fairway Drive Altoona, PA 16602-4496
Application Received	July 30, 2024
Permit Issued	September 18, 2024
Description	This permit authorizes upgrades to the existing Mutton Hollow Booster Pump Station (BPS), including elimination of the booster chlorination system.

Northeast Region: Safe Drinking Water Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Ryan Fox, Environmental Engineering Specialist, 570-826-2533.

Reserve Source Designations Permit No. 2450133, Public Water Supply.

Applicant	Pennsylvania American Water Company
Address	852 Wesley Dr. Mechanicsburg, PA 17055
Municipality	Stroud Township
County	Monroe County
Consulting Engineer	Pennsylvania American Water Company 852 Wesley Dr. Mechanicsburg, PA 17055
Application Received	June 11, 2024
Permit Issued	September 18, 2024
Description	Pennsylvania American Water Company Blue Mountain Lake Well No. 2 Reserve Designation. Permit issued September 18, 2024.

Operation Permit No. 3540312, Public Water Supply.

Applicant	Tamaqua Area School District
Address	138 West Broad St. Tamaqua, PA 17960

Municipality	West Penn Township
County	Schuylkill County
Consulting Engineer	Keystone Consulting Engineers, Inc. 5012 Medical Center Circle Allentown, PA 18106

Application Received	August 8, 2024
Permit Issued	September 18, 2024
Description	Operation Permit approval for Tamaqua West Penn Elementary corrosion control treatment system.

Contact: Victoria Frederick, Clerical Assistant 2, 570-826-2502.

Operation Permit No. 3480057, Public Water Supply.

Applicant	Northampton Borough Municipal Authority
Address	1 Clear Springs Drive Northampton, PA 18067
Municipality	Whitehall Township
County	Lehigh County
Consulting Engineer	Mr. R Scott Hughes, P.E., VP Gannett Fleming Inc. 1010 Adams Avenue Valley Forge Corporate Center Audubon, PA 19403
Application Received	July 3, 2024
Permit Issued	August 6, 2024
Description	Operations permit for the rehabilitation of the existing 2.0 million gallon (MG) prestressed concrete Cementon Tank No. 1 as well as outstanding construction items (Saf-T-Climb rail type system and vandal deterrent on the exterior ladder) for the new Cementon Tank No. 2, constructed under Public Water Supply (PWS) Permit No. 4822507MA issued on October 11, 2022.

Operation Permit No. 3130307, Public Water Supply.

Applicant	JFBB Ski Areas, Inc. d/b/a Jack Frost Ski Area Jack Frost Mountain Summit Lodge
Address	P.O. Box 1539 434 Jack Frost Mountain Road Blakeslee, PA 18610-1539
Municipality	Kidder Township
County	Carbon County
Consulting Engineer	Robert H. Schemmerling, P.E. RHS Engineering, Inc. 2909 Conococheague Lane Greencastle, PA 17225
Application Received	June 27, 2024
Permit Issued	August 6, 2024

Description The operations permit was for the installation of corrosion control treatment (CCT) facilities per the Department’s Lead and Copper Rule (LCR) (soda ash with a blended potassium based phosphate (SLI-DP or equal)) and the installation of an Oxidation/Filtration Treatment System for Iron and Manganese Reduction at Well Nos. 2 and 3 including chlorination facilities for oxidation (12-15% sodium hypochlorite) prior to the filters and for disinfection after the filters. System upgrades also include, contact pipe construction for achieving 20 minutes of effective contact time (CT) (not for 4-log), DAB booster pump installation with equalization tank (Wellxtrol WX-302) located after the pumps, new 2-inch HDPE transmission piping within the existing building for Well No. 2 to convey raw water to the treatment area, finished water storage (ten 500-gallon tanks with one common screened overflow) with float switches (or an ultrasonic water level sensor) to actuate the submersible well pumps as needed, and the installation of a new finished water entry point (EP) sample tap along with a totalizing flow meter prior to distribution to the lodge. The system will be equipped with all necessary appurtenances and certified for conformance with NSF Standard 61.

Construction Permit No. 4023504, Major Amendment, Public Water Supply.

Applicant Hazleton Area Water Company (Tomhicken Mountain Springs)
Address 410 West Mine Street Hazleton, PA 18201
Municipality Black Creek Township
County Luzerne County
Consulting Engineer Mr. John Synoski, P.E. 2584 Christine Road Hazle Township, PA 18202
Application Received March 15, 2023
Permit Issued August 23, 2024

Description The purpose of this project is to add two new permanent groundwater sources of supply (each with a Shelco 7FOS3 Series Multi-Cartridge Filter Housing with a one-micron Shelco HFC Series High Flow Cartridge Filter) to the system to be known as Well No. 9 (HAWC # 2) and Well No. 10 (HAWC # 3). Well No. 9 (HAWC # 2) and Well No. 10 (HAWC # 3) are designated as a well field. HAWC shall not operate Well No. 9 (HAWC # 2) and Well No. 10 (HAWC # 3) simultaneously.

Operation Permit No. 2580024, Public Water Supply.

Applicant Pennsylvania American Water Company
Address 852 Wesley Drive Mechanicsburg, PA 17055
Municipality Harmony Township
County Susquehanna County
Consulting Engineer Ms. Maureen V Coleman, P.E. Engineering Project Manager Pennsylvania American Water Company 2699 Stafford Ave Scranton, PA 18505
Application Received June 13, 2024
Permit Issued August 28, 2024
Description Operations permit for the designation of treatment segments for the calculation of 1-log giardia inactivation via PAWC’s submission of form 3940-FM-BSDW0569. This utilized to help the system and the Department ensure proper operational parameters are being used to meet the greater than 1.0 log Giardia inactivation regulatory requirement in Chapter 109.301.

Operation Permit No. 2450044, Public Water Supply.

Applicant Aqua Pennsylvania, Inc.
Address 762 West Lancaster Avenue Bryn Mawr, PA 19010
Municipality Hamilton Township
County Monroe County
Consulting Engineer Jonathan Morris, P.E. Senior Project Manager GHD, Inc. 298 East 5th Street Suite 1 Bloomsburg, PA 17815

Application Received July 31, 2024
 Permit Issued August 28, 2024
 Description Operations permit for the following modifications: Lily Street Well No. 2, new well station building, new well pump, addition of polyphosphate feed system and construction of new 38 feet of 30-inch diameter chlorine contact pipe for CT.

Construction Permit No. 4524510MA, Minor Amendment, Public Water Supply.

Applicant **Mr. Richard Dionysius White Rock Mobile Home Park**
 Address 749 SE Margaret Drive
 Lake City, FL 32025
 Municipality Coolbaugh Township
 County **Monroe County**
 Consulting Engineer Mr. Harry Garman, P.E.
 PLS Technical Officer
 Municipal
 Barry Isett & Associates, Inc.
 85 South Route 100
 Allentown, PA 18106

Application Received August 19, 2024
 Permit Issued September 24, 2024
 Description The construction permit approved substantial rehabilitation of the existing PWS system facilities located on White Rock Lane, Tobyhanna, PA 18466 which were catastrophically damaged in a fire on or about May 3, 2024. Proposed work includes the installation of a new pitless adapter and transmission main piping for the existing well, known as Main Well (Source 001), and the construction of a new treatment plant (TP) building (TP 301) to house the disinfection system components and general corrosion control treatment facilities, with all necessary piping and appurtenances for associated Entry Point (EP) 101

Operation Permit No. 3540046-E1, Public Water Supply.
 Applicant **Schuylkill County Municipal Authority**
 Address 221 South Centre Street
 Pottsville, PA 17901
 Municipality Tremont Borough
 County **Schuylkill County**

Consulting Engineer Mr. Patrick Caulfield, PE
 Executive Director
 Schuylkill County Municipal Authority
 221 South Centre Street
 Pottsville, PA 17901

Application Received September 16, 2024
 Permit Issued September 16, 2024
 Description This limited duration emergency operations permit is for hauling in finished bulk water supplied by Vogel Farms Spring Water Company, Inc., a permitted finished bulk water hauler (PWS ID No. 3136549), with site chlorination, to supply the system and augmenting existing system supplies.

Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Daniel J. Cannistraci, Environmental Engineering Specialist, 717-705-4708.

Construction Permit 3624515. PWSID No. **7360384**. **Aeternum Sperare, Inc.**, 2092 Main St, Narvon, PA 17555, Caernarvon Township, **Lancaster County**. Application received: July 2, 2024. Permit Issued: September 17, 2024. This action authorizes replacement of the anion exchange media within the nitrate removal unit in the Inn At Twin Linden public water supply.

NCWSA Construction Permit 7670389. PWSID No. **7670389**. **Gruver's Tree Farm**, 255 Stetler Rd, New Cumberland, PA 17070, Fairview Township, **York County**. Application received: August 22, 2024. Permit Issued: September 23, 2024. This action authorizes the construction of a new transient noncommunity water system consisting of a new well, pressure tank, cartridge filter, and ultraviolet light disinfection unit.

NCWSA Operation Permit 7210946. PWSID No. **7210946**. **Silver Spring Presbyterian Church**, 444 Silver Spring Rd, Mechanicsburg, PA 17050, Silver Spring Township, **Cumberland County**. Application received: August 30, 2024. Permit Issued: September 23, 2024. This action authorizes operation of the water system at Silver Spring Presbyterian Church following upgrades to the softening and ultraviolet light disinfection systems.

Operation Permit 0623513 MA. PWSID No. **3060082**. **Mount Penn Borough Municipal Authority**, 200 N 25th St, Reading, PA 19606, Exeter Township, **Berks County**. Application received: September 17, 2024. Permit Issued: September 23, 2024. This action authorizes operation of manhole risers and covers at the Sylvan Dell pump station.

Contact: Thomas Filip, Environmental Engineer, 717-705-4708.

Construction Permit 3624523 MA. PWSID No. **7360045**. **Ephrata Area Joint Authority**, 124 South State Street, Ephrata, PA 17522, Ephrata Borough, **Lancaster County**. Application received: August 1, 2024. Permit Issued: September 19, 2024. Rehabilitation of the WTP sedimentation basins.

Contact: Wade Cope, P.E., Environmental Engineer, 717-705-4708.

Construction/Operation Permit 5024510 MA. PWSID No. **7500019. Duncannon Borough**, 428 North High Street, Duncannon Borough, PA 17020, Duncannon Borough, **Perry County**. Application received: September 20, 2024. Permit Issued: September 20, 2024. Construction/operation permit for temporary bulk water hauling and temporary storage tanks.

WATER ALLOCATIONS

Actions Taken on Applications Received Under the Act of June 24, 1939 (P.L. 842, No. 365) (35 P.S. §§ 631—641) Relating to the Acquisition of Rights to Divert Waters of the Commonwealth.

Southeast Region: Safe Drinking Water Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Kimberleigh C. Rivers, Clerical Assistant 2, 484-250-5887.

WA-15-1005A, Water Allocations. Oxford Borough, 1 Octoraro Alley, P.O. Box 380, Oxford, PA 19363-0380, Oxford Borough, **Chester County**. The Oxford Borough requested the right to purchase up to 360,000 gpd, based on a 30-day average from Chester Water Authority. Application received: October 18, 2023. Issued: February 29, 2024

BIOSOLIDS INDIVIDUAL PERMITS (PABIG, SSN AND PABIS)

The Department of Environmental Protection has taken the following actions on the previously received individual permit applications for the land application of treated sewage sludge (biosolids).

Any person aggrieved by these actions may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. Section 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Environmental Hearing Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge this action, the appeal must reach the board within 30-days. A lawyer is not needed to file an appeal.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board 717-787-3483 for more information.

Northeast Region: Clean Water Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Thomas J. Sweeney Jr., Soils Scientist, 717-705-4786.

Site Suitability Notice for Land Application Under Approved PAG-08-2205 for **Nazareth Borough Municipal Authority**, 872 Tatamy Road, P.O. Box A, Nazareth, PA 18064, Plainfield Township, **Northampton County**. NBMA Hower Farm Biosolids Site, 6249 Hower Road, Nazareth, PA 18064. agricultural utilization-land application of biosolids. Application received: October 13, 2023. Approved: September 18, 2024.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 2

The Following Plans and Reports Were Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The Department has received the following plans and reports.

Northcentral Region: Environmental Cleanup & Brownfields Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Randy Farmerie, P.G., Environmental Program Manager, 570-327-3716.

Former Howes Leather Corporation Site—Eastern Parcel, Primary Facility ID # **623654**, 45 Cooper Road, Curwensville, PA 16833, Curwensville Borough, **Clear-**

field County. DMS Environmental Services, LLC, 103 South Spring Street, Bellefonte, PA 16823, on behalf of Clearly Ahead Development, 139 W Market Street, Suite 200, Clearfield, PA 16830, submitted a Remedial Investigation Report/Risk Assessment/Cleanup Plan/Final Report concerning remediation of groundwater contaminated with vegetable tannery sludge residuals. The Remedial Investigation Report/Risk Assessment/Cleanup Plan/Final Report is intended to document remediation of the site to meet the site-specific standards.

Water Works Hoagland Run Road Cleanup, Primary Facility ID # **777001**, 1022 Hoagland Run Road, Cogan Station, PA 17728, Lycoming Township, **Lycoming County.** Weaver Consultants Group, LLC, 175 Maple Hill Drive, Etters, PA 17319, on behalf of Water Works Transport, LLC, 1912 John Brady Drive, Muncy, PA 17756, submitted a Cleanup Plan/Final Report concerning remediation of soil and groundwater contaminated with production fluid. The Cleanup Plan/Final Report is intended to document remediation of the site to meet the Site-Specific, Statewide Health and Background.

Seneca Watkins 820 Pad, Primary Facility ID # **874437**, 404 Merrick Hill Road, Westfield, PA 16950, Chatham Township, **Tioga County.** Weaver Consultants Group, LLC, 2225 Sycamore Street, Harrisburg, PA 17110, on behalf of Seneca Resources Company LLC, 2000 Westinghouse Drive, Suite 400, Cranberry Township, PA 16066, submitted a Remediation Investigation Report/Final Report concerning remediation of soil contaminated with production fluid and oil-based mud. The Remediation Investigation Report/Final Report is intended to document remediation of the site to meet the Statewide health standards.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Moravian Academy, Primary Facility ID # **877199**, 4313 Green Pond Road, Bethlehem, PA 18020, Bethlehem Township, **Northampton County.** JMT Environmental Technologies, 710 Uhler Road, Easton, PA 18040, on behalf of Moravian Academy, 4313 Green Pond Road, Bethlehem, PA 18020, submitted a Final Report concerning remediation of soil contaminated with No. 2 heating oil. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

Diamond Dye & Finishing, Primary Facility ID # **853544**, 611 South Albert Street, Allentown, PA 18109, City of Allentown, **Lehigh County.** Synergy Environmental, 155 Railroad Plaza, Royersford, PA 19468, on behalf of David Buechele, 5209 Cherryville Road, Northampton, PA 18067, submitted a Final Report concerning remediation of soil contaminated with No. 2 heating oil. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

J. Blaisure Pad 1, Primary Facility ID # **738867**, 441 Blaisure Road, Montrose, PA 18801, Jessup Township, **Susquehanna County.** Resource Environmental Management, 50 Maple Street, Montrose, PA 18801, on behalf of Coterra Energy, Inc., 2000 Park Lane, Suite 300, Pittsburgh, PA 15275, submitted a Final Report concerning remediation of soil contaminated with diesel. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: C. David Brown, Professional Geologist Manager, 484-250-5792.

Wawa 263, Primary Facility ID # **877215**, 3711 West Lincoln Highway, Parkesburg, PA 19365, West Sadsbury Township, **Chester County.** Geoffrey Kristof, P.G., Aquaterra Technologies, Inc., 901 South Bolmar Street, Suite A, West Chester, PA 19382, on behalf of Joseph W. Standen, Jr., Wawa, Inc., 260 West Baltimore Pike, Wawa, PA 19063, submitted a Final Report concerning remediation of soil contaminated with unleaded gasoline. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Janelle Hromyak, Clerical Assistant 2, 412-442-4091.

Gateway Forest Products, Primary Facility ID # **5-30-918-17772**, 1st Street, Mather, PA 15346, Morgan Township, **Greene County.** AMO Environmental Decisions, Inc., 875 N. Easton Rd., Suite 10, Doylestown, PA 18902, on behalf of Greene County Industrial Development Authority, 93 East High Street, Suite 212, Waynesburg, PA 15370-1839, submitted a Final Report concerning remediation of soil contaminated with Arsenic, 1,1-Biphenyl, benzo(a)pyrene, benzo(b)fluoranthene. The Final Report is intended to document remediation of the site to meet the Statewide health and background standards.

Sharpnack, Primary Facility ID # **825238**, 235 Kurans Road, Carmichaels, PA 15320, Cumberland Township, **Greene County.** Moody and Associates, Inc., 1720 Washington Road, Suite 100, Washington, PA 15301, on behalf of Gavin Reed, 500 Corporate Landing, Charleston, WV 25311, submitted a Final Report concerning remediation of soil and groundwater contaminated with Aluminum, Barium, Boron, Chloride, Iron, Lithium, Manganese, Selenium, Strontium, Vanadium, Zinc. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

Contact: Thomas Buchan P.G. EGM, 412-442-5240.

1462 Conventional Well, Primary Facility ID # **877206**, Fonner Run Road, Sycamore, PA 15364, Morris Township, **Greene County.** Moody and Associates, 1720 Washington Road, Suite 100, Washington, PA 15301, on behalf of Consol Energy, 275 Technology Drive, Suite 101, Waynesburg, PA 15370, submitted a Final Report concerning remediation of soil contaminated with organic compounds related to crude oil. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

Riverfront Park Development Site, Primary Facility ID # **817623**, Tax Parcel 211-A-50, Pittssburgh, PA 15225, Neville Township, **Allegheny County.** RT Environmental Services, Inc., 2001 Waterdam Plaza Drive, Suite 205, Canonsburg, PA 15317, on behalf of Jeanne Creese, Township Manager, Neville Township, 5050 Grand Avenue, Pittsburgh, PA 15225, submitted a Remedial Investigation Report/Cleanup Plan concerning remediation of soil contaminated with Lead and Arsenic. The Remedial Investigation Report/Cleanup Plan is intended to document remediation of the site to meet the site-specific standards.

House of Metal, Primary Facility ID # **871540**, 901 Pennsylvania Avenue, Pittsburgh, PA 15233, City of Pittsburgh, **Allegheny County.** American Geosciences, Inc., 3925 Reed Blvd, Suite 400, Murrysville, PA 15668, on

behalf of Brian Cook, 901 Pennsylvania SRR, LLC, 411 Saline Street, Pittsburgh, PA 15217, submitted a Remedial Investigation Report/Cleanup Plan concerning remediation of soil and groundwater contaminated with Lead. The Remedial Investigation Report/Cleanup Plan is intended to document remediation of the site to meet the site-specific standards.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995
PREAMBLE 3

The Department Has Taken Action on the Following Plans and Reports Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The DEP may approve or disapprove plans and reports submitted. This notice provides DEP's decision and, if relevant, the basis for disapproval.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The DEP has received the following plans and reports.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Lucknow—Highspire Terminals (former Gulf Fullerton Terminal, Primary Facility ID # 663035, 2451 Main Street, Whitehall, PA 18052, Whitehall Township, **Lehigh County**. Piedmont Geologic, 6003-145 Chapel Hill Road, Raleigh, NC 27607, on behalf of Fullerton Terminal DE, LLC, 900 South Eisenhower Boulevard, Middletown, PA 17057, submitted a Final Report concerning remediation of soil and groundwater contaminated with petroleum. The Final Report demonstrated attainment of the Statewide health and site-specific standards. Approved: September 18, 2024.

Pennsy Supply—Summit Station Quarry, Primary Facility ID # 878061, 2225 Fair Road, Schuylkill Haven, PA 17972, Wayne Township, **Schuylkill County**. United Environmental Services, P.O. Box 701, Schuylkill Haven, PA 17972, on behalf of Pennsy Supply, Inc., 2400 Thea Drive, Suite 3A, Harrisburg, PA 17110, submitted a Final Report concerning remediation of soil contaminated with antifreeze, tar, grease, lubricant oil, gear oil, transformer oil, and hydraulic oil. The Final Report demonstrated attainment of the Statewide health standards. Approved: September 19, 2024.

Milochik Well Site, Primary Facility ID # 874513, 477 Hollett Road, Montrose, PA 18801, Auburn Township, **Susquehanna County**. Creston Environmental, P.O. Box 1373, Camp Hill, PA 17001, on behalf of Chesapeake Appalachia LLC, 14 Chesapeake Lane, Sayre, PA 18840, submitted a Final Report concerning remediation of soil contaminated with production fluid (brine). The Final Report demonstrated attainment of the Statewide health standards. Approved: September 20, 2024.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Environmental Cleanup & Brownfields Program Manager, 717-705-4705.

Former Martinsburg RV, Primary Facility ID # 827479, 114 West Penn Street, Martinsburg, PA 16662, Martinsburg Borough, **Blair County**. Gary C. Calvert LLC, P.O. Box 504, Hollidaysburg, PA 16648, on behalf of ZFD Realty Group LLC, 174 Hoover Drive, Martinsburg, PA 16662, submitted a Cleanup Plan concerning remediation of soil and groundwater contaminated with petroleum and lead. The Plan demonstrated attainment of the site-specific standards. Approved: September 17, 2024.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: C. David Brown, Professional Geologist Manager, 484-250-5792.

38th & Brown Street, Primary Facility ID # 869026, 777, 779, 781, 783, 785, 787 North 38th Street, 770, 772, 774 North Dekalb Street, and 3716, 3718, 3720, 3722, 3724, 3726 Brown Street, Philadelphia, PA 19104, City of Philadelphia, **Philadelphia County**. Brownfield Science and Technology, Inc., 3157 Limestone Road, Cochranville, PA 19330, on behalf of Women's Community Revitalization Project, 100 West Oxford Street, Suite E-2300, Philadelphia, PA 19122, submitted a Remedial Investigation Report/Cleanup Plan concerning remediation of soil contaminated with historic fill and heating oil constituents. The Report Was acceptable to meet site-specific standards. Approved: September 13, 2024.

Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Janelle Hromyak, Clerical Assistant 2, 412-442-4091.

Jones Salvage, Primary Facility ID # 863604, 760 Atlantic Ave., Elizabeth, PA 15037, Lincoln Borough, **Allegheny County**. American Geosciences, Inc., 3925 Reed Blvd., Suite 400, Murrysville, PA 15668-1848, on behalf of Michael C. Isbir Jr., Atlantic Industrial Space LLC, 696 McKeesport Rd., Elizabeth, PA 15037, submitted a Final Report concerning remediation of soil and groundwater contaminated with Benzo(a)Anthracene, Benzo(a)Pyrene, Benzo(b)Fluoranthene, Naphthalene, Arsenic, Tetrachloroethene (PCE), Trichloroethene (TCE), cis-1,1-Dichloroethene (cDCE), 1,1-Dichloroethene, Vinyl Chloride, 1,1,1-Trichloroethane, Dissolved Arsenic. The Final Report Was acceptable to meet site-specific standards. Approved: September 23, 2024.

Contact: Thomas Buchan P.G. EGM, 412-442-5240.

1700 Island Avenue, Primary Facility ID # 861551, 1700 Island Avenue, Pittsburgh, PA 15233, City of Pittsburgh, **Allegheny County**. Key Environmental Inc., 200 Third Avenue, Carnegie, PA 15106, on behalf of Cory Cope, Island Avenue Holdings LLC, 2731 North Charles Street, Pittsburgh, PA 15106, submitted a Final Report concerning remediation of soil and groundwater contaminated with Chlorinated solvents. The Final Report demonstrated attainment of the site-specific standards. Approved: September 10, 2024.

Diversified Loyalhanna # 2 well, Primary Facility ID # 877450, 13 Wren Drive, Saltsburg, PA 15681, Loyalhanna Township, **Westmoreland County**. Moody and Associates, 1720 Washington Road, Suite 100, Washington, PA 15301, on behalf of Diversified Production LLC, 126 Industry Road, # 201, Waynesburg, PA 15370, submitted a Final Report concerning remediation of soil contaminated with Brine related compounds. The Final Report demonstrated attainment of the Statewide health standards. Approved: September 4, 2024.

Duquesne Electric and Manufacturing Company, Primary Facility ID # 861363, 475 Butler Street, Pittsburgh, PA 15223, City of Pittsburgh, **Allegheny County**. American Geosciences, Inc., 3925 Reed Blvd, Suite 400, Murrysville, PA 15668, on behalf of Robert Casey, Duquesne Electric and Manufacturing Co., 475 Butler Street, Pittsburgh, PA 15223, submitted a Final Report concerning remediation of soil and groundwater contaminated with Arochlor 1260, Antimony, Arsenic, Cadmium, Lead in soil. Trichloroethene, Antimony and Arsenic in groundwater. The Final Report demonstrated attainment of the site-specific standards. Approved: September 4, 2024.

DETERMINATION OF APPLICABILITY FOR MUNICIPAL WASTE GENERAL PERMITS

Actions(s) Taken on Permit(s) Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Municipal Waste Regulations for Determination of Applicability for a General Permit to Operate Municipal Waste Processing Facilities and/or the Beneficial Use of Municipal Waste.

Southcentral Region: Waste Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Carrie A. Fleming, Program Manager.

WMGM022SC001C. Kinsley Construction, LLC, 1110 East Princess Street, York, PA 17403, West Manchester Township, **York County**. This is a renewal of WMGM022SC001C at Kinsley Construction, LLC's Consolidated Quarry located at 501 Hokes Mill Road, York, PA 17408. General Permit WMGM022 authorizes the processing and beneficial use of waste concrete, brick, aggregate, shot rock, roof ballast and waste asphalt to produce a roadway or parking lot construction material and/or substitute for PennDOT approved aggregate; and the processing and beneficial use of timber waste (i.e., tree stumps, limbs, clean wood, untreated and unpainted lumber, shrubs, clean pallets, clean skids and packing crates), and leaf and yard waste (i.e., source segregated leaf and yard waste, grass clippings) to produce bedding materials for livestock. Application received: April 5, 2024. Issued: September 18, 2024.

Persons interested in reviewing the permit may contact Carrie A. Fleming, Program Manager, Southcentral Region, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

WMGM022SC001B. Kinsley Construction, LLC, 1110 East Princess Street, York, PA 17403, West Manchester Township, **York County**. This is for the renewal of WMGM022SC001B (previously WMGM022B) at Kinsley Construction LLC's Penroc Quarry located 2305 Lemon Street, York, PA 17408. General Permit WMG022 authorizes the processing and beneficial use of waste concrete, brick, aggregate, shot rock, roof ballast and waste asphalt to produce a roadway or parking lot construction material and/or substitute for PennDOT approved aggregate; and the processing and beneficial use of timber waste (i.e., tree stumps, limbs, clean wood, untreated and unpainted lumber, shrubs, clean pallets, clean skids and packing crates), and leaf and yard waste (i.e., source segregated leaf and yard waste, grass clippings) to produce bedding materials for livestock. Application received: April 5, 2024. Issued: September 18, 2024.

Persons interested in reviewing the permit may contact Carrie A. Fleming, Program Manager, Southcentral Region, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

Southeast Region: Waste Management Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Mohamad Mazid, Chief, Technical Services, RA-EPWM-SERO-PERMITS@pa.gov.

WMGM022SE001. Hilltown Recycling and Materials, LLC, 5735 Township Line Road, Pipersville, PA 18947, Hilltown Township, **Bucks County**. This determination of applicability (DOA) is issued under the conditions defined within General Permit No. WMGM022 for processing and beneficial use of waste concrete, brick, aggregate previously used as sub-grade or sub-base material at the Hilltown Recycling and Materials, LLC (HRM) Facility, located at 375 Progress Drive, Telford, PA, in Hilltown Township, Bucks County. Application received: March 1, 2024. Issued: September 18, 2024.

Persons interested in reviewing the permit may contact Waste Management Program Manager, Phone Number 484.250.5960, or by e-mail at RA-EPWM-SERO-PERMITS@pa.gov, Southeast Region, 2 East Main Street, Norristown, PA 19401, 484-250-5900. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Actions(s) Taken on Permit(s) Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Northcentral Region: Waste Management Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Lisa D. Houser, P.E., Environmental Program Manager, 570 327-3752.

301197. Shawville Power LLC, 250 Power Plant Drive, Shawville, PA 16873, Bradford Township, **Clearfield County**. Minor permit modification of the grading plans, final cover system limits and details, and Form Q Equivalency Reviews for the cap design requirements for the existing side slope soil cover. Application received: March 28, 2024. Issued: September 23, 2024.

Persons interested in reviewing the permit may contact Lisa D. Houser, P.E., Environmental Program Manager, 570 327-3752, Northcentral Region, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

Southeast Region: Waste Management Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Mohamad Mazid, Chief, Technical Services, RA-EPWM-SERO-PERMITS@pa.gov.

100930. City of Philadelphia Streets Department, 1401 JFK Boulevard, 7th Floor MSB, Philadelphia, PA 19102, City of Philadelphia, **Philadelphia County**. This major permit modification application is to convert operation to a top load system at the Northwest Transfer Station, an existing municipal waste transfer facility located at 5201 Umbria Street, in the City of Philadelphia, Philadelphia County. Application received: March 3, 2022. Issued: September 19, 2024.

Persons interested in reviewing the permit may contact Waste Management Program Manager, Phone Number 484.250.5960, or by e-mail at RA-EPWM-SERO-PERMITS@pa.gov, Southeast Region, 2 East Main Street, Norristown, PA 19401, 484-250-5900. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

AIR QUALITY

Actions(s) Taken on General Plan Approval(s) and Operating Permit(s) Usage Authorized Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to Construct, Modify, Reactivate or Operate Air Contamination Sources and Associated Air Cleaning Devices.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Shailesh R Patel, Environmental Group Manager, New Source Review Section, Phone 570-826-2357.

AG5A-58-00082A: SWN Production Company, LLC, 917 State Route 92 North, Tunkhannock, PA 18657, New Milford Township, **Susquehanna County**. To operate

one (1) IC Engine, three (3) produced water tanks, and one (1) GPU heater at the RU-33 Innes Pad site located at 1229 Alexander Road. Application received: June 18, 2024. Issued: July 16, 2024.

AG5-58-00039A: BKV Operating, LLC, 5385 State Route 6, Tunkhannock, PA 18657, Forest Lake Township, **Susquehanna County**. To continue to operate one (1) IC Engine, one (1) dehydrator, and one (1) condensate tank at the Baker West Compressor Station Application received: July 19, 2024. Issued: August 9, 2024.

GP14-40-002: Grey Stone Crematory, LLC, 530 West Butler Drive, Drums, PA 18222, Butler Township, **Luzerne County**. To continue to operate a human crematory. Application received: July 18, 2024. Issued: August 7, 2024.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: David Balog, New Source Review Chief, 814-332-6328.

GP5-03-00247G: Snyder Brothers Inc.—Furnace Run Compressor Station, 709 Tarrtown Road, Adrian, PA 16201, East Franklin Township, **Armstrong County**. The Department received a GP-5 application for several modifications to Snyder Brother's Furnace Run Compressor Station. The Department reviewed the application and determined that it met necessary requirements, and therefore, it was approved. Application received: August 27, 2024. Issued: September 23, 2024.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Sheri Guerrieri, P.E., New Source Review Chief, 412-442-4174.

GP21-11-00546B: ECC Bethany, Inc., 1919 14th Street, Suite 700, Boulder, CO 80302, Munster Township, **Cambria County**. On September 19, 2024, the Department authorized ECC Bethany Inc. to construct and operate two (2) Enclosed Flares each rated at 20 MMBtu/hr, and one (1) emergency diesel fired generator rated at 22.3 bhp at their Cresson B4 MECS 001 Coal-Mine site located in Munster Township, Cambria County. Application received: June 25, 2024. Authorized: September 19, 2024.

GP21-30-00815A: McElroy Green Marketing, LLC, 601 Travis Street, Suite 1900, Houston, TX 77002, Gilmore Township, **Greene County**. To authorize the new GP21 permit to allow the installation and operation of new equipment of coal-mine Methane Enclosed Flare equipment, including two (2) 24.65 MMBtu/hr Cimarron ECD 60" enclosed flares, and one (1) 82.94 bhp KEM engine at Monongalia County Mine, Roberts Run Borehole located in Gilmore Township, Greene County, PA. Application received: July 23, 2024. Authorized: September 18, 2024.

GP21-30-00819A: McElroy Green Marketing, LLC, 601 Travis Street, Suite 1900, Houston, TX 77002, Gilmore Township, **Greene County**. To authorize the new GP21 permit to allow the installation and operation of new equipment of coal-mine Methane Enclosed Flare equipment, including two (2) 24.65 MMBtu/hr Cimarron ECD 60" enclosed flares, and one (1) 82.94 bhp KEM engine at Monongalia County Mine, 11-W-DG Borehole located in Gilmore Township, Greene County. The site's coordinate is 39° 45' 43.97", -80° 21' 52.19". Application received: July 23, 2024. Authorized: September 19, 2024.

GP21-30-00835A: ENV Commodities Corp., 192 Crabapple Rd, Wind Ridge, PA 15380, Richhill Township,

Greene County. To authorize the new GP21 permit to allow the installation and operation of new and existing equipment of coal-mine Methane Enclosed Flare equipment, including three (3) 20 MMBtu/hr Zohn Zink ZTOF enclosed flares, and three (3) 24.7 Perkin Diesel Engines at Bailey Expansion Mine (8L-3, 10L-1, 11L-2 Boreholes) located in Richhill Township, Greene County, PA. Application received: July 2, 2024. Authorized: September 19, 2024.

Actions(s) Taken on Plan Approval(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and Regulations in 25 Pa. Code Chapter 127, Subchapter B Relating to Construction, Modification and Reactivation of Air Contamination Sources and Associated Air Cleaning Devices.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.

67-03143F: The ESAB Group, Inc., 1500 Karen Lane, Hanover, PA 17331, Penn Township, **York County.** For the replacement of a baghouse at its welding and cutting products. PM emissions from a flux powder mixing operation will be controlled by the new baghouse. Application received: May 20, 2024. Issued: September 10, 2024.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Sheri Guerrieri, P.E., New Source Review Chief, 412-442-4174.

PA-04-00466: NSPC LLC, 1630 Route 68, New Brighton, PA 15066, New Brighton Borough, **Beaver County.** On September 28, 2024, the Department of Environmental Protection issued a plan approval extension for 180 days to allow for the completion of plan approval sources located in New Brighton Borough, Beaver County. Application received: August 26, 2024. Issued: September 28, 2024.

PA-30-00170B: Laurel Mountain Midstream Operating LLC, 232 Falls Hollow Rd, Greensboro, PA 15338, Greensboro Borough, **Greene County.** On September 28, 2024, the Department of Environmental Protection issued a plan approval extension for 180 days for the for this incorporation of this plan approval into the site's Operating Permit located in Greensboro Borough, Greene County. Application received: August 23, 2024. Issued: September 28, 2024.

Plan Approval Revision(s) Issued Including Extension(s), Minor Modification(s) and Transfer(s) of Ownership Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

18-00021E: Avery Dennison Performance Polymers, 171 Draketown Road, Mill Hall, PA 17751, Bald Eagle Township, **Clinton County.** The Department issued a plan approval extension for the construction period for three solvent and three non-solvent reactor systems at the Avery Dennison Mill Hall facility. Plan Approval

18-0021E was originally issued March 28, 2023, with an expiration date of September 27, 2024. This revised plan approval expiration date changes the expiration date to accommodate the revised construction completion date. Application received: August 16, 2024. Revised: September 19, 2024. New expiration date: March 26, 2026.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: David Balog, New Source Review Section Chief, 814-332-6328.

24-009L: Domtar Paper Company, LLC, 100 West Center Street, Johnsonburg, PA 15845, Johnsonburg Borough, **Elk County.** Granted an 18-month plan approval extension, to allow more time for project construction. This extension expires February 28, 2026. Application received: August 16, 2024. Issued: September 16, 2024.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: James Beach, New Source Review Chief, 484-250-5920.

09-0251: Metals USA, 50 Cabot Boulevard East, Langhorne, PA 19047-1802, Falls Township, **Bucks County.** This action is for an extension for the operation of two Peddinghaus Plate Processors to perform cutting (oxyfuel and plasma) activities on carbon steel workpieces which is controlled by a dust collector at this facility. Application received: September 12, 2024. Issued: September 18, 2024.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Sheri Guerrieri, P.E., New Source Review Chief, 412-442-4174.

PA-30-00072J: Consol Pennsylvania Coal Company, LLC, 275 Technology Drive, Suite 101, Canonsburg, PA 15317, East Finley Township, **Washington County.** For plan approval extension to authorize continued temporary operation of sources and controls associated with the Bailey Prep Plant throughput increase. Application received: July 26, 2024. Effective: September 28, 2024.

Title V Operating Permit(s) Issued Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

18-00030: First Quality Tissue LLC, 904 Woods Avenue, Lock Haven, PA 17745, City of Lock Haven, **Clinton County.** DEP issued a revised Title V Operating Permit for their Lock Haven Plant to incorporate the applicable requirements of Plan Approvals 18-00030C and 18-00030D which were issued for the construction and operation of a third paper machine and ancillary support sources. The revised Title V Operating Permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions. Application received: June 13, 2024. Approved: August 8, 2024. Expiration date: February 25, 2029.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Norman Frederick, Facility Permitting Chief, 570-826-2409.

66-00001: Procter & Gamble Paper Prod Co., P.O. Box 32, Route 87, Mehoopany, PA 18629, Washington Township, **Wyoming County**. The Department issued, on September 23, 2024, the amended Title V Operating Permit for the facility in Washington Township, Wyoming County. The amendment incorporated the conditions from plan approval 66-00001M. The Title V Operating Permit contains all applicable requirements including Federal and State regulations. The Operating Permit includes all applicable emission limits, work practice standards, testing, monitoring, recordkeeping and reporting requirements designed to keep the facility operating within applicable air quality requirements. Application received: September 13, 2024. Issued: September 23, 2024.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Matthew Williams, Facilities Permitting Chief, 814-332-6940.

33-00055: Glen-Gery Corporation, Hanley Plant, 12637 Harrison St., Summerville, PA 15864, Summerville Borough, **Jefferson County**. The Department issued the renewal of the Title V Operating Permit of a brick manufacturing facility with emission restrictions, recordkeeping, and work practice requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act. Application received: March 23, 2023. Issued: August 28, 2024.

Operating Permit(s) for Non-Title V Facilities Issued Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

49-00005: Hoeganaes Corporation, 4330 Paradise Road, Watsontown, PA 17777, Delaware Township, **Northumberland County**. The Department issued a renewal of the State Only (Natural Minor) Operating Permit for the Watsontown Plant power metal production plant. The State Only Operating Permit contains requirements including monitoring, recordkeeping, and reporting conditions to ensure compliance with applicable Federal and State regulations. Application received: April 4, 2024. Renewal issued: September 24, 2024. New expiration date: September 23, 2029.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Norman Frederick, Facility Permitting Chief, 570-826-2409.

39-00112: Trinity Glass International Inc., 8014 Industrial Blvd, Breinigsville, PA 18031-1225, Upper Macungie Township, **Lehigh County**. The Department has issued an initial State-Only (Natural Minor) Operating Permit for the Upper Macungie Township facility. Sources at this facility include their paint spray booth. This source also includes dry fiberglass filters as a control device. The Operating Permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal

and State air pollution regulations. Application received: July 19, 2024. Accepted: July 19, 2024. Issued: September 23, 2024.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Matthew Williams, Facilities Permitting Chief, 814-332-6940.

43-00361: Reed Oil Co/Grove City, 408 Erie St, Grove City, PA 16127, Grove City Borough, **Mercer County**. The Department issued the renewal State Only Synthetic Minor Operating Permit for operation of the petroleum products distribution facility. The facility's primary emission source consists of the bulk gasoline plant, consisting of two (2) fixed horizontal ASTs (above-ground storage tanks), which are located in the southeast corner of the enclosure, four (4) fixed vertical ASTs which are located to the north of the horizontal ASTs, two (2) separate loading racks and unloading areas located adjacent to the horizontal and vertical ASTs, two (2) USTs (underground storage tanks) located to the northwest of the facility enclosure, one (1) dispenser island which is associated with the USTs, and bulk propane storage areas located to the northwest of the facility canopy. The potential emissions of the primary pollutants from the facility after permit limitations are as follows: 35.78 TPY (tons per year) VOC and 1.90 TPY total HAPs; all other criteria pollutants are estimated to be less than 1 TPY. The facility has taken an elective restriction of 20,000 gallons of gasoline throughput per day to maintain synthetic minor status. The gasoline plant is also subject to GP-2 (general Operating Permit) conditions for storage tanks of VOLs and 40 CFR Part 63 Subpart BBBBBB, the NESHAP for Gasoline Distribution Bulk Terminals, Bulk Plants, and Pipeline Facilities. The renewal permit contains emission restrictions, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act. Application received: January 30, 2024. Issued: September 16, 2024.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.

67-05056: Ardent Mills LLC, 2800 Black Bridge Road, York, PA 17406-9703, Manchester Township, **York County**. For the flour mill. The State-Only permit was renewed. Application received: February 28, 2024. Issued: September 10, 2024.

67-03162: Church & Dwight Co., Inc., 5197 Commerce Drive, York, PA 17408-9511, Jackson Township, **York County**. For the consumer products manufacturing facility. The State-Only permit was renewed. Application received: June 3, 2024. Issued: September 10, 2024.

67-05135: BWAY Packaging—Division of BWAY Corp., 599 Davies Drive, York, PA 17402-8630, Springettsbury Township, **York County**. For the metal can manufacturing facility. The State-Only permit was renewed. Application received: December 14, 2023. Issued: September 11, 2024.

07-03046: Penn Mag, Inc., 719 Tarrtown Road, Adrian, PA 16210-1219, Greenfield Township, **Blair County**. For the iron chromite processing facility. The State-Only permit was renewed. Application received: June 21, 2024. Issued: September 11, 2024.

67-05028: Tolna Power, LLC, 1890 Granite Spring Road, Gettysburg, PA 17325, Hopewell Township, **York County**. For the Tolna electric generating station. The

State-Only permit was renewed. Application received: April 29, 2024. Issued: September 18, 2024.

21-05036: New Enterprise Stone & Lime Co., Inc., 205 Creek Road, Camp Hill, PA 17011, Lower Allen Township, **Cumberland County**. For the Camp Hill batch asphalt facility. This is a renewal of the State-Only Operating Permit. Application received: June 20, 2024. Issued: September 18, 2024.

De Minimis Emissions Increases Authorized under 25 Pa. Code § 127.449.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: David Balog, New Source Review Section Chief, 814-332-6328.

Date	Source	PM ₁₀ (tons)	(tons) SO _x	(tons) NO _x	VOC (tons)	(tons) CO
09/10/24	New Venting Station	-	-	-	0.13	-
Total Reported Increases		-	-	-	0.13	-
Allowable		0.6 ton/source 3 tons/facility	1.6 tons/source 8 tons/facility	1 ton/source 5 tons/facility	1 ton/source 5 tons/facility	4 tons/source 20 tons/facility

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Sheri Guerrieri, P.E., New Source Review Chief, 412-442-4174.

DEM-63-01055B: Range Resources Corporation, 3000 Town Center Blvd, Canonsburg, PA 15317, Jefferson Township, **Washington County**. On September 28, 2024, the Department of Environmental Protection approved of the installation of a new emission source as a de minimis increase located in Jefferson Township, Washington County.

ACTIONS ON COAL AND NONCOAL APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the National Pollutant Discharge Elimination System (NPDES) permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to such applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1103). Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

61-00228: AM Stabilizers Corporation, 240 Two Mile Run Road North, Franklin, PA 16323, Sugarcreek Borough, **Venango County**. De minimis Increases 61-00228: AM Stabilizers Corporation—AM Stabilizers Corp (240 Two Mile Run Road North, Franklin, PA 16323) for its facility located in Sugarcreek Borough, Venango County, Pennsylvania. The de minimis emission increase is for the installation of a new venting system for the drum filling station. In addition, this source is exempt from a Plan Approval as it complies with 25 Pa. Code § 127.14(a)(8), Condition No. 31. The Department hereby approves the De minimis emission increase. The following table is a list of the De minimis emission increases as required by 25 Pa. Code § 127.449(i). This list includes the De minimis emission increases since the Synthetic Minor Operating Permit issuance on August 5, 2022.

Coal Permits

California District Mining Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.

Contact: Bonnie Herbert, Clerical Assistant 3.

Mining Permit No. 56100701. NPDES No. PA0235989. Heritage Coal & Natural Resources, LLC, 550 Beagle Road, Rockwood, PA 15557, Milford Township, **Somerset County**. To transfer the permit and related NPDES Permit from Wilson Creek Energy, LLC. Application received: January 3, 2024. Accepted: March 6, 2024. Issued: September 6, 2024.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.

Contact: RA-EPCAMBRIADMO@pa.gov.

Mining Permit No. 56130109. NPDES No. PA0279358. Robindale Energy Services, Inc., 224 Grange Hall Road, P.O. Box 228, Armagh, PA 15920, Paint Township and Ogle Township, **Somerset County**. Transfer of a bituminous surface and auger mine from Berwind Coal Sales Company, 509 15th Street, Windber, PA 15963 affecting 316.7 acres. Receiving streams: unnamed tributaries to/and Paint Creek, Seese Run and Babcock Creek, classified for the following use: CWF. Application received: September 18, 2024. Permit issued: September 18, 2024.

Mining Permit No. 56070111. Mountaineer Mining Corporation, 1010 Garrett Shortcut Road, Berlin, PA 15530, Brothersvalley Township, **Somerset County**. Permit renewal for reclamation only of a bituminous surface and auger mine affecting 115 acres. Receiving streams: unnamed tributaries to Swamp Creek and unnamed tributaries to Buffalo Creek, classified for the following use: CWF. Application received: July 23, 2024. Permit issued: September 24, 2024.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

Mining Permit No. 49070101. D. Molesevich & Sons Construction Co., Inc., P.O. Box 121, Mt. Carmel, PA 17851, Mt. Carmel and Conyngham Townships, **Northumberland** and **Columbia Counties**. Renewal of an anthracite surface mine operation affecting 816.0 acres. Receiving stream: UNT to Mahanoy Creek. Application received: March 30, 2022. Renewal issued: September 19, 2024.

Noncoal Permits

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.

Contact: RA-EPCAMBRIADMO@pa.gov.

Mining Permit No. 28990301. NPDES No. PA0223981. T. Byers Contracting & Excavating, Inc., 850 Leitersburg Road, Greencastle, PA 17225, Antrim Township, **Franklin County**. NPDES renewal of a large industrial mineral permit affecting 20.88 acres. Receiving stream: unnamed tributary to Muddy Run classified for the following uses: HQ-CWF. Application received: April 25, 2024. Permit issued: September 24, 2024.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Action(s) Taken on Application(s) Under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting Activity Performed as Part of a Coal or Noncoal Mining Activity will be Regulated by the Mining Permit for that Coal or Noncoal Mining Activity.

Blasting Permits

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

Permit No. 46244110. Rock Work, Inc., 1257 Dekalb Pike, Blue Bell, PA 19422, Trappe Borough, **Montgomery County**. Construction blasting for Fugo Development. Application received: September 12, 2024. Permit issued: September 18, 2024. Expiration date: October 1, 2025.

Permit No. 38244113. Keystone Blasting Service, 15 Hopeland Road, Lititz, PA 17543, Heidelberg Township, **Lebanon County**. Construction blasting for Laverne Martin Home. Application received: September 12, 2024. Permit issued: September 18, 2024. Expiration date: October 30, 2024.

Permit No. 38244112. Maine Drilling & Blasting, Inc., P.O. Box 1140, Gardiner, ME 04345, Cornwall Borough, **Lebanon County**. Construction blasting for North Cornwall Commons. Application received: September 11, 2024. Permit issued: September 19, 2024. Expiration date: September 10, 2025.

Permit No. 67244109. Maine Drilling & Blasting, Inc., P.O. Box 1140, Gardiner, ME 04345, Manchester Township, **York County**. Construction blasting for Manchester Commerce Center Building 3. Application received: September 13, 2024. Permit issued: September 19, 2024. Expiration date: September 13, 2025.

Permit No. 64244104. Holbert Explosives, Inc., 237 Mast Hope Plank Road, Suite A, Lackawaxen, PA 18435, Waymart Borough, **Wayne County**. Construction blasting for 325 Burns Road foundation Aldenville. Application received: September 16, 2024. Permit issued: September 20, 2024. Expiration date: September 16, 2025.

Permit No. 66244001. M & S Blasting, Inc., 943 Gontarski Road, Hallstead, PA 18822, Tunkhannock Township, **Wyoming County**. Construction blasting for road material for logging operation. Application received: September 12, 2024. Permit issued: September 20, 2024. Expiration date: August 31, 2025.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department of Environmental Protection (DEP) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, DEP has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), and that the construction will not violate applicable Federal and State Water Quality Standards.

Individuals aggrieved by these actions may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. § 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Environmental Hearing Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the Board within 30-days. You do not need a lawyer to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so you should show this notice to a lawyer at once. If you cannot afford a lawyer, you may qualify for free pro bono representation. Call the Secretary to the Board 717-787-3483 for more information.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Action(s) Taken on Application(s) for the Following Activities Filed Under The Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and the Clean Streams Law and Notice of Final Action for Certification Under Section 401 of the FWPCA.

Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Michele Lauer, Clerical Assistant 2, 570-830-3077.

E4002223-001. Anthony Denisco, 2633 Lakeside Drive, Harveys Lake, PA 18618, Harveys Lake Borough, **Luzerne County**. U.S. Army Corps of Engineers Baltimore District.

To construct and maintain an expansion of an existing dock/boathouse structure within the normal pool elevation of Harveys Lake (HQ-CWF, MF) with work consisting of a 2,349 ft² dock addition and a 440 ft² boathouse addition. The project is located at 2633 Lakeside Drive (SR 415) (Harveys Lake, PA Quadrangle, Latitude: 41°, 21', 46"; Longitude: -76°, 2', 34") in Harveys Lake Borough, Luzerne County. Application received: February 14, 2023. Issued: September 20, 2024.

Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: RA-EPWW-NWRO@pa.gov.

E4306224-002. PA Game Commission, 2001 Elmerston Avenue, Harrisburg, PA 17110, Liberty Township, **Mercer County**. U.S. Army Corps of Engineers Pittsburgh District.

Permanently impact 0.28 acre of PEM wetland and temporarily impact 0.39 acre of PEM wetland associated with removal of manmade dikes separating various man-made open water pools and ditches to create an additional 58.1 acres of functional wetland within SGL 151, Hohmann Tract. Latitude: 41.118749°, Longitude: -80.135731°. Application received: March 5, 2024. Issued: September 19, 2024.

E6106224-001. Picus Silva Inc., 140 Dorcon Road, Suite 200, Warren, PA 16365, Cranberry Township, **Venango County**. U.S. Army Corps of Engineers Pittsburgh District.

Operate and maintain the 12-foot wide by 38-foot long pre-fabricated steel beam bridge with timber deck providing a span of approximately 30 feet and an underclearance of 7 feet across Wolf Branch Horse Creek and 0.02 acre of permanent wetland impact associated with a 45 ft long, 48-inch diameter HDPE culvert originally installed under Permit No. GP086100222-004 as access for timber harvest extending south from SR 62 approximately 7 miles east of Oil City. Latitude: 41.417759°, Longitude: -79.622629°. Application received: April 22, 2024. Issued: September 24, 2024.

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: 717-705-4802.

E6703223-003. TCNE Route 74 Associates, LLC, 300 Conshohocken State Road, Suite 250, West Conshohocken, PA 19428-3801, Carroll Township, **York County**. U.S. Army Corps of Engineers Baltimore District.

To place and maintain a 44.0-foot long, 4.0-foot by 4.0-foot concrete culvert, associated infiltration trench level spreader, and fill in 0.25 acre of Exceptional Value emergent wetland in the watershed of an Unnamed Tributary to Dogwood Run (CWF, MF) for the purpose of constructing an industrial warehouse and supporting infrastructure. The project is located west of the intersection of SR 74 and SR 15 in Carroll Township, York County (Latitude: 40.1209; Longitude: -77.0363). To compensate for wetland impacts, the applicant proposes to purchase 0.32 acre of wetland credits from the Codorus Creek Mitigation Bank (PADEP Permit # MB990367-001) in York County, Pennsylvania. Application received: February 22, 2023. Issued: September 19, 2024.

Southwest Region: Oil and Gas Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: D. J. Stevenson, 412-442-4281, RA-EPSW-OGSUBMISSION@pa.gov.

E6507224-003. CNX Midstream Operating Company, LLC, 1000 Horizon Vue Drive, Suite 1200, Canonsburg, PA 15317, Bell Township, Loyalhanna Township, Salem Township, **Westmoreland County**. U.S. Army Corps of Engineers Pittsburgh District. Latitude: 40.536111°, Longitude: -79.543056°. Application received: March 22, 2024. Issued: September 23, 2024. The applicant will construct, operate, and maintain two 13.9-miles-long, 24-inch-diameter steel natural gas pipelines and one approximately 3.9-miles-long, 20-inch-diameter high-density polyethylene (HDPE) produced permanent waterline. The proposed gas pipelines will connect CNX's BP6 U2 Pipeline to the Embriage Station M&R Facility. The proposed waterline will connect CNX's BP6 U2 waterline to CNX's proposed MAM 12 well pad. The proposed pipeline project will encroach on twenty-five (25) streams and thirty-three (33) wetlands in Bell, Loyalhanna, and Salem Township, Westmoreland County. Eleven (11) of the wetlands impacted by this project were considered exceptional value (EV). The project will temporarily impact 433 LF of stream, 1.496 acres of floodway, and 0.258 acre of palustrine emergent (PEM) wetland. The project will permanently impact 1,682 LF of stream, 4.192 acres of floodway; and 0.481 acre palustrine emergent (PEM) wetland.

Resource Name	Aquatic Resource Type	Activity	Chapter 93 Designation	Latitude/ Longitude	Impact Area Temp. (LF)	Impact Area Perm. (LF)	Impact Area Temp. (Ac)	Impact Area Perm. (Ac)
UNT 1 to Trib 42946 to Beaver Run	Perennial	Bore/ Timber Mat	TSF	40.533619 -79.542261	12	61	0.041	0.16
UNT 2 to Trib 42946 to Beaver Run	Intermittent	Excavation/ Timber Mat	TSF	40.532820 -79.541794	13	68	0.030	0.171
Trib 42946 to Beaver Run	Perennial	Excavation/ Timber Mat/ Stabilization	TSF	40.528356 -79.543446	12	64	0.032	0.151

NOTICES

6333

<i>Resource Name</i>	<i>Aquatic Resource Type</i>	<i>Activity</i>	<i>Chapter 93 Designation</i>	<i>Latitude/ Longitude</i>	<i>Impact Area Temp. (LF)</i>	<i>Impact Area Perm. (LF)</i>	<i>Impact Area Temp. (Ac)</i>	<i>Impact Area Perm. (Ac)</i>
UNT 3 to Trib 42946 to Beaver Run	Floodway	Access	TSF	40.528356 -79.543446	-	-	0.020	-
UNT 4 to Trib 42946 to Beaver Run	Intermittent	Excavation/ Timber Mat/ Stabilization	TSF	40.524932 -79.529294	14	46	0.033	0.089
Wetland 38B	PEM	Excavation/ Timber Mat	EV	40.524966 -79.529125	-	-	0.002	0.003
Wetland 38A	PEM	Excavation/ Timber Mat	EV	40.524729 -79.529073	-	-	0.010	0.051
UNT 3 to Trib 43086 to Woford Run	Floodway	Access	WWF	40.521433 -79.528854	-	-	0.001	-
UNT 4 to Trib 43086 to Woford Run	Floodway	Access	WWF	40.521433 -79.528854	-	-	0.001	-
Wetland 52A	PEM	Timber Mat	Other	40.509910 -79.527453	-	-	0.004	-
Trib 42951 to Beaver Run	Perennial	Excavation/ Timber Mat/ Stabilization	TSF	40.507687 -79.527537	14	84	0.032	0.191
UNT 1 to Trib 42951 to Beaver Run	Floodway	Access	TSF	40.507687 -79.527537	-	-	0.021	-
Wetland 34A	PEM	Excavation/ Access	EV	40.506272 -79.524024	-	-	0.017	0.023
UNT 2 to Trib 42952 to Beaver Run	Intermittent	Excavation/ Timber Mat	TSF	40.506263 -79.524020	13	16	0.021	0.021
UNT 1 to Trib 42952 to Beaver Run	Intermittent	Excavation/ Timber Mat	TSF	40.506187 -79.523907	13	66	0.024	0.135
Wetland 34C	PEM	Access	Other	40.505905 -79.523638	-	-	0.005	-
Wetland 33B	PEM	Timber Mat	Other	40.501891 -79.519618	-	-	0.002	-
Trib 43089 to Woford Run	Perennial	Excavation/ Timber Mat	WWF	40.500687 -79.518342	14	70	0.033	0.168
Trib 43089 to Woford Run	Perennial	Excavation/ Timber Mat/ Slope Repair	WWF	40.496895 -79.518828	12	70	0.032	0.328
Trib 43099 to Woford Run	Perennial	Excavation/ Timber Mat	WWF	40.493469 -79.522740	18	116	0.033	0.212
Wetland 49B	PEM	Excavation/ Timber Mat	Other	40.493469 -79.522740	-	-	0.006	0.003
Wetland 49A	PEM	Excavation/ Timber Mat	Other	40.493380 -79.522871	-	-	0.001	0.040
Trib 43101 to Woford Run	Perennial	Excavation/ Timber Mat	WWF	40.490466 -79.523046	12	67	0.027	0.169
Wetland 48D	PEM	Access	Other	40.490466 -79.523046	-	-	-	0.007
Wetland 48A	PEM	Timber Mat	Other	40.490466 -79.523046	-	-	0.001	0.001

<i>Resource Name</i>	<i>Aquatic Resource Type</i>	<i>Activity</i>	<i>Chapter 93 Designation</i>	<i>Latitude/ Longitude</i>	<i>Impact Area Temp. (LF)</i>	<i>Impact Area Perm. (LF)</i>	<i>Impact Area Temp. (Ac)</i>	<i>Impact Area Perm. (Ac)</i>
UNT 2 to Trib 43101 to Wolford Run	Floodway	Rock Construction Entrance	WWF	40.486121 -79.523647	-	-	0.010	-
UNT 2 to Trib 43101 to Wolford Run	Floodway	Excavation/ Access	WWF	40.485844 -79.523708	-	-	0.033	0.033
UNT 3 to Trib 43101 to Wolford Run	Floodway	Access	WWF	40.485844 -79.523708	-	-	0.010	0.010
Wetland 28B	PEM	Excavation/ Access	Other	40.481977 -79.527294	-	-	-	0.006
Wetland 28A	PEM	Timber Mat	Other	40.481931 -79.527397	-	-	0.010	-
Wetland 26A	PEM	Excavation/ Timber Mat	Other	40.473084 -79.530862	-	-	0.010	0.060
Wetland 26B	PEM	Timber Mat	Other	40.472193 -79.530252	-	-	0.032	-
Wetland 53	PEM	Timber Mat	Other	40.472760 -79.530252	-	-	0.007	-
UNT 1 to Trib 42994 to Beaver Run	Intermittent	Excavation/ Timber Mat	HQ-CWF	40.469465 -79.537871	14	67	0.036	0.170
Trib 42994 to Beaver Run	Perennial	Excavation/ Access	HQ-CWF	40.466311 -79.541046	12	67	0.068	0.200
Wetland 45F	PEM	Excavation/ Access	EV	40.466311 -79.541046	-	-	0.002	0.010
Wetland 45A	PEM	Excavation/ Access	EV	40.466311 -79.541046	-	-	0.004	0.021
Wetland 43	PEM	Timber Mat	Other	40.460442 -79.545910	-	-	0.007	-
Trib 42996 to Beaver Run	Perennial	Excavation/ Timber Mat/ Stabilization	HQ-CWF	40.458430 -79.544728	12	63	0.031	0.217
Wetland 2	PEM	Timber Mat	Other	40.453722 -79.539614	-	-	0.003	-
Trib 42997 to Beaver Run	Perennial	Excavation/ Access	HQ-CWF	40.453134, -79.539421	14	62	0.040	0.135
Trib 42999 to Beaver Run	Perennial	Excavation/ Access	HQ-CWF	40.450000 -79.535341	12	65	0.030	0.16
Trib 42999 to Beaver Run	Intermittent	Access	HQ-CWF	40.451392 -79.531317	33	-	0.204	-
Wetland 54	PEM	Timber Mat	Other	40.449650 -79.534066	-	-	0.002	-
Porters Run	Perennial	Excavation/ Access/ Stabilization	HQ-CWF	40.440882 -79.531853	13	69	0.063	0.199
UNT 1 to Porters Run	Floodway	Access	HQ-CWF	40.439969 -79.532577	-	-	0.108	-
Wetland 18A	PEM	Excavation/ Timber Mat	EV	40.439518 -79.532558	-	-	0.006	0.001
Trib 43013 to Beaver Run	Perennial	Excavation/ Timber Mat	HQ-CWF	40.426301 -79.543902	12	63	0.041	0.189
Wetland 47A	PEM	Excavation/ Timber Mat	Other	40.424567 -79.543466	-	-	0.008	-

NOTICES

6335

<i>Resource Name</i>	<i>Aquatic Resource Type</i>	<i>Activity</i>	<i>Chapter 93 Designation</i>	<i>Latitude/ Longitude</i>	<i>Impact Area Temp. (LF)</i>	<i>Impact Area Perm. (LF)</i>	<i>Impact Area Temp. (Ac)</i>	<i>Impact Area Perm. (Ac)</i>
Wetland 47E	PEM	Excavation/ Timber Mat	Other	40.424330 -79.543346	-	-	0.008	0.006
UNT 1 to Trib 43013 to Beaver Run	Intermittent	Access	HQ-CWF	40.421672 -79.548259	13	-	0.034	-
Wetland 12	PEM	Timber Mat	Other	40.420546 -79.543085	-	-	0.004	0.002
Trib 43023 to Beaver Run	Perennial	Excavation/ Access/ Stabilization	HQ-CWF	40.411706 -79.537722	12	69	0.177	0.264
UNT 1 to Trib 43023 to Beaver Run	Floodway	Access	HQ-CWF	40.411706 -79.537722	-	-	0.001	-
Trib 43021 to Beaver Run	Perennial	Excavation/ Timber Mat	HQ-CWF	40.410494 -79.537781	13	67	0.028	0.161
Wetland 10E	PEM	Excavation/ Timber Mat	Other	40.407397 -79.537440	-	-	0.003	0.003
Wetland 10D	PEM	Excavation/ Timber Mat	Other	40.406975 -79.537312	-	-	0.002	0.002
Wetland 10A	PEM	Excavation/ Timber Mat	EV	40.406580 -79.537516	-	-	0.049	0.208
Wetland 10A	PEM	Excavation/ Timber Mat	EV	40.406273 -79.537788	-	-	0.006	0.004
Wetland 10A	PEM	Timber Mat	EV	40.405865 -79.538444	-	-	0.003	-
Trib 43030 to Beaver Run	Intermittent	Excavation/ Timber Mat	HQ-CWF	40.405656 -79.538322	10	20	0.017	0.118
Wetland 10C	PEM	Bore/ Timber Mat	EV	40.405656 -79.538322	-	-	0.006	0.010
UNT 1 to Trib 43030 to Beaver Run	Intermittent	Culvert Replacement/ Access	HQ-CWF	40.401463 -79.538493	14	30	0.056	0.069
UNT 1 to Trib 43030 to Beaver Run	Intermittent	Excavation/ Culvert	HQ-WWF	40.402513 -79.540769	78	78	0.01	0.183
Wetland 9A	PEM	Excavation/ Timber Mat	EV	40.402269 -79.541126	-	-	0.003	0.003
Wetland 8C	PEM	Timber Mat	Other	40.394457 -79.545669	-	-	0.008	-
Wetland 8B	PEM	Timber Mat	Other	40.394452 -79.545897	-	-	0.002	-
UNT 1 to Trib 43031 to Beaver Run	Perennial	Excavation/ Timber Mat/ Stabilization	HQ-CWF	40.395572 -79.546645	12	66	0.030	0.168
Trib 43031 to Beaver Run	Perennial	Excavation/ Timber Mat/ Stabilization	HQ-CWF	40.39388 -79.549497	12	55	0.032	0.166
Wetland 7E	PEM	Excavation	EV	40.393974 -79.549095	-	-	0.019	0.008
Trib 43034 to Beaver Run	Perennial	Excavation/ Access/ Stabilization	HQ-CWF	40.387707 -79.549429	-	113	0.016	.228
UNT 2 to Trib 43034 to Beaver Run	Floodway	Access	HQ-CWF	40.387390 -79.549740	-	-	0.074	-

Resource Name	Aquatic Resource Type	Activity	Chapter 93 Designation	Latitude/ Longitude	Impact Area Temp. (LF)	Impact Area Perm. (LF)	Impact Area Temp. (Ac)	Impact Area Perm. (Ac)
UNT 1 to Trib 43034 to Beaver Run	Floodway	Culvert Replacement/ Access	HQ-CWF	40.386832 -79.547551	-	-	0.025	0.019
Total Stream/Floodway Impact					433	1,682	1.555	4.483
Total Wetland Impact							0.258	0.481

Contact: Dana Drake, Program Manager, 412-442-4000.

E2605224-001. City of Connellsville, 110 Arch Street, Connellsville, PA 15425, City of Connellsville, **Fayette County**. U.S. Army Corps of Engineers Pittsburgh District.

Application received: February 9, 2024. Issued: September 20, 2024.

The applicant proposes to construct and maintain:

1. An approximately 33' long by 16' wide extension of an existing concrete boat launch ramp, which was previously authorized by DEP File No. GP022617203, within the Youghiogheny River (WWF) and its floodway by installing 8 (eight) 4' x 16' concrete panels that interconnect with hook and eye mechanisms, resulting in 23 linear feet (LF) of permeant watercourse impacts and 0.01 acre of permanent floodway impacts;

2. A seasonally removable, 24' x 20' hexagonal floating dock and associated 30' x 5' gangway, which will meet Americans with Disabilities Act (ADA) accessibility requirements, along with a galvanized anchor chain and concrete column, within the Youghiogheny River and its floodway, resulting in 28 LF of permanent watercourse impacts and 0.02 acre of permanent floodway impacts. This activity may require removal or reconfiguration of a small area of bank stabilization riprap which was previously authorized by DEP File No. GP032617203;

3. ADA accessible parking area and access walkway within the floodway of the Youghiogheny River, resulting in 0.03 acre of permanent floodway impacts. This activity may require removal or reconfiguration of a small area of bank stabilization riprap which was previously authorized by DEP File No. GP032617203; and

4. Construction access, erosion and sediment controls, and temporary work areas needed to construct the aforementioned structures within the Youghiogheny River and its floodway, resulting in 85 LF of temporary watercourse impacts and 0.15 acre of floodway impacts.

For the purpose of enhancing recreational fishing and boating access along the Youghiogheny River. Cumulatively, the project will result in permanent impacts to 61 LF of the Youghiogheny River and 0.06 acre of its floodway. Additionally, cumulatively, the project will result in temporary impacts to 85 LF of the Youghiogheny River and 0.15 acre of its floodway.

The project site is located within Yough River Park and is under the Southwestern side of the Route 119 Bridge over the Youghiogheny River (Connellsville, PA USGS topographic quadrangle; N: 40°, 01', 17"; W: -79°, 35', 51"; Sub-basin 19D; USACE Pittsburgh District), in the City of Connellsville, Fayette County.

E0205223-011. Municipality of Monroeville, 2700 Monroeville Boulevard, Monroeville, PA 15146, Monroeville Borough, **Allegheny County**. U.S. Army Corps of Engineers Pittsburgh District.

Application received: May 13, 2023. Issued: September 24, 2024.

The applicant has been given consent to:

1. Construct and maintain an approximately 92' long x 6' wide wood sidebeamer bridge with R-6 riprap protection with AASHITO No. 1 filter spanning Turtle Creek (TSF),

2. Install and maintain 26 lf of PVC 4" sanitary sewer line within the floodway of Turtle Creek.

3. Construct and maintain park improvements including removal of the existing skate park with its chain link fence and bituminous pavement, and the addition of a restroom, picnic pavilion, landscaping, and general park amenities within the floodplain of Turtle Creek.

For the purpose of constructing a pedestrian bridge crossing of Turtle Creek to connect Valley Park with the Westmoreland Heritage Trail and improvements to Valley Park. The project will cumulatively and permanently impact 44 lf (0.013 acre) of watercourse, 0.012 acre of floodway, and 1.3 acre of floodplain. The project will cumulatively and temporarily impact 0.076 acre of floodway.

The project site is located at 1266 Abers Creek Rd, Monroeville, PA (Murrysville, PA USGS topographic quadrangle; N: 40°, 24', 52.5693"; W: -79°, 43', 32.2080"; Sub-basin 19A; USACE Pittsburgh District), in Municipality of Monroeville, Allegheny County, and Municipality of Murrysville, Westmoreland County.

DAM SAFETY

Central Office: Waterways & Wetlands Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-772-5321.

Contact: Josh Fair, Water Program Specialist; 717-772-5988.

D06-009EA. Timothy Krall, 899 Morgantown Road, Reading, PA 19607, City of Reading, **Berks County**. The Department has review and approved a proposal to remove Bushong Dam to eliminate a significant threat to public safety and to restore approximately 3,000 feet of stream channel to a free-flowing condition. The proposed restoration project includes partial sediment removal within the limits of the impoundment and proposes grading and lining of the channel using native stone from the Bushong Dam. The downstream scour hole will be filled with stone from the dam and choked with graded material in phases. Once Bushong Dam is removed, the upstream timber crib dam will be removed. The project is located across Tulpehocken Creek. (WWF, MF) (Reading,

PA Quadrangle, Latitude: 40.3459, Longitude: 75.9521)
Application received: July 2, 2024. Approved: July 29, 2024.

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information.

Eastern District: Oil and Gas Management Program, 208 West Third Street, Williamsport, PA 17701-6448.

Contact: RA-EPEASTERNOGPRG@pa.gov.

ESCGP # 3 **ESG295824012-00**
Applicant Name **Williams Field Services Co LLC**
Contact Person Jayme Stotka
Address 2000 Commerce Drive
City, State, Zip Pittsburgh, PA 15275
Township(s) Auburn Township
County **Susquehanna County**
Receiving Stream(s) and Classification(s) Dority Creek # 78464 (CWF, MF), UNT to Dority Creek # 35657 (CWF, MF)
Application received: July 29, 2024
Issued: September 19, 2024

ESCGP # 3 **ESG294123017-00**
Applicant Name **PA General Energy Co LLC**
Contact Person Nathan Harris
Address 120 Market Street
City, State, Zip Warren, PA 16365
Township(s) Cummings Township and McHenry Township
County **Lycoming County**
Receiving Stream(s) and Classification(s) Ott Fork (HQ-CWF)
Application received: September 11, 2023
Issued: September 23, 2024

Northwest Region: Oil and Gas Management Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: RA-EPOILGASDROPBOX@pa.gov.

ESCGP # 3 **ESG083223002-01**
Applicant Name **XTO Energy Inc.**
Contact Person Melissa Breitenbach
Address 190 Thorn Hill Road
City, State, Zip Warrendale, PA 15086
Township(s) Center Township
County **Indiana County**
Receiving Stream(s) and Classification(s) Trib 44081 to Cherry Run (CWF), UNT to Cherry Run (CWF)
Application received: July 16, 2024
Issued: September 23, 2024

Southwest District: Oil and Gas Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: RA-EPSW-OGSUBMISSION@pa.gov.

ESCGP # 3 **ESG076324013-00**
Applicant Name **Markwest Liberty Midstream & Resources LLC—Ruth Cossell Pipeline**
Contact Person Brian Elliott, (724) 873-2893
bmielliott@marathonpetroleum.com
Address 0.8 north of Old Brick Road and Middle Creek Road
City, State, Zip West Alexander, PA 15376
Township(s) Donegal Township
County **Washington County**
Receiving Stream(s) and Classification(s) 001. Lat 40.07974, Long -80.50354, UNT to Middle Wheeling Creek, Ch 93 class WWF
Application received: September 5, 2024
Issued: September 23, 2024

ESCP # **ESP076523001-00**
Applicant Name **CNX Midstream Operating Company—Slickville Trunkline**

Contact Person Robert Bassett, (724) 485-3647
robertbassett@cnx.com
Address 4664 PA-819

City, State, Zip Apollo, PA 15613
Township(s) Bell Twp, Loyalhanna Twp, Salem Twp.
County **Westmoreland County**
Receiving Stream(s) and Classification(s) 001. Trib 42946 to Beaver Run and UNTs, Ch 93 class TSF 002. Trib 42951 to Beaver Run and UNTs, Ch 93 class TSF 003. Trib 43086 to Wolford Run and UNTs, Ch 93 class WWF 004. Trib 43089 to Wolford Run and UNTs, Ch 93 class WWF 005. Trib 43099 to Wolford Run and UNTs, Ch 93 class WWF 006. Trib 43101 to Wolford Run and UNTs, Ch 93 class WWF 007. Trib 42994 to Beaver Run and UNTs, Ch 93 class HQ-CWF 008. Trib 42996 to Beaver Run, Ch 93 class HQ-CWF 009. Trib 42997 to Beaver Run, Ch 93 class HQ-CWF 010. Trib 43013 to Beaver Run and UNTs, Ch 93 class HQ-CWF 011. Trib 43021 to Beaver Run, Ch 93 class HQ-CWF 012. Trib 43023 to Beaver Run, Ch 93 class HQ-CWF 013. Trib 43030 to Beaver Run and UNTs, Ch 93 class HQ-CWF 014. Trib 43031 to Beaver Run and UNTs, Ch 93 class HQ-CWF 015. Trib 43034 to Beaver Run, Ch 93 class HQ-CWF 016. Beaver Run and UNTs, Ch 93 class HQ-CWF 017. Trib 43007 to Porters Run, Ch 93 class HQ-CWF 018. Porters Run and UNTs, Ch 93 Class HQ-CWF

Application received: September 23, 2024
Issued: September 24, 2024

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 2

The Following Plan(s) and Report(s) Were Submitted Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DEP has received the following plans and reports.

Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Jordan, 814-332-6172.

Red Paprika Foods, Storage Tank Facility ID # **03-06500**, 10243 State Route 85, Kittanning, PA 16201, Cowanshannock Township, **Armstrong County**. Letterle & Associates, Inc., 191 Howard Street, Suite 108, Franklin, PA 16323, on behalf of Valley Village, 10243 State Route 85, Kittanning, PA 16201, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report is intended to document the remedial actions for meeting residential Statewide health standards.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Richard M. Staron, Professional Geologist Manager, 484-250-5717.

Wawa Food Mkt 288, Storage Tank Facility ID # **09-38151**, 5854 Eaton Rd., Pipersville, PA 18947, Plumstead Township, **Bucks County**. Aquaterra Technologies, Inc., P.O. Box 744, West Chester, PA 19381, on behalf of Wawa, Inc., 260 W. Baltimore Pike, Wawa, PA

19063, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The plan is intended to document the remedial actions for meeting nonresidential Statewide health standards.

Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Janelle Hromyak, Clerical Assistant 2, 412-442-4091.

Vandermark Citgo, Storage Tank Facility ID # **63-82402**, 932 Main Street, Bentleyville, PA 15314-1116, Bentleyville Borough, **Washington County**. Letterle & Associates, Inc., 2859 Oxford Blvd., Allison Park, PA 15101, on behalf of Gary Parola, 932 Main Street, Bentleyville, PA 15314, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report is intended to document the remedial actions for meeting nonresidential site-specific standards.

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 3

Action(s) Taken on the Following Plans and Reports Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports.

A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

DEP may approve or disapprove plans and reports submitted. This notice provides DEP's decision and, if relevant, the basis for disapproval.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DEP has received the following plans and reports.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Blakeslee Garage, Storage Tank Facility ID # **45-50189**, 5701 Route 115, Blakeslee, PA 18610, Tobyhanna Township, **Monroe County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of MJ Plus Two Properties, LLC, 585 Railroad Drive, Stroudsburg, PA 18360, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum. The plan was acceptable to meet the Statewide health standards and was approved by DEP on September 19, 2024.

Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Nick, 814-332-6978.

Poor Mans Deli/Quick Stop Mkt, Storage Tank Facility ID # **42-20051**, 225 Biddle Street, Kane, PA 16735, Kane Borough, **McKean County**. P. Joseph Lehman, Inc., P.O. Box 419, Hollidaysburg, PA 16648, on behalf of James Temoshenko, 8421 Route 6, Kane, PA 16735, submitted a Remedial Action Plan concerning remediation of groundwater contaminated with unleaded gasoline. The plan was acceptable to meet the nonresidential site-specific standards and was approved by DEP on September 24, 2024.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Richard M. Staron, Professional Geologist Manager, 484-250-5717.

7 Eleven 40093, Storage Tank Facility ID # **15-20378**, 904 Kimberton Rd., Chester Springs, PA 19425, West Pikeland Township, **Chester County**. Groundwater & Environmental Services, Inc., 440 Creamery Way, Suite 500, Exton, PA 19341, on behalf of Evergreen Resources Management Operations, 2 Righter Parkway, Suite 120, Wilmington, DE 19803, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report demonstrated attainment of the nonresidential Statewide health standards and was approved by DEP on September 20, 2024.

Four Hundred Markley Street Lot, Storage Tank Facility ID # **46-28300**, 400 Markley Street, Norristown, PA 19404, Norristown Borough, **Montgomery County**. RMS Environmental, 1000 East Walnut Street, Suite 722, Perkasio, PA 18944, on behalf of Montgomery County, P.O. Box 311, Norristown, PA 19404 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The plan was acceptable to meet the nonresidential Statewide health standards and was approved by DEP on September 18, 2024.

Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Janelle Hromyak, Clerical Assistant 2, 412-442-4091.

Red Star Express Lines, Storage Tank Facility ID # **02-80940**, Avenue B, Buncher Industrial Park, Leetsdale, PA 15056, Leetsdale Borough, **Allegheny County**. KU Resources, Inc., 22 South Linden Street, Duquesne, PA 15110, on behalf of The Buncher Company, 1251 Waterfront Place, Suite 201, Pittsburgh, PA 15222, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with diesel fuel, unleaded gasoline. The combined plan and report was acceptable to meet the nonresidential Statewide health and site-specific standards and was approved by DEP on September 13, 2024.

BP Oil # 07411, Storage Tank Facility ID # **63-14147**, 505 Racetrack Road, Washington, PA 15301, South Strabane Township, **Washington County**. Letterle & Associates, Inc., 2859 Oxford Blvd., Allison Park, PA 15101, on behalf of NILU Enterprises, Inc., 1 Ukani Drive, Belle Vernon, PA 15012-4215, submitted a Remedial Action Completion Report concerning remediation of soil contaminated with unleaded gasoline, diesel fuel. The report demonstrated attainment of the nonresidential site-specific standards and was approved by DEP on September 9, 2024.

Gas N Go Washington, Storage Tank Facility ID # **63-30119**, 98 Murtland Ave., Washington, PA 15301-3378, City of Washington, **Washington County**. Apex Companies, LLC, 975 Georges Station Road, Suite 100, Greensburg, PA 15601, on behalf of Guttman Oil Company, 200 Speers Street, Belle Vernon, PA 15012, submitted a Remedial Action Completion Report concerning remediation of groundwater contaminated with unleaded gasoline. The report demonstrated attainment of the residential Statewide health standards and was approved by DEP on September 9, 2024.

Knopp & Klatt Excavation and Concrete, Storage Tank Facility ID # **11-13359**, Old Route 22 in Munster, Ebensburg, PA 15931, Munster Township, **Cambria County**. Letterle & Associates, Inc., 2022 Axemann Road, Suite 201, Bellefonte, PA 16823, on behalf of Knopp & Klatt Excavation and Concrete, 6051 Admiral Peary Hwy., Ebensburg, PA 15931, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The plan was acceptable to meet the residential Statewide health standards and was approved by DEP on September 23, 2024.

InNOut Food Mart, Storage Tank Facility ID # **02-28148**, 838 E. Warrington Ave., Pittsburgh, PA 15210-1560, City of Pittsburgh, **Allegheny County**. Insite Group, Inc., 611 S. Irvine Ave., Sharon, PA 16146, on behalf of Kesari, LLC, 838 E. Warrington Ave., Pittsburgh, PA 15210-1560, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The plan was acceptable to meet the residential and nonresidential site-specific standards and was approved by DEP on September 16, 2024.

SPECIAL NOTICES

WASTE, AIR, RADIATION AND REMEDIATION

Notice of Certification to Perform Radon-Related Activities in Pennsylvania.

Central Office: Radiation Protection Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101.

Contact: 717-783-3594 EP, Radon, RA-EPRadon@pa.gov.

In the month of August 2024, Department of Environmental Protection of the Commonwealth of Pennsylvania, under the authority contained in the Radon Certification Act, act of July 9, 1987, P.L. 238, No. 43 (63 P.S. §§ 2001—2014) and regulations promulgated thereunder at 25 Pa. Code Chapter 240, has certified the persons listed as follows to perform radon related activities in Pennsylvania. The period of certification is two years. (For a complete list of persons currently certified to perform radon-related activities in Pennsylvania and for information as to the specific testing devices that persons certified for testing or laboratory are certified to use, contact the Bureau of Radiation Protection, Radon Division, P.O. Box 8469, Harrisburg, PA 17105-8469, (1-800-23RADON).

<i>Name</i>	<i>Address</i>	<i>Certification</i>
Isaiah Unger	3151 Cape Horn Road #2015 Red Lion, PA 17356	Testing Individual
Tony McDonald	7681 Tim Avenue NW North Canton, OH 44720	Testing Individual
Tony McDonald	7681 Tim Avenue NW North Canton, OH 44720	Mitigaion Individual
Charles Wilson	442 Milwaukee Avenue Old Forge, PA 18518-1236	Testing Individual
Emily Ambrosi	27 Ironia Road Unit 2 Flanders, NJ 07836-9172	Laboratory Individual
RAdata, LLC	27 Ironia Road Unit 2 Flanders, NJ 07836-9172	Laboratory Firm
Richard Garzony	13 Regina Drive Mckees Rocks, PA 15136-1031	Testing Individual
Brian Stumm	1882 Boulder Drive Downingtown, PA 19335-4311	Testing Individual
David Konow	1315 Joan Drive Southampton, PA 18966-4340	Testing Individual
Ila Drosnes-Meixner	2075 Haymaker Road Monroeville, PA 15146-4749	Testing Individual
Jeffrey Schlaline	800 Locust Grove Road York, PA 17402-4532	Testing Individual
Brian Allen	2288 Township Road Quakertown, PA 18951	Testing Individual
Mary Ann Saenz	1172 Skelp Level Road Downingtown, PA 19335	Testing Individual
Thomas Hollingworth	2288 Township Road Quakertown, PA 18951	Testing Individual
Nathan Ricker	8557 Smokey Hollow Drive Lewis Center, OH 43035-8787	Testing Individual
Nathan Ricker	8557 Smokey Hollow Drive Lewis Center, OH 43035-8787	Mitigation Individual
Justin Weber	10 Chelsey Drive Mountain Top, PA 18707-2412	Testing Individual
Jason Greenwalt	404 South Pacific Avenue Pittsburgh, PA 15224	Testing Individual
Tony Domingues	6801 West Tighman Street Unit 115 Allentown, PA 18106-9593	Mitigation Individual

Name	Address	Certification
Integra Environmental	6801 West Tighman Street Unit 115 Allentown, PA 18106-9593	Mitigation Firm
Alexander Micco	121 Cottonwood Drive Aliquippa, PA 15001-9456	Testing Individual
BPG Inspections, LLC	2305 Lone Cedar Drive Easton, PA 18040-7545	Testing Firm
Robert Graves	108 Isaacs Shore Drive Milford, DE 19963-4932	Testing Individual
Bryce Hoenig	121 Cottonwood Drive Aliquippa, PA 15001-9456	Mitigation Individual
Michael Foglia	2427 Anneto Drive Pottstown, PA 19464-1047	Testing Individual

Correction To Public Hearing Scheduled, Hazardous Waste Permit Renewal Application, Permit No. PAD002389559, Submitted by Keystone Cement Company, East Allen Township, Northampton County.

Northeast Region: Waste Management Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Roger Bellas, Environmental Program Manager, 570-826-2201, RA-EPWM-NERO@pa.gov.

This notice is a correction to the previous notice published September 28, 2024 to clarify that a public meeting will also be occurring along with the public hearing and to clarify the times for the meeting portion versus the hearing portion. The Department of Environmental Protection has scheduled a public meeting and hearing to accept comments on the hazardous waste permit renewal application and draft permit for the Keystone Cement Company, Route 329, P.O. Box A, Bath, PA 18014-0058. Notice of issuance of the draft permit was published in the *Pennsylvania Bulletin* on June 22, 2024.

Keystone Cement Company is an existing permitted hazardous waste storage facility, located at Routes 329 and 987, Bath, PA, that specializes in the storage of approved liquid wastes prior to the beneficial use of the liquid waste as a fuel in the site cement kiln. The renewal permit will include a hazardous waste fuel mixing system that will be used with the tank farm, rail car unloading, and direct fuel transfer system. The renewed permit will allow the existing facility to remain in operation for another ten (10) years.

The public meeting and hearing will be held on Monday, October 28, 2024 from 6 pm to 9 pm at the Nitschmann Middle School located at 1002 W Union Blvd, Bethlehem, PA 18018. The meeting to answer questions will take place from 6 pm to 7:30 pm and the hearing for testimony will take place from 7:40 pm to 9 pm.

The Department requests that individuals wishing to testify at the hearing submit a written notice of intent to Colleen Connolly, Community Relations Coordinator, Keystone Cement Company Public Hearing, PA DEP, 2 Public Square, Wilkes-Barre, PA 18701-1915, or by email at coconnolly@pa.gov.

The Department will accept notices up to the day of the hearing. The written notice should include the person's name, address, telephone number and a brief statement as to the nature of their presentation. The Department

requests that individuals limit their testimony to five (5) minutes so that all individuals have the opportunity to testify.

Written copies of oral testimony are requested. Relinquishing of time to others will not be allowed. Individuals attending the hearing will have the opportunity to testify if they so desire; however, individuals who pre-register to testify will be given priority on the agenda. Persons unable to attend the hearing may submit written statements/comments to the Department on or before October 28, 2024.

Persons with a disability who wish to testify and require an auxiliary aid, service or other accommodation should contact Colleen Connolly, 570-826-2511 or through the Pennsylvania Hamilton Relay Service at 800-654-5984 (TDD) to discuss how the Department can meet their needs.

To request to view the application and/or draft permit, contact Roger Bellas at 570-826-2511 or rbellas@pa.gov.

[Pa.B. Doc. No. 24-1423. Filed for public inspection October 4, 2024, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Availability of Final Erosion and Sediment Control General Permit-4 for Earth Disturbance Associated with Oil and Gas Exploration, Production, Processing or Treatment Operations or Transmission Facilities (ESCGP-4)

The Department of Environmental Protection (Department) by this notice is publishing as final the Erosion and Sediment Control General Permit-4 (ESCGP-4) for Earth Disturbance Associated with Oil and Gas Exploration, Production, Processing or Treatment Operations or Transmission Facilities. This general permit is issued under the authority of 25 Pa. Code § 102.5(m) (relating to permit requirements) as well as the Clean Streams Law (35 P.S. §§ 691.1—691.1001), 58 Pa.C.S. §§ 3201—3274 (relating to development) (2012 Oil and Gas Act) and sections 1905-A, 1917-A and 1920-A of The Administrative Code of 1929 (71 P.S. §§ 510-5, 510-17 and 510-20). This general permit will be effective October 5, 2024, and will expire on October 5, 2029. Notice will be published in the *Pennsylvania Bulletin* of every approval of coverage.

Oil and gas activities conducted in compliance with 25 Pa. Code Chapter 102 (relating to erosion and sediment control), including activities conducted under ESCGP-3, comply with water quality standards.

The Department solicited public comment on the proposed revisions to ESCGP-4 from June 29, 2024, through July 29, 2024. Eight commenters submitted approximately 83 comments. The Department prepared a Comment and Response Document and made appropriate changes to the ESCGP-4 based on those comments.

A copy of the final ESCGP-4 permit with related documents, including the Comment and Response Document, is available by contacting the Department of Environmental Protection, Office of Oil and Gas Management, Rachel Carson State Office Building, P.O. Box 8460, 15th Floor, Harrisburg, PA 17105-8460, (717) 772-2199. The general permit package can be accessed online through the Department's eLibrary web site at www.depgreenport.state.pa.us/elibrary/ (select "Permit and Authorization Packages," then "OIL AND GAS," then "AUTHORIZATION OF COVERAGE UNDER THE EROSION AND SEDIMENT CONTROL GENERAL PERMIT FOR EARTH DISTURBANCE ASSOCIATED WITH OIL AND GAS EXPLORATION, PRODUCTION, PROCESSING, OR TREATMENT OPERATIONS OR TRANSMISSION FACILITIES (ESCGP-4) 8000 PM OOGM0003a."

The Department will continue to accept applications for ESCGP-3 until October 11, 2024. Due to the expiration of ESCGP-3, the Department must act on all notices of intent submitted for coverage under ESCGP-3 by January 6, 2025. Projects that were authorized for coverage under ESCGP-3 prior to this date will have coverage administratively extended under the terms and conditions of ESCGP-3 for the remainder of the time period of the original coverage.

Questions about the final ESCGP-4 should be directed to Joseph Kelly, Chief, Division of Well Development and Surface Activities, (717) 772-2199 or josephkel@pa.gov.

JESSICA SHIRLEY,
Acting Secretary

[Pa.B. Doc. No. 24-1424. Filed for public inspection October 4, 2024, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Availability of Fiscal-Year Report for the Reclamation Fee O & M Trust Account

The Department of Environmental Protection (Department) announces the availability of a draft Fiscal-Year Report (report) for the Reclamation Fee O & M Trust Account. This account was established to provide funds for the operation and maintenance of mine drainage treatment facilities at mine sites with post-mining discharges at ABS Legacy Sites as defined in 25 Pa. Code § 86.1 (relating to definitions). As required by the regulations in 25 Pa. Code § 86.17(3) (relating to permit and reclamation fees), this report contains a financial analysis of the revenue and expenditures from the account for Fiscal Year (FY) 2023-2024 and provides projections for FY 2024-2025.

The Department will accept comments on this draft report through Monday, November 4, 2024. Commenta-

tors are encouraged to submit comments using the Department's online eComment process at www.ahs.dep.pa.gov/eComment or by e-mail to ecomment@pa.gov. Written comments may be mailed to the Department of Environmental Protection, Policy Office, Rachel Carson State Office Building, P.O. Box 2063, Harrisburg, PA 17105-2063. Use "Reclamation Fee Report" as the subject line in written communication.

The report and any comments provided will be reviewed with the Mining and Reclamation Advisory Board at the October 24, 2024, meeting.

The report is available on the Department's web site at www.ahs.dep.pa.gov/eComment.

Questions regarding the draft report should be directed to Greg Greenfield, Department of Environmental Protection, Bureau of Mining Programs, Rachel Carson State Office Building, 5th Floor, P.O. Box 8461, Harrisburg, PA 17105-8461, at grgreenfie@pa.gov or (717) 787-3174.

Persons with a disability may contact the Department or through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

JESSICA SHIRLEY,
Acting Secretary

[Pa.B. Doc. No. 24-1425. Filed for public inspection October 4, 2024, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Availability of Technical Guidance

The Department of Environmental Protection (Department) announces the withdrawal of the technical guidance documents (TGD) listed in this notice. TGDs are available on the Department web site at www.depgreenport.state.pa.us/elibrary/. The "Technical Guidance Final Documents" heading is the link to a menu of the various Department bureaus where each bureau's final TGDs are posted. The "Technical Guidance Draft Documents" heading is the link to the Department's draft TGDs.

Ordering Paper Copies of Department Technical Guidance

The Department encourages the use of the Internet to view and download TGDs. When this option is not available, persons can order a paper copy of any of the Department's draft or final TGDs by contacting the Department at (717) 783-8727.

In addition, bound copies of some of the Department's documents are available as Department publications. Check with the appropriate bureau for more information about the availability of a particular document as a publication.

Changes to TGDs

Following is the current list of recent changes. Persons who have questions or comments about a particular document should contact the person whose name and phone number are listed with each document.

Final TGD

DEP ID: 263-4500-601. *Title:* Closure Requirements for Underground Storage Tank Systems. *Description:* The purpose of this TGD is to establish methodology that can

be used to meet the minimum standards which are required under the closure requirements for regulated underground storage tank systems. This TGD includes procedures for closure notification, tank system closure, tank handling, waste management and disposal, site assessment, sampling requirements, sample analysis, analytical requirements, release reporting and record-keeping. This TGD was revised to update sampling requirements consistent with regulatory requirements. In addition, information was included that would be relevant to the storage tank owner during storage tank closure activities. Minor editorial changes were also made.

Contact: Questions regarding this TGD should be directed to Craig Sinkovich, (717) 772-5978 or by e-mail to csinkovich@pa.gov.

Effective Date: Upon publication of notice as final in the *Pennsylvania Bulletin*.

JESSICA SHIRLEY,
Acting Secretary

[Pa.B. Doc. No. 24-1426. Filed for public inspection October 4, 2024, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Mosquitoborne Disease Control County Grants; Notice of Availability

The Department of Environmental Protection (Department) invites county parties awarded a grant in 2024 to apply for the State Appropriated Fiscal Year 2025 Mosquitoborne Disease Control (MDC) reimbursable county grants.

Applicants must meet certain eligibility requirements (for example, the applicant must be a county authority—health department, conservation district, emergency management, county planning or another county agency). The grantees will perform mosquito Integrated Pest Management activities within the borders of the designated county or counties, as noted in the MDC Grant Application Instruction Guide.

Information is available on the Department's web site at www.dep.pa.gov (select "Businesses," then "Program Integration," then "Vector Management," then "Mosquitoes").

Applications must be submitted through the Department of Community and Economic Development's Electronic Single Application web site, eGrants at <https://grants.pa.gov>.

The Department will begin accepting applications on October 15, 2024. Applications must be received no later than 4 p.m., November 15, 2024.

Questions concerning the grant program can be directed to the Department of Environmental Protection, Vector Management, P.O. Box 1467, Harrisburg, PA 17105-1467, by e-mail at jstough@pa.gov or by telephone at (717) 678-2999.

JESSICA SHIRLEY,
Acting Secretary

[Pa.B. Doc. No. 24-1427. Filed for public inspection October 4, 2024, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Orphan Well Plugging Grant Program; Opening of Grant Application Period

The Department of Environmental Protection (Department) announces an opportunity to apply for up to \$16.8 million in grant funding through the Orphan Well Plugging Grant Program (Grant Program), established under 58 Pa.C.S. Chapter 28 (relating to oil and gas well plugging oversight), offered to qualified applicants in the amounts prescribed by this law. This funding represents more than 20% of the total "Formula Grant Phase One" award received by the Department from the United States Department of the Interior under section 40601 of the Infrastructure Investment and Jobs Act (P.L. No. 117-58, Part Title VI), effective September 1, 2024.

Subawards under this Grant Program are available on a first come, first served basis to qualified well pluggers, as defined in 58 Pa.C.S. Chapter 28. Grant subrecipients must comply with all terms and conditions of the Federal award, including applicable State law, as will be detailed in the grant agreement.

Applicants can apply to plug up to five orphan wells per application. The maximum subaward per applicant cannot exceed in aggregate the total eligible funds based on the type of orphan well by depth classification, in accordance with the act as follows:

- The maximum subaward cannot exceed \$40,000 for every eligible well plugged that is an orphan well of a depth of 3,000 feet or less or the actual cost of the qualified well plugger to plug the well, whichever is less.
- The maximum subaward cannot exceed \$70,000 for every eligible well plugged that is an orphan well of a depth of greater than 3,000 feet or the actual cost of the qualified well plugger to plug the well, whichever is less.

An applicant may apply to plug additional orphan wells (up to five per application) once the last well is adequately plugged, a plugging certificate is issued by the Department, and all terms and conditions of the grant agreement have been satisfied.

Grant applications must be submitted online through the Commonwealth's Electronic Single Application web site, eGrants, at <https://grants.pa.gov>. Applications will be reviewed on a first come, first served basis. The Grant Program will remain open dependent on fund availability. The Department may stop accepting applications once all available funding is committed to approved projects and commence accepting applications if additional money is made available thereafter.

The Grantee shall comply with all Federal and State audit requirements including: the Single Audit Act Amendments of 1996; Uniform Administrative Requirements, Cost Principles and Audit Requirements for Federal Awards, 2 CFR Part 200 (relating to uniform administrative requirements, cost principles, and audit requirements for Federal awards); and any other applicable law or regulation and any amendment to any other applicable law or regulation that may be enacted or promulgated by the Federal government.

More detailed information about the grant requirements can be found on the Department's web site at <https://www.dep.pa.gov/Business/Energy/OilandGasPrograms/OilandGasMgmt/LegacyWells/Pages/default.aspx>.

Language Access

For applicants who are deaf, hard of hearing, deaf-blind or have a speech disorder, the Pennsylvania Hamilton Relay Service is available by calling (800) 654-5984 (TTD users) or (800) 654-5988 (voice users), and request that the call be relayed to Neil Bakshi at (717) 787-0880.

ATTENTION: If you speak another language other than English, language assistance services can be made available to you. Call (717) 787-0880.

ATENCIÓN: Si habla otro idioma que no sea el inglés, los servicios de asistencia lingüística pueden estar disponibles para usted. Llame al (717) 787-0880.

ACHTUNG: Wenn Sie eine andere Sprache als Englisch sprechen, können Ihnen Sprachunterstützungsdienste zur Verfügung gestellt werden. Rufen Sie (717) 772-5719 an.

Inquiries concerning this notice and requests for more information about this Grant Program should be directed to Amy McMullen, Environmental Group Manager, Department of Environmental Protection, Rachel Carson State Office Building, Bureau of Oil and Gas Planning and Program Management, P.O. Box 8765, Harrisburg, PA 17101-8765, at ammcmullen@pa.gov or (717) 783-9165.

JESSICA SHIRLEY,
Acting Secretary

[Pa.B. Doc. No. 24-1428. Filed for public inspection October 4, 2024, 9:00 a.m.]

DEPARTMENT OF HEALTH

Brain Injury Advisory Board Meeting

The Brain Injury Advisory Board (Board), established under section 1252 of the Federal Traumatic Brain Injury Act of 1996 (42 U.S.C. § 300d-52), will hold a public meeting on Friday, November 1, 2024, from 10 a.m. to 3 p.m. The meeting will be held in person at the Pennsylvania Training and Technical Assistance Network, 6340 Flank Drive, Harrisburg, PA 17112 in the Cambria conference room.

Meeting materials will be sent out before the meeting and will also be available on the Board's web site at <https://www.pa.gov/en/agencies/health/diseases-conditions/brain-and-neurological/traumatic-brain-injury.html> and at the meeting location. Contact Nicole Johnson at njohnson@pa.gov with any questions.

The Department of Health's (Department) Head Injury Program (HIP) strives to ensure that eligible individuals who have a traumatic brain injury receive high quality rehabilitative services aimed at reducing functional limitations and improving quality of life. The Board assists the Department in understanding and meeting the needs of persons living with acquired brain injuries, both traumatic and nontraumatic, and their families. This quarterly meeting will provide updates on a variety of topics, including the number of people served by HIP. In addition, meeting participants will discuss budgetary and programmatic issues, community programs relating to traumatic and nontraumatic brain injuries and available advocacy opportunities.

For additional information or for persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other accommodation to do so contact Nicole Johnson, Division of Community Systems

Development and Outreach, (717) 772-2763. For individuals with speech and/or hearing impairments, contact V/TT (717) 783-6514 or the Pennsylvania Hamilton Relay Service at (800) 654-5984.

This meeting is subject to cancellation without notice.

DR. DEBRA L. BOGEN,
Secretary

[Pa.B. Doc. No. 24-1429. Filed for public inspection October 4, 2024, 9:00 a.m.]

DEPARTMENT OF HEALTH

Special Pharmaceutical Benefits Program Advisory Council Public Meeting

The Statewide Special Pharmaceutical Benefits Program (SPBP) Advisory Council, established by the Department of Health (Department) to aid in the carrying out of its Federal grant responsibilities under section 2616 of the Ryan White Comprehensive AIDS Resources Emergency Act of 1990 (42 U.S.C. § 300ff-26), will hold a public meeting on Thursday, October 24, 2024, from 10 a.m. to 3 p.m. at the Penn Harris Hotel, 1150 Camp Hill Bypass, Camp Hill, PA 17011. There will be a virtual option available using Microsoft Teams. Persons may participate by dialing in by location at (866) 588-4789. The meeting ID is 652 581 064#. The meeting will begin promptly at 10 a.m. and participants are urged to call in by 9:50 a.m.

The SPBP Advisory Council will provide program guidance and recommendations to the Department's SPBP in regard to the following: drug formulary; covered lab services; drug utilization review; clinical programs; eligibility; and program management.

For additional information, or for persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other accommodation to do so should contact Sandy Brosius, Bureau of Communicable Diseases, Department of Health, Health and Human Services Building, 625 Forster Street, Harrisburg, PA 17120, (717) 547-3419, or for speech or hearing impaired persons call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The Department reserves the right to cancel this meeting without prior notice.

DR. DEBRA L. BOGEN,
Secretary

[Pa.B. Doc. No. 24-1430. Filed for public inspection October 4, 2024, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Availability of the Temporary Assistance for Needy Families State Plan

The Department of Human Services (Department) is making available for comment an updated 2024 Temporary Assistance for Needy Families (TANF) State Plan. The State Plan was developed in accordance with the requirements of the Personal Responsibility and Work

Opportunity Reconciliation Act of 1996 (act) (Pub.L. No. 104-193). The act provides each state with a TANF Block Grant and the opportunity, with broad Federal guidelines, to design and operate its own programs. The original State Plan was published at 27 Pa.B. 342 (January 18, 1997). Updated Plans were published at 29 Pa.B. 5658 (October 30, 1999) and 32 Pa.B. 6401 (December 28, 2002). The availability of the 2005, 2008, 2011, 2014, 2018 and 2021 TANF State Plans were published at 35 Pa.B. 6289 (November 12, 2005), 38 Pa.B. 6342 (November 15, 2008), 41 Pa.B. 5825 (October 29, 2011), 44 Pa.B. 5545 (August 16, 2014), 48 Pa.B. 5656 (September 8, 2018) and 51 Pa.B. 53191 (August 21, 2021) respectively. The 2024 State Plan will be submitted to the United States Department of Health and Human Services in December 2024.

Public Comment

Future amendments to the 2024 State Plan will incorporate suggestions and recommendations received during the comment period. The 45-day comment period begins on the date this notice is published in the *Pennsylvania Bulletin*.

Copies of the previous 2021 State Plan are available for all interested individuals and groups by written request or at the Department's web site at pa.gov/en/agencies/dhs.html. Written requests should be directed to Carl Feldman, Attention: TANF State Plan, Director, Bureau of Policy, Office of Income Maintenance, CoPA HUB, Suite 240/250, 2525 North 7th Street, Harrisburg, PA 17110.

Interested persons are invited to submit written comments regarding this notice to the Department at the Bureau of Policy address previously listed. Comments received within 45 days will be reviewed and considered for any subsequent revision of the State Plan.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

VALERIE A. ARKOOSH,
Secretary

Fiscal Note: 14-NOT-1657. No fiscal impact; recommends adoption.

[Pa.B. Doc. No. 24-1431. Filed for public inspection October 4, 2024, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Managed Care Assessment Program

The Department of Human Services (Department) is announcing a proposed adjustment to the managed care assessment fixed fee effective January 1, 2025.

Background

In 2015, the General Assembly enacted legislation authorizing the Department to impose an annual monetary assessment on managed care organizations (MCO) in this Commonwealth for 4 years beginning in State Fiscal Year (FY) 2016-2017. In 2020 the General Assembly enacted legislation to continue the assessment through June 30, 2025. See section 1601-O of the Fiscal Code (72 P.S. § 1601-0), as amended by the act of May

29, 2020 (P.L. 158, No. 23) (Act 23). The fixed fee assessed on MCOs is currently \$24.95 per member month.

Article VIII-I of the Human Services Code (62 P.S. §§ 801-I—812-I) authorizes the Secretary of Human Services (Secretary) to adjust the assessment fixed fee for all or part of a fiscal year so long as the assessment does not exceed the Federal maximum 6% limit of revenue specified in 42 CFR 433.68(f)(3)(i)(A) (relating to permissible health care-related taxes). Before adjusting the assessment percentage, the Secretary must publish a notice in the *Pennsylvania Bulletin* that specifies the proposed adjusted assessment fixed fee, identifies the aggregate impact on MCOs subject to the assessment and provides interested parties with 30 days to comment. After consideration of any comments received during the 30-day period, the Secretary must publish a second notice announcing the adjusted assessment fixed fee. See section 803-I(c) of the Human Services Code (62 P.S. § 803-I(c)).

Proposed Adjusted Assessment Fixed Fee

The Department is proposing to adjust the MCO assessment fixed fee to \$30.47 per member month effective January 1, 2025. The proposed adjusted assessment fixed fee will not exceed the Federal maximum limit of 6% of revenue.

Fiscal Impact

The Department estimates that the aggregate fiscal impact for this change in FY 2024-2025 will be an additional \$223.531 million in assessment revenue.

Public Comment

Interested persons are invited to submit written comments regarding this notice to the Department of Human Services, Office of Medical Assistance Programs, c/o Regulations Coordinator, P.O. Box 2675, Harrisburg, PA 17120 or to RA-PWMAProgComments@pa.gov. Comments received within 30 days will be reviewed and considered in determining the final payment methodology for these payments.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

VALERIE A. ARKOOSH,
Secretary

Fiscal Note: 14-NOT-1655. Under section 612 of The Administrative Code of 1929 (71 P.S. § 232), (1) General Fund;

(7) Medical Assistance (MA)—Capitation; (2) Implementing Year 2024-25 is -\$215,690,000; (3) 1st Succeeding Year 2025-26 through 5th Succeeding Year 2029-30 are -\$431,381,000; (4) 2023-24 Program—\$3,594,000,000; 2022-23 Program—\$3,418,000,000; 2021-22 Program—\$4,557,000,000;

(7) MA—Community HealthChoices; (2) Implementing Year 2024-25 is -\$6,138,000; (3) 1st Succeeding Year 2025-26 through 5th Succeeding Year 2029-30 are -\$12,276,000; (4) 2023-24 Program—\$5,282,000,000; 2022-23 Program—\$4,460,000,000; 2021-22 Program—\$4,252,000,000;

(7) CHIP; (2) Implementing Year 2024-25 is -\$1,703,000; (3) 1st Succeeding Year 2025-26 through 5th Succeeding Year 2029-30 are -\$3,408,000; (4) 2023-24 Program—\$110,957,000; 2022-23 Program—\$75,561,000; 2021-22 Program—\$46,374,000;

(8) recommends adoption. The enacted budget is reflective of the fee adjustment.

[Pa.B. Doc. No. 24-1432. Filed for public inspection October 4, 2024, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Payment for Nursing Facility Services Provided by Nonpublic Nursing Facilities Located in a County of the Eighth Class; Nonpublic Nursing Facility Supplementation Payment for Fiscal Year 2024-2025

This announcement provides advance notice that the Department of Human Services (Department) intends to continue to make an additional payment to certain nonpublic nursing facilities in a county of the eighth class in Fiscal Year (FY) 2024-2025 to ensure access to necessary nursing home care in that county.

Proposed Payment

The Department intends to make a nonpublic nursing facility supplementation payment to each qualified nonpublic nursing facility. To qualify, a nonpublic nursing facility must be located in a county of the eighth class, have more than 119 beds and a Medicaid acuity of 1.11 as of August 1, 2022. The number of beds will be the number of licensed beds as of August 1, 2022, and the Medicaid acuity will be determined using the Case Mix Index Report for the August 1, 2022, picture date in accordance with 55 Pa. Code § 1187.33 (relating to resident data and picture date reporting requirements).

The Department will calculate the qualifying nonpublic nursing facility's supplementation payment for FY 2024-2025 by multiplying the supplementation per diem by the number of paid Medical Assistance (MA) facility and therapeutic leave days for the prior fiscal year. The supplementation per diem will be calculated by dividing the total funds available by the total number of paid MA facility and therapeutic leave days for the prior fiscal year for qualifying facilities.

The Department will submit a State Plan Amendment (SPA) to the Centers for Medicare & Medicaid Services (CMS). If CMS approves the SPA, the total funds will consist of both Federal and State funding. The Department will use its best efforts to process this supplementation payment within 30 days of the date it receives notice from CMS.

Fiscal Impact

This change will result in an estimated cost of \$11.133 million (\$5.000 million in State funds) for FY 2024-2025.

Public Comment

Interested persons are invited to submit written comments regarding the nonpublic nursing facility supplementation payment to the Department of Human Services, Office of Long-Term Living, Bureau of Policy Development and Communications Management, Attention: Benjamin Spager, P.O. Box 8025, Harrisburg, PA 17105-8025 or RA-PWOLTLNFPUBLICCOM@pa.gov. Comments received within 30 days will be reviewed and considered for any subsequent revision of the notice.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

VALERIE A. ARKOOSH,
Secretary

Fiscal Note: 14-NOT-1656. Under section 612 of The Administrative Code of 1929 (71 P.S. § 232), (1) General Fund; (2) Implementing Year 2024-25 is \$5,000,000; (3) 1st Succeeding Year 2025-26 through 5th Succeeding Year 2029-30 are \$0; (4) 2023-24 Program—\$188,374,000; 2022-23 Program—\$131,981,000; 2021-22 Program—\$121,346,000; (7) Long-Term Living; (8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 24-1433. Filed for public inspection October 4, 2024, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Contemplated Joint Use Lease of Land for Other Uses

The Department of Transportation (Department), under section 2002(c) and (d) of The Administrative Code of 1929 (71 P.S. § 512(c) and (d)) has received an application to lease real property. The applicant's name is Loyalsock Investments, LLC. The proposed use of the leased premises is a laydown yard for East End Lumber. The yard will be used for parking vehicles and off-loading/laydown of building materials. Hazardous materials will not be brought to or stored on the leased premises.

The land is in the City of Williamsport, Lycoming County, bounded to the south and east by Interstate 180, to the west by Chatham Street and to the north by East Church Street, further described as State Route 180 Segment 0035. The area consists of 0.255 acre of unimproved land. The estimated fair market rent value is \$2,900 per year.

Persons objecting to the approval of the application on grounds of public or private interest may file, within 30 days from the date of this notice, a written protest with sufficient detail to inform the Department of the exact basis of the protest and the relevant facts upon which it is based to Jeffrey M. Wenner, PE, District Right-of-Way Administrator, Department of Transportation, 715 Jordan Avenue, Montoursville, PA 17754.

MICHAEL CARROLL,
Secretary

[Pa.B. Doc. No. 24-1434. Filed for public inspection October 4, 2024, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Green Light—Go: Pennsylvania's Municipal Signal Partnership Program; Invitation to Submit Applications

Under 74 Pa.C.S. Chapter 92 (relating to traffic signals) and 75 Pa.C.S. § 9511(e.1) (relating to allocation of

proceeds), the Department of Transportation (Department) established the Green Light—Go: Pennsylvania's Municipal Partnership Program, also known as the Green Light—Go Program. The Green Light—Go Program is a competitive application and reimbursement grant program whereby municipalities and metropolitan or rural planning organizations can request financial assistance to replace, synchronize, time, operate and maintain traffic signals. A 20% match from grantees is required under 75 Pa.C.S. § 9511(e.1)(4).

During Fiscal Year 2024-2025, up to \$40 million will be available to municipalities and metropolitan or rural planning organizations for upgrading traffic signals to light-emitting diode technology and intelligent transportation applications, such as autonomous and connected vehicle-related technology, performing regional operations such as retiming, developing special event plans, monitoring traffic signals and for maintaining and operating traffic signals.

Additional information on eligible Green Light—Go Program projects, the program guidelines and a link to the online electronic application can be found on the Department's Traffic Signal web site at <http://www.dot.state.pa.us/signals>. Supporting documents may be attached to the online application. Only the application and supporting documents attached to the online application will be considered. Paper copies are not required.

The Department invites municipalities and metropolitan or rural planning organizations to submit electronic Green Light—Go Program applications between February 1, 2025, and February 28, 2025. Prior to application submission, applicants must complete and submit a Pre-Application Project Scoping Form to the Bureau of Operations in accordance with the Green Light—Go Program guidelines. Pre-Application Project Scoping Forms will be accepted until November 22, 2024. In addition to the electronic application, applicants must update information in the Department's Traffic Signal Asset Management System as indicated in the Green Light—Go Program guidelines posted on the Department's Traffic Signal web site.

If municipalities or metropolitan or rural planning organizations are awarded funding, all grant agreements and requests for reimbursement will be processed through the Commonwealth's Electronic Single Application for Assistance system.

Questions should be directed to Michael Centi, Senior Traffic Control Specialist, Bureau of Maintenance and Operations, Department of Transportation, 400 North Street, 6th Floor, Harrisburg, PA 17120, (717) 787-5313, GLG@pa.gov.

MICHAEL CARROLL,
Secretary

[Pa.B. Doc. No. 24-1435. Filed for public inspection October 4, 2024, 9:00 a.m.]

ENVIRONMENTAL QUALITY BOARD

Meeting Cancellation

The October 8, 2024, meeting of the Environmental Quality Board (Board) is cancelled. The next regular meeting of the Board is tentatively scheduled for Tuesday, November 12, 2024. The meeting will begin at 9 a.m. in Room 105, Rachel Carson State Office Building, 400

Market Street, Harrisburg, PA. Individuals may attend the meeting in person or remotely.

Information on how to join the meeting, as well as agenda and meeting materials, will be available on the Board's webpage, found through the Public Participation tab on the Department of Environmental Protection's (Department) web site at www.dep.pa.gov (select "Public Participation," then "Environmental Quality Board," then "2024 Meetings").

Individuals are encouraged to visit the Board's webpage to confirm meeting date, time and location prior to each meeting. Questions concerning the November 12, 2024, meeting can be directed to Laura Griffin at laurgriffi@pa.gov or (717) 783-8727.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact the Department at (717) 783-8727 or through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

JESSICA SHIRLEY,
Acting Chairperson

[Pa.B. Doc. No. 24-1436. Filed for public inspection October 4, 2024, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Actions Taken by the Commission

The Independent Regulatory Review Commission met publicly at 10 a.m., Thursday, September 19, 2024, and announced the following:

Actions Taken—Regulations Approved:

Department of Human Services # 14-548: Psychiatric Rehabilitation Services (amends 55 Pa. Code Chapter 5230)

State Board of Medicine # 16A-4958: Licensure by Endorsement (amends 49 Pa. Code Chapter 16 by adding §§ 16.12a, 16.12b, 16.12c, and revising 16.13(a))

Approval Order

Public Meeting Held
September 19, 2024

Commissioners Voting: George D. Bedwick, Chairperson; John F. Mizner, Esq., Vice Chairperson; John J. Soroko, Esq., dissenting; Murray Ufberg, Esq.; Dennis A. Watson, Esq.

*Department of Human Services—
Psychiatric Rehabilitation Services
Regulation No. 14-548 (# 3347)*

On June 23, 2022, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Department of Human Services (Department). This rulemaking amends 55 Pa. Code Chapter 5230. The proposed regulation was published in the July 9, 2022 *Pennsylvania Bulletin* with a public comment period ending on August 8, 2022. The final-form regulation was submitted to the Commission on July 25, 2024.

This regulation expands eligibility for psychiatric rehabilitation services (PRS) to include individuals 14 years of

age or older but under 18 years of age, and expands the diagnoses that allow individuals to access PRS without going through the exception process by including post-traumatic stress disorder, bipolar disorder, major depressive disorder, and anxiety disorders.

We have determined this regulation is consistent with the statutory authority of the Department (62 P.S. §§ 911 and 1021) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

Approval Order

Public Meeting Held
September 19, 2024

Commissioners Voting: George D. Bedwick, Chairperson; John F. Mizner, Esq., Vice Chairperson; John J. Soroko, Esq.; Murray Ufberg, Esq.; Dennis A. Watson, Esq.

*State Board of Medicine—
Licensure by Endorsement
Regulation No. 16A-4958 (# 3351)*

On August 1, 2022, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the State Board of Medicine (Board). This

rulemaking amends 49 Pa. Code Chapter 16 by adding §§ 16.12a, 16.12b, 16.12c, and revising 16.13(a). The proposed regulation was published in the August 13, 2022 *Pennsylvania Bulletin* with a public comment period ending on September 12, 2022. The final-form regulation was submitted to the Commission on July 25, 2024.

This regulation implements Act 41 of 2019 (Act 41) (63 Pa.C.S. § 3111) which requires licensing boards and commissions to issue a license, certificate, registration, or permit to an applicant who pays fees established by the board or commission by regulation, provided the applicant meets certain criteria for eligibility. Act 41 also requires boards and commissions that issue provisional licenses, certificates, registrations, or permits to set the expiration of the provisional endorsement license by regulation.

We have determined this regulation is consistent with the statutory authority of the Board (63 Pa.C.S. § 3111; 63 § P.S. 422.8; 63 P.S. §§ 272.101—272.301; and 63 P.S. §§ 1801—1806.1) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

GEORGE D. BEDWICK,
Chairperson

[Pa.B. Doc. No. 24-1437. Filed for public inspection October 4, 2024, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Filing of Final Rulemaking

The Independent Regulatory Review Commission (IRRC) received the following regulation. It is scheduled to be considered on the date noted. IRRC's public meetings are held at 333 Market Street, 14th Floor, Harrisburg, PA at 10 a.m. To obtain a copy of the regulation, interested parties should first contact the promulgating agency. If a copy cannot be obtained from the promulgating agency, IRRC will provide a copy or individuals can obtain a copy from IRRC's web site at www.irrc.state.pa.us.

<i>Final Form Reg. No.</i>	<i>Agency/Title</i>	<i>Received</i>	<i>Public Meeting</i>
11-262	Insurance Department Insurance Producers	09/23/24	10/24/24

GEORGE D. BEDWICK,
Chairperson

[Pa.B. Doc. No. 24-1438. Filed for public inspection October 4, 2024, 9:00 a.m.]

INSURANCE DEPARTMENT

Alleged Violation of Insurance Laws; Cassietta Dabbs; Doc. No. SC24-09-023

Notice is hereby given of the Order to Show Cause issued on September 19, 2024, by the Deputy Insurance Commissioner of the Commonwealth in the previously referenced matter. Violations of the following are alleged: section 611-A(4), (14), (17) and (20) of The Insurance Department Act of 1921 (40 P.S. § 310.11(4), (14), (17) and (20)).

The respondent shall file a written answer to the Order to Show Cause within 30 days of the date of issue. If the respondent files a timely answer, a formal administrative hearing shall be held in accordance with 2 Pa.C.S.

§§ 501—508 and 701—704 (relating to Administrative Agency Law), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure), 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure) and other relevant procedural provisions of law.

Answers, motions preliminary to those at hearing, protests, petitions to intervene or notices of intervention, if any, must be filed in writing with the Hearings Administrator, Insurance Department, Administrative Hearings Office, 901 North 7th Street, Harrisburg, PA 17102, ra-hearings@pa.gov.

Persons with a disability who wish to attend the previously referenced administrative hearing and require an auxiliary aid, service or other accommodation to

participate in the hearing, contact Joseph Korman, Agency ADA Coordinator, jkorman@pa.gov, (717) 787-4429.

MICHAEL HUMPHREYS,
Insurance Commissioner

[Pa.B. Doc. No. 24-1439. Filed for public inspection October 4, 2024, 9:00 a.m.]

INSURANCE DEPARTMENT

Review Procedure Hearings; Cancellation or Refusal of Insurance

The following insured has requested a hearing as authorized by the act of June 17, 1998 (P.L. 464, No. 68) (Act 68) in connection with the termination of the insured's automobile insurance policy. The proceedings will be governed in accordance with the requirements of Act 68; 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law); §§ 561—588 (relating to administrative proceeding interpreters for persons with limited English proficiency; and administrative proceeding interpreters for persons who are deaf); 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). This administrative hearing will be held virtually by means of Zoom. Failure by the appellant to appear at the scheduled hearing may result in dismissal with prejudice.

A prehearing telephone conference initiated by this office is scheduled for October 17, 2024, at 1 p.m. Each party shall provide the Hearings Administrator a telephone number to be used for the telephone conference on or before October 15, 2024.

The video hearing will be held on October 31, 2024, at 10 a.m. The parties and their representatives and witnesses shall join the Zoom hearing through the link supplied in the invitation. The Administrative Hearings Office may be contacted at (717) 783-2126 or ra-hearings@pa.gov.

Appeal of Joseph Beiro; USAA General Indemnity Company; File No. 24-115-296953; Doc. No. P24-07-024.

Following the hearing and receipt of the stenographic transcript, the Insurance Commissioner (Commissioner) will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the previously referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing, contact Joseph Korman, (717) 787-4429, jkorman@pa.gov.

MICHAEL HUMPHREYS,
Insurance Commissioner

[Pa.B. Doc. No. 24-1440. Filed for public inspection October 4, 2024, 9:00 a.m.]

INSURANCE DEPARTMENT

Donte N. Sterling; Order to Show Cause; Doc. No. SC24-06-026

The proceedings in this matter will be governed by 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law), §§ 561—588 (relating to administrative proceeding interpreters for persons with limited English proficiency; and administrative proceeding interpreters for persons who are deaf), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure) except as modified by order.

A prehearing telephone conference initiated by this office is scheduled for October 28, 2024, at 10 a.m. Each party shall provide the Hearings Administrator a telephone number to be used for the telephone conference on or before October 24, 2024. A date for a hearing shall be determined, if necessary, at the prehearing/settlement conference.

Protests, petitions to intervene or notices of intervention, if any, must be electronically filed on or before October 15, 2024, with the Administrative Hearings Office. The e-mail address to be used for the Administrative Hearings Office is ra-hearings@pa.gov. Answers to protests, petitions to intervene or notices of intervention, if any, shall be electronically filed on or before October 24, 2024.

Persons with a disability who wish to attend the previously referenced administrative proceedings and require an auxiliary aid, service or other accommodation to participate in the hearing, contact Joseph Korman, (717) 787-4429, jkorman@pa.gov.

MICHAEL HUMPHREYS,
Insurance Commissioner

[Pa.B. Doc. No. 24-1441. Filed for public inspection October 4, 2024, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Declaratory Order; Telephonic Prehearing Conference

P-2024-3049623. Boroughs of Camp Hill, Carlisle, Hatboro, Lansdowne, Media, Narberth, State College and Swarthmore. In the matter of the restated petition of the Boroughs of Camp Hill, Carlisle, Hatboro, Lansdowne, Media, Narberth, State College and Swarthmore for a declaratory order regarding the implementation of community choice aggregation.

Formal answers and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before October 18, 2024. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, with a copy served on the petitioners. The documents filed in support of the petition are available only online for inspection and copying on the Pennsylvania Public Utility Commission's (Commission) web site at www.puc.pa.gov and at the petitioners' business address. Parties to proceedings pending before the Commission must open and use an eFiling account

through the Commission's web site at www.puc.pa.gov or they may submit the filing by overnight delivery to the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120. If a filing contains confidential or proprietary material, the filing is required to be submitted by overnight delivery. Large filings containing confidential or proprietary material may be submitted through the Commission's Share Point file system with advanced notice to the Commission prior to submittal.

Petitioners: Boroughs of Camp Hill, Carlisle, Hatboro, Lansdowne, Media, Narberth, State College and Swarthmore

Through and By Counsel for: C. Baird Brown, Esquire, Principal, eco(n)law, LLC, 230 South Broad Street, 17th Floor, Philadelphia, PA 19102, baird@eco-n-law.net

Telephonic Prehearing Conference

A telephonic prehearing conference on the previously captioned case will be held as follows:

<i>Date:</i>	Tuesday, October 29, 2024
<i>Time:</i>	10 a.m.
<i>Location:</i>	Telephonic Prehearing Conference Call-in instructions are provided as follows
<i>Presiding:</i>	Administrative Law Judge Mary D. Long (412) 565-3550 Fax: (717) 231-4765

At the previously listed date and time, participants must call into the prehearing conference. Participants will not be called by the presiding officer.

To participate in the prehearing conference, individuals must:

- Dial the following toll-free number.
- Enter the following PIN number when instructed to do so.
- Speak the individual's name when prompted and press #.

The telephone system will connect individuals to the telephonic prehearing conference.

Toll-free Conference Number: (866) 566-0649
PIN Number: 83345259

Accommodation. Individuals who require an accommodation for a disability to participate in this prehearing conference may request one. Call the Scheduling Office at least 5 business days prior to the prehearing conference to submit a request.

Individuals who require an interpreter to participate in the prehearing conference, the Commission will make every reasonable effort to have an interpreter present. Call the Scheduling Office at least 10 business days prior to the prehearing to submit a request.

- Scheduling Office: (717) 787-1399
- Persons who are deaf or hearing-impaired may call a Pennsylvania Hamilton Relay Service operator at 711.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 24-1442. Filed for public inspection October 4, 2024, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Finding and Determination; Telephonic Prehearing Conference

A-2024-3051213. PPL Electric Utilities Corporation. Application of PPL Electric Utilities Corporation for a finding and determination that the service to be furnished by the applicant through its proposed exercise of the power of eminent domain to acquire a certain portion of the lands of Daniel T. Curran in Chanceford Township, York County for the proposed Chanceford Switchyard associated with the proposed Chanceford 500 kilovolt (kV) rebuild project is necessary or proper for the service, accommodation, convenience or safety of the public.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before December 5, 2024. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, at the Pennsylvania Public Utility Commission's (Commission) web site at www.puc.pa.gov and at the applicant's business address.

Applicant: PPL Electric Utilities Corporation

Through and By Counsel: Garrett P. Lent, David B. MacGregor, Nicholas A. Stobbe, Post & Schell, PC, 17 North Second Street, 12th Floor, Harrisburg, PA 17101; Michael J. Shafer, PPL Services Corporation, 645 Hamilton Street, Suite 700, Allentown, PA 18101

Telephonic Prehearing Conference

A telephonic prehearing conference on the previously captioned case will be held as follows:

<i>Date:</i>	Tuesday, December 10, 2024
<i>Time:</i>	10 a.m.
<i>Presiding:</i>	Administrative Law Judge Jeffrey A. Watson (412) 565-3550 Fax: (717) 231-4765

At the previously listed date and time, individuals must call into the conference. Individuals will not be called by the Presiding Officers.

To participate in the telephonic prehearing conference, individuals must:

- Dial the following toll-free conference number.
- Enter the following PIN number when instructed to do so.
- Speak the individual's name when prompted and press #.

The telephone system will connect individuals to the telephonic prehearing conference.

Toll-free Conference Number: (866) 675-4281
PIN Number: 85057514

Eminent Domain Application: Doc. No. A-2024-3051213

On September 13, 2024, PPL Electric Utilities Corporation filed an application under 15 Pa.C.S. § 1511(c) (relating to additional powers of certain public utility corporations) for a finding and determination that the

service to be furnished by the applicant through its proposed exercise of the power of eminent domain to acquire a certain portion of the lands of Daniel T. Curran in Chanceford Township, York County for the proposed Chanceford Switchyard associated with the proposed Chanceford 500 kV rebuild project is necessary or proper for the service, accommodation, convenience or safety of the public.

Application for Transmission Line: Doc. No. A-2024-3051167

On September 13, 2024, PPL Electric Utilities Corporation filed its application of PPL Electric Utilities Corporation, under 52 Pa. Code Chapter 57, Subchapter G (relating to Commission review of siting and construction of electric transmission lines) for approval to: (1) construct the new Three Mile Island—Chanceford 500 kV transmission line and Chanceford—Peach Bottom 500 kV transmission line; and (2) rebuild the existing Otter Creek—Conastone 230 kV transmission line for future double circuit 500 kV operations as the rebuilt Chanceford—Doubs 500 kV transmission line and the rebuilt Otter Creek—Conastone 500/230 kV transmission line, located in Chanceford, East Hopewell and Hopewell Townships in York County. PPL Electric Utilities Corporation proposes to: (1) construct approximately 1.4 miles of new double circuit 500 kV transmission line, between the existing Three Mile Island—Peach Bottom 500 kV transmission line to the proposed PPL Electric-owned kV switchyard; and (2) rebuild approximately 12 miles of the existing single circuit Otter Creek—Conastone 230 kV transmission line to a future double circuit 500 kV capacity.

Petition for Building: Doc. No. P-2024-3051163

On September 13, 2024, PPL Electric Utilities Corporation filed its petition for findings that a structure to shelter electrical and control equipment at the proposed Chanceford switchyard in Chanceford Township, York County is reasonably necessary for the convenience or welfare of the public, under 52 Pa. Code § 5.41 (relating to petitions generally) and section 619 of the Pennsylvania Municipalities Planning Code (53 P.S. § 10619), for a finding that one structure to shelter electrical control equipment at the proposed PPL Electric-owned 500 kV switchyard in Chanceford Township, York County, is reasonably necessary for the convenience or welfare of the public and, therefore, exempt from any local zoning ordinance.

Therefore, the parties shall be prepared to discuss all relevant issues related to these three proceedings as well as any request to consolidate these, and any other related proceedings, at the prehearing conference. In addition, the parties and public may review filings and further requirements or Orders entered in these proceedings at the Docket numbers previously referenced, on the Commission web site at www.puc.pa.gov/search/document-search/.

If individuals require an interpreter to participate in the conference, the Commission will make every reasonable effort to have an interpreter present. Call the Scheduling Office at the Commission at least 10 business days prior to the hearing to submit a request.

- Scheduling Office: (717) 787-1399
- TTY-based Telecommunications Relay Service number for persons who are deaf or hearing impaired is: 711

The Commission offers a free eFiling Subscription Service, which allows users to automatically receive an e-mail notification whenever a document is added, re-

moved or changed on the Commission web site regarding a specific case. Instructions for subscribing to this service are on the Commission's web site at http://www.puc.pa.gov/Documentation/eFiling_Subscriptions.pdf.

Michael J. Shafer, Esquire
PPL Services Corporation
645 Hamilton Street
Suite 700
Allentown, PA 18101
(610) 774-2599
mjshafer@pplweb.com
Accepts eService

David B. MacGregor, Esquire
Garrett P. Lent, Esquire
Nicholas A. Stobbe, Esquire
Post & Schell, PC
17 North 2nd Street
12th Floor
Harrisburg, PA 17101-1601
(717) 731-1970
(717) 731-1985 Fax
nstobbe@postschell.com
glent@postschell.com
nstobbe@postschell.com
Accepts eService
(Attorneys for PPL Electric Utilities Corporation)

Allison C. Kaster, Esquire
Director
PA Public Utility Commission BI&E
Legal Technical
Second Floor West
400 North Street
Harrisburg, PA 17120
(717) 783-7998
akaster@pa.gov
Accepts eService

Pennsylvania Department of Environmental Protection
400 Market Street
10th Floor, Rachel Carson State Office Building
Harrisburg, PA 17101
Attn: Regional Permit Coordination Office
Served by means of first-class mail

Donald Smith, Esquire
Office of Chief Counsel
400 North Street
P.O. Box 8212
Harrisburg, PA 17105-8212
dojsmith@pa.gov
Served by means of e-mail

Patrick M. Cicero, Esquire
Office of Consumer Advocate
555 Walnut Street, 5th Floor
Forum Place
Harrisburg, PA 17101
(717) 783-5048
pcicero@paoca.org
Accepts eService

Nazaarah Sabree
Office of Small Business Advocate
555 Walnut Street
Forum Place, 1st Floor
Harrisburg, PA 17101
(717) 783-2525
ra-sba@pa.gov
Served via e-mail

Jeff Hill, Manager
York County Conservation District
2401 Pleasant Valley Road
Suite 101, Room 139
York, PA 17402
Served by means of first-class mail

Felicia Dell, Director
York County Planning Commission
28 East Market Street
York, PA 17401
Served by means of first-class mail

Julie Wheeler, President
York County Commissioners
28 East Market Street
York, PA 17401
(717) 771-9964
jlwheeler@yorkcountypa.gov
Served by means of e-mail

Kent Heffner, Chairperson
Chanceford Township Supervisors
33 Muddy Creek Forks Road
Brogue, PA 17309
Served by means of first-class mail

John Shanbarger, Chairperson
Chanceford Township Planning Commission
33 Muddy Creek Forks Road
Brogue, PA 17309
Served by means of first-class mail

Dean Miller, Chairperson
East Hopewell Township Supervisors
8916 Hickory Road
Felton, PA 17322
Served by means of first-class mail

Melissa Hiller, Secretary
East Hopewell Township Planning Commission
8916 Hickory Road
Felton, PA 17322
Served by means of first-class mail

Aaron R. Manifold, Chairperson
Hopewell Township Supervisors
3336 Bridgeview Road
P.O. Box 729
Stewartstown, PA 17363
Served by means of first-class mail

Ann Yost, Chairperson
Hopewell Township Planning Commission
3336 Bridgeview Road
P.O. Box 729
Stewartstown, PA 17363
Served by means of first-class mail

Tori L. Giesler, Esquire
Firstenergy
2800 Pottsville Pike
P.O. Box 16001
Reading, PA 19612-6001
(610) 921-6658
tgiesler@firstenergycorp.com
Accepts eService

Daniel Curran
13114 Collinsville Road
Brogue, PA 17309
Served by means of first-class mail

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 24-1443. Filed for public inspection October 4, 2024, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission (Commission). Formal protests, petitions to intervene and answers must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before October 21, 2024. Filings are recommended to be made electronically through eFiling to the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy served on the applicant by October 21, 2024. Individuals can sign up for a free eFiling account with the Secretary of the Commission through the Commission's eFiling system at <https://www.puc.pa.gov/efiling/Default.aspx>. A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Protests may only be filed if there is evidence that the applicant lacks fitness. Protests based on endangering or impairing operations of an existing carrier will not be honored. The documents filed in support of the application are only available for inspection through the Commission's web site at www.puc.pa.gov by searching under the docket number as follows or by searching the applicant's web site.

Applications of the following for approval to *begin operating as common carriers for transportation of persons* as described under each application.

A-2024-3050601. LHC Transport Services, LLC (239 4th Avenue, Suite 1401, Pittsburgh, Allegheny County, PA 15222) for the right to begin to transport, as a common carrier, by motor vehicle, persons in paratransit service, limited to individuals who are physically or intellectually disabled, from points in the Counties of Bucks and Montgomery, and the City and County of Philadelphia, to points in Pennsylvania, and return.

A-2024-3051037. Loving People Alliance Transportation, LLC (5622 Belmar Street, Philadelphia, Philadelphia County, PA 19143) to transport, as a common carrier, by motor vehicle, from points in Delaware County, and the City and County of Philadelphia, to points in Pennsylvania, and return.

Application of the following for approval of the *beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of household goods* as described under the application.

A-2024-3050191. Samuel W. Smith Moving & Hauling, LLC (1728 Meadow Street, Philadelphia, Philadelphia County, PA 19124) for the right to begin to transport, as a common carrier, by motor vehicle, household goods in use, between points in the Counties of Bucks, Chester, Delaware and Montgomery, and the City and County of Philadelphia.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 24-1444. Filed for public inspection October 4, 2024, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Formal Complaints

Formal complaints have been issued by the Pennsylvania Public Utility Commission. Answers must be filed in accordance with 52 Pa. Code (relating to public utilities). Answers are due October 21, 2024, and must be made with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy to the First Deputy Chief Prosecutor, Pennsylvania Public Utility Commission.

Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. Interstellar Logistics, LLC; Docket No. C-2024-3043085

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That Interstellar Logistics, LLC Respondent, maintains a mailing address at 401 N Main Street, Apt 212A, Williamstown, NJ 08094 and a physical address at 6901 Elmwood Ave, Philadelphia, PA 19142.

2. That on September 7, 2023, by Commission Secretarial letter, Respondent was issued a certificate of public convenience by this Commission authorizing transportation, as a common carrier, by motor vehicle, property, excluding household goods in use, between points in Pennsylvania at PUC utility code no. 8926397 at A-2023-3041840.

3. That PUC Enforcement Officer Jeffrey Ryans received an email in response to a request to schedule an appointment with the Respondent. The Respondent informed Officer Ryan that they are no longer operating. Officer Ryan provided a cancellation form for the Respondent to complete, but at this time that document has not been received.

4. That Respondent, by failing to respond to and achieve a satisfactory evaluation on a safety fitness review, violated 66 Pa. § 501(c) & § 504 and has failed to

notify the PA PUC of the abandonment or discontinuance of service has violated 52 § 3.381(a)(5) 66 § 1102(a)(2). The penalty for this violation is cancellation of the certificate held by Respondent with this Commission at utility code 8926397.

Wherefore, the Bureau of Investigation and Enforcement hereby requests that the Commission revoke the certificate of public convenience issued to Interstellar Logistics, LLC, at PUC utility code number 8926397.

Respectfully submitted,
Brian B. Mehus, Acting Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement
100 Lackawanna Avenue Room 320
Scranton, PA 18503

VERIFICATION

I, Brian B. Mehus, hereby state that the facts above set forth are true and correct to the best of my knowledge, information, and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 14 August 2024

Brian B. Mehus, Acting Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within twenty (20) days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Cover Letter for this Complaint and Notice, 52 Pa. Code § 1.56(a). An Answer is a written explanation of circumstances wished to be considered in determining the outcome. The Answer shall raise all factual and legal arguments that you wish to claim in your defense and must include the reference number of this Complaint. Your Answer must be verified, and the original shall be mailed to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
400 North Street, 2nd Floor
Harrisburg, PA 17120

Or you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Bureau of Investigation and Enforcement
Pennsylvania Public Utility Commission
400 North Street, 3rd Floor
Harrisburg, PA 17120

Or, e-mailed to: RA-PCCmplntResp@pa.gov

B. If you fail to answer this complaint within twenty (20) days, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing a penalty. The penalty could include a fine, the suspension or revocation of your certificate of public convenience or other remedy.

C. If you file an Answer, which admits or fails to deny the allegations of the Complaint, the Bureau of Investiga-

tion and Enforcement will request that the Commission issue a Secretarial Letter imposing a penalty.

D. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The judge is not bound by the optional fine set forth above.

E. Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 24-1445. Filed for public inspection October 4, 2024, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Transmission Lines; Telephonic Prehearing Conference

P-2024-3051163. PPL Electric Utilities Corporation. Petition of PPL Electric Utilities Corporation for findings that a structure to shelter electrical and control equipment at the proposed Chanceford Switchyard in Chanceford Township, York County is reasonably necessary for the convenience or welfare of the public.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before December 5, 2024. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the petition are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, at the Pennsylvania Public Utility Commission's (Commission) web site at www.puc.pa.gov and at the applicant's business address.

Applicant: PPL Electric Utilities Corporation

Through and By Counsel: Garrett Lent, Esquire, Post & Schell, PC, 17 North Second Street, 12th Floor, Harrisburg, PA 17101-1601, glent@postschell.com

Telephonic Prehearing Conference

A telephonic prehearing conference on the previously captioned case will be held as follows:

<i>Date:</i>	Tuesday, December 10, 2024
<i>Time:</i>	10 a.m.
<i>Presiding:</i>	Administrative Law Judge Jeffrey A. Watson (412) 565-3550 Fax: (717) 231-4765

At the previously listed date and time, individuals must call into the conference. Individuals will not be called by the Presiding Officers.

To participate in the telephonic prehearing conference, individuals must:

- Dial the following toll-free conference number.
- Enter the following PIN number when instructed to do so.
- Speak the individual's name when prompted and press #.

The telephone system will connect individuals to the telephonic prehearing conference.

Toll-free Conference Number: (866) 675-4281

PIN Number: 85057514

Petition for Building: Doc. No. P-2024-3051163

On September 13, 2024, PPL Electric Utilities Corporation filed its petition for findings that a structure to shelter electrical and control equipment at the proposed Chanceford Switchyard in Chanceford Township, York County is reasonably necessary for the convenience or welfare of the public, under 52 Pa. Code § 5.41 (relating to petitions generally) and section 619 of the Pennsylvania Municipalities Planning Code (53 P.S. § 10619), for a finding that one structure to shelter electrical control equipment at the proposed PPL Electric-owned 500 kilovolt (kV) switchyard in Chanceford Township, York County, is reasonably necessary for the convenience or welfare of the public and, therefore, exempt from any local zoning ordinance.

Application for Transmission Line: Doc. No. A-2024-3051167

On September 13, 2024, PPL Electric Utilities Corporation filed its application of PPL Electric Utilities Corporation, under 52 Pa. Code Chapter 57, Subchapter G (relating to Commission review of siting and construction of electric transmission lines) for approval to: (1) construct the new Three Mile Island—Chanceford 500 kV transmission line and Chanceford—Peach Bottom 500 kV transmission line; and (2) rebuild the existing Otter Creek—Conastone 230 kV transmission line for future double circuit 500 kV operations as the rebuilt Chanceford—Doubs 500 kV transmission line and the rebuilt Otter Creek—Conastone 500/230 kV transmission line, located in Chanceford, East Hopewell and Hopewell Townships in York County. PPL Electric Utilities Corporation proposes to: (1) construct approximately 1.4 miles of new double circuit 500 kilovolt transmission line, between the existing Three Mile Island—Peach Bottom 500 kV transmission line to the proposed PPL Electric-owned kV switchyard; and (2) rebuild approximately 12 miles of the existing single circuit Otter Creek—Conastone 230 kV transmission line to a future double circuit 500 kV capacity.

Eminent Domain Application: Doc. No. A-2024-3051213

On September 13, 2024, PPL Electric Utilities Corporation filed an application under 15 Pa.C.S. § 1511(c) (relating to additional powers of certain public utility corporations) for a finding and determination that the service to be furnished by the applicant through its proposed exercise of the power of eminent domain to acquire a certain portion of the lands of Daniel T. Curran in Chanceford Township, York County for the proposed Chanceford Switchyard associated with the proposed Chanceford 500 kV Rebuild Project is necessary or proper for the service, accommodation, convenience or safety of the public.

Therefore, the parties shall be prepared to discuss all relevant issues related to these three proceedings as well as any request to consolidate these, and any other related proceedings, at the prehearing conference. In addition, the parties and public may review filings and further requirements or orders entered in these proceedings at the Docket numbers previously referenced, on the Commission web site at www.puc.pa.gov/search/document-search/.

If individuals require an interpreter to participate in the conference, the Commission will make every reasonable effort to have an interpreter present. Call the Scheduling Office at the Commission at least 10 business days prior to the hearing to submit a request.

- Scheduling Office: (717) 787-1399
- TTY-based Telecommunications Relay Service number for persons who are deaf or hearing impaired is: 711

The Commission offers a free eFiling Subscription Service, which allows users to automatically receive an e-mail notification whenever a document is added, removed or changed on the Commission web site regarding a specific case. Instructions for subscribing to this service are on the Commission's web site at http://www.puc.pa.gov/Documentation/eFiling_Subscriptions.pdf.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 24-1446. Filed for public inspection October 4, 2024, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Transmission Lines; Telephonic Prehearing Conference

A-2024-3051167. PPL Electric Utilities Corporation. Application of PPL Electric Utilities Corporation for approval to: (1) construct the New Three Mile Island—Chanceford 500 kilovolt (kV) line and Chanceford—Peach Bottom 500 kV transmission line; and (2) rebuild the existing Otter Creek—Conastone 230 kV transmission line for future double circuit 500 kV operations and the rebuilt Chanceford—Doubs 500 kV transmission line and the rebuilt Otter Creek—Conastone 500/230 kV transmission line, located in Chanceford, East Hopewell and Hopewell Townships in York County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before December 5, 2024. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, at the Pennsylvania Public Utility Commission's (Commission) web site at www.puc.pa.gov and at the applicant's business address.

Applicant: PPL Electric Utilities Corporation

Through and By Counsel: Garrett P. Lent, Esquire, Post & Schell, PC, 17 North Second Street, 12th Floor, Harrisburg, PA 17101-1601; David B. MacGregor, Esquire, Post & Schell, PC, 17 North Second Street, 12th Floor, Harrisburg, PA 17101-1601, Nicholas A. Stobbe, Esquire, Post & Schell, PC, 17 North Second Street, 12th Floor, Harrisburg, PA 17101-1601, Michael J. Shafer, Esquire, PPL Electric Utilities Corporation, 645 Hamilton Street, Suite 700, Allentown, PA 18101

Telephonic Prehearing Conference

A telephonic prehearing conference on the previously captioned case will be held as follows:

<i>Date:</i>	Tuesday, December 10, 2024
<i>Time:</i>	10 a.m.
<i>Presiding:</i>	Administrative Law Judge Jeffrey A. Watson (412) 565-3550 Fax: (717) 231-4765

At the previously listed date and time, individuals must call into the conference. Individuals will not be called by the Presiding Officers.

To participate in the telephonic prehearing conference, individuals must:

- Dial the following toll-free conference number.
- Enter the following PIN number when instructed.
- Speak the individual's name when prompted and press #.

The telephone system will connect individuals to the telephonic prehearing conference.

Toll-free Conference Number: (866) 675-4281

PIN Number: 85057514

Application for Transmission Line: Doc. No. A-2024-3051167

On September 13, 2024, PPL Electric Utilities Corporation filed its application of PPL Electric Utilities Corporation, under 52 Pa. Code Chapter 57, Subchapter G (relating to Commission review of siting and construction of electric transmission lines) for approval to: (1) construct the new Three Mile Island—Chanceford 500 kV transmission line and Chanceford—Peach Bottom 500 kV transmission line; and (2) rebuild the existing Otter Creek—Conastone 230 kV transmission line for future double circuit 500 kV operations as the rebuilt Chanceford—Doubs 500 kV transmission line and the rebuilt Otter Creek—Conastone 500/230 kV transmission line, located in Chanceford, East Hopewell and Hopewell Townships in York County. PPL Electric Utilities Corporation proposes to: (1) construct approximately 1.4 miles of new double circuit 500 kV transmission line, between the existing Three Mile Island—Peach Bottom 500 kV transmission line to the proposed PPL Electric-owned kV switchyard; and (2) rebuild approximately 12 miles of the existing single circuit Otter Creek—Conastone 230 kV transmission line to a future double circuit 500 kV capacity.

Petition for Building: Doc. No. P-2024-3051163

On September 13, 2024, PPL Electric Utilities Corporation filed its petition for findings that a structure to shelter electrical and control equipment at the proposed Chanceford Switchyard in Chanceford Township, York County is reasonably necessary for the convenience or welfare of the public, under 52 Pa. Code § 5.41 (relating to petitions generally) and section 619 of the Pennsylvania Municipalities Planning Code (53 P.S. § 10619), for a finding that one structure to shelter electrical control equipment at the proposed PPL Electric-owned 500 kV switchyard in Chanceford Township, York County, is reasonably necessary for the convenience or welfare of the public and, therefore, exempt from any local zoning ordinance.

Eminent Domain Application: Doc. No. A-2024-3051213

On September 13, 2024, PPL Electric Utilities Corporation filed an application under 15 Pa.C.S. § 1511(c) (relating to additional powers of certain public utility corporations) for a finding and determination that the service to be furnished by the applicant through its

proposed exercise of the power of eminent domain to acquire a certain portion of the lands of Daniel T. Curran in Chanceford Township, York County for the proposed Chanceford Switchyard associated with the proposed Chanceford 500 kV rebuild project is necessary or proper for the service, accommodation, convenience or safety of the public.

Therefore, the parties shall be prepared to discuss all relevant issues related to these three proceedings as well as any request to consolidate these, and any other related proceedings, at the prehearing conference. In addition, the parties and public may review filings and further requirements or orders entered in these proceedings at the Docket numbers previously referenced, on the Commission web site at www.puc.pa.gov/search/document-search/.

If individuals require an interpreter to participate in the conference, the Commission will make every reasonable effort to have an interpreter present. Call the Scheduling Office at the Commission at least 10 business days prior to your hearing to submit a request.

- Scheduling Office: (717) 787-1399
- TTY-based Telecommunications Relay Service number for persons who are deaf or hearing impaired is: 711

The Commission offers a free eFiling Subscription Service, which allows users to automatically receive an e-mail notification whenever a document is added, removed or changed on the Commission web site regarding a specific case. Instructions for subscribing to this service are on the Commission's web site at http://www.puc.pa.gov/Documentation/eFiling_Subscriptions.pdf.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 24-1447. Filed for public inspection October 4, 2024, 9:00 a.m.]

PHILADELPHIA PARKING AUTHORITY

Service of Notice of Motor Carrier Applications in the City of Philadelphia

The following permanent authority applications to render service as common carriers in the City of Philadelphia have been filed with the Philadelphia Parking Authority's (PPA) Taxicab and Limousine Division (TLD). Formal protests must be filed in accordance with 52 Pa. Code Part II (relating to Philadelphia Parking Authority) with the TLD's Office of the Clerk, 2415 South Swanson Street, Philadelphia, PA 19148, no later than September 21, 2024. The nonrefundable protest filing fee is \$5,000 payable to the PPA by certified check or money order. The applications are available for inspection at the TLD between 9 a.m. and 4 p.m., Monday through Friday (contact TLD Assistant to the Director Heidi Robb at (215) 683-9799 to make an appointment) or may be inspected at the business addresses of the respective applicants or attorneys, or both.

Doc. No. A-24-09-05. Zain Taxi, LLC (943 East Passyunk Avenue, Apartment 2, Philadelphia, PA 19148): An application for a medallion taxicab certificate of public convenience (CPC) to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return. *Attorney for*

Applicant: Shintia Zaman Riva, Esq., 1914 Chandler Street, Philadelphia, PA 19111.

Doc. No. A-24-09-06. Salman Taxi, LLC (3600 Gateway Drive, Apartment A616, Philadelphia, PA 19145): An application for a medallion taxicab CPC to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return. *Attorney for Applicant:* Shintia Zaman Riva, Esq., 1914 Chandler Street, Philadelphia, PA 19111.

Doc. No. A-24-09-07. Ali & Asif Khokhar, Inc. (604 Addison Way, Warrington, PA 18976): An application for a medallion taxicab CPC to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return. *Attorney for Applicant:* Shintia Zaman Riva, Esq., 1914 Chandler Street, Philadelphia, PA 19111.

RICH LAZER,
Executive Director

[Pa.B. Doc. No. 24-1448. Filed for public inspection October 4, 2024, 9:00 a.m.]

STATE HORSE RACING COMMISSION

Receipt of Matters Subject to Intervention

Under 7 Pa. Code § 179.17(d) (relating to intervention), the State Horse Racing Commission (Commission) provides notice that it has received the following timely, substantially complete and properly filed applications or petitions seeking authorization, permission or licensure renewal, or both, to engage in certain licensed racing activities within this Commonwealth:

2025 Racing Vendor License Renewals:

1. Global Tote US, LLC (Doc. No. 2024-14)
2. eBet Technologies, Inc. (Doc. No. 2024-12)

2025 Tote License Renewal:

1. Global Tote US, LLC (Doc. No. 2024-20)

Under 7 Pa. Code § 179.17(b) and (e) of the Commission's adopted procedures, persons interested in intervening in the previously listed matters, may file a Petition to Intervene with the Commission within 30 days of the publication of this notice.

ANTHONY SALERNO,
Director
Bureau of Standardbred Horse Racing
THOMAS F. CHUCKAS, Jr.,
Director
Bureau of Thoroughbred Horse Racing

[Pa.B. Doc. No. 24-1449. Filed for public inspection October 4, 2024, 9:00 a.m.]

SUSQUEHANNA RIVER BASIN COMMISSION

Actions Taken at the September Meeting

As part of its regular business meeting held on September 12, 2024, in Baltimore, MD, the Susquehanna River

Basin Commission (Commission) approved the applications of certain water resources projects and took additional actions, as set forth in the Supplementary Information as follows.

The business meeting was held on September 12, 2024.

For further information contact Jason E. Oyler, General Counsel and Secretary, (717) 238-0423, Ext. 1312, fax (717) 238-2436, joyler@srbc.gov. Regular mail inquiries may be sent to the Susquehanna River Basin Commission, 4423 North Front Street, Harrisburg, PA 17110-1788. Also see the Commission web site at www.srbc.gov.

Supplementary Information

In addition to the actions taken on projects identified in the previous summary, these actions were also taken: (1) adopted a preliminary Fiscal Year (FY) 2026 budget; (2) unanimously adopted the member jurisdiction allocation requests for FY 2026; (3) adopted a final rulemaking for establishing bid protest procedures, memorializing the Commission's Dry Cooling Resolution and other changes to Part 801; (4) approved four grant amendments; and (5) actions on 24 regulatory program projects.

Project Applications Approved:

1. Project Sponsor and Facility: Amazon Data Services, Inc. Project Facility: PHL100 Data Center Campus, Salem Township, Luzerne County, PA. Application for consumptive use of up to 0.060 mgd (30-day average).

2. Project Sponsor and Facility: Ashland Area Municipal Water Authority, Butler Township, Schuylkill County, PA. Application for renewal of groundwater withdrawal of up to 0.115 mgd (30-day average) from Well 5 (Docket No. 19931101). Service area is located in an Environmental Justice area.

3. Project Sponsor: Borough of Middletown. Project Facility: Middletown Water System, Borough of Middletown, Dauphin County, PA. Application for renewal of groundwater withdrawal of up to 1.070 mgd (30-day average) from Well 6 (Docket No. 19970702). Service area is located in an Environmental Justice area.

4. Project Sponsor and Facility: Caernarvon Township Authority, Caernarvon Township, Berks County, PA. Application for renewal of groundwater withdrawal of up to 0.317 mgd (30-day average) from Well 8 (Docket No. 19940902). Service area is located in an Environmental Justice area.

5. Project Sponsor and Facility: Chesapeake Appalachia, LLC (Loyalsock Creek), Forksville Borough, Sullivan County, PA. Application for renewal and modification of surface water withdrawal of up to 1.500 mgd (peak day) (Docket No. 20190903).

6. Project Sponsor and Facility: Clear Water Technology, LLC (Middle Branch Wyalusing Creek), Forest Lake Township, Susquehanna County, PA. Application for surface water withdrawal of up to 1.440 mgd (peak day).

7. Project Sponsor and Facility: Dillsburg Area Authority, Franklin Township, York County, PA. Application for renewal of groundwater withdrawal of up to 0.199 mgd (30-day average) from Well 3 (Docket No. 20081207).

8. Project Sponsor: Greater Hazleton Community-Area New Development Organization, Inc. Project Facility: CAN DO, Inc.—Corporate Center, Butler Township, Luzerne County, PA. Application for renewal of groundwater withdrawal of up to 0.547 mgd (30-day average) from Well 1 (Docket No. 20090309).

9. Project Sponsor and Facility: Jersey Shore Area Joint Water Authority, Pine Creek Township, Clinton County, PA. Application for groundwater withdrawal of up to 0.452 mgd (30-day average) from Pine Creek Well 1, which is an increase of the quantity established in Certificate of Registration No. GF-202012137.

10. Project Sponsor and Facility: JKLM Energy, LLC (Mill Creek), Rutland Township, Tioga County, PA. Application for surface water withdrawal of up to 0.600 mgd (peak day).

11. Project Sponsor and Facility: JKLM Energy, LLC (Tioga River), Lawrenceville Borough, Tioga County, PA. Application for renewal with an increase of surface water withdrawal of up to 1.800 mgd (peak day) (Docket No. 20230610).

12. Project Sponsor and Facility: Municipal Authority of the Borough of Mansfield, Richmond Township, Tioga County, PA. Application for renewal of groundwater withdrawal of up to 0.173 mgd (30-day average) from Well 1 (Docket No. 19940707).

13. Project Sponsor and Facility: Pennsylvania General Energy Company, LLC (Loyalsock Creek), Plunketts Creek Township, Lycoming County, PA. Application for renewal of surface water withdrawal of up to 2.000 mgd (peak day) (Docket No. 20231213).

14. Project Sponsor: The Procter & Gamble Paper Products Company. Project Facility: Mehoopany Plant, Washington Township, Wyoming County, PA. Application for renewal of consumptive use of up to 2.750 mgd (peak day) (Docket No. 19940704).

15. Project Sponsor and Facility: Repsol Oil & Gas USA, LLC (Lycoming Creek), McIntyre Township, Lycoming County, PA. Application for renewal of surface water withdrawal of up to 2.000 mgd (peak day) (Docket No. 20190910).

16. Project Sponsor and Facility: Seneca Resources Company, LLC (Marsh Creek), Delmar Township, Tioga County, PA. Application for renewal of surface water withdrawal of up to 0.499 mgd (peak day) (Docket No. 20190911).

17. Project Sponsor and Facility: Shrewsbury Borough, York County, PA. Application for renewal of groundwater withdrawal of up to 0.120 mgd (30-day average) from the Woodlyn Well (Docket No. 19920501).

18. Project Sponsor and Facility: State College Borough Water Authority, Benner Township, Centre County, PA. Applications for renewal of groundwater withdrawal (30-day averages) of up to 1.584 mgd from Well 17, 0.576 mgd from Well 18 and 1.512 mgd from Well 19 (Docket No. 19930501).

19. Project Sponsor: TableTrust Brands, LLC. Project Facility: Freebird East, Bethel Township, Lebanon County, PA. Application for renewal of groundwater withdrawal of up to 0.199 mgd (30-day average) from Well 8 (Docket No. 19990701).

20. Project Sponsor: UGI Development Company. Project Facility: Hunlock Creek Energy Center (Susquehanna River), Hunlock Township, Luzerne County, PA. Applications for renewal of surface water withdrawal of up to 55.050 mgd (peak day) and consumptive use of up to 2.396 mgd (peak day) (Docket No. 20090916).

21. Project Sponsor and Facility: Williamsburg Municipal Authority, Catharine Township, Blair County, PA.

Application for renewal of groundwater withdrawal of up to 0.180 mgd (30-day average) from Well 3 (Docket No. 19940702).

22. Project Sponsor and Facility: XTO Energy, Inc. (West Branch Susquehanna River), Chapman Township, Clinton County, PA. Application for renewal of surface water withdrawal of up to 2,000 mgd (peak day) (Docket No. 20190912). Located in an Environmental Justice area.

Projects Tabled:

1. Project Sponsor: New Enterprise Stone & Lime Co., Inc. Project Facility: Roaring Spring Quarry (Halter Creek 2), Taylor Township, Blair County, PA. Applications for renewal of consumptive use of up to 0.380 mgd (peak day) and surface water withdrawal of up to 0.288 mgd (peak day) (Docket No. 19940705 and Certificate of Registration No. GF-202204215).

2. Project Sponsor and Facility: Strasburg Lancaster County Borough Authority, Strasburg Township, Lancaster County, PA. Application for renewal of groundwater withdrawal of up to 0.275 mgd (30-day average) from the Fisher Well (Docket No. 19890107). Service area is located in an Environmental Justice area.

Authority: Pub.L. No. 91-575, 84 Stat. 1509 et seq., 18 CFR Parts 806—808

Dated: September 18, 2024

ANDREW D. DEHOFF,
Executive Director

[Pa.B. Doc. No. 24-1450. Filed for public inspection October 4, 2024, 9:00 a.m.]

SUSQUEHANNA RIVER BASIN COMMISSION

Public Hearing

The Susquehanna River Basin Commission (Commission) will hold a public hearing on October 30, 2024, at 6:30 p.m. The public hearing will end at 9 p.m. or at the conclusion of public testimony, whichever is earlier. The Commission will hold this hearing in person and telephonically. Individuals may attend in person at the Susquehanna River Basin Commission, 4423 North Front Street, Harrisburg, PA, or join by telephone using toll free number (877) 304-9269 and then enter the guest passcode 2619070 followed by #. At this public hearing, the Commission will hear testimony on the projects listed in the supplementary information section of this notice and any testimony on the proposed 2025 Fee Schedule. The projects and actions are intended to be scheduled for Commission action at its next business meeting, tentatively scheduled for December 12, 2024, which will be noticed separately. The public should note that this public hearing will be the only opportunity to offer oral comments to the Commission for the listed projects and actions. The deadline for the submission of written comments is November 11, 2024.

For further information contact Jason Oyler, General Counsel and Secretary, (717) 238-0423, joyler@srbc.gov.

The proposed 2025 Fee Schedule can be viewed on the Commission's web site, under Public Participation at <https://www.srbc.gov/regulatory/public-participation/>. Information concerning the project applications is available at the Commission's Water Application and Approval

Viewer at <https://www.srbc.gov/waav>. Additional supporting documents are available to inspect and copy in accordance with the Commission's Access to Records Policy at www.srbc.gov/regulatory/policies-guidance/docs/access-to-records-policy-2009-02.pdf.

Supplementary Information

In addition to hearing any testimony on the proposed 2025 Fee Schedule, the public hearing will cover the following projects:

Projects Scheduled for Action:

1. Project Sponsor and Facility: Chesapeake Appalachia, LLC (Susquehanna River), Sheshequin Township, Bradford County, PA. Application for surface water withdrawal of up to 4,000 mgd (peak day).

2. Project Sponsor and Facility: Coterra Energy, Inc. (Tunkhannock Creek), Lenox Township, Susquehanna County, PA. Application for renewal and modification of surface water withdrawal of up to 2,880 mgd (peak day) (Docket No. 20191201).

3. Project Sponsor and Facility: Coterra Energy, Inc. (Tunkhannock Creek), Nicholson Township, Wyoming County, PA. Application for renewal and modification of surface water withdrawal of up to 2,880 mgd (peak day) (Docket No. 20230903).

4. Project Sponsor and Facility: Dover Township, York County, PA. Application for groundwater withdrawal of up to 0.144 mgd (30-day average) from Well 11.

5. Project Sponsor and Facility: East Cocalico Township Authority, East Cocalico Township, Lancaster County, PA. Application for renewal of groundwater withdrawal of up to 0.115 mgd (30-day average) from Well 2A (Docket No. 19990901). Source and service area are located in an Environmental Justice area.

6. Project Sponsor and Facility: Edgewood by Sand Springs, LLC (Nescopeck Creek), Butler Township, Luzerne County, PA. Applications for renewal of surface water withdrawal of up to 0.317 mgd (peak day) and consumptive use of up to 0.249 mgd (30-day average) (Docket No. 19980102).

7. Project Sponsor: The H&K Group. Project Facility: Penn/MD Materials, Fulton Township, Lancaster County, PA. Applications for consumptive use of up to 0.024 mgd (peak day) and groundwater withdrawals (30-day averages) of up to 1,980 mgd from the Pit Sump, 0.004 mgd from the Primary and Secondary Well and 0.011 mgd from the Tertiary Well.

8. Project Sponsor: New Enterprise Stone & Lime Co., Inc. Project Facility: Roaring Spring Quarry (Halter Creek 2), Taylor Township, Blair County, PA. Applications for renewal and modification of consumptive use of up to 0.380 mgd (peak day) and surface water withdrawal of up to 0.288 mgd (peak day) (Docket No. 19940705 and Certificate of Registration No. GF-202204215).

9. Project Sponsor: New Enterprise Stone & Lime Co., Inc. Project Facility: Shippensburg Quarry, Southampton Township, Cumberland County, PA. Applications for groundwater withdrawals (30-day averages) of up to 0.065 mgd from the Transit Well and 0.020 mgd from the Quarry Well, and consumptive use of up to 0.150 mgd (peak day).

10. Project Sponsor and Facility: Newport Borough Water Authority, Oliver Township, Perry County, PA. Application for renewal and modification of groundwater withdrawal of up to 0.096 mgd (30-day average) from Well 1 (Docket No. 20140908).

11. Project Sponsor: Pennsylvania Fish & Boat Commission. Project Facility: Benner Spring State Fish Hatchery, Benner Township, Centre County, PA. Applications for groundwater withdrawals (30-day averages) of up to 0.720 mgd from Well 1 (renewal of Docket No. 19940701) and up to 0.311 mgd from Well 3.

12. Project Sponsor and Facility: Schuylkill County Municipal Authority, Butler Township, Schuylkill County, PA. Application for renewal of groundwater withdrawal of up to 0.362 mgd (30-day average) from the Gordon Well (Docket No. 20090624). Service area is located in an Environmental Justice area.

13. Project Sponsor and Facility: Strasburg Lancaster County Borough Authority, Strasburg Township, Lancaster County, PA. Application for renewal of groundwater withdrawal of up to 0.275 mgd (30-day average) from the Fisher Well (Docket No. 19890107). Service area is located in an Environmental Justice area.

14. Project Sponsor and Facility: SWN Production Company, LLC (Susquehanna River), Great Bend Township, Susquehanna County, PA. Application for renewal of surface water withdrawal of up to 2.000 mgd (peak day) (Docket No. 20191209).

15. Project Sponsor and Facility: Tallman Family Farms, LLC (Wiconisco Creek), Washington Township, Dauphin County, PA. Application for surface water withdrawal of up to 0.720 mgd (peak day).

16. Project Sponsor: Valley CC, LLC. Project Facility: Valley Country Club, Sugarloaf Township, Luzerne County, PA. Applications for renewal of groundwater withdrawals (30-day averages) of up to 0.090 mgd from the Shop Well and up to 0.090 mgd from the Pumphouse Well (Docket No. 20090632).

Opportunity to Appear and Comment:

Interested parties may appear or call into the hearing to offer comments to the Commission on any business previously listed required to be the subject of a public hearing. Given the nature of the meeting, the Commission strongly encourages those members of the public wishing to provide oral comments to pre-register with the Commission by e-mailing Jason Oyler at joyler@srbc.gov before the hearing date. The presiding officer reserves the right to limit oral statements in the interest of time and to control the course of the hearing otherwise. Access to the hearing by means of telephone will begin at 6:15 p.m. Guidelines for the public hearing are posted on the Commission's web site, www.srbc.gov, before the hearing for review. The presiding officer reserves the right to modify or supplement the guidelines at the hearing. Written comments on any business previously listed required to be the subject of a public hearing may also be mailed to Jason Oyler, Secretary to the Commission, Susquehanna River Basin Commission, 4423 North Front Street, Harrisburg, PA 17110-1788, or submitted electronically through <https://www.srbc.gov/meeting-comment/default.aspx?type=2&cat=7>. Comments mailed or electronically submitted must be received by the Commission on or before Tuesday, November 12, 2024, to be considered.

Authority: Pub.L. No. 91-575, 84 Stat. 1509 et seq., 18 CFR Parts 806—808

Dated: September 25, 2024

ANDREW D. DEHOFF,
Executive Director

[Pa.B. Doc. No. 24-1451. Filed for public inspection October 4, 2024, 9:00 a.m.]

END OF ISSUE

