

NOTICES

DEPARTMENT OF AGRICULTURE

Spotted Lanternfly Program Grants for Conservation Districts; 2024-2025 Application Period

The Department of Agriculture (Department) announces the program requirements and application period for grants to be distributed to conservation districts performing work in cooperation with the Department's Spotted Lanternfly Program (Program). The Program is authorized to utilize Federal funds received through the Plant Protection Act Section 7721 for this purpose. The Department intends to make up to \$150,000 available for grants to Conservation Districts under the Program.

1. Program objective.

(a) *Purpose.* The Department will award grants to assist conservation districts with activities designed to enhance spotted lanternfly (SLF) quarantine compliance by businesses and residents of their county. Priority will be given to regional projects, in which one county serves as the lead to coordinate a project across multiple counties in partnership with other county conservation districts. Activities may include:

(1) General SLF communication (answering phone inquiries and the like).

(2) Establishment of or participation in SLF Community Engagement Taskforces or other local or regional SLF partnership meetings to engage in larger scale education, trapping, surveying or other approved activity across all counties within the region.

(3) Educational support for or coordination of citizen survey efforts, or both, for SLF. An example would be to educate the public on the use of iMapInvasives, encouraging the reporting of areas negative for SLF to increase detail of SLF extent maps.

(4) Coordination of outreach events with Penn State Extension or other partners; serving as available speakers for local groups requesting information on SLF and distribution of SLF literature or outreach products (available through Penn State distribution center).

(5) Distribution or subsidizing of SLF circle traps. Circle traps are the preferred trap type, since studies have shown them more effective than sticky traps and because of the concerns with sticky trap bycatch. Circle traps will not be provided by the Department; conservation districts would have to purchase circle traps or circle trap supplies out of their agreement funds.

(6) Engaging with businesses located in or doing business within counties in the Department's SLF quarantine zone to inform them of the Department's SLF permit program and directing them to the Department's resources.

(7) Engaging in treatment projects using conservation district in-house staff who have appropriate pesticide applicator licensing.

(8) Participation in a specific local project of high importance to the District or the region, being directed by other partners.

(b) *Applicants.* A Pennsylvania County Conservation District may apply to receive grant funds.

(c) *Project funding priorities.* The Department will prioritize eligible projects for the Program to receive grant

funding. Priority will be given to projects that cover all or most of a Pennsylvania Association of Conservation Districts region, as identified at https://pacd.org/?page_id=14512.

(d) *Competitive program.* The Program is competitive. Grant requests and related documentation will be reviewed by the Department, who will approve or reject each grant request.

(e) *Funds available basis.* Grants will only be awarded to the extent that funds are available for this purpose. The Department need not expend all the funds that are available for the Program.

2. *Definitions.* The following words and terms have the following meanings:

Applicant—A Pennsylvania county conservation district which applies for grant funds under the Program.

Bureau—The Bureau of Plant Industry of the Department.

Secretary—The Secretary of the Department.

3. *Limitations on grants.* The amount of a grant shall be up to \$7,500 for individual applicants or up to \$25,000 for groups of conservation districts. A grant is a reimbursement grant, meaning payment of grant funds will not be made by the Department until the applicant documents the completion of work to the Department in accordance with this notice. Request for reimbursement may be submitted once at the end of the grant period.

4. Uses of grant funds.

(a) *Conformity to application.* Grant funds awarded to an applicant shall be expended solely to reimburse the cost of the specific activities described in the grant application.

(b) *Allowable expenditures of grant funds.* Grant funds may be expended to pay for any of the activities previously listed in section 1(a).

(c) *Prohibited expenditure of grant funds.* Grant funds may not be used to hire dedicated full-time SLF staff, to design and produce new marketing materials or to pay contractors to perform spotted lanternfly treatments.

5. Applications.

(a) *Application required.* Interested Conservation Districts shall submit grant applications to the Department. An application should include a detailed work plan and project budget.

(b) *Project start and completion dates.* An application should designate March 1, 2025, or a later date, as the project start date, and December 31, 2025, or earlier, as the project completion date. Program grant funds will not be awarded or paid for project activities that occur before the stated project start date or beyond the stated project completion date.

(c) *Electronic applications only.* Interested applicants must submit a complete electronic project proposal and grant application using the Department's Electronic Single Application web site at <https://grants.pa.gov.pa.us>.

(d) *Application window.* Applications should be submitted by 5 p.m. on Thursday, November 21, 2024.

6. *Review of application.*

(a) *Transmittal of application to Bureau.* When the Bureau receives a complete and accurate grant application, it will forward this application, together with supporting documentation submitted therewith, to the Secretary for review. The Bureau may also forward a recommendation as to whether the application should be approved or rejected, whether the grant should be in an amount less than requested and whether special restrictions or limitations should be placed on the grant.

(b) *Factors.* The Secretary will review and evaluate the application and supporting documentation and may consider the following factors, among others, in deciding whether to approve or reject the grant request:

(1) The relevance of the project to the Program and to the goals and objectives identified in this announcement.

(2) The innovativeness of the project described in the application.

(3) The scope of the project and the number of people who will be exposed to or affected by the project described in the application. Projects that are regional in nature will be given preference over projects involving only one county.

(4) The impact which the project will have upon SLF quarantine compliance.

(5) The apparent ability of the applicant to complete the project as described in the application.

(6) Whether the project has been assigned priority for funding, as previously described in section 1(c).

(c) *Decisions.* The Secretary may approve a grant in an amount less than that requested in the grant application. In addition, the Secretary may impose restrictions or special conditions upon the issuance of a grant. The Secretary will review all recommendations of the Bureau but will have final authority to accept or reject these recommendations.

7. *Notice of disposition of application.*

The Department will e-mail notice of the acceptance or rejection of a grant application by Tuesday, December 31, 2024. This notice will be by e-mail to the address provided by the applicant in the grant application.

8. *Grant agreement.*

After the Secretary approves a grant application, and as a precondition to the Department's release of grant funds to a successful applicant, the Department and the applicant will execute a written or electronic grant agreement which describes the terms and conditions subject to

which the grant is made. The grant agreement will contain and conform to the requirements of this notice and will also contain any special terms and conditions as required by the Secretary. Among the terms of the grant agreement will be a requirement that the grant recipient provide the Department full and complete access to the records relating to the performance of the project and submit the information as the Department may require. Applicants who wish to view the full terms and conditions of the grant agreement in advance of submitting an application may contact the Department at the address set forth in section 11. Applicants who are unable to agree to the terms and conditions should not apply.

9. *Verification of project completion.*

(a) *General.* Within 30 days of completion of the subject project, the applicant will provide the Department with proof of the completion of the project and eligibility to receive reimbursement grant funds from the Department.

(b) *Required documentation.* The proof described in subsection (a) will consist of:

(1) Copies of invoices for goods or services directly related to the project, confirming that the total billed amount is at least the amount of the grant, along with the written certification of the president or treasurer of the applicant that the goods or services that are the subject of the invoices have been delivered or provided to the applicant.

(2) A certificate of completion, signed by its president or treasurer, verifying completion of the subject project and stating that the grant funds will reimburse the applicant for costs incurred by the applicant in completing the subject project.

(3) A brief narrative describing the work completed, including any available metrics.

10. *Delivery of grant funds by the Department.* The Department will pay the grant amount to the applicant in a single payment within 45 days of receiving the proof of completion previously described in section 9.

11. *Questions and additional information.* Questions on this Program, including the online application process, may be directed to Jacob Henry, Bureau of Plant Industry, Department of Agriculture, 2301 North Cameron Street, Harrisburg, PA 17110-9408, (717) 908-6530.

RUSSELL REDDING,
Secretary

[Pa.B. Doc. No. 24-1463. Filed for public inspection October 11, 2024, 9:00 a.m.]

DEPARTMENT OF BANKING AND SECURITIES

Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending October 1, 2024.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, may file comments in writing with the Department, for Bank Supervision, by e-mail to ra-bnbnksbmsnspt@pa.gov or for credit unions, by e-mail to ra-bncusubmissions@pa.gov and trust companies, by e-mail to ra-bntrustsuprvsninq@pa.gov. Comments must be received no later than 30 days from the date that the notice regarding acceptance of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, for banks (717) 783-8240, or for credit unions or trust companies (717) 783-2253.

NOTICES

**APPLICATIONS FOR COMMENT
BANKING INSTITUTIONS**

No activity.

CREDIT UNIONS

No activity.

**OTHER APPLICATION ACTIVITY
BANKING INSTITUTIONS**

Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Status</i>
10-01-2024	AmeriServ Financial Bank Johnstown Cambria County Merger of AmeriServ Trust and Financial Services Company, Johnstown, PA, with and into AmeriServ Financial Bank, Johnstown, PA.	Effective

Branch Applications

De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Status</i>
09-30-2024	Mid Penn Bank Millersburg Dauphin County	2 Cooper Street Camden Camden County, NJ	Approved

Branch Relocations

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Status</i>
09-30-2024	First Commonwealth Bank Indiana Indiana County	<i>To:</i> 654 Philadelphia Street Indiana Indiana County <i>From:</i> 600 Philadelphia Street Indiana Indiana County	Effective

Branch Discontinuances

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Status</i>
09-30-2024	ESSA Bank & Trust Stroudsburg Monroe County	354 West Lancaster Avenue Haverford Montgomery County	Closed

CREDIT UNIONS

No activity.

The Department's web site at www.pa.gov/dobs includes public notices for more recently filed applications.

WENDY S. SPICHER,
Secretary

[Pa.B. Doc. No. 24-1464. Filed for public inspection October 11, 2024, 9:00 a.m.]

DEPARTMENT OF EDUCATION

Individuals with Disabilities Education Act (IDEA) Committee Schedule of Meetings

The IDEA Committee will meet virtually at 2 p.m. on the following dates:

Thursday, January 16, 2025
Thursday, March 27, 2025
Thursday, May 15, 2025
Thursday, July 24, 2025
Thursday, September 25, 2025
Thursday, November 13, 2025

The public virtual meetings may be attended by means of Microsoft Teams through a link that may be requested by contacting Cindy Jay at ra-edlegal@pa.gov.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Cindy Jay at (717) 787-5500 or through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD) to discuss how the Department of Education may accommodate their needs.

DR. KHALID N. MUMIN,
Secretary

[Pa.B. Doc. No. 24-1465. Filed for public inspection October 11, 2024, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS UNDER THE CLEAN STREAMS LAW AND FEDERAL CLEAN WATER ACT

This notice provides information about persons who have applied to the Department of Environmental Protection (DEP) for a new, renewed, or amended NPDES or WQM permit, or a permit waiver for certain stormwater discharges, or have submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications and NOIs concern, but are not limited to, effluent discharges from sewage treatment facilities and industrial facilities to surface waters or groundwater; stormwater discharges associated with industrial activity (industrial stormwater), construction activity (construction stormwater), and municipal separate storm sewer systems (MS4s); the application of pesticides; the operation of Concentrated Animal Feeding Operations (CAFOs); and the construction of sewage, industrial waste, and manure storage, collection and treatment facilities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251-1376). More information on the types of NPDES and WQM permits that are available can be found on DEP's website (visit www.dep.pa.gov and select Businesses, Water, Bureau of Clean Water, Wastewater Management, and NPDES and WQM Permitting Programs).

Section *Category*

I	Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received
II	Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs
III	Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity

Section I identifies the following applications and NOIs that have been received by DEP:

- Individual and General WQM Permit Applications Received—DEP provides a 15-day public comment period for Individual WQM Permit Applications for new and reissued permits. There is no public comment period for General WQM Permit NOIs.
- General Chapter 92a NPDES Permit NOIs Received—There is no public comment period for General NPDES NOIs received.
- All Transfer and Minor Amendment Applications/NOIs Received—Transfer and Minor Amendment Applications/NOIs received for Individual and General WQM Permits and Individual and General NPDES Permits, excluding PAG-01 and PAG-02, are identified but do not have public comment periods. DEP provides a 15-day public comment period for Individual WQM Permit Applications for amendments.

Additional information on these applications and NOIs may be reviewed by generating the “Applications and NOIs without Comment Periods Report” or, for Individual WQM Permit Applications, the “Applications Received with Comment Periods Report” on DEP's website at www.dep.pa.gov/CWPublicNotice.

Section II identifies individual NPDES permit applications received and draft permits indicating DEP's tentative determination relating to sewage, industrial waste, industrial stormwater, MS4s, pesticides and CAFOs. A 30-day public comment period applies to these applications and draft permits, except when a site-specific water quality criterion is used to establish effluent limitations, in which case a 45-day public comment period applies. The period for comment may be extended at the discretion of DEP for one additional 15-day period. Additional information, including links to draft permits and fact sheets that explain the basis for DEP's tentative determinations may be reviewed by generating the “Applications Received with Comment Periods Report” on DEP's website at www.dep.pa.gov/CWPublicNotice. Notification of 15-day extensions for comment will be provided in the “Applications Received with Comment Periods Report” (Comments column).

Section III identifies individual NPDES permit applications received and draft permits indicating DEP's tentative determination relating to stormwater discharges associated with construction activities. A 30-day public comment period applies to these applications and draft permits. The period for comment may be extended at the discretion of the Department for one additional 15-day period. Additional information may be reviewed by generating the “Applications Received with Comment Periods Report” on DEP's website at www.dep.pa.gov/CWPublicNotice.

Applications, NOIs and draft permits, where applicable, may be reviewed at the DEP office that received the application or NOI. Members of the public are encouraged to use DEP's website to obtain additional information as discussed previously.

Comments received within the appropriate comment periods for WQM and NPDES permit applications will be retained by DEP and considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform DEP of the exact basis of a comment and the relevant facts upon which it is based.

DEP office contact information to review applications and NOIs and to submit comments for those applications, when applicable, is as follows:

DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484-250-5910. Email: RA-EPNPDES_SERO@pa.gov for permits in Sections I & II; RA-EPWW-SERO@pa.gov for permits in Section III.

DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570-826-5472. Email: RA-EPNPDES_NERO@pa.gov for permits in Sections I & II; RA-EPWW-NERO@pa.gov for permits in Section III.

DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717-705-4732. Email: RA-EPNPDES_SCRO@pa.gov for permits in Sections I & II; RA-EPWW-SCRO@pa.gov for permits in Section III.

DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570-327-3693. Email: RA-EPNPDES_NCRO@pa.gov for permits in Sections I & II; RA-EPWW-NCRO@pa.gov for permits in Section III.

DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412-442-4286. Email: RA-EPNPDES_SWRO@pa.gov for permits in Sections I & II; RA-EPWW-SWRO@pa.gov for permits in Section III.

DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814-332-6340. Email: RA-EPNPDES_NWRO@pa.gov for permits in Sections I & II; RA-EPWW-NWRO@pa.gov for permits in Section III.

DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-787-5017. Email: RA-EPNPDES_Permits@pa.gov.

DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.

DEP will also accept requests or petitions for public hearings on applications. The request or petition must indicate the interest of the party filing and the reasons why a hearing is warranted. A hearing will be held if DEP determines that there is a significant public interest. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. DEP will postpone its final determination until after a public hearing is held.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

I. Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received.

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
0278206	Minor and Non-NPDES Industrial Waste Treatment Facility Individual WQM Permit	Amendment	West View Water Authority Allegheny County 2428 Rochester Road Sewickley, PA 15143-8667	Neville Township Allegheny County	SWRO
0494201	Minor and Non-NPDES Industrial Waste Treatment Facility Individual WQM Permit	Amendment	Paramount Global Inc. 420 Fort Duquesne Boulevard Suite 100 Pittsburgh, PA 15222-1435	Vanport Township Beaver County	SWRO
3499401	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Amendment	Twin Borough Sanitary Authority Juniata County P.O. Box 118 17 River Drive Mifflin, PA 17058-0118	Milford Township	SCRO
NOEXSC259	No Exposure Certification	Renewal	Dauphin Precision Tool LLC 200 Front Street Millersburg, PA 17061-1324	Millersburg Borough Dauphin County	SCRO

NOTICES

6441

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
NOEXSC433	No Exposure Certification	New	United Parcel Service Inc. 1821 S 19th Street Harrisburg, PA 17104-3206	West Hanover Township Dauphin County	SCRO
NOEXSC434	No Exposure Certification	New	Cobra Anchors Corp 504 Mount Laurel Avenue Temple, PA 19560-1410	Muhlenberg Township Berks County	SCRO
NOEXSE317	No Exposure Certification	New	Texas Hydraulics Holding Inc. 3410 Range Road Temple, TX 76504	Spring City Borough Chester County	SERO
PAG038592	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Richard Krishart 724 Brandy Camp Road Kersey, PA 15846-1502	Fox Township Elk County	NWRO
PAG041097	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Transfer	Carpin Christopher 6080 Clark Road Erie, PA 16510-6117	Harborcreek Township Erie County	NWRO
PAG041422	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	Johnston Debra 3499 Perry Highway Hadley, PA 16130-2321	Sandy Creek Township Mercer County	NWRO
PAG041424	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	Henderson Theodore 83 Koncar Road Pulaski, PA 16143-1317	Shenango Township Mercer County	NWRO
PAG041425	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	Malinowski Turk Robin 11904 Route 19 N Waterford, PA 16441-7784	Waterford Township Erie County	NWRO
PAG041427	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	Juergens Mara 153 Cowden Road New Wilmington, PA 16142-1823	Wilmington Township Mercer County	NWRO
PAG044002	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Transfer	Zimmerman Justin S 147 Sieger Road Kutztown, PA 19530-8857	Richmond Township Berks County	SCRO
PAG044005	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	Eshellman Tylor 38 Cave Hill Drive Carlisle, PA 17013-1203	North Middleton Township Cumberland County	SCRO
PAG123746	PAG-12 NPDES General Permit for CAFOs	Renewal	Glenville Farms LLC 2391 Glenville Road Cochranville, PA 19330-1799	West Fallowfield Township Chester County	SCRO
PAG123890	PAG-12 NPDES General Permit for CAFOs	Renewal	Mount Rock Dairy LLC 473 Mount Rock Road Newville, PA 17241-9578	West Pennsboro Township Cumberland County	SCRO
PAG123895	PAG-12 NPDES General Permit for CAFOs	Renewal	Matter Family Farms LLC 167 Cocolamus Creek Road Millerstown, PA 17062-9332	Greenwood Township Perry County	SCRO
PAG123952	PAG-12 NPDES General Permit for CAFOs	New	Noah W Kreider & Sons 1461 Lancaster Road Manheim, PA 17545-9768	Manheim Township Lebanon County	SCRO
PAG123956	PAG-12 NPDES General Permit for CAFOs	New	Burkholder Austin 580 Wilkson Lane Fayetteville, PA 17222-9549	Guilford Township Franklin County	SCRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
0124403	Pump Stations Individual WQM Permit	New	Gettysburg Borough Municipal Authority Adams County 601 E Middle Street P.O. Box 3307 Gettysburg, PA 17325-1951	Gettysburg Borough Adams County	SCRO
2624400	Pump Stations Individual WQM Permit	New	Fairchance Georges Joint Municipal Sewer Authority Fayette County 141 Big Six Road Smithfield, PA 15478-1601	Georges Township Fayette County	SWRO
0273444	Sewer Extensions Individual WQM Permit	Transfer	Allegheny County Sanitary Authority ALCOSAN 3300 Preble Avenue Pittsburgh, PA 15233-1025	Pittsburgh City Allegheny County	SWRO
0706404	Sewer Extensions Individual WQM Permit	Amendment	Bellwood Borough Authority Blair County P.O. Box 96 Bellwood, PA 16617-0096	Bellwood Borough Blair County	SCRO
3668	Sewer Extensions Individual WQM Permit	Transfer	Allegheny County Sanitary Authority ALCOSAN 3300 Preble Avenue Pittsburgh, PA 15233-1025	Pittsburgh City Allegheny County	SWRO
5841	Sewer Extensions Individual WQM Permit	Transfer	Allegheny County Sanitary Authority ALCOSAN 3300 Preble Avenue Pittsburgh, PA 15233-1025	Pittsburgh City Allegheny County	SWRO
PA0288152	Single Residence STP Individual NPDES Permit	Transfer	Benjamin Hoffman 47 Trotter Circle Sewickley, PA 15143-9124	Muddycreek Township Butler County	NWRO
0124402	Single Residence Sewage Treatment Plant Individual WQM Permit	New	WD Endeavors LLC 145 Edgegore Road Hanover, PA 17331	Straban Township Adams County	SCRO
0612406	Single Residence Sewage Treatment Plant Individual WQM Permit	Transfer	Zimmerman Justin S 147 Sieger Road Kutztown, PA 19530-8857	Richmond Township Berks County	SCRO
1020405	Single Residence Sewage Treatment Plant Individual WQM Permit	Transfer	Benjamin Hoffman 47 Trotter Circle Sewickley, PA 15143-9124	Muddycreek Township Butler County	NWRO
4698432	Single Residence Sewage Treatment Plant Individual WQM Permit	Transfer	Davis Nathan J & Jessica Hibbard 220 Idell Street Philadelphia, PA 19119	Lower Gwynedd Township Montgomery County	SERO
6524412	Single Residence Sewage Treatment Plant Individual WQM Permit	New	Mastorovich Matthew & Beth 154 Silvis Road Export, PA 15632-1174	Washington Township Westmoreland County	SWRO
6524413	Small Flow Treatment Facility Individual WQM Permit	New	Carnegie Institution 4400 Forbes Avenue Pittsburgh, PA 15213-4007	Cook Township Westmoreland County	SWRO

II. Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs.

Northcentral Regional Office

PA0024406, Sewage, SIC Code 4952, **Mount Carmel Municipal Authority**, 137 West Fourth Street, Mount Carmel, PA 17851-2061. Facility Name: MCMA WWTF. This existing facility is located in Mount Carmel Township, **Northumberland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Shamokin Creek (WWF, MF), is located in State Water Plan watershed 6-B and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 2.25 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	4.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	465	750	XXX	25.0	40.0	50
Biochemical Oxygen Demand (BOD ₅)	Report	Wkly Avg Report	XXX	Report	Wkly Avg XXX	XXX
Raw Sewage Influent Total Suspended Solids	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent Total Suspended Solids	560	840	XXX	30.0	45.0	60
Fecal Coliform (No./100 ml)	XXX	Wkly Avg XXX	XXX	2,000	Wkly Avg XXX	10,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
Ultraviolet light transmittance (%)	XXX	XXX	Report	XXX	XXX	XXX
Ammonia-Nitrogen	280	420	XXX	15.0	22.5	33
Nov 1 - May 31	90	Wkly Avg 140	XXX	5.0	Wkly Avg 7.5	11
Jun 1 - Oct 31	90	Wkly Avg 140	XXX	5.0	Wkly Avg 7.5	11
Copper, Total	0.43	0.66	XXX	0.023	0.035	0.057
Zinc, Total	3.66	5.70	XXX	0.19	0.30	0.49
Nickel, Total (ug/L)	Report	Report	XXX	Report	Report	XXX
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Aluminum, Total	Report	Report	XXX	Report	Report	XXX
Iron, Total	Annl Avg Report	Report	XXX	Annl Avg Report	Report	XXX
Manganese, Total	Annl Avg Report	Report	XXX	Annl Avg Report	Report	XXX
PFOA (ng/L)	Report	Report	XXX	Report	Report	XXX
PFOS (ng/L)	Annl Avg Report	Report	XXX	Annl Avg Report	Report	XXX
PFBS (ng/L)	Report	Report	XXX	Report	Report	XXX
HFPO-DA (ng/L)	Annl Avg Report	Report	XXX	Annl Avg Report	Report	XXX

The proposed monitoring requirements and effluent limits for implementation of Pennsylvania's Chesapeake Bay Watershed Implementation Plan are as follows for Outfall 001.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Monthly</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Monthly</i>	<i>Annual</i>		<i>Monthly Average</i>	<i>Maximum</i>	
Ammonia—N	Report	Report	XXX	Report	XXX	XXX
Kjeldahl—N	Report	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Report	Report	XXX	Report	XXX	XXX
Total Phosphorus	Report	Report	XXX	Report	XXX	XXX

Parameters	Mass Units (lbs/day)		Monthly	Concentrations (mg/L)		IMAX
	Monthly	Annual		Monthly Average	Maximum	
Net Total Nitrogen	XXX	41,095	XXX	XXX	XXX	XXX
Net Total Phosphorus	XXX	5,479	XXX	XXX	XXX	XXX

*This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

In addition, the permit contains the following major special conditions:

- Chesapeake Bay Nutrient Requirements
- Solids Management
- Whole Effluent Toxicity
- Stormwater Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is not in effect.

Northeast Regional Office

PA0020168, Sewage, SIC Code 4941, 4952, **East Stroudsburg Borough, Monroe County**, 24 Analomink Street, East Stroudsburg, PA 18301-2801. Facility Name: East Stroudsburg Borough Wastewater Treatment Plant (WWTP). This existing facility is located in East Stroudsburg Borough, **Monroe County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Brodhead Creek (CWF (existing use)), is located in State Water Plan watershed 1-E and is classified for Trout Stocking and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 2.25 MGD.—Interim Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Copper, Total	0.70	1.10	XXX	0.03	0.05	XXX
Benzo(a)Anthracene (ug/L)	Report	Report	XXX	Report	Report	XXX
3,4-Benzofluoranthene (ug/L)	Report	Report	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 2.25 MGD.—Final Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Copper, Total (ug/L)	0.47	0.68	XXX	24.8	36.0	62.0
Benzo(a)Anthracene (ug/L)	0.0008	0.001	XXX	0.043	0.068	0.11
3,4-Benzofluoranthene (ug/L)	0.0008	0.001	XXX	0.043	0.068	0.11

The proposed effluent limits for Outfall 001 are based on a design flow of 2.25 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	Inst Min	0.43	XXX	1.43
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	469	751	XXX	25.0	40.0	50.0
Biochemical Oxygen Demand (BOD ₅)	Report	Report	XXX	Report	Wkly Avg Report	XXX
Influent CBOD ₅ Minimum % Removal (%)	85	XXX	XXX	XXX	XXX	XXX
	Min Mo Avg					

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Suspended Solids	563	844	XXX	30.0	45.0 Wkly Avg	60.0
Total Suspended Solids Influent	Report	Report	XXX	Report	Report	XXX
Total Suspended Solids Minimum % Removal (%)	85 Min Mo Avg	XXX	XXX	XXX	XXX	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
Oct 1 - Apr 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
May 1 - Sep 30	XXX	XXX	XXX	XXX	XXX	Report
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Nitrate-Nitrite as N	Report	XXX	XXX	Report	Report	XXX
Total Nitrogen	Report	XXX	XXX	Report	Report	XXX
Ammonia-Nitrogen	375	XXX	XXX	20.0	40.0	40.0
Nov 1 - Apr 30	XXX	XXX	XXX	XXX	XXX	Report
May 1 - Oct 31	178	XXX	XXX	9.5	19.0	19.0
Total Kjeldahl Nitrogen	Report	XXX	XXX	Report	Report	XXX
Total Phosphorus	Report	XXX	XXX	Report	Report	XXX
Cyanide, Free (ug/L)	Report	Report	XXX	Report	Report	XXX
Lead, Total (ug/L)	Report	Daily Max Report	XXX	Report	Report	XXX
Thallium, Total (ug/L)	Report	Daily Max Report	XXX	Report	Report	XXX
Zinc, Total (ug/L)	Report	Daily Max Report	XXX	Report	Report	XXX
Chloroform (ug/L)	Report	Daily Max Report	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 2.25 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Dissolved Solids	Report Avg Qrtly	Report Daily Max	XXX	Report Avg Qrtly	Report	XXX

The proposed effluent limits for Stormwater Outfall 005 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	XXX	Report
Total Suspended Solids	XXX	XXX	XXX	XXX	XXX	Report
Oil and Grease	XXX	XXX	XXX	XXX	XXX	30.0
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	XXX	XXX	XXX	XXX	XXX	Report
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	XXX	Report
Total Phosphorus	XXX	XXX	XXX	XXX	XXX	Report

In addition, the permit contains the following major special conditions:

- Stormwater prohibition; Necessary property rights; Residuals management; Chlorine minimization; SBR discharges; Solids conditions; WQBELs for toxic pollutants; WQBELs below QLs; Stormwater conditions

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is not in effect.

Northeast Regional Office

PA0275999, Storm Water, SIC Code 2087, **Coca-Cola N American**, 1 Coca Cola Plaza, NW, Atlanta, GA 30313-2420. Facility Name: Coca Cola North America Lehigh Valley Syrup Branch. This existing facility is located in Upper Macungie Township, **Lehigh County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial stormwater.

The receiving stream(s), Iron Run (HQ-CWF, MF), is located in State Water Plan watershed 2-C and is classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	XXX	XXX	Report
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	XXX	Report
Total Suspended Solids	XXX	XXX	XXX	XXX	XXX	Report
Oil and Grease	XXX	XXX	XXX	XXX	XXX	Report
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	XXX	XXX	XXX	XXX	XXX	Report
Total Phosphorus	XXX	XXX	XXX	XXX	XXX	Report

The proposed effluent limits for Outfall 002 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	XXX	XXX	Report
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	XXX	Report
Total Suspended Solids	XXX	XXX	XXX	XXX	XXX	Report
Oil and Grease	XXX	XXX	XXX	XXX	XXX	Report
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	XXX	XXX	XXX	XXX	XXX	Report
Total Phosphorus	XXX	XXX	XXX	XXX	XXX	Report

In addition, the permit contains the following major special conditions:

- Stormwater Outfalls and Authorized Non-Stormwater Discharges
- Best Management Practices (BMPs)
- Routine Inspections
- Preparedness, Prevention and Contingency (PPC) Plan
- Stormwater Monitoring Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northeast Regional Office

PAS212208, Storm Water, SIC Code 3273, **Frank Casilio & Sons Inc.**, 1035 Mauch Chunk Road, Bethlehem, PA 18018-6622. Facility Name: Frank Casilio & Sons Allentown Plant. This existing facility is located in Upper Macungie Township, **Lehigh County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial stormwater.

The receiving stream(s), Iron Run (HQ-CWF, MF), is located in State Water Plan watershed 2-C and is classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	Report Inst Min	XXX	XXX	Report
Total Suspended Solids	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	XXX	XXX	XXX	XXX	XXX	Report
Total Phosphorus	XXX	XXX	XXX	XXX	XXX	Report
Aluminum, Total	XXX	XXX	XXX	XXX	XXX	Report
Iron, Total	XXX	XXX	XXX	XXX	XXX	Report

The proposed effluent limits for Outfall 002 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	Report Inst Min	XXX	XXX	Report
Total Suspended Solids	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	XXX	XXX	XXX	XXX	XXX	Report
Total Phosphorus	XXX	XXX	XXX	XXX	XXX	Report
Aluminum, Total	XXX	XXX	XXX	XXX	XXX	Report
Iron, Total	XXX	XXX	XXX	XXX	XXX	Report

The proposed effluent limits for Outfall 003 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	XXX	Report
Total Suspended Solids	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	XXX	XXX	XXX	XXX	XXX	Report
Total Phosphorus	XXX	XXX	XXX	XXX	XXX	Report
Aluminum, Total	XXX	XXX	XXX	XXX	XXX	Report
Iron, Total	XXX	XXX	XXX	XXX	XXX	Report

The proposed effluent limits for Outfall 004 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	Report Inst Min	XXX	XXX	Report
Total Suspended Solids	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	XXX	XXX	XXX	XXX	XXX	Report
Total Phosphorus	XXX	XXX	XXX	XXX	XXX	Report
Aluminum, Total	XXX	XXX	XXX	XXX	XXX	Report
Iron, Total	XXX	XXX	XXX	XXX	XXX	Report

In addition, the permit contains the following major special conditions:

- Stormwater Outfalls and Authorized Non-Stormwater Discharges
- Best Management Practices (BMPs)
- Routine Inspections
- Preparedness, Prevention and Contingency (PPC) Plan
- Stormwater Monitoring Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northwest Regional Office

PA0035505, Sewage, SIC Code 4952, 8211, **Faith Builder Education Programs Inc.**, 28527 Guys Mills Road, Guys Mills, PA 16327-2516. Facility Name: Faith Builder Education Programs. This existing facility is located in Randolph Township, **Crawford County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary of Woodcock Creek (HQ-CWF), is located in State Water Plan watershed 16-A and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .018 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Annual Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Daily Min	XXX	9.0 Daily Max	XXX
Dissolved Oxygen	XXX	XXX	5.0 Daily Min	XXX	XXX	XXX

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Annual Average	
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25.0	XXX	50
Nov 1 - Apr 30						
May 1 - Oct 31	XXX	XXX	XXX	20.0	XXX	40
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	3.0	XXX	7.5
Nov 1 - Apr 30						
May 1 - Oct 31	XXX	XXX	XXX	1.0	XXX	2.5
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Permit Issuance—11/30/2027						
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.2	XXX	0.7
12/1/2027—Permit Expiration						
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- TRC Compliance Schedule with option to conduct Site Specific Studies. The compliance schedule consists of Average Monthly Limit of 0.5 mg/l and IMAX limit of 1.6 mg/l from the period of issuance until 3 years after issuance date. After the 3 year schedule is complete the new limits will consist of an Average Monthly Limit of 0.2 mg/l and IMAX limit of 0.7 mg/l.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0240044, Sewage, SIC Code 4952, **Ballans Holdings Co.**, 25164 State Highway 27, Meadville, PA 16335-5914. Facility Name: Meadville KOA Campground. This existing facility is located in East Mead Township, **Crawford County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Little Sugar Creek (CWF), is located in State Water Plan watershed 16-D and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.01 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
		Daily Max				
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
			Daily Min		Daily Max	
Dissolved Oxygen	XXX	XXX	4.0	XXX	XXX	XXX
			Daily Min			
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25.0	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Ammonia-Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Nov 1 - Apr 30						
May 1 - Oct 31	Report	XXX	XXX	10.0	XXX	20
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
					Daily Max	
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
					Daily Max	
E. Coli	XXX	XXX	XXX	XXX	XXX	Report

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0295655, Industrial, SIC Code 4911, **FirstLight Allegheny Hydro, LLC**, 99 Millers Falls Road, Northfield, MA 01360-1005. Facility Name: Allegheny 8. This proposed facility is located in Washington Township, **Armstrong County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated industrial waste.

The receiving stream, the Allegheny River (WWF), is located in State Water Plan watershed 17-E and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.144 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	100.0
Oil and Grease	XXX	XXX	XXX	15.0	XXX	30.0

In addition, the permit contains the following major special conditions:

- BMPs to Address Aqueous Film Forming Foam (AFFF)

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0295663, Industrial, SIC Code 4911, **FirstLight Allegheny Hydro, LLC**, 99 Millers Falls Road, Northfield, MA 01360-1005. Facility Name: Allegheny 9. This proposed facility is located in Washington Township, **Armstrong County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated industrial waste.

The receiving stream, the Allegheny River (WWF), is located in State Water Plan watershed 17-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.144 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	100.0
Oil and Grease	XXX	XXX	XXX	15.0	XXX	30.0

In addition, the permit contains the following major special conditions:

- BMPs to Address Aqueous Film Forming Foam (AFFF)

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Southcentral Regional Office

PA0035823, Sewage, SIC Code 7033, **Cameron Saunders**, 5909 Little Cove Road, Mercersburg, PA 17236-9478. Facility Name: Saunderosa Park. This existing facility is located in Warren Township, **Franklin County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Little Cove Creek (CWF, MF), is located in State Water Plan watershed 13-B and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .01 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	Daily Max XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25.0	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Ammonia-Nitrogen	XXX	XXX	XXX	Geo Mean		
May 1 - Oct 31				10	XXX	20

The proposed effluent limits for Outfall 001 are based on a design flow of .01 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Nitrate-Nitrite as N	XXX	Report	XXX	XXX	Report	XXX
Total Nitrogen	XXX	Daily Max Report	XXX	XXX	Daily Max Report	XXX
Total Kjeldahl Nitrogen	XXX	Daily Max Report	XXX	XXX	Daily Max Report	XXX
Total Phosphorus	XXX	Daily Max Report	XXX	XXX	Daily Max Report	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southcentral Regional Office

PA0037150, Sewage, SIC Code 4952, **Penn Township, York County**, 20 Wayne Avenue, Hanover, PA 17331-3313. Facility Name: Penn Township STP. This existing facility is located in, **York County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Oil Creek (WWF), is located in State Water Plan watershed 7-H and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 4.2 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Instantaneous Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	Daily Max XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	6.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.02	XXX	0.064
Temperature (deg F) (°F)	XXX	XXX	XXX	XXX	Report	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	875	1,401	XXX	25	Daily Max 40	50
Nov 1 - Apr 30						
May 1 - Oct 31	525	788	XXX	15	22.5	30
Biochemical Oxygen Demand (BOD ₅)	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent		Daily Max				

Parameters	Mass Units (lbs/day)		Instantaneous Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Total Suspended Solids	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent		Daily Max				
Total Suspended Solids	1,050	1,576	XXX	30	45	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Ultraviolet light transmittance (%)	XXX	XXX	Report	XXX	XXX	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N (Total Load, lbs) (lbs)	Report	XXX	XXX	XXX	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs)	Report	XXX	XXX	XXX	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs)	Report	XXX	XXX	XXX	XXX	XXX
Effluent Net						
Ammonia-Nitrogen	105	XXX	XXX	3.0	XXX	6
Nov 1 - Apr 30						
May 1 - Oct 31	35	XXX	XXX	1.0	XXX	2
Ammonia-Nitrogen (Total Load, lbs) (lbs)	Report	XXX	XXX	XXX	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen (Total Load, lbs) (lbs)	Report	XXX	XXX	XXX	XXX	XXX
Total Phosphorus	70	XXX	XXX	2.0	XXX	4
Total Phosphorus (Total Load, lbs) (lbs)	Report	XXX	XXX	XXX	XXX	XXX
Effluent Net						
Total Phosphorus (Total Load, lbs) (lbs)	Report	XXX	XXX	XXX	XXX	XXX
Aluminum, Total (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Boron, Total (ug/L)	XXX	XXX	XXX	Report	Daily Max	XXX
Copper, Total (ug/L)	XXX	XXX	XXX	Report	Daily Max	XXX
Cyanide, Free (ug/L)	XXX	XXX	XXX	Report	Daily Max	XXX
Zinc, Total (ug/L)	XXX	XXX	XXX	Report	Daily Max	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 4.2 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Instantaneous Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
PFOA (ng/L)	XXX	XXX	XXX	XXX	XXX	Report
PFOS (ng/L)	XXX	XXX	XXX	XXX	XXX	Report
PFBS (ng/L)	XXX	XXX	XXX	XXX	XXX	Report
HFPO-DA (ng/L)	XXX	XXX	XXX	XXX	XXX	Report

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

Southcentral Regional Office

PA0085723, Sewage, SIC Code 4952, **The York Water Co.**, 130 E Market Street, York, PA 17401-1219. Facility Name: SYC WWTP Exit II Land Venture Ind Park. This existing facility is located in Springfield Township, **York County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Seaks Run (HQ-CWF, MF), is located in State Water Plan watershed 7-H and is classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .08 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instantaneous Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	7.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	6.2	XXX	12.4
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Ultraviolet light intensity (mW/cm ²)	XXX	XXX	Report	Geo Mean	Report	Report
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	4.5	XXX	9
Nov 1 - Apr 30						
May 1 - Oct 31	XXX	XXX	XXX	1.5	XXX	3
Ammonia-Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	1.0	XXX	2
Total Phosphorus (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Copper, Total	XXX	XXX	XXX	Report	XXX	Report

The proposed effluent limits for Outfall 001 are based on a design flow of .08 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instantaneous Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southcentral Regional Office

PA0085782, Sewage, SIC Code 4952, **Ruscombmanor Township, Berks County**, 204 Oak Lane, Fleetwood, PA 19522-8942. Facility Name: Golden Oaks. This existing facility is located in Ruscombmanor Township, **Berks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), UNT to Furnace Creek (CWF), is located in State Water Plan watershed 3-D and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .05 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.07	XXX	0.23
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	10.4	XXX	XXX	25.0	XXX	50.0

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Maximum	
Biochemical Oxygen Demand (BOD ₅)	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	12.5	XXX	XXX	30.0	XXX	60.0
Total Dissolved Solids	Report	XXX	XXX	1,000.0	XXX	2,000
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Ammonia-Nitrogen	3.0	XXX	XXX	7.2	XXX	14.4
Nov 1 - Apr 30						
May 1 - Oct 31	1.0	XXX	XXX	2.4	XXX	4.8
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus	Report	XXX	XXX	Report	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southcentral Regional Office

PA0086045, Sewage, SIC Code 6515, **Castle Hill MHP**, 20 Erford Road, Suite 215, Lemoyne, PA 17043-1163. Facility Name: Castle Hill MHP. This existing facility is located in Straban Township, **Adams County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Rock Creek (WWF), is located in State Water Plan watershed 13-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.012 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.05	XXX	0.16
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25.0	XXX	50.0
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Ammonia-Nitrogen	XXX	XXX	XXX	6.0	XXX	12.0
Nov 1 - Apr 30						
May 1 - Oct 31	XXX	XXX	XXX	2.0	XXX	4.0

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southcentral Regional Office

PA0086665, Sewage, SIC Code 4952, 8661, **Green Spring Brethren in Christ Church**, 720 Greenspring Road, Newville, PA 17241-9694. Facility Name: Green Spring Church Brethren in Christ Church. This existing facility is located in North Newton Township, **Cumberland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SFTF sewage.

The receiving stream(s), Green Spring Creek (CWF), is located in State Water Plan watershed 7-B and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .001 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Quarterly	Maximum	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	Avg Qrtly XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .001 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Quarterly	Maximum	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5 Avg Mo	XXX	1.6

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southcentral Regional Office

PA0088439, Sewage, SIC Code 6515, **School House Village Wastewater Division**, P.O. Box 128 Unit 26, Walnut Creek, OH 44687. Facility Name: School House Village. This existing facility is located in Licking Creek Township, **Fulton County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Sindeldecker Branch (CWF), is located in State Water Plan watershed 13-B and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.01 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25.0	XXX	50.0
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	Geo Mean XXX	XXX	Report
Ammonia-Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Nov 1 - Apr 30						
May 1 - Oct 31	XXX	XXX	XXX	14.0	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.01 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Total Quarterly	Annually		Average Quarterly	Maximum	
Ammonia-Nitrogen	Report	Report	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Report	Report	XXX	Report	XXX	XXX
Total Phosphorus	Report	Report	XXX	Report	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southcentral Regional Office

PA0266841, Sewage, SIC Code 8811, **Sauder Ryan E**, 3497 New Holland Road, Mohnton, PA 19540-8621. Facility Name: Sauder Res. This existing facility is located in Cumru Township, **Berks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Angelica Creek (CWF, MF), is located in State Water Plan watershed 3-C and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Quarterly	Daily Maximum	
Flow (MGD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southeast Regional Office

PA0245666, Industrial, SIC Code 4941, **North Penn Water Authority**, 300 Forty Foot Road, Lansdale, PA 19446-4017. Facility Name: Worcester AutoFlusher. This proposed facility is located in Worcester Township, **Montgomery County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated industrial waste.

The receiving stream(s), Unnamed Tributary of Stony Creek (TSF, MF), is located in State Water Plan watershed 3-F and is classified for Trout Stocking and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0013 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Quarterly	Daily Maximum	
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Suspended Solids Iron, Total	XXX	XXX	XXX	30.0 Report	60.0 3.0	XXX XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0013 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Quarterly	Daily Maximum	
Chlorodibromomethane	XXX	XXX	XXX	XXX	Report	XXX
Dichlorobromomethane	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0013 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Quarterly	Daily Maximum	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5 Avg Mo	1.2	XXX

In addition, the permit contains the following major special conditions:

- Permittee shall acquire all necessary property rights
- Proper disposal of screenings, slurries, sludges and other solids
- DEP may modify or revoke and reissue permit if BAT, BCT is developed by DEP or EPA
- Permittee shall optimize chlorine dosages to minimize TRC in effluent

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

Southwest Regional Office

PA0038181, Sewage, SIC Code 4952, **Municipal Authority of Westmoreland County**, 124 Park and Pool Road, New Stanton, PA 15672. Facility Name: New Stanton STP. This existing facility is located in Hempfield Township, **Westmoreland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Sewickley Creek (WWF), is located in State Water Plan watershed 19-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 7.2 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average	Daily Minimum	Average Monthly	Daily Maximum	
Total Nitrogen	XXX	XXX	XXX	Report Avg Qrtly XXX	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Antimony, Total	XXX	XXX	XXX	XXX	Report	XXX
Arsenic, Total	XXX	XXX	XXX	XXX	Report	XXX
Boron, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Dissolved	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Manganese, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 7.2 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average	Daily Minimum	Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.14	XXX	0.47
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	582.47	873.7	XXX	9.7	14.55	19.4
Biochemical Oxygen Demand (BOD ₅)	Report	Report Daily Max	XXX	Report	Wkly Avg XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	1,800.0	2,700.0	XXX	30.0	45.0	60
Total Suspended Solids Raw Sewage Influent	Report	Report Daily Max	XXX	Report	Wkly Avg XXX	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean		
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Ultraviolet light transmittance (%)	XXX	XXX	Report	XXX	XXX	XXX
Ammonia-Nitrogen	437.15	XXX	XXX	7.28	XXX	14.55
Nov 1 - Apr 30						
May 1 - Oct 31	174.74	XXX	XXX	2.91	XXX	5.82
Copper, Total	XXX	XXX	XXX	Report	Report	XXX
Cyanide, Free	XXX	XXX	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 7.2 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average	Daily Minimum	Average Monthly	Daily Maximum	
PFOA (ug/L)	XXX	XXX	XXX	XXX	Report	XXX
PFOS (ug/L)	XXX	XXX	XXX	XXX	Report	XXX
PFBS (ug/L)	XXX	XXX	XXX	XXX	Report	XXX
HFPO-DA (ug/L)	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- Optimization of chlorine dosage
- Notification of designation of responsible operator
- Hauled-in waste restriction
- POTW Pretreatment program implementation
- Solids management for non-lagoon system
- WETT without limits
- Stormwater requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is not in effect.

Southwest Regional Office

PA0038792, Sewage, SIC Code 4952, **Forest Hills Municipal Authority**, 900 Locust Street, Saint Michael, PA 15951-2007. Facility Name: Village of Mine 42 STP. This existing facility is located in Adams Township, **Cambria County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Paint Creek (CWF), is located in State Water Plan watershed 18-E and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0296 MGD.—Interim Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6

The proposed effluent limits for Outfall 001 are based on a design flow of .0296 MGD.—Final Limits.

Parameters	Mass Units (lbs/day)		Instantaneous Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Ultraviolet light transmittance (%)	XXX	XXX	Report	XXX	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .0296 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Daily Max	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Daily Max	XXX
Manganese, Total	XXX	XXX	XXX	XXX	Report	XXX
					Daily Max	

The proposed effluent limits for Outfall 001 are based on a design flow of .0296 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	6.0	XXX	Inst Min	25.0	XXX	50.0

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Biochemical Oxygen Demand (BOD ₅)	Report	XXX	XXX	Report	XXX	Report
Raw Sewage Influent						
Total Suspended Solids	7.0	XXX	XXX	30.0	XXX	60.0
Total Suspended Solids Raw Sewage Influent	Report	XXX	XXX	Report	XXX	Report
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Ammonia-Nitrogen	4.20	XXX	XXX	Geo Mean		
Nov 1 - Apr 30				17.04	XXX	34.08
May 1 - Oct 31	1.38	XXX	XXX	5.63	XXX	11.36

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

Southwest Regional Office

PA0098817, Sewage, SIC Code 6513, **RMZ Holdings, Inc.**, 600 Pittsburgh Road, Uniontown, PA 15401-2214. Facility Name: Hickory Acres STP. This existing facility is located in Wharton Township, **Fayette County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Meadow Run (HQ-CWF), is located in State Water Plan watershed 19-E and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0049 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	0.0049	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 7.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.3	XXX	0.7
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25	XXX	50
Nov 1 - Apr 30						
May 1 - Oct 31	XXX	XXX	XXX	20	XXX	25
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Ammonia-Nitrogen	XXX	XXX	XXX	Geo Mean		
Nov 1 - Apr 30				15.0	XXX	30.0
May 1 - Oct 31	XXX	XXX	XXX	6.0	XXX	12.0

The proposed effluent limits for Outfall 001 are based on a design flow of .0049 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Daily Max Report Daily Max	XXX

In addition, the permit contains the following major special conditions:

- Optimization of Chlorine dosage
- Notification of designation of responsible operator
- Solids management for non-lagoon system

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

Southwest Regional Office

PA0004073, Industrial, SIC Code 3312, **United States Steel Corporation**, 1 Camp Hollow Road, West Mifflin, PA 15112. Facility Name: US Steel Mon Valley Works Irvin Plant. This existing facility is located in West Mifflin Borough, **Allegheny County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream, Monongahela River (WWF), is located in State Water Plan watershed 19-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 23.6 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Temperature (°F)	XXX	XXX	XXX	XXX	XXX	110.0
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	Report	Report	XXX
Oct 1 - Apr 30						
May 1 - Sep 30	XXX	XXX	XXX	16.6	32.2	XXX
Oil and Grease	XXX	XXX	XXX	15.0	30.0	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	Report	Report	XXX
Oct 1 - Apr 30						
May 1 - Sep 30	XXX	XXX	XXX	5.3	10.3	XXX
Aluminum, Total	XXX	XXX	XXX	Report	Report	XXX
Chromium, Hexavalent	XXX	XXX	XXX	Report	Report	XXX
Copper, Total	XXX	XXX	XXX	Report	Report	XXX
Iron, Total	XXX	XXX	XXX	Report	Report	XXX
Zinc, Total	XXX	XXX	XXX	Report	Report	XXX
PFOA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFOS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFBS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
HFPO-DA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 23.6 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Temperature (°F)	XXX	XXX	XXX	XXX	XXX	110.0
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	Report	Report	XXX
Oct 1 - Apr 30						
May 1 - Sep 30	XXX	XXX	XXX	16.6	32.2	XXX
Oil and Grease	XXX	XXX	XXX	15.0	30.0	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	Report	Report	XXX
Oct 1 - Apr 30						
May 1 - Sep 30	XXX	XXX	XXX	5.3	10.3	XXX
Aluminum, Total	XXX	XXX	XXX	1.25	1.95	XXX
Chromium, Hexavalent	XXX	XXX	XXX	Report	Report	XXX
Copper, Total	XXX	XXX	XXX	Report	Report	XXX
Iron, Total	XXX	XXX	XXX	Report	Report	XXX
Zinc, Total	XXX	XXX	XXX	Report	Report	XXX
PFOA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFOS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFBS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
HFPO-DA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 101 are based on a design flow of 0.048 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	4.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	25.0	40.0	50.0	62.5
Total Suspended Solids	XXX	XXX	Avg Mo 30.0	Weekly Avg. 45.0	60.0	75
Fecal Coliform (No./100 ml)	XXX	XXX	Avg Mo XXX	Weekly Avg. 2,000	XXX	10,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean		
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	25.0	XXX	50.0
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 201 are based on a design flow of 2.19 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	10.0
Total Suspended Solids	870	1,990	XXX	30.0	60.0	75
Oil and Grease	291	849	XXX	10.0	25.0	31.3
Iron, Total	XXX	XXX	XXX	3.5	7.0	8.75
Lead, Total	3.62	10.9	XXX	0.15	0.45	0.56
Zinc, Total	4.38	13.1	XXX	0.1	0.3	0.38
Naphthalene	XXX	0.45	XXX	XXX	0.022	0.028
Tetrachloroethylene	XXX	0.67	XXX	XXX	0.032	0.04

The proposed effluent limits for Outfall 301 are based on a design flow of 0.952MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	3,200	8,530	XXX	24.0	48.0	60
Oil and Grease	XXX	2140	XXX	10.0	30.0	30

The proposed effluent limits for Outfall 601: Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	3,200	8,530	XXX	24.0	48.0	60
Oil and Grease	XXX	2140	XXX	10.0	30.0	30

The proposed effluent limits for Outfall 701: Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	3,200	8,530	XXX	24.0	48.0	60
Oil and Grease	XXX	2140	XXX	10.0	30.0	30

The proposed effluent limits for Outfall 003 are based on a design flow of 1.72 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average</i>	<i>Daily</i>	<i>Instant.</i>	<i>Average</i>	<i>Daily</i>	
	<i>Monthly</i>	<i>Maximum</i>		<i>Monthly</i>	<i>Maximum</i>	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	1.0	1.25
Temperature (°F)	XXX	XXX	XXX	XXX	XXX	110.0
Oil and Grease	XXX	XXX	XXX	15.0	30.0	XXX
Butyl Benzyl Phthalate	XXX	XXX	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 004: Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average</i>	<i>Daily</i>	<i>Average</i>		<i>Daily</i>		
	<i>Monthly</i>	<i>Maximum</i>	<i>Monthly</i>		<i>Maximum</i>		
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX	
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX	
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX	
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX	
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX	
Copper, Total	XXX	XXX	XXX	XXX	Report	XXX	
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX	
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX	
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX	

The proposed effluent limits for Outfall 005: Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average</i>	<i>Daily</i>	<i>Average</i>		<i>Daily</i>		
	<i>Monthly</i>	<i>Maximum</i>	<i>Monthly</i>		<i>Maximum</i>		
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX	
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX	
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX	
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX	
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX	
Copper, Total	XXX	XXX	XXX	XXX	Report	XXX	
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX	
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX	
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX	

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is not in effect.

Southwest Regional Office

PA0005746, Industrial, SIC Code 3229, **Corelle Brands LLC**, 100 8th Street, Charleroi, PA 15022-1619. Facility Name: Corelle Brands—Charleroi Plant. This existing facility is located in Charleroi Borough, **Washington County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Monongahela River (WWF), is located in State Water Plan watershed 19-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.081 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Instant</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average</i>	<i>Daily</i>	<i>Minimum</i>		<i>Average</i>	<i>Daily</i>	
	<i>Monthly</i>	<i>Maximum</i>			<i>Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX	
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0	
Total Residual Halogens	XXX	XXX	XXX	Report	Report	XXX	
Temperature (°F)	XXX	XXX	XXX	XXX	XXX	110	
Total Suspended Solids	70	140	XXX	25	50	XXX	
Oil and Grease	28	56	XXX	15.0	XXX	30	
PFOA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX	
PFOS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX	
PFBS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX	
HFPO-DA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX	

The proposed effluent limits for Outfall 002 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Daily Weekly		Average Monthly	Daily Maximum	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Nickel, Total	XXX	XXX	XXX	XXX	Report	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

Southwest Regional Office

PA0040274, Industrial, SIC Code 3316, **ATI Flat Rolled Products Holdings LLC**, 100 River Road, Brackenridge, PA 15014-1537. Facility Name: ATI Flat Rolled Products Holdings LLC/Vandergrift. This existing facility is located in Vandergrift Borough, **Westmoreland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Kiskiminetas River (WWF), is located in State Water Plan watershed 18-B and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for IMP 107 are based on a design flow of 0.4 MGD.—Interim Limits.

Parameters	Mass Units (lbs/day)		Instant. Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	1.0	1.25
Temperature (°F)	XXX	XXX	XXX	XXX	XXX	110
Aluminum, Total	XXX	XXX	XXX	Report	Report	XXX
Iron, Total	XXX	XXX	XXX	Report	Report	XXX
Manganese, Total	XXX	XXX	XXX	Report	Report	XXX

The proposed effluent limits for IMP 107 are based on a design flow of 0.4 MGD.—Final Limits.

Parameters	Mass Units (lbs/day)		Instant. Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	1.0	1.25
Temperature (deg F) (°F)	XXX	XXX	XXX	XXX	XXX	110
Aluminum, Total	XXX	XXX	XXX	0.75	0.75	XXX
Iron, Total	XXX	XXX	XXX	1.5	3.0	XXX
Manganese, Total	XXX	XXX	XXX	1.0	2.0	XXX

The proposed effluent limits for IMP 207 are based on a design flow of 0.53 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Instant. Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	1.0	1.25
Temperature (deg F) (°F)	XXX	XXX	XXX	XXX	XXX	110.0
Total Suspended Solids	527	1,220	XXX	19.5	41.0	51.2
Oil and Grease	21.5	47.6	XXX	5.0	20.0	25.0
Ammonia-Nitrogen	Report	Report	XXX	58.6	133.3	166.6
Aluminum, Total	XXX	XXX	XXX	0.75	0.75	XXX
Chromium, Total	6.39	16.0	XXX	0.4	1.0	1.25
Cyanide, Total	Report	Report	XXX	0.12	0.29	0.36
Fluoride, Total	Report	Report	XXX	26.4	59.5	74.4

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Iron, Total	XXX	XXX	XXX	1.5	3.0	XXX
Lead, Total	Report	Report	XXX	0.2	0.42	0.52
Manganese, Total	XXX	XXX	XXX	1.0	2.0	XXX
Nickel, Total	4.8	14.3	XXX	0.3	0.9	1.13
Zinc, Total	Report	Report	XXX	0.61	1.46	1.82
Thallium, Total	XXX	XXX	XXX	XXX	Report	XXX
PFOA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFOS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFBS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
HFPO-DA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 008: Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Copper, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 009: Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Copper, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is not in effect.

Southwest Regional Office

PA0110990, Industrial, SIC Code 4941, **Central City Water Authority**, 314 Central Avenue, Central City, PA 15926-1100. Facility Name: Central City Water Authority Water System. This existing facility is located in Shade Township, **Somerset County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream, Dark Shade Creek (CWF), is located in State Water Plan watershed 18-E and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .024 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	1.0	XXX
Total Suspended Solids	XXX	XXX	XXX	30.0	60.0	XXX
Aluminum, Total	XXX	XXX	XXX	0.75	0.75	XXX
Iron, Total	XXX	XXX	XXX	1.5	3.0	XXX
Manganese, Total	XXX	XXX	XXX	1.0	2.0	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Instant. Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	XXX	0.02	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

Southwest Regional Office

PAI136130, MS4, **Allegheny County**, 501 County Office Building, Pittsburgh, PA 15219.

The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Pittsburgh City, **Allegheny County**. The receiving stream(s), Pine Creek (TSF), Montour Run (TSF), Squaw Run (HQ-WWF), Unnamed Tributary to Allegheny River (WWF), Unnamed Tributaries to other streams (HQ-WWF, WWF, TSF), Turtle Creek (WWF), Monongahela River (WWF), and Ohio River (WWF), is located in State Water Plan watershed 19-C, 20-G, 19-A, and 18-A and is classified for Trout Stocking, High Quality Waters—Warm Water Fishes, and Warm Water Fishes, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA waiver is in effect for small MS4s, and is not in effect for large MS4s.

III. Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity.

Southcentral Regional Office

Applicant: **Landmark Homes at 897, Inc.**

Applicant Address: 1737 W. Main Street, Ephrata, PA 17522-1101

Application Number: **PAD380009 A-1**

Application Type: Major Amendment

Municipality/County: Heidelberg Township, **Lebanon County**

Project Site Name: Copper Ridge

Total Earth Disturbance Area (acres): 52.30 acres

Surface Waters Receiving Stormwater Discharges: UNT to Hammer Creek (CWF, MF) and EV Wetlands

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Increase of on-lot impervious for single family home subdivision.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4802.

Northeast Regional Office

Applicant: **Tyrone W. Klump Jr.**

Applicant Address: P.O. Box 187, Wind Gap, PA 18091-0187

Application Number: **PAD480217**

Application Type: New

Municipality/County: Bushkill Township, **Northampton County**

Project Site Name: Klump Subdivision

Total Earth Disturbance Area (acres): 10.79 acres

Surface Waters Receiving Stormwater Discharges: UNT to Bushkill Creek (EV, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The project involves the construction of a 4-lot residential subdivision, cul-de-sac extension, utilities and stormwater management facilities.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

Northcentral Regional Office

Applicant: **PPL Elec Utilities Corp**

Applicant Address: 1639 Church Rd, Allentown, PA 18104-9342

Application Number: **PA550002D**

Application Type: New

Municipality/County: Jackson, Monroe, and Penn Townships, **Snyder County**; Lewis, Limestone, and West Buffalo Townships, **Union County**.

Project Site Name: SUNB-LOHA 69kV Line Rebuild: SEG 1 SUNB-LAUR

Total Earth Disturbance Area (acres): 223 acres

Surface Waters Receiving Stormwater Discharges: Buffalo Creek & UNTs (TSF, MF), Monongahela Creek and UNTs (CWF, MF), Penns Creek and UNTs (WWF, MF), UNT to Penns Creek (CWF, MF), Rolling Green Run (CWF, MF), Susquehanna River (WWF, MF), Sweitzers Creek and UNTs (CWF, MF), Tuscarora Creek (CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: In summary, the PPL EU Sunbury-Lock Haven 69 kV Line Rebuild Project (Seg. 1) consists of the reconstruction of an existing electric utility line, approximately 16.5 miles in length. The line starts at Ex. Str. 13 Northwest of Pine Lane in Penn Township, Snyder County. The line travels generally northwest before turning and heading west, east of Park Rd. (SR 1017) then the line turns northwest again after crossing Broadway Rd before ending at an existing double pole Str. 96/32(33) off Rand Rd in Lewis Township, Union County. The entire project is located within Snyder and Union Counties.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 570-327-3693.

Regional Permit Coordination Office

Applicant: **Borough of Columbia**

Applicant Address: 308 Locust Street, Columbia, PA 17512

Application Number: **PAD360121**

Application Type: New

Municipality/County: Columbia Borough, **Lancaster County**

Project Site Name: McGinness Innovation Park

Total Earth Disturbance Area (acres): 41.6 acres

Surface Waters Receiving Stormwater Discharges: Strickler Run (WWF) and Susquehanna River (WWF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Site construction is split into multiple construction phases. In phase 1, construction involves bulk earthmoving, soil remediation and rough grading to establish pad sites. All construction activities are related to the Erosion Sediment Control design and Soil Management. In phase 2, construction involves borough street improvement and associated utility work. In phase 3, future land development will be separated into individual lots and each lot owner will submit for individual land development plan.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-772-5987.

*Southcentral Regional Office*Applicant: **Ivan Newswanger**

Applicant Address: 217 Ivy Glen Lane, Woodbury, PA 16695

Application Number: **PAD050020**

Application Type: New

Municipality/County: Woodbury Township, **Bedford County**

Project Site Name: Ivan Newswanger Ag Operation

Total Earth Disturbance Area (acres): 9.20 acres

Surface Waters Receiving Stormwater Discharges: UNT to Hickory Bottom Creek (HQ-CWF, MF) and UNT to Neill Run (HQ-CWF, MF) via wetlands

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construct a new duck operation including one barn, driveway, and stormwater management facilities.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4802.

*Southeast Regional Office*Applicant: **Philadelphia Authority for Industrial Development**

Applicant Address: 1500 Market Street # 3500, Philadelphia, PA 19102-2100

Application Number: **PAD510242**

Application Type: New

Municipality/County: City of Philadelphia, **Philadelphia County**

Project Site Name: Bartram Village—Phase 1

Total Earth Disturbance Area (acres): 3.37 acres

Surface Waters Receiving Stormwater Discharges: Schuylkill River (WWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The applicant proposes demolition and removal of an existing 1,000 gallon fogging oil UST and footing. Construction of five 2-story and 3-story stacked townhouse buildings and a community building, with associated parking lot, utilities, and stormwater management.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 484-250-5910.

*Northeast Regional Office*Applicant: **Troy Nauman**

Applicant Address: 20 Lenox Avenue, East Stroudsburg, PA 18301

Application Number: **PAD450198**

Application Type: New

Municipality/County: Stroud Township, **Monroe County**

Project Site Name: Troy Nauman Properties

Total Earth Disturbance Area (acres): 5.5 acres

Surface Waters Receiving Stormwater Discharges: Big Meadow Run (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construction of a single-family home including a pavilion, barn and driveway.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

Northeast Regional Office

Applicant: **David Wengerd**

Applicant Address: 2621 Route 940, Pocono Summit, PA 18346

Application Number: **PAD450153 A-1**

Application Type: Major Amendment

Municipality/County: Smithfield Township, **Monroe County**

Project Site Name: Franklin Hill Manor

Total Earth Disturbance Area (acres): 2.37 acres

Surface Waters Receiving Stormwater Discharges: UNT to Marshall's Creek and Pond (HQ-CWF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Residential subdivision with on-lot water and sewer.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

Southeast Regional Office

Applicant: **Jennifer Hill and Robert Hill**

Applicant Address: 401 Bobs Lane, Lincoln University, PA 19352

Application Number: **PAD150349**

Application Type: New

Municipality/County: New London Township, **Chester County**

Project Site Name: 1367 State Road

Total Earth Disturbance Area (acres): 2.97 acres

Surface Waters Receiving Stormwater Discharges: Big Elk Creek (HQ-TSF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construction of a single family residence.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 484-250-5910.

Southeast Regional Office

Applicant: **Carolyn Hurzeler and Robert Hurzeler**

Applicant Address: 923 Shenandoah Lane, West Chester, PA 19380-2026

Application Number: **PAD150351**

Application Type: New

Municipality/County: West Bradford Township, **Chester County**

Project Site Name: 525 Groundhog College Road

Total Earth Disturbance Area (acres): 3.18 acres

Surface Waters Receiving Stormwater Discharges: Broad Run (EV-MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The proposed project consists of constructing a single-family dwelling unit, driveway paving, pool, attached garage, utilities, and stormwater management.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 484-250-5910.

Southcentral Regional Office

Applicant: **Column Construction**

Applicant Address: 203 Templin Road, Glenmoore, PA 19343

Application Number: **PAD060021**

Application Type: Renewal

Municipality/County: Robeson Township, **Berks County**

Project Site Name: Mark Colona

Total Earth Disturbance Area (acres): 4.34 acres

Surface Waters Receiving Stormwater Discharges: Hay Creek (EV)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construction of office, driveway, garage, gravel lot and PCSM SCMs.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4802.

Southeast Regional Office

Applicant: **PT Phoenixville, LLC**

Applicant Address: 795 E. Lancaster Avenue, Suite 200, Villanova, PA 19085-1525

Application Number: **PAD150346**

Application Type: New

Municipality/County: Schuylkill Township, **Chester County**

Project Site Name: Proposed Wawa Food Market

Total Earth Disturbance Area (acres): 3.27 acres

Surface Waters Receiving Stormwater Discharges: Pickering Creek (WWF-MF), Pickering Creek (HQ-TSF-MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The property is currently improved with an existing Exxon Convenience Store with fuel pumps. PT Phoenixville, LLC is proposing to demolish the existing structures and reconstruct a Wawa Convenience Store with fuel pumps. The proposal includes the installation of parking, access roadways, lighting, utilities, landscaping and stormwater management controls necessary to support the development.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 484-250-5910.

Southeast Regional Office

Applicant: **City of Philadelphia Department of Aviation (DOA)**

Applicant Address: 2 International Plaza, Philadelphia, PA 19153

Application Number: **PAD510010 A-12**

Application Type: Major Amendment

Municipality/County: City of Philadelphia, **Philadelphia County**

Project Site Name: PNE Fence Improvements

Total Earth Disturbance Area (acres): 28.96 acres

Surface Waters Receiving Stormwater Discharges: Wooden Bridge Run Creek (TSF-MF), Waltons Run Creek (WWF-MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The Fence Improvements project entails replacement of existing perimeter security fence on the airport property as well as clearing and grubbing to a width of ten feet on each side of fence. Pervious grass cover will be re-established. There will be no changes in land cover from pre-construction to post-construction conditions. Refer to attached Project Status Summary Table and PNE NPDES Permit Master Plan.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 484-250-5910.

STATE CONSERVATION COMMISSION

PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed (National Pollutant Discharge Elimination System) NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling 717-787-8821.

Individuals wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30-days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Individuals in need of accommodations should contact the SCC through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

ACT 38

NUTRIENT MANAGEMENT PLANS

CAFO PUBLIC NOTICE SPREADSHEET—APPLICATIONS

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal/New</i>
Jason L. and Stephanie E. Shives 455 Lear Rd. Harrisonville, PA 17228	Fulton County	35	727.60	Swine	NA	Renewal
Harlan Huber 118 Killinger Road Annville, PA 17003	Lebanon County	57.4	857.77	Laying Hens Steer Horse	NA	Renewal
Peach Glen Farm 367 Georgetown Road Gardners, PA 17324	Cumberland County	42	833.44	Swine Poultry	HQ	New

PUBLIC WATER SUPPLY PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for Public Water Supply (PWS) permits to construct or substantially modify public water systems.

Individuals wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30-days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of Environmental Protection (DEP) the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, DEP will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

SAFE DRINKING WATER

Application(s) Received Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Northcentral Region: Safe Drinking Water Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Olivia Harris, Clerical Supervisor I, 570-327-0561.

Application No. 1724506, Construction, Public Water Supply.

Applicant	Clearfield Municipal Authority
Address	107 East Market Street Clearfield, PA 16830-2405
Municipality	Pike Township
County	Clearfield County
Responsible Official	Rich Lopez Manager 107 East Market Street Clearfield, PA 16830-2405
Consulting Engineer	Christopher M Eckenrode 3121 Fairway Drive Altoona, PA 16602-4496
Application Received	September 26, 2024
Description	Main objective for this project is to replace existing, aging conventional filtration system with a new membrane filtration system and all the applicable appurtenances.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995
PREAMBLE 1

Acknowledgment of Notice(s) of Intent to Remediate Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent (NOI) to Remediate. An acknowledgment of the receipt of a NOI to Remediate is used to identify a site where an individual proposes to, or has been required to, respond to a release of a regulated substance at a site. Individuals intending to use the background standard, Statewide health standard, the site-specific standard, or who intend to remediate a site as a special industrial area, must file a NOI to Remediate with DEP. A NOI to Remediate filed with DEP provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. An individual who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the Act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by DEP. Furthermore, an individual shall not be subject to citizen suits or other contribution actions brought by responsible individuals not participating in the remediation.

Under Sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the NOI to Remediate is published in a newspaper of general circulation in the area of the site. For the following identified site(s), proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30-days of the following specified date. During this comment period the municipality may request that the following identified individual, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of the site.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The DEP has received the following Notice(s) of Intent to Remediate.

Northcentral Region: Environmental Cleanup & Brownfields Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Randy Farmerie, P.G., Environmental Program Manager, 570-327-3716.

Right Lane Carrier Inc. Project, Primary Facility ID # 871372, I-180 West, Mile Marker 3, Watsontown, PA 17777, Delaware Township, **Northumberland County**. Bressler's Environmental Service, 2994 East Valley Road, Loganton, PA 17747, on behalf of Right Lane Carrier, Inc., Unit 25, 6033 Shawson Drive, Mississauga, Ontario L5T 1E7, has submitted a Notice of Intent to Remediate. The NIR concerns soil contaminated with diesel fuel, used motor oil, and antifreeze. The applicant proposes to remediate the site to meet the Statewide health standard. A summary of the NIR was published in *The Daily Item* on September 10, 2024. Application received: September 19, 2024.

Hopson BRA 1HC on the Hopson BRA Pad, Primary Facility ID # 878659, 6519 Liberty Corners Road, Towanda, PA 18848, Asylum Township, **Bradford County**. Creston Environmental, LLC, P.O. Box 1373, Camp Hill, PA 17001 on behalf of Chesapeake Appalachia LLC, 14 Chesapeake Lane, Sayre, PA 18840, submitted a Notice of Intent to Remediate. NIR concerns remediation of site soil contaminated with production fluid. The Notice of Intent to Remediate was published in *The Daily Item* on September 17, 2024. Application received: September 25, 2024.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Wind Gap Texaco, Primary Facility ID # 869958, 1040 South Broadway, Wind Gap, PA 18091, Plainfield Township, **Northampton County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013 on behalf of Pipeline Petroleum, Inc., P.O. Box 159, Shippers Road, Macungie, PA 18062, submitted a Notice of Intent to Remediate. Soil was contaminated with heating oil, gasoline, and diesel. Future use of the site will be nonresidential. The Notice of Intent to Remediate was published in *The Morning Call* on September 19, 2024. Application received: September 26, 2024.

Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Nick, 814-332-6978.

Payne Ave Cleanup, Primary Facility ID # 865863, 920 Payne Avenue, Erie, PA 16503, City of Erie, **Erie County**. Stantec Consulting Services, 27280 Haggerty Road, Suite C-11, Farmington Hills, MI 48331 on behalf of Honeywell International Inc., 115 Tabor Road, Morris Plains, NJ 07950, submitted a Notice of Intent to Remediate. Onsite soil is impacted with select metals (including arsenic, lead, and antimony) at concentrations above PA DEP SHS. Groundwater onsite is impacted with chlorinated solvents, which appears to have migrated offsite near the north side of 9th Street slightly above applicable PA DEP SHS. Free product or light non-aqueous phase liquids (LNAPL) are present above the water table in a limited area of the north-central portion of the site. LNAPL does not appear to have migrated offsite. A fingerprint analysis of the LNAPL indicates it is a mixture of kerosene and lubricating oil or grease. The site was a former industrial facility, which manufactured gas meters and controlling equipment from 1895-2004. Machine shops operated onsite using cutting oils and chlorinated solvents as degreasers. The soil and groundwater

impacts appear linked to historical manufacturing operations formerly conducted onsite. There are currently no buildings onsite and impacts to both soil and groundwater are covered by an asphalt cap over the entire parcel with the perimeter surrounded by a chain-link fence. The current and anticipated future use of the property is commercial. The Notice of Intent to Remediate was published in *Erie Times* on September 25, 2024. Application received: September 30, 2024.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Environmental Cleanup & Brownfields Program Manager, 717-705-4705.

Bay Street Community Garden, Primary Facility ID # 878657, 722 Bay Street, Lancaster, PA 17603, City of Lancaster, **Lancaster County**. Reliance Environmental, Inc., 235 North Duke Street, Lancaster, PA 17602 on behalf of City of Lancaster, 120 North Duke Street, Lancaster, PA 17608, submitted a Notice of Intent to Remediate. Notice of Intent to Remediate soil contaminated with arsenic. The site will be remediated to the Statewide health standard. Future use of the site is residential. The Notice of Intent to Remediate was published in *LNP* on September 16, 2024. Application received: September 20, 2024.

Bay Street Community Garden, Primary Facility ID # 878694, 728 Bay Street, Lancaster, PA 17603, City of Lancaster, **Lancaster County**. Reliance Environmental, Inc., 235 North Duke Street, Lancaster, PA 17602 on behalf of City of Lancaster, 120 North Duke Street, Lancaster, PA 17608, submitted a Notice of Intent to Remediate. Notice of Intent to Remediate soil contaminated with arsenic. The site will be remediated to the site-specific standard. Future use of the site is residential. The Notice of Intent to Remediate was published in *LNP* on September 16, 2024. Application received: September 20, 2024.

Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Janelle Hromyak, Clerical Assistant 2, 412-442-4091.

Former Gasoline Filling Stations Site, Primary Facility ID # 878291, 409 College Ave., Greensburg, PA 15601-1526, City of Greensburg, **Westmoreland County**. KU Resources, Inc., 22 South Linden Street, Duquesne, PA 15110 on behalf of William Scalise, 8340 Pennsylvania Avenue, North Huntingdon, PA 15642, submitted a Notice of Intent to Remediate. The contamination is related to the site's historical use as a gasoline filling station. Based upon the screening of the data against the most recent Act 2 nonresidential MSCs, the COCs for surface soils are: benzene and lead. Based upon the screening of the data against the most recent Act 2 nonresidential MSCs, the COCs for sub-surface soils are: polycyclic aromatic hydrocarbons, benzene, and 1,2,4-trimethylbenzene. The property is currently vacant with a single structure, but it is intended to be reused for commercial purposes. The Notice of Intent to Remediate was published in *The Tribune Review* on November 11, 2019. Application received: November 21, 2019.

DETERMINATION OF APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for Determination of Applicability for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other than Coal Ash.

Southcentral Region: Waste Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Carrie A. Fleming, Program Manager.

WMGR028SC004E. York Materials Group, LLC, 950 Smile Way, York, PA 17404, South Middleton Township, **Cumberland County**. This is for coverage under WMGR028 at York Material Group's Bonnybrook Asphalt facility located at 102 Bonnybrook Road, Carlisle, PA 17013 and authorizes the beneficial use of baghouse fines and/or scrubber pond precipitates generated by hot-mix asphalt plants for use as (i) an aggregate in roadway construction, (ii) a soil additive, (iii) a soil conditioner, or (iv) a component or ingredient in the manufacturing of construction products. Application received: August 8, 2024. Deemed administratively complete: September 27, 2024.

Questions concerning the application should be directed to Carrie A. Fleming, Program Manager, Southcentral Region, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984.

REGISTRATION FOR RESIDUAL WASTE GENERAL PERMITS

Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other than Coal Ash.

Southwest Region: Waste Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Waste Management Program Manager.

CORRECTION—previously published on August 17, 2024.

WMGR163SW003. CNX Gas Company LLC, 1000 Horizon Vue Drive, Canonsburg, PA 15317, Bell Township, **Westmoreland County**. A registration application for coverage under General Permit No. WMGR163SW003 at the Bell Point Temporary Aboveground Storage Tank Facility, located at 4581 State Route 819, Apollo, PA 15613, was received. CNX Gas Company, LLC is proposing to construct the Bell Point Temporary Aboveground Storage Tank Facility to support its shale drilling operations in the area. The development of the Bell Point Temporary Aboveground Storage Tank Facility will include the construction of one aboveground storage tank and piping and support facilities. The aboveground stor-

age tank will be located on an existing pad and will be accessed via an existing driveway. No new earth disturbance is proposed as part of the construction. Application received: July 10, 2024. Deemed administratively complete: July 26, 2024.

Questions concerning the application should be directed to Regional Files (412-442-4100), Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984.

CORRECTION—previously published on September 21, 2024.

WMGR163SW004. Range Resources—Appalachia, LLC, 3000 Town Center Boulevard, Canonsburg, PA 15317, Smith Township, **Washington County**. A registration application for coverage under General Permit No. WMGR163SW004 at the Carns Donald B Well Pad Reuse Water Storage Facility, located at 1278 Smith Township State Road, Burgettstown, PA 15021, was received. Range Resources—Appalachia, LLC is proposing to place twenty vertical 350 bbl capacity tanks and associated equipment to act as a water reuse storage facility to be used to support unconventional well completions. The storage facility will include tanks within a secondary containment system, drive-on truck containment system, and transfer pump. The system will be installed approximately 2–4 weeks prior to well completion activities. Once the system is installed and hydro-tested, reuse water will be loaded into the tanks via water trucks. Active operations at the location are anticipated to be 6–10 weeks. Application received: August 28, 2024. Deemed administratively complete: September 10, 2024.

Questions concerning the application should be directed to Regional Files (412-442-4100), Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department of Environmental Protection (DEP) has developed an integrated plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for DEP, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The DEP received applications for Plan Approvals or Operating Permits from the following facilities. Copies of the application, DEP's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate DEP Regional Office. Appointments for scheduling a review must be made by calling the appropriate DEP Regional Office. The address and telephone number of the Regional Office is listed before the application notices.

Individuals wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit,

may submit the information to the DEP's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

Any individual wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if DEP, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when DEP determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate DEP Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

PLAN APPROVALS

Application(s) Received for Plan Approval(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B That May Have Special Public Interest. These Plan Approval Applications are in Review and No Decision on Disposition Has Been Reached.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: David Balog, New Source Review Chief, 814-332-6328.

42-00004L: American Refining Group, Inc., 77 North Kendall Avenue, Bradford, PA 16701, City of Bradford, McKean County. Application received: September 10, 2024.

The Department received a Plan Approval application from American Refining Group, Inc. to install and operate a 500 electrical kilowatt/568 mechanical kilowatt emergency generator at their Bradford Refinery.

Contact: David Balog, New Source Review Section Chief, 814-332-6328.

43-0085C: Cronimet Specialty Metals, 40 Council Avenue, Wheatland, PA 16161, Pymatuning Township, Mercer County. Application received: September 19, 2024.

The Department received a Plan Approval Application from Cronimet's Greenville Facility to increase its production of flux coated carbide brazing rods.

PLAN APPROVALS

Notice of Intent to Issue Plan Approval(s) and Notice of Intent to Issue or Amend Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These Actions May Include the Administrative Amendments of an Associated Operating Permit.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

59-00006C: Eastern Gas Transmission & Storage, Inc., 10700 Energy Way, Glen Allen, VA 23060, Lawrence Township, Tioga County. Application received: May 7, 2024. The Department intends to issue a plan approval for the upgrade of Compressor Engine Source 108 to improve combustion stability and performance of the engine at the Boom Compressor Station. The following is a brief description of the conditions that the Department proposes to place in the plan approval to ensure compliance with all applicable regulatory requirements: Pursuant to 25 Pa. Code § 127.443: 1. The nitrogen oxide emissions from Source 108 shall not exceed 1.5 grams per brake horsepower-hour, and, 2. Source 108 shall be equipped with Pre-Combustion Chamber ePPCTM, Electronic Port Fuel Injection (EPFI) and HyperBalance™ Systems along with the installation of a turbocharger and an aftercooler. The plan approval will include all regulatory requirements, including testing, monitoring, recordkeeping, and reporting requirements. The facility is a State Only facility. If the Department determines that the sources are constructed and operated in compliance with the plan approval conditions and the specification of the application for Plan Approval 59-00006C, the requirements established in the plan approval will be incorporated into State Only (Synthetic Minor) operating permit 59-00006 pursuant to the administrative amendment provisions of 25 Pa. Code § 127.450. All documentation used in the evaluation of the application is available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-3636.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: David Balog, New Source Review Section Chief, 814-332-6328.

10-00381C: Mountain Gathering, LLC, 277 Powder Mill Road, Renfrew, PA 16053, Forward Township, Butler County. Application received: March 22, 2024.

The Department of Environmental Protection intends to issue a plan approval to Mountain Gathering reauthorize the operation of Forward Compressor Station and modify permit conditions and requirements at their facility located in Forward Township, Butler County. Mountain Gathering Forward Compressor Station is a Natural Minor facility and natural gas compressor station under State Only Permit # 10-00381. Public notice is required for sources required to obtain a Plan Approval in accordance with 25 Pa. Code § 127.44.

The following sources are affected by this Plan Approval:

- Six (6) 1,775 BHP Caterpillar G3606TA compressor engines rated at 13.44 MCF/hr (Source 101—106) and associated Catalytic Combustion RGTB-2516F-D-15HF-HFX1 oxidation catalysts to control emissions (Source C101—C106).
- One (1) 104 MMSCFD Natco TEG Dehydrator (Source 401) and associated Zeeco T20287F enclosed flare (Source C301) and BTEX Condenser (Source C401).

This Plan Approval was submitted for the following reasons:

1. To revise their site wide emission limit to 49 tpy VOC from 38 tpy VOC.
2. To replace the oxidation catalyst pressure, drop requirements to periodic monitoring outlined in the latest GP5 requirements for compressor engines.
3. Adding Promax as an authorized software to calculate emissions.

Revising the emission limits of the TEG dehydrator to 7.46 tpy VOC.

These requests and application were submitted due to a Notice of Violation issued to the applicant dated July 11, 2023. The violations were:

1. Exceeding the site wide VOC limit of 38 tpy VOC with actual emissions of 38.17 tpy.
2. Exceeding the source specific VOC limit of 2.12 tpy VOC with actual emissions of 3.19, 3.19, and 2.27 tpy VOC in 2019, 2020, and 2021 from source 401.
3. Exceeding the pressure drop requirements of 2 in. of water across the oxidation catalysts on the engines.
4. Other violations unrelated to the application.

An updated site wide emissions calculation along with an updated site-specific gas analysis reveals that the site wide Potential to Emit (PTE) for VOC is 45.58 tpy. Going forward the site wide limit be 49 tpy VOC on a 12-month rolling basis. Recordkeeping will be required to show compliance with this limitation. Previously, the PTE of 2.12 tpy VOC for source 401 did not represent an accurate emission rate for the source. Updated PTE calculations reveal that the rate is closer to 7.46 tpy VOC. Going forward this will be the new emission limit for Source 401. The source is controlled by an enclosed flare and BTEX condenser.

The applicant states that the oxidation catalyst pressure drop requirements in the current SOOP for the engines (Source 101—106) may not have been indicative of control device malfunctions. Going forward, the applicant proposes to do more stringent periodic monitoring for NO_x and CO, similar to what is required for engines in the GP5. This includes annual performance testing and periodic monitoring every 2,500 hours of operation utilizing portable analyzers to detect emissions exceeding applicable limits. DEP agrees that this is acceptable, and will remove the catalyst pressure drop monitoring and instead include the periodic monitoring condition in this plan approval.

Based on BAT, site wide PTE, and regulatory requirements the modified emission limits will be as follows:

- All limits not modified by this plan approval remain in place.
- 49 tpy VOC based on a 12-month rolling total site wide.
- 7.46 tpy VOC for source 401.

Potential emissions from the subject source(s) will be as follows:

<i>Pollutants</i>	<i>NO_x</i>	<i>CO</i>	<i>SO_x</i>	<i>PM₁₀</i>	<i>PM_{2.5}</i>	<i>VOC</i>	<i>HAPs</i>
101	8.57	3.3	0.03	0.53	0.53	3.94	1.55
102	8.57	3.3	0.03	0.53	0.53	3.94	1.55
103	8.57	3.3	0.03	0.53	0.53	3.94	1.55
104	8.57	3.3	0.03	0.53	0.53	3.94	1.55
105	8.57	3.3	0.03	0.53	0.53	3.94	1.55
106	8.57	3.3	0.03	0.53	0.53	3.94	1.55
301 Gun Barrel tank	-	-	-	-	-	0.29	0.01
301 Produced Water Tank	-	-	-	-	-	0.000858	0.000234
920 Water Loading	-	-	-	-	-	0.00305	0.000831
301 Condensate Tank	-	-	-	-	-	0.03	0.000869
910 Condensate Loading	-	-	-	-	-	0.13	0.00352
C301	7.74	35.3	0.07	0.85	0.85	-	-
401	-	-	-	-	-	7.46	0.46
201 Dehy Reboiler	0.85	0.72	0.01	0.06	0.06	0.05	0.02
201 Line Heater 1	0.11	0.09	0.00064	0.01	0.01	0.01	0.00202
201 Line Heater 2	0.21	0.18	0.00128	0.02	0.02	0.01	0.00404
201 Line Heater 3	0.21	0.18	0.00128	0.02	0.02	0.01	0.00404
501	-	-	-	-	-	-	-
601/801 Venting Blowdowns	-	-	-	-	-	13.01	0.34
601 Crank Case	-	0.85	-	-	-	0.27	0.1

<i>Pollutants</i>	<i>NO_x</i>	<i>CO</i>	<i>SO_x</i>	<i>PM₁₀</i>	<i>PM_{2.5}</i>	<i>VOC</i>	<i>HAPs</i>
701	-	-	-	-	-	0.66	0.02
Totals	60.54	57.12	0.2632	4.14	4.14	45.573908	10.265554
Major	100	100	100	100	100	50	25

The Plan Approval will contain testing, recordkeeping, emission restriction, reporting, and work practice requirements designed to keep the facility operating within all applicable air quality requirements.

In accordance with 25 Pa. Code § 127.44(f)(1), all the pertinent documents regarding this application (applications, review memos, and draft approvals) are also available for review from 8:00 a.m. to 4:00 p.m. at the Meadville Regional DEP office (Air Quality). Appointments for scheduling a review must be made by calling the DEP at (814) 332-6940.

In accordance with 25 Pa. Code § 127.44(f)(2), a 30-day comment period, from the date of publication, will exist for the submission of comments. Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to Regional Air Quality Program Manager, Pennsylvania Department of Environmental Protection, 230 Chestnut Street, Meadville, PA 16335-3494 and must contain the name, address and telephone number of the person submitting the comments, identification of the proposed plan approval [10-00381C: Mountain Gathering, LLC] and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Eric Gustafson, 230 Chestnut St., Meadville, PA 16335; Phone (814) 332-6819.

In accordance with 25 Pa. Code § 127.45, a person may oppose the proposed plan approval by filing a written protest with the Department's Northwest Region.

OPERATING PERMITS

Notice of Intent to Issue Title V Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Norm Frederick, 570-826-2409.

13-00001, Befesa Zinc Inc., Palmerton, 900 Delaware Ave, Palmerton, PA 18071-2008, Palmerton Borough, Carbon County. Application received: August 23, 2024. The Department intends to issue an administrative amendment to the Title V Operating Permit for the manufacturing of secondary nonferrous metals facility located in Palmerton Borough, Carbon County. As a major source, the facility is subject to the Title V permitting requirements of the Clean Air Act Amendments as adopted by the Commonwealth under 25 Pa. Code Chapter 127, Subchapter G. The proposed administrative

amendment is for the removal of Source 149 (Kiln # 1). The primary sources at this facility consist of kilns and receiving bins and silos. The sources are controlled by product collectors and baghouses. The Title V Operating Permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

OPERATING PERMITS

Notice of Intent to Issue Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Norman Frederick, Facility Permitting Chief, 570-826-2409.

39-00055, B. Braun US Device Manufacturing LLC, 901 Marcon Blvd, Allentown, PA 18109-9512, Hanover Township, Lehigh County. Application received: July 15, 2024. The Department intends to issue a renewal State-Only Operating Permit (synthetic minor) for the Hanover Township facility. Sources at this facility include their boilers, emergency generators, fire pumps, sterilizers, aeration room, cooling towers, and offset printing presses. Sources for this facility also include a catalytic oxidizer with peak shaver as a control device. The proposed operating permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

40-00043, Crestwood Membranes Inc., 755 Oakhill Road, Crestwood Industrial Park, Mountain Top, PA 18707, Wright Township, Luzerne County. Application received: September 18, 2024. The Department intends to issue a renewal State-Only Operating Permit for operation of sources at their plastics products manufacturing facility. The sources include two hydrotherms and a rotogravure press controlled by a regenerative thermal oxidizer. The proposed Operating Permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

54-00037, Copperhead Chemical Company Inc., 120 River Road, Tamaqua, PA 18252, Walker Township, Schuylkill County. Application received: September 4, 2024. The Department intends to issue a renewal State-Only Operating Permit for the operation of sources at the pharmaceutical preparation and explosives manufacturing facility. The sources include two No. 2 fuel oil fired boilers; an acetone recovery system; and a pharmaceutical manufacturing process. The control device used is a vapor condenser. The proposed operating permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

54-00083, Trans Western Polymers Inc., 31 Progress Ave, Tamaqua, PA 18252, Rush Township, **Schuylkill County**. Application received: September 9, 2024. The Department intends to issue a renewal State-Only Operating Permit for the operation of sources at their facility. Business activities performed at this facility include the manufacturing of plastic waste bags from polyethylene pellets. The sources include thirty ink jet printers. The proposed Operating Permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

Philadelphia: Air Management Services: Air Quality Program, 321 University Avenue, Philadelphia, PA 19104-4543.

Contact: Maryjoy Ulatowski, Chief, Source Registration, 215-685-9476.

OP20-000018, Kensington High School, 2051 E. Cumberland Street, Philadelphia, PA 19125, City of Philadelphia, **Philadelphia County**. Application received: June 8, 2021. The City of Philadelphia, Air Management Services (AMS) intends to issue an initial Natural Minor Operating Permit (NMOP) for the operation of a high school. The facility's air emission sources include: three (3) 9.8 million British Thermal Units (MMBtu) Boilers firing No. 2 fuel oil and one (1) 80-Kilowatt (kW) Emergency Generator firing diesel fuel. The operating permit will be issued under 25 Pa. Code. Philadelphia Code Title 3 and Air Management Regulation XIII. Permit copies and other supporting information are available for public inspection by contacting the Source Registration Unit at 215-685-7572 or DPHAMS_Service_Requests@phila.gov. Persons wishing to file protest or comments on the previously listed operating permit must submit the protest or comments within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating permit or hold a public hearing. Protests, comments, and requests for a public hearing must be mailed to Source Registration, Air Management Services, 7801 Essington Ave., Philadelphia, PA 19153 or e-mailed to DPHAMS_Service_Requests@phila.gov with "Kensington High School, NMOP OP20-000018" in the subject line. AMS suggests submitting any mailed correspondence also by e-mail. Individuals in need of accommodations and/or interpretation should contact AMS at DPHAMS_Service_Requests@Phila.Gov and/or 215-685-7572. Please include: (1) the name and contact information of the person requesting an accommodation and/or interpretation; (2) the name of the program, service, activity, or location of the request; and (3) a description of the modification and/or interpretation being requested.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.

28-05031, Borough of Chambersburg, 100 S. 2nd Street, Chambersburg, PA 17201, Chambersburg Borough, **Franklin County**. Application received: July 31, 2024. To issue a State Only Operating Permit for the Orchard Park Generating Station. The facility reported 2023 air emissions of 3.82 tpy NO_x, 4.07 tpy CO, 2.50 tpy PM₁₀, 3.77 tpy VOC, 0.20 tpy SO_x and 1.58 tpy total HAP. The Operating Permit will include emission limits and

work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions for Federal 40 CFR 63 Subpart ZZZZ—National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

06-05087, Haines & Kibblehouse Group Inc./Bechtelsville Asphalt Plant, 1355 N. Reading Avenue, Bechtelsville, PA 19505, Colebrookdale Township, **Berks County**. Application received: July 8, 2024. To issue a State Only Operating Permit for the asphalt plant. The actual emissions from the facility in 2023 year are estimated at 2.27 tpy of NO_x, 36.37 tpy of CO, 0.42 tpy of SO_x, 2.46 tpy of PM₁₀, 0.75 tpy of VOC and 0.25 tpy of HAPs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR 60 Subpart I—Standards of Performance for Hot Mix Asphalt Facilities since it is a hot mix asphalt plant.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Thomas Joseph, P.E., Facilities Permitting Chief, 412-442-4336.

SOOP 04-00061, Nalco Production LLC, 125 Nalco Way, Ellwood City, PA 16117, Franklin Township, **Beaver County**. Application received: October 13, 2023. Natural Minor State-Only Operating Permit for the manufacturing of specialty chemicals including liquid polymers, latex emulsion polymers and industrial biocide blends located in Franklin Township, Beaver County. In accordance with 25 Pa. Code §§ 127.424 and 127.425, the Department of Environmental Protection (DEP) has received an application and intends to issue a renewed Air Quality Operating Permit for the previously mentioned facility. The subject facility consists of two plants, designated North Plant and South Plant, comprising of four (4) natural gas boilers, two (2) natural gas furnaces, one (1) railcar loading and various bulk storage tanks including acrylamide tanks, blending tanks, and batch reactors. Emissions from the facility are controlled by carbon canisters, dust collectors, wet scrubbers, and thermal oxidizer. The facility has the potential to emit 25 tons per year (TPY) NO_x, 21 TPY CO, 1 TPY SO_x, 9 TPY VOC, 15 TPY PM₁₀, 15 TPY PM_{2.5}, 8 TPY total HAPs. At a minimum, the facility is required to conduct daily surveys of the site to ensure compliance with visible, fugitive, and malodor emission requirements and maintain records of those surveys. The air quality permit includes emission limitations, work practice standards, monitoring requirements, recordkeeping, and reporting requirements for the site. Those who wish to provide the Department with additional written information that they believe should be considered prior to the issuance of the Natural Minor State-Only Operating Permit may submit the information to Tom Joseph, Environmental Engineering Manager, Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Operating Permit (04-00061) and concise statements regarding the relevancy of the information or objections to issuance of the

Operating Permit. A public hearing may be held, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient. Written comments or requests for a public hearing should be directed to Tom Joseph, Facilities Permit Chief, at the previously listed address. All comments must be received prior to the close of business 30 days after the date of this publication. The application, DEP's Review Memorandum, and the proposed permit are available for public review during normal business hours at DEP's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. A file review can be scheduled through the DEP's website at <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx> and by contacting Thomas Joseph, Environmental Engineering Manager, at 412-442-4336 or tjoseph@pa.gov.

63-00930, Woodruff Partners, LLP, 2820 Washington Road, McMurray, PA 15317, North Strabane Township, **Washington County**. Application received: February 29, 2024.

In accordance with 25 Pa. Code §§ 127.424, 127.425 and 127.521, the Department is providing notice that they intend to issue a natural minor State Only Operating Permit for the operation of a pet crematory located in North Strabane Township, Washington County.

Sources of emissions consist of one Matthews International-Cremation Division ("Matthews") IE43-PPII animal crematory incinerator with a 150 lbs/hr capacity and 750 lbs capacity per batch and one Matthews IEB-26 animal crematory incinerator with a 200 lbs/hr capacity and 750 lbs capacity per batch. Both units are equipped with a secondary chamber afterburner that meet current best available technology standards. Facility-wide projected potential emissions (based on 12 hours per day, 5 days a week and 52 weeks per year) are to be 1.62 TPY PM₁₀, 0.98 TPY NO_x, 3.28 TPY CO, 0.98 TPY VOC, 0.95 TPY SO_x, 0.33 TPY total HAP, and 0.001TPY lead (Pb). The facility is subject to the applicable requirements of 25 Pa. Code Article III, Chapters 121—145. The proposed operating permit includes emission limitations, monitoring, work practice, reporting, and recordkeeping requirements for the facility.

A person may oppose the proposed State Only Operating Permit by filing a written protest with the Department through Noor Nahar via mail to Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222. Each protest or set of written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed State Only Operating Permit (63-00930) and a concise statement of the objections to the Operating Permit issuance and the relevant facts upon which the objections are based.

The application, DEP's Review Memorandum, and the proposed permit are available for public review during normal business hours at DEP's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. A file review can be scheduled through the DEP's website at <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx> or by contacting Tom Joseph, Facilities Permitting Chief, directly.

All comments must be received prior to the close of business 30 days after the date of this publication.

COAL & NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21).

Mining activity permits issued in response to such applications are also subject to applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (DEP). A copy of the application is available for inspection at the District Mining Office indicated above each application. Requests for 401 Water Quality Certifications are included in individual application only if noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application may be submitted by any person or any officer or head of any Federal, State or Local Government Agency or Authority to DEP at the address of the District Mining Office indicated above each application within 30-days of this publication, or within 30-days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences). Such comments or objections should contain the name, address and phone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform DEP on the basis of comment or objection and relevant facts upon which it is based.

In addition, requests for an informal conference, or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 (relating to public hearing-informal conferences) or § 86.34 (relating to informal conferences), must also contain a brief summary of the issues to be raised by the requestor at the conference and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Where a National Pollutant Discharge Elimination System (NPDES) number is listed, the mining activity permit application is associated with an application for an NPDES permit. A separate notice will be provided for the draft NPDES permit.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Coal Applications

Effluent Limits—The following range of effluent limits (Table 1) will apply to NPDES permits issued in conjunction with the associated coal mining activity permit. Additional effluent limits will be listed as part of the publication of the draft NPDES permit.

Table 1

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (total)	1.5 to 3.0 mg/l	3.0 to 6.0 mg/l	3.5 to 7.0 mg/l
Manganese (total)	1.0 to 2.0 mg/l	2.0 to 4.0 mg/l	2.5 to 5.0 mg/l
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Aluminum (Total)	0.75 to 2.0 mg/l	1.5 to 4.0 mg/l	2.0 to 5.0 mg/l
pH must always be greater than 6.0; less than 9.0.			
Alkalinity must always be greater than acidity.			

California District Mining Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.

Contact: Bonnie Herbert, Clerical Assistant 3.

Mining Permit No. 56140701. NPDES No. PA0119954. Coal Innovations, LLC, 301 Market Street, Kittanning, PA 16201, Stonycreek and Quemahoning Townships, **Somerset County**. To renew and revise the permit and related NPDES permit, remove two unconstructed outfalls and request Stage I, II and III bond release. Application received: July 22, 2024. Accepted: September 17, 2024.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed National Pollutant Discharge Elimination System (NPDES) permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (DEP) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH must always be greater than 6.0; less than 9.0.			
Alkalinity must always be greater than acidity.			

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The limits for noncoal mining activities as provided in 25 Pa. Code § 77.522 are pH 6 to 9 and other parameters DEP may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

Coal NPDES Draft Permits

California District Mining Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.

Contact: Bonnie Herbert, Clerical Assistant 3.

NPDES No. PA0235571. Mining Permit No. 17031301. Rosebud Mining Company, 301 Market Street, Kittanning, PA 16201, Burnside Township, **Clearfield County**. Application received: December 6, 2024. Accepted: January 26, 2024.

A renewal to the NPDES permit and mining activity permit, affecting 5,382.0 underground acres and 56.5 surface acres. Receiving stream(s): West Branch Susquehanna River, classified for the following use: WWF and Unnamed Tributary to Kilns Run, classified for the following use: CWF. West Branch Susquehanna River Watershed TMDL.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The proposed effluent limits for Outfall 001 discharging to West Branch Susquehanna River are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to Permit Expiration Date:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.5	3.0	3.8
Manganese	(mg/l)	-	2.0	4.0	5.0
Aluminum	(mg/l)	-	0.75	0.75	0.75
Suspended Solids	(mg/l)	-	35	70	90
pH	(s.u.)	6.0	-	-	9.0
Alkalinity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-
Total Dissolved Solids	(mg/l)	-	-	-	Report
Sulfate	(mg/l)	-	-	-	Report
Chloride	(mg/l)	-	-	-	Report
Bromide	(mg/l)	-	-	-	Report

The proposed effluent limits for Outfall 002 discharging to West Branch Susquehanna River are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to Permit Expiration Date:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.5	3.0	3.8
Manganese	(mg/l)	-	1.0	2.0	2.5
Aluminum	(mg/l)	-	0.75	0.75	0.75
Suspended Solids	(mg/l)	-	35	70	90
pH	(s.u.)	6.0	-	-	9.0
Alkalinity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-
Total Dissolved Solids	(mg/l)	-	-	-	Report
Sulfate	(mg/l)	-	-	-	Report

The proposed effluent limits for Outfall 003 discharging to West Branch Susquehanna River are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to Permit Expiration Date:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.5	3.0	3.8
Manganese	(mg/l)	-	1.0	2.0	2.5
Aluminum	(mg/l)	-	0.75	0.75	0.75
Suspended Solids	(mg/l)	-	35	70	90
pH	(s.u.)	6.0	-	-	9.0
Alkalinity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-
Total Dissolved Solids	(mg/l)	-	-	-	Report
Sulfate	(mg/l)	-	-	-	Report

The proposed effluent limits for Outfall 004 discharging to Unnamed Tributary ("A") Kilns Run are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to Permit Expiration Date:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.5	3.0	3.8
Manganese	(mg/l)	-	1.0	2.0	2.5
Aluminum	(mg/l)	-	0.75	0.75	0.75
Suspended Solids	(mg/l)	-	35	70	90
pH	(s.u.)	6.0	-	-	9.0

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Alkalinity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-
Osmotic Pressure	(mOs/kg)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	2,000	4000	5000
Sulfate	(mg/l)	-	-	-	Report
Chloride	(mg/l)	-	-	-	Report
Bromide	(mg/l)	-	-	-	Report

The EPA Waiver is not in effect.

NPDES No. PA0235580. Mining Permit No. 32031301. Rosebud Mining Company, 301 Market Street, Kittanning, PA 16201, White Township, **Indiana County.** Application received: June 13, 2024. Accepted: July 25, 2024.

A renewal to the NPDES permit and mining activity permit, affecting 5,657.8 underground acres and 56.2 surface acres. Receiving stream(s): Unnamed Tributary to Yellow Creek, classified for the following use: CWF and Yellow Creek, classified for the following use: TSF. Kiskiminetas-Conemaugh River Watersheds TMDL.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The proposed effluent limits for Outfall 001 discharging to UNT to Yellow Creek are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to Permit Expiration Date:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.5	3.0	3.8
Manganese	(mg/l)	-	2.0	4.0	5.0
Aluminum	(mg/l)	-	0.75	0.75	0.75
Suspended Solids	(mg/l)	-	35	70	90
pH	(s.u.)	6.0	-	-	9.0
Alkalinity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-
Osmotic Pressure	(mOs/kg)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	-	-	Report
Sulfate	(mg/l)	-	-	-	Report
Chloride	(mg/l)	-	-	-	Report

The proposed effluent limits for Outfall 002 discharging to UNT to Yellow Creek are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date To Permit Expiration Date:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.5	2.44	3.8
Manganese	(mg/l)	-	1.0	1.56	2.5
Aluminum	(mg/l)	-	0.75	0.75	0.75
Suspended Solids	(mg/l)	-	35	70	90
pH	(s.u.)	6.0	-	-	9.0
Alkalinity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	-	-	-	-
Osmotic Pressure	(mOs/kg)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	-	-	Report
Sulfate	(mg/l)	-	-	-	Report
Chloride	(mg/l)	-	-	-	Report

The proposed effluent limits for Outfall 003 discharging to Yellow Creek are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to Permit Expiration Date:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.5	3.0	3.8
Manganese	(mg/l)	-	1.61	3.22	4.03

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Aluminum	(mg/l)	-	0.75	0.75	0.75
Suspended Solids	(mg/l)	-	35	70	90
pH	(s.u.)	6.0	-	-	9.0
Alkalinity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-
Osmotic Pressure	(mOs/kg)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	-	-	Report
Sulfate	(mg/l)	-	-	-	Report
Chloride	(mg/l)	-	-	-	Report

The proposed effluent limits for Outfall 004 discharging to Yellow Creek are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to Permit Expiration Date:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.5	3.0	3.8
Manganese	(mg/l)	-	1.0	2.0	2.5
Aluminum	(mg/l)	-	0.75	0.75	0.75
Suspended Solids	(mg/l)	-	35	70	90
pH	(s.u.)	6.0	-	-	9.0
Alkalinity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-
Osmotic Pressure	(mOs/kg)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	-	-	Report
Sulfate	(mg/l)	-	-	-	Report
Chloride	(mg/l)	-	-	-	Report
Bromide	(mg/l)	-	-	-	Report

The EPA Waiver is not in effect.

Noncoal NPDES Draft Permits

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.

Contact: RA-EPCAMBRIADMO@pa.gov.

NPDES No. PA0212326. Mining Permit No. 56920302. New Enterprise Stone & Lime Co., Inc., P.O. Box 77, New Enterprise, PA 16664, Shade Township, **Somerset County.** Renewal of an NPDES permit for a sandstone quarry affecting 214 acres. Receiving stream: Laurel Run, classified for the following use: CWF. This receiving stream is included in the Kiski-Conemaugh TMDL. Application received: February 29, 2024.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for noncoal mining activities.

The following treated wastewater outfall discharges to: Laurel Run

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
003	N

The proposed effluent limits for the previously listed outfall are as follows:

<i>Outfalls: Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Suspended Solids (mg/L)	XX	35.0	70.0	90.0
Total Iron (mg/L)	XX	2.5	5.0	6.2
Total Manganese (mg/L)	XX	1.3	2.6	3.2
Total Aluminum (mg/L)	XX	1.2	2.4	3.0
pH (S.U.)	6.0	XX	XX	9.0
Net Alkalinity, Total (as CaCO ₃)	0.0	XX	XX	XX
Flow (gpm)			Report	
Alkalinity, Total (as CaCO ₃)			Report	
Acidity, Total (as CaCO ₃)			Report	
Specific Conductance (µmhos/cm)			Report	
Sulfate (mg/L)			Report	
Temperature (°C)			Report	

The following stormwater outfalls discharge to: Laurel Run

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
001	N
002	N

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Outfalls: Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Suspended Solids (mg/L)	XX	35.0	70.0	90.0
Total Iron (mg/L)	XX	2.5	5.0	6.2
Total Manganese (mg/L)	XX	1.3	2.6	3.2
Total Aluminum (mg/L)	XX	1.2	2.4	3.0
pH (S.U.)	6.0	XX	XX	9.0
Net Alkalinity, Total (as CaCO ₃)	0.0	XX	XX	XX
Flow (gpm)			Report	
Alkalinity, Total (as CaCO ₃)			Report	
Acidity, Total (as CaCO ₃)			Report	
Specific Conductance (µmhos/cm)			Report	
Sulfate (mg/L)			Report	
Temperature (°C)			Report	

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

Contact: Alicia Cook, Clerical Assistant 3, 814-343-3328.

NPDES No. PA0280844. Mining Permit No. 42190801. Frank Ponikvar, 100 Kasson Road, Smethport, PA 16749, Hamlin Township, **McKean County**. New NPDES permit for discharge of water resulting from mining of industrial materials affecting 15.5 acres. Receiving stream(s): Marvin Creek, classified for the following use(s): CWF. Application received: August 26, 2024.

The following outfall discharges to Marvin Creek:

<i>Outfall No.</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
001	New	Pit Water Retention Pond	Pumped, 69.4 GPM

The proposed effluent limits for the previously listed outfall are as follows:

<i>Outfalls: 001 (All Discharges) Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Iron, Total (mg/L)		Report	
Flow (gpm)		Report	
pH (S.U.): Must be between 6.0 and 9.0 standard units.			

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

NPDES Permit No. PA0594466. Mining Permit No. 09890301. Naceville Materials Joint Venture, 305 S. Main Street, Suite 207, Doylestown, PA 18901, West Rockhill Township, **Bucks County**. Application received: June 26, 2024.

Renew NPDES permit affecting 107.68 acres. Receiving stream: UNT to Ridge Valley Creek, classified for the following use: HQ-TSF.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for noncoal mining activities.

The following treated wastewater outfalls discharge to UNT to Ridge Valley Creek:

<i>Outfall Number</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
001	Existing	Pitwater/Stormwater	1.0 MGD

The proposed effluent limits for the previously listed outfall are as follows:

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
pH ⁱ (S.U.)	6.0			9.0
Total Alkalinity (as CaCO ₃) (mg/L)			Monitor And Report	
Total Acidity (as CaCO ₃) (mg/L)			Monitor And Report	
Net Alkalinity (mg/L)	0.0			
Total Suspended Solids (mg/L)		35.0	70.0	90.0
Discharge (MGD) Outfall 001		1.0	1.0	
Oil and Grease (mg/L)			Monitor And Report	
Turbidity (NTU)				40.0

ⁱThis Parameter is applicable at all times.

NPDES Permit No. PA0226467. Mining Permit No. 15830601. PA Granite Corp., 410 Trythall Road, Elverson, PA 19520, Warwick Township, **Chester County**. New NPDES permit affecting 44.6 acres. Receiving stream: UNT to French Creek, classified for the following uses: EV, MF. Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits previously described for noncoal mining activities. No Discharges to the UNT to French Creek. Non-Discharging Best Management Practices will be in effect. Application received: July 1, 2024.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection (DEP). Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341), requires the State to certify that the involved projects will not violate the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), as well as relevant State requirements. Individuals objecting to approval of a request for certification under Section 401 or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit, or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30-days of the date of this notice, as well as any questions to the office noted above the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed, and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The DEP may schedule a fact-finding hearing or an informal conference in response to comments if deemed necessary. Maps, drawings and other data pertinent to the certification request are available for inspection between the hours of 8:00 a.m. and 4:00 p.m. on each working day at the office noted above the application.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

WATER OBSTRUCTIONS AND ENCROACHMENTS

Applications Received Under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification Under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Northcentral Region: Waterways & Wetlands Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Jake Carson, Project Manager, 570-327-3565.

E1404224-004. Potter Township Supervisors, 124 Short Road, Spring Mills, PA 16875, Potter Township, **Centre County**. U.S. Army Corps of Engineers Baltimore District. Application received: September 3, 2024.

Potter Township Supervisors propose to replace a Single Span Steel I-Beam Bridge with a Single Span Pre-Stressed Concrete Spread Box Beam Bridge on Integral Abutments. The existing bridge has a span of 32.58

Ft., a skew of 30 40° 48' 20"s, an underclearance of 3.75 Ft., and a low chord of 1,174.73 Ft. and a hydraulic opening of 1,150 Ft². The proposed bridge has a span of 45.36 Ft., a skew of 30 40° 48' 20"s, an underclearance of 4.0 Ft., and a low chord of 1,174.96 Ft. and a hydraulic opening of 148.6 Ft². The proposed structure will utilize R-8 Rip Rap, choked R-4 Rip Rap as scour protection along the Integral Abutment Slopes. The project will utilize a detour to convey traffic during construction. The project will utilize a concurrent sandbag cofferdam system to convey the stream during construction. The project will temporarily impact 0.7 acre and permanently impact 0.01 acre of jurisdictional wetlands. The wetland impact is considered de minimis and does not require mitigation. The proposed bridge will be constructed on the same vertical and horizontal alignment. The proposed structure is beyond the thresholds to meet GP-11. Potter Run is classified as a High Quality Cold Water Fishery by 25 Pa. Code Chapter 93 Water Quality Standards and a Class A Wild Trout Stream by the PA Fish and Boat Commission. Latitude: 40°, 48', 20", Longitude: -77°, 37', 28".

Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: RA-EPWW-NWRO@pa.gov.

E3706224-002. Taylor Township, P.O. Box 489, West Pittsburgh, PA 16160, Taylor Township, **Lawrence County**. U.S. Army Corps of Engineers Pittsburgh District. Application received: July 18, 2024.

To conduct the following activities associated with upgrading the existing Taylor Township Sewage Treatment Plant, approximately 100 ft southwest of the intersection of Galilee Road and Beaver Road, resulting in 0.49 acre of permanent impact to the floodplain of the Beaver River (WWF). 1. To remove existing treatment structures and replace with updated treatment structures. 2. To relocate and replace the effluent discharge for the plant. 3. To conduct site grading and construct stormwater controls. Latitude: 40.924245°, Longitude: -80.367474°.

Southeast Region: Waterways & Wetlands Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: ra-ep-ww-sero-105@pa.gov.

E4601224-020. PECO Energy Company, 2301 Market Street, N3-3, Philadelphia, PA 19103, Marlborough Township, **Montgomery County**. U.S. Army Corps of Engineers Philadelphia District. Application received: September 16, 2024. Latitude: 40.329904°, Longitude: -75.452495°.

<i>Permit Number:</i>	E4601224-020
<i>Applicant Name:</i>	PECO
<i>Applicant Phone:</i>	267-533-1730
<i>Applicant Email:</i>	jesse.goldberg@exeloncorp.com
<i>Applicant Address:</i>	2301 Market Street Philadelphia, PA 19103
<i>DEP Regional Office:</i>	SERO
<i>DEP Reviewer:</i>	Paul Suanlarm and Josh Hassler
<i>Reviewer Phone:</i>	484-250-5168
<i>Reviewer Email:</i>	psuanlarm@pa.gov/ johassler@pa.gov
<i>Project County:</i>	Montgomery
<i>Project Municipality:</i>	Marlborough Twp.

PECO is proposing to install and maintain plastic gas mains at two (2) locations associated with the PECO 2025 AGIMP Green Lane A1 Gas Main Installation Project with the activities as follows:

1. To install a 6-inch and also a 4-inch diameter plastic gas mains installed by the method of jack and bore beneath an existing culvert on Main Street carrying an unnamed tributary to Unami Creek (HQ-TSF) with open cut trench within the floodway and a new 4-inch tie in also within the floodway. This activity will result in 3.5 square feet of permanent watercourse impact with a total of 90.6 square feet of permanent floodway impact and 950 square feet of temporary floodway impact using the method of open-cut trenching.

2. To install a 6-inch diameter plastic gas main using the method of open cut within the floodway of the Unami Creek (HQ-TSF) resulting in 313 square feet of permanent floodway impact and 3,130 square feet of temporary floodway impact.

These activities are located at Sumneytown Pike and Main Street and also along Geryville in Marlborough Township, Montgomery County (USGS PA Perkiomenville Quadrangle—Latitude 40.329904 N, Longitude 75.452495 W).

Contact: *ra-ep-ww-sero-105@pa.gov*.

E5101224-006. City of Philadelphia Aviation Department, International Plaza, Suite 200, Philadelphia, PA 19153, City of Philadelphia, **Philadelphia County**. U.S. Army Corps of Engineers Philadelphia District. Application received: September 20, 2024.

City of Philadelphia, Department of Aviation is proposing to remove existing asphalt pavement from the Economy Lot site and demolition of all at-grade and underground features, including removal of select utilities that are only associated with the parking lot infrastructure, lighting, bus shelters and parking entrance within the floodway of Church Creek (WWF-MF) and the 100-year floodplain of the Delaware River (WWF) for the Northeast Airside Development Site Demolition project. And in its place, fill to existing grade and stabilize for future stockpile area and development resulting in 1,650,531 square feet (37.89 acres) of temporary Delaware River floodplain impact and 26,409 square feet (0.61 acre) of temporary Church Creek floodway impact. This project is located at the Philadelphia International Airport at the existing economy lot in Philadelphia County (USGS PA Philadelphia Quadrangle). Latitude: 39.885955°, Longitude: -75.239793°.

WV1501224-005, EA1501224-007. Chester County Conservation District, 674 Unionville Road, Suite 105, Kennett Square, PA 19348, East Fallowfield, Township, Modena Borough, **Chester County**. U.S. Army Corps of Engineers Philadelphia District. Application received: September 19, 2024.

To restore, rehabilitate, and maintain about 260-foot stream and banks along the Dennis Run (WWF) associated with the applicant's request for a 105.12(a)(16) waiver to restore the stream channel and banks to the original flow path. The streambank stabilization will be through excavation of cut bank and installation of stacked rock armoring. The project is located at 470 Hephzibah Hill Road (Coatesville, PA USGS Quadrangle) in East Fallowfield Twp., Modena Borough, Chester County. Latitude: 39.958235°, Longitude: -75.804121°.

Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: *Dana*.

E02052-1821A-1. River Materials, Inc., 275 Center Street, McKeesport, PA 15132, City of McKeesport, **Allegheny County**. U.S. Army Corps of Engineers Pittsburgh District. Application received: April 30, 2024.

The applicant seeks to amend permit number E02052-1821, which granted consent to:

1. Operate and maintain an existing docking facility along the right downstream bank of the Monongahela River (WWF-N) at River Mile 14.1, consisting of a 195' x 35' working barge and a 500' piling wall.

2. Operate and maintain a stormwater settling pond for industrial discharges in association with the maintenance of the docking facility.

3. Construct, operate and maintain a 94' x 87' construction conveyor located within the floodway.

4. Perform maintenance dredging in the Monongahela River to an area of 500' x 87' (1 acre) and depth of 10.5' at the docking facility.

This amendment proposes to:

1. Construct and maintain a new 400' long by 50' wide by 32' high wharf, within and along the right descending bank of Monongahela River (WWF, N) and its floodway, at River Mile 14.1, within a portion of the area where maintenance dredging was previously authorized, consisting of a seawall with aggregate backfill, resulting in the loss of 0.164 acre of open water area along 400 linear feet (LF) of watercourse and 0.400 acre of permanent floodway impacts.

2. Increase the depth of previously authorized maintenance dredging in the Monongahela River in a 150' long by 30' wide area along a portion of the new wharf detailed in item 1 from a depth of 10.5' to a depth of 14' below the normal pool elevation, resulting in 150 LF of temporary watercourse impacts.

3. Perform new maintenance dredging in the Monongahela River in a 250' long by 30' wide area (0.178 acre) along the remaining portion of the new wharf detailed in item 1 to a depth of 14' below the normal pool elevation, resulting in 250 LF of permanent watercourse impacts.

The amendment is for the purpose of allowing for the onloading and offloading of an additional barge at the Facility.

Cumulatively, the amendment activities will result in an additional 400 linear feet of permanent watercourse impacts and 0.400 acre of permanent floodway impacts.

As compensatory mitigation for permanent impacts to watercourses, specifically to shallow water habitat, the applicant will place substrate within a 170' long by 45' wide area of the Monongahela River, approximately 200' downstream of the project area and approximately 25 feet from shore, to improve shallow water habitat for fish spawning activity and foraging.

The project site is located at 275 Center Street, McKeesport, PA 15132, McKeesport, PA USGS topographic quadrangle; N: 40°, 21', 26"; W: -79°, 50', 29"; Sub-basin 19A; USACE Pittsburgh District, in the City of McKeesport, Allegheny County.

Contact: *Dana Drake, Program Manager, 412-442-4000.*

E0205224-007. Borough of Franklin Park, 2344 W Ingomar Road, Pittsburgh, PA 15237, Franklin Park

Borough, **Allegheny County**. U.S. Army Corps of Engineers Pittsburgh District. Application received: May 23, 2024.

The applicant proposes to:

1) Construct and maintain stream restoration along 1,694 linear feet (LF) an unnamed tributary (UNT) to Fish Run (CWF, A.K.A. Stream 1), and its floodway, which will be done in two distinct reaches, and consisting of multiple components as further described in the following items, which overlap:

a. Construct and maintain habitat enhancement, grade control, and stream bank stabilization structures, consisting of 16 log vane, rock J-hooks; 6 rock vane, rock J-hooks; 2 rock cross vanes; 3 log cross vanes; 3 rock step pools; 1 log step pool; 27 rootwads; 1 habitat enhancement riffle; 30 linear feet (LF) of bank boulders; 17 LF of coir logs; 26 LF of toe wood protection; 275 LF of boulder toe protection; and 1,369 LF of stabilization matting within the aforementioned distinct reaches of Stream 1 or its associated floodway, resulting in 777 LF of permanent watercourse impacts and 0.773 acre of permanent floodway impacts;

b. Construct and maintain stream realignments at 4 locations on the Stream 1, relocating a total of 573 LF of existing watercourse and creating approximately 539 LF of realigned watercourse;

c. Construct and maintain stream bank grading, and floodway grading within the aforementioned two reaches of the Stream 1, its floodway, and wetlands A (Palustrine Emergent—PEM), B (Palustrine Forested—PFO), D (PEM), E (PFO/Palustrine Scrub Shrub—PSS), and G (PSS), resulting in 1,694 LF of permanent watercourse impacts, 0.773 acre of permanent floodway impacts, 0.067 acre of permanent PEM wetland impacts, 0.016 acre of permanent PSS wetland impacts, 0.0047 acre of permanent PFO wetland impacts, and 2.255 acres of temporary floodway impacts.

2) Construct and maintain stream restoration within 463 linear feet of a UNT to Stream 1 (CWF, A.K.A. Stream 2) and its floodway, which will also be done in two distinct reaches, which are separated by a pond, and consisting of habitat enhancement, grade control, and stream bank stabilization structures, consisting of 1 log step pool, 16 rootwads, 1 energy dissipater, and 3 rock cross vanes, and 112 LF of stabilization matting within the aforementioned distinct reaches of Stream 2 or its associated floodway; resulting in 257 LF of permanent

watercourse impacts, 0.027 acre of permanent floodway impacts, and 70 LF of temporary watercourse impacts.

3) Construct and maintain stream restoration along 73 linear feet of another UNT to Stream 1 (CWF, A.K.A. Stream 3) and its floodway, consisting of 3 rock step pool grade control structures, at a location with an upstream drainage area less than 100 acres, resulting in 73 LF of permanent watercourse impacts and 0.068 acre of temporary floodway impacts.

4) Construct and maintain temporary road crossings of Stream 2's floodway, another UNT to Stream 1 (CWF, A.K.A. Stream 4), and its floodway, and wetlands A, B, C (PSS), D, E, F (PSS), G, and H (PSS), resulting in 48 LF of temporary watercourse impacts, 0.440 acre of temporary floodway impacts, 0.271 acre of temporary PEM wetland impacts, 0.176 acre of temporary PSS wetland impacts, and 0.064 acre of temporary PFO wetland impacts.

For the purpose of completing a stream stabilization and restoration project for UNT to Fish Run and its tributaries using natural stream design principles to reduce sediment loading, address erosion issues, and restore or improve habitat conditions, in order to generate Municipal Separate Storm Sewer System (MS4) sediment reduction credits needed to meet the requirements of the Borough's National Pollutant Discharge Elimination System (NPDES) Permit (permit number PAG136175).

Cumulatively, the project will result in 2,024 LF of permanent watercourse impacts, 0.8 acre of permanent floodway impacts, and 0.087 acre of permanent wetland impacts. Additionally, the project will also result in 118 LF of temporary watercourse impacts, 3.058 acres of temporary floodway impacts, and 0.511 acre of temporary wetland impacts. On-site re-establishment of permanently impacted wetlands is proposed as compensatory mitigation for the project.

The upstream extent of the project site is located approximately 330 feet east of Interstate-79 between Wedgewood Drive and Pioneer Drive (Emsworth, PA USGS topographic quadrangle; N: 40°, 35', 44.64"; W: -80°, 5', 33.94"; Sub-basin 18A; USACE Pittsburgh District) and the downstream extent of the project is approximately 600 feet Southwest of the cul-de-sac at the end of Shadowbrook Drive (Emsworth, PA USGS topographic quadrangle; N: 40°, 35', 39.58"; W: -80°, 5', 7.26"; Sub-basin 18A; USACE Pittsburgh District), in Franklin Park Borough, Allegheny County.

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department of Environmental Protection (DEP) has taken the following actions on previously received applications for new, amended, and renewed National Pollutant Discharge Elimination System (NPDES) and Water Quality Management (WQM) permits, applications for permit waivers, and Notice of Intent (NOIs) for coverage under General Permits, as listed in the following tables. This notice of final action is published in accordance with 25 Pa. Code Chapters 91, 92a, and 102 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). The official file for each listed action can be reviewed at the DEP or delegated County Conservation District (CCD) office identified in the table for the action. DEP/CCD office contact information is listed as follows for Section I and is contained within the table for Section II. Additional information for permits issued under 25 Pa. Code Chapters 91 and 92a and Individual permits under 25 Pa. Code Chapter 102, including links to Individual Chapter 92a NPDES and WQM Permits, may be reviewed by generating the "Final Actions Report" on DEP's website at www.dep.pa.gov/CWPUBLICNOTICE.

DEP office contact information to review official files relating to the final actions in Section I is as follows:

DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484-250-5910. Email: RA-EPNPDES_SERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SERO@pa.gov for Chapter 102 permits.

DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570-826-5472. Email: RA-EPNPDES_NERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NERO@pa.gov for Chapter 102 permits.

DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717-705-4732. Email: RA-EPNPDES_SCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SCRO@pa.gov for Chapter 102 permits.

DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570-327-3693. Email: RA-EPNPDES_NCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NCRO@pa.gov for Chapter 102 permits.

DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412-442-4286. Email: RA-EPNPDES_SWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SWRO@pa.gov for Chapter 102 permits.

DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814-332-6078. Email: RA-EPNPDES_NWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NWRO@pa.gov for Chapter 102 permits.

DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-787-5017. Email: RA-EPNPDES_Permits@pa.gov.

DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law).

The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law. For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board. Individuals who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. Important legal rights are at stake, however, so individuals should contact a lawyer at once.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

For actions taken on applications for pipelines that are regulated by the Federal Energy Regulatory Commission (FERC).

Any person aggrieved by this action may challenge it in an appropriate legal forum. The State and Federal courts are currently split on whether the proper forum to challenge a Department permit, authorization or approval for a facility or activity subject to the Federal Natural Gas Act, 15 U.S.C.A. §§ 717 et seq., is the United States Court of Appeals for the Third Circuit or the Pennsylvania Environmental Hearing Board. See *Delaware Riverkeeper Network v. Sec'y, Dep't of Env'tl. Prot.*, 833 F.3d 360 (3d Cir. 2016); *Delaware Riverkeeper Network v. Sec'y, Dep't of Env'tl. Prot.*, 903 F.3d 65 (3d Cir. 2018), cert. denied, 139 S. Ct. 1648, 203 L. Ed. 899 (2019) and *Cole v. Dep't. of Env'tl. Prot.*, 1577 C.D. 2019 WL 2420667 (Pa. Cmwlth Ct. June 15, 2021) (Pet. for Allowance of Appeal pending); *West Rockhill Twp. v. Dep't of Env'tl. Prot.*, No. 1595 C.D. 2019 WL 2426014 (Pa. Cmwlth. June 15, 2021) (Pet. for Allowance of Appeal pending).

I. Final Action(s) on NPDES and WQM Permit Application(s) and NOIs for Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides, CAFOs and Individual Construction Stormwater.

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAD010001	Chapter 102 Individual NPDES Permit	Issued	CCD Rock Creek LLC 1751 A West Diehl Road Naperville, IL 60563	Straban Township Adams County	SCRO
PAD040115	Chapter 102 Individual NPDES Permit	Issued	US Gypsum Co. 1 Woodlawn Road Aliquippa, PA 15001-5413	Aliquippa City Beaver County	SWRO

NOTICES

6487

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAD110017	Chapter 102 Individual NPDES Permit	Issued	Johnstown Redevelopment Authority Cambria County 416 Main Street Suite 200 Johnstown, PA 15901	Johnstown City Cambria County	SWRO
PAD230078	Chapter 102 Individual NPDES Permit	Issued	Episcopal Academy 1785 Bishop White Drive Newtown Square, PA 19073-1300	Newtown Township Delaware County	SERO
PAD280023	Chapter 102 Individual NPDES Permit	Issued	Heritage Estates LLC 801 Belvedere Street Suite 400 Carlisle, PA 17013-4002	Antrim Township Franklin County	SCRO
PAD360125	Chapter 102 Individual NPDES Permit	Issued	Stoner Inc. 1070 Robert Fulton Highway Quarryville, PA 17566-9617	East Drumore Township Lancaster County	SCRO
PAD390314	Chapter 102 Individual NPDES Permit	Issued	Landston Equities LLC 3150 Coffeetown Road Orefield, PA 18069-2511	Lower Macungie Township Lehigh County	NERO
PAD480102	Chapter 102 Individual NPDES Permit	Issued	Innovative Ofc Products Inc. 100 Kuebler Road Easton, PA 18040-9288	Forks Township Northampton County	NERO
PAD680019	Chapter 102 Individual NPDES Permit	Issued	PA DEP Bureau of Abandoned Mine Reclamation 286 Industrial Park Rd. Ebensburg, PA 15931	Fallowfield Township Twilight Borough Washington County	PA DEP Bureau of Abandoned Mine Reclamation Cambria Office
PA0276871	Industrial Stormwater Individual NPDES Permit	Issued	Silgan Containers Manufacturing Corp 8201 Industrial Boulevard Breinigsville, PA 18031-1241	Upper Macungie Township Lehigh County	NERO
0224803	Joint DEP/PFBC Pesticides Permit	Issued	Moon Township Recreational Authority 505 McCormick Road Coraopolis, PA 15108-9359	Moon Township Allegheny County	SWRO
1924802	Joint DEP/PFBC Pesticides Permit	Issued	Kile Willard H Jr 20 Lee Street Bloomsburg, PA 17815-8885	Bloomsburg Town Columbia County	NCRO
0605408	Land Application and Reuse of Sewage Individual WQM Permit	Issued	Bear Creek Management Co. 101 Doe Mountain Lane Macungie, PA 18062-2052	Longswamp Township Berks County	SCRO
1503420	Land Application and Reuse of Sewage Individual WQM Permit	Issued	Wallace Township Municipal Authority Chester County P.O. Box 96 Glenmoore, PA 19343-0096	Wallace Township Chester County	SERO
PAI130529	MS4 Individual NPDES Permit	Issued	Wallace Township P.O. Box 670 1250 Creek Road Glenmoore, PA 19343-0670	Wallace Township Chester County	SERO
PAI136113	MS4 Individual NPDES Permit	Issued	Leetsdale Borough Allegheny County 373 Beaver Street Suite A Leetsdale, PA 15056	Leetsdale Borough Allegheny County	SWRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0218863	Major Industrial Waste Facility < 250 MGD Individual NPDES Permit	Issued	Fayette Power Co. LLC 100 Energy Drive Masontown, PA 15461-2588	German Township Fayette County	SWRO
PA0026417	Major Sewage Facility >= 1 MGD and < 5 MGD Individual NPDES Permit	Issued	Penn Hills Municipal Allegheny County 12245 Frankstown Road Pittsburgh, PA 15235-3494	Penn Hills Township Allegheny County	SWRO
PA0080314	Major Sewage Facility >= 5 MGD Individual NPDES Permit	Issued	Hampden Township Cumberland County 209 S Sporting Hill Road Mechanicsburg, PA 17050-3060	Hampden Township Cumberland County	SCRO
2598409	Major Sewage Treatment Facility Individual WQM Permit	Issued	Union City Borough Municipal Authority Erie County 22 S Main Street Union City, PA 16438-1329	Union Township Erie County	NWRO
PA0081655	Minor Industrial Waste Facility with ELG Individual NPDES Permit	Issued	Philadelphia Mixing Solutions Ltd 1221 E Main Street Palmyra, PA 17078-9506	Palmyra Borough Lebanon County	SCRO
PA0085022	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Conoy Township Lancaster County 211 Falmouth Road Bainbridge, PA 17502-9428	Conoy Township Lancaster County	SCRO
PA0111601	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Christian Retreat Center 369 CRC Drive East Waterford, PA 17021-9981	Lack Township Juniata County	SCRO
PA0113778	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	UMH Properties Inc. 150 Clay Street Morgantown, WV 26501-5942	South Centre Township Columbia County	NCRO
PA0030929	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	PA DHS Torrance State Hospital 2525 N 7th Street COPA Hub Suite 150 Harrisburg, PA 17110-2511	Derry Township Westmoreland County	SWRO
PA0058343	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Bedminster Municipal Authority Bucks County 442 Elephant Road Perkasie, PA 18944-4163	Bedminster Township Bucks County	SERO
PA0081949	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Lancaster Area Sewer Authority Lancaster County 130 Centerville Road Lancaster, PA 17603-4007	West Earl Township Lancaster County	SCRO
PA0083399	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	MHC Gettysburg Farm LP 2 N Riverside Plaza Suite 800 Chicago, IL 60606-2682	Dover Township York County	SCRO

NOTICES

6489

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0222429	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Pilot Travel Center LLC 5508 Lonas Drive Knoxville, TN 37909-3221	Muddycreek Township Butler County	NWRO
PA0266469	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Weaverland Valley Authority 4610 Division Highway East Earl, PA 17519-9200	East Earl Township Lancaster County	SCRO
PA0027651	Minor Sewage Facility with CSOs Individual NPDES Permit	Issued	West Newton Borough Westmoreland County 112 S Water Street West Newton, PA 15089-1364	West Newton Borough Westmoreland County	SWRO
NOEXNC134	No Exposure Certification	Issued	Federal Express Corporation 3620 Hacks Cross Road Memphis, TN 38125-8800	Fairfield Township Lycoming County	NCRO
NOEXNE065	No Exposure Certification	Issued	Lineage Logistics LLC 2201 N Park Drive Hazleton, PA 18202	Hazle Township Luzerne County	NERO
NOEXNW105	No Exposure Certification	Issued	Niagara Cutter LLC 150 S 5th Street Reynoldsville, PA 15851-8930	Reynoldsville Borough Jefferson County	NWRO
NOEXNW129	No Exposure Certification	Issued	ABF Freight System Inc. 3801 Old Greenwood Road Fort Smith, AR 72903-5937	Erie City Erie County	NWRO
NOEXNW205	No Exposure Certification	Issued	Heatron Inc. 8135 Nathan Circle Erie, PA 16509-4656	Summit Township Erie County	NWRO
NOEXSC108	No Exposure Certification	Issued	Bimbo Bakeries USA Inc. 640 Park Avenue Reading, PA 19611-1926	Reading City Berks County	SCRO
NOEXSC111	No Exposure Certification	Issued	Bimbo Bakeries USA Inc. 1605 Shearer Drive Carlisle, PA 17013-9605	Carlisle Borough Cumberland County	SCRO
NOEXSC338	No Exposure Certification	Issued	Graybill Farms LLC d/b/a Amplisource 389 Heisey Quarry Road Elizabethtown, PA 17022-9760	Rapho Township Lancaster County	SCRO
NOEXSE368	No Exposure Certification	Issued	UPS Inc. 55 Glenlake Parkway Atlanta, GA 30328	Sharon Hill Borough Delaware County	SERO
NOEXSW048	No Exposure Certification	Issued	Snyder of Berlin P.O. Box 85 1313 Stadium Street Berlin, PA 15530-0085	Berlin Borough Somerset County	SWRO
PAG030318	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Essington Ave Used Auto Parts LLC 6770 Essington Avenue Philadelphia, PA 19153	Philadelphia City Philadelphia County	SERO
PAG033542	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Knouse Foods Cooperative Inc. P.O. Box 807 Biglerville, PA 17307-0807	Hamiltonban Township Adams County	SCRO
PAG033835	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	ECM Transportation LLC P.O. Box 45308 Omaha, NE 68145-0308	Jackson Township York County	SCRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG033907	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Morgan Truck Body LLC d/b/a Morgan Corp P.O. Box 588 Morgantown, PA 19543-0588	New Morgan Borough Berks County	SCRO
PAG033992	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Esterly Concrete Co. Inc. 100 Park Avenue Reading, PA 19608-1328	Sinking Spring Borough Berks County	SCRO
PAG034032	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Premier Magnesia LLC P.O. Box 116 1305 Center Mills Road Aspers, PA 17304-0116	Menallen Township Adams County	SCRO
PAG034090	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Americold Logistics LLC 3800 Hempland Road Mountville, PA 17554-1500	Mountville Borough Lancaster County	SCRO
PAG036562	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Carry All Products Inc. 1015 Blackstone Avenue Connellsville, PA 15425-0201	East Huntingdon Township Westmoreland County	SWRO
PAG036586	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Lindy Paving Inc. 1807 Shenango Road New Galilee, PA 16141-2241	Neville Township Allegheny County	SWRO
PAG036589	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Ferguson Enterprises LLC 751 Lakefront Cmns Newport News, VA 23606-3322	Freedom Borough Beaver County	SWRO
PAG038496	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Waste Management PA Inc. 851 Robison Road E Erie, PA 16509-5339	Summit Township Erie County	NWRO
PAG038539	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Heniff Transportation System LLC 1569 Hooker Road Karns City, PA 16041-1517	Fairview Township Butler County	NWRO
PAG038556	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	North Apollo Auto Wrecking Inc. P.O. Box 466 Wysocki Avenue North Apollo, PA 15673-0466	North Apollo Borough Armstrong County	NWRO
PAG038561	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Saint Marys Area Airport Authority Elk County 159 Cessna Road Saint Marys, PA 15857-3053	Saint Mary's City Elk County	NWRO
PAG038589	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Pilot Travel Center LLC 5508 Lonas Drive Knoxville, TN 37909-3221	Brookville Borough Jefferson County	NWRO
PAG038614	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Miller Welding & Mach Co. P.O. Box G Brookville, PA 15825-0607	Pine Creek Township Jefferson County	NWRO
PAG040003	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Davis Nathan J and Jessica Hibbard 220 Idell Street Philadelphia, PA 19119	Lower Gwynedd Township Montgomery County	SERO
PAG041413	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Ference Paul 319 Lindsay Road Zelienople, PA 16063-3215	Jackson Township Butler County	NWRO

NOTICES

6491

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG044005	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Eshellman Tylor 38 Cave Hill Drive Carlisle, PA 17013-1203	North Middleton Township Cumberland County	SCRO
PAG046145	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Schmider Chris 1819 North Road McDonald, PA 15057-2163	North Fayette Township Allegheny County	SWRO
PAG058329	PAG-05 NPDES General Permit for Groundwater Cleanup	Issued	Guttman Oil Co. 200 Speers Road Belle Vernon, PA 15012-1017	Union Township Lawrence County	NWRO
PAG123521	PAG-12 NPDES General Permit for CAFOs	Issued	Nolt Eugene Z 143 Kurtz Road New Holland, PA 17557-9775	Earl Township Lancaster County	SCRO
PAG123607	PAG-12 NPDES General Permit for CAFOs	Issued	Weaver Randall J 22 Witman Road Womelsdorf, PA 19567-9425	Marion Township Berks County	SCRO
PAG123688	PAG-12 NPDES General Permit for CAFOs	Issued	Weiler Farms LLC 350 E Mill Avenue Myerstown, PA 17067-2404	Union Township Lebanon County	SCRO
PAG123700	PAG-12 NPDES General Permit for CAFOs	Issued	Rutt Richard W 375 Nissley Road Mount Joy, PA 17552-9022	East Donegal Township Lancaster County	SCRO
PAG123735	PAG-12 NPDES General Permit for CAFOs	Issued	Horst Edward B 251 West Bunker Hill Road Womelsdorf, PA 19567	Heidelberg Township Berks County	SCRO
PAG123813	PAG-12 NPDES General Permit for CAFOs	Issued	Star Rock Farms Star Rock Dairy Joint Client 175 Chestnut Grove Road Conestoga, PA 17516-9317	Chanceford Township York County	SCRO
PAG123890	PAG-12 NPDES General Permit for CAFOs	Issued	Mount Rock Dairy LLC 473 Mount Rock Road Newville, PA 17241-9578	West Pennsboro Township Cumberland County	SCRO
PAG123940	PAG-12 NPDES General Permit for CAFOs	Issued	Burkholder Ryan 200 Farm Lane Millerstown, PA 17062-9330	Greenwood Township Perry County	SCRO
PAG123951	PAG-12 NPDES General Permit for CAFOs	Issued	McCartney Inc. 17275 Dry Run Road S Dry Run, PA 17220-9705	Fannett Township Franklin County	SCRO
PAG136193	PAG-13 NPDES General Permit for MS4s	Waived	North Irwin Borough Westmoreland County 21 2nd Street Irwin, PA 15642-3326	North Irwin Borough Westmoreland County	SWRO
PAG136355	PAG-13 NPDES General Permit for MS4s	Waived	Export Borough Westmoreland County 6022 Kennedy Avenue Export, PA 15632-1214	Export Borough Westmoreland County	SWRO
PA0266795	Single Residence STP Individual NPDES Permit	Issued	Scott Christopher P 914 Lime Valley Road Willow Street, PA 17584	West Lampeter Township Lancaster County	SCRO
PA0285161	Single Residence STP Individual NPDES Permit	Issued	Gilliland Jonathan 175 Audubon Road Sewickley, PA 15143-9013	Sewickley Heights Borough Allegheny County	SWRO
PA0285196	Single Residence STP Individual NPDES Permit	Issued	Elliott William 4923 Sardis Road Murrysville, PA 15668-9445	Murrysville Borough Westmoreland County	SWRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
0294803	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Schmider Chris 1819 North Road McDonald, PA 15057-2163	North Fayette Township Allegheny County	SWRO
4321411	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Juergens Mara 153 Cowden Road New Wilmington, PA 16142-1823	Wilmington Township Mercer County	NWRO
4698432	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Davis Nathan J and Jessica Hibbard 220 Idell Street Philadelphia, PA 19119	Lower Gwynedd Township Montgomery County	SERO
PA0057363	Small Flow Treatment Facility Individual NPDES Permit	Issued	Penns Park Master Association 2288 2nd Street Pike Penns Park, PA 18943	Wrightstown Township Bucks County	SERO
PA0248231	Small Flow Treatment Facility Individual NPDES Permit	Issued	Otterbein United Meth Church Duncannon 327 Newport Road Duncannon, PA 17020-9669	Penn Township Perry County	SCRO

II. Final Action(s) on PAG-01 and PAG-02 General NPDES Permit NOIs.

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC540159	PAG-02 General Permit	Issued	Nescopeck Solar LLC Tyler Moore 505 Keystone Road Southampton, PA 18966	Barry Township Schuylkill County	Schuylkill County Conservation District 1206 AG Center Drive Pottsville, PA 17901 570-622-3742 RA-EPWW-NERO@pa.gov
PAC010270A-1	PAG-02 General Permit	Issued	Littlestown Borough 41 South Columbus Ave Littlestown, PA 17340-1439	Littlestown Borough Adams County	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325 717-334-0636
PAC010273	PAG-02 General Permit	Issued	Brian Properties, LP 224 East King Street East Berlin, PA 17316	East Berlin Borough Adams County	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325 717-334-0636
PAC020410	PAG-02 General Permit	Issued	Maronda Homes, LLC 11 Timberglen Drive Imperial, PA 15126	Harrison Township Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005 SWRO
PAC020894A-2	PAG-02 General Permit	Issued	RIDC 611 William Penn Place Suite 600 Pittsburgh, PA 15219	City of Pittsburgh Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005 SWRO

NOTICES

6493

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC021134	PAG-02 General Permit	Issued	Duquesne Light Company 2841 New Beaver Avenue Pittsburgh, PA 15233	Penn Hills Township Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005 SWRO
PAC020169A-1	PAG-02 General Permit	Issued	The Buncher Company 1251 Waterfront Place Suite 201 Pittsburgh, PA 15222	City of Pittsburgh Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005 SWRO
PAC020865A-1	PAG-02 General Permit	Issued	River Ridge, LLC 1100 Freeport Road Mars, PA 16046	Moon Township Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005 SWRO
PAC020865A-2	PAG-02 General Permit	Issued	River Ridge, LLC 1100 Freeport Road Mars, PA 16046	Moon Township Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005 SWRO
PAD020005A-6	PAG-02 General Permit	Issued	Almono, LP 225 Fifth Avenue Pittsburgh, PA 15222	City of Pittsburgh Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005 SWRO
PAC021128	PAG-02 General Permit	Issued	Duquesne Light Company 2841 New Beaver Avenue Pittsburgh, PA 15233	Findlay Township Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005 SWRO
PAC021121	PAG-02 General Permit	Issued	The Phoenix Keystone Group, LLC 5700 Corporate Drive Suite 520 Pittsburgh, PA 15237	Bethel Park Borough Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005 SWRO
PAC021131	PAG-02 General Permit	Issued	Allegheny Valley School District 300 Pearl Avenue Cheswick, PA 15024	Springdale Borough Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005 SWRO
PAC021144	PAG-02 General Permit	Issued	Pittsburgh Water and Sewer Authority 1200 Penn Avenue Pittsburgh, PA 15222	City of Pittsburgh Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005 SWRO

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC021115	PAG-02 General Permit	Issued	Salem Development Co, LLC 6000 Brooktree Road Suite 100 Wexford, PA 15090	Hampton Township Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005 SWRO
PAC020454	PAG-02 General Permit	Issued	Public Parking Authority of Pittsburgh 232 Boulevard of the Allies Pittsburgh, PA 15222	City of Pittsburgh Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005 SWRO
PAC020392	PAG-02 General Permit	Issued	Villas of South Park, LP 375 Gulfside Drive Wexford, PA 15090	South Park Township Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005 SWRO
PAC020856A-2	PAG-02 General Permit	Issued	Clover Communities Monroeville, LLC 348 Harris Hill Road Williamsville, NY 14221	Monroeville Borough Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005 SWRO
PAC020078A-1	PAG-02 General Permit	Issued	TF South Fayette, LLC 848 SR 819 Greensburg, PA 15601	South Fayette Township Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005 SWRO
PAC021099A-1	PAG-02 General Permit	Issued	Duquesne Light Company 2841 New Beaver Avenue Pittsburgh, PA 15233	Plum Borough Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005 SWRO
PAC020546A-2	PAG-02 General Permit	Issued	PIT Land, LLC 250 W. Court Street Suite 200E Cincinnati, OH 45202	Findlay Township Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005 SWRO
PAC021123	PAG-02 General Permit	Issued	Duquesne Light Company 2841 New Beaver Avenue Pittsburgh, PA 15233	City of Pittsburgh Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005 SWRO
PAC020748A-1	PAG-02 General Permit	Issued	KLH Engineers, Inc 5173 Campbells Run Road Pittsburgh, PA 15205	Elizabeth Township Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005 SWRO

NOTICES

6495

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC630328	PAG-02 General Permit	Issued	275 Tech Fee, LLC 20 South Clark Street Suite 3000 Chicago, IL 60603	Cecil Township Washington County	Washington County Conservation District 50 Old Hickory Ridge Road Suite 1 Washington, PA 15301 724-705-7098 SWRO
PAC630170	PAG-02 General Permit	Issued	Aaron Bretzel 10891 Route 993 North Huntingdon, PA 15642	Union Township Washington County	Washington County Conservation District 50 Old Hickory Ridge Road Suite 1 Washington, PA 15301 724-705-7098 SWRO
PAC650415	PAG-02 General Permit	Issued	Ligonier Valley School District 339 West Main Street Ligonier, PA 15658	Ligonier Borough Westmoreland County	Westmoreland County Conservation District 218 Donahoe Road Greensburg, PA 15601 724-837-5271 SWRO
PAC480015	PAG-02 General Permit	Issued	Lehigh Valley Health Network, Facilities & Construction Dept. 2100 Mack Blvd. 5th Floor P.O. Box 4000 Allentown, PA 18105	Lower Nazareth Township Northampton County	Northampton County Conservation District 14 Gracedale Ave. Greystone Building Nazareth, PA 18064-9211 610-829-6276 RA-EPWW-NERO@ pa.gov
PAC150400	PAG-02 General Permit	Issued	Herr Foods Inc P.O. Box 300 Nottingham, PA 19362	East Nottingham Township Chester County	Chester County Conservation District 674 Unionville Road Suite 105 Kennett Square, PA 19348 610-455-1360 RA-EPNPDES_SERO@ pa.gov
PAC390229	PAG-02 General Permit	Issued	Wawa, Inc. c/o Lori Kiedaisch 260 W. Baltimore Pike Media, PA 19063-5620	Whitehall Township Lehigh County	Lehigh County Conservation District Lehigh County AG Center Suite 105 4184 Dorney Park Road Allentown, PA 18104-5728 610-391-9583 RA-EPWW-NERO@ pa.gov
PAC390214	PAG-02 General Permit	Issued	David Gasdik 3103 Church Road Bethlehem, PA 18015	Upper Saucon Township Lehigh County	Lehigh County Conservation District Lehigh County AG Center Suite 105 4184 Dorney Park Road Allentown, PA 18104-5728 610-391-9583 RA-EPWW-NERO@ pa.gov

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC390204	PAG-02 General Permit	Issued	East Valley Land, LLC c/o Mike Tuskes 4511 Falmer Drive Bethlehem, PA 18020	Upper Saucon Township Lehigh County	Lehigh County Conservation District Lehigh County AG Center Suite 105 4184 Dorney Park Road Allentown, PA 18104-5728 610-391-9583 RA-EPWW-NERO@ pa.gov
PAC500063	PAG-02 General Permit	Issued	Chad and Melissa McNaughton P.O. Box 308 Shermans Dale, PA 17090	Carroll Township Perry County	Perry County Conservation District 31 West Main Street P.O. Box 36 New Bloomfield, PA 17068 717-582-8988
PAC500061	PAG-02 General Permit	Issued	Gail Stephens 183 Riverview Rd Liverpool, PA 17045	Liverpool Township Perry County	Perry County Conservation District 31 West Main Street P.O. Box 36 New Bloomfield, PA 17068 717-582-8988
PAC500050	PAG-02 General Permit	Issued	Centre Solar 1, LLC 55 Technology Dr. Ste 102 Lowell, MA 01851	Centre Township Perry County	Perry County Conservation District 31 West Main Street P.O. Box 36 New Bloomfield, PA 17068 717-582-8988
PAC350072	PAG-02 General Permit	Issued	Brennan Developing, LLC 64-66 Crystal Lake Road Fell Township, PA 18407	Vandling Borough Fell Township Lackawanna County	Lackawanna County Conservation District 1027 S. Abington Road South Abington Township, PA 18411 570-382-3086 RA-EPWW-NERO@ pa.gov
PAC510181	PAG-02 General Permit	Issued	GY Properties 901 Penn Street Unit FC-1 Philadelphia, PA 19106	City of Philadelphia Philadelphia County	DEP, SERO 2 E. Main Street Norristown, PA 19401 484-250-5821 RA-EPNPDES_SERO@ pa.gov
PAC670733	PAG-02 General Permit	Issued	Columbia Gas of Pennsylvania Inc 1600 Colony Road York, PA 17408	Wrightsville Borough York County	York County Conservation District 2401 Pleasant Valley Rd. Suite 101 Room 139 York, PA 17402 717-840-7430
PAC670720	PAG-02 General Permit	Issued	Predix Properties IV LLC 485 Sunset Road Thomasville, PA 17364	North Codorus Township York County	York County Conservation District 2401 Pleasant Valley Rd. Suite 101 Room 139 York, PA 17402 717-840-7430

NOTICES

6497

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC670341	PAG-02 General Permit	Issued	Clair Hostetter 255 Butler Avenue Suite 300 Lancaster, PA 17601	Springettsbury Township York County	York County Conservation District 2401 Pleasant Valley Rd. Suite 101 Room 139 York, PA 17402 717-840-7430
PAC670634A-1	PAG-02 General Permit	Issued	Susquehanna Area Regional Airport Authority One Terminal Drive Suite 300 Middletown, PA 17057	Fairview Township York County	York County Conservation District 2401 Pleasant Valley Rd. Suite 101 Room 139 York, PA 17402 717-840-7430
PAC670267A-1	PAG-02 General Permit	Issued	Joseph A Myers Building & Development Inc 160 Ram Drive Hanover, PA 17331	Dover Township York County	York County Conservation District 2401 Pleasant Valley Rd. Suite 101 Room 139 York, PA 17402 717-840-7430
PAC670726	PAG-02 General Permit	Issued	KNSM Holdings LLC 2643 Keeney Drive York, PA 17403	York Township York County	York County Conservation District 2401 Pleasant Valley Rd. Suite 101 Room 139 York, PA 17402 717-840-7430
PAC360461	PAG-02 General Permit	Issued	Moravian Manor 300 West Lemon Street Lititz, PA 17543	Lititz Borough Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361
PAC360970	PAG-02 General Permit	Issued	Elck Partners, LLC 633 Stricklerstown Rd Newmanstown, PA 17073	Elizabeth Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361
PAC360483 A-1	PAG-02 General Permit	Issued	Manbel Devco III LP 1650 Crooked Oak Drive Suite 300 Lancaster, PA 17603	Manheim Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361
PAC360951	PAG-02 General Permit	Issued	Woodcrest Retreat Association 225 Woodcrest Dr. Ephrata, PA 17522	East Cocalico Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361
PAC360946	PAG-02 General Permit	Issued	US Boiler Company, LLC 2920 Old Tree Drive P.O. Box 3020 Lancaster, PA 17604	East Hempfield Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC430127	PAG-02 General Permit	Issued	First Energy Corp 1500 Pennsylvania Avenue West Warren, PA 16365	Shenango Township Mercer County	Mercer County Conservation District 24 Avalon Court Suite 300 Mercer, PA 16137 724-662-2242
PAC250223	PAG-02 General Permit	Issued	East 18th Street LLC 1854 East 26th Street Erie, PA 16510	City of Erie Erie County	Erie County Conservation District 1927 Wager Road Erie, PA 16509 814-825-6403
PAC250224	PAG-02 General Permit	Issued	Lindy Paving 1807 Shenango Road New Galilee, PA 16141	Harborcreek Township Erie County	Erie County Conservation District 1927 Wager Road Erie, PA 16509 814-825-6403
PAC510247	PAG-02 General Permit	Issued	Byberry North Owner LLC 92 Headquarters Plaza North Tower 9th Floor Morristown, NJ 07960	City of Philadelphia Philadelphia County	DEP, SERO 2 E. Main Street Norristown, PA 19401 484-250-5821 RA-EPNPDES_SERO@ pa.gov
PAC160060	PAG-02 General Permit	Issued	PTV 1397 LLC 400 Penn Center Boulevard Pittsburgh, PA 15235	Washington Township Clarion County	Clarion County Conservation District 249 S 2nd Avenue Clarion, PA 16214 814-297-8014
PAC410098 A-1	PAG-02 General Permit	Issued	LHB Warehouse— Brian Thompson 2211 Reach Road Williamsport, PA 17701	City of Williamsport Lycoming County	Lycoming County Conservation District 542 County Farm Rd Suite 202 Montoursville, PA 17754 570-433-3003
PAC410113	PAG-02 General Permit	Issued	PPL Electric Utilities Corp 2 N 9th Street Allentown, PA 18102	Fairfield Township Lycoming County	Lycoming County Conservation District 542 County Farm Rd Suite 202 Montoursville, PA 17754 570-433-3003
PAC410045 A-2	PAG-02 General Permit	Issued	Daniel Paulhamaus 664 Blank Lane Williamsport, PA 17701	Piatt Township Lycoming County	Lycoming County Conservation District 542 County Farm Rd Suite 202 Montoursville, PA 17754 570-433-3003
PAC410115	PAG-02 General Permit	Issued	Woodward Township Volunteer Fire Co. 4147 North Route 220 Highway Linden, PA 17744	Woodward Township Lycoming County	Lycoming County Conservation District 542 County Farm Rd Suite 202 Montoursville, PA 17754 570-433-3003
PAC480068	PAG-02 General Permit	Issued	Check Real Estate Partnership 7171 Airport Road Bath, PA 18014	East Allen Township Northampton County	Northampton County Conservation District 14 Gracedale Ave. Greystone Building Nazareth, PA 18064-9211 610-829-6276 RA-EPWW-NERO@ pa.gov

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC600122	PAG-02 General Permit	Issued	Buffalo Community Church Elvin Stoltzfus 4445 Hoffa Mill Road Lewisburg, PA 17837	Kelly Township Union County	Union County Conservation District 155 N 15th St Lewisburg, PA 17837 570-524-3860
PAC600124	PAG-02 General Permit	Issued	JM Corporate Realty LLC (Johnny Moran) Russell Road Allenwood, PA 17810	Gregg Township Union County	Union County Conservation District 155 N 15th St Lewisburg, PA 17837 570-524-3860
PAC600119	PAG-02 General Permit	Issued	East Buffalo Township Hawthorne Drive Lewisburg, PA 17837	East Buffalo Township Union County	Union County Conservation District 155 N 15th St Lewisburg, PA 17837 570-524-3860
PAC600125	PAG-02 General Permit	Issued	James Obrien Front Street/SR 304 Mifflinburg, PA 17844	Limestone Township Union County	Union County Conservation District 155 N 15th St Lewisburg, PA 17837 570-524-3860
PAC600126	PAG-02 General Permit	Issued	Laughner and Patel Developers c/o Bob Laughner 4425 Westbranch Hwy Lewisburg, PA 17837	East Buffalo Township Union County	Union County Conservation District 155 N 15th St Lewisburg, PA 17837 570-524-3860

STATE CONSERVATION COMMISSION

NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. The appeal form and the Board’s rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at 717-787-3483 for more information.

**NUTRIENT MANAGEMENT PLAN
CAFO PUBLIC NOTICE SPREADSHEET—ACTIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Andrew Hoover 155 Mayapple Lane Mifflintown, PA 17059	Juniata County	67.7	232.64	Poultry Broilers	NA	Approved
Lost Creek Farms 586 Benner Rd. McAlisterville, PA 17049	Juniata County	151	881.88	Swine	NA	Approved

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Randy Weaver 3884 Smaltz Rd Womelsdorf, PA 19567	Berks County	181.7	913.44	Poultry	NA	Approved
Coffee Brook Holsteins 684 Church Rd Womelsdorf, PA 19567	Berks County	121	332.48	Dairy Swine	NA	Approved
Nathan Ebersole 44 Kline Road Shippensburg, PA 17257	Cumberland County	132	135.23	Poultry Beef	NA	Approved
Newburg Poultry, LLC 301 Three Square Hollow Road Newburg, PA 17240	Cumberland County	409	815	Poultry Beef	NA	Approved
Lester Wenger 25 Hale Road Shippensburg, PA 17257	Cumberland County	245.6	844.5	Swine Dairy	NA	Approved
Arthur Astle Farm 643 Street Road Oxford, PA 19363	Chester County	25.93	1,065.64	Swine	NA	Approved
Mason's Chrome View 86 Chrome Road Nottingham, PA 19362	Chester County	757.9	1,116.1	Dairy	EV	Approved
King Duck Operation 375 Forest Manor Cochranville, PA 19330	Chester County	221	91.85	Duck	HQ	Approved
Eric Newswanger 107 Awol Road Jonestown, PA 17038	Lebanon County	64.8	407.95	Broiler Beef	NA	Approved
Old Mill Ag, LLC 384 Golf Road Lebanon, PA 17046	Lebanon County	11.1	513.32	Layers	NA	Approved
Weiler Farms, LLC— Weiler Farm 1 350 East Mill Avenue Myerstown, PA 17067	Lebanon County	126.7	605.75	Swine	NA	Approved
Weiler Farms, LLC— Weiler Farm 3 239 Ridge Road Jonestown, PA 17038	Lebanon County	139.6	999.49	Swine	HQ	Approved
Matthew Martin— Kenbrook Farms 1830 Kenbrook Road Lebanon, PA 17046	Lebanon County	74.1	291.58	Broilers Sheep	NA	Approved

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within

30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsyl-

vania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information.

SAFE DRINKING WATER

Actions Taken Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Northcentral Region: Safe Drinking Water Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Olivia Harris, Clerical Supervisor I, 570-327-0561.

Construction Permit No. 1424510, Major Amendment, Public Water Supply.

Applicant Pleasant Gap Dollar General
Address 586 E College Avenue
 Pleasant Gap, PA 16823
Municipality Spring Township
County Centre County
Consulting Engineer Robert Schemmerling
 2902 Concocheague Lane
 Greencastle, PA 17225
Application Received May 8, 2024
Permit Issued September 26, 2024
Description This permit authorizes installation of Well No. 1, a submersible pump, a hydropneumatics tank, a constant pressure well pump controller, a 1-micron cartridge filter, sodium hypochlorite disinfection, a contacting flow meter, a chemical feed pump, a chemical feed tank, two (2) 120-gallon retention tanks, and a 6 gpm flow regulator. Groundwater Rule 4-log Treatment of Viruses demonstration package that you submitted for Entry Points 101.

Northeast Region: Safe Drinking Water Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Paul Barnes, Environmental Engineer, 570-826-2274.

Construction Permit No. 3924503MA, Major Amendment, Public Water Supply.

Applicant Creative Kids East Child Development Center
Address 7584 Kernsville Road
 Orefield, PA 18069
Municipality Lowhill Township
County Lehigh County
Consulting Engineer Hershey Engineering, Inc.
 703 Woodcrest Avenue
 Lititz, PA 17543
Application Received June 10, 2024
Permit Issued September 26, 2024

Description Construction of 4-log disinfection treatment.

Contact: Victoria Frederick, Clerical Assistant 2, 570-826-2502.

Construction Permit No. 4024508MA, Minor Amendment, Public Water Supply.

Applicant Valley Gorge MH Park, LLC
Address P.O. Box 694
 Fleetwood, PA 19522
Municipality White Haven Borough
County Luzerne County
Consulting Engineer Daniel Hopkins, PE,
 Entech Engineering, Inc.
 474 N. Centre St.
 Pottsville, PA 17901

Application Received May 22, 2024

Permit Issued July 16, 2024

Description The construction permit approved the replacement booster pump and replacement chemical feed pump which were installed without prior Department approval and the installation of a new flow restrictor for Well No. 2 (Source 002) (6 gallons per minute (gpm)).

Operation Permit No. 2520033, Public Water Supply.

Applicant Hemlock Farms Community Association
Address 1007 Hemlock Farms
 Lords Valley, PA 18428-9066
Municipality Blooming Grove Township
County Pike County
Consulting Engineer Mr. Daniel Hopkins, P.E.
 Entech Engineering
 474 North Centre Street
 Pottsville, PA 17901

Application Received June 14, 2024

Permit Issued July 19, 2024

Description The application proposed replacing the five (5) existing on-line chlorine residual analyzers (Hach Cl 17) used for compliance at the following well sites: Well No. 4 (Source 004) (Treatment Plant (TP) 304), Well No. 10 (Source 010) (TP 310), Well No. 49 (Source 049) (TP 349), Well No. 80 (Source 080) (TP 380) and the East of McConnell Well (Source 001) (TP 301). The applicant proposes replacing the five existing Hach Cl 17 units with Prominent Amperometric Reagentless Analyzers (5 ppm Chlorine Sensor (CLE) Package: P/N 1079050) which are EPA Method 334.0 compliant. The location of the entry points (EPs) will remain unchanged.

Northcentral Region: Safe Drinking Water Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Olivia Harris, Clerical Supervisor I, 570-327-0561.

Operation Permit 1423506MA. PWSID No. **4140087.** **PA American Water Company—Philipsburg District,** 852 Wesley Drive, Mechanicsburg, PA 17055, Rush Township, **Centre County.** Application received: September 27, 2024. Permit Issued: September 27, 2024. WTP Filter # 4 upgrades: Pennsylvania-American Water Company is currently planning upgrades to the existing filters and clarifiers, replacement of existing valves and other misc. improvements at the Philipsburg Water Treatment Facility.

Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Daniel J. Cannistraci, Environmental Engineering Specialist, 717-705-4708.

Operation Permit 7500847. PWSID No. **7500847.** **Mountain View Camps,** 3570 Big Spring Rd, Blain, PA 17006, Toboyne Township, **Perry County.** Application received: September 4, 2024. Permit Issued: September 26, 2024. This comprehensive operation permit authorizes operation of the Mountain View Camps public water system with recent modifications to the disinfection system at the East Well treatment facility.

NCWSA Operation Permit 7500379. PWSID No. **7500379.** **Carroll Township, Perry County,** 50 Rambo Hill Rd, Shermans Dale, PA 17090, Carroll Township, **Perry County.** Application received: September 20, 2024. Permit Issued: October 1, 2024. This action authorizes operation of the public water system at the Carroll Township Community Center. The system includes one well, cartridge filtration, cation exchange, and disinfection.

NCWSA Construction Permit 4050348. PWSID No. **4050348.** **Screaming Goat, Inc., d/b/a New Frontier,** 404 Wild Cherry Tree Rd, Martinsburg, PA 16662, Hopewell Township, **Bedford County.** Application received: August 28, 2024. Permit Issued: October 1, 2024. This action authorizes construction of a new public water supply at New Frontier Restaurant. The system contains one well, cation exchange, cartridge filtration, and ultraviolet (UV) light disinfection.

Construction Permit 3624519 MA. PWSID No. **7360123.** **Columbia Water Company,** 220 Locust St, P.O. Box 350, Columbia, PA 17512, Columbia Borough, **Lancaster County.** Application received: July 30, 2024. Permit Issued: October 1, 2024. This action authorizes rehabilitation of the Columbia finished water storage tank.

Construction Permit 3624520 MA. PWSID No. **7360083.** **Columbia Water Company, East Donegal Township System,** 220 Locust St, P.O. Box 350, Columbia, PA 17512, East Donegal Township, **Lancaster County.** Application received: July 30, 2024. Permit Issued: October 1, 2024. This action authorizes rehabilitation of the East Donegal finished water storage tank.

Construction Permit 3624521 MA. PWSID No. **7360123.** **Columbia Water Company,** 220 Locust St, P.O. Box 350, Columbia, PA 17512, Manor Township, **Lancaster County.** Application received: July 30, 2024. Permit Issued: September 27, 2024. This action authorizes rehabilitation of the Manor/Mountville finished water storage tank.

Contact: Thomas Filip, Environmental Engineer, 717-705-4708.

Operation Permit 0123509. PWSID No. **7010932.** **Hillandale Gettysburg, LP,** 3910 Oxford Road, Gettysburg, PA 17325, Tyrone Township, **Adams County.** Application received: September 18, 2024. Permit Issued: September 26, 2024. Partial Operation permit at Site 3 for Well No. 5 and associated treatment.

Contact: Wade Cope, P.E., Environmental Engineer, 717-705-4708.

Construction/Operation Permit 2124514 MA. PWSID No. **7210028.** **Veolia Water Pennsylvania, Inc.,** 6310 Allentown Boulevard, Suite 104, Harrisburg, PA 17112, Upper Allen Township, **Cumberland County.** Application received: August 1, 2024. Permit Issued: September 26, 2024. Construction/operation permit for the Center Square Tank improvements and rehab.

Operation Permit 2124511. PWSID No. **7210003.** **Harmony Estates Mobile Home Park,** P.O. Box 8899, Camp Hill, PA 17001, North Middleton Township, **Cumberland County.** Application received: September 21, 2024. Permit Issued: October 1, 2024. Comprehensive operation permit for the entire system, replacement of iron/manganese treatment media, and removal of existing chemical injections.

WATER ALLOCATIONS

Actions Taken on Applications Received Under the Act of June 24, 1939 (P.L. 842, No. 365) (35 P.S. §§ 631—641) Relating to the Acquisition of Rights to Divert Waters of the Commonwealth.

Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Wade Cope, P.E., Environmental Engineer, 717-705-4708.

67-470E, Water Allocations. **Wrightsville Borough Municipal Authority,** 601 Water Street, P.O. Box 187, Wrightsville Borough, PA 17368, Hellam Township, **York County.** Water Allocation Permit for the right to withdraw a maximum of 1,100,000 gallons per day (gpd) from the Susquehanna River, in Hellam Township, York County, for discharge to the water treatment plant and to Miller Lake. The maximum combined withdrawal from the Susquehanna River and Miller Lake for delivery to the treatment plant shall not exceed 864,000 gpd. Application received: December 27, 2023. Issued: September 26, 2024.

38-264D, Water Allocations. **City of Lebanon Authority,** 2311 Ridgeview Road, Lebanon, PA 17042, **Lebanon County** and **Schuylkill County.** A water allocation permit for the right to withdraw a maximum of 10,000,000 gallons per day (gpd), when available, from Swatara Creek, located in Union Township, Lebanon County; and a maximum of 8,000,000 gpd, when available, from Siegrist Reservoir/Mill Creek, located in Pine Grove Township, Schuylkill County. The total withdrawal from both sources combined shall not exceed 11,000,000 gpd. Application received: October 25, 2019. Issued: September 25, 2024.

Southeast Region: Safe Drinking Water Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Kimberleigh C. Rivers Clerical Assistant 2, 484-250-5887.

WA-09-1001A, Water Allocations. **Warwick Township Water & Sewer Authority**, 1733 Township Greene, P.O. Box 315, Jamison, PA 18929, Warwick Township, **Bucks County**. Aqua Pa, Inc. request to purchase up to 120,000 gpd based on a 30-day average from Warwick Township Water Authority. Application received: June 28, 2024. Issued: August 19, 2024.

WA-46-67J, Water Allocations. **Aqua Pennsylvania, Inc.**, 762 W. Lancaster Avenue, Bryn Mawr, PA 19010-3489, Tinicum Township, **Delaware County**. Aqua Pennsylvania, Inc requesting to renew their approval to purchase up to 9.5 million gallons per day from Philadelphia Water Department. Application received: May 2, 2024. Issued: September 19, 2024.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 2

The Following Plans and Reports Were Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The Department has received the following plans and reports.

Northcentral Region: Environmental Cleanup & Brownfields Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Randy Farmerie, P.G., Environmental Program Manager, 570-327-3716.

Right Lane Carrier Inc. Project, Primary Facility ID # **871372**, I-180 Mile Marker 3, Watsonstown, PA 17777, Delaware Township, **Northumberland County**. Bressler's Environmental Service, 2994 East Valley Road, Loganton, PA 17747, on behalf of Right Lane Carrier, Inc., Unit 25, 6033 Shawson Drive, Mississauga, ON L5T 1E7, submitted a Final Report concerning remediation of soil contaminated with diesel fuel, used motor oil, and anti-freeze. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

Hopson BRA 1HC on the Hopson BRA Pad, Primary Facility ID # **878659**, 6519 Liberty Corners Road, Towanda, PA 18848, Asylum Township, **Bradford County**. Creston Environmental, LLC, P.O. Box 1373, Camp Hill, PA 17001, on behalf of Chesapeake Appalachia LLC, 14 Chesapeake Lane, Sayre, PA 18840, submitted a Final Report concerning remediation of soil contaminated with production fluid. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Former Elementis Pigments, Primary Facility ID # **636923**, 1525 Wood Avenue, Easton, PA 18042, Wilson Borough and Easton City, **Northampton County**. Langan Engineering and Environmental Services, 1818 Market Street, Suite 3300, Philadelphia, PA 19103, on behalf of Easton Wood Ave, Prop Co., LLC, 8801 River Crossing Boulevard, Suite 300, Indianapolis, IN 46240, submitted a Remedial Investigation Report/Risk Assessment Report/Cleanup Plan concerning remediation of soil and groundwater contaminated with metals, volatile organic compounds, semi-volatile organic compounds, and polychlorinated biphenyls. The Remedial Investigation Report/Risk Assessment Report/Cleanup Plan is intended to document remediation of the site to meet the site-specific standards.

Wind Gap Texaco, Primary Facility ID # **869958**, 1040 South Broadway, Wind Gap, PA 18091, Plainfield Township, **Northampton County**. MEA, 1365 Ackermanville Road, Bangor, PA 18091, on behalf of Pipeline Petroleum, Inc., P.O. Box 159 Shippers Road, Macungie, PA 18062, submitted a Final Report concerning remediation of soil contaminated with heating oil, gasoline, and diesel. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

WY-10 Falconero Well Pad, Primary Facility ID # **831662**, 456 Main Road, Forkston, PA 18629, Forkston Township, **Wyoming County**. Resource Environmental Management, 50 Maple Street, Montrose, PA 18801, on behalf of SWN Production Company, LLC, 917 State Route 92 North, Tunkhannock, PA 18657, submitted a Final Report concerning remediation of groundwater contaminated with production fluid (brine). The Final Report is intended to document remediation of the site to meet the Statewide health standards.

Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Jordan, 814-332-6172.

Dunkin Donuts, Primary Facility ID # **868922**, 300 South Water Street, Littanning, PA 16201, Kittanning

Borough, **Armstrong County**. RT Environmental Services, Inc., 2001 Waterdam Plaza Drive, Suite 205, Canonsburg, PA 15317, on behalf of Ardmore Group, LLC, 2701 Ardmore Boulevard, Pittsburgh, PA 15221, submitted a Final Report concerning remediation of groundwater contaminated with Benzene, Ethylbenzene, Naphthalene, and 1,2,4-Trimethylbenzene. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

Contact: Nick, 814-332-6978.

Kraft Dahlstrom Site, Primary Facility ID # **869478**, 58 Spruce Street, Oil City, PA 16301, City of Oil City, **Venango County**. Moody and Associates, Inc., 11548 Cotton Road, Meadville, PA 16335, on behalf of Oil Region Alliance of Business, Industry and Tourism, 217 Elm Street, Oil City, PA 16301, submitted a Remedial Investigation Report concerning remediation of soil and groundwater contaminated with Antimony, Arsenic, Lead, Selenium, 1,2,4-Trimethylbenzene, 1,3,5-Trimethylbenzene, Benzene, Naphthalene, 2-Methylnaphthalene, Ethylbenzene, Copper, Nickel, Zinc, Mercury, Benzo(b)fluoranthene, Benzo(k)fluoranthene, and bis(2-Ethylhexyl)phthalate. The Remedial Investigation Report is intended to document remediation of the site to meet the site-specific standards.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: C. David Brown, Professional Geologist Manager, 484-250-5792.

1501 South 25th Street Site, Primary Facility ID # **853032**, 1501 South 25th Street, Philadelphia, PA 19146, City of Philadelphia, **Philadelphia County**. Claude S. Vandever, P.G., EnviroSure, Inc., 1 North Bacton Hill Road, Suite 208, Malvern, PA 19335, on behalf of Mike Lagoudakis, Knossos Development, LLC, 2035 Chatham Drive, Bensalem, PA 19020, submitted a Remedial Investigation Report/Cleanup Plan concerning remediation of soil contaminated with benzo(a)pyrene and benzo(b)fluoranthene. The Remedial Investigation Report/Cleanup Plan is intended to document remediation of the site to meet the site-specific standards.

Lofts at Church, Primary Facility ID # **877994**, 140 Church Street, Phoenixville, PA 19460, Phoenixville Borough, **Chester County**. Mark E. Zurich, Reliance Environmental, Inc., 235 North Duke Street, Lancaster, PA 17602, on behalf of Roman Ovrutsky, Omega Home Builders, 2050 Bennet Road, Philadelphia, PA 19116, submitted a Remedial Investigation Report/Cleanup Plan concerning remediation of soil contaminated with arsenic. The Remedial Investigation Report/Cleanup Plan is intended to document remediation of the site to meet the site-specific standards.

Colonial Heritage MHP Evergreen, Primary Facility ID # **777387**, 298 Evergreen Drive, New Britain, PA 18901, New Britain Borough, **Bucks County**. Alan R. Hirschfield, P.G., L&A Environmental Specialties, Inc., 219 Laureen Road, Schwenksville, PA 19473, on behalf of James Perano, GSP Management, P.O. Box 677, Morgantown, PA 19543, submitted a Final Report concerning remediation of soil and groundwater contaminated with diesel fuel and No. 2 fuel oil. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995
PREAMBLE 3

The Department Has Taken Action on the Following Plans and Reports Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The DEP may approve or disapprove plans and reports submitted. This notice provides DEP's decision and, if relevant, the basis for disapproval.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The DEP has received the following plans and reports.

Northcentral Region: Environmental Cleanup & Brownfields Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Randy Farmerie, P.G., Environmental Program Manager, 570-327-3716.

Young Compressor Station, Primary Facility ID # **875280**, 1740 Keir Hill Road, Columbia Cross Roads, PA 16914, Springfield Township, **Bradford County**. Moody and Associates, Inc., 101 N. Main Street, Suite 3,

Athens, PA 18810, on behalf of Blackhill Energy LLC, 4600 J Barry Court, Suite 320, Canonsburg, PA 18831, submitted a Final Report concerning remediation of soil contaminated with production water. The Final Report demonstrated attainment of the Statewide health standards. Approved: September 4, 2024.

EQT ARO LLC Mallory Pad A 05-08-24 Produced Fluid Release, Primary Facility ID # **875465**, 2361 Hillbilly Hollow Lane, Trout Run, PA 17771, Plunketts Creek Township, **Lycoming County**. Penn Environmental & Remediation Inc., 13180 Route 6, Mansfield, PA 16933, on behalf of EQT ARO LLC, 2462 Lycoming Creek Road, Williamsport, PA 17701, submitted a Final Report concerning remediation of soil contaminated with produced water. The Final Report demonstrated attainment of the Statewide health standards. Approved: September 9, 2024.

Former Williamsport Landfill, Primary Facility ID # **846735**, 2 Rose Street, Williamsport, PA 17701, City of Williamsport, **Lycoming County**. BAI Group, LLC, 366 Walker Drive, Suite 300, State College, PA 16801, on behalf of Williamsport Ballpark, Inc., 102 N Fourth St, Williamsport, PA 17701, submitted a Remedial Investigation Report/Cleanup Plan concerning remediation of soil contaminated with metals, volatile organic compounds, semi-volatile organic compounds, PCBs and pesticides. The Report demonstrated attainment of the site-specific standards. Approved: September 10, 2024.

EQT ARO LLC COP Tract 259 Pad A, Primary Facility ID # **873860**, State Line Road, Clarence, PA 16829, Burnside Township, **Centre County**. Penn Environmental & Remediation Inc., 13180 Route 6, Mansfield, PA 16933, on behalf of EQT ARO LLC, 2462 Lycoming Creek Road, Williamsport, PA 17701, submitted a Final Report concerning remediation of soil contaminated with produced fluid. The Final Report demonstrated attainment of the Statewide health standards. Approved: September 24, 2024.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

16 Birch Avenue, Primary Facility ID # **871171**, 16 Birch Avenue, Barnesville, PA 18214, Ryan Township, **Schuylkill County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Anthony Riotto, 16 Birch Avenue, Barnesville, PA 18214, submitted a Final Report concerning remediation of soil contaminated with No. 2 heating oil. The Final Report demonstrated attainment of the Statewide health standards. Approved: September 25, 2024.

Lehigh Valley International Airport KABE Amazon Facility, Primary Facility ID # **877698**, 2203 North Irving Street, Allentown, PA 18109, Hanover Township, **Lehigh County**. JMT Environmental Technologies, 710 Uhler Road, Easton, PA 18040, on behalf of Worldwide Flight Services, 2202 Hangar Road, Allentown, PA 18109, submitted a Final Report concerning remediation of soil contaminated with diesel fuel. The Final Report demonstrated attainment of the Statewide health standards. Approved: September 30, 2024.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Environmental Cleanup & Brownfields Program Manager, 717-705-4705.

Former Mount Joy Manufactured Gas Plant, Primary Facility ID # **622634**, 223-225 West Main Street, Mount Joy, PA 17552, Mount Joy Borough, **Lancaster County**. Silar Services, Inc., 1851 French Creek Road, Phoenixville, PA 19460, on behalf of UGI Utilities, Inc., 1 UGI Drive, Denver, PA 17517, submitted a Cleanup Plan/Final Report concerning remediation of soil and groundwater contaminated with Coal Tar and Constituents. The Report demonstrated attainment of the site-specific standards. Approved: September 30, 2024.

Former Mount Joy Manufactured Gas Plant, Primary Facility ID # **622634**, 223-225 West Main Street, Mount Joy, PA 17552, Mount Joy Borough, **Lancaster County**. Silar Services, Inc., 1851 French Creek Road, Phoenixville, PA 19460, on behalf of PPL Services Corp., 1639 Church Road, Allentown, PA 18104, submitted a Cleanup Plan/Final Report concerning remediation of soil and groundwater contaminated with Coal Tar and Constituents. The Report demonstrated attainment of the site-specific standards. Approved: September 30, 2024.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: C. David Brown, Professional Geologist Manager, 484-250-5792.

Tioga Marine Terminal Pier 179N—Kinder Morgan, Primary Facility ID # **722887**, 3300 North Delaware Avenue, Philadelphia, PA 19134, City of Philadelphia, **Philadelphia County**. Groundwater & Environmental Services, Inc., 440 Creamery Way, Suite 500, Exton, PA 19341, on behalf of Kinder Morgan Liquids Terminals, LLC, One Terminal Road, Carteret, NJ 07008, submitted a Risk Assessment/Final Report concerning remediation of groundwater contaminated with unleaded gasoline. The Report Was not acceptable to meet Statewide health and site-specific standards. Issued a technical deficiency letter: September 25, 2024.

901 North 9th Street Site, Primary Facility ID # **856326**, 901 North 9th Street, Philadelphia, PA 19123, City of Philadelphia, **Philadelphia County**. Montrose Environmental Solutions, Inc., 1140 Valley Forge Road, Valley Forge, PA 19482, on behalf of Post Quaker Property Owner, LLC, 1021 North Hancock Street, Suite 1, Philadelphia, PA 19123, submitted a Final Report concerning remediation of soil contaminated with benzene, tetrachloroethene, trichloroethene, 1,1-dichloroethene, cis-1,2-dichloroethene, trans-1,2-dichloroethene, and vinyl chloride. The Final Report demonstrated attainment of the site-specific standards. Approved: September 24, 2024.

Dublin Volunteer Fire Company, Primary Facility ID # **862212**, 194 North Main Street, Dublin, PA 18917, Dublin Borough, **Bucks County**. Envirosearch Consultants, Inc., P.O. Box 940, Springhouse, PA 19477, on behalf of Dublin Volunteer Fire Company, 194 North Main Street, Dublin, PA 18917, submitted a Final Report concerning remediation of soil and groundwater contaminated with No. 2 Fuel Oil. The Report Was not acceptable to meet Statewide health standards. Issued an administrative deficiency letter: September 23, 2024.

Parkway Plaza, Primary Facility ID # **868172**, 120 & 130 North Adams and 329 East Gay Streets, West Chester, PA 19380, West Chester Borough, **Chester County**. Huxta Environmental, 461 Merlin Road, Phoenixville, PA 19460, on behalf of 314 East Chestnut Street Associates, LP, 120 Pennsylvania Avenue, Malvern, PA 19355, submitted a Final Report concerning remediation of soil and groundwater contaminated with chlori-

nated solvents and unleaded gasoline. The Final Report demonstrated attainment of the Statewide health and site-specific standards. Approved: September 26, 2024.

5904-08 Germantown Avenue, Primary Facility ID # **868202**, 5904-08 Germantown Avenue, 15 West Rittenhouse Street, 5900-02 Germantown Avenue and 11 West Rittenhouse Street, Philadelphia, PA 19144, City of Philadelphia, **Philadelphia County**. ARM Brickhouse, 515 South Franklin Street, West Chester, PA 19382, on behalf of Mayer Miltz, 5904-08 Germantown Avenue, LLC, 417 Cherry Hill Boulevard, Cherry Hill, NJ 08002, submitted a Risk Assessment/Final Report concerning remediation of groundwater contaminated with chlorinated solvents. The Final Report demonstrated attainment of the Statewide health and site-specific standards. Approved: September 24, 2024.

Dedicated Right-of-Way, Primary Facility ID # **873073**, Northwest of the intersection of Tomlinson Road and Philmont Avenue, Huntingdon Valley, PA 19006, Lower Moreland Township, **Montgomery County**. Geo-Technology Associates, Inc., 2405 John Fries Highway, Building 3, Quakertown, PA 18951, on behalf of ESC Philmont, LLC, 5074 Dorsey Hall Drive, Suite 205, Ellicott City, MD 21042, submitted a Remedial Investigation Report/Risk Assessment/Cleanup Plan/Final Report concerning remediation of soil contaminated with lead, mercury, and arsenic. The Final Report demonstrated attainment of the Statewide health and site-specific standards. Approved: September 18, 2024.

Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Janelle Hromyak, Clerical Assistant 2, 412-442-4091.

Elmer W. & Nancy Geiger Trust Property, Primary Facility ID # **862463**, 580 Mayer Street, Bridgeville, PA 15017, Collier Township, **Allegheny County**. American Geosciences, Inc., 3925 Reed Boulevard, Suite 400, Murrysville, PA 15668-1848, on behalf of Christopher A. Brodman, 4251 Old New England Road, Allison Park, PA 15101, submitted a Remedial Investigation Report/Cleanup Plan concerning remediation of soil and groundwater contaminated with arsenic, lead, trichloroethene, polynuclear aromatic hydrocarbons, vanadium, tetrachloroethene. The Report Was not acceptable to meet site-specific standards. Issued a technical deficiency letter: September 11, 2024.

Jones Salvage, Primary Facility ID # **863604**, 760 Atlantic Ave., Elizabeth, PA 15037, Lincoln Borough, **Allegheny County**. American Geosciences, Inc., 3925 Reed Boulevard, Suite 400, Murrysville, PA 15668-1848, on behalf of Michael C. Isbir Jr., 696 McKeesport Road, Elizabeth, PA 15037, submitted a Final Report concerning remediation of soil and groundwater contaminated with Benzo(a)Anthracene, Benzo(a)Pyrene, Benzo(b)Fluoranthene, Naphthalene, Arsenic, Tetrachloroethene (PCE), Trichloroethene (TCE), cis-1,1-Dichloroethene (cDCE), 1,1-Dichloroethene, Vinyl Chloride, 1,1,1-Trichloroethane, Dissolved Arsenic. The Final Report Was acceptable to meet site-specific standards. Approved: September 23, 2024.

BCCED Parcel 60, Primary Facility ID # **19690**, 60 Woodlawn Road, Aliquippa, PA 15001, City of Aliquippa, **Beaver County**. WSP USA Environment & Infrastructure Inc., 11 Stanwix Street, Pittsburgh, PA 15222, on

behalf of John Bolden, USG Corporation, 1 Woodlawn Rd, Aliquippa, PA 15001, submitted a Baseline Environmental Report concerning remediation of soil and groundwater contaminated with Semivolatile Organic Compounds, PCBS, Metals. The Report Was acceptable to meet special industrial area provision of Act 2. Approved: September 19, 2024.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Actions(s) Taken on Permit(s) Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southcentral Region: Waste Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Carrie Fleming, Environmental Program Manager, 717-705-6638, cafleming@pa.gov.

301343. EMaxx Central PA LLC/d/b/a Eco-Maxx, 170 Transport St, Bedford, PA 15522, Bedford Township, **Bedford County**. Residual Waste Permit No. 301343 for the operation of Bedford Waste Oil Transfer Station aka Eco-Maxx, was renewed until September 29, 2024, in accordance with Article V of the Solid Waste Management Act, 35 P.S. Sections 6018.101, et seq. Application received: September 24, 2024. Deemed administratively complete: July 23, 2024. Renewed: September 24, 2024.

Persons interested in reviewing the permit may contact Carrie Fleming, Environmental Program Manager, 717-705-6638, cafleming@pa.gov, Southcentral Region, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

Southeast Region: Waste Management Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Mohamad Mazid, Chief, Technical Services, E-Mail Address: RA-EPWM-SERO-PERMITs@pa.gov.

301254. Clean Earth of Southeast Pennsylvania, LLC, 7 Steel Road, Morrisville, PA 19067, Falls Township, **Bucks County**. This major permit modification is to allow for an increase in waste acceptance volume, an increase in traffic count, an increase in storage volume, and the addition of two new methods (biological and chemical) to treat contaminated soil at the Clean Earth of Southeast Pennsylvania (CESP) Facility, a residual waste processing facility located at 7 Steel Road, Morrisville, PA, in Falls Township, Bucks County. The previously listed additional new treatment methods (biological and chemical) are approved as pilots for 2 years to evaluate the proposed new treatment technologies at the facility. Application received: August 23, 2019. Issued: September 27, 2024.

Persons interested in reviewing the permit may contact Waste Management Program Manager, Phone Number 484.250.5960, or by e-mail at RA-EPWM-SERO-PERMITs@pa.gov, Southeast Region, 2 East Main Street, Norristown, PA 19401, 484-250-5900. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

AIR QUALITY

Actions(s) Taken on General Plan Approval(s) and Operating Permit(s) Usage Authorized Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to Construct, Modify, Reactivate or Operate Air Contamination Sources and Associated Air Cleaning Devices.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, (570) 327-3648.

GP9-49-327K: Herndon Reload, 386 Pennsylvania Avenue, Herndon, PA 17830, Herndon Borough, **Northumberland County**. The Department authorized the facility to construct and operate a 635 bhp Detroit model 6063HK35 diesel engine pursuant to the General Plan Approval and/or General Operating Permit for Diesel or No. 2 fuel-fired Internal Combustion Engines (BAQ-GPA/GP-9) at the Herndon Reload facility. Application received: August 30, 2024. Authorized: September 24, 2024. Expiration date: September 23, 2029.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: David Balog, New Source Review Section Chief, 814-332-6328.

GP21-32-00455: ECC Bethany, Pine Flats Rd., Heilwood, PA 15745, Cherryhill Township, **Indiana County**. The Department recently issued a GP21 to ECC Bethany Heilwood E1B for Coal-Mine Methane Enclosed Flares. Application received: September 30, 2024. Approved: September 23, 2024.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Sheri Guerrieri, P.E., New Source Review Chief, 412-442-4174.

GP21-30-00837A: Environmental Commodities Corporation, 1919 14th Street, Suite 700, Boulder, CO 80302, Richhill Township, **Greene County**. On September 27, 2024, the Department authorized Environmental Commodities Corporation to construct and operate one (1) Enclosed Flare rated at 20 MMBtu/hr, and one (1) Perkins diesel fired generator rated at 24.7 bhp at their 7L-1 Bore Hole site located in Richhill Township, Greene County. Application received: July 2, 2024. Authorized: September 27, 2024.

GP21-30-00838A: Environmental Commodities Corporation, 1919 14th St., Suite 700, Boulder, CO 80302, Morris Township, **Greene County**. On September 26, 2024, the Department authorized Environmental Commodities Corporation to construct and operate three (3) enclosed flares each rated at 20MM Btu/hr, and three (3) diesel fired generators rated at 24.7 bhp at their 3B-3, 4B-3 and 4B-2 sites of the Harvey Mine located in Morris Township, Greene County. Each site will have one (1) flare and engine installed. Application received: July 2, 2024. Issued: September 26, 2024.

GP21-30-00839A: Environmental Commodities Corporation, 1919 14th St., Suite 700, Boulder, CO 80302, Morris Township, **Greene County**. On September 26, 2024, the Department authorized Environmental Commodities Corporation to construct and operate two (2) Enclosed Flares each rated at 20MM Btu/hr, and one (1) diesel fired generator rated at 24.7 bhp at their 1A

Bleeder site of the Harvey Mine located in Morris Township, Greene County. Application received: July 16, 2024. Issued: September 26, 2024.

GP21-30-00841A: Environmental Commodities Corporation, 1919 14th St., Suite 700, Boulder, CO 80302, Morris Township, **Greene County**. On September 26, 2024, the Department authorized Environmental Commodities Corporation to construct and operate three (3) enclosed flares each rated at 20MM Btu/hr, and three (3) diesel fired generators rated at 24.7 bhp at their 2B-3, 3B-1 and 2B-1 sites of the Harvey Mine located in Morris Township, Greene County. Each site will have one (1) flare and engine installed. Application received: July 30, 2024. Issued: September 26, 2024.

GP5A-63-01079A: SWN Production Company, 10000 Energy Drive, Spring, TX 77391, Donegal Township, **Washington County**. The reauthorization under General Plan Approval and/or General Operating Permit for New or Modified Unconventional Natural Gas Well Site Operations and Remote Pigging Stations (2700-PM-BAQ0267; 6/2018) (“GP-5A”) has been issued to construct and/or operate the sources at the previously listed facility. Application received: April 4, 2024. Revised: April 16, 2024.

Actions(s) Taken on Plan Approval(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and Regulations in 25 Pa. Code Chapter 127, Subchapter B Relating to Construction, Modification and Reactivation of Air Contamination Sources and Associated Air Cleaning Devices.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4863.

67-05083H: Calpine Mid-Merit, LLC, 1055 Pikes Peak Road, Delta, PA 17314-9239, Peach Bottom Township, **York County**. For the modification of the York Energy Center Block 2 Electricity Generation Project’s turbine requirements. The existing facility. The modification consists of the following changes to the requirements of P.A. No. 67-05083F (issued on August 1, 2016) and P.A. No. 67-05083G (issued December 14, 2021): —Startup/Shutdown NO_x, VOC, and CO limits changed from lb/hr basis to lb/event basis. This change does not alter the amount of emissions authorized during startups and shutdowns.—Removal of explicit startup/shutdown hours limitations. This change does not alter the existing annual emission limitations placed on the turbines.—Clarification of fuel switching events.—Removal of CO/VOC correlation factor development in lieu of ongoing periodic VOC stack testing.—Incorporation of a once-per-5-calendar-year stack testing of the Block 2 turbines for VE, VOC, PM, and HAPs.—Use of the combustion turbine manufacturer’s VOC emissions curve to calculate VOC emissions for startup and shutdown events. Application received: August 31, 2023. Issued: September 26, 2024.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

06-03029D: Yuasa Battery, Inc., 2901 Montrose Avenue, Laureldale, PA 19605, Laureldale Borough, **Berks County**. For the installation and operation of new “3-process” battery assembly equipment at the lead-acid battery assembly plant. Application received: May 3, 2024. Issued: September 27, 2024.

Plan Approval Revision(s) Issued Including Extension(s), Minor Modification(s) and Transfer(s) of Ownership Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: David Balog, New Source Review Section Chief, 814-332-6328.

43-00270N: CCL Container Hermitage Inc., 1 Llodio Drive, Hermitage, PA 16148, City of Hermitage, **Mercer County**. Issued a 6-month plan approval extension to allow the facility more time for stack testing. This extension expires March 31, 2025. Application received: August 12, 2024. Issued: September 27, 2024.

62-00176B: Lignetics of New England Inc., 1055 Matthews Run Road, Youngsville, PA 16371, Brokenstraw Township, **Warren County**. Issued a 6-month plan approval extension to allow more time for stack retesting of VOC required under the plan approval. This extension expires March 31, 2025. Application received: September 25, 2024. Issued: September 27, 2024/September 29, 2024.

24-009L: Domtar Paper Company, LLC, 100 West Center Street, Johnsonburg, PA 15845, Johnsonburg Borough, **Elk County**. Issued a 17-month plan approval extension, to allow project construction to continue. This extension expires February 28, 2026. Application received: August 16, 2024. Issued: September 16, 2024.

24-00012L: GrafTech USA LLC, 800 Theresia Street, St Mary's, PA 15857, City of Saint Mary's, **Elk County**. Issued a 6-month plan approval extension to allow the facility more time for stack testing. This extension expires March 31, 2025. Application received: September 25, 2024. Issued: September 30, 2024.

37-00337C: Hickory Run Energy LLC, McClelland and Edinburg Road, New Castle, PA 16102, North Beaver Township, **Lawrence County**. Issued a 6-month plan approval extension expiring on March 31, 2025 to allow more time for initial Title V Permit processing. Application received: August 9, 2024. Issued: September 30, 2024.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

22-03112A: Highline Auto Parts, 5320 Paxton Street, Harrisburg, PA 17111, Swatara Township, **Dauphin County**. For an aluminum sweat furnace for the automobile dismantling and parts sales center. The plan approval was extended. Application received: September 23, 2024. Issued: September 27, 2024.

22-03051B: Buse Funeral Home, 9066 Jonestown Road, Grantville, PA 17028, East Hanover Township, **Dauphin County**. For the installation and operation of a Matthews Environmental Solutions Model IE43-PPI (Power Pak I) human crematory at the Grantville funeral home. The plan approval was extended. Application received: September 13, 2024. Issued: September 27, 2024.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Sheri Guerrieri, P.E., New Source Review Chief, 412-442-4174.

PA-63-00995A: W. G. Tomko, Inc., 2559 PA-88, Finleyville, PA 15332, Union Township, **Washington County**. For plan approval extension to authorize continued operation of sources and controls associated with W. G. Tomko, Inc. Application received: September 27, 2024. New expiration date: September 30, 2024.

04-00702D: US Gypsum Co, 1 Woodlawn Rd, Aliquippa, PA 15001, City of Aliquippa, **Beaver County**. This plan approval extension has been issued to ensure the plan approval remains active for additional time to process the pending Title V Operating Permit. Application received: September 26, 2024. Revised: September 26, 2024.

30-00077E: Texas Eastern Transmission, LP, 915 Eldridge Pkwy, Suite 1100, Houston, TX 77079, Richhill Township, **Greene County**. This plan approval extension has been issued to ensure the plan approval remains active until the facility is in compliance with all conditions of the plan approval and a revision to the Title V Operating Permit application is submitted by the applicant and issued by the Department. Application received: August 26, 2024. Revised: September 16, 2024.

63-01004C: Tech Met Inc., 79 E 8th St, Donora, PA 15033, Donora Borough, **Washington County**. This plan approval extension has been issued to ensure the plan approval remains active until it is formally incorporated into the State Only Operating Permit which is processing renewal application. Application received: May 21, 2024. Revised: May 23, 2024.

Plan Approval(s) Denied, Terminated, Modified, Suspended or Revoked Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and the Provisions of 25 Pa. Code §§ 127.13b and 127.13c.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Sheri Guerrieri, P.E., New Source Review Chief, 412-442-4174.

PA-65-00767C: Westmoreland Sanitary Landfill, LLC, 111 Connor Lane, Belle Vernon, PA 15012, Rostraver Township, **Westmoreland County**. At the request of the permittee, the Air Quality Program has revoked the Air Quality Plan Approval authorization to install and temporarily operate a leachate evaporator system at Sanitary Landfill. Application received: October 9, 2019. Revoked: September 30, 2024.

Title V Operating Permit(s) Issued Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Norm Frederick, 570-826-2409.

40-00079: John Mansville Corp, 600 Jaycee Drive, Hazleton, PA 18202-1154, City of Hazleton, **Luzerne County**. The Department issued a new Title V Operating Permit for operation of sources at the plastics and foam products manufacturing facility in Hazleton City, Luzerne County. As a major source, the facility is subject to the Title V permitting requirements of the Clean Air Act Amendments as adopted by the Commonwealth under 25 Pa. Code Chapter 127, Subchapter G. The sources include a polyisocyanurate foam production process, a bar code printer, and a natural gas-fired emergency generator. The control devices are a baghouse and Regenerative Thermal Oxidizer (RTO). The Title V Operating Permit contains applicable requirements for emission limitations, work

practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations. Application received: April 17, 2024. Permit issued: September 30, 2024.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.

28-05003: Columbia Gas Transmission LLC, 455 Racetrack Road, Washington, PA 15301-8910, Montgomery Township, **Franklin County**. For the Greencastle natural gas compressor station. The Title V permit was renewed. Application received: August 24, 2023. Issued: September 30, 2024.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

38-05035: NextEra Renewable Fuels LLC, 1610 Russell Road, Lebanon, PA 17046, North Annville Township, **Lebanon County**. For the landfill gas-to-energy facility associated with the Greater Lebanon landfill. The Title V permit was renewed. Application received: October 13, 2023. Issued: September 24, 2024.

Operating Permit(s) for Non-Title V Facilities Issued Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Norm Frederick, 570-826-2409.

39-00033: Lutron Electronics Company, Inc., 7200 Suter Road, Coopersburg, PA 18036-1249, Lower Macungie Township, **Lehigh County**. The Department issued a renewal State-Only (Natural Minor) Permit for the electrical equipment and supplies manufacturing facility in Lower Macungie Township, Lehigh County. The sources consist of a spray paint booth, two (2) wave solder fluxers, and clean-up operations. The spray booth is controlled by filters. The sources are considered minor emission sources of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), total suspended particulate (TSP), and volatile organic compounds (VOC) emissions. The Operating Permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations. Application received: June 20, 2024. Renewal issued: September 23, 2024.

54-00068: Pleasant Valley Homes, Inc., P.O. Box 88, Pine Grove, PA 17963, Pine Township, **Schuylkill County**. The Department issued a renewal State-Only (Synthetic Minor) Permit for the manufacture of homes facility located in Pine Grove Township, Schuylkill County. The primary sources consist of adhesives, sealant, and miscellaneous VOC use. The sources are considered minor emission sources of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), total suspended particulate (TSP) and VOC's. The Operating Permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations. Application received: February 22, 2022. Renewal issued: September 17, 2024.

Contact: Norman Frederick, Facility Permitting Chief, 570-826-2409.

40-00061: The International Paper Company, Maplewood and Forest Drive, Humboldt Industrial Park, Hazleton, PA 18202, Hazle Township, **Luzerne County**. The Department issued a renewal State-Only Operating Permit for the operation of sources at their corrugated box manufacturing facility. The permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations. Application received: December 14, 2023. Accepted: December 27, 2023. Issued: September 26, 2024.

45-00030: United Envelope Holdings LLC, P.O. Box 37, Mount Pocono, PA 18344, Coolbaugh Township, **Monroe County**. The Department issued a renewal State-Only Operating Permit for the operation of sources at their envelope manufacturing facility. The Operating Permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations. Application received: November 3, 2023. Accepted: November 16, 2023. Issued: September 26, 2024.

40-00116: Tempur Production USA LLC, 25 Elmwood Ave, Mountain Top, PA 18707, Wright Township, **Luzerne County**. The Department issued a renewal State Only Operating Permit for the operation of sources at their fabricated rubber products manufacturing facility. The Operating Permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations. Application received: November 29, 2023. Accepted: December 12, 2023. Issued: September 11, 2024.

Philadelphia: Air Management Services: Air Quality Program, 321 University Avenue, Philadelphia, PA 19104-4543.

Contact: Maryjoy Ulatowski, Chief, Source Registration, (215) 685-9476.

OP21-000067: Marshalls NE Distribution Center, 2760 Red Lion Road, Philadelphia, PA 19114, City of Philadelphia, **Philadelphia County**. The City of Philadelphia, Air Management Services (AMS) issued an initial Natural Minor Operating Permit (NMOP) for the operation of a distribution center. The facility's air emission sources include: four (4) 1114 Horsepower (HP) Standby and Demand Response Engines (4-stroke lean-burn) firing natural gas. Application received: November 24, 2021. Issued: September 25, 2024.

OP22-000040: Cramco Inc., 2200 East Ann Street, Philadelphia, PA 19134, City of Philadelphia, **Philadelphia County**. The City of Philadelphia, Air Management Services (AMS) issued a renewal Natural Minor Operating Permit (NMOP) for an establishment primarily engaged in manufacturing of casual dining furniture. The facility's air emission sources include the following: • one (1) 6.1 Million British Thermal Units per hour (MMBtu/hr) steam boiler firing wood; • one (1) 9.926 MMBtu/hr steam boiler firing No. 2 Oil/natural gas (NG); • one (1) 1.183 MMBtu/hr thermal oil boiler firing NG; • one (1) 0.350 MMBtu/hr oven firing NG; • one (1) 2.5 MMBtu/hr curing oven firing NG; • one (1) Dustex baghouse which will control PM emissions to less than 0.08 gr/DCFm; • one (1) Nordfab baghouse which will control PM emis-

sions to less than 0.04 gr/DCFM; • one (1) manual powder spray booth using electrostatic dry epoxy powder or non-VOC paints; and • two (2) powder spray booth using electrostatic dry epoxy powder or non-VOC paints. Application received: August 29, 2022. Issued: September 12, 2024.

OP22-000055: SEPTA—Southern Bus Facility, 20th and Johnson Street, Philadelphia, PA 19145, City of Philadelphia, **Philadelphia County**. The City of Philadelphia, Air Management Services (AMS) issued a renewal Natural Minor Operating Permit (NMOP) for an establishment primarily engaged in operation of local and suburban transit. The facility's major emission sources include the following: • four (4) 34.12 Million British Thermal Units per hour (MMBtu/hr) boilers firing natural gas and No. 2 Oil; • one (1) 0.72 MMBtu/hr firing NG; • one (1) 2.228 MMBtu/hr burner for paint booth firing NG; • one (1) Gasoline Dispensing Facility with gasoline throughput less than 10,000 gallon per month; • one (1) Spray Paint Booth; and • three (3) 40-gallon Solvent Parts Washers/Degreasers. Application received: November 17, 2022. Issued: September 10, 2024.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.

28-05018: Knouse Foods Cooperative, Inc., P.O. Box 807, Biglerville, PA 17307-0807, Chambersburg Borough, **Franklin County**. For the fruit processing facility. The State-Only permit was renewed. Application received: May 28, 2024. Issued: September 30, 2024.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

36-03209: Bareville Woodcraft Co., 70 Farmland Road, Leola, PA 17540-1905, Upper Leacock Township, **Lancaster County**. For the woodworking facility. The State-Only permit was renewed. Application received: April 24, 2024. Issued: September 24, 2024.

06-05159: Alpek Polyester USA, LLC, 4030 Pottsville Pike, Reading, PA 19605, Muhlenberg Township, **Berks County**. For three (3) engines for a combined heat and power system, two (2) 7.877 MMBtu/hr Miura boilers, two (2) emergency generators and an emergency fire pump, at the plastics recycling facility. Application received: December 8, 2023. Issued: September 24, 2024.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

06-05051: Morgan Truck Body, LLC, d/b/a Morgan Corp., P.O. Box 588, Morgantown, PA 19543-0588, Caernarvon Township, **Berks County**. For the truck body manufacturing facility. The State-Only permit was renewed. Application received: March 29, 2024. Issued: September 25, 2024.

Operating Permit Revisions Issued Including Administrative Amendments, Minor Modifications or Transfer of Ownership Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Thomas Joseph, P.E., Facilities Permitting Chief, 412-442-4336.

65-00042: RQ Resins, LLC, 408 Manor-Harrison City Road, Harrison-City, PA 15636, Manor Borough, **Westmoreland County**. Administrative Amendment, issued on September 29, 2024, for a change of ownership from Huntsman Advanced Materials Americas, LLC to RQ Resins, LLC. This facility is a specialty resins and coatings manufacturing plant located in Manor Borough, Westmoreland County. Application received: August 26, 2024. Accepted: September 7, 2024.

ACTIONS ON COAL AND NONCOAL APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the National Pollutant Discharge Elimination System (NPDES) permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to such applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1103). Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Coal Permits

California District Mining Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.

Contact: Bonnie Herbert, Clerical Assistant 3.

Mining Permit No. 65130702. Consol Mining Company LLC, 275 Technology Drive, Suite 101, Canonsburg, PA 15317, Sewickley Township, **Westmoreland County**. To renew the permit. Application received: June 8, 2023. Accepted: July 21, 2023. Issued: September 20, 2024.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.

Contact: RA-EPCAMBRIADMO@pa.gov.

Mining Permit No. 32130108. Amerikohl Mining, Inc., 202 Sunset Drive, Butler, PA 16001, **Butler County**. Permit renewal for reclamation only of a bituminous surface and auger mine affecting 163.2 acres. Receiving stream: unnamed tributaries to/and Aultmans Run to Conemaugh River, unnamed tributaries to/and Reeds Run to Aultmans Run to Conemaugh River classified for the following uses: TSE, WWF. Application received: July 11, 2024. Permit issued: September 25, 2024.

Mining Permit No. 56663069. NPDES No. PA012094. Heritage Coal & Natural Res LLC, 117 Shaw Mines Road, Meyersdale, PA 15552, Elk Lick and Summit Townships, **Somerset County**. Permit renewal for the continued operation and restoration of a bituminous surface and auger mine affecting 3,040 acres. Receiving streams: unnamed tributary to/and Casselman River and unnamed tributary to/and Elk Lick Creek,

classified for the following use: CWF. Application received: December 19, 2023. Permit issued: September 25, 2024.

Mining Permit No. 32830113. NPDES No. PA0605778. Alverda Enterprises, Inc., P.O. Box 245, Alverda, PA 15710, Buffington Township, **Indiana County.** Transfer of a bituminous surface and auger mine from Beilchick Brothers, P.O. Box 7, Heilwood, PA 15745 affecting 410.5 acres. Receiving streams: unnamed tributaries to/and Mardis Run, classified for the following use: CWF. Application received: May 16, 2024. Permit issued: September 25, 2024.

Mining Permit No. 56980107. NPDES No. PA0234877. Rosebud Mining Company, 301 Market Street, Kittanning, PA 16201, Milford Township, **Somerset County.** NPDES renewal and renewal for reclamation only with post-mining water treatment of a bituminous surface and auger mine affecting 227 acres. Receiving streams: unnamed tributaries to/and Casselman River and South Glade Creek, classified for the following use: WWF. Application received: August 2, 2023. Permit issued: October 1, 2024.

Mining Permit No. 29190101. NPDES No. PA0279722. J & J Svonavec Excavating, Inc., 555 Philadelphia Street, Indiana, PA 15701, Wells and Wood Townships, **Fulton and Huntingdon Counties.** NPDES renewal of a bituminous surface mine affecting 164.0 acres. Receiving stream: Great Trough Creek classified for the following use: TSF. Application received: April 2, 2024. Permit issued: October 1, 2024.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

Contact: Cassie Stanton, Clerical Assistant 2.

Mining Permit No. 17793044. NPDES No. PA0119334. River Hill Coal Company, Inc., P.O. Box 141, Kylertown, PA 16847, Karthaus Township, **Clearfield County.** Permit renewal for a bituminous surface coal mine and associated NPDES permit affecting 28.9 acres. Remaining mining activities consist only of reclamation and operation and maintenance of a post-mining mine drainage water treatment system. Receiving stream(s): Saltlick Run classified for the following use(s): HQ-CWF and MF. Application received: January 31, 2024. Accepted: January 31, 2024. Issued: September 26, 2024.

Mining Permit No. 17840123. NPDES No. PA0609382. River Hill Coal Company, Inc., P.O. Box 141, Kylertown, PA 16847, Karthaus Township, **Clearfield County.** Permit renewal for a bituminous surface coal mine and associated NPDES permit affecting 233.6 acres. The renewal is for reclamation only. Receiving stream(s): Unnamed tributary to Saltlick Run classified for the following use(s): HQ-CWF. Application received: April 30, 2024. Accepted: May 9, 2024. Issued: September 24, 2024.

Noncoal Permits

New Stanton District Mining Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.

Contact: Tracy Norbert, 724-925-5500, RA-EPNEWSTANTON@pa.gov.

CORRECTION—previously published on September 21, 2024.

Mining Permit No. 26092001. NPDES No. PA0251658. Bullsken Stone and Lime, LLC, 117 Marcia Street, Latrobe, PA 15650, Bullsken Township, **Fayette County.** Revision permit for an existing large noncoal surface mine and associated NPDES permit,

affecting 377.6 acres. Receiving streams: unnamed tributaries to Mounts Creek and Mounts Creek; classified for the following use: WWF and unnamed tributaries to Greenlick Run; classified for the following use: EV. Notice of Retraction: This mining permit revision was mistakenly listed as issued in the September 21, 2024 *Pennsylvania Bulletin*; however, it remains under review. Application received: November 8, 2023

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

Mining Permit No. GP 105 Permit No. 58232504. Backcountry Bluestone, LLC, 255 Skinner Road, Susquehanna, PA 18847, Harmony Township, **Susquehanna County.** Commencement, operation and restoration of a GP105 quarry operation affecting 10.0 acres. Receiving stream: Pigpen Creek. Application received: February 22, 2023. Coverage issued: September 27, 2024.

Mining Permit No. GP105 Permit No. 58232504. GP104 Permit No. PAM123006. Backcountry Bluestone, LLC, 255 Skinner Road, Susquehanna, PA 18847, Harmony Township, **Susquehanna County.** Coverage under the General NPDES Stormwater Permit for stormwater discharges associated with mining activities (BMP-GP-104). Receiving stream: Pigpen Creek. Application received: September 27, 2024. Coverage issued: September 27, 2024.

Mining Permit No. 8275SM1. NPDES Permit No. PA0594601. Pennsy Supply, Inc., 2400 Thea Drive, Suite 3A, Harrisburg, PA 17110, West Hempfield Township, **Lancaster County.** Renew NPDES permit on a quarry operation. Receiving stream: UNT of Chiques Creek. Application received: January 22, 2024. Renewal issued: September 30, 2024.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Action(s) Taken on Application(s) Under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting Activity Performed as Part of a Coal or Noncoal Mining Activity will be Regulated by the Mining Permit for that Coal or Noncoal Mining Activity.

Blasting Permits

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

Permit No. 40244115. Maine Drilling & Blasting, Inc., P.O. Box 1140, Gardiner, ME 04345, Hanover Township, **Luzerne County.** Construction blasting for General Dynamics parking lot. Application received: September 17, 2024. Permit issued: September 23, 2024. Expiration date: September 13, 2025.

Permit No. 40244116. Hayduk Enterprises, Inc., 257 Riverside Drive, Factoryville, PA 18419, Hazle Township, **Luzerne County.** Construction blasting for E & N Excavating trench. Application received: September 20, 2024. Permit issued: September 23, 2024. Expiration date: December 31, 2024.

Permit No. 67244108. David H. Martin Excavating, Inc., 4961 Cumberland Highway, Chambersburg, PA 17202, Conewago Township, **York County.** Construction blasting for Fox Run Heights. Application received: September 11, 2024. Permit issued: September 25, 2024. Expiration date: September 9, 2025.

Permit No. 67244110. Douglas Explosives Services, LLC, 2052 Bigler Highway, Philipsburg, PA 16866, Manchester Township, **York County**. Construction blasting for 85 Church Road Warehouse Project. Application received: September 18, 2024. Permit issued: September 25, 2024. Expiration date: December 30, 2024.

Permit No. 67244111. Maine Drilling & Blasting, Inc., P.O. Box 1140, Gardiner, ME 04345, York Township, **York County**. Construction blasting for Stone Hill Development. Application received: September 19, 2024. Permit issued: September 25, 2024. Expiration date: September 19, 2025.

Permit No. 38244114. Keystone Blasting Service, 15 Hopeland Road, Lititz, PA 17543, North Londonderry Township, **Lebanon County**. Construction blasting for Edgemont Development. Application received: September 25, 2024. Permit issued: September 26, 2024. Expiration date: September 30, 2025.

Permit No. 13244102. Maine Drilling & Blasting, Inc., P.O. Box 1140, Gardiner, ME 04345, Banks Township, **Carbon County**. Construction blasting for Little Leaf Farms. Application received: September 9, 2024. Permit issued: September 30, 2024. Expiration date: September 10, 2025.

Permit No. 52244102. Holbert Explosives, Inc., 237 Mast Hope Plank Road, Suite A, Lackawaxen, PA 18435, Blooming Grove Township, **Pike County**. Construction blasting for waterline and tank at 148 Gunstock Lane. Application received: September 23, 2024. Permit issued: September 30, 2024. Expiration date: September 23, 2025.

Permit No. 58244107. Accublast Explosives, LLC, 1727 Catlin Road, Kingsley, PA 18826, Jessup Township, **Susquehanna County**. Construction blasting for Tim Finch pole barn & utility trench. Application received: September 23, 2024. Permit issued: September 30, 2024. Expiration date: December 31, 2024.

Permit No. 64244105. Northeast Blasting, 403 Middle Creek Road, Honesdale, PA 18431, Damascus Township, **Wayne County**. Blasting for Damascus Township Shale Bank. Application received: September 25, 2024. Permit issued: September 30, 2024. Expiration date: September 19, 2025.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department of Environmental Protection (DEP) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, DEP has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), and that the construction will not violate applicable Federal and State Water Quality Standards.

Individuals aggrieved by these actions may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. § 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Environmental Hearing Board within 30-days of

publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the Board within 30-days. You do not need a lawyer to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so you should show this notice to a lawyer at one. If you cannot afford a lawyer, you may qualify for free pro bono representation. Call the Secretary to the Board 717-787-3483 for more information.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Action(s) Taken on Application(s) for the Following Activities Filed Under The Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and the Clean Streams Law and Notice of Final Action for Certification Under Section 401 of the FWPCA.

Eastern District: Oil and Gas Management Program, 208 West Third Street, Williamsport, PA 17701-6448.

Contact: RA-EPEASTERNNOGPRG@pa.gov.

E4129223-006. Pennsylvania General Energy Co LLC, 120 Market Street, Warren, PA 16365, Cummings Township and McHenry Township, **Lycoming County**. U.S. Army Corps of Engineers Baltimore District.

Application received: September 12, 2023. Issued: September 24, 2024.

To construct, operate and maintain nine (9) stream crossings and one (1) wetland crossings in Cummings and McHenry Township, Lycoming County for the construction of 19,894 linear feet of one (1) 8" natural gas pipeline and 19,855 linear feet of one (1) 8" flexsteel waterline within a 30' wide permanent right-of-way and temporary right-of-way that varies in width. All stream and wetland crossings will be open cut. An existing access road will also be temporarily improved as part of the project. The total disturbance area, which includes the proposed pipeline right-of-way area and workspace for the access road is 42.17 acres.

The project will result in a total of 66 LF (190 SF) of permanent and 454 LF (3,347 SF) of temporary stream impacts, 808 SF (0.0185 acre) of permanent and 1,524 SF (0.0350 acre) of temporary wetland impacts and 2,904 SF (0.0667 acre) of permanent and 9,641 SF (0.2213 acre) of temporary floodway impacts all for the purpose of constructing a natural gas pipeline for Marcellus Shale well development.

STREAM IMPACT TABLE:

<i>Resource Name</i>	<i>Municipality Quadrangle</i>	<i>Activity</i>	<i>Chap. 93</i>	<i>Listed Trout</i>	<i>Impact Length Temp. (LF)</i>	<i>Impact Area Temp. (SF)</i>	<i>Impact Length Perm. (LF)</i>	<i>Impact Area Perm. (SF)</i>	<i>Lat. Long.</i>
Channel 1 Hackett Fork	McHenry Cammal	Timber Mats Workspace	EV	Wild	66	66			41.40720° 77.368915°
Channel 3 Ott Fork	McHenry Cammal	Pipeline Workspace	HQ-CWF	Wild	34	293	8	24	41.414114° 77.389216°
Channel 4 UNT Bennys Run	McHenry Cammal	Pipeline Workspace	HQ-CWF	Wild	47	287	6	18	41.425849° 77.390034°
Channel 5 UNT Bennys Run	McHenry Cammal	Pipeline Workspace	HQ-CWF	Wild	47	258	5	15	41.426394° 77.389557°
Channel 6 Bark Cabin Run	McHenry Cammal	Pipeline Workspace	HQ-CWF	Wild	57	699	12	34	41.430196° 77.390936°
Channel 9 Silver Branch	McHenry Cammal	Pipeline Workspace	HQ-CWF	Wild	52	669	13	39	41.389294° 77.389351°
Channel 9A UNT Silver Branch	McHenry Cammal	Pipeline Workspace	HQ-CWF	Wild	52	299	5	14	41.439099° 77.389347°
Channel 10 UNT Silver Branch	McHenry Cammal	Pipeline Workspace	HQ-CWF	Wild	52	696	14	42	41.447727° 77.383877°
Channel 12 UNT Bennys Run	McHenry Cammal	Pipeline Workspace	HQ-CWF	Wild	47	80	3	4	41.425595° 77.390386°
TOTAL IMPACTS					454	3,347	66	190	

WETLAND IMPACT TABLE:

<i>Resource Name</i>	<i>Municipality Quadrangle</i>	<i>Activity</i>	<i>Cow. Class</i>	<i>Listed Trout</i>	<i>Impact Length Temp. (LF)</i>	<i>Impact Area Temp. (SF)</i>	<i>Impact Length Perm. (LF)</i>	<i>Impact Area Perm. (SF)</i>	<i>Lat. Long.</i>
Wetland 7	McHenry Cammal	Pipeline Workspace	PFO	Wild		1,524		808	41.415978° 77.389448°
TOTAL IMPACTS						1,524		808	

FLOODWAY IMPACT TABLE:

<i>Resource Name</i>	<i>Municipality Quadrangle</i>	<i>Activity</i>	<i>Impact Length Temp. (LF)</i>	<i>Impact Area Temp. (SF)</i>	<i>Impact Length Perm. (LF)</i>	<i>Impact Area Perm. (SF)</i>	<i>Lat. Long.</i>
Channel 1 Hackett Fork	McHenry Cammal	Timber Mats Workspace		1,856			41.40720° 77.368915°
Channel 3 Ott Fork	McHenry Cammal	Pipeline Workspace		1,017		493	41.414114° 77.389216°
Channel 4 UNT Bennys Run	McHenry Cammal	Pipeline Workspace		102		18	41.425849° 77.390034°
Channel 5 UNT Bennys Run	McHenry Cammal	Pipeline Workspace		211		53	41.426394° 77.389557°
Channel 6 Bark Cabin Run	McHenry Cammal	Pipeline Workspace		1,835		638	41.430196° 77.390936°
Channel 9 Silver Branch	McHenry Cammal	Pipeline Workspace		1,644		599	41.389294° 77.389351°
Channel 9A UNT Silver Branch	McHenry Cammal	Pipeline Workspace		1,413		525	41.439099° 77.389347°

<i>Resource Name</i>	<i>Municipality Quadrangle</i>	<i>Activity</i>	<i>Impact Length Temp. (LF)</i>	<i>Impact Area Temp. (SF)</i>	<i>Impact Length Perm. (LF)</i>	<i>Impact Area Perm. (SF)</i>	<i>Lat. Long.</i>
Channel 10 UNT Silver Branch	McHenry Cammal	Pipeline Workspace		1,422		504	41.447727° 77.383877°
Channel 12 UNT Bennys Run	McHenry Cammal	Pipeline Workspace		141		74	41.425595° 77.390386°
TOTAL IMPACTS				9,641		2,904	

Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: RA-EPWW-NWRO@pa.gov.

E3306224-001. Eldred Township, 3441 Route 36, Brookville, PA 15825, Elder Township, **Jefferson County**. U.S. Army Corps of Engineers Pittsburgh District.

Remove the existing structure and to construct and maintain a steel I-beam bridge having a clear span of 36.7 feet and an under-clearance of 9.2 feet-on a 15 41.204829 stream skew providing a waterway opening of approximately 316 square feet across Mill Creek (HQ-CWF) and resulting in 0.002 acre of permanent wetland impact on T-353 approximately 0.20 mile Northwest of the intersection of T353 and Ferguson Rd. Latitude: 41.204829°, Longitude: -79.128861°. Application received: June 20, 2024. Issued: September 27, 2024.

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: 717-705-4802.

E6703223-016. Wrightsville Borough, 601 Water Street, Wrightsville, PA 17368-1503, Wrightsville Borough, **York County**. U.S. Army Corps of Engineers Baltimore District.

To place, grade, and maintain approximately 480-feet by 320-feet of fill at Waterfront Park in the floodplain of the Susquehanna River (WWF) for the purpose of promoting positive drainage to the existing outfall pipe. The project is located northwest of the intersection of Water St. and Lemon St. (Latitude: 40.02169° N; Longitude: -76.52411° W) in Wrightsville Borough, York County. No wetland impact is associated with this project. Latitude: 40.02169°N°, Longitude: -76.52411° W. Application received: October 27, 2023. Issued: September 25, 2024.

E3403124-001. PennDOT Engineering District 2-0, 70 PennDOT Drive, Clearfield, PA 16803, Turbett Township, **Juniata County**. U.S. Army Corps of Engineers Baltimore District.

To remove existing structure and to (1) install and maintain a 37 foot 0.5 inch 10 foot x 6-foot Box culvert in UNT Juniata (CWF, MF) riprap scour protection and (2) relocate 190 linear feet of UNT Juniata (CWF, MF) for the purpose of improving transportation safety. The project proposes to permanently impact 284 linear feet and temporarily impact 16 linear feet of stream channel. The project is located in Turbett Township, Juniata County (40.5275°, -77.3436°) Latitude: 40.5275°, Longitude: -77.3436°. Application received: May 8, 2024. Issued: September 19, 2024.

E0603124-001. PennDOT Engineering District 5-0, 1002 Hamilton Street, Allentown, PA 18101, Amity Township, **Berks County**. U.S. Army Corps of Engineers Philadelphia District.

To remove existing structures and to (1) to install and maintain a 60 foot x 45 foot 5 inch foot bridge over Monocacy Creek (WWF, MF) with riprap scour protection and (2) install and maintain a 39.5 linear foot 7 foot x 7 foot box culvert with 1 foot uniform depression in UNT Monocacy Creek (WWF, MF) with riprap scour protection all for the purpose upgrading the roadway drainage to maintain transportation safety and roadway standards. The project proposes to permanently impact 65 linear feet of stream change with 229 linear feet of temporary impacts. The project is located along SR 2041-01B in Amity Township, Berks County (Latitude: 40.3102 Longitude: -75.7836). Latitude: 40.3102°, Longitude: -75.7836°. Application received: January 26, 2024. Issued: September 18, 2024.

E2203223-002. Prologis, L.P., 7584 Morris Court, Allentown, PA 18106, West Hanover Township, **Dauphin County**. U.S. Army Corps of Engineers Baltimore District.

To 1.) place and maintain fill in palustrine scrub shrub/forested wetlands, permanently impacting 0.15 acre of wetlands; 2.) construct and maintain an access drive with a 20-foot-wide by 9.17-foot-high BEBO concrete arch culvert, a 6.0-inch PVC sanitary sewer line, 3.0-inch and 8.0-inch ductile iron water lines, three, 3.0-inch PVC electric lines, a 6.0-inch PVC gas line, and two 4.0-inch PVC communications line embedded in the roadway fill, all impacting 0.28 acre of palustrine emergent wetlands; and 3.) place and maintain fill in unnamed tributaries to Walnut Run (WWF, MF), permanently impacting 451 linear feet of stream channel, and 1.07 acres of floodway, all for the purpose of constructing a proposed warehouse. The project is located near the intersection of Quality Road and Linglestown Road (Latitude: 40°, 21', 27" N; Longitude: 76°, 44', 21" W), in West Hanover Township, Dauphin County. To compensate for the proposed impacts, the permittee shall purchase 0.71 wetland credits and 494 stream credits from the Codorus Creek Mitigation Bank (DEP Permit # MB990367-001) in York County, PA. Latitude: 40°, 21', 27" N, Longitude: -76°, 44', 21" W. Application received: February 6, 2023. Issued: September 30, 2024.

Southeast Region: Waterways & Wetlands Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: ra-ep-ww-sero-105@pa.gov.

E1501224-002. East Bradford Township, 676 Copeland School road, West Chester, PA 19380, East Bradford Township, **Chester County**. U.S. Army Corps of Engineers Philadelphia District. Latitude: 39.93032°, Longitude: -75.61624°. Application received: March 25, 2024.

Permit Number: E1501224-002

Applicant Name: East Bradford Township

Applicant Phone: 215 345 1440

Applicant Address: 676 Copeland School Road
West Chester, PA 19380

DEP Regional Office: SERO

DEP Reviewer: Abdel Nassani/Josh Hassler

Reviewer Phone: 484 250-5170

Reviewer Email: anassani@pa.gov

Project County: Chester

Project Municipality: East Bradford Twp.

4) 4,720.5 sq. ft. of permanent floodplain impacts for the trail and access area.

The project will follow along Tigue Road and SR-52 between Birmingham Road and terminate near the South New Street.

(West Chester, PA USGS Quadrangle, Latitude: 39.93032; Longitude: -75.61624) in East Bradford Township, Chester County.

Southwest Region: Oil and Gas Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: D. J. Stevenson, 412-442-4281, RA-EPSW-OGSUBMISSION@pa.gov.

E3007224-001. DTM Appalachia Gathering, LLC, 1000 Noble Energy Drive, Suite 500, Canonsburg, PA 15317, Jefferson Township, **Greene County**. U.S. Army Corps of Engineers Pittsburgh District. Latitude: 39.895057°, Longitude: -80.0086549°. Application received: May 22, 2024. Issued: September 26, 2024.

The project proposes to expand the existing AGS Booster Station pad to support additional compressor facilities. Project proposes permanent direct impact to one (1) Palustrine Emergent (PEM) wetland due to placement of permanent fill. Total permanent impacts are proposed to 1,801 SF (0.04 acre) of PEM wetland. Overall project impacts include construction/expansion of existing permanent booster pad, construction of a permanent access road, two permanent stormwater management detention facilities, and an overhead electric line.

The East Bradford Township is proposing to construct and maintain the following listed water obstruction and encroachment activities associated with the Plum Run Trail and Heritage Area Project. The proposed project is located within the floodway and floodplain of Plum Run (WWF, MF). The proposed project will include the following:

the installation of a 1-mile long segment of the multi-use, 8-foot wide, asphalt-surfaced, in and along the 100-year floodplain of Plum Run (WWF, MF). The proposed project will include the following:

- 1) The construction of a 1-mile long segment of the multi-use, 8-foot wide, asphalt-surfaced trail.
- 2) The construction of a new pedestrian bridge 50 ft long, by 8 ft wide, by 8.3 high, from Outdoor Heritage Center, and amenities from West Chester University to the proposed Strodes Barn Outdoor Heritage Center.
- 3) 775 sq. ft. of permanent impacts and 100.7 sq. ft. of temporary impacts for a proposed pedestrian bridge over Plum Run.

<i>Resource Name</i>	<i>Aquatic Resource Type</i>	<i>Activity</i>	<i>Chapter 93</i>	<i>Latitude / Longitude</i>	<i>Impact Area Temp. (SF)</i>	<i>Impact Area Perm. (SF)</i>	<i>Impact Area Temp. (LF)</i>	<i>Impact Area Temp. (Ac)</i>
Crossing 1— Wetland 3	Palustrine Emergent	Placement of Fill	Other Waters	39.894795 -80.086559	0	1,801	0	0.04

E6507223-012. Hyperion Midstream, LLC, 501 Technology Drive, Canonsburg, PA 15317, Murrysville Borough, Salem Township, Washington Township, **Westmoreland County**. U.S. Army Corps of Engineers Pittsburgh District. Latitude: 40.431037°, Longitude: -79.563944°. Application received: July 11, 2023. Issued: September 10, 2024.

The project proposes to install approximately 8.4 miles of one (1) 30-inch steel natural gas between the existing Athena Well Pad and the proposed Odyssey Interconnect. A portion of Beaver Run downstream of the site is designated a naturally reproducing trout stream by the Pennsylvania Fish and Boat Commission and, therefore, considered a wild trout stream by the Pennsylvania Department of Environmental Protection (PADEP). Wetlands located in or along the floodplain of the reach of a wild trout stream or its tributaries are considered Exceptional Value (EV) wetlands. The Beaver Run Reservoir is also located downstream of a portion of the site. Wetlands located in or along the floodplain of streams flowing to the reservoir are also considered EV wetlands by the PADEP. The project also proposes impacts to tributaries to Steels Run, Thorn Run, and Porters Run, which are designated as High Quality (HQ) Cold Water Fishes (CWF). Additionally, Beaver Run is designated as Trout Stocking (TSF). Impacts to EV Wetland and HQ streams are proposed for the project.

Temporary and/or permanent impacts to 14 wetlands and 16 streams are proposed for the project due to one or more of the following work activities: excavation, construction access, outlet drains, bank rehabilitation, geohazard mitigation, timber mats, conventional boring, and erosion and sedimentation controls. Impacts to EV Wetland and HQ streams are proposed for the project. Approximately 0.122 acre of permanent impacts and 0.092 acre of temporary impacts to EV wetlands are proposed for authorization under this Joint Permit Application. To offset the 0.016 acre of permanent, conversion impacts to EV-Palustrine Scrub Shrub (PSS) wetlands, approximately 0.064 acre of PSS wetland will be replaced via onsite mitigation. Impacts to the floodways of Thorn Run and Tributary 43018 to Beaver Run are proposed for geogrid installation. All other wetland, stream, and floodway impacts are proposed to be registered under General Permit numbers GP036507223-003, GP056507223-014, and GP086507223-021. Proposed EV wetland impacts are as follows:

Resource	Wetland Classification	Work Activity*	Coordinates	Temporary (acres)	Permanent (acres)
Wetland 1	PEM	PROW/ Timber Mat	40.459763 -79.601866	0.007	0.010
Wetland 6A	PEM	Excavation/ Timber Mat/ PROW	40.438866 -79.582297	0.009	0.025
Wetland 6A	PSS	Excavation/ Timber Mat/ PROW	40.438845 -79.582276	-	0.015
Wetland 11	PEM	PROW/ Timber Mat	40.429082 -79.558696	0.017	0.001
Wetland 14	PSS	Conventional Bore	40.428990 -79.557221	-	0.001
Wetland 13A	PEM	Excavation/ PROW/ Timber Mat	40.426052 -79.552832	0.036	0.031
Wetland 16A	PEM	Excavation/ PROW/ Timber Mat	40.425764 -79.551941	0.006	0.019
Wetland 19D	PEM	Excavation/ PROW/ Timber Mat	40.411014 -79.538959	0.006	0.009
Wetland 20C	PEM	Timber Mat and TROW	40.410151 -79.537651	0.011	-
Wetland 20A	PEM	Excavation and PROW	40.410308 -79.537562	-	0.011
Wetland Totals	PEM(EV)			0.092	0.106
Wetland Totals	PSS(EV)			-	0.016

*PROW = Permanent Right-of-Way

TROW = Temporary Right-of-Way

Contact: Dana Drake, Program Manager.

E26052-389A-1. Fore Golf Company, 440 Pleasant Valley Road, Connellsville, PA 15425, Bullskin Township, **Fayette County**. U.S. Army Corps of Engineers Pittsburgh District.

Application received: December 23, 2021. Issued: September 30, 2024.

E26052-389A-1 (Previously Published as E2605221-003), Fore Golf Company, 440 Pleasant Valley Road, Bullskin Township, **Fayette County**; Pittsburgh ACOE District

To amend Permit No. E26052-389, which authorized the following:

1. Operate and maintain a 78-foot by 8-foot single span bridge over Mounts Creek (WWF);
2. Operate and maintain 466 feet of cart path pavement in the floodway of the unnamed tributary to Mounts Creek (WWF);
3. Operate and maintain a 24-inch CPP stormwater pipe along the right descending bank of the UNT to Mounts Creek;
4. Operate and maintain two 8-inch PVC outfall structures that drain the pond along the right descending bank of the UNT to Mounts Creek.
5. Operate and maintain 4,000 square feet of pond located in the floodway of the UNT to Mounts Creek;
6. Operate and maintain a 32-foot by 8-foot single span bridge that provides access to green within a pond;
7. Operate and maintain a 30-foot by 8-foot single span bridge that provides access to a second green along the aforementioned pond;

8. Operate and maintain a 25-foot by 10-foot single span bridge for cart passage along a second pond

This amendment proposes to:

1. Operate and maintain 400 feet of stream bank stabilization with R-4 riprap along both banks of Mounts Creek, and grading within the floodway;
2. Operate and maintain 1,050 feet of pond bank stabilization with R-4 riprap along a pond (Pond No. 1);
3. Operate and maintain 610 feet of pond bank stabilization with R-4 riprap along a pond (Pond No. 2);
4. Operate and maintain 72 feet of 8-inch diameter concrete inlet pipe for a yard drain within the floodway of Spruce Run (WWF), which replaced an 8-inch diameter pipe of equal length in the same location;
5. Operate and maintain a 125-foot by 170-foot earthen mound within the floodway of the UNT to Mounts Creek.

E6305221-013. Nancy Opferman, 3 Airport Rd, Washington, PA 15332, Union Township, **Washington County**. U.S. Army Corps of Engineers Pittsburgh District.

Application received: September 1, 2021. Issued: September 30, 2024.

The applicant has been given consent to:

Operate and maintain a previously installed 210-foot-long 48" corrugated metal in an unnamed tributary (UNT) of Froman Run (WWF), to construct and maintain inlet protection consisting of 6 linear feet (LF) of R-6 riprap choked with native stream bed material in the UNT to Froman Run, and to construct and maintain outlet protection consisting of 26 LF of R-6 choked with native streambed material within the UNT to Froman

Run and along Wetland 1, for the purpose of replacing an existing 24" pipe that was collapsed and clogged with sediment.

Cumulatively, the project will result in 242 LF of watercourse impacts and 26 LF of impacts along wetlands.

The project site is located at the intersection of Airport Road and Lake Drive (Hackett, PA USGS topographic quadrangle; N: 40°, 14', 6.90"; W: -80°, 00', 5.82"; Sub-basin 19C, USACE Pittsburgh District), in Union Township, Washington County.

E110205223-001. Johnstown Redevelopment Authority, 416 Main Street, Suite 200, Johnstown, PA 15901, City of Johnstown, **Cambria County**. U.S. Army Corps of Engineers Pittsburgh District.

Application received: July 7, 2023. Issued: September 30, 2024.

The applicant has been given consent to:

1. Construct and maintain 29 linear feet (LF) of 30-inch smooth line corrugated plastic pipe (SLCPP), in association with a road crossing of a UNT to Hinckston Run (WWF), which will connect to a stormwater inlet within the berm of this roadway.

2. Construct and maintain 30 LF of 30-inch SLCPP in association with a road crossing of this same UNT to Hinckston Run, which will also connect to the aforementioned stormwater inlet.

3. Construct and maintain 78 LF of rock lined channel in UNT to Hinckston Run, below the aforementioned roadway pipes. This activity will also impact approximately 0.005 acre of floodway to UNT of Hinckston Run.

4. Construct and maintain a portion of this access road within the floodplain of the Conemaugh River (WWF) resulting in 0.044 acre of permanent impact and 0.076 acre of temporary impact.

For the purpose of the construction of a new access road from the existing Iron Street to an area of approximately 55 acres of developable land existing on 115 acres of Johnstown Redevelopment Authority owned property. Total permanent impacts to watercourses will be 124 LF. Total permanent impacts to floodways will be 0.105 acre, and total temporary floodway impacts will be 0.287 acre. Total permanent impacts to the floodplain will be 0.44 acre, and total temporary impacts to the floodplain will be 0.76 acre.

The project site is located at 124 Iron Street, City of Johnstown, PA 15906 (Johnstown, PA USGS topographic quadrangle; N: 40°, 20', 22"; W: -78°, 55', 20"; Sub-basin 18D; USACE Pittsburgh District), in City of Johnstown, Cambria County.

E0405223-007. Wright Brothers Development, VII, LLC, 1200 Sharon Road, Suite 1, Beaver, PA 15009, Vanport Township, **Beaver County**. U.S. Army Corps of Engineers Pittsburgh District.

Application received: July 17, 2023. Issued: September 30, 2024.

The applicant has been given consent to:

Place and maintain fill in 0.136 acre of PEM wetland for the purpose of developing a clean fill site to mitigate an abandoned quarry high wall. The project will permanently impact 0.136 acre of PEM wetland. To mitigate for impacts to 0.14 acre of PEM wetland, the permittee will purchase 0.14 acre of wetland credits from the Rocky Run

Mitigation Bank, which is managed by Water and Land Solutions (DEP File No.: MB9915-0004) in Compensation Service Area 20S.

The project site is located from an access from Olivia Street, behind parcels that front 3rd Street, South Walnut Lane, Georgetown Lane and Olivia Street (Beaver, PA USGS topographic quadrangle; N: 40°, 41', 20"; W: -80°, 19', 19"; Sub-basin 20B; USACE Pittsburgh District), in Vanport Township, Beaver County.

E0405223-008. Franklin Township, 897 Route 288, Fombell, PA 16123, City of Franklin, **Beaver County**. U.S. Army Corps of Engineers Pittsburgh District.

Application received: June 26, 2023. Issued: September 30, 2024.

The applicant has been given consent to:

1. Construct and maintain a 71 linear foot (LF) extension at the downstream end of the existing 98 LF long, dual 24-inch diameter corrugated plastic pipes. This extension will consist of 9 LF of new dual 24-inch diameter high density polyethylene (HDPE) pipes, into a new cast-in-place Penn DOT type 6 inlet box, followed by 60 LF of new 40-inch diameter spiral rib aluminized steel pipe, plus outlet protection. This activity will result in the creation of a 169 LF stream enclosure of an un-named tributary (UNT) to Connoquenessing Creek (WWF). Fill will be placed within this watercourse and within 855 square feet (SF) of its associated floodway, over this extension.

2. Remove an existing 15-inch diameter 45 LF long corrugated plastic pipe storm sewer pipe and construct and maintain a replacement 15-inch diameter 45 LF long HDPE pipe within the floodway of the same UNT to Connoquenessing Creek. This storm sewer pipe will connect into one of the 9 LF 24-inch HDPE extensions noted previously in item 1. This activity will result in 63 SF of permanent impact and 105 SF of temporary impact to the floodway.

For the purposes of improving vehicular and pedestrian safety, replacing aging infrastructure, and protecting existing infrastructure in the project area. Cumulatively, the project will permanently impact approximately 101 LF of the UNT to Connoquenessing Creek. In addition, the project will permanently impact approximately 918 SF and temporarily impact approximately 105 SF of the UNT to Connoquenessing Creek's floodway.

Compensatory mitigation for permanent impacts to watercourses will be provided through the purchase of credits from the Department's in-lieu fee program.

The project site is located on the east side of Mecklem Lane at its intersection with Franklin Street (Beaver Falls, PA USGS topographic quadrangle; 40° 51' 11.1228" N, -80° 15' 44.9590" W; Sub-basin 20C; USACE Pittsburgh District), in Franklin Township, Beaver County.

E6305224-003. McDonald Borough, 151 School Street, McDonald, PA 15057, McDonald Borough, **Washington County**. U.S. Army Corps of Engineers Pittsburgh District.

Application received: April 12, 2024. Issued: September 30, 2024.

The applicant has been given consent to:

Construct and maintain a prefabricated pedestrian bridge (64 feet long by 10 feet wide), with concrete footers, across Robinson Run (WWF).

For the purpose of providing a connection between the Panhandle Trail and Heritage Park in McDonald Borough.

The project proposes to permanently impact 10 linear feet and temporarily impact 20 linear feet of watercourse. Additionally, the project proposes to permanently impact 475 square feet (0.01 acre) of floodway and temporarily impact 2,678 square feet (0.06 acre) of floodway.

The project site is located on West End Drive near Heritage Park, (Canonsburg, PA USGS topographic quadrangle; N: 40°, 21', 54"; W: -80°, 14', 36.6918"; Sub-basin 20F; USACE Pittsburgh District), in Cecil Township and Robinson Township, Washington County.

E6305222-012. Maronda Homes, Inc., 11 Timberglen Drive, Imperial, PA 15126, Cecil Township, **Washington County**. U.S. Army Corps of Engineers Pittsburgh District.

Application received: September 26, 2022. Issued: September 30, 2024.

The applicant has been given consent to:

Construct and maintain:

1. A stream enclosure consisting of 169 linear feet (LF) of 12' wide with an 11.5' rise open bottom concrete culvert with wingwalls to carry Watercourse A, an unnamed tributary (UNT) to Millers Run (WWF), under a constructed road crossing, impacting 169 LF of Watercourse A and 22,984 square feet (SF) of its floodway;

2. Four (4) utility line crossings of Watercourse A, to provide utility services to the proposed development, impacting a total of 16 LF of Watercourse A and 172 SF of its floodway. These utility lines include one (1) natural gas line, one (1) 15" stormwater pipe, one (1) electrical conduit, and one (1) 12" water line;

3. Fill in association with placement of riprap for inlet protection, impacting 51 LF of Watercourse A and 1,632 SF of its floodway;

4. Fill in association with placement of riprap for culvert and basin outfall protection, impacting 51 LF of Watercourse A and 1,632 SF of its floodway;

5. Fill in association with a basin and wingwall, impacting 15,860 SF of Watercourse A's floodway;

6. Fill in association with an access road and wingwall, impacting 4,446 SF of Watercourse A's floodway;

7. A stream enclosure consisting of approximately 86.5 LF of 48" diameter SLCSP pipe, connected to a stormwater manhole, and then approximately 118.5 LF of 48-inch SLCSP pipe, to carry Watercourse E, a UNT to Millers Run (WWF), under a constructed road crossing, impacting 222 LF of Watercourse E and 11,988 SF of its floodway. At the point of impact Watercourse E has less than a 100-acres upstream drainage area;

8. Five (5) utility line crossings of Watercourse E to provide utility services to the proposed development, impacting a total of 20 LF of Watercourse E and 80 SF of its floodway. These utility lines include one (1) 8" natural gas line, one (1) 48" stormwater pipe, one (1) electrical conduit, one (1) 8" potable water line, and one (1) 8" sanitary sewer line. At the location of these impacts, Watercourse E has less than a 100-acres upstream drainage area;

9. Fill in association with culvert outfall protection, impacting 13 LF of Watercourse E and 702 SF of its floodway. At the location of these impacts, Watercourse E has less than a 100-acres upstream drainage area;

10. Maintain an existing outlet channel, impacting 84 LF of Watercourse E and 420 SF of its floodway. At the location of these impacts, Watercourse E has less than a 100-acres upstream drainage area;

11. Fill in association with placement of riprap for basin outfall protection, impacting 3 LF of Watercourse H, with less than a 100-acres upstream drainage area, and 27 SF of its floodway;

12. Fill within 55 LF of an area of Watercourse E, with less than a 100-acres upstream drainage area, and 55 SF of its floodway as a result of lot grading;

13. A culvert consisting of 16 LF of 18" Smooth Lined Corrugated Plastic pipe (SLCPP), to carry Watercourse M, a UNT of Millers Run (WWF), with less than a 100-acres drainage area, under an asphalt walking trail, impacting 16 LF of Watercourse M and 384 SF of its floodway;

14. Fill in association with placement of riprap for culvert outfall protection, impacting 11 LF of Watercourse M, at an area with less than a 100-acres upstream drainage area, and 88 SF of its floodway;

15. Fill within 36 LF of Watercourse P, a UNT of Millers Run (WWF), with less than a 100-acres upstream drainage area, and 180 SF of its floodway as a result of road construction;

16. Fill within 70 LF of Watercourse G, a UNT of Millers Run (WWF), with less than a 100-acres upstream drainage area, and 70 SF of its floodway as a result of lot grading.

For the purpose of constructing 242 new single-family housing units and associated facilities. Cumulatively, the project will permanently impact approximately 817 LF of watercourses (530 LF of which will be to watercourses with a drainage area of less than 100 acres). In addition, the project will cumulatively and permanently impact approximately 60,720 SF of floodways (13,994 SF of which will be within floodways along watercourses with a drainage area less than 100 acres).

Mitigation for the project impacts includes the purchase of 619.00 linear feet of stream credits from First Pennsylvania Resource LLC at the Robinson Fork Mitigation Bank—Phase 2.

The project site is located on the western side of Reissing Road, across from its intersection with South Fayette Way (Canonsburg, PA USGS topographic quadrangle; 40°, 20', 8" N, -80°, 11', 45" W; Sub-basin 20F; USACE Pittsburgh District), in Cecil Township, Washington County.

E0205221-011. The Borough of Jefferson Hills, 925 Clairton Road, Jefferson Hills, PA 15025, Jefferson Hills Borough, **Allegheny County**. U.S. Army Corps of Engineers Pittsburgh District.

Application received: May 26, 2021. Issued: September 30, 2024.

The applicant has been given consent to:

Construct, operate, and maintain a stream enclosure, consisting of two (2) 72" SLCPP pipes, at 145 linear feet each, in an unnamed tributary (UNT) to Lick Run (TSF), in association with the construction of a new roadway, Frank Street over this watercourse, for the purpose of emergency access. The project will permanently impact 0.007 acre of wetland, 0.13 acre of floodway, and 150 linear feet of stream, and will temporarily impact 0.014 acre of wetland and 40 feet of stream. Stream mitigation is also proposed to offset the permanent stream impacts.

The project site is located at 4214 Harlin Drive and Spaniel Lane (Glassport, PA USGS topographic quadrangle; N: -40°, 19', 3.41"; W: -79°, 57', 58.37"; Sub-basin 19C; USACE Pittsburgh District), in the Borough of Jefferson Hills, Allegheny County.

E0205221-008A-1. Duquesne Light Company, 841 New Beaver Avenue, Pittsburgh, PA 15233, City of Pittsburgh, **Allegheny County**. U.S. Army Corps of Engineers Pittsburgh District.

Application received: June 5, 2023. Issued: September 30, 2024.

The applicant has been given consent to:

1. Amend Permit No. E0205221-008, which authorized the replacement of 14.5 miles of overhead electrical transmission lines and 100 steel lattice transmission towers, permanently impacting 0.362 acre of wetlands and 0.342 acre of watercourses, including the Ohio River (WWF) and some of its tributaries (WWF), and Chartiers Creek (WWF) and some of its tributaries (WWF), in association with the Brunot Island—Crescent Project. This amendment seeks authorization to maintain fill, caused by a landslide, within 289 linear feet of an unnamed tributary to Montour Run (TSF) and 0.03 acre of adjacent wetland, for the purpose of stabilizing the site and preventing future landslides, at the location listed as follows, of the Petrie Road Pole Replacement project after landslide conditions developed.

The project site is located on North Petrie Rd, around 1.4 miles from the intersection with PA-51 (Oakdale, PA USGS topographic quadrangle; N: -40°, 29', 34.4472"; W: -80°, 8', 51.0216"; Sub-basin 20F; USACE Pittsburgh District), in City of Pittsburgh, Allegheny County.

ENVIRONMENTAL ASSESSMENTS

Central Office: Waterways & Wetlands Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-787-3411.

Contact: Josh Fair, Water Program Specialist, 717-772-5988.

D28-103EA. Washington Jewish Community Camp Corp, 11300 Rockville Pike, Suite 407, Rockville, MD 20852, Washington Township, **Franklin County**. U.S. Army Corps of Engineers Baltimore District.

A proposal to remove Comet Lake Dam to eliminate a threat to public safety and to restore approximately 600 feet of stream channel to a free-flowing condition. The project is located across a tributary to Red Run (CWF, MF) Latitude: 39.7424°, Longitude: -77.5059°. Application received: September 2, 2024. Approved: September 30, 2024.

Contact: Niamh Hays, Water Program Specialist, 717-772-5959.

EA6715224-001. Springfield Township, 9211 Susquehanna Trail South, Seven Valleys, PA 17360, Springfield Township, **York County**. U.S. Army Corps of Engineers Baltimore District.

The Division of Wetlands, Encroachments, and Training has approved the restoration plan to restore approximately 2.7 acres of integrated stream, wetland, and floodplain areas along three unnamed tributaries to East Branch Codorus Creek (CWF-MF); to realign approximately 2,800 linear feet of stream for the purpose of restoring watercourses; to place rock stream and valley grade control structures, woody debris, and other aquatic habitat structures within the restoration areas; to construct temporary stream crossings, rock construction en-

trances, and other erosion controls during restoration activities. Other proposed work includes the modification of three outfall structures. The restoration project is located in the Hillside Heights neighborhood, bound by Sweitzer Drive and Oakwood Court to the southwest and Salem Court to the northeast, in Springfield Township, York, PA Latitude: 39.876667°, Longitude: -76.718333°. Application received: February 15, 2024. Approved: September 26, 2024.

DAM SAFETY

Central Office: Waterways & Wetlands Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-772-5321.

Contact: Josh Fair, Water Program Specialist, 717-772-5988.

D22-132EA. Steve Houser; Construction Director, Milton Hershey School, 1201 Homestead Lane, Hershey, PA 17033, Derry Township, **Dauphin County**. The Department has reviewed and approved a proposal to remove Dam 2 on the Milton Hershey School property to eliminate a threat to public safety and to restore approximately 80 feet of stream channel to a free-flowing condition. The proposed restoration project includes full dam removal and grading of the right bank upstream to lessen the stream bank slope and reduce shear stress. The project is located across a tributary to Spring Creek (WWF, MF) (Hershey, PA Quadrangle). Lat: 40.2616, Long: -76.6308. Application received: July 8, 2024. Approved: September 24, 2024.

Contact: Josh Fair, Water program Specialist, 717-772-5988.

D13-123, D13-015, D13-014, D13-13EA. Brooke Klotz, 101 East Tenth Street, Jim Thorpe, PA 18229, Jim Thorpe Borough, **Carbon County**. The Department has reviewed and approved a proposal to remove the Nos. 1—4 Dams to eliminate a threat to public safety and to cumulatively restore approximately 350 feet of stream channel to a free-flowing condition. The proposed restoration project includes full sediment removal within the proposed floodway on D13-015. The stream morphometry will mimic upstream reference conditions in the stream's historic alignment. Native stone from the dams will be incorporated into the stream channel to mimic natural conditions. The projects are located across Silk Mill Run (Existing Use (EV, MF)) (Christmans, PA Quadrangle. In Order: 40.8840, -75.7093, 40.8827, -75.7116, 40.8805, -75.7159, 40.8789, -75.7190. Application received: July 1, 2024. Approved: September 24, 2024.

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-

3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information.

Eastern District: Oil and Gas Management Program, 208 West Third Street, Williamsport, PA 17701-6448.

Contact: RA-EPEASTERNOGPRG@pa.gov.

ESCGP # 3 **ESG295819021-01**
 Applicant Name **Coterra Energy Inc.**
 Contact Person Luke Marsh
 Address 2000 Park Lane Dr
 Suite 300
 City, State, Zip Pittsburgh, PA 15275
 Township(s) Dimock Township
 County **Susquehanna County**
 Receiving Stream(s) Tributary 29418 to Burdick
 and Classification(s) Creek (CWF/MF) Secondary;
 Meshoppen Creek (CWF)
 Application received: August 28, 2024
 Issued: September 26, 2024

Northwest Region: Oil and Gas Management Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: RA-EPOILGASDROPBOX@pa.gov.

ESCGP # 3 **ESG080324006-01**
 Applicant Name **Snyder Bros Inc.**
 Contact Person Carl Rose
 Address P.O. Box 1022
 City, State, Zip Kittanning, PA 16201
 Township(s) North Buffalo Township
 County **Armstrong County**
 Receiving Stream(s) Tributary 46182 to Allegheny
 and Classification(s) River (WWF), Tributary 46186 to
 Glade Run (TSF), Tributary
 46187 to Glade Run (TSF),
 Unnamed Tributary to Tributary
 46186 to Glade Run (TSF),
 Unnamed Tributary to Tributary
 46187 to Glade Run (TSF)
 Application received: September 10, 2024
 Issued: September 27, 2024
 ESCGP # 3 **ESG080319008-01**
 Applicant Name **Snyder Bros Inc.**
 Contact Person Carl Rose
 Address P.O. Box 1022

City, State, Zip Kittanning, PA 16201
 Township(s) South Buffalo Township
 County **Armstrong County**
 Receiving Stream(s) Hill Run (WWF), Nicholson Run
 and Classification(s) (WWF), Trib 46170 to Nicholson
 Run (WWF), Trib 46171 to
 Nicholson Run (WWF), Trib
 46172 to Nicholson Run (WWF),
 Tributary 46174 to Nicholson
 Run (WWF), Watson Run (WWF)
 Application received: August 23, 2024
 Issued: September 27, 2024

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 2

The Following Plan(s) and Report(s) Were Submitted Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DEP has received the following plans and reports.

Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Chris, 724-598-2206.

Reds Place for Car Care, Storage Tank Facility ID # **37-20525**, 101 South New Castle Street, New Wilmington, PA 16142, New Wilmington Borough, **Lawrence County**. Letterle & Associates, Inc., 191 Howard Street, Suite 108, Franklin, PA 16323, on behalf of Red's Place for Car Care LLC, 101 South New Castle Street, New Wilmington, PA 16142, submitted a Remedial Action Completion Report concerning remediation of soil and

groundwater contaminated with unleaded gasoline. The report is intended to document the remedial actions for meeting residential and nonresidential site-specific standards.

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 3

Action(s) Taken on the Following Plans and Reports Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports.

A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

DEP may approve or disapprove plans and reports submitted. This notice provides DEP's decision and, if relevant, the basis for disapproval.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DEP has received the following plans and reports.

Northcentral Region: Environmental Cleanup & Brownfields Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Randy Farmerie, P.G., Environmental Program Manager, 570-327-3716.

Northumberland Terminal, Storage Tank Facility ID # **49-03531**, Rd 1 Box 285E, Northumberland, PA 17857, Point Township, **Northumberland County**. Aquaterra Technologies Inc., 901 S. Bomar St, Suite 1A, Westchester, PA 19382, on behalf of Terminal Operations, a series of Evergreen Resources Group, LLC, 2 Righter Parkway, Suite 120, Wilmington, DE 19803, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report demonstrated attainment of the nonresidential site-specific standards and was approved by DEP on September 26, 2024.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

K&S Convenience, Storage Tank Facility ID # **40-50801**, 835 Exeter Avenue, Exeter, PA 18643, West Pittston Borough, **Luzerne County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Dante Bovani, 835 Exeter Avenue, Exeter, PA 18643, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum. The plan was acceptable to meet the Statewide health standards and was approved by DEP on September 30, 2024.

Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Jordan, 814-332-6172.

Kwik Fill M143, Storage Tank Facility ID # **25-22464**, 165 South Lake Street, North East, PA 16428, North East Borough, **Erie County**. Environmental Remediation & Recovery, Inc., 4250 Route 6N, Edinboro, PA 16412, on behalf of United Refining Company, P.O. Box 688, Warren, PA 16365, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The plan was acceptable to meet the residential Statewide health standards and was approved by DEP on September 27, 2024.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Richard M. Staron, Professional Geologist Manager, 484-250-5717.

Folcroft Sunoco, Storage Tank Facility ID # **23-40768**, 1898 Delmar Drive, Folcroft, PA 10932, Folcroft Borough, **Delaware County**. August Mack Environmental, LLC, 806 Fayette Street, Conshohocken, PA 19428, on behalf of John Vecchioli, 1898 Delmar Drive, Folcroft, PA 10932, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The combined plan and report demonstrated attainment of the nonresidential site-specific standards and was approved by DEP on September 26, 2024.

SPECIAL NOTICES

WASTE, AIR, RADIATION AND REMEDIATION

Covered Device Prohibited from Sale under Sections 302 and 507 of the Covered Device Recycling Act, Act 108 of 2010.

Central Office: Waste Management Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101.

Contact: Teesha Truesdale, 717-787-7382.

The Department of Environmental Protection (Department) hereby announces that a certain manufacturer of covered devices is not included on the Department's list of registered manufacturers, maintained by the Department under sections 302 and 507 of the Covered Device Recycling Act (CDRA). Accordingly, under Section 302 of the CDRA, no retailer may offer these manufacturers' products for sale within the Commonwealth.

Manufacturers of new covered devices—such as televisions, laptop and desktop computers, tablets, etc.—offered

for sale in Pennsylvania are required to register with the Department prior to commencing sales per Section 304 of the CDRA. Manufacturers must also pay an annual registration fee and submit a recycling plan and annual report. Section 302 of the CDRA prohibits the sale of covered devices in the Commonwealth by unregistered manufacturers.

The Department is required to maintain a list of registered manufacturers per Section 302(b) of the CDRA. The list can be accessed by visiting dep.pa.gov.

The following manufacturer is not included on the Department's list and are therefore considered out of compliance:

Elitegroup Computer Systems, Inc. (ECS), Due to its non-compliant status and non-inclusion on the list of registered manufacturers, the Department is notifying the public, in cooperation with covered device retailers, that the CDRA prohibits the sale of devices manufactured by ECS within the Commonwealth, and that the sale of such devices would constitute unlawful conduct under the CDRA. Non-compliant manufacturers may once again be included on the Department's list of registered manufacturers, and their devices offered for sale in the Commonwealth, if the manufacturers return to compliance with all the applicable provisions of the CDRA.

Inquiries regarding this notification can be directed to Jordan Hoover, Department of Environmental Protection, Bureau of Waste Management, Division of Waste Minimization and Planning, Rachel Carson State Office Building, P.O. Box 8472, Harrisburg, PA 17105-8472, at jorhoover@pa.gov or (717) 783-8973.

Notice of Proposed Consent Order and Agreement Pennsylvania Department of Environmental Protection American Zinc and Chemical Site Smith Township, Washington County, PA.

Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Paul Vogel, 412-442-4132.

Notice is hereby given that the Department of Environmental Protection ("Department") has entered into a proposed Consent Order and Agreement ("COA") with Cyprus Amax Minerals Company ("Cyprus"). The COA memorializes payment by Cyprus of natural resource damages that will be dedicated to restoring, replacing, rehabilitating, and/or acquiring the equivalent of natural resources injured, destroyed, or lost as the result of a release of hazardous substances at or from the American Zinc and Chemical Site, located in Smith Township, Washington County, PA.

The terms of the settlement are set forth in the COA. A copy of the COA is available for inspection at the Department's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222 or the American Zinc and Chemical Site Community Information page on the Department's website, accessible at <https://www.dep.pa.gov/southwest>.

The Department will receive and consider comments relating to the COA for sixty (60) days from the date of this notice. The Department has reserved the right to withdraw its consent to the COA if comments concerning the COA disclose facts or considerations which indicate that the COA is inappropriate, improper, or inadequate.

Comments may be submitted, in writing, to Paul Vogel, Manager, Hazardous Sites Cleanup, PA Department of

Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222 or by emailing the Department at RA-EPSW-HSCA@pa.gov. Further information may be obtained by contacting Mr. Vogel at 412-442-4000.

TDD users may contact the Department through the Pennsylvania Hamilton Relay Services at 800-645-5984.

[Pa.B. Doc. No. 24-1466. Filed for public inspection October 11, 2024, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Bid Opportunity

OSM 16(0030)101.1, Abandoned Mine Reclamation Project, Sarah Furnace, Madison Township, Clarion County. The principal items of work and approximate quantities include the following: implementation of the erosion and sediment pollution control plan—rock construction entrance, 1 each; implementation of the erosion and sediment pollution control plan—compost filter sock, 32" diameter, 900 linear feet; clearing and grubbing, 2.8 acres; grading, 16,150 cubic yards; planting and tree seedlings, 480 each.

This bid issues on October 11, 2024, and bids will be opened on November 7, 2024, at 2 p.m. Bid documents, including drawings in PDF format and AutoCAD Map 3D format, may be downloaded for free beginning on the issue date from the Department of Environmental Protection by going to www.BidExpress.com. This project is financed by the Federal government under the authority given it by the Surface Mining Control and Reclamation Act of 1977 (act) (30 U.S.C. §§ 1201—1328) and is subject to the act and to the Federal grant for this project. Contact the Construction Contracts Section at (717) 787-7820 or RA-ConstructionContr@pa.gov for more information on this bid. Note this is a Small Construction Business Program bid opportunity.

JESSICA SHIRLEY,
Acting Secretary

[Pa.B. Doc. No. 24-1467. Filed for public inspection October 11, 2024, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Food Recovery Infrastructure Grant; Opening of Grant Application Period

The Department of Environmental Protection (Department) announces an opportunity to apply for up to \$50,000 in grant funding offered through the Food Recovery Infrastructure Grant Program (Grant Program). This funding is available for registered section 501(c)(3) non-profit organizations operating in this Commonwealth (26 U.S.C. § 501(c)(3)) for grant assistance for the proper management and operation of food waste reduction under the Municipal Waste Planning, Recycling and Waste Reduction Act (Act 101) (53 P.S. §§ 4000.101—4000.1904).

Food recovery infrastructure grants will be awarded to registered nonprofit organizations for the procurement of

equipment (refrigerators, freezers, refrigerant and nonrefrigerant box trucks, cargo vans, pallet jacks, dollies, hand fork lifts, stoves, ovens and microwaves) to reduce food waste disposal from food retailers, wholesalers, agriculture organizations, farms and cooperatives (grocery stores and the like) by repurposing and redistributing apparently safe and wholesome foods to nonprofits in this Commonwealth that provide food to segments of the public.

The registered nonprofit organization must provide proof of their nonprofit status and describe their current food recovery operation and explain how the food infrastructure equipment will enhance their current program. The registered nonprofit organization must also provide a description of their proposed program and provide what food retailers, wholesalers, agriculture organizations, farms and cooperatives (grocery stores and the like) will be partners for the project. Additionally, the registered nonprofit organization must provide a description of how the program will be operated by staff or volunteers, or both.

Grant awards are predicated on the receipt of recycling fees required by sections 701 and 702 of Act 101 (53 P.S. §§ 4000.701 and 4000.702) and the availability of moneys in the Recycling Fund.

The maximum grant to a registered nonprofit organization cannot exceed \$50,000 for the procurement of food infrastructure equipment attributable exclusively to the grant project. Potential applicants are required to meet with their Department's Regional Planning and Recycling Coordinator prior to submitting an application for funding consideration.

Special consideration will be given to those applicants identified in Environmental Justice (EJ) Areas:

- The Department defines EJ areas as "A geographic area characterized by increased pollution burden, and sensitive or vulnerable populations based on demographic and environmental data."

Grant applications must be submitted through the Department of Community and Economic Development's Electronic Single Application web site, eGrants, at <https://grants.pa.gov>. Applications must be received by 11:59 p.m. on February 28, 2025, to be eligible for funding.

Inquiries concerning this notice and requests for more information about this Grant Program should be directed to Jessica Shilladay, Organics Recycling Coordinator, Department of Environmental Protection, Rachel Carson State Office Building, Bureau of Waste Management, Division of Waste Minimization and Planning, P.O. Box 8472, Harrisburg, PA 17105-8472 at jesshillad@pa.gov or (717) 787-0125.

Regional Planning and Recycling Coordinators

Southeast Region

Bucks, Chester, Delaware, Montgomery and Philadelphia Counties

Department of Environmental Protection
Waste Management Program
2 East Main Street
Norristown, PA 19401
(484) 250-5900
Mary Alice Reisse, mreisse@pa.gov
Ann Ryan, aryan@pa.gov

Northeast Region

Carbon, Lackawanna, Lehigh, Luzerne, Monroe, Northampton, Pike, Schuylkill, Susquehanna, Wayne and Wyoming Counties

Department of Environmental Protection
Waste Management Program
2 Public Square
Wilkes-Barre, PA 18711-0790
(570) 826-2108
[Berit Case, bcase@pa.gov](mailto:bcase@pa.gov)

Southcentral Region

Adams, Bedford, Berks, Blair, Cumberland, Dauphin, Franklin, Fulton, Huntingdon, Juniata, Lancaster, Lebanon, Mifflin, Perry and York Counties

Department of Environmental Protection
Waste Management Program
909 Elmerton Avenue
Harrisburg, PA 17110-8200
(717) 705-6638
Carrie Fleming, cafleming@pa.gov

Northcentral Region

Bradford, Cameron, Centre, Clearfield, Clinton, Columbia, Lycoming, Montour, Northumberland, Potter, Snyder, Sullivan, Tioga and Union Counties

Department of Environmental Protection
Waste Management Program
208 West 3rd Street, Suite 101
Williamsport, PA 17701
(570) 916-8648
Joseph Delgrippe, jdelgrippe@pa.gov

Southwest Region

Allegheny, Beaver, Cambria, Fayette, Greene, Somerset, Washington and Westmoreland Counties

Department of Environmental Protection
Waste Management Program
400 Waterfront Drive
Pittsburgh, PA 15222-4745
(412) 442-4000
Michael Celaschi, mcelaschi@pa.gov
Bradley Cunningham, bcunningha@pa.gov
Bill Jester, wjester@pa.gov

Northwest Region

Armstrong, Butler, Clarion, Crawford, Elk, Erie, Forest, Indiana, Jefferson, Lawrence, McKean, Mercer, Venango and Warren Counties

Department of Environmental Protection
Waste Management Program
230 Chestnut Street
Meadville, PA 16335-3481
(814) 332-6981
Regina Schweinsberg, rschweinsb@pa.gov

JESSICA SHIRLEY,
Acting Secretary

[Pa.B. Doc. No. 24-1468. Filed for public inspection October 11, 2024, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Methane Emissions Reduction Program (MERP); Opening of Grant Application Period for Two Well Plugging Grant Programs

The Department of Environmental Protection (Department) announces an opportunity to apply for up to \$44,457,220 in grant funding through the Methane Emis-

sions Reduction Program (MERP), established under the Federal Inflation Reduction Act which provides new authorities under section 136 of The Clean Air Act (42 U.S.C. § 7436) to reduce methane emissions from the petroleum and natural gas sector. Nationwide, MERP will provide more than \$1 billion in financial funding for grants and other activities to reduce methane emissions.

The MERP Well Plugging Grant Programs include two grants that will be launched simultaneously. The MERP Small Operator Assistance Grant is available to operators with ten or fewer wells, qualified well pluggers or third parties. The MERP General Assistance Grant is designed for operators with 11 or more wells, qualified well pluggers or third parties. Both grants are collectively referred to as the Grant Program in this notice.

Subawards under this Grant Program are available on a competitive basis to oil and gas well operators, qualified well pluggers and third-party project managers to plug Marginal Conventional Wells (MCW) defined as a conventional well that produces less than 90 mcf gas per day or 15 barrels of oil per day. Applications will be prioritized based on well scoring criteria to maximize the goals and initiatives of the program. Grant subrecipients must comply with all terms and conditions of the Federal award, including applicable State law, as will be detailed in the grant agreement.

Applicants can apply to plug MCWs with a maximum total reimbursement amount of \$420,000 per application within each application period. The maximum subaward per applicant cannot exceed in aggregate the total eligible funds based on the type of MCW by depth classification, in accordance with MERP guidelines as follows:

- The maximum subaward cannot exceed \$20,000 for every eligible well plugged that is an MCW of a depth of 3,000 feet or less or the actual cost of the qualified well plugger to plug the well, whichever is less.
- The maximum subaward cannot exceed \$35,000 for every eligible well plugged that is an orphan well of a depth of greater than 3,000 feet or the actual cost of the qualified well plugger to plug the well, whichever is less.

If an applicant plugs all MCW wells listed on the application and does not expend all available funding, the applicant may request approval from the Department to plug additional wells up to the maximum amount of the original grant award.

Grant applications must be submitted online through the Commonwealth's Electronic Single Application web site, eGrants, at <https://grants.pa.gov>. Applications will be reviewed and prioritized based on well scoring criteria.

The Department's prioritization and application ranking process offers additional layers of risk mitigation, ensuring that funds are allocated to maximize methane reduction while enhancing human health and environmental benefits. The Grant Program will remain open for 60 days.

The Grantee should comply with all Federal and State audit requirements including: the Single Audit Act Amendments of 1996; Uniform Administrative Requirements, Cost Principles, and Audit Requirements for Federal Awards, 2 CFR Part 200 (relating to uniform administrative requirements, cost principles, and audit requirements for Federal awards); and any other applicable law or regulation and any amendment to any other applicable law or regulation that may be enacted or promulgated by the Federal government.

More detailed information about the grant requirements can be found on the Department's web site at [https://www.dep.pa.gov/Business/Energy/OilandGasPrograms/OilandGasMgmt/Pages/Methane-Emission-Reduction-Program-\(MERP\)-.aspx](https://www.dep.pa.gov/Business/Energy/OilandGasPrograms/OilandGasMgmt/Pages/Methane-Emission-Reduction-Program-(MERP)-.aspx).

Language Access

For applicants who are deaf, hard of hearing, deaf-blind or have a speech disorder, the Pennsylvania Hamilton Relay Service is available by calling (800) 654-5984 (TTD users) or (800) 654-5988 (voice users), and request that the call be relayed to Neil Bakshi at (717) 787-0880.

ATTENTION: If you speak another language other than English, language assistance services can be made available to you. Call (717) 787-0880.

ATENCIÓN: Si habla otro idioma que no sea el inglés, los servicios de asistencia lingüística pueden estar disponibles para usted. Llame al (717) 787-0880.

ACHTUNG: Wenn Sie eine andere Sprache als Englisch sprechen, können Ihnen Sprachunterstützungsdienste zur Verfügung gestellt werden. Rufen Sie (717) 772-5719 an.

Inquiries concerning this notice and requests for more information about this Grant Program should be directed to Amy McMullen, Environmental Group Manager, Department of Environmental Protection, Rachel Carson State Office Building, Bureau of Oil and Gas Planning and Program Management, P.O. Box 8765, Harrisburg, PA 17101-8765, at ammcmullen@pa.gov or (717) 783-9165.

JESSICA SHIRLEY,
Acting Secretary

[Pa.B. Doc. No. 24-1469. Filed for public inspection October 11, 2024, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Planning Grant Awards under Section 901 of the Municipal Waste Planning, Recycling and Waste Reduction Act, Act 101 of 1988

The Department of Environmental Protection announces the following grant to Berks County and Franklin County under section 901 of the Municipal Waste Planning, Recycling and Waste Reduction Act (Act 101) (53 P.S. § 4000.901) and section 208 of the Small Business and Household Pollution Prevention Program Act (35 P.S. § 6029.208).

Planning grants are awarded to counties for 80% of approved costs for preparing municipal waste management plans, as required by Act 101, for carrying out related studies, surveys, investigations, inquiries, research and analysis, including those related to siting, environmental mediation, education programs on pollution prevention and household hazardous waste and providing technical assistance to small businesses for pollution prevention. Grants may be awarded for feasibility studies and project development for municipal waste processing or disposal facilities, except for facilities for the combustion of municipal waste that are not proposed to be operated for the recovery of energy. Grant awards are predicated on the receipt of recycling fees required by sections 701 and 702 of Act 101 (53 P.S. §§ 4000.701 and 4000.702) and the availability of funds in the Recycling Fund.

Inquiries regarding the grant offering can be directed to Janet Heindel, Department of Environmental Protection, Bureau of Waste Management, Division of Waste Minimization and Planning, Rachel Carson State Office Building, P.O. Box 8472, Harrisburg, PA 17105-8472, at jaheindel@pa.gov or (717) 787-9614.

Act 101, Section 901 Planning Grant

Region	County	Applicant	Project	Grant
Southcentral	Berks	Berks County	Plan Revision	\$3,712
Southcentral	Franklin	Franklin County	Plan Revision	\$47,285

JESSICA SHIRLEY,
Acting Secretary

[Pa.B. Doc. No. 24-1470. Filed for public inspection October 11, 2024, 9:00 a.m.]

**DEPARTMENT OF
ENVIRONMENTAL PROTECTION**

Proposed General Plan Approval and/or General Operating Permit for Gaseous Fuel-Fired Spark Ignition Internal Combustion Engines (BAQ-GPA/GP-16); Public Comment Opportunity (2700-PM-BAQ0031c)

The Department of Environmental Protection (Department) announces the opportunity for public comment on the proposed General Plan Approval (GPA) and/or General Operating Permit (GP) for Gaseous Fuel-Fired Spark Ignition Internal Combustion Engines (BAQ-GPA/GP-16).

Notice of availability of related documents and opportunity to submit comments for GP-16 will be published in the *Pennsylvania Bulletin* and in six newspapers of general circulation and sent to nearby states and the United States Environmental Protection Agency in full compliance with 25 Pa. Code § 127.612(a) (relating to public notice and review period).

The proposed GP-16 was developed under the authority of section 6.1(f) of the Air Pollution Control Act (35 P.S. § 4006.1(f)) and 25 Pa. Code Chapter 127, Subchapter H (relating to general plan approvals and operating permits) and is applicable and limited to gaseous fuel-fired spark ignition internal combustion engines.

The proposed GP contains Best Available Technology emission limit as shown in the following table:

Engine Type	Engine Rating (hp)	Emissions Standards							
		(g / hp-hr)				ppmvd @15%O ₂			
		NO _x	CO	VOC (as propane)	HCHO	NO _x	CO	VOC (as propane)	HCHO
Lean-Burn	≥100 and ≤500	1.0	0.70	0.30	—	82	95	26	—
Lean-Burn	>500 and <2,370	0.50	0.25	0.25	0.05	41	34	21	6
Lean-Burn	≥2,370	0.30 uncontrolled	0.25	0.25	0.05	25 uncontrolled	34	21	6
		0.05 with control				4 with control			
Rich-Burn	>100 and <500	0.25	0.30	0.20	—	21	41	17	—
Rich-Burn	>500	0.20	0.30	0.20	76% reduction	16	41	17	2.7

This proposed GP-16 also includes monitoring, recordkeeping and reporting requirements designed to keep the facility operating within applicable Federal and State air quality requirements, including records of maintenance performed, municipal notifications, malfunction reporting and annual facility emissions inventory reporting. The required records must be maintained onsite or at the nearest local field office for 5 years and an annual emissions report is required to be submitted to the Department. This proposed general permit includes a general plan approval application fee of \$2,100, a general operating permit application/renewal fee of \$750, an annual operating permit maintenance fee of \$500, a transfer of ownership fee of \$500 and an administrative amendment fee of \$500. The term for this proposed general permit is 5 years and an approved authorization can be renewed before the expiration date.

Relevant documents are available on the Department's web site at <https://greenport.pa.gov/elibrary/GetFolder?FolderID=3623> or by contacting David Clark, P.O. Box 8468, Harrisburg, PA 17105, (717) 772-3942 or davclark@pa.gov.

The Department must receive comments no later than November 25, 2024. Commentators are encouraged to submit comments using the Department's eComment system at www.ahs.dep.pa.gov/eComment or by e-mail to ecomment@pa.gov. Comments submitted by facsimile will not be accepted. Comments, including comments submitted by e-mail, must include the originator's name and address. Written comments may be mailed to the Policy Office, Department of Environmental Protection, Rachel Carson State Office Building, P.O. Box 2063, Harrisburg, PA 17105-2063. Use "Proposed Revised GP-16" as the subject line in written communication.

JESSICA SHIRLEY,
Acting Secretary

[Pa.B. Doc. No. 24-1471. Filed for public inspection October 11, 2024, 9:00 a.m.]

DEPARTMENT OF HEALTH

Ambulatory Surgical Facilities; Requests for Exceptions

The following ambulatory surgical facilities (ASF) have filed requests for exceptions under 28 Pa. Code § 51.33 (relating to requests for exceptions) with the Department of Health (Department), which has authority to license ASFs under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b). The following requests for exceptions relate to regulations governing ASF licensure in 28 Pa. Code Chapters 29, 51 and 551—571 (relating to miscellaneous health provisions; general information; and ambulatory surgical facilities).

<i>Facility Name</i>	<i>Regulation and relating to</i>
Cedar Crest Surgery Center, LLC	28 Pa. Code § 553.31(a) (relating to administrative responsibilities)
Ophthalmic Associates Surgery and Laser Center	28 Pa. Code § 553.31(a)
Sally K. Balin Ambulatory Surgical Center, PC	28 Pa. Code § 553.31(a)
UPMC West Mifflin Surgery Center	28 Pa. Code § 553.31(a)

The previously listed requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Human Services Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov. Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed contact information. Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DEBRA L. BOGEN,
Secretary

[Pa.B. Doc. No. 24-1472. Filed for public inspection October 11, 2024, 9:00 a.m.]

DEPARTMENT OF HEALTH

Decisions on Requests for Exceptions to Health Care Facility Regulations

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), effective June 6, 1998, the Department of Health (Department) has published in the *Pennsylvania Bulletin* all requests by entities licensed under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b), for exceptions to regulations contained in 28 Pa. Code Part IV Subparts B—G.

Section 51.33(d) of 28 Pa. Code provides that the Department will publish notice of all approved exceptions on a periodic basis. The Department has determined that it will publish notice of all exceptions, both approved and denied. The following list contains the decisions made on exception requests published in the *Pennsylvania Bulletin* from September 1, 2024, through September 30, 2024. Future publications of decisions on exception requests will appear on a monthly basis.

Requests for additional information on the exception request and the Department's decision should be made to the relevant division of the Department. Inquiries regarding hospitals, abortion facilities and ambulatory surgical facilities

shall be addressed to Garrison E. Gladfelter, Jr., Director, Division of Acute and Ambulatory Care, Room 532, Health and Human Services Building, Harrisburg, PA 17120, (717) 783-8980. Inquiries regarding long-term care facilities shall be addressed to Susan Williamson, Director, Division of Nursing Care Facilities, Room 528, Health and Human Services Building, Harrisburg, PA 17120, (717) 787-1816. Inquiries regarding home care agencies, home care registries and home health care agencies shall be addressed to Linda Chamberlain, Director, Division of Home Health, Forum Place, Suite 701, 555 Walnut Street, Harrisburg, PA 17101, (717) 783-1379.

Ambulatory Surgical Facilities

<i>Facility Name</i>	<i>Regulation and relating to</i>	<i>Dec. Date</i>	<i>Decision</i>
Geisinger Medical Center Outpatient Surgery Woodbine	§ 551.22(3)(i) (relating to criteria for performance of ambulatory surgery on pediatric patients)	09/18/2024	Granted w/Conditions
Greater Pittsburgh Surgery Washington	§ 551.3 (relating to definitions)	09/18/2024	Granted w/Conditions

Hospitals

<i>Facility Name</i>	<i>Regulation and relating to</i>	<i>Dec. Date</i>	<i>Decision</i>
Allegheny General Hospital	§ 153.1(a) (relating to minimum standards) 2.1-7.2.3.1(7)(a) flooring and wall bases	09/18/2024	Granted w/Conditions
	§ 153.1(a) 2.1-7.2.3.3(3)(a) ceilings	09/18/2024	Granted w/Conditions
	§ 153.1(a) 2.2-3.4.4.6(1) system component room	09/18/2024	Granted
	§ 153.1(a) 2.2-3.5.2.1(1) general	09/18/2024	Granted w/Conditions
	§ 153.1(a) 2.2-3.5.2.3(3) handwashing station or hand scrub facilities	09/18/2024	Granted w/Conditions
	§ 153.1(a) 2.2-3.5.2.5(1)(c) system component room	09/18/2024	Granted w/Conditions
Crozer-Chester Medical Center	§ 153.1(a) 2.2-3.4.3.5(2) building system components	09/15/2024	Granted
Eagleview Hospital	§ 101.31(5) (relating to hospital requirements)	09/26/2024	Granted w/Conditions
Grove City Hospital	§ 51.23 (relating to positron emission tomography)	09/15/2024	Granted
Independence Health System Butler Memorial Hospital	§ 153.1(a) 2.5-2.2.2.7 patient bathing facilities	09/15/2024	Granted
Jefferson Health—Northeast	§ 153.1(a) 2.1-3.2.2.2(2)(a)(i) and (ii) and (b)(i) and (ii) single-patient exam/observation room	09/25/2024	Granted
	§ 153.1(a) 2.2-3.5.2.5(1)(c) system component room	09/25/2024	Granted
Mercy Fitzgerald Hospital	§ 138.18(b) (relating to EPS studies)	09/17/2024	Granted w/Conditions
Millcreek Community Hospital	§ 138.15 (relating to high-risk cardiac catheterizations)	09/15/2024	Granted Probationary w/Conditions
Milton S. Hershey Medical Center	§ 153.1(a) 2.2-3.4.5.10(1)(a)(i) support areas for patients and visitors	09/15/2024	Granted
Mount Nittany Medical Center	§ 153.1(a) 2.1-8.4.2.6(1)(a) drainage systems	09/18/2024	Granted
Reading Hospital	§ 153.1(a) 2.12-3.2.2.1(3) individual therapy room	09/15/2024	Granted
Saint Luke's Hospital of Bethlehem, Pennsylvania	§ 153.1(a) 2.1-3.5.10.2(2)(a) patient toilet room	09/15/2024	Granted
UPMC Carlisle	§ 149.3 (relating to facilities)	09/15/2024	Granted Temporary
UPMC Passavant	§ 51.23	09/15/2024	Granted w/Conditions
Wellspan York Hospital	§ 133.21 (relating to facilities)	09/15/2024	Granted

Persons with a disability who require an alternative format of this notice (for example, large print, audiotope, Braille) should contact the Division of Acute and Ambulatory Care, the Division of Nursing Care Facilities, or the Division of Home Health at the previously referenced address or telephone number, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DEBRA L. BOGEN,
Secretary

[Pa.B. Doc. No. 24-1473. Filed for public inspection October 11, 2024, 9:00 a.m.]

DEPARTMENT OF HEALTH

Home Health Agencies; Requests for Exceptions

The following requests for exceptions relate to regulations governing Home Health Agencies licensure under 28 Pa. Code Chapter 601 (relating to home health care agencies). The following agencies have filed requests for exceptions under 28 Pa. Code § 51.33 (relating to requests for exceptions) with the Department of Health (Department), which has authority to license home care agencies and home care registries under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b).

<i>License #</i>	<i>Facility Name</i>	<i>Address</i>	<i>Regulation and relating to</i>
03140501	Maxim Healthcare Services, Inc.	2208 Quarry Drive Suite 100 Reading, PA 19609	28 Pa. Code § 601.6 (relating to definitions) specifically the definitions of “home health care agency” and “part-time intermittent services” 28 Pa. Code § 601.21(b) (relating to organization, services and administration) 28 Pa. Code § 601.35(c) (relating to home health aide services)
03830501		3512 Concord Road York, PA 17402	28 Pa. Code § 601.35(c)
80450501		748 Springdale Drive Suite 120 Exton, PA 19341	28 Pa. Code § 601.6 28 Pa. Code § 601.21(b) 28 Pa. Code § 601.35(c)
765505	VNA Alliance	18360 Conneaut Lake Road Suite 2 Meadville, PA 16335	28 Pa. Code § 601.22 (relating to agency evaluation and review)

The previously listed requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Home Health, 2525 North 7th Street, Harrisburg, PA 17110, ra-dhhomehealth@pa.gov or ra-paexcept@pa.gov. Persons who wish to comment on an exception request may do so by sending a letter by mail or e-mail to the Division at the previously listed contact information. Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Home Health at (717) 783-1379, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DEBRA L. BOGEN,
Secretary

[Pa.B. Doc. No. 24-1474. Filed for public inspection October 11, 2024, 9:00 a.m.]

DEPARTMENT OF HEALTH

Hospitals; Requests for Exceptions

The following hospitals have filed requests for exceptions under 28 Pa. Code § 51.33 (relating to requests for exceptions) with the Department of Health (Department), which has authority to license hospitals under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b). The following requests for exceptions relate to regulations governing hospital licensure in 28 Pa. Code Chapters 51 and 101—158 (relating to general information; and general and special hospitals).

<i>Facility Name</i>	<i>Regulation and relating to</i>
Independence Health System Frick Hospital	28 Pa. Code § 123.5 (relating to administration of anesthesia)
Independence Health System Latrobe Hospital	28 Pa. Code § 123.5
Independence Health System Westmoreland Hospital	28 Pa. Code § 123.5
UPMC Carlisle	28 Pa. Code § 103.31 (relating to the chief executive officer)
	28 Pa. Code § 149.3 (relating to facilities)
UPMC East	28 Pa. Code § 103.31
UPMC McKeesport	28 Pa. Code § 103.31
UPMC Pinnacle Hospitals	28 Pa. Code § 103.31
UPMC Somerset	28 Pa. Code § 103.31
UPMC Williamsport	28 Pa. Code § 107.62(a) and (b) (relating to oral orders)
Wellspan Evangelical Community Hospital	28 Pa. Code § 113.5(b)(2) (relating to pharmacy and therapeutics committee)

The following hospitals have filed requests for exceptions under 28 Pa. Code § 153.1 (relating to minimum standards). Requests for exceptions under this section relate to minimum standards that hospitals must comply with under the *Guidelines for Design and Construction of Hospitals—2018 Edition*, *Guidelines for Design and Construction of Outpatient Facilities—2018 Edition* or the *Guidelines for Design and Construction of Hospitals—2022 Edition*, *Guidelines for Design and Construction of Outpatient Facilities—2022 Edition*. The following list includes the citation to the section under the *Guidelines* that the hospital is seeking an exception.

<i>Facility Name</i>	<i>FGI Guidelines Section and relating to</i>	<i>Y^{1,2}</i>
Jefferson Health—Northeast	2.1-3.2.2.2(a)(i) and (ii) single-patient exam/observation room	22-O
Penn Highlands Dubois	2.1-6.2.3.3(1) public toilet room	22-O
Penn Highlands Elk	2.2-3.5.8.15(1) pre- and post-procedure patient care area	22
Penn Highlands Tyrone	2.2-3.5.2.1(2) general	22
	2.2-3.5.8.15(1) pre- and post-procedure patient care area	22
Thomas Jefferson University Hospitals, Inc.	2.1-7.2.2.1 corridor width	22
	2.1-7.2.2.3(2)(a)(i) doors and door hardware	22
	2.2-2.2.2.2(a) space requirements	22
UPMC Passavant	2.2-3.5.2.2(1)(c)(i) space requirements	22
UPMC Pinnacle Hospitals	2.2-2.13.1.4 shared facilities	22
Wellspan Gettysburg Hospital	2.2-3.5.2.2(1)(c)(i) space requirements	22

¹ 2018 Year FGI Regulations for Outpatient Facilities are indicated by “-O.”

² 2022 Year FGI Regulations for Outpatient Facilities are indicated by “-O.”

The previously listed requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Human Services Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov. Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed contact information. Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or for speech and/or hearing impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DEBRA L. BOGEN,
Secretary

[Pa.B. Doc. No. 24-1475. Filed for public inspection October 11, 2024, 9:00 a.m.]

DEPARTMENT OF HEALTH

Special Supplemental Nutrition Program for Women, Infants and Children (WIC Program); WIC State Advisory Board—Notice of October 22, 2024, Regular Meeting

Next Regular Meeting:

The WIC State Advisory Board (Board), established under the WIC State Advisory Board Act (Act of June 10, 2024, P.L. 387, No. 22) (act), gives notice that the next regular meeting of the Board will be held on October 22, 2024, from 1 p.m. to 2 p.m. The purpose of this meeting is to collaborate to gather suggestions of strategies for increasing participation and improving the WIC program to better support participants.

This meeting is subject to cancellation without notice.

In-Person and Virtual Meeting Attendance:

Board meetings will be held in person and virtually.

In-person meetings will be held in the Willow Oak Conference Room 114A, COPA HUB Building, 2525 North 7th Street, Harrisburg, PA 17110, unless otherwise noted. Individuals should RSVP to Tracey Zeigler Michelsen by close of business at 4 p.m., 1 business day prior to the meeting at tzeiglermi@pa.gov or (717) 836-3574. Upon arrival at the meeting, public attendees should sign in at the front desk in the lobby of the building and await an escort to the meeting room.

Virtual meetings will be held through Microsoft Teams or by telephonic call in. Connection information for the October 22, 2024, regular meeting is as follows:

Individuals can join at <https://bit.ly/4d60VrH>. The meeting ID is 247 685 052 368. The passcode is N4wX3p.

Note: The previously listed link to access the meeting does not include a period; the link ends at 4d60VrH with no period. If copying/pasting the link, do not copy any period at the end if there is one.

Individuals can join by calling (267) 332-8737. The phone conference ID is 125 479 687#. To find a local number, go to <https://dialin.teams.microsoft.com/783683fb-6d69-4e8b-aa52-814e500ad7b8?id=67183553>. To reset the PIN number, go to <https://dialin.teams.microsoft.com/usp/pstnconferencing>.

Meeting Recording:

The meeting will be recorded, so if individuals choose to attend, they are consenting to being recorded. Individuals should not attend the meeting if they do not wish to be recorded.

Meeting Agenda:

The Department of Health (Department) will post the meeting agenda on the Pennsylvania Special Supplemental Nutrition Program for Women, Infants and Children (PA WIC) web site at <https://wic.health.pa.gov/pawic/> and distribute by e-mail no later than 24 hours before the meeting. Individuals interested in receiving a copy of the agenda may send an e-mail to ra-dhwicadvisory@pa.gov requesting to be added to the distribution list.

Meeting Minutes:

The Department will post meeting minutes on the PA WIC web site at <https://wic.health.pa.gov/pawic/> and distribute by e-mail once the Board votes and adopts on the proposed final meeting minutes at the next Board meeting. Individuals interested in receiving a copy

of the meeting minutes may send an e-mail to ra-dhwicadvisory@pa.gov requesting to be added to the distribution list.

Questions:

Questions about the Board may be submitted by e-mail to the Department at ra-dhwicadvisory@pa.gov.

Alternative Format Requests:

Persons with a disability who require an alternative format of this listing (for example, large print, audiotape, Braille) should contact the Department of Health, Bureau of WIC, 625 Forster Street, 7th Floor West, Health and Human Services Building, Harrisburg, PA 17120, (717) 783-1289, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The PA WIC program is funded by the United States Department of Agriculture (USDA). The USDA is an equal opportunity provider.

USDA Nondiscrimination Statement:

In accordance with Federal civil rights law and the USDA civil rights regulations and policies, this institution is prohibited from discriminating on the basis of race, color, national origin, sex (including gender identity and sexual orientation), disability, age, or reprisal or retaliation for prior civil rights activity.

Program information may be made available in languages other than English. Persons with disabilities who require alternative means of communication to obtain program information (for example, Braille, large print, audiotape, American Sign Language), should contact the responsible State or local agency that administers the program or the USDA's TARGET Center at (202) 720-2600 (voice and TTY) or contact the USDA through the Federal Relay Service at (800) 877-8339.

To file a program discrimination complaint, a complainant should complete a Form AD-3027, USDA Program Discrimination Complaint Form which can be obtained online at <https://bit.ly/3TRbubk>, from any USDA office, by calling (866) 632-9992 or by writing a letter addressed to the USDA. The letter must contain the complainant's name, address, telephone number and a written description of the alleged discriminatory action in sufficient detail to inform the Assistant Secretary for Civil Rights about the nature and date of an alleged civil rights violation. The completed AD-3027 form or letter must be submitted to the United States Department of Agriculture, Office of the Assistant Secretary for Civil Rights, 1400 Independence Avenue, SW, Washington, DC 20250-9410, fax (833) 256-1665 or (202) 690-7442, Program.Intake@usda.gov.

This institution is an equal opportunity provider.

DR. DEBRA L. BOGEN,
Secretary

[Pa.B. Doc. No. 24-1476. Filed for public inspection October 11, 2024, 9:00 a.m.]

FISH AND BOAT COMMISSION

Qualified Endangered and Threatened Species; Surveyor Requirements

Under 58 Pa. Code § 75.5 (relating to qualified surveyors for endangered and threatened species and their

habitat), a surveyor must first be deemed qualified by the Fish and Boat Commission (Commission) to conduct surveys for endangered or threatened species or their habitat in connection with an application for a proposed or planned development activity. Individuals who wish to be qualified by the Commission to conduct surveys for endangered or threatened species must demonstrate to the Commission's satisfaction that they meet the qualified surveyor requirements as approved by the Executive Director and published in the *Pennsylvania Bulletin*. The Executive Director has approved the following updated qualified surveyor requirements.

Qualified Endangered and Threatened Species Surveyor Requirements

Overview

The Pennsylvania Fish and Boat Commission (PFBC) reviews projects to be permitted in or near habitats that may be occupied by endangered or threatened species. Site-specific surveys are a component of the project review process when a project activity potentially conflicts with an endangered or threatened species and its habitat. PFBC has assembled lists of biologists who have documented their expertise to conduct surveys for endangered or threatened species in connection with a proposed or planned development activity. These lists include the names of those individuals who have demonstrated to PFBC that they meet the qualifications necessary to search for and successfully find and correctly identify listed species and their habitat. To conduct PFBC recognized surveys for endangered or threatened species or their habitat in connection with a proposed or planned development activity, a surveyor must first be deemed qualified by PFBC and placed on its qualified surveyors list. In addition, individuals who conduct presence/absence surveys for endangered or threatened species are required to have a valid Pennsylvania fishing license, a scientific collector's permit and threatened and endangered species permit issued by PFBC. Only individuals, not firms, organizations, or other entities, will be considered for inclusion on a qualified list because the necessary experience can only be individually developed.

Project reviews, species effects analyses and regulatory/permitting requirements are often directly affected by the presence of Federally or State listed endangered or threatened species. Therefore, it is imperative that surveyors have the skills and ability to personally find and identify these species in their natural habitat. The required level of field experience must be maintained at all times to ensure the surveyor is maintaining search skills. A qualified surveyor must have extensive knowledge of the following: taxonomy, life history and habitat requirements of the targeted species group (with particular expertise regarding the endangered or threatened species), and sampling techniques for that species group.

To become qualified and be placed on PFBC's qualified surveyors list, one must:

1. Read and understand the overview and the species group and taxa specific requirements.

2. Submit an application using the form provided, demonstrating that the applicant satisfies all general and species group or taxa specific requirements. PFBC staff will act on applications within approximately 30 days.

- a. General requirements include:

- i. Taxonomy and Natural History: Applicants must demonstrate their mastery of species and habitat identification and natural history. A college degree in the biological sciences is preferred. Applicants must describe taxonomic coursework, workshops attended on species identification or any individualized training. Written materials (for example, publications, reports and the like) can be provided to demonstrate taxonomic or life history proficiency.

- ii. Sampling Techniques: Applicants must demonstrate knowledge of sampling techniques. A college degree in the biological sciences is preferred. Applicants must describe training received to successfully implement species or taxa sampling protocols. This description must refer to relevant coursework (for example, fisheries techniques, population dynamics and the like), workshops or other training.

- iii. Field Experience: Applicants must demonstrate that they possess a minimum of 50 days of field experience working with the targeted taxa within the preceding 10 years. Applicants must be able to find and correctly identify live endangered and threatened target species in their natural habitat as provided in the species or taxa specific requirements.

- iv. Testing and Ongoing Requirements: PFBC reserves the right to interview, test or accompany the applicant in the field, or both, to judge the accuracy of target species and habitat identification skills, familiarity with natural history or field survey techniques, or both, by the applicant.

Note that PFBC may revoke the qualification of a surveyor if PFBC has reason to believe that the surveyor cannot search for and successfully find and correctly identify listed species and their habitat. In that regard, poor surveys may be an indication of a surveyor's inability to find and accurately identify endangered and threatened species and their habitat.

The Fish and Boat Code (Fish and Boat Code, 30 Pa.C.S. §§ 928, 2102 and 2305) allows PFBC to revoke permits or licenses, or both, such as scientific collectors' permits and special permits under § 75.4 (relating to special permits), and fishing licenses, when the holder of such permit or fishing license has been convicted of or has pleaded guilty to a violation of the Code. A violation to the Fish and Boat Code, and any violation of Federal or State fish or wildlife regulations, current or past, may result in revocation of the surveyor's qualification and disqualify a surveyor from future qualified surveyor and permit considerations.

The surveyor shall also adhere to the Expectations of Qualified Surveyors/Code of Conduct as set forth in the application. The Commission may take into account any past, present or future violations of the Expectations of Qualified Surveyors/Code of Conduct when determining whether a surveyor is qualified or whether to revoke the qualifications of a surveyor.

- b. Species or taxa specific requirements are set forth below.

Threatened and Endangered Species Group or Taxa Specific Qualified Surveyor Requirements

The following are descriptions of the necessary qualifications specific to certain species or groups.

1. Fishes
2. Mussels, Interior Basin or Atlantic Slope
3. Reptiles
 - a. Bog Turtle
 - b. Eastern Massasauga

- c. Northern Rough Greensnake
- e. Eastern Red-bellied Cooter
- 4. Amphibians
 - a. New Jersey Chorus Frog, Coastal Plain Leopard Frog complex and Eastern Cricket Frog
 - b. Eastern Spadefoot
 - c. Blue-spotted Salamander
 - d. Green Salamander

Fishes Qualified Surveyor Requirements

Section 1. Experience Related to Finding and Identifying Endangered & Threatened Species.

A qualified surveyor must be proficient with fish identification techniques and maintain current knowledge of fish taxonomy and distributions. Training and experience as a research or production taxonomist (Stribling et al. 2003) should be evident in the materials submitted with the application. Access to appropriate literature, reference materials, and laboratory equipment is expected. Nomenclature must follow appropriate and current sources such as the Integrated Taxonomic Information System (ITIS; <http://www.itis.gov/>) and the American Fisheries Society (Nelson et al. 2004 and subsequent corrections). Surveyors must demonstrate familiarity with the *Guidelines for Quality Assurance and Quality Control of Fish Taxonomic Data Collected as Part of the National Water Quality Assessment Program* (Walsh and Meador 1998). Experience with endangered and threatened fishes must be demonstrated in the submitted materials.

- Submit a list of scientific names of all fish species the applicant has experience collecting and identifying. Fish identification experience must be evident within the documentation submitted.

Protocol References:

Stribling, J.B., S.R. Moulton II, and G.T. Lester. 2003. Determining the quality of taxonomic data. *Journal of the North American Benthological Society*: December 2003, Vol. 22, No. 4, pp. 621–631.

Walsh S.J. and M.R. Meador. 1998. *Guidelines for Quality Assurance and Quality Control of Fish Taxonomic Data Collected as Part of the National Water Quality Assessment Program*. Water-Resources Investigations Report 98-4239. USGS, Raleigh, NC.

Nelson, J.S., Crossman, E.J., Espinosa-Pérez, H., Findley, L. T., Gilbert, C. R., Lea, R. N. & Williams, J. D. 2004. *Common and Scientific Names of Fishes from the United States, Canada, and Mexico*. Committee on Names of Fishes, 6th edn. Bethesda, MD: American Fisheries Society.

Section 2. Additional Education and Training Related to Identification, Habitat, and Natural History

- Include relevant certifications and certificates (Certified or Associate Fisheries Professional, USFWS Principles and Techniques of Electrofishing Certificate, USFWS Fish Identification Course, continuing education credits/courses and the like).

Section 3. Protocol Implementation.

A qualified surveyor must be proficient with the appropriate gear types, methodologies and protocols used to competently sample fish assemblages and their habitats. These will include, but are not limited to, the following: various electrofishing gears (Reynolds 1996), passive capture techniques (Hubert 1996), active fish capture meth-

ods especially benthic trawls and variants (Hayes et al. 1996; Herzog et al. 2005; Freedman et al. 2009), and fish community sampling protocols and methodologies (Barbour et al. 1999; Emery et al. 2003; Emery et al. 2006; Bonar et al. 2009; Miko 2011). Surveyors must be familiar with the *Guidelines for the Use of Fishes in Research*, specifically the Field Activities with Wild Fishes section (UFR 2004). Sampling objectives, habitat types, seasonality, and safety considerations should dictate survey planning. To be deemed qualified by PFBC, surveyors must demonstrate to PFBC's satisfaction that they are familiar with accepted survey protocols.

- Applicants need to demonstrate that they have conducted surveys incorporating techniques included in the protocol references below at least five times in the last 10 years and provide documentation of their role and participation in each survey. This documentation must demonstrate the applicant's experience using relevant gear types, applying methodologies and implementing protocols. Fish identification experience must be evident within the documentation submitted.

This documentation may include final grant reports, posters, agency reports, peer reviewed publications, book chapters, thesis, dissertation, or project descriptions prepared specifically for this application (for example, position held, support role on a project, museum experience and the like). Experience as a fish survey crew leader must be evident within the materials submitted.

Protocol References:

Barbour, M.T., J. Gerritsen, B.D. Snyder, and J.B. Stribling. 1999. *Rapid Bioassessment Protocols for Use in Streams and Wadeable Rivers: Periphyton, Benthic Macroinvertebrates and Fish*, Second Edition. EPA 841-B-99-002. U.S. Environmental Protection Agency; Office of Water; Washington, D.C.

Bonar, Scott A., Wayne A. Hubert, and David W. Willis, editors. 2006. *Standard Methods for Sampling North American Freshwater Fishes*. American Fisheries Society, Bethesda, MD.

Emery, E.B., Thomas P. Simon, Frank H. McCormick, Paul L. Angermeier, Jeffrey E. Deshon, Chris O. Yoder, Randall E. Sanders, Shaliam D. Pearson, Gary D. Hickman, Robin J. Reash and Jeffrey A. Thomas. 2003: *Development of a Multimetric Index for Assessing the Biological Condition of the Ohio River*. *Transactions of the American Fisheries Society* 132(4):791–808.

Emery, E.B., J.A. Thomas M. Bagley, and T.R. Angradi. 2006. *Fish*. In Angradi, T.R. (editor) *Environmental Monitoring and Assessment Program: Great River Ecosystems, Field Operations Manual*. EPA/620/R-06/002. U.S. Environmental Protection Agency, Washington, DC.

Freedman J.A., Timothy D. Stecko, Benjamin D. Lorson, and Jay R. Stauffer Jr. 2009. Development and efficacy of an electrified benthic trawl for sampling large-river fish assemblages. *North American Journal of Fisheries Management* 29:1001–1005.

Hayes, Daniel B., C. Paola Ferreri, and William Taylor. 1996. *Active Capture Methods*. Pages 193–220 in B.R. Murphy and D.W. Willis, editors. *Fisheries Techniques*, 2nd edition. American Fisheries Society, Bethesda, MD.

Herzog, D.P., V.A., Barko, J. S., Scheibe, R.A. Hrabik, and D.E. Ostendorf. 2005. Efficacy of a benthic trawl for sampling small-bodied fishes in large river systems. *North America Journal of Fisheries Management* 25:594–603. Hubert, W.A. 1996. *Passive Capture Tech-*

niques. Pages 157–181 in B.R. Murphy and D.W. Willis, editors. *Fisheries Techniques*, 2nd edition. American Fisheries Society, Bethesda, MD.

Miko, D., editor. 2011. *Sampling Protocols for Pennsylvania's Wadeable Streams*. Pennsylvania Fish and Boat Commission. Harrisburg, PA.

Reynolds, J. B. 1996. *Electrofishing*. Pages 221–251 in B.R. Murphy and D.W. Willis, editors. *Fisheries Techniques*, 2nd edition. American Fisheries Society, Bethesda, MD.

UFR (Use of Fishes in Research) Committee. 2004. *Guidelines for the Use of Fishes in Research*. American Fisheries Society, Bethesda, MD.

2. Freshwater Mussel Qualified Surveyor Requirements

Please Note: Separate lists of qualified surveyors for freshwater mussels are maintained for the two primary mussel faunal groups in Pennsylvania: the Interior Basin (Ohio, Erie, and Genesee Watersheds) and the Atlantic Slope (Delaware, Potomac and Susquehanna Watersheds)

Section 1. Experience Related to Finding and Identifying Endangered and Threatened Species

- Within the mussel faunal group for which qualification is sought, the applicant must have personally found at least 20 live individual Pennsylvania or Federally listed mussels from 7 or more unique sites within the past 5 years using survey methods approved by PFBC (see Section 3 for list of protocols). For the purpose of these requirements, “site” is defined as a 1-mile long waterway segment. Sites sampled more than once do not count towards the total. For those seeking qualification to survey in the Ohio Basin, at least three of these seven sites must be in Pennsylvania. For those seeking qualification to survey in the Delaware, Potomac or Susquehanna Basin, sites may be outside of Pennsylvania. Freshly dead and relic mussels, or those found by others on a survey team, do not count toward the minimum of 20 live individual endangered or threatened mussels.

Section 2. Additional Education and Training Related to Identification, Habitat, and Natural History

- Include relevant certifications and certificates (Certified or Associate Fisheries Professional, SCUBA certification, continuing education credits/courses and the like).

Section 3. Protocol Implementation.

To be deemed qualified by PFBC, surveyors must demonstrate to PFBC's satisfaction that they are familiar with accepted species survey protocols. Accepted mussel survey protocols are listed here. Variations of these protocols or other protocols must be reviewed and approved by PFBC.

Protocol References:

Smith, D.R., Vilella, R.F., and D.P. Lemarie. 2001. Survey protocol for assessment of endangered freshwater mussels in the Allegheny River, Pennsylvania. *Journal of the North American Benthological Society* 20(1): 118–132.

Smith, D.R. 2006. Survey design for detecting rare freshwater mussels. *Journal of the North American Benthological Society* 25(3): 701–711.

Ohio River Valley Ecosystem Mollusk Subgroup. 2004. Draft protocol for mussel surveys in the Ohio River where dredging/disposal/development activity is proposed (clarified April 2004).

Adaptive Management Group. 2007. A mussel sampling protocol to assess potential commercial dredging sites in Pools 2, 3, 4, 5, 7, 8 and 9 in the Allegheny River and the Dashields, Montgomery, and New Cumberland Pools in the Ohio River, Pennsylvania (7 May 2007).

3. Reptiles Qualified Surveyor Requirements

a. Bog Turtle

Section 1. Experience Related to Finding and Identifying Bog Turtle

Applicant must demonstrate the ability to find and identify adult and juvenile life stages of the Bog Turtle.

- The applicant must have independently found 20 Bog Turtles at a minimum of five sites within the past five years using presence/inferred-absence survey techniques. The term “site” refers to a discrete wetland occupied by the turtles. Sites sampled more than once do not count towards total sites. Bog Turtles found dead (for example, dead-on-road), found in traps or found using radio telemetry do not count toward this criterion. Voucher photographs, site aerial photographs, site topographic maps, and field notes for each site must be available for examination by PFBC.

Section 2. Additional Education and Training Related to Identification, Habitat, and Natural History

- Provide documentation that within the past 5 years, surveyor has independently conducted or been an assistant on at least ten habitat assessment surveys, accurately determining whether or not potential Bog Turtle habitat was present. These assessments will have taken into consideration all aspects of the species' life history.

Section 3. Protocol Implementation.

To be deemed qualified by PFBC, surveyors must demonstrate to PFBC's satisfaction that they are familiar with accepted species survey protocols. Within the past 5 years, surveyors must have conducted at least five presence/inferred-absence surveys in the capacity of principal investigator or ten presence/inferred-absence surveys as an assistant. Survey techniques must follow PFBC-recommended sampling methods or standard sampling methods for sampling Bog Turtles. Recognized survey protocols include the USFWS *Guidelines for Bog Turtle Surveys* (Revised April 2006). Variations of these or other protocols must first be reviewed and approved by PFBC.

b. Eastern Massasauga

Section 1. Experience Related to Finding and Identifying Eastern Massasauga

Applicant must demonstrate the ability to find and identify all life stages (adults, juveniles) of the Eastern Massasauga.

- The applicant must independently have found Eastern Massasauga at a minimum of three sites within the past 10 years using presence/inferred-absence survey techniques. The term “site” refers to a habitat complex, which includes all habitats (for example, overwintering (wetlands, seeps, streams), gestating (upland areas)) utilized for all of the life history phases of the species. No more than one habitat complex may be counted per HUC 12 watershed basin occupied by the species. Sites sampled more than once do not count towards total sites. At least two of these sites must have been in Pennsylvania. Eastern Massasaugas found dead (for example, dead-on-road), found live crossing roads, or found using radio telemetry do not count toward this criterion. Sites sampled more than once do not count towards total sites.

Voucher photographs, site aerial photographs, site topographic maps and field notes for each site must be available for examination by PFBC.

Section 2. Additional Education and Training Related to Identification, Habitat, and Natural History

- Provide documentation that within the past 10 years, surveyor has independently conducted or been an assistant on at least ten habitat assessment surveys, accurately determining whether or not potential Eastern Massasauga habitat was present. These assessments will have taken into consideration all aspects of the species' life history.

Section 3. Protocol Implementation.

To be deemed qualified by PFBC, surveyors must demonstrate to PFBC's satisfaction that they are familiar with accepted species survey protocols. Survey techniques must follow PFBC-recommended sampling methods or standard sampling methods for sampling Massasauga rattlesnakes. Recognized survey protocols include PFBC *Guidelines for Eastern Massasauga Rattlesnake Surveys* (Revised June 10, 2005). Variations of these or other protocols must first be reviewed and approved by PFBC.

Protocol References:

Casper, G.S., T.G. Anton, R.W. Hay, A.T. Holycross, R.S. King, B.A. Kingsbury, D. Mauger, C. Parent, C.A. Phillips, A. Resetar, R.A. Seigel, and T.P. Wilson. 2001. Recommended Standard Survey Protocol for the Eastern Massasauga, *Sistrurus catenatus catenatus*. U.S. Fish and Wildlife Service, Endangered Species Division.

c. Northern Rough Greensnake

Section 1. Experience Related to Finding and Identifying Northern Rough Greensnake

Applicants must demonstrate the ability to find and identify adult and juvenile life stages of the Rough Greensnake.

- The applicant must have independently found Rough Greensnakes at seven sites within the past 10 years using presence/inferred-absence survey techniques. The term site refers to a habitat complex, which includes all habitats utilized for all of the life history phases of the species. No more than one habitat complex may be counted per HUC 12 watershed basin occupied by the species. Sites sampled more than once do not count towards total sites. At least three sites must come from Piedmont (not Coastal Plain) sites in Pennsylvania or Maryland. Rough Greensnakes found dead (for example, dead-on-road), found live crossing roads or found using radio telemetry do not count toward this criterion. Sites sampled more than once do not count towards total sites. Voucher photographs, site aerial photographs, site topographic maps and field notes must be available for each site.

Section 2. Additional Education and Training Related to Identification, Habitat, and Natural History

- Provide documentation that within the past 10 years, the applicant has independently conducted or been an assistant on at least 10 Phase 1 habitat surveys or their research equivalent, accurately determining whether or not potential Rough Greensnake habitat was present. These assessments will have taken into consideration all aspects of the species' life history.

Section 3. Protocol Implementation.

To be deemed qualified by PFBC, surveyors must demonstrate to PFBC's satisfaction that they are familiar

with accepted species survey protocols. Survey techniques must follow PFBC recommended sampling methods or standard sampling methods for sampling Rough Greensnakes and include the following techniques: timed-constrained visual encounter surveys, opportunistic searches and nighttime spotlight surveys. Variations of these protocols or other protocols must be reviewed and approved by PFBC.

Protocol References:

Karns, D.R. 1986. Field Herpetology: Methods for the Study of Amphibians and Reptiles in Minnesota. James Ford Bell Museum of Natural History, Occasional Paper 18. Variations of these or other protocols must first be reviewed and approved by PFBC.

d. Eastern Red-bellied Cooter

Section 1. Experience Related to Finding and Identifying Eastern Redbelly Turtle

Surveyor must demonstrate the ability to find and identify adult and juvenile life stages of the Eastern Red-bellied Cooter as well as nests or eggs that are potentially from Eastern Redbelly Turtles.

- The applicant must have independently found Redbelly Turtles at seven sites, by more than one survey method, within the past 10 years using presence-inferred absence survey techniques. Three of these sites must document in-hand captures (traps, dipnets and hand collections). Redbelly Turtles found dead (for example, dead-on-road), found live crossing roads or found using radio-telemetry equipment do not count toward this criterion. The term "site" refers to a discrete section of waterway (separated from other sites by a minimum of 0.5 miles) occupied by Redbelly Turtles. Sites sampled more than once do not count towards total sites. Voucher photographs, site aerial photographs, site topographic maps and field notes for each site must be available for examination by PFBC.

Section 2. Additional Education and Training Related to Identification, Habitat and Natural History

Provide documentation that within the past 10 years, the applicant has independently conducted or been an assistant on at least 10 Redbelly Turtle habitat assessments or equivalent research studies, accurately determining whether or not potential Redbelly Turtle habitat was present. These assessments will have taken into consideration all aspects of Redbelly Turtle life history (nesting habitat versus aquatic habitat).

Section 3. Protocol Implementation.

To be deemed qualified by PFBC, surveyors must demonstrate to PFBC's satisfaction that they are familiar with accepted species survey protocols. Recommendations for survey techniques for Redbelly Turtles can be found in project review letters from PFBC, which may be obtained by contacting PFBC at (814) 359-5237. These surveys should include visual surveys, aquatic trapping, as well as nest searches. Variations of these protocols or other protocols must be reviewed and approved by PFBC.

Protocol References:

Karns, D.R. 1986. Field Herpetology: Methods for the Study of Amphibians and Reptiles in Minnesota. James Ford Bell Museum of Natural History, Occasional Paper 18. Variations of these or other protocols must first be reviewed and approved by PFBC.

4. Amphibians Qualified Surveyor Requirements

a. New Jersey Chorus Frog, Coastal Plain Leopard Frog complex and Eastern Cricket Frog

Section 1. Experience Related to Finding and Identifying New Jersey Chorus Frog, Coastal Plain Leopard Frog complex and Eastern Cricket Frog

The applicant must demonstrate the ability to find and identify all life stages (adults, metamorphs, tadpoles, eggs) for each of the Northern Cricket Frog, Coastal Plain Leopard Frog complex and New Jersey Chorus Frog.

- The applicant must have independently found animals of each species at seven or more sites, by more than one survey method, within the past 10 years using presence/inferred-absence survey techniques. The term “site” refers to a habitat complex, which includes all habitats utilized for all of the life history phases of the species. No more than one habitat complex may be counted per HUC 12 watershed occupied by the species. Sites sampled more than once do not count towards total sites. At least half of the animals located must have been in-hand captures (traps, dipnets, hand) documented with voucher specimens or photographs. At least three of the sites must be in Pennsylvania or surrounding states (DE, MD, NJ, NY). Animals found dead (for example, dead-on-road), found live crossing roads, or found using radio telemetry do not count toward this criterion. Voucher photographs, call recordings, site aerial photographs, site topographic maps and field notes for each site must be available for examination by PFBC.

Section 2. Additional Education and Training Related to Identification, Habitat and Natural History

- Provide documentation that within the past 10 years, the applicant has independently conducted or been an assistant on at least 10 Phase 1 surveys or their research equivalent, accurately determining whether or not potential endangered frog habitat was present. These assessments will have taken into consideration all aspects of the species’ life history.

Section 3. Protocol Implementation.

To be deemed qualified by PFBC, surveyors must demonstrate to PFBC’s satisfaction that they are familiar with accepted species survey protocols. Survey techniques must follow PFBC recommended sampling methods or standard sampling methods for amphibians and must include the following techniques: aquatic trapping, timed-constrained visual encounter surveys, opportunistic searches, auditory surveys, drift fencing with pitfall traps and road cruising. Variations of these protocols or other protocols must be reviewed and approved by PFBC.

Protocol References:

Heyer, W. R., M. A. Donnelly, R. W. McDiarmid, L.C. Hayek, and M. S. Foster, eds. 1994. *Measuring and Monitoring Biological Diversity: Standard Methods for Amphibians*. Smithsonian Institution Press, Washington.

Karns, D.R. 1986. *Field Herpetology: Methods for the Study of Amphibians and Reptiles in Minnesota*. James Ford Bell Museum of Natural History, Occasional Paper 18.

b. Eastern Spadefoot

Section 1. Experience Related to Finding and Identifying Eastern Spadefoot

The applicant must demonstrate the ability to find and identify all life stages (adults, metamorphs, tadpoles, eggs) of the Eastern Spadefoot.

- The applicant must have independently found Eastern Spadefoot at a minimum of seven sites, by more than one survey method, within the past 10 years using presence/inferred-absence survey techniques. The term “site” refers to a habitat complex, which includes all habitats utilized for all of the life history phases of the species. No more than one habitat complex may be counted per HUC 12 watershed basin occupied by the species. Sites sampled more than once do not count towards total sites. At least half of these animals must have been in-hand captures (traps, dipnets, hand) documented with voucher specimens or photographs. Because Non-Coastal Plain habitat is significantly different in Pennsylvania than in surrounding states (CT, DE, MD, NJ, NY), at least three of the capture sites must be in Pennsylvania. Sites sampled more than once do not count towards total sites. Animals found live crossing roads may only count towards two of the required sites. Animals found dead (for example, dead-on-road) or found using radio telemetry do not count toward this criterion. Voucher photographs, call recordings, site aerial photographs, site topographic maps and field notes for each site must be available for examination by PFBC.

Section 2. Additional Education and Training Related to Identification, Habitat and Natural History

- Provide documentation that within the past 10 years, the applicant has independently conducted at or been an assistant on at least 10 Phase 1 surveys or their research equivalent, accurately determining whether or not potential Eastern Spadefoot habitat was present. These assessments will have taken into consideration all aspects of the species’ life history.

Section 3. Protocol Implementation.

To be deemed qualified by PFBC, surveyors must demonstrate to PFBC’s satisfaction that they are familiar with accepted species survey protocols. Survey techniques must follow PFBC recommended sampling methods or standard sampling methods for amphibians and must include the following techniques: aquatic trapping, timed-constrained visual encounter surveys, opportunistic searches, auditory surveys, drift fencing with pitfall traps and road cruising. Variations of these protocols or other protocols must be reviewed and approved by PFBC.

Protocol References:

Heyer, W.R., M.A. Donnelly, R.W. McDiarmid, L.C. Hayek, and M. S. Foster, eds. 1994. *Measuring and Monitoring Biological Diversity: Standard Methods for Amphibians*. Smithsonian Institution Press, Washington.

Karns, D.R. 1986. *Field Herpetology: Methods for the Study of Amphibians and Reptiles in Minnesota*. James Ford Bell Museum of Natural History, Occasional Paper 18.

c. Blue-spotted Salamander

Section 1. Experience Related to Finding and Identifying Blue-spotted Salamander

The applicant must demonstrate the ability to find and identify all life stages (adults, juveniles, eggs) of the Blue-spotted Salamander.

- The applicant must have independently found Blue-spotted Salamanders at a minimum of seven sites within the past 10 years using presence/inferred-absence survey techniques. The term “site” refers to a habitat complex, which includes all habitats utilized for all of the life history phases of the species. No more than one habitat

complex may be counted per HUC 12 watershed basin occupied by the species. Sites sampled more than once do not count towards total sites. At least half of these animals must have been in-hand captures (traps, dipnets, hand collections) documented with voucher photographs. Animals found dead (for example, dead-on-road), found live crossing roads or found using radio telemetry do not count toward this criterion. Voucher photographs, site aerial photographs, site topographic maps and field notes for each site must be available for examination by PFBC.

Section 2. Additional Education and Training Related to Identification, Habitat and Natural History

- Provide documentation that within the past 10 years, the applicant has independently conducted or been an assistant on at least ten habitat assessments or their research equivalent, accurately determining whether or not potential Blue-spotted Salamander habitat was present. These assessments will have taken into consideration all aspects of the species' life history.

Section 3. Protocol Implementation.

To be deemed qualified by PFBC, surveyors must demonstrate to PFBC's satisfaction that they are familiar with accepted species survey protocols. Survey techniques must follow PFBC recommended sampling methods or standard sampling methods for amphibians and include the following techniques: aquatic trapping, timed-constrained visual encounter surveys, opportunistic searches, drift fencing with pitfall traps and road cruising. Variations of these protocols or other protocols must be reviewed and approved by PFBC.

Protocol References:

Heyer, W.R., M.A. Donnelly, R.W. McDiarmid, L.C. Hayek, and M.S. Foster, eds. 1994. *Measuring and Monitoring Biological Diversity: Standard Methods for Amphibians*. Smithsonian Institution Press, Washington.

Karns, D.R. 1986. *Field Herpetology: Methods for the Study of Amphibians and Reptiles in Minnesota*. James Ford Bell Museum of Natural History, Occasional Paper 18.

d. Green Salamander

Section 1. Experience Related to Finding and Identifying Green Salamander

The applicant must demonstrate the ability to find and identify all life stages (adults, juveniles, eggs) of the Green Salamander.

- The applicant must have independently found Green Salamanders at a minimum of seven sites within the past 10 years using presence-inferred absence survey techniques. The term "site" refers to a habitat complex, which includes all habitats utilized for all of the life history phases of the species. No more than one habitat complex may be counted per HUC 12 watershed basin occupied by the species. Voucher photographs must be available. Animals found dead (for example, dead-on-road), found live crossing roads, or found using radio telemetry do not count toward this criterion. Sites sampled more than once do not count towards total sites. Voucher photographs, site aerial photographs, site topographic maps and field notes for each site must be available for examination by PFBC.

Section 2. Additional Education and Training Related to Identification, Habitat and Natural History

- Provide documentation that within the past 10 years, the applicant has independently conducted at least five or been an assistant on at least ten habitat assessments or their research equivalent, that accurately determined whether or not potential Green Salamander habitat was present. These assessments will have taken into consideration all aspects of the species' life history.

Section 3. Protocol Implementation

To be deemed qualified by PFBC, surveyors must demonstrate to PFBC's satisfaction that they are familiar with accepted species survey protocols. Survey techniques must follow PFBC recommended sampling methods or standard sampling methods for amphibians and include the following techniques: Timed-constrained visual encounter surveys, opportunistic searches and crevice sampling. Variations of these protocols or other protocols must be reviewed and approved by PFBC.

Protocol References:

Heyer, W.R., M.A. Donnelly, R.W. McDiarmid, L.C. Hayek, and M.S. Foster, eds. 1994. *Measuring and Monitoring Biological Diversity: Standard Methods for Amphibians*. Smithsonian Institution Press, Washington.

Karns, D.R. 1986. *Field Herpetology: Methods for the Study of Amphibians and Reptiles in Minnesota*. James Ford Bell Museum of Natural History, Occasional Paper 18.

TIMOTHY D. SCHAEFFER,
Executive Director

[Pa.B. Doc. No. 24-1477. Filed for public inspection October 11, 2024, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Notice of Comments Issued

Section 5(g) of the Regulatory Review Act (71 P.S. § 745.5(g)) provides that the Independent Regulatory Review Commission (Commission) may issue comments within 30 days of the close of the public comment period. The Commission comments are based upon the criteria contained in section 5.2 of the Regulatory Review Act (71 P.S. § 745.5b).

The Commission has issued comments on the following proposed regulation. The agency must consider these comments in preparing the final-form regulation. The final-form regulation must be submitted within 2 years of the close of the public comment period or it will be deemed withdrawn.

<i>Reg. No.</i>	<i>Agency/Title</i>	<i>Close of the Public Comment Period</i>	<i>IRRC Comments Issued</i>
99-13	Office of Administration Civil Service Reform 54 Pa.B. 4437 (August 3, 2024)	09/03/24	10/02/24

**Office of Administration Regulation # 99-13
(IRRC # 3412)**

Civil Service Reform

October 2, 2024

We submit for your consideration the following comments on the proposed rulemaking published in the August 3, 2024 *Pennsylvania Bulletin*. Our comments are based on criteria in Section 5.2 of the Regulatory Review Act (RRA) (71 P.S. § 745.5b). Section 5.1(a) of the Regulatory Review Act (71 P.S. § 745.5a(a)) directs the Office of Administration (OA) to respond to all comments received from us or any other source.

1. Legislative Intent.

Act 71 of 2018 (Act 71) authorized the OA to promulgate temporary regulations to facilitate the prompt implementation of legislation governing civil service reform in the Commonwealth. Those temporary provisions, effective March 28, 2019, lapsed on March 12, 2022. Thereafter, the OA promulgated new temporary regulations that took effect on March 12, 2022. The new temporary regulations will expire on March 12, 2025. We, therefore, urge the OA to expeditiously return a final-form rulemaking to ensure that its permanent regulations are in place in a manner that is both timely and consistent with the intent of the General Assembly in providing the OA with limited, temporary rulemaking authority.

2. Legislative Comments.

Representative Brad Roae, Republican Chairman of the House State Government Committee (House Committee) expressed concern about the OA's timeline for promulgation of final-form regulations. These regulations, in their current temporary form, are set to expire in March 2025. In addition to concerns about the timeframe for finalization, Representative Roae submitted the following substantive questions:

- Section 610.5(a)(5) allows the OA to limit the number of applicants for a particular vacancy. Does artificially capping the maximum number of applicants for a vacancy inherently affect the competitiveness of filling said vacancy?
- Section 612.1(d) allows for a leave of absence for up to 12 years. The regulations define "leave of absence" in Section 608.3(a) as "A temporary and limited separation. . ." As 12 years seems rather long for a leave of absence, how did the OA determine this timeframe encompassed both a "temporary" and "limited" separation?
- Section 612.7(c)(3) relates to a suspension under Section 2705(f) (relating to political activity) of Act 71 may not exceed 120 working days. Section 2705(f) of Act 71 states: "An individual in the classified service who violates this section shall be removed from employment and money appropriated for the position from which the employee was removed may not be used to pay the employee or individual, provided the OA may impose a penalty of suspension without pay for not more than 120 working days if the OA finds that the violation does not warrant termination." However, the proposed regulations neither include provisions on termination due to violation, nor do they provide clarity on what process the OA must use to "find that the violation does not warrant termination." How does the OA reconcile the potential conflict between these two provisions?

Under the RRA, the comments, objections, or recommendations of a committee and written comments submitted by current members of the General Assembly are two of the criteria the Commission must consider when

determining if a regulation is in the public interest. When this proposal is delivered as a final-form regulation to this Commission and the standing committees for consideration, we will review the OA's responses to the issues raised by Representative Roae in determining whether the rulemaking is in the public interest.

3. Regulatory Analysis Form (RAF).—Fiscal impacts; Implementation procedures.

RAF Block # 20 directs the promulgating agency to provide a specific estimate of the costs and/or savings to the local governments associated with compliance. In response, the OA writes that: "The proposed regulations will not have an impact on local governmental entities that do not utilize the Commonwealth's merit system of employment." To the extent that local governments are part of the regulated community, the OA "does not anticipate that the proposed regulation will create additional costs on the regulated community, and costs associated with administration of the Classified Service should remain consistent with prior fiscal years." We ask the OA to include an updated RAF with the final rulemaking that directly discusses the costs and/or savings to local governments that utilize the Commonwealth's merit employment services.

Additionally, we ask that the OA's response to RAF # 29C, regarding the schedule for the expected date of delivery of the final-form regulation, be updated.

**CHAPTER 608. GENERAL PROVISIONS
GENERAL PROVISIONS**

4. Section 608.1. Short title.—Clarity.

The State Civil Service Commission (SCSC) has noted two issues related to this section. The SCSC asserts that the proposed short title is not distinct enough to avoid possible confusion with the short title for the SCSC regulations (Rules of the Civil Service Commission). Additionally, the SCSC believes the title could be misleading because the phrase "Civil Service Reform" encompasses functions performed separately by the SCSC and the OA. The SCSC suggests that the OA utilize a short title that focuses on the employment function performed by the OA. We encourage the OA to consult with the Legislative Reference Bureau in determining an appropriate short title for this regulation.

5. Section 608.3. Definitions.—Clarity.

Merit-related factors, merit-related criteria, merit-related reason and merit principles

These terms appear in numerous sections throughout the body of the regulation. We believe that defining these terms would improve the clarity of the regulation. We ask the OA to define these terms in the final version of the regulation or explain why it is unnecessary to do so.

Provisional employee

A *Provisional employee* is defined as an individual who was appointed to a position through an *accelerated entrance examination program* and who is serving a 6-month working test period prior to the required probationary period. (Emphasis added). The term "accelerated entrance examination program" is not defined nor does the Annex describe what it entails. The final-form regulation should define the term and provide specifics about the program in the regulatory language.

Rule of three

The last sentence in the definition of Rule of three is a substantive provision. Under Section 2.11(e) of the *Pennsylvania Code and Bulletin Style Manual*, substantive provisions may not be in a definition section. The last

sentence in this definition should be deleted and relocated to Section 610.24 (relating to Rule of three and alternate rule).

6. Section 608.7. Service to departments, boards and commissions, agencies and political subdivisions; reimbursement for services.—Clarity; and Implementation procedures.

Proposed Section 608.7 establishes the process for acquiring services from the OA. Subsection (b) provides that reimbursement for services provided by the OA shall be done in accordance with Section 2901 of Act 71 (relating to service and cooperation). The SCSC seeks clarification on whether this section requires existing contracts with counties and other political subdivisions to be renegotiated. We will review the OA's response to this request for clarification in our determination of whether the rulemaking is in the public interest.

**CHAPTER 609. CLASSIFICATION SYSTEM
CLASSIFICATION SYSTEM**

7. Section 609.5. Unclassified service.—Clarity; and Implementation procedures.

Proposed Section 609.5 establishes the procedure by which appointing authorities may request exemptions from the classified service. Positions that may be exempted from the classified service are listed under the definition of "unclassified service" in Section 2103 of Act 71. Three of the listed positions—members of boards or commissions, unskilled workers, and attorney positions—are not mentioned in proposed Section 609.5. The SCSC suggests that if the OA does not intend for approval to be required for these positions, then it should add a subsection indicating this.

In addition, the SCSC contends, according to Paragraph 11 of an Interagency Agreement between the SCSC and the OA, that this proposed section does not mention the final step in the approval process: for the OA to submit certain exemption requests to the SCSC. Therefore, the SCSC suggests that the OA consider adding a section incorporating the scope of review set forth in Paragraph 11. We will review the OA's response to both aforementioned suggestions in our review of the final-form regulation.

**CHAPTER 610. APPOINTMENTS AND
PROMOTIONS IN THE CLASSIFIED SERVICE**

8. Section 610.6. Evaluation of applications.—Clarity; and Implementation procedures.

Proposed Section 610.6 provides for a process by which employment applications are evaluated and in which applicants may seek reconsideration. The SCSC has expressed concerns about the OA's previously implemented limited approach to reconsideration reviews and its impact on applicants, such as veterans. The SCSC has similar concerns regarding this approach under proposed Section 610.13. Given these concerns expressed by the SCSC, we ask that the OA explain how it will apply its reconsideration process under this proposed section and proposed Section 610.13. We will review the OA's response to these concerns in our review of the final-form regulation.

9. Section 610.9. Development of examinations.—Clarity.

Section 610.9(d) permits the OA to collaborate with representatives of appointing authorities, qualified testing organizations and other qualified individuals regarding the content of examinations. The final version of this

rulemaking should define "qualified testing organization" or explain why it is unnecessary to define the term.

10. Section 610.10. Administration of examinations.—Clarity; and Implementation procedures.

Subsection (b)

Under this subsection, the OA publishes notices of examinations which announce the method of examination and, if applicable, the date, time and location that the examination will be held. Notices of examinations will be accessible through the OA's web site and shall be published for a *minimum of 2 weeks*. (Emphasis added.) We suggest that this subsection be revised for clarity and consistency with the statute, by inserting after "weeks" the following phrase "in advance of the final date for filing applications." 71 Pa.C.S. § 2304.

Subsection (e)

The SCSC has expressed concerns about the ambiguous use of the following terms and phrases in Sections 610.10(e)(3) and 610.10(e)(4): "false statement," "fraud," "deception," and "lack of professionalism, honesty, trustworthiness or dependability." The SCSC contends that it is unclear about which definition the OA intends to use or how the OA will determine when an applicant has made a false statement or engaged in fraud. The SCSC further argues that no standards have been established for determining when an applicant lacks professionalism, honesty, trustworthiness, or dependability. We will evaluate the OA's response to these concerns in our determination of whether the rulemaking is in the public interest. This comment also applies to Sections 610.23(a)(3), 610.23(a)(4), and 613.4(d).

11. Section 610.26. Removal of eligible from eligible list.—Clarity; Implementation Procedures; and Timetables.

This section addresses the removal of an eligible's name from an established or certified eligible list (list), including requirements for an appointing authority's request to the OA and the process for an eligible to respond to such a request.

The SCSC contends that this proposed section does not adequately specify a timeframe for list removals. Specifically, the SCSC argues that the time period is open-ended and left to the discretion of the OA which could cause confusion and uncertainty for civil service employees and job seekers. These arguments put forth by the SCSC also apply to proposed Section 613.4.

Under Section 610.26(b), an eligible may, within 10 calendar days from the mailing date of the appointing authority's request for removal from a list, submit a written response to the OA. Copies of the eligible's response are sent to the OA and the appointing authority on the same day. Section 610.26(c) sets forth the OA's authority to grant or deny an appointing authority's list removal request. If a request for removal of an eligible's name from a list is granted by the OA, the eligible's name will be removed from the list for a period of time as determined by the OA, and the appointing authority will not be required to consider the eligible for appointment or promotion. This subsection does not address whether the eligible is notified of the OA's decision to grant or deny an appointing authority's request. The final-form regulation should provide notice to the eligible regarding the outcome of an appointing authority's request for removal from the eligible list, including stipulating the length of time, as determined by the OA, in which the eligible will not be considered for an appointment or promotion. Otherwise, we ask the OA to explain how not providing notification under this section is in the public interest.

CHAPTER 611. EMPLOYEES IN THE CLASSIFIED SERVICE

12. Section 611.2. Duration and extension of probationary periods.—Clarity; and Implementation procedures.

This section addresses the duration and extension of probationary periods. Subsection (b) relating to the extension of a probationary period states that if the appointing authority extends an employee's probationary period, it must notify the employee in writing at least 1 workday prior to the effective date of the extension. At the discretion of the appointing authority, a probationary period may be extended up to a maximum of 18 months. Does the notice specify the length of time that the probationary period has been extended? If so, the regulation should be revised to include this information in the notice. If not, the OA should explain why it is not needed. This comment also applies to notice of extension of probationary period for a trainee in Section 611.7(c).

13. Section 611.7. Probationary period of trainees; and Section 611.8. Probationary period of interns.—Clarity.

In Sections 611.7(e) and 611.8(d), an appointing authority must immediately remove or, if appropriate, *return* a trainee or an intern who fails to successfully complete the designated probationary period or the internship in accordance with Section 611.12(d). (Emphasis added). We recommend that Sections 611.7(e) and 611.8(d) be amended to clarify what the trainee/intern is returning to (i.e. regular status, probationary status, a position, previously held position or employment).

CHAPTER 612. SEPARATION OF EMPLOYEES FROM THE CLASSIFIED SERVICE

14. Section 612.1. Leaves of absence generally.—Reasonableness of requirements, implementation procedures and timetables for compliance.

Section 612.1(d) provides the extension of leaves of absence. Upon the written request of the employee, a leave of absence may be extended at the discretion of the appointing authority in 2-year increments and for the maximum continuous duration of 12 years. We ask the OA to explain, in the Preamble to the final-form regulation, how it determined that the time period for an extension under Section 612.1(d) is appropriate and reasonable?

CHAPTER 614. PERSONNEL ACTIONS

15. Section 614.1. Personnel actions. Statutory authority; Intent; Possible Conflict with Existing Statute.

The SCSC argues that the following language in proposed Section 614.1 exceeds the OA's authority because both the OA and the SCSC rely upon Act 71 in their daily operations:

When used in the act [Act 71] or this subpart, the term personnel action shall be limited to the following [. . .].

The SCSC suggests that the OA define "personnel actions" within its own subpart and delete the reference to Act 71 in proposed Section 614.1. In addition, the SCSC contends that the definition of "personnel action" in this proposed section is more restrictive than the categories of personnel actions listed in Section 2704 of Act 71 and is contrary to the open-ended language used in the catch-all provision found in Section 2704. We will review the OA's response to SCSC's concerns in our determination of whether the final rulemaking is in the public interest. We also encourage both the OA and the SCSC,

as they formulate their respective rulemakings to implement Act 71, to consult with one another on such matters.

CHAPTER 615. PRACTICE AND PROCEEDINGS BEFORE THE OFFICE OF ADMINISTRATION

16. Section 615.11. Notice of hearing.—Clarity; and Implementation procedures.

Subsection (a)

Under this subsection, the OA provides parties with advance notice of a scheduled hearing. The notice contains a statement of the matters to be addressed at the hearing, as well as specific instructions regarding the date, time and place of hearing.

Proposed Section 615.16 sets forth the protocol when a properly notified party fails to appear at hearing. Specifically, it provides that where a party fails to appear after proper notice, the presiding officer may still hold the hearing and render a decision. We ask the OA to consider amending Section 615.11(a) to include, either in the hearing notice or on OA's website, information about failure to appear at hearing.

17. Section 615.18. Record of proceedings; and Section 615.28. Record of proceedings.—Clarity.

These two provisions are identical. We ask the OA to distinguish the difference between the two provisions, in both title and content, in the final-form rulemaking or remove one. In addition, we recommend that the final regulatory language state that instructions to obtain a record of the proceedings will be available on the OA's website.

18. Miscellaneous—Clarity.

- Section 608.2(b) duplicates, in part, language found in Section 608.2(a). We recommend deleting the unnecessary provision in the final-form regulation.

- In Sections 610.29(c) and 610.30(b), we suggest removing the "," after "additional."

- In the first sentence of Section 610.6(f), add "to" after "Administration."

- In Section 610.13(e), place "," after "score."

- Amend Sections 611.18(c), 611.19(c) and 612.5(h)(3), for consistency with similar provisions throughout the body of the regulation, by adding after "principles" the following phrase "as set forth in the act and this subpart."

- In Section 612.3(c), insert "A" before "substitute."

- Section 615.11(b) is missing the ending parenthesis after the word "hearings."

GEORGE D. BEDWICK,
Chairperson

[Pa.B. Doc. No. 24-1478. Filed for public inspection October 11, 2024, 9:00 a.m.]

INSURANCE DEPARTMENT

1332 Waiver Reinsurance Program; Public Comment on Extension Application and Annual Public Forum; Notice 2024-16

The Commonwealth is accepting public comments on its intent to submit an application to extend the 1332 State Innovation Waiver Reinsurance Program (PA-Re) for another 5 years. The Insurance Department (Department) is asking for public comment generally as well as on a draft Actuary and Economic Report available on the Department's web site. The public comment period begins with publication of this notice and will end on Thursday, November 14, 2024. Comments may be directed to the

Insurance Department 1332 Innovation Waiver, Attn: Beth Evans, 1326 Strawberry Square, Harrisburg, PA 17120, RA-IN-PA1332Waiver@pa.gov.

The Department will host a joint virtual public forum to provide additional opportunities to learn about and comment on the current 1332 waiver reinsurance program and its intended extension beyond the initial term.

Information is available for review at www.insurance.pa.gov/PA1332Waiver. The Commonwealth's PA-Re was approved in July 2020 by the Centers for Medicare & Medicaid Services, a division of the United States Department of Health and Human Services, and the United States Department of the Treasury. The approval is effective for the period of January 1, 2021, through December 31, 2025, with a provision for a possible extension at the end of the initial term.

The virtual public forum will be held by means of Microsoft Teams at the following times and may be accessed by digital links or phone numbers:

Date:	November 12, 2024
Time:	11 a.m. to 12 p.m.
Link:	https://teams.microsoft.com/l/meetup-join/19%3ameeting_Njk4NGE5NmMtMGI3OC00ZmU5LTkwZGMtMzdYjNlZWl1ZjQ2%40thread.v2/0?context=%7b%22Tid%22%3a%22418e2841-0128-4dd5-9b6c-47fc5a9a1bde%22%2c%22Oid%22%3a%2280cc5f11-04bb-4f9a-a201-84346502e712%22%7d
Meeting ID:	228 744 201 350
Passcode:	rcUCBP
Call-in Number:	(267) 332-8737
Phone Conference ID:	893 247 654#

Date:	November 14, 2024
Time:	1 p.m. to 2 p.m.
Link:	https://teams.microsoft.com/l/meetup-join/19%3ameeting_M2VmNTI3YjQtNTZhZC00MTI3LTkzZTQtNTQ2NmVlYTFkZmFh%40thread.v2/0?context=%7b%22Tid%22%3a%22418e2841-0128-4dd5-9b6c-47fc5a9a1bde%22%2c%22Oid%22%3a%2280cc5f11-04bb-4f9a-a201-84346502e712%22%7d
Meeting ID:	291 785 527 481
Passcode:	dZhVJz
Call-in Number:	(267) 332-8737
Phone Conference ID:	605 639 544#

Individuals should be aware that this forum will be recorded; attendance will constitute consent to the recording.

Questions regarding this notice may be directed to the previously listed e-mail address and mailing address.

MICHAEL HUMPHREYS,
Insurance Commissioner

[Pa.B. Doc. No. 24-1479. Filed for public inspection October 11, 2024, 9:00 a.m.]

INSURANCE DEPARTMENT

Alleged Violation of Insurance Laws; William Leaverton; Doc. No. SC24-10-001

Notice is hereby given of the Order to Show Cause issued on October 1, 2024, by the Deputy Insurance Commissioner of the Commonwealth in the previously referenced matter. Violations of the following are alleged: sections 611-A(6), (7) and (20) and 671-A(a) of The Insurance Department Act of 1921 (40 P.S. §§ 310.11(6), (7) and (20) and 310.71(a)) and section 5(a)(1)(i) of the Unfair Insurance Practices Act (40 P.S. § 1171.5(a)(1)(i)).

The respondent shall file a written answer to the Order to Show Cause within 30 days of the date of issue. If the respondent files a timely answer, a formal administrative hearing shall be held in accordance with 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure), 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure) and other relevant procedural provisions of law.

Answers, motions preliminary to those at hearing, protests, petitions to intervene or notices of intervention, if any, must be filed in writing with the Hearings Administrator, Insurance Department, Administrative Hearings Office, 901 North 7th Street, Harrisburg, PA 17102, ra-hearings@pa.gov.

Persons with a disability who wish to attend the previously referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing, contact Joseph Korman, Agency ADA Coordinator, jkorman@pa.gov, (717) 787-4429.

MICHAEL HUMPHREYS,
Insurance Commissioner

[Pa.B. Doc. No. 24-1480. Filed for public inspection October 11, 2024, 9:00 a.m.]

PENNSYLVANIA INTERGOVERNMENTAL COOPERATION AUTHORITY

Financial Statement

Under section 207 of the Pennsylvania Intergovernmental Cooperation Authority Act for Cities of the First Class (53 P.S. § 12720.207), the Pennsylvania Intergovernmental Cooperation Authority (Authority) is required to publish a “concise financial statement” annually in the *Pennsylvania Bulletin*. The Authority has issued its annual report for its fiscal year ended June 30, 2024, which includes an audit for this period performed in accordance with generally accepted auditing standards by an independent firm of certified public accountants. The complete annual report of the Authority may be obtained from the Authority’s web site at www.picapa.org or from the Pennsylvania Intergovernmental Cooperation Authority, 1500 Walnut Street, Suite 1600, Philadelphia, PA 19102, (215) 561-9160.

MARISA G. WAXMAN,
Executive Director

**PENNSYLVANIA INTERGOVERNMENTAL
COOPERATION AUTHORITY**

(A Blended Component Unit of the City of Philadelphia)

STATEMENT OF NET POSITION - GOVERNMENTAL ACTIVITIES

JUNE 30, 2024

Assets	
Cash and cash equivalents	\$ 19,128,128
PICA taxes receivable	12,471,887
Accrued interest receivable	80,811
Prepaid expenses	11,638
Equipment, net	10,077
Total Assets	31,702,541
Deferred Outflows of Resources	
Deferred outflows related to:	
Pension	476,093
Other post-employment benefits	46,601
Contributions subsequent to measurement date:	
Pension	56,377
Other post-employment benefits	20,207
Total Deferred Outflows of Resources	599,278
Liabilities	
Accounts payable and accrued expenses	168,088
Due to City of Philadelphia	12,471,887
Current portion of net other post-employment benefit liability	20,207
Net pension liability	1,063,244
Noncurrent portion of net other post-employment benefit liability	334,029
Total Liabilities	14,057,455
Deferred Inflows of Resources	
Deferred inflows related to:	
Pension	257,937
Other post-employment benefits	262,076
Total Deferred Inflows of Resources	520,013
Net Position	
Net investment in capital assets	10,077
Unrestricted	17,714,274
Total Net Position	\$ 17,724,351

The accompanying notes are an integral part of these financial statements.

**PENNSYLVANIA INTERGOVERNMENTAL
COOPERATION AUTHORITY**
(A Blended Component Unit of the City of Philadelphia)
STATEMENT OF ACTIVITIES - GOVERNMENTAL ACTIVITIES
YEAR ENDED JUNE 30, 2024

Expenses:	
Grants to City of Philadelphia	\$ 705,370,226
General management and support - general operations	251,581
Investment expenses	<u>3,500</u>
Total Expenses	<u>705,625,307</u>
Revenues:	
PICA taxes	704,422,177
Investment income (loss)	1,814,060
Other income	<u>313</u>
Total Revenues	<u>706,236,550</u>
Change in Net Position	611,243
Net Position:	
Beginning of year	<u>17,113,108</u>
End of year	<u>\$ 17,724,351</u>

The accompanying notes are an integral part of these financial statements.

**PENNSYLVANIA INTERGOVERNMENTAL
COOPERATION AUTHORITY**

(A Blended Component Unit of the City of Philadelphia)

BALANCE SHEET - GOVERNMENTAL FUNDS

JUNE 30, 2024

<u>ASSETS</u>	<u>General</u>	<u>PICA Tax Revenue</u>	<u>Total Governmental Funds</u>
Assets:			
Cash and cash equivalents	\$ 19,128,128	\$ -	\$ 19,128,128
PICA taxes receivable	-	12,471,887	12,471,887
Accrued interest receivable	80,811	-	80,811
Prepaid expenses	11,638	-	11,638
Total Assets	\$ 19,220,577	\$ 12,471,887	\$ 31,692,464
LIABILITIES AND FUND BALANCE			
Liabilities:			
Accounts payable	\$ 76,550	\$ -	\$ 76,550
Due to the City of Philadelphia	-	12,471,887	12,471,887
Accrued payroll and taxes	91,538	-	91,538
Total liabilities	168,088	12,471,887	12,639,975
Fund Balance:			
Nonspendable	11,638	-	11,638
Committed:			
For future swaption activity	15,766,451	-	15,766,451
Unassigned	3,274,400	-	3,274,400
Total fund balance	19,052,489	-	19,052,489
Total Liabilities and Fund Balance	\$ 19,220,577	\$ 12,471,887	\$ 31,692,464

The accompanying notes are an integral part of these financial statements.

**PENNSYLVANIA INTERGOVERNMENTAL
COOPERATION AUTHORITY**
(A Blended Component Unit of the City of Philadelphia)
**RECONCILIATION OF GOVERNMENTAL FUNDS BALANCE SHEET
TO THE STATEMENT OF NET POSITION**
JUNE 30, 2024

Total Fund Balance - Governmental Funds		\$ 19,052,489
Amounts reported for governmental activities in the statement of net position are different because:		
Capital assets used in governmental activities are not financial resources and, therefore, are not reported in governmental funds. The cost of assets is \$27,159 and the accumulated depreciation is \$17,082.		10,077
Long-term liabilities applicable to the Authority's governmental activities are not due and payable in the current period and, accordingly, are not reported as fund liabilities. All liabilities, both current and long-term, are reported in the statement of net position.		
Net pension liability, net of related deferred inflows and outflows of resources	\$ (788,711)	
Net OPEB liability, net of related deferred inflows and outflows of resources	<u>(549,504)</u>	<u>(1,338,215)</u>
Net position - governmental activities		<u><u>\$ 17,724,351</u></u>

The accompanying notes are an integral part of these financial statements.

**PENNSYLVANIA INTERGOVERNMENTAL
COOPERATION AUTHORITY**

(A Blended Component Unit of the City of Philadelphia)

**STATEMENT OF REVENUES, EXPENDITURES, AND CHANGES IN FUND BALANCE -
GOVERNMENTAL FUNDS
YEAR ENDED JUNE 30, 2024**

	General	PICA Tax Revenue	Total Governmental Funds
Revenues:			
PICA taxes	\$ -	\$ 704,422,177	\$ 704,422,177
Investment income	866,011	948,049	1,814,060
Other	313	-	313
Total revenues	<u>866,324</u>	<u>705,370,226</u>	<u>706,236,550</u>
Expenditures:			
Grants to the City of Philadelphia	-	705,370,226	705,370,226
Administration:			
Investment expenses	3,500	-	3,500
Operations	1,111,698	-	1,111,698
Total expenditures	<u>1,115,198</u>	<u>705,370,226</u>	<u>706,485,424</u>
Net Change in Fund Balance	(248,874)	-	(248,874)
Fund Balance:			
Beginning of year	19,301,363	-	19,301,363
End of year	<u>\$ 19,052,489</u>	<u>\$ -</u>	<u>\$ 19,052,489</u>

The accompanying notes are an integral part of these financial statements.

**PENNSYLVANIA INTERGOVERNMENTAL
COOPERATION AUTHORITY**

(A Blended Component Unit of the City of Philadelphia)

**RECONCILIATION OF THE STATEMENT OF REVENUES, EXPENDITURES,
AND CHANGES IN FUND BALANCE OF GOVERNMENTAL
FUNDS TO THE STATEMENT OF ACTIVITIES**

YEAR ENDED JUNE 30, 2024

Net Change in Fund Balance - Governmental Fund		\$ (248,874)
<p>Cost of capital outlays is allocated over their estimated useful lives as depreciation in the government-wide statements.</p>		
Capital outlays		9,595
Depreciation expense		(2,493)
<p>Some expenses reported in the statement of activities do not require the use of current financial resources and, therefore, are not reported as expenditures in the governmental funds:</p>		
Change in net pension liability, net of related deferred outflows and inflows of resources	\$ 614,377	
Change in other post-employment benefit obligations, net of related deferred outflows and inflows of resources	<u>238,638</u>	<u>853,015</u>
Change in net position - Governmental Activities		<u><u>\$ 611,243</u></u>

The accompanying notes are an integral part of these financial statements.

[Pa.B. Doc. No. 24-1481. Filed for public inspection October 11, 2024, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Electric Generation Supplier License Cancellation of Companies with an Expired Financial Security, Insufficient Financial Security Amount or Language

Public Meeting held
September 26, 2024

Commissioners Present: Stephen M. DeFrank, Chairperson; Kimberly Barrow, Vice Chairperson; Ralph V. Yanora; Kathryn L. Zerfuss; John F. Coleman, Jr.

*Electric Generation Supplier License Cancellation of
Companies with an Expired Financial Security,
Insufficient Financial Security Amount or Language;
M-2024-3045251*

Tentative Order

By the Commission:

The Commission’s regulations at 52 Pa. Code § 54.40(a) state that an Electric Generation Supplier (EGS) license will not be issued or remain in force until the licensee furnishes a bond or other security approved by the Commission. In addition, 52 Pa. Code § 54.40(d) states that the maintenance of an EGS license is contingent on

the licensee providing proof to the Commission that a bond or other approved security in the amount directed by the Commission has been obtained.

Each EGS must file an original bond, letter of credit, continuation certificate, amendment, or other approved financial instrument with Rosemary Chiavetta, Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA, 17120, prior to the EGS’s current security expiration date. Each financial instrument must be an original document that displays a “wet” signature or digital signature, preferably in blue ink, and displays a “raised seal” or original notary stamp. The name of the principal on the original financial instrument must match exactly with the name that appears on the EGS’s license issued by the Commission.

Failure to file before the financial security’s expiration date may cause Commission staff to initiate a formal proceeding that may lead to the following: cancellation of each company’s electric supplier license, removal of each company’s information from the Commission’s website, and notification to all electric distribution companies, in which each company is licensed to do business, of the cancellation of the license.

As of September 17, 2024, each EGS listed in the Supplier Table below has not provided proof to the Commission that it has a bond or other approved security in the amount or language directed by the Commission, to replace a bond which is expired, or which is non-compliant with Commission regulations.

Supplier Table—List of Electric Generation Suppliers

<i>Docket Number</i>	<i>Company Name</i>	<i>Financial Security Expiration Date</i>	<i>Commission Approved Amount or Language</i>
A-2018-3005372*	BROOKFIELD RENEWABLE ENERGY MARKETING US, LLC	9/14/2024	No
A-2021-3028636*	CURRENT ENERGY AND RENEWALBLES, INC.	8/31/2024	No

*Taking title to electricity

As part of its EGS license validation procedures, the Commission’s Bureau of Technical Utility Services sent a 90-day Security Renewal Notice email to each entity in the Supplier Table above stating that original documentation of a bond, or other approved security in the amount or language directed by the Commission, must be filed within 30-days prior to each entity’s security expiration date. None of the companies listed in the Supplier Table provided the required documentation.

Based on the above facts, we tentatively conclude that the EGSs listed in the Supplier Table are not in compliance with 52 Pa. Code § 54.40(a) and (d) and therefore it is appropriate to initiate the cancellation process for the EGS license of each company listed in the Supplier Table, without the necessity of a formal complaint, as being in the public interest;

Therefore,

It Is Ordered That:

1. Cancellation of the Electric Generation Supplier License of each company listed in the Supplier Table is hereby tentatively approved as being in the public interest.

2. The Secretary (i) serve a copy of this Tentative Order upon the Office of Consumer Advocate, the Office of Small Business Advocate, the Bureau of Investigation & Enforcement, all electric generation distribution companies, and all of the Electric Generation Suppliers listed in the Supplier Table; (ii) publish a copy of this Tentative Order in the *Pennsylvania Bulletin* with a 30-day comment period; and (iii) file a copy of this Tentative Order at each Electric Generation Supplier’s assigned docket number.

3. To the extent any of the Electric Generation Suppliers listed in the Supplier Table challenge the cancellation of their license, they must file comments within thirty (30) days after publication of this Tentative Order in the *Pennsylvania Bulletin*. Written comments referencing Docket No. M-2024-3045251 must be eFiled to the Pennsylvania Public Utility Commission through the Commission’s eFiling System. You may set up a free eFiling account with the Commission at <https://efiling.puc.pa.gov/> if you do not have one. Filing instructions may be found on the Commission’s website at http://www.puc.pa.gov/filing_resources.aspx. Comments containing confidential information should be emailed to Commission Secretary Rosemary Chiavetta at rchiavetta@pa.gov rather than eFiled.

4. Alternatively, Electric Generation Suppliers listed in the Supplier Table may provide the Commission an approved security up to and within thirty (30) days after publication in the *Pennsylvania Bulletin*. The Electric Generation Supplier must file an original bond, letter of credit, continuation certificate, amendment, or other approved financial instrument displaying a “wet” signature or digital signature, preferably in blue ink, and displaying a “raised seal” or original notary stamp with Rosemary Chiavetta, Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA, 17120.

5. Absent the timely (i) filing of comments challenging the cancellation of the Electric Generation Supplier’s license, or (ii) the filing of an approved security within 30-days after publication in the *Pennsylvania Bulletin*, the Bureau of Technical Utility Services, shall prepare a Final Order for entry by the Secretary revoking the license of each Electric Generation Supplier that fails to respond.

6. Upon entry of the Final Order, Electric Generation Suppliers that remain listed as not in compliance with 52 Pa. Code § 54.40(a) and (d) will be stricken from all active utility lists maintained by the Commission’s Bureau of Technical Utility Services and the Assessment Section of the Bureau of Administration, removed from the Commission’s website, and notifications be sent to all electric distribution companies in which the Electric Generation Suppliers are licensed to do business.

7. Upon entry of the Final Order, Electric Generation Suppliers that fail to respond will be prohibited from providing electric generation supply services to retail electric customers. That upon entry of the Final Order described in Ordering Paragraph No. 5, each electric distribution company in which the Electric Generation Suppliers are licensed to do business, shall return the customers of the Electric Generation Suppliers to default service.

ROSEMARY CHIAVETTA,
Secretary

ORDER ADOPTED: September 26, 2024

ORDER ENTERED: September 26, 2024

[Pa.B. Doc. No. 24-1482. Filed for public inspection October 11, 2024, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Natural Gas Service

A-2024-3051442. National Fuel Gas Distribution Corporation. Application for approval of abandonment of service by National Fuel Gas Distribution Corporation for one natural gas service customer located in Beaver Township, Jefferson County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before October 28, 2024. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available only online for inspection and copying on the Pennsylvania Public Utility Commission’s (Commission) web site at www.puc.pa.gov and at the applicant’s business address.

Parties to proceedings pending before the Commission must open and use an eFiling account through the Commission’s web site at www.puc.pa.gov or they may submit the filing by overnight delivery to the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120. If a filing contains confidential or proprietary material, the filing is required to be submitted by overnight delivery. Large filings containing confidential or proprietary material may be submitted through the Commission’s Share Point file system with advanced notice to the Commission prior to submittal.

Applicant: National Fuel Gas Distribution Corporation, 6363 Main Street, Williamsville, NY 14221

Through and By Counsel for: Anthony D. Kanagy, Esquire, Garrett P. Lent, Esquire, Post & Schell, PC, 17 North Second Street, 12th Floor, Harrisburg, PA 17101-1601, (717) 612-6034, akanagy@postschell.com, glent@postschell.com

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 24-1483. Filed for public inspection October 11, 2024, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission (Commission). Formal protests, petitions to intervene and answers must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before October 28, 2024. Filings must be made electronically through eFiling to the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy served on the applicant by October 28, 2024. All parties participating in matters pending before the Commission are requested to eFile their submissions by opening an eFiling account and accepting EService. Individuals can sign up for a free eFiling account with the Secretary of the Commission through the Commission’s eFiling system at <https://www.puc.pa.gov/efiling/Default.aspx>. A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Protests may only be filed if there is evidence that the applicant lacks fitness. Protests based on endangering or impairing operations of an existing carrier will not be honored. The documents filed in support of the application are only available for inspection through the Commission’s web site at www.puc.pa.gov by searching under the docket number as follows or by searching the applicant’s web site.

Applications of the following for approval to *begin operating as common carriers for transportation of persons as described under each application.*

A-2024-3050083. Over the Moon Services, LLC, t/a To the Moon Shuttle Services (112 Spring Ridge Court, Lancaster, Lancaster County, PA 17601) discontinuance of service and cancellation of its certificate, to transport, as a common carrier, by motor vehicle, at A-2024-3044523,

persons in paratransit service, between points in the Counties of Bucks, Carbon, Chester, Columbia, Cumberland, Dauphin, Delaware, Lancaster, Lebanon, Lehigh, Luzerne, Monroe, Northampton, Northumberland, Schuylkill and York, and the City and County of Philadelphia.

A-2024-3050124. Best Shuttle Services, LLC (800 West Olney Avenue, Philadelphia, Philadelphia County, PA 19120) for the right to begin to transport, as a common carrier, by motor vehicle, persons in group and party service, in vehicles seating 11 to 15 passengers, including the driver, between points in the Counties of Bucks and Montgomery, and the City and County of Philadelphia. *Attorney:* John F. Povilaitis, Esquire, Buchanan, Ingersoll, & Rooney, 409 North Second Street, Suite 500, Harrisburg, PA 17101-1357.

A-2024-3051033. JB Transit, LLC (233 Buckingham Drive, Pittsburgh, Allegheny County, PA 15237) for the right to begin to transport, as a common carrier, by motor vehicle, persons in airport transfer service, from points within a 100-mile radius of the limits of the City of Pittsburgh, Allegheny County, to Pittsburgh International Airport, and vice versa. *Attorney:* Amanda E. Palbus, Esquire, Myers Law Group, 17025 Perry Highway, Warrendale, PA 15086.

A-2024-3051034. JB Transit, LLC (233 Buckingham Drive, Pittsburgh, Allegheny County, PA 15237) for the right to begin to transport, as a common carrier, by motor vehicle, persons in paratransit service, between points within a 100-mile radius of the limits of the City of Pittsburgh, Allegheny County. *Attorney:* Amanda E. Palbus, Esquire, Myers Law Group, 17025 Perry Highway, Warrendale, PA 15086.

A-2024-3051082. Eagle Ride Taxi Cab, LLC (1031 Bluegrass Road, Lancaster, Lancaster County, PA 17601) to transport, as a common carrier, by motor vehicle, persons in paratransit service, from points in the Counties of Dauphin, Lancaster, Lebanon and York.

A-2024-3051099. Metropolis Passenger Logistics, LLC, t/a Metro Shuttle (One International Plaza, Suite 550, Philadelphia, Philadelphia County, PA 19113) for the right to begin to transport, as a common carrier, by motor vehicle, persons in limousine service, from points in the Counties of Berks, Bucks, Delaware, Lehigh and Montgomery, to points in Pennsylvania, and return; excluding service that is under the jurisdiction of the Philadelphia Parking Authority. *Attorney:* William H. Stewart, Esquire, Vuono & Gray, LLC, 310 Grant Street, Suite 2310, Pittsburgh, PA 15219.

A-2024-3051111. Metropolis Passenger Logistics, LLC, t/a Metro Shuttle (One International Plaza, Suite 550, Philadelphia, Philadelphia County, PA 19113) for the right to begin to transport, as a common carrier, by motor vehicle, persons in group and party service, in vehicles seating 11 to 15 passengers, including the driver, from points in the Counties of Berks, Bucks, Delaware, Lehigh and Montgomery, to points in Pennsylvania, and return; excluding service that is under the jurisdiction of the Philadelphia Parking Authority. *Attorney:* William H. Stewart, Esquire, Vuono & Gray, LLC, 310 Grant Street, Suite 2310, Pittsburgh, PA 15219.

A-2024-3051194. Summit Medical Transport, LLC (2424 East York Street, Suite 100-M, Philadelphia, Philadelphia County, PA 19125) to transport, as a common carrier, by motor vehicle, persons in paratransit service, from points in the Counties of Berks, Dauphin, Delaware, Lancaster, Lebanon, Lehigh, Northampton and York, and the City and County of Philadelphia, to points in Pennsylv-

vania, and return. *Attorney:* David Temple, Esquire, 111 Buck Road, Building 500, Suite 1, Huntingdon Valley, PA 19006.

A-2024-3051278. Good News Transportation, LLC (3981 Sunset Road, Harrisburg, Dauphin County, PA 17112) for the right to begin to transport, as a common carrier, by motor vehicle, persons in paratransit service, between points in the Counties of Cumberland, Dauphin, Lancaster, Lebanon and York.

A-2024-3051335. Fleetwood Cab Services, LLC (14031 Kutztown Road, Fleetwood, Berks County, PA 19522) in paratransit service, from points in Berks County, to points in Pennsylvania, and return. *Attorney:* JoAnn Ruchlewicz, 1716 Olive Street, Reading, PA 19604.

A-2024-3051390. PA Transit Services, LLC (100 South Juniper Street, 3rd Floor, Unit A02, Philadelphia, Philadelphia County, PA 19107) to transport, as a common carrier, by motor vehicle, persons in paratransit service, from points in the City and County of Philadelphia, to points in Pennsylvania, and return.

Application of the following for approval to begin operating as a broker for transportation of persons as described under the application.

A-2024-3051395. Twin Pillars Travel, LLC, d/b/a Bob Neff Tours (15 North Spruce Street, Lititz, Lancaster County, PA 17543) for the right to operate as a broker, to arrange the transportation of persons, between points in Pennsylvania.

Applications of the following for the approval of the right and privilege to discontinue/abandon operating as common carriers by motor vehicle and for cancellation of the certificate of public convenience as described under each application.

A-2024-3051352. Allegheny Black Car Service, LLC (264 Mingo Road, Wexford, Allegheny County, PA 15090) for the discontinuance and cancellation of its right, to transport, as a common carrier, by motor vehicle, persons in limousine service, from points in the Counties of Allegheny and Butler, to points in Pennsylvania, and return, as originally docketed at A-2021-3027709.

A-2024-3051365. Bob Neff Tours, Inc. (1525 Oregon Pike, Suite 2201, Lancaster, Lancaster County, PA 17601) for the discontinuance and cancellation of the right to operate as a broker, to arrange for the transportation of persons, between points in the County of Lancaster and from points in said county, to points in Pennsylvania and return.

A-2024-3051458. Kutztown Area Transport Service, Inc. (87 South Kemp Road, Kutztown, Berks County, PA 19530) discontinuance of service and cancellation of its certificate, to transport, as a common carrier, by motor vehicle, persons upon paratransit, as more thoroughly described in the original ordering paragraphs at A-2009-2140250 and A-2012-2304787.

A-2024-3051461. Jennifer A. Rutherford, t/a Lewistown Taxi Service (821 Electric Avenue, Suite D, Lewistown, Mifflin County, PA 17044) for the discontinuance and cancellation of its right, to transport, as a common carrier, by motor vehicle, persons in call or demand service, between points in the Borough of Lewistown, Mifflin County, PA.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 24-1484. Filed for public inspection October 11, 2024, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Formal Complaints

Formal complaints have been issued by the Pennsylvania Public Utility Commission. Answers must be filed in accordance with 52 Pa. Code (relating to public utilities). Answers are due October 28, 2024, and must be made with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy to the First Deputy Chief Prosecutor, Pennsylvania Public Utility Commission.

Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. A to Z Delivery & Logistics, LLC; Docket No. C-2024-3043090

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That A to Z Delivery & Logistics, LLC Respondent, maintains a mailing address 130 Weldon Drive, York, PA 17404-5045.
2. That on September 11, 2023, by Commission Secretarial letter, Respondent was issued a certificate of public convenience by this Commission authorizing transportation, as a common carrier, by motor vehicle, property, excluding household goods in use, between points in Pennsylvania at PUC utility code no. 8926430 at A-2023-3042075.
3. That on October 13, 2023, and February 12, 2024, PUC Enforcement Officer Matthew Ohlinger phoned and emailed the Respondent. A certified letter was mailed and delivered to the Respondent on March 6, 2024. Officer Ohlinger made several more attempts by phone and email, no response has been received from the Respondent.
4. That Respondent, by failing to respond to and achieve a satisfactory evaluation on a safety fitness review, violated 66 Pa. § 501(c) & § 504. The penalty for this violation is cancellation of the certificate held by Respondent with this Commission at utility code 8926430.

Wherefore, the Bureau of Investigation and Enforcement hereby requests that the Commission revoke the certificate of public convenience issued to A to Z Delivery & Logistics, LLC, at PUC utility code number 8926430.

Respectfully submitted,
 Brian B. Mehus, Acting Chief
 Motor Carrier Enforcement
 Bureau of Investigation and Enforcement
 100 Lackawanna Avenue Room 320
 Scranton, PA 18503

VERIFICATION

I, Brian B. Mehus, hereby state that the facts above set forth are true and correct to the best of my knowledge, information, and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 20 August 2024

Brian B. Mehus, Acting Chief
 Motor Carrier Enforcement
 Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within twenty (20) days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Cover Letter for this Complaint and Notice, 52 Pa. Code § 1.56(a). An Answer is a written explanation of circumstances wished to be considered in determining the outcome. The Answer shall raise all factual and legal arguments that you wish to claim in your defense and must include the reference number of this Complaint. Your Answer must be verified, and the original shall be mailed to:

Rosemary Chiavetta, Secretary
 Pennsylvania Public Utility Commission
 400 North Street, 2nd Floor
 Harrisburg, PA 17120

Or you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Bureau of Investigation and Enforcement
 Pennsylvania Public Utility Commission
 400 North Street, 3rd Floor
 Harrisburg, PA 17120

Or, e-mailed to: RA-PCCmplntResp@pa.gov

B. If you fail to answer this complaint within twenty (20) days, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing a penalty. The penalty could include a fine, the suspension or revocation of your certificate of public convenience or other remedy.

C. If you file an Answer, which admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing a penalty.

D. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The judge is not bound by the optional fine set forth above.

E. Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 24-1485. Filed for public inspection October 11, 2024, 9:00 a.m.]

**PHILADELPHIA
PARKING AUTHORITY**

Service of Notice of Motor Carrier Applications in the City of Philadelphia

The following permanent authority application to render service as a common carrier in the City of Philadelphia has been filed with the Philadelphia Parking Authority's (PPA) Taxicab and Limousine Division (TLD). Formal protests must be filed in accordance with 52 Pa. Code Part II (relating to Philadelphia Parking Authority) with the TLD's Office of the Clerk, 2415 South Swanson Street, Philadelphia, PA 19148, no later than October 28, 2024. The nonrefundable protest filing fee is \$5,000 payable to the PPA by certified check or money order. The application is available for inspection at the TLD between 9 a.m. and 4 p.m., Monday through Friday (contact TLD Assistant to the Director Heidi Robb at (215) 683-9799 to make an appointment) or may be inspected at the business addresses of the respective applicants or attorneys, or both.

Doc. No. A-24-10-01. Wassim Trans, Co. (2025 South 13th Street, Apartment 3, Philadelphia, PA 19148): An application for a medallion taxicab certificate of public convenience to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return.

RICH LAZER,
Executive Director

[Pa.B. Doc. No. 24-1486. Filed for public inspection October 11, 2024, 9:00 a.m.]

**PUBLIC SCHOOL EMPLOYEES'
RETIREMENT BOARD**

Hearing Scheduled

A hearing has been scheduled, as authorized by 24 Pa.C.S. Part IV (relating to Public School Employees' Retirement Code), in connection with the Public School Employees' Retirement System's (System) denial of claimant's request concerning the indicated account.

The hearing will be held before a hearing examiner at the Public School Employees' Retirement System, 5 North Fifth Street, Harrisburg, PA 17101.

January 29, 2025	Account of Aileen Ojeda (T-H Membership)	10 a.m.
------------------	---	---------

Persons with a disability who wish to attend the previously listed hearing and require an auxiliary aid, service or other accommodation to attend the proceeding should contact the Appeal Docket Clerk at (717) 720-4913 to discuss how the System may best accommodate their needs.

Parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The hearing will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). Under 22 Pa. Code § 201.1 (relating to applicability of general rules), procedural matters will be in conformance with 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) unless specific exemption is granted.

TERRILL J. SANCHEZ,
Executive Director

[Pa.B. Doc. No. 24-1487. Filed for public inspection October 11, 2024, 9:00 a.m.]

END OF ISSUE

