

PENNSYLVANIA BULLETIN

Volume 54
Saturday, November 2, 2024 • Harrisburg, PA

Part II

This part contains the
Notices



NOTICES

DEPARTMENT OF AGRICULTURE

Program Requirements for the 2024-2025 Pennsylvania Fresh Food Financing Initiative Grant Program

The Department of Agriculture (Department) hereby provides notice of the standards and requirements for the Pennsylvania Fresh Food Financing Initiative Grant Program (Program).

The Program is established under authority of section 1718-E(a)(5) of the Fiscal Code (72 P.S. § 1718-E(a)(5)) which provides that money appropriated in the current fiscal year and unspent money from previous fiscal years shall be used to strengthen local food systems and increase market opportunities for farmers in this Commonwealth by providing grants that increase the availability of fresh foods in underserved and low-income or moderate-income communities in this Commonwealth. Grants under this paragraph may be used to construct, rehabilitate or expand grocery stores, farmers' markets or retail food establishments, including any other project that may serve this purpose.

The Program aims to strengthen local food systems and increase market opportunities for farmers in this Commonwealth by providing grants that increase the availability of fresh and local foods in underserved and low-income or moderate-income communities in this Commonwealth.

This initiative supports local agricultural producers and retailers through reimbursement grant funding to facilitate the establishment, construction, rehabilitation and expansion of grocery stores, farmers' markets and other food enterprises, with priority given to establishments that serve food deserts. This Program also supports the implementation of innovative food access technologies that support customer purchasing options.

This notice establishes the policy guidelines for the Program. It establishes the process by which grant applications will be solicited, reviewed and awarded for Fiscal Year (FY) 2024-2025. The amount appropriated for grants in FY 2024-2025 is up to \$4 million.

1. *Program Objectives.* The Program's objectives are to:

a. *Improve access to fresh food:* Increase the availability of high-quality, affordable fresh fruits and vegetables, herbs, meat and dairy products in underserved communities.

b. *Support Pennsylvania agriculture:* Prioritize projects that expand or diversify the production, aggregation, sourcing or sale of agricultural commodities in this Commonwealth.

c. *Promote economic development:* Increase business opportunities, especially for small, diverse businesses and veteran-owned businesses within this Commonwealth.

d. *Encourage innovation:* Support innovative technology or delivery methods that increase healthy food access by expanding infrastructure that supports customer purchasing options, enables mobile or pop-up farmers markets, implements mobile Electronic Benefit Transfer reader technology or increases direct to consumer sales.

2. *Definitions.* The following words and phrases apply to the Program:

Cooperative: A business entity that is owned and democratically controlled by its member-owners who utilize its services and share in its profits and losses.

Farmers' Markets: A single or multi-stall market that sells agricultural products, particularly fresh fruit and vegetables, to the public at a single or multiple locations. This designation applies to any organization that operates a farmers' market location.

Food Desert: As defined by The United States Department of Agriculture by Census tract by the Food Access Research Atlas of its Economic Research Service. These areas have limited access to affordable, and nutritious food, based on certain low-income and low-access criteria.

Food Enterprise: A business involved in the production, processing and marketing of food products. It can include various types of businesses such as food production companies, specialty food processors, cooperatives, farmers' markets and farm-based enterprises which may be for-profit or non-profit that create value-added products.

Grocery Stores: A retail food establishment with one or more retail locations totaling more than 30,000 retail square feet but less than 100,000 square feet.

Large or Regional Anchor Supermarkets: A retail food establishment collectively totaling more than 100,000 retail square feet and operating more than one retail location.

Secretary: The Secretary of the Department.

3. *Eligible Applicants.*

a. Entities primarily engaged (70% or more of revenue) in the sale of fresh, staple and perishable food to consumers, which:

i. Operate within this Commonwealth.

ii. Serve customers in food deserts.

iii. Provide access to affordable, high-quality fresh food in these communities.

iv. Expand access to Pennsylvania-grown or processed produce, dairy and meat products.

b. Priority will be given to projects that increase business opportunities for:

i. Veteran-Owned Businesses

ii. Small and Diverse Businesses that are registered with the PA Department of General Services Bureau of Diversity, Inclusion and Small Business Opportunities

iii. PA Preferred Businesses with an active trademark license agreement.

iv. Businesses that have a fully implemented business plan.

4. *Grant Types.* Matching reimbursement grants will be offered in the following categories to defray the costs of an eligible project or equipment purchase, where the grant comprises no more than 85% of the total project cost:

a. Large/regional anchor supermarket up to \$1 million.

b. Grocery store up to \$500,000.

c. Food enterprise up to \$100,000.

5. *Limitations on Grants.* The following shall apply:

a. The amount of reimbursement is based on actual eligible costs submitted by an approved applicant for an approved project during any fiscal year in which grants are offered.

b. Grant reimbursement money is limited as described in section 4.

c. Grant reimbursement money shall not be used to reimburse any portion of an in-kind contribution to an eligible project.

d. Grant money may not be used to pay or reimburse wages or salaries of grant recipient staff.

e. Grant money may not be used to reimburse any portion of the project costs which are being paid or reimbursed under another Federal or State grant program.

6. *Application Procedure.*

a. *Online applications only.* An applicant for a grant under the Program shall be submitted through the Commonwealth's Single Application for Assistance online application system, at <https://grants.pa.gov>.

b. *Application window.* Applications must be submitted through the Single Application for Assistance online application system between 8 a.m. on November 4, 2024, and 5 p.m. on January 18, 2025. Applications received outside of that application window will not be considered or reviewed.

c. *Application requirements.* An application for a grant under the Program shall contain the following information:

i. The applicant's name, business address and contact information.

ii. A brief narrative explaining how the applicant is an eligible applicant.

iii. The details of the project or equipment purchase for which reimbursement grant money is sought, including the following:

A. A project budget.

B. A statement of the maximum amount of grant money sought for the project.

C. A project implementation schedule, a construction schedule or an equipment purchase plan, as appropriate for the project or purchase with respect to which the grant is sought.

D. A narrative identifying each entity that will assist in, participate in and benefit from the project.

E. A project completion date, which shall be no later than June 30, 2026.

F. An attestation signed by the applicant, verifying the accuracy of the information presented on the application.

7. *Disposition and Review of Grant Applications.*

a. The Department will review each application, and supporting documentation submitted therewith, for com-

pleteness and accuracy, and shall determine whether the application is eligible for consideration.

b. If an application is found to be incomplete or inaccurate, the Department may request additional documentation and may discontinue further processing of the application until the requested information is received.

8. *Notice of Disposition of Application.* The Department will provide the applicant e-mail notice of the disposition (approval or disapproval) of the application.

9. *Grant Agreement.* After the Secretary approves a grant application, and as a precondition to the Department's release of grant moneys to a successful applicant, the Department and the applicant will execute a written or electronic grant agreement which describes the terms and conditions subject to which the grant is made. The grant agreement will contain and conform to the requirements of this notice and will also contain any special terms and conditions as required by the Secretary. Among the terms of the grant agreement will be a requirement that the grant recipient provide the Department full and complete access to all records relating to the performance of the project and submit the information as the department may require. Applicants who wish to view the full terms and conditions of the grant agreement in advance of submitting an application may contact the Department at the address set forth in Section 11. Applicants who are unable to agree to the terms and conditions should not apply.

10. *Distribution of Grant Money.* As Program grants are reimbursement grants, the Department will not issue grant money until the successful applicant delivers the following to the Department immediately following project completion, but no later than June 30, 2026:

a. A verified statement that the eligible project has been completed or implemented, or that the subject equipment has been purchased.

b. A verified statement of the project completion date, or the equipment purchase date.

c. Photos of the completed or implemented project or the equipment purchased, with a narrative explanation of each photo.

d. Bills and invoices demonstrating that expenses were incurred for which reimbursement grant funds are sought.

Documents submitted to the Department under this section shall be directed to the Department of Agriculture, Bureau of Market Development, Attn: Pennsylvania Fresh Financing Initiative Program Coordinator, 2301 North Cameron Street, Harrisburg, PA 17110-9408.

11. *Additional Information:* Additional information may be obtained from the Department by contacting Corinne Elliott, (717) 787-6041, corielliot@pa.gov.

RUSSELL REDDING,
Secretary

[Pa.B. Doc. No. 24-1576. Filed for public inspection November 1, 2024, 9:00 a.m.]

DEPARTMENT OF BANKING AND SECURITIES

Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending October 22, 2024.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, may file comments in writing with the Department, for Bank Supervision, by e-mail to ra-bnbnksbmsnspspt@pa.gov or for credit unions, by e-mail to ra-bncusubmissions@pa.gov and trust companies, by e-mail to ra-bntrustsuprvsninq@pa.gov. Comments must be received no later than 30 days from the date that the notice regarding acceptance of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, for banks (717) 783-8240, or for credit unions or trust companies (717) 783-2253.

APPLICATIONS FOR COMMENT

BANKING INSTITUTIONS

No activity.

CREDIT UNIONS

No activity.

OTHER APPLICATION ACTIVITY

BANKING INSTITUTIONS

Branch Applications

De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Status</i>
09-23-2024	ACNB Bank Gettysburg Adams County	160 North Pointe Boulevard Suite 113 Lancaster Lancaster County (Limited-Service Facility)	Opened
10-15-2024	Penn Community Bank Doylestown Bucks County	2285 Schoenersville Road Bethlehem Lehigh County	Opened
10-17-2024	PS Bank Wyalusing Bradford County	1743 North Keyser Avenue Scranton Lackawanna County	Approved
10-18-2024	Hamlin Bank and Trust Company Smethport McKean County	101 South Main Street Sheffield Warren County	Approved
10-21-2024	Farmers and Merchants Trust Co. of Chambersburg Chambersburg Franklin County	4765 Linglestown Road Harrisburg Dauphin County	Opened

Branch Discontinuances

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Status</i>
10-11-2024	Peoples Security Bank and Trust Company Dunmore Lackawanna County	1743 North Keyser Avenue Scranton Lackawanna County	Closed

CREDIT UNIONS

No activity.

The Department's web site at www.pa.gov/dobs includes public notices for more recently filed applications.

WENDY S. SPICHER,
Secretary

[Pa.B. Doc. No. 24-1577. Filed for public inspection November 1, 2024, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS UNDER THE CLEAN STREAMS LAW AND FEDERAL CLEAN WATER ACT

This notice provides information about persons who have applied to the Department of Environmental Protection (DEP) for a new, renewed, or amended NPDES or WQM permit, or a permit waiver for certain stormwater discharges, or have submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications and NOIs concern, but are not limited to, effluent discharges from sewage treatment facilities and industrial facilities to surface waters or groundwater; stormwater discharges associated with industrial activity (industrial stormwater), construction activity (construction stormwater), and municipal separate storm sewer systems (MS4s); the application of pesticides; the operation of Concentrated Animal Feeding Operations (CAFOs); and the construction of sewage, industrial waste, and manure storage, collection and treatment facilities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). More information on the types of NPDES and WQM permits that are available can be found on DEP's website (visit www.dep.pa.gov and select Businesses, Water, Bureau of Clean Water, Wastewater Management, and NPDES and WQM Permitting Programs).

<i>Section</i>	<i>Category</i>
I	Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received
II	Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs
III	Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity

Section I identifies the following applications and NOIs that have been received by DEP:

- Individual and General WQM Permit Applications Received—DEP provides a 15-day public comment period for Individual WQM Permit Applications for new and reissued permits. There is no public comment period for General WQM Permit NOIs.
- General Chapter 92a NPDES Permit NOIs Received—There is no public comment period for General NPDES NOIs received.
- All Transfer and Minor Amendment Applications/NOIs Received—Transfer and Minor Amendment Applications/NOIs received for Individual and General WQM Permits and Individual and General NPDES Permits, excluding PAG-01 and PAG-02, are identified but do not have public comment periods. DEP provides a 15-day public comment period for Individual WQM Permit Applications for amendments.

Additional information on these applications and NOIs may be reviewed by generating the “Applications and NOIs without Comment Periods Report” or, for Individual WQM Permit Applications, the “Applications Received with Comment Periods Report” on DEP's website at www.dep.pa.gov/CWPublicNotice.

Section II identifies individual NPDES permit applications received and draft permits indicating DEP's tentative determination relating to sewage, industrial waste, industrial stormwater, MS4s, pesticides and CAFOs. A 30-day public comment period applies to these applications and draft permits, except when a site-specific water quality criterion is used to establish effluent limitations, in which case a 45-day public comment period applies. The period for comment may be extended at the discretion of DEP for one additional 15-day period. Additional information, including links to draft permits and fact sheets that explain the basis for DEP's tentative determinations may be reviewed by generating the “Applications Received with Comment Periods Report” on DEP's website at www.dep.pa.gov/CWPublicNotice. Notification of 15-day extensions for comment will be provided in the “Applications Received with Comment Periods Report” (Comments column).

Section III identifies individual NPDES permit applications received and draft permits indicating DEP's tentative determination relating to stormwater discharges associated with construction activities. A 30-day public comment period applies to these applications and draft permits. The period for comment may be extended at the discretion of the Department for one additional 15-day period. Additional information may be reviewed by generating the “Applications Received with Comment Periods Report” on DEP's website at www.dep.pa.gov/CWPublicNotice.

Applications, NOIs and draft permits, where applicable, may be reviewed at the DEP office that received the application or NOI. Members of the public are encouraged to use DEP's website to obtain additional information as discussed previously.

Comments received within the appropriate comment periods for WQM and NPDES permit applications will be retained by DEP and considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform DEP of the exact basis of a comment and the relevant facts upon which it is based.

DEP office contact information to review applications and NOIs and to submit comments for those applications, when applicable, is as follows:

DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484-250-5910. Email: RA-EPNPDES_SERO@pa.gov for permits in Sections I & II; RA-EPWW-SERO@pa.gov for permits in Section III.

DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570-826-5472. Email: RA-EPNPDES_NERO@pa.gov for permits in Sections I & II; RA-EPWW-NERO@pa.gov for permits in Section III.

DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717-705-4732. Email: RA-EPNPDES_SCRO@pa.gov for permits in Sections I & II; RA-EPWW-SCRO@pa.gov for permits in Section III.

DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570-327-3693. Email: RA-EPNPDES_NCRO@pa.gov for permits in Sections I & II; RA-EPWW-NCRO@pa.gov for permits in Section III.

DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412-442-4286. Email: RA-EPNPDES_SWRO@pa.gov for permits in Sections I & II; RA-EPWW-SWRO@pa.gov for permits in Section III.

DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814-332-6340. Email: RA-EPNPDES_NWRO@pa.gov for permits in Sections I & II; RA-EPWW-NWRO@pa.gov for permits in Section III.

DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-787-5017. Email: RA-EPNPDES_Permits@pa.gov.

DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.

DEP will also accept requests or petitions for public hearings on applications. The request or petition must indicate the interest of the party filing and the reasons why a hearing is warranted. A hearing will be held if DEP determines that there is a significant public interest. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. DEP will postpone its final determination until after a public hearing is held.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

I. Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received.

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
0924817	Joint DEP/PFBC Pesticides Permit	New	Lehman John F 1054 Creamery Road Newtown, PA 18940-2816	Upper Makefield Township Bucks County	SERO
4624809	Joint DEP/PFBC Pesticides Permit	New	Paramount Realty 120 N Pointe Boulevard Lancaster, PA 17601-4100	Upper Dublin Township Montgomery County	SERO
4624810	Joint DEP/PFBC Pesticides Permit	New	Zolotarev Anatoli F 1132 Rose Glen Road Gladwyne, PA 19035-1320	Lower Merion Township Montgomery County	SERO
4624811	Joint DEP/PFBC Pesticides Permit	New	Martin Luther School c/o Gemma Svcs 512 W Township Line Road Plymouth Meeting, PA 19462	Plymouth Township Montgomery County	SERO
6024801	Joint DEP/PFBC Pesticides Permit	New	Deangelo Contr Service 100 N Conahan Drive Hazleton, PA 18201-7355	East Buffalo Township Union County	NCRO
1519407	Land Application and Reuse of Sewage Individual WQM Permit	Renewal	Franklin Township Chester County 20 Municipal Lane P.O. Box 118 Kemblesville, PA 19347	Franklin Township Chester County	SERO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
3624402	Land Application and Reuse of Sewage Individual WQM Permit	Transfer	283 Commerce Hub Venture LLC 7225 Renner Road Shawnee, KS 66217-3043	East Hempfield Township Lancaster County	SCRO
NOEXNW246	No Exposure Certification	New	Federal Express Corporation 3620 Hacks Cross Road Env Management Dept Bldg B Memphis, TN 38125-8800	Hermitage City Mercer County	NWRO
NOEXSC435	No Exposure Certification	New	TE Connectivity Corp 1311 S Market Street Mechanicsburg, PA 17055-5632	Upper Allen Township Cumberland County	SCRO
PAG035052	PAG-03 NPDES General Permit for Industrial Stormwater	New	Estes Express Lines 3901 W Broad Street Richmond, VA 23230-3962	White Deer Township Union County	NCRO
PAG041429	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	Laskowski James W 133 Gilmore Drive Kennerdell, PA 16374	Clinton Township Venango County	NWRO
PAG044006	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Renewal	Nelson Kevin & Nelson Melissa 12 Chestnut Grove Lane Newville, PA 17241-8780	Upper Frankford Township Cumberland County	SCRO
PAG045305	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	John & Shannon Nappi 1700 Smokey Corners Road Williamsport, PA 17701-9670	Hepburn Township Lycoming County	NCRO
PAG046493	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	Boyde Jack W 904 Pine Run Road Freedom, PA 15042-2152	Rochester Township Beaver County	SWRO
PAG046494	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	Schoepke Gary 1151 Oaklake Road Lower Burrell, PA 15068-6921	Lower Burrell City Westmoreland County	SWRO
PAG103590	PAG-10 NPDES General Permit for Hydrostatic Test Water	New	Texas Eastern Trans LP 565 Marriott Drive Suite 400 Nashville, TN 37214-5033	North Woodbury Township Blair County	SCRO
PAG136350	PAG-13 NPDES General Permit for MS4s	Renewal	Ellsworth Borough Washington County P.O. Box 545 23 S Main Street Ellsworth, PA 15331-0545	Ellsworth Borough Washington County	SWRO
PAG136400	PAG-13 NPDES General Permit for MS4s	Renewal	Vandergrift Borough Westmoreland County 109 Grant Avenue Vandergrift, PA 15690	Vandergrift Borough Westmoreland County	SWRO
PAG136401	PAG-13 NPDES General Permit for MS4s	Renewal	West Leechburg Borough Westmoreland County 1015 Plazak Street West Leechburg, PA 15656	West Leechburg Borough Westmoreland County	SWRO
0624403	Sewer Extensions Individual WQM Permit	New	Amity Township Berks County 2004 Weavertown Road Douglassville, PA 19518-8971	Amity Township Berks County	SCRO
1024412	Sewer Extensions Individual WQM Permit	New	Breakneck Creek Region Authority 1166 Mars Evans City Road Mars, PA 16046-2216	Adams Township Butler County	NWRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0255921	Single Residence STP Individual NPDES Permit	Transfer	Pelligreno Anthony 106 Muller Hill Road Zelienople, PA 16063-3706	Marion Township Beaver County	SWRO
PA0293113	Single Residence STP Individual NPDES Permit	Transfer	Dippold Bradley 114 Lilac Lane Valencia, PA 16059-2214	Middlesex Township Butler County	NWRO
0421403	Single Residence Sewage Treatment Plant Individual WQM Permit	Transfer	Pelligreno Anthony 106 Muller Hill Road Zelienople, PA 16063-3706	Marion Township Beaver County	SWRO
1023408	Single Residence Sewage Treatment Plant Individual WQM Permit	Transfer	Dippold Bradley 114 Lilac Lane Valencia, PA 16059-2214	Middlesex Township Butler County	NWRO
WQG02672403	WQG-02 Sewer Extension WQM General Permit	New	Conewago Twp Sewer Auth York County 600 Locust Point Road York, PA 17406-6056	Conewago Township York County	SCRO

II. Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs.

Northcentral Regional Office

PA0228079, Sewage, SIC Code 4952, **Middleburg Municipal Authority**, 13 N Main Street, Middleburg, PA 17842-1082. Facility Name: Kissimmee Wastewater Treatment Plant. This existing facility is located in Franklin Township, **Snyder County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Middle Creek, is located in State Water Plan watershed 6-A and is classified for cold water fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.02 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>IMIN</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	4.0	Report	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	4.2	6.7	XXX	25.0	40.0	50
Biochemical Oxygen Demand (BOD ₅)	Report	Report Daily Max	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	5.0	7.5	XXX	30.0	45.0	60
Total Suspended Solids Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Ultraviolet light transmittance (%)	XXX	XXX	Report	XXX	XXX	XXX
Ammonia-Nitrogen	1.8	2.8	XXX	11.0	17.0	22
Nov 1 - Apr 30						
May 1 - Oct 31	0.62	0.93	XXX	3.7	5.6	7.4

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is in effect.

Northcentral Regional Office

PA0228508, Sewage, SIC Code 4952, **Huston Township Authority**, P.O. Box 40, Julian, PA 16844-0040. Facility Name: Village of Julian Wastewater Treatment Plant. This existing facility is located in Huston Township, **Centre County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Bald Eagle Creek, is located in State Water Plan watershed 9-C and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.04 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min Report	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	Daily Min XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	8.0	13.0	XXX	25.0	40.0	50
Biochemical Oxygen Demand (BOD ₅)	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent		Daily Max				
Total Suspended Solids	8.0	13.0	XXX	25.0	40.0	50
Total Suspended Solids	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent		Daily Max				
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	Geo Mean	XXX	Report
Ammonia-Nitrogen	Report	XXX	XXX	Report	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is in effect.

Northcentral Regional Office

PA0229460, Sewage, SIC Code 4952, **Abbott Township, Potter County**, 1431 Germania Road, Galeton, PA 16922-9445. Facility Name: Abbott Township Potter County. This existing facility is located in Abbott Township, **Potter County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Germania Branch (EV), is located in State Water Plan watershed 9-B and is classified for Exceptional Value Waters, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.015 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instantaneous Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	3.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	3.1	5.0	XXX	25.0	40.0	50
Nov 1 - Apr 30						
May 1 - Oct 31	1.9	2.9	XXX	15.0	23.0	30
Biochemical Oxygen Demand (BOD ₅)	Report	Report	XXX	Report	Report	XXX
Raw Sewage Influent		Daily Max			Daily Max	
Total Suspended Solids	2.5	3.8	XXX	20.0	30.0	40
Total Suspended Solids	Report	Report	XXX	Report	Report	XXX
Raw Sewage Influent		Daily Max			Daily Max	

Parameters	Mass Units (lbs/day)		Instantaneous Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Geo Mean						
Ammonia-Nitrogen	Report	Report	XXX	Report	Report	XXX
Nov 1 - Apr 30						
May 1 - Oct 31	1.4	2.1	XXX	11.0	16.5	23
Ultraviolet light dosage (mWsec/cm ²)	XXX	XXX	Report	Report	XXX	XXX
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report

In addition, the permit contains the following major special conditions:

- Other Requirements
- Solids Management

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is in effect.

Northeast Regional Office

PA0043206, Sewage, SIC Code 7032, **Trails End Camp Inc.**, 1714 Wantagh Avenue, Wantagh, NY 11793-3904. Facility Name: Trails End Camp. This existing facility is located in Berlin Township, **Wayne County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Beach Lake Creek (HQ-CWF), is located in State Water Plan watershed 1-A and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .03 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 4.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	Daily Min XXX	0.22	XXX	0.71
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25.0	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Geo Mean						
Ammonia-Nitrogen	XXX	XXX	XXX	15.0	XXX	30
Nov 1 - Apr 30						
May 1 - Oct 31	XXX	XXX	XXX	5.0	XXX	10
Total Phosphorus	XXX	XXX	XXX	2.0	XXX	4

The proposed effluent limits for Outfall 001 are based on a design flow of .03 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report

The proposed effluent limits for Outfall 001 are based on a design flow of .03 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Nitrate-Nitrite as N	Report Avg Qrtly	XXX	XXX	Report Avg Qrtly	XXX	XXX

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Total Nitrogen	Report Avg Qrtly	XXX	XXX	Report Avg Qrtly	XXX	XXX
Total Kjeldahl Nitrogen	Report Avg Qrtly	XXX	XXX	Report Avg Qrtly	XXX	XXX

In addition, the permit contains the following major special conditions:

- Solids Management
- TRC Minimization

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northeast Regional Office

PA0061093, Sewage, SIC Code 8249, **Monroe Career & Technical Institute**, 194 Laurel Lake Road, Bartonsville, PA 18321-9448. Facility Name: Monroe Career & Tech Institute STP. This existing facility is located in Pocono Township, **Monroe County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Pocono Creek (HQ-CWF), is located in State Water Plan watershed 1-E and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .015 MGD.—Interim Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.36	XXX	1.20

The proposed effluent limits for Outfall 001 are based on a design flow of .015 MGD.—Final Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.26	XXX	0.87

The proposed effluent limits for Outfall 001 are based on a design flow of .015 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 5.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	Report	Report	XXX	25.0	50.0	50.0
Carbonaceous Biochemical Oxygen Demand (CBOD ₅) Raw Sewage Influent	Report	Report	XXX	Report	Report	XXX
CBOD ₅ Minimum % Removal (%)	85	XXX	XXX	XXX	XXX	XXX
Total Suspended Solids	Report	Report	XXX	30.0	60.0	60.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 9.0	18.0	18.0
Ammonia-Nitrogen	Report	Report	XXX	3.0	6.0	6.0
Nov 1 - Apr 30	Report	Report	XXX	3.0	6.0	6.0
May 1 - Oct 31	Report	Report	XXX	3.0	6.0	6.0

The proposed effluent limits for Outfall 001 are based on a design flow of .015 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Daily Maximum		Average Monthly	Daily Maximum	
Total Dissolved Solids	Report	Report	XXX	Report	Report	XXX
Nitrate-Nitrite as N	Avg Qrtly Report	Report	XXX	Avg Qrtly Report	Report	XXX
	Avg Qrtly Report	Report	XXX	Avg Qrtly Report	Report	XXX
Total Nitrogen	Avg Qrtly Report	Report	XXX	Avg Qrtly Report	Report	XXX
	Avg Qrtly Report	Report	XXX	Avg Qrtly Report	Report	XXX
Total Kjeldahl Nitrogen	Avg Qrtly Report	Report	XXX	Avg Qrtly Report	Report	XXX
	Avg Qrtly Report	Report	XXX	Avg Qrtly Report	Report	XXX

In addition, the permit contains the following major special conditions:

- Stormwater prohibition; Necessary property rights; Residuals management; Chlorine minimization; Responsible operator notification; POTW reporting requirements (upon request); Solids management; and Requirements for Total Residual Chlorine (TRC)

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northeast Regional Office

PA0063827, Sewage, SIC Code 4952, **Pines At West Penn LLC**, P.O. Box 677, Morgantown, PA 19543. Facility Name: West Penn Pines MHP. This existing facility is located in West Penn Township, **Schuylkill County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treateds.

The receiving stream(s), Lizard Creek (CWF, MF), is located in State Water Plan watershed 2-B and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .06 MGD.—Interim Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.170

The proposed effluent limits for Outfall 001 are based on a design flow of .06 MGD.—Final Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.387	XXX	1.170

The proposed effluent limits for Outfall 001 are based on a design flow of .06 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
		Daily Max				
Dissolved Oxygen	XXX	XXX	Inst Min	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	Daily Min	XXX	40.0	40
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	20.0	40.0	40
Raw Sewage Influent	XXX	XXX	XXX	10.0	20.0	40
Total Suspended Solids	XXX	XXX	XXX	20.0	40.0	40
May 1 - Oct 31	XXX	XXX	XXX	10.0	20.0	20

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	10.0	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	9.0	18.0	18
Nov 1 - Apr 30						
May 1 - Oct 31	XXX	XXX	XXX	3.0	6.0	6

The proposed effluent limits for Outfall 001 are based on a design flow of .06 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Dissolved Solids	XXX	XXX	XXX	Report	XXX	XXX
				Avg Qrtly		
E. Coli (No./100 ml)	XXX	XXX	XXX	Report	XXX	XXX
				Daily Max		
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
				Avg Qrtly		
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
				Avg Qrtly		
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
				Avg Qrtly		
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
				Avg Qrtly		

In addition, the permit contains the following major special conditions:

- Solids Management
- TRC Minimization
- DRBC Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northeast Regional Office

PA0275794, Industrial, SIC Code 4941, **Blue Triton Brands, Inc.**, 305 Nestle Way, Breinigsville, PA 18031. Facility Name: Greenwaltz Springs. This existing facility is located in Washington Township, **Northampton County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of groundwater.

The receiving stream, Greenwalk Creek (CWF, MF), is located in State Water Plan watershed 1-F and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.377 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Dissolved Solids	XXX	XXX	XXX	XXX	XXX	1,000
Magnesium, Total	XXX	XXX	XXX	Report	XXX	Report
Calcium, Total	XXX	XXX	XXX	Report	XXX	Report
Sodium, Total	XXX	XXX	XXX	Report	XXX	Report
Sulfate, Total	XXX	XXX	XXX	Report	XXX	Report
Chloride	XXX	XXX	XXX	Report	XXX	Report
Hardness, Total (as CaCO ₃)	XXX	XXX	XXX	Report	XXX	Report

In addition, the permit contains the following major special conditions:

- Instream Monitoring

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northwest Regional Office

PA0204714, Sewage, SIC Code 7033, **Henry Ward**, 10 Kindle Lane, Levittown, PA 19055-2409. Facility Name: New Horizons Foundation Campground. This existing facility is located in Cherryhill Township, **Indiana County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Penn Run (CWF), is located in State Water Plan watershed 18-D and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0025 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	0.0025	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 4.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Ammonia-Nitrogen	XXX	XXX	XXX	Geo Mean 21	XXX	42

The proposed effluent limits for Outfall 001 are based on a design flow of .0025 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Total Nitrogen	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Manganese, Total	XXX	XXX	XXX	XXX	Report Daily Max	XXX
E. Coli (No./100ml)	XXX	XXX	XXX	XXX	Report	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Southcentral Regional Office

PA0086525, Sewage, SIC Code 4952, **Centre Township Municipal Authority, Berks County**, 449 Bucks Hill Road, Mohrsville, PA 19541-9340. Facility Name: Centre Township Kingsgate East STP. This existing facility is located in Centre Township, **Berks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Irish Creek (WWF), is located in State Water Plan watershed 3-B and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.012 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0 Daily Max	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	2.5	4.0	XXX	25.0	40.0	50.0
Biochemical Oxygen Demand (BOD ₅) Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids	3.0	4.5	XXX	30.0	45.0	60.0
Total Suspended Solids Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	Geo Mean	XXX	Report
Ammonia-Nitrogen	2.0	XXX	XXX	20.0	XXX	40.0
Nov 1 - Apr 30						
May 1 - Oct 31	1.8	XXX	XXX	18.0	XXX	36.0

The proposed effluent limits for Outfall 001 are based on a design flow of 0.012 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Nitrate-Nitrite as N	XXX	Report Daily Max	XXX	XXX	Report Daily Max	XXX
Total Nitrogen	XXX	Report Daily Max	XXX	XXX	Report Daily Max	XXX
Total Kjeldahl Nitrogen	XXX	Report Daily Max	XXX	XXX	Report Daily Max	XXX
Total Phosphorus	XXX	Report Daily Max	XXX	XXX	Report Daily Max	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southcentral Regional Office

PA0261262, Sewage, SIC Code 4952, **North Londonderry Township Authority**, 655 E Ridge Road, Palmyra, PA 17078-9308. Facility Name: North Londonderry Township STP. This existing facility is located in South Annville Township, **Lebanon County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Killinger Creek (TSF), is located in State Water Plan watershed 7-D and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 1.5 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0 Daily Max	XXX
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
CBOD ₅	250	375	XXX	20	30	40
Nov 1 - Apr 30						
May 1 - Oct 31	125	188	XXX	10	15	20
BOD ₅ Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids	125	188	XXX	10	15	20

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Ultraviolet light transmittance (%)	XXX	XXX	Report	XXX	XXX	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N (Total Load, lbs)	Report	XXX	XXX	XXX	XXX	XXX
	Total Mo					
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen (Total Load, lbs)	Report	XXX	XXX	XXX	XXX	XXX
	Total Mo					
Ammonia-Nitrogen	88	XXX	XXX	7.0	XXX	14
Nov 1 - Apr 30						
May 1 - Oct 31	31	XXX	XXX	2.5	XXX	5
Ammonia-Nitrogen (Total Load, lbs)	Report	XXX	XXX	XXX	XXX	XXX
	Total Mo					
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen (Total Load, lbs)	Report	XXX	XXX	XXX	XXX	XXX
	Total Mo					
Total Phosphorus	25	XXX	XXX	2.0	XXX	4
Total Phosphorus (Total Load, lbs)	Report	XXX	XXX	XXX	XXX	XXX
	Total Mo					
Aluminum, Total	Report	XXX	XXX	Report	XXX	XXX
Boron, Total	Report	XXX	XXX	Report	XXX	XXX
Copper, Total	Report	XXX	XXX	Report	XXX	XXX
Cyanide, Free	0.09	XXX	XXX	0.007	XXX	0.018
Zinc, Total	1.88	XXX	XXX	0.15	XXX	0.37
PFOA (ng/L)	XXX	XXX	XXX	XXX	XXX	Report
PFOS (ng/L)	XXX	XXX	XXX	XXX	XXX	Report
PFBS (ng/L)	XXX	XXX	XXX	XXX	XXX	Report
HFPO-DA (ng/L)	XXX	XXX	XXX	XXX	XXX	Report

The proposed monitoring requirements and effluent limits for implementation of Pennsylvania's Chesapeake Bay Watershed Implementation Plan are as follows for Outfall 001.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Monthly</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Monthly</i>	<i>Annual</i>		<i>Monthly Average</i>	<i>Maximum</i>	
Total Nitrogen (Total Load, lbs)	XXX	25,936	XXX	XXX	XXX	XXX
Effluent Net		Total Annual				
Total Nitrogen (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
		Total Annual				
Ammonia-Nitrogen (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
		Total Annual				
Total Phosphorus (Total Load, lbs)	XXX	3,458	XXX	XXX	XXX	XXX
Effluent Net		Total Annual				
Total Phosphorus (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
		Total Annual				

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

In addition, the permit contains the following major special conditions:

- Stormwater prohibition, Approval contingencies, Solids management, Restriction on receipt of hauled in waste under certain conditions, WET testing requirements, and Stormwater conditions.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

Southcentral Regional Office

PA0261360, Sewage, SIC Code 6515, **Hess Leasing**, 116B Blantz Road, Lititz, PA 17543-9573. Facility Name: Mountain View MHP. This existing facility is located in Elizabeth Township, **Lancaster County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SFTF sewage.

The receiving stream, Unnamed Tributary to Hammer Creek (HQ-CWF, MF), is located in State Water Plan watershed 7-J and is classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .002 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .002 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.02 Avg Mo	XXX	0.04
Ammonia-Nitrogen Nov 1 - Apr 30	XXX	XXX	XXX	15.0 Avg Mo	XXX	30
May 1 - Oct 31	XXX	XXX	XXX	5.0 Avg Mo	XXX	10

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southcentral Regional Office

PA0027596, Industrial, SIC Code 3273, **New Enterprise Stone & Lime Co. Inc.**, P.O. Box 77, New Enterprise, PA 16664-0077. Facility Name: New Enterprise Stone Roaring Spring Quarry. This existing facility is located in Taylor Township, **Blair County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Halter Creek (CWF (existing use)), is located in State Water Plan watershed 11-A and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .345 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Semi-Annual Average	Daily Maximum		Semi-Annual Average	Daily Maximum	
Cadmium, Total	Report	XXX	XXX	Report	XXX	XXX
Thallium, Total	Report	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .345 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Semi-Annual Average	Daily Maximum		Semi-Annual Average	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Suspended Solids	Report	Report	XXX	30 Avg Mo	50	60

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southcentral Regional Office

PA0246441, Concentrated Animal Feeding Operation (CAFO), **Deer Stone Ag., Inc. (Willow Brook Farm)**, 10049 Ferguson Valley Road, Lewistown, PA 17044-8601.

Deer Stone Ag., Inc. has submitted an application for an Individual NPDES permit for a renewal of a CAFO known as Willow Brook Farm, located in Granville Township, **Mifflin County**.

The CAFO is situated near Unnamed Tributary to Strodes Run (HQ-CWF, MF) in Watershed 12-A, which is classified for High Quality—Cold Water and Migratory Fish. The CAFO is designed to maintain an animal population of approximately 800.52 animal equivalent units (AEUs) consisting of 1,200 Gestating sow, 200 Sow and litter, 4,000 Nursery pig: 3—10 wk., 12 Beef Cow, 3 Beef Finishers, 12 Beef Calf, and 10 Boar. Liquid swine manure is stored in a two stage HDPE-Lined Lagoon system. A release or discharge to waters of the Commonwealth under normal operating conditions is not expected. Normal operating conditions are defined as conditions below a 100-year, 24-hour storm event.

The Department has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations, the Department has made a tentative determination to issue an NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the permit.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The Environmental Protection Agency (EPA) permit waiver provision under 40 CFR 123.24(e) does not apply to this NPDES permit.

Southeast Regional Office

PA0036200, Sewage, SIC Code 6514, **Radley Run Mews Sewer Assoc**, P.O. Box 84, Pocopson, PA 19366-0084. Facility Name: Radley Run Mews STP. This existing facility is located in Birmingham Township, **Chester County**.

Description of Existing Activity: The application is for NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Plum Run (WWF, MF), is located in State Water Plan watershed 3-H and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.032 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 3.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	6.7	XXX	Inst Min XXX	25	XXX	50
Biochemical Oxygen Demand (BOD ₅)	Report	XXX	XXX	Report	XXX	XXX
Raw Sewage Influent Total Suspended Solids	8.0	XXX	XXX	30	XXX	60
Total Suspended Solids Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000
Total Nitrogen	8.0	XXX	XXX	Geo Mean 30.0	XXX	60
Ammonia-Nitrogen	4.0	XXX	XXX	15.0	XXX	30
Nov 1 - Apr 30						
May 1 - Oct 31	1.3	XXX	XXX	5.0	XXX	10
Total Phosphorus	0.53	XXX	XXX	2.0	XXX	4
E. Coli (No./100 ml)	XXX	XXX	Report	XXX	XXX	100
TRC	XXX	XXX	XXX	0.6	XXX	1.5
UV Dosage (mjoules/cm ²)	XXX	XXX	Report	XXX	XXX	XXX
(from 2/1/2015 to Expiration)						

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

In addition, the permit contains the following major special conditions:

- No Stormwater
- Acquire Necessary Property Rights
- Sludge Disposal Requirements
- Phase Out When Municipal Sewers Available
- Total Residual Chlorine Requirement

- F. Discharge to Small Stream
 G. Notification of Designation of Operator
 H. Remedial Measures if Unsatisfactory Effluent
 I. Twice per Month Sampling
 The EPA Waiver is not in effect.

Southeast Regional Office

PA0052761, Sewage, SIC Code 4952, **Buckingham SNF, LLC**, 820 Durham Road, Buckingham, PA 18912. Facility Name: Buckingham Valley Nursing Center STP. This existing facility is located in Buckingham Township, **Bucks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary of Mill Creek (WWF, MF), is located in State Water Plan watershed 2-F and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.014 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.1	XXX	0.25
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	20.0	XXX	40
Nov 1 - Apr 30						
May 1 - Oct 31	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Nitrate-Nitrite as N	XXX	XXX	XXX	8.0	XXX	16
Jul 1 - Oct 31						
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	9.0	XXX	18
Nov 1 - Apr 30						
May 1 - Oct 31	XXX	XXX	XXX	3.0	XXX	6
Total Phosphorus	0.2	XXX	XXX	1.6	XXX	3.2
Nov 1 - Mar 31						
Apr 1 - Oct 31	0.1	XXX	XXX	0.8	XXX	1.6

In addition, the permit contains the following major special conditions:

- No stormwater from pavements, area ways, roofs shall be admitted to sanitary sewers
- Proper disposal of collected screenings, slurries, sludges, and other solids
- Permittee shall optimize chlorine dosages to minimize TRC in effluent
- Permittee shall notify DEP of Operator in responsible charge
- Permittee shall develop and maintain operations and maintenance (O&M) plan
- Seasonal effluent limits for Fecal Coliform

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

Southeast Regional Office

PA0057339, Sewage, SIC Code 8811, **Brian & Cheryl Davidson**, 209 Poplar Road, Honey Brook, PA 19344-1349. Facility Name: Davidson Properties. This existing facility is located in Honey Brook Township, **Chester County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), West Branch Brandywine Creek (HQ-TSF, MF), is located in State Water Plan watershed 3-H and is classified for Migratory Fishes, High Quality Waters—Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0005 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6 Inst Min	XXX	XXX	9
Dissolved Oxygen	XXX	XXX	6.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	XXX	1.0 Daily Max	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅) Nov 1 - Apr 30	XXX	XXX	XXX	20.0	XXX	40
May 1 - Oct 31	XXX	XXX	XXX	10.00	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen Nov 1 - Apr 30	XXX	XXX	XXX	4.5	XXX	9
May 1 - Oct 31	XXX	XXX	XXX	1.5	XXX	3
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX

In addition, the permit contains the following major special conditions:

- AMR to DEP
- DMR to DEP if Attached
- 1/year Measure Depth of Septage and Scum
- Septic Tanks Pumped Once Every Three Years
- Total Residual Chlorine Requirement
- No Stormwater
- Necessary Property Rights
- Proper Sludge Disposal
- Abandon STP when Municipal Sewers Available

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

Southeast Regional Office

PA0058190, Sewage, SIC Code 8811, **Brenda Phelan**, 191 Hill Road, Green Lane, PA 18054-2415. Facility Name: Phelan SRSTP. This existing facility is located in Salford Township, **Montgomery County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Unami Creek (HQ-TSF), is located in State Water Plan watershed 3-E and is classified for High Quality Waters—Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (MGD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Annual	Maximum	
Nitrate-Nitrite as N	XXX	XXX	XXX	10.0	XXX	20
Ammonia-Nitrogen	XXX	XXX	XXX	3.0	XXX	6
Nov 1 - Apr 30						
May 1 - Oct 31	XXX	XXX	XXX	1.5	XXX	3

In addition, the permit contains the following major special conditions:

- AMR Submission
- DMR Submission
- Annual Measuring
- Septic Tank Pumping
- No stormwater
- Property Rights
- Proper Sludge Disposal
- Act 537 and Abandoning STP

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

Southeast Regional Office

PAI130526, MS4, **New London Township, Chester County**, 902 State Road, New London, PA 19360-1002.

The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in New London Township, **Chester County**. The receiving stream(s), West Branch White Clay Creek (TSF, MF), Big Elk Creek (HQ-TSF, MF), Unnamed Tributary to Middle Branch White Clay Creek (TSF, MF), Unnamed Tributary to West Branch White Clay Creek (TSF, MF), Ways Run (HQ-TSF, MF), East Branch Big Elk Creek (HQ-TSF, MF), and Hodgson Run (HQ-TSF, MF), is located in State Water Plan watershed 7-K and 3-I and is classified for Migratory Fishes, Trout Stocking, High Quality Waters—Trout Stocking, and Migratory Fishes, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

The applicant has submitted the following plan(s) with the application to reduce pollutant loads to impaired waters:

- A Pollutant Reduction Plan (PRP)
- A Total Maximum Daily Load (TMDL) Plan

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA waiver is in effect for small MS4s, and is not in effect for large MS4s.

Southwest Regional Office

PA0026212, Sewage, SIC Code 4952, **Washington-East Washington Joint Authority**, 102 Arden Station Road, Washington, PA 15301-4514. Facility Name: Washington-East Washington STP. This existing facility is located in South Strabane Township, **Washington County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Chartiers Creek (WWF), is located in State Water Plan watershed 20-F and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 9.77 MGD.—Interim Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Copper, Total (ug/L)	Report	Report	XXX	Report	Report	XXX
Cyanide, Free (ug/L)	0.47	0.74	XXX	5.82	9.09	14.55
Chloroform (ug/L)	0.86	1.35	XXX	10.65	16.62	26.62

The proposed effluent limits for Outfall 001 are based on a design flow of 9.77 MGD.—Final Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Copper, Total (ug/L)	1.86	2.40	XXX	22.8	29.5	29.5

NOTICES

7219

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Cyanide, Free (ug/L)	0.41	0.72	XXX	4.98	8.86	12.4
Chloroform (ug/L)	0.58	1.07	XXX	7.1	13.1	17.7

The proposed effluent limits for Outfall 001 are based on a design flow of 9.77 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	6.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.04	XXX	0.13
Carbonaceous Biochemical Oxygen Demand (CBOD5)	1,055	1,545	XXX	13.0	19.0 Wkly Avg	26
Nov 1 - Apr 30						
May 1 - Oct 31	895	1,300	XXX	11.0	16.0	22
Biochemical Oxygen Demand (BOD ₅)	Report	Report	XXX	Report	Report Wkly Avg	XXX
Raw Sewage Influent						
Total Suspended Solids	2,440	3,665	XXX	30.0	45.0 Wkly Avg	60
Total Suspended Solids Raw Sewage Influent	Report	Report	XXX	Report	Report Wkly Avg	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
Oct 1 - Apr 30						
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	Report	Report Daily Max	XXX	Report	Report	XXX
Ammonia-Nitrogen	255	XXX	XXX	3.15	XXX	6.3
Nov 1 - Apr 30						
May 1 - Oct 31	160	XXX	XXX	1.97	XXX	3.94
Total Phosphorus	Report	Report Daily Max	XXX	Report	Report	XXX
Arsenic, Total (ug/L)	Report	Report Daily Max	XXX	Report	Report	XXX
Boron, Total (ug/L)	Report	Report Daily Max	XXX	Report	Report	XXX
Iron, Dissolved (ug/L)	Report	Report Daily Max	XXX	Report	Report	XXX
Iron, Total (ug/L)	Report	Report Daily Max	XXX	Report	Report	XXX
Zinc, Total (ug/L)	Report	Report Daily Max	XXX	Report	Report	XXX
Chlorodibromomethane (ug/L)	0.17	0.3 Daily Max	XXX	2.03	3.71	5.08
Dichlorobromomethane (ug/L)	0.2	0.36 Daily Max	XXX	2.42	4.39	6.04
Radium-226 and Radium-228, Total (pCi/L)	XXX	XXX	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 9.77 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
PFOA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFOS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFBS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
HFPO-DA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is not in effect.

Southwest Regional Office

PA0098124, Industrial, SIC Code 4911, **Duquesne Light Co.**, 2825 New Beaver Avenue, Pittsburgh, PA 15233-1003. Facility Name: Elrama Ash Disposal Site. This existing facility is located in Union Township, **Washington County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Unnamed Tributary to Monongahela River (WWF) and Monongahela River (WWF), is located in State Water Plan watershed 19-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.07354 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Max</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	30.0	60.0	XXX
Aluminum, Total	XXX	XXX	XXX	Report	Report	XXX
Arsenic, Total	XXX	XXX	XXX	Report	Report	XXX
Boron, Total	XXX	XXX	XXX	15.0	30.0	XXX
Chromium, Hexavalent	XXX	XXX	XXX	Report	Report	XXX
Iron, Dissolved	XXX	XXX	XXX	Report	Report	XXX
Iron, Total	XXX	XXX	XXX	Report	Report	XXX
Manganese, Total	XXX	XXX	XXX	Report	Report	XXX
Selenium, Total	XXX	XXX	XXX	Report	Report	XXX
PFOA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFOS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFBS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
HFPO-DA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.07448 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Max</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	30.0	60.0	XXX
Aluminum, Total	XXX	XXX	XXX	Report	Report	XXX
Arsenic, Total (ug/L)	XXX	XXX	XXX	10.0	15.6	XXX
Boron, Total	XXX	XXX	XXX	1.6	2.5	XXX
Chromium, Hexavalent	XXX	XXX	XXX	Report	Report	XXX
Iron, Dissolved	XXX	XXX	XXX	Report	Report	XXX
Iron, Total	XXX	XXX	XXX	Report	Report	XXX
Manganese, Total	XXX	XXX	XXX	Report	Report	XXX
Selenium, Total (ug/L)	XXX	XXX	XXX	4.99	7.79	XXX
PFOA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFOS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFBS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
HFPO-DA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of .00094 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Max</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	30.0	60.0	XXX
Boron, Total	XXX	XXX	XXX	15.0	30.0	XXX
Chromium, Hexavalent	XXX	XXX	XXX	Report	Report	XXX
Selenium, Total	XXX	XXX	XXX	Report	Report	XXX
PFOA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFOS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFBS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
HFPO-DA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of .00094 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Max</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	30.0	60.0	XXX
Boron, Total	XXX	XXX	XXX	1.74	2.71	XXX
Chromium, Hexavalent	XXX	XXX	XXX	Report	Report	XXX
Selenium, Total (ug/L)	XXX	XXX	XXX	5.41	8.44	XXX
PFOA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFOS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFBS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
HFPO-DA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 003 are based on a design flow of .07448 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Max</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	30.0	60.0	XXX
PFOA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFOS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFBS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
HFPO-DA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 004 are based on a design flow of .01701 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Max</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	30.0	60.0	XXX
Aluminum, Total	XXX	XXX	XXX	Report	Report	XXX
Arsenic, Total (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Boron, Total	XXX	XXX	XXX	1.8	4.5	XXX
Chromium, Hexavalent	XXX	XXX	XXX	Report	Report	XXX
Iron, Total	XXX	XXX	XXX	Report	Report	XXX
Selenium, Total (ug/L)	XXX	XXX	XXX	6.0	15.0	XXX
Thallium, Total	XXX	XXX	XXX	Report	Report	XXX
PFOA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFOS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFBS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
HFPO-DA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 004 are based on a design flow of .01701 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Max</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	30.0	60.0	XXX
PFOA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFOS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFBS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
HFPO-DA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 005 are based on a design flow of .0053 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Max</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	30.0	60.0	XXX
Aluminum, Total	XXX	XXX	XXX	Report	Report	XXX
Antimony, Total	XXX	XXX	XXX	Report	Report	XXX
Arsenic, Total (ug/L)	XXX	XXX	XXX	Report	Report	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Max</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Boron, Total	XXX	XXX	XXX	15.0	30.0	XXX
Chromium, Hexavalent	XXX	XXX	XXX	Report	Report	XXX
Iron, Dissolved	XXX	XXX	XXX	Report	Report	XXX
Iron, Total	XXX	XXX	XXX	Report	Report	XXX
Selenium, Total (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Thallium, Total	XXX	XXX	XXX	Report	Report	XXX
PFOA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFOS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFBS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
HFPO-DA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 005 are based on a design flow of .0053 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Max</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	30.0	60.0	XXX
PFOA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFOS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFBS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
HFPO-DA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 006: Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 007: Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

Southwest Regional Office

PA0255777, Industrial, SIC Code 4911, **Harwick Operating Co. LLC**, 12601 Plantside Drive, Louisville, KY 40299-6386. Facility Name: Cheswick Generating Station. This existing facility is located in Indiana Township, **Allegheny County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Little Deer Creek (TSF), is located in State Water Plan watershed 18-A and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 002 are based on a design flow of 1.42 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	Report	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	35.0	70.0	88.0 ⁽¹⁾
Total Dissolved Solids	Report	Report	XXX	Report	Report	XXX
Osmotic Pressure (mOs/kg)	XXX	XXX	XXX	50	100	XXX
Aluminum, Total	Report	Report	XXX	0.75	0.75	1.2 ⁽¹⁾
Beryllium, Total	XXX	XXX	XXX	0.01	0.02	0.025 ⁽¹⁾
Boron, Total	XXX	XXX	XXX	Report	Report	XXX
Cadmium, Total	XXX	XXX	XXX	0.0003	0.0006	0.00075 ⁽¹⁾
Chromium, Hexavalent	XXX	XXX	XXX	0.006	0.012	XXX
Copper, Total	XXX	XXX	XXX	0.009	0.018	0.023 ⁽¹⁾
Cyanide, Free	XXX	XXX	XXX	Report	Report	XXX
Iron, Dissolved	XXX	XXX	XXX	Report	Report	XXX
Iron, Total	Report	Report	XXX	1.5	3.0	3.75 ⁽¹⁾
Manganese, Total	Report	Report	XXX	1.0	1.663	2.18 ⁽¹⁾
Selenium, Total	XXX	XXX	XXX	0.005	0.01	0.0125 ⁽¹⁾
Silver, Total	XXX	XXX	XXX	0.003	0.006	0.0075 ⁽¹⁾
Sulfate, Total	Report	Report	XXX	Report	Report	XXX
Thallium, Total	XXX	XXX	XXX	0.002	0.004	0.005 ⁽¹⁾
Pentachlorophenol	XXX	XXX	XXX	0.0003	0.0006	0.00075 ⁽¹⁾
Chloride	Report	Report	XXX	Report	Report	XXX
Bromide	Report	Report	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 1.42 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	Report	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	35.0	70.0	88.0 ⁽¹⁾
Total Dissolved Solids	Report	Report	XXX	Report	Report	XXX
Osmotic Pressure (mOs/kg)	XXX	XXX	XXX	50	100	XXX
Aluminum, Total	Report	Report	XXX	0.75	0.75	1.2 ⁽¹⁾
Beryllium, Total	XXX	XXX	XXX	0.01	0.02	0.025 ⁽¹⁾
Boron, Total	XXX	XXX	XXX	1.706	2.661	XXX
Cadmium, Total	XXX	XXX	XXX	0.0003	0.0006	0.00075 ⁽¹⁾
Chromium, Hexavalent	XXX	XXX	XXX	0.006	0.012	XXX
Copper, Total	XXX	XXX	XXX	0.009	0.018	0.023 ⁽¹⁾
Cyanide, Free	XXX	XXX	XXX	Report	Report	XXX
Iron, Dissolved	XXX	XXX	XXX	Report	Report	XXX
Iron, Total	Report	Report	XXX	1.5	3.0	3.75 ⁽¹⁾
Manganese, Total	Report	Report	XXX	1.0	1.663	2.18 ⁽¹⁾
Selenium, Total	XXX	XXX	XXX	0.005	0.01	0.0125 ⁽¹⁾
Silver, Total	XXX	XXX	XXX	0.003	0.006	0.0075 ⁽¹⁾
Sulfate, Total	Report	Report	XXX	Report	Report	XXX
Thallium, Total	XXX	XXX	XXX	0.002	0.004	0.005 ⁽¹⁾
Pentachlorophenol	XXX	XXX	XXX	0.0003	0.0006	0.00075 ⁽¹⁾
Chloride	Report	Report	XXX	Report	Report	XXX
Bromide	Report	Report	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 005 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Instant. Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	Report	XXX	XXX	Report
Total Suspended Solids	XXX	XXX	XXX	Report	Report	XXX
Aluminum, Total	XXX	XXX	XXX	0.75	0.75	XXX
Iron, Total	XXX	XXX	XXX	1.5	3.0	XXX
Manganese, Total	XXX	XXX	XXX	1.0	2.0	XXX

The proposed effluent limits for Outfall 010 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Instant. Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	Report	XXX	XXX	Report

Parameters	Mass Units (lbs/day)		Instant. Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
Total Suspended Solids	XXX	XXX	XXX	Report	Report	XXX
Aluminum, Total	XXX	XXX	XXX	0.75	0.75	XXX
Iron, Total	XXX	XXX	XXX	1.5	3.0	XXX
Manganese, Total	XXX	XXX	XXX	1.0	2.0	XXX

The proposed effluent limits for Outfall 011 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Instant. Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
pH (S.U.)	XXX	XXX	Report	XXX	XXX	Report
Total Suspended Solids	XXX	XXX	XXX	Report	Report	XXX
Aluminum, Total	XXX	XXX	XXX	0.75	0.75	XXX
Iron, Total	XXX	XXX	XXX	1.5	3.0	XXX
Manganese, Total	XXX	XXX	XXX	1.0	2.0	XXX

Footnotes

⁽¹⁾ Instantaneous maximum limitations are imposed for the purpose of evaluating compliance during Department inspections and/or grab sampling. No evaluation of the noted IMAX limits is required for reporting by the permittee.

In addition, the permit contains the following major special conditions:

- Compliance Schedule
- Chemical Additives
- Requirements for Storm Water Outfalls
- Sedimentation Basin Cleaning

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

III. Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity.

Cambria District Office

Applicant: **PA DEP Bureau of Abandoned Mine Reclamation**

Applicant Address: 286 Industrial Park Road, Ebensburg, PA 15931

Application Number: **PAD680017**

Application Type: Major Amendment

Municipality/County: Shade Township, **Somerset County**

Project Site Name: OSM 56(2515)101.1

Total Earth Disturbance Area (acres): 18 acres

Surface Waters Receiving Stormwater Discharges: Dark Shade Creek (CWF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The intent of this project is to backfill the following: approximately 3,200 linear feet of dangerous highwall, 3 acres of pit and one collapsed mine opening using the existing spoil material in Shade Township, Somerset County. The total project earth disturbance of Abandoned Mine Land (AML) eligible area measures eighteen (18) acres in size. A rock-lined channel is a proposed amendment to PAD680017 for the purpose of runoff conveyance.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 814-472-1800.

Northeast Regional Office

Applicant: **Demonstrated Estates, LLC**

Applicant Address: 15 William Street, Unit 12H, New York, NY 10005

Application Number: **PAD450208**

Application Type: New

Municipality/County: Middle Smithfield Township, **Monroe County**

Project Site Name: Dave Wu Passive House

Total Earth Disturbance Area (acres): 1.23 acres

Surface Waters Receiving Stormwater Discharges: UNT Saw Creek Run (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construction of a single-family home and driveway.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

Northeast Regional Office

Applicant: **Kay Mosser, LLC, c/o Rick Koze**

Applicant Address: 5930 Hamilton Boulevard, Allentown, PA 18106

Application Number: **PAD390174 A-2**

Application Type: Major Amendment

Municipality/County: Upper Macungie Township, **Lehigh County**

Project Site Name: Mosser Road Subdivision

Total Earth Disturbance Area (acres): 9.30 acres

Surface Waters Receiving Stormwater Discharges: UNT to Schaefer Run (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: A 10-lot residential subdivision and associated roadway, utilities, and stormwater facilities.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

Regional Permit Coordination Office

Applicant: **Ricky C. Tindall**

Applicant Address: 200 Black Barren Road, Peach Bottom, PA 17563

Application Number: **PAD360131**

Application Type: New

Municipality/County: Fulton Township, **Lancaster County**

Project Site Name: Ricky C. Tindall

Total Earth Disturbance Area (acres): 2.27 acres

Surface Waters Receiving Stormwater Discharges: tributary to Conowingo Creek (HQ-CWF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construction of a 40-foot by 40-foot sawmill addition and a proposed 50-foot by 70-foot pole barn with additional parking areas and stormwater management facilities.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-772-5987.

Regional Permit Coordination Office

Applicant: **PLF, LLC**

Applicant Address: 1317 Edgewater Drive, Unit 145, Orlando, FL 32804

Application Number: **PAD220016**

Application Type: New

Municipality/County: Londonderry Township, **Dauphin County**

Project Site Name: Falcon Crest at Lytle Farms

Total Earth Disturbance Area (acres): 159.78 acres

Surface Waters Receiving Stormwater Discharges: tributaries to Swatara Creek (WWF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: PLF is proposing to construct a mixed-use development with includes 205 single family homes, 91 town homes, 532 apartments, 47,615 square feet of retail/commercial space, associated roads, parking, recreational space, open space and stormwater management facilities. The development will be served by public sewer and water among other utilities.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-772-5987.

Southeast Regional Office

Applicant: **Sellersville Acquisitions LLC**

Applicant Address: 301 Oxford Valley Rd, Suite 702, Yardley, PA 19067

Application Number: **PAD090105**

Application Type: New

Municipality/County: Sellersville Borough, **Bucks County**

Project Site Name: Sellersville Tract

Total Earth Disturbance Area (acres): 5.06 acres

Surface Waters Receiving Stormwater Discharges: Unnamed Tributaries to East Branch Perkiomen Creek (TSF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The project site in Sellersville Borough is being redeveloped as a Traditional Neighborhood Development (TND), which consists of 10.51 acres and is a Brownfields Remediation Site. The site has frontage along North Main Street (SR 0413) to the west, 12th Street to the northwest, Franklin Ave to the northeast, and an unopened right-of-way of Undine Street to the southeast. The reference plans depict the proposed site improvements and the construction of thirty (30) townhouse units.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 484-250-5910.

Northeast Regional Office

Applicant: **Excell Homes, Inc., c/o Dimitri Zahariadis**

Applicant Address: P.O. Box 207, Lackawaxen, PA 18435

Application Number: **PAD520057**

Application Type: New

Municipality/County: Dingman Township, **Pike County**

Project Site Name: Odenath & Zahariadis Subdivisions

Total Earth Disturbance Area (acres): 3.77 acres

Surface Waters Receiving Stormwater Discharges: Raymondskill Creek High Quality—Cold Water Fish, Migratory Fish (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construction of 4 single family homes on individual lots with associated driveways, septic, and other utilities.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

Northeast Regional Office

Applicant: **Green Knight Economic Development Corp. and JVI, LLC**

Applicant Address: 1265 Miller Road, Wind Gap, PA 18091-9765

Application Number: **PAD480017 A-3**

Application Type: Major Amendment

Municipality/County: Plainfield Township, Bushkill Township, **Northampton County**

Project Site Name: Green Knight Industrial Park II Lots 6G, 6H and 6I

Total Earth Disturbance Area (acres): 13.18 acres

Surface Waters Receiving Stormwater Discharges: UNT to Little Bushkill Creek (HQ-CWF, MF) and Sober Runs (EV, MF) via EV wetlands

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The project involves the demolition of two existing buildings with associated gravel/paves areas for the development of a 192,000 square foot industrial use building, truck docks, parking lots, access drives and associated stormwater management facilities.

Special Conditions: Potential Impacts to EV Wetlands. 1. The permittee shall monitor water table elevations daily at each monitoring well identified in the approved PCSM Plan for EV wetlands for a minimum of five years. Reports providing water table elevations shall be submitted to DEP every six months, beginning in (October of the 2nd year of coverage). These reports shall be submitted by October 31st and April 30th each year. All monitoring wells should confirm the presence of a water table no deeper than 12-inches below the ground surface for a period of at least 14 consecutive days during the growing season (April 1—October 1 annually) at a minimum frequency of 3 of the 5 monitoring years, unless a longer timeframe for monitoring is extended by DEP in writing. If a water table is not observed at the previously stated depth and/or for a duration of at least 14 consecutive days in 3 of 5 monitoring years (or in accordance with an alternate monitoring timeframe approved by DEP in writing), the wetland will be considered adversely impacted by the project, unless information and/or data provided to DEP demonstrates otherwise and DEP concurs that the project did not adversely impact the wetland. 2. The permittee shall provide DEP with a running comparison of monitoring data for pre-construction and post-construction monitoring every six months, beginning in (October of the 3rd year after the date of coverage). These monitoring data reports shall be submitted by October 31st and April 30th each year. If the ground water table elevation is found to be lower in post-construction monitoring for the same time period, the wetland will be considered adversely impacted by the project, unless information and/or data provided to DEP demonstrates the cause is unrelated to the project and DEP concurs that the project did not adversely impact the wetland. 3. The permittee shall delineate the boundaries of the EV wetlands in the years (5 years from date of coverage) and (7 years from the date of coverage) using the Army Corps of Engineers' 1987 Wetland Delineation Manual and Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Eastern Mountains and Piedmont Region (Version 2.0). These wetland delineations shall be submitted to DEP on or before April 30th in the 5th year of permit coverage and on or before the permit expiration or termination date of this permit or the 7th year of permit coverage whichever is sooner, unless an alternate timeframe for submission of these delineations is approved by DEP in writing. Boundaries shall be surveyed and compared to the boundaries outlined on the approved plans. The data shall be submitted to DEP on or before April 30th of each year, beginning in (October of the 3rd year after the date of coverage). If a reduction in size of the wetland of greater than 0.05 acre is observed, the wetland will be considered adversely impacted by the project, unless a clear and unrelated cause of the reduction in size is demonstrated and DEP concurs that the project did not adversely impact the wetland. 4. The permittee shall provide reports identifying plant species in the EV wetlands during the growing season once a year for five years beginning in (April of the 3rd year after the date of coverage). Any observed reduction in the number of different species having a wetland indicator status of (identify indicator status appropriate for the wetland in question) shall be clearly identified in the report. If a reduction is observed, the wetland will be considered adversely impacted by the project unless another clear cause of the reduction in diversity is identified and DEP concurs that the project did not adversely impact the wetland. 5. The permittee shall inspect monitoring wells, including water level loggers, at least monthly to ensure that they are not damaged and are functioning properly. If a damaged or malfunctioning well is identified, DEP shall be contacted immediately in writing, and the well shall be restored to its design specifications within two weeks, unless weather conditions do not permit and/or is otherwise extended in writing by DEP. 6. In the event that the water table falls below the bottom of a monitoring well and the water level logger in that well becomes inoperable, the well shall be inspected at a minimum of once every two weeks and the data logger shall be

re-installed once the water table is again observed in the well. 7. DEP may require the monitoring period to be extended to confirm or disprove potential adverse impacts to EV wetlands. DEP will review the monitoring information submitted by the permittee and if DEP determines that the EV wetlands have been adversely impacted, the permittee shall submit to DEP for review and approval a narrative identifying the cause(s) of the impact and plans to correct it within 3 months after DEP has determined that the wetlands have been adversely impacted. If the cause(s) cannot be identified or if correction of the impact is deemed infeasible, the permittee shall submit to DEP for review and approval plans and a schedule to create (identify required mitigation area) acres of (identify the wetland mitigation required) wetlands in or along the floodplain of (identify the receiving stream) or one of its tributaries within 6 months of DEP's determination of an adverse impact, unless an alternate location for wetland creation is approved and/or this deadline is extended in writing by DEP. Construction of the replacement wetlands shall begin no later than one year after DEP's determination of an adverse impact, unless an alternate deadline is established in writing by DEP.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

Southcentral Regional Office

Applicant: **Shetron Farms, LLC**

Applicant Address: 1505 Walnut Bottom Road, Newville, PA 17241

Application Number: **PAD500024**

Application Type: New

Municipality/County: Toboyne Township, **Perry County**

Project Site Name: Shetron Property

Total Earth Disturbance Area (acres): 9.697 acres

Surface Waters Receiving Stormwater Discharges: UNT to Horse Valley Run (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Equestrian Training and Boarding Facility. Application was submitted as a corrective action plan due to earth disturbances on the site without the appropriate authorization.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4802.

Southeast Regional Office

Applicant: **Asset Realty & Construction Group**

Applicant Address: 1590 Troy Avenue, Brooklyn, PA 11234-1444

Application Number: **PAD510237 A-1**

Application Type: Major Amendment

Municipality/County: City of Philadelphia, **Philadelphia County**

Project Site Name: 7240 State Road

Total Earth Disturbance Area (acres): 3.27 acres

Surface Waters Receiving Stormwater Discharges: Delaware River (WWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: An Individual Permit Application for the demolition phase of the project was previously submitted as the first phase of the overall project (PAD # 510237). The first phase included demolition of the existing vacant industrial building, demolition of on-site existing pavement areas, and site restoration within the areas of disturbance. The current application is for a major amendment to the prior permit for the second phase of the project for the proposed redevelopment, which includes the construction of a new four-story 152,720 sf self-storage facility with associated site improvements. This phase of this project proposes one (1) subsurface detention basin, one (1) media filter, and nonstructural BMPs.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 484-250-5910.

Northeast Regional Office

Applicant: **Suburban Realty, LP**

Applicant Address: 330 Oakford Road, Clarks Summit, PA 18411

Application Number: **PAD450124 A-2**

Application Type: Major Amendment

Municipality/County: Stroud Township, **Monroe County**

Project Site Name: Proposed Commercial Development

Total Earth Disturbance Area (acres): 11.67 acres

Surface Waters Receiving Stormwater Discharges: Pocono Creek (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construction of a proposed WaWa food market with Fueling Station and Chipotle Restaurant, Associated Site improvements including parking, landscaping, utilities, and stormwater Management BMPs.

Special Conditions: Q. Potential Impacts to EV Wetlands. 1. The permittee shall monitor water table elevations daily at each monitoring well identified in the approved PCSM Plan for EV wetlands for a minimum of five years. Reports providing water table elevations shall be submitted to DEP every six months, beginning in (October of the 2nd year of coverage). These reports shall be submitted by October 31st and April 30th each year. All monitoring wells should confirm the presence of a water table no deeper than 12-inches below the ground surface for a period of at least 14 consecutive days during the growing season (April 1—October 1 annually) at a minimum frequency of 3 of the 5 monitoring years, unless a longer timeframe for monitoring is extended by DEP in writing. If a water table is not observed at the previously stated depth and/or for a duration of at least 14 consecutive days in 3 of 5 monitoring years (or in accordance with an alternate monitoring timeframe approved by DEP in writing), the wetland will be considered adversely impacted by the project, unless information and/or data provided to DEP demonstrates otherwise and DEP concurs that the project did not adversely impact the wetland. 2. The permittee shall provide DEP with a running comparison of monitoring data for pre-construction and post-construction monitoring every six months, beginning in (October of the 3rd year after the date of coverage). These monitoring data reports shall be submitted by October 31st and April 30th each year. If the ground water table elevation is found to be lower in post-construction monitoring for the same time period, the wetland will be considered adversely impacted by the project, unless information and/or data provided to DEP demonstrates the cause is unrelated to the project and DEP concurs that the project did not adversely impact the wetland. 3. The permittee shall delineate the boundaries of the EV wetlands in the years (5 years from date of coverage) and (7 years from the date of coverage) using the Army Corps of Engineers' 1987 Wetland Delineation Manual and Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Eastern Mountains and Piedmont Region (Version 2.0). These wetland delineations shall be submitted to DEP on or before April 30th in the 5th year of permit coverage and on or before the permit expiration or termination date of this permit or the 7th year of permit coverage whichever is sooner, unless an alternate timeframe for submission of these delineations is approved by DEP in writing. Boundaries shall be surveyed and compared to the boundaries outlined on the approved plans. The data shall be submitted to DEP on or before April 30th of each year, beginning in (October of the 3rd year after the date of coverage). If a reduction in size of the wetland of greater than 0.05 acre is observed, the wetland will be considered adversely impacted by the project, unless a clear and unrelated cause of the reduction in size is demonstrated and DEP concurs that the project did not adversely impact the wetland. 4. The permittee shall provide reports identifying plant species in the EV wetlands during the growing season once a year for five years beginning in (April of the 3rd year after the date of coverage). Any observed reduction in the number of different species having a wetland indicator status of (identify indicator status appropriate for the wetland in question) shall be clearly identified in the report. If a reduction is observed, the wetland will be considered adversely impacted by the project unless another clear cause of the reduction in diversity is identified and DEP concurs that the project did not adversely impact the wetland. 5. The permittee shall inspect monitoring wells, including water level loggers, at least monthly to ensure that they are not damaged and are functioning properly. If a damaged or malfunctioning well is identified, DEP shall be contacted immediately in writing, and the well shall be restored to its design specifications within two weeks, unless weather conditions do not permit and/or is otherwise extended in writing by DEP. 6. In the event that the water table falls below the bottom of a monitoring well and the water level logger in that well becomes inoperable, the well shall be inspected at a minimum of once every two weeks and the data logger shall be re-installed once the water table is again observed in the well. 7. DEP may require the monitoring period to be extended to confirm or disprove potential adverse impacts to EV wetlands. DEP will review the monitoring information submitted by the permittee and if DEP determines that the EV wetlands have been adversely impacted, the permittee shall submit to DEP for review and approval a narrative identifying the cause(s) of the impact and plans to correct it within 3 months after DEP has determined that the wetlands have been adversely impacted. If the cause(s) cannot be identified or if correction of the impact is deemed infeasible, the permittee shall submit to DEP for review and approval plans and a schedule to create (identify required mitigation area) acres of (identify the wetland mitigation required) wetlands in or along the floodplain of (identify the receiving stream) or one of its tributaries within 6 months of DEP's determination of an adverse impact, unless an alternate location for wetland creation is approved and/or this deadline is extended in writing by DEP. Construction of the replacement wetlands shall begin no later than one year after DEP's determination of an adverse impact, unless an alternate deadline is established in writing by DEP.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

Northeast Regional Office

Applicant: **Parkland School District, c/o Mark Madson**

Applicant Address: 1210 Springhouse Road, Allentown, PA 18014

Application Number: **PAD390322**

Application Type: New

Municipality/County: South Whitehall Township, **Lehigh County**

Project Site Name: Parkland School District New Operations Center

Total Earth Disturbance Area (acres): 10.559 acres

Surface Waters Receiving Stormwater Discharges: Jordan Creek (TSF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construction of a new operations center for Parkland School District was previously authorized under NPDES Permit PAC390197 and is currently ongoing. A major permit amendment was submitted for additional parking areas and infiltration bed. Due to the expansion of facility usage and soil contaminants, the permit was elevated to an Individual NPDES Permit. Due to arsenic levels on site, soils cannot be exported to residential sites. Three subsurface infiltration beds, associated water quality inlets and an at-grade detention basin are the primary stormwater management BMPs for the current proposal.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

STATE CONSERVATION COMMISSION

PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed (National Pollutant Discharge Elimination System) NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling 717-787-8821.

Individuals wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30-days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Individuals in need of accommodations should contact the SCC through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

ACT 38

NUTRIENT MANAGEMENT PLANS

CAFO PUBLIC NOTICE SPREADSHEET—APPLICATIONS

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal/New</i>
Ag Ventures Schwalm Farm 345 W. High Street Elizabethtown, PA 17022	Dauphin County	0	2,257.26	Swine	NA	Renewal

PUBLIC WATER SUPPLY PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for Public Water Supply (PWS) permits to construct or substantially modify public water systems.

Individuals wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30-days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of Environmental Protection (DEP) the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, DEP will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

SAFE DRINKING WATER

Application(s) Received Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Northcentral Region: Safe Drinking Water Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Olivia Harris, Clerical Supervisor I, 570-327-0561.

Application No. 5724502, Construction, Public Water Supply.

Applicant	Hillsgrove Hotel
Address	2148 PA 87 Hillsgrove, PA 18619
Municipality	Hillsgrove Township
County	Sullivan County
Responsible Official	Cathy MacElhaney 2148 PA 87 Hillsgrove, PA 18619
Consulting Engineer	Nathan Jones 1000 Commerce Park Drive Williamsport, PA 17701
Application Received	October 21, 2024
Description	CWSC Major Amendment for a water system upgrade.

Northwest Region: Safe Drinking Water Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Samantha Mielo, Environmental Engineer, 814-332-6360.

Application No. 3224503, Construction, Public Water Supply.

Applicant	Blairsville Municipal Authority
Address	203 East Market Street Blairsville, PA 15717
Municipality	Derry Township
County	Westmoreland County
Responsible Official	Jody Poorbaugh 203 East Market Street Blairsville, PA 15717
Consulting Engineer	Randy L. Krause, P.E. 267 Blue Run Road Cheswick, PA 15024
Application Received	October 10, 2024
Description	Adding orthophosphate chemical for corrosion control and upgrading the chlorine, pH, and turbidity analyzers to allow communication with future SCADA system.

Southeast Region: Safe Drinking Water Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Kimberleigh Rivers, Clerical Assistant 2, 484-250-5887.

Application No. 0924520, Construction, Public Water Supply.

Applicant	Perkasie Regional Authority
Address	150 Ridge Road Suite 2 Sellersville, PA 18960-1521
Municipality	East Rockhill Township
County	Bucks County
Responsible Official	Nicholas Fretz 150 Ridge Road Sellersville, PA 18960-1521
Consulting Engineer	Pennoni Engineering 150 Ridge Road Suite 2 Sellersville, PA 18960-1521
Application Received	September 12, 2024
Description	Existing treatment center to receive a building addition to increase capacity and treatment scope.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 1

Acknowledgment of Notice(s) of Intent to Remediate Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent (NOI) to Remediate. An acknowledgment of the receipt of a NOI to

Remediate is used to identify a site where an individual proposes to, or has been required to, respond to a release of a regulated substance at a site. Individuals intending to use the background standard, Statewide health standard, the site-specific standard, or who intend to remediate a site as a special industrial area, must file a NOI to Remediate with DEP. A NOI to Remediate filed with DEP provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. An individual who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the Act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by DEP. Furthermore, an individual shall not be subject to citizen suits or other contribution actions brought by responsible individuals not participating in the remediation.

Under Sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the NOI to Remediate is published in a newspaper of general circulation in the area of the site. For the following identified site(s), proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30-days of the following specified date. During this comment period the municipality may request that the following identified individual, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of the site.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The DEP has received the following Notice(s) of Intent to Remediate.

Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Ben Weaver, 814-343-3357.

National Fuel Gas Kane Field, Primary Facility ID # 879075, 5405 Highland Road, Kane, PA 16735, Jones Township, **Elk County**. Moody & Associate, Inc., 2402 West 8th Street, Erie, PA 16505 on behalf of National Fuel Gas Supply Corp., 6363 Main Street, Williamsville, NY 14221, submitted a Notice of Intent to Remediate. An historic buried refuse dump was discovered during the course of an ongoing construction project. The exact nature of the refuse is being investigated but may contain household refuse as well as organic and inorganic contamination. The refuse is contained to an area approximately 0.3 acre in size. The site is currently used for office space and equipment storage for support of a natural gas storage field. The intended future use of the property is office space and equipment storage in support of a natural gas storage field, as well as a weld shop. The

Notice of Intent to Remediate was published in *Kane Republican* on October 1, 2024. Application received: October 11, 2024.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: C. David Brown, Professional Geologist Manager, 484-250-5792.

1820 & 1900 W Allegheny Ave, Primary Facility ID # 865764, 1820 and 1900 West Allegheny Avenue, Philadelphia, PA 19132, City of Philadelphia, **Philadelphia County**. Anna Thornton, Pennoni Associates, Inc., 1900 Market Street, Suite 300, Philadelphia, PA 19103 on behalf of Max Kent, New Courtland, 6970 Germantown Avenue, Philadelphia, PA 19119, submitted a Notice of Intent to Remediate. submitted a Notice of Intent to Remediate. Groundwater has been found to be contaminated with chlorinated solvents, inorganics, lead, and PAH's. The future use of the property is residential. The proposed cleanup standard for the site is the site-specific standard. The Notice of Intent to Remediate was published in *Metro Philly* on March 27, 2023. Application received: September 26, 2024.

2944 Samuel Drive, Primary Facility ID # 840740, 2944 Samuel Drive, Bensalem, PA 19020, Bensalem Township, **Bucks County**. Natalie Griffith, REPSG, Inc., 6901 Kingsessing Avenue, Philadelphia, PA 19142 on behalf of Howard Weiss, 2944 Samuel Drive, Inc., 4250 Wissahickon Avenue, Philadelphia, PA 19129, submitted a Notice of Intent to Remediate. submitted a Notice of Intent to Remediate. Soil and groundwater have been found to be contaminated with inorganics and PAH's. The future use of the property is nonresidential. The proposed cleanup standard for the site is the Statewide health standard. The Notice of Intent to Remediate was published in *Bucks County Courier Times* on June 14, 2024. Application received: October 14, 2024.

202 Marketplace, Primary Facility ID # 878219, 411 Doylestown Road, Montgomeryville, PA 18936, Montgomery Township, **Montgomery County**. Anna Thornton, Pennoni Associates, Inc., 1900 Market Street, Suite 300, Philadelphia, PA 19103 on behalf of Christian Lomax, Viking Group, 4 Executive Campus, Suite 100, 771 Cuthbert Boulevard, Cherry Hill, NJ 08002, submitted a Notice of Intent to Remediate. submitted a Notice of Intent to Remediate. Soil and groundwater have been found to be contaminated with chlorinated solvents. The future use of the property is nonresidential. The proposed cleanup standards for the site are the Statewide health and site-specific standards. The Notice of Intent to Remediate was published in *The Times Herald* on September 24, 2024. Application received: September 26, 2024.

4109 E Lincoln Hwy, Primary Facility ID # 879120, 4109 East Lincoln Highway, Thorndale, PA 19372, Caln Township, **Chester County**. Stephen Huxta, Huxta Environmental, 461 Merlin Road, Phoenixville, PA 19460 on behalf of Michael Cohen, WM Cohen & Sons, 4109 East Lincoln Highway, Thorndale, PA 19372, submitted a Notice of Intent to Remediate. submitted a Notice of Intent to Remediate. Soil has been found to be contaminated with diesel fuel, leaded gasoline, unleaded gasoline, used motor oil, lead, and PAH's. The future use of the property is residential. The proposed cleanup standard is the Statewide health standard. The Notice of Intent to Remediate was published in *The Daily Local News* on September 26, 2024. Application received: September 27, 2024.

RESIDUAL WASTE GENERAL PERMITS

Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101–6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101–4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other than Coal Ash.

Central Office: Waste Management Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-787-1982.

Contact: Jason Dunham, Environmental Group Manager.

WMGR046 Base Permit. McGill Fairless Hills, LLC, 634 Christian Chapel Church Rd, New Hill, NC 27562, Falls Township, **Bucks County**. McGill Fairless Hills, LLC operates an individually permitted composting facility and utilizes coverage under WMGR046 to beneficially use the resultant compost. The proposed modification would not amend the wastes authorized for processing but would amend the wastes authorized for beneficial use under WMGR046. McGill Fairless Hills, LLC proposes to amend the beneficial use language in Section A that describes the waste authorized for processing and beneficial use. The existing language authorizes processing and beneficial use of the following wastes: “drinking water treatment sludge, yard waste, bark ash, coal ash, agricultural residues, waste cardboard and paper, sludge generated by paper or pulp mills (SIC Code 2621 and 2611), waste from vegetable food processing, unused sands, waste foundry sand that is authorized for use as a soil additive or soil substitute under General Permit Number WMGR019, spent mushroom substrate, and freshwater, brackish and marine dredged material.” McGill Fairless Hills, LLC proposes adding language to the permit that would allow for the beneficial use compost generated from the processing of the following wastes: “drinking water treatment sludge; biosolids; wastewater treatment plant sludge; waste cardboard, paper, and pulp; food waste; agricultural waste and by-products; wood ash; yard waste; wood; and horticultural waste.” Comments or questions concerning the application should be directed to Jason Dunham, Environmental Group Manager, 717-787-1982, Central Office, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application. Application received: August 16, 2024. Accepted: August 29, 2024.

Comments or questions concerning the application should be directed to Jason Dunham, Environmental Group Manager, 717-787-1982, Central Office, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-787-1982. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

DETERMINATION OF APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101–6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101–4000.1904); and Residual Waste Regulations for Determination of Applicability for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other than Coal Ash.

Central Office: Waste Management Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717- 787-7381.

Contact: Jason Dunham, Environmental Group Manager.

WMGR165SC001, Activated Carbon Innovations PA LLC, 3311 E135 US Highway 202 206, Suite 14, Bedminster, NJ 07921, Bedminster Township, **Somerset County**. General Permit No. WMGR165. Activated Carbon Innovations PA LLC (Activated Carbon), 135 US Highway 202 206, Suite 14, Bedminster, NJ 07921. This application is for a new Statewide General Permit, WMGR165. The current project is located at 1377 DeGol Industrial Drive, Hollidaysburg, PA 16648, Hollidaysburg Boro, Blair County. General Permit No. WMGR165 is for the processing of waste spent activated carbon used in water treatment or air treatment and the beneficial use of the waste activated carbon after processing as a water treatment medium in wastewater streams and air treatment medium in the removal of contaminants/pollutants from air streams from air treatment facilities. The waste activated carbon will be processed by screening, thermal processing, acid washing and chemical upgrading. The application for determination of applicability for WMGR165SC001 was determined to be administratively complete on October 9, 2024. Application received: October 1, 2024. Accepted: October 4, 2024.

Comments or questions concerning the application should be directed to Jason Dunham, Environmental Group Manager, 717-787-7381, Central Office, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-787-7381. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

Southwest Region: Waste Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Waste Management Program Manager.

WMGR101SW006, Mamont Supply, Inc., 1005 General Forbes Court, Jeannette, PA 15644, Stowe Township, **Allegheny County**. A Determination of Applicability for coverage under Residual Waste General Permit No. WMGR101SW006 was received. Mamont Supply, Inc. will operate for processing and beneficial use of steel slag, iron slag, and refractory bricks that were co-disposed with slag, reclaimed asphalt pavement materials (RAP) in quantities greater than 10 cubic yards and uncontaminated brick, block and concrete from sidewalk and highway projects as a construction material. This operation will be conducted at the Mamont Supply Reclaim Yard located at 2201 Robinson Blvd, McKees Rocks, PA 15136.

Application received: September 30, 2024. Deemed administratively complete: October 22, 2024.

Comments or questions concerning the application should be directed to RA-EP-EXTUPLSWRO@pa.gov, Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southwest Region: Waste Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Waste Management Program Manager.

300558. LBR Aquisition Company, LLC, 2105 West 1800 North, Far West, UT 84404, Greene Township, Grant District, **Beaver County** and **Hancock County**, West Virginia. Permit renewal application to continue closure operations at the Little Blue Run Residual Waste Disposal Impoundment. Application received: December 14, 2023. Deemed administratively complete: October 16, 2024.

Comments or questions concerning the application should be directed to RA-EP-EXTUPLSWRO@pa.gov, Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

DETERMINATION OF APPLICABILITY FOR MUNICIPAL WASTE GENERAL PERMITS

Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Municipal Waste Regulations for Determination of Applicability for a General Permit to Operate Municipal Waste Processing Facilities and/or the Beneficial Use of Municipal Waste.

Southwest Region: Waste Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Waste Management Program Manager.

WMGM030SW001. Beaver County Department of Sustainability and Waste Management, 469 Constitution Blvd, New Brighton, PA 15066, Brighton Township, **Beaver County**. An application for renewed coverage under Municipal Waste General Permit No. WMGM030SW001 was received. The Beaver County Department of Sustainability and Waste Management is applying for the renewal of General Permit No. WMGM030SW001 to continue operating the 15-acre resi-

dential yard waste composting site located at 1095 Doyle Drive, Beaver, PA 15009. Application received: September 19, 2024. Deemed administratively complete: October 22, 2024.

Questions concerning the application should be directed to Regional Files (412-442-4100), Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department of Environmental Protection (DEP) has developed an integrated plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for DEP, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The DEP received applications for Plan Approvals or Operating Permits from the following facilities. Copies of the application, DEP's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate DEP Regional Office. Appointments for scheduling a review must be made by calling the appropriate DEP Regional Office. The address and telephone number of the Regional Office is listed before the application notices.

Individuals wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the DEP's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

Any individual wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if DEP, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when DEP determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate DEP Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operat-

ing Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

PLAN APPROVALS

Notice of Intent to Issue Plan Approval(s) and Notice of Intent to Issue or Amend Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These Actions May Include the Administrative Amendments of an Associated Operating Permit.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: David Balog, New Source Review Section Chief, 814-332-6328.

10-00380D: Mountain Gathering, LLC, 910 Saxonburg Road, Butler, PA 16002, Jefferson Township, **Butler County**. Application received: May 16, 2024.

Intent to Issue Plan Approval

10-00380D: Mountain Gathering, LLC (910 Saxonburg Road, Butler, PA 16002), The Department of Environmental Protection intends to issue a plan approval to Mountain Gathering re-authorize the operation of Jefferson Compressor Station and modify permit conditions and requirements at their facility located in Jefferson Township, Butler County. Mountain Gathering Jefferson Compressor Station is a Natural Minor facility and natural gas compressor station under State Only Permit No. 10-00380. Public notice is required for sources required to obtain a Plan Approval in accordance with 25 Pa. Code § 127.44.

The following sources are affected by this Plan Approval:

- Eight (8) 1775 BHP Caterpillar G3606TA compressor engines (Source ID 101—108) rated at 13.79 MMBtu/hr and associated Ariel JGC-4 compressors (Source ID 101-C1—108-C8) and Oxidation Catalysts (Source ID C101—C108).
- One (1) NATCO TEG Dehydrator rated at (Source ID 401) rated at 105 MMSCFD.
- One (1) Zeeco T20288F Enclosed Flare to control emissions from the Dehydrator (Source ID C301)

This Plan Approval was submitted for the following reasons:

- to revise their site wide emission limit to 49 tpy VOC
- to replace the oxidation catalyst pressure, drop requirements to periodic monitoring outlined in the latest GP5 requirements for compressor engines
- adding Promax as an authorized software to calculate emissions
- revising the emission limits of the TEG dehydrator to 5.60 tpy VOC

These requests and application were submitted due to a Notice of Violation issued to the applicant dated July 11, 2023. The violations were:

- Exceeding the site wide VOC limit of 45.35 tpy VOC from their operating permit 10-00380 with actual emissions of 174.67 tons in 2019, 219.64 tons in 2020, and 161.45 tons in 2021.
- Exceeding the source specific VOC limit of 0.99 tpy VOC with actual emissions of 141.08 tons, 164.48 tons, and 122.06 tons in years 2019, 2020, and 2021 from source 401.
- Exceeding the pressure drop requirements of 2 in. of water across the oxidation catalysts.
- Other violations unrelated to the application.

An updated site wide emissions calculation along with an updated site-specific gas analysis reveals that the PTE of the sites VOC emissions are 49.94. Going forward the site wide limit be 49 tpy VOC on a 12-month rolling basis. Recordkeeping will be required to show compliance with this limitation. Previously, the PTE of 0.99 tpy VOC for source 401 did not represent a feasible emission rate for the source. Updated PTE calculations reveal that the rate is closer to 5.60 tpy VOC. Going forward this will be the new emission limit for the source. The source is controlled by an enclosed flare described previously.

The applicant states that the previous pressure drop requirements for the engines control device (Source 101—108) may not have been indicative of control device malfunctions. Going forward, the applicant agrees to the more stringent periodic monitoring that is required for engines in the GP5. This includes performance testing and periodic monitoring every 2,500 hours of operation utilizing portable analyzers to detect emissions exceeding applicable limits.

Based on BAT, site wide PTE, and regulatory requirements the modified emission limits will be as follows:

- All limits not modified by this plan approval remain in place
- 49 tpy VOC based on a 12-month rolling total site wide
- 5.60 tpy VOC for source 401

Potential emissions from the subject source(s) will be as follows:

Pollutants	NO _x	CO	SO _x	PM ₁₀	PM _{2.5}	VOC	HAPs
101	8.57	3.3	0.03	0.53	0.53	3.94	1.55
102	8.57	3.3	0.03	0.53	0.53	3.94	1.55
103	8.57	3.3	0.03	0.53	0.53	3.94	1.55
104	8.57	3.3	0.03	0.53	0.53	3.94	1.55
105	8.57	3.3	0.03	0.53	0.53	3.94	1.55

<i>Pollutants</i>	<i>NO_x</i>	<i>CO</i>	<i>SO_x</i>	<i>PM₁₀</i>	<i>PM_{2.5}</i>	<i>VOC</i>	<i>HAPs</i>
106	8.57	3.3	0.03	0.53	0.53	3.94	1.55
107	8.57	3.3	0.03	0.53	0.53	3.94	1.55
108	8.57	3.3	0.03	0.53	0.53	3.94	1.55
301 Gun Barrrel tank	-	-	-	-	-	0.35	0.02
301 Produced Water Tanks	-	-	-	-	-	0.00411	0.0019
920 Water Loading	-	-	-	-	-	0.49	0.24
301 Condensate Tank	-	-	-	-	-	0.04	0.00187
910 Condensate Loading	-	-	-	-	-	0.18	0.01
Methanol Tanks	-	-	-	-	-	0.02	0.02
C301	7.74	35.3	0.07	0.85	0.85	-	-
401	-	-	-	-	-	5.60	0.50
201 Dehy Reboiler	0.85	0.72	0.01	0.06	0.06	0.05	0.02
501	-	-	-	-	-	-	-
601/801 Venting Blowdowns	-	-	-	-	-	10.80	0.28
601 Crank Case	-	1.13	-	-	-	0.37	0.13
701	-	-	-	-	-	0.51	0.02
Totals	77.16	63.54	0.32	5.17	5.17	49.94	13.66
Major	100	100	100	100	100	50	25

The Plan Approval will contain testing, recordkeeping, emission restriction, reporting, and work practice requirements designed to keep the facility operating within all applicable air quality requirements.

In accordance with 25 Pa. Code § 127.44(f)(1), all the pertinent documents regarding this application (applications, review memos, and draft approvals) are also available for review from 8:00 a.m. to 4:00 p.m. at the Meadville Regional DEP office (Air Quality). Appointments for scheduling a review must be made by calling DEP at (814) 332-6940.

In accordance with 25 Pa. Code § 127.44(f)(2), a 30-day comment period, from the date of publication, will exist for the submission of comments. Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to Regional Air Quality Program Manager, Pennsylvania Department of Environmental Protection, 230 Chestnut Street, Meadville, PA 16335-3494 and must contain the name, address and telephone number of the person submitting the comments, identification of the proposed plan approval [10-00380D: Mountain Gathering, LLC] and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests

for a public hearing should be directed to Eric Gustafson, 230 Chestnut St., Meadville, PA 16335; Phone (814) 332-6819.

In accordance with 25 Pa. Code § 127.45, a person may oppose the proposed plan approval by filing a written protest with the Department's Northwest Region.

Philadelphia: Air Management Services: Air Quality Program, 321 University Avenue, Philadelphia, PA 19104-4543.

Contact: Maryjoy Ulatowski, Chief, Source Registration, 215-685-9476.

IP21-001053: St. Joseph's University—Hawk Hill Campus (SJU-HH), 5600 City Ave., Philadelphia, PA 19131, City of Philadelphia, **Philadelphia County**. Application received: November 2, 2021. The City of Philadelphia, Air Management Services (AMS) intends to issue a Plan Approval for the operation of a school. The Plan Approval project will include the following: • Installation of twelve (12) natural gas-fueled external combustion sources (boilers and hot water heaters) with rated capacity of 0.31 MMBtu/hr to 1.5 MMBtu/hr • Installation of sixty (60) laboratory fume hoods • Installation of eight-four (84) "insignificant" natural gas-fueled and one (1) No. 2 oil-fueled external combustion sources • Updating the equipment capacity, fuel type, location, and number of units for twenty-three (23) sources The potential emission increases from the previously listed installation and modification are: 7.89 tons per year (tpy) of nitrogen oxides (NO_x), 6.48 tpy of carbon monoxide (CO), 1.05 tpy of volatile organic compounds (VOC), and 0.606 tpy of particulate matter (PM). NO_x emissions from the facility shall be less than 25 tons per rolling 12-month period to qualify for the Synthetic Minor Operating Permit (SMOP). The Plan Approval will be issued under

25 Pa. Code, Philadelphia Code Title 3 and Air Management Regulation XIII. Permit copies and other supporting information are available for public inspection by contacting the Source Registration Unit at 215-685-7572 or DPHAMS_Service_Requests@phila.gov. Public Comment and Public hearing. Persons wishing to file protest or comments on the previously listed Plan Approval must submit the protest or comments within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the Plan Approval or schedule a public hearing. Protests, comments, and requests for a public hearing must be mailed to Source Registration, Air Managements Services, 7801 Essington Ave., Philadelphia, PA 19153 or e-mailed to DPHAMS_Service_Requests@phila.gov with "SJU-HH, IP21-001053" in the subject line. AMS suggests submitting any mailed correspondence also by e-mail. Accommodations. Individuals in need of accommodations and/or interpretation should contact AMS at DPHAMS_Service_Requests@Phila.Gov and/or 215-685-7572. Please include: the name and contact information of the person requesting an accommodation and/or interpretation; (2) the name of the program, service, activity, or location of the request; and (3) a description of the modification and/or interpretation being requested."

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Sheri Guerrieri, P.E., New Source Review Chief, 412-442-4174.

26-00402D: Chestnut Valley Landfill, 1184 McClellandtown Rd, McClellandtown, PA 15458, German Township, **Fayette County**. Application received: February 1, 2024.

Intent to Issue Plan Approval:

PA-26-00402D: In accordance with 25 Pa. Code §§ 127.424, 127.425 and 127.521, the Department is providing notice of intent to issue a plan approval for the installation and operation for a landfill gas-to-renewable natural gas (RNG) processing facility at Chestnut Valley Landfill located in German Township, Fayette County. The RNG processing facility will be controlled by a thermal oxidizer and a backup flare.

The thermal oxidizer will be the primary control device, and will be limited to 0.06 lb/MMBtu of NO_x, 0.40 lb/MMBtu of CO, 98% destruction efficiency of VOC or 20 ppmvd VOC at 3% O₂, and 0.01 gr/dscf PM.

The backup flare will operate in emergency and off-specification gas situations. The backup flare will be limited to 2,000 hours of operation per 12-cmp and will meet a 98% destruction efficiency of VOC or 20 ppmvd VOC at 3% O₂.

The potential to emit for the project is facility will be limited to annual emissions of 9.3 tons/year of NO_x, 30.0 tons/year of CO, 0.9 ton/year of VOC, 7.2 tons/year of SO_x, 3.5 tons/year of PM₁₀, and 0.4 ton/year of total HAPs. The plan approval includes emission limitations and operational, monitoring, testing, recordkeeping, work practice, and reporting requirements for the plant.

The application, DEP's Review Memorandum, and the proposed plan approval are available for public review during normal business hours at DEP's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. A file review can be scheduled through the DEP's website

at <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx> or by contacting Sheri Guerrieri, New Source Review Chief, directly.

Those who wish to provide the Department with additional written information that they believe should be considered prior to the issuance of the plan approval may submit the information to Sheri Guerrieri, New Source Review Chief, Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval (PA-26-00402D) and concise statements regarding the relevancy of the information or objections to issuance of the Plan Approval.

A public hearing may be held, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Sheri Guerrieri, Environmental Engineer Manager, Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222 or by email to shguerrier@pa.gov. All comments must be received prior to the close of business 30 days after the date of this publication.

Contact: Thomas Joseph, P.E., Facilities Permitting Chief, 412-442-4336.

11-00434: New Enterprise Stone & Lime Co., Inc., 3912 Brumbaugh Rd, New Enterprise, PA 16664, Jackson Township, **Cambria County**. Application received: August 28, 2024. In accordance with 25 Pa. Code §§ 127.424 and 127.425, the Department of Environmental Protection (DEP) has received an application and is providing notice that it intends to issue a modified natural minor State-Only Operating Permit to New Enterprise Stone & Lime Co., Inc. located in Jackson Township, Cambria County. This operating permit is for the Vintondale Quarry located at 1317 Chickaree Hill Rd, Johnstown, PA. The modification removes a requirement for the conveyers on site to be enclosed, while maintaining that their emissions must be controlled using water sprays. Sources of emissions consist of a sandstone processing plant, controlled by water sprays, and haul roads controlled by a water truck. Potential emissions from this facility are estimated to be 40.5 TPY PM; and 19.6 TPY PM₁₀. Those who wish to provide the Department with additional written information that they believe should be considered prior to the modification of the State-Only Operating Permit may submit the information to Tom Joseph, Facilities Permitting Chief, Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Operating Permit (11-00434) and concise statements regarding the relevancy of the information or objections to issuance of the Operating Permit. A public hearing may be held, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by

telephone is sufficient. Written comments or requests for a public hearing should be directed to Tom Joseph, Facilities Permit Chief, at the previously listed address. All comments must be received prior to the close of business 30 days after the date of this publication. The application, DEP's Review Memorandum, and the proposed permit are available for public review during normal business hours at DEP's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. A file review can be scheduled through the DEP's website at <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx> or by contacting Tom Joseph, Facilities Permitting Chief, directly. Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodations to do so should contact Lauren Camarda at 412-442-4203 or the Pennsylvania Hamilton Relay Service at 1-800-654-5984 (TDD) to discuss how the Department may accommodate your needs.

OPERATING PERMITS

Notice of Intent to Issue Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

49-00047, Furman Foods Inc., 770 Cannery Road, P.O. Box 500, Northumberland, PA 17857-8615, Point Township, **Northumberland County**. Application received: April 3, 2024. The Department plans to issue a renewal of the State Only Operating Permit for their Northumberland Cannery facility. The facility is currently operating under State Only Operating Permit 49-00047. The facility's sources include a cannery consisting of One (1) dual-fired (gas or No. 2 fuel oil) Boiler—Keeler Co. Model # 14539 with a heat input rating of 39.7 million Btu/hr; One (1) gas-fired Boiler—Erie City Iron Works Model # 97790 with a heat input rating of 69.4 million Btu/hr; One (1) distillate (No. 2 fuel oil)-fired Boiler—Cleaver Brooks Model # CB 439-700 with a heat input rating of 29.3 million Btu/hr input; One (1) waste oil-fired Furnace/Space Heater—Reznor Model # RA-235 with a heat input rating of 235,000 Btu/hr; Ten (10) natural gas-fired Space Heaters with a combined heat input rating of 4,575,000 Btu/hr; Six (6) propane-fired Space Heaters with a combined heat input rating of 750,000 Btu/hr; One (1) diesel-fired emergency generator engine—Detroit Diesel Model # 7085-7000 with a rated horsepower (HP) equal to approximately 318; Six (6) cold cleaning machines or part washing stations; One (1) anaerobic digestion process for wastewater treatment. The facility has potential emissions of 10.4 tons per year (tpy) of particulate matter, 90 tpy of nitrogen oxides, 72.3 tpy of carbon monoxide, 14.8 TPY of volatile organic compounds, 1.3 tpy of hazardous air pollutants, and 36.6 tpy of sulfur dioxide. No emission or equipment changes are being proposed by this action. The anaerobic digester and the enclosed flare are subject to the Department's Best Available Technology (BAT) requirements. Two of the three (3) boilers at the facility fire natural gas primarily and are to be operated as gas-fired boilers to comply with the NESHAP standard for boilers at area source of HAP emissions, as codified in 40 CFR Part 63 Subpart JJJJJ. The other boiler is fired on No. 2 fuel oil and is subject to work practice standards in Subpart JJJJJ. Based on the information provided in the permit

renewal application submittal, all applicable air quality regulatory requirements pertaining to the air contaminant sources located at this facility have been incorporated into the renewal permit, including testing, monitoring, recordkeeping, reporting and work practice conditions to verify compliance with the applicable requirements. The applicable requirements were derived from 25 Pa. Code Article III, Chapters 121—145. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-3636.

59-00019, MetalKraft Industries, Inc., P.O. Box 606, Wellsboro, PA 16901, Charleston Township, **Tioga County**. Application received: June 29, 2023. In accordance with 25 Pa. Code §§ 127.424 and 127.425, the Department of Environmental Protection (DEP) has received an application and intends to issue a renewal of an Air Quality Operating Permit for the previously mentioned facility. The facility's sources include four (4) sinter furnaces, two (2) parts washers, one (1) oil impregnation process and one (1) annealing oven. The subject facility has the following potential emissions: 0.56 TPY of carbon monoxide; 0.68 TPY of nitrogen oxides; 0.01 TPY of sulfur oxides; 2.64 TPY of particulate matter; 3.94 TPY of volatile organic compounds and 800 TPY of greenhouse gases. The operating permit will include emission limits and work practice standards along with testing, monitoring, recordkeeping and reporting requirements to ensure the facility complies with all applicable air quality regulations. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-3636.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Norman Frederick, Facility Permitting Chief, 570-826-2409.

40-00150, Freedom Corrugated LLC, 595 Oak Ridge Road, Hazle Township, PA 18202-9362, Hazle Township, **Luzerne County**. Application received: October 3, 2024. The Department intends to issue an initial State-Only Operating Permit (synthetic minor) for the Hazle Township facility. Sources at this facility includes their corrugators, parts washer, starch storage silo with bin vent, and boilers. The proposed operating permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.

21-03133, Penn State Health Hampden Health Center, 2200 Good Hope Road, Enola, PA 17025, Hampden Township, **Cumberland County**. Application received: September 3, 2024. For the operation of a general medical and surgical hospital. This is for renewal of the existing State-Only Permit. Potential air emissions from the facility are estimated at 40.3 tpy NO_x, 19.0 tpy CO, 4.94 PM₁₀, 1.14 tpy VOC, 9.45 tpy SO_x, and 0.35 tpy HAPs. The Operating Permit will include emission limits

and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items the conditions include provisions from 25 Pa. Code §§ 123.11, 123.22, 123.13 and 123.21 and 40 CFR Part 60 Subpart IIII Standards of Performance for Stationary Compression Ignition Internal Combustion Engines.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

06-03012, Brenntag Northeast LLC/Snyder Rd, 619 Snyder Road, Reading, PA 19612, Ontelaunee Township, **Berks County**. Application received: August 23, 2024. To issue a State Only Operating Permit for the chemical distribution facility. The potential emissions from the facility are estimated at 17.73 tpy of VOCs and 11.13 tpy of HAPs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 25 Pa. Code § 129.57 Storage tanks less than or equal to 40,000 gallons capacity containing VOCs.

06-03113, Haines & Kibblehouse, Inc., P.O. Box 196, Skippack, PA 19474, Robeson Township, **Berks County**. Application received: January 30, 2024. For the operation of a limestone crushing plant. This is for renewal of the existing State-Only Permit. The operation is controlled by wet suppression and fabric collectors. The crushing plant includes equipment subject to 40 CFR Part 60 Subpart OOO—Standards of Performance for Nonmetallic Mineral Processing Plants. The facility has the potential to emit an estimated 99.96 tons per year of uncontrolled particulate matter (PM) emissions. This is for renewal of the existing State-Only Permit. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief, 484-250-5920.

46-00239, SEI Investments, 100 Cinder Mill Rd, Oaks, PA 19456, Upper Providence Township, **Montgomery County**. Application received: April 8, 2024. For the renewal of a Non-Title V Facility, State-Only, Synthetic Minor Permit. SEI Investments sources of emissions include the following emergency diesel engines: two 1,800 hp, four 960 hp, one 1,120 hp, one 268 hp and two 1,839 hp diesel engines. The facility has a potential to emit 847 tons per year of NO_x based on running all engines 8,760 hours per year. All engines have emission limits and hours of operation limits which brings the NO_x PTE emissions to 13.4 tons per year. Monitoring, recordkeeping and reporting requirements are included in the permit to address applicable limitations. The only change reflected in this renewal permit is the incorporation of GP9-46-0113. The GP was for two (2) 1839 bhp diesel emergency engines, EPA Tier 2 certified.

46-00026, Global Packaging, 209 Brower Ave, Oaks, PA 19460, Upper Providence Township, **Montgomery County**. Application received: April 19, 2024. This action is for renewal of a non-Title V, Synthetic Minor Operating Permit. The facility produces packaging for various consumer products. During this renewal the facility notified

DEP that Source ID 111 is no longer controlled by the catalytic oxidizer (C02), DEP approved a new ink VOC emission calculations formula. The primary pollutants of concern are Volatile Organic Compounds (VOC) and Hazardous Air Pollutants (HAP) and their potential emissions are 24.9 tpy and 24.9/9.99 tpy respectively. The permit includes monitoring, recordkeeping and reporting requirements designed to address all applicable air quality requirements. Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the previously listed contact person in the header. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEROAQPUBCOM@pa.gov.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Thomas Joseph, P.E., Facilities Permitting Chief, 412-442-4336.

63-01001, ETC Northeast Pipeline, LLC, 76 Rover Lane, Bulger, PA 15019, Salem Township, **Westmoreland County**. Application received: June 9, 2023. In accordance with 25 Pa. Code §§ 127.424 and 127.425, and the Department is providing notice of intent to issue an initial natural minor State-Only Operating Permit for the continued operation of the Revolution Cryogenic Plant located in Smith Township, Washington County. The facility has previously been permitted under a GP-5 and a GP-1. The Revolution Cryogenic Plant is a natural gas processing plant. Air contamination sources and air cleaning devices at this facility include the following: three (3) 40.92 MMBtu/hr HMO heaters, one (1) 200 MMscfd amine sweetening unit controlled by a 5.54 MMBtu/hr thermal oxidizer, two (2) 90,000-gallon 12-lb pressurized condensate tanks, two (2) 21,000-gallon 2-lb RVP condensate tanks, various miscellaneous storage tanks, truck loadout controlled by a 1.0 MMBtu/hr combustor, one (1) 6.22 MMBtu/hr NGL dehydration regenerator heater, one (1) 8.5 MMBtu/hr regenerator gas heater, fifteen (15) catalytic heaters, two (2) air-actuated pneumatic devices, venting/blowdowns, fugitive emission sources (such as valves, flanges, connectors, etc.), rod packing controlled by an 11.3 MMBtu/hr combustor, pigging operations (one launcher and one receiver), and a 906 MMBtu/hr plant-wide flare. The Revolution Cryogenic Plant has potential emissions of 30.6 TPY NO_x, 35.3 TPY CO, 29.0 TPY VOC, 8.1 TPY PM₁₀, 8.1 TPY PM_{2.5}, < 1 TPY SO_x, 2.4 TPY hexane, 2.6 TPY total HAP, and 81,000 TPY CO_{2e}. The permit includes emission limitations and operational, monitoring, testing, recordkeeping, work practice, and reporting requirements for the site. Those who wish to provide the Department with additional written information that they believe should be considered prior to the issuance of the State-Only Operating Permit may submit the information to Thomas Joseph, Environmental Engineering Manager, Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Operating Permit (63-01001) and concise statements regarding the relevancy of the information or objections to issuance of the Operating Permit. A public hearing may be held, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient. Written

comments or requests for a public hearing should be directed to Thomas Joseph, Environmental Engineering Manager, at the previously listed address or submitted to tjoseph@pa.gov. All comments must be received prior to the close of business 30 days after the date of this publication. The application, DEP's Review Memorandum, and the proposed permit are available for public review during normal business hours at DEP's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. A file review can be scheduled through the DEP's website at <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx> and by contacting Thomas Joseph, Environmental Engineering Manager, at 412-442-4336 or tjoseph@pa.gov. Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodations to do so should contact Lauren Camarda at 412-442-4203 or the Pennsylvania Hamilton Relay Service at 1-800-654-5984 (TDD) to discuss how the Department may accommodate your needs.

COAL & NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21).

Mining activity permits issued in response to such applications are also subject to applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (DEP). A copy of the application is available for inspection at the District Mining Office indicated above each application. Requests for 401 Water Quality Certifications are included in individual application only if noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application may be submitted by any person or any officer or head of any Federal, State or Local Government Agency or Authority to DEP at the address of the District Mining Office indicated above each application within 30-days of this publication, or within 30-days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences). Such comments or objections should contain the name, address and phone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform DEP on the basis of comment or objection and relevant facts upon which it is based.

In addition, requests for an informal conference, or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 (relating to public hearing-informal conferences) or § 86.34 (relating to informal conferences), must also contain a brief summary of the issues to be raised by the requestor at the conference and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Where a National Pollutant Discharge Elimination System (NPDES) number is listed, the mining activity permit application is associated with an application for an NPDES permit. A separate notice will be provided for the draft NPDES permit.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Coal Applications

Effluent Limits—The following range of effluent limits (Table 1) will apply to NPDES permits issued in conjunction with the associated coal mining activity permit. Additional effluent limits will be listed as part of the publication of the draft NPDES permit.

Table 1

Parameter	30-Day Average	Daily Maximum	Instantaneous Maximum
Iron (total)	1.5 to 3.0 mg/l	3.0 to 6.0 mg/l	3.5 to 7.0 mg/l
Manganese (total)	1.0 to 2.0 mg/l	2.0 to 4.0 mg/l	2.5 to 5.0 mg/l
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Aluminum (Total)	0.75 to 2.0 mg/l	1.5 to 4.0 mg/l	2.0 to 5.0 mg/l
pH must always be greater than 6.0; less than 9.0.			
Alkalinity must always be greater than acidity.			

California District Mining Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.

Contact: Bonnie Herbert, Clerical Assistant 3.

Mining Permit No. 32743710. NPDES No. PA0214884. Helvetia Coal Company LLC, 275 Technology Drive, Suite 101, Canonsburg, PA 15317, Center Township, **Indiana County**. To renew the permit and related NPDES permit. Application received: September 25, 2024. Accepted: October 10, 2024.

Mining Permit No. 11051301. NPDES No. PA0235652. Rosebud Mining Company, 301 Market Street, Kittanning, PA 16201, Cresson and Munster Townships, **Cambria County**. To revise the permit and related NPDES permit for installation of a mine degas borehole, affecting 1.4 proposed surface acres. Application received: September 9, 2024. Accepted: October 10, 2024.

Mining Permit No. 30841316. NPDES No. PA0213535. Consol Pennsylvania Coal Company LLC, 275 Technology Drive, Suite 101, Canonsburg, PA 15317, Aleppo Township, **Greene County**. To revise the permit and related

NPDES permit for the installation of a degas borehole, affecting 1.4 proposed surface acres. Application received: September 30, 2024. Accepted: October 16, 2024.

Mining Permit No. 11031301. NPDES No. PA0235539. Rosebud Mining Company, 301 Market Street, Kittanning, PA 16201, Jackson Township, **Cambria County**. To revise the permit and related NPDES permit for the installation of a power borehole, communication borehole, and a rock dust borehole, affecting 8.7 proposed surface acres. Application received: September 9, 2024. Accepted: October 17, 2024.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

Contact: Cassie Stanton, Clerical Assistant 2.

Mining Permit No. 17930124. NPDES No. PA0219649. RES Coal, LLC, 51 Airport Road, Clearfield, PA 16830, Decatur Township and Woodward Township, **Clearfield County**. Permit renewal application for reclamation only and post-mining water treatment a bituminous surface coal mine and associated NPDES permit affecting 346.0 acres. Receiving stream(s): North Branch to Upper Morgan Run to Clearfield Creek to the Susquehanna River classified for the following use(s): CWF, MF. Application received: October 21, 2024. Accepted: October 22, 2024.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

Mining Permit No. 54931601. Sherman Mountain Coal Co., Inc., 65 Main Street, Tremont, PA 17981, Frailey Township, **Schuylkill County**. Transfer of an anthracite coal preparation plant operation from Sherman Coal Co., Inc., affecting 16.6 acres. Receiving stream: Middle Creek, classified for the following uses: CWF, MF. Application received: October 11, 2024.

Noncoal Applications

Effluent Limits—The following Table 2 effluent limits apply to NPDES permits issued in conjunction with a noncoal mining permit. Additional effluent limits will be listed as part of the publication of the draft NPDES permit.

Table 2

Parameter	30-day Average	Daily Maximum	Instantaneous Maximum
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity must always exceed acidity.			
pH must always be greater than 6.0; less than 9.0.			

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.

Contact: RA-EPCAMBRIADMO@pa.gov.

Mining Permit No. 32220401. NPDES No. PA0279862. Britt Energies, Inc., P.O. Box 515, Indiana, PA 15701, West Wheatfield Township, **Indiana County**. Revision to change the underground permit area to 942.7 acres from 756.2 acres on a large noncoal (industrial minerals) underground operation. Surface permit area is still 169.2 acres. Receiving stream: tributary to Roaring Run classified for the following use: CWF. Application received: October 22, 2024.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed National Pollutant Discharge Elimination System (NPDES) permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (DEP) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

Parameter	30-Day Average	Daily Maximum	Instantaneous Maximum
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH must always be greater than 6.0; less than 9.0.			
Alkalinity must always be greater than acidity.			

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse

disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The limits for noncoal mining activities as provided in 25 Pa. Code § 77.522 are pH 6 to 9 and other parameters DEP may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

Coal NPDES Draft Permits

California District Mining Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.

Contact: Bonnie Herbert, Clerical Assistant 3.

PA0213535. Mining Permit No. 30841316. Consol Pennsylvania Coal Company LLC, 275 Technology Drive, Suite 101, Canonsburg, PA 15317, Aleppo Township, **Greene County**. Application received: September 5, 2023. Accepted: October 3, 2023.

A revision to the NPDES and mining activity permit, affecting 44,069.11 underground acres and 1,923.01 surface acres. Receiving stream(s): Tributary 32575 to South Fork Dunkard Fork, classified for the following use: TSF.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The proposed effluent limits for Outfall 038 discharging to Trib 32575 to South Fork Dunkard Fork:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to Permit Expiration Date:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.5	3.0	3.8
Manganese	(mg/l)	-	1.0	2.0	2.5
Aluminum	(mg/l)	-	0.75	0.75	0.75
Suspended Solid	(mg/l)	-	35	70	90
pH	(s.u.)	6.0	-	-	9.0
Alkalinity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-
Osmotic Pressure	(mOs/kg)	-	50.0	50.0	50.0
Total Dissolved Solids	(mg/l)	-	-	-	Report
Sulfate	(mg/l)	-	-	-	Report

The proposed effluent limits for Outfall 039 discharging to Trib 32575 to South Fork Dunkard Fork

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to Permit Expiration Date:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.5	3.0	3.8
Manganese	(mg/l)	-	1.0	2.0	2.5
Aluminum	(mg/l)	-	0.75	0.75	0.75
Suspended Solids	(mg/l)	-	35	70	90
pH	(s.u.)	6.0	-	-	9.0
Alkalinity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-
Osmotic Pressure	(mOs/kg)	-	50.0	50.0	50.0
Total Dissolved Solids	(mg/l)	-	-	-	Report
Sulfate	(mg/l)	-	-	-	Report

The EPA Waiver is not in effect.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.

Contact: RA-EPCAMBRIADMO@pa.gov.

NPDES No. PA0269280. Mining Permit No. 11130201. Ebensburg Power Company, 1501 Ligonier Street, Latrobe, PA 15650, Richland Township, **Cambria County**. Modification of the NPDES permit affecting approximately 64.6 acres. Receiving stream: Paint Creek classified for the following use: CWF. Application received: July 29, 2024.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The proposed effluent limits for all outfalls in this permit are Instream Criteria limits described for previously listed coal mining activities.

The following outfalls discharge to Paint Creek:

<i>Outfall Number</i>	<i>New or Existing</i>	<i>Type</i>
001	New	Storm Water Outfall
002	New	Storm Water Outfall
003	New	Storm Water Outfall
004	New	Storm Water Outfall

The following limits apply to all weather discharges from all facilities to Paint Creek:

<i>Discharge Parameter</i>	<i>DISCHARGE LIMITATIONS</i>				<i>MONITORING REQUIREMENTS</i>	
	<i>Minimum</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>	<i>Measurement Frequency (minimum¹)</i>	<i>Sample Type</i>
Total Suspended Solids (mg/L)	N/A	35	70	90	2/Month	Grab
Iron, Total (mg/L)		3.0	6.0	7.0	2/Month	Grab
Manganese, Total (mg/L)		2.0	4.0	5.0	2/Month	Grab
Aluminum, Total (mg/L)		2.0	4.0	5.0	2/Month	Grab
Net Alkalinity (as CaCO ₃ , mg/L)	0.0				2/Month	Calculated
Alkalinity, Total (as CaCO ₃ , mg/L)			Report		2/Month	Grab
Acidity, Total (as CaCO ₃ , mg/L)			Report		2/Month	Grab
pH (S.U.)	6.0			9.0	2/Month	Grab
Specific Conductance (micromhos)			Report		2/Month	Grab
Sulfate			Report		2/Month	Grab
Flow (gpm)			Report		2/Month	Measured
Temperature (°F)			Report		2/Month	Measured

NPDES No. PA0249262. Mining Permit No. 56020105. Fieg Bros, P.O. Box 38, Berlin, PA 15530, Brothersvalley Township, **Somerset County**. NPDES renewal for a bituminous surface mine affecting 96.9 acres. Receiving streams: Unnamed Tributary to Miller Run: Classification: CWF, included in the Kiski-Conemaugh TMDL and; Sandy Hollow classified as a CWF: Included in the Buffalo Run TMDL. Application received: July 3, 2024.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The proposed effluent limits for all outfalls in this permit are Instream Criteria limits described for previously listed coal mining activities.

The following treated wastewater outfall discharges to Sandy Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
002	N

The following treated wastewater outfall discharges from an unnamed tributary to Miller Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
003	N

The proposed effluent limits for the previously listed outfall are as follows:

Outfalls: 002: Sandy Hollow

Outfall: 003: Miller Run

<i>Parameter</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
pH (S.U.)	6.0	XXX	XXX	9.0
Total Suspended Solids (mg/L)	XXX	35.0	70.0	90.0
Iron, Total (mg/L)	XXX	1.5	3.0	3.7
Manganese, Total (mg/L)	XXX	1.0	2.0	2.5
Aluminum, Total (mg/L)	XXX	0.75	0.75	0.75

Outfalls: 002: Sandy Hollow

Outfall: 003: Miller Run

Parameter	Minimum	Average Monthly	Daily Maximum	Instantaneous Maximum
Osmotic Pressure (mOsm/kg)	XXX	XXX	XXX	50.0
Net Alkalinity (as CaCO ₃ , mg/L)	0.0	XXX	XXX	XXX
Alkalinity, Total (as CaCO ₃ , mg/L)			Report	
Acidity, Total (as CaCO ₃ , mg/L)			Report	
Flow (gpm)			Report	
Temperature (°C)			Report	
Total Dissolved Solids (mg/L)			Report	
Sulfate, Total (mg/L)			Report	
Chloride (mg/L)			Report	

The following stormwater outfalls discharge from an unnamed tributary to Miller Run:

Outfall Nos.	New Outfall (Y/N)
006	N
007	N

The proposed effluent limits for the previously listed outfalls are as follows:

Outfalls: 006, 007 (All discharges)

Parameter	Minimum	Average Monthly	Maximum Daily	Instantaneous Maximum
pH (S.U.)	6.0	XXX	XXX	9.0
Total Suspended Solids (mg/L)	XXX	35.0	70.0	90.0
Iron, Total (mg/L)	XXX	3.0	6.0	7.0
Manganese, Total (mg/L)	XXX	2.0	4.0	5.0
Aluminum, Total (mg/L)	XXX	0.75	0.75	0.75
Osmotic Pressure (mOsm/kg)	XXX	XXX	XXX	50.0
Net Alkalinity (as CaCO ₃ , mg/L)	0.0	XXX	XXX	XXX
Alkalinity, Total (as CaCO ₃ , mg/L)			Report	
Acidity, Total (as CaCO ₃ , mg/L)			Report	
Flow (gpm)			Report	
Temperature (°C)			Report	
Total Dissolved Solids (mg/L)			Report	
Sulfate, Total (mg/L)			Report	
Chloride (mg/L)			Report	

Noncoal NPDES Draft Permits

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

Contact: Alicia Cook, Clerical Assistant 3, 814-343-3328.

NPDES No. PA0259501. Mining Permit No. 37130303. Allegheny Mineral Corporation, P.O. Box 1022, Kittanning, PA 16201, Worth Township, Plain Grove Township, **Butler** and **Lawrence Counties**. Renewal of NPDES permit for discharge of water resulting from surface mining of industrial minerals affecting 202.8 acres. Receiving stream(s): unnamed tributary to Jamison Run and Jamison Run, classified for the following use(s): CWF. Application received: August 12, 2024.

The following outfalls discharge to unnamed tributary to Jamison Run and Jamison Run:

Outfall No.	New or Existing	Type	Discharge Rate
001	Existing	Sediment Pond 001	Precipitation Induced, 0.27 MGD
002	Existing	Sediment Pond 002	Precipitation Induced, 0.49 MGD
003	Existing	Sediment Pond 003	Precipitation Induced, 0.24 MGD
004	Existing	Sediment Pond 004	Precipitation Induced, 0.46 MGD
005	Existing	Treatment Pond 005	Intermittent (Pumped), 0.11 MGD
006	Existing	Treatment Pond 006	Intermittent (Pumped), 0.11 MGD

The proposed effluent limits for the previously listed outfalls are as follows:

Outfalls: 005 (All Discharges)

Parameter	30-Day Average	Daily Maximum	Instant. Maximum
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Iron, Total (mg/L)	3.0	6.0	7.0
Manganese, Total (mg/L)	2.0	4.0	5.0
Net Alkalinity (mg/L)		0.0 (minimum)	
Aluminum, Total (mg/L)		Report	
Alkalinity, Total (as CaCO ₃) (mg/L)		Report	

Outfalls: 005 (All Discharges)

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Acidity, Total (as CaCO ₃) (mg/L)		Report	
Specific Conductance (µmhos/cm)		Report	
Sulfate, Total (mg/L)		Report	
Temperature (°C)		Report	
Flow (gpm)		Report	
pH (S.U.): Must be between 6.0 and 9.0 standard units.			

Outfalls: 006 (All Discharges)

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Iron, Total (mg/L)	2.8	5.6	7.0
Manganese, Total (mg/L)	2.0	4.0	5.0
Aluminum, Total (mg/L)	1.4	2.8	3.5
Net Alkalinity (mg/L)		0.0 (minimum)	
Alkalinity, Total (as CaCO ₃) (mg/L)		Report	
Acidity, Total (as CaCO ₃) (mg/L)		Report	
Specific Conductance (µmhos/cm)		Report	
Sulfate, Total (mg/L)		Report	
Temperature (°C)		Report	
Flow (gpm)		Report	
pH (S.U.): Must be between 6.0 and 9.0 standard units.			

Outfalls: 002 & 003 (All Discharges)

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Iron, Total (mg/L)	2.8	5.6	7.0
Manganese, Total (mg/L)	2.0	4.0	5.0
Aluminum, Total (mg/L)	1.4	2.8	3.5
Net Alkalinity (mg/L)		0.0 (minimum)	
Alkalinity, Total (as CaCO ₃) (mg/L)		Report	
Acidity, Total (as CaCO ₃) (mg/L)		Report	
Specific Conductance (µmhos/cm)		Report	
Sulfate, Total (mg/L)		Report	
Temperature (°C)		Report	
Flow (gpm)		Report	
pH (S.U.): Must be between 6.0 and 9.0 standard units.			

Outfalls: 001 & 004 (Discharges during Dry Weather Conditions)

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Iron, Total (mg/L)	3.0	6.0	7.0
Manganese, Total (mg/L)	2.0	4.0	5.0
Net Alkalinity (mg/L)		0.0 (minimum)	
Aluminum, Total (mg/L)		Report	
Alkalinity, Total (as CaCO ₃) (mg/L)		Report	
Acidity, Total (as CaCO ₃) (mg/L)		Report	
Specific Conductance (µmhos/cm)		Report	
Sulfate, Total (mg/L)		Report	
Temperature (°C)		Report	
Flow (gpm)		Report	
pH (S.U.): Must be between 6.0 and 9.0 standard units.			

Outfalls: 001 & 004 (Discharges after ≤10-yr/24-hr Precip. Event)

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Settleable Solids (mL/L)	N/A	N/A	0.5
Flow (gpm)		Report	
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			

Outfalls: 001 & 004 (Discharges after >10-yr/24-hr Precip. Event)

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.

NPDES No. PA0280691. Mining Permit No. 20192801. Ernst Conservation Seeds, Inc., 8884 Mercer Pike, Meadville, PA 16335, Summit Township, **Crawford County**. Transfer of an NPDES permit for management of water on a small industrial minerals surface mine affecting 7.0 acres. Receiving stream(s): Inlet Run, classified for the following use(s): HQ-CWF. There are no permitted NPDES outfalls, all water must be contained on site. Application received: July 31, 2024.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

NPDES Permit No. PA0226050. Mining Permit No. 64142801. Litts & Sons Stone Co., Inc., 19 Primrose Drive, Springbrook Township, PA 18444, Sterling Township, **Wayne County**. Renew NPDES permit affecting 6.3 acres. Receiving stream: Buttermilk Creek, classified for the following uses: EV-CWF, MF. Non-Discharging Best Management Practices will be in effect. Application received: July 1, 2024.

NPDES Permit No. PA0118443. Mining Permit No. 8074SM3. Harleysville Materials, LLC, P.O. Box 587, Berlin, NJ 08009, Lower Salford Township, **Montgomery County**. Application received: May 8, 2024.

Renew an NPDES permit affecting 43.8 acres. Receiving stream: East Branch Perkiomen Creek, classified for the following uses: TSF, MF.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for noncoal mining activities.

The following treated wastewater outfalls discharge to East Branch Perkiomen Creek:

<i>Outfall Number</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
001	Existing	Treatment Facility Outfall	0.3 MGD

The proposed effluent limits for the previously listed outfall are as follows:

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
pH ⁱ (S.U.)	6.0			9.0
Total Alkalinity (as CaCO ₃) (mg/L)			Monitor And Report	
Total Acidity (as CaCO ₃) (mg/L)			Monitor And Report	
Net Alkalinity (mg/L)	0.0			
Total Suspended Solids (mg/L)		35.0	70.0	90.0
Oil and Grease (mg/L)			Monitor And Report	
Discharge (MGD)		0.3	0.6	

ⁱThis Parameter is applicable at all times.

NPDES Permit No. PA0009407. Mining Permit No. 7174SM1. New Enterprise Stone & Lime Co., Inc., 3912 Brumbaugh Road, New Enterprise, PA 16664, Steelton Borough, Swatara and Lower Swatara Townships, **Dauphin County**. Application received: August 19, 2024.

Renew NPDES permit affecting 213.3 acres. Receiving stream: UNT to Susquehanna River, classified for the following uses: WWF, MF in the Susquehanna River TMDL.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for noncoal mining activities.

The following treated wastewater outfalls discharge to UNT to Susquehanna River.

<i>Outfall Number</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
001	Existing	Pitwater/Stormwater	1.6 MGD

The proposed effluent limits for the previously listed outfall are as follows:

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
pH ⁱ (S.U.)	6.0			9.0
Total Alkalinity (as CaCO ₃) (mg/L)			Monitor And Report	
Total Acidity (as CaCO ₃) (mg/L)			Monitor And Report	
Net Alkalinity (mg/L)	0.0			
Total Suspended Solids (mg/L)		35.0	70.0	90.0
Discharge (MGD)		1.6		
Total Dissolved Solids (mg/L)			Monitor And Report	
Sulfates (mg/L)			Monitor And Report	
Oil and Grease (mg/L)			Monitor And Report	

ⁱThis Parameter is applicable at all times.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water

Quality Certification have been received by the Department of Environmental Protection (DEP). Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341), requires the State to certify that the involved projects will not violate the applicable

provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), as well as relevant State requirements. Individuals objecting to approval of a request for certification under Section 401 or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit, or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30-days of the date of this notice, as well as any questions to the office noted above the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed, and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The DEP may schedule a fact-finding hearing or an informal conference in response to comments if deemed necessary. Maps, drawings and other data pertinent to the certification request are available for inspection between the hours of 8:00 a.m. and 4:00 p.m. on each working day at the office noted above the application.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

WATER OBSTRUCTIONS AND ENCROACHMENTS

Applications Received Under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification Under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Northcentral Region: Waterways & Wetlands Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Clarissa Alcorn, Aquatic Biologist 2, 570-321-6525, RA-EPWW-NCRO@pa.gov.

E1404224-005. Ferguson Township, 3147 Research Drive, State College, PA 16801, Ferguson Township, **Centre County**. U.S. Army Corps of Engineers Baltimore District. Application received: October 11, 2024.

The applicant is proposing to restore approximately 350 linear feet of a tributary to Beaver Branch (HQ-CWF, MF) in Ferguson Township to reduce bank erosion, provide stabilization, increase flood capacity, and decrease nutrient and sediment loads through buffer plantings. The project involves channel modification, installation of ten toe boulder structures, creation of a plunge pool at the outlet of the culvert along Wyoming Avenue, a boulder grade control structure, and approximately eighteen riffle grade structures. As proposed, the project will permanently impact 0.034 acre (366' x 4') of stream channel and 0.021 acre (350' x 14') of the associated floodway. No impacts are proposed to wetlands. The PNDI for the project identified a recommended "Avoidance Measure" for U.S. Fish and Wildlife Service; the avoidance measure within the PNDI was acknowledged. Latitude: 40°, 13', 43", Longitude: -77°, 54', 5".

Contact: Stephen Kardoheley, Project Manager, 814-342-8216, RA-EPWW-NCRO@pa.gov.

E1704224-002. Clearfield Municipal Authority, Montgomery Run Water Treatment Facility, 1479 104th Calvary Road, Clearfield, PA 16830, Pike Township, **Clearfield County**. U.S. Army Corps of Engineers Baltimore District. Application received: October 2, 2024.

Clearfield Municipal Authority has applied for a Chapter 105 Small Projects permit for the reconstruction of the aging conventional filtration system with a new membrane filtration system and all applicable appurtenances. Construction will include a new building to house the system and associated equipment. There are no anticipated adverse impacts to wetlands or waters of the U.S. or aquatic resources from this project. The proposed project is located within the floodway of Montgomery Run which is listed in the 25 Pa. Code Chapter 93 designation use of Cold Water Fishery (CWF). Latitude: 41°, 1', 29.92", Longitude: -78°, 30', 6.2".

Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: RA-EP-WW-SERO-105@pa.gov.

E0901224-010. Chalfont Borough, 40 North Main Street, Chalfont, PA 18914, Chalfont Borough, **Bucks County**. U.S. Army Corps of Engineers Philadelphia District. Application received: September 10, 2024.

To construct and maintain about 1,000 feet long by 8 foot wide multi-purpose bituminous trail along the floodway/floodplain of the North Branch Neshaminy Creek (TSF-MF) associated with the trail connection with various existing trail connections within the Borough's Parks, residential areas, Chalfont Train Station along the SEPTA Lansdale/Doylestown Regional Rail line, etc. The project will include restoration of adjacent Swale as part of the Municipal Separate Storm Sewer System program and restored concurrently with trail construction. The Swale will be re-graded, banks stabilized, revegetated, and the dual 36-inch HDPE culvert crossing for the trail. The project is located about 280-feet east of the intersection of Linden Field Parkway trail with Michael Lane (Doylestown, PA USGS Quadrangle, Latitude: 40.296245; Longitude: -75.207962) in Chalfont Borough, Bucks County.

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: 717-705-4802.

E6703224-008. Escambia Properties, LLC, 18 Sagecrest Circle, Enola, PA 17025-1367, Fairview and Newberry Townships, **York County**. U.S. Army Corps of Engineers Baltimore District. Application received: May 16, 2024.

1.) To install and maintain a 43.0-inch by 68.0-inch elliptical pipe culvert, measuring 53.0-linear feet in length, permanently impacting 62.0-linear feet of an Unnamed Tributary (UNT) to Fishing Creek (TSF, MF) as well as 0.03-acre of the floodway of Fishing Creek (TSF, MF); 2.) To install and maintain six (6) utility line crossings accounting for 30.0-linear feet of permanent watercourse impacts (UNT's to Fishing Creek) (TSF, MF) and 0.06 acre of their accompanying floodways; and 3.) To construct and maintain an area of fill in the floodway of Fishing Creek (TSF, MF), accounting for 0.35 acre of permanent floodway impacts, all for the purpose of constructing a residential subdivision. No wetlands will be impacted as a result of the project. In addition to the activities mentioned, the applicant claims that multiple utility line crossings, various fill locations, and two (2) culvert crossings are eligible to be waived activities under 25 Pa. Code § 105.12(a)(2). The project is located at 674 Beinhower Road, Goldsboro, PA 17319-9774 in Fairview and Newberry Townships, York County (Latitude: 40.1640, Longitude: (-76.8167)).

Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Dana Drake, Program Manager.

E6305124-013. PennDOT District 12-0, 825 N. Galatin Avenue Ext, Uniontown, PA 15401, North Strabane Township, **Washington County**. U.S. Army Corps of Engineers Pittsburgh District. Application received: July 29, 2024.

The applicant is proposing to:

1. Remove the existing 23.15-LF long, 12-LF wide, Steel I-Beam Bridge, which carries SR 1055 over an unnamed tributary (UNT) to Little Chartiers Creek (HQ-WWF), and to construct and maintain a replacement 50-LF long, 14' x 6' Precast Box Culvert, including scour protection, to convey the UNT, resulting in a net loss of approximately 26.85 LF of open channel, and having a combined permanent watercourse impact of 72 LF to the UNT to Little Chartiers Creek.

2. Construct and maintain stream bank stabilization to be placed along the UNT to Little Chartiers Creek, at a length of 128 LF upstream and 13 LF downstream of the proposed culvert, consisting of R-7 choked with R-4 stone, and having a combined permanent watercourse impact of 141 LF to the UNT to Little Chartiers Creek.

3. Construct and maintain temporary erosion and sedimentation control structures in and along the UNT to Little Chartiers Creek, having a total temporary watercourse impact of 257 LF to the UNT to Little Chartiers Creek.

For the purpose of replacing a structure along PA Route 1055, Section E10, including a full depth roadway reconstruction. The project will have a cumulative permanent impact of 213 LF to watercourses, and a cumulative temporary impact of 257 LF to watercourses.

The project site is located along SR 1055, approximately 2,000 LF due southwest from the route's intersection with Long Drive (Hackett, PA USGS topographic quadrangle; N: -40°, 13', 6.9575"; W: -80°, 6', 47.743"; Sub-basin 20F; USACE Pittsburgh District), in North Strabane Township, Washington County.

ENVIRONMENTAL ASSESSMENTS

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: 717-705-4802.

EA6703224-002. York County Conservation District, 2401 Pleasant Valley Rd, Suite 101, Rm 139, York, PA 17402, Codorus Township, **York County**. U.S. Army Corps of Engineers Baltimore District. Application received: July 19, 2024.

To construct and maintain a stream restoration project that includes stream realignment, channel fill, and floodplain excavation resulting in 1,665 linear feet (39,410 square feet) of permanent impact and 27 linear feet (975 square feet) of temporary impact to Codorus Creek (TSF, MF), all for the purpose providing nonpoint source pollutant load reductions to reduce TMDLs and creating ecological uplift. The project is located along Pentland Road in Codorus Township, York County. No wetlands will be impacted by this project. Latitude: 39.797448°, Longitude: -76.860042°.

STORAGE TANKS

SITE-SPECIFIC INSTALLATION PERMITS

The following Storage Tank Site-Specific Installation Permit application has been received by the Department of Environmental Protection (DEP) and is currently under review. Individuals wishing to comment on the proposed permit are invited to submit a statement to the Bureau of Environmental Cleanup and Brownfields, Division of Storage Tanks, P.O. Box 8762, Harrisburg, PA 17105-8762, within 30-days from the date of this publication. Comments may also be submitted via email to tanks@pa.gov. Comments received within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform DEP of the exact basis of the comment and the relevant facts upon which it based.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Application(s) Received for Storage Tank Site-Specific Installation Permits Under the Authority of the Storage Tank Spill Prevention Act (35 P.S. §§ 6021.304, 6021.504, 6021.1101 and 6021.1102) and Under 25 Pa. Code Chapter 245, Subchapter C.

SSIP Application No.	24007
Applicant Name	Culpeper of Leola, LLC
Address	33 Glenola Drive
City, State, Zip	Leola, PA 17540
County	Lancaster County
Municipality	Upper Leacock Township
Tank Type	One AST storing highly hazardous substance
Tank Capacity	18,500 gallons
Application Received	September 25, 2024

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department of Environmental Protection (DEP) has taken the following actions on previously received applications for new, amended, and renewed National Pollutant Discharge Elimination System (NPDES) and Water Quality Management (WQM) permits, applications for permit waivers, and Notice of Intent (NOIs) for coverage under General Permits, as listed in the following tables. This notice of final action is published in accordance with 25 Pa. Code Chapters 91, 92a, and 102 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). The official file for each listed action can be reviewed at the DEP or delegated County Conservation District (CCD) office identified in the table for the action. DEP/CCD office

contact information is listed as follows for Section I and is contained within the table for Section II. Additional information for permits issued under 25 Pa. Code Chapters 91 and 92a and Individual permits under 25 Pa. Code Chapter 102, including links to Individual Chapter 92a NPDES and WQM Permits, may be reviewed by generating the "Final Actions Report" on DEP's website at www.dep.pa.gov/CWPUBLICNOTICE.

DEP office contact information to review official files relating to the final actions in Section I is as follows:

DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484-250-5910. Email: RA-EPNPDES_SERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SERO@pa.gov for Chapter 102 permits.

DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570-826-5472. Email: RA-EPNPDES_NERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NERO@pa.gov for Chapter 102 permits.

DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717-705-4732. Email: RA-EPNPDES_SCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SCRO@pa.gov for Chapter 102 permits.

DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570-327-3693. Email: RA-EPNPDES_NCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NCRO@pa.gov for Chapter 102 permits.

DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412-442-4286. Email: RA-EPNPDES_SWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SWRO@pa.gov for Chapter 102 permits.

DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814-332-6078. Email: RA-EPNPDES_NWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NWRO@pa.gov for Chapter 102 permits.

DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-787-5017. Email: RA-EPNPDES_Permits@pa.gov.

DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law).

The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law. For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board. Individuals who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. Important legal rights are at stake, however, so individuals should contact a lawyer at once.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

For actions taken on applications for pipelines that are regulated by the Federal Energy Regulatory Commission (FERC).

Any person aggrieved by this action may challenge it in an appropriate legal forum. The State and Federal courts are currently split on whether the proper forum to challenge a Department permit, authorization or approval for a facility or activity subject to the Federal Natural Gas Act, 15 U.S.C.A. §§ 717 et seq., is the United States Court of Appeals for the Third Circuit or the Pennsylvania Environmental Hearing Board. See *Delaware Riverkeeper Network v. Sec'y, Dep't. of Env'tl. Prot.*, 833 F.3d 360 (3d Cir. 2016); *Delaware Riverkeeper Network v. Sec'y, Dep't. of Env'tl. Prot.*, 903 F.3d 65 (3d Cir. 2018), cert. denied, 139 S. Ct. 1648, 203 L. Ed. 899 (2019) and *Cole v. Dep't. of Env'tl. Prot.*, 1577 C.D. 2019 WL 2420667 (Pa. Cmwlth Ct. June 15, 2021) (Pet. for Allowance of Appeal pending); *West Rockhill Twp. v. Dep't. of Env'tl. Prot.*, No. 1595 C.D. 2019 WL 2426014 (Pa. Cmwlth. June 15, 2021) (Pet. for Allowance of Appeal pending).

I. Final Action(s) on NPDES and WQM Permit Application(s) and NOIs for Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides, CAFOs and Individual Construction Stormwater.

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA400004D	Chapter 102 Individual NPDES Permit	Issued	PA DOT Engineering District 4 0 55 Keystone Industrial Park Dunmore, PA 18512-1516	Dorrance Township Luzerne County	NERO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA450003D	Chapter 102 Individual NPDES Permit	Issued	PPL Electric Utilities Corp 827 Hausman Road Genn4 Allentown, PA 18104-9392	Smithfield Township Monroe County	NERO
PAD050018	Chapter 102 Individual NPDES Permit	Issued	Bedford Township Bedford County P.O. Box 148 Bedford, PA 15522-0148	Bedford Township Bedford County	SCRO
PAD060026	Chapter 102 Individual NPDES Permit	Issued	Berks County Ind Development Authority 633 Court Street Fl 14 Reading, PA 19601	Bern Township Berks County	SCRO
PAD110024	Chapter 102 Individual NPDES Permit	Issued	Peoples Natural Gas Co. LLC 375 N Shore Drive Pittsburgh, PA 15212-5866	Munster Township Cambria County	SWRO
PAD140113	Chapter 102 Individual NPDES Permit	Issued	Songer Thomas F II 366 Walker Drive Suite 201 State College, PA 16801-7019	Patton Township Centre County	NCRO
PAD150035	Chapter 102 Individual NPDES Permit	Issued	Brandywine Station LLC 707 Eagleview Boulevard Exton, PA 19341-1159	Downingtown Borough Chester County	SERO
PAD150138	Chapter 102 Individual NPDES Permit	Issued	Tredyffrin Easttown School District 940 West Valley Road Suite 1700 Wayne, PA 19087-1856	Tredyffrin Township Chester County	SERO
PAD210122	Chapter 102 Individual NPDES Permit	Issued	Nickel Drew W 4 White Oak Drive Carlisle, PA 17015-9169	Dickinson Township Cumberland County	SCRO
PAD210124	Chapter 102 Individual NPDES Permit	Issued	Costco Wholesale Corp 45940 Horseshoe Drive Sterling, VA 20166-8534	Silver Spring Township Cumberland County	SCRO
PAD230081	Chapter 102 Individual NPDES Permit	Issued	Energy Transfer Market & Terminal LP 100 Green Street Marcus Hook, PA 19061-4800	Marcus Hook Borough Delaware County	SERO
PAD460086	Chapter 102 Individual NPDES Permit	Issued	Penndot 6-0 7000 Geerdes Boulevard King of Prussia, PA 19406-1525	Lower Providence Township Montgomery County	SERO
PAD510243	Chapter 102 Individual NPDES Permit	Issued	Emerald Transfer PPM LLC 7850 Collin McKinney Parkway Suite 200 McKinney, TX 75070-2189	Philadelphia City Philadelphia County	SERO
PAD670110	Chapter 102 Individual NPDES Permit	Issued	York Land Development LLC 4732 Gettysburg Road Mechanicsburg, PA 17055-4325	Carroll Township York County	SCRO
PA0040835	Concentrated Aquatic Animal Production Facility Individual NPDES Permit	Issued	Pennsylvania Fish and Boat Commission 1735 Shiloh Road State College, PA 16801-8400	Benner Township Centre County	NCRO
PA0052906	Industrial Stormwater Individual NPDES Permit	Issued	Reworld Plymouth LLC 1155 Conshohocken Road Conshohocken, PA 19428-1028	Plymouth Township Montgomery County	SERO

NOTICES

7251

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0245674	Industrial Stormwater Individual NPDES Permit	Issued	Penn Color Inc. 2801 Richmond Road Hatfield, PA 19440-1808	Hatfield Township Montgomery County	SERO
PA0294446	Industrial Stormwater Individual NPDES Permit	Issued	Gelest Inc. 281 Industrial Road Glen Rock, PA 17327-8601	Springfield Township York County	SCRO
PA0295710	Industrial Stormwater Individual NPDES Permit	Issued	AC Coach Operations Inc. 1 Anderson Plaza Greenville, PA 16125-9443	Summit Township Crawford County	NWRO
PAS503501	Industrial Stormwater Individual NPDES Permit	Issued	Reworld Harrisburg 1670 S 19th Street Harrisburg, PA 17104-3201	Harrisburg City Dauphin County	SCRO
0924817	Joint DEP/PFBC Pesticides Permit	Issued	Lehman John F 1054 Creamery Road Newtown, PA 18940-2816	Upper Makefield Township Bucks County	SERO
4624809	Joint DEP/PFBC Pesticides Permit	Issued	Paramount Realty 120 N Pointe Boulevard Lancaster, PA 17601-4100	Upper Dublin Township Montgomery County	SERO
6324803	Joint DEP/PFBC Pesticides Permit	Issued	Stroope Jason 103 Fairway Drive McMurray, PA 15317-3119	Peters Township Washington County	SWRO
1519407	Land Application and Reuse of Sewage Individual WQM Permit	Issued	Franklin Township Chester County 20 Municipal Lane P.O. Box 118 Kemblesville, PA 19347	Franklin Township Chester County	SERO
PAI130088	MS4 Individual NPDES Permit	Issued	Oxford Borough Chester County P.O. Box 380 Oxford, PA 19363	Oxford Borough Chester County	SERO
4818402	Major Sewage Treatment Facility Individual WQM Permit	Issued	Bethlehem City Northampton County 10 East Church Street Bethlehem, PA 18018	Bethlehem City Northampton County	NERO
PA0031364	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Wallenpaupack Area School District 2552 Route 6 Hawley, PA 18428-7045	Palmyra Township Pike County	NERO
PA0087335	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Broad Top Township Bedford County 124 Hitchens Road P.O. Box 57 Defiance, PA 16633-0057	Broad Top Township Bedford County	SCRO
PA0087343	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Broad Top Township Bedford County 124 Hitchens Road P.O. Box 57 Defiance, PA 16633-9002	Broad Top Township Bedford County	SCRO
PA0260762	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	New Buffalo Borough Perry County P.O. Box 245 New Buffalo, PA 17069-0245	New Buffalo Borough Perry County	SCRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0058041	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Aqua PA Wastewater Inc. 762 W Lancaster Avenue Bryn Mawr, PA 19010-3402	Limerick Township Montgomery County	SERO
PA0062880	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Kidspace Corp 5300 Kidspace Drive Orefield, PA 18069	North Whitehall Township Lehigh County	NERO
1320401	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Bowmanstown Borough Carbon County 490 Ore Street P.O. Box 127 Bowmanstown, PA 18030	Bowmanstown Borough Carbon County	NERO
1793407	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Kratzer Run Sewer Authority P.O. Box 253 Grampian, PA 16838-0253	Penn Township Clearfield County	NCRO
2574407	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Middleboro Municipal Authority Erie County P.O. Box 189 McKean, PA 16426-0189	McKean Borough Erie County	NWRO
NOEXSW203	No Exposure Certification	Issued	Kitron Tech Inc. 345 Pomroys Drive Windber, PA 15963-2425	Windber Borough Somerset County	SWRO
PAG030249	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	SEPTA 1234 Market Street 6th Floor Philadelphia, PA 19107	Upper Darby Township Delaware County	SERO
PAG032333	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Tforce Freight Inc. 1001 Moosic Road Old Forge, PA 18518-2085	Old Forge Borough Lackawanna County	NERO
PAG032381	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Intermetro Industries Corporation Ali Group NA Corporation 651 N Washington Street Wilkes-Barre, PA 18705-1707	Plains Township Luzerne County	NERO
PAG032435	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Cornellcookson 24 Elmwood Road Mountaintop, PA 18707	Wright Township Luzerne County	NERO
PAG032440	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Estes Express Lines 3901 W Broad Street Richmond, VA 23230-3962	Lehighton Borough Carbon County	NERO
PAG036240	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	PA Department of Military & Veterans Affairs Air National Guard 171 Air Refueling Wing 300 Tanker Road Coraopolis, PA 15108-4805	Moon Township Allegheny County	SWRO
PAG038412	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Mersen USA GS Corp— St. Marys 215 Stackpole Street Saint Marys, PA 15857-1401	Saint Marys City Elk County	NWRO

NOTICES

7253

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG038501	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	M & B Redi Mix Inc. d/b/a Dubrook 15303 Route 322 Clarion, PA 16214-6265	Saint Marys City Elk County	NWRO
PAG038594	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Chemtrade Solutions LLC P.O. Box G Ridgway Road Johnsonburg, PA 15845-0196	Johnsonburg Borough Elk County	NWRO
PAG041351	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Liszka Todd 1318 W 9th Street Erie, PA 16502-1023	Delaware Township Mercer County	NWRO
PAG041352	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Dornbusch LLC 131 Watters Station Road Evans City, PA 16033-9323	Forward Township Butler County	NWRO
PAG041416	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Michael and Roxana Carpenter 9685 State Line Road Albion, PA 16401-9105	Conneaut Township Erie County	NWRO
PAG044006	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Nelson Kevin and Nelson Melissa 12 Chestnut Grove Lane Newville, PA 17241-8780	Upper Frankford Township Cumberland County	SCRO
PAG044874	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Steffans Erik L 200 Adams Avenue 603 Scranton, PA 18503-1607	Hepburn Township Lycoming County	NCRO
PAG046487	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Nicholson Bill 116 Dixon Drive Derry, PA 15627-2712	Derry Township Westmoreland County	SWRO
PAG123613	PAG-12 NPDES General Permit for CAFOs	Issued	Meadow Spring Acres LLC 1871 Smith Station Road Spring Grove, PA 17362-8977	Heidelberg Township York County	SCRO
PAG123630	PAG-12 NPDES General Permit for CAFOs	Issued	Springfield Manor Farm LLC 3241 Blue Rock Road Lancaster, PA 17603-9773	Manor Township Lancaster County	SCRO
PAG123772	PAG-12 NPDES General Permit for CAFOs	Issued	Shady Brae Farms Inc. 29 Engle Road Marietta, PA 17547-9322	Conoy Township Lancaster County	SCRO
PAG123784	PAG-12 NPDES General Permit for CAFOs	Issued	Todd Chestnut 50 Eberly Road Newville, PA 17241-8509	Upper Mifflin Township Cumberland County	SCRO
PAG123865	PAG-12 NPDES General Permit for CAFOs	Issued	Moyer Ben 775 Ono Road Annville, PA 17003-8403	East Hanover Township Lebanon County	SCRO
PAG124869	PAG-12 NPDES General Permit for CAFOs	Issued	Oak Spring Farms 272 Middle Road Centre Hall, PA 16828-8105	Harris Township Centre County	SCRO
PAG126106	PAG-12 NPDES General Permit for CAFOs	Issued	Washington Trotting Association LLC 210 Racetrack Road Washington, PA 15301-8966	North Strabane Township Washington County	SCRO
PA0295922	Single Residence STP Individual NPDES Permit	Issued	Vanfleet Mary Beth 1101 N Sheridan Avenue Pittsburgh, PA 15206-1755	Washington Township Butler County	NWRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
1024409	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Vanfleet Mary Beth 1101 N Sheridan Avenue Pittsburgh, PA 15206-1755	Washington Township Butler County	NWRO
4186402	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Steffans Erik L 200 Adams Avenue 603 Scranton, PA 18503-1607	Hepburn Township Lycoming County	NCRO

II. Final Action(s) on PAG-01 and PAG-02 General NPDES Permit NOIs.

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC090699	PAG-02 General Permit	Issued	Deluca Construction 640 White Ash Drive Langhorne, PA 19047	Newton Township Bucks County	Bucks County Conservation District 1456 Ferry Road Doylestown, PA 18901-5550 215-345-7577 RA-EPNPDES_SERO@ pa.gov
PAC090713	PAG-02 General Permit	Issued	Mechanicsville Road LLC 308 Easton Road Warrington, PA 18976-2418	Bensalem Township Bucks County	Bucks County Conservation District 1456 Ferry Road Doylestown, PA 18901-5550 215-345-7577 RA-EPNPDES_SERO@ pa.gov
PAC090038	PAG-02 General Permit	Issued	Doylestown Hospital 595 West State Street Doylestown, PA 18901-2554	Doylestown Township Bucks County	Bucks County Conservation District 1456 Ferry Road Doylestown, PA 18901-5550 215-345-7577 RA-EPNPDES_SERO@ pa.gov
PAC090263	PAG-02 General Permit	Issued	Tague Family Limited Partnership VII 325 Media Station Media, PA 19063-4755	Plumstead Township Bucks County	Bucks County Conservation District 1456 Ferry Road Doylestown, PA 18901-5550 215-345-7577 RA-EPNPDES_SERO@ pa.gov
PAC090656 A1	PAG-02 General Permit	Issued	MBID of Delaware LLC c/o Ingerman Development Company LLC 5 Powell Lane Collingswood, NJ 08108-1945	Bristol Township Bucks County	Bucks County Conservation District 1456 Ferry Road Doylestown, PA 18901-5550 215-345-7577 RA-EPNPDES_SERO@ pa.gov
PAC090690	PAG-02 General Permit	Issued	1018 Street Road LLC 260 Knowles Avenue Unit 330 Southampton, PA 18966-1556	Upper Southampton Township Bucks County	Bucks County Conservation District 1456 Ferry Road Doylestown, PA 18901-5550 215-345-7577 RA-EPNPDES_SERO@ pa.gov

NOTICES

7255

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC090547	PAG-02 General Permit	Issued	DeLuca Warrington LLC 370 E. Maple Avenue Suite 101 Langhorne, PA 19047	Warrington Township Bucks County	Bucks County Conservation District 1456 Ferry Road Doylestown, PA 18901-5550 215-345-7577 RA-EPNPDES_SERO@ pa.gov
PAC090694	PAG-02 General Permit	Issued	MSD Development 67 Buck Road Suite 100 Huntingdon Valley, PA 19006-1535	Warrington Township Bucks County	Bucks County Conservation District 1456 Ferry Road Doylestown, PA 18901-5550 215-345-7577 RA-EPNPDES_SERO@ pa.gov
PAC090716	PAG-02 General Permit	Issued	Lykon Invest Co LLC 615 Ford Avenue Hulmeville, PA 19047-5872	Falls Township Bucks County	Bucks County Conservation District 1456 Ferry Road Doylestown, PA 18901-5550 215-345-7577 RA-EPNPDES_SERO@ pa.gov
PAC010131	PAG-02 General Permit	Issued	Lexington Land Developer Corp 336 West King Street Lancaster, PA 17603	Reading Township Adams County	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325 717-334-0636
PAC010283	PAG-02 General Permit	Issued	Columbia Gas of PA 1600 Colony Road York, PA 17408	Biglerville Borough Butler Township Adams County	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325 717-334-0636
PAC540038 Renewal	PAG-02 General Permit	Issued	611 Land Development, LLC & Highridge Ventures, LP 2227 Scranton-Carbondale Highway Scranton, PA 18508	Cass Township Schuylkill County	Schuylkill County Conservation District 1206 AG Center Drive Pottsville, PA 17901 570-622-3742 RA-EPWW-NERO@ pa.gov
PAC220379	PAG-02 General Permit	Issued	Prologis LP 400 Boulder Dr Ste 200 Breinigsville, PA 18031	West Hanover Township Dauphin County	DEP SCRO 909 Elmerton Ave Harrisburg, PA 17110 717-705-4802 RA-EPNPDES_SCRO@ pa.gov
PAC670740	PAG-02 General Permit	Issued	Amos Fisher 2576 Robert Fulton Highway Peach Bottom, PA 17563	Peach Bottom Township York County	York County Conservation District 2401 Pleasant Valley Rd. Suite 101 Room 139 York, PA 17402 717-840-7430

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC670274	PAG-02 General Permit	Issued	Kinsley Equities II LP 6259 Reynolds Mill Rd Seven Valleys, PA 17360	Springettsbury Township York County	York County Conservation District 2401 Pleasant Valley Rd. Suite 101 Room 139 York, PA 17402 717-840-7430
PAC510201	PAG-02 General Permit	Issued	Work to Ride 98 Chamounix Drive Philadelphia, PA 19131	City of Philadelphia Philadelphia County	DEP SERO 2 E. Main Street Norristown, PA 19401 484-250-5821 RA-EPNPDES_SERO@ pa.gov
PAC350032	PAG-02 General Permit	Issued	Blakely Ridge, LLC 1300 Old Plank Road Mayfield, PA 18433	Blakely Borough Lackawanna County	Lackawanna County Conservation District 1027 S. Abington Road South Abington Township, PA 18411 570-382-3086 RA-EPWW-NERO@ pa.gov
PAC350010	PAG-02 General Permit	Issued	New Ventures Realty, LLC 911 Deer Run Drive Archbald, PA 18403	Archbald Borough Lackawanna County	Lackawanna County Conservation District 1027 S. Abington Road South Abington Township, PA 18411 570-382-3086 RA-EPWW-NERO@ pa.gov
PAC210369	PAG-02 General Permit	Issued	Hidden Hollow Poultry LLC 350 Big Spring Road Newville, PA 17241	North Newton Township Cumberland County	Cumberland County Conservation District 310 Allen Road Suite 301 Carlisle, PA 17013 717-240-7812
PAC210370	PAG-02 General Permit	Issued	Shippensburg Real Estate Group 2, LP 479 Old York Road Ste C Jenkintown, PA 19046	Shippensburg Township Cumberland County	Cumberland County Conservation District 310 Allen Road Suite 301 Carlisle, PA 17013 717-240-7812
PAC280113	PAG-02 General Permit	Issued	Erik McDonald P.O. Box 2013 Chambersburg, PA 17201	Guilford Township Franklin County	Franklin County Conservation District 185 Franklin Farm Lane Chambersburg, PA 17202 717-264-5499
PAC280182	PAG-02 General Permit	Issued	Darrin Rine 19 Independence Drive Shippensburg, PA 17257	Greene Township Franklin County	Franklin County Conservation District 185 Franklin Farm Lane Chambersburg, PA 17202 717-264-5499

NOTICES

7257

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC280357	PAG-02 General Permit	Issued	Darrin Rine 19 Independence Drive Shippensburg, PA 17257	Greene Township Franklin County	Franklin County Conservation District 185 Franklin Farm Lane Chambersburg, PA 17202 717-264-5499
PAC280300	PAG-02 General Permit	Issued	Darrin Rine 19 Independence Drive Shippensburg, PA 17257	Hamilton Township Franklin County	Franklin County Conservation District 185 Franklin Farm Lane Chambersburg, PA 17202 717-264-5499
PAC280189	PAG-02 General Permit	Issued	Derek Martin 811 Progress Road Chambersburg, PA 17201-3257	Chambersburg Borough Franklin County	Franklin County Conservation District 185 Franklin Farm Lane Chambersburg, PA 17202 717-264-5499
PAC280134	PAG-02 General Permit	Issued	Kelly Adams 2047 Loop Road Chambersburg, PA 17202-8842	Guilford Township Franklin County	Franklin County Conservation District 185 Franklin Farm Lane Chambersburg, PA 17202 717-264-5499
PAC280216	PAG-02 General Permit	Issued	Kenneth Stake 6491G Chambersburg Road Fayetteville, PA 17222-8317	Greene Township Franklin County	Franklin County Conservation District 185 Franklin Farm Lane Chambersburg, PA 17202 717-264-5499
PAC280084	PAG-02 General Permit	Issued	Kevin Franzoni 1000 Potato Roll Lane Chambersburg, PA 17202-8897	Guilford Township Franklin County	Franklin County Conservation District 185 Franklin Farm Lane Chambersburg, PA 17202 717-264-5499
PAC280083	PAG-02 General Permit	Issued	Dustin Rickabaugh 1174 Sollenberger Road Chambersburg, PA 17202-8634	Greene Township Franklin County	Franklin County Conservation District 185 Franklin Farm Lane Chambersburg, PA 17202 717-264-5499
PAC280184	PAG-02 General Permit	Issued	Shawn Corwell 1145 Garver Lane Chambersburg, PA 17202	Greene Township Franklin County	Franklin County Conservation District 185 Franklin Farm Lane Chambersburg, PA 17202 717-264-5499
PAC360314	PAG-02 General Permit	Issued	KRM Ventures 1831 Auction Road Manheim, PA 17545	Rapho Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC360982	PAG-02 General Permit	Issued	Millersville Apartments LLC 950 W. Valley Road Suite 2500 Wayne, PA 19087	Lancaster Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361
PAC360229	PAG-02 General Permit	Issued	Charter Homes at Grandview Inc 322 North Arch Street Lancaster, PA 17601	Manheim Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361
PAC360957	PAG-02 General Permit	Issued	Ultimate Gift II, LLC 227 Granite Run Drive Suite 100 Lancaster, PA 17601	Manheim Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361
PAC360639	PAG-02 General Permit	Issued	PennDOT Multimodal 400 North Street 7th Floor Harrisburg, PA 17105	Manheim Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361
PAC360996	PAG-02 General Permit	Issued	MP Lancaster 1, LLC 1 Kathleen Drive Suite 1 Jackson, NJ 08527	East Lampeter Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361
PAC360958	PAG-02 General Permit	Issued	Intermediaries and Exchangers, LLC 363 West Roseville Road Lancaster, PA 17601	Sadsbury Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361
PAC360931	PAG-02 General Permit	Issued	Hartman Bridge, LLC by KCH Holding, Inc. 227 Granite Run Drive Lancaster, PA 17601	Strasburg Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361
PAC360975	PAG-02 General Permit	Issued	Jay Martin 190 Hillside Road Denver, PA 17517	West Cocalico Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361
PAC360791	PAG-02 General Permit	Issued	WPE Partners P.O. Box 291 Lititz, PA 17543	West Donegal Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361
PAC360458	PAG-02 General Permit	Issued	Dombach Builders 568 Kraybill Church Road Mount Joy, PA 17552	Mount Joy Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361

NOTICES

7259

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC360938	PAG-02 General Permit	Issued	Forino Co., LP 555 Mountain Home Road Sinking Spring, PA 17608	Mount Joy Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361
PAC360882	PAG-02 General Permit	Issued	Jura, Inc. 134 Shellyland Road Building 6A Manheim, PA 17545	Rapho Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361
PAC360778	PAG-02 General Permit	Issued	Esh Family Farm, LLC 58 Hatville Road Gordonville, PA 17529	Sadsbury Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361
PA610001C	PAG-02 General Permit	Issued	Franklin City 430 13th Street Franklin, PA 16323	City of Franklin Venango County	Venango County Conservation District 4871 US 322 Franklin, PA 16323 814-676-2832
PAC610033	PAG-02 General Permit	Issued	Adam Gilmore 3327 State Route 257 Seneca, PA 16346	Cranberry Township Venango County	Venango County Conservation District 4871 US 322 Franklin, PA 16323 814-676-2832
PAC370085	PAG-02 General Permit	Issued	Ellwood City Area School District 501 Crescent Avenue Ellwood City, PA 16117	Ellwood City Borough Lawrence County	Lawrence County Conservation District 430 Court Street New Castle, PA 16101 724-652-4512
PAC350074 A-1	PAG-02 General Permit	Issued	1101 Northern Blvd., LLC 3 Becker Farm Road Suite 404 Roseland, NJ 07068	South Abington Township Lackawanna County	Lackawanna County Conservation District 1027 S. Abington Road South Abington Township, PA 18411 570-382-3086 RA-EPWW-NERO@ pa.gov
PAC370079	PAG-02 General Permit	Issued	Pathways Self Storage 9448 Babcock Boulevard Allison Park, PA 15101	City of New Castle Lawrence County	Lawrence County Conservation District 430 Court Street New Castle, PA 16101 724-652-4512
PAC160054	PAG-02 General Permit	Issued	PADOT District 10 2550 Oakland Avenue Indiana, PA 15701	Clarion Township Monroe Township Clarion County	Clarion County Conservation District 249 S 2nd Avenue Clarion, PA 16214 814-297-8014
PAC010220	PAG-02 General Permit	Issued	Red Hill Enterprises, LLC 3023 Spooky Nook Road Manheim, PA 17545	Oxford Township Adams County	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325 717-334-0636

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC350156 A-1	PAG-02 General Permit	Issued	Eynon-Jermyn Solar, LLC 203 Crescent Street Suite 106 Waltham, MA 02453	Archbald Borough Lackawanna County	Lackawanna County Conservation District 1027 S. Abington Road South Abington Township, PA 18411 570-382-3086 RA-EPWW-NERO@ pa.gov
PAC400317	PAG-02 General Permit	Issued	Wyoming Valley Sanitary Authority Jeff Colella P.O. Box 33A Wilkes-Barre, PA 18703-1333	Hanover Township Luzerne County	Luzerne Conservation District 325 Smiths Pond Road Shavertown, PA 18708 570-674-7991 RA-EPWW-NERO@ pa.gov
PAC050075	PAG-02 General Permit	Issued	Bedford County Development Association One Corporate Drive Bedford, PA 15522	Bedford Township Bedford County	Bedford County Conservation District 702 West Pitt Street Suite 3 Bedford, PA 15522 814-623-7900
PAC510235	PAG-02 General Permit	Issued	Philadelphia Parks and Recreation 1515 Arch Street 10th Floor Philadelphia, PA 19102	City of Philadelphia Philadelphia County	DEP SERO 2 E. Main Street Norristown, PA 19401 484-250-5821 RA-EPNPDES_SERO@ pa.gov
PAC510327	PAG-02 General Permit	Issued	Checkmate Real Estate & Investments 173 Manor Court Holland, PA 18966	City of Philadelphia Philadelphia County	DEP SERO 2 E. Main Street Norristown, PA 19401 484-250-5821 RA-EPNPDES_SERO@ pa.gov
PAC650415	PAG-02 General Permit	Issued	Ligonier Valley School District 339 West Main Street Ligonier, PA 15658	Ligonier Township Westmoreland County	Westmoreland County Conservation District 218 Donahoe Road Greensburg, PA 15601 724-837-5271 SWRO
PAC650338A-1	PAG-02 General Permit	Issued	Saint Vincent College 300 Fraser Purchase Road Latrobe, PA 15650	Unity Township Westmoreland County	Westmoreland County Conservation District 218 Donahoe Road Greensburg, PA 15601 724-837-5271 SWRO
PAC630255	PAG-02 General Permit	Issued	Tomahawk 123 LLC 951 Cagni Drive Canonsburg, PA 15317	Peters Township Washington County	Washington County Conservation District 50 Old Hickory Ridge Road Suite 1 Washington, PA 15301 724-705-7098 SWRO
PAC630141	PAG-02 General Permit	Issued	Peters Township Land Company P.O. Box 238 Presto, PA 15142	Peters Township Washington County	Washington County Conservation District 50 Old Hickory Ridge Road Suite 1 Washington, PA 15301 724-705-7098 SWRO

NOTICES

7261

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC510334	PAG-02 General Permit	Issued	NBPIII 11731 Caroline, LLC 401 Edgewater Place Wakefield, MA 01880-6201	City of Philadelphia Philadelphia County	DEP SERO 2 E. Main Street Norristown, PA 19401 484-250-5821 RA-EPNPDES_SERO@ pa.gov
PAC110129	PAG-02 General Permit	Issued	Constance Dulashaw 100 Crestwood Drive Ebensburg, PA 15931	Jackson Township Cambria County	Cambria County Conservation District 401 Candlelight Drive Suite 240 Ebensburg, PA 15931 814-472-2120 SWRO
PAC040150	PAG-02 General Permit	Issued	72 Steel, LLC 220 42nd Street Brooklyn, NY 11232	City of Aliquippa Beaver County	Beaver County Conservation District 156 Cowpath Road Aliquippa, PA 15001 724-378-1701 SWRO
PAC110127	PAG-02 General Permit	Issued	Ebensburg PA Properties, LLC 1340 Parkway Ave Suite B Ewing, NJ 08618	Cambria Township Cambria County	Cambria County Conservation District 401 Candlelight Drive Suite 240 Ebensburg, PA 15931 814-472-2120 SWRO
PAC110082	PAG-02 General Permit	Issued	CPV Rogue's Wind, LLC 50 Braintree Hill Office Park Suite 300 Braintree, MA 02184	Chest Township Cambria County	Cambria County Conservation District 401 Candlelight Drive Suite 240 Ebensburg, PA 15931 814-472-2120 SWRO
PAC040056	PAG-02 General Permit	Issued	PennDOT Engineering District 11-0 45 Thoms Run Road Bridgeville, PA 15017	New Sewickley Township Beaver County	Beaver County Conservation District 156 Cowpath Road Aliquippa, PA 15001 724-378-1701 SWRO
PAC630334	PAG-02 General Permit	Issued	K&D Endeavors, LLC 1086 Woodlawn Drive Canonsburg, PA 15317	South Franklin Township Washington County	Washington County Conservation District 50 Old Hickory Ridge Road Suite 1 Washington, PA 15301 724-705-7098 SWRO
PAC300056	PAG-02 General Permit	Issued	Thomas Ward 855 S. Bridge Street Prosperity, PA 15329	Franklin Township Greene County	Greene County Conservation District 22 West High Street Suite 204 Waynesburg, PA 15370 724-852-5278 SWRO

STATE CONSERVATION COMMISSION

**NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR
NPDES PERMITS FOR CAFOs**

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code

Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at 717-787-3483 for more information.

NUTRIENT MANAGEMENT PLAN CAFO PUBLIC NOTICE SPREADSHEET—ACTIONS

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Walton Farms, LLC 42 Walton Drive Cochranville, PA 19330	Chester County	981.5	2,004.11	Dairy	EV	Approved
Pleasant View Farms, Inc. 261 Pleasant View Farms Rd Martinsburg, PA 16662	Blair Bedford	4,247.4	7,281.75	Dairy	HQ	Approved
Ivan Newswanger 217 Ivy Glen Road Woodbury, PA 16695	Bedford County	8.2	41.65	Duck	HQ	Approved
Wide Awake Farm, LLC 488 Jay Road Clearville, PA 15535	Bedford County	154.9	691.16	Swine	EV	Approved
David Leinbach 105 Hoover Lane Loysville, PA 17047	Perry County	266	878.34	Swine	NA	Approved

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information.

SAFE DRINKING WATER

Actions Taken Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Central Office: Safe Drinking Water Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101.

Contact: Olivia Harris, Clerical Supervisor I, 570-327-0561.

Construction Permit No. 0824501, Major Amendment, Public Water Supply.

Applicant **Monroe Franklin Elementary School**
 Address 410 State Street
 Towanda, PA 18848
 Municipality Monroe Township
 County **Bradford County**
 Consulting Engineer Timothy K Steed
 1 Elizabeth Street
 Towanda, PA 18848
 Application Received May 29, 2024
 Permit Issued October 10, 2024
 Description Addition of Iron and Manganese
 removal to the existing
 permitted system.

Northeast Region: Safe Drinking Water Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511, 717-772-4477.

Contact: Jacob Fogarty, Environmental Engineer.

Construction Permit No. 2400461, Minor Amendment, Public Water Supply.

Applicant **ALS Quickstop**
 Address 547 N Hunter Highway
 Drums, PA 18222
 Municipality Drums
 County **Butler County**
 Application Received September 1, 2024
 Permit Issued October 8, 2024
 Description Issue a minor amendment

Contact: Ryan Fox, Env. Engineering Specialist, 570-826-2533.

Operation Permit No. 2450092, Public Water Supply.

Applicant **Fox Glen Gardens, LLC**
 Address P.O. Box 849
 Olyphant, PA 18447
 Municipality Middle Smithfield Township
 County **Monroe County**
 Consulting Engineer Keystone Consulting Engineers,
 Inc.
 5012 Medical Center Circle
 Suite 1
 Allentown, PA 18106
 Application Received September 17, 2024
 Permit Issued October 18, 2024
 Description Operation Permit for updated
 4-Log Treatment of Viruses. New
 chlorine contact tanks installed.

Construction Permit No. 5424503, Major Amendment, Public Water Supply.

Applicant **Schuylkill County Municipal Authority Morea**
 Address 221 South Centre St.
 Pottsville, PA 17901
 Municipality Mahanoy Township
 County **Schuylkill County**

Consulting Engineer Gannett Fleming, Inc.
 10200 Grand Central Ave.
 Suite 310
 Orwings Mills, MD 21117
 Application Received April 5, 2024
 Permit Issued October 20, 2024
 Description Construction permit issued to
 SCMA Morea for Well No. 2
 improvements.

Construction/Operation Permit No. 3131001, Major Amendment, Public Water Supply.

Applicant **Carbon Plaza, LLC.**
 Address 1250 Route 28
 Suite 101
 Branchburg, NJ 08876
 Municipality Mahoning Township
 County **Carbon County**
 Consulting Engineer Van Cleef Engineering Associates
 1685 Valley Center Parkway
 Suite 100
 Bethlehem, PA 18017
 Application Received August 5, 2024
 Permit Issued October 7, 2024
 Description Carbon Plaza Starbucks New
 Public Water System
 Construction and Operation
 Permit.

Emergency Permit No. 2520110-EP, Public Water Supply.

Applicant **Aqua Pennsylvania, Inc.
 Deer Haven White Beauty
 View Estates**
 Address 762 W. Lancaster Ave.
 Bryn Mawr, PA 19010
 Municipality Palmyra Township
 County **Pike County**
 Consulting Engineer Aqua Pennsylvania, Inc.
 762 W. Lancaster Ave.
 Bryn Mawr, PA 19010
 Application Received September 25, 2024
 Permit Issued October 7, 2024
 Description Emergency permit issued to
 Aqua PA, Inc. for construction
 and operation of chlorine contact
 segment to meet 4-Log
 Treatment of Viruses.

Contact: Victoria Frederick, Clerical Assistant 2.

Construction Permit No. 5224502, Major Amendment, Public Water Supply.

Applicant **Xaly Vongchanh, Manager
 Mirabito Holdings, Inc.
 Mirabito Fuel Group**
 Address 49 Court Street
 Binghamton, NY 13902
 Municipality Blooming Grove Township
 County **Pike County**

Consulting Engineer Matthew D. Evans, P.E.
Keystone Consulting Engineers,
Inc.
P.O. Box 639
Kresgeville, PA 18333

Application Received April 24, 2024

Permit Issued October 15, 2024

Description The construction permit approved the construction of an oxidation/filtration water treatment system for manganese reduction for the 739 Well (Source 001), housed in an existing treatment building (Treatment Plant (TP) 301), including pretreatment with sodium hypochlorite (oxidant) (12—15%) ahead of the filters. The existing ultra-violet (UV) light for disinfection will be replaced with sodium hypochlorite feed with 4-log requirements established for the system. The applicant also proposes to replace the existing erosion feeder and brine solution for softening with pH adjustment via sodium hydroxide addition. Cartridge filtration for sedimentation removal will be retained by the system.

Operation Permit No. 2451203, Public Water Supply.

Applicant **109 Realty, LLC**

Address P.O. Box 164
Mt. Pocono, PA 18344

Municipality Tobyhanna Township

County **Monroe County**

Consulting Engineer Russell D. Scott IV, P.E.
Director Environmental
Engineering Services
RKR Hess
A Division of UTRS, Inc.
112 North Courtland Street
East Stroudsburg, PA 18301

Application Received March 4, 2024

Permit Issued October 15, 2024

Description This permit designates water quality performance (WQPs) requirements per Title 25 Chapter 109.1102 for the system.

Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Darin Horst, Environmental Engineer, 717-705-4948.

Operation Permit No. 7360465, Public Water Supply.

Applicant **Pop's Place Family
Restaurant LLC**

Address 135 Lindecamp Lane
Peach Bottom, PA 17563

Municipality Drumore Township

County **Lancaster County**

Consulting Engineer James R. Holley & Associates,
Inc.
18 South George Street
Suite 300
York, PA 17401

Application Received June 28, 2024

Permit Issued July 2, 2024

Description Transfer of all public water supply permits for PWS ID No. 7360465 from Melissa's Country Grille to Pop's Place Family Restaurant LLC, and operation of soda ash for pH adjustment and a UV unit for disinfection.

Construction Permit No. 3624512 MA, Public Water Supply.

Applicant **Northwestern Lancaster
County Authority**

Address 97 North Penryn Road
Manheim, PA 17545

Municipality Penn Township

County **Lancaster County**

Consulting Engineer Becker Engineering, LLC
525 Greenfield Road
Suite 201
Lancaster, PA 17601

Application Received April 25, 2024

Permit Issued July 15, 2024

Description Turbidimeter, chlorine analyzer, and CIP chemical feed pump replacements.

Construction Permit No. 3624510, Public Water Supply.

Applicant **Eastern Lancaster County
School District**

Address 669 East Main Street
P.O. Box 609
New Holland, PA 17557

Municipality Earl Township

County **Lancaster County**

Consulting Engineer James R. Holley & Associates,
Inc.
18 South George Street
Suite 300
York, PA 17401

Application Received April 3, 2024

Permit Issued July 17, 2024

Description Addition of Shannon SLI-DP blended phosphate solution for general corrosion control.

Operation Permit No. 3616506, Public Water Supply.

Applicant **Mount Joy Borough
Authority**

Address 21 East Main Street
P.O. Box 25
Mount Joy, PA 17552

Municipality Mount Joy Borough

County	Lancaster County
Consulting Engineer	ARRO Consulting, Inc. 108 West Airport Road Lititz, PA 17543
Application Received	July 18, 2024
Permit Issued	July 23, 2024
Description	Well No. 3 and South Jacob Street membrane filtration plant.
Construction Permit No. 3624504 , Public Water Supply.	
Applicant	Southland Hills Manor LLC
Address	360 Radcliff Road Willow Street, PA 17584
Municipality	Providence Township
County	Lancaster County
Consulting Engineer	James R. Holley & Associates, Inc. 18 South George Street Suite 300 York, PA 17401
Application Received	February 15, 2024
Permit Issued	August 7, 2024
Description	Replacement of the nitrate treatment and finished water storage tanks, addition of chlorine contact tanks for 4-log treatment of viruses, and a flow switch for the caustic soda feed pump. Abandonment of Well No. 1.

Northcentral Region: Safe Drinking Water Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Olivia Harris, Clerical Supervisor I, 570-327-0561.

Operation Permit 1423506MA. PWSID No. **4140087**. **PA American Philipsburg WTP Filter Upgrades 1423506MA**, 852 Wesley Drive, Mechanicsburg, PA 17055, Rush Township, **Centre County**. Application received: October 21, 2024. Permit Issued: October 21, 2024. WTP Final upgrades: Pennsylvania-American Water Company is currently planning upgrades to the existing filters and clarifiers, replacement of existing valves and other misc. improvements at the Philipsburg Water Treatment Facility.

Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Daniel J. Cannistraci, Environmental Engineering Specialist, 717-705-4708.

Operation Permit 7360183. PWSID No. **7360183**. **The York Water Company**, 130 East Market Street, York, PA 17401, Salisbury Township, **York County**. Application received: October 2, 2024. Permit Issued: October 18, 2024. This action transfers ownership of the Houston Run Community Water System from Houston Run Community Water System, LLC to The York Water Company.

Contact: Thomas Filip, Environmental Engineer, 717-705-4708.

Operation Permit 2222516. PWSID No. **7220059**. **GLP Capital, LP**, P.O. Box 32, Grantville, PA 17028-0032, East Hanover Township, **Dauphin County**. Application received: October 8, 2024. Permit Issued: October 21, 2024. Partial operation permit for the operation of a greensand filtration system for manganese removal at the Hollywood Casino and Penn National Racetrack.

NCWSA Construction Permit 3624524. PWSID No. **7360464**. **Israel S. Beiler**, 339 Christiana Pike, Christiana, PA 17509, Bart Township, **Lancaster County**. Application received: August 6, 2024. Permit Issued: October 15, 2024. Replacement of the existing treatment equipment.

Contact: Wade Cope, P.E., Environmental Engineer, 717-705-4708.

Operation Permit 7500034. PWSID No. **7500034**. **Fox Hollow/Windy Hill LLC—Countryside Mobile Home Park**, 100 Iron Furnace Court, Lewisberry, PA 17339, Carroll Township, **Perry County**. Application received: August 5, 2024. Permit Issued: October 21, 2024. Comprehensive operation permit for the entire system and transfer of ownership of the Countryside Mobile Home Park.

SEWAGE FACILITIES ACT PLAN APPROVAL

Plan Approvals Granted Under the Pennsylvania Sewage Facilities Act, Act of January 24, 1966, P.L. 1535, as Amended, 35 P.S. § 750.5.

Southcentral Region: Clean Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Noah D. Niedererr, Sewage Planning Specialist, 717-705-4768.

Plan Location:

Municipality	Address	County
Newberry Township	1915 Old Trail Road Etters, PA 17319	York County

Plan Description:

Cly Road Sewer Extension, B3-67945-427-3m. Approval of a revision to the official plan of Newberry Township, **York County**. The project is known as the Cly Road Sewer Extension Minor Update Revision proposal. The plan provides for extension of a public sewer to serve existing residential and commercial properties. Total estimated sewage flows are 53,500 gpd and they will be tributary to the Newberry Township collection and conveyance system, and wastewater treatment plant. The proposed development is located along Cly Road, Railroad Avenue, York Haven Road, Reeser Hill Road, Pleasant Grove Road, and Grandview Drive in Newberry Township, York County. The Department's review of the plan revision has not identified any significant impacts resulting from this proposal. The DEP Code Number for this planning module is B3-67945-427-3m and the APS ID No. is 1120579. Any permits must be obtained in the name of the Newberry Township.

SEWAGE FACILITIES ACT PLAN DISAPPROVAL

Plan Disapprovals Granted Under the Pennsylvania Sewage Facilities Act, Act of January 24, 1966, P.L. 1535, as Amended, 35 P.S. § 750.5.

Southcentral Region: Clean Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Cory Zimmerman, Sewage Planning Specialist, 717-705-4793.

Plan Location:

<i>Municipality</i>	<i>Address</i>	<i>County</i>
Strasburg Township	400 Bunker Hill Rd. Strasburg, PA 17579	Lancaster County

Plan Description:

Christ B. Stoltzfoos Subdivision, A3-36952-250-2. The revision to the official plan of Strasburg Township, **Lancaster County** for the Christ B. Stoltzfoos Subdivision (DEP Code No. A3-36952-250-2; APS ID No. 1119418) has been disapproved. The proposed development—to be located at 373 Sawmill Road in Strasburg—consists of a residential lot with a single-family dwelling using an individual on-lot disposal system. This plan revision has been disapproved because the background nitrate-nitrogen concentration reported in the preliminary hydrogeologic study submitted with the planning module is not consistent with water sample data contained in the Township's Act 537 Plan, nor is it consistent with the agricultural land use that is typical in the area of the proposed subdivision.

**BIOSOLIDS INDIVIDUAL PERMITS
(PABIG, SSN AND PABIS)**

The Department of Environmental Protection has taken the following actions on the previously received individual permit applications for the land application of treated sewage sludge (biosolids).

Any person aggrieved by these actions may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. Section 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Environmental Hearing Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge this action, the appeal must reach the board within 30-days. A lawyer is not needed to file an appeal.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board 717-787-3483 for more information.

Southcentral Region: Clean Water Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Eric Laur, Soil Scientist, 717-705-4773.

Site Suitability Notice for Land Application Under Approved PAG08 for Denali Water Solutions, 220 South Commerce Ave., Russellville, AR 72801, Upper Frankford Township, **Cumberland County**. Lebo Rock Run Rd. Farm Biosolids Site, Rock Run and Brick Church

Rds., Newville, PA 17241. Application received: July 12, 2024. Approved: October 21, 2024.

**HAZARDOUS SITES CLEANUP ACT OF
OCTOBER 18, 1988**

Public Notice of Proposed Consent Order And Agreement—Pennsylvania Department of Environmental Protection—Venango County Park Site—Sugar creek Borough/City of Franklin, Venango County.

Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Colin, 814-332-6837.

The Pennsylvania Department of Environmental Protection ("Department") under the authority of the Hazardous Sites Cleanup Act, Act of October 18, 1988, P.L. 756, No. 108, 35 P.S. §§ 6020.101—6020.1305 ("HSCA"), has entered into a Consent Order and Agreement ("CO&A") with the County of Venango ("Venango County") concerning the Venango County Park Site which is located along the municipal boundary between the Borough of Sugar creek and City of Franklin, Venango County ("Site").

The Site is approximately 2-acres in size and contains an inactive, unlined landfill with remnants of two building foundations. The landfill waste consists mostly of construction and demolition debris and various deteriorated drum carcasses. These wastes contain "hazardous substances" and "contaminants" as those terms are defined in Section 103 of HSCA, 35 P.S. § 6020.103, including: various metals, polychlorinated biphenyls, volatile organic compounds, and pesticides.

Venango County owns the property where the Site is located. Between 2020 and 2021, the Department investigated the nature and extent of contamination at the Site pursuant to its authority under Section 501(a) of HSCA, 35 P.S. § 6020.501(a), and confirmed that hazardous substances and contaminants were disposed of there. The disposal of hazardous substances and contaminants at the Site, and the contamination of the environment with hazardous substances and contaminants at the Site constitute a "release" and a "threat of release" of a hazardous substance, as defined in Section 103 of HSCA, 35 P.S. § 6020.103. Beginning in Fall 2024, the Department and its contractor are conducting a response action at the Site which includes excavation and off-site disposal of wastes containing hazardous substances.

Venango County, as an owner of the Site, is a "responsible person" as defined in Sections 103 and 701 of HSCA, 35 P.S. §§ 6020.103 and 6020.701. The Department has determined that it is practicable and in the public interest to enter into a CO&A with Venango County, pursuant to Section 505(g) of HSCA, 35 P.S. § 6020.505(g). The CO&A sets forth the rights and obligations of Venango County pursuant to HSCA for the hazardous substances and the contaminants at the Site. The specific obligations are described in the CO&A between the Department and Venango County and include the following: provide fill soil sufficient to backfill any excavated areas, staging areas, and access routes to the Site; regrade any excavated areas, staging areas, and access routes at the Site; plant grass seed and mulch to promote revegetation in any excavated areas, staging areas, and access routes at the Site. The CO&A also provides Venango County with protections against certain future liabilities, which are more fully described in the CO&A.

This notice is provided under Section 1113 of HSCA, 35 P.S. § 6020.1113. The Department has the right to withdraw its consent to the CO&A if the comments concerning the CO&A disclose facts or considerations which indicate that the CO&A is inappropriate, improper, or not in the public interest. The Department will receive and consider comments relating to the CO&A for sixty (60) days from the date of this Public Notice. After the public comment period, the Department's CO&A shall be final on the date that the Department has filed a response to significant written comments to the CO&A, if comments are received.

The CO&A is available for inspection and copying at the Department's Northwest Regional Office, 230 Chestnut Street, Meadville, PA 16335. Comments may be submitted, in writing, to 230 Chestnut Street, Meadville, PA 16335, attention Mr. Colin Kosinski, Project Manager. Mr. Kosinski can also be reached by telephone: 814-332-6837. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service at 800-645-5984.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 2

The Following Plans and Reports Were Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The Department has received the following plans and reports.

Northcentral Region: Environmental Cleanup & Brownfields Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Randy Farmerie, P.G., Environmental Program Manager, 570-327-3716.

Nichols A 1H Produced Fluid Cleanup, Primary Facility ID # **877552**, 1397 Locust Road, Milan, PA 18831, Smithfield Township, **Bradford County**. Moody and Associates, Inc., 101 N. Main Street, Suite 3, Athens, PA 18810, on behalf of Blackhill Energy LLC, 4600 J Barry Court, Suite 320, Canonsburg, PA 18831, submitted a Final Report concerning remediation of soil contaminated with produced water and Ethylene Glycol. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

Cedar Mountain Road Diesel Release, Primary Facility ID # **877089**, Cedar Mountain Road, Gaines, PA 16921, Elk Township, **Tioga County**. Penn Environmental & Remediation Inc., 13180 Route 6, Mansfield, PA 16933, on behalf of Rockwell Vanemon, 957 River Mill Rd, Jersey Shore, PA 17740, submitted a Final Report concerning remediation of soil contaminated with diesel fuel. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

Sorg Inc. a/k/a Roto Rooter Motor Vehicle Accident, Primary Facility ID # **877221**, I-80 Westbound MM 221, Danville, PA 17821, Liberty Township, **Montour County**. Bressler's Environmental Service, 2884 East Valley Road, Loganton, PA 17747, on behalf of Sorg, Inc., 131 Cross Road, Bloomsburg, PA 17815, submitted a Final Report concerning remediation of soil contaminated with diesel fuel, used motor oil and antifreeze. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Environmental Cleanup & Brownfields Program Manager, 717-705-4705.

Bay Street Community Garden, Primary Facility ID # **878657**, 722 Bay Street, Lancaster, PA 17603, City of Lancaster, **Lancaster County**. Reliance Environmental, Inc., 235 North Duke Street, Lancaster, PA 17602, on behalf of City of Lancaster, 120 North Duke Street, Lancaster, PA 17608, submitted a Final Report concerning remediation of soil contaminated with Arsenic. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: C. David Brown, Professional Geologist Manager, 484-250-5792.

2944 Samuel Drive, Primary Facility ID # **840740**, 2944 Samuel Drive, Bensalem, PA 19020, Bensalem Township, **Bucks County**. Natalie Griffith, REPSG, Inc., 6901 Kingsessing Avenue, Philadelphia, PA 19142, on behalf of Howard Weiss, 2944 Samuel Drive, Inc., 4250 Wissahickon Avenue, Philadelphia, PA 19129, submitted a Final Report concerning remediation of soil and groundwater contaminated with inorganics and PAH's. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

Former Philadelphia Coke Plant, Primary Facility ID # **831308**, 4501 Richmond Street, Philadelphia, PA 19137, City of Philadelphia, **Philadelphia County**. Lisa Heffner, Arcadis U.S., Inc., 222 Delaware Avenue, Suite 1110, Wilmington, DE 19801, on behalf of Brian Stearns, National Grid, 300 Erie Boulevard West, Syracuse, NY 13202, submitted a Final Report concerning remediation of soil and groundwater contaminated with inorganics and PAH's. The Final Report is intended to document remediation of the site to meet the site-specific standards.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 3

The Department Has Taken Action on the Following Plans and Reports Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The DEP may approve or disapprove plans and reports submitted. This notice provides DEP's decision and, if relevant, the basis for disapproval.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The DEP has received the following plans and reports.

Northcentral Region: Environmental Cleanup & Brownfields Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Randy Farmerie, P.G., Environmental Program Manager, 570-327-3716.

William Kovel # 1 Conventional Well, Primary Facility ID # **877659**, 400 Zion Road, Curwensville, PA 16833, Jordan Township, **Clearfield County**. Moody and Associates, Inc., 1720 Washington Road, Suite 100, Washington, PA 15301, on behalf of Diversified Production LLC, 126 Industry Road # 201, Waynesburg, PA 15301, submitted a Final Report concerning remediation of soil contaminated with production fluid. The Final Report demonstrated attainment of the Statewide health standards. Approved: October 4, 2024.

EQT ARO LLC—Mallory Pad A 6-6-24 Produced Fluid Release, Primary Facility ID # **876745**, 2361 Hillbilly Hollow Lane, Trout Run, PA 17771, Plunketts Creek Township, **Lycoming County**. Penn Environmental & Remediation Inc., 13180 Route 6, Mansfield, PA 16933, on behalf of EQT ARO LLC, 2462 Lycoming Creek Road, Williamsport, PA 17701, submitted a Final Report concerning remediation of soil contaminated with produced fluid. The Final Report demonstrated attainment of the Statewide health standards. Approved: October 8, 2024.

Tammy Cree Property HHO Release, Primary Facility ID # **875894**, 300 Walnut Street, Smithmill, PA 16680, Gulich Township, **Clearfield County**. DMS Environmental Services, LLC, 312 Filbert Street, Curwensville, PA 16680, on behalf of Tammy Cree, 300 Walnut Street, Smithmill, PA 16680, submitted a Final Report concerning remediation of soil contaminated with home heating oil. The Final Report demonstrated attainment of the Statewide health standards. Approved: October 18, 2024.

Water Works Hoagland Run Road Cleanup, Primary Facility ID # **777001**, 1022 Hoagland Run Road, Cogan Station, PA 17728, **Lycoming County**. Weaver Consultants Group, LLC, 175 Maple Hill Drive, Etters, PA 17319, on behalf of Water Works Transport, LLC, 1912 John Brady Drive, Muncy, PA 17756, submitted a Cleanup Plan/Final Report concerning remediation of soil and groundwater contaminated with production fluid. The Final Report demonstrated attainment of the Site-Specific, Statewide health, and background. Approved: October 18, 2024.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Nardone Brothers, Primary Facility ID # **875982**, 420 New Commerce Boulevard, Hanover Township, PA 18706, Hanover Township, **Luzerne County**. BL Companies, 1100 First Avenue, Suite 104, King of Prussia, PA 19406, on behalf of UGI Utilities, Inc., 1 UGI Drive, Denver, PA 17517, submitted a Final Report concerning remediation of soil contaminated with transformer oil. The Final Report demonstrated attainment of the Statewide health standards. Approved: October 17, 2024.

Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Nick, 814-332-6978.

Sheetz 859, Primary Facility ID # **877725**, 5781 State Route 8, Harrisville, PA 16038, Barkeyville Borough,

Venango County. EnviroTrac, Ltd., 176 Thorn Hill Road, Warrendale, PA 15086, on behalf of Sheetz, Inc., 243 Sheetz Way, Claysburg, PA 16225, submitted a Final Report concerning remediation of soil and groundwater contaminated with benzene, ethylbenzene, cumene, toluene, 1,2,4-trimethylbenzene, 1,3,5-trimethylbenzene. Naphthalene, methyl-tert-butyl ether, and total xylenes. The Final Report demonstrated attainment of the Statewide health standards. Approved: October 18, 2024.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Environmental Cleanup & Brownfields Program Manager, 717-705-4705.

Bortz Chainsaw Shop, Primary Facility ID # **877631**, 45 Bortz Road, Oley, PA 19547, Oley Township, **Berks County**. Element Environmental Solutions, Inc., 61 Willow Street, P.O. Box 921, Adamstown, PA 19501, on behalf of Bortz Chainsaw Shop, 45 Bortz Road, Oley, PA 19547, submitted a Final Report concerning remediation of soil contaminated with chainsaw bar oil. The Final Report did not demonstrate attainment of the Statewide health standards. Issued a technical deficiency letter: October 15, 2024.

Tech Cast Holdings LLC, Primary Facility ID # **875062**, 640 and 720 South Cherry Street, Myerstown, PA 17067, Myerstown Borough, **Lebanon County**. Geosyntec Consultants, 5313 Campbells Run Road, Suite 150, Pittsburgh, PA 15205, on behalf of Tech Cast Holdings, LLC, 7201 Metro Blvd., Suite 850, Minneapolis, MN 55439, submitted a Remediation Investigation Report/Final Report concerning remediation of soil contaminated with Arsenic. The Report demonstrated attainment of the Statewide health and site-specific standards. Approved: October 15, 2024.

2460 New Holland Pike, Primary Facility ID # **869304**, 2460 New Holland Pike, Lancaster, PA 17601, Upper Leacock Township, **Lancaster County**. Rettew Associates, Inc., 3020 Columbia Avenue, Lancaster, PA 17603, on behalf of Leacock New Holland Real Estate, Inc., 2425 New Holland Pike, Mail Station G-200, Lancaster, PA 17601-5946, submitted a Final Report concerning remediation of soil and groundwater contaminated with petroleum products. The Final Report demonstrated attainment of the Statewide health standards. Approved: October 17, 2024.

Norfolk Southern Railway Co., Primary Facility ID # **749114**, 3322 Industrial Road, Harrisburg, PA 17110, Susquehanna Township, **Dauphin County**. Arcadis U.S., Inc., 2100 Georgetown Drive, Suite 402, Sewickley, PA 15143, on behalf of Norfolk Southern Railway Co., 650 West Peachtree Street NW, Atlanta, GA 30308, submitted a Final Report concerning remediation of soil contaminated with Diesel Fuel. The Final Report did not demonstrate attainment of the Statewide health standards. Issued a technical deficiency letter: October 18, 2024.

Norfolk Southern Railway Co., Primary Facility ID # **749114**, 3322 Industrial Road, Harrisburg, PA 17110, Susquehanna Township, **Dauphin County**. Arcadis U.S., Inc., 2100 Georgetown Drive, Suite 402, Sewickley, PA 15143, on behalf of 3300 Industrial Road Associates LP, 3833 Pamay Drive, Mechanicsburg, PA 17050, submitted a Final Report concerning remediation of soil contaminated with Diesel Fuel. The Final Report did not demonstrate attainment of the Statewide health standards. Issued a technical deficiency letter: October 18, 2024.

ServPro, Primary Facility ID # **877507**, 218 Hershey Road, Elizabethtown, PA 17022, Mount Joy Township,

Lancaster County. Reliance Environmental, Inc., 235 North Duke Street, Lancaster, PA 17602, on behalf of ServPro, 218 Hershey Road, Elizabethtown, PA 17022, submitted a Final Report concerning remediation of soil contaminated with motor oil. The Final Report demonstrated attainment of the Statewide health standards. Approved: October 21, 2024.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: C. David Brown, Professional Geologist Manager, 484-250-5792.

Signature Cleaners, Primary Facility ID # **839851**, 1456 Ferry Road, Unit 10, Doylestown, PA 18901, New Britain Township, **Bucks County**. Montrose Environmental Solutions, Inc., 1140 Valley Forge Road, Valley Forge, PA 19460, on behalf of MAR & SAR, LLC, d/b/a Signature Cleaners, 1456 Ferry Road, Unit 10, Doylestown, PA 18901, submitted a Final Report concerning remediation of soil and groundwater contaminated with chlorinated volatile organic compounds. The Final Report demonstrated attainment of the site-specific standards. Approved: October 11, 2024.

1820 & 1900 W Allegheny Ave, Primary Facility ID # **865764**, 1820 and 1900 West Allegheny Avenue, Philadelphia, PA 19132, City of Philadelphia, **Philadelphia County**. Pennoni Associates, Inc., 1900 Market Street, Suite 300, Philadelphia, PA 19103, on behalf of New Courtland, 6970 Germantown Avenue, Philadelphia, PA 19119, submitted a Remedial Investigation Report/Risk Assessment Report/Cleanup Plan concerning remediation of groundwater contaminated with chlorinated solvents, inorganics, lead, and PAH's. The Report Was not acceptable to meet site-specific standards. Issued an administrative deficiency letter: October 18, 2024.

Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Janelle Hromyak, Clerical Assistant 2, 412-442-4091.

Former LTV Hazelwood Coke Plant—Areas A&B, Primary Facility ID # **624437**, Second Avenue, Pittsburgh, PA 15207, City of Pittsburgh, **Allegheny County**. A. Edward Sciuilli, GAI Consultants, Inc., 385 East Waterfront Drive, Homestead, PA 15120, on behalf of Todd Stern, Almono LP, 210 Sixth Avenue, Suite 3620, Pittsburgh, PA 15222, submitted a Risk Assessment concerning remediation of soil contaminated with Metals, PCBs, PAHs. The Report was acceptable to meet site-specific standards. Issued a technical deficiency letter: October 1, 2024.

EQT Hoosker Doo Well Pad, Primary Facility ID # **871530**, 510 Bryan Ridge Road, New Freeport, PA 15352, Aleppo Township, **Greene County**. Jona Stoskey, Moody and Associates, Inc., 1720 Washington Road, Suite 100, Washington, PA 15301, on behalf of Dave Crayne, CPG, EQT Corporation, 625 Liberty Ave., Pittsburgh, PA 15222, submitted a Final Report concerning remediation of soil contaminated with Aluminum, Barium, Boron Chloride, Iron, Lithium, Manganese, Selenium, Strontium, Vanadium, Zinc, Benzene, Naphthalene, Toluene, Total Xylenes, Trimethylbenzene, 1,2,4-, Trimethylbenzene, 1,3,5-, Acenaphthene, Anthracene, Benzo(a)anthracene, Benzo(a)pyrene, Benzo(b)fluoranthene, Benzo(g,h,i)perylene, Biphenyl, Chrysene, Fluoranthene, Fluorene, Indeno(1,2,3-cd)pyrene, 2-Methylnaphthalene, Phenanthrene, Phenol, Pyrene. The Report Was not acceptable to

meet Statewide health standards. Issued a technical deficiency letter: October 22, 2024.

DETERMINATION OF APPLICABILITY FOR MUNICIPAL WASTE GENERAL PERMITS

Actions(s) Taken on Permit(s) Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Municipal Waste Regulations for Determination of Applicability for a General Permit to Operate Municipal Waste Processing Facilities and/or the Beneficial Use of Municipal Waste.

Northcentral Region: Waste Management Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Lisa D. Houser, P.E., Environmental Program Manager, 570-327-3752.

WMGM016NC001. Lycoming County Resource Management Service, P.O. Box 187, 447 Alexander Drive, Montgomery, PA 17752, Brady Township, Lycoming County. Determination of Applicability for a general permit to cover the mechanical processing of clean wood waste at the Lycoming County Resource Management Service. Application received: March 27, 2023. Permit issued: October 9, 2024.

Persons interested in reviewing the permit may contact Lisa D. Houser, P.E., Environmental Program Manager, 570-327-3752, Northcentral Region, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

Southwest Region: Waste Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Waste Management Program Manager.

WMGM043SW006. Wood Waste Recycling, LLC, 111 Kelso Road, McDonald, PA 15057, Collier Township, Allegheny County. A Determination of Applicability for coverage under Municipal Waste General Permit No. WMGM043SW006 was issued for the acceptance, transfer, and processing prior to beneficial use of construction and demolition waste materials at the Wood Waste Recycling Prestley Road Facility, located at 43 Prestley Road, Bridgeville, PA 15017. Application received: August 13, 2019. GP coverage issued: October 11, 2024.

Persons interested in reviewing the permit may contact Regional Files (412-442-4100), Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

DETERMINATION OF APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

Actions(s) Taken on Permit(s) Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for Determination of Applicability for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other than Coal Ash.

Northcentral Region: Waste Management Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Lisa D. Houser, P.E., Environmental Program Manager, 570-327-3752.

WMGR123NC048. Beech Resources LLC—Delta Facility, 343 Pine Street, Ste 1, Williamsport, PA 17701, Lycoming Township, Lycoming County. Determination of Applicability for storage of oil and gas liquid waste to be used as a water supply to develop or hydraulically fracture an oil or gas well at the Delta Facility. The Delta facility will consist of a 154-foot diameter above ground storage tank built inside a 166-foot storage tank for secondary containment. Application received: March 6, 2024. Permit issued: October 9, 2024.

Persons interested in reviewing the permit may contact Lisa D. Houser, P.E., Environmental Program Manager, 570-327-3752, Northcentral Region, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Actions(s) Taken on Permit(s) Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Northwest Region: Waste Management Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Christina S. Wilhelm, Regional Solid Waste Program Manager, ra-epnwrowasteprog@pa.gov.

301366. Bear Lake Properties, LLC, 5459 State Route 29, Springville, PA 18844, Columbus Township, Warren County. Bear Lake Properties, LLC currently owns and operates a residual waste transfer facility with five (5) permitted USEPA Class II UIC Saltwater Disposal Wells. Oil and gas liquid wastes are transported to the facility, offloaded, filtered, and disposed into the injection wells. BLP submitted a permit renewal for the transfer facility. Application received: May 10, 2024. Renewal issued: October 31, 2024. New expiration date: October 31, 2034.

Persons interested in reviewing the permit may contact Christina S. Wilhelm, Regional Solid Waste Program Manager, ra-epnwrowasteprog@pa.gov, Northwest Region, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

AIR QUALITY

Actions(s) Taken on General Plan Approval(s) and Operating Permit(s) Usage Authorized Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to Construct, Modify, Reactivate or Operate Air Contamination Sources and Associated Air Cleaning Devices.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

GP3-08-314D: Marcus Cole Construction, Inc., P.O. Box 158, Nichols, NY 13812, Windham Township, **Bradford County**. The Department authorized the construction and operation of one (1) Eagle model 1000 15-CV crusher (Crusher # 3) rated at 250 tons per hour (tph), one (1) Eagle model 1200-25CC crusher (Crusher # 4) rated at 350 tph, one (1) Powerscreen model 1000-SR Max Trak crusher (Crusher # 5) rated at 350 tph, one (1) Powerscreen model Mark II vibratory screen (Screen # 2) rated at 125 tph, one (1) Fintec model 542 vibratory screen (Screen # 3) rated at 250 tph, one (1) Fintec model 640 vibratory screen (Screen # 4) rated at 250 tph, and eight (8) stacker-conveyors (stacker # 1, # 3—9)—each rated 500 tph pursuant to the General Plan Approval and/or General Operating Permit for Portable Nonmetallic Mineral Processing Plants (BAQ-PGPA/GP-3)) at the Peck Hill Quarry. Application received: September 11, 2024. Authorized: October 16, 2024. Expiration date: October 15, 2029.

GP9-08-314D: Marcus Cole Construction, Inc., P.O. Box 158, Nichols, NY 13812, Windham Township, **Bradford County**. The Department authorized the construction and operation of one (1) 375 bhp Detroit model 6064-HV33 diesel-fired engine, one (1) 350 bhp Deere model RG6125H041906 diesel-fired engine, one (1) 350 bhp Caterpillar model C9 diesel-fired engine, one (1) 31 bhp Cummins model A1400 diesel-fired engine, two (2) Caterpillar model 3054C diesel-fired engines, each 99 bhp capacity, and three (3) Kubota diesel-fired engines, each 49 bhp capacity pursuant to the General Plan Approval and/or General Operating Permit for Diesel or No. 2 fuel-fired Internal Combustion Engines (BAQ-GPA/GP-9) at the Peck Hill Quarry facility. Application received: September 11, 2024. Authorized: October 16, 2024. Expiration date: October 15, 2029.

AG5-41-00024C: EQT ARO, LLC, 400 Woodcliff Drive, Canonsburg, PA 15317, Mifflin Township, **Lycoming County**. The Department approved authorization for the construction and operation of new sources and continued operation of existing sources pursuant to the General Plan Approval and/or General Operating Permit for Natural Gas Compression Stations, Processing Plants, and Transmission Stations (BAQ-GPA/GP-5) at the Larry's Creek Pad F Compressor Station. The authorized sources include one (1) 600 bhp Caterpillar G3412 four-stroke rich-burn natural gas-fired compressor engine equipped with a nonselective catalytic reduction (NSCR) catalyst, one (1) 40 MMscf/day J.W. Williams dehydration unit equipped with a 0.75 MMBtu/hour, natural gas-fired reboiler burner, and flash tank, two (2) 5,650 watt Qnergy thermoelectric Stirling engine generators, four (4) 16,800-gallon produced water tanks, one (1) 250-gallon engine coolant tank, one (1) 1,000-gallon waste oil tank, one (1) 2,100-gallon still vent condensate (BTEX) tank, one (1) 100-gallon compressor oil tank, one (1) 100-gallon engine oil tank, one (1) 10-gallon (Jatco) oil water tank, one (1) COMM Engineering Combustor Model 2 enclosed flare, three (3) 2.0 MMBtu/hr gas processing units, truck load-out operations for produced water, and emissions of minor significance from miscellaneous gas venting and fugitive emissions from component leaks. Application received: October 2, 2024. Authorized: October 21, 2024. New expiration date: October 20, 2029.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Shailesh Patel, P.E., Environmental Group Manager.

AG5-58-00014B: Williams Field Services Company, LLC, 310 State Route 29 North, Tunkhannock, PA 18657-6817, Harford Township, **Susquehanna County**. Renewal of their existing Miller compressor station GP5 permit. Application received: October 15, 2024. Issued: October 16, 2024.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: David Balog, New Source Review Chief, 814-332-6328.

GP5-62-00166E: Minard Run Oil Company—Zimmerman Hill Station, 1990 Zimmerman Hill Road, Clarendon, PA 16313, Pleasant Township, **Warren County**. The Department received a GP-5 application for several modifications to Minard Run Oil Company's Zimmerman Hill Compression Station. The Department reviewed the application and determined that it met necessary requirements and therefore, it was approved. Application received: September 6, 2024. Issued: October 7, 2024.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Sheri Guerrieri, P.E., New Source Review Chief, 412-442-4174.

GP14-04-00746B: Tri-County Crematory Inc., 117 Blackhawk Road, Beaver Falls, PA 15010, Chippewa Township, **Beaver County**. On October 18, 2024, GP14-04-00746B was authorized for five years for use to Tri-County Crematory Inc. for cremating human remains with a natural gas-fired Human Crematory Incinerator, manufactured by Cremation Systems/Armill CFS, Model No. CFS2300, Unit Capacity of 150 lbs/hr. The unit is equipped with a Primary Chamber Burner rated at 0.75 MMBtu/hr and a Secondary Chamber Burner rated at 1.6 MMBtu/hr operated at 1,800°F. Model No. of Primary and Secondary Chambers is Eclipse TJ0100. The facility located in Chippewa Township in Beaver County. Application received: August 20, 2024. Authorized: October 18, 2024.

Actions(s) Taken on Plan Approval(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and Regulations in 25 Pa. Code Chapter 127, Subchapter B Relating to Construction, Modification and Reactivation of Air Contamination Sources and Associated Air Cleaning Devices.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Shailesh Patel, EEM, 570-826-2341.

48-00004C: Heidelberg Materials US Cement LLC, Route 248 and Easton Road, Nazareth, PA 18064, Lower Nazareth Township, **Northampton County**. 48-00004C: Heidelberg Materials US Cement LLC (Route 248 and Easton Road, Nazareth, PA 18064) on October 22, 2024, to allow the use of permitted amount of engineered fuel (EF) from 14,257 tons/yr to 36,000 tons/yr at the existing facility located in Lower Nazareth Twp., Northampton County. Application received: September 27, 2023. Issued: October 22, 2024.

40-00126C: Hazleton Hiller, LLC, 414 Stockton Mountain Road, Hazleton, PA 18201, Hazle Township, **Luzerne County**. 40-00126C: Hazleton Hiller, LLC (414 Stockton Mountain Road, Hazleton, PA 18201) extension issued on October 22, 2024 for the construction and operation of coal progressing equipment at the facility

located in Hazle Township, Luzerne County. Application received: October 8, 2024. Extension: October 22, 2024.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: James Beach, New Source Review Chief, 484-250-5920.

09-0030B: Brightsmith LLC/Morrisville Facility, 120 Enterprise Ave, Morrisville, PA 19067-3703, Falls Township, **Bucks County**. This action is for a Plan Approval to remove two existing oxidizers and replace them with two new identical oxidizers at a Title V facility. Application received: June 14, 2024. Issued: October 16, 2024.

09-0009H: Quad Graphics Marketing LLC, 4371 County Line Rd, Chalfont, PA 18914-1825, New Britain Township, **Bucks County**. This action is for a plan approval for the reactivation of a Hantscho Mark VI heatset offset lithographic printing Press 30 (Source ID: 105A) equipped with a natural gas-fired dryer that vents to the B&W Megtec Regenerative Thermal Oxidizer (Source ID: C07). Application received: July 26, 2024. Issued: October 18, 2024.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Sheri Guerrieri, P.E., New Source Review Chief, 412-442-4174.

PA-65-00891E: Holcim Solutions and Products US, LLC, Building 102 Avenue A, Youngwood, PA 15697, Youngwood Borough, **Westmoreland County**. Notice is hereby given that the Pennsylvania Department of Environmental Protection has issued Air Quality Plan Approval PA-65-00891E to Holcim Solutions and Products US, LLC to incorporate Reasonably Available Control Technology (RACT) III requirements for the existing polyisocyanurate foam board insulation production at the Youngwood Plant in Youngwood Borough, Westmoreland County. In accordance with 25 Pa. Code §§ 129.111–129.115, the Department has made a determination to approve a RACT III plan and an amendment to the State Implementation Plan (SIP) for the aforementioned facility. The SIP revision does not adopt any new regulations. It incorporates the provisions and requirements contained in the amended RACT III approval for the facility, which are intended to satisfy the requirements for the 1997, 2008, and 2015 National Ambient Air Quality Standard (NAAQS) for ozone. The amendments to the RACT III determination have been incorporated into PA-65-00891E for the facility. The relevant RACT III requirements will be submitted to the EPA as a revision to Pennsylvania's SIP and will remain in effect until replaced pursuant to 40 CFR 51 and approval by the EPA. Requirements that are not part of the RACT III determination will be excluded from the SIP submittal. The following is a summary of the amendments to the RACT III determination for this operation that will be submitted to the EPA as a SIP revision: Case-by-Case Source ID 202, Warehouse VOC Fugitives, Section D, Condition # 003: The owner and operator of a source listed in this subsection shall install, maintain and operate the source in accordance with the manufacturer's specifications and with good operating practices. Public Comment: Persons wishing to file a written protest or provide comments or additional information may submit the information to Mark Gorog, Environmental Program Manager, Pennsylvania Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. A 30-day comment period from November 2, 2024 is pro-

vided for the submission of comments, protests, and information. Each submission must contain the name, address, and telephone number of the person submitting the comments, identification of the RACT III Plan Approval including the permit number and a concise statement regarding the relevancy of the information or objections to the RACT III Plan. Public hearing. A public hearing will be held on December 10, 2024, at 10:00 a.m. at the Pennsylvania Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. To register to speak at a hearing, or to inquire if a hearing will be held, please contact Thomas Joseph at 412-442-4336. The last day to pre-register to speak at the hearing will be December 3, 2024. If no requests are received by this date, the hearing will be cancelled. Oral testimony will be limited to a maximum of 5 minutes per individual and two written copies of the oral testimony are requested. Each organization is requested to designate one witness to present testimony on its behalf. Persons unable to attend the hearing, if it is held, may submit three copies of a written statement and exhibits within 10 days thereafter to Mark Gorog, Environmental Program Manager, Pennsylvania Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Please note that any updates made to any aspect of the hearing, including whether or not a hearing will be held, will be posted online at <https://www.dep.pa.gov/About/Regional/SouthwestRegion/Community%20Information/Pages/RACT-III.aspx>. We ask that you contact Thomas Joseph at 412-442-4336 or monitor our website to determine if a hearing will be held. All pertinent documents are available for public review between 8 a.m. and 4 p.m. at the Pennsylvania Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Appointments for scheduling a review may be made online at <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx> or by contacting Thomas Joseph, Environmental Engineering Manager, at 412-442-4336 or tjoseph@pa.gov. Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodations to do so should contact Lauren Camarda at 412-442-4203 or the Pennsylvania Hamilton Relay Service at 1-800-654-5984 (TDD) to discuss how the Department may accommodate your needs. Application received: December 30, 2023. Authorized: March 18, 2024.

Plan Approval Revision(s) Issued Including Extension(s), Minor Modification(s) and Transfer(s) of Ownership Under the Air Pollution Control Act (35 P.S. §§ 4001–4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

36-05014M: Arconic Lancaster Corporation, 1480 Manheim Pike, Lancaster, PA 17601, Manheim Township, **Lancaster County**. For 1) the installation of a fourth rolling mill stand to the existing 3-stand 72" Hot Mill (Source ID 125), 2) the replacement of the 72" Hot Mill Rotoclone (Control ID C10) with a new Progressive Mist Elimination System, 3) the upgrade of the hot mill scalper's (Source ID GP118) crusher chip handling system and 4) the installation of a new 32 mmBtu/hr natural gas fired slab furnace (Source ID 149J) at their secondary aluminum production facility. The proposed installations and modifications are estimated to increase the 72" Hot

Mill's throughput capacity by 48%. Additionally, due to the increased production capacity on the 72" Hot Mill, Arconic expects an increase in production from the 80" Hot Mill (Source ID 147) since the 72" Hot Mill will be able to handle 2" slabs as opposed to the current 1" slabs being transferred. The plan approval was extended. Application received: October 8, 2024. Issued: October 17, 2024.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: James Beach, New Source Review Chief, 484-250-5920.

15-0067K: Herr Foods, 273 Old Baltimore Pike, Nottingham, PA 19362-9102, West Nottingham Township, **Chester County**. This action is for a plan approval modification to revise the pressure drop ranges on Source ID 130 (Chip Line 3), Source ID 132 (Chip Line 4), Source ID 160 (Chip Line 2B) and Source ID 160A (Chip Line 2B Expansion). Application received: September 18, 2024. Issued: October 16, 2024.

15-0128B: Brandywine Green LLC, d/b/a Abbey Glenn, 126 Turner Ln, West Chester, PA 19380-4563, West Goshen Township, **Chester County**. This action is for the replacement of a Crawford crematory with a 450 lbs/hr ThermTec crematory. Application received: April 23, 2024. Issued: October 18, 2024.

Title V Operating Permit(s) Issued Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief, 484-250-5920.

46-00037: Global Advanced Metals USA Inc., 650 County Line Rd, Boyertown, PA 19512, Douglass Township, **Montgomery County**. This action is for the renewal of a Title V Operating Permit for their tantalum metal manufacturing facility. Application received: December 14, 2023. Issued: October 18, 2024.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Thomas Joseph, P.E., Facilities Permitting Chief, 412-442-4336.

65-00028: Lehigh Specialty Melting, Inc., 107 Gertrude Street, Latrobe, PA 15650, City of Latrobe, **Westmoreland County**. In accordance with 25 Pa. Code §§ 127.424, 127.425, and 127.521, the Department issued a renewal Title V Operating Permit (TVOP) to authorize operation of the Lehigh Specialty Melting Latrobe Plant located in the city of Latrobe, Westmoreland County. Equipment at this facility includes an electric arc furnace controlled by a baghouse, teeming operations, torch cutting operations controlled by a baghouse, billet grinder operations controlled by a baghouse, four (4) natural gas-fired ladle preheat furnaces, six (6) natural gas-fired forge heating furnaces, two (2) natural gas-fired heat treat furnaces, three (3) natural gas-fired hood furnaces, small miscellaneous natural gas-fired combustion sources, a parts washer, a diesel fired emergency generator engine rated at 545 Bhp, four (4) cooling towers, and fugitive particulate matter emissions from plant roads. The emission restrictions and testing, monitoring, recordkeeping, reporting, and work practice conditions of the TVOP have been derived from the applicable requirements of 40 CFR Parts 60, 61, 63, and 70, and 25 Pa. Code Chapters

121—145. The renewal TVOP was issued final on October 17, 2024. Application received: May 24, 2023. Deemed administratively complete: July 19, 2023.

Operating Permit(s) for Non-Title V Facilities Issued Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Norm Frederick, 570-826-2409.

13-00013: Ampal Inc., 2115 Little Gap Road, Palmetton, PA 18071-5109, Lower Towamensing Township, **Carbon County**. The Department issued a renewal State-Only (Synthetic Minor) Permit for the primary metal products facility located in Lower Towamensing Township, Carbon County. The primary sources consist of two (2) aluminum melting furnaces and process towers. The control devices consist of cartridge filters and bin vents. The sources are considered minor emission sources of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), total suspended particulate (TSP) and VOC's. The Operating Permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations. Application received: June 21, 2024. Renewal issued: October 17, 2024.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Matthew Williams, Facilities Permitting Chief, 814-332-6940.

62-00176: Lignetics of New England, 1055 Matthews Run Rd, Youngsville, PA 16371-3127, Brokenstraw Township, **Warren County**. The Department issued the renewal State Only Natural Minor Operating Permit for operation of the wooden pellet manufacturing facility. The facility's primary emission sources include the rotary dryer with a multi-cyclone, dry sawdust truck dumping controlled by a baghouse, green sawdust truck dumping, the metering bin, a hammermill, screening, (3) pellet mills, (3) storage silos, (2) 140,000 btu/hr wood pellet boilers, a 50,000 btu/hr wood pellet boiler, and a parts washer. The potential emissions of the primary pollutants from the facility after permit limitations are as follows: 30.49 TPY (tons per year) NO_x, 58.68 TPY CO, 37.06 TPY VOC, 66.50 TPY PM₁₀, 66.02 TPY PM_{2.5}, and 10.11 TPY SO_x; thus, the facility is a natural minor. The rotary dryer and multiclone are currently operating under plan approval 62-00176B. The parts washer is subject to 25 Pa. Code 129.63 for degreasing operations. The renewal permit contains emission restrictions, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act. Application received: September 18, 2023. Renewal issued: October 8, 2024.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.

21-03029: Pennsy Supply, Inc., 2400 Thea Drive, Suite 3A, Harrisburg, PA 17110, Dickinson Township, **Cumberland County**. For the Mt. Holly Springs Quarry. The State-Only permit was renewed. Application received: August 13, 2024. Issued: October 16, 2024.

67-03018: Penn Mar Castings, LLC, 500 Broadway, Hanover, PA 17331-2001, Hanover Borough, **York County**. For the gray and ductile iron foundry. The State-Only permit was renewed. Application received: December 15, 2023. Issued: October 15, 2024.

34-03007: Eastern Gas Transmission & Storage, Inc., 10700 Energy Way, Glen Allen, VA 23060, Lack Township, **Juniata County**. For the Perulack natural gas compressor station. The State-Only permit was renewed. Application received: July 15, 2024. Issued: October 16, 2024.

Contact: *Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.*

06-03025: Reading Plating & Polishing Works, Inc., 1833 Cotton Street, Reading, PA 19606-1712, City of Reading, **Berks County**. For the plating and polishing facility. The State-Only permit was renewed. Application received: July 17, 2024. Issued: October 15, 2024.

36-05159: Envigo Global Services, Inc., 310 Swamp Bridge Road, Denver, PA 17517-8723, West Cocalico Township, **Lancaster County**. For the animal crematory and emergency generators at the facility. The State-Only permit was renewed. Application received: May 2, 2024. Issued: October 15, 2024.

22-03112: Highline Auto Parts, 5320 Paxton Street, Harrisburg, PA 17111, Swatara Township, **Dauphin County**. For the operation of an aluminum sweat furnace at the automobile dismantling and parts sales center. Application received: April 9, 2024. Issued: October 17, 2024.

22-03099: The Hershey Company, 19 East Chocolate Avenue, Hershey, PA 17033, Derry Township, **Dauphin County**. For the industrial wastewater treatment plant. Application received: May 31, 2024. Issued: October 21, 2024.

38-05018: Lebanon VA Medical Center, 1700 South Lincoln Avenue, Lebanon, PA 17042-7529, South Lebanon Township, **Lebanon County**. For the boilers and generators at the hospital facility. The State-Only permit was renewed. Application received: September 29, 2023. Issued: October 18, 2024.

Operating Permit Revisions Issued Including Administrative Amendments, Minor Modifications or Transfer of Ownership Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: *Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.*

67-03178: Regen Aluminum, LLC, 150 South Orchard Street, Yoe, PA 17313-1010, York Township, **York County**. For the aluminum recycling facility. The State-Only permit was administratively amended in order to reflect a change of ownership, and to address electronic reporting. Application received: October 10, 2024. Issued: October 16, 2024.

Contact: *Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.*

36-05167: AHF Products, LLC, 1067 Dillerville Road, Lancaster, PA 17603-2613, City of Lancaster, **Lancaster County**. For the flooring manufacturing facility. The State-Only permit was administratively amended in order

to incorporate the provisions of Plan Approval No. 36-05167A. Application received: October 1, 2024. Issued: October 8, 2024.

ACTIONS ON COAL AND NONCOAL APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the National Pollutant Discharge Elimination System (NPDES) permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to such applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1103). Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Coal Permits

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

Contact: *Cassie Stanton, Clerical Assistant 2.*

Mining Permit No. 17240101. NPDES No. PA0270067. Swisher Contracting, Inc., P.O. Box 1223, Clearfield, PA 16830, Lawrence Township, **Clearfield County**. Commencement, operation, and restoration of a new bituminous coal surface mine permit and associated NPDES permit affecting 44.6 acres. The surface mining operation proposes to conduct blasting. A variance is included to conduct mining and support activities within 100 feet of the southwestern right-of-way of SR 0080 (Interstate 80). The proposed activities within the variance include coal extraction, construction of erosion and sedimentation control structures and spoil and topsoil storage. Receiving stream(s): Unnamed tributaries to Lick Run, to Lick Run, to West Branch Susquehanna River classified for the following use(s): HQ-CWF, WWF. Application received: December 28, 2023. Accepted: January 3, 2024. Issued: October 16, 2024.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: *RA-EPPottsvilleDMO@pa.gov.*

Mining Permit No. 13990201. Rossi Excavating Company, 10 Centtown Road, Beaver Meadows, PA 18216, Banks Township, **Carbon County**. Renewal of an anthracite coal refuse reprocessing operation affecting 493.0 acres. Receiving stream: Beaver Creek. Application received: January 2, 2024. Renewal issued: October 16, 2024.

Noncoal Permits

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

Contact: *Cassie Stanton, Clerical Assistant 2.*

Mining Permit No. 53170301. NPDES No. PA0269841. Duffy, Inc., P.O. Box 374, Smethport, PA 16749, Roulette Township, **Potter County**. Renewal of an NPDES permit associated with a Large Noncoal (industrial minerals) mining site affecting 175.0 acres. Receiving stream(s): Unnamed tributary to Fishing Creek and the Allegheny River classified for the following use(s): CWF. Application received: April 4, 2024. Issued: October 15, 2024.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

Mining Permit No. 58222515. James W. Barber Trucking & Excavating, LLC, P.O. Box 157, Clifford, PA 18413, Hop Bottom Borough and Lenox Township, **Susquehanna County**. Commencement, operation and restoration of a GP105 quarry operation affecting 10.0 acres. Receiving stream: UNT to Martins Creek. Application received: June 30, 2022. Coverage issued: October 18, 2024.

Mining Permit No. 58222515. GP104 Permit No. PAM122035. James W. Barber Trucking & Excavating, LLC, P.O. Box 157, Clifford, PA 18413, Hop Bottom Borough and Lenox Township, **Susquehanna County**. Coverage under the General NPDES Stormwater Permit for stormwater discharges associated with mining activities (BMP-GP-104). Receiving stream: UNT to Martins Creek. Application received: June 30, 2022. Coverage issued: October 18, 2024.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Action(s) Taken on Application(s) Under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting Activity Performed as Part of a Coal or Noncoal Mining Activity will be Regulated by the Mining Permit for that Coal or Noncoal Mining Activity.

Blasting Permits

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

Permit No. 38244115. Maine Drilling & Blasting, Inc., P.O. Box 1140, Gardiner, ME 04345, Cornwall Borough, **Lebanon County**. Construction blasting for PRL Industrial Warehouse. Application received: October 8, 2024. Permit issued: October 15, 2024. Expiration date: October 31, 2025.

Permit No. 48244107. Holbert Explosives, Inc., 237 Mast Hope Plank Road, Suite A, Lackawaxen, PA 18435, Bethlehem Township, **Northampton County**. Construction blasting for St. Luke's Hospital. Application received: October 2, 2024. Permit issued: October 15, 2024. Expiration date: October 2, 2025.

Permit No. 48244108. Maine Drilling & Blasting, Inc., P.O. Box 1140, Gardiner, ME 04345, Allen Township, **Northampton County**. Construction blasting for Stoneridge Meadows Phase 3. Application received: October 8, 2024. Permit issued: October 15, 2024. Expiration date: October 31, 2025.

Permit No. 64244106. Northeast Blasting, 403 Middle Creek Road, Honesdale, PA 18431, Conewago Township, **Wayne County**. Construction blasting for Cherry Ridge Township Building Project. Application received: October 10, 2024. Permit issued: October 15, 2024. Expiration date: October 10, 2025.

Permit No. 67244112. Keystone Blasting Service, 15 Hopeland Road, Lititz, PA 17543, Conewago Township, **York County**. Construction blasting for Fieldstone Crest. Application received: October 9, 2024. Permit issued: October 15, 2024. Expiration date: September 30, 2025.

Permit No. 46244111. Rock Work, Inc., 1257 Dekalb Pike, Blue Bell, PA 19422, Red Hill Borough, **Montgomery County**. Construction blasting for Creekside Village. Application received: October 10, 2024. Permit issued: October 18, 2024. Expiration date: November 1, 2025.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department of Environmental Protection (DEP) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, DEP has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), and that the construction will not violate applicable Federal and State Water Quality Standards.

Individuals aggrieved by these actions may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. § 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Environmental Hearing Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the Board within 30-days. You do not need a lawyer to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so you should show this notice to a lawyer at once. If you cannot afford a lawyer, you may qualify for free pro bono representation. Call the Secretary to the Board 717-787-3483 for more information.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Action(s) Taken on Application(s) for the Following Activities Filed Under The Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and the Clean Streams Law and Notice of Final Action for Certification Under Section 401 of the FWPCA.

Central Office: Regional Permit Coordination Office, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101.

Contact: RA-EPREGIONALPERMIT@pa.gov.

E40283223-002. Pittsburgh Water and Sewer Authority, 1200 Penn Avenue, Pittsburgh, PA 15222, City of Pittsburgh, **Allegheny County**. U.S. Army Corps of Engineers Pittsburgh District.

To construct and maintain a stream restoration project in a 1,512 linear foot reach of two unnamed tributaries (UNTs) to Sawmill Creek (WWF) for the purpose of improving channel stability, establishing a floodplain, and reducing overall sediment load in the watershed. Work consists of modifying the stream profile and cross section of the streambeds within a 1,384 linear foot reach of UNT-1 and 128 linear foot reach of UNT-2 to connect streams to an adjacent floodplain. The project also proposes the installation of a rain garden with two outfall structures with riprap outlet protection to discharge drainage from the raingarden to UNT-1. In-stream structures include grade control logs and rock step pool structures to reduce stream velocities and minimize erosion. The project is located north of Beechview and Vanucci Park, south of Crane Avenue and west of State Route 51 (Pittsburgh West, PA Quadrangle) in City of Pittsburgh, Allegheny County. Latitude: 40.416676°, Longitude: -80.018739°. Application received: June 9, 2023. Issued: October 15, 2024.

Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Michele Lauer, Clerical Assistant 2, 570-830-3077.

E5402224-001. Schuylkill County Greenways Association, 140 College Drive, Pottstown, PA 19464, Blythe Township, New Castle Township, Saint Clair Borough, **Schuylkill County**. U.S. Army Corps of Engineers Philadelphia District.

The construct and maintain the following water obstructions and encroachments associated with the Schuylkill River Trail—Mill Creek Section Project: 1) A stream crossing of Mill Creek (CWF, MF) consisting of a 90-foot span, 10-foot long prefabricated steel pedestrian bridge having a 13-foot underclearance, concrete abutments, a streambank retaining device consisting of an R-8/R-4 riprap apron, and a chain link fence. 2) A fill within 0.06-acre of the floodway of Mill Creek (CWF, MF) consisting of portions of an at-grade 8-foot wide walking trail and parking lot. 3) An extension of an existing stream crossing of a UNT to Mill Creek (CWF, MF) consisting of an 11-ft long, 24-in diameter CMP culvert pipe and an R-3 riprap apron. 4) An extension of an existing stream crossing of a UNT to Mill Creek (CWF, MF) consisting of a 15-ft long, 12-in diameter CMP culvert pipe and an R-3 riprap apron. The riprap apron outfall is also located within the floodway of Mill Creek (CWF, MF). 5) A modification of an existing stream crossing of a UNT to Mill Creek (CWF, MF) consisting of grading within the existing roadway to create a 10-foot wide gravel trail. 6) A modification of an existing stream crossing of Wolf Creek (CWF, MF) consisting of grading within the existing roadway to create a 10-foot wide gravel trail. 7) A modification of an existing stream crossing of Mill Creek (CWF, MF) consisting of grading within the existing roadway to create a 10-foot wide gravel trail. 8) A modification of an existing stream crossing of Mill Creek (CWF, MF) consisting of grading

within the existing roadway to create a 10-foot wide gravel trail. The project begins in Blythe Township, approximately 0.5 mile east of the Kauffman Reservoir, and terminates directly south of Terry Rich Boulevard in Saint Clair Borough (Pottsville and Shenandoah, PA Quadrangle Latitude: 40°, 44', 3.79"; Longitude: -76°, 11', 54.46") in Blythe Township, New Castle Township, and Saint Clair Borough, Schuylkill County. Application received: June 4, 2024. Issued: October 15, 2024.

E4002224-007. Wyoming Valley Sanitary Authority, 1000 Wilkes-Barre Street, P.O. Box 33A, Hanover, PA 18706, Hanover Township, **Luzerne County**. U.S. Army Corps of Engineers Baltimore District.

To construct and maintain the following water obstructions and encroachments associated with the Warrior Creek Stream Restoration Project: 1) A channel change within a 2,600-LF segment of Warrior Creek (CWF, MF) consisting of regrading to create a constructed stream channel having a 25-foot top width, 4:1 side slopes, 12-inches of natural streambed material, and longitudinal slopes ranging from 0.02% to 2.86%. Other improvements include J-hooks, cross vanes, boulder revetments, and floodplain plantings. 2) A streambank stabilization device within a UNT to Warrior Creek (CWF, MF) consisting of a 12-ft long, 3-ft wide R-4 riprap apron. 3) A streambank stabilization device within a UNT to Warrior Creek (CWF, MF) consisting of an 8-ft long, 3-ft wide R-4 riprap apron. 4) A streambank stabilization device within a UNT to Warrior Creek (CWF, MF) consisting of an 8-ft long, 3-ft wide R-4 riprap apron. 5) A streambank stabilization device within a UNT to Warrior Creek (CWF, MF) consisting of an 8-ft long, 3-ft wide R-4 riprap apron. 6) A streambank stabilization device within a UNT to Warrior Creek (CWF, MF) consisting of an 8-ft long, 3-ft wide R-4 riprap apron. 7) A streambank stabilization device within a UNT to Warrior Creek (CWF, MF) consisting of an 8-ft long, 3-ft wide R-4 riprap apron. This project will result in a total net cut of 14,299 yd³ within Warrior Creek and its floodway. The project is begins approximately 900 feet southwest of the intersection of Ashley Street and Sans Souci Parkway and ends approximately 1,600-foot northeast of the intersection of Logistics Drive and S. Valley Parkway (Wilkes-Barre West, PA Quadrangle Latitude: 41°, 12', 36.61"; Longitude: -75°, 57', 17.13") in Hanover Township, Luzerne County. Application received: April 10, 2024. Issued: October 22, 2024.

Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: RA-EPWW-NWRO@pa.gov.

E2406224-002. Jones Township, P.O. Box 25, Wilcox, PA 15870, Jones Township, **Elk County**. U.S. Army Corps of Engineers Pittsburgh District.

Remove an existing steel I-beam bridge and to construct and maintain a prefabricated structural plate box culvert with a length of 46', 5", a span of 12', 11", and a rise of 6' across Nearing Run (CWF) and to permanently impact 0.04 acre of wetland on Horner Road approximately 1.1 miles North of the intersection of Horner Road and T-631. Latitude: 41.593467°, Longitude: -78.686404°. Application received: July 24, 2024. Issued: October 15, 2024.

E4306124-006. PADOT Engineering District 1-0, 255 Elm Street, Oil City, PA 16301, Shenango Township, **Mercer County**. U.S. Army Corps of Engineers Pittsburgh District.

Conduct a highway improvement project along SR 0080 from Milepost 0 to Milepost 5 in Shenango Township, Mercer County, resulting in the following impacts: rehabilitation of the existing EB and WB bridges over the Shenango River to include deck replacement and superstructure concrete repairs (N: 41.18304°; W: 80.47031°); rehabilitation of the existing 10-ft x 7-ft arch culvert stream enclosure by applying a 3.5-in thick geopolymer to the inside face of the structure along UNT Hogback Run (N: 41.18457°; W: 80.45957°); various drainage pipe repairs, cleaning and placement of rock protection; and replacement of right-of-way fencing resulting in a total of 533-ft of permanent stream impacts, 4329-ft of temporary stream impacts, 0.02-ac of permanent wetland impacts and 0.85-ac of temporary wetland impacts. Application received: July 19, 2024. Issued: October 18, 2024.

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: 717-705-4802.

E0603223-020. John Zuchowski, 2734 Moselem Springs Road, Fleetwood, PA 19522, Fleetwood Borough and Richmond Township, **Berks County**. U.S. Army Corps of Engineers Philadelphia District.

To install and maintain an 80-foot long, 14-foot wide, permanent stone ford stream crossing to be used for agricultural equipment access and activities, resulting in 10 linear feet (140 square feet) of permanent impact to an Unnamed Tributary to Willow Creek (CWF, MF) and 0.02 acre of permanent impact and 0.002 acre of temporary impact to an emergent exceptional value wetland, all for the purpose of providing a stable crossing to reduce the sediment load to the stream and wetland and protect the stream banks from future erosion. The project is located to the east of Moselem Springs Road behind the Fleetwood Area Senior High School in Fleetwood Borough and Richmond Township, Berks County (Latitude: 40.462588, Longitude: -75.826647). Permanent wetland loss is less than 0.05 acre and replacement is not required. Application received: September 22, 2023. Issued: October 22, 2024.

Southeast Region: Waterways & Wetlands Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: RA-EP-WW-SERO-105@pa.gov.

E4601224-009. Independent Mortgage Company, 1250 Germantown Pike, Suite 305, Plymouth Meeting, PA 19462, Trappe Borough, **Montgomery County**. U.S. Army Corps of Engineers Philadelphia District. Latitude: 40.190665°, Longitude: -75.480647°. Application received: March 12, 2024. Approved: October 18, 2024.

Permit Number: E4601224-009

Applicant Name: Independent Mortgage Company

Applicant Phone: 610-272-2064

Applicant Email: paulc@imc-loan.com

Applicant Address:

Line 1: 1250 Germantown Pike, Suite 305

Line 2: City: Plymouth Meeting

State: PA

Zip: 19462-2444

DEP Regional Office: Southeast

DEP Reviewer: Andy Flambert

Reviewer Phone: (484) 250-5129

Reviewer Email: andflamber@pa.gov

Project County: Montgomery

Project Municipality: Trappe Borough

Project Description:

Independent Mortgage Company is proposing to perform the following water obstruction and encroachment activities associated with the project in Bronson Circle listed as follows.

Activities associated with the construction/installation and maintenance of culvert, utilities and associated developments within the stream and floodway of Donny Brook:

1. To excavate/fill within the floodway of Donny Brook for construction of culvert crossing resulting in (3,300 sq ft, .08 acre) permanent, (1,950 sq ft, .04 acre) temporary watercourse impacts and (550 sq ft, .013 acre) of permanent floodway impacts.

2. To excavate/fill within the floodway of Donny Brook for installation of utilities resulting in (250 sq ft, .01 acre) of permanent watercourse impacts and (1,410 sq ft, .03 acre) of permanent floodway impacts.

3. To install cofferdams within the stream and floodway of Donny Brook resulting in (300 sq ft, .01 acre) of temporary watercourse impacts and (25 sq ft, .0001 acre) of temporary floodway impacts.

4. To excavate/fill within the floodway of Donny Brook for installation of 3 outfall structures resulting in (240 sq ft, .01 acre) of permanent watercourse impacts and (1,380 sq ft, .03 acre) of permanent floodway impacts.

This project is located at Bronson Circle, Trappe Borough PA 19426-2215, Montgomery County, (USGS PA Collegeville Quadrangle—Latitude 40.190665 N, Longitude -75.480647 W).

Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Dana Drake, Program Manager.

E0205223-020. Bridgeville Borough, 425 Bower Hill Road, Bridgeville, PA 15017, Bridgeville Borough, **Allegheny County**. U.S. Army Corps of Engineers Pittsburgh District.

Application received: December 12, 2023. Issued: October 8, 2024.

The applicant proposes to:

1. Remove an existing 20 foot wide by 10 foot high, double arch culverted road crossing which carries Commercial Street over McLaughlin Run (WWF) and to construct and maintain a replacement structure consisting of a single 85 foot long by 45 foot wide by 13.5 foot high CON/SPAN culverted road crossing, resulting in 86 linear feet (LF) of permanent watercourse impacts, 0.159 acre (ac) of permanent floodway impacts, 0.099 ac of permanent floodplain fringe impacts, 86 LF of temporary watercourse impacts, and 0.045 ac of temporary floodway impacts.

2. Remove an existing 8-inch diameter drinking water utility line crossing of McLaughlin Run as part of the aforementioned-culvert removal, and construct and maintain a replacement 8-inch diameter drinking water utility line crossing of the same watercourse approximately 35 feet upstream from the existing crossing location. The relocated line will be encased in concrete beneath the stream bed and will be embedded 3' below the proposed stream bed elevation. This activity will result in 12 LF of permanent watercourse impacts, 0.003 ac of permanent floodway impacts, and 0.002 ac of floodplain fringe impacts.

3. Construct and maintain an approximately 1,200 foot long soldier beam and lagging levee wall, which varies in height from approximately 8.5 to 12 feet, on the west (river left) side of McLaughlin Run and to excavate along 716 feet of McLaughlin Run and its west (river left) bank along the aforementioned levee wall, resulting in 716 LF of permanent watercourse impacts, 0.283 ac of permanent floodway impacts and 0.089 ac of permanent floodplain fringe impacts.

4. Install and maintain riparian vegetation plantings in the floodway, and along 1,092 LF, of McLaughlin Run on the riverward side of the aforementioned levee wall, resulting in 1,092 LF of permanent watercourse impacts and 0.627 ac of permanent floodway impacts. This permanent impact area overlaps with 716 LF of the watercourse impact and 0.247 ac of the floodway impact noted in the preceding item.

5. Construct, operate, and maintain screw pumps behind the aforementioned levee wall and construct and maintain associated 36-inch diameter corrugated plastic pipe (CPP) stormwater piping, endwall, and outfall structure with an R-6 riprap apron within the floodway of, and along, McLaughlin Run resulting in 10 LF of permanent watercourse impacts, 0.014 ac of permanent floodway impacts, and 0.075 ac of permanent floodplain fringe impacts. The watercourse impact length for this activity completely overlaps with the with watercourse impacts associated with the aforementioned levee wall construction and excavation.

6. Construct and maintain two 36-inch diameter CPP stormwater pipes, endwalls, and outfall structures with R-5 riprap aprons within the floodway of, and along, McLaughlin Run, resulting in 18 LF of permanent watercourse impacts, 0.002 ac of permanent floodway impacts, and 0.016 ac of permanent floodplain fringe impacts. These structures are associated with another set of screw pumps at the downstream end of the aforementioned levee wall.

7. Construct and maintain a temporary stream crossing for work site access, resulting in 10 LF of temporary watercourse impacts and 0.004 ac of temporary floodway impacts.

8. Construct and maintain temporary dewatering, erosion control, and sediment control facilities, resulting in 1,203 LF of temporary watercourse impacts, 0.414 ac of temporary floodway impacts, and 0.013 ac of floodplain fringe impacts. The temporary watercourse impact for this activity overlaps with the 10 LF of watercourse impacts associated with the aforementioned temporary stream crossing.

9. Remove 5 LF of existing 6" PVC Pipe and constructing and maintaining a new outfall structure with an R4 riprap apron within the floodway of McLaughlin Run, to integrate this outfall structure with the aforementioned floodwall.

10. Remove 5 LF existing 6" PVC Pipe and constructing and maintaining a new outfall structure within the floodway of McLaughlin Run, to integrate this outfall structure with the aforementioned floodwall.

11. Remove 4 LF existing 6" PVC Pipe and constructing and maintaining a new outfall structure within the floodway of McLaughlin Run, to integrate this outfall structure with the aforementioned Modify and maintain a third existing 6" PVC stormwater outfall by removing the final 6 LF of pipe and constructing an R4 riprap apron resulting in 0.001 ac of permanent impacts within the floodway of McLaughlin Run.

12. Remove 16 LF of existing 6" PVC Pipe and constructing and maintaining a new outfall structure with an R4 riprap apron within the floodway of McLaughlin Run, to integrate this outfall structure with the aforementioned floodwall.

13. Remove 7 LF existing 8" CMP Pipe and constructing and maintaining a new outfall structure within the floodway of McLaughlin Run, to integrate this outfall structure with the aforementioned floodwall.

14. Remove 11 LF existing 18" CMP Pipe and constructing and maintaining a new outfall structure within the floodway of McLaughlin Run, to integrate this outfall structure with the aforementioned floodwall.

For the purpose of controlling the frequent flooding that affects the residents and businesses along McLaughlin Run. Cumulatively, the project will permanently impact approximately 1,208 LF of watercourse, 0.841 ac of floodway, 0.281 ac of floodplain fringe and will temporarily impact approximately 1,299 LF of watercourse, 0.463 ac of floodway, and 0.013 ac of floodplain fringe.

The project is located under and to the north of Commercial Street starting near its intersection with Bower Hill Road (Bridgeville PA USGS topographic quadrangle map; Latitude: 40°, 21', 33.84"; Longitude: -80°, 6', 34.9095"; Sub-basin 20F; USACE Pittsburgh District), in Bridgeville Borough, Allegheny County.

ENVIRONMENTAL ASSESSMENTS

Central Office: Waterways & Wetlands Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717 787-3411.

Contact: Niamh Hays, Water Program Specialist, 717-772-5959.

EA3615224-005. Little Conestoga Watershed Alliance, P.O. Box 6355, Lancaster, PA 17607, East Hempfield Township, **Lancaster County**. U.S. Army Corps of Engineers Baltimore District.

The Division of Wetlands, Encroachments, and Training has approved the restoration plan to restore approximately 2.6 acres of integrated stream, wetland, and floodplain areas along Little Conestoga Creek, an unnamed tributary to Little Conestoga Creek, and Brubaker Run (WWF-MF); to realign approximately 2,100 linear feet of stream for the purpose of restoring watercourses; to place rock stream and valley grade control structures, woody debris, and other aquatic habitat structures within the restoration areas; to construct temporary stream crossings, rock construction entrances, and other erosion controls during restoration activities. The restoration project begins north of the Columbia Avenue bridge and continues upstream towards Southlawn Drive and Woodbine Drive in Lancaster, PA, Latitude: 40.040299°, Longitude: -76.342662°. Application received: May 9, 2024. Approved: October 21, 2024.

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701-704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*

unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information.

Eastern District: Oil and Gas Management Program, 208 West Third Street, Williamsport, PA 17701-6448.

Contact: RA-EPEASTERNOGPRG@pa.gov.

ESCGP # 3 **ESG295924012-00**
 Applicant Name **Seneca Resources Co LLC**
 Contact Person Douglas Kepler
 Address 51 Zents Boulevard
 City, State, Zip Brookville, PA 15825
 Township(s) Charleston Township
 County **Tioga County**
 Receiving Stream(s) and Classification(s) UNT to Hill Creek (WWF, MF), UNT to Norris Brook (TSF, MF)
 Application received: August 28, 2024
 Issued: October 16, 2024

ESCGP # 3 **ESG295924014-00**
 Applicant Name **Repsol Oil & Gas USA LLC**
 Contact Person Jonathan Fronk
 Address 337 Daniel Zenker Drive
 City, State, Zip Horseheads, NY 14845-1008
 Township(s) Liberty Township
 County **Tioga County**
 Receiving Stream(s) and Classification(s) Salt Spring Run (EV), UNT to Salt Spring Run (EV)
 Application received: September 17, 2024
 Issued: October 17, 2024

ESCGP # 3 **ESG294124007-00**
 Applicant Name **Range Resources Appalachia LLC**
 Contact Person Karl Matz
 Address 3000 Town Center Blvd
 City, State, Zip Canonsburg, PA 15317-5839
 Township(s) Gamble Township
 County **Lycoming County**
 Receiving Stream(s) and Classification(s) UNTs to Mill Creek (WWF, MF) (EV)
 Application received: October 1, 2024
 Issued: October 18, 2024

Southwest District: Oil and Gas Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: RA-EPSW-OGSUBMISSION@pa.gov.

ESCGP # 3 **ESG070424006-00**
 Applicant Name **Range Resources Appalachia LLC—SJ Exploration Well Site**
 Contact Person Karl Matz, (724) 873-3090
 kmatz@rangeresources.com

Address 0.75 mile north of Hookstown Grade Road and Park Road

City, State, Zip Clinton, PA 15026

Township(s) Independence Township

County **Beaver County**

Receiving Stream(s) and Classification(s) 001. Lat 40.53407, Long -80.34080, UNT to Raccoon Run, Ch. 93 class WWF 002. Lat 40.53748, Long -80.34006, UNT to Raccoon Run, Ch. 93 class WWF 003. Lat 40.53636, Long -80.34531, UNT to Raccoon Creek, Ch. 93 class WWF

Application received: September 23, 2024

Issued: October 21, 2024

ESCGP # 3 **ESG076324017-00**

Applicant Name **Equitrans Water SVC (PA) LLC—NIMCH006 Waterline**

Contact Person Kirsten Kiesel

Senior Environmental Coordinator, (412) 660-0979

kirsten.kiesel@eqt.com

Address .046 mile north of Patterson Road and Route 88
 City, State, Zip Finleyville, PA 15332

Township(s) Union Township

County **Washington County**

Receiving Stream(s) and Classification(s) 001. Lat 40.24134, Long -79.97696, Huston Run, Ch 93 class WWF 002. Lat 40.23848, Long -79.97677, Huston Run, Ch 93 class WWF 003. Lat 40.23839, Long -79.97691, UNT to Huston Run, Ch 93 class WWF 004. Lat 40.23315, Long -79.98149, UNT to Huston Run, Ch 93 class WWF

Application received: October 1, 2024

Issued: October 22, 2024

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 2

The Following Plan(s) and Report(s) Were Submitted Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DEP has received the following plans and reports.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Former Marsteller Grain (Sheetz 746, 39-98183), Storage Tank Facility ID # **39-20472**, 951 Route 100 South, Allentown, PA 18106, Upper Macungie Township, **Lehigh County**. EnviroTrac, 176 Thorn Hill Road, Warrendale, PA 15086, on behalf of Sheetz, Inc., 243 Sheetz Way, Claysburg, PA 16225, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with gasoline. The report is intended to document the remedial actions for meeting Statewide health standards.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Robin L. Yerger, LPG, 717-705-4705.

M & R Equipment, Storage Tank Facility ID # **67-13853**, 451 Marsteller Road, New Park, PA 17352, Fawn Township, **York County**. Nutshell Environmental, 15 Allegheny Avenue, Towson, MD 21204, on behalf of Mr. and Mrs. Chris Biernazki, 451 Marsteller Road, New Park, PA 17352, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum constituents. The report is intended to document the remedial actions for meeting nonresidential Statewide health and site-specific standards.

Rutters Farm Store 58, Storage Tank Facility ID # **67-61416**, 7680 Lincoln Highway, Abbottstown, PA 17301, Paradise Township, **York County**. United Environmental Services, Inc., P.O. Box 701, Schuylkill Haven, PA 17972, on behalf of CHR Corporation, 2295 North Susquehanna Trail, York, PA 17404, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum. The plan is intended to document the remedial actions for meeting residential site-specific standards.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Richard M. Staron, Professional Geologist Manager, 484-250-5717.

Quakertown Sunoco, Storage Tank Facility ID # **09-46399**, 2099 Quaker Pointe Dr, Quakertown, PA 18951, Milford Township, **Bucks County**. Aquaterra Technologies, Inc., 901 S. Bolmar Street, Suite A, West Chester, PA 19382, on behalf of Asingh Investments LLC, 2099 Quaker Pointe Drive, Quakertown, PA 18951, submitted a Combined Remedial Action Plan and Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The combined plan and report is intended to document the remedial actions for meeting nonresidential Statewide health and site-specific standards.

Texaco 51 006 0000, Storage Tank Facility ID # **23-45357**, 1000 Calcon Hook Road, Sharon Hill, PA 19079, Darby Township, **Delaware County**. TRC Environmental, Inc., 1617 John F. Kennedy Blvd., Suite 510, Philadelphia, PA 19103, on behalf of Brigaloon, Inc., 112

Chesley Drive, Suite 200, Media, PA 19063, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report is intended to document the remedial actions for meeting nonresidential Statewide health and site-specific standards.

Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Janelle Hromyak, Clerical Assistant 2, 412-442-4091.

Former Tony's Auto Center, Storage Tank Facility ID # **02-81181**, 5607 Library Road, Bethel Park, PA 15102-3531, Bethel Park Borough, **Allegheny County**. Stephen A Zbur, CORE Environmental Services, Inc., 3960 William Flinn Highway, Suite 100, Allison Park, PA 15101, on behalf of Anthony Colavecchia, 5607 Library Road, Bethel Park, PA 15102, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline and used motor oil. The combined plan and report is intended to document the remedial actions for meeting nonresidential site-specific standards.

GetGo # 3051, Storage Tank Facility ID # **65-80084**, 4285 State Route 51, Belle Vernon, PA 15012-3804, Rostraver Township, **Westmoreland County**. Rob Sharrow, BJAAM Environmental, Inc., P.O. Box 523, Canal Fulton, OH 44614, on behalf of Matt Puntureri, Giant Eagle, Inc., 700 Cranberry Woods Drive, Cranberry Township, PA 16066, submitted a Remedial Action Completion Report concerning remediation of groundwater contaminated with unleaded gasoline and diesel fuel. The report is intended to document the remedial actions for meeting residential Statewide health standards.

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 3

Action(s) Taken on the Following Plans and Reports Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports.

A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

DEP may approve or disapprove plans and reports submitted. This notice provides DEP's decision and, if relevant, the basis for disapproval.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DEP has received the following plans and reports.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Raceway Truck Stop, Storage Tank Facility ID # **54-50984**, 10 Molleystown Road, Pine Grove, PA 17963, Tremont Township, **Schuylkill County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Raceway Management Co., Inc., 2227 Scranton-Carbon-dale Highway, Scranton, PA 18508, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with diesel. The plan was acceptable to meet the Statewide health standards and was approved by DEP on October 16, 2024.

Wind Gap Citgo, Storage Tank Facility ID # **48-51489**, 1040 South Broadway, Wind Gap, PA 18091, Plainfield Township, **Northampton County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Pipeline Petroleum, Inc., P.O. Box 159 Shippers Road, Macungie, PA 18062, submitted a Remedial Action Plan concerning remediation of groundwater contaminated with petroleum. The plan was acceptable to meet the Statewide health standards and was approved by DEP on October 16, 2024.

Jamesville Express, Storage Tank Facility ID # **48-25085**, 6007 West Main Boulevard, Bath, PA 18014, East Allen Township, **Northampton County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Kearns Real Estate, LLC, 2858 Derhammer Road, Bath, PA 18014, submitted a Remedial Action Completion Report concerning remediation of groundwater contaminated with gasoline. The report demonstrated attainment of the Statewide health and site-specific standards and was approved by DEP on October 22, 2024.

Old Dominion Freight Lines, Storage Tank Facility ID # **45-13152**, 2382 Route 715, Tannersville, PA 18372, Pocono Township, **Monroe County**. Burns & McDonnell Engineering Company, 1431 Opus Place, Suite 400, Downers Grove, IL 60515, on behalf of Old Dominion Freight Lines, Inc., 500 Old Dominion Way, Thomasville, NC 27360, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with diesel. The plan was acceptable to meet the Statewide health standards and was approved by DEP on October 17, 2024.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Robin L. Yerger, LPG, 717-705-4705.

M & R Equipment, Storage Tank Facility ID # **67-13853**, 451 Marsteller Road, New Park, PA 17352, Fawn Township, **York County**. Nutshell Environmental, 15 Allegheny Avenue, Towson, MD 21204, on behalf of Mr. and Mrs. Chris Biernazki, 451 Marsteller Road, New Park, PA

17352, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum constituents. The report demonstrated attainment of the nonresidential Statewide health and site-specific standards and was approved by DEP on October 17, 2024.

Rutters Farm Store 58, Storage Tank Facility ID # **67-61416**, 7680 Lincoln Highway, Abbottstown, PA 17301, Paradise Township, **York County**. United Environmental Services, Inc., P.O. Box 701, Schuylkill Haven, PA 17972, on behalf of CHR Corporation, 2295 North Susquehanna Trail, York, PA 17404, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum. The plan was not acceptable to meet the residential site-specific standards and was disapproved by DEP on October 9, 2024.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Richard M. Staron, Professional Geologist Manager, 484-250-5717.

Speedway 6802, Storage Tank Facility ID # **51-14512**, 6395-99 Oxford Ave, Philadelphia, PA 19111, City of Philadelphia, **Philadelphia County**. AECOM, 625 West Ridge Pike, Suite E-100, Conshohocken, PA 19428, on behalf of Speedway LLC, P.O. Box 1500, Springfield, PA 44501, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report was acceptable to meet the nonresidential Statewide health and site-specific standards and was approved by DEP on October 17, 2024.

Sunoco 0374 6427, Storage Tank Facility ID # **09-02292**, A Turnpike Milepost 351.9 Westbound, Treose, PA 19047, Bensalem Township, **Bucks County**. GAI Consultants, 385 East Waterfront Drive, Homestead, PA 15130, on behalf of Pennsylvania Turnpike Commission, 2850 Turnpike Industrial Park, Middletown, PA 17057, submitted a Remedial Action Plan concerning remediation of soil contaminated with petroleum products. The plan was acceptable to meet the nonresidential Statewide health standards and was approved by DEP on October 8, 2024.

Hertz Rent a Car, Storage Tank Facility ID # **51-44283**, 1 Arrivals Rd, Philadelphia, PA 19153, City of Philadelphia, **Philadelphia County**. EnviroTrac Ltd, 2 Terri Lane, Suite # 110, Burlington, NJ 08016, on behalf of The Hertz Corporation, 8501 Williams Road, Estero, FL 33928, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum products. The report demonstrated attainment of the nonresidential Statewide health and site-specific standards and was approved by DEP on October 18, 2024.

Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Janelle Hromyak, Clerical Assistant 2, 412-442-4091.

GetGo # 3191, Storage Tank Facility ID # **02-30678**, 1675 Duncan Avenue, Allison Park, PA 15101, McCandless Township, **Allegheny County**. PVE, LLC, 2000 Georgetown Drive, Suite 101, Sewickley, PA 15143, on behalf of Giant Eagle, Inc., 700 Cranberry Woods Drive, Cranberry Township, PA 16066, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The combined

plan and report was acceptable to meet the nonresidential Statewide health and site-specific standards and was approved by DEP on October 16, 2024.

Monach's Service Station, Storage Tank Facility ID # **63-13119**, 9th and McKean Streets, Charleroi Borough, PA 15022, Charleroi Borough, **Washington County**. SE Technologies LLC, 500 Mosites Way, Pittsburgh, PA 15205, on behalf of Monack's Service Station, 9th and McKean Streets, Charleroi, PA 15022, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with leaded and unleaded gasoline. The combined plan and report was acceptable to meet the nonresidential Statewide health standards and was approved by DEP on October 17, 2024.

SPECIAL NOTICES

WATER PROGRAMS

WATER OBSTRUCTIONS AND ENCROACHMENTS

Regional Permit Coordination Office: 400 Market Street, Harrisburg, PA 17101, Kevin White, P.E., Acting Director, 717-772-5987.

E5383224-005. Eastern Gas Transmission and Storage, Inc. (EGTS), 10700 Energy Way, Glen Allen, VA 23060. Sharon Township, **Potter County**, U.S. Army Corps of Engineers, Pittsburgh District.

To construct and maintain the following water obstructions and encroachments associated with the Sharon Drip LN-324 Project:

1. A drip line which will permanently impact approximately 19 square feet of the floodway of Plank Creek (CWF) and 10 square feet of a PEM wetland (Other).
2. A gravel access road and turnaround to allow safe access to the proposed drip line permanently impacting

2,385 square feet of a PEM wetland (Other) and 1,407 square feet of the floodway of Plank Creek.

3. Replace an existing undersized, crushed 17-foot long, 36-inch diameter culvert crossing of Plank Creek (CWF) with a 20-foot long, 64-inch by 43-inch arch culvert impacting approximately 224 sq ft of Plank Creek.

4. A rock cross vane to protect the existing LN-324 pipeline in Plank Creek impacting approximately 70 sq ft of Plank Creek (CWF).

5. To stabilize 40 linear feet of streambank of Plank Creek (CWF) with vegetative plantings.

To compensate for the permanent wetland impacts, the Applicant is proposing to pay into Pennsylvania's In Lieu Fee Program (PIESCES).

The project is located approximately 0.50 mile from the intersection of Dodge Road and Plank Road (Oswayo, PA Quadrangle, Latitude: 41.97040°; Longitude: -78.10474°) in Sharon Township, Potter County.

EROSION AND SEDIMENT CONTROL

Regional Permit Coordination Office: 400 Market Street, Harrisburg, PA 17101, Email: RA-EPREGIONALPERMIT@pa.gov.

ESG830023002-01. The Department of Environmental Protection (Department) provides notice of final action regarding the following Chapter 102, Erosion and Sediment Control Permit Application related to Earth Disturbance Associated with Oil and Gas Exploration, Production, Processing or Treatment Operations or Transmission Facilities.

Line 4010 Replacement Project, Clover Township, Knox Township and Rose Township, **Jefferson County**. The original project is proposing to replace approximately 4.56 miles of existing Line 4010 natural gas pipeline. The Major Amendment is proposing to construct an M&R building, access road and turnaround.

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Counties</i>	<i>DEP Office</i>
ESG830023002-01	Columbia Gas Transmission, LLC P.O. Box 1273 1700 MacCorkle Ave SE Charleston, WV 25325	Jefferson County	Regional Permit Coordination Office

Any person aggrieved by this action may challenge it in an appropriate legal forum. The State and Federal courts are currently split on whether the proper forum to challenge a Department permit, authorization or approval for a facility or activity subject to the Federal Natural Gas Act, 15 U.S.C.A. §§ 717 et seq., is the United States Court of Appeals for the Third Circuit or the Pennsylvania Environmental Hearing Board. See *Delaware Riverkeeper Network v. Sec'y, Dept of Env'tl. Prot.*, 833 F.3d 360 (3d Cir. 2016); *Delaware Riverkeeper Network v. Sec'y, Dept. of Env'tl. Prot.*, 903 F.3d 65 (3d Cir. 2018), cert. denied, 139 S. Ct. 1648, 203 L. Ed. 899 (2019) and *Cole v. Dept. of Env'tl. Prot.*, 1577 C.D. 2019 WL 2420667 (Pa. Cmwlth Ct. June 15, 2021) (Pet. for Allowance of Appeal pending); *West Rockhill Twp. v. Dept. of Env'tl. Prot.*, No. 1595 C.D. 2019 WL 2426014 (Pa. Cmwlth. June 15, 2021) (Pet. for Allowance of Appeal pending). You should promptly consult with a lawyer on the steps to take if you wish to challenge this action and to best protect your interests. Important legal rights are at stake. You should show this document to a lawyer at once.

WASTE, AIR, RADIATION AND REMEDIATION

Notice of Certification to Perform Radon-Related Activities in Pennsylvania.

Central Office: Radiation Protection Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101.

Contact: 717-783-3594, RA-EPRadon@pa.gov.

In the month of September 2024, Department of Environmental Protection of the Commonwealth of Pennsylvania, under the authority contained in the Radon Certification Act, act of July 9, 1987, P.L. 238, No. 43 (63 P.S. §§ 2001—2014) and regulations promulgated thereunder at 25 Pa. Code Chapter 240, has certified the persons listed as follows to perform radon related activities in Pennsylvania. The period of certification is two years. (For a complete list of persons currently certified to perform radon-related activities in Pennsylvania and for information as to the specific testing devices that persons certified for testing or laboratory are certified to use, contact the Bureau of Radiation Protection, Radon Division, P.O. Box 8469, Harrisburg, PA 17105-8469, (1-800-23RADON).

<i>Name</i>	<i>Address</i>	<i>Certification</i>
Jeffrey Biondo	443 2nd Street Blakely, PA 18447-1217	Testing Individual
J.L. Camp Inspection Services, Inc.	6006 Forest Drive Monaca, PA 15061-2246	Testing Firm
Sean McNamara	173 Green Street Emmaus, PA 18049-4004	Testing Individual
CDA Inspection Services, Inc.	173 Green Street Emmaus, PA 18049-4004	Testing Firm
Brian Allen	2288 Township Road Quakertown, PA 18951	Mitigation Individual
Kevin Kenny	47 Cook Road Duncannon, PA 17020-9723	Testing Individual
Gregory Newman	4364 Vista Drive Nazareth, PA 18064-9644	Testing Individual
Newman's Home, LLC	4364 Vista Drive Nazareth, PA 18064-9644	Testing Firm
Kimberly Baker	1564 Dry Hollow Road Warrior Mark, PA 16877-6315	Testing Individual
Melissa Gladstein	1335 Gateway Drive Suite 2004 Melbourne, FL 32901-2637	Laboratory Individual
Sun Radon, LLC	1335 Gateway Drive Suite 2004 Melbourne, FL 32901-2637	Laboratory Firm
Kenneth Whitt	8557 Smokey Hollow Drive Lewis Center, OH 43035-8787	Testing Individual
Kenneth Whitt	8557 Smokey Hollow Drive Lewis Center, OH 43035-8787	itigation Individual
Deborah Mancini	2839 Liberty Avenue Suite 2509 Pittsburgh, PA 15222-4772	Testing Individual
A Harmony Home Inspection, LLC	2839 Liberty Avenue Suite 2509 Pittsburgh, PA 15222-4772	Testing Firm
Dale Metzger	3450 Lurman Drive Macungie, PA 18062-2141	Mitigation Individual

Plan Revision Approval under the Municipal Waste Planning, Recycling and Waste Reduction Act of 1988, Act 101.

Southcentral Region: Carrie Fleming, Waste Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

The Department of Environmental Protection (Department) approved the South Central Counties Solid Waste Agency (Bedford, Fulton and Huntingdon Counties) Municipal Solid Waste Management Plan 2024-2034 Revision on October 18, 2024.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Environmental Hearing Board (Board) through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotope from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

The plan revision is a public document and may be viewed at the Southcentral Regional Office at the address previously noted.

Questions concerning this approval should be directed to Mark Vottero, Acting Program Manager Department of Environmental Protection, Bureau Waste Management, Division of Waste Minimization and Planning, P.O. Box 8472, Harrisburg, PA 17105-8472 or to Carrie Fleming, Environmental Program Manager, Waste Management at the Regional Office previously noted.

[Pa.B. Doc. No. 24-1578. Filed for public inspection November 1, 2024, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Availability of Technical Guidance

Technical guidance documents (TGD) are available on the Department of Environmental Protection's (Department) web site at www.dep.state.pa.us/elibrary/. The "Technical Guidance Final Documents" heading is the link to a menu of the various Department bureaus where each bureau's final TGDs are posted. The "Technical Guidance Draft Documents" heading is the link to the Department's draft TGDs.

Ordering Paper Copies of Department Technical Guidance

The Department encourages the use of the Internet to view and download TGDs. When this option is not available, persons can order a paper copy of any of the Department's draft or final TGDs by contacting the Department at (717) 783-8727.

In addition, bound copies of some of the Department's documents are available as Department publications. Check with the appropriate bureau for more information about the availability of a particular document as a publication.

Changes to TGDs

Following is the current list of recent changes. Persons who have questions or comments about a particular

document should contact the person whose name and phone number are listed with each document.

Notice of Intent to Withdraw TGD

Title of TGD: Permit Transfers (563-2112-218). *Title of TGD:* Completeness Review for Acceptance of Coal Mining Activity Permit (563-2112-2113). *Title of TGD:* Fixing Water Samples (562-3200-203). *Description:* Mining Programs is rescinding these three TGDs as they are no longer needed for the reasons outlined. *Permit Transfers:* The pertinent information is now contained in the permit application form and instructions. *Completeness Review for Acceptance of Coal Mining Activity Permit:* This document contains mostly internal information that no longer matches the permit applications or processes and has been replaced by standard operating procedures. *Fixing Water Samples:* This document was replaced by an internal standard operating procedure.

Contact: Gregory G. Shuler, PG, (717) 783-1199, gshuler@pa.gov.

Effective Date: This notice of intent to withdraw these three guidance documents will take effect 10 working days upon publication in the *Pennsylvania Bulletin*.

JESSICA SHIRLEY,
Acting Secretary

[Pa.B. Doc. No. 24-1579. Filed for public inspection November 1, 2024, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Recycling Grant Awards under the Municipal Waste Planning, Recycling and Waste Reduction Act of 1988, Act 101

The Department of Environmental Protection announces the following grants to municipalities for recycling programs under section 902 of the Municipal Waste Planning, Recycling and Waste Reduction Act (act) (53 P.S. § 4000.902). An amount of \$18.9 million in grants was awarded to 126 municipalities outlined as follows.

Grant funds are used to develop and implement recycling programs. Municipalities and counties are eligible for up to 90% funding of approved recycling program costs. Municipalities considered financially distressed by the Department of Community and Economic Development under the Municipalities Financial Recovery Act (53 P.S. §§ 11701.101—11701.712), also known as the Financially Distressed Municipalities Act, are eligible for 100% of approved costs. Grant awards are predicated on the receipt of recycling fees required by sections 701 and 702 of the act (53 P.S. §§ 4000.701 and 4000.702) and the availability of moneys in the Recycling Fund.

Inquiries regarding the grant offerings should be directed to Mark Vottero, Acting Environmental Program Manager, Department of Environmental Protection, Bureau of Waste Management, Division of Waste Minimization and Planning, Rachel Carson State Office Building, P.O. Box 8472, Harrisburg, PA 17105-8472.

<i>Municipality/County</i>		<i>Project</i>	<i>Award</i>
Southeast Region			
1	Caln Township Chester County	Yard Waste and Curbside Collection Programs	\$170,691
2	Chester County Solid Waste Authority Chester County	Yard Waste Processing Program	\$142,546
3	Phoenixville Borough Chester County	Yard Waste Collection Program	\$200,000

NOTICES

7285

<i>Municipality/County</i>		<i>Project</i>	<i>Award</i>
4	Upper Uwchlan Township Chester County	Curbside Collection Program	\$30,606
5	Valley Township Chester County	Curbside Collection Program	\$200,000
6	West Chester Borough Chester County	Curbside Collection Program	\$200,000
7	Folcroft Borough Delaware County	Curbside Recycling and Yard Waste Collection Programs	\$104,853
8	Swarthmore Borough Delaware County	Curbside Yard Waste Collection Program	\$200,000
9	Upper Chichester Township Delaware County	Curbside Recycling Program	\$200,000
10	Abington Township Montgomery County	Recycling Collection Program	\$200,000
11	Bridgeport Borough Montgomery County	Yard Waste Collection Program	\$6,737
12	Douglass Township Montgomery County	Yard Waste Processing Program	\$161,500
13	Jenkintown Borough Montgomery County	Curbside Collection Program	\$12,973
14	Lower Merion Township Montgomery County	Curbside Collection Program	\$70,622
15	Lower Moreland Township Montgomery County	Yard Waste Collection Program	\$200,000
16	Whitemarsh Township Montgomery County	Yard Waste Collection Program	\$122,019
17	Philadelphia City Philadelphia County	Recycling Education Program	\$200,000
<i>Northeast Region</i>			
18	Palmerton Borough Carbon County	Yard Waste Processing Program	\$200,000
19	Moscow Borough Lackawanna County	Curbside Leaf Collection Program	\$200,000
20	Scranton City Lackawanna County	Yard Waste Composting Program	\$180,168
21	Allentown City Lehigh County	Recycling Center	\$200,000
22	Coplay Borough Lehigh County	Curbside Recycling and Recycling Education Programs	\$13,126
23	Emmaus Borough Lehigh County	Curbside Leaf Collection Program	\$200,000
24	Lower Macungie Township Lehigh County	Curbside Leaf Collection Program	\$200,000
25	Upper Macungie Township Lehigh County	Yard Waste Processing Program	\$200,000
26	Whitehall Township Lehigh County	Curbside Recycling and Yard Waste Processing Programs	\$34,110
27	Jenkins Township Luzerne County	Curbside Recycling Program	\$189,790
28	Newport Township Luzerne County	Curbside Recycling Program	\$158,197
29	Plains Township Luzerne County	Curbside Leaf Collection Program	\$200,000
30	Coolbaugh Township Monroe County	Compost Center	\$180,529

<i>Municipality/County</i>		<i>Project</i>	<i>Award</i>
31	Oak Grove Multi-Municipal Compost Processing Board Monroe County	Yard Waste Composting Program	\$200,000
32	Bethlehem City Northampton County	Curbside Leaf Collection Program and Recycling Center	\$185,968
33	Nazareth Borough Northampton County	Recycling and Composting Center	\$200,000
34	Palmer Township Northampton County	Recycling Center	\$200,000
35	Tatamy Borough Northampton County	Curbside Leaf Collection Program	\$57,892
36	Schuylkill Haven Borough Schuylkill County	Compost Center	\$82,755
<i>Southcentral Region</i>			
37	Berks County Solid Waste Authority Berks County	Recycling Center	\$37,732
38	Bernville Borough Berks County	Leaf Waste Collection and Education Program	\$73,103
39	Colebrookdale Township Berks County	Curbside Recycling Collection and Education Program	\$41,901
40	Exeter Township Berks County	Curbside Leaf Collection and Processing, Recycling Collection and Education	\$197,660
41	Leesport Borough Berks County	Yard Waste Drop-off and Education Program	\$146,382
42	Lower Heidelberg Township Berks County	Curbside Leaf Collection Program	\$200,000
43	Mohnton Borough Berks County	Curbside Leaf Collection and Education Program	\$137,561
44	Muhlenberg Township Berks County	Yard Waste Drop-off and Education Program	\$190,574
45	Reading City Berks County	Curbside Leaf and Recycling Collection and Education Program	\$198,881
46	South Heidelberg Township Berks County	Curbside Recycling Collection and Education Program	\$135,539
47	Spring Township Berks County	Education, Yard Waste Drop-off and Curbside Collection Program	\$200,000
48	Wyomissing Borough Berks County	Recycling Collection and Education Program	\$117,788
49	Hollidaysburg Borough Blair County	Yard Waste Collection Program	\$200,000
50	Logan Township Blair County	Leaf Collection Program	\$181,620
51	Camp Hill Borough Cumberland County	Yard Waste Processing and Recycling Education Program	\$194,400
52	Carlisle Borough Cumberland County	Curbside Leaf Collection Program	\$200,000
53	East Pennsboro Township Cumberland County	Yard Waste Processing Program	\$191,758
54	Hampden Township Cumberland County	Yard Waste Collection Program	\$200,000
55	Lower Allen Township Cumberland County	Curbside Leaf Collection and Yard Waste Processing Program	\$197,646
56	New Cumberland Borough Cumberland County	Curbside Leaf Collection	\$149,614
57	South Middleton Township Cumberland County	Yard Waste Drop-off	\$200,000

<i>Municipality/County</i>		<i>Project</i>	<i>Award</i>
58	Upper Allen Township Cumberland County	Curbside Leaf Collection Program	\$200,000
59	Derry Township Dauphin County	Curbside Leaf Collection Program	\$101,478
60	Harrisburg City Dauphin County	Curbside Leaf Collection Program	\$200,000
61	Lower Paxton Township Dauphin County	Yard Waste Processing Program	\$127,545
62	Penbrook Borough Dauphin County	Yard Waste Drop-off and Processing Program	\$196,164
63	Swatara Township Dauphin County	Yard Waste Collection Program	\$153,818
64	East Cocalico Township Lancaster County	Yard Waste Processing Program	\$200,000
65	East Petersburg Borough Lancaster County	Recycling Education Program	\$2,313
66	Lancaster City Lancaster County	Recycling Education and Processing Program	\$149,916
67	Lancaster Township Lancaster County	Yard Waste Drop-off	\$200,000
68	Manheim Township Lancaster County	Yard Waste Processing Program	\$200,000
69	Mount Joy Borough Lancaster County	Yard Waste Drop-off and Education Program	\$200,000
70	Greater Lebanon Refuse Authority Lebanon County	Yard Waste Processing and Recycling Collection Program	\$199,995
71	Jonestown Borough Lebanon County	Curbside Leaf Collection and Education Program	\$64,800
72	North Lebanon Township Lebanon County	Yard Waste Collection Program	\$180,022
73	Richland Borough Lebanon County	Curbside Leaf Collection Program	\$200,000
74	South Londonderry Township Lebanon County	Curbside Leaf Collection Program	\$78,407
75	Union Township Lebanon County	Recycling Drop-off	\$57,618
76	Mifflin County Solid Waste Authority Mifflin County	Recycling Collection and Drop-off Program	\$111,699
77	Carroll Township York County	Curbside Recycling Collection and Education Program	\$16,275
78	Dillsburg Borough York County	Curbside Recycling Collection Program	\$18,625
79	Fairview Township York County	Curbside Leaf Collection and Processing and Education Program	\$137,942
80	Hanover Borough York County	Recycling Collection and Drop-off Program	\$200,000
81	Manchester Township York County	Leaf Collection Program	\$81,269
82	New Freedom Borough York County	Yard Waste Collection, Public Education and Drop-off Recycling Programs	\$138,330
83	Penn Township York County	Recycling Collection, Yard Waste Processing and Public Education	\$116,911
84	Spring Garden Township York County	Yard Waste Collection Program	\$10,890
85	York Township York County	Yard Waste Collection Program	\$200,000

<i>Municipality/County</i>		<i>Project</i>	<i>Award</i>
<i>Northcentral Region</i>			
86	Sayre Borough Bradford County	Curbside Collection Program	\$200,000
87	Bellefonte Borough Centre County	Yard Waste Processing Program	\$200,000
88	Centre County Recycling and Refuse Authority Centre County	Curbside Collection Program	\$200,000
89	Philipsburg Borough Centre County	Curbside Collection Program	\$200,000
90	Snow Shoe Township Centre County	Yard Waste Processing Program	\$85,000
91	Spring Township Centre County	Leaf and Yard Waste Collection Program	\$200,000
92	State College Borough Centre County	Yard Waste Collection Program	\$200,000
93	Clinton County Solid Waste Authority Clinton County	Curbside Collection Program	\$200,000
94	Lycoming County Lycoming County	Curbside Collection Program	\$200,000
95	Montoursville Borough Lycoming County	Leaf and Yard Waste Collection Program	\$114,000
96	South Williamsport Borough Lycoming County	Leaf and Yard Waste Collection and Processing Program	\$158,427
97	Milton Borough Northumberland County	Leaf and Yard Waste Collection Program	\$111,013
98	Mount Carmel Township Northumberland County	Collection Program and Recycling Processing Building	\$192,390
99	Sunbury City Municipal Authority Northumberland County	Recycling Processing Program	\$178,002
100	Penn Township Snyder County	Leaf and Yard Waste Collection Program and Yard Waste Drop-off	\$167,500
101	East Buffalo Township Union County	Yard Waste Processing Program	\$200,000
102	Union County Union County	Collection and Processing Program and Yard Waste Drop-off	\$62,000
<i>Southwest Region</i>			
103	Forest Hills Borough Allegheny County	Yard Waste Curbside Collection Program	\$200,000
104	Fox Chapel Borough Allegheny County	Yard Waste Processing, Yard Waste and Recycling Collection and Education	\$117,234
105	Mount Lebanon Allegheny County	Yard Waste Processing Program	\$200,000
106	Pittsburgh City Allegheny County	Recycling Curbside Collection and Education Program	\$200,000
107	Plum Borough Allegheny County	Yard Waste Curbside Collection	\$116,820
108	Wilkins Township Allegheny County	Recycling Curbside Collection and Education Program	\$144,000
109	Chippewa Township Beaver County	Yard Waste Drop-off and Education Program	\$66,960
110	Cambria County Solid Waste Authority Cambria County	Recycling Drop-off Program	\$200,000
111	Fayette County Fayette County	Recycling Center and Education Program	\$200,000

<i>Municipality/County</i>		<i>Project</i>	<i>Award</i>
112	Greene County Greene County	Recycling Center	\$54,000
113	East Washington Borough Washington County	Yard Waste Curbside Collection and Education Program	\$144,000
<i>Northwest Region</i>			
114	Armstrong County Armstrong County	Recycling Center Collection and Processing Programs	\$115,322
115	Butler County Butler County	Recycling Collection Program	\$159,759
116	Elk County Solid Waste Authority Elk County	Recycling Center and Processing Program	\$118,446
117	Erie City Erie County	Compost Center Processing Program	\$200,000
118	Millcreek Township Erie County	Yard Waste Processing, Curbside Recycling and Education Program	\$200,000
119	Indiana County Solid Waste Authority Indiana County	Compost Center Processing Program	\$200,000
120	Jefferson County Solid Waste Authority Jefferson County	Curbside and Drop-off Recycling and Education Program	\$78,574
121	New Castle City Lawrence County	Curbside Recycling Collection Program	\$22,950
122	Bradford City McKean County	Recycling Center Collection and Education Programs	\$31,019
123	Grove City Borough Mercer County	Yard Waste Processing Program	\$95,200
124	Mercer County Mercer County	Curbside and Drop-off Recycling Collection and Education Program	\$157,518
125	Franklin City Venango County	Yard Waste Collection Program	\$163,698
126	Warren City Warren County	Curbside Recycling and Yard Waste Collection and Education Program	\$200,000

JESSICA SHIRLEY,
Acting Secretary

[Pa.B. Doc. No. 24-1580. Filed for public inspection November 1, 2024, 9:00 a.m.]

DEPARTMENT OF HEALTH

Long-Term Care Nursing Facilities; Requests for Exception

The following long-term care nursing facilities are seeking exceptions to 28 Pa. Code § 201.18(d.1) (relating to management):

HRH Transitional Care Unit
a d/b/a entity of HRH
1648 Huntingdon Pike
Meadowbrook, PA 19046
FAC ID # 083902

Saint Joseph's Manor
a d/b/a entity of HRHS
1616 Huntingdon Pike
Meadowbrook, PA 19046
FAC ID # 451002

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 204.3(b) (relating to buildings and grounds; general):

Rittenhouse Post Acute
Penn Med Rittenhouse Campus
1800 Lombard Street
5th Floor
Philadelphia, PA 19146
FAC ID # 421102

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 204.9(a) and (d) (relating to bathing facilities):

Rittenhouse Post Acute
Penn Med Rittenhouse Campus
1800 Lombard Street
5th Floor
Philadelphia, PA 19146
FAC ID # 421102

These requests are on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Nursing Care Facilities, Room 526, Health and Human Services Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed contact information.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so, should contact the Division at the previously listed address or phone number, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DEBRA L. BOGEN,
Secretary

[Pa.B. Doc. No. 24-1581. Filed for public inspection November 1, 2024, 9:00 a.m.]

DEPARTMENT OF HEALTH

Spinal Cord Research Advisory Committee Meeting

The Department of Health's Spinal Cord Research Advisory Committee (Committee), established by section 903.1(b) of the Tobacco Settlement Act (35 P.S. § 5701.903A(b)), will hold a public meeting on Monday, November 18, 2024, from 10:30 a.m. to 11:30 a.m. The meeting will be held in person at Saint John's Evangelical Lutheran Church, 910 Allentown Road, Sellersville, PA 18960 and virtually by means of Microsoft Teams at (267) 332-8737. The conference ID is 366 019 677#.

The purpose of the meeting is to receive feedback from recipients of the Commonwealth Universal Research Enhancement Program (CURE) funding, review the timeline of 2023 grants and release of the 2024 request for application and to discuss the Committee feedback process and the Committee's recommended changes.

For additional information or for persons with disabilities who wish to attend the meeting and require an auxiliary aid, service or other accommodation, contact Will Cramer, Director, Health Research Office or Galen Graham, Public Health Program Administrator, Health Research Office at (717) 836-3623, ra-healthresearch@pa.gov. For speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Check the Department of Health, Health Research Office CURE Spinal Cord Research Advisory Committee web site at <https://bit.ly/3NO2Kz3> for any changes to this public meeting.

This meeting is subject to cancellation without notice.

DR. DEBRA L. BOGEN,
Secretary

[Pa.B. Doc. No. 24-1582. Filed for public inspection November 1, 2024, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Corrected Fee Schedule Rates for Select Services Funded Through the Office of Developmental Programs' Consolidated, Community Living, Person/Family Directed Support and Adult Autism Waivers and the Community Intellectual Disability Base-Funded Program

The Department of Human Services (Department) published final notice of Fee Schedule Rates for services funded through the Consolidated, Community Living, Person/Family Directed Support (P/FDS) and Adult Autism Waivers and the Department-established fees for base-funded services at 54 Pa.B. 5541 (August 31, 2024). After the notice was issued, the Department realized that corrections were needed to several of the rates. The Department is providing final notice of the correct rates.

Discussion

Due to a calculation error, the Department has made corrections to the Fee Schedule Rates for the following services funded through the Consolidated, Community Living and P/FDS Waivers and base-funding:

- Community Participation Support, effective July 1, 2024
- Life Sharing Without Day 1-person needs group 3 and 4, effective October 1, 2024

Additionally, due to a mistake in aligning the procedure code with the correct Statewide fee, the Department is republishing the Fee Schedule Rates for the following services funded through the Adult Autism Waiver effective July 1, 2024:

- Residential Habilitation
- Specialized Skill Development
- Supported Employment
- Career Planning
- Therapies
- Day Unit Respite
- 15-minute unit Respite
- Supports Coordination
- Transportation—Trip

The final Fee Schedule Rates and Department-established fees for the previously listed services are included in the following tables and have been available online at <https://www.dhs.pa.gov/providers/Providers/Pages/ODP-Rates.aspx> since September 4, 2024. The Department notified interested persons of the correction in communication 24-087, published on the Office of Developmental Programs' ListServs on September 4, 2024.

COMMUNITY PARTICIPATION SUPPORT SERVICES FEE SCHEDULE RATES FOR THE CONSOLIDATED, COMMUNITY LIVING AND P/FDS WAIVERS EFFECTIVE JULY 1, 2024

Rates in the table are per 15-minute unit.

<i>Service Name</i>		<i>Staffing Level</i>	<i>Procedure Code</i>	<i>Statewide Fee</i>	<i>Enhanced Communication Statewide Fee</i>
Community Participation Support	Community	1:2 or 1:3	W9351	\$7.54	\$8.66
		2:3	W9352	\$11.26	\$14.69
		1:1	W5996	\$13.83	\$16.17
		1:1 enhanced	W5997	\$19.26	\$23.09
		2:1	W5993	\$26.59	\$31.40
		2:1 enhanced	W5994	\$32.08	\$38.26
	Facility	1:11 to 1:15	W7222	\$3.20	\$3.53
		1:7 to 1:10	W7223	\$3.43	\$3.90
		1:4 to 1:6	W7226	\$5.65	\$6.49
		1:2 to 1:3	W7224	\$7.39	\$8.53
		1:1	W7244	\$13.39	\$15.66
		1:1 enhanced	W9353	\$18.65	\$22.31
		2:1	W7269	\$25.67	\$30.20
		2:1 enhanced	W9356	\$30.94	\$36.85

LIFE SHARING SERVICES FEE SCHEDULE RATES FOR THE CONSOLIDATED AND COMMUNITY LIVING WAIVERS EFFECTIVE OCTOBER 1, 2024

Rates in the table are per day unit.

<i>Service Group</i>	<i>Needs Group</i>	<i>Program Capacity</i>	<i>Procedure Code</i>	<i>Statewide Fee</i>	<i>Enhanced Communication Statewide Fee</i>
Life Sharing—Over 30 Hours Per Week On Average Without Day	Needs Group 3	1 person	W8593	\$325.99	\$342.29
	Needs Group 4	1 person	W8593	\$414.65	\$435.38

FEE SCHEDULE RATES FOR SELECT ADULT AUTISM WAIVER SERVICES EFFECTIVE JULY 1, 2024

Rates in the table are per 15-minute unit unless otherwise noted.

<i>Service Name</i>		<i>Staffing Level</i>	<i>Procedure Code</i>	<i>Statewide Fee</i>
Residential Habilitation	Community Home	Light	W7228	\$168.87 (per day)
		Limited	W7229	\$237.09 (per day)
		Extensive	W7230	\$309.47 (per day)
		Intensive	W7231	\$600.74 (per day)
		Intensive +	W7232	\$709.30 (per day)
	Life Sharing	Low	W7052	\$181.57 (per day)
		Medium	W7054	\$220.48 (per day)
		High	W7053	\$259.39 (per day)

<i>Service Name</i>		<i>Staffing Level</i>	<i>Procedure Code</i>	<i>Statewide Fee</i>
Specialized Skill Development	Behavioral Specialist (Plan Development)	1:1	96156	\$1,890.66 (per unit)
	Behavioral Specialist (Consult)	1:1	96171	\$23.63
	Behavioral Specialist (Direct)	1:1	96159	\$23.63
	Systematic Skill Building (Plan Development)	1:1	W7214	\$659.69 (per unit)
	Systematic Skill Building (Consult)	1:1	W7216	\$19.02
	Systematic Skill Building (Direct)	1:1	W7215	\$19.02
	Community Support		1:1	W7201
		1:2	W7204	\$6.73
		1:3	W7205	\$4.82
Small Group Employment		< 1:6 to > 1:3.5	W0012	\$3.42
		< 1:3.5 to > 1:1	W0011	\$5.03
Supported Employment	Intensive Job Coaching (Direct)	1:1	W7200	\$20.13
	Intensive Job Coaching (Indirect)	1:1	W7207	\$20.13
	Extended Employment Supports (Direct)	1:1	W7206	\$20.13
	Extended Employment Supports (Indirect)	1:1	W7202	\$20.13
Career Planning	Vocational Assessment	1:1	W7071	\$20.13
	Job Finding	1:1	W7077	\$20.13
Therapies	Counseling	1:1	T2025	\$24.17
	Speech/Language	1:1	T2025	\$25.44
Day Unit Respite	Licensed Out-of-Home	All staffing levels	W7211	\$302.46 (per day)
	Unlicensed Out-of-Home	All staffing levels	W9495	\$231.81 (per day)
15-Minute Unit	Respite In-Home	1:1	W7213	\$10.37
	Licensed Out-of-Home	All staffing levels	W7212	\$7.56
	Unlicensed Out-of-Home	All staffing levels	W9596	\$5.80
Supports Coordination	Plan Development	1:1	W7199	\$1,196.28 (per unit)
	Ongoing	1:1	T2024	\$25.67
Transportation—Trip	Zone 1		W7274	\$36.54
	Zone 2		W7275	\$65.78
	Zone 3		W7276	\$74.73

Copies of this notice may be obtained by contacting the Department of Human Services, Office of Developmental Programs, Division of Provider Assistance and Rate Setting, 4th Floor, Health and Human Services Building, 625 Forster Street, Harrisburg, PA 17120, ra-ratesetting@pa.gov.

Fiscal Impact

It is anticipated that there will be no additional cost to the Commonwealth in Fiscal Year 2024-2025 as a result of publishing the correct rates.

VALERIE A. ARKOOSH,
Secretary

Fiscal Note: 14-NOT-1660. No fiscal impact; recommends adoption.

[Pa.B. Doc. No. 24-1583. Filed for public inspection November 1, 2024, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Disproportionate Share Payments and Supplemental Payments to Qualifying Hospitals

The Department of Human Services (Department) is announcing its intent to allocate funds in Fiscal Year (FY) 2024-2025 for several classes of inpatient disproportionate share hospital (DSH) payments and supplemental payments to Medical Assistance (MA) enrolled, qualifying inpatient acute care general hospitals. The Department does not intend to otherwise change the qualifying criteria or payment methodology for these payments. The qualifying criteria and payment methodology for each payment are described in Pennsylvania's Medicaid State Plan.

All payment limitations are applicable, including those limitations that the Commonwealth may not exceed its aggregate annual DSH allotment, and that no hospital may receive DSH payments in excess of its hospital-specific limit.

The allocation of the funds for DSH payments described as follows is contingent on the availability of Federal financial participation for these payments.

Allocation of Funds

The Department intends to allocate \$16.281 million in total funds for DSH payments to qualifying acute care general hospitals that provide enhanced access to multiple types of medical care in economically distressed areas of this Commonwealth, upon approval by Centers for Medicare & Medicaid Services (CMS).

The Department intends to allocate \$1.336 million in total funds for DSH payments to qualifying acute care general hospitals to promote access to acute care services for MA eligible persons in less urban areas of this Commonwealth, upon approval by CMS.

The Department intends to allocate \$19.276 million in total funds for DSH payments to MA enrolled acute general hospitals that qualify as a trauma center for the purpose of improving access to readily available and coordinated trauma care, upon approval by CMS.

The Department intends to allocate \$11.135 million in total funds for DSH payments to qualifying acute care hospitals to promote access to comprehensive inpatient services for MA eligible persons by assuring an adequate supply of health care professionals who have been trained in high volume MA enrolled hospital settings, upon approval by CMS.

The Department intends to allocate \$9.882 million in total funds for DSH payments to qualifying acute care general hospital burn centers, upon approval by CMS.

The Department intends to allocate \$30.465 million in total funds for DSH payments to qualifying acute care

general hospitals providing obstetrical and neonatal services, upon approval by CMS.

The Department intends to allocate \$0.500 million in total funds for DSH payments to qualifying teaching hospitals that provide psychiatric services to MA beneficiaries to help offset medical education costs of psychiatrists that are incurred by hospitals providing assistance to MA beneficiaries and uninsured persons, upon approval by CMS.

The Department intends to allocate \$21.250 million in total funds for DSH payments to critical access and qualifying rural hospitals, upon approval by CMS.

The Department intends to allocate \$0.902 million in total funds for DSH payments to qualifying acute care general hospitals that, in partnership with an independent facility listed as a Cleft and Craniofacial Team by the American Cleft Palate-Craniofacial Association, provide surgical services to patients with cleft palate and craniofacial abnormalities, upon approval by CMS.

The Department intends to allocate \$15.562 million in total funds for DSH payments to qualifying acute care general hospitals that serve the indigent population of cities with a per capita income significantly below the Statewide average for this Commonwealth, upon approval by CMS.

The Department intends to allocate \$0.776 million in total funds funding for DSH payments made to qualifying MA enrolled acute care general hospitals that provide a high volume of inpatient services to MA eligible and low-income populations, upon approval by CMS.

The Department intends to allocate \$5.678 million in total funds for DSH payments to qualifying acute care general hospitals that qualify as academic medical centers, upon approval by CMS.

The Department intends to allocate \$25.230 million in total funds for DSH payments to qualifying acute care general hospitals to provide additional support for the operation of academic medical programs through the medical education of health care professionals needed to treat the MA population, upon approval by CMS.

The Department intends to allocate \$7.793 million in total funds DSH payments to qualifying acute care general hospitals that participate in an academic medical program, upon approval by CMS.

The Department intends to allocate \$10.020 million in total funds for DSH payments to qualifying acute care general hospitals that provide a high volume of services to the MA population to promote continued access to inpatient and ancillary outpatient services in this Commonwealth and to support academic medical programs for integrated patient-centered medical services, upon approval by CMS.

The Department intends to allocate \$6.235 million in total funds for DSH payments to qualifying acute care general hospitals to promote the availability of professional medical services to MA populations in less urbanized areas of this Commonwealth by supporting medical education and academic medical programs, upon approval by CMS.

The Department intends to allocate \$9.281 million in total funds for supplemental payments to qualifying acute care general hospitals that provide medical and surgical ocular services to MA beneficiaries to ensure continued access to these critical eye related services, upon approval by CMS.

The Department intends to allocate \$108.777 million in total funds for supplemental payments to qualifying acute care general hospitals that treat a high volume of opioid use disorder patients in their emergency rooms, upon approval by CMS.

The Department intends to allocate \$59.030 million in total funds for supplemental payments to qualifying acute care general hospitals that treat a high percentage of MA patients under 18 years of age, upon approval by CMS.

The Department intends to allocate \$4.998 million in total funds for supplemental payments to qualifying acute care general hospitals located in a county with an estimated general population count of less than 1 million that serve a high percent of MA patients, upon approval by CMS.

The Department intends to allocate \$1.800 million in total funds for supplemental payments to qualifying acute care general hospitals that provide a substantial portion of their inpatient services to MA beneficiaries, upon approval by CMS.

Fiscal Impact

The FY 2024-2025 impact, as a result of the funding allocation for these payments, is \$366.207 million in total funds (State and Federal), upon approval by CMS.

Public Comment

Interested persons are invited to submit written comments regarding these DSH and supplemental payments to the Department of Human Services, Office of Medical Assistance Programs, c/o Regulations Coordinator, P.O. Box 2675, Harrisburg, PA 17120, RA-PWMAProgComments@pa.gov. The Department will review and consider comments received within 30 days in determining the final payment methodology for these payments.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania

Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

VALERIE A. ARKOOSH,
Secretary

Fiscal Note: 14-NOT-1662. Under section 612 of The Administrative Code of 1929 (71 P.S. § 232), (1) General Fund;

(7) MA—Fee for Service; (2) Implementing Year 2024-25 is \$68,566,000; (3) 1st Succeeding Year 2025-26 through 5th Succeeding Year 2029-30 are \$0; (4) 2023-24 Program—\$697,354,000; 2022-23 Program—\$589,137,000; 2021-22 Program—\$644,059,000;

(7) MA—Academic Medical Centers; (2) Implementing Year 2024-25 is \$24,681,000; (3) 1st Succeeding Year 2025-26 through 5th Succeeding Year 2029-30 are \$0; (4) 2023-24 Program—\$24,682,000; 2022-23 Program—\$22,111,000; 2021-22 Program—\$21,448,000;

(7) MA—Physician Practice Plans; (2) Implementing Year 2024-25 is \$4,000,000; (3) 1st Succeeding Year 2025-26 through 5th Succeeding Year 2029-30 are \$0; (4) 2023-24 Program—\$10,071,000; 2022-23 Program—\$9,706,000; 2021-22 Program—\$9,613,000;

(7) Autism Intervention; (2) Implementing Year 2024-25 is \$600,000; (3) 1st Succeeding Year 2025-26 through 5th Succeeding Year 2029-30 are \$0; (4) 2023-24 Program—\$31,679,000; 2022-23 Program—\$27,610,000; 2021-22 Program—\$27,493,000;

(7) MA—Hospital Based Burn Centers; (2) Implementing Year 2024-25 is \$4,438,000; (3) 1st Succeeding Year 2025-26 through 5th Succeeding Year 2029-30 are \$0; (4) 2023-24 Program—\$4,438,000; 2022-23 Program—\$3,975,000; 2021-22 Program—\$3,856,000;

(7) MA—Obstetric and Neonatal Services; (2) Implementing Year 2024-25 is \$10,682,000; (3) 1st Succeeding Year 2025-26 through 5th Succeeding Year 2029-30 are \$0; (4) 2023-24 Program—\$3,682,000; 2022-23 Program—\$2,986,000; 2021-22 Program—\$2,806,000;

(7) MA—Critical Access Hospitals; (2) Implementing Year 2024-25 is \$7,943,000; (3) 1st Succeeding Year 2025-26 through 5th Succeeding Year 2029-30 are \$0; (4) 2023-24 Program—\$14,472,000; 2022-23 Program—\$11,364,000; 2021-22 Program—\$10,927,000;

(7) MA—Trauma Centers; (2) Implementing Year 2024-25 is \$8,657,000; (3) 1st Succeeding Year 2025-26 through 5th Succeeding Year 2029-30 are \$0; (4) 2023-24 Program—\$8,657,000; 2022-23 Program—\$7,755,000; 2021-22 Program—\$7,522,000;

(8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 24-1584. Filed for public inspection November 1, 2024, 9:00 a.m.]

DEPARTMENT OF LABOR AND INDUSTRY

Bureau of Occupational and Industrial Safety Fee Schedule Update

Under section 613-A(c) of the Administrative Code of 1929 (71 P.S. § 240.13A(c)), the Department of Labor and Industry is publishing the following fee increases, effective November 2, 2024.

Elevators and Other Lifting Devices

Service	Fees Effective October 30, 2017	CPI Adjustment September 2018 Northeast Region 12-Month Average (2.2%)	CPI Adjustment September 2019 Northeast Region 12-Month Average (1.4%)	CPI Adjustment September 2020 Northeast Region 12-Month Average (1.2%)	CPI Adjustment September 2021 Northeast Region 12-Month Average (4.6%)	CPI Adjustment September 2022 Northeast Region 12-Month Average (7.2%)	CPI Adjustment September 2023 Northeast Region 12-Month Average (3.0%)	CPI Adjustment September 2024 Northeast Region 12-Month Average (3.4%)
1 Plans/Permit Approval Application								
A. Passenger, freight and combination passenger/freight elevators (not hydraulic elevators) 1-7 floors	\$663.00	\$677.59	\$687.07	\$695.32	\$727.30	\$779.67	\$803.06	\$830.36
Standard Fee								
Expedited plan review, approvals and inspections fee	\$1,663.00	\$1,699.59	\$1,723.38	\$1,744.06	\$1,824.29	\$1,955.64	\$2,014.31	\$2,082.79
Flat Rate	\$160.00	\$163.52	\$165.81	\$167.80	\$175.52	\$188.16	\$193.80	\$200.39
Plus per hour for inspections that occur outside normal business hours								
B. Passenger, freight and combination passenger/freight elevators (not hydraulic elevators) 8-20 floors	\$765.00	\$784.90	\$795.88	\$805.44	\$842.49	\$903.14	\$930.24	\$961.87
Standard Fee								
Expedited plan review, approvals and inspections fee	\$1,768.00	\$1,806.90	\$1,832.19	\$1,854.18	\$1,939.47	\$2,079.11	\$2,141.49	\$2,214.30
Flat Rate	\$160.00	\$163.52	\$165.81	\$167.80	\$175.52	\$188.16	\$193.80	\$200.39
Plus per hour for inspections that occur outside normal business hours								
C. Passenger, freight and combination passenger/freight elevators (not hydraulic elevators) More than 20 floors	\$950.00	\$970.90	\$984.49	\$996.31	\$1,042.14	\$1,117.17	\$1,150.69	\$1,189.81
Standard Fee								
Expedited plan review, approvals and inspections fee	\$1,950.00	\$1,992.90	\$2,020.80	\$2,045.05	\$2,139.12	\$2,283.14	\$2,361.93	\$2,442.24
Flat Rate	\$160.00	\$163.52	\$165.81	\$167.80	\$175.52	\$188.16	\$193.80	\$200.39
Plus per hour for inspections that occur outside normal business hours								
D. Hydraulic passenger, freight combination passenger/freight elevators/vertical lifts, inclined platform lifts, inclined stairway chair lifts, belt-maintainers, orchestra lifts, stage lifts, organ lifts and other lifting devices	\$581.00	\$593.78	\$602.09	\$609.32	\$637.35	\$683.24	\$703.74	\$727.66
Standard Fee								
Expedited plan review, approvals and inspections fee	\$1,581.00	\$1,615.78	\$1,638.40	\$1,658.06	\$1,734.33	\$1,859.21	\$1,914.98	\$1,980.09
Flat Rate	\$160.00	\$163.52	\$165.81	\$167.80	\$175.52	\$188.16	\$193.80	\$200.39
Plus per hour for inspections that occur outside normal business hours								
E. Ski Lifts (aerial passenger ropeways)	\$2,800.00	\$2,861.60	\$2,901.66	\$2,936.48	\$3,071.56	\$3,292.71	\$3,391.49	\$3,506.81
Standard Fee								
Expedited plan review, approvals and inspections fee	\$3,500.00	\$3,577.00	\$3,627.08	\$3,670.60	\$3,839.45	\$4,115.89	\$4,239.37	\$4,383.51
Flat Rate	\$320.00	\$327.04	\$331.62	\$335.60	\$351.04	\$376.31	\$387.60	\$400.78
Plus per hour for inspections that occur outside normal business hours								
F. Ski Lifts, non-aerial (surface lifts)	\$600.00	\$613.20	\$621.78	\$629.25	\$658.19	\$705.58	\$726.75	\$751.46
Standard Fee								
Expedited plan review, approvals and inspections fee	\$1,600.00	\$1,635.20	\$1,658.09	\$1,677.99	\$1,755.18	\$1,881.55	\$1,938.00	\$2,003.89
Flat Rate	\$320.00	\$327.04	\$331.62	\$335.60	\$351.04	\$376.31	\$387.60	\$400.78
Plus per hour for inspections that occur outside normal business hours								
G. Escalators and moving walks	\$558.00	\$570.28	\$578.26	\$585.20	\$612.12	\$656.19	\$675.88	\$698.86
Standard Fee								
Expedited plan review, approvals and inspections fee	\$1,558.00	\$1,592.28	\$1,614.57	\$1,633.94	\$1,709.10	\$1,832.16	\$1,887.12	\$1,951.29
Flat Rate	\$160.00	\$163.52	\$165.81	\$167.80	\$175.52	\$188.16	\$193.80	\$200.39
Plus per hour for inspections that occur outside normal business hours								
2 Alterations and major repairs								
Standard Fee	\$696.00	\$711.31	\$721.27	\$729.93	\$763.50	\$818.47	\$843.03	\$871.69
Expedited plan review, approvals and inspections fee	\$1,696.00	\$1,733.31	\$1,757.58	\$1,778.67	\$1,860.49	\$1,994.44	\$2,054.28	\$2,124.12
Flat Rate	\$160.00	\$163.52	\$165.81	\$167.80	\$175.52	\$188.16	\$193.80	\$200.39
Plus per hour for inspections that occur outside normal business hours								
3 Certificate renewals								
Two-year renewals	\$72.00	\$73.58	\$74.61	\$75.51	\$78.98	\$84.67	\$87.21	\$90.17
Four-year renewals	\$144.00	\$147.17	\$149.23	\$151.02	\$157.97	\$169.34	\$174.42	\$180.35
4 Elevator inspections								
A. Passenger, freight and combination passenger/freight elevators, except hydraulic elevators 1-7 floors	\$200.00	\$204.40	\$207.26	\$209.75	\$219.40	\$235.19	\$242.25	\$250.49
Standard Fee								
Expedited inspections fee	\$300.00	\$306.60	\$310.89	\$314.62	\$329.10	\$352.79	\$363.37	\$375.73
Flat Rate	\$160.00	\$163.52	\$165.81	\$167.80	\$175.52	\$188.16	\$193.80	\$200.39
Plus per hour for inspections that occur outside normal business hours								
B. Passenger, freight and combination passenger/freight elevators except hydraulic elevators 8-20 floors	\$236.00	\$241.19	\$244.57	\$247.50	\$258.89	\$277.53	\$285.85	\$295.57
Standard Fee								
Expedited inspections fee	\$336.00	\$343.39	\$348.20	\$352.38	\$368.59	\$395.13	\$406.98	\$420.82
Flat Rate	\$160.00	\$163.52	\$165.81	\$167.80	\$175.52	\$188.16	\$193.80	\$200.39
Plus per hour for inspections that occur outside normal business hours								
C. Passenger, freight and combination passenger/freight elevators except hydraulic elevators More than 20 floors	\$250.00	\$255.50	\$259.08	\$262.19	\$274.25	\$293.99	\$302.81	\$313.11
Standard Fee								
Expedited inspections fee	\$350.00	\$357.70	\$362.71	\$367.06	\$383.95	\$411.59	\$423.94	\$438.35
Flat Rate	\$160.00	\$163.52	\$165.81	\$167.80	\$175.52	\$188.16	\$193.80	\$200.39
Plus per hour for inspections that occur outside normal business hours								

J. Fixed grip aerial lifts										
Standard Fee	\$2,400.00	\$2,452.80	\$2,487.14	\$2,516.98	\$2,632.77	\$2,822.33	\$2,907.00	\$3,005.83		
Expedited action fee										
Flat Rate	\$2,600.00	\$2,657.20	\$2,694.40	\$2,726.73	\$2,852.16	\$3,057.52	\$3,149.24	\$3,256.32		
Plus per hour for inspections that occur outside normal business hours	\$320.00	\$327.04	\$331.62	\$335.60	\$351.04	\$376.31	\$387.60	\$400.78		
K. Other equipment										
Standard Fee	\$435.00	\$444.57	\$450.79	\$456.20	\$477.19	\$511.55	\$526.89	\$544.81		
Expedited action fee										
Flat Rate	\$635.00	\$648.97	\$658.06	\$665.95	\$696.59	\$746.74	\$769.14	\$795.29		
Plus per hour for inspections that occur outside normal business hours	\$160.00	\$163.52	\$165.81	\$167.80	\$175.52	\$188.16	\$193.80	\$200.39		
6. Special Approval										
Standard Fee	\$1,000.00	\$1,022.00	\$1,036.31	\$1,048.74	\$1,096.99	\$1,175.97	\$1,211.25	\$1,252.43		
plus \$115 per hour		plus \$ 117.53 per hour	plus \$119.18 per hour	plus \$120.61 per hour	plus \$126.16 per hour	plus \$135.24 per hour	plus \$139.30 per hour	plus \$144.04 per hour		
Expedited special approval inspections fee										
Flat Rate	\$2,000.00	\$2,044.00	\$2,072.62	\$2,097.49	\$2,193.97	\$2,351.94	\$2,422.50	\$2,504.86		
Plus per hour for inspections that occur outside normal business hours	\$160.00	\$163.52	\$165.81	\$167.80	\$175.52	\$188.16	\$193.80	\$200.39		
7. Reinspection following failed acceptance inspection										
Standard Fee	\$500.00	\$511.00	\$518.15	\$524.37	\$548.49	\$587.98	\$605.62	\$626.22		
Expedited special approval inspections fee										
Flat Rate	\$1,500.00	\$1,533.00	\$1,554.46	\$1,573.12	\$1,645.48	\$1,763.95	\$1,816.87	\$1,878.65		
Plus per hour for inspections that occur outside normal business hours	\$160.00	\$163.52	\$165.81	\$167.80	\$175.52	\$188.16	\$193.80	\$200.39		
8. Reinspection following failure to correct violations within allotted time period										
Standard Fee	\$200.00	\$204.40	\$207.26	\$209.75	\$219.40	\$235.19	\$242.25	\$250.49		
Expedited special approval inspections fee										
Flat Rate	\$1,200.00	\$1,226.40	\$1,243.57	\$1,258.49	\$1,316.38	\$1,411.16	\$1,453.50	\$1,502.92		
Plus per hour for inspections that occur outside normal business hours	\$160.00	\$163.52	\$165.81	\$167.80	\$175.52	\$188.16	\$193.80	\$200.39		
9. Copy of UCC Regulations for Elevators										
Duplicate certificate of operation	\$7.00	Not Applicable								
11. PA Industrial Board variances, appeals or requests for extensions of time										
Standard Fee	\$321.00	\$328.06	\$332.65	\$336.65	\$352.13	\$377.49	\$388.81	\$402.03		
Expedited action fee	\$1,321.00	\$1,350.06	\$1,368.96	\$1,385.39	\$1,449.12	\$1,553.45	\$1,600.06	\$1,654.46		
12. PA Accessibility Advisory Board variances, appeals or requests for extensions of time										
Standard Fee	\$321.00	\$328.06	\$332.65	\$336.65	\$352.13	\$377.49	\$388.81	\$402.03		
Expedited action fee	\$1,321.00	\$1,350.06	\$1,368.96	\$1,385.39	\$1,449.12	\$1,553.45	\$1,600.06	\$1,654.46		

Boilers and Unfired Pressure Vessels

			CPI Adjustment September 2018 Northeast Region 12-Month Average (2.2%)	CPI Adjustment September 2019 Northeast Region 12-Month Average (1.4%)	CPI Adjustment September 2020 Northeast Region 12- Month Average (1.2%)	CPI Adjustment September 2021 Northeast Region 12- Month Average (4.6%)	CPI Adjustment September 2022 Northeast Region 12- Month Average (7.2%)	CPI Adjustment September 2023 Northeast Region 12- Month Average (3.0%)	CPI Adjustment September 2024 Northeast Region 12- Month Average (3.4%)
1	Certificates of Operation-Annual								
	Unfired Pressure Vessel	\$72.00	\$73.58	\$74.61	\$75.51	\$78.98	\$84.67	\$87.21	\$90.17
	Boiler	\$44.00	\$44.97	\$45.60	\$46.14	\$48.27	\$51.74	\$53.29	\$55.11
2	Internal inspection of power boilers, high-pressure, high-temperature water boilers and miniature boilers								
	A. Boilers with heating surface of 50 sq. ft. or less								
	Standard Fee	\$65.00	\$66.43	\$67.36	\$68.17	\$71.30	\$76.44	\$78.73	\$81.41
	Expedited inspections								
	Flat Rate	\$165.00	\$168.63	\$170.99	\$173.04	\$181.00	\$194.03	\$199.86	\$206.65
	Plus per hour for inspections that occur outside normal business hours	\$160.00	\$163.52	\$165.81	\$167.80	\$175.52	\$188.16	\$193.80	\$200.39
	B. Boilers with heating surface of 51 to 3,999 sq. ft.								
	Standard Fee	\$125.00	\$127.75	\$129.54	\$131.09	\$137.12	\$147.00	\$151.41	\$156.55
	Expedited inspections								
	Flat Rate	\$225.00	\$229.95	\$233.17	\$235.97	\$246.82	\$264.59	\$272.53	\$281.80
	Plus per hour for inspections that occur outside normal business hours	\$160.00	\$163.52	\$165.81	\$167.80	\$175.52	\$188.16	\$193.80	\$200.39
	C. Boilers with heating surface of 4,000 to 9,999 sq. ft.								
	Standard Fee	\$175.00	\$178.85	\$181.35	\$183.53	\$191.97	\$205.79	\$211.97	\$219.18
	Expedited inspections								
	Flat Rate	\$275.00	\$281.05	\$284.98	\$288.40	\$301.67	\$323.39	\$333.09	\$344.42
	Plus per hour for inspections that occur outside normal business hours	\$160.00	\$163.52	\$165.81	\$167.80	\$175.52	\$188.16	\$193.80	\$200.39
	D. Boilers with heating surface to 10,000 sq. ft. or more								
	Standard Fee	\$210.00	\$214.62	\$217.62	\$220.24	\$230.37	\$246.95	\$254.36	\$263.01
	Expedited inspections								
	Flat Rate	\$310.00	\$316.82	\$321.26	\$325.11	\$340.07	\$364.45	\$375.49	\$388.25
	Plus per hour for inspections that occur outside normal business hours	\$160.00	\$163.52	\$165.81	\$167.80	\$175.52	\$188.16	\$193.80	\$200.39
	E. Miniature Boilers								
	Standard Fee	\$35.00	\$35.77	\$36.27	\$36.71	\$38.39	\$41.16	\$42.39	\$43.84
	Expedited inspections								
	Flat Rate	\$135.00	\$137.97	\$139.90	\$141.58	\$148.09	\$158.76	\$163.52	\$169.08
	Plus per hour for inspections that occur outside normal business hours	\$160.00	\$163.52	\$165.81	\$167.80	\$175.52	\$188.16	\$193.80	\$200.39
3	External inspection of power boilers, high-pressure, high-temperature water boilers								
	A. Boilers with heating surface of 50 sq. ft. or less								
	Standard Fee	\$55.00	\$56.21	\$57.00	\$57.68	\$60.33	\$64.68	\$66.62	\$68.88
	Expedited inspections								
	Flat Rate	\$155.00	\$158.41	\$160.63	\$162.56	\$170.03	\$182.28	\$187.74	\$194.13
	Plus per hour for inspections that occur outside normal business hours	\$160.00	\$163.52	\$165.81	\$167.80	\$175.52	\$188.16	\$193.80	\$200.39
	B. Boilers with more than 50 sq. ft. of heating surface								
	Standard Fee	\$80.00	\$81.76	\$82.90	\$83.90	\$87.76	\$94.08	\$96.90	\$100.19
	Expedited inspections								
	Flat Rate	\$180.00	\$183.96	\$186.54	\$188.77	\$197.46	\$211.67	\$218.02	\$225.44
	Plus per hour for inspections that occur outside normal business hours	\$160.00	\$163.52	\$165.81	\$167.80	\$175.52	\$188.16	\$193.80	\$200.39
	Internal or External inspection of low-pressure boilers								
	A. Heating boiler without a manhole								
	Standard Fee	\$55.00	\$56.21	\$57.00	\$57.68	\$60.33	\$64.68	\$66.62	\$68.88
	Expedited inspections								
	Flat Rate	\$155.00	\$158.41	\$160.63	\$162.56	\$170.03	\$182.28	\$187.74	\$194.13
	Plus per hour for inspections that occur outside normal business hours	\$160.00	\$163.52	\$165.81	\$167.80	\$175.52	\$188.16	\$193.80	\$200.39
	B. Heating boiler with a manhole								
	Standard Fee	\$100.00	\$102.20	\$103.63	\$104.87	\$109.70	\$117.60	\$121.12	\$125.24
	Expedited inspections								
	Flat Rate	\$200.00	\$204.40	\$207.26	\$209.75	\$219.40	\$235.19	\$242.25	\$250.49
	Plus per hour for inspections that occur outside normal business hours	\$160.00	\$163.52	\$165.81	\$167.80	\$175.52	\$188.16	\$193.80	\$200.39
	C. Hot water supply boiler/water heater								
	Standard Fee	\$55.00	\$56.21	\$57.00	\$57.68	\$60.33	\$64.68	\$66.62	\$68.88
	Expedited inspections								
	Flat Rate	\$155.00	\$158.41	\$160.63	\$162.56	\$170.03	\$182.28	\$187.74	\$194.13
	Plus per hour for inspections that occur outside normal business hours	\$160.00	\$163.52	\$165.81	\$167.80	\$175.52	\$188.16	\$193.80	\$200.39
5	Internal or External inspection of pressure vessels								
	A. Each pressure vessel subject to inspection having a cross-sectional area of 50 sq. ft. or less								
	Standard Fee	\$45.00	\$45.99	\$46.63	\$47.19	\$49.36	\$52.92	\$54.51	\$56.36
	Expedited inspections fee								
	Flat Rate	\$145.00	\$148.19	\$150.26	\$152.07	\$159.06	\$170.52	\$175.63	\$181.60
	Plus per hour for inspections that occur outside normal business hours	\$160.00	\$163.52	\$165.81	\$167.80	\$175.52	\$188.16	\$193.80	\$200.39

B. Each additional 100 sq. ft. of area in excess of 50 sq. ft.									
	Standard Fee	\$45.00	\$45.99	\$46.63	\$47.19	\$49.36	\$52.92	\$54.51	\$56.36
	Expedited inspections fee (per each additional 100 sq. ft. in excess of 50 sq. ft.)								
	Flat Rate	\$145.00	\$148.19	\$150.26	\$152.07	\$159.06	\$170.52	\$175.63	\$181.60
	Plus per hour for inspections that occur outside normal business hours	\$160.00	\$163.52	\$165.81	\$167.80	\$175.52	\$188.16	\$193.80	\$200.39
6	"Intent to Install" approval								
	High-pressure boilers and Low-pressure boilers								
	Standard Fee	\$100.00	\$102.20	\$103.63	\$104.87	\$109.70	\$117.60	\$121.12	\$125.24
	Expedited action fee								
	Flat Rate	\$1,100.00	\$1,124.20	\$1,139.94	\$1,153.62	\$1,206.68	\$1,293.57	\$1,332.37	\$1,377.67
	Plus per hour for inspections that occur outside normal business hours	\$160.00	\$163.52	\$165.81	\$167.80	\$175.52	\$188.16	\$193.80	\$200.39
7	Boiler inspections								
	Inspector's examination fee	\$150.00	\$153.30	\$155.45	\$157.31	\$164.55	\$176.40	\$181.69	\$187.86
	New credential card (annual renewal)	\$25.00	\$25.55	\$25.91	\$26.22	\$27.42	\$29.40	\$30.28	\$31.31
8	Hydrostatic test (Witnessed)								
	Standard Fee	\$65.00	\$66.43	\$67.36	\$68.17	\$71.30	\$76.44	\$78.73	\$81.41
	Expedited action								
	Flat Rate	\$165.00	\$168.63	\$170.99	\$173.04	\$181.00	\$194.03	\$199.86	\$206.65
	Plus per hour for inspections that occur outside normal business hours	\$160.00	\$163.52	\$165.81	\$167.80	\$175.52	\$188.16	\$193.80	\$200.39
9	Inspection of repair fee								
	Standard Fee	\$65.00	\$66.43	\$67.36	\$68.17	\$71.30	\$76.44	\$78.73	\$81.41
	Expedited inspections								
	Flat Rate	\$165.00	\$168.63	\$170.99	\$173.04	\$181.00	\$194.03	\$199.86	\$206.65
	Plus per hour for inspections that occur outside normal business hours	\$160.00	\$163.52	\$165.81	\$167.80	\$175.52	\$188.16	\$193.80	\$200.39
10	Copy of department boiler regulations that occur outside normal business hours	\$7.00	\$7.15	\$7.25	\$7.34	\$7.68	\$8.23	\$8.48	\$8.77
11	Duplicate certificate of operation	\$5.00	Not Applicable						
12	Boiler registry CD	\$75.00	Not Applicable						
13	Acceptance of boilers and pressure vessels not originally destined for use within this Commonwealth								
	Standard Fee	\$1,500.00	\$1,533.00	\$1,554.46	\$1,573.12	\$1,645.48	\$1,763.95	\$1,816.87	\$1,878.65
	Expedited action								
	Flat Rate	\$2,500.00	\$2,555.00	\$2,590.77	\$2,621.86	\$2,742.46	\$2,939.92	\$3,028.12	\$3,131.08
	Plus per hour for inspections that occur outside normal business hours	\$160.00	\$163.52	\$165.81	\$167.80	\$175.52	\$188.16	\$193.80	\$200.39
14	Industrial Board variance, appeal and request for extension of time								
	Standard Fee	\$321.00	\$328.06	\$332.65	\$336.65	\$352.13	\$377.49	\$388.81	\$402.03
	Expedited request	\$1,321.00	\$1,350.06	\$1,368.96	\$1,385.39	\$1,449.12	\$1,553.45	\$1,600.06	\$1,654.46

Buildings and Structures

Service	CPI Adjustment September 2018 Northeast Region 12-Month Average (2.2%)	CPI Adjustment September 2019 Northeast Region 12-Month Average (1.4%)	CPI Adjustment September 2020 Northeast Region 12-Month Average (1.2%)	CPI Adjustment September 2021 Northeast Region 12-Month Average (4.6%)	CPI Adjustment September 2022 Northeast Region 12-Month Average (7.2%)	CPI Adjustment September 2023 Northeast Region 12-Month Average (3.0%)	CPI Adjustment September 2024 Northeast Region 12-Month Average (3.4%)
1. Permit for new buildings and additions Standard Fee (plus \$0.81 per square foot of floor area or each fraction of floor area) Expedited Permits (plus \$0.81 per square foot of floor area or each fraction of floor area)	\$321.00	\$332.65	\$336.65	\$352.13	\$377.49	\$388.81	\$402.03
Flat Rate	\$1,321.00	\$1,368.96	\$1,385.39	\$1,449.12	\$1,553.45	\$1,600.06	\$1,654.46
Plus per hour for inspections that occur outside normal business hours	\$160.00	\$165.81	\$167.80	\$175.52	\$188.16	\$193.80	\$200.39
2. Permit for new structures and facilities other than buildings Standard Fee	\$965.00	\$1,000.04	\$1,012.04	\$1,058.59	\$1,134.81	\$1,168.85	\$1,208.60
Expedited Permits	\$1,965.00	\$2,008.23	\$2,060.78	\$2,155.58	\$2,310.78	\$2,380.10	\$2,461.03
Plus per hour for inspections that occur outside normal business hours	\$163.52	\$165.81	\$167.80	\$175.52	\$188.16	\$193.80	\$200.39
3. Permit for alterations, renovations or modifications to existing building structures Standard Fee Plus for each \$1,000 of estimated cost for alterations, renovations or modification as certified by the applicant	\$321.00	\$332.65	\$336.65	\$352.13	\$377.49	\$388.81	\$402.03
Expedited Permits	\$65.00	\$67.36	\$68.17	\$71.30	\$76.44	\$78.73	\$81.41
Plus per hour for inspections that occur outside normal business hours	\$65.00	\$67.36	\$68.17	\$71.30	\$76.44	\$78.73	\$81.41
4. Accessibility plan review and inspection Standard Fee	\$645.00	\$668.42	\$676.44	\$707.56	\$758.50	\$781.25	\$807.82
Expedited Permits	\$1,645.00	\$1,704.73	\$1,725.18	\$1,804.54	\$1,934.47	\$1,992.50	\$2,060.25
Plus per hour for inspections that occur outside normal business hours	\$160.00	\$165.81	\$167.80	\$175.52	\$188.16	\$193.80	\$200.39
5. Permit for building structure or structure demolition Standard Fee	\$321.00	\$332.65	\$336.65	\$352.13	\$377.49	\$388.81	\$402.03
Expedited Permit	\$1,321.00	\$1,368.96	\$1,385.39	\$1,449.12	\$1,553.45	\$1,600.06	\$1,654.46
Plus per hour for inspections that occur outside normal business hours	\$160.00	\$165.81	\$167.80	\$175.52	\$188.16	\$193.80	\$200.39
6. Annual Permit Standard Fee	\$321.00	\$332.65	\$336.65	\$352.13	\$377.49	\$388.81	\$402.03
Expedited Permits	\$1,321.00	\$1,368.96	\$1,385.39	\$1,449.12	\$1,553.45	\$1,600.06	\$1,654.46
Plus per hour for inspections that occur outside normal business hours	\$160.00	\$165.81	\$167.80	\$175.52	\$188.16	\$193.80	\$200.39
7. Revision of approved plans Standard Fee	\$500.00	\$518.15	\$524.37	\$548.49	\$587.98	\$605.62	\$626.22
Expedited Permits	\$1,500.00	\$1,554.46	\$1,573.12	\$1,645.48	\$1,765.95	\$1,816.87	\$1,878.65
Plus per hour for inspections that occur outside normal business hours	\$160.00	\$165.81	\$167.80	\$175.52	\$188.16	\$193.80	\$200.39
8. Industrial board variance, appeal and request for extension of time Standard Fee	\$321.00	\$332.65	\$336.65	\$352.13	\$377.49	\$388.81	\$402.03
Expedited Permits	\$1,321.00	\$1,368.96	\$1,385.39	\$1,449.12	\$1,553.45	\$1,600.06	\$1,654.46
9. Accessibility Advisory Board variance, appeal and request for extension of time Standard Fee	\$321.00	\$332.65	\$336.65	\$352.13	\$377.49	\$388.81	\$402.03
Expedited Permits	\$1,321.00	\$1,368.96	\$1,385.39	\$1,449.12	\$1,553.45	\$1,600.06	\$1,654.46
10. Permit phased (accelerated) approval Permit for in home day care	\$300.00	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable
11. Copies of approval construction documents (per page)	\$5.00	\$5.00	\$5.00	\$5.00	\$5.00	\$5.00	\$5.00
12. Duplicate certificate of occupancy (each)	\$5.00	\$5.00	\$5.00	\$5.00	\$5.00	\$5.00	\$5.00
13. Duplicate certificate of occupancy (each)	\$5.00	\$5.00	\$5.00	\$5.00	\$5.00	\$5.00	\$5.00

Flammable and Combustible Liquids

Service	Fees Effective October 30, 2017	CPI Adjustment September 2018 Northeast Region 12-Month Average (2.2%)		CPI Adjustment September 2019 Northeast Region 12-Month Average (1.4%)		CPI Adjustment September 2020 Northeast Region 12-Month Average (1.2%)		CPI Adjustment September 2021 Northeast Region 12-Month Average (4.6%)		CPI Adjustment September 2022 Northeast Region 12-Month Average (7.2%)		CPI Adjustment September 2023 Northeast Region 12-Month Average (3.0%)		CPI Adjustment September 2024 Northeast Region 12-Month Average (3.4%)	
1. Permit for the installation or replacement of tanks and pumps or dispensers	Standard Fee	\$700.00	\$715.40	\$725.42	\$734.12	\$767.89	\$823.18	\$847.87	\$876.70						
	Expedited Permits and Inspections														
	Flat Rate	\$1,700.00	\$1,737.40	\$1,761.72	\$1,782.86	\$1,864.88	\$1,999.15	\$2,059.12	\$2,129.13						
2. Permit for the installation or replacement of tanks	Plus per hour for inspections that occur outside normal business hours	\$160.00	\$163.52	\$165.81	\$167.80	\$175.52	\$188.16	\$193.80	\$200.39						
	Standard Fee	\$500.00	\$511.00	\$518.15	\$524.37	\$548.49	\$587.98	\$605.62	\$626.22						
	Expedited Permits and Inspections														
3. Permit for the installation or replacement of pumps or dispensers	Flat Rate	\$1,500.00	\$1,533.00	\$1,554.46	\$1,573.12	\$1,645.48	\$1,763.95	\$1,816.87	\$1,878.65						
	Plus per hour for inspections that occur outside normal business hours	\$160.00	\$163.52	\$165.81	\$167.80	\$175.52	\$188.16	\$193.80	\$200.39						
	Standard Fee	\$200.00	\$204.40	\$207.26	\$209.75	\$219.40	\$235.19	\$242.25	\$250.49						
4. Permit for the installation and rebuild of containers for compressed natural gas	Expedited Permits and Inspections														
	Flat Rate	\$1,200.00	\$1,226.40	\$1,243.57	\$1,258.49	\$1,316.38	\$1,411.16	\$1,453.50	\$1,502.92						
	Plus per hour for inspections that occur outside normal business hours	\$160.00	\$163.52	\$165.81	\$167.80	\$175.52	\$188.16	\$193.80	\$200.39						
5. Permit for the installation or replacement of compressed natural gas pumps and dispensers	Standard Fee	\$500.00	\$511.00	\$518.15	\$524.37	\$548.49	\$587.98	\$605.62	\$626.22						
	Expedited Permits and Inspections														
	Flat Rate	\$1,500.00	\$1,533.00	\$1,554.46	\$1,573.12	\$1,645.48	\$1,763.95	\$1,816.87	\$1,878.65						
6. Duplicate Permit	Plus per hour for inspections that occur outside normal business hours	\$160.00	\$163.52	\$165.81	\$167.80	\$175.52	\$188.16	\$193.80	\$200.39						
	Standard Fee	\$200.00	\$204.40	\$207.26	\$209.75	\$219.40	\$235.19	\$242.25	\$250.49						
	Expedited Permits and Inspections														
7. Industrial board variance, appeal and requests for extension of time	Flat Rate	\$1,200.00	\$1,226.40	\$1,243.57	\$1,258.49	\$1,316.38	\$1,411.16	\$1,453.50	\$1,502.92						
	Plus per hour for inspections that occur outside normal business hours	\$160.00	\$163.52	\$165.81	\$167.80	\$175.52	\$188.16	\$193.80	\$200.39						
	Standard Fee	\$75.00	Not Applicable												
Expedited Permits	Standard Fee	\$321.00	\$328.06	\$332.65	\$336.65	\$352.13	\$377.49	\$388.81	\$402.03						
	Plus per hour for inspections that occur outside normal business hours	\$1,321.00	\$1,350.06	\$1,368.96	\$1,385.39	\$1,449.12	\$1,553.45	\$1,600.06	\$1,654.46						

Liquefied Petroleum Gas

		CPI Adjustment September 2018 Northeast Region 12-Month Average (2.2%)	CPI Adjustment September 2019 Northeast Region 12-Month Average (1.4%)	CPI Adjustment September 2020 Northeast Region 12- Month Average (1.2%)	CPI Adjustment September 2021 Northeast Region 12- Month Average (4.6%)	CPI Adjustment September 2022 Northeast Region 12- Month Average (7.2%)	CPI Adjustment September 2023 Northeast Region 12- Month Average (3.0%)	CPI Adjustment September 2024 Northeast Region 12- Month Average (3.4%)
1	New registration and plan approval for bulk plants of 30,000 gallons or less Standard Fee	\$360.00	\$373.07	\$377.55	\$394.91	\$423.35	\$436.05	\$450.87
	Expedited Permits and Inspections							
	Fiat Rate	\$1,360.00	\$1,409.38	\$1,426.29	\$1,491.90	\$1,599.32	\$1,647.30	\$1,703.31
	Plus per hour for inspections that occur outside normal business hours	\$160.00	\$165.81	\$167.80	\$175.52	\$188.16	\$193.80	\$200.39
2	New registration and plan approval for bulk plants of 30,001-90,000 gallons Standard Fee	\$430.00	\$445.61	\$450.96	\$471.70	\$505.67	\$520.84	\$558.55
	Expedited Permits and Inspections							
	Fiat Rate	\$1,430.00	\$1,481.92	\$1,499.70	\$1,568.69	\$1,681.64	\$1,732.08	\$1,790.98
	Plus per hour for inspections that occur outside normal business hours	\$160.00	\$165.81	\$167.80	\$175.52	\$188.16	\$193.80	\$200.39
3	New registration and plan approval for bulk plants of 90,001 gallons or more Standard Fee	\$475.00	\$492.25	\$498.15	\$521.07	\$558.59	\$575.34	\$594.90
	Expedited Permits and Inspections							
	Fiat Rate	\$1,475.00	\$1,528.55	\$1,546.90	\$1,618.05	\$1,734.55	\$1,786.59	\$1,847.33
	Plus per hour for inspections that occur outside normal business hours	\$160.00	\$165.81	\$167.80	\$175.52	\$188.16	\$193.80	\$200.39
4	New registration and plan approval for industrial or utility users of 2,001-30,000 gallons Standard Fee	\$250.00	\$259.08	\$262.19	\$274.25	\$293.99	\$302.81	\$313.11
	Expedited Permits and Inspections							
	Fiat Rate	\$1,250.00	\$1,277.50	\$1,310.93	\$1,371.23	\$1,469.96	\$1,514.06	\$1,565.54
	Plus per hour for inspections that occur outside normal business hours	\$160.00	\$165.81	\$167.80	\$175.52	\$188.16	\$193.80	\$200.39
5	New registration and plan approval for industrial or utility users of 30,001-180,000 gallons Standard Fee	\$360.00	\$373.07	\$377.55	\$394.91	\$423.35	\$436.05	\$450.87
	Expedited Permits and Inspections							
	Fiat Rate	\$1,360.00	\$1,409.38	\$1,426.29	\$1,491.90	\$1,599.32	\$1,647.30	\$1,703.31
	Plus per hour for inspections that occur outside normal business hours	\$160.00	\$165.81	\$167.80	\$175.52	\$188.16	\$193.80	\$200.39
6	Registration and plan approval for industrial or utility users of 180,001 gallons or more Standard Fee	\$475.00	\$492.25	\$498.15	\$521.07	\$558.59	\$575.34	\$594.90
	Expedited Permits and Inspections							
	Fiat Rate	\$1,475.00	\$1,528.55	\$1,546.90	\$1,618.05	\$1,734.55	\$1,786.59	\$1,847.33
	Plus per hour for inspections that occur outside normal business hours	\$160.00	\$165.81	\$167.80	\$175.52	\$188.16	\$193.80	\$200.39
7	Plan approval of dispensing stations (please include applicable distributor registration fee with application) Standard Fee	\$50.00	Not Applicable					
	Expedited Permits and Inspections							
	Fiat Rate	\$1,050.00	\$1,088.12	\$1,101.18	\$1,151.84	\$1,234.77	\$1,271.81	\$1,315.05
	Plus per hour for inspections that occur outside normal business hours	\$160.00	\$165.81	\$167.80	\$175.52	\$188.16	\$193.80	\$200.39
8	Registration and plan approval for retail cylinder or exchange cabinets Standard Fee	\$150.00	\$155.45	\$157.31	\$164.55	\$176.40	\$181.69	\$187.86
	Expedited Permits and Inspections							
	Fiat Rate	\$1,150.00	\$1,191.75	\$1,206.06	\$1,261.53	\$1,352.36	\$1,392.94	\$1,440.29
	Plus per hour for inspections that occur outside normal business hours	\$160.00	\$165.81	\$167.80	\$175.52	\$188.16	\$193.80	\$200.39
9	Initial and annual registration renewal for distributors having less than 1,000 customers	\$175.00	\$181.35	\$183.53	\$191.97	\$205.79	\$211.97	\$219.18
10	Initial and annual registration renewal for distributors having 1,000-2,999 customers	\$300.00	\$310.89	\$314.62	\$329.10	\$352.79	\$363.37	\$375.73
11	Initial and annual registration renewal for distributors having 3,000-5,999 customers	\$375.00	\$388.25	\$393.28	\$411.37	\$440.99	\$454.22	\$469.66
12	Initial and annual registration renewal for distributors having 6,000 or more customers	\$500.00	\$518.15	\$524.37	\$548.49	\$587.98	\$605.62	\$626.22
13	Copy of department LP gas regulations	\$5.00	\$5.18	\$5.24	\$5.48	\$5.88	\$6.06	\$6.26
14	Annual registration renewal for bulk plants and industrial users	\$135.00	\$139.90	\$141.58	\$148.09	\$158.76	\$163.52	\$169.08
15	Annual registration renewal for cylinder or exchange cabinets	\$75.00	\$77.72	\$78.66	\$82.27	\$88.20	\$90.84	\$93.93
16	Industrial board variance, appeal and request for extension of time Standard Fee	\$321.00	\$332.65	\$336.65	\$352.13	\$377.49	\$388.81	\$402.03
	Expedited request	\$1,321.00	\$1,368.96	\$1,385.39	\$1,449.12	\$1,553.45	\$1,600.06	\$1,654.46

Certification, Accreditation and Licensing

Service	Fees Effective October 30, 2017	CPI Adjustment September 2018 Northeast Region 12-Month Average (2.2%)		CPI Adjustment September 2019 Northeast Region 12-Month Average (1.4%)		CPI Adjustment September 2020 Northeast Region 12-Month Average (1.2%)		CPI Adjustment September 2021 Northeast Region 12-Month Average (4.6%)		CPI Adjustment September 2022 Northeast Region 12-Month Average (7.2%)		CPI Adjustment September 2023 Northeast Region 12-Month Average (3.0%)		CPI Adjustment September 2024 Northeast Region 12-Month Average (3.4%)	
Boiler inspectors															
Inspector's examination fee	\$150.00	\$153.30	\$155.45	\$157.31	\$164.55	\$176.40	\$181.69	\$187.86							
New credential card (annual renewal)	\$25.00	\$25.55	\$25.91	\$26.22	\$27.42	\$29.40	\$30.28	\$31.31							
Fees for Bedding and Upholstery															
Manufacturer's license	\$150.00	\$153.30	\$155.45	\$157.31	\$164.55	\$176.40	\$181.69	\$187.86							
Sterilization permit	\$75.00	\$76.65	\$77.72	\$78.66	\$82.27	\$86.20	\$89.84	\$93.93							
Sterilization renewal	\$75.00	\$75.77	\$76.27	\$76.66	\$78.27	\$80.20	\$82.39	\$84.84							
Auctioneer permit	\$75.00	\$76.65	\$77.72	\$78.66	\$82.27	\$86.20	\$89.84	\$93.93							
Auctioneer renewal	\$35.00	\$35.77	\$36.27	\$36.71	\$38.39	\$40.06	\$41.84	\$43.84							
Quarterly reports	\$0.05	\$0.05	\$0.05	\$0.05	\$0.05	\$0.06	\$0.06	\$0.06							
Duplicate license or permit	\$25.00	\$25.55	\$25.91	\$26.22	\$27.42	\$29.40	\$30.28	\$31.31							
Second handed initial application	\$100.00	\$102.20	\$103.63	\$104.87	\$109.70	\$117.60	\$121.12	\$125.24							
Second handed renewal	\$50.00	\$51.10	\$51.82	\$52.44	\$54.85	\$58.80	\$60.56	\$62.62							
Fees for Asbestos Occupations															
Worker certification of less than six months	\$30.00	\$30.66	\$31.09	\$31.46	\$32.91	\$35.28	\$36.34	\$37.57							
Worker certification of six months or more	\$60.00	\$61.32	\$62.18	\$62.92	\$65.82	\$70.56	\$72.62	\$74.75							
Supervisor certification of less than six months	\$58.00	\$59.28	\$60.11	\$60.83	\$63.63	\$68.21	\$70.25	\$72.64							
Supervisor certification of six months or more	\$116.00	\$118.55	\$120.21	\$121.65	\$127.25	\$136.41	\$140.50	\$145.28							
Project designer certification of less than six months	\$175.00	\$178.85	\$181.35	\$183.53	\$191.97	\$205.79	\$211.97	\$219.18							
Project designer certification of six months or more	\$350.00	\$357.70	\$362.71	\$367.06	\$383.95	\$411.59	\$423.94	\$438.35							
Inspector certification of less than six months	\$175.00	\$178.85	\$181.35	\$183.53	\$191.97	\$205.79	\$211.97	\$219.18							
Inspector certification of six months or more	\$350.00	\$357.70	\$362.71	\$367.06	\$383.95	\$411.59	\$423.94	\$438.35							
Management planner certification of less than six months	\$175.00	\$178.85	\$181.35	\$183.53	\$191.97	\$205.79	\$211.97	\$219.18							
Management planner certification of six months or more	\$350.00	\$357.70	\$362.71	\$367.06	\$383.95	\$411.59	\$423.94	\$438.35							
Dual inspector or management planner of less than six months	\$175.00	\$178.85	\$181.35	\$183.53	\$191.97	\$205.79	\$211.97	\$219.18							
Dual inspector or management planner of six months or more	\$350.00	\$357.70	\$362.71	\$367.06	\$383.95	\$411.59	\$423.94	\$438.35							
Individual contractor certification of less than six months	\$290.00	\$296.38	\$304.14	\$308.14	\$318.13	\$340.06	\$353.26	\$363.20							
Individual contractor certification of six months or more	\$580.00	\$592.76	\$601.06	\$608.27	\$636.25	\$682.06	\$702.52	\$726.41							
Company certification	\$150.00	\$153.30	\$155.45	\$157.31	\$164.55	\$176.40	\$181.69	\$187.86							
Training course accreditation	\$2,000.00	\$2,044.00	\$2,072.62	\$2,097.49	\$2,193.97	\$2,351.94	\$2,422.50	\$2,504.86							
Duplicate certification	\$25.00	\$25.55	\$25.91	\$26.22	\$27.42	\$29.40	\$30.28	\$31.31							
Fees for Lead-based Paint Occupations															
Worker certification of less than six months	\$30.00	\$30.66	\$31.09	\$31.46	\$32.91	\$35.28	\$36.34	\$37.57							
Worker certification of six months or more	\$60.00	\$61.32	\$62.18	\$62.92	\$65.82	\$70.56	\$72.62	\$74.75							
Supervisor certification of less than six months	\$58.00	\$59.28	\$60.11	\$60.83	\$63.63	\$68.21	\$70.25	\$72.64							
Supervisor certification of six months or more	\$116.00	\$118.55	\$120.21	\$121.65	\$127.25	\$136.41	\$140.50	\$145.28							
Project designer certification of less than six months	\$175.00	\$178.85	\$181.35	\$183.53	\$191.97	\$205.79	\$211.97	\$219.18							
Project designer certification of six months or more	\$350.00	\$357.70	\$362.71	\$367.06	\$383.95	\$411.59	\$423.94	\$438.35							
Inspector certification of less than six months	\$175.00	\$178.85	\$181.35	\$183.53	\$191.97	\$205.79	\$211.97	\$219.18							
Inspector certification of six months or more	\$350.00	\$357.70	\$362.71	\$367.06	\$383.95	\$411.59	\$423.94	\$438.35							
Risk assessor certification of less than six months	\$175.00	\$178.85	\$181.35	\$183.53	\$191.97	\$205.79	\$211.97	\$219.18							
Risk assessor certification of six months or more	\$350.00	\$357.70	\$362.71	\$367.06	\$383.95	\$411.59	\$423.94	\$438.35							
Dual inspector and risk assessor of less than six months	\$175.00	\$178.85	\$181.35	\$183.53	\$191.97	\$205.79	\$211.97	\$219.18							
Dual inspector and risk assessor of six months or more	\$350.00	\$357.70	\$362.71	\$367.06	\$383.95	\$411.59	\$423.94	\$438.35							
Third-party examination	\$50.00	\$51.10	\$51.82	\$52.44	\$54.85	\$58.80	\$60.56	\$62.62							
Initial training course accreditation	\$2,000.00	\$2,044.00	\$2,072.62	\$2,097.49	\$2,193.97	\$2,351.94	\$2,422.50	\$2,504.86							
Renewal training course accreditation	\$1,500.00	\$1,533.00	\$1,554.46	\$1,573.12	\$1,645.48	\$1,763.95	\$1,816.87	\$1,878.65							
Refresher of initial or renewal training course accreditation	\$1,500.00	\$1,533.00	\$1,554.46	\$1,573.12	\$1,645.48	\$1,763.95	\$1,816.87	\$1,878.65							
Duplicate certification	\$25.00	\$25.55	\$25.91	\$26.22	\$27.42	\$29.40	\$30.28	\$31.31							
Lead companies	\$400.00	\$511.00	\$518.15	\$524.37	\$548.49	\$587.98	\$605.62	\$626.22							
Fees for Stuffed Toys															
Initial registration and renewals	\$75.00	\$76.65	\$77.72	\$78.66	\$82.27	\$86.20	\$89.84	\$93.93							
Duplicate	\$25.00	\$25.55	\$25.91	\$26.22	\$27.42	\$29.40	\$30.28	\$31.31							
Fees for Uniform Construction Code Certifications															
Initial code official certification and renewal	\$100.00	\$102.20	\$103.63	\$104.87	\$109.70	\$117.60	\$121.12	\$125.24							
Initial third-party agency certification and renewal	\$300.00	\$306.60	\$314.62	\$319.10	\$332.79	\$352.10	\$363.37	\$375.73							
Duplicate	\$25.00	\$25.55	\$25.91	\$26.22	\$27.42	\$29.40	\$30.28	\$31.31							

NANCY WALKER,
Secretary

[Pa.B. Doc. No. 24-1585. Filed for public inspection November 1, 2024, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania Gingerbread Dough Doubler Fast Play Game 5262

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 803.11 (relating to powers and duties of the Secretary of Revenue), the Secretary of Revenue hereby provides public notice of the rules for the following lottery game:

1. *Name*: The name of the Fast Play lottery game is Pennsylvania Gingerbread Dough Doubler (“Gingerbread Dough Doubler”). The game number is PA-5262.

2. *Definitions*:

(a) *Authorized retailer or retailer*: A person who is properly licensed by the Lottery pursuant to 61 Pa. Code §§ 805.1—805.17.

(b) *Bar code*: The symbology on the ticket containing certain encrypted validation and accounting data used for identifying winning and losing tickets.

(c) *Game Ticket*: A bearer instrument produced through a Lottery Terminal that is the player’s record of a play for a Fast Play lottery game and sold by an authorized retailer containing the play and validation data as published in this game notice.

(d) *GINGERBREAD ROAD DOUBLER*: The area in the middle of a Gingerbread Dough Doubler ticket containing two play symbols. A player wins two times the prize amount shown below a GINGERBREAD ROAD DOUBLER play symbol when either of the GINGERBREAD ROAD DOUBLER play symbols match any of the “WINNING NUMBERS” play symbols.

(e) *Lottery Central Computer System*: The computer gaming system on which all Fast Play plays are recorded.

(f) *Lottery Terminal*: A device authorized by the Lottery to function in an interactive mode with the Lottery Central Computer System for the purpose of issuing plays, executing Quick Pick selections, and entering, receiving, and processing lottery transactions, including making purchases, validating plays, transmitting reports and performing inventory functions.

(g) *Play*: A chance to participate in a particular Fast Play lottery game.

(h) *Play Area*: The area on a ticket which contains one or more play symbols.

(i) *Play Symbol*: A number, letter, symbol, image or other character found in the play area which is used to determine whether a player wins a prize.

(j) *Prize*: A non-monetary item, money or experience that can be won as specified in section 7 (relating to prizes available to be won and determination of prize winners) of this game notice.

(k) *WINNING NUMBERS*: The play symbols found in the play area that determine whether a player wins a prize when matched against the play symbols in the “YOUR NUMBERS” area.

(l) *Winning ticket*: A game ticket which has been validated and qualifies for a prize.

(m) *YOUR NUMBERS*: The play symbols found in the play area that determine whether a player wins a prize when matched against the play symbols in the “WINNING NUMBERS” area.

3. *Price*: The price of a Gingerbread Dough Doubler ticket is \$2.

4. *Description of the Gingerbread Dough Doubler Fast Play lottery game*:

(a) The Gingerbread Dough Doubler lottery game is an instant win game printed from a Lottery Terminal. All prizes are predetermined, and the player does not have the ability to select their own play symbols. Gingerbread Dough Doubler tickets may be purchased from an authorized retailer or at a Lottery self-service terminal that sells terminal-based Lottery game tickets. Tickets purchased from an authorized retailer shall be printed on-demand at the time of purchase and may not be preprinted by the retailer.

(b) Gingerbread Dough Doubler is played by matching any of the play symbols located in the “YOUR NUMBERS” area to any of the play symbols located in the “WINNING NUMBERS” area. A player correctly matching play symbols in this manner will win the prize shown under the matching “YOUR NUMBERS” play symbol. A bet slip is not used to play this game.

(c) Gingerbread Dough Doubler is also played by matching either of the play symbols in the “GINGERBREAD ROAD DOUBLER” area. Players matching any of the “WINNING NUMBERS” play symbols to either of the “GINGERBREAD ROAD DOUBLER” play symbols will win two times the prize shown under the corresponding “GINGERBREAD ROAD DOUBLER” play symbol.

(d) Players can win the prizes identified in section 7 (relating to prizes available to be won and determination of prize winners).

(e) Gingerbread Dough Doubler tickets cannot be canceled or voided once printed by the Lottery Terminal, even if printed in error.

(f) To purchase a ticket at an authorized retailer, a player must remit the purchase price to the retailer and verbally request a Gingerbread Dough Doubler ticket. The ticket shall be the only valid proof of the bet placed and the only valid receipt for claiming a prize.

(g) To purchase a ticket at a Pennsylvania Lottery self-service terminal, the player must insert into the self-service terminal a dollar amount equal to the total purchase price of a Gingerbread Dough Doubler ticket and select the Gingerbread Dough Doubler option on the Lottery self-service terminal. The ticket shall be the only valid proof of the bet placed and the only valid receipt for claiming a prize.

5. *Gingerbread Dough Doubler ticket characteristics*:

(a) Gingerbread Dough Doubler tickets shall contain a play area, the cost of the play, the date of sale and a bar code.

(b) *Play Symbols*: Gingerbread Dough Doubler tickets will contain a “WINNING NUMBERS” area, a “YOUR NUMBERS” area and a “GINGERBREAD ROAD DOUBLER” area. The play symbols and their captions located in the “WINNING NUMBERS” area, the “YOUR NUMBERS” area and the “GINGERBREAD ROAD DOUBLER” area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN) and 20 (TWENT).

(c) *Prize Symbols*: The prize symbols and their captions located in the “YOUR NUMBERS” area are: \$2⁰⁰ (TWO DOL), \$3⁰⁰ (THR DOL), \$5⁰⁰ (FIV DOL), \$10⁰⁰

(TEN DOL), \$15⁰⁰ (FIFTEEN), \$25⁰⁰ (TWY FIV), \$50⁰⁰ (FIFTY), \$100 (ONE HUN), \$250 (TWOHUNFTY), \$1,000 (ONE THO) and \$12,000 (TWELVTHO). The prize symbols and their captions located in the “GINGERBREAD ROAD DOUBLER” area are: \$2⁰⁰ (TWO DOL), \$3⁰⁰ (THR DOL), \$5⁰⁰ (FIV DOL), \$10⁰⁰ (TEN DOL), \$15⁰⁰ (FIFTEEN), \$25⁰⁰ (TWY FIV), \$50⁰⁰ (FIFTY), \$100 (ONE HUN) and \$250 (TWOHUNFTY).

(d) *Prizes:* The prizes that can be won in this game are: \$2, \$3, \$5, \$10, \$15, \$25, \$50, \$100, \$250, \$1,000 and \$12,000. The prizes that can be won in the “GINGERBREAD ROAD DOUBLER” area are: \$4, \$6, \$10, \$30, \$50, \$100, \$200 and \$500. For a complete description of how these prizes can be won, see section 8 (relating to number and description of prizes and approximate chances of winning). A player can win up to nine times on a ticket.

(e) *Approximate number of tickets available for the game:* Approximately 720,000 tickets will be available for sale for the Gingerbread Dough Doubler lottery game.

6. *Second-Chance Drawing:* The Pennsylvania Lottery (“Lottery”) will conduct a HO HO WHOa Second-Chance Drawing (“Drawing”) for which non-winning Merry and Bright lottery game tickets may be eligible as provided for in section 9 (relating to second-chance drawing).

7. *Prizes available to be won and determination of prize winners:*

(a) All Gingerbread Dough Doubler prize payments will be made as one-time, lump-sum cash payments.

(b) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$12,000 (TWELVTHO) appears in the Prize area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$12,000.

(c) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$1,000 (ONE THO) appears in the Prize area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(d) Holders of tickets upon which either of the “GINGERBREAD ROAD DOUBLER” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$250 (TWOHUNFTY) appears in the Prize area under the matching “GINGERBREAD ROAD DOUBLER” play symbol, on a single ticket, shall be entitled to a prize of \$500.

(e) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$250 (TWOHUNFTY) appears in the Prize area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$250.

(f) Holders of tickets upon which either of the “GINGERBREAD ROAD DOUBLER” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$100 (ONE HUN) appears in the Prize area under the matching “GINGERBREAD ROAD DOUBLER” play symbol, on a single ticket, shall be entitled to a prize of \$200.

(g) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$100 (ONE HUN) appears in the Prize area under the match-

ing “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$100.

(h) Holders of tickets upon which either of the “GINGERBREAD ROAD DOUBLER” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$50⁰⁰ (FIFTY) appears in the Prize area under the matching “GINGERBREAD ROAD DOUBLER” play symbol, on a single ticket, shall be entitled to a prize of \$100.

(i) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$50⁰⁰ (FIFTY) appears in the Prize area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$50.

(j) Holders of tickets upon which either of the “GINGERBREAD ROAD DOUBLER” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$25⁰⁰ (TWY FIV) appears in the Prize area under the matching “GINGERBREAD ROAD DOUBLER” play symbol, on a single ticket, shall be entitled to a prize of \$50.

(k) Holders of tickets upon which either of the “GINGERBREAD ROAD DOUBLER” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$15⁰⁰ (FIFTEEN) appears in the Prize area under the matching “GINGERBREAD ROAD DOUBLER” play symbol, on a single ticket, shall be entitled to a prize of \$30.

(l) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$25⁰⁰ (TWY FIV) appears in the Prize area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$25.

(m) Holders of tickets upon which either of the “GINGERBREAD ROAD DOUBLER” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the Prize area under the matching “GINGERBREAD ROAD DOUBLER” play symbol, on a single ticket, shall be entitled to a prize of \$20.

(n) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$15⁰⁰ (FIFTEEN) appears in the Prize area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$15.

(o) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the Prize area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$10.

(p) Holders of tickets upon which either of the “GINGERBREAD ROAD DOUBLER” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$5⁰⁰ (FIV DOL) appears in the Prize area under the matching “GINGERBREAD ROAD DOUBLER” play symbol, on a single ticket, shall be entitled to a prize of \$10.

(q) Holders of tickets upon which either of the “GINGERBREAD ROAD DOUBLER” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$3⁰⁰ (THR DOL) appears in the Prize

area under the matching “GINGERBREAD ROAD DOUBLER” play symbol, on a single ticket, shall be entitled to a prize of \$6.

(r) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$5⁰⁰ (FIV DOL) appears in the Prize area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$5.

(s) Holders of tickets upon which either of the “GINGERBREAD ROAD DOUBLER” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$2⁰⁰ (TWO DOL) appears in the Prize area under the matching “GINGERBREAD ROAD DOUBLER” play symbol, on a single ticket, shall be entitled to a prize of \$4.

(t) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$3⁰⁰ (THR DOL) appears in the Prize area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$3.

(u) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$2⁰⁰ (TWO DOL) appears in the Prize area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$2.

8. *Number and description of prizes and approximate chances of winning:* The following table sets forth the approximate number of winners, amounts of prizes and approximate chances of winning:

<i>Match Any Of “YOUR NUMBERS” To Any Of The “WINNING NUMBERS,” To Win Prize Shown Under That Match. Win With:</i>	<i>“GINGERBREAD ROAD DOUBLER”:</i>	<i>Win:</i>	<i>Approximate Chances Of Winning Are 1 In:</i>	<i>Approximate No. Of Winners Per 720,000 Tickets:</i>
\$2		\$2	8.33	86,400
\$3		\$3	20	36,000
\$5		\$5	71.43	10,080
(\$3 × 2) + (\$2 × 2)		\$10	1,000	720
\$2	(\$2 w/ DOUBLER NUMBER MATCH) × 2	\$10	100	7,200
\$2 × 2	\$3 w/ DOUBLER NUMBER MATCH	\$10	100	7,200
	\$5 w/ DOUBLER NUMBER MATCH	\$10	100	7,200
\$10		\$10	1,000	720
(\$5 × 2) + \$3 + \$2		\$15	2,000	360
\$3 + \$2	(\$3 w/ DOUBLER NUMBER MATCH) + (\$2 w/ DOUBLER NUMBER MATCH)	\$15	714.29	1,008
\$5	\$5 w/ DOUBLER NUMBER MATCH	\$15	500	1,440
\$15		\$15	2,000	360
(\$5 × 3) + (\$3 × 2) + (\$2 × 2)		\$25	1,667	432
(\$2 × 3) + \$3	(\$5 w/ DOUBLER NUMBER MATCH) + (\$3 w/ DOUBLER NUMBER MATCH)	\$25	500	1,440
(\$3 × 2) + (\$2 × 2) + \$5	(\$3 w/ DOUBLER NUMBER MATCH) + (\$2 w/ DOUBLER NUMBER MATCH)	\$25	500	1,440
(\$3 × 2) + \$5	(\$5 w/ DOUBLER NUMBER MATCH) + (\$2 w/ DOUBLER NUMBER MATCH)	\$25	500	1,440
\$5	\$10 w/ DOUBLER NUMBER MATCH	\$25	500	1,440
\$25		\$25	1,000	720
\$25 × 2		\$50	12,000	60

NOTICES

7307

<i>Match Any Of "YOUR NUMBERS" To Any Of The "WINNING NUMBERS," To Win Prize Shown Under That Match. Win With:</i>	<i>"GINGERBREAD ROAD DOUBLER":</i>	<i>Win:</i>	<i>Approximate Chances Of Winning Are 1 In:</i>	<i>Approximate No. Of Winners Per 720,000 Tickets:</i>
(\$15 × 2) + (\$10 × 2)		\$50	12,000	60
\$5 + \$3 + \$2	(\$10 w/ DOUBLER NUMBER MATCH) × 2	\$50	6,000	120
(\$5 × 2) + (\$3 × 2) + (\$2 × 2)	(\$10 w/ DOUBLER NUMBER MATCH) + (\$5 w/ DOUBLER NUMBER MATCH)	\$50	6,000	120
(\$10 × 2) + \$5 + \$3 + \$2	(\$5 w/ DOUBLER NUMBER MATCH) × 2	\$50	6,000	120
\$15 + \$5	\$15 w/ DOUBLER NUMBER MATCH	\$50	6,000	120
	\$25 w/ DOUBLER NUMBER MATCH	\$50	6,000	120
\$50		\$50	15,000	48
\$25 × 4		\$100	24,000	30
\$50 × 2		\$100	24,000	30
\$15 + \$5	(\$25 w/ DOUBLER NUMBER MATCH) + (\$15 w/ DOUBLER NUMBER MATCH)	\$100	12,000	60
(\$25 × 2) + (\$10 × 2)	(\$10 w/ DOUBLER NUMBER MATCH) + (\$5 w/ DOUBLER NUMBER MATCH)	\$100	12,000	60
\$50 + \$25 + \$5	(\$5 w/ DOUBLER NUMBER MATCH) × 2	\$100	12,000	60
	(\$25 w/ DOUBLER NUMBER MATCH) × 2	\$100	8,571	84
	\$50 w/ DOUBLER NUMBER MATCH	\$100	8,000	90
\$100		\$100	24,000	30
(\$100 × 2) + \$50		\$250	60,000	12
(\$25 × 2) + (\$15 × 2) + (\$5 × 2) + \$10	(\$50 w/ DOUBLER NUMBER MATCH) + (\$25 w/ DOUBLER NUMBER MATCH)	\$250	60,000	12
\$50	(\$50 w/ DOUBLER NUMBER MATCH) × 2	\$250	60,000	12
	(\$100 w/ DOUBLER NUMBER MATCH) + (\$25 w/ DOUBLER NUMBER MATCH)	\$250	60,000	12
\$250		\$250	60,000	12
\$250 × 4		\$1,000	180,000	4
	(\$250 w/ DOUBLER NUMBER MATCH) × 2	\$1,000	180,000	4
\$1,000		\$1,000	180,000	4
\$12,000		\$12,000	180,000	4

GINGERBREAD ROAD DOUBLER: Match either "GINGERBREAD ROAD DOUBLER" number to any of the "WINNING NUMBERS" to DOUBLE the prize shown under that match!

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Second-Chance Drawing:* The Pennsylvania Lottery's HO HO wHOa Second-Chance Drawing for qualifying Fast Play tickets:

(a) *Qualifying Tickets:* Non-winning PA-5260 Merry Money Tree (\$10), PA-5261 NATIONAL LAMPOON'S CHRISTMAS VACATION (\$5), PA-5262 Gingerbread Dough Doubler (\$2) and PA-5263 Merry and Bright (\$1) Fast Play lottery game tickets ("Qualifying Tickets") are eligible for entry into the Drawing.

(b) *Participation and entry:*

(1) Entrants must have a registered lottery account in order to participate in the Drawing. To create a lottery account, visit <https://www.PAilottery.com>. Creating a lottery account is free.

(2) A registered lottery account holder is subject to the iLottery regulations and specifically agrees to be bound by the iLottery terms and conditions located at <https://www.pailottery.com/signup/terms-and-conditions/>, as well as any related policies.

(3) To establish a lottery account, players must provide the following information:

(i) The player's name as it appears on a valid government-issued identification or tax documents;

(ii) The player's date of birth;

(iii) The entire or last four digits of the player's Social Security Number, or comparable equivalent;

(iv) The player's address;

(v) The player's telephone number;

(vi) The player's email address;

(vii) Any other information established by the Lottery to be necessary to verify the age and identity of the player.

(4) An individual may be required to provide additional information or documentation, as set forth in the iLottery terms and conditions, to establish a lottery account or register for iLottery. The information may be used for iLottery registration or to confirm information provided by that individual during the registration process.

(5) To enter the Drawing, entrants must submit the identifying information from at least one Qualifying Ticket via the Drawing's promotional web site, available at <https://www.pailottery.com>, or the Lottery's official mobile application, during the entry period. The identifying information from a Qualifying Ticket may be submitted only once in the Drawing. Entries will automatically be awarded at the time of successful submission of a Qualifying Ticket. No other method of submission will be accepted. Entries submitted using any other method, including entries mailed or hand-delivered to the Lottery, are not valid and will be disqualified.

(6) Each entry must be complete, and the information supplied by the entrant must be accurate. Incomplete entries cannot be accepted.

(7) Only one claimant per entry is allowed.

(8) Entrants must be 18 years of age or older.

(9) Players may submit the identifying information from an unlimited number of Qualifying Tickets in the Drawing.

(10) Once an entry has been submitted it cannot be withdrawn or changed.

(c) *Drawing description:*

(1) The Lottery will conduct one HO HO wHOa Second-Chance Drawing from among all Fast Play lottery game Qualifying Tickets entered into the Drawing. All time references are Eastern Prevailing Time.

(2) The entry period for Fast Play lottery game Qualifying Tickets will begin after 4:59:59 a.m. November 5, 2024 and will end at 11:59:59 p.m. January 2, 2025. All entries received during the entry period will be entered into the Drawing tentatively scheduled to be held between January 3, 2025 and January 17, 2025.

(3) The entry period for the Drawing will be posted to the Lottery's publicly accessible web site at <https://www.pailottery.com>.

(4) The number of entries an entrant will receive for the Drawing is determined by the purchase price of the Qualifying Ticket entered. The purchase price and corresponding number of entries for the Qualifying Tickets are as follows: PA-5260 Merry Money Tree (\$10) = ten entries, PA-5261 NATIONAL LAMPOON'S CHRISTMAS VACATION (\$5) = five entries, PA-5262 Gingerbread Dough Doubler (\$2) = two entries and PA-5263 Merry and Bright (\$1) = one entry.

(5) Players may review prizes won and their entries for the Drawing via the Drawing's promotional web site.

(d) *Prizes available to be won, determination of winners and odds of winning:*

(1) The prize entitlements described below are subject to all restrictions and limitations described in section 9(e), or those mentioned anywhere else in these rules.

(2) Lottery will conduct one Drawing from among all the entries received during the entry period as described in section 9(c)(2).

(i) The first entry selected in the Drawing will be a winning entry and the entrant who submitted that winning entry shall be entitled to a prize of \$100,000, less required income tax withholding.

(ii) The second through the fourth entries selected in the Drawing will be winning entries and the entrants who submitted those winning entries shall each be entitled to a prize of \$50,000, less required income tax withholding.

(iii) The fifth through the twenty-fifth entries selected in the Drawing will be winning entries and the entrants who submitted those winning entries shall each be entitled to a prize of \$2,500.

(iv) The twenty-sixth through the seventy-fifth entries selected in the Drawing will be winning entries and the entrants who submitted those winning entries shall each be entitled to a prize of \$100 iLottery Bonus Money.

(3) All cash prizes will be paid as a lump-sum cash payment.

(4) Winners of iLottery Bonus Money are not required to claim a prize. All winners of iLottery Bonus Money will have the iLottery Bonus Money credited to their lottery account and will receive an email notifying them that they won a prize.

(5) The number of winning entries to be selected for the Drawing will be posted to the Lottery's publicly accessible web site.

(6) The odds of winning a prize in the Drawing depend upon the number of entries received for the Drawing.

(7) A computer-generated randomizer will be used to select the Drawing winners.

(e) *Drawing restrictions:*

(1) To be eligible to participate in the Drawing, entrants must have complied with the requirements of these rules.

(2) The Lottery is not responsible for late, lost or misdirected entries not entered into the Drawing. The Lottery is not responsible for entries that are not entered into the Drawing because of incompatible internet browsers, mobile Lottery application failure or other technical issues. The Lottery is not responsible for entries not entered due to delays in creating a lottery account or the inability to create a lottery account. If a Drawing entry is selected as a winner and rejected or otherwise disqualified during or following the Drawing, the Lottery will select one entry to replace the rejected or otherwise disqualified entry in accordance with these rules and Lottery procedure.

(3) If any discrepancy exists between these rules and any material describing the Drawing, these rules shall govern.

(4) Employees of the Lottery, 9Rooftops Marketing, LLC, Scientific Games, LLC and MDI Entertainment, LLC, (collectively "SG") and their subcontractors, or a spouse, child, brother, sister or parent residing as a member of the same household in the principal place of residence of any such person are not eligible to participate in the Drawing. Offer void where prohibited or restricted.

(5) The Lottery reserves the right, in its sole discretion, to cancel or suspend the Drawing and change these rules if the Drawing cannot be conducted as planned due to errors in these rules or advertising, unauthorized intervention, tampering, fraud, technical errors, viruses, worms, bugs or any other cause that, in the Lottery's sole judgment, could corrupt or impair the administration, security, fairness, integrity or proper conduct of the Drawing.

(6) All entries shall be subject to verification by the Lottery.

(7) The Lottery reserves the right, in its sole discretion, to disqualify an entrant found to be tampering with the operation of the Drawing or to be acting in violation of these rules or applicable law.

(8) The Drawing is governed by the laws of the Commonwealth of Pennsylvania. Applicable laws and regulations apply.

(9) Prizes must be claimed within 1 year of the drawing date of the Drawing in which the prize was won. If no claim is made within 1 year of the drawing date of the Drawing in which the prize was won, the right of an entrant to claim the prize won, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided by statute.

(10) Final determination of winners will be made by the Secretary, whose judgment will be final and binding.

(11) A prize awarded in the Drawing to a person who dies before receiving the prize shall be paid according to 61 Pa. Code § 811.16 (relating to prizes payable after death of a prize winner).

(12) A winner is responsible for all taxes arising from or in connection with any prize won.

(13) A player may only win the prize for which the player is first selected in the Drawing. Subsequent entries, from the same individual, selected in the same Drawing will be disqualified and one replacement entry will be selected.

(14) Winners of iLottery Bonus Money must abide by the iLottery terms and conditions, the iLottery Bonus Policy and these rules. iLottery Bonus Money will expire 30 days from the date on which the winner was notified, via email, of the prize win, as further detailed in section 9(d)(4). iLottery Bonus Money has a five times play through requirement in order to convert the iLottery Bonus Money into cash. For example, for a player winning \$100 of iLottery Bonus Money, the player is required to place \$500 in wagers before the iLottery Bonus Money awarded is converted into cash which may be withdrawn from the player's account.

(15) Prizes are not transferrable.

(16) Other restrictions may apply.

10. *Ticket responsibility:*

(a) A Fast Play lottery game ticket is a bearer document deemed to be owned by the person holding the game ticket, except that if a name is contained on the back of the game ticket, the person named will, for all purposes, be considered the owner of the game ticket.

(b) The holder of a Fast Play lottery game ticket has the sole responsibility for checking the accuracy and condition of the data printed on the game ticket.

(c) The Commonwealth shall not be responsible for a lost or stolen Fast Play lottery game ticket, or for a Fast Play ticket redeemed by a player in error.

11. *Ticket validation and requirements:*

(a) *Valid Fast Play lottery game tickets.* To be a valid Fast Play lottery game ticket, the presented game ticket must meet the following requirements:

(1) The game ticket's bar code shall be present in its entirety.

(2) The game ticket must be intact.

(3) The game ticket may not be mutilated, altered, reconstituted or tampered with.

(4) The game ticket may not be counterfeit or a duplicate of a winning ticket.

(5) The game ticket must have been validly issued.

(6) The game ticket data shall have been recorded on the Lottery Central Computer System and the game ticket data shall match the computer record in every respect.

(7) The game ticket must not be defectively printed or printed or produced in error such that it cannot be processed or validated by the Lottery.

(8) The game ticket must pass other confidential security checks of the Lottery.

(b) *Invalid or defective game tickets.* A game ticket not passing the validation requirements in subsection (a) will be considered invalid and no payment will be made on account of any play recorded thereon. The determination of the Secretary in this regard is final.

12. *Procedures for claiming and payment of prizes:*

(a) A prize may be claimed through an authorized retailer or the Lottery, as provided in this section. A prize must be claimed within 1 year of the sale date of the Fast Play lottery game ticket.

(b) An authorized retailer is authorized to pay prizes of \$2,500 or less. The holder of a game ticket evidencing a winning play representing a prize of \$2,500 or less may be paid by a participating authorized retailer if a proper validation pay ticket was issued by the retailer's Lottery Terminal.

(c) The holder of a game ticket evidencing a winning play representing a prize in excess of \$2,500 may present the game ticket to an authorized retailer, Lottery District Office, or Lottery Headquarters.

(d) The holder of a game ticket evidencing a winning play shall present the ticket, in person, to an authorized retailer, Lottery Headquarters or a Lottery District Office. The retailer or the Lottery will issue payment if:

(1) The game ticket is scanned, and the play is validated through the Lottery Terminal or the Lottery Central Computer System;

(2) A claim form is properly and fully completed;

(3) The identification of the claimant is confirmed; and

(4) The winning ticket has not expired, pursuant to this section or section 14 (relating to unclaimed prizes).

(e) The Commonwealth shall not be responsible for a winning play paid in error by an authorized retailer.

(f) In the event a prize described in these rules is not available, the Lottery may either provide a substitute prize, determined by the Secretary to have an equivalent value to the prize won, or make a cash payment to the winner, in an amount determined by the Secretary to have an equivalent value to the prize won.

13. *Funding for prizes:* Moneys will be drawn from the State Lottery Fund, to the extent necessary, to fund the payment of prizes under this section. If this lottery game is terminated for any cause, prize moneys remaining undistributed will remain in the State Lottery Fund and used for purposes otherwise provided for by law.

14. *Unclaimed prizes:* Unclaimed prize money on winning Fast Play lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto for 1 year from the sale date of the Fast Play lottery game ticket. If no claim is made within 1 year from the sale date of the Fast Play lottery game ticket, the right of a ticket holder to claim the prize represented by that ticket, if any, shall expire.

15. *Purchase and prize restrictions:* A Fast Play lottery game ticket may not be purchased by, and a prize may not be paid, to an officer or employee of the Lottery, Lottery professional services contractors or subcontractors, or to a spouse, child, brother, sister or parent residing in the same household of an officer, employee, contractor or subcontractor who is involved in the production, distribution or operation of systems for the validation or accounting of Fast Play games.

16. *Governing law:*

(a) By purchasing a ticket, the purchaser agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), this notice, instructions, conditions and final decisions of the Secretary, and procedures established by the Secretary for the conduct of the Fast Play Gingerbread Dough Doubler lottery game.

(b) Decisions made by the Secretary, including the declaration of prizes and the payment thereof, in interpretation of this notice are final and binding on players and persons making a claim in respect thereof.

17. *Retailer compensation:*

(a) Authorized retailers may be entitled to compensation as determined by the Lottery.

(b) No authorized retailer or employee of an authorized retailer shall request, demand, or accept gratuities or any compensation other than as provided in subsection (a) in exchange for the performance of duties authorized pursuant to the Lottery retailer's license without the Lottery's prior written authorization.

18. *Retailer Incentive Programs:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Pennsylvania Fast Play Gingerbread Dough Doubler lottery game tickets.

19. *Retailer bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania Fast Play lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which they qualify on a winning ticket. A bonus will be initiated for payment after the Fast Play game ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery Fast Play game ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

20. *Termination of the game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Gingerbread Dough Doubler or through normal communications methods.

21. *Applicability:* This notice applies only to the Gingerbread Dough Doubler lottery game announced in this notice.

PATRICK BROWNE,
Secretary

[Pa.B. Doc. No. 24-1586. Filed for public inspection November 1, 2024, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania Merry and Bright Fast Play Game 5263

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 803.11 (relating to powers and duties of the Secretary of Revenue), the Secretary of Revenue hereby provides public notice of the rules for the following lottery game:

1. *Name:* The name of the Fast Play lottery game is Pennsylvania Merry and Bright ("Merry and Bright"). The game number is PA-5263.

2. Definitions:

(a) *Authorized retailer or retailer*: A person who is properly licensed by the Lottery pursuant to 61 Pa. Code §§ 805.1—805.17.

(b) *Bar code*: The symbology on the ticket containing certain encrypted validation and accounting data used for identifying winning and losing tickets.

(c) *Game Ticket*: A bearer instrument produced through a Lottery Terminal that is the player's record of a play for a Fast Play lottery game and sold by an authorized retailer containing the play and validation data as published in this game notice.

(d) *HOLLY ADDS A DOLLY*: A feature of the Merry and Bright game where the player adds \$1 to the prize won when a Holly symbol appears to the right of a "YOUR NUMBERS" play symbol that matches any of the "WINNING NUMBERS" play symbols.

(e) *Lottery Central Computer System*: The computer gaming system on which all Fast Play plays are recorded.

(f) *Lottery Terminal*: A device authorized by the Lottery to function in an interactive mode with the Lottery Central Computer System for the purpose of issuing plays, executing Quick Pick selections, and entering, receiving, and processing lottery transactions, including making purchases, validating plays, transmitting reports and performing inventory functions.

(g) *Play*: A chance to participate in a particular Fast Play lottery game.

(h) *Play Area*: The area on a ticket which contains one or more play symbols.

(i) *Play Symbol*: A number, letter, symbol, image or other character found in the play area which is used to determine whether a player wins a prize.

(j) *Prize*: A non-monetary item, money or experience that can be won as specified in section 7 (relating to prizes available to be won and determination of prize winners) of this game notice.

(k) *WINNING NUMBERS*: The play symbols found in the play area that determine whether a player wins a prize when matched against the play symbols in the "YOUR NUMBERS" area.

(l) *Winning ticket*: A game ticket which has been validated and qualifies for a prize.

(m) *YOUR NUMBERS*: The play symbols found in the play area that determine whether a player wins a prize when matched against the play symbols in the "WINNING NUMBERS" area.

3. *Price*: The price of a Merry and Bright ticket is \$1.

4. *Description of the Merry and Bright Fast Play lottery game*:

(a) The Merry and Bright lottery game is an instant win game printed from a Lottery Terminal. All prizes are predetermined, and the player does not have the ability to select their own play symbols. Merry and Bright tickets may be purchased from an authorized retailer or at a Lottery self-service terminal that sells terminal-based Lottery game tickets. Tickets purchased from an authorized retailer shall be printed on-demand at the time of purchase and may not be preprinted by the retailer.

(b) Merry and Bright is played by matching any of the play symbols located in the "YOUR NUMBERS" area to any of the play symbols located in the "WINNING

NUMBERS" area. A player correctly matching play symbols in this manner will win the prize shown under the matching "YOUR NUMBERS" play symbol. Whenever a Holly symbol appears to the right of a matching "YOUR NUMBERS" play symbol, the player increases the prize won by \$1 and wins that amount. A bet slip is not used to play this game.

(c) Players can win the prizes identified in section 7 (relating to prizes available to be won and determination of prize winners).

(d) Merry and Bright tickets cannot be canceled or voided once printed by the Lottery Terminal, even if printed in error.

(e) To purchase a ticket at an authorized retailer, a player must remit the purchase price to the retailer and verbally request a Merry and Bright ticket. The ticket shall be the only valid proof of the bet placed and the only valid receipt for claiming a prize.

(f) To purchase a ticket at a Pennsylvania Lottery self-service terminal, the player must insert into the self-service terminal a dollar amount equal to the total purchase price of a Merry and Bright ticket and select the Merry and Bright option on the Lottery self-service terminal. The ticket shall be the only valid proof of the bet placed and the only valid receipt for claiming a prize.

5. Merry and Bright ticket characteristics:

(a) Merry and Bright tickets shall contain a play area, the cost of the play, the date of sale and a bar code.

(b) *Play Symbols*: Merry and Bright tickets will contain a "WINNING NUMBERS" area and a "YOUR NUMBERS" area. The play symbols and their captions, located in the "WINNING NUMBERS" area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN) and 20 (TWENT). The play symbols and their captions located in the "YOUR NUMBERS" area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT) and a Holly symbol.

(c) *Prize Symbols*: The prize symbols and their captions located in the "YOUR NUMBERS" area are: FREE (TICKET), \$1⁰⁰ (ONE DOL), \$2⁰⁰ (TWO DOL), \$4⁰⁰ (FOR DOL), \$5⁰⁰ (FIV DOL), \$10⁰⁰ (TEN DOL), \$15⁰⁰ (FIFTEEN), \$20⁰⁰ (TWENTY), \$40⁰⁰ (FORTY), \$50⁰⁰ (FIFTY), \$100 (ONE HUN) and \$2,500 (TWYFIVHUN).

(d) *Prizes*: The prizes that can be won in this game are: Free \$1 Ticket, \$1, \$2, \$4, \$5, \$10, \$15, \$20, \$40, \$50, \$100 and \$2,500. For a complete description of how these prizes can be won, see section 8 (relating to number and description of prizes and approximate chances of winning). A player can win up to eight times on a ticket.

(e) *Approximate number of tickets available for the game*: Approximately 1,200,000 tickets will be available for sale for the Merry and Bright lottery game.

6. *Second-Chance Drawing*: The Pennsylvania Lottery ("Lottery") will conduct a HO HO WHOa Second-Chance Drawing ("Drawing") for which non-winning Merry and Bright lottery game tickets may be eligible as provided for in section 9 (relating to second-chance drawing).

ing “YOUR NUMBERS” play symbol, and upon which a Holly symbol appears to the right of the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$2.

(u) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$1.⁰⁰ (ONE DOL) appears in the Prize area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$1.

(v) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of FREE (TICKET) appears in the Prize area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of one Merry and Bright Fast Play Game Ticket.

8. *Number and description of prizes and approximate chances of winning:* The following table sets forth the approximate number of winners, amounts of prizes and approximate chances of winning:

<i>Match Any Of “YOUR NUMBERS” To Any Of The “WINNING NUMBERS” To Win Prize Shown Under That Match. Win With:</i>	<i>Win:</i>	<i>Approximate Chances Of Winning Are 1 In:</i>	<i>Approximate No. Of Winners Per 1,200,000 Tickets:</i>
FREE	FREE \$1 TICKET	10	120,000
\$1	\$1	21.74	55,200
\$1 × 2	\$2	100	12,000
\$1 w/ HOLLY	\$2	41.67	28,800
\$2	\$2	100	12,000
\$2 × 2	\$4	500	2,400
(\$2 w/ HOLLY) + \$1	\$4	200	6,000
\$4	\$4	500	2,400
(\$2 × 2) + \$1	\$5	1,000	1,200
(((\$1 w/ HOLLY) × 2) + \$1	\$5	200	6,000
(\$2 w/ HOLLY) + (\$1 w/ HOLLY)	\$5	200	6,000
\$4 w/ HOLLY	\$5	166.67	7,200
\$5	\$5	1,000	1,200
\$5 × 2	\$10	5,000	240
(((\$2 w/ HOLLY) × 2) + (\$1 × 2) + \$2	\$10	1,429	840
(\$4 w/ HOLLY) + (\$2 × 2) + \$1	\$10	1,429	840
(\$5 w/ HOLLY) + ((\$1 w/ HOLLY) × 2)	\$10	1,429	840
\$10	\$10	5,000	240
\$5 × 3	\$15	2,000	600
(\$4 w/ HOLLY) × 3	\$15	555.56	2,160
(\$5 w/ HOLLY) + (\$4 w/ HOLLY) + (\$1 × 4)	\$15	666.67	1,800
(\$10 w/ HOLLY) + (\$2 w/ HOLLY) + \$1	\$15	666.67	1,800
\$15	\$15	2,000	600
\$10 × 2	\$20	2,667	450
(\$5 w/ HOLLY) + (\$2 × 2) + \$5 + \$4 + \$1	\$20	1,200	1,000
(\$10 w/ HOLLY) + (\$5 w/ HOLLY) + (\$1 × 3)	\$20	1,200	1,000
(\$15 w/ HOLLY) + (\$2 w/ HOLLY) + \$1	\$20	1,200	1,000
\$20	\$20	3,000	400
\$20 × 2	\$40	12,000	100
(((\$10 w/ HOLLY) × 2) + \$10 + \$5 + \$2 + \$1	\$40	2,400	500
(\$20 w/ HOLLY) + (\$15 w/ HOLLY) + \$2 + \$1	\$40	2,400	500
\$40	\$40	12,000	100
(\$15 × 2) + (\$10 × 2)	\$50	12,000	100
(((\$15 w/ HOLLY) × 3) + (\$1 × 2)	\$50	6,000	200
(((\$20 w/ HOLLY) × 2) + (\$2 × 4)	\$50	6,000	200

<i>Match Any Of "YOUR NUMBERS" To Any Of The "WINNING NUMBERS" To Win Prize Shown Under That Match. Win With:</i>	<i>Win:</i>	<i>Approximate Chances Of Winning Are 1 In:</i>	<i>Approximate No. Of Winners Per 1,200,000 Tickets:</i>
(\$40 w/ HOLLY) + \$5 + \$4	\$50	6,000	200
\$50	\$50	12,000	100
\$50 × 2	\$100	120,000	10
(\$40 × 2) + (\$5 × 4)	\$100	120,000	10
(((\$40 w/ HOLLY) × 2) + \$10 + \$5 + \$2 + \$1	\$100	12,000	100
(\$50 w/ HOLLY) + (\$40 w/ HOLLY) + (\$1 × 2) + \$4 + \$2	\$100	12,000	100
\$100	\$100	120,000	10
\$2,500	\$2,500	240,000	5

HOLLY ADDS A DOLLY: Find a "Holly" symbol to the right of a winning match to ADD \$1 to the prize shown under that match and win that amount!

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Second-Chance Drawing:* The Pennsylvania Lottery's HO HO wHOa Second-Chance Drawing for qualifying Fast Play tickets:

(a) *Qualifying Tickets:* Non-winning PA-5260 Merry Money Tree (\$10), PA-5261 NATIONAL LAMPOON'S CHRISTMAS VACATION (\$5), PA-5262 Gingerbread Dough Doubler (\$2) and PA-5263 Merry and Bright (\$1) Fast Play lottery game tickets ("Qualifying Tickets") are eligible for entry into the Drawing.

(b) *Participation and entry:*

(1) Entrants must have a registered lottery account in order to participate in the Drawing. To create a lottery account, visit <https://www.PAiLottery.com>. Creating a lottery account is free.

(2) A registered lottery account holder is subject to the iLottery regulations and specifically agrees to be bound by the iLottery terms and conditions located at <https://www.pailottery.com/signup/terms-and-conditions/>, as well as any related policies.

(3) To establish a lottery account, players must provide the following information:

(i) The player's name as it appears on a valid government-issued identification or tax documents;

(ii) The player's date of birth;

(iii) The entire or last four digits of the player's Social Security Number, or comparable equivalent;

(iv) The player's address;

(v) The player's telephone number;

(vi) The player's email address;

(vii) Any other information established by the Lottery to be necessary to verify the age and identity of the player.

(4) An individual may be required to provide additional information or documentation, as set forth in the iLottery terms and conditions, to establish a lottery account or register for iLottery. The information may be used for iLottery registration or to confirm information provided by that individual during the registration process.

(5) To enter the Drawing, entrants must submit the identifying information from at least one Qualifying Ticket via the Drawing's promotional web site, available at <https://www.palottery.com>, or the Lottery's official mobile application, during the entry period. The identifying information from a Qualifying Ticket may be submitted only once in the Drawing. Entries will automatically be awarded at the time of successful submission of a Qualifying Ticket. No other method of submission will be accepted. Entries submitted using any other method, including entries mailed or hand-delivered to the Lottery, are not valid and will be disqualified.

(6) Each entry must be complete, and the information supplied by the entrant must be accurate. Incomplete entries cannot be accepted.

(7) Only one claimant per entry is allowed.

(8) Entrants must be 18 years of age or older.

(9) Players may submit the identifying information from an unlimited number of Qualifying Tickets in the Drawing.

(10) Once an entry has been submitted it cannot be withdrawn or changed.

(c) *Drawing description:*

(1) The Lottery will conduct one HO HO wHOa Second-Chance Drawing from among all Fast Play lottery game Qualifying Tickets entered into the Drawing. All time references are Eastern Prevailing Time.

(2) The entry period for Fast Play lottery game Qualifying Tickets will begin after 4:59:59 a.m. November 5, 2024 and will end at 11:59:59 p.m. January 2, 2025. All entries received during the entry period will be entered into the Drawing tentatively scheduled to be held between January 3, 2025 and January 17, 2025.

(3) The entry period for the Drawing will be posted to the Lottery's publicly accessible web site.

(4) The number of entries an entrant will receive for the Drawing is determined by the purchase price of the Qualifying Ticket entered. The purchase price and corresponding number of entries for the Qualifying Tickets are as follows: PA-5260 Merry Money Tree (\$10) = ten entries, PA-5261 NATIONAL LAMPOON'S CHRISTMAS VACA-

TION (\$5) = five entries, PA-5262 Gingerbread Dough Doubler (\$2) = two entries and PA-5263 Merry and Bright (\$1) = one entry.

(5) Players may review prizes won and their entries for the Drawing via the Drawing's promotional web site at <https://www.palottery.com>.

(d) *Prizes available to be won, determination of winners and odds of winning:*

(1) The prize entitlements described below are subject to all restrictions and limitations described in section 9(e), or those mentioned anywhere else in these rules.

(2) Lottery will conduct one Drawing from among all the entries received during the entry period as described in section 9(c)(2).

(i) The first entry selected in the Drawing will be a winning entry and the entrant who submitted that winning entry shall be entitled to a prize of \$100,000, less required income tax withholding.

(ii) The second through the fourth entries selected in the Drawing will be winning entries and the entrants who submitted those winning entries shall each be entitled to a prize of \$50,000, less required income tax withholding.

(iii) The fifth through the twenty-fifth entries selected in the Drawing will be winning entries and the entrants who submitted those winning entries shall each be entitled to a prize of \$2,500.

(iv) The twenty-sixth through the seventy-fifth entries selected in the Drawing will be winning entries and the entrants who submitted those winning entries shall each be entitled to a prize of \$100 iLottery Bonus Money.

(3) All cash prizes will be paid as a lump-sum cash payment.

(4) Winners of iLottery Bonus Money are not required to claim a prize. All winners of iLottery Bonus Money will have the iLottery Bonus Money credited to their lottery account and will receive an email notifying them that they won a prize.

(5) The number of winning entries to be selected for the Drawing will be posted to the Lottery's publicly accessible web site.

(6) The odds of winning a prize in the Drawing depend upon the number of entries received for the Drawing.

(7) A computer-generated randomizer will be used to select the Drawing winners.

(e) *Drawing restrictions:*

(1) To be eligible to participate in the Drawing, entrants must have complied with the requirements of these rules.

(2) The Lottery is not responsible for late, lost or misdirected entries not entered into the Drawing. The Lottery is not responsible for entries that are not entered into the Drawing because of incompatible internet browsers, mobile Lottery application failure or other technical issues. The Lottery is not responsible for entries not entered due to delays in creating a lottery account or the inability to create a lottery account. If a Drawing entry is selected as a winner and rejected or otherwise disqualified during or following the Drawing, the Lottery will select one entry to replace the rejected or otherwise disqualified entry in accordance with these rules and Lottery procedure.

(3) If any discrepancy exists between these rules and any material describing the Drawing, these rules shall govern.

(4) Employees of the Lottery, 9Rooftops Marketing, LLC, Scientific Games, LLC and MDI Entertainment, LLC, (collectively "SG") and their subcontractors, or a spouse, child, brother, sister or parent residing as a member of the same household in the principal place of residence of any such person are not eligible to participate in the Drawing. Offer void where prohibited or restricted.

(5) The Lottery reserves the right, in its sole discretion, to cancel or suspend the Drawing and change these rules if the Drawing cannot be conducted as planned due to errors in these rules or advertising, unauthorized intervention, tampering, fraud, technical errors, viruses, worms, bugs or any other cause that, in the Lottery's sole judgment, could corrupt or impair the administration, security, fairness, integrity or proper conduct of the Drawing.

(6) All entries shall be subject to verification by the Lottery.

(7) The Lottery reserves the right, in its sole discretion, to disqualify an entrant found to be tampering with the operation of the Drawing or to be acting in violation of these rules or applicable law.

(8) The Drawing is governed by the laws of the Commonwealth of Pennsylvania. Applicable laws and regulations apply.

(9) Prizes must be claimed within 1 year of the drawing date of the Drawing in which the prize was won. If no claim is made within 1 year of the drawing date of the Drawing in which the prize was won, the right of an entrant to claim the prize won, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided by statute.

(10) Final determination of winners will be made by the Secretary, whose judgment will be final and binding.

(11) A prize awarded in the Drawing to a person who dies before receiving the prize shall be paid according to 61 Pa. Code § 811.16 (relating to prizes payable after death of a prize winner).

(12) A winner is responsible for all taxes arising from or in connection with any prize won.

(13) A player may only win the prize for which the player is first selected in the Drawing. Subsequent entries, from the same individual, selected in the same Drawing will be disqualified and one replacement entry will be selected.

(14) Winners of iLottery Bonus Money must abide by the iLottery terms and conditions, the iLottery Bonus Policy and these rules. iLottery Bonus Money will expire 30 days from the date on which the winner was notified, via email, of the prize win, as further detailed in section 9(d)(4). iLottery Bonus Money has a five times play through requirement in order to convert the iLottery Bonus Money into cash. For example, for a player winning \$100 of iLottery Bonus Money, the player is required to place \$500 in wagers before the iLottery Bonus Money awarded is converted into cash which may be withdrawn from the player's account.

(15) Prizes are not transferrable.

(16) Other restrictions may apply.

10. *Ticket responsibility:*

(a) A Fast Play lottery game ticket is a bearer document deemed to be owned by the person holding the game ticket, except that if a name is contained on the back of the game ticket, the person named will, for all purposes, be considered the owner of the game ticket.

(b) The holder of a Fast Play lottery game ticket has the sole responsibility for checking the accuracy and condition of the data printed on the game ticket.

(c) The Commonwealth shall not be responsible for a lost or stolen Fast Play lottery game ticket, or for a Fast Play ticket redeemed by a player in error.

11. *Ticket validation and requirements:*

(a) *Valid Fast Play lottery game tickets.* To be a valid Fast Play lottery game ticket, the presented game ticket must meet the following requirements:

(1) The game ticket's bar code shall be present in its entirety.

(2) The game ticket must be intact.

(3) The game ticket may not be mutilated, altered, reconstituted or tampered with.

(4) The game ticket may not be counterfeit or a duplicate of a winning ticket.

(5) The game ticket must have been validly issued.

(6) The game ticket data shall have been recorded on the Lottery Central Computer System and the game ticket data shall match the computer record in every respect.

(7) The game ticket must not be defectively printed or printed or produced in error such that it cannot be processed or validated by the Lottery.

(8) The game ticket must pass other confidential security checks of the Lottery.

(b) *Invalid or defective game tickets.* A game ticket not passing the validation requirements in subsection (a) will be considered invalid and no payment will be made on account of any play recorded thereon. The determination of the Secretary in this regard is final.

12. *Procedures for claiming and payment of prizes:*

(a) A prize may be claimed through an authorized retailer or the Lottery, as provided in this section. A prize must be claimed within 1 year of the sale date of the Fast Play lottery game ticket.

(b) An authorized retailer is authorized to pay prizes of \$2,500 or less. The holder of a game ticket evidencing a winning play representing a prize of \$2,500 or less may be paid by a participating authorized retailer if a proper validation pay ticket was issued by the retailer's Lottery Terminal.

(c) The holder of a game ticket evidencing a winning play representing a prize in excess of \$2,500 may present the game ticket to an authorized retailer, Lottery District Office, or Lottery Headquarters.

(d) The holder of a game ticket evidencing a winning play shall present the ticket, in person, to an authorized retailer, Lottery Headquarters or a Lottery District Office. The retailer or the Lottery will issue payment if:

(1) The game ticket is scanned, and the play is validated through the Lottery Terminal or the Lottery Central Computer System;

(2) A claim form is properly and fully completed;

(3) The identification of the claimant is confirmed; and

(4) The winning ticket has not expired, pursuant to this section or section 14 (relating to unclaimed prizes).

(e) The Commonwealth shall not be responsible for a winning play paid in error by an authorized retailer.

(f) In the event a prize described in these rules is not available, the Lottery may either provide a substitute prize, determined by the Secretary to have an equivalent value to the prize won, or make a cash payment to the winner, in an amount determined by the Secretary to have an equivalent value to the prize won.

13. *Funding for prizes:* Moneys will be drawn from the State Lottery Fund, to the extent necessary, to fund the payment of prizes under this section. If this lottery game is terminated for any cause, prize moneys remaining undistributed will remain in the State Lottery Fund and used for purposes otherwise provided for by law.

14. *Unclaimed prizes:* Unclaimed prize money on winning Fast Play lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto for 1 year from the sale date of the Fast Play lottery game ticket. If no claim is made within 1 year from the sale date of the Fast Play lottery game ticket, the right of a ticket holder to claim the prize represented by that ticket, if any, shall expire.

15. *Purchase and prize restrictions:* A Fast Play lottery game ticket may not be purchased by, and a prize may not be paid, to an officer or employee of the Lottery, Lottery professional services contractors or subcontractors, or to a spouse, child, brother, sister or parent residing in the same household of an officer, employee, contractor or subcontractor who is involved in the production, distribution or operation of systems for the validation or accounting of Fast Play games.

16. *Governing law:*

(a) By purchasing a ticket, the purchaser agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), this notice, instructions, conditions and final decisions of the Secretary, and procedures established by the Secretary for the conduct of the Fast Play Merry and Bright lottery game.

(b) Decisions made by the Secretary, including the declaration of prizes and the payment thereof, in interpretation of this notice are final and binding on players and persons making a claim in respect thereof.

17. *Retailer compensation:*

(a) Authorized retailers may be entitled to compensation as determined by the Lottery.

(b) No authorized retailer or employee of an authorized retailer shall request, demand, or accept gratuities or any compensation other than as provided in subsection (a) in exchange for the performance of duties authorized pursuant to the Lottery retailer's license without the Lottery's prior written authorization.

18. *Retailer Incentive Programs:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Pennsylvania Fast Play Merry and Bright lottery game tickets.

19. *Retailer bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania Fast Play lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in

a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which they qualify on a winning ticket. A bonus will be initiated for payment after the Fast Play game ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery Fast Play game ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

20. *Termination of the game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Merry and Bright or through normal communications methods.

21. *Applicability:* This notice applies only to the Merry and Bright lottery game announced in this notice.

PATRICK BROWNE,
Secretary

[Pa.B. Doc. No. 24-1587. Filed for public inspection November 1, 2024, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania Merry Money Tree Fast Play Game 5260

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 803.11 (relating to powers and duties of the Secretary of Revenue), the Secretary of Revenue hereby provides public notice of the rules for the following lottery game:

1. *Name:* The name of the Fast Play lottery game is Pennsylvania Merry Money Tree (“Merry Money Tree”). The game number is PA-5260.

2. *Definitions:*

(a) *Authorized retailer or retailer:* A person who is properly licensed by the Lottery pursuant to 61 Pa. Code §§ 805.1—805.17.

(b) *Bar code:* The symbology on the ticket containing certain encrypted validation and accounting data used for identifying winning and losing tickets.

(c) *Game Ticket:* A bearer instrument produced through a Lottery Terminal that is the player’s record of a play for a Fast Play lottery game and sold by an authorized retailer containing the play and validation data as published in this game notice.

(d) *Lottery Central Computer System:* The computer gaming system on which all Fast Play plays are recorded.

(e) *Lottery Terminal:* A device authorized by the Lottery to function in an interactive mode with the Lottery Central Computer System for the purpose of issuing

plays, executing Quick Pick selections, and entering, receiving, and processing lottery transactions, including making purchases, validating plays, transmitting reports and performing inventory functions.

(f) *MERRY MONEY MULTIPLIER:* The area at the bottom of a Merry Money Tree ticket containing one play symbol. The player multiplies the total won in the “YOUR NUMBERS” area by the multiplier shown in the MERRY MONEY MULTIPLIER area.

(g) *MONEY TREE:* A feature of the Merry Money Tree game where the player increases any prize by \$25 and wins that amount when any “YOUR NUMBERS” play symbol matches a “WINNING NUMBERS” play symbol and the matching “YOUR NUMBERS” symbol appears printed on a Money Tree symbol.

(h) *Play:* A chance to participate in a particular Fast Play lottery game.

(i) *Play Area:* The area on a ticket which contains one or more play symbols.

(j) *Play Symbol:* A number, letter, symbol, image or other character found in the play area which is used to determine whether a player wins a prize.

(k) *Prize:* A non-monetary item, money, or experience that can be won as specified in section 7 (relating to prizes available to be won and determination of prize winners) of this game notice.

(l) *WINNING NUMBERS:* The play symbols found in the play area that determine whether a player wins a prize when matched against the play symbols in the “YOUR NUMBERS” area.

(m) *Winning ticket:* A game ticket which has been validated and qualifies for a prize.

(n) *YOUR NUMBERS:* The play symbols found in the play area that determine whether a player wins a prize when matched against the play symbols in the “WINNING NUMBERS” area.

3. *Price:* The price of a Merry Money Tree ticket is \$10.

4. *Description of the Merry Money Tree Fast Play lottery game:*

(a) The Merry Money Tree lottery game is an instant win game printed from a Lottery Terminal. All prizes are predetermined, and the player does not have the ability to select their own play symbols. Merry Money Tree tickets may be purchased from an authorized retailer or at a Lottery self-service terminal that sells terminal-based Lottery game tickets. Tickets purchased from an authorized retailer shall be printed on-demand at the time of purchase and may not be preprinted by the retailer.

(b) Merry Money Tree is played by matching any of the play symbols located in the “YOUR NUMBERS” area to any of the play symbols located in the “WINNING NUMBERS” area. A player matching play symbols in this manner will win the prize shown above or under the matching “YOUR NUMBERS” play symbol. Whenever the matching “YOUR NUMBERS” play symbol appears printed on a “MONEY TREE” symbol, the player increases the prize won by \$25 and wins that amount. The player will multiply the total prize amount won in the “YOUR NUMBERS” area by the multiplier shown in the “MERRY MONEY MULTIPLIER” area and win that amount. A bet slip is not used to play this game.

(c) Players can win the prizes identified in section 7 (relating to prizes available to be won and determination of prize winners).

(d) Merry Money Tree tickets cannot be canceled or voided once printed by the Lottery Terminal, even if printed in error.

(e) To purchase a ticket at an authorized retailer, a player must remit the purchase price to the retailer and verbally request a Merry Money Tree ticket. The ticket shall be the only valid proof of the bet placed and the only valid receipt for claiming a prize.

(f) To purchase a ticket at a Pennsylvania Lottery self-service terminal, the player must insert into the self-service terminal a dollar amount equal to the total purchase price of a Merry Money Tree ticket and select the Merry Money Tree option on the Lottery self-service terminal. The ticket shall be the only valid proof of the bet placed and the only valid receipt for claiming a prize.

5. Merry Money Tree ticket characteristics:

(a) Merry Money Tree tickets shall contain a play area, the cost of the play, the date of sale and a bar code.

(b) *Play Symbols:* Merry Money Tree tickets will contain one play area, consisting of a "WINNING NUMBERS" area, a "YOUR NUMBERS" area and a "MERRY MONEY MULTIPLIER" area. The play symbols and their captions located in the "WINNING NUMBERS" area are: 3 (THREE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWININ) and 30 (THIRT). The play symbols and their captions located in the "YOUR NUMBERS" area, and which are not printed on a "MONEY TREE" symbol, are: 3 (THREE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWININ) and 30 (THIRT). The play symbols and their captions, located in the "YOUR NUMBERS" area, and which are printed on a "MONEY TREE" symbol, are: 3 (THREE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWININ) and 30 (THIRT). The play symbols located in the "MERRY MONEY MULTIPLIER" area are: 1X (NOMULT) symbol, 2X (2TIMES) symbol, 4X (4TIMES) symbol, 5X (5TIMES) symbol and a 10X (10TIMES) symbol.

(c) *Prize Symbols:* The prize symbols and their captions located in the "YOUR NUMBERS" area, are: \$10⁰⁰ (TEN DOL), \$15⁰⁰ (FIFTEEN), \$25⁰⁰ (TWY FIV), \$40⁰⁰ (FORTY), \$50⁰⁰ (FIFTY), \$100 (ONE HUN), \$250 (TWOHUNFTY), \$400 (FOR HUN), \$500 (FIV HUN), \$2,500 (TWYFIVHUN) and \$75,000 (SVYFIVTHO).

(d) *Prizes:* The prizes that can be won in this game are: \$10, \$15, \$25, \$40, \$50, \$100, \$250, \$400, \$500, \$2,500 and \$75,000. For a complete description of how these prizes can be won, see section 8 (relating to number and description of prizes and approximate chances of winning). A player can win up to 14 times on a ticket.

(e) *Approximate number of tickets available for the game:* Approximately 480,000 tickets will be available for sale for the Merry Money Tree lottery game.

6. *Second-Chance Drawing:* The Pennsylvania Lottery ("Lottery") will conduct a HO HO WHOa Second-Chance Drawing ("Drawing") for which non-winning Merry Money Tree lottery game tickets may be eligible as provided for in section 9 (relating to second-chance drawing).

7. *Prizes available to be won and determination of prize winners:*

(a) All Merry Money Tree prize payments will be made as one-time, lump-sum cash payments.

(b) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols and a prize symbol of \$75,000 (SVYFIVTHO) appears in the Prize area under the matching "YOUR NUMBERS" play symbol, and upon which a 1X (NOMULT) play symbol appears in the "MERRY MONEY MULTIPLIER" area, on a single ticket, shall be entitled to a prize of \$75,000.

(c) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols and a prize symbol of \$2,500 (TWYFIVHUN) appears in the Prize area under the matching "YOUR NUMBERS" play symbol, and upon which a 1X (NOMULT) play symbol appears in the "MERRY MONEY MULTIPLIER" area, on a single ticket, shall be entitled to a prize of \$2,500.

(d) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols and a prize symbol of \$500 (FIV HUN) appears in the Prize area under the matching "YOUR NUMBERS" play symbol, and upon which a 5X (5TIMES) play symbol appears in the "MERRY MONEY MULTIPLIER" area, on a single ticket, shall be entitled to a prize of \$2,500.

(e) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols and a prize symbol of \$250 (TWOHUNFTY) appears in the Prize area under the matching "YOUR NUMBERS" play symbol, and upon which a 10X (10TIMES) play symbol appears in the "MERRY MONEY MULTIPLIER" area, on a single ticket, shall be entitled to a prize of \$2,500.

(f) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols and a prize symbol of \$500 (FIV HUN) appears in the Prize area above the matching "YOUR NUMBERS" play symbol, and upon which a 1X (NOMULT) play symbol appears in the "MERRY MONEY MULTIPLIER" area, on a single ticket, shall be entitled to a prize of \$525.

(g) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols and a prize symbol of \$500 (FIV HUN) appears in the Prize area under the matching "YOUR NUMBERS" play symbol, and upon which a 1X (NOMULT) play symbol appears in the "MERRY MONEY MULTIPLIER" area, on a single ticket, shall be entitled to a prize of \$500.

(h) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols and a prize symbol of \$250 (TWOHUNFTY) appears in the Prize area under the matching "YOUR NUMBERS" play symbol, and upon

(10TIMES) play symbol appears in the “MERRY MONEY MULTIPLIER” area, on a single ticket, shall be entitled to a prize of \$100.

(y) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols printed on a “MONEY TREE” symbol match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$25⁰⁰ (TWY FIV) appears in the Prize area above the matching “YOUR NUMBERS” play symbol, and upon which a 2X (2TIMES) play symbol appears in the “MERRY MONEY MULTIPLIER” area, on a single ticket, shall be entitled to a prize of \$100.

(z) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols printed on a “MONEY TREE” symbol match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$50⁰⁰ (FIFTY) appears in the Prize area above the matching “YOUR NUMBERS” play symbol, and upon which a 1X (NOMULT) play symbol appears in the “MERRY MONEY MULTIPLIER” area, on a single ticket, shall be entitled to a prize of \$75.

(aa) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$50⁰⁰ (FIFTY) appears in the Prize area under the matching “YOUR NUMBERS” play symbol, and upon which a 1X (NOMULT) play symbol appears in the “MERRY MONEY MULTIPLIER” area, on a single ticket, shall be entitled to a prize of \$50.

(bb) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols printed on a “MONEY TREE” symbol match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$25⁰⁰ (TWY FIV) appears in the Prize area above the matching “YOUR NUMBERS” play symbol, and upon which a 1X (NOMULT) play symbol appears in the “MERRY MONEY MULTIPLIER” area, on a single ticket, shall be entitled to a prize of \$50.

(cc) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$25⁰⁰ (TWY FIV) appears in the Prize area under the matching “YOUR NUMBERS” play symbol, and upon which a 2X (2TIMES) play symbol appears in the “MERRY MONEY MULTIPLIER” area, on a single ticket, shall be entitled to a prize of \$50.

(dd) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the Prize area under the matching “YOUR NUMBERS” play symbol, and upon which a 5X (5TIMES) play symbol appears in the “MERRY MONEY MULTIPLIER” area, on a single ticket, shall be entitled to a prize of \$50.

(ee) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$40⁰⁰ (FORTY) appears in the Prize area under the matching “YOUR NUMBERS” play symbol, and upon which a 1X (NOMULT) play symbol appears in the “MERRY MONEY MULTIPLIER” area, on a single ticket, shall be entitled to a prize of \$40.

(ff) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols printed on a “MONEY TREE” symbol match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$15⁰⁰ (FIFTEEN) appears in the Prize area under the matching “YOUR NUMBERS” play symbol, and upon which a 1X (NOMULT) play symbol appears in the “MERRY MONEY MULTIPLIER” area, on a single ticket, shall be entitled to a prize of \$40.

(gg) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the Prize area under the matching “YOUR NUMBERS” play symbol, and upon which a 4X (4TIMES) play symbol appears in the “MERRY MONEY MULTIPLIER” area, on a single ticket, shall be entitled to a prize of \$40.

(hh) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols printed on a “MONEY TREE” symbol match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the Prize area under the matching “YOUR NUMBERS” play symbol, and upon which a 1X (NOMULT) play symbol appears in the “MERRY MONEY MULTIPLIER” area, on a single ticket, shall be entitled to a prize of \$35.

(ii) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$25⁰⁰ (TWY FIV) appears in the Prize area under the matching “YOUR NUMBERS” play symbol, and upon which a 1X (NOMULT) play symbol appears in the “MERRY MONEY MULTIPLIER” area, on a single ticket, shall be entitled to a prize of \$25.

(jj) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the Prize area under the matching “YOUR NUMBERS” play symbol, and upon which a 2X (2TIMES) symbol appears in the “MERRY MONEY MULTIPLIER” area, on a single ticket, shall be entitled to a prize of \$20.

(kk) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$15⁰⁰ (FIFTEEN) appears in the Prize area under the matching “YOUR NUMBERS” play symbol, and upon which a 1X (NOMULT) play symbol appears in the “MERRY MONEY MULTIPLIER” area, on a single ticket, shall be entitled to a prize of \$15.

(ll) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the Prize area under the matching “YOUR NUMBERS” play symbol, and upon which a 1X (NOMULT) play symbol appears in the “MERRY MONEY MULTIPLIER” area, on a single ticket, shall be entitled to a prize of \$10.

8. *Number and description of prizes and approximate chances of winning:* The following table sets forth the approximate number of winners, amounts of prizes and approximate chances of winning:

NOTICES

7321

<i>Match Any Of "YOUR NUMBERS" To Any Of The "WINNING NUMBERS" To Win Prize Shown Under That Match. Win With:</i>	<i>"MERRY MONEY MULTIPLIER":</i>	<i>Win:</i>	<i>Approximate Chances Of Winning Are 1 In:</i>	<i>Approximate No. Of Winners Per 480,000 Tickets:</i>
\$10		\$10	8.7	55,200
\$15		\$15	20	24,000
\$15 + \$10		\$25	41.67	11,520
\$25		\$25	33.33	14,400
\$10 × 4		\$40	3,333	144
\$25 + \$15		\$40	2,000	240
\$10 × 2	2X	\$40	142.86	3,360
\$10	4X	\$40	333.33	1,440
\$15 w/ MONEY TREE		\$40	90.91	5,280
\$40		\$40	1,429	336
\$25 + \$15 + \$10		\$50	10,000	48
(\$10 w/ MONEY TREE) + \$15		\$50	2,000	240
(\$15 w/ MONEY TREE) + \$10		\$50	2,000	240
\$10	5X	\$50	500	960
\$25	2X	\$50	416.67	1,152
\$25 w/ MONEY TREE		\$50	333.33	1,440
\$50		\$50	2,000	240
(\$15 × 4) + (\$10 × 4)		\$100	2,400	200
(((\$15 w/ MONEY TREE) × 2) + (\$10 × 2))		\$100	600	800
\$25 w/ MONEY TREE	2X	\$100	400	1,200
\$10	10X	\$100	363.64	1,320
\$25	4X	\$100	300	1,600
\$50	2X	\$100	1,000	480
\$100		\$100	2,400	200
(\$40 × 2) + (\$25 × 4) + (\$15 × 4) + \$10		\$250	24,000	20
(((\$25 w/ MONEY TREE) × 2) + \$25)	2X	\$250	6,000	80
(\$50 w/ MONEY TREE) + (\$25 w/ MONEY TREE) + (\$40 × 2) + (\$10 × 2) + \$25		\$250	6,000	80
\$100 w/ MONEY TREE	2X	\$250	6,000	80
\$25	10X	\$250	6,000	80
\$50	5X	\$250	2,400	200
\$250		\$250	24,000	20
(\$40 × 4) + (\$25 × 4) + (\$15 × 2) + \$100 + \$10		\$400	24,000	20
(\$15 w/ MONEY TREE) × 2	5X	\$400	12,000	40
(\$25 w/ MONEY TREE) × 4	2X	\$400	12,000	40
(\$250 w/ MONEY TREE) + (\$100 w/ MONEY TREE)		\$400	12,000	40
\$40	10X	\$400	12,000	40
\$100	4X	\$400	12,000	40
\$400		\$400	24,000	20
\$100 × 5		\$500	24,000	20
(\$100 w/ MONEY TREE) × 4		\$500	12,000	40

Match Any Of "YOUR NUMBERS" To Any Of The "WINNING NUMBERS" To Win Prize Shown Under That Match. Win With:	"MERRY MONEY MULTIPLIER":	Win:	Approximate Chances Of Winning Are 1 In:	Approximate No. Of Winners Per 480,000 Tickets:
\$50	10X	\$500	12,000	40
\$100	5X	\$500	12,000	40
\$250	2X	\$500	12,000	40
\$500		\$500	24,000	20
\$500 × 5		\$2,500	24,000	20
(((\$500 w/ MONEY TREE) × 4) + (\$40 × 5) + (\$25 × 4) + \$100		\$2,500	24,000	20
\$250	10X	\$2,500	120,000	4
\$500	5X	\$2,500	120,000	4
\$2,500		\$2,500	120,000	4
\$75,000		\$75,000	160,000	3

MONEY TREE: Match any of YOUR NUMBERS on a "MONEY TREE" symbol to any of the "WINNING NUMBERS" to ADD \$25 to the prize shown above that match and win that amount!

MERRY MONEY MULTIPLIER: Multiply the TOTAL WON in the YOUR NUMBERS area by the multiplier shown in the MERRY MONEY MULTIPLIER area!

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Second-Chance Drawing:* The Pennsylvania Lottery's HO HO wHOa Second-Chance Drawing for qualifying Fast Play tickets:

(a) *Qualifying Tickets:* Non-winning PA-5260 Merry Money Tree (\$10), PA-5261 NATIONAL LAMPOON'S CHRISTMAS VACATION (\$5), PA-5262 Gingerbread Dough Doubler (\$2) and PA-5263 Merry and Bright (\$1) Fast Play lottery game tickets ("Qualifying Tickets") are eligible for entry into the Drawing.

(b) *Participation and entry:*

(1) Entrants must have a registered lottery account in order to participate in the Drawing. To create a lottery account, visit <https://www.PAILottery.com>. Creating a lottery account is free.

(2) A registered lottery account holder is subject to the iLottery regulations and specifically agrees to be bound by the iLottery terms and conditions located at <https://www.pailottery.com/signup/terms-and-conditions/>, as well as any related policies.

(3) To establish a lottery account, players must provide the following information:

(i) The player's name as it appears on a valid government-issued identification or tax documents;

(ii) The player's date of birth;

(iii) The entire or last four digits of the player's Social Security Number, or comparable equivalent;

(iv) The player's address;

(v) The player's telephone number;

(vi) The player's email address;

(vii) Any other information established by the Lottery to be necessary to verify the age and identity of the player.

(4) An individual may be required to provide additional information or documentation, as set forth in the iLottery terms and conditions, to establish a lottery account or register for iLottery. The information may be used for iLottery registration or to confirm information provided by that individual during the registration process.

(5) To enter the Drawing, entrants must submit the identifying information from at least one Qualifying Ticket via the Drawing's promotional web site, available at <https://www.palottery.com>, or the Lottery's official mobile application, during the entry period. The identifying information from a Qualifying Ticket may be submitted only once in the Drawing. Entries will automatically be awarded at the time of successful submission of a Qualifying Ticket. No other method of submission will be accepted. Entries submitted using any other method, including entries mailed or hand-delivered to the Lottery, are not valid and will be disqualified.

(6) Each entry must be complete, and the information supplied by the entrant must be accurate. Incomplete entries cannot be accepted.

(7) Only one claimant per entry is allowed.

(8) Entrants must be 18 years of age or older.

(9) Players may submit the identifying information from an unlimited number of Qualifying Tickets in the Drawing.

(10) Once an entry has been submitted it cannot be withdrawn or changed.

(c) *Drawing description:*

(1) The Lottery will conduct one HO HO wHOa Second-Chance Drawing from among all Fast Play lottery game Qualifying Tickets entered into the Drawing. All time references are Eastern Prevailing Time.

(2) The entry period for Fast Play lottery game Qualifying Tickets will begin after 4:59:59 a.m. November 5, 2024 and will end at 11:59:59 p.m. January 2, 2025. All entries received during the entry period will be entered

into the Drawing tentatively scheduled to be held between January 3, 2025 and January 17, 2025.

(3) The entry period for the Drawing will be posted to the Lottery's publicly accessible web site at <https://www.palottery.com>.

(4) The number of entries an entrant will receive for the Drawing is determined by the purchase price of the Qualifying Ticket entered. The purchase price and corresponding number of entries for the Qualifying Tickets are as follows: PA-5260 Merry Money Tree (\$10) = ten entries, PA-5261 NATIONAL LAMPOON'S CHRISTMAS VACATION (\$5) = five entries, PA-5262 Gingerbread Dough Doubler (\$2) = two entries and PA-5263 Merry and Bright (\$1) = one entry.

(5) Players may review prizes won and their entries for the Drawing via the Drawing's promotional web site.

(d) *Prizes available to be won, determination of winners and odds of winning:*

(1) The prize entitlements described below are subject to all restrictions and limitations described in section 9(e), or those mentioned anywhere else in these rules.

(2) Lottery will conduct one Drawing from among all the entries received during the entry period as described in section 9(c)(2).

(i) The first entry selected in the Drawing will be a winning entry and the entrant who submitted that winning entry shall be entitled to a prize of \$100,000, less required income tax withholding.

(ii) The second through the fourth entries selected in the Drawing will be winning entries and the entrants who submitted those winning entries shall each be entitled to a prize of \$50,000, less required income tax withholding.

(iii) The fifth through the twenty-fifth entries selected in the Drawing will be winning entries and the entrants who submitted those winning entries shall each be entitled to a prize of \$2,500.

(iv) The twenty-sixth through the seventy-fifth entries selected in the Drawing will be winning entries and the entrants who submitted those winning entries shall each be entitled to a prize of \$100 iLottery Bonus Money.

(3) All cash prizes will be paid as a lump-sum cash payment.

(4) Winners of iLottery Bonus Money are not required to claim a prize. All winners of iLottery Bonus Money will have the iLottery Bonus Money credited to their lottery account and will receive an email notifying them that they won a prize.

(5) The number of winning entries to be selected for the Drawing will be posted to the Lottery's publicly accessible web site.

(6) The odds of winning a prize in the Drawing depend upon the number of entries received for the Drawing.

(7) A computer-generated randomizer will be used to select the Drawing winners.

(e) *Drawing restrictions:*

(1) To be eligible to participate in the Drawing, entrants must have complied with the requirements of these rules.

(2) The Lottery is not responsible for late, lost or misdirected entries not entered into the Drawing. The Lottery is not responsible for entries that are not entered

into the Drawing because of incompatible internet browsers, mobile Lottery application failure or other technical issues. The Lottery is not responsible for entries not entered due to delays in creating a lottery account or the inability to create a lottery account. If a Drawing entry is selected as a winner and rejected or otherwise disqualified during or following the Drawing, the Lottery will select one entry to replace the rejected or otherwise disqualified entry in accordance with these rules and Lottery procedure.

(3) If any discrepancy exists between these rules and any material describing the Drawing, these rules shall govern.

(4) Employees of the Lottery, 9Rooftops Marketing, LLC, Scientific Games, LLC and MDI Entertainment, LLC, (collectively "SG") and their subcontractors, or a spouse, child, brother, sister or parent residing as a member of the same household in the principal place of residence of any such person are not eligible to participate in the Drawing. Offer void where prohibited or restricted.

(5) The Lottery reserves the right, in its sole discretion, to cancel or suspend the Drawing and change these rules if the Drawing cannot be conducted as planned due to errors in these rules or advertising, unauthorized intervention, tampering, fraud, technical errors, viruses, worms, bugs or any other cause that, in the Lottery's sole judgment, could corrupt or impair the administration, security, fairness, integrity or proper conduct of the Drawing.

(6) All entries shall be subject to verification by the Lottery.

(7) The Lottery reserves the right, in its sole discretion, to disqualify an entrant found to be tampering with the operation of the Drawing or to be acting in violation of these rules or applicable law.

(8) The Drawing is governed by the laws of the Commonwealth of Pennsylvania. Applicable laws and regulations apply.

(9) Prizes must be claimed within 1 year of the drawing date of the Drawing in which the prize was won. If no claim is made within 1 year of the drawing date of the Drawing in which the prize was won, the right of an entrant to claim the prize won, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided by statute.

(10) Final determination of winners will be made by the Secretary, whose judgment will be final and binding.

(11) A prize awarded in the Drawing to a person who dies before receiving the prize shall be paid according to 61 Pa. Code § 811.16 (relating to prizes payable after death of a prize winner).

(12) A winner is responsible for all taxes arising from or in connection with any prize won.

(13) A player may only win the prize for which the player is first selected in the Drawing. Subsequent entries, from the same individual, selected in the same Drawing will be disqualified and one replacement entry will be selected.

(14) Winners of iLottery Bonus Money must abide by the iLottery terms and conditions, the iLottery Bonus Policy and these rules. iLottery Bonus Money will expire 30 days from the date on which the winner was notified, via email, of the prize win, as further detailed in section 9(d)(4). iLottery Bonus Money has a five times play

through requirement in order to convert the iLottery Bonus Money into cash. For example, for a player winning \$100 of iLottery Bonus Money, the player is required to place \$500 in wagers before the iLottery Bonus Money awarded is converted into cash which may be withdrawn from the player's account.

(15) Prizes are not transferrable.

(16) Other restrictions may apply.

10. *Ticket responsibility:*

(a) A Fast Play lottery game ticket is a bearer document deemed to be owned by the person holding the game ticket, except that if a name is contained on the back of the game ticket, the person named will, for all purposes, be considered the owner of the game ticket.

(b) The holder of a Fast Play lottery game ticket has the sole responsibility for checking the accuracy and condition of the data printed on the game ticket.

(c) The Commonwealth shall not be responsible for a lost or stolen Fast Play lottery game ticket, or for a Fast Play ticket redeemed by a player in error.

11. *Ticket validation and requirements:*

(a) *Valid Fast Play lottery game tickets.* To be a valid Fast Play lottery game ticket, the presented game ticket must meet the following requirements:

(1) The game ticket's bar code shall be present in its entirety.

(2) The game ticket must be intact.

(3) The game ticket may not be mutilated, altered, reconstituted or tampered with.

(4) The game ticket may not be counterfeit or a duplicate of a winning ticket.

(5) The game ticket must have been validly issued.

(6) The game ticket data shall have been recorded on the Lottery Central Computer System and the game ticket data shall match the computer record in every respect.

(7) The game ticket must not be defectively printed or printed or produced in error such that it cannot be processed or validated by the Lottery.

(8) The game ticket must pass other confidential security checks of the Lottery.

(b) *Invalid or defective game tickets.* A game ticket not passing the validation requirements in subsection (a) will be considered invalid and no payment will be made on account of any play recorded thereon. The determination of the Secretary in this regard is final.

12. *Procedures for claiming and payment of prizes:*

(a) A prize may be claimed through an authorized retailer or the Lottery, as provided in this section. A prize must be claimed within 1 year of the sale date of the Fast Play lottery game ticket.

(b) An authorized retailer is authorized to pay prizes of \$2,500 or less. The holder of a game ticket evidencing a winning play representing a prize of \$2,500 or less may be paid by a participating authorized retailer if a proper validation pay ticket was issued by the retailer's Lottery Terminal.

(c) The holder of a game ticket evidencing a winning play representing a prize in excess of \$2,500 may present the game ticket to an authorized retailer, Lottery District Office, or Lottery Headquarters.

(d) The holder of a game ticket evidencing a winning play shall present the ticket, in person, to an authorized retailer, Lottery Headquarters or a Lottery District Office. The retailer or the Lottery will issue payment if:

(1) The game ticket is scanned, and the play is validated through the Lottery Terminal or the Lottery Central Computer System;

(2) A claim form is properly and fully completed;

(3) The identification of the claimant is confirmed; and

(4) The winning ticket has not expired, pursuant to this section or section 14 (relating to unclaimed prizes).

(e) The Commonwealth shall not be responsible for a winning play paid in error by an authorized retailer.

(f) In the event a prize described in these rules is not available, the Lottery may either provide a substitute prize, determined by the Secretary to have an equivalent value to the prize won, or make a cash payment to the winner, in an amount determined by the Secretary to have an equivalent value to the prize won.

13. *Funding for prizes:* Moneys will be drawn from the State Lottery Fund, to the extent necessary, to fund the payment of prizes under this section. If this lottery game is terminated for any cause, prize moneys remaining undistributed will remain in the State Lottery Fund and used for purposes otherwise provided for by law.

14. *Unclaimed prizes:* Unclaimed prize money on winning Fast Play lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto for 1 year from the sale date of the Fast Play lottery game ticket. If no claim is made within 1 year from the sale date of the Fast Play lottery game ticket, the right of a ticket holder to claim the prize represented by that ticket, if any, shall expire.

15. *Purchase and prize restrictions:* A Fast Play lottery game ticket may not be purchased by, and a prize may not be paid, to an officer or employee of the Lottery, Lottery professional services contractors or subcontractors, or to a spouse, child, brother, sister or parent residing in the same household of an officer, employee, contractor or subcontractor who is involved in the production, distribution or operation of systems for the validation or accounting of Fast Play games.

16. *Governing law:*

(a) By purchasing a ticket, the purchaser agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), this notice, instructions, conditions and final decisions of the Secretary and procedures established by the Secretary for the conduct of the Fast Play Merry Money Tree lottery game.

(b) Decisions made by the Secretary, including the declaration of prizes and the payment thereof, in interpretation of this notice are final and binding on players and persons making a claim in respect thereof.

17. *Retailer compensation:*

(a) Authorized retailers may be entitled to compensation as determined by the Lottery.

(b) No authorized retailer or employee of an authorized retailer shall request, demand or accept gratuities or any compensation other than as provided in subsection (a) in exchange for the performance of duties authorized pursuant to the Lottery retailer's license without the Lottery's prior written authorization.

18. *Retailer Incentive Programs:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Pennsylvania Fast Play Merry Money Tree lottery game tickets.

19. *Retailer bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania Fast Play lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which they qualify on a winning ticket. A bonus will be initiated for payment after the Fast Play game ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery Fast Play game ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

20. *Termination of the game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Merry Money Tree or through normal communications methods.

21. *Applicability:* This notice applies only to the Merry Money Tree lottery game announced in this notice.

PATRICK BROWNE,
Secretary

[Pa.B. Doc. No. 24-1588. Filed for public inspection November 1, 2024, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania NATIONAL LAMPOON'S CHRISTMAS VACATION Fast Play Game 5261

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 803.11 (relating to powers and duties of the Secretary of Revenue), the Secretary of Revenue hereby provides public notice of the rules for the following lottery game:

1. *Name:* The name of the Fast Play lottery game is Pennsylvania NATIONAL LAMPOON'S CHRISTMAS VACATION ("NATIONAL LAMPOON'S CHRISTMAS VACATION"). The game number is PA-5261.

2. *Definitions:*

(a) *A LOT OF SAP WINALL:* The area located at the bottom of a NATIONAL LAMPOON'S CHRISTMAS VACATION ticket where the player wins all 12 prizes shown in the "YOUR NUMBERS" area when a Squirrel (WINALL) symbol appears in the A LOT OF SAP WINALL area.

(b) *Authorized retailer or retailer:* A person who is properly licensed by the Lottery pursuant to 61 Pa. Code §§ 805.1—805.17.

(c) *Bar code:* The symbology on the ticket containing certain encrypted validation and accounting data used for identifying winning and losing tickets.

(d) *FLIP THE SWITCH:* The area at the center of a NATIONAL LAMPOON'S CHRISTMAS VACATION ticket containing either an ON or OFF "FLIP THE SWITCH" play symbol. When the "FLIP THE SWITCH" play symbol is an ON symbol, the player wins the prize amount shown in the "SWITCH PRIZE" area. FLIP THE SWITCH is played separately.

(e) *Game Ticket:* A bearer instrument produced through a Lottery Terminal that is the player's record of a play for a Fast Play lottery game and sold by an authorized retailer containing the play and validation data as published in this game notice.

(f) *Lottery Central Computer System:* The computer gaming system on which all Fast Play plays are recorded.

(g) *Lottery Terminal:* A device authorized by the Lottery to function in an interactive mode with the Lottery Central Computer System for the purpose of issuing plays, executing Quick Pick selections, and entering, receiving, and processing lottery transactions, including making purchases, validating plays, transmitting reports and performing inventory functions.

(h) *Play:* A chance to participate in a particular Fast Play lottery game.

(i) *Play Area:* The area on a ticket which contains one or more play symbols.

(j) *Play Symbol:* A number, letter, symbol, image or other character found in the play area which is used to determine whether a player wins a prize.

(k) *Prize:* A non-monetary item, money or experience that can be won as specified in section 7 (relating to prizes available to be won and determination of prize winners) of this game notice.

(l) *SWITCH PRIZE:* The area on a NATIONAL LAMPOON'S CHRISTMAS VACATION ticket containing the prize amount that is won when the play symbol in the "FLIP THE SWITCH" area is an ON symbol.

(m) *WINNING NUMBERS:* The play symbols found in the play area that determine whether a player wins a prize when matched against the play symbols in the "YOUR NUMBERS" area.

(n) *Winning ticket:* A game ticket which has been validated and qualifies for a prize.

(o) *YOUR NUMBERS:* The play symbols found in the play area that determine whether a player wins a prize when matched against the play symbols in the "WINNING NUMBERS" area.

3. *Price:* The price of a NATIONAL LAMPOON'S CHRISTMAS VACATION ticket is \$5.

4. *Description of the NATIONAL LAMPOON'S CHRISTMAS VACATION Fast Play lottery game:*

(a) The NATIONAL LAMPOON'S CHRISTMAS VACATION lottery game is an instant win game printed from a Lottery Terminal. All prizes are predetermined, and the player does not have the ability to select their own play symbols. NATIONAL LAMPOON'S CHRISTMAS VACATION tickets may be purchased from an authorized retailer or at a Lottery self-service terminal that sells

terminal-based Lottery game tickets. Tickets purchased from an authorized retailer shall be printed on-demand at the time of purchase and may not be preprinted by the retailer.

(b) NATIONAL LAMPOON'S CHRISTMAS VACATION is played by matching any of the play symbols located in the "YOUR NUMBERS" area to any of the play symbols located in the "WINNING NUMBERS" area. A player correctly matching play symbols in this manner will win the prize shown under the matching "YOUR NUMBERS" play symbol. Whenever a Squirrel (WINALL) play symbol appears in the "A LOT OF SAP WINALL" area, the player wins all 12 prizes shown in the "YOUR NUMBERS" area. A bet slip is not used to play this game.

(c) NATIONAL LAMPOON'S CHRISTMAS VACATION tickets also contain a "FLIP THE SWITCH" area. When the "FLIP THE SWITCH" is an ON symbol, the player wins the prize amount shown in the "SWITCH PRIZE" area. "FLIP THE SWITCH" is played separately.

(d) Players can win the prizes identified in section 7 (relating to prizes available to be won and determination of prize winners).

(e) NATIONAL LAMPOON'S CHRISTMAS VACATION tickets cannot be canceled or voided once printed by the Lottery Terminal, even if printed in error.

(f) To purchase a ticket at an authorized retailer, a player must remit the purchase price to the retailer and verbally request a NATIONAL LAMPOON'S CHRISTMAS VACATION ticket. The ticket shall be the only valid proof of the bet placed and the only valid receipt for claiming a prize.

(g) To purchase a ticket at a Pennsylvania Lottery self-service terminal, the player must insert into the self-service terminal a dollar amount equal to the total purchase price of a NATIONAL LAMPOON'S CHRISTMAS VACATION ticket and select the NATIONAL LAMPOON'S CHRISTMAS VACATION option on the Lottery self-service terminal. The ticket shall be the only valid proof of the bet placed and the only valid receipt for claiming a prize.

5. NATIONAL LAMPOON'S CHRISTMAS VACATION ticket characteristics:

(a) NATIONAL LAMPOON'S CHRISTMAS VACATION tickets shall contain a play area, the cost of the play, the date of sale and a bar code.

(b) *Play Symbols:* NATIONAL LAMPOON'S CHRISTMAS VACATION tickets will contain a "WINNING NUMBERS" area, a "YOUR NUMBERS" area, a "FLIP THE SWITCH" area, a "SWITCH PRIZE" area and an "A LOT OF SAP WINALL" area. The play symbols and their captions, located in the "WINNING NUMBERS" area and the "YOUR NUMBERS" area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVEN), 12 (TWELVE), 13 (THIRTEEN), 14 (FOURTEEN), 15 (FIFTEEN), 16 (SIXTEEN), 17 (SEVENTEEN), 18 (EIGHTEEN), 19 (NINETEEN), 20 (TWENTY), 21 (TWENTYONE), 22 (TWENTYTWO), 23 (TWENTYTHREE), 24 (TWENTYFOUR), 25 (TWENTYFIVE), 26 (TWENTYSIX), 27 (TWENTYSEVEN), 28 (TWENTYEIGHT), 29 (TWENTYNINE) and 30 (THIRTY). The play symbols and their captions located in the "FLIP THE SWITCH" area are: OFF symbol and an ON symbol. The play symbols and their captions located in the "A LOT OF SAP WINALL" area are: Wreath (NOBONUS) symbol, Lights (TRYAGAIN) symbol, AND TO ALL A GOOD NIGHT (NOBONUS) symbol, RV (TRYAGAIN) symbol, Jelly of the Month Club (NOBONUS) symbol, Moose Mug

(TRYAGAIN) symbol, Snots the Dog (NOBONUS) symbol and a Squirrel (WINALL) symbol.

(c) *Prize Symbols:* The prize symbols and their captions located in the "YOUR NUMBERS" area are: \$5⁰⁰ (FIV DOL), \$10⁰⁰ (TEN DOL), \$15⁰⁰ (FIFTEEN), \$20⁰⁰ (TWENTY), \$40⁰⁰ (FORTY), \$100 (ONE HUN), \$200 (TWO HUN), \$400 (FOR HUN), \$2,500 (TWYFIVHUN) and \$25,000 (TWNTFVTHO). The prize amounts and their captions located in the "SWITCH PRIZE" area are: \$5⁰⁰ (FIV DOL), \$10⁰⁰ (TEN DOL), \$15⁰⁰ (FIFTEEN), \$20⁰⁰ (TWENTY), \$40⁰⁰ (FORTY), \$100 (ONE HUN), \$200 (TWO HUN) and \$400 (FOR HUN).

(d) *Prizes:* The prizes that can be won in this game are: \$5, \$10, \$15, \$20, \$40, \$100, \$200, \$400, \$2,500 and \$25,000. The prizes that can be won in the "FLIP THE SWITCH" area are: \$5, \$10, \$15, \$20, \$40, \$100, \$200 and \$400. For a complete description of how these prizes can be won, see section 8 (relating to number and description of prizes and approximate chances of winning). A player can win up to 13 times on a ticket.

(e) *Approximate number of tickets available for the game:* Approximately 720,000 tickets will be available for sale for the NATIONAL LAMPOON'S CHRISTMAS VACATION lottery game.

6. Second-Chance Drawing: The Pennsylvania Lottery ("Lottery") will conduct a HO HO WHOa Second-Chance Drawing ("Drawing") for which non-winning NATIONAL LAMPOON'S CHRISTMAS VACATION Fast Play lottery game tickets may be eligible as provided for in section 9 (relating to second-chance drawing).

7. Prizes available to be won and determination of prize winners:

(a) All NATIONAL LAMPOON'S CHRISTMAS VACATION prize payments will be made as one-time, lump-sum cash payments.

(b) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols and a prize symbol of \$25,000 (TWNTFVTHO) appears in the Prize area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$25,000.

(c) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols and a prize symbol of \$2,500 (TWYFIVHUN) appears in the Prize area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$2,500.

(d) Holders of tickets upon which a Squirrel (WINALL) symbol appears in the "A LOT OF SAP WINALL" area and a prize symbol of \$400 (FOR HUN) appears in five of the Prize areas, a prize symbol of \$100 (ONE HUN) appears in four of the Prize areas, a prize symbol of \$40⁰⁰ (FORTY) appears in two of the Prize areas and a prize symbol of \$20⁰⁰ (TWENTY) appears in one of the Prize areas, on a single ticket, shall be entitled to a prize of \$2,500.

(e) Holders of tickets upon which a Squirrel (WINALL) symbol appears in the "A LOT OF SAP WINALL" area and a prize symbol of \$400 (FOR HUN) appears in four of the Prize areas, a prize symbol of \$200 (TWO HUN) appears in two of the Prize areas, a prize symbol of \$20⁰⁰ (TWENTY) appears in four of the Prize areas and a prize symbol of \$10⁰⁰ (TEN DOL) appears in two of the Prize areas, on a single ticket, shall be entitled to a prize of \$2,100.

(f) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$400 (FOR HUN) appears in the Prize area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$400.

(g) Holders of tickets upon which the “FLIP THE SWITCH” play symbol is an ON symbol and a prize amount of \$400 (FOR HUN) appears in the “SWITCH PRIZE” area, on a single ticket, shall be entitled to a prize of \$400.

(h) Holders of tickets upon which a Squirrel (WINALL) symbol appears in the “A LOT OF SAP WINALL” area and a prize symbol of \$100 (ONE HUN) appears in two of the Prize areas, a prize symbol of \$40⁰⁰ (FORTY) appears in four of the Prize areas, a prize symbol of \$10⁰⁰ (TEN DOL) appears in two of the Prize areas and a prize symbol of \$5⁰⁰ (FIV DOL) appears in four of the Prize areas, on a single ticket, shall be entitled to a prize of \$400.

(i) Holders of tickets upon which a Squirrel (WINALL) symbol appears in the “A LOT OF SAP WINALL” area and a prize symbol of \$20⁰⁰ (TWENTY) appears in six of the Prize areas, a prize symbol of \$10⁰⁰ (TEN DOL) appears in four of the Prize areas, a prize symbol of \$100 (ONE HUN) appears in one of the Prize areas and a prize symbol of \$40⁰⁰ (FORTY) appears in one of the Prize areas, on a single ticket, shall be entitled to a prize of \$300.

(j) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$200 (TWO HUN) appears in the Prize area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$200.

(k) Holders of tickets upon which the “FLIP THE SWITCH” play symbol is an ON symbol and a prize amount of \$200 (TWO HUN) appears in the “SWITCH PRIZE” area, on a single ticket, shall be entitled to a prize of \$200.

(l) Holders of tickets upon which a Squirrel (WINALL) symbol appears in the “A LOT OF SAP WINALL” area and a prize symbol of \$40⁰⁰ (FORTY) appears in two of the Prize areas, a prize symbol of \$20⁰⁰ (TWENTY) appears in two of the Prize areas, a prize symbol of \$15⁰⁰ (FIFTEEN) appears in two of the Prize areas, a prize symbol of \$10⁰⁰ (TEN DOL) appears in four of the Prize areas and a prize symbol of \$5⁰⁰ (FIV DOL) appears in two of the Prize areas, on a single ticket, shall be entitled to a prize of \$200.

(m) Holders of tickets upon which a Squirrel (WINALL) symbol appears in the “A LOT OF SAP WINALL” area and a prize symbol of \$20⁰⁰ (TWENTY) appears in five of the Prize areas, a prize symbol of \$10⁰⁰ (TEN DOL) appears in five of the Prize areas and a prize symbol of \$5⁰⁰ (FIV DOL) appears in two of the Prize areas, on a single ticket, shall be entitled to a prize of \$160.

(n) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$100 (ONE HUN) appears in the Prize area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$100.

(o) Holders of tickets upon which the “FLIP THE SWITCH” play symbol is an ON symbol and a prize

amount of \$100 (ONE HUN) appears in the “SWITCH PRIZE” area, on a single ticket, shall be entitled to a prize of \$100.

(p) Holders of tickets upon which a Squirrel (WINALL) symbol appears in the “A LOT OF SAP WINALL” area and a prize symbol of \$15⁰⁰ (FIFTEEN) appears in two of the Prize areas, a prize symbol of \$10⁰⁰ (TEN DOL) appears in four of the Prize areas and a prize symbol of \$5⁰⁰ (FIV DOL) appears in six of the Prize areas, on a single ticket, shall be entitled to a prize of \$100.

(q) Holders of tickets upon which a Squirrel (WINALL) symbol appears in the “A LOT OF SAP WINALL” area and a prize symbol of \$10⁰⁰ (TEN DOL) appears in five of the Prize areas, a prize symbol of \$5⁰⁰ (FIV DOL) appears in six of the Prize areas and a prize symbol of \$15⁰⁰ (FIFTEEN) appears in one of the Prize areas, on a single ticket, shall be entitled to a prize of \$95.

(r) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$40⁰⁰ (FORTY) appears in the Prize area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$40.

(s) Holders of tickets upon which the “FLIP THE SWITCH” play symbol is an ON symbol and a prize amount of \$40⁰⁰ (FORTY) appears in the “SWITCH PRIZE” area, on a single ticket, shall be entitled to a prize of \$40.

(t) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$20⁰⁰ (TWENTY) appears in the Prize area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$20.

(u) Holders of tickets upon which the “FLIP THE SWITCH” play symbol is an ON symbol and a prize amount of \$20⁰⁰ (TWENTY) appears in the “SWITCH PRIZE” area, on a single ticket, shall be entitled to a prize of \$20.

(v) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$15⁰⁰ (FIFTEEN) appears in the Prize area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$15.

(w) Holders of tickets upon which the “FLIP THE SWITCH” play symbol is an ON symbol and a prize amount of \$15⁰⁰ (FIFTEEN) appears in the “SWITCH PRIZE” area, on a single ticket, shall be entitled to a prize of \$15.

(x) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the Prize area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$10.

(y) Holders of tickets upon which the “FLIP THE SWITCH” play symbol is an ON symbol and a prize amount of \$10⁰⁰ (TEN DOL) appears in the “SWITCH PRIZE” area, on a single ticket, shall be entitled to a prize of \$10.

(z) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$5⁰⁰

(FIV DOL) appears in the Prize area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$5.

(aa) Holders of tickets upon which the “FLIP THE SWITCH” play symbol is an ON symbol and a prize amount of \$5⁰⁰ (FIV DOL) appears in the “SWITCH

PRIZE” area, on a single ticket, shall be entitled to a prize of \$5.

8. *Number and description of prizes and approximate chances of winning:* The following table sets forth the approximate number of winners, amounts of prizes and approximate chances of winning:

<i>Match Any Of “YOUR NUMBERS” To Any Of The “WINNING NUMBERS” To Win Prize Shown Under That Match. Win With:</i>	<i>FLIP THE SWITCH:</i>	<i>Win:</i>	<i>Approximate Chances Of Winning Are 1 In:</i>	<i>Approximate No. Of Winners Per 720,000 Tickets:</i>
	\$5 w/ ON SWITCH	\$5	15.38	46,800
\$5		\$5	25	28,800
\$5 × 2		\$10	200	3,600
\$5	\$5 w/ ON SWITCH	\$10	45.45	15,840
	\$10 w/ ON SWITCH	\$10	45.45	15,840
\$10		\$10	200	3,600
\$5 × 3		\$15	250	2,880
\$5	\$10 w/ ON SWITCH	\$15	76.92	9,360
\$10	\$5 w/ ON SWITCH	\$15	76.92	9,360
	\$15 w/ ON SWITCH	\$15	76.92	9,360
\$15		\$15	250	2,880
\$5 × 4		\$20	1,000	720
\$5	\$15 w/ ON SWITCH	\$20	333.33	2,160
\$5 × 2	\$10 w/ ON SWITCH	\$20	250	2,880
	\$20 w/ ON SWITCH	\$20	250	2,880
\$20		\$20	1,000	720
\$10 × 4		\$40	2,000	360
\$20 × 2		\$40	2,000	360
(\$15 × 2) + (\$5 × 2)		\$40	2,000	360
\$5 × 4	\$20 w/ ON SWITCH	\$40	500	1,440
\$15 + \$10 + \$5	\$10 w/ ON SWITCH	\$40	500	1,440
	\$40 w/ ON SWITCH	\$40	500	1,440
\$40		\$40	2,000	360
SQUIRREL w/ ((\$10 × 5) + (\$5 × 6) + \$15)	\$5 w/ ON SWITCH	\$100	226.42	3,180
SQUIRREL w/ ((\$15 × 2) + (\$10 × 4) + (\$5 × 6))		\$100	1,200	600
\$20 × 5		\$100	24,000	30
\$15 × 4	\$40 w/ ON SWITCH	\$100	3,000	240
(\$20 × 2) + (\$10 × 2) + (\$5 × 4)	\$20 w/ ON SWITCH	\$100	3,000	240

<i>Match Any Of "YOUR NUMBERS" To Any Of The "WINNING NUMBERS" To Win Prize Shown Under That Match. Win With:</i>	<i>FLIP THE SWITCH:</i>	<i>Win:</i>	<i>Approximate Chances Of Winning Are 1 In:</i>	<i>Approximate No. Of Winners Per 720,000 Tickets:</i>
	\$100 w/ ON SWITCH	\$100	3,000	240
\$100		\$100	20,000	36
SQUIRREL w/ (($\$15 \times 2$) + ($\10×4) + ($\$5 \times 6$))	\$100 w/ ON SWITCH	\$200	6,000	120
SQUIRREL w/ (($\$20 \times 5$) + ($\10×5) + ($\$5 \times 2$))	\$40 w/ ON SWITCH	\$200	6,000	120
SQUIRREL w/ (($\$40 \times 2$) + ($\20×2) + ($\$15 \times 2$) + ($\10×4) + ($\$5 \times 2$))		\$200	6,000	120
\$40 \times 5		\$200	24,000	30
($\$20 \times 5$) + ($\15×3) + $\$10$ + $\$5$	\$40 w/ ON SWITCH	\$200	12,000	60
($\$40 \times 2$) + ($\5×4)	\$100 w/ ON SWITCH	\$200	12,000	60
	\$200 w/ ON SWITCH	\$200	12,000	60
\$200		\$200	24,000	30
SQUIRREL w/ (($\$20 \times 6$) + ($\10×4) + $\$100$ + $\$40$)	\$100 w/ ON SWITCH	\$400	12,000	60
SQUIRREL w/ (($\$40 \times 2$) + ($\20×2) + ($\$15 \times 2$) + ($\10×4) + ($\$5 \times 2$))	\$200 w/ ON SWITCH	\$400	12,000	60
SQUIRREL w/ (($\$100 \times 2$) + ($\40×4) + ($\$10 \times 2$) + ($\5×4))		\$400	12,000	60
\$100 \times 4		\$400	120,000	6
\$40 \times 5	\$200 w/ ON SWITCH	\$400	40,000	18
($\$100 \times 2$) + ($\20×5)	\$100 w/ ON SWITCH	\$400	40,000	18
	\$400 w/ ON SWITCH	\$400	60,000	12
\$400		\$400	120,000	6
SQUIRREL w/ (($\$400 \times 4$) + ($\200×2) + ($\$20 \times 4$) + ($\10×2))	\$400 w/ ON SWITCH	\$2,500	120,000	6
SQUIRREL w/ (($\$400 \times 5$) + ($\100×4) + ($\$40 \times 2$) + $\$20$)		\$2,500	120,000	6
\$2,500		\$2,500	120,000	6
\$25,000		\$25,000	144,000	5

FLIP THE SWITCH: Win the SWITCH PRIZE shown when the SWITCH is ON. FLIP THE SWITCH is played separately.

A LOT OF SAP WINALL: Find a "SQUIRREL" (WINALL) symbol to win ALL 12 PRIZES shown in the YOUR NUMBERS area.

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Second-Chance Drawing:* The Pennsylvania Lottery's HO HO wHOa Second-Chance Drawing for qualifying Fast Play tickets:

(a) *Qualifying Tickets:* Non-winning PA-5260 Merry Money Tree (\$10), PA-5261 NATIONAL LAMPOON'S CHRISTMAS VACATION (\$5), PA-5262 Gingerbread

Dough Doubler (\$2) and PA-5263 Merry and Bright (\$1) Fast Play lottery game tickets ("Qualifying Tickets") are eligible for entry into the Drawing.

(b) *Participation and entry:*

(1) Entrants must have a registered lottery account in order to participate in the Drawing. To create a lottery account, visit <https://www.PAiLottery.com>. Creating a lottery account is free.

(2) A registered lottery account holder is subject to the iLottery regulations and specifically agrees to be bound by the iLottery terms and conditions located at <https://www.palottery.com/signup/terms-and-conditions/>, as well as any related policies.

(3) To establish a lottery account, players must provide the following information:

(i) The player's name as it appears on a valid government-issued identification or tax documents;

(ii) The player's date of birth;

(iii) The entire or last four digits of the player's Social Security Number, or comparable equivalent;

(iv) The player's address;

(v) The player's telephone number;

(vi) The player's email address;

(vii) Any other information established by the Lottery to be necessary to verify the age and identity of the player.

(4) An individual may be required to provide additional information or documentation, as set forth in the iLottery terms and conditions, to establish a lottery account or register for iLottery. The information may be used for iLottery registration or to confirm information provided by that individual during the registration process.

(5) To enter the Drawing, entrants must submit the identifying information from at least one Qualifying Ticket via the Drawing's promotional web site, available at <https://www.palottery.com>, or the Lottery's official mobile application, during the entry period. The identifying information from a Qualifying Ticket may be submitted only once in the Drawing. Entries will automatically be awarded at the time of successful submission of a Qualifying Ticket. No other method of submission will be accepted. Entries submitted using any other method, including entries mailed or hand-delivered to the Lottery, are not valid and will be disqualified.

(6) Each entry must be complete, and the information supplied by the entrant must be accurate. Incomplete entries cannot be accepted.

(7) Only one claimant per entry is allowed.

(8) Entrants must be 18 years of age or older.

(9) Players may submit the identifying information from an unlimited number of Qualifying Tickets in the Drawing.

(10) Once an entry has been submitted it cannot be withdrawn or changed.

(c) *Drawing description:*

(1) The Lottery will conduct one HO HO wHOa Second-Chance Drawing from among all Fast Play lottery game Qualifying Tickets entered into the Drawing. All time references are Eastern Prevailing Time.

(2) The entry period for Fast Play lottery game Qualifying Tickets will begin after 4:59:59 a.m. November 5, 2024 and will end at 11:59:59 p.m. January 2, 2025. All entries received during the entry period will be entered into the Drawing tentatively scheduled to be held between January 3, 2025 and January 17, 2025.

(3) The entry period for the Drawing will be posted to the Lottery's publicly accessible web site at <https://www.palottery.com>.

(4) The number of entries an entrant will receive for the Drawing is determined by the purchase price of the

Qualifying Ticket entered. The purchase price and corresponding number of entries for the Qualifying Tickets are as follows: PA-5260 Merry Money Tree (\$10) = ten entries, PA-5261 NATIONAL LAMPOON'S CHRISTMAS VACATION (\$5) = five entries, PA-5262 Gingerbread Dough Doubler (\$2) = two entries and PA-5263 Merry and Bright (\$1) = one entry.

(5) Players may review prizes won and their entries for the Drawing via the Drawing's promotional web site.

(d) *Prizes available to be won, determination of winners and odds of winning:*

(1) The prize entitlements described below are subject to all restrictions and limitations described in section 9(e), or those mentioned anywhere else in these rules.

(2) Lottery will conduct one Drawing from among all the entries received during the entry period as described in section 9(c)(2).

(i) The first entry selected in the Drawing will be a winning entry and the entrant who submitted that winning entry shall be entitled to a prize of \$100,000, less required income tax withholding.

(ii) The second through the fourth entries selected in the Drawing will be winning entries and the entrants who submitted those winning entries shall each be entitled to a prize of \$50,000, less required income tax withholding.

(iii) The fifth through the twenty-fifth entries selected in the Drawing will be winning entries and the entrants who submitted those winning entries shall each be entitled to a prize of \$2,500.

(iv) The twenty-sixth through the seventy-fifth entries selected in the Drawing will be winning entries and the entrants who submitted those winning entries shall each be entitled to a prize of \$100 iLottery Bonus Money.

(3) All cash prizes will be paid as a lump-sum cash payment.

(4) Winners of iLottery Bonus Money are not required to claim a prize. All winners of iLottery Bonus Money will have the iLottery Bonus Money credited to their lottery account and will receive an email notifying them that they won a prize.

(5) The number of winning entries to be selected for the Drawing will be posted to the Lottery's publicly accessible web site.

(6) The odds of winning a prize in the Drawing depend upon the number of entries received for the Drawing.

(7) A computer-generated randomizer will be used to select the Drawing winners.

(e) *Drawing restrictions:*

(1) To be eligible to participate in the Drawing, entrants must have complied with the requirements of these rules.

(2) The Lottery is not responsible for late, lost or misdirected entries not entered into the Drawing. The Lottery is not responsible for entries that are not entered into the Drawing because of incompatible internet browsers, mobile Lottery application failure or other technical issues. The Lottery is not responsible for entries not entered due to delays in creating a lottery account or the inability to create a lottery account. If a Drawing entry is selected as a winner and rejected or otherwise disqualified during or following the Drawing, the Lottery will

select one entry to replace the rejected or otherwise disqualified entry in accordance with these rules and Lottery procedure.

(3) If any discrepancy exists between these rules and any material describing the Drawing, these rules shall govern.

(4) Employees of the Lottery, 9Rooftops Marketing, LLC, Scientific Games, LLC and MDI Entertainment, LLC, (collectively "SG") and their subcontractors, or a spouse, child, brother, sister or parent residing as a member of the same household in the principal place of residence of any such person are not eligible to participate in the Drawing. Offer void where prohibited or restricted.

(5) The Lottery reserves the right, in its sole discretion, to cancel or suspend the Drawing and change these rules if the Drawing cannot be conducted as planned due to errors in these rules or advertising, unauthorized intervention, tampering, fraud, technical errors, viruses, worms, bugs or any other cause that, in the Lottery's sole judgment, could corrupt or impair the administration, security, fairness, integrity or proper conduct of the Drawing.

(6) All entries shall be subject to verification by the Lottery.

(7) The Lottery reserves the right, in its sole discretion, to disqualify an entrant found to be tampering with the operation of the Drawing or to be acting in violation of these rules or applicable law.

(8) The Drawing is governed by the laws of the Commonwealth of Pennsylvania. Applicable laws and regulations apply.

(9) Prizes must be claimed within 1 year of the drawing date of the Drawing in which the prize was won. If no claim is made within 1 year of the drawing date of the Drawing in which the prize was won, the right of an entrant to claim the prize won, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided by statute.

(10) Final determination of winners will be made by the Secretary, whose judgment will be final and binding.

(11) A prize awarded in the Drawing to a person who dies before receiving the prize shall be paid according to 61 Pa. Code § 811.16 (relating to prizes payable after death of a prize winner).

(12) A winner is responsible for all taxes arising from or in connection with any prize won.

(13) A player may only win the prize for which the player is first selected in the Drawing. Subsequent entries, from the same individual, selected in the same Drawing will be disqualified and one replacement entry will be selected.

(14) Winners of iLottery Bonus Money must abide by the iLottery terms and conditions, the iLottery Bonus Policy and these rules. iLottery Bonus Money will expire 30 days from the date on which the winner was notified, via email, of the prize win, as further detailed in section 9(d)(4). iLottery Bonus Money has a five times play through requirement in order to convert the iLottery Bonus Money into cash. For example, for a player winning \$100 of iLottery Bonus Money, the player is required to place \$500 in wagers before the iLottery Bonus Money awarded is converted into cash which may be withdrawn from the player's account.

(15) Prizes are not transferrable.

(16) Other restrictions may apply.

10. *Ticket responsibility:*

(a) A Fast Play lottery game ticket is a bearer document deemed to be owned by the person holding the game ticket, except that if a name is contained on the back of the game ticket, the person named will, for all purposes, be considered the owner of the game ticket.

(b) The holder of a Fast Play lottery game ticket has the sole responsibility for checking the accuracy and condition of the data printed on the game ticket.

(c) The Commonwealth shall not be responsible for a lost or stolen Fast Play lottery game ticket, or for a Fast Play ticket redeemed by a player in error.

11. *Ticket validation and requirements:*

(a) *Valid Fast Play lottery game tickets.* To be a valid Fast Play lottery game ticket, the presented game ticket must meet the following requirements:

(1) The game ticket's bar code shall be present in its entirety.

(2) The game ticket must be intact.

(3) The game ticket may not be mutilated, altered, reconstituted or tampered with.

(4) The game ticket may not be counterfeit or a duplicate of a winning ticket.

(5) The game ticket must have been validly issued.

(6) The game ticket data shall have been recorded on the Lottery Central Computer System and the game ticket data shall match the computer record in every respect.

(7) The game ticket must not be defectively printed or printed or produced in error such that it cannot be processed or validated by the Lottery.

(8) The game ticket must pass other confidential security checks of the Lottery.

(b) *Invalid or defective game tickets.* A game ticket not passing the validation requirements in subsection (a) will be considered invalid and no payment will be made on account of any play recorded thereon. The determination of the Secretary in this regard is final.

12. *Procedures for claiming and payment of prizes:*

(a) A prize may be claimed through an authorized retailer or the Lottery, as provided in this section. A prize must be claimed within 1 year of the sale date of the Fast Play lottery game ticket.

(b) An authorized retailer is authorized to pay prizes of \$2,500 or less. The holder of a game ticket evidencing a winning play representing a prize of \$2,500 or less may be paid by a participating authorized retailer if a proper validation pay ticket was issued by the retailer's Lottery Terminal.

(c) The holder of a game ticket evidencing a winning play representing a prize in excess of \$2,500 may present the game ticket to an authorized retailer, Lottery District Office, or Lottery Headquarters.

(d) The holder of a game ticket evidencing a winning play shall present the ticket, in person, to an authorized retailer, Lottery Headquarters or a Lottery District Office. The retailer or the Lottery will issue payment if:

(1) The game ticket is scanned, and the play is validated through the Lottery Terminal or the Lottery Central Computer System;

(2) A claim form is properly and fully completed;

(3) The identification of the claimant is confirmed; and

(4) The winning ticket has not expired, pursuant to this section or section 14 (relating to unclaimed prizes).

(e) The Commonwealth shall not be responsible for a winning play paid in error by an authorized retailer.

(f) In the event a prize described in these rules is not available, the Lottery may either provide a substitute prize, determined by the Secretary to have an equivalent value to the prize won, or make a cash payment to the winner, in an amount determined by the Secretary to have an equivalent value to the prize won.

13. *Funding for prizes:* Moneys will be drawn from the State Lottery Fund, to the extent necessary, to fund the payment of prizes under this section. If this lottery game is terminated for any cause, prize moneys remaining undistributed will remain in the State Lottery Fund and used for purposes otherwise provided for by law.

14. *Unclaimed prizes:* Unclaimed prize money on winning Fast Play lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto for 1 year from the sale date of the Fast Play lottery game ticket. If no claim is made within 1 year from the sale date of the Fast Play lottery game ticket, the right of a ticket holder to claim the prize represented by that ticket, if any, shall expire.

15. *Purchase and prize restrictions:* A Fast Play lottery game ticket may not be purchased by, and a prize may not be paid, to an officer or employee of the Lottery, Lottery professional services contractors or subcontractors, or to a spouse, child, brother, sister or parent residing in the same household of an officer, employee, contractor or subcontractor who is involved in the production, distribution or operation of systems for the validation or accounting of Fast Play games.

16. *Governing law:*

(a) By purchasing a ticket, the purchaser agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), this notice, instructions, conditions and final decisions of the Secretary, and procedures established by the Secretary for the conduct of the Fast Play NATIONAL LAMPOON'S CHRISTMAS VACATION lottery game.

(b) Decisions made by the Secretary, including the declaration of prizes and the payment thereof, in interpretation of this notice are final and binding on players and persons making a claim in respect thereof.

17. *Retailer compensation:*

(a) Authorized retailers may be entitled to compensation as determined by the Lottery.

(b) No authorized retailer or employee of an authorized retailer shall request, demand, or accept gratuities or any compensation other than as provided in subsection (a) in exchange for the performance of duties authorized pursuant to the Lottery retailer's license without the Lottery's prior written authorization.

18. *Retailer Incentive Programs:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Pennsylvania Fast Play NATIONAL LAMPOON'S CHRISTMAS VACATION lottery game tickets.

19. *Retailer bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania Fast Play lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which they qualify on a winning ticket. A bonus will be initiated for payment after the Fast Play game ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery Fast Play game ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

20. *Termination of the game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote NATIONAL LAMPOON'S CHRISTMAS VACATION or through normal communications methods.

21. *Applicability:* This notice applies only to the NATIONAL LAMPOON'S CHRISTMAS VACATION lottery game announced in this notice.

PATRICK BROWNE,
Secretary

[Pa.B. Doc. No. 24-1589. Filed for public inspection November 1, 2024, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Contemplated Sale of Land No Longer Needed for Transportation Purposes

The Department of Transportation (Department), under the Sale of Transportation Lands Act (71 P.S. §§ 1381.1—1381.3), intends to sell certain land owned by the Department.

The following property is available for sale by the Department.

State Route 4016, Parcel No. 41, Tax ID (33)040-129.0-010.00, Millcreek Township, Erie County. This is an uneconomic remnant and contains 19,753 square feet of unimproved land situated on the eastern side of Millfair Road, Erie, PA 16505. Access to the property is over a private access easement off the cul-de-sac at the end of Woodside Drive.

The estimated fair market value is \$29,700. It has been determined that the land is no longer needed for present or future transportation purposes.

Interested public entities are invited to express their interest in purchasing the property within 30 calendar

days from the date of publication of this notice to the Department of Transportation, Engineering District 1-0, Attn: Deborah Knapp, Right-of-Way Unit, 255 Elm Street, Oil City, PA 16301.

MICHAEL CARROLL,
Secretary

[Pa.B. Doc. No. 24-1590. Filed for public inspection November 1, 2024, 9:00 a.m.]

**DEPARTMENT OF
TRANSPORTATION**

Inspection Advisory Board Meeting

The Inspection Advisory Board (Board) will meet on Wednesday, November 6, 2024. The meeting will begin at 11 a.m. at the Riverfront Office Center, Transportation University, Room 411, 1101 South Front Street, Harrisburg, PA. Chairperson Stephen J. Madrak will preside. The meeting is open to the public.

Members of the public interested in addressing the Board with a concern relating to inspection regulations must contact Tim Langletz at (717) 787-2895 by 12 p.m. on Monday, November 4, 2024. These concerns will be discussed during “Items from the Floor” on the agenda. The agenda will be posted a minimum of 24 hours prior to the start of the meeting at www.dmv.pa.gov on the Inspection Information page under the Vehicle Services tab.

The meeting location is accessible to persons with disabilities. Persons with special needs or requiring special aids are also requested to contact Tim Langletz at (717) 787-2895 prior to the meeting so that disability needs may be accommodated.

MICHAEL CARROLL,
Secretary

[Pa.B. Doc. No. 24-1591. Filed for public inspection November 1, 2024, 9:00 a.m.]

FISH AND BOAT COMMISSION

**Additions to List of Class A Wild Trout Waters;
October 2024**

The Fish and Boat Commission (Commission) approved the addition of 20 stream sections to its list of Class A wild trout streams as set forth at 54 Pa.B. 5197 (August 10, 2024). Under 58 Pa. Code § 57.8a (relating to Class A wild trout streams), it is the Commission’s policy to manage self-sustaining Class A wild trout populations as a renewable natural resource and to conserve that resource and the angling that it provides. Class A wild trout populations represent the best of this Commonwealth’s naturally reproducing trout fisheries.

TIMOTHY D. SCHAEFFER,
Executive Director

[Pa.B. Doc. No. 24-1592. Filed for public inspection November 1, 2024, 9:00 a.m.]

FISH AND BOAT COMMISSION

**Classification of Wild Trout Streams; Additions;
October 2024**

The Fish and Boat Commission (Commission) approved the addition of 24 streams sections as set forth at 54 Pa.B. 5196 (August 10, 2024). Under 58 Pa. Code § 57.11 (relating to listing of wild trout streams), it is the policy of the Commission to accurately identify and classify stream sections supporting naturally reproducing populations of trout as wild trout streams. The listing of a stream section as a wild trout stream is a biological designation that does not determine how it is managed. The Commission relies upon many factors in determining the appropriate management of streams. The Commission’s Fisheries Management Division maintains the complete list of wild trout streams, and it is available on the Commission’s web site at <https://www.fishandboat.com/Fishing/All-About-Fish/Catch-PA-Fish/Trout/Pages/TroutWaterClassifications.aspx>.

TIMOTHY D. SCHAEFFER,
Executive Director

[Pa.B. Doc. No. 24-1593. Filed for public inspection November 1, 2024, 9:00 a.m.]

FISH AND BOAT COMMISSION

Special Regulation Designations

The Fish and Boat Commission (Commission) took the following actions with respect to waters subject to 58 Pa. Code Chapter 65 (relating to special fishing regulations), effective upon publication in the *Pennsylvania Bulletin*.

58 Pa. Code § 65.5. Catch and release artificial lures only

The Commission added the following water to its list of “catch and release artificial lures only” regulated and managed under 58 Pa. Code § 65.5 (relating to catch and release artificial lures only):

County	Water
Clinton	Fishing Creek, Sections 07 and 09

58 Pa. Code § 65.6. Delayed harvest artificial lures only areas

The Commission added a portion of the following water to its list of “delayed harvest artificial lures only areas” regulated and managed under 58 Pa. Code § 65.6 (relating to delayed harvest artificial lures only areas):

County	Water
Lycoming	Muncy Creek, Section 06

58 Pa. Code § 65.7. Trophy trout artificial lures only

The Commission removed the following water from its list of “trophy trout artificial lures only” waters regulated and managed under 58 Pa. Code § 65.7 (relating to trophy trout artificial lures only):

County	Water
Clinton	Fishing Creek, Sections 07 and 09

58 Pa. Code § 65.9. Big bass

The Commission added the following water to its list of “big bass” waters regulated and managed under 58 Pa. Code § 65.9 (relating to big bass):

County	Water
Crawford	Tamarack Lake

58 Pa. Code § 65.11. Panfish enhancement

The Commission added the following water to its list of “panfish enhancement” waters regulated and managed under 58 Pa. Code § 65.11 (relating to panfish enhancement):

County	Water	Species
Crawford	Tamarack Lake	Crappie and sunfish

58 Pa. Code § 65.17. Catch and release lakes

The Commission removed the following waters from its list of “catch and release lakes” regulated and managed under 58 Pa. Code § 65.17 (relating to catch and release lakes):

County	Water
Pike	Pecks Pond
Crawford	Tamarack Lake

TIMOTHY D. SCHAEFFER,
Executive Director

[Pa.B. Doc. No. 24-1594. Filed for public inspection November 1, 2024, 9:00 a.m.]

HEALTH CARE COST CONTAINMENT COUNCIL

Meeting Scheduled

The Health Care Cost Containment Council (Council) has scheduled a Council meeting at 10 a.m. on November 7, 2024. An agenda will be available 24 hours in advance at <https://www.phc4.org/about-the-council/council-meetings/>.

The public is invited to participate. Contact rgreenawalt@phc4.org at least 24 hours in advance for participation instructions.

BARRY BUCKINGHAM,
Executive Director

[Pa.B. Doc. No. 24-1595. Filed for public inspection November 1, 2024, 9:00 a.m.]

INSURANCE DEPARTMENT

Application for Approval to Redomesticate to the Commonwealth of Pennsylvania by Agents National Title Insurance Company

Agents National Title Insurance Company, a stock title insurance company, has submitted an application for redomestication, whereby it proposes to redomesticate from the State of Missouri to the Commonwealth of Pennsylvania. The filing was made under section 357 of The Insurance Company Law of 1921 (40 P.S. § 477e).

Persons wishing to comment on the redomestication are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include the name, address and telephone

number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient detail and relevant facts to inform the Department of the exact basis of the statement. Written statements must be e-mailed to Lori Rumpf, lrumpf@pa.gov.

MICHAEL HUMPHREYS,
Insurance Commissioner

[Pa.B. Doc. No. 24-1596. Filed for public inspection November 1, 2024, 9:00 a.m.]

INSURANCE DEPARTMENT

Bankers Life and Casualty Company; Rate Increase Filing for Several Individual LTC Forms (BNLB-134268170); Rate Filing

Bankers Life and Casualty Company is requesting approval to increase the premium 82.7% on 308 Pennsylvania policyholders of individual LTC forms GR-N340, GR-N380, GR-N370 and GR-N350.

Unless formal administrative action is taken prior to January 7, 2025, the subject filing may be deemed approved by operation of law.

Interested parties are invited to submit written comments, suggestions or objections to David Kelly, Actuary, Insurance Department, Insurance Product Regulation and Market Enforcement, Room 1311, Strawberry Square, Harrisburg, PA 17120, djkelly@pa.gov within 20 days after publication of this notice in the *Pennsylvania Bulletin*.

MICHAEL HUMPHREYS,
Insurance Commissioner

[Pa.B. Doc. No. 24-1597. Filed for public inspection November 1, 2024, 9:00 a.m.]

INSURANCE DEPARTMENT

Review Procedure Hearings; Cancellation or Refusal of Insurance

The following insured has requested a hearing as authorized by the act of June 17, 1998 (P.L. 464, No. 68) (Act 68) in connection with the termination of the insured’s automobile insurance policy. The proceedings will be governed in accordance with the requirements of Act 68; 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law); §§ 561—588 (relating to administrative proceeding interpreters for persons with limited English proficiency; and administrative proceeding interpreters for persons who are deaf); 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). This administrative hearing will be held in Harrisburg, PA at the following address. Failure by the appellant to appear at the scheduled hearing may result in dismissal with prejudice.

A prehearing telephone conference initiated by this office is scheduled for November 26, 2024, at 10 a.m. Each party shall provide the Hearings Administrator a telephone number to be used for the telephone conference on or before November 22, 2024.

The hearing will be held at the Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102.

Appeal of Lindsay K. Drew; Penn National Mutual Casualty Insurance Company; File No. 24-119-300584; Doc. No. P24-09-024; December 12, 2024, 10 a.m.

Following the hearing and receipt of the stenographic transcript, the Insurance Commissioner (Commissioner) will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the previously referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing, contact Joseph Korman, (717) 787-4429, jkorman@pa.gov.

MICHAEL HUMPHREYS,
Insurance Commissioner

[Pa.B. Doc. No. 24-1598. Filed for public inspection November 1, 2024, 9:00 a.m.]

INSURANCE DEPARTMENT

Review Procedure Hearings; Cancellation or Refusal of Insurance

The following insured has requested a hearing as authorized by the act of June 17, 1998 (P.L. 464, No. 68) (Act 68) in connection with the termination of the insured's automobile insurance policy. The proceedings will be governed in accordance with the requirements of Act 68; 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law); §§ 561—588 (relating to administrative proceeding interpreters for persons with limited English proficiency; and administrative proceeding interpreters for persons who are deaf); 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). This administrative hearing will be held virtually by means of Zoom. Failure by the appellant to appear at the scheduled hearing may result in dismissal with prejudice.

A prehearing telephone conference initiated by this office is scheduled for November 20, 2024, at 10 a.m. Each party shall provide the Hearings Administrator a telephone number to be used for the telephone conference on or before November 18, 2024.

The video hearing will be held on December 3, 2024, at 10 a.m. The parties and their representatives and witnesses shall join the Zoom hearing through the link supplied in the invitation. The Administrative Hearings Office may be contacted at (717) 783-2126 or ra-hearings@pa.gov.

Appeal of Kelli D. Taylor; Erie Insurance Exchange; File No. 24-115-300797; Doc. No. P24-08-030.

Following the hearing and receipt of the stenographic transcript, the Insurance Commissioner (Commissioner) will issue a written order resolving the factual issues presented at the hearing and stating what remedial

action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the previously referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing, contact Joseph Korman, (717) 787-4429, jkorman@pa.gov.

MICHAEL HUMPHREYS,
Insurance Commissioner

[Pa.B. Doc. No. 24-1599. Filed for public inspection November 1, 2024, 9:00 a.m.]

MUNICIPAL POLICE OFFICER'S EDUCATION AND TRAINING COMMISSION

Certification Examination Minimum Passing Score

Effective September 26, 2024, the Municipal Police Officers' Education and Training Commission has established a minimum passing score of 70% for the Act 120 certification examination, which is required for certification as a municipal police officer. Individuals who are to be employed as police officers by police departments within this Commonwealth are required to pass the Act 120 certification examination, along with other requirements, in accordance with 37 Pa. Code § 203.11 (relating to qualifications). An applicant for a waiver of training must also pass the Act 120 certification examination in accordance with 37 Pa. Code § 203.12 (relating to waiver of training).

COLONEL CHRISTOPHER L. PARIS,
Commissioner

[Pa.B. Doc. No. 24-1600. Filed for public inspection November 1, 2024, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission (Commission). Formal protests, petitions to intervene and answers must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before November 18, 2024. Filings are recommended to be made electronically through eFiling to the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy served on the applicant by November 18, 2024. Individuals can sign up for a free eFiling account with the Secretary of the Commission through the Commission's eFiling system at <https://www.puc.pa.gov/efiling/Default.aspx>. A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Protests may only be filed if there is evidence that

the applicant lacks fitness. Protests based on endangering or impairing operations of an existing carrier will not be honored. The documents filed in support of the application are only available for inspection through the Commission's web site at www.puc.pa.gov by searching under the docket number as follows or by searching the applicant's web site.

Applications of the following for approval to begin operating as common carriers for transportation of persons as described under each application.

A-2024-3050531. MPR Ambulance, LLC (125 West Street Road, Feasterville, Bucks County, PA 19053) for the right to begin to transport, as a common carrier, by motor vehicle, persons in paratransit service, from points in the Counties of Bucks and Montgomery, and the City and County of Philadelphia, to points in Pennsylvania, and return.

A-2024-3051207. One Call Ambulance, LLC (2643 North 3rd Street, Suite 2-225, Harrisburg, Dauphin County, PA 17110) in paratransit service, between points in the Counties of Berks, Cumberland, Dauphin, Lancaster, Lebanon, Perry and York. *Attorney:* Kenneth Stark, 100 Pine Street, P.O. Box 1166, Harrisburg, PA 17108-1166.

A-2024-3051447. G5 Taxi, Inc. (100 North Wilkes-Barre Boulevard, Wilkes-Barre, Luzerne County, PA 18702) for the right to begin to transport, as a common carrier, by motor vehicle, persons in call or demand service, from points in the Counties of Lackawanna and Luzerne, to points in Pennsylvania, and return.

A-2024-3051543. Ivy Lines, LLC, t/a Titos Express (100 North Wilkes-Barre Boulevard, Wilkes-Barre, Luzerne County, PA 18702) for the right to begin to transport, as a common carrier, by motor vehicle, persons in paratransit service, between points in the Counties of Lackawanna and Luzerne.

A-2024-3051547. Ivy Lines, LLC, t/a Titos Express (100 North Wilkes-Barre Boulevard, Wilkes-Barre, Luzerne County, PA 18702) for the right to begin to transport, as a common carrier, by motor vehicle, persons in airport transfer service, from points in the Counties of Lackawanna and Luzerne to Lehigh Valley International Airport and Wilkes-Barre Scranton International Airport, and vice versa.

Applications of the following for the approval of the transfer of stock as described under each application.

A-2024-3051647. Medical Transport Systems, LLC (2427 Susquehanna Avenue, Roslyn, Montgomery County, PA 19001) for the approval of the transfer of ownership, from Michael J. King (60%) and Lee I. Schwartz (40%) to Van Pool Transportation, LLC. *Attorney:* David Temple, 111 Buck Road, Building 500, Suite 1, Huntingdon Valley, PA 19006.

A-2024-3051649. Serene Transport Services, LLC (152 East High Street, Suite 440, Pottstown, Montgomery County, PA 19464) a corporation of the Commonwealth—for the approval of a change in the membership of the limited liability corporation from Donald Mugomba and Tsitsi Mugomba to Bhim P. Dulal. Upon completion of the change of membership, Bhim P. Dulal will be the sole member of the limited liability corporation. *Attorney:* Seth A. Mendelsohn, Esquire, Saxton & Stump, 4250 Crums Mill Road, Suite 201, Harrisburg, PA 17112.

A-2024-3051700. Allegheny Transportation Services, Inc. (9 Crescent Street, Etna, Allegheny County,

PA 15223) a corporation of the Commonwealth—for the approval of the transfer of 100% of issued and outstanding shares held by Fred Kline to Van Pool Transportation, LLC. *Attorney:* Matthew Jandrisavitz, Esquire, RC Kelly Law Associates, LLC, 623 North Broad Street, Lansdale, PA 19446.

Applications of the following for the approval of the right and privilege to discontinue/abandon operating as common carriers by motor vehicle and for cancellation of the certificate of public convenience as described under each application.

A-2024-3051666. Anantee Non Medical Transportation, LLC (2100 North Line Street, Apartment C101, Lansdale, Montgomery County, PA 19446) for the discontinuance of service and cancellation of its certificate, to transport as a common carrier, by motor vehicle, persons in paratransit service, from points in the Counties of Delaware and Lehigh, and the City and County of Philadelphia, to points in Pennsylvania, and return.

A-2024-3051723. Warren Taxi Service, LLC, t/a Warren Taxi Service (111 Walnut Street, Warren, Warren County, PA 16365) for the discontinuance and cancellation of its right, to transport as a common carrier, by motor vehicle, persons upon call or demand service in the County of Warren, as more thoroughly described in the original docket at A-2008-2036851.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 24-1601. Filed for public inspection November 1, 2024, 9:00 a.m.]

PHILADELPHIA PARKING AUTHORITY

Service of Notice of Motor Carrier Applications in the City of Philadelphia

The following permanent authority applications to render service as common carriers in the City of Philadelphia have been filed with the Philadelphia Parking Authority's (PPA) Taxicab and Limousine Division (TLD). Formal protests must be filed in accordance with 52 Pa. Code Part II (relating to Philadelphia Parking Authority) with the TLD's Office of the Clerk, 2415 South Swanson Street, Philadelphia, PA 19148, no later than November 18, 2024. The nonrefundable protest filing fee is \$5,000 payable to the PPA by certified check or money order. The applications are available for inspection at the TLD between 9 a.m. and 4 p.m., Monday through Friday (contact TLD Director Heidi Robb at (215) 683-9799 to make an appointment) or may be inspected at the business addresses of the respective applicants or attorneys, or both.

Doc. No. A-24-10-04. Arianna Trans, Inc. (1276 Appalachian Road, Ambler, PA 19002): An application for a medallion taxicab certificate of public convenience (CPC) to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return. *Attorney for Applicant:* Shintia Zaman Riva, Esq., 1914 Chandler Street, Philadelphia, PA 19111.

Doc. No. A-24-10-05. Elayna Trans, Inc. (1276 Appalachian Road, Ambler, PA 19002): An application for a

medallion taxicab CPC to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return. *Attorney for Applicant*: Shintia Zaman Riva, Esq., 1914 Chandler Street, Philadelphia, PA 19111.

RICH LAZER,
Executive Director

[Pa.B. Doc. No. 24-1602. Filed for public inspection November 1, 2024, 9:00 a.m.]

**PHILADELPHIA
PARKING AUTHORITY**

Service of Reminder Notice of Citation Complaint

The Philadelphia Parking Authority, Taxicab and Limousine Division v. Bobur Abdirasulov; Doc. No.: C-24-09-042

Attention Bobur Abdirasulov, last known address of 1845 Riverside Drive, Philadelphia, PA 19154, this is a reminder notice that on September 16, 2024, Citation Complaint T-33092 (Citation) was issued against you by the Taxicab and Limousine Division’s (TLD) Enforcement Department via US mail, citing a violation of 53 Pa.C.S. § 57A09(a) for “PA DOT Inspection Stickers Expired” which carries a recommended penalty of \$100.00. Pursuant to 52 Pa. Code § 1005.13(b) (relating to answers to citations), an answer to the Citation was due no later than October 4, 2024.

Respondents must either request a hearing on a citation or pay the penalty identified in a citation within fifteen (15) days of issuance. See 52 Pa. Code § 1005.13(b). If you fail to take immediate action by either requesting a hearing or paying the penalty identified above, it may result in the entry of a default order as to the Citations and the penalties; along with imposing any suspension or revocation identified in the Citations.

Please take the necessary actions to satisfy the above referenced Citation immediately. Payments made payable to the Philadelphia Parking Authority or requests for a hearing may be submitted to:

Office of the Clerk
Philadelphia Parking Authority
Taxicab and Limousine Division
2415 South Swanson Street
Philadelphia, PA 19148

If you have any questions concerning this notice, please do not hesitate to contact the TLD’s Office of the Clerk, Sherry Rudzinski, Clerk at (215) 683-9498 or at TLDCLerk@philapark.org.

RICH LAZER,
Executive Director

[Pa.B. Doc. No. 24-1603. Filed for public inspection November 1, 2024, 9:00 a.m.]

**PUBLIC SCHOOL EMPLOYEES’
RETIREMENT BOARD**

Hearings Scheduled

Hearings have been scheduled, as authorized by 24 Pa.C.S. Part IV (relating to Public School Employees’ Retirement Code), in connection with the Public School Employees’ Retirement System’s (System) denial of claimants’ requests concerning the indicated accounts.

The hearings will be held before a hearing examiner at the Public School Employees’ Retirement System, 5 North Fifth Street, Harrisburg, PA 17101.

January 15, 2025	Account of Nabeelah Bey (Effective Date of Retirement)	10 a.m.
February 12, 2025	Account of Mark Vallozzi (Premium Assistance)	10 a.m.

Persons with a disability who wish to attend a previously listed hearing and require an auxiliary aid, service or other accommodation to attend the proceeding should contact the Appeal Docket Clerk at (717) 720-4913 to discuss how the System may best accommodate their needs.

Parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The hearings will be held in accordance with the requirements of 2 Pa.C.S. §§ 501–508 and 701–704 (relating to Administrative Agency Law). Under 22 Pa. Code § 201.1 (relating to applicability of general rules), procedural matters will be in conformance with 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) unless specific exemption is granted.

TERRILL J. SANCHEZ,
Executive Director

[Pa.B. Doc. No. 24-1604. Filed for public inspection November 1, 2024, 9:00 a.m.]

END OF ISSUE

