

NOTICES

DEPARTMENT OF AGRICULTURE

Federal Specialty Crop Block Grant Program; 2025 Program Guidelines

The Department of Agriculture (Department) announces a competitive solicitation process to award Specialty Crop Block Grant Program-Farm Bill funds for projects that enhance the competitiveness of this Commonwealth's specialty crops. Specialty crops are defined as fruits, vegetables, tree nuts, dried fruits, horticulture and nursery crops, including floriculture. (For a full list of commonly considered specialty crops, see the United States Department of Agriculture's web site at www.ams.usda.gov/services/grants under the Specialty Crop Block Grant Program.)

1. Program objective.

The purpose of the Federal Specialty Crop Block Grant Program (Program) is to enhance the competitiveness of specialty crops by:

- (1) leveraging efforts to market and promote specialty crops;
- (2) assisting producers with research and development relevant to specialty crops;
- (3) expanding availability and access to specialty crops; and
- (4) addressing local, regional and National challenges confronting specialty crop producers.

2. Eligible applicants and projects.

(a) *Eligibility of applicants.* State and local organizations, producer associations, academia, community-based organizations and other eligible specialty crops stakeholders are eligible to apply for grants under the Program.

(b) Eligible projects.

(1) Grants may not be awarded to projects that directly benefit a particular commercial product or provide a profit to a single organization, institution or individual.

(2) Grants must be for projects that are focused on an eligible specialty crop.

(3) Projects must enhance the competitiveness of eligible specialty crops and benefit the eligible specialty crop industry as a whole and may include, but are not limited to, projects such as:

(i) Increasing child and adult nutrition knowledge and consumption of specialty crops.

(ii) Participation of industry representatives at meetings of international standard setting bodies in which the Federal government participates.

(iii) Improving efficiency and reducing costs of distribution systems.

(iv) Assisting all entities in the specialty crop distribution chains in developing good agricultural practices, including the use of cover crops for specialty crop production; good handling practices; good manufacturing practices; and in cost-share arrangements for funding audits of these systems for small farmers, packers and processors.

(v) Investing in specialty crop research, including the use of cover crops for specialty crop production, organic

research to focus on conservation and environmental outcomes and enhancing food safety.

(vi) Developing new and improved seed varieties and specialty crops.

(vii) Pest and disease control.

(viii) Sustainability.

3. Definitions.

The following words and terms have the following meanings:

Department—The Department of Agriculture of the Commonwealth.

Eligible specialty crop—Fruits, vegetables, tree nuts, dried fruits, horticulture and nursery crops (including floriculture). A complete list of eligible specialty crops can be found at www.ams.usda.gov/services/grants. Click on Specialty Crop Block Grant Program and then Specialty Crop Definition.

Federal Specialty Crop Block Grant Program—The Specialty Crops Competitiveness Act of 2004 (Pub.L. 108-465, 118 Stat. 3882).

General evaluation criteria—The evaluation criteria established by the Department and utilized for the Federal Specialty Crop Block Grant Program.

Secretary—The Secretary of the Department.

4. Limitations on grants.

(a) *Project duration.* A project must have a start date of September 30, 2025, and a completion date of no later than September 29, 2028.

(b) *Reimbursement grants.* Grant funds will be awarded as reimbursement grants.

5. Funds-available basis.

Approximately \$1 million is available for grants under the Program. Grants will be awarded on a funds-available basis.

6. Applications.

(a) *Full proposal required.* The Department will accept proposals for eligible projects as part of a two-phase competitive process. Eligible applicants must submit a full proposal for a project which describes how the grant would be used to enhance the competitiveness of the subject eligible specialty crop through market development, technology, innovation, food safety, nutrition knowledge, sustainable practices or management, or both.

(b) *Electronic applications only.* Interested applicants must submit a complete electronic full proposal using the Department of Community and Economic Development's Electronic Single Application web site at <https://grants.pa.gov>.

(c) *Application window.* Completed full proposals may be electronically submitted beginning November 4, 2024. Full proposals must be received by no later than 5 p.m. on December 13, 2024.

7. Review of application.

The Secretary will review and evaluate the full proposal and supporting documentation and will consider the following factors, which are consistent with the general evaluation criteria of the Program, in deciding whether to approve or reject the full proposal:

(1) The full proposal involves a project for an eligible specialty crop as previously defined.

(2) The proposal states the specific issue, problem or need the project will address, the timeliness and relevance to the specialty crop industry, if it will provide a direct benefit to the specialty crop industry and if the approach is rational and sound

(3) The proposal will result in at least one of the seven outcomes as predetermined by the Program. Outcomes are measurable changes in behavior or conditions that reflect a positive impact to the specialty crop industry. Only one outcome indicator is required. Scoring will be based on the outcome selected and the project's likelihood of success and relevance to the specialty crop industry.

(4) The predetermined indicator (as described on the application form) listed under the outcome identified and the quantifiable results written for the indicator selected.

(5) How the data will be collected and how well the project will accomplish the outcome and indicator selected.

(6) The extent to which the budget is reasonable and consistent with the project's purpose, outcome and indicator.

(7) The extent to which the full proposal meets the requirements for an "eligible project" presented in section 2(b).

(8) Whether the subject specialty crop is not currently eligible for grant payments under the Program.

8. *Notice of disposition of application.*

The Department will e-mail written notice of the acceptance or rejection of a full proposal. This notice will be sent to the e-mail address provided by the applicant in the application. Applicants of successful full proposals will be invited to submit an application containing a final proposal for the Program. This application will be provided by the Department with instructions for submittal. Only those applicants notified by the Department will be eligible to submit a final proposal. The Department will evaluate all final proposals by applying the evaluation factors set forth in section 7.

9. *Grant agreement.*

After the Secretary approves a grant application, and as a precondition to the Department's release of grant moneys to a successful applicant, the Department and the applicant shall execute a written or electronic grant agreement which establishes the terms and conditions subject to which the grant is made. The grant agreement will not be effective, and work should not begin, until all required signatures have been applied to the grant agreement. The grant agreement will contain and conform to the requirements of this notice and will also contain special terms and conditions as required by the Secretary. Among the terms of the grant agreement will be a requirement that the grant recipient provide the Department full and complete access to all records relating to the performance of the project and submit the information as the Department may require. Applicants who wish to view the full terms and conditions of the grant agreement in advance of submitting an application may contact the Department at the phone number or e-mail address set forth in section 11. Applicants who are unable to agree to the terms and conditions should not submit an application.

10. *Verification of project completion.*

(a) *General.* Within 30 days of completion of the subject project, the applicant shall provide the Department with proof of the completion of the project and eligibility to receive reimbursement grant funds from the Department.

(b) *Required documentation.* The proof described in subsection (a) shall consist of:

(1) copies of invoices for goods or services directly related to the project, along with the written certification of the president or treasurer of the applicant that the goods or services that are the subject of the invoices have been delivered or provided to the applicant; and

(2) a certificate of completion, signed by its president or treasurer, verifying completion of the subject project and stating that the grant funds will reimburse the applicant for a portion of the costs incurred by the applicant in completing the subject project.

11. *Questions and additional information.*

Questions regarding this Program, including the online application process, may be directed to Lauren Stackhouse, Bureau of Market Development, Department of Agriculture, 2301 North Cameron Street, Harrisburg, PA 17110-9408, (717) 772-5207, lastackhou@pa.gov.

RUSSELL REDDING,
Secretary

[Pa.B. Doc. No. 24-1607. Filed for public inspection November 8, 2024, 9:00 a.m.]

DEPARTMENT OF AGRICULTURE

Pennsylvania Peach and Nectarine Research Board; Grant Solicitation and Application Procedures

The Pennsylvania Peach and Nectarine Research Program Board (Board) annually, or more frequently as the availability of fund permits, solicits applications for grants to conduct research projects to increase the quality, profitability, production and sale of peaches and nectarines, enhance the peach and nectarine industry and benefit peach or nectarine producers of this Commonwealth.

The Board was established by the Department of Agriculture (Department) under 3 Pa.C.S. Chapter 45 (relating to Agricultural Commodities Marketing Act) (ACMA). Its composition, funding and duties were subsequently described by an amended program notice at 54 Pa.B. 2504 (May 11, 2024).

The Board makes awards of grants from its own funds generated by the methods set forth in the ACMA.

This notice establishes the procedures by which grant applications will be solicited, reviewed and grants awarded.

1. *Grant solicitation.* The Board will be accepting grant applications for the purposes, in the form and according to the schedule set forth herein, for a period of not less than 30 days beginning on the date of publication of this notice in the *Pennsylvania Bulletin*. Additional publication and dissemination of this notice shall be made to applicants who have previously submitted grant applications to, or received grants from, the Board, State universities and State-supported universities located in this Commonwealth, universities with colleges of agricultural

science located in this Commonwealth and individuals or entities who have requested notification from the Department or the Board of grant availability.

2. *Process overview.* The Board will employ the review process described as follows to select projects to fund by making a grant from its ACMA funds. In the event of an ACMA-funded grant, the terms and conditions of the grant will be governed by a grant agreement between the Board and the applicant which shall be tendered to the applicant for signature, returnable in no more than 30 days.

3. *Application deadlines.* Applicants should submit a project proposal and grant application, in the form set forth in paragraph 4 of this notice, to the Board by 4 p.m. on Friday, January 3, 2025. Proposals should be sent electronically to RA-AGCOMMODITIES@pa.gov and 14 hard copies must be hand-delivered or sent by United States Mail and postmarked on or before the same date. Applications should be addressed and delivered to the Department of Agriculture, Bureau of Market Development, Attn: Agricultural Commodity Board Grant Program, 2301 North Cameron Street, Harrisburg, PA 17110-9408.

4. *Format of the project proposal and grant application.* The project proposal and grant application shall be formatted as follows:

a. A cover page, titled Pennsylvania Peach and Nectarine Research Program—Project Proposal and Grant Application, providing: the title of the proposed project; the name and address of the applicant; the name, address, telephone number and e-mail address of the applicant's principal contact person for matters relating to the application; and the total maximum grant amount sought for the proposed project or program.

b. Section 1, titled Statement of Purpose, explaining or presenting: the purpose for which the grant funds would be utilized; details of the proposed project, including a statement of expected impact of outcomes, staffing for the project, and objectives and methodologies; and whether, how and to what anticipated extent the proposed research project increases the quality, profitability or production and sale of peaches and nectarines, enhances the peach and nectarine industry and benefits peach or nectarine producers of this Commonwealth.

c. Section 2, titled Statement of Need, explaining the need for the grant funds sought and identifying the presence of any additional funding partners and the extent of that funding.

d. Section 3, titled Budget, presenting a detailed budget for the proposed project or program, including an itemized breakdown of: all personnel by name devoted to the project, their professional qualifications, the amount of time calculated by hours and the tasks to be performed by each of the named personnel; each and every item of direct expense to be incurred in the project separately set forth, including all purchases of consumable or nonconsumable goods or equipment, listing the disposition of all nonconsumable goods or equipment upon completion of the project; all travel by dates, purpose, destination, mode of transportation and rate; a full breakdown of other costs, if any, and the method used to calculate those costs. See also paragraph 8.

e. Section 4, titled Criteria for Measuring Outcomes, shall identify expected measurable outcomes and the outcome measures. Include a narrative describing data collection to inform the outcome measures. This section

must be clear and unambiguous as it will inform expectations of progress reports and final reports.

f. Section 5, titled Industry Involvement, describing the extent of any support, participation and funding from this Commonwealth's peach and nectarine industry, including any written confirmation of that support, participation or funding.

5. *Term of grants.* Applications should be submitted for projects to begin on or after April 1, 2025. Anticipated completion dates will be dictated by the project scope and parameters and may exceed 12 months from beginning if the project so warrants. The Board may award grant funding for multiyear projects or extensions of an ongoing project, if the Board identifies that a multiyear term or an extension advances the grant's objectives. Requests for extensions of ongoing projects shall be made, evaluated and processed in accordance with all the requirements of this notice. Progress reports are to be delivered by e-mail to RA-AGCOMMODITIES@pa.gov no later than October 1, and April 1, every year for the duration of the project, or as requested by the Board. Final reports and invoices should be submitted within 90 days of contract end date. Failure to meet these deadlines constitutes a breach of the grant agreement, may result in nonpayment of invoices and could jeopardize future grant awards.

6. *Notice of award.* Applicants shall be notified by e-mail of the decision on their grant applications by the Board. Best efforts will be made to do so within 60 days of the application deadline.

7. *Grant agreement.* With the e-mailed grant award notice, the Board will provide applicants with a grant agreement for execution and return within 30 days. The Board will obtain the required signatures on the grant agreement and return a copy to the applicant. Work may be reimbursed for services performed before the date the final signature is applied to the grant agreement as long as the activity is documented in the original proposal set forth in the contract as an attachment. However, the Board is under no obligation to reimburse for services unless a proposed grant has been approved. Among the terms of the grant agreement shall be a requirement that the grant recipient provide the Board full and complete access to all records relating to the performance of the project and submit information as the Board may require.

a. *Grant agreement available.* The Board grant agreement is available by contacting the Department instead of attachment to this notice. This grant agreement is the contract that will govern all grants awarded under this grant solicitation. The essential terms are non-negotiable; therefore, applicants may wish to carefully review the grant agreement to ensure that proposed projects are compliant with agreement requirements. Applicants who are unable to agree to the terms and conditions should not submit an application. For questions regarding the grant agreement, contact Michael Keefe at (717) 756-2000.

8. *Nonmatching cost-reimbursement grant and indirect costs cap.* Grants made hereunder do not require the applicant to secure or devote a matching sum to the project. Payment of grant funds will occur on a reimbursement basis only. Grant awards will not include an allowance for indirect costs, if any, in excess of 10%.

9. *Evaluation and awards.* The Board reserves the right to request modifications or clarifications, or both, of grant applications, including, but not limited to, additional detail of purpose, reduced or modified budgets and the like. Following the deadline for submission of grant

applications, the Board will evaluate each complete and timely filed grant application received and the Board will determine in its sole discretion which projects to fund. The Board will vote on these recommendations at a public meeting and the Department grant administration staff will directly contact those applicants whose applications are approved. The Department will notify applicants whose projects were not funded as well and may provide additional information regarding how to improve future proposals.

RUSSELL REDDING,
Secretary

[Pa.B. Doc. No. 24-1608. Filed for public inspection November 8, 2024, 9:00 a.m.]

DEPARTMENT OF AGRICULTURE

Pennsylvania Potato Research Board; Grant Solicitation and Application Procedures

The Pennsylvania Potato Research Program Board (Board) annually, or more frequently as the availability of fund permits, solicits applications for grants to conduct research projects to increase the quality, profitability, production and sale of potatoes, enhance the potato industry and benefit potato producers of this Commonwealth.

The Board was established by the Department of Agriculture (Department) under 3 Pa.C.S. Chapter 45 (relating to Agricultural Commodities Marketing Act) (ACMA). Its composition, funding and duties were subsequently described by an amended program notice at 53 Pa.B. 3992 (July 29, 2023).

The Board makes awards of grants from its own funds generated by the methods set forth in the ACMA.

This notice establishes the procedures by which grant applications will be solicited, reviewed and grants awarded.

1. *Grant solicitation.* The Board will be accepting grant applications for the purposes, in the form and according to the schedule set forth herein, for a period of not less than 30 days beginning on the date of publication of this notice in the *Pennsylvania Bulletin*. Additional publication and dissemination of this notice shall be made to applicants who have previously submitted grant applications to, or received grants from, the Board, State universities and State-supported universities located in this Commonwealth, universities with colleges of agricultural science located in this Commonwealth and individuals or entities who have requested notification from the Department or the Board of grant availability.

2. *Process overview.* The Board will employ the review process described as follows to select projects to fund by making a grant from its ACMA funds. In the event of an ACMA-funded grant, the terms and conditions of the grant will be governed by a grant agreement between the Board and the applicant which shall be tendered to the applicant for signature, returnable in no more than 30 days.

3. *Application deadlines.* Applicants should submit a project proposal and grant application, in the form set forth in paragraph 4 of this notice, to the Board by 4 p.m. on Friday, January 3, 2025. Proposals should be sent electronically to RA-AGCOMMODITIES@pa.gov and 14 hard copies must be hand-delivered or sent by United

States Mail and postmarked on or before the same date. Applications should be addressed and delivered to the Department of Agriculture, Bureau of Market Development, Attn: Agricultural Commodity Board Grant Program, 2301 North Cameron Street, Harrisburg, PA 17110-9408.

4. *Format of the project proposal and grant application.* The project proposal and grant application shall be formatted as follows:

a. A cover page, titled Pennsylvania Potato Research Program—Project Proposal and Grant Application, providing: the title of the proposed project; the name and address of the applicant; the name, address, telephone number and e-mail address of the applicant's principal contact person for matters relating to the application; and the total maximum grant amount sought for the proposed project or program.

b. Section 1, titled Statement of Purpose, explaining or presenting: the purpose for which the grant funds would be utilized; details of the proposed project, including a statement of expected impact of outcomes, staffing for the project, and objectives and methodologies; and whether, how and to what anticipated extent the proposed research project increases the quality, profitability or production and sale of potatoes, enhances the potato industry and benefits potato producers of this Commonwealth.

c. Section 2, titled Statement of Need, explaining the need for the grant funds sought and identifying the presence of any additional funding partners and the extent of that funding.

d. Section 3, titled Budget, presenting a detailed budget for the proposed project or program, including an itemized breakdown of: all personnel by name devoted to the project, their professional qualifications, the amount of time calculated by hours and the tasks to be performed by each of the named personnel; each and every item of direct expense to be incurred in the project separately set forth, including all purchases of consumable or nonconsumable goods or equipment, listing the disposition of all nonconsumable goods or equipment upon completion of the project; all travel by dates, purpose, destination, mode of transportation and rate; a full breakdown of other costs, if any, and the method used to calculate those costs. See also paragraph 8.

e. Section 4, titled Criteria for Measuring Outcomes, shall identify expected measurable outcomes and the outcome measures. Include a narrative describing data collection to inform the outcome measures. This section must be clear and unambiguous as it will inform expectations of progress reports and final reports.

f. Section 5, titled Industry Involvement, describing the extent of any support, participation and funding from this Commonwealth's potato industry, including any written confirmation of that support, participation or funding.

5. *Term of grants.* Applications should be submitted for projects to begin on or after April 1, 2025. Anticipated completion dates will be dictated by the project scope and parameters and may exceed 12 months from beginning if the project so warrants. The Board may award grant funding for multiyear projects or extensions of an ongoing project, if the Board identifies that a multiyear term or an extension advances the grant's objectives. Requests for extensions of ongoing projects shall be made, evaluated and processed in accordance with all the requirements of this notice. Progress reports are to be delivered by e-mail to RA-AGCOMMODITIES@pa.gov no later than October 1, and April 1, every year for the duration of the project

or as requested by the Board. Final reports and invoices should be submitted within 90 days of contract end date. Failure to meet these deadlines constitutes a breach of the grant agreement, may result in nonpayment of invoices and could jeopardize future grant awards.

6. *Notice of award.* Applicants shall be notified by e-mail of the decision on their grant applications by the Board. Best efforts will be made to do so within 60 days of the application deadline.

7. *Grant agreement.* With the e-mailed grant award notice, the Board will provide applicants with a grant agreement for execution and return within 30 days. The Board will obtain the required signatures on the grant agreement and return a copy to the applicant. Work may be reimbursed for services performed before the date the final signature is applied to the grant agreement as long as the activity is documented in the original proposal set forth in the contract. However, the Board is under no obligation to reimburse for services unless a proposed grant has been approved. Among the terms of the grant agreement shall be a requirement that the grant recipient provide the Board full and complete access to all records relating to the performance of the project and submit information as the Board may require.

a. *Grant agreement available.* The Board grant agreement is available by contacting the Department instead of attachment to this notice. This grant agreement is the contract that will govern all grants awarded under this grant solicitation. The essential terms are non-negotiable; therefore, applicants may wish to carefully review the grant agreement to ensure that proposed projects are

compliant with agreement requirements. Applicants who are unable to agree to the terms and conditions should not submit an application. For questions regarding the grant agreement, contact Michael Keefe at (717) 756-2000.

8. *Nonmatching cost-reimbursement grant and indirect costs cap.* Grants made hereunder do not require the applicant to secure or devote a matching sum to the project. Payment of grant funds will occur on a reimbursement basis only. Grant awards will not include an allowance for indirect costs, if any, in excess of 10%.

9. *Evaluation and awards.* The Board reserves the right to request modifications or clarifications, or both, of grant applications, including, but not limited to, additional detail of purpose, reduced or modified budgets and the like. Following the deadline for submission of grant applications, the Board will evaluate each complete and timely filed grant application received and the Board will determine in its sole discretion which projects to fund. The Board will vote on these recommendations at a public meeting and the Department grant administration staff will directly contact those applicants whose applications are approved. The Department will notify applicants whose projects were not funded as well and may provide additional information regarding how to improve future proposals.

RUSSELL REDDING,
Secretary

[Pa.B. Doc. No. 24-1609. Filed for public inspection November 8, 2024, 9:00 a.m.]

DEPARTMENT OF BANKING AND SECURITIES

Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending October 29, 2024.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, may file comments in writing with the Department, for Bank Supervision, by e-mail to ra-bnbnksbmsnspspt@pa.gov or for credit unions, by e-mail to ra-bncusubmissions@pa.gov and trust companies, by e-mail to ra-bntrustsuprvsninq@pa.gov. Comments must be received no later than 30 days from the date that the notice regarding acceptance of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, for banks (717) 783-8240, or for credit unions or trust companies (717) 783-2253.

APPLICATIONS FOR COMMENT

BANKING INSTITUTIONS

No activity.

CREDIT UNIONS

No activity.

OTHER APPLICATION ACTIVITY

BANKING INSTITUTIONS

Articles of Amendment

<i>Date</i>	<i>Name and Location of Institution</i>	<i>Status</i>
10-24-2024	Reliance Savings Bank Altoona Blair County	Effective
	Amendment to Article II of the institution's Articles of Incorporation provides for a change in the principal place of business from 1119 12th Street, Altoona, Blair County, PA, to 2424 8th Avenue, Altoona, Blair County, PA 16602.	

<i>Date</i>	<i>Name and Location of Institution</i>	<i>Status</i>
	Articles of Amendment provide for the institution's Articles of Incorporation to be amended and restated in their entirety.	

Branch Applications

Branch Relocations

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Status</i>
10-23-2024	Presence Bank Coatesville Chester County	<i>To:</i> 24 South Third Street Unit 101 Oxford Chester County <i>From:</i> 126 South Third Street Oxford Chester County	Accepted

CREDIT UNIONS

Branch Applications

Branch Relocations

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Status</i>
10-25-2024	PSECU Harrisburg Dauphin County	<i>To:</i> 1249 Market Street Lemoyne Cumberland County <i>From:</i> 303 Walnut Street Harrisburg Dauphin County	Approved

The Department's web site at www.pa.gov/dobs includes public notices for more recently filed applications.

WENDY S. SPICHER,
Secretary

[Pa.B. Doc. No. 24-1610. Filed for public inspection November 8, 2024, 9:00 a.m.]

**DEPARTMENT OF
BANKING AND SECURITIES**

**Adjustment to Definition of "Base Figure" in the
Loan Interest and Protection Law**

The Department of Banking and Securities (Department), as required by the definition of "base figure" in section 101 of the act of January 30, 1974 (P.L. 13, No. 6) (41 P.S. § 101), known as the Loan Interest and Protection Law, is publishing the following notice regarding the inflation-adjusted base figure for the calendar year 2025. The Department has determined that the current base figure of \$312,159 adjusted for annual inflation using the "Consumer Price Index—All Urban Consumers: U.S. All Items 1982-84 = 100" published by the United States Department of Labor Bureau of Labor Statistics results in a base figure of \$319,777. This new base figure will be effective January 1, 2025, for the calendar year 2025.

WENDY S. SPICHER,
Secretary

[Pa.B. Doc. No. 24-1611. Filed for public inspection November 8, 2024, 9:00 a.m.]

**DEPARTMENT OF COMMUNITY AND
ECONOMIC DEVELOPMENT**

**Public Comment Period, First Public Hearing and
Pennsylvania Housing Advisory Committee
Meeting; 2025 Annual Action Plan**

The Department of Community and Economic Development (Department) is preparing the Commonwealth's 2025 Action Plan of the Consolidated Plan (Plan) for 2024—2028. The Plan is a document submitted to the United States Department of Housing and Urban Development (HUD) every 5 years analyzing the needs of the nonentitlement areas of this Commonwealth in the areas of housing, community development, homelessness prevention and economic development. From this analysis, a unified strategy for housing, homelessness and community development programs, including the necessary linkages for building successful neighborhoods and communities is created. The Action Plan is the annual application to HUD for Federal funds administered by the Commonwealth for the nonentitlement communities of the State. The HUD funding programs covered by the Plan and administered by the Department are the Community Development Block Grant (CDBG), the HOME Invest-

ment Partnerships (HOME), the Emergency Solutions Grant, CDBG Disaster Recovery and the Recovery Housing programs. The Plan also covers the following programs which are administered by other Commonwealth agencies: the Housing Opportunities for Persons with AIDS administered by the Department of Health and the National Housing Trust Fund administered by the Pennsylvania Housing Finance Agency (PHFA).

Invitation for Public Comment

The public is invited to provide public comment about topics related to the needs of this Commonwealth in the following areas: community development; housing including special needs; homelessness; economic development; and any changes to the methods of distribution of the existing Federal programs.

Public comments will be accepted until 4 p.m., Thursday, January 23, 2025, for review and consideration for the Action Plan. Comments should be submitted to David Grey, Department of Community and Economic Development, Center for Community Financing, 400 North Street, 4th Floor, Commonwealth Keystone Building, Harrisburg, PA 17120-0225, dcedchdpubliccomments@pa.gov.

First Public Hearing

Tuesday, November 19, 2024
10 a.m.

The first public hearing for the 2025 Annual Action Plan will be conducted electronically by means of Microsoft Teams on Tuesday, November 19, 2024, at 10 a.m. This hearing will be a hybrid, held both virtually and in person. Individuals who wish to make comment or discuss policy may participate directly from their phone, personal computer or from a public computer (for example, public library).

Individuals or organizations may give testimony or comments during this meeting. Comments will be accepted about topics related to the needs of the Commonwealth in the following areas: community development; housing including special needs; homelessness; economic development; and any changes to the methods of distribution of the existing Federal programs. In addition, a summary of the Program Year 2023 accomplishments and an overview of the annual planning process will be provided. The Commonwealth encourages public participation in this process.

A hybrid public hearing will be held on Tuesday, November 19, 2024, at 10 a.m. Individuals interested in attending in person can attend at Conference Room 4 West, Department of Community and Economic Development, Commonwealth Keystone Building, 400 North Street, 4th Floor, Harrisburg, PA 17120-0225.

Individuals who wish to attend in person should notify David Grey at (717) 214-5341, dgrey@pa.gov, at a minimum of 48 hours prior to the public hearing to make the necessary arrangements.

Individuals who wish to attend virtually through Microsoft Teams can access the public hearing by dialing (267) 332-8737. The conference ID is 603 562 683#.

The hearing will be recorded for public record. The hearing will be shortened if there is no one to testify or there is minimal response.

Individuals with a disability or limited English proficiency who wish to participate in the public hearing should contact David Grey at dgrey@pa.gov, (717) 214-5341 or TDD (717) 346-0308 at a minimum of 72 hours prior to the meeting to discuss how the Department can accommodate their needs.

Written Comments

Written testimony, instead of testimony provided during the public hearing, must be submitted by 4 p.m. Thursday, January 23, 2025, for review for consideration for the Action Plan. Comments should be submitted to David Grey, Department of Community and Economic Development, Center for Community Financing, 400 North Street, 4th Floor, Commonwealth Keystone Building, Harrisburg, PA 17120-0225, dcedchdpubliccomments@pa.gov.

Pennsylvania Housing Advisory Committee

Wednesday, December 11, 2024
10 a.m.

The Pennsylvania Housing Advisory Committee (Committee) is responsible for reviewing Statewide housing, community development and support services needs and priorities, as well as advising the Department in the preparation of the Plan, annual action plans and the coordination of Federal, State and local resources to manage the implementation of these plans.

The Committee is responsible for reviewing Statewide housing, support services, needs and priorities. In addition, the Committee advises the Department, the Department of Health and the PHFA in the preparation of the Plans which are submitted to HUD.

This meeting is part of the planning process of the 2025 Annual Action Plan.

During the meeting, the Department, the Department of Health and the PHFA will provide updates on their programs, the 2023 Consolidated Annual Performance and Evaluation Report will be reviewed, a summary of the needs reported on during the six Regional Housing Advisory Committee meetings will be shared and there will be a discussion on the needs in communities in the areas of community development, affordable housing and homelessness.

A hybrid public hearing will be held on Wednesday, December 11, 2024, at 10 a.m. Individuals interested in attending in person can attend at Conference Room 4 West, Department of Community and Economic Development, Commonwealth Keystone Building, 400 North Street, 4th Floor, Harrisburg, PA 17120-0225.

Individuals who wish to attend in person should notify David Grey at (717) 214-5341, dgrey@pa.gov, at least 48 hours prior to the public hearing to make the necessary arrangements.

Individuals who wish to attend virtually through Microsoft Teams can access the public hearing by dialing (267) 332-8737. The conference ID is 286 813 308#.

Individuals with a disability or limited English proficiency who wish to participate in the public hearing should contact David Grey at dgrey@pa.gov, (717) 214-5341 or TDD (717) 346-0308 at a minimum of 72 hours prior to the meeting to discuss how the Department can accommodate their needs.

RICK SIGER,
Secretary

[Pa.B. Doc. No. 24-1612. Filed for public inspection November 8, 2024, 9:00 a.m.]

DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES

Conservation and Natural Resources Advisory Council Public Meeting

The Conservation and Natural Resources Advisory Council (Council) to the Department of Conservation and Natural Resources (Department) will hold a public meeting on November 20, 2024, at 10 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA. The public meeting may be attended by means of Microsoft Teams through a link found on the Council's web site prior to the public meeting at www.dcnr.pa.gov/cnrac.

Questions concerning this public meeting or agenda items can be directed to Nicole Faraguna at (717) 346-7636. For public comment to be considered at the public meeting, follow the instructions on the Council's web site.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Aara Vinsh directly at (717) 787-9306 or through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

CINDY ADAMS DUNN,
Secretary

[Pa.B. Doc. No. 24-1613. Filed for public inspection November 8, 2024, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS UNDER THE CLEAN STREAMS LAW AND FEDERAL CLEAN WATER ACT

This notice provides information about persons who have applied to the Department of Environmental Protection (DEP) for a new, renewed, or amended NPDES or WQM permit, or a permit waiver for certain stormwater discharges, or have submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications and NOIs concern, but are not limited to, effluent discharges from sewage treatment facilities and industrial facilities to surface waters or groundwater; stormwater discharges associated with industrial activity (industrial stormwater), construction activity (construction stormwater), and municipal separate storm sewer systems (MS4s); the application of pesticides; the operation of Concentrated Animal Feeding Operations (CAFOs); and the construction of sewage, industrial waste, and manure storage, collection and treatment facilities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). More information on the types of NPDES and WQM permits that are available can be found on DEP's website (visit www.dep.pa.gov and select Businesses, Water, Bureau of Clean Water, Wastewater Management, and NPDES and WQM Permitting Programs).

<i>Section</i>	<i>Category</i>
----------------	-----------------

- | | |
|-----|--|
| I | Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received |
| II | Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs |
| III | Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity |

Section I identifies the following applications and NOIs that have been received by DEP:

- Individual and General WQM Permit Applications Received—DEP provides a 15-day public comment period for Individual WQM Permit Applications for new and reissued permits. There is no public comment period for General WQM Permit NOIs.
- General Chapter 92a NPDES Permit NOIs Received—There is no public comment period for General NPDES NOIs received.
- All Transfer and Minor Amendment Applications/NOIs Received—Transfer and Minor Amendment Applications/NOIs received for Individual and General WQM Permits and Individual and General NPDES Permits, excluding PAG-01 and PAG-02, are identified but do not have public comment periods. DEP provides a 15-day public comment period for Individual WQM Permit Applications for amendments.

Additional information on these applications and NOIs may be reviewed by generating the “Applications and NOIs without Comment Periods Report” or, for Individual WQM Permit Applications, the “Applications Received with Comment Periods Report” on DEP's website at www.dep.pa.gov/CWPublicNotice.

Section II identifies individual NPDES permit applications received and draft permits indicating DEP's tentative determination relating to sewage, industrial waste, industrial stormwater, MS4s, pesticides and CAFOs. A 30-day public comment period applies to these applications and draft permits, except when a site-specific water quality criterion is used

to establish effluent limitations, in which case a 45-day public comment period applies. The period for comment may be extended at the discretion of DEP for one additional 15-day period. Additional information, including links to draft permits and fact sheets that explain the basis for DEP's tentative determinations may be reviewed by generating the "Applications Received with Comment Periods Report" on DEP's website at www.dep.pa.gov/CWPublicNotice. Notification of 15-day extensions for comment will be provided in the "Applications Received with Comment Periods Report" (Comments column).

Section III identifies individual NPDES permit applications received and draft permits indicating DEP's tentative determination relating to stormwater discharges associated with construction activities. A 30-day public comment period applies to these applications and draft permits. The period for comment may be extended at the discretion of the Department for one additional 15-day period. Additional information may be reviewed by generating the "Applications Received with Comment Periods Report" on DEP's website at www.dep.pa.gov/CWPublicNotice.

Applications, NOIs and draft permits, where applicable, may be reviewed at the DEP office that received the application or NOI. Members of the public are encouraged to use DEP's website to obtain additional information as discussed previously.

Comments received within the appropriate comment periods for WQM and NPDES permit applications will be retained by DEP and considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform DEP of the exact basis of a comment and the relevant facts upon which it is based.

DEP office contact information to review applications and NOIs and to submit comments for those applications, when applicable, is as follows:

DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484-250-5910. Email: RA-EPNPDES_SERO@pa.gov for permits in Sections I & II; RA-EPWW-SERO@pa.gov for permits in Section III.

DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570-826-5472. Email: RA-EPNPDES_NERO@pa.gov for permits in Sections I & II; RA-EPWW-NERO@pa.gov for permits in Section III.

DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717-705-4732. Email: RA-EPNPDES_SCRO@pa.gov for permits in Sections I & II; RA-EPWW-SCRO@pa.gov for permits in Section III.

DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570-327-3693. Email: RA-EPNPDES_NCRO@pa.gov for permits in Sections I & II; RA-EPWW-NCRO@pa.gov for permits in Section III.

DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412-442-4286. Email: RA-EPNPDES_SWRO@pa.gov for permits in Sections I & II; RA-EPWW-SWRO@pa.gov for permits in Section III.

DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814-332-6340. Email: RA-EPNPDES_NWRO@pa.gov for permits in Sections I & II; RA-EPWW-NWRO@pa.gov for permits in Section III.

DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-787-5017. Email: RA-EPNPDES_Permits@pa.gov.

DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.

DEP will also accept requests or petitions for public hearings on applications. The request or petition must indicate the interest of the party filing and the reasons why a hearing is warranted. A hearing will be held if DEP determines that there is a significant public interest. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. DEP will postpone its final determination until after a public hearing is held.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

I. Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received.

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAD480145	Chapter 102 Individual NPDES Permit	Transfer	Blue Slate Real Estate 842 New Galena Road Doylestown, PA 18901-5520	Plainfield Township Northampton County	NERO
0913803	Joint DEP/PFBC Pesticides Permit	Renewal	Schadt Mark 2257 Pleasant Hollow Road Coopersburg, PA 18036-9658	Springfield Township Bucks County	SERO

NOTICES

7371

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
0608403	Major Sewage Treatment Facility Individual WQM Permit	Amendment	Sinking Spring Borough Berks County 3940 Penn Avenue Sinking Spring, PA 19608-1168	Spring Township Berks County	SCRO
3705401	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Amendment	Ellport Borough Sewer Authority Lawrence County 313 Burns Avenue Ellwood City, PA 16117-3910	Ellport Borough Lawrence County	NWRO
4803407	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Amendment	Portland Borough Northampton County 206 Division Street P.O. Box 476 Portland, PA 18351-0476	Portland Borough Northampton County	NERO
NOEXSE370	No Exposure Certification	New	Samtec 690 Enterprise Drive Royersford, PA 19468-1290	Limerick Township Montgomery County	SERO
NOEXSW028	No Exposure Certification	Renewal	Tech Met Properties LLC 79 E 8th Street Donora, PA 15033-3318	Donora Borough Washington County	SWRO
PAG030090	PAG-03 NPDES General Permit for Industrial Stormwater	Transfer	HSI Recycling LLC 2320 Big Oak Road Langhorne, PA 19047-1910	Middletown Township Bucks County	SERO
PAG034094	PAG-03 NPDES General Permit for Industrial Stormwater	New	Stevens Feed Mill Inc. P.O. Box 7 Stevens, PA 17578-0007	East Cocalico Township Lancaster County	SCRO
PAG034095	PAG-03 NPDES General Permit for Industrial Stormwater	New	Riverside Compost LLC P.O. Box 159 Oxford, PA 19363-0159	Little Britain Township Lancaster County	SCRO
PAG035053	PAG-03 NPDES General Permit for Industrial Stormwater	New	K&R Operations LLC 351 Industrial Parkway Muncy, PA 17756-6657	Muncy Borough Lycoming County	NCRO
PAG038616	PAG-03 NPDES General Permit for Industrial Stormwater	New	Lindy Paving Inc. 1807 Shenango Road New Galilee, PA 16141-2241	Hermitage City Mercer County	NWRO
PA0284823	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Amendment	Stollar James A Jr 362 Armstrong Drive Washington, PA 15301-7725	Canton Township Washington County	SWRO
PAG041431	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	Barbara & Jeffrey Lojek 25645 N Mosiertown Road Edinboro, PA 16412-4149	Hayfield Township Crawford County	NWRO
PAG041432	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	Hall Dale 1242 Nebraska Road Tionesta, PA 16353	Green Township Forest County	NWRO
PAG041433	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	Munterich James 2639 Mercer Pike Cochranton, PA 16314-4007	Greenwood Township Crawford County	NWRO
PAG041434	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	Kelly & Ronald Glas 11161 Phillipsville Colt Station Road Wattsburg, PA 16442-1611	Venango Township Erie County	NWRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG045306	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	Brank Patience M 48 Lee Run Road Mahaffey, PA 15757-9400	Greenwood Township Clearfield County	NCRO
PAG046332	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Transfer	PA DOT Engineering District 11 0 45 Thoms Run Road Bridgeville, PA 15017-2834	Sewickley Heights Borough Allegheny County	SWRO
PAG049183	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Transfer	Jeremy & John Hensberger 5059 Meadowridge Lane Gibsonia, PA 15044-8235	Mineral Township Venango County	NWRO
PAG136167	PAG-13 NPDES General Permit for MS4s	Renewal	Hunker Borough Westmoreland County P.O. Box 350 Hunker, PA 15639-0350	Hunker Borough Westmoreland County	SWRO
PAG136399	PAG-13 NPDES General Permit for MS4s	Renewal	Hyde Park Borough Westmoreland County P.O. Box 222 Hyde Park, PA 15641	Hyde Park Borough Westmoreland County	SWRO
3007256	Pump Stations Individual WQM Permit	Transfer	Hermitage Municipal Authority Mercer County 800 North Hermitage Road Hermitage, PA 16148	Hermitage City Mercer County	NWRO

II. Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs.

Northcentral Regional Office

PA0209317, Sewage, SIC Code 8059, **Eagle Ridge Personal Care Home LLC**, 2997 Renovo Road, Mill Hall, PA 17751-8537. Facility Name: Eagle Ridge Personal Care Home. This existing facility is located in Colebrook Township, **Clinton County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Tangascootack Creek, is located in State Water Plan watershed and is classified for aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.005 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	Inst Min XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25.0	XXX	50.0
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Ammonia-Nitrogen	XXX	XXX	XXX	Geo Mean Report	XXX	Report
E. Coli (No./100 ml)	XXX	XXX	XXX	SEMI AVG XXX	XXX	Report

In addition, the permit contains the following major special conditions:

- Other Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is in effect.

Northeast Regional Office

PA0060887, Sewage, SIC Code 5812, **Independence Drive Assoc LP**, P.O. Box 392, Milford, PA 18337-0392. Facility Name: Mugg's Country Kitchen-Lakeview True Value Hardware. This existing facility is located in Palmyra Township, **Pike County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Decker Creek (HQ-CWF, MF), is located in State Water Plan watershed 1-B and is classified for High Quality-Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .007 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Nitrate-Nitrite as N	XXX	XXX	XXX	Report Avg Qrtly	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report Avg Qrtly	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report Avg Qrtly	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report Avg Qrtly	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .007 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.33	XXX	1.08
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	17.0	XXX	34
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Ammonia-Nitrogen	XXX	XXX	XXX	Geo Mean		
Nov 1 - Apr 30				9.0	XXX	18
May 1 - Oct 31	XXX	XXX	XXX	3.0	XXX	6

The proposed effluent limits for Outfall 001 are based on a design flow of .007 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report

In addition, the permit contains the following major special conditions:

- TRC Minimization
- Solids Management

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northeast Regional Office

PA0063096, Sewage, SIC Code 4952, **Schuylkill County Municipal Authority**, P.O. Box 960, Pottsville, PA 17901-0960. Facility Name: SCMA Seiders Hill WWTP. This existing facility is located in North Manheim Township, **Schuylkill County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), West Branch Schuylkill River (CWF), is located in State Water Plan watershed 3-A and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .090 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	Daily Max XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.50	XXX	1.63
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	Report	XXX	XXX	25.0	50.0	50.0
Biochemical Oxygen Demand (BOD ₅)	Report	XXX	XXX	Report	Report	XXX
Raw Sewage Influent BOD ₅ Minimum % Removal (%)	85 Min Mo Avg	XXX	XXX	XXX	XXX	XXX
Total Suspended Solids	Report	XXX	XXX	30.0	60.0	60.0
Total Suspended Solids Raw Sewage Influent	Report	XXX	XXX	Report	Report	XXX
Total Suspended Solids Minimum % Removal (%)	85 Min Mo Avg	XXX	XXX	XXX	XXX	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2000	XXX	10,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 25.0	50.0	50.0
Ammonia-Nitrogen	Report	XXX	XXX	25.0	50.0	50.0

The proposed effluent limits for Outfall 001 are based on a design flow of .090 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Dissolved Solids	Report	XXX	XXX	Report	Report	XXX
E. Coli (No./100 ml)	Annl Avg XXX	XXX	XXX	Annl Avg XXX	XXX	Report
Nitrate-Nitrite as N (lbs/year)	Report	XXX	XXX	Report	Report	XXX
Total Nitrogen (lbs/year)	Annl Avg Report	XXX	XXX	Annl Avg Report	Report	XXX
Total Kjeldahl Nitrogen (lbs/year)	Annl Avg Report	XXX	XXX	Annl Avg Report	Report	XXX
Total Phosphorus (lbs/year)	Annl Avg Report	XXX	XXX	Annl Avg Report	Report	XXX

In addition, the permit contains the following major special conditions:

- Stormwater prohibition; Necessary property rights; Residuals management; Chlorine minimization; WQM permit (construction of additional treatment trains); Chapter 94 reporting (as-built organic design capacity); and Solids management.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northeast Regional Office

PA0063525, Sewage, SIC Code 8211, **Pocono Mountain School District**, P.O. Box 200, Swiftwater, PA 18370-0200. Facility Name: Clear Run WWTP. This existing facility is located in Coolbaugh Township, **Monroe County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Clear Run (HQ-CWF), is located in State Water Plan watershed 2-A and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.027 MGD.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	Daily Max XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	XXX	XXX	1.45
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Ammonia-Nitrogen	XXX	XXX	XXX	Geo Mean 4.5	XXX	9.0
Nov 1 - Apr 30						
May 1 - Oct 31	XXX	XXX	XXX	1.5	XXX	3.0
Total Phosphorus	XXX	XXX	XXX	1.0	XXX	2.0
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Annl Avg Report	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Annl Avg Report	XXX	XXX

In addition, the permit contains the following major special conditions:

- Solids Management

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Southcentral Regional Office

PA0023540, Sewage, SIC Code 4952, **Berks Montgomery Municipal Authority**, 136 Municipal Drive, Gilbertsville, PA 19525-9463. Facility Name: Berks Montgomery Morysville STP. This existing facility is located in Colebrookdale Township, **Berks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Ironstone Creek (CWF (existing use)), is located in State Water Plan watershed 3-D and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.32 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Instantaneous Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	Daily Max XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
CBOD ₅	66.7	106.7	XXX	25.0	40.0	50.0
BOD ₅	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent		Daily Max				
Total Suspended Solids	80.1	120.1	XXX	30.0	45.0	60.0
Total Suspended Solids	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent		Daily Max				
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000.0	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200.0	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	Geo Mean XXX	XXX	Report

Parameters	Mass Units (lbs/day)		Instantaneous Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Ultraviolet light intensity (mW/cm ²)	XXX	XXX	Report	XXX	XXX	XXX
Ammonia-Nitrogen Nov 1 - Apr 30	20.0	XXX	XXX	7.5	XXX	15.0
May 1 - Oct 31	6.67	XXX	XXX	2.5	XXX	5.0
Copper, Total	0.035	XXX	XXX	0.013	0.02	0.026
Total Dissolved Solids	Report	XXX	XXX	1,000.0	XXX	2,500
	Avg Qrtly			Avg Qrtly		
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
	Avg Qrtly			Avg Qrtly		
Total Phosphorus	Report	XXX	XXX	Report	XXX	XXX
	Avg Qrtly			Avg Qrtly		

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southcentral Regional Office

PA0040541, Sewage, SIC Code 8211, **Boyertown Area School District**, 911 Montgomery Avenue, Boyertown, PA 19512-9699. Facility Name: Earl Township Elementary School. This existing facility is located in Earl Township, **Berks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Oysterville Creek (CWF), is located in State Water Plan watershed 3-D and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0055 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .0055 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
			Inst Min			
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
			Inst Min			
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25.0	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Ammonia-Nitrogen	XXX	XXX	XXX	20.0	XXX	40.0

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southcentral Regional Office

PA0041505, Sewage, SIC Code 6515, **Berks Properties Inc.**, 3613 Seisholtzville Road, Hereford, PA 18056-1542. Facility Name: Hereford Estates MHP. This existing facility is located in Hereford Township, **Berks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Perkiomen Creek (TSF), is located in State Water Plan watershed 3-E and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .125 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25.0	XXX	50
Total Suspended Solids	31.3	XXX	XXX	30.0	XXX	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000.0	XXX	10,000
Oct 1 - Apr 30						
May 1 - Sep 30	XXX	XXX	XXX	200.0	XXX	1,000.0
Ammonia-Nitrogen	XXX	XXX	XXX	20.0	XXX	40
Nov 1 - Apr 30						
May 1 - Oct 31	XXX	XXX	XXX	14.0	XXX	28
Total Phosphorus	0.52	XXX	XXX	0.5	XXX	1

The proposed effluent limits for Outfall 001 are based on a design flow of .125 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
Total Dissolved Solids	XXX	XXX	XXX	Report Avg Qrtly	XXX	XXX
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	Report Avg Qrtly	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

Southcentral Regional Office

PA0232475, Concentrated Animal Feeding Operation (CAFO), **Andrew A. Reiff (West Buffalo Township Swine Finishing Operation)**, 8245 Buffalo Road, Mifflinburg, PA 17844-7856.

Andrew A. Reiff has submitted an application for an Individual NPDES permit for a renewal of a CAFO known as West Buffalo Township Swine Finishing Operation, located in West Buffalo Township, **Union County**.

The CAFO is situated near Rapid Run (HQ-CWF, MF) in Watershed 10-C, which is classified for High Quality-Cold Water and Migratory Fish. The CAFO is designed to maintain an animal population of approximately 750.77 animal equivalent units (AEUs) consisting of 4,800 Swine grow finish: 10—28 wk. Liquid swine manure is stored onsite in a concrete underbarn storage with dimensions 501' x 81' x 5' and a usable capacity of 1,330,023 gallons at the minimum required freeboard of 6 inches. A release or discharge to waters of the Commonwealth under normal operating conditions is not expected. Normal operating conditions are defined as conditions below a 100-year, 24-hour storm event.

The Department has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations, the Department has made a tentative determination to issue an NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the permit.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The Environmental Protection Agency (EPA) permit waiver provision under 40 CFR 123.24(e) does not apply to this NPDES permit.

Southcentral Regional Office

PA0260274, Concentrated Animal Feeding Operation (CAFO), **Hillside Poultry Farm Inc. (Hillside Poultry Farm CAFO)**, 1849 Letterkenny Road, Chambersburg, PA 17201-8733.

Hillside Poultry Farm Inc. has submitted an application for an Individual NPDES permit for a renewal of a CAFO known as Hillside Poultry Farm CAFO, located in Greene Township, **Franklin County**.

The CAFO is situated near Unnamed Tributary of Conococheague Creek (CWF, MF) in Watershed 13-C, which is classified for Cold Water Fishes and Migratory Fishes. The CAFO is designed to maintain an animal population of approximately 1,469.72 animal equivalent units (AEUs) consisting of 10 dairy calves, 691,182 layers, and 170,000 pullets.

Manure is kept in stacking pads located at each building. A release or discharge to waters of the Commonwealth under normal operating conditions is not expected. Normal operating conditions are defined as conditions below a 100-year, 24-hour storm event.

The Department has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations, the Department has made a tentative determination to issue an NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the permit.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The Environmental Protection Agency (EPA) permit waiver provision under 40 CFR 123.24(e) does not apply to this NPDES permit.

Southeast Regional Office

PA0050750, Sewage, SIC Code 4952, **Umh Properties Inc.**, 150 Clay Street St, Suite 450, Morgantown, WV 26501. Facility Name: Oxford Village MHP. This existing facility is located in Penn Township, **Chester County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), East Branch Big Elk Creek (HQ-TSF, MF), is located in State Water Plan watershed 7-K and is classified for Migratory Fishes and High Quality Waters—Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .047 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Total Nitrogen	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report Daily Max	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .047 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.2
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25	XXX	50
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	Report	XXX	XXX
Raw Sewage Influent Total Suspended Solids	XXX	XXX	XXX	Report	XXX	XXX
Raw Sewage Influent Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Ammonia-Nitrogen	XXX	XXX	XXX	Geo Mean		
				20	XXX	40

In addition, the permit contains the following major special conditions:

- No Stormwater
- Acquire Necessary Property Rights
- Sludge Disposal Requirement
- Abandon STP When Municipal Sewers Available
- Total Residual Chlorine Requirement
- Notification of Designation Operator
- 2/Month Sampling

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

Southeast Regional Office

PA0056294, Sewage, SIC Code 7997, **Shree Hari Golf LLC**, 1921 Ludwig Road, Gilbertsville, PA 19525-9438. Facility Name: Shree Hari Golf LLC. This existing facility is located in New Hanover Township, **Montgomery County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SFTF sewage.

The receiving stream(s), Swamp Creek (TSF, MF), is located in State Water Plan watershed 3-E and is classified for Trout Stocking and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0015 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.2
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	20	XXX	40
Nov 1 - Apr 30						
May 1 - Oct 31	XXX	XXX	XXX	10	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000
Ammonia-Nitrogen	XXX	XXX	XXX	Geo Mean 9.0	XXX	18.0
Nov 1 - Apr 30						
May 1 - Oct 31	XXX	XXX	XXX	3.0	XXX	6.0

In addition, the permit contains the following major special conditions:

- A. Submit AMR
- B. Submit DMR
- C. Depth of Septage
- D. Solids Removal Requirements
- E. TRC Requirements
- F. No Stormwater
- G. Obtain Necessary Property Rights
- H. Proper Sludge Disposal
- I. Connect to Public Sewers if Required

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

Southeast Regional Office

PA0056847, Sewage, SIC Code 4952, **East Rockhill Township**, 1622 Ridge Road, Perkasie, PA 18944. Facility Name: East Rockhill Township WWTP. This existing facility is located in East Rockhill Township, **Bucks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), East Branch Perkiomen Creek (TSF, MF), is located in State Water Plan watershed 3-E and is classified for Trout Stocking and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.113 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Daily Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
		Daily Max				

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅) Nov 1 - Apr 30	24	38	XXX	25	40	50
May 1 - Oct 31	19	28	XXX	20	30	40
Carbonaceous Biochemical Oxygen Demand (CBOD ₅) Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Biochemical Oxygen Demand (BOD ₅) Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Total Suspended Solids Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	28	42	XXX	30	45	60
Fecal Coliform (No./100 ml) Oct 1 - Apr 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Ultraviolet light intensity (mW/cm ²)	XXX	XXX	Report	XXX	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen Nov 1 - Apr 30	14.1	XXX	XXX	15	XXX	30
May 1 - Oct 31	9.4	XXX	XXX	10	XXX	20
Total Phosphorus	1.9	XXX	XXX	2.0	XXX	4

The proposed effluent limits for Outfall 001 are based on a design flow of 0.113 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Total Dissolved Solids	XXX	XXX	XXX	Report Avg Qrtly	XXX	XXX

In addition, the permit contains the following major special conditions:

- No stormwater from pavements, area ways, roofs shall be admitted to sanitary sewers
- Proper disposal of collected screenings, slurries, sludges, and other solids
- Permittee shall optimize chlorine dosages to minimize TRC in effluent
- Permittee shall notify DEP of Operator in responsible charge
- Permittee shall develop and maintain Operations and Maintenance (O&M) Plan
- Seasonal effluent limits for fecal coliform

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

Southeast Regional Office

PA0244350, Sewage, SIC Code 4952, **James Alpha**, 1650 Fels Road, Pennsburg, PA 18073-2423. Facility Name: Alpha SRSTP. This proposed facility is located in Milford Township, **Bucks County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Hazelbach Creek (HQ-TSF, MF), is located in State Water Plan watershed 3-E and is classified for Migratory Fishes and High Quality Waters—Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

In addition, the permit contains the following major special conditions:

- AMR
- DMR
- Depth of sewage
- Pump tanks
- Chlorine minimization
- No stormwater
- Property rights
- Solid waste management
- Municipal facilities
- UV disinfection

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

Southeast Regional Office

PAI130094, MS4, **London Britain Township, Chester County**, P.O. Box 215, Kemblesville, PA 19347-0215.

The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in London Britain Township, **Chester County**. The receiving stream(s), West Branch White Clay Creek (TSF, MF), Unnamed Tributary to White Clay Creek (TSF, MF), and White Clay Creek (CWF, MF), is located in State Water Plan watershed 3-I and is classified for Trout Stocking, Migratory Fishes, and Cold Water Fishes, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

The applicant has submitted the following plan(s) with the application to reduce pollutant loads to impaired waters:

- A Total Maximum Daily Load (TMDL) Plan

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA waiver is in effect for small MS4s, and is not in effect for large MS4s.

Southeast Regional Office

PA0245691, Storm Water, SIC Code 3273, **Cosan, LLC, Antonio DiNardo, Mossi Construction Inc., Bella Trucking Corp., Sandra Affatato-DiNardo**, 4465 Castor Avenue, Philadelphia, PA 19124-3849. Facility Name: Metro Ready Mix & Supply Castor Ave Plant. This proposed facility is located in Philadelphia City, **Philadelphia County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated industrial stormwater.

The receiving stream(s), Frankford Creek (WWF, MF), is located in State Water Plan watershed 3-J and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	XXX	100.0	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- Stormwater outfalls and authorized non-stormwater discharges
- BMPs
- Routine inspection
- PPC plan
- Stormwater monitoring requirements
- Other requirements including no discharge of PCBs

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

Southwest Regional Office

PA0096121, Sewage, SIC Code 8211, **McGuffey School District**, 90 McGuffey Drive, Claysville, PA 15323-2304. Facility Name: **Joe Walker Elementary School**. This existing facility is located in South Franklin Township, **Washington County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), UNT to Chartiers Creek (WWF), is located in State Water Plan watershed 20-F and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0045 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0045 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
Aluminum, Total	XXX	XXX	XXX	Report	XXX	XXX
Iron, Total	XXX	XXX	XXX	Report	XXX	XXX
Manganese, Total	XXX	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0045 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	0.0045	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 4.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	Inst Min XXX	0.1	XXX	0.3
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	25.0	XXX	50.0

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Ammonia-Nitrogen	XXX	XXX	XXX	8.8	XXX	17.6
Nov 1 - Apr 30						
May 1 - Oct 31	XXX	XXX	XXX	3.0	XXX	6.0

In addition, the permit contains the following major special conditions:

- None.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

Southwest Regional Office

PA0098558, Sewage, SIC Code 7033, **Fox Den Acres Enterprises, Inc.**, 390 Wilson Fox Road, New Stanton, PA 15672-2439. Facility Name: Fox Den Acres Campground STP. This existing facility is located in Hempfield Township, **Westmoreland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Sewickley Creek (WWF), is located in State Water Plan watershed 19-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0183 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Instantaneous Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
Jan 1 - Apr 30		Daily Max				
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Jan 1 - Apr 30						
Dissolved Oxygen	XXX	XXX	4.0	XXX	XXX	XXX
Jan 1 - Apr 30						
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25.0	XXX	50.0
Jan 1 - Apr 30						
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60.0
Jan 1 - Apr 30						
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Jan 1 - Apr 30				Geo Mean		
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Jan 1 - Apr 30						
Ultraviolet light transmittance (%)	XXX	XXX	Report	XXX	XXX	XXX
Jan 1 - Apr 30						
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Jan 1 - Apr 30						
Ammonia-Nitrogen	XXX	XXX	XXX	7.0	XXX	14.0
Jan 1 - Apr 30						
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
Jan 1 - Apr 30						
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Jan 1 - Apr 30					Daily Max	
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Jan 1 - Apr 30					Daily Max	
Manganese, Total	XXX	XXX	XXX	XXX	Report	XXX
Jan 1 - Apr 30					Daily Max	

The proposed effluent limits for Outfall 002 are based on a design flow of 0.0183 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Instantaneous Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD) Jan 1 - Apr 30	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.) Jan 1 - Apr 30	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen Jan 1 - Apr 30	XXX	XXX	4.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅) Jan 1 - Apr 30	XXX	XXX	XXX	25.0	XXX	50.0
Total Suspended Solids Jan 1 - Apr 30	XXX	XXX	XXX	30.0	XXX	60.0
Fecal Coliform (No./100 ml) Jan 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
E. Coli (No./100 ml) Jan 1 - Apr 30	XXX	XXX	XXX	XXX	XXX	Report
Ultraviolet light transmittance (%) Jan 1 - Apr 30	XXX	XXX	Report	XXX	XXX	XXX
Total Nitrogen Jan 1 - Apr 30	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen Jan 1 - Apr 30	XXX	XXX	XXX	7.0	14.0 Daily Max	XXX
Total Phosphorus Jan 1 - Apr 30	XXX	XXX	XXX	Report	XXX	XXX
Aluminum, Total Jan 1 - Apr 30	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Iron, Total Jan 1 - Apr 30	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Manganese, Total Jan 1 - Apr 30	XXX	XXX	XXX	XXX	Report Daily Max	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

Southwest Regional Office

PA0254401, Sewage, SIC Code 4952, **Ligonier Township Municipal Authority**, One Municipal Park Drive, Ligonier, PA 15658. Facility Name: Darlington STP. This existing facility is located in Ligonier Township, **Westmoreland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Loyalhanna Creek (TSF), is located in State Water Plan watershed 18-C and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .156 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Instantaneous Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Total Nitrogen	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Manganese, Total	XXX	XXX	XXX	XXX	Report Daily Max	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .156 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Instantaneous Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	4.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	32.1	48.2	XXX	25	37.5	50
Biochemical Oxygen Demand (BOD ₅)	Report	Report Daily Max	XXX	Report	Report Daily Max	XXX
Raw Sewage Influent						
Total Suspended Solids	38.6	57.8	XXX	30	45	60
Total Suspended Solids Raw Sewage Influent	Report	Report Daily Max	XXX	Report	Report Daily Max	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Ultraviolet light intensity (mW/cm ²)	XXX	XXX	Report	Geo Mean Report	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	Report	XXX	Report

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

Southwest Regional Office

PA0285374, Sewage, SIC Code 8800, **Matthew & Beth Mastorovich**, 154 Silvis Road, Export, PA 15632-1174. Facility Name: 154 Silvis Road SRSTP. This proposed facility is located in Washington Township, **Westmoreland County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Thorn Run (HQ-CWF), is located in State Water Plan watershed 18-B and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (MGD)	Report Annl. Avg	XXX	XXX	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	5.0	XXX	10.0

In addition, the permit contains the following major special conditions:

- AMR submission
- Septage pumping from treatment units
- Optimization of chlorine dosage
- UV contact surface cleaning requirements
- Ammonia-Nitrogen seasonal sampling for alternate years

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

Southwest Regional Office

PA0001562, Industrial, SIC Code 6519, **Mon River Industrial Group, LLC**, P.O. Box 249, Allenport, PA 15412-0249. Facility Name: Allenport Plant. This existing facility is located in Allenport Borough, **Washington County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Monongahela River (WWF), is located in State Water Plan watershed 19-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	XXX	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Iron, Dissolved	XXX	XXX	XXX	XXX	Report	7.0

The proposed effluent limits for Outfall 002 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	XXX	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Iron, Dissolved	XXX	XXX	XXX	XXX	Report	7.0

The proposed effluent limits for Outfall 003 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	XXX	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Iron, Dissolved	XXX	XXX	XXX	XXX	Report	7.0

The proposed effluent limits for Outfall 004 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	XXX	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Iron, Dissolved	XXX	XXX	XXX	XXX	Report	7.0

The proposed effluent limits for Outfall 005 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	XXX	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average	Daily	Minimum	Average	Daily	
	Monthly	Maximum		Monthly	Maximum	
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Iron, Dissolved	XXX	XXX	XXX	XXX	Report	7.0

The proposed effluent limits for Outfall 007 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average	Average	Minimum	Average	Maximum	
	Monthly	Weekly		Monthly	Maximum	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX

The proposed effluent limits for Outfall 010 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average	Average	Minimum	Average	Maximum	
	Monthly	Weekly		Monthly	Maximum	

All materials (solids and other debris) collected on the water intake screens shall be collected and disposed of in a manner to prevent said material from reentering the surface waters.

The proposed effluent limits for Outfall 202 are based on a design flow of 0.015 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average	Daily	Minimum	Average	Daily	
	Monthly	Maximum		Monthly	Maximum	
Flow (MGD)	XXX	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Iron, Dissolved	XXX	XXX	XXX	XXX	Report	7.0
Lead, Total (ug/L)	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total (ug/L)	XXX	XXX	XXX	XXX	Report	XXX
Naphthalene (ug/L)	XXX	XXX	XXX	XXX	Report	XXX
Tetrachloroethylene (ug/L)	XXX	XXX	XXX	XXX	Report	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

Southwest Regional Office

PA0216038, Industrial, SIC Code 4499, **Keystone Land Resources, Inc.**, 1200 Maronda Way, Monessen, PA 15062-1071. Facility Name: Alicia Dock. This existing facility is located in Luzerne Township, **Fayette County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream, Monongahela River (WWF), is located in State Water Plan watershed 19-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .00625 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		Instant. Maximum
	Average	Daily	Instant. Minimum	Average	Daily	
	Monthly	Maximum		Monthly	Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	35.0	70.0	XXX
Iron, Total	XXX	XXX	XXX	3.0	6.0	XXX
Manganese, Total	XXX	XXX	XXX	2.0	4.0	XXX
PFOA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFOS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFBS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
HFPO-DA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of .075 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		
	Average Monthly	Daily Maximum	Instant. Minimum	Average Monthly	Daily Maximum	Instant. Maximum
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	35.0	70.0	XXX
Iron, Total	XXX	XXX	XXX	3.0	6.0	XXX
Manganese, Total	XXX	XXX	XXX	2.0	4.0	XXX
PFOA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFOS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFBS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
HFPO-DA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 003 are based on a design flow of .0245 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		
	Average Monthly	Daily Maximum	Instant. Minimum	Average Monthly	Daily Maximum	Instant. Maximum
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	35.0	70.0	XXX
Iron, Total	XXX	XXX	XXX	3.0	6.0	XXX
Manganese, Total	XXX	XXX	XXX	2.0	4.0	XXX
PFOA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFOS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFBS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
HFPO-DA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

Southwest Regional Office

PA0217689, Industrial, SIC Code 4941, **West View Water Authority, Allegheny County**, 2428 Rochester Road, Sewickley, PA 15143-8667. Facility Name: Joseph A Berkley WTP. This existing facility is located in Neville Township, **Allegheny County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream, Ohio River (WWF), is located in State Water Plan watershed 20-G and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 1.008 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		
	Average Monthly	Daily Maximum	Instant. Minimum	Average Monthly	Daily Maximum	IMAX
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine	XXX	XXX	XXX	0.5	1.0	XXX
Total Suspended Solids	XXX	XXX	XXX	30.0	60.0	XXX
Aluminum, Total	XXX	XXX	XXX	4.0	8.0	XXX
Iron, Total	XXX	XXX	XXX	2.0	4.0	XXX
Manganese, Total	XXX	XXX	XXX	1.0	2.0	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 1.008 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		
	Average Monthly	Average Weekly	Minimum	Average Monthly	Daily Maximum	IMAX
PFOA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFOS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFBS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
HFPO-DA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 1.008 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		
	Average Monthly	Daily Maximum	Instant. Minimum	Average Monthly	Daily Maximum	IMAX
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average	Daily	Instant.	Average	Daily	
	Monthly	Maximum		Monthly	Maximum	
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine	XXX	XXX	XXX	0.5	1.0	XXX
Total Suspended Solids	XXX	XXX	XXX	30.0	60.0	XXX
Aluminum, Total	XXX	XXX	XXX	4.0	8.0	XXX
Iron, Total	XXX	XXX	XXX	2.0	4.0	XXX
Manganese, Total	XXX	XXX	XXX	1.0	2.0	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 1008 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average	Average	Minimum	Average	Daily	
	Monthly	Weekly		Monthly	Maximum	
PFOA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFOS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFBS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
HFPO-DA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 003 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average	Average	Minimum	Average	Daily	
	Monthly	Weekly		Monthly	Maximum	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 004 are based on a design flow of 1.008 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average	Average	Minimum	Average	Daily	
	Monthly	Weekly		Monthly	Maximum	
PFOA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFOS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFBS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
HFPO-DA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 004 are based on a design flow of 1.008 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average	Daily	Instant.	Average	Daily	
	Monthly	Maximum		Monthly	Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine	XXX	XXX	XXX	0.5	1.0	XXX
Total Suspended Solids	XXX	XXX	XXX	30.0	60.0	XXX
Aluminum, Total	XXX	XXX	XXX	4.0	8.0	XXX
Iron, Total	XXX	XXX	XXX	2.0	4.0	XXX
Manganese, Total	XXX	XXX	XXX	1.0	2.0	XXX

The proposed effluent limits for Outfall 005 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average	Average	Minimum	Average	Daily	
	Monthly	Weekly		Monthly	Maximum	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 006 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 007 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 008 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 009 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 010 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Daily Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 011 are based on a design flow of .016 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine	XXX	XXX	XXX	0.5	1.0	XXX
Total Suspended Solids	XXX	XXX	XXX	30.0	60.0	XXX
Aluminum, Total	XXX	XXX	XXX	4.0	8.0	XXX
Iron, Total	XXX	XXX	XXX	2.0	4.0	XXX
Manganese, Total	XXX	XXX	XXX	1.0	2.0	XXX
Mercury, Total (ug/L)	XXX	XXX	XXX	0.012	0.019	XXX

The proposed effluent limits for Outfall 011 are based on a design flow of .016 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
PFOA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFOS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFBS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
HFPO-DA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 012 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 013 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- WQBELs Below Quantitation Limits
- Chemical Additives
- Sedimentation Basin Cleaning
- Emergency Overflows
- PFAS Reduction Plan
- Requirements Applicable to Stormwater Outfalls

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

Southwest Regional Office

PA0285366, Industrial, SIC Code 3273, **US Army Corps of Engineering Pittsburgh District**, 100 Montgomery Dam Road, Monaca, PA 15061-2221. Facility Name: Montgomery Locks & Dam. This proposed facility is located in Potter Township, **Beaver County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated industrial waste.

The receiving stream(s), Squirrel Run (WWF) and Ohio River (WWF), is located in State Water Plan watershed 20-D and 20-B and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 004 are based on a design flow of 0.43 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	Report	XXX	50.0
Total Dissolved Solids	XXX	XXX	XXX	Report	Report	XXX
Oil and Grease	XXX	XXX	XXX	15.0	30.0	XXX
Aluminum, Total	XXX	XXX	XXX	4.0	8.0	XXX
Iron, Total	XXX	XXX	XXX	2.0	4.0	XXX
Manganese, Total	XXX	XXX	XXX	1.0	2.0	XXX

The proposed effluent limits for Outfall 005 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	Report	100.0	XXX

The proposed effluent limits for Outfall 006 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	Report	100.0	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

III. Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity.

Northeast Regional Office

Applicant: **UGI Utilities, Inc.**

Applicant Address: 1 UGI Drive, Denver, PA 17517-9039

Application Number: **PAD350054**

Application Type: New

Municipality/County: City of Scranton, **Lackawanna County**

Project Site Name: UGI Scranton Bridge Street Former MGP/Boomerang Park

Total Earth Disturbance Area (acres): 6.5 acres

Surface Waters Receiving Stormwater Discharges: Lackawanna River (CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: UGI proposes to perform in-situ stabilization (ISS) of impacted soils along the on-site streambank in accordance with the PADEP-approved Cleanup Plan. A site restoration best management practice (BMP) will be implemented following the remediation phase. Upon the completion of the remedial phase, the Lackawanna County Department of Planning and Economic Development will begin a multi-phase project to develop the Site into a park.

Special Conditions: N/A—No Site-Specific Special Conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

Regional Permit Coordination Office

Applicant: **PPL Electric Utilities Corporation**

Applicant Address: 1639 Church Rd, Allentown, PA 18104

Application Number: **PAD360110 A-3**

Application Type: Major Amendment

Municipality/County: East Donegal Township, Mount Joy Township, West Donegal Township, Elizabethtown Borough, Derry Township, Londonderry Township, and Conewago Township, **Lancaster County** and **Dauphin County**.

Project Site Name: WHEM-HUMM Rebuild Project

Total Earth Disturbance Area (acres): 96.3 acres

Surface Waters Receiving Stormwater Discharges: Susquehanna River (WWF, MF), tributaries to Susquehanna River (WWF, MF), Donegal Creek (TSF, MF), tributaries to Donegal Creek (CWF, MF), Conoy Creek (TSF, MF), tributaries to Conoy Creek (TSF, MF), tributaries to Iron Run (WWF, MF), Iron Run (WWF, MF), tributaries to Brills Run (TSF, MF), Brills Run (TSF, MF), tributaries to Conewago Creek (TSF, MF), Conewago Creek (TSF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Major Amendment 3: PPL is proposing to rebuild part of the existing West Hempfield-Hummelstown Transmission line. The project activities include approximately a 7.6-mile section of fiber installation, installation of new monopoles, and other associated components that extends between the East Elizabethtown Substation in Lancaster County and a tap located near the Hummelstown Substation in Dauphin County. All earth disturbance activities will be restored to existing conditions.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-772-5987.

Southeast Regional Office

Applicant: **City of Philadelphia, Department of Aviation (DOA)**

Applicant Address: 2 International Plaza, Suite 200, Philadelphia, PA 19113

Application Number: **PAD230012 A-25**

Application Type: Major Amendment

Municipality/County: City of Philadelphia and Tinicum Township, **Philadelphia County** and **Delaware County**.

Project Site Name: Taxiway E Rehabilitation

Total Earth Disturbance Area (acres): 0.60 acre

Surface Waters Receiving Stormwater Discharges: Schuylkill River (WWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Taxiway asphalt mill and overlay rehabilitation, centerline lighting replacement, taxiway shoulder pavement removal. All work will be completed within the existing footprint. No new impervious will added.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 484-250-5910.

Northeast Regional Office

Applicant: **Muhlenberg College, c/o Richard Waligora**

Applicant Address: 2400 Chew Street, Allentown, PA 18104-5586

Application Number: **PAD390247 A-1**

Application Type: Major Amendment

Municipality/County: City of Allentown, **Lehigh County**

Project Site Name: Muhlenberg College Synthetic Turf Fields Major Amendment (Muhlenberg College Softball Field)

Total Earth Disturbance Area (acres): 4.99 acres

Surface Waters Receiving Stormwater Discharges: Tributary to Little Lehigh Creek (aka Cedar Creek) (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The proposed project will involve the construction of a softball field and track and field throwing sectors for collegiate athletic use.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

Northeast Regional Office

Applicant: **Waymart Borough**

Applicant Address: P.O. Box 280, South Street, Waymart, PA 18472

Application Number: **PAD640016**

Application Type: Renewal

Municipality/County: Waymart Borough, Canaan Township, **Wayne County**

Project Site Name: Waymart Sports Complex (Renewal)

Total Earth Disturbance Area (acres): 2.54 acres

Surface Waters Receiving Stormwater Discharges: Van Auken Creek (HQ-TSF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Renewal for the renovation and reconfiguration of a portion of the Waymart Borough's Sports Complex.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

Northeast Regional Office

Applicant: **Posh Properties No. 46 Hanson, LLC**

Applicant Address: 2216 Willow Park Rd., Bethlehem, PA 18020

Application Number: **PAD480169 A-1**

Application Type: Major Amendment and Renewal

Municipality/County: Forks Township, **Northampton County**

Project Site Name: Posh Forks

Total Earth Disturbance Area (acres): 6.35 acres

Surface Waters Receiving Stormwater Discharges: Bushkill Creek (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: To develop an existing parcel which contains a vacant corporate office building with multiple new buildings for commercial development. The project also includes the installation of driveways, utilities, landscaping and stormwater management facilities.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

Southwest Regional Office

Applicant: **Kilkeary's Auto Body Inc.**

Applicant Address: 647 Thomas Road, Eighty Four, PA 15330

Application Number: **PAD630081**

Application Type: New

Municipality/County: North Strabane Township, **Washington County**

Project Site Name: Kilkeary Auto Body

Total Earth Disturbance Area (acres): 2.42 acres

Surface Waters Receiving Stormwater Discharges: UNT to Little Chartiers Creek (HQ-WWF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: This is a new application for the construction of additional parking and a storage building for the Kilkeary Auto Body shop located on-site. The project will also involve rehabilitation of the slope, to ensure slope stability, below the proposed building and parking area. The proposed stormwater management BMPs include an infiltration basin and subsurface infiltration bed. Discharge from the BMPs will be routed to a level spreader which will return the stormwater to sheet flow prior to leaving the site.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 412-442-4286.

Northeast Regional Office

Applicant: **Crossroads XOXO, LLC**

Applicant Address: 1265 Miller Road, Wind Gap, PA 18091-9765

Application Number: **PAD400084**

Application Type: New

Municipality/County: Sugarloaf Township, West Hazleton Borough, **Luzerne County**

Project Site Name: Crossroads XOXO, LLC Buildings 1 and 3

Total Earth Disturbance Area (acres): 103.35 acres

Surface Waters Receiving Stormwater Discharges: 1. Black Creek (CWF, MF) 2. EV Wetlands

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The development will consist of two (2) warehouse buildings with associated parking, truck parking, landscaping, utilities, and stormwater management facilities.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

STATE CONSERVATION COMMISSION

PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed (National Pollutant Discharge Elimination System) NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling 717-787-8821.

Individuals wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30-days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the

exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Individuals in need of accommodations should contact the SCC through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

ACT 38

NUTRIENT MANAGEMENT PLANS

CAFO PUBLIC NOTICE SPREADSHEET—APPLICATIONS

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal/New</i>
Wen-Crest Farms 549 Schaeffer Road Lebanon, PA 17042	Lebanon County	1,529	2,031.55	Poultry Beef	NA	Renewal
Austin Hurst 40 New Schaefferstown Road Bernville, PA 19506	Berks County	65	351.68	Poultry Layers	NA	New

PUBLIC WATER SUPPLY PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for Public Water Supply (PWS) permits to construct or substantially modify public water systems.

Individuals wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30-days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of Environmental Protection (DEP) the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, DEP will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 1

Acknowledgment of Notice(s) of Intent to Remediate Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* an acknowledgment

noting receipt of any Notices of Intent (NOI) to Remediate. An acknowledgment of the receipt of a NOI to Remediate is used to identify a site where an individual proposes to, or has been required to, respond to a release of a regulated substance at a site. Individuals intending to use the background standard, Statewide health standard, the site-specific standard, or who intend to remediate a site as a special industrial area, must file a NOI to Remediate with DEP. A NOI to Remediate filed with DEP provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. An individual who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the Act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by DEP. Furthermore, an individual shall not be subject to citizen suits or other contribution actions brought by responsible individuals not participating in the remediation.

Under Sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the NOI to Remediate is published in a newspaper of general circulation in the area of the site. For the following identified site(s), proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30-days of the following specified date. During this comment period the municipality may request that the following identified individual, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of the site.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The DEP has received the following Notice(s) of Intent to Remediate.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Former Allentown State Hospital—Building 29, Primary Facility ID # **633071**, 1600 Hanover Avenue, Allentown, PA 18103, City of Allentown, **Lehigh County**. Synergy Environmental, 155 Railroad Plaza, Royersford, PA 19468 on behalf of City Center Investment Corporation, 645 West Hamilton Street, Suite 600, Allentown, PA 18101, submitted a Notice of Intent to Remediate. Soil was contaminated with benzene, toluene, ethylbenzene, MTBE, naphthalene, cumene, 1,2,4-trimethyl benzene (TMB), 1,3,5-TMB, and total xylenes from historic site operations. The Notice of Intent to Remediate was published in *The Morning Call* on October 4, 2024. Application received: October 24, 2024.

Former Allentown State Hospital—Fire Brigade Training Area, Primary Facility ID # **633071**, 1600 Hanover Avenue, Allentown, PA 18103, City of Allentown, **Lehigh County**. Synergy Environmental, 155 Railroad Plaza, Royersford, PA 19468 on behalf of City Center Investment Corporation, 645 West Hamilton Street, Suite 600, Allentown, PA 18101, submitted a Notice of Intent to Remediate. Soil was contaminated with 1,1-biphenyl, lead, and benzo(a)pyrene from historic site operations. The Notice of Intent to Remediate was published in *The Morning Call* on October 4, 2024. Application received: October 24, 2024.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: C. David Brown, Professional Geologist Manager, 484-250-5792.

Somerset Street Phase 1, Primary Facility ID # **879157**, 2200, 2230, 2234, and 2248 East Somerset Street, Philadelphia, PA 19134, City of Philadelphia, **Philadelphia County**. Anna Thornton, Pennoni Associates, Inc., 1900 Market Street, Suite 300, Philadelphia, PA 19103 on behalf of Lawrence McKnight, Somerset Street Station, LLC, 3020 Richmond Street, # 5807, Philadelphia, PA 19134, submitted a Notice of Intent to Remediate. Soil and groundwater have been found to be contaminated with inorganics, lead, MTBE, other organics, PAH's, and PCB's. The future use of the property is mixed-use. The proposed cleanup standards for the site are the Statewide health and site-specific standards. The Notice of Intent to Remediate was published in *Philadelphia Metro* on September 30, 2024. Application received: September 30, 2024.

ELU Mid Atlantic Ambler Crossings Phase II, Primary Facility ID # **879182**, South Maple and South Chestnut Streets, Ambler, PA 19002, Ambler Borough, **Montgomery County**. Walter H. Hungarter, III, RT Environmental Services, Inc., 215 West Church Road, King of Prussia, PA 19406 on behalf of John Zaharchuk, ELU Mid-Atlantic Ambler, LLC, 201 South Maple Way, Suite 100, Ambler, PA 19002, submitted a Notice of Intent to Remediate. Soil has been found to be contaminated with chlorinated solvents, inorganics including asbestos, lead, other organics, and PAH's. The future use of the property is residential. The proposed cleanup standards for the site are the Statewide health and site-specific standards. The Notice of Intent to Remediate was pub-

lished in *The Ambler Gazette* on September 1, 2024. Application received: October 1, 2024.

Dublin Volunteer Fire Company, Primary Facility ID # **862212**, 194 North Main Street, Dublin, PA 18917, Dublin Borough, **Bucks County**. Thomas Hippensteal, P.G., Envirosearch Consultants, Inc., P.O. Box 940, Springhouse, PA 19477 on behalf of Dublin Volunteer Fire Company, 194 North Main Street, Dublin, PA 18917, submitted a Notice of Intent to Remediate. Soil and groundwater have been found to be contaminated with No. 2 Fuel Oil. The future use of the property is nonresidential. The proposed cleanup standard is the Statewide health standard. The Notice of Intent to Remediate was published in *The Bucks County Herald* on October 3, 2024. Application received: October 4, 2024.

DETERMINATION OF APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for Determination of Applicability for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other than Coal Ash.

Northeast Region: Waste Management Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Roger Bellas, Environmental Program Manager, 570-826-2201.

WMGR038-NE011, Circular Crossroads, LLC, 191 Clark Road, Duryea, PA 18642, Duryea Borough, **Luzerne County**. An application for determination of applicability for the processing of waste tires for beneficial reuse. Application received: October 21, 2024. Deemed administratively complete: October 28, 2024.

Comments or questions concerning the application should be directed to Roger Bellas, Environmental Program Manager, 570-826-2511 or RA-EPWM-NEO@pa.gov, Northeast Region, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

WMGR038-NE012, Magen Industry LLC, 1590 East 8th Street, Brooklyn, NY 11230, Bowmanstown Borough, **Carbon County**. An application for permit reissuance to transfer the permit from Gabriel Rubber LLC to Magen Industry LLC. The permit is for the processing of waste tires for beneficial reuse at 700 Lehigh Street, Palmerton, PA. Application received: October 24, 2024. Deemed administratively complete: October 28, 2024.

Comments or questions concerning the application should be directed to Roger Bellas, Environmental Program Manager, 570-826-2511 or RA-EPWM-NEO@pa.gov, Northeast Region, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

Southwest Region: Waste Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Waste Management Program Manager.

WMGR123SW074, Range Resources—Appalachia, LLC, 3000 Town Center Blvd, Canonsburg, PA 15317, Robinson Township, **Washington County**. A Determination of Applicability for coverage under Residual Waste General Permit No. WMGR123 was received. Range Resources—Appalachia, LLC is proposing to place one 33,000 bbl nominal capacity open-air aboveground storage tank (AST) and associated equipment to act as a water reuse storage facility to be used to support unconventional well completions. The storage facility will include the 33,000 bbl AST within a secondary containment system, drive-on truck containment system, and transfer pumps. The facility will be located at the Shearer Tank Pad, 2689 Robinson Hwy, McDonald, PA 15057. Application received: October 15, 2024. Deemed administratively complete: October 29, 2024.

Comments or questions concerning the application should be directed to RA-EP-EXTUPLSWRO@pa.gov, Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Northwest Region: Waste Management Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Christina S. Wilhelm, Regional Solid Waste Program Manager, ra-epnwrowasteprog@pa.gov.

101684. Pro Waste Services, Inc., 813 East 18th Street, Erie, PA 16503, West Mead Township, **Crawford County**. Pro Waste Services, Inc. is seeking reissuance of a municipal waste permit to own and operate the construction/demolition waste transfer facility that had been previously owned and operated by Meadville Redi-Mix Concrete, Inc. (current Permit ID number 101684). Application received: October 24, 2024.

Comments or questions concerning the application should be directed to Christina S. Wilhelm, Regional Solid Waste Program Manager, ra-epnwrowasteprog@pa.gov, Northwest Region, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department of Environmental Protection (DEP) has developed an integrated plan approval, State Operat-

ing Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for DEP, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The DEP received applications for Plan Approvals or Operating Permits from the following facilities. Copies of the application, DEP's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate DEP Regional Office. Appointments for scheduling a review must be made by calling the appropriate DEP Regional Office. The address and telephone number of the Regional Office is listed before the application notices.

Individuals wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the DEP's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

Any individual wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if DEP, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when DEP determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate DEP Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

PLAN APPROVALS

Notice of Intent to Issue Plan Approval(s) and Notice of Intent to Issue or Amend Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These Actions May Include the Administrative Amendments of an Associated Operating Permit.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: James Beach, New Source Review Chief, 484-250-5920.

46-00274: Sunoco Protective Solutions Inc./Montgomeryville, 161 Corporate Dr, Montgomeryville, PA 18936-9643, Montgomery Township, **Montgomery County**. Application received: May 13, 2024. Sonoco Protective Solutions, Inc. formerly known as Tegrant Diversified Brands, Inc. is a natural minor facility that produces insulated shipping foam containers. The manufacturing process is a closed mold, rigid polyurethane foam molding operation which uses materials containing Volatile Organic Compounds (VOC), whose emission limit is 8.0 tons per year (tpy). All the VOC emissions are fugitive emissions and are reduced: 1. phasing out the use of clean up solvent, 2. using more efficient injection equipment, and 3. good housekeeping practices. The operating permit includes work practice standards, monitoring, and recordkeeping requirements designed to keep the facility operating within all applicable air quality requirements. Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the previously listed contact person in the header. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEROAQPUBCOM@pa.gov.

Contact: James Beach, New Source Review Chief, 484-250-5920.

46-0005BC: Merck Sharp & Dohme LLC, 770 Sunnyside Pike, West Point, PA 19486, Upper Gwynedd Township, **Montgomery County**. Application received: July 31, 2024. Plan Approval No. 46-0005BC is for the construction of a 2.5-megawatt (MW) natural gas-fired non-emergency peak shaving generator. Merck, Sharp & Dohme LLC is a major facility as per 25 Pa. Code § 121.1. Potential emissions from the new non-emergency peak shaving generator are: NO_x—2.0 tons per year (TPY); VOC—1.4 TPY; CO—4.0 TPY; PM—0.06 TPY; SO_x—0.004 TPY; HAP—0.47 TPY. The non-emergency peak shaving generator is subject to 40 CFR Part 60, Subpart JJJJ. The Plan Approval will contain monitoring, recordkeeping, and operating conditions designed to keep the facility operating within the allowable emissions and all applicable air quality requirements. Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the previously listed contact person in the header. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEROAQPUBCOM@pa.gov.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Thomas Joseph, P.E., Facilities Permitting Chief, 412-442-4336.

30-00195: Equitrans, LP, 2200 Energy Drive, Canonsburg, PA 15317, Jefferson Township, **Greene**

County. Application received: June 21, 2023. In accordance with 25 Pa. Code §§ 127.424, 127.425 and 127.521, the Department of Environmental Protection (DEP) is providing notice that it intends to issue a modified Title V Operating Permit (TV-30-00195) to Equitrans, LP to incorporate applicable presumptive RACT III requirements into the operating permit. The facility is a natural gas compression station located off of Denny Hill Road at coordinates 39.909611, -80.074528 in Jefferson Township, Greene County. The following sources at this facility are addressed in this RACT III proposal: Sources 101—103, three (3) 4,735-BHP Caterpillar G3616LE lean-burn stationary internal combustion engines each controlled by an oxidation catalyst are subject to a 0.6 g/bhp-hr presumptive RACT III requirement in accordance with 25 Pa. Code § 129.112(g)(3)(ii)(A). • Source 104, one (1) 124.14 MMBtu/hr Solar Mars 100-16000S natural gas turbine subject to a 42 ppmvd NO_x standard at 15% oxygen in accordance with 25 Pa. Code § 129.112(g)(2)(v). • Source 201, a 3.85 MMBtu/hr reboiler, and Source 401, a 450 MMscfd TEG dehydration unit and associated flare, are subject to 25 Pa. Code § 129.112(c) to install, maintain, and operate the source in accordance with the manufacturer's specifications and with good operating practices. All other sources at the facility are not subject to RACT III requirements. The facility has potential emissions of 105.0 TPY NO_x; 26.2 TPY CO; 39.8 TPY VOC; 2.3 TPY SO_x; 14.9 TPY PM₁₀; 14.9 TPY PM_{2.5}; 10.3 TPY total HAP; 7.2 TPY single HAP for formaldehyde; and 164,239 TPY of CO_{2e}. This modification is limited in scope to incorporating the applicable presumptive RACT III requirements into the Title V operating permit. Those who wish to provide the Department with additional written information that they believe should be considered prior to the issuance of this Title V Operating Permit modification may submit the information to Thomas Joseph, Environmental Engineering Manager, Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Operating Permit (30-00195) and concise statements regarding the relevancy of the information or objections to issuance of the operating permit. A public hearing may be held, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient. Written comments or requests for a public hearing should be directed to Thomas Joseph, Environmental Engineering Manager, at the previously listed address or contact information given as follows. All comments must be received prior to the close of business 30 days after the date of this publication. The application, DEP's Review Memorandum, and the proposed permit are available for public review during normal business hours at DEP's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. A file review can be scheduled through the DEP's website at <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx> and by contacting Thomas Joseph, Environmental Engineering Manager, at 412-442-4336 or tjoseph@pa.gov. Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodations to do so should contact Lauren Camarda at 412-442-4203 or the

Pennsylvania Hamilton Relay Service at 1-800-654-5984 (TDD) to discuss how the Department may accommodate your needs.

OPERATING PERMITS

Notice of Intent to Issue Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

57-0003, Sullivan County School District, 777 South Street, LaPorte, PA 18626, Laporte Borough, **Sullivan County**. Application received: March 28, 2024. In accordance with 25 Pa. Code §§ 127.424 and 127.425, the Department has received an application and intends to issue a renewal of an Air Quality Operating Permit for the Sullivan County School District/Junior-Senior High School Campus located in Laporte Borough, Sullivan County. The facility is currently operating under State Only (Natural Minor) Operating Permit 57-00003. The facility's main sources include one (1) 4.0 million Btu per hour (MMBtu/hr) AFS Energy systems biomass-fired boiler with particulate emissions controlled by an AFS Energy Systems model AFS 3 9CYT multi cyclone mechanical collector, two (2) 8.4 million MMBtu/hr Hurst No. 2 fuel oil-fired boilers, one (1) 2.834 MMBtu/hr Smith No. 2 fuel oil-fired boiler, one (1) 100 kW (170 bhp) No. 2 fuel oil-fired Spectrum emergency engine and one (1) 150 kW (240 Hp), No. 2 fuel oil-fired Generac emergency engine. The facility has potential emissions of 5.73 tons per year of carbon monoxide, 16.80 tons per year of nitrogen oxides, 1.86 tons per year of sulfur oxides, 5.15 tons per year of particulate matter with an aerodynamic diameter of less than 10 microns, 0.88 ton per year of volatile organic compounds, less than 0.10 ton per year of total hazardous air pollutants, and 16,451 tons per year of carbon dioxide equivalents (greenhouse gases). The emission limits and work practice standards along with testing, monitoring, recordkeeping, and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. These operating permit conditions have been derived from the applicable requirements of Subpart ZZZZ of the National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines, 40 CFR Sections 63.6580—63.6675, Subpart JJJJJJ of the National Emission Standards for Hazardous Air Pollutants for Industrial, Commercial, and Institutional Boilers Area Sources, 40 CFR Sections 63.11193—63.11237 and Subpart IIII of the Federal Standards of Performance for Stationary Compression Ignition Internal Combustion Engines, 40 CFR Sections 60.4201—60.4219 and 25 Pa. Code Chapters 121—145. All pertinent documents used in the valuation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-3636.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Matthew Williams, Facilities Permitting Chief, 814-332-6940.

33-00025, Punxsutawney Area Hospital, 81 Hillcrest Drive, Punxsutawney, PA 15767, Young Township, **Jefferson County**. Application received: May 17, 2023. The primary sources at the facility are a 285 kW oil-fired emergency generator, a parts washer, and 2 dual-fueled 10.5 million Btu/hr boilers, operated on a monthly rotation, using natural gas as the primary fuel and capable of firing oil in the event of a natural gas curtailment. Potential Emissions for the site under the current physical and operational design are as follows: 5.3 tpy NO_x; 4 tpy CO; 0.1 tpy PM; 0.1 tpy SO_x; and 0.3 tpy VOC. The facility is a Natural Minor. The boilers are subject to the 40 CFR 63.11237 Definition of Gas-Fired Boiler. The emergency generator is subject to 40 CFR 63.8585(f). The permit contains emission restrictions, recordkeeping, and work practice requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

Philadelphia: Air Management Services: Air Quality Program, 321 University Avenue, Philadelphia, PA 19104-4543.

Contact: Maryjoy Ulatowski, Chief, Source Registration, 215-685-9476.

OP21-000048, Ardex Laboratories, Inc., 2050 Byberry Road, Philadelphia, PA 19116, City of Philadelphia, **Philadelphia County**. Application received: August 18, 2021. The City of Philadelphia, Air Management Services (AMS) intends to issue an Initial Natural Minor Operating Permit (NMOP) for the operation of an automotive cleaning products manufacturing facility. The facility air emission sources are: • Four (4) natural gas burning boilers, each less than one Million British Thermal Units per hour (MMBtu/hr). • Twelve (12) Tanks, each with maximum process rate of 1,100 gallons. • One (1) Mixing Tank with maximum process rate of 6,000 gallons. • Fourteen (13) Mixing Vessels, each with maximum process rate of 150—3,000 gallons. The operating permit will be issued under 25 Pa. Code, Philadelphia Code Title 3 and Air Management Regulation XIII. Permit copies and other supporting information are available for public inspection by contacting the Source Registration Unit at 215-685-7572 or DPHAMS_Service_Requests@phila.gov. Persons wishing to file a protest or comments on the previously listed operating permit must submit the protest or comments within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating permit or hold a public hearing. Protests, comments, and requests for a public hearing must be mailed to Source Registration, Air Management Services, 7801 Essington Ave., Philadelphia, PA 19153-3240 or e-mailed to DPHAMS_Service_Requests@phila.gov with "Ardex Laboratories, LLC NMOP OP21-000048" in the subject line. AMS suggests submitting any mailed correspondence also by e-mail. Individuals in need of accommodations and/or interpretation should contact AMS at DPHAMS_Service_Requests@Phila.Gov and/or 215-685-7572. Please include: (1) the name and contact information of the person requesting an accommodation and/or interpretation; (2) the name of the program, service, activity, or location of the request; and (3) a description of the modification and/or interpretation being requested.

OP21-000019, Weber Display & Packaging, 3500 Richmond Street, Philadelphia, PA 19134, City of Philadelphia, **Philadelphia County**. Application received:

March 31, 2021. The City of Philadelphia, Air Management Services (AMS) intends to issue a renewal Natural Minor Operating Permit (NMOP) for the manufacture of cardboard. The facility's air emission sources include the following: one 25.2 MMBtu/hr dual-fuel fired boiler, two 6-color rotary die cutters, two 4-color flexo folder gluers, one reverse air filter cyclone, and one mechanical shaker. The renewal NMOP will contain monitoring, recordkeeping, reporting and work practice standards to keep the facility operating within all applicable air quality requirements. The operating permit will be issued under 25 Pa. Code, Philadelphia Code Title 3 and Air Management Regulation XIII. Persons wishing to file protest, comments, or request a public hearing on the previously listed operating permit must submit the protest, comments, or request for public hearing within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating permit or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a local newspaper at least thirty days before the hearing. Protests, comments, and requests for a public hearing must be mailed to Source Registration, Air Management Services, 7801 Essington Ave., Philadelphia, PA 19153 or e-mailed to DPHAMS_Service_Requests@phila.gov with "Weber Display & Packaging OP21-000019" in the subject line. AMS suggests submitting any mailed correspondence also by e-mail. Permit copies and other supporting information are available by contacting the Source Registration Unit at 215-685-7572 or emailing a request to the previously listed email address with the subject line. Individuals in need of accommodations and/or interpretation should contact AMS at DPHAMS_Service_Requests@phila.gov and/or 215-685-7572. Please include: (1) the name and contact information of the person requesting an accommodation and/or interpretation; (2) the name of the program, service, activity, or location of the request; and (3) a description of the modification and/or interpretation being requested.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.

67-03007, Apex Tool Group, LLC, 3990 E Market Street, York, PA 17402, Springettsbury Township, **York County**. Application received: June 21, 2024. For the operation of a steel chain manufacturing facility. This is for renewal of the existing state-only permit. Potential air emissions from the facility are estimated at 73.31 tpy PM, 12.50 tpy NO_x, 9.46 tpy CO, 4.17 tpy VOC, 3.67 tpy total HAPs, and 0.15 tpy SO_x. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 25 Pa. Code § 129.63, 40 CFR Part 63 Subpart WWWW, and 40 CFR Part 63 Subpart ZZZZ.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

06-03113, Haines & Kibblehouse, Inc., P.O. Box 196, Skippack, PA 19474, Robeson Township, **Berks County**. Application received: January 30, 2024. For the operation of a limestone crushing plant. This is for renewal of the

existing State-Only Permit. The operation is controlled by wet suppression and fabric collectors. The crushing plant includes equipment subject to 40 CFR Part 60 Subpart OOO—Standards of Performance for Nonmetallic Mineral Processing Plants. The facility has the potential to emit an estimated 27.26 tons per year of particulate matter (PM). This is for renewal of the existing State-Only Permit. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

COAL & NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21).

Mining activity permits issued in response to such applications are also subject to applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (DEP). A copy of the application is available for inspection at the District Mining Office indicated above each application. Requests for 401 Water Quality Certifications are included in individual application only if noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application may be submitted by any person or any officer or head of any Federal, State or Local Government Agency or Authority to DEP at the address of the District Mining Office indicated above each application within 30-days of this publication, or within 30-days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences). Such comments or objections should contain the name, address and phone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform DEP on the basis of comment or objection and relevant facts upon which it is based.

In addition, requests for an informal conference, or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 (relating to public hearing-informal conferences) or § 86.34 (relating to informal conferences), must also contain a brief summary of the issues to be raised by the requestor at the conference and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Where a National Pollutant Discharge Elimination System (NPDES) number is listed, the mining activity permit application is associated with an application for an

NPDES permit. A separate notice will be provided for the draft NPDES permit.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Coal Applications

Effluent Limits—The following range of effluent limits (Table 1) will apply to NPDES permits issued in conjunction with the associated coal mining activity permit. Additional effluent limits will be listed as part of the publication of the draft NPDES permit.

Parameter	30-Day Average	Daily Maximum	Instantaneous Maximum
Iron (total)	1.5 to 3.0 mg/l	3.0 to 6.0 mg/l	3.5 to 7.0 mg/l
Manganese (total)	1.0 to 2.0 mg/l	2.0 to 4.0 mg/l	2.5 to 5.0 mg/l
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Aluminum (Total)	0.75 to 2.0 mg/l	1.5 to 4.0 mg/l	2.0 to 5.0 mg/l

pH must always be greater than 6.0; less than 9.0.

Alkalinity must always be greater than acidity.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.

Contact: RA-EPCAMBRIADMO@pa.gov.

Mining Permit No. 05130101. NPDES No. PA0279307. Robindale Energy Services, Inc., 224 Grange Hall Road, P.O. Box 228, Armagh, PA 15920, Broad Top Township, **Bedford County**. NPDES renewal for a bituminous surface and auger mine affecting 271.4 acres. Receiving streams: unnamed tributaries to/and Longs Run, Shreves Run and Six Mile Run classified for the following use: WWF. Application received: October 24, 2024.

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

Contact: Alicia Cook, Clerical Assistant 3, 814-343-3328.

Mining Permit No. 33723006. NPDES No. PA0603406. Consol Mining Company, LLC, 275 Technology Drive, Suite 101, Canonsburg, PA 15317, Winslow Township, **Jefferson County**. Permit renewal application for a bituminous surface coal mine and associated NPDES permit. Remaining mining activities consist only of operation and maintenance of a post-mining mine drainage water treatment system. Receiving stream(s): UNT to Soldier Run classified for the following use(s): CWF. Application received: October 24, 2024.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

Mining Permit No. 40850201. Atlantic Carbon Group, Inc., 100 Hazlebrook Road, Hazleton, PA 18201, Hazle and Kline Townships, **Carbon and Schuylkill Counties**. Renew an anthracite coal refuse reprocessing operation affecting 186.9 acres. Receiving stream: Catawissa Creek, classified for the following uses: CWF, MF. Application received: October 22, 2024.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed National Pollutant Discharge Elimination System (NPDES) permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (DEP) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

Parameter	30-Day Average	Daily Maximum	Instantaneous Maximum
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l

pH must always be greater than 6.0; less than 9.0.

Alkalinity must always be greater than acidity.

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse

disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The limits for noncoal mining activities as provided in 25 Pa. Code § 77.522 are pH 6 to 9 and other parameters DEP may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

Coal NPDES Draft Permits

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.

Contact: RA-EPCAMBRIADMO@pa.gov.

NPDES No. PA0279927. Mining Permit No. 29240101. J & J Svonavec Excavating, Inc., 555 Philadelphia Street, Indiana, PA 15701, Wells Township, **Fulton County**. New NPDES permit affecting 90.7 acres related to a coal mining activity permit. Receiving stream: unnamed tributary to Great Tough Creek, classified for the following use: TSF. Application received: June 26, 2024.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The following outfalls discharge to unnamed tributary to Great Tough Creek:

<i>Outfall Number</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
001	New	Treatment Facility	Precipitation Induced
002	New	Stormwater	Precipitation Induced
003	New	Stormwater	Precipitation Induced

The proposed effluent limits for the previously listed outfalls are as follows:

Outfalls: 001—003 (All Discharges)

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
Total Iron (mg/L)	XXX	3.0	6.0	7.0
Total Manganese (mg/L)	XXX	2.0	4.0	5.0
Total Aluminum (mg/L)	XXX	2.5	5.0	6.2
Total Suspended Solids (mg/L)	XXX	35.0	70.0	90.0
pH (S.U.)	6.0	XXX	XXX	9.0
Net Alkalinity (mg/L)	0.0	XXX	XXX	XXX
Total Alkalinity (mg/L)	XXX	XXX	XXX	Report
Total Acidity (mg/L)	XXX	XXX	XXX	Report
Flow (gpm)	XXX	XXX	XXX	Report
Temperature (°C)	XXX	XXX	XXX	Report
Specific Conductance (µmhos/cm)	XXX	XXX	XXX	Report
Sulfate (mg/L)	XXX	XXX	XXX	Report

NPDES No. PA0249262. Mining Permit No. 56020105. Fieg Brothers, P.O. Box 38, Berlin, PA 15530, Brothersvalley Township, **Somerset County**. NPDES renewal for a bituminous surface mine affecting 96.9 acres. Receiving streams: Unnamed Tributary to Miller Run: Classification: CWF, included in the Kiski-Conemaugh TMDL and Sandy Hollow classified as a CWF: Included in the Buffalo Run TMDL. Application received: July 3, 2024.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The proposed effluent limits for all outfalls in this permit are Instream Criteria limits described for above coal mining activities.

The following treated wastewater outfall discharges to Sandy Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
002	N

The following treated wastewater outfall discharges from an unnamed tributary to Miller Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
003	N

The proposed effluent limits for the previously listed outfall are as follows:

Outfalls: 002: Sandy Hollow

Outfall: 003: Miller Run

<i>Parameter</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
pH (S.U.)	6.0	XXX	XXX	9.0
Total Suspended Solids (mg/L)	XXX	35.0	70.0	90.0
Iron, Total (mg/L)	XXX	1.5	3.0	3.7
Manganese, Total (mg/L)	XXX	1.0	2.0	2.5
Aluminum, Total (mg/L)	XXX	0.75	0.75	0.75
Osmotic Pressure (mOsm/kg)	XXX	XXX	XXX	50.0
Net Alkalinity (as CaCO ₃ , mg/L)	0.0	XXX	XXX	XXX
Alkalinity, Total (as CaCO ₃ , mg/L)			Report	
Acidity, Total (as CaCO ₃ , mg/L)			Report	
Flow (gpm)			Report	
Temperature (°C)			Report	
Total Dissolved Solids (mg/L)			Report	
Sulfate, Total (mg/L)			Report	
Chloride (mg/L)			Report	

The following stormwater outfalls discharge from an unnamed tributary to Miller Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
006	N
007	N

The proposed effluent limits for the previously listed outfalls are as follows:

Outfalls: 006, 007 (All discharges)

<i>Parameter</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
pH (S.U.)	6.0	XXX	XXX	9.0
Total Suspended Solids (mg/L)	XXX	35.0	70.0	90.0
Iron, Total (mg/L)	XXX	3.0	6.0	7.0
Manganese, Total (mg/L)	XXX	2.0	4.0	5.0
Aluminum, Total (mg/L)	XXX	0.75	0.75	0.75
Osmotic Pressure (mOsm/kg)	XXX	XXX	XXX	50.0
Net Alkalinity (as CaCO ₃ , mg/L)	0.0	XXX	XXX	XXX
Alkalinity, Total (as CaCO ₃ , mg/L)			Report	
Acidity, Total (as CaCO ₃ , mg/L)			Report	
Flow (gpm)			Report	
Temperature (°C)			Report	
Total Dissolved Solids (mg/L)			Report	
Sulfate, Total (mg/L)			Report	
Chloride (mg/L)			Report	

Noncoal NPDES Draft Permits

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knoxville, PA 16232-0669, 814-797-1191.

Contact: Alicia Cook, Clerical Assistant 3, 814-343-3328.

NPDES No. PA0258407. Mining Permit No. 37070301. 422 Aggregates, LLC, 3340 U.S. Route 422, New Castle, PA 16101, Slippery Rock Township, **Lawrence County**. Renewal of an NPDES permit for discharge of water resulting from surface mining of industrial minerals affecting 74.0 acres. Receiving stream(s): unnamed tributary to Brush Run and unnamed tributary to Slippery Rock Creek, classified for the following use(s): CWF. Application received: May 29, 2024. *Contact: RA-EPKNOX@pa.gov, Elias J Heferle.*

NPDES Permit No. PA0258407 (Mining Permit No. 37070301), 422 Aggregates, LLC, 3340 U.S. Route 422, New Castle, PA 16101, renewal of an NPDES permit for discharge of water resulting from surface mining of industrial minerals in Slippery Rock Township, **Lawrence County**, affecting 74.0 acres. Receiving stream(s): unnamed tributary to Brush Run and unnamed tributary to Slippery Rock Creek, classified for the following use(s): CWF. Application received: 5/29/2024.

The following outfalls discharge to unnamed tributary to Brush Run and unnamed tributary to Slippery Rock Creek:

<i>Outfall No.</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
001(SPA)	Existing	Sediment Pond SPA	Precipitation Induced, 0.59GPM
002(SPB)	Existing	Sediment Pond SPB	Precipitation Induced, 0.59GPM
003(SPC)	Existing	Sediment Pond SPC	Precipitation Induced, 0.59GPM
004(TBC)	Existing	Treatment Pond TPB	Intermittent (Pumped), 0.72GPM
005(TPB)	Existing	Treatment Pond TPB	Intermittent (Pumped), 0.72GPM
006(TPC)	Existing	Treatment Pond TPC	Intermittent (Pumped), 0.72GPM

The proposed effluent limits for the previously listed outfalls are as follows:

Outfalls: 004—006 (All Discharges)

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Flow (GPM)	N/A	N/A	Report
Iron, Total (mg/L)	3.0	6.0	7.0
Manganese, Total (mg/L)	2.0	4.0	5.0
Net Alkalinity (as CaCO ₃ , mg/L)	N/A	N/A	N/A
Sulfate, Total (mg/L)	N/A	N/A	Report
Specific Conductivity (µmhos/cm)	N/A	N/A	Report
Aluminum, Total (mg/L)	N/A	N/A	Report
Alkalinity, Total (as CaCO ₃ , mg/L)	N/A	N/A	Report
Acidity, Total (as CaCO ₃ , mg/L)	N/A	N/A	Report
Temperature (°C)	N/A	N/A	Report

pH (S.U.): Must be between 6.0 and 9.0 standard units.

Outfalls: 001—003 (Discharges during Dry Weather Conditions)

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Flow (GPM)	N/A	N/A	Report
Iron, Total (mg/L)	3.0	6.0	7.0
Manganese, Total (mg/L)	2.0	4.0	5.0
Net Alkalinity (as CaCO ₃ , mg/L)	N/A	N/A	N/A
Sulfate, Total (mg/L)	N/A	N/A	Report
Specific Conductivity (µmhos/cm)	N/A	N/A	Report
Aluminum, Total (mg/L)	N/A	N/A	Report
Alkalinity, Total (as CaCO ₃ , mg/L)	N/A	N/A	Report
Acidity, Total (as CaCO ₃ , mg/L)	N/A	N/A	Report
Temperature (°C)	N/A	N/A	Report

pH (S.U.): Must be between 6.0 and 9.0 standard units.

Outfalls: 001—003 (Discharges after ≤10-yr/24-hr Precip. Event)

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Settleable Solids (mL/L)	N/A	N/A	0.5
Iron, Total (mg/L)	N/A	N/A	7.0

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.

Outfalls: 001—003 (Discharges after >10-yr/24-hr Precip. Event)

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

Contact: Cassie Stanton, Clerical Assistant 2.

NPDES No. PA0256447. Mining Permit No. 14060302. Glenn O. Hawbaker, Inc., 711 East College Avenue, Bellefonte, PA 16823, Spring Township, **Centre County**. Application received: June 13, 2024.

Renewal of a NPDES permit for discharge of water resulting from mining of industrial minerals affecting 23.6 acres. Receiving stream(s): Logan Branch, classified for the following use(s): CWF.

The following outfalls discharge to Logan Branch:

<i>Outfall No.</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
008	Existing	Sediment Trap # 1	Precipitation Induced
009	Existing	Stormwater Runoff Gravel Area Pipe Outlet	Precipitation Induced
010	Existing	Sediment Trap # 2	Precipitation Induced

The proposed effluent limits for the previously listed outfalls are as follows:

Outfalls: 008—010 (All Discharges)

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Flow (gpm)		Monitor Only	
Oil and Grease		Monitor Only	

pH (S.U.): Must be between 6.0 and 9.0 standard units.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection (DEP). Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341), requires the State to certify that the involved projects will not violate the applicable provisions of Sections 301–303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311–1313, 1316 and 1317), as well as relevant State requirements. Individuals objecting to approval of a request for certification under Section 401 or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit, or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30-days of the date of this notice, as well as any questions to the office noted above the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed, and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The DEP may schedule a fact-finding hearing or an informal conference in response to comments if deemed necessary. Maps, drawings and other data pertinent to the certification request are available for inspection between the hours of 8:00 a.m. and 4:00 p.m. on each working day at the office noted above the application.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

WATER OBSTRUCTIONS AND ENCROACHMENTS

Applications Received Under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1–693.27) and Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification Under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Eastern District: Oil and Gas Management Program, 208 West Third Street, Williamsport, PA 17701-6448.

Contact: RA-EPEASTERNOGPRG@pa.gov.

CORRECTION—previously published on October 26, 2024.

E0829224-011. Chesapeake Appalachia LLC, 14 Chesapeake Lane, Sayre, PA 18840, Albany Township, Monroe Township, and Overton Township, **Bradford County**. U.S. Army Corps of Engineers Baltimore District. Application received: October 1, 2024.

To construct, operate and maintain:

1. a 16-inch diameter temporary waterline impacting 5 linear feet (8 square feet) of an unnamed tributary to South Branch Towanda Creek (CWF, MF) and 381 square feet of floodway impacts (Dushore, PA Quadrangle, Latitude: 41.610691°, Longitude: -76.470764°);

2. a 16-inch diameter temporary waterline and a timber mat bridge impacting 2.5 linear feet (4 square feet) of an unnamed tributary to South Branch Towanda Creek (CWF, MF), 185 square feet of floodway impacts, and 90 square feet of Palustrine Scrub-Shrub Wetland (Dushore, PA Quadrangle, Latitude: 41.61337°, Longitude: -76.469496°);

3. a 16-inch diameter temporary waterline impacting 318 square feet of an unnamed tributary to South Branch Towanda Creek (CWF, MF) floodway impacts (Dushore, PA Quadrangle, Latitude: 41.610691°, Longitude: -76.470764°);

4. a 16-inch diameter temporary waterline impacting 6 linear feet (8 square feet) of an unnamed tributary to South Branch Towanda Creek (CWF, MF) and 151 square feet of floodway impacts (Dushore, PA Quadrangle, Latitude: 41.615803°, Longitude: -76.469941°);

5. a 16-inch diameter temporary waterline impacting 2 linear feet (3 square feet) of an unnamed tributary to South Branch Towanda Creek (CWF, MF) and 357 square feet of floodway impacts (Dushore, PA Quadrangle, Latitude: 41.617637°, Longitude: -76.46926°);

6. a 16-inch diameter temporary waterline impacting 2 linear feet (3 square feet) of an unnamed tributary to South Branch Towanda Creek (CWF, MF) and 220 square feet of floodway impacts (Dushore, PA Quadrangle, Latitude: 41.618426°, Longitude: -76.468768°);

7. a 16-inch diameter temporary waterline and a timber mat bridge impacting 2 linear feet (3 square feet) of an unnamed tributary to South Branch Towanda Creek (CWF, MF), 537 square feet of floodway impacts, and 1,234 square feet of Palustrine Scrub-Shrub Wetland (Dushore, PA Quadrangle, Latitude: 41.620906°, Longitude: -76.467052°);

8. a 16-inch diameter temporary waterline and a timber mat bridge impacting 834 square feet of a Palustrine Emergent Wetland (Dushore, PA Quadrangle, Latitude: 41.622872°, Longitude: -76.467561°);

9. a 16-inch diameter temporary waterline impacting 150 square feet of Satterlee Run (HQ-CWF) floodway impacts (Dushore, PA Quadrangle, Latitude: 41.618039°, Longitude: -76.489477°);

10. a 16-inch diameter temporary waterline impacting 4 linear feet (7 square feet) of an unnamed tributary to Ladds Creek (CWF, MF) and 142 square feet of floodway impacts (Dushore, PA Quadrangle, Latitude: 41.613542°, Longitude: -76.490155°);

11. a 16-inch diameter temporary waterline impacting 2 linear feet (2 square feet) of an unnamed tributary to Ladds Creek (CWF, MF) and 159 square feet of floodway impacts (Dushore, PA Quadrangle, Latitude: 41.612966°, Longitude: -76.490596°);

12. a 16-inch diameter temporary waterline impacting 10 linear feet (17 square feet) of an unnamed tributary to Ladds Creek (CWF, MF) and 146 square feet of floodway impacts (Dushore, PA Quadrangle, Latitude: 41.612448°, Longitude: -76.490906°);

13. a 16-inch diameter temporary waterline impacting 2 linear feet (2 square feet) of an unnamed tributary to Ladds Creek (CWF, MF) and 134 square feet of floodway impacts (Dushore, PA Quadrangle, Latitude: 41.609766°, Longitude: -76.492477°);

14. a 16-inch diameter temporary waterline impacting 3 linear feet (4 square feet) of Ladds Creek (CWF, MF) and 155 square feet of floodway impacts (Dushore, PA Quadrangle, Latitude: 41.606198°, Longitude: -76.495006°);

15. a 16-inch diameter temporary waterline impacting 162 square feet of an unnamed tributary to Black Creek (EV, MF) floodway impacts (Dushore, PA Quadrangle, Latitude: 41.600982°, Longitude: -76.497275°);

16. a 16-inch diameter temporary waterline impacting 24 linear feet (40 square feet) of an unnamed tributary to Black Creek (EV, MF) and 203 square feet of floodway impacts (Overton, PA Quadrangle, Latitude: 41.593467°, Longitude: -76.501228°);

17. a 16-inch diameter temporary waterline and a timber mat bridge impacting 1,147 square feet of an unnamed tributary to Black Creek (EV, MF) floodway impacts and 1,424 square feet of Palustrine Emergent Wetland (EV) (Overton, PA Quadrangle, Latitude: 41.592259°, Longitude: -76.503049°);

18. a 16-inch diameter temporary waterline and a timber mat bridge impacting 214 square feet of a Palustrine Emergent Wetland (EV) (Overton, PA Quadrangle, Latitude: 41.592000°, Longitude: -76.502962°);

19. a 16-inch diameter temporary waterline and timber mat bridge impacting 20 linear feet (410 square feet) of Black Creek (EV, MF) and 3,099 square feet of floodway impacts (Overton, PA Quadrangle, Latitude: 41.591520°, Longitude: -76.502833°);

20. a 16-inch diameter temporary waterline and timber mat bridge impacting 20 linear feet (184 square feet) of an unnamed tributary to Black Creek (EV, MF) and 1,819 square feet of floodway impacts (Overton, PA Quadrangle, Latitude: 41.591186°, Longitude: -76.503115°);

21. a 16-inch diameter temporary waterline impacting 39 square feet of a Palustrine Emergent Wetland (Overton, PA Quadrangle, Latitude: 41.586939°, Longitude: -76.508710°);

22. a 16-inch diameter temporary waterline impacting 14 linear feet (23 square feet) of an unnamed tributary to Black Creek (EV, MF) and 149 square feet of floodway impacts (Overton, PA Quadrangle, Latitude: 41.580080°, Longitude: -76.511924°);

23. a 16-inch diameter temporary waterline and timber mat bridge impacting 1,587 square feet of a Palustrine Emergent Wetland (EV) (Overton, PA Quadrangle, Latitude: 41.580163°, Longitude: -76.509684°);

24. a 16-inch diameter temporary waterline impacting 10 linear feet (16 square feet) of an unnamed tributary to Black Creek (EV, MF) and 765 square feet of floodway impacts (Overton, PA Quadrangle, Latitude: 41.579908°, Longitude: -76.508129°);

25. a 16-inch diameter temporary waterline and timber mat bridge impacting 40 linear feet (723 square feet) of Black Creek (EV, MF) and 1,032 square feet of floodway impacts (Overton, PA Quadrangle, Latitude: 41.578330°, Longitude: -76.504314°);

26. a 16-inch diameter temporary waterline impacting 20 linear feet (203 square feet) of an unnamed tributary to Black Creek (EV, MF) and 2,105 square feet of floodway impacts (Overton, PA Quadrangle, Latitude: 41.577753°, Longitude: -76.502549°);

27. a 16-inch diameter temporary waterline impacting 105 square feet of a Palustrine Emergent Wetland (EV) (Dushore, PA Quadrangle, Latitude: 41.573655°, Longitude: -76.494222°);

28. a 16-inch diameter temporary waterline impacting 6 linear feet (10 square feet) of an unnamed tributary to Black Creek (CWF, MF), 158 square feet of floodway impacts, and 196 square feet of Palustrine Emergent Wetland (EV) (Dushore, PA Quadrangle, Latitude: 41.572862°, Longitude: -76.493826°);

29. a 16-inch diameter temporary waterline impacting 27 square feet of a Palustrine Emergent Wetland (Overton, PA Quadrangle, Latitude: 41.566704°, Longitude: -76.490586°);

30. a 16-inch diameter temporary waterline impacting 198 square feet of a Palustrine Emergent Wetland (EV) (Overton, PA Quadrangle, Latitude: 41.565641°, Longitude: -76.490106°);

31. a 16-inch diameter temporary waterline impacting 1,184 square feet of a Palustrine Emergent Wetland (EV) (Overton, PA Quadrangle, Latitude: 41.566593°, Longitude: -76.491694°);

32. a 16-inch diameter temporary waterline and timber mat bridge impacting 178 square feet of a Palustrine Emergent Wetland (Overton, PA Quadrangle, Latitude: 41.566593°, Longitude: -76.493463°);

33. a 16-inch diameter temporary waterline impacting 143 square feet of a Palustrine Emergent Wetland (EV) and 24 square feet of a Palustrine Scrub-Shrub Wetland (EV) (Overton, PA Quadrangle, Latitude: 41.565720°, Longitude: -76.493973°);

The project will result in 286 linear feet (1,670 square feet) of temporary stream impacts, 13,676 square feet (0.314 acre) of temporary floodway impacts, 7,360 square feet (0.169 acre) of temporary PEM wetland impacts, and 114 square feet (0.003 acre) of temporary PSS wetland impacts, all for the purpose of establishing a temporary water supply for Marcellus well development in Albany, Monroe and Overton Township, Bradford County. This project is associated with permit application number E5729224-004.

Northcentral Region: Waterways & Wetlands Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Jake Carson, Project Manager, 570-327-3565, RA-EPWW-NCRO@pa.gov.

E4704122-001. PA DOT Engineering District 3-0, 715 Jordan Ave, Montoursville, PA 17754, Valley Township, **Montour County**. U.S. Army Corps of Engineers Baltimore District. Application received: September 19, 2024.

PA DOT proposes a Major amendment to a Safety Improvement project at the intersection of SR 0054 and SR 0642, North of Danville. The project will relocate SR 0642 to create one signalized intersection. The project includes roadway widening, paving, structure replacements on SR 0054 and SR 0642 and intersection improvements along SR 2007. The Major Amendment includes two additional outfalls bringing the total to 13 outfalls, a change in pipe size under SR 2007 from 18" to 14 x 23", and an additional temporary wetland impact of 0.03 acre. The project is located with the floodplain or over Mahoning Creek and Mause's Creek. Mahoning Creek is classified as a Trout Stream Fishery by 25 Pa. Code Chapter 93 Water Quality Standards and is listed as a Stocked and Wild Trout Stream. Mause's Creek is classified as a Cold Water Fishery by 25 Pa. Code Chapter 93 Water Quality Standards and is listed as a Stocked and Wild Trout Stream. Latitude: 40°, 59', 09", Longitude: -76°, 37', 45".

Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Michele Lauer, Clerical Assistant 2, 570-830-3077.

E350224-008. Pennsylvania American Water Company, 852 Wesley Drive, Mechanicsburg, PA 17055-4436, City of Scranton, **Lackawanna County**. U.S. Army Corps of Engineers Baltimore District. Application received: October 17, 2024.

To construct and maintain the following water obstructions/encroachments associated with the Community Environmental Project (CEP)—Roaring Brook: 1. A streambank restoration project along a 580-foot reach of Roaring Brook (CWF, MF) with work consisting of re-grading 390 linear feet of streambank to have a 2:1 slope and regrading the other 190 linear feet of streambank with a 1.5:1 slope. Additional streambank work includes installation of soil lifts, native riparian plantings with seed mixes, and a wooden staircase proposed within the regraded streambank to provide community access. 2. To relocate an existing 4-foot wide, 545-foot long gravel walking path within the floodway of Roaring Brook (CWF, MF). The proposed trail will be at existing grade and will not result in an increase in fill within the floodway. 3. To place sixteen (16) boulders within the stream channel of Roaring Brook (CWF, MF) for improved instream aquatic habitat. 4. An additional streambank restoration project along a 70-foot reach of Roaring Brook (CWF, MF) with work consisting of re-grading the streambank and installing a rock revetment wall at a 1:1 grade. Additional work within the floodway includes the installation of a 4-foot wide handicap access path, construction of a new 10-foot x 10-foot fishing platform, and installation of a new 60-foot long split rail fence. The project is located at Darcy Park to the left of Richter Ave after its intersection with Ash Street (Scranton, PA Quadrangle Latitude: 41°, 24', 25", Longitude: -75°, 38', 13") in Scranton City, Lackawanna County.

Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: RA-EPWW-NWRO@pa.gov.

E62-372. Warren City, 318 West Third Avenue, Warren, PA 16365, City of Warren, **Warren County**. U.S. Army Corps of Engineers Pittsburgh District. Application received: October 18, 2024.

To modify the original Riverfront Development Project permit along the right bank of the Allegheny River just upstream of the Hickory Street Bridge for the construction and maintenance of an approximately 185 feet long boat access ramp, a 16 feet by 32 feet floating dock, and two additional staircases with riprap scour protection which will all impact approximately 0.2 acre of currently impacted watercourse with minimal instream work for access to the Allegheny River in Warren City, Warren County. Latitude: 41.843557°, Longitude: -79.148296°.

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: 717-705-4802.

E0503124-002. PA Department of Transportation Engineering District 9-0, 1620 N. Juniata Street, Hollidaysburg, PA 16648, East Providence Township, **Bedford County**. U.S. Army Corps of Engineers Baltimore District. Application received: September 27, 2024.

To slip line an existing 455.76 linear foot 78-diameter pipe with a 63-inch x 58.88 inch pipe in UNT Brush Creek (WWF, MF) with riprap scour protection and approximately 40 linear feet of channel realignment and grading. The project proposes to permanently impact 495 linear feet of stream channel with 110 feet of temporary

impacts with 0.01 acre of permanent and 0.02 acre of temporary wetland impacts. This is for the purpose of improving transportation safety in East Providence Township, Bedford County (Latitude: 39.9684°, Longitude: -78.2466°).

E4403224-006. Brown Township, 22 Brown Township Drive, Reedsville, PA 17084, Brown Township, **Mifflin County**. U.S. Army Corps of Engineers Baltimore District. Application received: September 25, 2024.

To remove existing structure and to install and maintain (1) a 76 foot x 33 foot 4.5 inch bridge over Kishacoquillas Creek (HQ-CWF, MF) with riprap scour protection and (2) build a road within the floodway and floodplain of Kishacoquillas Creek (HQ-CWF, MF). The project proposes to permanently impact 250.7 linear feet of stream channel with 211.5 feet of temporary impact with 1.42 acres of permanent floodway impacts and 0.51 acre of temporary impacts. The project is located in Brown Township, Mifflin County (Latitude: 40.661, Longitude: -77.6015).

Southeast Region: Waterways & Wetlands Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: RA-EP-WW-SERO-105@pa.gov.

E2301224-013. Borough of Colwyn, 221 Spruce Street, Colwyn, PA 19023, Colwyn Borough, **Delaware County**. U.S. Army Corps of Engineers Philadelphia District. Application received: October 16, 2024.

The Borough of Colwyn is proposing an improvement to the existing Storm water basin which extend approximately 375 LF along the 100-year floodway of Darby Creek (WWF, MF). Work will include cleaning the unwanted vegetation and implementing a water quality feature to treat storm water for sediment and pollutants. The site is located in Floyd Parke near the intersection of 5th Street and Ellis Avenue, (Lansdown, PA USGS map, Lat: 39.910203; Long; -75.257360) in Colwyn Borough, Delaware County.

EA5101224-001 WV5101224-001. Norwalk Lots, LLC, 9523 Northeast Avenue, Philadelphia, PA 19115, City of Philadelphia, **Philadelphia County**. U.S. Army Corps of Engineers Philadelphia District. Application received: September 26, 2024.

Norwalk Lots, LLC is proposing to demolish of unauthorized structures (chicken coup, wooden structures, stone and concrete paving walkway, gym and playground set as well as tent pavillion) within the floodway of Paul's Run (WWF, MF). The removal of impervious surfaces and to restore its ability to infiltrate and store flood volume within the floodway will result in 12,307 square feet of temporary floodway impact. A General Permit No. 7 for a pedestrian bridge and General Permit No. 8 for site access are also associated with this project. This project is located at 1226-28 Norwalk Road in Philadelphia County (USGS PA Frankford Quadrangle—Latitude 40.097224 N, Longitude 75.033712 W).

E0901224-012. Brondeau Spousal Lifetime Asset Trust, 1418 Monk Road, Gladwyne, PA 19035, New Hope Borough, **Bucks County**. U.S. Army Corps of Engineers Philadelphia District. Application received: October 23, 2024.

Brondeau Spousal Lifetime Asset Trust is proposing to rehabilitate an existing retaining wall along the Delaware River (WWF) resulting in 87.5 linear feet (350 square feet) of permanent watercourse impact. This project mainly consists of replacing timber lagging within the bulkhead structure and permanently stabilizing along the

riverbank on Division Street and is located at 136 North Main Street in New Hope Borough, Bucks County (USGS PA Lambertville Quadrangle—Latitude 40.368957 N, Longitude 75.952832 W).

Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Dana Drake, Program Manager.

E0205224-002. Allegheny County Parks Department, 542 Forbes Avenue, Room 211, Pittsburgh, PA 15219, Plum Borough, **Allegheny County**. U.S. Army Corps of Engineers Pittsburgh District. Application received: April 24, 2024.

The applicant proposes to:

1) Place and maintain fill within 1,165 linear feet (LF) of an unnamed tributary (UNT) to Pierson Run (CWF), identified as watercourse STR 1, to raise the stream bed elevation and reconnect the incised stream to its floodplain; construct and maintain twenty-one (21) cross-valley, triple stacked log grade control structures across this UNT and its floodway and floodplain; and perform grading in the floodway of this UNT, resulting in 1,165 linear feet of permanent watercourse impacts, and 0.401 acre of permanent floodway impacts;

2) Within the aforementioned 1,165 reach of the STR 1, to relocate and construct a 154 LF reach of the watercourse, resulting in 154 LF of permanent watercourse impacts and 0.053 acre of permanent floodway impacts. These impacts completely overlap with the impact area associated with the previous item;

3) Place and maintain fill within 14 LF of a UNT to STR 1, identified as watercourse INT 1 (CWF) to raise the stream bed elevation and reconnect the incised stream to its floodplain; and perform grading in the floodway of this watercourse, resulting in 14 LF of permanent watercourse impacts and 0.0128 acre of permanent floodway impacts;

4) Place and maintain fill within 30 LF of a UNT to STR 1, identified as watercourse INT 2 (CWF) to raise the stream bed elevation and reconnect the incised stream to its floodplain; construct and maintain one (1) cross-valley, triple stacked log grade control structure across this INT and its floodway and floodplain; and perform grading in the floodway of this watercourse, resulting in 30 LF of permanent watercourse impacts and 0.0138 acre of permanent floodway impacts;

5) Place and maintain fill within 63 LF of a UNT to STR 1, identified as watercourse STR 3 (CWF) to raise the stream bed elevation and reconnect the incised stream to its floodplain; construct and maintain two (2) cross-valley, triple stacked log grade control structures across this UNT and its floodway and floodplain; and perform grading in the floodway of this UNT, resulting in 63 linear feet of permanent watercourse impacts and 0.0434 acre of permanent floodway impacts;

6) Place and maintain fill within 25 linear feet (LF) of a UNT to STR 1, identified as watercourse STR 4 (CWF) to

raise the stream bed elevation and reconnect the incised stream to its floodplain; construct and maintain one (1) cross-valley, triple stacked log grade control structure across this watercourse and its floodway and floodplain; and perform grading in the floodway of this UNT, resulting in 25 LF of permanent watercourse impacts and 0.0115 acre of permanent floodway impacts;

7) Temporary access crossing of a UNT to STR 1, identified as watercourse INT 4 (CWF), resulting in 15.5 linear feet of temporary watercourse impacts and 0.00498 acre of temporary floodway impacts;

8) Construct and maintain two (2) of the aforementioned cross-valley, triple stacked log grade control structures projecting into palustrine emergent (PEM) wetland 1 and perform grading within this wetland, resulting in 0.024 acre of permanent wetland impacts;

9) Construct and maintain four (4) of the aforementioned cross-valley, triple stacked log grade control structures across PEM Wetland 3 and perform grading within this wetland, resulting in 0.093 acre of permanent wetland impacts;

10) Construct and maintain four (4) of the aforementioned cross-valley, triple stacked log grade control structures across PEM Wetland 4, create a high flow channel through this wetland, and perform grading within this wetland, resulting in 0.2106 acre of permanent wetland impacts; and

11) Construct and maintain temporary crossings of Wetland 1, Wetland 3, and Wetland 4 cumulatively resulting in 0.283 acre of temporary wetland impacts.

For the purpose of restoring the stream and floodplain in the project area in order to reduce erosion and sedimentation within the Ohio River watershed to reach the Pennsylvania Turnpike Commission's sediment reduction requirements as per their Municipal Separate Storm Sewer System (MS4) National Pollutant Discharge Elimination System (NPDES) Permit (No. PAI139602).

Cumulatively, the project will result in 1,297 LF of permanent watercourse impacts, 0.4825 acre of permanent floodway impacts, 0.328 acre of permanent wetland impacts. On-site re-establishment of permanently impacted wetlands is proposed as compensatory wetland mitigation for the project. Cumulatively, the project will also result in 15.5 LF of temporary watercourse impacts, 0.00498 acre of temporary floodway impacts, and 0.283 acre of temporary wetland impacts.

The project site is located within Boyce Park, with its upstream end approximately 300' southeast of the Boyce Park Four Season Lodge (Murrysville, PA USGS topographic quadrangle; N: 40°, 27', 39"; W: -79°, 44', 46"; Sub-basin 20; USACE Pittsburgh District) and its downstream end approximately 750' southwest of the intersection of Spring Miller Road and Pierson Run Road (Murrysville, PA USGS topographic quadrangle; N: 40°, 27', 35"; W: -79°, 44', 34"; Sub-basin 20; USACE Pittsburgh District), in Plum Borough, Allegheny County.

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department of Environmental Protection (DEP) has taken the following actions on previously received applications for new, amended, and renewed National Pollutant Discharge Elimination System (NPDES) and Water Quality Management (WQM) permits, applications for permit waivers, and Notice of Intent (NOIs) for coverage under General

Permits, as listed in the following tables. This notice of final action is published in accordance with 25 Pa. Code Chapters 91, 92a, and 102 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). The official file for each listed action can be reviewed at the DEP or delegated County Conservation District (CCD) office identified in the table for the action. DEP/CCD office contact information is listed as follows for Section I and is contained within the table for Section II. Additional information for permits issued under 25 Pa. Code Chapters 91 and 92a and Individual permits under 25 Pa. Code Chapter 102, including links to Individual Chapter 92a NPDES and WQM Permits, may be reviewed by generating the “Final Actions Report” on DEP’s website at www.dep.pa.gov/CWPUBLICNOTICE.

DEP office contact information to review official files relating to the final actions in Section I is as follows:

DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484-250-5910. Email: RA-EPNPDES_SERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SERO@pa.gov for Chapter 102 permits.

DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 717-705-4732. Email: RA-EPNPDES_NERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NERO@pa.gov for Chapter 102 permits.

DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717-705-4732. Email: RA-EPNPDES_SCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SCRO@pa.gov for Chapter 102 permits.

DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570-327-3693. Email: RA-EPNPDES_NCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NCRO@pa.gov for Chapter 102 permits.

DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412-442-4286. Email: RA-EPNPDES_SWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SWRO@pa.gov for Chapter 102 permits.

DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814-332-6078. Email: RA-EPNPDES_NWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NWRO@pa.gov for Chapter 102 permits.

DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-787-5017. Email: RA-EPNPDES_Permits@pa.gov.

DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law).

The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law. For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board. Individuals who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information. The appeal form and the Board’s rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. Important legal rights are at stake, however, so individuals should contact a lawyer at once.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

For actions taken on applications for pipelines that are regulated by the Federal Energy Regulatory Commission (FERC).

Any person aggrieved by this action may challenge it in an appropriate legal forum. The State and Federal courts are currently split on whether the proper forum to challenge a Department permit, authorization or approval for a facility or activity subject to the Federal Natural Gas Act, 15 U.S.C.A. §§ 717 et seq., is the United States Court of Appeals for the Third Circuit or the Pennsylvania Environmental Hearing Board. See *Delaware Riverkeeper Network v. Sec’y, Dep’t. of Env’tl. Prot.*, 833 F.3d 360 (3d Cir. 2016); *Delaware Riverkeeper Network v. Sec’y, Dep’t. of Env’tl. Prot.*, 903 F.3d 65 (3d Cir. 2018), cert. denied, 139 S. Ct. 1648, 203 L. Ed. 899 (2019) and *Cole v. Dep’t. of Env’tl. Prot.*, 1577 C.D. 2019 WL 2420667 (Pa. Cmwlth Ct. June 15, 2021) (Pet. for Allowance of Appeal pending); *West Rockhill Twp. v. Dep’t. of Env’tl. Prot.*, No. 1595 C.D. 2019 WL 2426014 (Pa. Cmwlth. June 15, 2021) (Pet. for Allowance of Appeal pending).

I. Final Action(s) on NPDES and WQM Permit Application(s) and NOIs for Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides, CAFOs and Individual Construction Stormwater.

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA110003D	Chapter 102 Individual NPDES Permit	Issued	EDPR NA Distributed Generation LLC 100 Park Avenue Suite 2400 New York, NY 10017-5516	East Carroll Township Cambria County	SWRO
PAD130013	Chapter 102 Individual NPDES Permit	Issued	PA DOT Engineering District 5 0 1002 Hamilton Street Allentown, PA 18101-1013	Mahoning Township and Lehighon Borough Carbon County	NERO
PAD150233	Chapter 102 Individual NPDES Permit	Issued	Great Valley School District 47 Church Road Malvern, PA 19355-1539	East Whiteland Township Chester County	SERO
PAD360128	Chapter 102 Individual NPDES Permit	Issued	Catherine Hershey School For Early Learning Elizabethtown LLC P.O. Box 830 Hershey, PA 17033-0830	West Donegal Township Lancaster County	SCRO
PAD380043	Chapter 102 Individual NPDES Permit	Issued	MAHG LLC 2210 Eaglesmoor Lane Enola, PA 17025-1340	Union Township Lebanon County	SCRO
PAD450064	Chapter 102 Individual NPDES Permit	Issued	Club Exploria LLC P.O. Box 447 Bushkill, PA 18324	Middle Smithfield Township Monroe County	NERO
PAD450197	Chapter 102 Individual NPDES Permit	Issued	Ertle Development LLC 798 N 9th Street Stroudsburg, PA 18360-1204	Pocono Township Monroe County	NERO
PAD480094	Chapter 102 Individual NPDES Permit	Issued	Triple Net Investments LII LLC 171 Route 173 Suite 201 Asbury, NJ 08802-1365	Forks Township Northampton County	NERO
PAD480145	Chapter 102 Individual NPDES Permit	Issued	Blue Slate Real Estate 842 New Galena Road Doylestown, PA 18901-5520	Plainfield Township Northampton County	NERO
PAD510240	Chapter 102 Individual NPDES Permit	Issued	BSI Const LLC 735 Birch Avenue Bensalem, PA 19020-7207	Philadelphia City Philadelphia County	SERO
PAD510241	Chapter 102 Individual NPDES Permit	Issued	Department of The Navy Public Works Department of PA 4921 S Broad Street Philadelphia, PA 19112-1303	Philadelphia City Philadelphia County	SERO
PAD570005	Chapter 102 Individual NPDES Permit	Issued	PA DOT Engineering District 3 0 715 Jordan Avenue Montoursville, PA 17754-2415	Hillsgrove Township Sullivan County	NCRO
PAD640050	Chapter 102 Individual NPDES Permit	Issued	Koskovich Frank 655 Clifton Beach Road Clifton Beach Township, PA 18424	Sterling Township Wayne County	NERO
PAD670031	Chapter 102 Individual NPDES Permit	Issued	Providence Comm Inc. 6146 York Road Spring Grove, PA 17362-9122	Heidelberg Township York County	SCRO
PAD670061	Chapter 102 Individual NPDES Permit	Issued	US Ind Club V Enterprises LLC 5050 Tilghman Street Suite 435 Allentown, PA 18401-9112	Shrewsbury Township York County	SCRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0003255	Industrial Stormwater Individual NPDES Permit	Issued	Latrobe Specialty Metals A Carpenter Co. 2626 Ligonier Street Latrobe, PA 15650-3246	Latrobe City Westmoreland County	SWRO
PAS236107	Industrial Stormwater Individual NPDES Permit	Issued	Mitsubishi Chemicals Adv Mat Inc. 201 Industrial Drive Delmont, PA 15626-1016	Salem Township Westmoreland County	SWRO
0913803	Joint DEP/PFBC Pesticides Permit	Issued	Schadt Mark 2257 Pleasant Hollow Road Coopersburg, PA 18036-9658	Springfield Township Bucks County	SERO
0924818	Joint DEP/PFBC Pesticides Permit	Issued	Taylor Joe 395 Lurgan Road New Hope, PA 18938-9254	Upper Makefield Township Bucks County	SERO
PA0056804	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	North Penn North Wales Water Authority Montgomery County P.O. Box 317 Chalfont, PA 18914-0317	Chalfont Borough Bucks County	SERO
PA0204889	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	Allegheny County Port Authority 345 6th Avenue Flr 3 Pittsburgh, PA 15222-2541	Harmar Township Allegheny County	SWRO
PA0204901	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	Allegheny County Port Authority 345 6th Avenue Heinz 57 Center Pittsburgh, PA 15222-2541	Ross Township Allegheny County	SWRO
PA0083852	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Finicle Venture LLC 32 Ferry Lane Liverpool, PA 17045-9254	Buffalo Township Perry County	SCRO
PA0020851	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Hyndman Borough Municipal Authority Bedford County P.O. Box 445 Q Hyndman, PA 15545-0445	Hyndman Borough Bedford County	SCRO
PA0023141	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Hastings Area Sewer Authority 207-1 5th Avenue Hastings, PA 16646-0559	Hastings Borough Cambria County	SWRO
PA0081922	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Lewisberry Area Joint Authority York County P.O. Box 363 Lewisberry, PA 17339-0363	Lewisberry Borough York County	SCRO
PA0218839	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Indiana County Municipal Service Authority 602 Kolter Drive Indiana, PA 15701-3570	Burnside Township Clearfield County	NCRO

NOTICES

7413

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0228648	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Jackson Township Municipal Authority Tioga County 30 Wisteria Way Millerton, PA 16936-9355	Jackson Township Tioga County	NCRO
NOEXSE180	No Exposure Certification	Issued	Teva Pharmaceuticals USA Inc. 1090 Horsham Road North Wales, PA 19454-1505	Montgomery Township Montgomery County	SERO
NOEXSE186	No Exposure Certification	Issued	Teva Pharmaceuticals USA Inc. 1090 Horsham Road North Wales, PA 19454-1505	New Britain Township Bucks County	SERO
PAG030090	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	HSI Recycling LLC 2320 Big Oak Road Langhorne, PA 19047-1910	Middletown Township Bucks County	SERO
PAG032439	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Estes Express Lines 3901 W Broad Street Richmond, VA 23230-3962	Scranton City Lackawanna County	NERO
PAG036502	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Ascent Tubular Products 1001 E Waterfront Drive Munhall, PA 15120-1098	Munhall Borough Allegheny County	SWRO
PAG041097	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Carpin Christopher 6080 Clark Road Erie, PA 16510-6117	Harborcreek Township Erie County	NWRO
PAG041289	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Maravelli Ammie 4503 US Highway 322 Jamestown, PA 16134-4611	South Shenango Township Crawford County	NWRO
PAG041359	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Braun James 1450 Fisherman's Cove Road Polk, PA 16342	Victory Township Venango County	NWRO
PAG041420	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Christopher and Jennifer Fox 9288 Williams Road North East, PA 16428-5614	Greenfield Township Erie County	NWRO
PAG041428	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Alexander Celeski and Brianne Murphy 2805 Summerville Road Erie, PA 16510-4245	Harborcreek Township Erie County	NWRO
PAG041429	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Laskowski James W 133 Gilmore Drive Kennerdell, PA 16374	Clinton Township Venango County	NWRO
PAG045306	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Brank Patience M 48 Lee Run Road Mahaffey, PA 15757-9400	Greenwood Township Clearfield County	NCRO
PAG048320	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Brundage Kathleen 1725 Center Road Columbus, PA 16405-2129	Columbus Township Warren County	NWRO
PAG048521	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	James and Nellie Jane Sauer 4930 Sandy Lake Greenville Road Sandy Lake, PA 16145-2036	Sandy Creek Township Mercer County	NWRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG123632	PAG-12 NPDES General Permit for CAFOs	Issued	Shearer Robert D 806 Anderson Ferry Road Mount Joy, PA 17552-9717	East Donegal Township Lancaster County	SCRO
PAG123686	PAG-12 NPDES General Permit for CAFOs	Issued	Martin Joel 2077 Mountain Road Manheim, PA 17545-9517	Penn Township Lancaster County	SCRO
PAG123753	PAG-12 NPDES General Permit for CAFOs	Issued	Bridge Valley Farm LLC 326 Pinkerton Road Mount Joy, PA 17552-9209	Rapho Township Lancaster County	SCRO
PAG123873	PAG-12 NPDES General Permit for CAFOs	Issued	Shale Rock Acres 170 Werners Road Fredericksburg, PA 17026-9115	Swatara Township Lebanon County	SCRO
PAG123932	PAG-12 NPDES General Permit for CAFOs	Issued	Martin Matthew 1830 Kenbrook Road Lebanon, PA 17046-1607	Swatara Township Lebanon County	SCRO
6503403	Pump Stations Individual WQM Permit	Issued	Westmoreland County Municipal Authority 124 Park and Pool Road New Stanton, PA 15672	Hempfield Township Westmoreland County	SWRO
6524411	Pump Stations Individual WQM Permit	Issued	Westmoreland County Municipal Authority 124 Park and Pool Road New Stanton, PA 15672	Hempfield Township Westmoreland County	SWRO
PA0245640	Single Residence STP Individual NPDES Permit	Issued	Betz Christian 5506 Silo Hill Road Doylestown, PA 18902-9139	Plumstead Township Bucks County	SERO
PA0255459	Single Residence STP Individual NPDES Permit	Issued	Peters Bradley W 157 Barr Road Finleyville, PA 15332-3708	Nottingham Township Washington County	SWRO
PA0265217	Single Residence STP Individual NPDES Permit	Issued	Chizewick Velma 20 N Branch Road Eldred, PA 16731-3902	Eldred Township McKean County	NWRO
PA0295868	Single Residence STP Individual NPDES Permit	Issued	Cathy and Daniel Hart 5522 Doris Drive Girard, PA 16417-8806	Girard Township Erie County	NWRO
2518404	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Alexander Celeski and Brianna Murphy 2805 Summerville Road Erie, PA 16510-4245	Harborcreek Township Erie County	NWRO
2524404	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Cathy and Daniel Hart 5522 Doris Drive Girard, PA 16417-8806	Girard Township Erie County	NWRO
4398414	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	James and Nellie Jane Sauer 4930 Sandy Lake Greenville Road Sandy Lake, PA 16145-2036	Sandy Creek Township Mercer County	NWRO
6295403	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Brundage Kathleen 1725 Center Road Columbus, PA 16405-2129	Columbus Township Warren County	NWRO

II. Final Action(s) on PAG-01 and PAG-02 General NPDES Permit NOIs.

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC680058	PAG-02 General Permit	Issued	Robindale Energy Services, Inc. 224 Grange Hall Road P.O. Box 228 Armagh, PA 15920	Chest Township Clearfield County	DEP Cambria Office 286 Industrial Park Road Ebensburg, PA 15931 814-472-1800

NOTICES

7415

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC350047	PAG-02 General Permit	Issued	Highland Development, LLC 1815 Copley Place Delray Beach, FL 33445	Scott Township Lackawanna County	Lackawanna County Conservation District 1027 S. Abington Road South Abington Township, PA 18411 570-382-3086 RA-EPWW-NERO@ pa.gov
PAC540077	PAG-02 General Permit	Issued	Sony Drive Delano, LLC, Padraig Kelly and Boina Kelly P.O. Box 172 Delano, PA 18220	Delano Township Schuylkill County	Schuylkill County Conservation District 1206 AG Center Drive Pottsville, PA 17901 570-622-3742 RA-EPWW-NERO@ pa.gov
PAC540146 Renewal	PAG-02 General Permit	Issued	CBJF Realty, LP Christopher Bartush 302 Washington Street Orwigsburg, PA 17961	Orwigsburg Borough Schuylkill County	Schuylkill County Conservation District 1206 AG Center Drive Pottsville, PA 17901 570-622-3742 RA-EPWW-NERO@ pa.gov
PAC010084	PAG-02 General Permit	Issued	TKC CCXXX LLC 4500 Cameron Valley Parkway Charlotte, NC 28211-3552	Straban Township Adams County	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325 717-334-0636
PAC480190	PAG-02 General Permit	Issued	Sheetz, Inc. 243 Sheetz Way Claysburg, PA 16625	Lower Saucon Township Northampton County	Northampton County Conservation District 14 Gracedale Ave. Greystone Building Nazareth, PA 18064-9211 610-829-6276 RA-EPWW-NERO@ pa.gov
PAC380273	PAG-02 General Permit	Issued	Lebanon Valley Brethren Home, Inc. 1200 Grubb Road Palmyra, PA 17078	North Londonderry Township Lebanon County	Lebanon County Conservation District 2120 Cornwall Road Suite 5 Lebanon, PA 17042 717-277-5275
PAC380257	PAG-02 General Permit	Issued	Cherie Kay Properties, LLC 61 Mountain Road Lititz, PA 17543	Heidelberg Township Lebanon County	Lebanon County Conservation District 2120 Cornwall Road Suite 5 Lebanon, PA 17042 717-277-5275
PAC380275	PAG-02 General Permit	Issued	Lickdale Associates, LP 633 West Germantown Pike Suite 104 Plymouth Meeting, PA 19462	Union Township Lebanon County	Lebanon County Conservation District 2120 Cornwall Road Suite 5 Lebanon, PA 17042 717-277-5275
PAC380231	PAG-02 General Permit	Issued	Millfield Heights, LLC P.O. Box 6370 2130 Marietta Avenue Lancaster, PA 17067	Palmyra Borough Lebanon County	Lebanon County Conservation District 2120 Cornwall Road Suite 5 Lebanon, PA 17042 717-277-5275

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC390221	PAG-02 General Permit	Issued	DeSales University c/o Marc Albanese 2755 Station Avenue Center Valley, PA 18034	Upper Saucon Township Lehigh County	Lehigh County Conservation District Lehigh County AG Center Suite 105 4184 Dorney Park Road Allentown, PA 18104-5728 610-391-9583 RA-EPWW-NERO@ pa.gov
PAC670684	PAG-02 General Permit	Issued	Columbia Gas of PA 1600 Colony Road York, PA 17408	Springettsbury Township York County	York County Conservation District 2401 Pleasant Valley Rd. Suite 101 Room 139 York, PA 17402 717-840-7430
PAC670723	PAG-02 General Permit	Issued	Columbia Gas of PA 1600 Colony Road York, PA 17408	City of York York County	York County Conservation District 2401 Pleasant Valley Rd. Suite 101 Room 139 York, PA 17402 717-840-7430
PAC670679	PAG-02 General Permit	Issued	Columbia Gas of PA 1600 Colony Road York, PA 17408	Dover Township York County	York County Conservation District 2401 Pleasant Valley Rd. Suite 101 Room 139 York, PA 17402 717-840-7430
PAC670651	PAG-02 General Permit	Issued	Columbia Gas of PA 1600 Colony Road York, PA 17408	Manchester Township York County	York County Conservation District 2401 Pleasant Valley Rd. Suite 101 Room 139 York, PA 17402 717-840-7430
PAC670643	PAG-02 General Permit	Issued	Witmer Automation 192 Shoe House Ln York, PA 17406	Hellam Township York County	York County Conservation District 2401 Pleasant Valley Rd. Suite 101 Room 139 York, PA 17402 717-840-7430
PAC670718	PAG-02 General Permit	Issued	Columbia Gas of PA 1600 Colony Road York, PA 17408	Mount Wolf Borough & Manchester Township York County	York County Conservation District 2401 Pleasant Valley Rd. Suite 101 Room 139 York, PA 17402 717-840-7430

NOTICES

7417

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC670432	PAG-02 General Permit	Issued	Kinsley Equities II LP 6259 Reynolds Mill Road Seven Valleys, PA 17360	Manchester Township York County	York County Conservation District 2401 Pleasant Valley Rd. Suite 101 Room 139 York, PA 17402 717-840-7430
PAC670164	PAG-02 General Permit	Issued	Fairview Oak Hill Partners LLC 315 Pennington Drive Mechanicsburg, PA 17055	Fairview Township York County	York County Conservation District 2401 Pleasant Valley Rd. Suite 101 Room 139 York, PA 17402 717-840-7430
PAC670318	PAG-02 General Permit	Issued	Exceptional Homes Inc. F.D.B.A. AAA Builders 629 Goose Neck Drive Lititz, PA 17543	Newberry Township York County	York County Conservation District 2401 Pleasant Valley Rd. Suite 101 Room 139 York, PA 17402 717-840-7430
PAC670708	PAG-02 General Permit	Issued	BLG Construction LLC P.O. Box 728 Dillsburg, PA 17019	Carroll Township York County	York County Conservation District 2401 Pleasant Valley Rd. Suite 101 Room 139 York, PA 17402 717-840-7430
PAC480192	PAG-02 General Permit	Issued	PENNDOT Engineering District 5-0 1002 Hamilton Street Allentown, PA 18101	Lower Saucon Township Northampton County	Northampton County Conservation District 14 Gracedale Ave. Greystone Building Nazareth, PA 18064-9211 610-829-6276 RA-EPWW-NERO@ pa.gov
PAC360754	PAG-02 General Permit	Issued	Raymae Limited Partnership 3340 Division Highway New Holland, PA 17557	Earl Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17061 717-299-5361
PAC360806	PAG-02 General Permit	Issued	SMMF Holdings, LLC 5298 Newport Road Gap, PA 17527	Salisbury Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17061 717-299-5361
PAC360880	PAG-02 General Permit	Issued	Elizabethtown Borough 600 South Hanover Street Elizabethtown, PA 17022	Elizabethtown Borough Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17061 717-299-5361

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC360991	PAG-02 General Permit	Issued	Duane Nolt 1603 Lancaster Road Manheim, PA 17545	Rapho Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17061 717-299-5361
PAC330032	PAG-02 General Permit	Issued	Punxsutawney Hospital 81 Hillcrest Drive Punxsutawney, PA 15767	Young Township Jefferson County	Jefferson County Conservation District 1514 Route 28 Brookville, PA 15825 814-849-7463
PAC360590	PAG-02 General Permit	Issued	Lancaster County Career and Technology Center Authority 1730 Hans Herr Drive Willow Street, PA 17584	Mount Joy Township and Mount Joy Borough Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17061 717-299-5361
PAC360121	PAG-02 General Permit	Issued	322 Properties, LLC 1286 East Earl Road East Earl, PA 17519	East Earl Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17061 717-299-5361
PAC200089	PAG-02 General Permit	Issued	Carter Lumber Company 601 Tallmadge Road Kent, OH 44240	Sadsbury Township Crawford County	Crawford County Conservation District 21742 German Road Meadville, PA 16335 814-763-5269
PAC360734	PAG-02 General Permit	Issued	Phil Good 1307 Lime Valley Road Lancaster, PA 17602	Strasburg Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17061 717-299-5361
PAC360925	PAG-02 General Permit	Issued	DS Machine 238B Old Leacock Road Gordonville, PA 17529	Leacock Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17061 717-299-5361
PAC360984	PAG-02 General Permit	Issued	David Smucker 126 Tabor Road New Holland, PA 17557	Earl Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17061 717-299-5361
PAC360978	PAG-02 General Permit	Issued	Rapho Township 971 N. Colebrook Road Manheim, PA 17545	Rapho Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17061 717-299-5361
PAC200078	PAG-02 General Permit	Issued	Welcome Solar III LLC 1601 Utica Avenue South Suite 1000 Minneapolis, MN 55416	West Fallowfield Township and South Shenango Township Crawford County	Crawford County Conservation District 21742 German Road Meadville, PA 16335 814-763-5269
PAC050068	PAG-02 General Permit	Issued	American Structure, LLC 5080 Business 220 Bedford, PA 15522	Bedford Township Bedford County	Bedford County Conservation District 702 West Pitt Street Suite 3 Bedford, PA 15522 814-623-7900

NOTICES

7419

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC330049	PAG-02 General Permit	Issued	Thomas Fetterman 1697 Clawson Street Punxsutawney, PA 15767	Young Township Jefferson County	Jefferson County Conservation District 1514 Route 28 Brookville, PA 15825 814-849-7463
PAC400242	PAG-02 General Permit	Issued	Rick, Ross Mitch Gary Kornfeld 256 Butler Street Kingston, PA 18704	Plains Township Luzerne County	Luzerne Conservation District 325 Smiths Pond Road Shavertown, PA 18708 570-674-7991 RA-EPWW-NERO@ pa.gov
PAC400323	PAG-02 General Permit	Issued	UGI Utilities, Inc. Robert Davidson 1 UGI Drive Denver, PA 17517	Hanover Township Nanticoke City Luzerne County	Luzerne Conservation District 325 Smiths Pond Road Shavertown, PA 18708 570-674-7991 RA-EPWW-NERO@ pa.gov
PAC520007 Renewal	PAG-02 General Permit	Issued	Valley View Manor at Wantage, Inc. c/o John Maione Sr. 7 Boulder Hills Blvd. Wantage, NJ 07461	Westfall Township Pike County	Pike County Conservation District 556 Rt 402 Hawley, PA 18428 570-226-8220 RA-EPWW-NERO@ pa.gov
PAC480140	PAG-02 General Permit	Issued	Hindu Temple Society 4200 Airport Rd. Allentown, PA 18109	Hanover Township Northampton County	Northampton County Conservation District 14 Gracedale Ave. Greystone Building Nazareth, PA 18064-9211 610-829-6276 RA-EPWW-NERO@ pa.gov
PAC400225	PAG-02 General Permit	Issued	Yalick CCJ, LLC Jay Naparolo P.O. Box 70 Dallas, PA 18612	Newport Township Luzerne County	Luzerne Conservation District 325 Smiths Pond Road Shavertown, PA 18708 570-674-7991 RA-EPWW-NERO@ pa.gov
PAC480165 A-1	PAG-02 General Permit	Issued	LV Industrial Holdings 1013 Brookside Road Suite 202 Wescosville, PA 18106	East Allen Township Northampton County	Northampton County Conservation District 14 Gracedale Ave. Greystone Building Nazareth, PA 18064-9211 610-829-6276 RA-EPWW-NERO@ pa.gov
PAC010279	PAG-02 General Permit	Issued	Thomas Clowney 361 Barlow Road Gettysburg, PA 17325	Cumberland Township Adams County	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325 717-334-0636

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC280273	PAG-02 General Permit	Issued	Jay Attar P.O. Box 21542 Baltimore, MD 21282	Greene Township Franklin County	Franklin County Conservation District 185 Franklin Farm Lane Chambersburg, PA 17202 717-264-5499
PAC280257	PAG-02 General Permit	Issued	Sassan Shaool 1741 Dual Hwy. Suite B Hagerstown, MD 21740-6626	Antrim Township Franklin County	Franklin County Conservation District 185 Franklin Farm Lane Chambersburg, PA 17202 717-264-5499
PAC280139	PAG-02 General Permit	Issued	Mary Lindquist P.O. Box M Blue Ridge Summit, PA 17214-0912	Washington Township Franklin County	Franklin County Conservation District 185 Franklin Farm Lane Chambersburg, PA 17202 717-264-5499
PAC280276	PAG-02 General Permit	Issued	Dodie Moats P.O. Box 261 Quincy, PA 17247-0261	Antrim Township Franklin County	Franklin County Conservation District 185 Franklin Farm Lane Chambersburg, PA 17202 717-264-5499
PAC280207	PAG-02 General Permit	Issued	Geoff Miller 11144 Old Forge Road Waynesboro, PA 17268-8899	Washington Township Franklin County	Franklin County Conservation District 185 Franklin Farm Lane Chambersburg, PA 17202 717-264-5499
PAC150360	PAG-02 General Permit	Issued	PennDOT Multimodal 400 North Street 7th Floor Harrisburg, PA 17120	Parkside Borough Chester County	Chester County Conservation District 674 Unionville Road Suite 105 Kennett Square, PA 19348 610-455-1360 RA-EPNPDES_SERO@ pa.gov
PAC230232	PAG-02 General Permit	Issued	Jilani Real Estate Group LLC 111 N. Cove Road Norristown, PA 19401	Upper Providence Township Delaware County	Delaware County Conservation District Rose Tree Park Hunt Club 1521 N. Providence Road Media, PA 19063 610-892-9484 RA-EPNPDES_SERO@ pa.gov
PAC350185	PAG-02 General Permit	Issued	Archbald Borough Veterans Monument Park 125 Maria Blvd. Archbald, PA 18403	Archbald Borough Lackawanna County	Lackawanna County Conservation District 1027 S. Abington Road South Abington Township, PA 18411 570-382-3086 RA-EPWW-NERO@ pa.gov

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC400313	PAG-02 General Permit	Issued	PA DOT Engineering District 4-0 Susan Hazelton, P.E. 55 Keystone Industrial Park Dunmore, PA 18512-1516	Plains Township Luzerne County	Luzerne Conservation District 325 Smiths Pond Road Shavertown, PA 18708 570-674-7991 RA-EPWW-NERO@ pa.gov
PAC080080	PAG-02 General Permit	Issued	Charles Jennings 2150 Cider Mill Rd Granville Summit, PA 16925	Granville Township Bradford County	Bradford County Conservation District 200 Lake Rd Ste E Towanda, PA 18848-9693 570-265-5539
PAC080090	PAG-02 General Permit	Issued	Joseph Hatton Cargill Taylor Beef 1252 PA 706 Wyalusing, PA 18853	Wyalusing Borough Wyalusing Township Bradford County	Bradford County Conservation District 200 Lake Rd Ste E Towanda, PA 18853 570-265-5539
PAC080032	PAG-02 General Permit	Issued	Glenn O. Hawbaker, Inc. D. Michael Hawbaker 195 Waddle Road Suite 203 State College, PA 16803	Athens Township Wyalusing Township Bradford County	Bradford County Conservation District 200 Lake Rd Ste E Towanda, PA 18853 570-265-5539
PAC080025	PAG-02 General Permit	Issued	M.R. Dirt, Inc. Scott Middendorf 21186 Route 187 Towanda, PA 18848	Towanda Township Wyalusing Township Bradford County	Bradford County Conservation District 200 Lake Rd Ste E Towanda, PA 18853 570-265-5539
PAC470049	PAG-02 General Permit	Issued	Hendrickson Road Solar 1, LLC Shawn Brandt 55 Technology Drive Suite 102 Lowell, MA 01851	Valley Township Montour County	Montour County Conservation District 1210 Bloom Road Danville, PA 17821 570-271-1140
PAC600127	PAG-02 General Permit	Issued	MSP Properties of Pennsylvania, LP Grove Road Mifflinburg, PA 17844	Buffalo Township Union County	Union County Conservation District 155 N 15th St Lewisburg, PA 17837 570-524-3860
PAC600128	PAG-02 General Permit	Issued	Fairfield Prospects Corp Kevin Baker 60 Pik Rite Lane Lewisburg, PA 17837	Buffalo Township Union County	Union County Conservation District 155 N 15th St Lewisburg, PA 17837 570-524-3860
PAC600129	PAG-02 General Permit	Issued	Freedom Towing, LLC Leroy Stoltzfus 2030 West Market Street Lewisburg, PA 17837	East Buffalo Township Union County	Union County Conservation District 155 N 15th St Lewisburg, PA 17837 570-524-3860

STATE CONSERVATION COMMISSION

NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at 717-787-3483 for more information.

NUTRIENT MANAGEMENT PLAN CAFO PUBLIC NOTICE SPREADSHEET—ACTIONS

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Lazy Hog Farm 4390 Mountain Road McAlisterville, PA 17049	Juniata County	48.43	717.00	Swine	HQ	Approved
Maple Lawn Associates Inc. 2394 Black Dog Rd. McAlisterville, PA 17049	Juniata County	36.3	166.89	Poultry Pullets	NA	Approved

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free

pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information.

SAFE DRINKING WATER

Actions Taken Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Northcentral Region: Safe Drinking Water Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Olivia Harris, Clerical Supervisor I, 570-327-0561.

Construction Permit No. 824502, Major Amendment, Public Water Supply.

Applicant	Dollar General # 21642
Address	32 Main Street Burlington, PA 18814
Municipality	Burlington Township
County	Bradford County
Consulting Engineer	Robert F. Hasemeir 3901 Hartzdale Drive Suite 101 Camphill, PA 17011
Application Received	July 18, 2024
Permit Issued	October 28, 2024
Description	Addition of arsenic treatment.

Northeast Region: Safe Drinking Water Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Ryan Fox, Env. Engineering Specialist, 570-826-2533.

Construction Permit No. 5423511MA, Minor Amendment, Public Water Supply.

Applicant **Ashland Technologies, Inc.**
 Address 218 Dell Rd.
 Hegins, PA 17938
 Municipality Hegins Township
 County **Schuylkill County**
 Consulting Engineer Alfred Benesch & Company
 400 One Norwegian Plaza
 Pottsville, PA 17901
 Application Received September 19, 2024
 Permit Issued October 28, 2024
 Description Construction permit issued for installation of 4-Log disinfection system.

Contact: Victoria Frederick, Clerical Assistant 2, 570-826-2502.

Operation Permit No. 3540046-E2, Public Water Supply.

Applicant **Schuylkill County Municipal Authority**
 Address 221 South Centre Street
 Pottsville, PA 17901
 Municipality Tremont Borough
 County **Schuylkill County**
 Consulting Engineer Mr. Patrick Caulfield, P.E.
 Executive Director
 Schuylkill County Municipal Authority
 221 South Centre Street
 Pottsville, PA 17901
 Application Received October 21, 2024
 Permit Issued October 23, 2024
 Description This limited duration emergency operations permit is for hauling in finished bulk water supplied by Tom Bowman Trucking, Inc., a permitted finished bulk water hauler, to supply the system and augment existing system supplies.

Construction Permit No. 3924505, Major Amendment, Public Water Supply.

Applicant **Borough of Emmaus**
 Address 28 South 4th Street
 Emmaus, PA 18049
 Municipality Emmaus Borough
 County **Lehigh County**
 Consulting Engineer Mr. Michel T. Brown, P.E.
 Senior Project Engineer
 Gannett Fleming, Inc.
 207 Senate Avenue
 Camp Hill, PA 17011
 Application Received June 28, 2024
 Permit Issued October 18, 2024

Description

The modifications proposed include installing two (2) lead-lag granular activated carbon (GAC) treatment train systems with all necessary appurtenances, piping and controls for Well Nos. 1 (Source 001) and 2 (Source 002) to treat for PFAS and Volatile Organic Compounds (VOCs) housed in a new building addition; replacing the existing well pumps at Well Nos. 1 and 2; removing the existing air stripper from the treatment train, and installing a wastewater equalization tank. Emergency power provisions (emergency generator) will be provided.

Southeast Region: Safe Drinking Water Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Kimberleigh Rivers Clerical Assistant 2, 484-250-5887.

Construction Permit No. 4624520, Major Amendment, Public Water Supply.

Applicant **Little Faces Learning Center**
 Address 1610 Swamp Pike
 Gilbertville, PA 19525
 Municipality Douglass Township
 County **Montgomery County**
 Consulting Engineer Environmental Engineering & Management Associates, Inc.
 140 Clemens Road
 Suite 102
 Kulpville, PA 19438
 Application Received October 7, 2024
 Permit Issued October 23, 2024
 Description Disinfection using sodium hypochlorite, chlorine contact tanks, a flow restrictor and certification of 4-log certification.

Northcentral Region: Safe Drinking Water Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Olivia Harris, Clerical Supervisor I, 570-327-0561.

Operation Permit 4146292. PWSID No. **4146292**. **Niagara Bottling LLC**, 217 Aqua Penn Drive, Howard, PA 16841, Boggs Township, **Centre County**. Application received: October 22, 2024. Permit Issued: October 28, 2024. Mineral Mix A addition to production inventory.

Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Filip, Environmental Engineer, 717-705-4708.

Construction/Operation Permit 3624523 MA. PWSID No. **7360045**. **Ephrata Area Joint Authority**, 124 South State Street, Ephrata, PA 17522, Ephrata Borough, **Lancaster County**. Application received: October 2, 2024. Permit Issued: October 25, 2024. Rehabilitation of the existing sedimentation basins at the Authority's WTP.

Construction Permit 2224505 MA. PWSID No. 71100115. **Veolia Water Pennsylvania, Inc.**, 6310 Allentown Blvd, Suite 104, Harrisburg, PA 17112, Hummelstown Borough, **Perry County**. Application received: August 22, 2024. Permit Issued: October 25, 2024. Upgrades to the sodium hypochlorite storage and feed system at the Hummelstown WTP.

WATER ALLOCATIONS

Actions Taken on Applications Received Under the Act of June 24, 1939 (P.L. 842, No. 365) (35 P.S. §§ 631—641) Relating to the Acquisition of Rights to Divert Waters of the Commonwealth.

Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Wade Cope, P.E., Environmental Engineer, 717-705-4708.

06-127B MO-1, Water Allocations. **Reading Area Water Authority**, 1801 Kutztown Road, Reading, PA 19604, City of Reading, **Berks County**. Modification Order No. 1 for an instream flow reduction for Reading Area Water Authority. Application received: October 21, 2024. Approved: October 29, 2024

Southeast Region: Safe Drinking Water Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Kimberleigh C. Rivers Clerical Assistant 2, 484-250-5887.

WA-09-1002A, Water Allocations. **Doylestown Township Municipal Authority**, 425 Wells Road, Doylestown, PA 18901, Doylestown Township, **Bucks County**. Doylestown Township Municipal Authority to purchase 65,000 gallons per day from North Wales Water Authority. Application received: August 22, 2024. Issued: October 16, 2024

SEWAGE FACILITIES ACT PLAN DISAPPROVAL

Plan Disapprovals Granted Under the Pennsylvania Sewage Facilities Act, Act of January 24, 1966, P.L. 1535, as Amended, 35 P.S. § 750.5.

Southcentral Region: Clean Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Lindsay Graeff, Sewage Planning Specialist, 717-705-4866.

Plan Location:

Municipality	Address	County
Rockland Township	41 Deysher Road Fleetwood, PA 19522	Berks County

Plan Description:

Rockland Township Act 537 Plan, B1-06956-ACT. The Department of Environmental Protection (DEP) has reviewed the previously-referenced application and has determined that it is incomplete, and it is therefore denied. The application is incomplete due to the failure to provide sufficient information and supporting documentation as required by Act 537, The Clean Streams Law (CSL), and regulations promulgated thereunder, for DEP to complete a technical review and act upon the application. The following list specifies the items that were not included in your application: 1. Section II.D does not investigate relationships between elevated nitrate-nitrogen in groundwater wells with land-use or geology. Well sampling helps inform potential needs areas. No analysis

was provided. 2. Section V.B.2 does not describe when a preliminary hydrogeologic evaluation is necessary. At a minimum, a preliminary hydrogeologic study is required when any of the criteria under 25 Pa. Code § 71.62(c)(2) is met. The analysis in Section II.D may inform that preliminary hydrogeologic studies are needed beyond the minimum requirements dictated under 71.62(c)(2). 3. A table displaying the well sampling raw data was not provided and is required. The table should include the well/sample number or identifier, address, latitude/longitude of well location (if recorded), well depth (if known), sampling date, and concentrations of all tested parameters (nitrate-nitrogen, coliform, and fecal coliform). A map showing the well/sample numbers or identifiers should be included. 4. Explanation was not given for the definition of alternating absorption area mentioned in section V.B.4.b. 5. The study does not address alternatives for when holding tanks are permitted to abate malfunctions on lots with limitations that prevent the use of other on-lot systems, including on-lot alternate technologies. 25 Pa. Code § 71.63(d) allows the use of holding tanks to abate a nuisance or public health hazard, but the Department considers these repair holding tanks to be temporary fixes, not permanent solutions. Therefore, the study has yet to provide any potential options for lots served by repair holding tanks. Any reconsideration of this project shall occur only if a complete and updated set of planning modules is submitted. The new DEP Code No. C1-06956-ACT must be used. All materials must be newly adopted by resolution, and otherwise meet the requirements of Chapter 71 of DEP's regulations.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 2

The Following Plans and Reports Were Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of

regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The Department has received the following plans and reports.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Caprio (07-077) Well Pad, Primary Facility ID # **831659**, 656 Abell Road, Little Meadows, PA 18830, Apolacon Township, **Susquehanna County**. Resource Environmental Management, 50 Maple Street, Montrose, PA 18801, on behalf of Repsol Oil and Gas USA, LLC, 337 Daniel Zenker Drive, Horseheads, NY 14845, submitted a Final Report concerning remediation of soil and groundwater contaminated with production fluid (brine). The Final Report is intended to document remediation of the site to meet the Statewide health standards.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Environmental Cleanup & Brownfields Program Manager, 717-705-4705.

Former Exxon Reading Terminal, Primary Facility ID # **722084**, 3930 Pottsville Pike, Reading, PA 19605, Muhlenberg Township, **Berks County**. Kleinfelder, Inc., 200 Airport Road, New Cumberland, PA 17070, on behalf of Masano Corporation, P.O. Box 590, Reading, PA 19607-0590, submitted a Remedial Investigation Report concerning remediation of soil and groundwater contaminated with petroleum constituents. The Remedial Investigation Report is intended to document remediation of the site to meet the site-specific standards.

Former Exxon Reading Terminal, Primary Facility ID # **722084**, 3930 Pottsville Pike, Reading, PA 19605, Muhlenberg Township, **Berks County**. Kleinfelder, Inc., 200 Airport Road, New Cumberland, PA 17070, on behalf of ExxonMobil Environmental & Property Solutions Co., 100 Walnut Avenue, Suite 210, Clark, NJ 07066, submitted a Remedial Investigation Report concerning remediation of soil and groundwater contaminated with petroleum constituents. The Remedial Investigation Report is intended to document remediation of the site to meet the site-specific standards.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: C. David Brown, Professional Geologist Manager, 484-250-5792.

Phoenix French Creek Manor, Primary Facility ID # **804650**, North Main Street, Phoenixville, PA 19460, Phoenixville Borough, **Chester County**. Paul White, P.G., ARM Brickhouse, 515 South Franklin Street, West Chester, PA 19382, on behalf of Greg Lingo, Rockwell French Creek TH, LP, 126 East State Street, Media, PA 19063, submitted a Final Report concerning remediation of soil contaminated with inorganics, PAHs, and other

organics. The Final Report is intended to document remediation of the site to meet the Statewide health and site-specific standards.

Former Finneran & Haley, Inc., Primary Facility ID # **758570**, 901 Washington Street, Conshohocken, PA 19428, Whitemarsh Township, **Montgomery County**. Stephen Huxta, Huxta Environmental, 461 Merlin Road, Phoenixville, PA 19460, on behalf of Gary Toll, 901 Washington Partners, 120 Pennsylvania Avenue, Malvern, PA 19355, submitted a Remedial Investigation Report concerning remediation of soil contaminated with chlorinated solvents and inorganics. The Remedial Investigation Report is intended to document remediation of the site to meet the site-specific standards.

Dublin Volunteer Fire Company, Primary Facility ID # **862212**, 194 North Main Street, Dublin, PA 18917, Dublin Borough, **Bucks County**. Thomas Hippensteal, P.G., Envirosearch Consultants, Inc., P.O. Box 940, Springhouse, PA 19477, on behalf of Kevin Nugent, Dublin Volunteer Fire Company, 194 North Main Street, Dublin, PA 18917, submitted a Final Report concerning remediation of soil and groundwater contaminated with No. 2 fuel oil. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 3

The Department Has Taken Action on the Following Plans and Reports Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The

baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The DEP may approve or disapprove plans and reports submitted. This notice provides DEP's decision and, if relevant, the basis for disapproval.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The DEP has received the following plans and reports.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

D. Lewis Pad 1, Primary Facility ID # **871207**, 1214 Lewis Road, Montrose, PA 18801, Bridgewater Township, **Susquehanna County**. Resource Environmental Management, 50 Maple Street, Montrose, PA 18801, on behalf of Coterra Energy, Inc., 2000 Park Lane, Suite 300, Pittsburgh, PA 15275, submitted a Final Report concerning remediation of soil contaminated with oil-based drilling mud. The Final Report demonstrated attainment of the Statewide health and background standards. Approved: October 24, 2024.

Former Gasoline Service Station, Primary Facility ID # **874436**, 774-784 Hellertown Road, Bethlehem, PA 18015, City of Bethlehem, **Northampton County**. Whitestone Associates, 1600 Manor Drive, Suite 220, Chalfont, PA 18914, on behalf of CCAN, LLC, 1115 Gaspar Avenue, Bethlehem, PA 18017, submitted a Final Report concerning remediation of soil contaminated with petroleum, lead, and benzo(a)pyrene. The Final Report demonstrated attainment of the Statewide health and site-specific standards. Approved: October 29, 2024.

Contact: Eric Supey, Environmental Program Manager.

PPL Transformer—454 Hamlin Highway, Primary Facility ID # **876489**, 454 Hamlin Highway, Lake Ariel, PA 18436, Salem Township, **Wayne County**. Penn Environmental & Remediation, 13180 Route 6, Mansfield, PA 16933, on behalf of PPL Electric Utilities Corporation, 1639 Church Road, Allentown, PA 18104, submitted a Final Report concerning remediation of soil contaminated with transformer oil. The Final Report demonstrated attainment of the Statewide health standards. Approved: October 24, 2024.

Wilkes-Barre General Hospital, Primary Facility ID # **621191**, Auburn and North River Streets, Wilkes-Barre, PA 18764, City of Wilkes-Barre, **Luzerne County**. Targus Associates, 3333 Earhart Drive, Suite 210, Carrollton, TX 75006, on behalf of Wilkes-Barre General Hospital, 575 North River Street, Wilkes-Barre, PA 18764, submitted a Final Report concerning remediation of soil and groundwater contaminated with petroleum. The Final Report demonstrated attainment of the Statewide health standards. Approved: October 24, 2024.

610 Chestnut Street, Primary Facility ID # **876006**, 610 Chestnut Street, Freeland, PA 18224, Freeland Borough, **Luzerne County**. MEA, 1365 Ackermanville Road,

Bangor, PA 18013, on behalf of Jeffrey and Katy Prussock, 29 Schwabe Street, Freeland, PA 18224, submitted a Final Report concerning remediation of soil contaminated with heating oil. The Final Report demonstrated attainment of the Statewide health standards. Approved: October 25, 2024.

J. Busik Pad 1, Primary Facility ID # **846313**, 1274 Bare Valley Road, Montrose, PA 18801, Dimock Township, **Susquehanna County**. Resource Environmental Management, 50 Maple Street, Montrose, PA 18801, on behalf of Coterra Energy, Inc., 2000 Park Lane, Suite 300, Pittsburgh, PA 15275, submitted a Final Report concerning remediation of soil contaminated with diesel. The Final Report demonstrated attainment of the Statewide health standards. Approved: October 25, 2024.

Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Barry, 814-332-6195.

Kovalchick Salvage Yard—Wayne Ave Properties, Primary Facility ID # **690089**, Wayne Ave, Indiana, PA 15705, White Township, **Indiana County**. CORE Environmental Services, Inc., 3960 William Flinn Highway, Suite 100, Allison Park, PA 15101, on behalf of Department of General Services, 515 North Office Building, Harrisburg, PA 17125, submitted a Risk Assessment/Remedial Investigation/Final Report concerning remediation of groundwater contaminated with leaded gasoline, unleaded gasoline, diesel fuel, and used motor oil. The Report did not demonstrate attainment of the site-specific standards. Issued a technical deficiency letter: October 29, 2024.

Contact: Ben, 814-350-5132.

Pickup Unit 1 OG Well, Primary Facility ID # **878730**, 4785 Alder Road, Commodore, PA 15729, Green Township, **Indiana County**. Moody & Associates, Inc., 1720 Washington Road, Suite 100, Washington, PA 15301, on behalf of Diversified Production, LLC, 125 Industry Road, # 201, Waynesburg, PA 15370, submitted a Final Report concerning remediation of soil contaminated with Aluminum, Barium, Boron, Chloride, Iron, Lithium, Manganese, Selenium, Strontium, Vanadium, and Zinc. The Final Report demonstrated attainment of the Statewide health standards. Approved: October 29, 2024.

Contact: Nick, 814-332-6978.

Berry Plastics, Primary Facility ID # **625608**, 844 East Columbus Avenue (Route 6), Corry, PA 16407, City of Corry, **Erie County**. Moody & Associates, Inc., 180 Mercer Street, Suite A, Meadville, PA 16335, on behalf of HNI Corporation, 600 East Second Street, Muscatine, PA 52761, submitted a Remedial Investigation Report concerning remediation of soil and groundwater contaminated with Volatile Organic Compounds. The Report demonstrated attainment of the site-specific standards. Approved: October 29, 2024.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Environmental Cleanup & Brownfields Program Manager, 717-705-4705.

Former Hanover Manufactured Gas Plant, Primary Facility ID # **773478**, 305 North Franklin Street, Hanover, PA 17331, Hanover Borough, **York County**.

GEI Consultants, Inc., 18000 Horizon Way, Suite 200, Mount Laurel, NJ 08054, on behalf of NiSource/Columbia Gas of PA, 121 Champion Way, Canonsburg, PA 15317, submitted a Remedial Investigation Report/Cleanup Plan concerning remediation of soil contaminated with VOCs and Metals. The Report demonstrated attainment of the site-specific standards. Approved: October 22, 2024.

Former Wilbur Chocolate Factory, Primary Facility ID # **830045**, 48 North Broad Street & 100 West Kleine Lane, Lititz, PA 17543, Lititz Borough, **Lancaster County**. Liberty Environmental, Inc., 505 Penn Street, Suite 400, Reading, PA 19601, on behalf of 48 North Broad Street, LLC, c/o Oak Tree Development Group, 1650 Manheim Pike, Suite 201, Lancaster, PA 17601, submitted a Remedial Investigation Report/Risk Assessment Report/Cleanup Plan concerning remediation of soil and groundwater contaminated with SVOCs and Metals. The Report demonstrated attainment of the site-specific standards. Approved: October 24, 2024.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: C. David Brown, Professional Geologist Manager, 484-250-5792.

Matt Blatt Auto, Primary Facility ID # **867036**, 6735-39 Essington Avenue, Philadelphia, PA 19135, City of Philadelphia, **Philadelphia County**. RCC Environmental Professionals, 10 Lippincott Lane, Mount Holly, NJ 08028, on behalf of Matt Blatt Auto, 6735-39 Essington Avenue, Philadelphia, PA 19135, submitted a Final Report concerning remediation of soil and groundwater contaminated with anthracene, benzo(a)anthracene, benzo(a)pyrene, benzo(b)fluoranthene, benzo(g,h,i)perylene, chrysene, fluorene, indeno(1,2,3-cd)pyrene, phenanthrene, pyrene, lead, benzene, ethylbenzene, isopropylbenzene, naphthalene, and toluene. The Final Report demonstrated attainment of the Statewide health standards. Approved: October 18, 2024.

1831 Frankford Avenue Site, Primary Facility ID # **867803**, 1831 Frankford Avenue, Philadelphia, PA 19125, City of Philadelphia, **Philadelphia County**. August Mack Environmental, Inc., 941 Wheatland Avenue, Lancaster, PA 17603, on behalf of SQFT Acquisition, LLC, 420 Bainbridge Street, Philadelphia, PA 19147, submitted a combined Remedial Investigation Report/Cleanup Plan/Final Report concerning remediation of soil contaminated with lead, arsenic, and tetrachloroethene (PCE). The Report demonstrated attainment of the site-specific standards. Approved: October 22, 2024.

Wawa Store 263, Primary Facility ID # **877215**, 3711 West Lincoln Highway, Parkesburg, PA 19365, West Sadsbury Township, **Chester County**. Aquaterra Technologies, Inc., 901 South Bolmar Street, West Chester, PA 19382, on behalf of Wawa Store No. 263, 3711 West Lincoln Highway, Parkesburg, PA 19365, submitted a Final Report concerning remediation of soil contaminated with benzene, toluene, ethylbenzene, total xylenes, cumene, naphthalene, 1,2,4-trimethylbenzene, 1,3,5-trimethylbenzene, and MTBE. The Final Report demonstrated attainment of the Statewide health standards. Approved: October 23, 2024.

1488 Sugartown Road Site, Primary Facility ID # **861315**, 1488 Sugartown Road, Paoli, PA 19301, Easttown Township, **Chester County**. ARM Group, LLC, 515 South Franklin Street, West Chester, PA 19382, on behalf

of Bridget Freitag, 1488 Sugartown Road, Paoli, PA 19301, submitted a Final Report concerning remediation of soil and groundwater contaminated with benzene, toluene, ethylbenzene, naphthalene, cumene, MTBE, and 1,2,4- and 1,3,5-trimethylbenzene. The Final Report demonstrated attainment of the Statewide health standards. Approved: October 23, 2024.

21 Wood Lane Site, Primary Facility ID # **838152**, 21 Wood Lane, Malvern, PA 19355, East Whiteland Township, **Chester County**. Synergy Environmental, Inc., 155 Railroad Plaza, First Floor, Royersford, PA 19468, on behalf of Matthew Jackson, 21 Wood Lane, Malvern, PA 19355, submitted a Remedial Investigation Report/Cleanup Plan concerning remediation of soil contaminated with No. 2 fuel oil. The Report Was acceptable to meet site-specific standards. Approved: October 24, 2024.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Actions(s) Taken on Permit(s) Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southeast Region: Waste Management Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Mohamad Mazid, Chief, Technical Services, E-Mail Address: RA-EPWM-SERO-PERMITs@pa.gov.

101477. Reworld Philadelphia Transfer, LLC (formerly known as Covanta 4Recovery Philadelphia, LLC), 2209 South 58th Street, Philadelphia, PA 19143, City of Philadelphia, **Philadelphia County**. This approval is for the ten-year renewal of the solid waste permit for continuing operations of the 58th Street Transfer Station of Reworld Philadelphia Transfer, LLC (Reworld), (formerly known as Covanta 4Recovery Philadelphia, LLC (Covanta)). The 58th Street Transfer Station Facility is located at 2209 South 58th Street, in the City of Philadelphia, Philadelphia County. Application received: January 26, 2024. Issued: October 23, 2024.

Persons interested in reviewing the permit may contact Waste Management Program Manager, E-Mail Address: RA-EPWM-SERO-PERMITs@pa.gov, Southeast Region, 2 East Main Street, Norristown, PA 19401, 484-250-5900. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

AIR QUALITY

Actions(s) Taken on General Plan Approval(s) and Operating Permit(s) Usage Authorized Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to Construct, Modify, Reactivate or Operate Air Contamination Sources and Associated Air Cleaning Devices.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

GP3-53-125A: Duffy, Inc., 1 Delta Drive, Smethport, PA 16749, Roulette Township, **Potter County**. The De-

partment approved authorization to construct and operate one (1) 2008 Kolberg-Pioneer model FT2650 Crusher, one (1) 2007 Terex-Finlay model 683 Screener, one (1) 2003 Chieftain model 1400 Screener and one (1) 2014 Terex-Finlay model 883+ Screener portable non-metallic mineral processing plants pursuant to the General Plan Approval and/or General Operating Permit for Portable Nonmetallic Mineral Processing Plants (BAQ-PGPA/GP-3) at the Fred Huff Property quarry. Application received: September 20, 2024. Authorized: October 23, 2024. Expiration date: October 22, 2029.

GP11-53-125A: Duffy, Inc., 1 Delta Drive, Smethport, PA 16749, Roulette Township, **Potter County**. The department approved authorization to construct and operate one (1) 275 bhp 2008 model year Caterpillar model C-9, one (1) 96 bhp 2006 model year Deutz model BF4M2012, one (1) 90 bhp 2003 model year Deutz model BF4M1012C and one (1) 110 bhp 2014 model year Caterpillar model C4.4 diesel-fired compression ignition nonroad engines pursuant to the General Plan Approval and/or General Operating Permit for Nonroad Engines (BAQ-GPA/GP-11) to power portable non-metallic mineral processing plants at the Fred Huff Property quarry. Application received: September 20, 2024. Authorized: October 23, 2024. Expiration date: October 22, 2029.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Caleigh Anderson, Air Quality Engineer, 570-826-2432.

GP3-35-007B: Powell Quarry, 1 Highland Blvd, Suite 207, Archbald, PA 18403, Archbald Borough, **Lackawanna County**. GP3-35-007B: Powell Quarry (1 Highlands Blvd., Suite 207 Archbald, PA 18403) on October 15, 2024, the general Operating Permit GP3 renewed for the operation of a Portable Nonmetallic Mineral Processing Plant at the facility located in Archbald Borough, Lackawanna County. Application received: September 27, 2024. Issued: October 15, 2024.

GP9-35-007B: Powell Quarry, 1 Highland Blvd, Suite 207, Archbald, PA 18403, Archbald Borough, **Lackawanna County**. GP9-35-007B: Powell Quarry (1 Highlands Blvd., Suite 207 Archbald, PA 18403) on October 7, 2024, the general Operating Permit GP9 renewed for the operation of Diesel or No. 2 fuel-fired Internal Combustion Engines at the facility located in Archbald Borough, Lackawanna County. Application received: September 27, 2024. Issued: October 7, 2024.

GP4-35-002: Albright Precision, Inc., 4 Rocky Glen Road, Moosic, PA 19507, Moosic Borough, **Lackawanna County**. GP4-35-002: Albright Precision, Inc. (4 Rocky Glen Road, Moosic, PA 18507) on September 24, 2024, the general Operating Permit GP4 renewed for the operation of a Burn Off Oven at the facility located in Moosic Borough, Lackawanna County. Application received: October 2, 2024. Issued: October 28, 2024.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief, 484-250-5920.

GP14-15-0099: Chester County Crematory, 829 Lincoln Ave, Unit 9C, West Chester, PA 19380-4474, West Goshen Township, **Chester County**. This action is for the issuance of a General Plan Approval and General Operating Permit for human or animal crematory incinerators. Application received: September 30, 2024. Issued: October 23, 2024.

GP1-09-0110: Archer Daniels Midland Langhorne Facility, 100 Cabot Blvd E, Langhorne, PA 19047-1841, Falls Township, **Bucks County**. This action is for the issuance of a General Plan Approval and General Operating Permit renewal for 2 Small Gas Combustion Units. Application received: October 7, 2024. Issued: October 25, 2024.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Sheri Guerrieri, P.E., New Source Review Chief, 412-442-4174.

GP5-30-00171E/AG5-30-00011D: Pin Oak Energy Partners, LLC, 388 S. Main Street, Suite 401, Akron, OH 44311, Greene Township, **Greene County**. On October 24, 2024, to authorize construction and operation of: One (1) natural gas-fired Caterpillar Compressor Engine rated at 292 bhp, controlled by NSCR catalyst, and previously authorized sources: one (1) TEG Dehydrator rated at 3.0 MMscfd, equipped with a reboiler rated at 0.25 MMBtu/hr, three (3) Produced Water Storage Tanks; truck load-out operation, pneumatic controllers, venting and fugitives at their Apted Compressor Station, located in Greene Township, Greene County. Application received: October 21, 2024. Authorized: October 24, 2024.

04-00755: Cronimet Corporation, 1 Pilarsky Way, Aliquippa, PA 15001, Aliquippa Borough, **Beaver County**. On October 23, 2024, Plan Approval Extension (PA-04-00755) was issued to Cronimet Corporation for 180 days for shakedown of sources at their existing scrap recycling Cronimet Terminal located in Aliquippa Borrow, Beaver County. Application received: October 22, 2024. Issued: October 23, 2024. The new plan approval will expire on April 28, 2025

GP5A-63-01026B: Loan Asset Ossuer LLC Series 2021 NG-1, 5260 Dupont Road, Parkersburg, WV 26101, West Finley Township, **Washington County**. The Department has evaluated and approved the request for a general plan approval GP5A to install and operate one (1) Caterpillar model G3516, 1,380 hp compressor engine with oxidation catalyst, two (2) 400-barrel produced water tanks, four (4) 330-barrel chemical storage tanks, one (1) 75-barrel slop tank, two (2) truck loadouts, station fugitives, seven (7) gas processing units rated at 1 MMBtu/hr, one (1) 0.03 MMBtu/hr natural gas fired generator, seven (7) natural gas wells, one (1) 500 gallon engine/compressor oil tank, one (1) 500 gallon lube oil tank, two (2) 0.0015 MMBtu/hr line heater fired with natural gas, and one (1) 0.0027 MMBtu/hr heater fired with natural gas. Application received: July 11, 2024. Authorized: October 25, 2024.

Actions(s) Taken on Plan Approval(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and Regulations in 25 Pa. Code Chapter 127, Subchapter B Relating to Construction, Modification and Reactivation of Air Contamination Sources and Associated Air Cleaning Devices.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.

05-05014C: Sandy Run Landfill, LLC, 995 Landfill Road, Hopewell, PA 16650, Broad Top Township, **Bedford County**. For the installation of a new renewable natural

gas (RNG) refinery at the landfill. The RNG plant will have a capacity to treat 6,000 scfm of landfill gas and will be controlled by a 12.00 MMBtu/hr thermal oxidizer and 3,000 scfm utility flare. Application received: February 29, 2024. Issued: October 22, 2024.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: James Beach, New Source Review Chief, 484-250-5920.

09-0249: Pet Meadow/Morrisville, 6 Steel Rd E, Morrisville, PA 19067-3613, Falls Township, **Bucks County**. This action is for a plan approval extension for the installation and operation of animal cremation equipment. Application received: October 22, 2024. Issued: October 25, 2024.

46-0005AY: Merck Sharp & Dohme LLC/West Point Plant, 770 Sumneytown Pike, West Point, PA 19486-8000, Upper Gwynedd Township, **Montgomery County**. This action is for an extension to build Building 50 with good manufacturing practice (GMP) space, to use cleaners and disinfectants that contain volatile organic compounds in the GMP areas, as well as to install a 2,500-kW natural gas-fired non-emergency generator. Application received: October 15, 2024. Issued: October 28, 2024.

46-0299: Innovation 411 Fee Owner LLC, 411 Swedeland Rd, King of Prussia, PA 19406-2787, Upper Merion Township, **Montgomery County**. This action is for an extension for the installation of two (2) 2,000-kW diesel fuel-fired electric generators and the decommissioning and remove two existing 1,600-kW electric generators at Building No. 32 at their multi-tenant commercial property used for R&D and finance. Application received: September 23, 2024. Issued: October 28, 2024.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Sheri Guerrieri, P.E., New Source Review Chief, 412-442-4174.

65-00016J: Latrobe Specialty Metals A Carpenter Co, 2626 Ligonier St, Latrobe, PA 15650, City of Latrobe, **Westmoreland County**. The Department has evaluated and approved the request for a plan approval extension to install and operate one (1) wet electrostatic precipitator (ESP) rated at 6,900 scfm which will control emissions from a Vacuum Induction Melting furnace by replacing the existing AAF Roto-Clone scrubber. Application received: October 17, 2024. Authorized: October 21, 2024.

Plan Approval Revision(s) Issued Including Extension(s), Minor Modification(s) and Transfer(s) of Ownership Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: David Balog, New Source Review Section Chief, 814-332-6328.

24-00012M: GrafTech USA LLC, 800 Theresia Street, Saint Marys, PA 15857-1832, City of Saint Marys, **Elk County**. Issued a 6-month plan approval extension to allow more time for stack testing. Extension expires March 3, 2025. Application received: August 27, 2024. Issued: October 2, 2024.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

06-05096E: Tower Health System/Reading Hospital, P.O. Box 16052, Reading, PA 19612, West Reading Borough, **Berks County**. For the reactivation of Cogeneration Plant No. 2 at the Reading Hospital. The plan approval was extended. Application received: October 11, 2024. Issued: October 24, 2024.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Sheri Guerrieri, P.E., New Source Review Chief, 412-442-4174.

11-00541A: Cleveland Brothers Equipment Co., Inc., 190 Earnhardt Drive, Hunker, PA 15639, Cambria Township, **Cambria County**. This plan approval extension has been issued to ensure the plan approval remains active until the facility is in compliance with all conditions of the plan approval and a revision to the Operating Permit application is submitted by the applicant and issued by the Department. Application received: October 9, 2024. Revised: October 9, 2024.

Operating Permit(s) for Non-Title V Facilities Issued Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Matthew Williams, Facilities Permitting Chief, 814-332-6940.

10-00148: Ervin Ind, 681 E Butler Rd, Butler, PA 16002-9127, Summit Township, **Butler County**. The Department issued the renewal State Only Natural Minor Operating Permit for the manufacturing facility. The facility's primary emission sources include space heating, (34) quench and draw furnaces, two (2) electric arc furnaces (EAFs) for melting steel, the atomizing tank, the shot processing line, the grit processing line, ladle heaters, natural gas-fired dryers, a cold degreaser, and an emergency generator powered by a 415-HP diesel engine. The potential emissions of the primary pollutants from the facility are as follows: 67.71 TPY (tons per year) NO_x, 40.23 TPY CO, 2.43 TPY VOC, 5.17 TPY PM₁₀, 4.97 TPY PM_{2.5}, 18.20 TPY SO_x, and 1.88 TPY combined HAPs; thus, the facility is a natural minor. The EAFs are subject to 40 CFR 60 Subpart AA, Standards of Performance for Steel Plants: Electric Arc Furnaces Constructed After October 21, 1974, and On or Before August 17, 1983. They are also subject to 40 CFR 63 Subpart ZZZZ, NESHAP for Iron and Steel Foundries (Area Sources). The emergency generator engine is subject to 40 CFR 63, Subpart ZZZZ, NESHAP for Stationary Reciprocating Internal Combustion Engines. The renewal permit contains emission restrictions, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act. Application received: January 23, 2024. Renewal issued: October 22, 2024.

Philadelphia: Air Management Services: Air Quality Program, 321 University Avenue, Philadelphia, PA 19104-4543.

Contact: Maryjoy Ulatowski, Chief, Source Registration, 215-685-9476.

OP22-000046: Live Casino and Hotel Philadelphia, 900 Packer Avenue, Philadelphia, PA 19148-5210, City of Philadelphia, **Philadelphia County**. The City of Philadelphia, Air Management Services (AMS) issued an initial Synthetic Minor Operating Permit (SMOP) for the operation of a casino and hotel. The facility air emission sources are: • Four (4) 6.0 Million British Thermal Units per hour (MMBtu/hr) boilers, each burning natural gas, • Four (4) 1.5 MMBtu/hr domestic hot water heaters, each burning natural gas, • Two (2) 1.25 MMBtu/hr domestic hot water heaters, each burning natural gas, • Two (2) 2500-Kilowatt (kW) emergency generators, each burning diesel fuel, and • One (1) 173 Horsepower (HP) burning diesel fuel. Application received: September 9, 2022. Issued: October 25, 2024.

OP23-000011: Crown Castle Fiber, 401 N Broad St, Suite 190, Philadelphia, PA 19108-1014, City of Philadelphia, **Philadelphia County**. The City of Philadelphia, Air Management Services (AMS) issued a renewal Synthetic Minor Operating Permit (SMOP) for the operation of a telephone communication facility. The facility air emission sources are: • Four (4) emergency generators less than 500-kilowatt (kW), each burning diesel fuel, and • Three (3) emergency generators equal to or greater than 1000 kW but less than 1550 kW, each burning diesel fuel. Application received: April 27, 2023. Issued: October 25, 2024.

OP21-000072: Maryland and Virginia Milk Producers Cooperative Association, Inc., 10975 Dutton Road, Philadelphia, PA 19154-3203, City of Philadelphia, **Philadelphia County**. The City of Philadelphia, Air Management Services (AMS) issued a renewal of the Synthetic Minor Operating Permit (SMOP) for dairy manufacturing plants. The facility air emission sources are: • One (1) 33.6 MMBtu/hr boiler burning natural gas and No. 2 fuel oil, • One (1) 33.475 MMBtu/hr boiler burning natural gas, and • One (1) 0.75 MMBtu/hr boiler burning natural gas. Application received: January 20, 2022. Issued: October 25, 2024.

OP22-000020: Girard College Power Plant, 2101 S. College Ave., Philadelphia, PA 19121-4897, City of Philadelphia, **Philadelphia County**. The City of Philadelphia, Air Management Services (AMS) issued a renewal of the Synthetic Minor Operating Permit (SMOP) for the operation of a Power Plant. The facility air emission sources are: • Three (3) 24.9 Million British Thermal Unit (MMBtu/hr) boiler burning natural gas and No. 2 fuel oil (B1, B2, and B3), and • One (1) 10 MMBtu/hr boiler burning natural gas No. 2 fuel oil (B4). Application received: April 19, 2022. Issued: October 25, 2024.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.

50-05004: Texas Eastern Transmission LP, 425 Texas Eastern Road, Shermans Dale, PA 17090, Carroll Township, **Perry County**. For the Shermans Dale natural gas compressor station. Application received: February 23, 2024. Issued: October 22, 2024.

21-05049: Pennsy Supply, Inc., 2400 Thea Drive, Suite 3A, Harrisburg, PA 17110, Penn Township, **Cumberland County**. For the asphalt and portable crusher operations at the Penn Township Quarry. The State-Only permit was renewed. Application received: June 6, 2024. Issued: October 22, 2024.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.

28-03026: Gish Logging, Inc., 4980 Path Valley Road, Fort Loudon, PA 17224-9393, Metal Township, **Franklin County**. For the firewood processing facility. The State-Only permit was renewed. Application received: August 22, 2024. Issued: October 23, 2024.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief, 484-250-5920.

23-00029: Upper Darby High School, 4611 Bond Ave, Drexel Hill, PA 19026-4236, Upper Darby Township, **Delaware County**. This action is a renewal of a State Only Natural Minor Operating Permit for the operation of three (3) 16.3 MMBtu/hr. dual-fire boilers and four (4) emergency generators at the school. The boilers were previously permitted under general permit GP1-23-00165. The conditions of GP1-23-00165 are incorporated into the Operating Permit. Application received: March 8, 2024. Issued: October 22, 2024.

46-00166: Harleysville Materials Quarry, Indian Creek Rd, Harleysville, PA 19438, Lower Salford Township, **Montgomery County**. This action is for the renewal of a non-Title V, Synthetic Minor Operating Permit for the operation of a quarry using various crushers, screeners, and conveyors, and leases operation of a batch asphalt plant to Independence Construction Materials (ICM). The facility has a site wide NO_x emission limit to not exceed 25 tpy. Application received: February 16, 2024. Issued: October 22, 2024.

09-00142: Bank of America NA, 35 Runway Dr, Levittown, PA 19057-4700, Bristol Township, **Bucks County**. This action is for the renewal of a non-Title V, Synthetic Minor Operating Permit for the operation of twelve (12) diesel fuel-fired emergency generators at their facility. Bank of America National Association utilizes these generators to provide backup electrical power, testing and maintenance, uninterrupted power supply (UPS) maintenance and demand response for their data center facility. Application received: April 12, 2024. Issued: October 22, 2024.

46-00161: H&K Group/Sanatoga Quarry, P.O. Box 79, Skippack, PA 19474-0079, Lower Pottsgrove Township, **Montgomery County**. Pursuant to 25 Pa. Code § 127.450(a)(2), this action was performed to open the non-Title V, Synthetic Minor Operating Permit for cause to correct an error in the limit for the allowable throughput limit of Recycled Asphalt Pavement (RAP) in the batch asphalt plant at this site. The throughput was changed from 27 tons per hour to 80.5 tons per hour for the facility to meet the specifications for 25% RAP content in their product (total asphalt production rate is limited to 322 tons per hour). Application received: October 21, 2024. Issued: October 21, 2024.

46-00294: Crazy Aaron Enterprises, 710 E Main St, Norristown, PA 19401-4102, Norristown Borough, **Montgomery County**. This action is for the renewal of a non-Title V, Synthetic Minor Operating Permit for the operation of six (6) mixers of various sizes and configurations utilized in the manufacture of thinking putty. Application received: August 4, 2024. Issued: October 24, 2024.

46-00024: Kenvue Brands LLC, 7050 Camp Hill Rd, Fort Washington, PA 19034-2210, Whitemarsh Township, **Montgomery County**. This action is a renewal of a

non-Title V, Synthetic Minor Operating Permit for boilers and emergency generators operated at their facility utilized for the manufacture of over-the-counter pharmaceuticals and research and development activities. Application received: August 18, 2023. Issued: October 24, 2024.

09-00253: Eastern Web Handling Inc./Northampton, 66 Vincent Cir, Ivyland, PA 18974-1530, Northampton Township, **Bucks County**. This action is for the issuance of the Initial non-Title V, Synthetic Minor Operating Permit for the operation of two (2) flexographic printing presses: One six (6) station flexographic press and one eight (8) stations flexographic press. Eastern Web Handling, Inc. is a minor source for Volatile Organic Compound (VOC) emissions and an area source for Hazardous Air Pollutants (HAP). The requirements of 25 Pa. Code § 129.67a apply to the new flexographic presses. Application received: June 28, 2024. Issued: October 25, 2024.

09-00240: Mazza Iron & Steel, 60 Solar Dr, Fairless Hills, PA 19030, Falls Township, **Bucks County**. This action is for the initial issuance of a Non-Title V Facility, State-Only, Synthetic Minor Permit for the operation of an electric metal shredder and a ferrous and non-ferrous metals processing facility. This action incorporates the requirements of Plan Approval 09-0240 into this Operating Permit pursuant to 25 Pa. Code § 127.12b. Application received: August 1, 2024. Issued: October 25, 2024.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Thomas Joseph, P.E., Facilities Permitting Chief, 412-442-4336.

56-00160: Keystone Lime Company, Inc., P.O. Box 278, Springs, PA 15562, Addison and Elk Lick Townships, **Somerset County**. On October 23, 2024, the Department of Environmental Protection issued a renewed synthetic minor State-Only Operating Permit to Keystone Lime Co. Inc.'s hot mix asphalt and stone processing facility located in Addison and Elk Lick Townships, Somerset County. This facility is subject to the applicable requirements of 25 Pa. Code, Chapters 121—145. The air quality Operating Permit includes emission limitations, operating requirements, monitoring requirements, work practice standards, reporting, and recordkeeping requirements for the site. Application received: June 28, 2023. Accepted: July 12, 2023.

11-00508: Hindman Funeral Homes & Crematory, 146 Chandler Avenue, Johnstown, PA 15906, Lower Yoder Township, **Cambria County**. On October 22, 2024, the Department issued a renewal natural minor State Only Operating Permit for the operation of one (1) human crematory and one (1) animal crematory located in Lower Yoder Township, Cambria County. The facility operates one (1) Mathews International-Cremation Division model IE43-PPII human crematory incinerator with a maximum cremation rate of 150 lbs/hr and one (1) Mathews International-Cremation Division model IE43-PPJr animal crematory incinerator with a maximum cremation rate of 75 lbs/hr. The facility is subject to the applicable requirements of Pa. Code Title 25, Article III, Chapters 121—145. The final Operating Permit includes emission limitations, monitoring, work practice, reporting, and recordkeeping requirements for the facility. Application received: August 18, 2023. Deemed administratively complete: September 1, 2023.

ACTIONS ON COAL AND NONCOAL APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the National Pollutant Discharge Elimination System (NPDES) permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to such applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1103). Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Coal Permits

New Stanton District Mining Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.

Contact: Tracy Norbert, (724.925.5500) or RA-EPNEWSTANTON@pa.gov.

Mining Permit No. 63120103. Amerikohl Mining, Inc., 1384 State Route 711, Stahlstown, PA 15687, Nottingham Township, **Washington County**. Revision application for land use change at Property 5 to industrial/commercial at an existing bituminous surface mine, affecting 125.1 acres. Receiving streams: unnamed tributaries to Mingo Creek and Mingo Creek; classified for the following use: HQ-TSF. Application received: August 6, 2024. Issued: October 23, 2024.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

Mining Permit No. 54830105. Joe Kuperavage Coal Company, 325 Wilson Avenue, Port Carbon, PA 17965, Schuylkill Township, **Schuylkill County**. Renewal of an anthracite surface mine operation affecting 412.66 acres. Receiving stream: Schuylkill River. Application received: September 19, 2023. Renewal issued: October 28, 2024.

Mining Permit No. 54830105. Joe Kuperavage Coal Company, 325 Wilson Avenue, Port Carbon, PA 17965, Schuylkill Township, **Schuylkill County**. Correction of an anthracite surface mine operation to update the post-mining land use affecting 412.66 acres. Receiving stream: Schuylkill River. Application received: September 19, 2023. Correction issued: October 28, 2024.

Noncoal Permits

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.

Contact: RA-EPCAMBRIADMO@pa.gov.

Mining Permit No. 01930302. NPDES No. PA0223239. Specialty Granules, LLC, 1455 Old

Waynesboro Road, Blue Ridge Summit, PA 17214, Hamiltonban Township, **Adams County**. Renewal of NPDES Permit. Receiving streams: unnamed tributaries to Toms Creek, classified for the following uses: HQ-CWF, MF. Application received: March 12, 2024. Permit issued: October 29, 2024.

Mining Permit No. 4274SM11. NPDES No. PA0212512. New Enterprise Stone & Lime Co., Inc., P.O. Box 77, New Enterprise, PA 16664, Taylor Township, **Blair County**. Renewal of NPDES Permit. Receiving streams: Plum and Halter Creeks, classified for the following uses: HQ-CWF and CWF. Application received: May 30, 2024. Permit issued: October 29, 2024.

Mining Permit No. 11130301. NPDES No. PA0269255. New Enterprise Stone & Lime Co., Inc., P.O. Box 77, New Enterprise, PA 16664, Jackson Township, **Cambria County**. Renewal of NPDES permit affecting 206 acres. Receiving stream: unnamed tributary to Bracken Run classified for the following use: CWF. Application received: September 15, 2023. Permit issued: October 29, 2024.

New Stanton District Mining Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.

Contact: Jeffrey Parr, Watershed Manager, 724-925-5542.

Primacy Bond Forfeiture Project No.	PBF 63130101.2
Municipality	Smith Township
County	Washington County
Description	Whitmoyer Surface Mine S & K Energy, Inc. Surface Mining Permit No. 63130101
Contractor Name and Address	Mullen Excavating Inc. 278 Green Valley Road
City, State, Zip	Eighty Four, PA 15330
Amount	1,100,754.00
Date of Award	October 23, 2024

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Action(s) Taken on Application(s) Under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting Activity Performed as Part of a Coal or Noncoal Mining Activity will be Regulated by the Mining Permit for that Coal or Noncoal Mining Activity.

Blasting Permits

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

Permit No. 36244132. Keystone Blasting Service, 15 Hopeland Road, Lititz, PA 17543, Earl Township, **Lancaster County**. Construction blasting for Wesley Nolt Dwelling. Application received: October 17, 2024. Permit issued: October 28, 2024. Expiration date: November 15, 2024.

Permit No. 35244113. Maine Drilling & Blasting, Inc., P.O. Box 1140, Gardiner, ME 04345, Jessup Borough, **Lackawanna County**. Construction blasting for Valley View Lot 11. Application received: October 23, 2024. Permit issued: October 28, 2024. Expiration date: October 18, 2025.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department of Environmental Protection (DEP) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, DEP has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), and that the construction will not violate applicable Federal and State Water Quality Standards.

Individuals aggrieved by these actions may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. § 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Environmental Hearing Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the Board within 30-days. You do not need a lawyer to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so you should show this notice to a lawyer at once. If you cannot afford a lawyer, you may qualify for free pro bono representation. Call the Secretary to the Board 717-787-3483 for more information.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Action(s) Taken on Application(s) for the Following Activities Filed Under The Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and the Clean Streams Law and Notice of Final Action for Certification Under Section 401 of the FWPCA.

Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Michele Lauer, Clerical Assistant 2, 570-830-3077.

E4802224-005. Krapf Park, LLC, 170 Keyland Court, Bohemia, NY 11716, Allen Township, **Northampton County**. U.S. Army Corps of Engineers Philadelphia District.

To construct and maintain the following water obstructions and encroachments associated with the Savage Road

Development: 1. To remove an existing multi-pier bridge on Dry Run (CWF, MF) and to construct a new access road crossing of Dry Run and adjacent wetlands consisting of a pre-cast reinforced concrete ConSpan arch culvert having a 31.0-foot span and a 10.2-foot underclearance (9.5-foot clear rise) with concrete wingwalls, guiderails and R-5 riprap outlet protection choked with natural streambed material. The proposed bridge will be 300-feet downstream from the existing crossing. 2. A 1.25-inch diameter PVC sanitary force main crossing of Dry Run (CWF, MF) and adjacent wetlands installed within 6-inch diameter DIP encasement pipe and concrete. 3. A 12-inch diameter DIP water line crossing of Dry Run (CWF, MF) installed within concrete encasement. 4. A 2-inch diameter HDPE gas line crossing of Dry Run (CWF, MF) installed within 6-inch diameter DIP encasement pipe and concrete. A total of 0.046 acre of permanent PEM wetland impacts is associated with the sanitary sewer main crossing and new access road. The project is located at 700 Savage Road, Northampton, PA 18067-9088 in Allen Township, Northampton County. (Catasauqua, PA Quadrangle, Latitude: 40°, 41', 27"; Longitude: -75°, 27', 56") Latitude: 40°, 41', 27", Longitude: -75°, 27', 56". Application received: April 1, 2024. Issued: October 24, 2024.

Northwest Region: Oil and Gas Management Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: RA-EPOILGASDROPBOX@pa.gov.

E1008224-005. PennEnergy Resources, LLC, 3000 Westinghouse Drive, Suite 300, Cranberry Twp, PA 16066, Winfield Township, **Butler County**. U.S. Army Corps of Engineers Pittsburgh District. Latitude: 40.788832°, Longitude: -79.714574°. Application received: July 31, 2024. Issued: October 16, 2024.

Northwest Region: District Oil and Gas Office, 230 Chestnut Street Meadville PA 16335, 814-332-6860.

E1008224-005, PennEnergy Resources, LLC, 3000 Westinghouse Drive, Suite 300, Cranberry Township, PA 16066. Layne to W46 Temporary Aboveground Waterline Project, in Winfield Township, **Butler County**, ACOE Pittsburgh District, Worthington, PA Quadrangle Lat: 40.788832; Long: -79.714574

The applicant is proposing to install approximately 4 miles of a combination of 12- to 16-inch high-density polyethylene (HDPE) and 12-inch lay-flat temporary aboveground waterline that will transport fresh water from the existing Layne pump water withdrawal location (Snyder Brothers Limestone Mine) to the existing W23 Well Development Impoundment (WDI) and then to the existing W46 WDI. Rough Run and it's UNT's are classified as a high-quality trout stocked fishery (HQ-TSF). Two wetlands proposed to be impacted are Exceptional Value (EV) and a third is designated as "Other."

The project will result in 123 linear feet of temporary stream impacts, 0.33 acre of temporary floodway impacts and 0.13 acre of temporary palustrine emergent wetland impacts with the installation of the temporary above ground waterline.

Resource Name	Aquatic Resource Type	Activity	Chapter 93 Designation	Latitude/ Longitude	Impact Area Temp. (LF)	Impact Area Perm. (LF)	Impact Area Temp. (Ac)	Impact Area Perm. (Ac)
UNT 1 to Trib 42638 to Rough Run	Floodway	Utility Line/ Temporary Road Crossing	HQ-TSF	40.808576, -79.709732	60	N/A	0.09	N/A
UNT 3 to Trib 42638 to Rough Run	Floodway	Utility Line/ Temporary Road Crossing	HQ-TSF	40.808213, -79.712668	34	N/A	0.02	N/A
UNT 2 to Trib 42638 to Rough Run	Floodway	Utility Line Crossing/ Temporary Road Crossing	HQ-TSF	40.808104, -79.712990	112	N/A	0.2	N/A
UNT 2 to Trib 42638 to Rough Run	Intermittent	Utility Line Crossing/ Temporary Road Crossing	HQ-TSF	40.808104, -79.712990	38	N/A	0.001	N/A
Rough Run	Perennial	Utility Line	HQ-TSF	40.799858, -79.712806	34	N/A	0.01	N/A
Rough Run	Floodway	Utility Line	HQ-TSF	40.799858, -79.712806	55	N/A	0.03	N/A
Rough Run	Floodway	Temporary Road Crossing	HQ-TSF	40.799858, -79.712806	81	N/A	0.02	N/A
Wetland 1A	PEM	Utility Line Crossing	EV	40.799858, -79.12806	39	N/A	0.007	N/A

Resource Name	Aquatic Resource Type	Activity	Chapter 93 Designation	Latitude/ Longitude	Impact Area Temp. (LF)	Impact Area Perm. (LF)	Impact Area Temp. (Ac)	Impact Area Perm. (Ac)
Wetland 1A	PEM	Temporary Road Crossing	EV	40.799858, -79.712802	33	N/A	0.009	N/A
Wetland 1B	PEM	Utility Line Crossing	EV	40.799731, -79.712802	55	N/A	0.01	N/A
Wetland 1B	PEM	Temporary Road Crossing	EV	40.799731, -79.712802	44	N/A	0.01	N/A
UNT 1 to Rough Run	Intermittent	Utility Line Crossing	HQ-TSF	40.795262, -79.712605	39	N/A	0.003	N/A
UNT 1 to Rough Run	Floodway	Utility Line Crossing	HQ-TSF	40.795262, -79.712605	109	N/A	0.13	N/A
UNT 1 to Rough Run	Intermittent	Temporary Road Crossing	HQ-TSF	40.795262, -79.712605	12	N/A	0.001	N/A
UNT 1 to Rough Run	Floodway	Temporary Road Crossing	HQ-TSF	40.795262, -79.712605	36	N/A	0.01	N/A
Wetland 1	PEM	Utility Line Crossing	Other	40.782387, -79.711426	94	N/A	0.09	N/A

Contact: RA-EPWW-NWRO@pa.gov.

F2506224-001. Norfolk Southern Railway Company, 1200 Peachtree Street NE, Atlanta, GA 30309, Springfield Township, **Erie County**. U.S. Army Corps of Engineers Pittsburgh District.

To operate and maintain a 10-foot diameter, 248-foot long steel liner grouted within the 12-foot wide by 12-foot high concrete box stream enclosure and three 262-foot long, 5.5-foot diameter relief culverts with a concrete headwall and slider pile endwall to the east of the 10-foot diameter pipe, permanently impacting 0.06 acre of watercourse. Construction of the structure was authorized by DEP Emergency Permit No. EP2506223-002. Latitude: 41.983040°, Longitude: -80.403512°. Application received: January 25, 2024. Issued: October 28, 2024.

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: 717-705-4802.

F2203224-002. City of Harrisburg, 10 N. 2nd Street, Harrisburg, PA 17101, City of Harrisburg, **Dauphin County**. U.S. Army Corps of Engineers Baltimore District.

To 1) construct a building addition, including an elevated concourse, level walking area, and at grade storage and weight room buildings to the Harrisburg Senators ball field stadium at City Island in the City of Harrisburg, Dauphin County. The proposed elevated concourse level and walkway under elevated concourse will permanently impact 5833.32 sf (0.13 ac) of the floodway of the Susquehanna River (WWF, MF) and the proposed ramp and two-story weight room will impact 3352.12 sf (0.08 ac) of the floodway of the Susquehanna River (WWF, MF). The purpose of the project is to create new buildings and stadium additions to the existing facility to meet the current major league baseball criteria for a minor league baseball stadium. The project is located on City Island (Latitude: 40.256454, Longitude: -76.889160). No wetlands will be impacted by the proposed project. Latitude: 40.256454°, Longitude: -76.889160°. Application received: April 15, 2024. Issued: October 23, 2024.

F2203224-001. Lower Swatara Township, 1499 Spring Garden Drive, Middletown, PA 17057, Lower Swatara Township, **Dauphin County**. U.S. Army Corps of Engineers Baltimore District.

The applicant proposed to demolish and remove five residential primary and accessory structures, excavation and removal of debris, and site restoration and stabilization of the five properties located in special flood hazard areas. The projects propose to temporarily impact a total of 1.48 acres of floodplain. The issuance of this permit will not constitute approval of Water Quality Certification under Section 401 of the Federal Clean Water Act (33 U.S.C.A. § 1341). Application received: July 11, 2024. Issued: October 23, 2024.

	Address	Waterway	Chapter 93 Designation	USGS Quadrangle	Latitude	Longitude
1	62 Wayne Avenue Middletown, PA 17057	Lisa Lake	WWF, MF	Middletown, PA	40.201378	76.764828
2	83 Bradford Avenue Middletown, PA 17057	Lisa Lake	WWF, MF	Middletown, PA	40.201133	-76.764247
3	154 Bradford Avenue Middletown, PA 17057	Lisa Lake	WWF, MF	Middletown, PA	40.202342	-76.763278

	Address	Waterway	Chapter 93 Designation	USGS Quadrangle	Latitude	Longitude
4	105 Wyoming Avenue Middletown, PA 17057	Lisa Lake	WWF, MF	Middletown, PA	40.201378	-76.761936
5	1493 Swatara Park Rd Middletown, PA 17057	Swatara Creek	WWF, MF	Middletown, PA	40.217881	-76.724858

E2903124-001. PA Department of Transportation Engineering District 9-0, 1620 N. Juniata Street, Hollidaysburg, PA 16648, Union Township, **Fulton County**. U.S. Army Corps of Engineers Baltimore District.

To (1) maintain the existing 484-foot slip lining of the existing 84-inch diameter CMP, (2) install and maintain inlet and outlet protection for the pipe and (3) perform approximately 61.5 linear feet of channel grading. This work is occurring in Little Tonoloway Creek (CWF, MF) This is for the purpose of improving transportation safety in Union Township, Fulton County (39.8222°, -78.2732°). The project proposes to permanently impact 582 linear feet of stream channel with 131 linear feet of temporary stream channel impacts and 0.025 ac of temporary wetland impacts. Latitude: 39.8222°, Longitude: -78.2732°. Application received: March 13, 2024. Issued: October 17, 2024.

Southeast Region: Waterways & Wetlands Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: RA-EP-WW-SERO-105@pa.gov.

E2301224-007. Delaware County, 201 West Front Street, Media, PA 19063, Lansdowne Borough and Upper Darby Township, **Delaware County**. U.S. Army Corps of Engineers Philadelphia District.

Delaware County is proposing to remove a 92-foot-long, 39.7-foot-wide two-span reinforced concrete T-beam over Darby Creek (TSF-MF), and in its place, construct and maintain a 92-foot-long, 33.2 foot-wide composite prestressed concrete spread box beam bridge resulting in 137.2 linear feet (7,229.96 square feet, 0.166 acre) of permanent watercourse impact, 130.0 linear feet (6,940.22 square feet, 0.159 acre) of temporary watercourse impact, 10,853.81 square feet (0.249 acre) of permanent floodway impact, and 6,364.52 square feet (0.146 acre) of temporary floodway impact. Floodplain impacts are also included. Permanent impacts include shading from the new bridge, placement of riprap scour protection, abutments, and grading for the new approaches to the bridge. Temporary impact is due to coffer dams to dewater the work area and temporary disturbance and access. This project is located at the intersection Hilldale and Scottdale Roads in both Lansdowne Borough and Upper Darby Township, Delaware County (USGS PA Lansdowne Quadrangle—Latitude 39.934757 N, Longitude 75.277013 W). Latitude: 39.934757°, Longitude: -75.277013°. Application received: May 31, 2024. Approved: October 23, 2024.

E4601223-024. Encompass Health Rehabilitation Hospital of Lower Providence LLC, 9001 Liberty Parkway, Birmingham, AL 35242, Lower Providence Township, **Montgomery County**. U.S. Army Corps of Engineers Philadelphia District. Latitude: 40.11770°, Longitude: -75.42580°. Application received: December 4, 2023, January 20, 2024.

Permit Number: E4601223-034

Applicant Name: Encompass Health Rehabilitation Hospital of Lower Providence LLC

Applicant Phone: 205 969 4504

Applicant Email: Taylor.Bradley@encompasshealth.com

Applicant Address: Line 1: 9001 Liberty Parkway

City: Birmingham

State: AL

Zip: 35242

DEP Regional Office: SERO

DEP Reviewer: Abdel Nassani/Josh Hassler

Reviewer Phone: 484-250-5170

Reviewer Email: anassani@pa.gov

Project County: Montgomery

Project Municipality: Lower Providence

Encompass Health Pennsylvania Real Estate, LLC, proposes the development of an inpatient rehabilitation facility and associated parking and circulation, lighting, stormwater management facilities, and other utilities on a 9.63-acre site located at 2660 Audubon Road, Lower Providence Township, Montgomery County, PA.

The proposed improvements include the following: to relocate 380 linear feet (LF) of Lamb Run, a tributary to the Schuylkill River, resulting in 0.10 acre of permanent impacts to the existing stream. There will also be 0.03 acre of temporary impact to Lamb Run for construction access. The relocated stream will be 363 LF long and approximately 13 feet wide (0.11 acre). The project also proposes 0.96 acre of permanent disturbance within the assumed 50-foot floodway of Lamb Run, including the work to realign the stream, grading, stormwater outfalls, and a retaining wall. There will also be 0.3 acre of temporary disturbance to the assumed floodway consisting of tree clearing and earth disturbance to allow for access. Permanent impacts include 0.13 acre of a manmade pond and 0.10 acre of isolated wetland for construction of parking and grading west of the stream.

The site is located near the intersection Trooper Road and Audubon Road at 2660 Audubon Road (Valley Forge, PA USGS map, Lat: 40.11770; Long: -75.42580) in Lower Providence Township, Montgomery County

Special condition;

A. All disturbed areas are to be restored to the original contours and shall be replanted with indigenous plant species.

B. Streambank disturbances shall be minimized and stabilized with indigenous vegetation within ten (10) calendar days of final earthmoving to prevent erosion and provide cover, shading, and food source for aquatic life.

C. Permittee shall monitor the stream and wetland plantings for at least five years. Reports shall be submitted to the respective DEP Regional Office in the spring and fall for the first two calendar years following construction and annually for three years thereafter. The monitoring reports shall contain information describing the success of the site at the time of inspection, an inventory of the surviving plant species and percent areal coverage, photographs of the replacement site with plans showing the location and orientation of each of the photographs, and a written plan to correct any deficiencies identified during the monitoring phase. Permittee shall ensure at least an 85 percent survival rate. Addi-

tional plantings and or reports may be required if an 85 percent survivability of planted species is not achieved.

D. The Department has determined that the Permittee has made arrangements to satisfy their compensatory mitigation requirements for 0.10 wetland credits through the purchase of 0.10 wetland credits from the approved compensatory mitigation provider First Pennsylvania Resource, LLC. (FPR) DEP File No.: MB9915-0001, approved for use in Compensation Service Area: Lower Delaware River Subbasin (PA State Water Plan Subbasin No. 3). Within 60 days from the date of issuance of this permit, Permittee shall provide to the Department proof of transfer of the approved credit amounts and types and FPR's acceptance of liability to provide the compensatory mitigation requirements. Failure to provide such proof of transfer of credits and FPR's acceptance of liability of compensatory mitigation requirements shall violate the terms and conditions of this permit. This failure may result in the modification, suspension, or revocation of this permit, in whole or in part, and/or the Department may, in addition, institute appropriate legal proceedings.

E. Upon discovery of significant changes that could compromise the integrity of the project, the permittee shall immediately notify Pennsylvania Department of Environmental Protection (DEP) Southeast Regional Office (SERO) at 484-250-5160.

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information.

Eastern District: Oil and Gas Management Program, 208 West Third Street, Williamsport, PA 17701-6448.

Contact: RA-EPEASTERNOPRG@pa.gov.

ESCGP # 3 **ESG295824008-00**
Applicant Name **Chesapeake Appalachia LLC**
Contact Person Eric Haskins
Address 14 Chesapeake Lane

City, State, Zip Sayre, PA 18840
Township(s) Auburn Township
County **Susquehanna County**
Receiving Stream(s) and Classification(s)
UNT to Tuscarora Creek (CWF, MF), UNT Little Meshoppen Creek (CWF, MF)
Application received: May 3, 2024
Issued: October 28, 2024

Southwest District: Oil and Gas Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: RA-EPSW-OGSUBMISSION@pa.gov.

ESCGP # 3 **ESG071123001-05—George L Reade 1 Well Site # 2244, # 2248, and # 2251**
Applicant Name **EQM Gathering OPCO LLC**
Contact Person Erin Debias
Senior Environmental Coordinator
(412) 737-0932
edebias@equitransmidstream.com
Address 1.3 miles south of Weeping Willow Lane
City, State, Zip Johnstown, PA 15906
Township(s) Jackson Township
County **Cambria County**
Receiving Stream(s) and Classification(s) 001. Lat 40.41199, Long -78.94012, UNT to Red Run, Ch 93 class HQ-WWF 002. Lat 40.42458, Long -78.92456, Findley Run, Ch 93 class HQ-CWF 003. Lat 40.42383, Long -78.91889, UNT to Laurel Run, Ch 93 class HQ-CWF 004. Lat 40.40876, Long -78.94592, UNT to Risinger Run, Ch 93 class HQ-CWF 005. Lat 40.39207, Long -78.95933, UNT to Wildcat Run, Ch 93 class HQ-CWF 006. Lat 40.40464, Long -78.95180, UNT to Clark Run, Ch 93 class HQ-CWF 007. Lat 40.43890, Long -78.90928, UNT to Rummel Run, Ch 93 class CWF

Application received: October 10, 2024
Permit modification issued: October 23, 2024

ESCGP # 3 **ESG076320007-01**
Applicant Name **Markwest Liberty Midstream & Resources LLC—Conner Lateral**
Contact Person Brian Elliott
(724) 873-2893
bmelliott@marathonpetroleum.com
Address 0.1 west of Coleman Rd and Grange Road
City, State, Zip McDonald, PA 15057
Township(s) Cecil Township
County **Washington County**
Receiving Stream(s) and Classification(s) 001. Lat 40.33290, Long -80.21540, UNTs to Millers Run, Ch 93 class WWF 002. Lat 40.33560, Long -80.21540, UNTs to Millers Run, Ch 93 class WWF
Application received: October 10, 2024
Renewal issued: October 24, 2024

ESCGP # 3 **ESG073024015-00**
Applicant Name **EQM Gathering OPCO LLC—SLPA-0524 Slide Remediation**
Contact Person Kirsten Kiesel
Senior Environmental Coordinator
(412) 660-0979
kkiesel@equitransmidstream.com
Address 0.2 west of Stattler Road
City, State, Zip Waynesburg, PA 15370
Township(s) Whiteley Township
County **Greene County**
Receiving Stream(s) and Classification(s) 001. Lat 39.81702, Long -80.17549, UNT to Patterson Run, Ch 93 class TSF
Application received: September 19, 2024
Issued: October 25, 2024

ESCGP # 3 ESG076524003-00

Applicant Name **CNX Gas Co LLC—Mamont 12 Well Pad**

Contact Person Nicole Miller, Project Manager
(724)-433-2051
nicolemiller@cnx.com

Address 0.2 Mile west of St. James Church Road
City, State, Zip Saltsburg, PA 15681
Township(s) Bell Township

County **Westmoreland County**

Classification(s) 001. Lat 40.50325, Long -79.50440, Trib 43089 to Wolford Run, Ch 93 class WWF 002. Lat 40.50300, Long -79.50411, Trib 43091 of Wolford Run, Ch 93 class WWF 003. Lat 40.50286, Long -79.50690, Trib 43089 to Wolford Run, Ch 93 class WWF 004. Lat 40.49985, Long -79.51125, Trib 43091 of Wolford Run, Ch 93 class WWF 005. Lat 40.49871, Long -79.51486, Trib 43089 to Wolford Run, Ch 93 class WWF 006. Lat 40.49838, Long -79.51666, Trib 43089 to Wolford Run, Ch 93 class WWF 007. Lat 40.49871, Long -79.51713, Trib 43089 to Wolford Run, Ch 93 class WWF

Application received: July 30, 2024

Issued: October 28, 2024

ESCGP # 3 ESG073023020-01

Applicant Name **EQT Prod CO—Saison Well Site**

Contact Person Todd Klaner, (724) 746-9043
TKlaner@eqt.com

Address 0.37 mile south of T-400 Higgins Cemetery Rd and T-472 Willow Bank Rd

City, State, Zip Holbrook, PA 15341

Township(s) Jackson Township

County **Greene County**

Receiving Stream(s) and Classification(s) 001. Lat 39.82109, Long -80.36314, Unnamed Tributary to Job Creek, Ch 93 class TSF 002. Lat 39.82603, Long -80.36724, Unnamed Tributary to Job Creek, Ch 93 class TSF

Application received: October 10, 2024

Permit modification issued: October 28, 2024

ESCGP # 3 ESG073024017-00

Applicant Name **CNX Gas CO LLC—Nineveh Proj PH9 NV19CV Well Site**

Contact Person Robert Bassett, (724) 485-3647
robertbassett@cnx.com

Address T460B

City, State, Zip Ninecah, PA 15364

Township(s) Morris Township

County **Greene County**

Receiving Stream(s) and Classification(s) 001. Lat 39.99621, Long -80.27962, Bates Fork, Ch 93 class HQ-WWF

Application received: October 2, 2024

Issued: October 29, 2024

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 2

The Following Plan(s) and Report(s) Were Submitted Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A remedial action plan is submitted to summarize the site characterization, document the design and construction details for

the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DEP has received the following plans and reports.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Choice Cigarettes 94318, Storage Tank Facility ID # **40-13191**, 544 State Route 93, Conyngham, PA 18249, Sugarloaf Township, **Luzerne County**. United Environmental Services, P.O. Box 701, Schuylkill Haven, PA 17972, on behalf of Rijini, LLC, 4584 Willow Lane, Nazareth, PA 18064, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with gasoline. The plan is intended to document the remedial actions for meeting Statewide health and site-specific standards.

Uni Mart # 4149 Wilkes-Barre PA, Storage Tank Facility ID # **40-32368**, 465 Hazle Street, Wilkes-Barre, PA 18702, City of Wilkes-Barre, **Luzerne County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of National Retail Properties Trust, 450 South Orange Avenue, Suite 900, Orlando, FL 32801, submitted a Remedial Action Completion Report concerning remediation of groundwater contaminated with gasoline. The report is intended to document the remedial actions for meeting site-specific standards.

Former Boyer's Service Station (A&B Auto), Storage Tank Facility ID # **35-50045**, Routes 435 and 502, Covington Township, PA 18444, Covington Township, **Lackawanna County**. Liberty Environmental, 315 West James Street, Suite 205, Lancaster, PA 17603, on behalf of Ann Boyer, 7627 Alumni Trail, Sarasota, FL 34243, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum. The plan is intended to document the remedial actions for meeting site-specific standards.

Square One 103, Storage Tank Facility ID # **48-51488**, 158-160 South Third Street, Easton, PA 18042, City of Easton, **Northampton County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Square One

Markets, Inc., P.O. Box AA, Hellertown, PA 18055, submitted a Remedial Action Completion Report concerning remediation of groundwater contaminated with petroleum. The report is intended to document the remedial actions for meeting site-specific standards.

Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Jordan, 814-332-6172.

Country Fair Store 38, Storage Tank Facility ID # **25-91603**, 1810 Sassafras Street, Erie, PA 16502, City of Erie, **Erie County**. Groundwater & Environmental Services, Inc., 508 Thomson Park Drive, Cranberry Township, PA 16066, on behalf of County Fair, Inc., 2251 East 30th Street, Erie, PA 16066, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report is intended to document the remedial actions for meeting residential Statewide health standards.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Robin L. Yerger, LPG.

Go Save Gas, Storage Tank Facility ID # **67-61462**, 5295 Susquehanna Trail, York, PA 17402, Conewago Township, **York County**. EnviroTrac, Ltd., 176 Thorn Hill Road, Warrendale, PA 16365, on behalf of Sheetz Inc., 351 Sheetz Way, Claysburg, PA 16225, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum constituents. The report is intended to document the remedial actions for meeting nonresidential Statewide health and site-specific standards.

North Side Texaco, Storage Tank Facility ID # **21-09415**, 304 North Earl Street, Shippensburg, PA 17257, Shippensburg Township, **Cumberland County**. Claymore Environmental LLC, 650 Germantown Pike, Lafayette Hill, PA 19444, on behalf of Laeeq Khan, 3425 Carnoustie Drive, Chambersburg, PA 17202, submitted a Remedial Action Plan concerning remediation of groundwater contaminated with petroleum. The plan is intended to document the remedial actions for meeting nonresidential Statewide health standards.

Hanover Minit Mart, Storage Tank Facility ID # **67-13963**, 2633 Baltimore Pike, Hanover, PA 17331, West Manheim Township, **York County**. Andrew Hoffman, 2571 Baltimore Pike, Hanover, PA 17331, submitted a Remedial Action Completion Report. United Environmental Services, Inc, P.O. Box 701, Schuylkill Haven, PA 17972, on behalf of Michael & Andrew Hoffman, 2571 Baltimore Pike, Hanover, PA 17331 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum constituents. The report is intended to document the remedial actions for meeting nonresidential Statewide health standards and was approved by DEP on October 23, 2024.

Southeast Region: Environmental Cleanup concerning remediation of soil and groundwater contaminated with petroleum constituents. The report is intended to document the remedial actions for meeting nonresidential Statewide health standards & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Richard M. Staron, Professional Geologist Manager, 484-250-5717.

Valley SVC CTR, Storage Tank Facility ID # **46-43051**, 3475 Huntingdon Pike, Huntingdon Valley, PA 19006, Lower Moreland Township, **Montgomery County**. Groundwater & Environmental Services, Inc., 508 Thomson Park Drive, Cranberry Township, PA 16066, on behalf of Shell USA, Inc., 20945 S. Wilmington Avenue, Carson, CA 90810, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The plan is intended to document the remedial actions for meeting nonresidential site-specific standards.

Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Janelle Hromyak, Clerical Assistant 2, 412-442-4091.

BFS Broadhead, Storage Tank Facility ID # **04-14079**, 3608 Brodhead Road, Monaca, PA 15061, Center Township, **Beaver County**. Letterle & Associates, Inc., 2859 Oxford Blvd., Allison Park, PA 15101, on behalf of Bruceon Farm Service, Inc., 116 Shannon Drive, Morgantown, WV 26508, submitted a Remedial Action Completion Report concerning remediation of soil contaminated with unleaded gasoline. The report is intended to document the remedial actions for meeting nonresidential Statewide health and site-specific standards.

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 3

Action(s) Taken on the Following Plans and Reports Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports.

A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

DEP may approve or disapprove plans and reports submitted. This notice provides DEP's decision and, if relevant, the basis for disapproval.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DEP has received the following plans and reports.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Robin L. Yerger, LPG.

Go Save Gas, Storage Tank Facility ID # **67-61462**, 5295 Susquehanna Trail, York, PA 17402, Conewago Township, **York County**. EnviroTrac, Ltd, 176 Thorn Hill Road, Warrendale, PA 16365, on behalf of Sheetz Inc, 351 Sheetz Way, Claysburg, PA 16225, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum constituents. The report demonstrated attainment of the nonresidential Statewide health and site-specific standards and was approved by DEP on October 24, 2024.

North Side Texaco, Storage Tank Facility ID # **21-09415**, 304 North Earl Street, Shippensburg, PA 17257, Shippensburg Township, **Cumberland County**. Claymore Environmental LLC, 650 Germantown Pike, Lafayette Hill, PA 19444, on behalf of Laeeq Khan, 3425 Carnoustie Drive, Chambersburg, PA 17202, submitted a Remedial Action Plan concerning remediation of groundwater contaminated with petroleum constituents. The plan was not acceptable to meet the nonresidential Statewide health standards and was disapproved by DEP on October 24, 2024.

Hanover Minit Mart, Storage Tank Facility ID # **67-13963**, 2633 Baltimore Pike, Hanover, PA 17331, West Manheim Township, **York County**. United Environmental Services, Inc., P.O. Box 701, Schuylkill Haven, PA 17972, on behalf of Michael and Andrew Hoffman, 2571 Baltimore Pike, Hanover, PA 17331, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum constituents. The report demonstrated attainment of the nonresidential Statewide health standards and was approved by DEP on October 23, 2024.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Richard M. Staron, Professional Geologist Manager, 484-250-5717.

C & J Auto II, Storage Tank Facility ID # **23-25166**, 99 S Newtown Street Rd., Newtown Square, PA 19073, Newton Township, **Delaware County**. Hydro-Terra Group, 7420 Derry Street, Harrisburg, PA 17111, on behalf of Crowley Enterprises Inc., 99 S Newtown Street Rd, Newtown Square, PA 19073, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report demonstrated attainment of the nonresidential Statewide health and site-specific standards and was approved by DEP on October 23, 2024.

Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Janelle Hromyak, Clerical Assistant 2, 412-442-4091.

Former Tony's Auto, Storage Tank Facility ID # **02-81181**, 5607 Library Road, Bethel Park, PA 15102, Bethel Park Borough, **Allegheny County**. Stephen A Zbur, CORE Environmental Services, Inc., 3960 William Flinn Highway, Suite 100, Allison Park, PA 15101, on behalf of Anthony Colavecchia, 5607 Library Road, Bethel Park, PA 15102, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline and used motor oil. The combined plan and report demonstrated attainment of the nonresidential site-specific standards and was approved by DEP on October 23, 2024.

SPECIAL NOTICES

WATER PROGRAMS

Application for National Pollutant Discharge Elimination System (NPDES) Permit for Discharges of Stormwater Associated with Construction Activities.

Northcentral Region: Waterways & Wetlands Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: RA-EPWW-NCRO@pa.gov.

The Department of Environmental Protection (DEP) has received an application for an Individual NPDES Permit from the applicant named as follows to authorize discharges of stormwater associated with construction activities from the project site named below to surface waters of the Commonwealth.

Applicant: The Clearwater Conservancy

Applicant Address: 1601 Houserville Rd, State College, PA 16801

Application Number: **PAD140120**

Project Site Name: Clearwater Conservation Ctr.

Project Site Address: 1601 Houserville Rd, State College, PA 16801

Municipality/County: College Township, **Centre County**

Total Earth Disturbance Area: 3.68 acres

Surface Waters Receiving Stormwater Discharges: Spring Creek (HQ-CWF, MF)

Project Description: The project proposes the renovation and expansion of an existing barn into a community center, including asphalt parking areas, asphalt roads, concrete sidewalks, retaining walls, and one infiltration basin.

DEP has made a tentative decision to deny the application for the Individual NPDES Permit. A 30-day public comment period applies to this application and tentative decision. Interested persons may submit written comments to DEP at the previously listed address for DEP's consideration in taking a final action on the permit application. You may also review the permit application file by contacting DEP's File Review Coordinator at RA-EPWW-NCRO@pa.gov.

[Pa.B. Doc. No. 24-1614. Filed for public inspection November 8, 2024, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Availability of Technical Guidance

The Department of Environmental Protection (Department) announces the availability of the technical guidance documents (TGD) listed in this notice. TGDs are available on the Department's eLibrary web site at www.depgreenport.state.pa.us/elibrary/. The "Technical Guidance Final Documents" heading is the link to a menu of the various Department bureaus where each bureau's final TGDs are posted. The "Technical Guidance Draft Documents" heading is the link to the Department's draft TGDs.

Ordering Paper Copies of Department Technical Guidance

The Department encourages the use of the Internet to view and download TGDs. When this option is not available, persons can order a paper copy of any of the

Department's draft or final TGDs by contacting the Department at (717) 783-8727.

In addition, bound copies of some of the Department's documents are available as Department publications. Check with the appropriate bureau for more information about the availability of a particular document as a publication.

Changes to TGDs

Following is the current list of recent changes. Persons who have questions or comments about a particular document should contact the person whose name and phone number are listed with each document.

Final TGDs: Minor Revisions

Minor revisions were made to the TGDs listed in the following table. The reasons for these revisions are to update these TGDs to be consistent with the current laws, regulations and organizational structure of the Department. The document identification numbers were renumbered to be consistent with the Office of Oil and Gas Management's current document numbering system.

Prior Document Identification Number	New Document Identification Number	Name
550-2100-003	800-2100-003	Oil and Gas Well Drilling Permits and Related Approvals
550-2100-005	800-2100-005	Redrilling Incidental to Authorized Plugging of an Abandoned Well
550-2100-006	800-2100-006	Coal Pillars

JESSICA SHIRLEY,
Acting Secretary

[Pa.B. Doc. No. 24-1615. Filed for public inspection November 8, 2024, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Planning Grant Awards under Section 901 of the Municipal Waste Planning, Recycling and Waste Reduction Act, Act 101 of 1988

The Department of Environmental Protection announces the following grant to Perry County under section 901 of the Municipal Waste Planning, Recycling and Waste Reduction Act (Act 101) (53 P.S. § 4000.901) and section 208 of the Small Business and Household Pollution Prevention Program Act (35 P.S. § 6029.208).

Planning grants are awarded to counties for 80% of approved costs for preparing municipal waste management plans, as required by Act 101, for carrying out related studies, surveys, investigations, inquiries, research and analysis, including those related to siting, environmental mediation, education programs on pollution prevention and household hazardous waste and providing technical assistance to small businesses for pollution prevention. Grants may be awarded for feasibility studies and project development for municipal waste processing or disposal facilities, except for facilities for the combustion of municipal waste that are not proposed to be operated for the recovery of energy. Grant awards are predicated on the receipt of recycling fees required by sections 701 and 702 of Act 101 (53 P.S. §§ 4000.701 and 4000.702) and the availability of funds in the Recycling Fund.

Inquiries regarding the grant offering can be directed to Janet Heindel, Department of Environmental Protection, Bureau of Waste Management, Division of Waste Minimization and Planning, Rachel Carson State Office Building, P.O. Box 8472, Harrisburg, PA 17105-8472, at jaheindel@pa.gov or (717) 787-9614.

Act 101, Section 901 Planning Grant

Region	County	Applicant	Project	Grant
Southcentral	Perry	Perry County	Plan Revision	\$75,000

JESSICA SHIRLEY,
Acting Secretary

[Pa.B. Doc. No. 24-1616. Filed for public inspection November 8, 2024, 9:00 a.m.]

DEPARTMENT OF HEALTH

Ambulatory Surgical Facilities; Requests for Exceptions

The following ambulatory surgical facilities (ASF) have filed requests for exceptions under 28 Pa. Code § 51.33 (relating to requests for exceptions) with the Department of Health (Department), which has authority to license ASFs under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b). The following requests for exceptions relate to regulations governing ASF licensure in 28 Pa. Code Chapters 29, 51 and 551—571 (relating to miscellaneous health provisions; general information; and ambulatory surgical facilities).

<i>Facility Name</i>	<i>Regulation and relating to</i>
Allegheny Health Network Monroeville Surgery Center	28 Pa. Code § 555.32(a) (relating to administration of anesthesia)
Allegheny Health Network Surgery Center—Bethel Park, LLC	28 Pa. Code § 555.32(a)
AMS Cardiovascular ASC	28 Pa. Code § 551.3 (relating to definitions)
Capital Orthopedic Surgery Center	28 Pa. Code § 569.35(7) (relating to general safety precautions)
Children’s Dental Surgery of Philadelphia	28 Pa. Code § 555.32(a)
Pine Grove Ambulatory Surgical Center, LLC	28 Pa. Code § 553.31(a) (relating to administrative responsibilities)
UPMC Center for Reproductive Endocrinology and Infertility	28 Pa. Code § 553.4(d) (relating to other functions)
UPMC Children’s Hospital of Pittsburgh North	28 Pa. Code § 553.4(d)
UPMC Community Surgery Center	28 Pa. Code § 553.4(d)
UPMC Digestive Health and Endoscopy Center	28 Pa. Code § 553.4(d)
UPMC Pinnacle Procedure Center	28 Pa. Code § 553.4(d)
UPMC Saint Margaret Harmar Outpatient Center	28 Pa. Code § 553.4(d)
UPMC South Surgery Center	28 Pa. Code § 553.4(d)
UPMC Surgery Center	28 Pa. Code § 553.4(d)
UPMC Surgery Center Lewisburg	28 Pa. Code § 553.4(d)
UPMC West Mifflin Surgery Center	28 Pa. Code § 553.4(d)
Wexford Surgery Center	28 Pa. Code § 555.32(a)

The previously listed requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Human Services Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov. Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed contact information. Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DEBRA L. BOGEN,
Secretary

[Pa.B. Doc. No. 24-1617. Filed for public inspection November 8, 2024, 9:00 a.m.]

DEPARTMENT OF HEALTH

Decisions on Requests for Exceptions to Health Care Facility Regulations

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), effective June 6, 1998, the Department of Health (Department) has published in the *Pennsylvania Bulletin* all requests by entities licensed under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b), for exceptions to regulations contained in 28 Pa. Code, Part IV Subparts B—G.

Section 51.33(d) of 28 Pa. Code provides that the Department will publish notice of all approved exceptions on a periodic basis. The Department has determined that it will publish notice of all exceptions, both approved and denied.

The following list contains the decisions made on exception requests published in the *Pennsylvania Bulletin* from October 1, 2024, through October 31, 2024. Future publications of decisions on exception requests will appear on a monthly basis.

Requests for additional information on the exception request and the Department's decision should be made to the relevant division of the Department. Inquiries regarding hospitals, abortion facilities and ambulatory surgical facilities shall be addressed to Garrison E. Gladfelter, Jr., Director, Division of Acute and Ambulatory Care, Room 532, Health and Human Services Building, Harrisburg, PA 17120, (717) 783-8980. Inquiries regarding long-term care facilities shall be addressed to Susan Williamson, Director, Division of Nursing Care Facilities, Room 528, Health and Human Services Building, Harrisburg, PA 17120, (717) 787-1816. Inquiries regarding home care agencies, home care registries and home health care agencies shall be addressed to Linda Chamberlain, Director, Division of Home Health, Forum Place, Suite 701, 555 Walnut Street, Harrisburg, PA 17101, (717) 783-1379.

Nursing Care Facilities

<i>Facility Name</i>	<i>Regulation and relating to</i>	<i>Dec. Date</i>	<i>Decision</i>
Oxford Rehabilitation and Healthcare Center	28 Pa. Code § 205.6(a) (relating to function of building)	10/07/2024	Granted
Saunders Nursing and Rehabilitation Center	28 Pa. Code § 211.12(f.1)(3) and (i)(2) (relating to nursing services)	10/15/2024	Denied
WillowBrooke Court at Spring House Estates	28 Pa. Code § 204.1 (relating to application of <i>Guidelines for Design and Construction of Residential Health, Care and Support Facilities</i>)	10/15/2024	Granted
	28 Pa. Code § 204.8 (relating to utility room)	10/15/2024	Granted

Home Health Agencies

<i>Facility Name</i>	<i>Regulation and relating to</i>	<i>Dec. Date</i>	<i>Decision</i>
Maxim Healthcare Services, Inc. (Exton Location)	28 Pa. Code § 601.6 (relating to definitions), specifically the definitions of "home health care agency" and "part-time intermittent services."	10/28/2024	Approved
	28 Pa. Code § 601.21(b) (relating to organization, services and administration)	10/28/2024	Approved
	28 Pa. Code § 601.35(c) (relating to home health aide services)	10/28/2024	Approved
Maxim Healthcare Services, Inc. (Reading Location)	28 Pa. Code § 601.6	10/28/2024	Approved
	28 Pa. Code § 601.21(b)	10/28/2024	Approved
	28 Pa. Code § 601.35(c)	10/28/2024	Approved
VNA Alliance	28 Pa. Code § 601.22 (relating to agency evaluation and review)	10/28/2024	Approved

Persons with a disability who require an alternative format of this notice (for example, large print, audiotope, Braille) should contact the Division of Acute and Ambulatory Care, the Division of Nursing Care Facilities, or the Division of Home Health at the previously referenced address or telephone number, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DEBRA L. BOGEN,
Secretary

[Pa.B. Doc. No. 24-1618. Filed for public inspection November 8, 2024, 9:00 a.m.]

DEPARTMENT OF HEALTH

Hospitals; Requests for Exceptions

The following hospitals have filed requests for exceptions under 28 Pa. Code § 51.33 (relating to requests for exceptions) with the Department of Health (Department), which has authority to license hospitals under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b). The following requests for exceptions relate to regulations governing hospital licensure in 28 Pa. Code Chapters 51 and 101—158 (relating to general information; and general and special hospitals)

<i>Facility Name</i>	<i>Regulation and relating to</i>
UPMC Bedford	28 Pa. Code § 107.5(a) (relating to membership appointment and reappointment)
UPMC Carlisle	28 Pa. Code § 107.5(a)
UPMC Children's Hospital of Pittsburgh	28 Pa. Code § 107.5(a)
UPMC Cole	28 Pa. Code § 107.5(a)
UPMC East	28 Pa. Code § 107.5(a)
UPMC Hamot	28 Pa. Code § 107.5(a)
UPMC Hanover	28 Pa. Code § 107.5(a)
UPMC Magee-Women's Hospital	28 Pa. Code § 107.5(a)
UPMC McKeesport	28 Pa. Code § 107.5(a)
UPMC Mercy	28 Pa. Code § 107.5(a)
UPMC Muncy	28 Pa. Code § 107.5(a)
UPMC Northwest	28 Pa. Code § 107.5(a)
UPMC Passavant	28 Pa. Code § 107.5(a)
UPMC Pinnacle Hospitals	28 Pa. Code § 107.5(a)
UPMC Presbyterian Shadyside	28 Pa. Code § 107.5(a)
UPMC Saint Margaret	28 Pa. Code § 107.5(a)
UPMC Wellsboro	28 Pa. Code § 107.5(a)
UPMC Williamsport	28 Pa. Code § 107.5(a)

The following hospitals have filed requests for exceptions under 28 Pa. Code § 153.1 (relating to minimum standards). Requests for exceptions under this section relate to minimum standards that hospitals must comply with under the *Guidelines for Design and Construction of Hospitals—2018 Edition*, *Guidelines for Design and Construction of Outpatient Facilities—2018 Edition* or the *Guidelines for Design and Construction of Hospitals—2022 Edition*, *Guidelines for Design and Construction of Outpatient Facilities—2022 Edition*. The following list includes the citation to the section under the *Guidelines* that the hospital is seeking an exception.

<i>Facility Name</i>	<i>FGI Guidelines Section and relating to</i>	<i>Yr^{1,2}</i>
Allegheny General Hospital	2.1-2.2.9.3 medical gas and vacuum systems	22
Geisinger Medical Center	2.1-8.5.2.3(3)(a)(ii) telecommunications room (TR)	22
	2.2-3.4.2.2(1)(b) space requirements	22-O
Jefferson Health—Northeast	2.1-7.2.2.2(1) ceiling height	18
	2.2-3.5.2.5(1)(c) system component room	22
Robert Packer Hospital	2.1-3.5.8.15(3) pre- and post-procedure patient care area	22-O
UPMC Pinnacle Hospitals	2.2-2.13.1.4 shared facilities	22
UPMC Presbyterian Shadyside	2.1-2.10.1.1(1) and (2) size	22

¹ 2018 Year FGI Regulations for Outpatient Facilities are indicated by “-O.”

² 2022 Year FGI Regulations for Outpatient Facilities are indicated by “-O.”

The previously listed requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Human Services Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov. Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed contact information. Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or for speech and/or hearing impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DEBRA L. BOGEN,
Secretary

[Pa.B. Doc. No. 24-1619. Filed for public inspection November 8, 2024, 9:00 a.m.]

DEPARTMENT OF HEALTH

Medical Marijuana Advisory Board's Recommendations to Change the Medical Professionals Who Can Certify Patients for Medical Marijuana to Include Certified Registered Nurse Practitioners and the Secretary of Health's Decision Not to Effectuate the Recommendation

Under section 1202 of the Medical Marijuana Act (act) (35 P.S. § 10231.1202), the Secretary of Health (Secretary) has discretion regarding whether to effectuate recommendations of the Medical Marijuana Advisory Board (Board) within 12 months of receipt of a report adopted at a public meeting under section 1201(j)(6) of the act (35 P.S. § 10231.1201(j)(6)) by transmitting a notice to the Legislative Reference Bureau for publication in the *Pennsylvania Bulletin*.

The following reflects the Board's recommendation made under section 1201(j)(5)(i) to change the type of medical professionals who can issue certifications for medical marijuana.

Board Recommendation: During a public meeting held on January 24, 2024, the Board, through adoption of a written report, recommended that Certified Registered Nurse Practitioners (CRNP) be eligible to apply for inclusion in the registry of practitioners who can certify patients for medical marijuana for all serious medical conditions allowed by the Commonwealth within the scope of the Nursing Practice Act (Report).

Secretary's Rationale: The act does not define the term "medical professional" for purposes of expanding eligibility to certify medical marijuana for patients with serious medical conditions. The Secretary is guided by the narrow definition assigned to "practitioner" in section 103 of the act (35 P.S. § 10231.103), as well as the legislative intent conveyed in the act's declaration of policy, which provides for a balance between patient access and careful regulation of the program under section 102 of the act (35 P.S. § 10231.102). The act specifically limits practitioners to physicians under section 103. Without legislative changes to allow for expansion of that definition, as well as modifications to the act providing for the approval, discipline and oversight of new categories of certifying practitioners, the Secretary is constrained from effectuating the Board's recommendation to include CRNPs as eligible to register to issue certifications for medical marijuana to patients with serious medical conditions.

Although the Secretary has declined to effectuate on other grounds, the Secretary has reviewed and considered the findings and recommendations contained in the Board's Report. The Secretary does not disagree with the reasoning underlying the Board's recommendation to include CRNPs as eligible to issue certifications for medical marijuana to patients with serious medical conditions. As reflected in the Report, in addition to extensive educational requirements, CRNPs diagnose, treat and have prescriptive authority for the serious medical conditions in the act, subject to their scope of practice and collaborative agreements. Based upon the similarity of their practice to that of physicians who are eligible to certify under the act, the Secretary contemplates that CRNPs could be eligible to certify medical marijuana for patients pending any required legal or regulatory changes to their scope of practice. This is not conclusive to the Secretary's decision.

The Secretary also recognizes the importance of ensuring patient accessibility to medical marijuana where there

is an identifiable gap or unmet need. This Report, while stating that "it is important to increase patient access in the state," does not indicate that there is a lack of patient access to medical marijuana for treatment of serious medical conditions such that expanding eligibility to certify to CRNPs would be necessary to meet patient needs. Based upon the foregoing considerations, the Secretary would decline to include CRNPs as eligible to register to issue certifications for medical marijuana to patients with serious medical conditions at the current time.

The Secretary recognizes that there may be changes to the law or other considerations that may warrant reconsideration of this issue in the future under the provisions of sections 1201(j)(5) and 1202. Should a new report be submitted, the Secretary reminds the Board that any materials relied upon in support of its recommendations, including but not limited to journals, news articles, webpages, written comments or similar sources, must be presented to the full Board for review and consideration as part of the written report (for example, by means of citation, link or document copy). Submission of a new or amended report does not guarantee future approval of a recommendation.

For additional information, including an alternative format of this notice (for example, large print, audiotape, Braille), contact the Bureau of Medical Marijuana, 625 Forster Street, Room 628, Health and Human Services Building, Harrisburg, PA 17120, (717) 547-3047, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DEBRA L. BOGEN,
Secretary

[Pa.B. Doc. No. 24-1620. Filed for public inspection November 8, 2024, 9:00 a.m.]

DEPARTMENT OF HEALTH

Medical Marijuana Advisory Board's Recommendations to Change the Medical Professionals Who Can Certify Patients for Medical Marijuana to Include Doctors of Podiatric Medicine and the Secretary of Health's Decision Not to Effectuate the Recommendation

Under section 1202 of the Medical Marijuana Act (act) (35 P.S. § 10231.1202), the Secretary of Health (Secretary) has discretion regarding whether to effectuate recommendations of the Medical Marijuana Advisory Board (Board) within 12 months of receipt of a report adopted at a public meeting under section 1201(j)(6) of the act (35 P.S. § 10231.1201(j)(6)) by transmitting a notice to the Legislative Reference Bureau for publication in the *Pennsylvania Bulletin*.

The following reflects the Board's recommendation made under section 1201(j)(5)(i) to change the type of medical professionals who can issue certifications for medical marijuana, and the Secretary's rationale for declining to effectuate the recommendation.

Board Recommendation: During a public meeting held on November 15, 2023, the Board through adoption of a written report, recommended that Doctors of Podiatric Medicine be eligible to apply for inclusion in the registry of practitioners who can certify patients for medical

marijuana using a specific serious medical condition of severe, chronic or intractable pain of neuropathic origin or severe, chronic or intractable pain as designated within the scope of the Podiatric Practice Act (Report).

Secretary's Rationale: The act does not define the term "medical professional" for purposes of expanding eligibility to certify medical marijuana for patients with serious medical conditions. The Secretary is guided by the narrow definition of "practitioner" in section 103 of the act (35 P.S. § 10231.103), as well as the legislative intent conveyed in the act's declaration of policy, which provides for a balance between patient access and careful regulation of the program under section 102 of the act (35 P.S. § 10231.102). The act specifically limits practitioners to physicians under section 103. Without legislative changes to allow for expansion of that definition, as well as modifications to the act providing for the approval, discipline and oversight of new categories of certifying practitioners, the Secretary is constrained from effectuating the Board's recommendation to include Doctors of Podiatric Medicine as eligible to register to issue certifications for medical marijuana to patients with serious medical conditions. The recommendation would only allow for Doctors of Podiatric Medicine to certify for one specific serious medical condition. This limitation does not appear to be consistent with the act, which does not reflect such a restriction for practitioners. See section 403(a) of the act (35 P.S. § 10231.403(a)). Accordingly, the Secretary has also factored this inconsistency into her decision not to effectuate the Board's recommendation.

Although the Secretary has declined to effectuate on other grounds, the Secretary has reviewed and considered the findings and recommendations contained in the Board's Report. Unlike physicians who can treat all serious medical conditions specified under the act, the scope of practice for Doctors of Podiatric Medicine is significantly more limited. The recommendation would allow for certification of only one serious medical condition—severe, chronic or intractable pain of neuropathic origin or other similar conditions. This limitation is significant to the Secretary but on its own would not be conclusive to the Secretary's decision. The Secretary also recognizes the importance of ensuring patient accessibility to medical marijuana where there is an identifiable gap or unmet need. This Report does not indicate that there is a lack of patient access to medical marijuana for treatment of the specific serious medical condition identified such that expanding eligibility to certify to Doctors of Podiatric Medicine would be necessary to meet patient needs. Based upon the foregoing considerations, the Secretary would decline to include Doctors of Podiatric Medicine as eligible to register to issue certifications for medical marijuana to patients with serious medical conditions at the current time.

The Secretary recognizes that there may be changes to the law or other considerations that may warrant reconsideration of this issue in the future under the provisions of sections 1201(j)(5) and 1202. Should a new report be submitted, the Secretary reminds the Board that any materials relied upon in support of its recommendations, including but not limited to journals, news articles, webpages, written comments or similar sources, must be presented to the full Board for review and consideration as part of the written report (for example, by means of citation, link or document copy). Submission of a new or amended report does not guarantee future approval of a recommendation.

For additional information, including an alternative format of this notice (for example, large print, audiotope,

Braille) contact the Bureau of Medical Marijuana, 625 Forster Street, Room 628, Health and Human Services Building, Harrisburg, PA 17120, (717) 547-3047, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DEBRA L. BOGEN,
Secretary

[Pa.B. Doc. No. 24-1621. Filed for public inspection November 8, 2024, 9:00 a.m.]

DEPARTMENT OF HEALTH

Newborn Screening and Follow-Up Technical Advisory Board Meeting

The Newborn Screening and Follow-Up Technical Advisory Board (Board), established under the Newborn Child Testing Act (35 P.S. §§ 621—625), will hold a public meeting on Thursday, November 21, 2024, from 10 a.m. until 1 p.m. The meeting will be conducted both in person and as a virtual conference.

The location for in-person attendance is the Health and Human Services Building, WIC Office Conference Room, 625 Forster Street, 7th Floor West, Harrisburg, PA. Individuals must RSVP no later than Friday, November 15, 2024, if they plan to attend in person.

The public meeting will be conducted by teleconference by means of Microsoft Teams at <https://bit.ly/4eXOAGZ>.

Individuals may participate by calling (267) 332-8737 and entering conference access ID 517921660#.

The agenda will include: discussions about the Board member terms; updates from the Bureau of Family Health (Bureau); and updates from the Lysosomal Storage Disorders/X-ALD, Cystic Fibrosis, Hemoglobinopathy and Critical Congenital Heart Defects subcommittees. The Bureau will provide data for each subcommittee update as needed.

For additional information or for persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other accommodation to do so, contact Patricia Edge, Nursing Services Consultant, Division of Newborn Screening and Genetics, at (717) 783-8143, or for speech and/or hearing impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

This meeting is subject to cancellation without notice.

DR. DEBRA L. BOGEN,
Secretary

[Pa.B. Doc. No. 24-1622. Filed for public inspection November 8, 2024, 9:00 a.m.]

DEPARTMENT OF HEALTH

Special Supplemental Nutrition Program for Women, Infants and Children (WIC Program); WIC State Advisory Board—Notice of November 12, 2024, Regular Meeting

The WIC State Advisory Board (Board), established under the WIC State Advisory Board Act (act of June 10,

2024, P.L. 387, No. 22) (act), gives notice that the next regular meeting of the Board will be held on November 12, 2024, from 1 p.m. to 2 p.m. The purpose of this meeting is to collaborate to gather suggestions of strategies for increasing participation and improving the WIC program to better support participants.

This meeting is subject to cancellation without notice.

In-Person and Virtual Meeting Attendance:

Board meetings will be held in person and virtually.

In-person meetings will be held in the Willow Oak Conference Room 114A, COPA HUB Building, 2525 North 7th Street, Harrisburg, PA 17110, unless otherwise noted. Individuals should RSVP to Tracey Zeigler Michelsen by close of business at 4 p.m., 1 business day prior to the meeting at tzeiglermi@pa.gov, (717) 836-3574. Upon arrival at the meeting, public attendees should sign in at the front desk in the lobby of the building and await an escort to the meeting room.

Virtual meetings will be held through Microsoft Teams or by telephonic call in. Connection information for the November 12, 2024, regular meeting is as follows:

Individuals can join at <https://bit.ly/4d60VrH>. The meeting ID is 247 685 052 368. The passcode is N4wX3p.

Note: The previously listed link to access the meeting does not include a period; the link ends at 4d60VrH with no period. If copying/pasting the link, do not copy any period at the end if there is one.

Individuals can join by calling (267) 332-8737. The phone conference ID is 125 479 687#. To find a local number, go to <https://dialin.teams.microsoft.com/783683fb-6d69-4e8b-aa52-814e500ad7b8?id=67183553>. To reset the PIN number, go to <https://dialin.teams.microsoft.com/usp/pstnconferencing>.

Meeting Recording:

The meeting will be recorded, so if individuals choose to attend, they are consenting to being recorded. Individuals should not attend the meeting if they do not wish to be recorded.

Meeting Agenda:

The Department of Health (Department) will post the meeting agenda on the Pennsylvania Special Supplemental Nutrition Program for Women, Infants and Children (PA WIC) web site at <https://wic.health.pa.gov/pawic/> and distribute by e-mail no later than 24 hours before the meeting. Individuals interested in receiving a copy of the agenda may send an e-mail to ra-dhwicadvisory@pa.gov requesting to be added to the distribution list.

Meeting Minutes:

The Department will post meeting minutes on the PA WIC web site at <https://wic.health.pa.gov/pawic/> and distribute by e-mail once the Board votes on and adopts the proposed final meeting minutes at the next Board meeting. Individuals interested in receiving a copy of the meeting minutes may send an e-mail to ra-dhwicadvisory@pa.gov requesting to be added to the distribution list.

Questions:

Questions about the Board may be submitted by e-mail to the Department at ra-dhwicadvisory@pa.gov.

Alternative Format Requests:

Persons with a disability who require an alternative format of this listing (for example, large print, audiotope,

Braille) should contact the Department of Health, Bureau of WIC, 625 Forster Street, 7th Floor West, Health and Human Services Building, Harrisburg, PA 17120, (717) 783-1289, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The PA WIC program is funded by the United States Department of Agriculture (USDA). The USDA is an equal opportunity provider.

USDA Nondiscrimination Statement:

In accordance with Federal civil rights law and the USDA civil rights regulations and policies, this institution is prohibited from discriminating on the basis of race, color, national origin, sex (including gender identity and sexual orientation), disability, age, or reprisal or retaliation for prior civil rights activity.

Program information may be made available in languages other than English. Persons with disabilities who require alternative means of communication to obtain program information (for example, Braille, large print, audiotape, American Sign Language), should contact the responsible State or local agency that administers the program or the USDA's TARGET Center at (202) 720-2600 (voice and TTY) or contact the USDA through the Federal Relay Service at (800) 877-8339.

To file a program discrimination complaint, a complainant should complete a Form AD-3027, USDA Program Discrimination Complaint Form which can be obtained online at <https://bit.ly/3TRbubk>, from any USDA office, by calling (866) 632-9992 or by writing a letter addressed to the USDA. The letter must contain the complainant's name, address, telephone number and a written description of the alleged discriminatory action in sufficient detail to inform the Assistant Secretary for Civil Rights about the nature and date of an alleged civil rights violation. The completed AD-3027 form or letter must be submitted to the United States Department of Agriculture, Office of the Assistant Secretary for Civil Rights, 1400 Independence Avenue, SW, Washington, DC 20250-9410, fax (833) 256-1665 or (202) 690-7442, Program.Intake@usda.gov.

This institution is an equal opportunity provider.

DR. DEBRA L. BOGEN,
Secretary

[Pa.B. Doc. No. 24-1623. Filed for public inspection November 8, 2024, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Change to Supplemental Payments to Qualifying Hospitals

The Department of Human Services (Department) is providing final public notice that it will not allocate funding for supplemental payments for certain acute care general hospitals that provide a high volume of services to Medical Assistance eligible and low-income populations in nonrural medically underserved areas for Fiscal Year 2023-2024.

The Department published notice of its intent not to allocate funding for these payments at 54 Pa.B. 3585 (June 22, 2024). The Department received no comments

during the 30-day comment period and will implement the change set forth in the notice of intent.

Fiscal Impact

The Department will not allocate the \$5.449 million in total funds (Federal and State) for the supplemental payments previously identified.

VALERIE A. ARKOOSH,
Secretary

Fiscal Note: 14-NOT-1661. No fiscal impact; recommends adoption.

[Pa.B. Doc. No. 24-1624. Filed for public inspection November 8, 2024, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania Millionaire Raffle XXXIV Raffle Lottery Game

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 874.4 (relating to notice of raffle lottery game rules), the Secretary of Revenue hereby provides public notice of the rules for the following raffle lottery game:

1. *Name:* The name of the raffle lottery game is Pennsylvania Millionaire Raffle XXXIV.

2. *Price:* The price of one Pennsylvania Millionaire Raffle XXXIV lottery game ticket is \$20.

3. *Ticket sales and drawing date:* Pennsylvania Millionaire Raffle XXXIV lottery game ticket sales will commence on or after November 12, 2024 and will continue until all 500,000 tickets have been sold, or 8:00 p.m. on January 4, 2025, whichever occurs earlier.

4. *Ticket characteristics:* Each Pennsylvania Millionaire Raffle XXXIV lottery game ticket will contain one unique computer-generated eight-digit number between 00000001 and 00500000, the drawing date, amount wagered and validation data.

5. *Prizes:* The prizes that can be won in this raffle lottery game are \$100, \$1,000, \$100,000 and \$1,000,000. The prize that can be won in each of the four 4s Galore Drawings is \$50,000.

6. *Maximum number of tickets printed and sold for the game:* There will be no more than 500,000 tickets printed and sold for the Pennsylvania Millionaire Raffle XXXIV lottery game. The chances will be sequentially issued on a statewide basis from the range of individual unique numbers representing the chances available for the game.

7. *4s Galore Drawings:*

(a) *Conduct of the 4s Galore Drawings:* The Lottery will conduct four 4s Galore Drawings, each of which will award four prizes of \$50,000, for a total of 16 prizes.

(1) Each ticket purchased during the entry period for each 4s Galore Drawing will be automatically entered into that 4s Galore Drawing, as described in section 7(b) (relating to 4s Galore Drawing entry periods), as well as the Pennsylvania Millionaire Raffle XXXIV Drawing on January 4, 2025, as described in section 8 (relating to conduct of Millionaire Raffle Drawing).

(2) A computer-generated randomizer will be used to conduct each 4s Galore Drawing. Four unique eight-digit numbers will be drawn from the range of numbers representing the tickets sold during each 4s Galore

Drawing entry period. Each of the four unique eight-digit numbers drawn will be a winning number.

(3) The four winning ticket numbers for each 4s Galore Drawing will be posted to the Pennsylvania Lottery's publicly accessible web site at <https://www.palottery.com>.

(b) *4s Galore Drawing entry periods:*

(1) All tickets sold between November 12, 2024, at 4:59:59 a.m. and November 18, 2024 at 11:59:59 p.m. will be entered into 4s Galore Drawing 1, held between November 19, 2024 and November 25, 2024, with winners announced by November 25, 2024.

(2) All tickets sold between November 19, 2024 at 12:00:00 a.m. and December 2, 2024 at 11:59:59 p.m. will be entered into 4s Galore Drawing 2, held between December 3, 2024 and December 9, 2024, with winners announced by December 9, 2024.

(3) All tickets sold between December 3, 2024 at 12:00:00 a.m. and December 16, 2024 at 11:59:59 p.m. will be entered into 4s Galore Drawing 3, held between December 17, 2024 and December 23, 2024, with winners announced by December 23, 2024.

(4) All tickets sold between December 17, 2024 at 12:00:00 a.m. and December 30, 2024 at 11:59:59 p.m. will be entered into 4s Galore Drawing 4, held between December 31, 2024 and January 4, 2025, with winners announced by January 4, 2025.

(5) All tickets sold after December 30, 2024 at 11:59:59 p.m. will only be eligible for the Pennsylvania Millionaire Raffle XXXIV drawing.

(c) *Determination of 4s Galore Drawing prize winners:*

(1) The first through the fourth unique eight-digit numbers drawn from among the tickets automatically entered into each of the 4s Galore Drawings will be winning numbers and the holders of the tickets that match any of those winning numbers shall each be entitled to a prize of \$50,000.

(2) The tickets bearing the winning numbers from each 4s Galore Drawing shall be ineligible to win a prize in any subsequent 4s Galore Drawing, but shall be entered into the Pennsylvania Millionaire Raffle XXXIV Drawing, as described in section 8 (relating to conduct of Pennsylvania Millionaire Raffle XXXIV Drawing) and shall be eligible to win a prize described in section 9 (relating to determination of Pennsylvania Millionaire Raffle XXXIV Drawing prize winners).

(d) *Conduct of 4s Galore Drawings in the event that all tickets are sold:*

(1) If all lottery raffle game tickets are sold during any of the 4s Galore Drawing entry periods described in section 7(b) (relating to 4s Galore Drawing entry periods), the Lottery will conduct the 4s Galore Drawing for that entry period from among all tickets sold during that entry period. For all subsequent 4s Galore Drawings, all non-winning tickets from the prior 4s Galore Drawing(s) will be eligible to be entered into any remaining 4s Galore Drawings, subject to section 7(d)(2).

(2) A winning ticket selected in any 4s Galore Drawing conducted under subsection 7(d) (relating to conduct of 4s Galore Drawings in the event that all tickets are sold) will be ineligible to win in any subsequent 4s Galore Drawings conducted under this subsection.

(e) The odds of an entry being selected in each 4s Galore Drawing depends upon the number of tickets eligible to be drawn during the entry period for each 4s Galore Drawing.

(f) The entry periods for the 4s Galore Drawings will be posted to the Pennsylvania Lottery's publicly accessible web site at <https://www.palottery.com>.

8. *Conduct of Pennsylvania Millionaire Raffle XXXIV Drawing:* The results of the Pennsylvania Millionaire Raffle XXXIV lottery game will be posted to the Lottery's publicly accessible web site at <https://www.palottery.com> on January 4, 2025, after 10:00 p.m. A computer-generated randomizer will be used to conduct the drawing. Six thousand (6,000) unique eight-digit numbers will be drawn from the range of numbers representing the chances sold. The first four unique eight-digit numbers drawn will be the first-prize-tier winning numbers. The fifth through eighth unique eight-digit numbers drawn will be the second-prize-tier winning numbers. The ninth through 108th unique eight-digit numbers drawn will be the third-prize-tier winning numbers. The 109th through 6,000th unique eight-digit numbers drawn will be the fourth-prize-tier winning numbers. A player may only win one time on each ticket or chance for the Pennsylvania Millionaire Raffle XXXIV Drawing.

9. *Determination of Pennsylvania Millionaire Raffle XXXIV Drawing prize winners:*

(a) Holders of tickets upon which the unique eight-digit number exactly matches one of the first-prize-tier numbers selected by the Lottery shall be entitled to a prize of \$1,000,000.

(b) Holders of tickets upon which the unique eight-digit number exactly matches one of the second-prize-tier numbers selected by the Lottery shall be entitled to a prize of \$100,000.

(c) Holders of tickets upon which the unique eight-digit number exactly matches one of the third-prize-tier numbers selected by the Lottery shall be entitled to a prize of \$1,000.

(d) Holders of tickets upon which the unique eight-digit number exactly matches one of the fourth-prize-tier numbers selected by the Lottery shall be entitled to a prize of \$100.

10. *Number and Description of Prizes and Approximate Odds:* The Pennsylvania Millionaire Raffle XXXIV lottery game prizes and determination of winners are as follows:

<i>Ticket Matching Exactly the Unique Eight-digit Number Drawn:</i>	<i>Win Prize Of:</i>	<i>Maximum Odds Of Winning Are 1 In:</i>	<i>Number Of Winners:</i>
First-Prize-Tier	\$1,000,000	125,000	4
Second-Prize-Tier	\$100,000	125,000	4
Third-Prize-Tier	\$1,000	5,000	100
Fourth-Prize-Tier	\$100	84.86	5,892
4s Galore Drawings	\$50,000	31,250	16

The odds of winning are based on selling all 500,000 tickets. If all 500,000 tickets are not sold, the odds of winning will depend on the total number of tickets sold. All Pennsylvania Millionaire Raffle XXXIV lottery game prize payments, including first-prize-tier prizes, will be made as one-time, lump-sum cash payments. All required income tax withholding will be automatically deducted from the lump-sum cash payment for all first-prize-tier and second-prize-tier prizes.

11. *Consumer Promotional Programs:* The Lottery may conduct promotional activities to promote the sale of Pennsylvania Millionaire Raffle XXXIV lottery game tickets, including offering tickets at a discounted price. Details of any such offering will be disseminated through media used to advertise or promote the Pennsylvania Millionaire Raffle XXXIV lottery game or through normal communications methods.

12. *Retailer Bonus:* The Lottery in its sole discretion may offer a retailer bonus in connection with the sale of Pennsylvania Millionaire Raffle XXXIV lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. A Lottery retailer is entitled only to the largest bonus for which they qualify

for on a winning ticket. A bonus will be initiated for payment after the winning ticket is claimed and validated or approximately 30 days after the date of the drawing in which the winning ticket was entered, provided that Lottery security can and has verified the sales transaction as valid. A bonus will not be awarded to a Lottery retailer that sells a Pennsylvania Lottery Millionaire Raffle XXXIV ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize in that second-chance drawing or promotion.

13. *Promotional Drawings:* The Pennsylvania Lottery may conduct promotional drawings associated with the Pennsylvania Millionaire Raffle XXXIV lottery game. If the Lottery does conduct such a promotional drawing, Pennsylvania Millionaire Raffle XXXIV lottery game tickets will be imprinted with a unique code to be used by players to enter the promotional drawings. The promotional drawings may be held independently of or in conjunction with the regular Pennsylvania Millionaire Raffle XXXIV drawings. The Secretary will announce the existence of the promotional drawings. Winners of promotional drawings will be randomly selected from the group of qualified entries. A description of the available prize(s) and the specific rules and other information necessary for the conduct of the promotional drawings will be posted to the Lottery's publicly accessible web site at <https://www.palottery.com>. A copy of the same will also be kept on file with the Lottery and will be available upon request.

14. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers

who sell Pennsylvania Millionaire Raffle XXXIV lottery game tickets. The conduct of the Program will be governed by 61 Pa. Code § 811.41 (relating to promotional prizes).

15. *Unclaimed Prize Money*: Unclaimed prize money on winning Pennsylvania Millionaire Raffle XXXIV lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto for 1 year from the announced close of the Pennsylvania Millionaire Raffle XXXIV lottery game. If no claim is made within 1 year of the announced close of the Pennsylvania Millionaire Raffle XXXIV lottery game conducted by the State Lottery, the right of a ticket holder to claim the prize represented by that ticket, if any, expires and the prize money will be paid into the State Lottery Fund and used for purposes otherwise provided for by statute.

16. *Governing Law*: In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

PATRICK BROWNE,
Secretary

[Pa.B. Doc. No. 24-1625. Filed for public inspection November 8, 2024, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Actions Taken by the Commission

The Independent Regulatory Review Commission met publicly at 10 a.m., Thursday, October 24, 2024, and announced the following:

Actions Taken—Regulations Approved:

State Board of Nursing # 16A-5143: Licensure by Endorsement and Reactivation (amends 49 Pa. Code Sections 21.30a and 21.156a, and adds Sections 21.1101—21.1104)

Pennsylvania Gaming Control Board # 125-247: Table Game Equipment; Blackjack; DJ Wild Stud Poker; Interactive Gaming Player Accounts; and Interactive Gaming Progressives (amends 58 Pa. Code Chapters 603a, 633a, 687a, 812a, and 819a)

Insurance Department # 11-262: Insurance Producers (amends 31 Pa. Code by reserving Chapter 37 and replacing it with Chapter 37a)

Approval Order

Public Meeting Held
October 24, 2024

Commissioners Voting: George D. Bedwick, Chairperson; John F. Mizner, Esq., Vice Chairperson; John J. Soroko, Esq.; Murray Ufberg, Esq.; Dennis A. Watson, Esq.

*State Board of Nursing—
Licensure by Endorsement and Reactivation
Regulation No. 16A-5143 (# 3362)*

On November 28, 2022, the Independent Regulatory Review Commission (Commission) received this proposed

regulation from the State Board of Nursing (Board). This rulemaking amends 49 Pa. Code Sections 21.30a and 21.156a, and adds Sections 21.1101—21.1104. The proposed regulation was published in the December 10, 2022, *Pennsylvania Bulletin* with a public comment period ending on January 9, 2023. The final-form regulation was submitted to the Commission on August 26, 2024.

This regulation implements Act 41 of 2019 (Act 41) (63 Pa.C.S.A. § 3111) which requires licensing boards and commissions to issue a license, certificate, registration, or permit to an applicant who pays fees established by the board or commission by regulation, provided the applicant meets certain criteria for eligibility. Act 41 also requires boards and commissions that issue provisional licenses, certificates, registrations, or permits to set the expiration of the provisional endorsement license by regulation.

We have determined this regulation is consistent with the statutory authority of the Board (63 Pa.C.S. § 3111, 63 P.S. § 212.1(k), and 63 P.S. § 667.6) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

Approval Order

Public Meeting Held
October 24, 2024

Commissioners Voting: George D. Bedwick, Chairperson; John F. Mizner, Esq., Vice Chairperson; John J. Soroko, Esq.; Murray Ufberg, Esq., recusing; Dennis A. Watson, Esq.

*Pennsylvania Gaming Control Board—
Table Game Equipment; Blackjack; DJ Wild Stud Poker;
Interactive Gaming Player Accounts; and Interactive
Gaming Progressives
Regulation No. 125-247 (# 3397)*

On March 20, 2024, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Pennsylvania Gaming Control Board (Board). This rulemaking amends 58 Pa. Code Chapters 603a, 633a, 687a, 812a, and 819a. The proposed regulation was published in the April 20, 2024 *Pennsylvania Bulletin* with a public comment period ending on May 20, 2024. The final-form regulation was submitted to the Commission on September 12, 2024.

This regulation provides standards for the issuance and use of Direct Bet Coupons and for interactive gaming progressive wagers. The regulation also amends certain provisions in table games rules and interactive gaming player account controls.

We have determined this regulation is consistent with the statutory authority of the Board (4 Pa.C.S. §§ 1202(b)(30); 13A02 (1)-(2); and 13B02(a)(3), (6)-(7), and (9)) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

Approval Order

Public Meeting Held
October 24, 2024

Commissioners Voting: George D. Bedwick, Chairperson; John F. Mizner, Esq., Vice Chairperson; John J. Soroko, Esq.; Murray Ufberg, Esq.; Dennis A. Watson, Esq.

*Insurance Department—
Insurance Producers
Regulation No. 11-262 (# 3398)*

On April 29, 2024, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Insurance Department (Department). This rulemaking amends 31 Pa. Code by reserving Chapter 37 and replacing it with Chapter 37a. The proposed regulation was published in the May 11, 2024 *Pennsylvania Bulletin* with a public comment period ending on June 10, 2024. The final-form regulation was submitted to the Commission on September 23, 2024.

This regulation rescinds and reserves 31 Pa. Code Chapter 37 and adopts in its place new Chapter 37a to formally implement the act of December 6, 2002 (P.L. 1183, No. 147) (Act 147). The purpose of this rulemaking is to provide additional clarification and modernization, where necessary, regarding the implementation of Act 147.

We have determined this regulation is consistent with the statutory authority of the Department (71 P.S. §§ 66, 186, 411 and 412) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

GEORGE D. BEDWICK,
Chairperson

[Pa.B. Doc. No. 24-1626. Filed for public inspection November 8, 2024, 9:00 a.m.]

INSURANCE DEPARTMENT

Appeal of Chi Vuong under the Quality Health Care Accountability and Protection Article; Magellan Behavioral Health; Doc. No. HC24-10-032

Under Article XXI of The Insurance Company Law of 1921, referred to as the Quality Health Care Accountability and Protection Article (40 P.S. §§ 991.2101—991.2194), notice is hereby given that the appellant in this action has requested a hearing, in connection with the appellant's managed health care plan. The proceedings in this matter will be governed by 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law), §§ 561—588 (relating to administrative proceeding interpreters for persons with limited English proficiency; and administrative proceeding interpreters for persons who are deaf), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure).

A prehearing telephone conference initiated by this office is scheduled for December 3, 2024, at 1 p.m. Each

party shall provide a telephone number to be used for the telephone conference to the Hearings Administrator on or before December 2, 2024. A date for a hearing shall be determined, if necessary, at the prehearing/settlement conference.

Protests, petitions to intervene or notices of intervention, if any, must be electronically filed on or before November 19, 2024, with the Administrative Hearings Office. The e-mail address to be used for the Administrative Hearings Office is ra-hearings@pa.gov. Answers to protests, petitions to intervene or notices of intervention, if any, must be electronically filed on or before December 2, 2024.

Persons with a disability who wish to attend the previously referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing, contact Nicole Sites Heaton, (717) 787-5790, nsitesheat@pa.gov.

MICHAEL HUMPHREYS,
Insurance Commissioner

[Pa.B. Doc. No. 24-1627. Filed for public inspection November 8, 2024, 9:00 a.m.]

INSURANCE DEPARTMENT

Megan Armillay; Order to Show Cause; Doc. No. SC24-10-004

The proceedings in this matter will be governed by 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law), §§ 561—588 (relating to administrative proceeding interpreters for persons with limited English proficiency; and administrative proceeding interpreters for persons who are deaf), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure) except as modified by order.

A prehearing telephone conference initiated by this office is scheduled for December 9, 2024, at 1 p.m. Each party shall provide the Hearings Administrator a telephone number to be used for the telephone conference on or before December 5, 2024. A date for a hearing shall be determined, if necessary, at the prehearing/settlement conference.

Protests, petitions to intervene or notices of intervention, if any, must be electronically filed on or before November 25, 2024, with the Administrative Hearings Office. The e-mail address to be used for the Administrative Hearings Office is ra-hearings@pa.gov. Answers to protests, petitions to intervene or notices of intervention, if any, must be electronically filed on or before December 5, 2024.

Persons with a disability who wish to attend the previously referenced administrative proceedings and require an auxiliary aid, service or other accommodation to participate in the hearing, contact Nicole Sites Heaton, (717) 787-5790, nsitesheat@pa.gov.

MICHAEL HUMPHREYS,
Insurance Commissioner

[Pa.B. Doc. No. 24-1628. Filed for public inspection November 8, 2024, 9:00 a.m.]

INSURANCE DEPARTMENT

Brian Napierski; License Denial Appeal; Doc. No. AG24-10-020

Under Article VI-A of The Insurance Department Act of 1921 (40 P.S. §§ 310.1—310.99a), Brian Napierski has appealed the denial of an application for an insurance producer's license. The proceedings in this matter will be governed by 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law), §§ 561—588 (relating to administrative proceeding interpreters for persons with limited English proficiency; and administrative proceeding interpreters for persons who are deaf), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure).

A prehearing telephone conference initiated by this office is scheduled for December 11, 2024, at 11 a.m. Each party shall provide the Hearings Administrator a telephone number to be used for the telephone conference on or before December 9, 2024. A date for a hearing shall be determined, if necessary, at the prehearing/settlement conference.

Protests, petitions to intervene or notices of intervention, if any, must be electronically filed on or before November 27, 2024. The e-mail address to be used for the Administrative Hearings Office is ra-hearings@pa.gov. Answers to protests, petitions to intervene or notices of intervention, if any, must be electronically filed on or before December 9, 2024.

Persons with a disability who wish to attend the previously referenced administrative hearing and require an auxiliary aid, service or other accommodations to participate in the hearing, contact Nicole Sites Heaton, (717) 787-5790, nsitesheat@pa.gov.

MICHAEL HUMPHREYS,
Insurance Commissioner

[Pa.B. Doc. No. 24-1629. Filed for public inspection November 8, 2024, 9:00 a.m.]

INSURANCE DEPARTMENT

Review Procedure Hearings; Cancellation or Refusal of Insurance

The following insured has requested a hearing as authorized by the act of June 17, 1998 (P.L. 464, No. 68) (Act 68) in connection with the termination of the insured's automobile insurance policy. The proceedings will be governed in accordance with the requirements of Act 68; 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law); §§ 561—588 (relating to administrative proceeding interpreters for persons with limited English proficiency; and administrative proceeding interpreters for persons who are deaf); 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). This administrative hearing will be held virtually by means of Zoom. Failure by the appellant to appear at the scheduled hearing may result in dismissal with prejudice.

A prehearing telephone conference initiated by this office is scheduled for November 19, 2024, at 1 p.m. Each

party shall provide the Hearings Administrator a telephone number to be used for the telephone conference on or before November 15, 2024.

The video hearing will be held on December 10, 2024, at 1 p.m. The parties and their representatives and witnesses shall join the Zoom hearing through the link supplied in the invitation. The Administrative Hearings Office may be contacted at (717) 783-2126 or ra-hearings@pa.gov.

Appeal of Christina E. Lang; Nationwide Affinity Insurance Company of America; File No. 24-178-300844; Doc. No. P24-09-022.

Following the hearing and receipt of the stenographic transcript, the Insurance Commissioner (Commissioner) will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the previously referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing, contact Joseph Korman, (717) 787-4429, jkorman@pa.gov.

MICHAEL HUMPHREYS,
Insurance Commissioner

[Pa.B. Doc. No. 24-1630. Filed for public inspection November 8, 2024, 9:00 a.m.]

INSURANCE DEPARTMENT

Review Procedure Hearings under the Unfair Insurance Practices Act

The following insured has requested a hearing as authorized under section 8 of the Unfair Insurance Practices Act (act) (40 P.S. § 1171.8), in connection with the termination of the insured's homeowners policy. The proceedings will be governed in accordance with the requirements of the act; 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law); §§ 561—588 (relating to administrative proceeding interpreters for persons with limited English proficiency; and administrative proceeding interpreters for persons who are deaf); 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). This administrative hearing will be held as follows. Failure by the appellant to appear at the scheduled hearing may result in dismissal with prejudice.

A prehearing telephone conference initiated by this office is scheduled for December 4, 2024, at 1 p.m. Each party shall provide the Hearings Administrator a telephone number to be used for the telephone conference on or before December 2, 2024.

The hearing will be held in the Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102.

Appeal of Dr. Timothy Zeiger; Travelers Personal Insurance Company; File No. 24-178-302516; Doc. No. P24-10-006; December 17, 2024, 10 a.m.

Following the hearing and receipt of the stenographic transcript, the Insurance Commissioner (Commissioner) will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the previously referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing, contact Nicole Sites Heaton, (717) 787-5790, nsitesheat@pa.gov.

MICHAEL HUMPHREYS,
Insurance Commissioner

[Pa.B. Doc. No. 24-1631. Filed for public inspection November 8, 2024, 9:00 a.m.]

OFFICE OF OPEN RECORDS

Right-to-Know Law and Sunshine Act Annual Training

The Office of Open Records (OOR) will conduct its annual Right-to-Know Law (65 P.S. §§ 67.101—67.3104) and Sunshine Act (65 Pa.C.S. §§ 701—716) training on Tuesday, November 12, 2024, at 10 a.m. This year's session, which will be held virtually by means of Microsoft Teams, will include the New Standard Right-to-Know Request Form, anonymous requesters and other recent developments. The OOR's annual training is free and open to everyone. Attendees will have ample opportunity to ask questions. Visit <https://www.openrecords.pa.gov/> for information on how to participate in this year's session. (CLE credits are not available this year.)

LIZ WAGENSELLER,
Executive Director

[Pa.B. Doc. No. 24-1632. Filed for public inspection November 8, 2024, 9:00 a.m.]

PATIENT SAFETY AUTHORITY

Public Meeting

The Patient Safety Authority (Authority), established by section 303 of the Medical Care Availability and Reduction of Error (MCARE) Act (40 P.S. § 1303.303), announces a meeting of the Authority's Board to be held virtually by means of the Authority's webinar platform Zoom on Thursday, December 12, 2024, at 1 p.m. and is open to the general public.

There will be Zoom capabilities to attend the Board meeting remotely, so registration is required.

Individuals can register by going to <https://us06web.zoom.us/join/register/tZcpd-6hqT4sE9yzt6YkbhvUNOMoh9-HEQkH>.

After registering, individuals will receive a confirmation e-mail containing information about joining the meeting.

Individuals who are unable to sign in with the previously listed registration link may dial-in by using the following information:

Meeting ID: 834 0797 5698

Passcode: 6aW49t

One tap mobile:

(301) 715-8592, 83407975698# US (Washington DC)
(305) 224-1968, 83407975698# US (Florida)

Dial by individual's location:

(309) 205-3325 US (Illinois)
(312) 626-6799 US (Chicago)
(646) 558-8656 US (New York)
(719) 359-4580 US (Colorado)
(253) 215-8782 US (Washington)
(346) 248-7799 US (Texas)
(507) 473 4847 US (Minnesota)
(669) 444-9171 US (California)

Meeting ID: 834 0797 5698

Find individual's local number: <https://us06web.zoom.us/join/83407975698>

Individuals having questions regarding this meeting, which is open to the public, should contact the Authority at (717) 346-0469.

A closed executive session of the Authority's Board of Directors will be held on December 12, 2024, at 12:30 p.m. by means of Zoom. The purpose of the executive session is for consideration of personnel matters and to engage in nondeliberative informational discussions regarding various actions and matters, which have been approved at previous public meetings.

REGINA M. HOFFMAN, MBA, BSN, RN, CPPS,
Executive Director

[Pa.B. Doc. No. 24-1633. Filed for public inspection November 8, 2024, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Natural Gas Service

A-2024-3051776. Peoples Natural Gas Company, LLC. Application of Peoples Natural Gas Company, LLC for approval of the acquisition by purchase from Big Dog Energy, LLC of certain pipeline facilities located in Greene County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before November 25, 2024. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available only online for inspection and copying on the Pennsylvania Public Utility Commission's (Commission) web site at www.puc.pa.gov and at the applicant's business address. Parties to proceedings pending before the Commission must open and use an eFiling account through the Commission's web site at www.puc.pa.gov or they may submit the filing by overnight delivery to the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120. If a filing contains confidential or proprietary material, the filing is required to be submitted by overnight delivery. Large filings containing confidential or proprietary material may be submitted through the Commission's Share Point file system with advanced notice to the Commission prior to submittal.

Applicant: Peoples Natural Gas Company, LLC

Through and By Counsel for: Meagan Moore, Esquire, PNG Companies, LLC, 375 North Shore Drive, 4th Floor, Pittsburgh, PA 15212, (412) 208-6527, Meagan.moore@peoples-gas.com

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 24-1634. Filed for public inspection November 8, 2024, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission (Commission). Formal protests, petitions to intervene and answers must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before November 25, 2024. Filings are recommended to be made electronically through eFiling to the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy served on the applicant by November 25, 2024. Individuals can sign up for a free eFiling account with the Secretary of the Commission through the Commission's eFiling system at <https://www.puc.pa.gov/efiling/Default.aspx>. A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Protests may only be filed if there is evidence that the applicant lacks fitness. Protests based on endangering or impairing operations of an existing carrier will not be honored. The documents filed in support of the application are only available for inspection through the Commission's web site at www.puc.pa.gov by searching under the docket number as follows or by searching the applicant's web site.

Applications of the following for approval to begin operating as common carriers for transportation of persons as described under each application.

A-2024-3051224. F&M Elite Limo, LLC, t/a F&M Elite Limo (501 Blythe Avenue, Drexel Hill, Delaware County, PA 19026) for the right to begin to transport, as a common carrier, by motor vehicle, persons in limousine service, between points in the Counties of Berks, Bucks, Chester, Delaware, Lancaster, Lebanon, Lehigh, Montgomery, Northampton and York.

A-2024-3051389. Chalfont Transportation Services, Inc. (1100 Horizon Circle, Suite 102, Chalfont, Bucks County, PA 18915) to transport, as a common carrier, by motor vehicle, persons in paratransit service, from points in the City and County of Philadelphia, to points in Pennsylvania, and return.

A-2024-3051548. Community Connection Transportation, LLC (433 North Main Street, # 1067, Doylestown, PA 18901) to transport, as a common carrier, by motor vehicle, persons in paratransit service, from points in Bucks County, to points in Pennsylvania, and return.

A-2024-3051753. Lenzner Lines, LLC (P.O. Box 786, Carroll, Carroll County, IA 51401) to transport persons, as a common carrier, by motor vehicle, in airport transfer

service, from Pittsburgh International Airport, to points in Pennsylvania, and vice versa.

Application of the following for the approval of the right and privilege to *discontinue/abandon* operating as common carriers by motor vehicle and for cancellation of the certificate of public convenience as described under the application.

A-2024-3051824. Paul K. Brown, Inc., t/a Professional Limousine Service (330 Linden Street, McKees Rocks, Allegheny County, PA 15136) for the discontinuation and cancellation of its right to transport, as a common carrier, by motor vehicle, persons in limousine service, as more thoroughly described in original docket at A-00117049F0001.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 24-1635. Filed for public inspection November 8, 2024, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Formal Complaints

Formal complaints have been issued by the Pennsylvania Public Utility Commission. Answers must be filed in accordance with 52 Pa. Code (relating to public utilities). Answers are due November 25, 2024, and must be made with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy to the First Deputy Chief Prosecutor, Pennsylvania Public Utility Commission.

Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. Horizon Health Care, LLC; Docket No. C-2024-3041756

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That Horizon Health Care, LLC, Respondent, maintains a principal place of business at 19509 Windsor Circle Unit B, Hagerstown, MD 21742.

2. That on July 12, 2023, Respondent was issued a certificate of public convenience by this Commission authorizing transport, as a common carrier, by motor vehicle, persons in paratransit service, from points in the counties of Adams, Bedford, Cumberland, Franklin, Fulton, Huntingdon, Juniata, Perry and York to points in Pennsylvania, and return at PUC utility code no. 6426311 at A-2023-3039941. Information contained in that letter "Certificate holder is advised to become familiar with the requirements of 52 Pa. Code. Failure to comply with all applicable requirements may subject the carrier to penal-

ties, including fines, suspension of operating rights or cancellation of authority. Title 52 of the *Pennsylvania Code* may be accessed on the World Wide Web at www.pacode.com.”

3. That beginning on June 7, 2024, PUC Enforcement Supervisor Timothy Troxell attempted to contact the Respondent by phone. On August 7, 2024, a certified letter was sent to the respondent, which was undeliverable and returned to the PUC Harrisburg office on September 16, 2024. No contact has been established to complete the Safety Fitness Review.

4. That Respondent, by failing to achieve a satisfactory evaluation on a safety fitness review, violated 66 Pa. § 501(c) & § 504. The penalty for this violation is cancellation of the certificate held by Respondent with this Commission at utility code 6426311.

Wherefore, the Bureau of Investigation and Enforcement hereby requests that the Commission revoke the certificate of public convenience issued Horizon Health Care at PUC utility code no.6426311.

Respectfully submitted,
 Brian B. Mehus, Acting Chief
 Motor Carrier Enforcement
 Bureau of Investigation and Enforcement
 400 North Street
 Harrisburg, PA 17120

VERIFICATION

I, Brian B. Mehus, hereby state that the facts above set forth are true and correct to the best of my knowledge, information, and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 18 September 2024

Brian B. Mehus, Acting Chief
 Motor Carrier Enforcement
 Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within twenty (20) days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Cover Letter for this Complaint and Notice, 52 Pa. Code § 1.56(a). An Answer is a written explanation of circumstances wished to be considered in determining the outcome. The Answer shall raise all factual and legal arguments that you wish to claim in your defense and must include the reference number of this Complaint. Your Answer must be verified, and the original shall be mailed to:

Rosemary Chiavetta, Secretary
 Pennsylvania Public Utility Commission
 400 North Street, 2nd Floor
 Harrisburg, PA 17120

Or you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Bureau of Investigation and Enforcement
 Pennsylvania Public Utility Commission
 400 North Street, 3rd Floor
 Harrisburg, PA 17120

Or, e-mailed to: RA-PCCmplntResp@pa.gov

B. If you fail to answer this complaint within twenty (20) days, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing a penalty. The penalty could include a fine, the suspension or revocation of your certificate of public convenience or other remedy.

C. If you file an Answer, which admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing a penalty.

D. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The judge is not bound by the optional fine set forth above.

E. Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714.

ROSEMARY CHIAVETTA,
 Secretary

[Pa.B. Doc. No. 24-1636. Filed for public inspection November 8, 2024, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Telecommunications Service

A-2024-3050810. Astound Networks Pennsylvania, LLC. Application of Astound Networks Pennsylvania, LLC for approval to offer, render, furnish or supply telecommunications services to the public as a competitive local exchange carrier in the service territories of: Verizon Pennsylvania, LLC, Verizon North, LLC, Frontier Communications—Commonwealth Telephone Company, LLC, Windstream Conestoga, Inc., Windstream D&E, Inc., Frontier Communications of Pennsylvania, LLC, The North-Eastern PA Telephone Company, South Canaan Telephone Company, Ironton Telephone Company, Palmerton Telephone Company, Lackawaxen Telephone Company, Hancock Telephone Company and TDS Telecom/Deposit Telephone Company.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before November 25, 2024. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at www.puc.pa.gov and at the applicant's business address.

Applicant: Astound Networks Pennsylvania, LLC

Through and By Counsel: Edward A. Yorkgitis Jr., Kelley Drye & Warren, LLP, 3050 K Street NW, Suite 400, Washington, DC 20007

ROSEMARY CHIAVETTA,
 Secretary

[Pa.B. Doc. No. 24-1637. Filed for public inspection November 8, 2024, 9:00 a.m.]

PHILADELPHIA PARKING AUTHORITY

Service of Notice of Motor Carrier Applications in the City of Philadelphia

The following permanent authority applications to render service as common carriers in the City of Philadelphia have been filed with the Philadelphia Parking Authority's (PPA) Taxicab and Limousine Division (TLD). Formal protests must be filed in accordance with 52 Pa. Code Part II (relating to Philadelphia Parking Authority) with the TLD's Office of the Clerk, 2415 South Swanson Street, Philadelphia, PA 19148, no later than November 25, 2024. The nonrefundable protest filing fee is \$5,000 payable to the PPA by certified check or money order. The applications are available for inspection at the TLD between 9 a.m. and 4 p.m., Monday through Friday (contact TLD Director Heidi Robb at (215) 683-9799 to make an appointment) or may be inspected at the business addresses of the respective applicants or attorneys, or both.

Doc. No. A-24-10-06. JAF Taxi, LLC (3083 Weikel Street, Philadelphia, PA 19134): An application for a medallion taxicab certificate of public convenience (CPC) to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return. *Attorney for Applicant:* Shintia Zaman Riva, Esq., 1914 Chandler Street, Philadelphia, PA 19111.

Doc. No. A-24-10-07. Time Travel, Inc. (18 Merwood Drive, Upper Darby, PA 19082): An application for a medallion taxicab CPC to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return.

RICH LAZER,
Executive Director

[Pa.B. Doc. No. 24-1638. Filed for public inspection November 8, 2024, 9:00 a.m.]

END OF ISSUE

